

On the applicability of the x-ray diffraction line profile analysis and microstrain in nanocrystalline materials

Journal of Materials Research

14, 549-559

DOI: [10.1557/jmr.1999.0079](https://doi.org/10.1557/jmr.1999.0079)

Citation Report

#	ARTICLE	IF	CITATIONS
1	On the size-dependent phase transformation in nanoparticulate zirconia. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 286, 169-178.	2.6	236
2	Grain size, Grain Uniformity, and (111) Texture Enhancement by Solid-phase Crystallization of F- and C-implanted SiGe Films. <i>Journal of Materials Research</i> , 2000, 15, 1630-1634.	1.2	1
3	Integrity of nanostructured partially stabilized zirconia after plasma spray processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 313, 75-82.	2.6	147
4	Study on phase transformation of Fe-Ni powders during mechanical alloying. <i>Journal of Materials Science</i> , 2001, 36, 5571-5574.	1.7	19
5	Corrosion Properties of Nanocrystalline Co-Cr Coatings. <i>Annals of Biomedical Engineering</i> , 2001, 29, 803-809.	1.3	20
6	Development of nanocrystalline structure during cryomilling of Inconel 625. <i>Journal of Materials Research</i> , 2001, 16, 2724-2732.	1.2	53
7	Formation and characterization of high-density silver nanoparticles embedded in silica thin films by <i>in situ</i> self-reduction. <i>Journal of Materials Research</i> , 2001, 16, 2934-2938.	1.2	29
8	Mass Transport Driven by Atomic Relocations Under High Flux Ion Irradiation at Elevated Temperatures. <i>Surface Engineering</i> , 2002, 18, 182-187.	1.1	3
9	Synthesis and Characterization of Thin Films of Cadmium Oxide. <i>Chemistry of Materials</i> , 2002, 14, 704-709.	3.2	75
10	Synthesis and Characterization of Liquid MOCVD Precursors for Thin Films of Cadmium Oxide. <i>Chemistry of Materials</i> , 2002, 14, 4955-4962.	3.2	40
11	Grain growth behavior of cryomilled INCONEL 625 powder during isothermal heat treatment. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 125-134.	1.1	43
12	On the influence of N on residual microstrain in cryomilled Ni. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 3795-3801.	1.1	11
13	Nanostructured coatings. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 336, 274-319.	2.6	157
14	Oxidation behavior of HVOF sprayed nanocrystalline NiCrAlY powder. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 338, 33-43.	2.6	157
15	Nitriding of an austenitic stainless steel in plasma torch at atmospheric pressure. <i>Surface and Coatings Technology</i> , 2002, 156, 219-224.	2.2	7
16	Microstructural characteristics of cold-sprayed nanostructured WC-Co coatings. <i>Thin Solid Films</i> , 2002, 416, 129-135.	0.8	223
17	Title is missing!. <i>Journal of Materials Science Letters</i> , 2002, 21, 943-946.	0.5	11
18	Dehydrogenation of nanocrystalline TiH ₂ and consequent consolidation to form dense Ti. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2003, 34, 2793-2799.	1.1	34

#	ARTICLE	IF	CITATIONS
19	Characterization and control of selective corrosion of β_2 -brass by acoustic emission. <i>NDT and E International</i> , 2003, 36, 117-126.	1.7	34
20	Synthesis of cobalt ferrite nanocrystallites by the forced hydrolysis method and investigation of their magnetic properties. <i>Physica B: Condensed Matter</i> , 2003, 327, 382-384.	1.3	131
21	Mechanisms of microstructure evolution during cryomilling in the presence of hard particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 356, 23-31.	2.6	58
22	On the mechanism of synthesis of PbTiO ₃ thin films by thermal annealing of Pb/Ti layers in air at atmospheric pressure. <i>Thin Solid Films</i> , 2003, 426, 78-84.	0.8	13
23	Microstructure and thermal stability of an ultrafine Al ₂ O ₃ composite. <i>Journal of Materials Research</i> , 2003, 18, 272-278.	1.2	18
24	A Novel Self-generating Liquid MOCVD Precursor for Co ₃ O ₄ Thin Films. <i>Chemistry of Materials</i> , 2003, 15, 3748-3752.	3.2	96
25	Deposition of thin films of cobalt oxides by MOCVD. <i>Journal of Materials Chemistry</i> , 2003, 13, 861-865.	6.7	108
26	Large Third-Order Nonlinear Optical Properties of Cadmium Oxide Thin Films. <i>Chemistry of Materials</i> , 2003, 15, 3332-3336.	3.2	96
27	Study on martensitic transformation of mechanically alloyed nanocrystalline Fe-Ni. <i>Materials Letters</i> , 2003, 57, 4070-4073.	1.3	17
28	The Microstrain Generation in Cryomilled Nickel by Impurity Nitrogen Atoms. <i>Materials Research Society Symposia Proceedings</i> , 2003, 791, 1.	0.1	0
29	Laser deposition of ZnO films on silicon and sapphire substrates. <i>Quantum Electronics</i> , 2003, 33, 975-980.	0.3	14
30	Effect of nickel content and milling parameters on martensitic transformation of Fe-Ni during mechanical alloying. <i>Scripta Materialia</i> , 2004, 51, 527-531.	2.6	14
31	Quantitative analysis of grain size in bimodal powders by x-ray diffraction and transmission electron microscopy. <i>Journal of Materials Science</i> , 2004, 39, 6957-6964.	1.7	27
32	Structure and crystallization of the partially crystalline Zr ₇₆ Ni ₂₄ metallic glass. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 373, 26-32.	2.6	13
33	Lead titanate thin film synthesis by solid-state reactions. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004, 109, 178-182.	1.7	11
34	Nanocrystalline materials and coatings. <i>Materials Science and Engineering Reports</i> , 2004, 45, 1-88.	14.8	768
35	Influence of hydrogen dopant on the structure and crystallization of the partially crystalline Zr ₇₆ Ni ₂₄ metallic glass. <i>Journal of Alloys and Compounds</i> , 2004, 377, 141-149.	2.8	7
36	Cobalt hexafluoroacetylacetonate polyether adducts for thin films of cobalt oxides. <i>Inorganica Chimica Acta</i> , 2005, 358, 4466-4472.	1.2	42

#	ARTICLE	IF	CITATIONS
37	Zirconia-based nanocrystalline material synthesized by directional crystallization from the melt. <i>Materials Science and Engineering C</i> , 2005, 25, 577-583.	3.8	18
38	Structural and electrochemical characterisation of Pt and Pd nanoparticles electrodeposited at the liquid/liquid interface: Part 2. <i>Physical Chemistry Chemical Physics</i> , 2005, 7, 1807.	1.3	41
39	X-ray-diffraction study of crystalline Si nanocluster formation in annealed silicon-rich silicon oxides. <i>Journal of Applied Physics</i> , 2006, 99, 023518.	1.1	74
40	Polyaniline/iron nanocomposites prepared by cryomilling. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 3157-3164.	2.4	18
41	Microstructure and mechanical properties of super-strong nanocrystalline tungsten processed by high-pressure torsion. <i>Acta Materialia</i> , 2006, 54, 4079-4089.	3.8	302
42	Experimental study of titanium/aluminium deposits produced by cold gas dynamic spray. <i>Surface and Coatings Technology</i> , 2006, 200, 2775-2783.	2.2	90
43	Magnetic properties of nanocrystalline $\text{Co}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$ prepared by forced hydrolysis method. <i>Journal of Magnetism and Magnetic Materials</i> , 2006, 307, 313-317.	1.0	50
44	Nanocrystallization and magnetic properties of Fe-30 weight percent Ni alloy by surface mechanical attrition treatment. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2006, 37, 1413-1421.	1.1	31
45	Magnetoelectric Properties of $\text{CoFe}_{2-x}\text{O}_4\text{-BaTiO}_3$ Core-Shell Structure Composite. <i>IEEE Transactions on Magnetics</i> , 2006, 42, 3611-3613.	1.2	63
46	The effect of reaction temperature on the particle size, structure and magnetic properties of coprecipitated CoFe_2O_4 nanoparticles. <i>Materials Letters</i> , 2006, 60, 3548-3552.	1.3	355
47	Abs/iron nanocomposites prepared by cryomilling. <i>Journal of Applied Polymer Science</i> , 2006, 99, 501-505.	1.3	29
48	Magnetoelectric Properties of $\text{CoFe}_2\text{O}_4\text{-BaTiO}_3$ Core-Shell Structure Composites. , 2006, , .		4
49	Mechanical Behavior of Nanocrystalline Metals. , 2007, , 537-564.		11
50	Magnetic properties of nanocrystalline $\text{BaFe}_{12}\text{O}_{19}$ prepared by hydrothermal method. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 811-813.	1.5	23
51	Synthesis of binary nano-composite of $\text{Ti}_{50}\text{Zr}_{50}$ and its characterization. <i>Journal of Alloys and Compounds</i> , 2007, 429, 227-232.	2.8	4
52	Nanostructured yttria stabilized zirconia coatings deposited by air plasma spraying. <i>Transactions of Nonferrous Metals Society of China</i> , 2007, 17, 389-393.	1.7	30
53	High-energy grinding of FeMo powders. <i>Journal of Materials Research</i> , 2007, 22, 1744-1753.	1.2	30
54	Influence of the preparation procedure on the properties of polyaniline based magnetic composites. <i>European Polymer Journal</i> , 2007, 43, 1333-1346.	2.6	65

#	ARTICLE	IF	CITATIONS
55	Grain size engineering of bcc refractory metals: Top-down and bottom-up Application to tungsten. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 467, 33-43.	2.6	100
56	Preparation of MgO nanoparticles. Inorganic Materials, 2007, 43, 502-504.	0.2	31
57	Strong isotropic flux pinning in solution-derived YBa ₂ Cu ₃ O _{7-x} nanocomposite superconductor films. Nature Materials, 2007, 6, 367-373.	13.3	553
58	Effect of preparation conditions on magnetoelectric properties of CoFe ₂ O ₄ /BaTiO ₃ magnetoelectric composites. Journal of Magnetism and Magnetic Materials, 2007, 316, e624-e627.	1.0	44
59	Grain Growth in Cryomilled Ni Powder during Degassing. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2007, 38, 1343-1350.	1.1	7
60	Metallization of Carbon Fibers with Nickel by Electroless Plating Technique. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2007, 38, 2148-2152.	1.1	12
61	Electromagnetic nanocomposites prepared by cryomilling of polyaniline and Fe nanoparticles. Journal of Polymer Science, Part B: Polymer Physics, 2008, 46, 1571-1576.	2.4	12
62	Titanium dioxide nanocrystalline bactericidal thin films grown by sol-gel technique. Microelectronics Journal, 2008, 39, 1333-1335.	1.1	9
63	Fabrication of periodically polarity-inverted ZnO films. Journal of Vacuum Science & Technology B, 2008, 26, 1120.	1.3	4
64	Thermal stability of nanostructured NiCrC coating prepared by HVAF spraying of cryomilled powders. Rare Metals, 2008, 27, 418-424.	3.6	4
65	Vortex pinning in chemical solution nanostructured YBCO films. Superconductor Science and Technology, 2008, 21, 034008.	1.8	123
66	Ultrafine and Nanostructured Refractory Metals Processed by SPD: Microstructure and Mechanical Properties. Materials Science Forum, 2008, 579, 75-90.	0.3	16
67	Nanogranular structures formed by combinatorial control processing of size-selected metal nanoparticles. Journal of Applied Physics, 2008, 103, 094317.	1.1	6
68	ESTIMATION OF LATTICE STRAIN, STRESS, ENERGY DENSITY AND CRYSTALLITE SIZE OF THE SPHERICAL YTTRIUM OXIDE NANOPARTICLES. Functional Materials Letters, 2009, 02, 131-134.	0.7	25
69	Microstructure analyses and thermophysical properties of nanostructured thermal barrier coatings. Journal of Coatings Technology Research, 2009, 6, 383-390.	1.2	16
70	Decoration of C ₆₀ nanorods with nickel and their magnetic properties. Science Bulletin, 2009, 54, 2539-2542.	1.7	1
71	Microstructures and electrochemical characteristics of Mm _{0.3} Ml _{0.7} Ni _{3.55} Co _{0.75} Mn _{0.4} Al _{0.3} hydrogen storage alloys prepared by mechanical alloying. International Journal of Hydrogen Energy, 2009, 34, 2295-2302.	3.8	14
72	Magnetic Fluids Based on $\hat{1}^3$ -Fe ₂ O ₃ and CoFe ₂ O ₄ Nanoparticles Dispersed in Ionic Liquids. Journal of Physical Chemistry C, 2009, 113, 8566-8572.	1.5	72

#	ARTICLE	IF	CITATIONS
73	Effects of grain size on the electrochemical corrosion behaviour of electrodeposited nanocrystalline Fe coatings in alkaline solution. <i>Corrosion Science</i> , 2009, 51, 1844-1849.	3.0	91
74	Enhanced Vortex Pinning in YBCO Coated Conductors With BZO Nanoparticles From Chemical Solution Deposition. <i>IEEE Transactions on Applied Superconductivity</i> , 2009, 19, 3258-3261.	1.1	12
75	Synthesis of nanocrystalline NiCrC alloy feedstock powders for thermal spraying by cryogenic ball milling. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2009, 16, 77-83.	2.4	5
76	Nanostructured Al-Zn-Mg-Cu alloy synthesized by cryomilling and spark plasma sintering. <i>Transactions of Nonferrous Metals Society of China</i> , 2009, 19, 1110-1115.	1.7	27
77	Evolution of yttria nanoparticle ensembles. <i>Nanotechnologies in Russia</i> , 2010, 5, 624-634.	0.7	10
78	Structure, optical and thermal decomposition characters of LDPE graft copolymers synthesized by gamma irradiation. <i>Bulletin of Materials Science</i> , 2010, 33, 65-73.	0.8	24
79	Effect of Annealing on Hardness and the Modulus of Elasticity in Bulk Nanocrystalline Nickel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010, 41, 621-630.	1.1	39
80	The influence of nanocrystalline state of iron on the corrosion inhibitor behavior in aqueous solution. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 1949-1956.	1.5	5
81	The effect of pure iron in a nanocrystalline grain size on the corrosion inhibitor behavior of sodium benzoate in near-neutral aqueous solution. <i>Materials Chemistry and Physics</i> , 2010, 124, 466-471.	2.0	18
82	Study on Ni-Fe-C cathode for hydrogen evolution from seawater electrolysis. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 8056-8062.	3.8	42
83	X-ray peak broadening studies of nanocrystalline hydroxyapatite by Williamson-Hall analysis. <i>Physica B: Condensed Matter</i> , 2010, 405, 4256-4261.	1.3	362
84	THE INFLUENCE OF PULSE PARAMETERS ON THE MICROSTRUCTURE OF IRON ELECTRODEPOSITS. <i>International Journal of Nanoscience</i> , 2010, 09, 365-370.	0.4	0
85	Thermally Controlled Crystallization of Electrospun TiO ₂ Nanofibers. <i>Advances in Science and Technology</i> , 0, , .	0.2	2
86	Nanostructured composite coatings for oil sand's applications. <i>Surface Engineering</i> , 2010, 26, 540-545.	1.1	21
87	Nanostructured Superconductors with Efficient Vortex Pinning. , 2011, , 303-349.		24
88	Role of fuels on intrinsic and extrinsic properties of CoFe ₂ O ₄ synthesized by combustion method. <i>Materials Letters</i> , 2011, 65, 2972-2974.	1.3	19
89	Synthesis and processing of nanocrystalline tungsten carbide: Towards cemented carbides with optimal mechanical properties. <i>International Journal of Refractory Metals and Hard Materials</i> , 2011, 29, 78-84.	1.7	42
90	Microstructure and mechanical properties at different length scales and strain rates of nanocrystalline tantalum produced by high-pressure torsion. <i>Acta Materialia</i> , 2011, 59, 2423-2436.	3.8	105

#	ARTICLE	IF	CITATIONS
91	Analysis of Mechanically Induced Reactivity of Boehmite Using Kinetics of Boehmite to \hat{I}^3 -Al ₂ O ₃ Transformation. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2011, 42, 592-603.	1.0	20
92	Sintering of Inkjet-Printed Silver Nanoparticles at Room Temperature Using Intense Pulsed Light. Journal of Electronic Materials, 2011, 40, 2268-2277.	1.0	154
93	Microstructure and surface residual stress of plasma sprayed nanostructured and conventional ZrO ₂ ·8wt%Y ₂ O ₃ thermal barrier coatings. Surface and Interface Analysis, 2011, 43, 869-880.	0.8	26
94	Structure, optical and thermal decomposition characters of LDPE graft copolymers synthesized by gamma irradiation. Current Applied Physics, 2011, 11, 70-76.	1.1	50
95	Effect of thermal spike energy created in CuFe ₂ O ₄ by 150MeV Ni ¹¹⁺ swift heavy ion irradiation. Nuclear Instruments & Methods in Physics Research B, 2011, 269, 1088-1093.	0.6	8
96	Magnetic properties and microwave absorption in Ni-Zn and Mn-Zn ferrite nanoparticles synthesized by low-temperature solid-state reaction. Journal of Magnetism and Magnetic Materials, 2011, 323, 730-734.	1.0	65
97	Anomalous reduction in surface area during mechanical activation of boehmite synthesized by thermal decomposition of gibbsite. Powder Technology, 2011, 208, 128-136.	2.1	35
98	Preparation and characterization of nanostructured La ₂ Zr ₂ O ₇ feedstock used for plasma spraying. Powder Technology, 2011, 212, 267-277.	2.1	35
99	Separation of intra- and intergranular magnetotransport properties in nanocrystalline diamond films on the metallic side of the metal-insulator transition. New Journal of Physics, 2011, 13, 083008.	1.2	68
100	Fabrication of ultrafine and nanocrystalline WC-Co mixtures by planetary milling and subsequent consolidations. Powder Metallurgy, 2011, 54, 214-221.	0.9	8
101	EFFECT OF SWIFT HEAVY ION IRRADIATION ON THE STRUCTURAL AND MORPHOLOGICAL ASPECTS OF COPPER FERRITE NANOPARTICLES. International Journal of Nanoscience, 2011, 10, 111-115.	0.4	2
102	Magnetization of 2.6%T in gadolinium thin films. Applied Physics Letters, 2012, 101, .	1.5	29
103	Single and mixed phase TiO ₂ powders prepared by excess hydrolysis of titanium alkoxide. Advances in Applied Ceramics, 2012, 111, 149-158.	0.6	71
104	Hydrothermal Synthesis of Co ₃ O ₄ -Graphene for Heterogeneous Activation of Peroxymonosulfate for Decomposition of Phenol. Industrial & Engineering Chemistry Research, 2012, 51, 14958-14965.	1.8	231
105	Temperature dependent phonon Raman scattering of highly <i>c</i> -axis oriented CoFe ₂ O ₄ inverse spinel ferromagnetic films grown by pulsed laser deposition. Applied Physics Letters, 2012, 100, .	1.5	40
106	Structure and Magnetic Properties of La _{0.66} Sr _{0.33} MnO ₃ Thin Films Derived Using Sol-Gel Technique. Journal of Superconductivity and Novel Magnetism, 2012, 25, 2767-2770.	0.8	31
107	Structural and Magnetic Studies of Co _{0.6} Zn _{0.4} Fe ₂ O ₄ Nanoferrite Synthesized by Solution Combustion Method. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2012, 42, 360-363.	0.6	7
108	Fe Atom Exchange between Aqueous Fe ²⁺ and Magnetite. Environmental Science & Technology, 2012, 46, 12399-12407.	4.6	112

#	ARTICLE	IF	CITATIONS
109	Magnetic CoFe ₂ O ₄ â€“Graphene Hybrids: Facile Synthesis, Characterization, and Catalytic Properties. Industrial & Engineering Chemistry Research, 2012, 51, 6044-6051.	1.8	205
110	A novel structure design towards extremely low thermal conductivity for thermal barrier coatings â€“ Experimental and mathematical study. Materials & Design, 2012, 35, 505-517.	5.1	34
111	Microstructure and indentation mechanical properties of plasma sprayed nano-bimodal and conventional ZrO ₂ â€“8wt%Y ₂ O ₃ thermal barrier coatings. Vacuum, 2012, 86, 1174-1185.	1.6	80
112	Effects of growth temperature for buffer layers on properties of ZnO thin films grown on porous silicon by plasma-assisted molecular beam epitaxy. Optical Materials, 2012, 34, 1543-1548.	1.7	17
113	Characterization of AA6061 Alloy Processed by Equal Channel Angular Pressing and Subjected to Low Cycle Fatigue. Transactions of the Indian Institute of Metals, 2013, 66, 147-154.	0.7	4
114	Deformation and fracture of a mudflat-cracked laser-fabricated oxide on Ti. Journal of Materials Science, 2013, 48, 4050-4058.	1.7	10
115	Dependencies of microstructure and stress on the thickness of GdBa ₂ Cu ₃ O ₇ â€“ thin films fabricated by RF sputtering. Nanoscale Research Letters, 2013, 8, 304.	3.1	12
116	Synthesis of Magnetic Cobalt Nanoparticles Anchored on Graphene Nanosheets and Catalytic Decomposition of Orange II. Industrial & Engineering Chemistry Research, 2013, 52, 17341-17350.	1.8	134
117	Preparation of binder-free thin film Li ₄ Ti ₅ O ₁₂ anode with an adjustable thickness through anodic TiO ₂ nanotubes. Current Applied Physics, 2013, 13, 1788-1795.	1.1	12
118	Preparation of entangled nanocellulose fibers from APMP and its magnetic functional property as matrix. Carbohydrate Polymers, 2013, 94, 278-285.	5.1	40
119	Facile synthesis of porous LiMn ₂ O ₄ spheres as cathode materials for high-power lithium ion batteries. Journal of Power Sources, 2013, 226, 140-148.	4.0	128
120	Microstructural evolution of oxide-dispersion-strengthened Feâ€“Cr model steels during mechanical milling and subsequent hot pressing. Journal of Materials Science, 2013, 48, 1826-1836.	1.7	17
121	Facile Synthesis of Mn ₃ O ₄ â€“Reduced Graphene Oxide Hybrids for Catalytic Decomposition of Aqueous Organics. Industrial & Engineering Chemistry Research, 2013, 52, 3637-3645.	1.8	171
122	Molecularly stabilised ultrasmall gold nanoparticles: synthesis, characterization and bioactivity. Nanoscale, 2013, 5, 6224.	2.8	82
123	Bridges of debris in the EDD process: Going beyond the thermo-electrical model. Journal of Materials Processing Technology, 2013, 213, 349-360.	3.1	15
124	Structural, ionic and thermoluminescence properties of heavy ion (100MeV Si ⁷⁺) bombarded Zn ₂ SiO ₄ :Sm ³⁺ nanophosphor. Journal of Luminescence, 2013, 143, 409-417.	1.5	26
125	X-ray line broadening analysis and optical studies of surfactant EDTA assisted rare earth ion cerium doped ZnS nanocrystals.. Materials Research Express, 2014, 1, 025010.	0.8	2
126	Microstructural evolution of MgAl ₂ O ₄ oxide-dispersion-strengthened alloy by mechanical milling and hot isostatic pressing. Journal of Materials Research, 2014, 29, 1440-1447.	1.2	4

#	ARTICLE	IF	CITATIONS
127	Advanced Ni-W coatings obtained by the combination of pulse plating and chemometric techniques. Transactions of the Institute of Metal Finishing, 2014, 92, 305-315.	0.6	5
128	Production of Nanocrystalline Ni-20Cr Coatings for High-Temperature Applications. Journal of Thermal Spray Technology, 2014, 23, 692-707.	1.6	23
129	Palladium nanoparticles supported on organosilane-functionalized carbon nanotube for solvent-free aerobic oxidation of benzyl alcohol. Applied Catalysis B: Environmental, 2014, 156-157, 385-397.	10.8	51
130	Ferromagnetism in DyRh and DyRhX (X = Fe, Ni, Co, Gd) thin films. Journal Physics D: Applied Physics, 2014, 47, 485002.	1.3	3
131	The superelastic mechanism of Si ₃ N ₄ microsprings using micro-Raman spectroscopy. Physical Chemistry Chemical Physics, 2014, 16, 14808.	1.3	7
132	Variation of strain rate sensitivity with grain size in Cr and other body-centred cubic metals. Journal Physics D: Applied Physics, 2014, 47, 175303.	1.3	19
133	Epoxy catalyzed sol-gel method for pinhole-free pyrite FeS ₂ thin films. Journal of Alloys and Compounds, 2014, 607, 169-176.	2.8	13
134	Hydrogen production by catalytic decomposition of methane over Ni-Cu-Co alloy particles. Applied Catalysis B: Environmental, 2014, 156-157, 84-93.	10.8	78
135	Fabrication of a 12-tungstophosphate and cadmium oxide composite film and its properties. Materials Chemistry and Physics, 2014, 144, 369-376.	2.0	4
136	Synthesis and characterization of nanocrystalline nickel oxide using NaOH and oxalic acid as oxide sources. Materials Research Express, 2014, 1, 026104.	0.8	9
137	Study on PEG assisted TFA-MOD method for rapid fabrication of YBa ₂ Cu ₃ O _{7-δ} thin films: Influence of PEG additive amount in precursor solutions. , 2015, , .		0
138	Fire side erosion-corrosion protection of boiler tubes by nanostructured coatings. Materials and Corrosion - Werkstoffe Und Korrosion, 2015, 66, 695-709.	0.8	9
139	The Influence of Grain Size Determination Method on Grain Growth Kinetics Analysis. Advanced Engineering Materials, 2015, 17, 1598-1607.	1.6	17
140	Development of Nanostructured Composite Coatings on Metallic Surfaces. , 2015, , 277-292.		0
141	Development of Erosion-Corrosion-Resistant Cold-Spray Nanostructured Ni-20Cr Coating for Coal-Fired Boiler Applications. Journal of Thermal Spray Technology, 2015, 24, 1441-1449.	1.6	7
142	Synthesis of Gallium-oxide nanoparticles and nanowires by using a thermal plasma. Journal of the Korean Physical Society, 2015, 66, 1233-1238.	0.3	2
143	Enhanced Performance of Polymer Solar Cells Comprising Diketopyrrolopyrrole-Based Regular Terpolymer Bearing Two Different π -Extended Donor Units. ACS Applied Materials & Interfaces, 2015, 7, 28303-28310.	4.0	35
144	Exploring microstructure and surface features of Chinese coins using non-invasive approaches. Applied Surface Science, 2015, 332, 205-214.	3.1	5

#	ARTICLE	IF	CITATIONS
145	Development of nano-crystalline cold sprayed Niâ€“20Cr coatings for high temperature oxidation resistance. <i>Surface and Coatings Technology</i> , 2015, 266, 122-133.	2.2	29
146	Characterization of self-organized crystalline Au nanoparticles embedded in epitaxially grown SrTiO ₃ . <i>Journal of Materials Research</i> , 2015, 30, 973-980.	1.2	1
147	Synthesis of nanocrystalline Mg-based Mgâ€“Ti composite powders by mechanical milling. <i>Materials Characterization</i> , 2015, 106, 44-51.	1.9	38
148	A nanocrystalline zirconium carbide coating as a functional corrosion-resistant barrier for polymer electrolyte membrane fuel cell application. <i>Journal of Power Sources</i> , 2015, 297, 359-369.	4.0	37
149	Issues in Determining Size of Nano-crystalline Ceramic Particles by X-ray Diffraction. <i>Materials Today: Proceedings</i> , 2015, 2, 3534-3538.	0.9	10
150	Poly L-lysine (PLL)-mediated porous hematite clusters as anode materials for improved Li-ion batteries. <i>Electronic Materials Letters</i> , 2015, 11, 815-821.	1.0	1
151	Single Step Synthesis and Characterisation of Nanocrystalline Cobalt Ferrite by Auto-Combustion Method. <i>Materials Today: Proceedings</i> , 2015, 2, 3605-3609.	0.9	5
152	Atomic diffusion processes in MgO/Fe/MgO multilayer. <i>Superlattices and Microstructures</i> , 2015, 88, 609-619.	1.4	16
153	Thermal spray nanostructured ceramic and metal-matrix composite coatings. , 2015, , 481-511.		1
154	Methane decomposition using Niâ€“Cu alloy nano-particle catalysts and catalyst deactivation studies. <i>Chemical Engineering Journal</i> , 2015, 262, 1077-1089.	6.6	59
155	Electrochemical Corrosion Behavior of Ta ₂ N Nanoceramic Coating in Simulated Body Fluid. <i>Materials</i> , 2016, 9, 772.	1.3	21
156	Nanocrystalline Î²-Ta Coating Enhances the Longevity and Bioactivity of Medical Titanium Alloys. <i>Metals</i> , 2016, 6, 221.	1.0	10
157	Synthesis of nanocrystalline AZ31 magnesium alloy with titanium addition by mechanical milling. <i>Materials Characterization</i> , 2016, 113, 108-116.	1.9	32
158	A Novel Plasma-Sprayed Nanostructured Coating with Agglomerated-Unsintered Feedstock. <i>Journal of Thermal Spray Technology</i> , 2016, 25, 291-300.	1.6	11
159	Hydrogen production by methane decomposition over Niâ€“Cuâ€“SiO ₂ catalysts: effect of temperature on catalyst deactivation. <i>RSC Advances</i> , 2016, 6, 52154-52163.	1.7	18
160	Diketopyrrolopyrrole-based conjugated small molecules bearing two different acceptor moieties for organic solar cells. <i>Synthetic Metals</i> , 2016, 221, 39-47.	2.1	5
161	Studies on the structural, quantitative and semi-quantitative analyses of NiOâ€“GDC nanocomposites. <i>RSC Advances</i> , 2016, 6, 72865-72876.	1.7	2
162	Strengthening mechanisms of graphene- and Al ₂ O ₃ -reinforced aluminum nanocomposites synthesized by room temperature milling. <i>Materials and Design</i> , 2016, 92, 79-87.	3.3	57

#	ARTICLE	IF	CITATIONS
163	Catalytic applications of alkali-functionalized carbon nanospheres and their supported Pd nanoparticles. <i>Applied Catalysis B: Environmental</i> , 2016, 184, 104-118.	10.8	34
164	Electrochemical Corrosion Behavior of Nanocrystalline TiO_2 -Ta Coating for Biomedical Applications. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 579-594.	2.6	50
165	Strongly improved current-carrying capacity induced by nanoscale lattice strains in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ / $\text{Ba}_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ composite films derived from chemical solution deposition. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1392-1397.	2.7	19
166	Covalency, hybridization and valence state effects in nano- and micro-sized ZnFe_2O_4 . <i>CrystEngComm</i> , 2016, 18, 2701-2711.	1.3	25
167	Palladium nanoparticles supported on CNT functionalized by rare-earth oxides for solvent-free aerobic oxidation of benzyl alcohol. <i>Catalysis Today</i> , 2016, 259, 292-302.	2.2	32
168	Gas-Solid Erosive Wear of Biomimetic Pattern Surface Inspired from Plant. <i>Tribology Transactions</i> , 2017, 60, 159-165.	1.1	12
169	Mechanical and electrochemical properties of a sputter-deposited $\text{Ti}_2\text{Ta}_5\text{Si}_3$ nanocrystalline coating. <i>Journal of Alloys and Compounds</i> , 2017, 699, 1068-1083.	2.8	14
170	Mechanistic investigation of visible light driven novel $\text{La}_2\text{CuO}_4/\text{CeO}_2/\text{rGO}$ ternary hybrid nanocomposites for enhanced photocatalytic performance and antibacterial activity. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017, 340, 96-108.	2.0	60
171	Mechanical property and damping capacity of ultrafine-grained $\text{Fe}_{13}\text{Cr}_2\text{Al}_{11}\text{Si}$ alloy produced by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 695, 193-198.	2.6	29
172	The role of microstructural features on the electrical resistivity and mechanical properties of powder metallurgy $\text{Al-SiC-Al}_2\text{O}_3$ nanocomposites. <i>Materials and Design</i> , 2017, 130, 26-36.	3.3	61
173	Great Disparity in Photoluminescence Quantum Yields of Colloidal CsPbBr_3 Nanocrystals with Varied Shape: The Effect of Crystal Lattice Strain. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 3115-3121.	2.1	30
174	A review of thickness-induced evolutions of microstructure and superconducting performance of $\text{REBa}_2\text{Cu}_3\text{O}_{7-x}$ coated conductor. <i>Advances in Manufacturing</i> , 2017, 5, 165-176.	3.2	18
175	Cation distribution: a key to ascertain the magnetic interactions in a cobalt substituted MgMn nanoferrite matrix. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 16669-16680.	1.3	76
176	Study of $\text{Cu}_2\text{O}/\text{ZnO}$ nanowires heterojunction designed by combining electrodeposition and atomic layer deposition. <i>Applied Surface Science</i> , 2017, 426, 301-306.	3.1	22
177	Ionic Liquid Microstrips Impregnated with Magnetic Nanostirrers for Sensitive Gas Sensors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 43377-43385.	4.0	16
178	Novel nanoparticles with Cr^{3+} substituted ferrite for self-regulating temperature hyperthermia. <i>Nanoscale</i> , 2017, 9, 13929-13937.	2.8	71
179	Effect of pressure and temperature on the white light produced by Ytterbium (III) doped and undoped Yttrium Silicate nanopowders excited by a laser diode. <i>Journal of Luminescence</i> , 2017, 181, 321-326.	1.5	9
180	Insights into the structural, microstructural and physical properties of multiphase powder mixtures. <i>Journal of Alloys and Compounds</i> , 2017, 691, 378-387.	2.8	24

#	ARTICLE	IF	CITATIONS
181	$\text{In}_2\text{Ga}_2\text{O}_3$ solar-blind deep-ultraviolet photodetector based on annealed sapphire substrate. <i>Vacuum</i> , 2017, 140, 106-110.	1.6	63
182	Spectral characterization and white light generation by yttrium silicate nanopowders undoped and doped with Ytterbium(III) at different concentrations when excited by a laser diode at 975Ånm. <i>Optical Materials</i> , 2017, 63, 167-172.	1.7	12
183	High-sensitivity $\text{In}_2\text{Ga}_2\text{O}_3$ solar-blind photodetector on high-temperature pretreated c-plane sapphire substrate. <i>Optical Materials Express</i> , 2017, 7, 3643.	1.6	74
184	Solid lubrication with MoS_2 -Ti-C films for high-vacuum applications in a nuclear fusion experimental device. <i>Industrial Lubrication and Tribology</i> , 2018, 70, 155-160.	0.6	3
185	Formation of defect, oxygen vacancy creation, and shifting of phonon mode by Li^+ swift heavy ion irradiation on $\text{Zn}_{1-x}\text{Mn}_x\text{O}$ thin films. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 1237-1248.	1.2	5
186	Microstructure-mechanical property relationship in an Al-Mg alloy processed by constrained groove pressing-cross route. <i>Materials Science and Technology</i> , 2018, 34, 1003-1017.	0.8	26
187	Multi-layered thermal barrier coatings on BMI polyimide matrix composite. <i>Surface and Coatings Technology</i> , 2018, 337, 104-116.	2.2	11
188	Accumulative fold-forging (AFF) as a novel severe plastic deformation process to fabricate a high strength ultra-fine grained layered aluminum alloy structure. <i>Materials Characterization</i> , 2018, 136, 229-239.	1.9	27
189	Hierarchical Surface Patterns upon Evaporation of a ZnO Nanofluid Droplet: Effect of Particle Morphology. <i>Langmuir</i> , 2018, 34, 1645-1654.	1.6	23
190	Investigation on surface layer characteristics of shot peened graphene reinforced Al composite by X-ray diffraction method. <i>Applied Surface Science</i> , 2018, 435, 1257-1264.	3.1	38
191	Ultrasonically and Photonically Simulatable Bi-Ceria Nanocubes for Enhanced Catalytic Degradation of Aqueous Dyes: A Detailed Study on Optimization, Mechanism and Stability. <i>ChemistrySelect</i> , 2018, 3, 12841-12853.	0.7	18
192	Carbon-coated SbCu alloy nanoparticles for high performance lithium storage. <i>Journal of Alloys and Compounds</i> , 2018, 753, 371-377.	2.8	13
193	Dynamic strain aging behavior of an ultra-fine grained Al-Mg alloy (AA5052) processed via classical constrained groove pressing. <i>Journal of Materials Research and Technology</i> , 2019, 8, 630-643.	2.6	24
194	Effect of multi-walled carbon nanotubes addition on MnOx/Ti electrode prepared by spraying-calcination method for electro-catalytic oxidation of Acid Red B. <i>Journal of Materials Science</i> , 2019, 54, 12509-12521.	1.7	7
195	Cesium Copper Iodide Tailored Nanoplates and Nanorods for Blue, Yellow, and White Emission. <i>Chemistry of Materials</i> , 2019, 31, 9003-9011.	3.2	111
196	Post-deposition annealing effect on the structural, morphological, and photoluminescence properties of $\text{In}_2\text{Ga}_2\text{O}_3$ nanowires deposited on silicon by glancing angle deposition. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.	1.1	10
197	Elinvar effect in severely-deformed Ti-50.8(at%)Ni thin belt. <i>Materials Letters</i> , 2019, 252, 96-99.	1.3	8
198	Lattice Disorder-Engineered Energy Splitting between Bright and Dark Excitons in CsPbBr_3 Quantum Wires. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 1355-1360.	2.1	6

#	ARTICLE	IF	CITATIONS
199	Consolidation and Behavior of FeCoV Soft Magnetic Materials via Spark Plasma Sintering. , 2019, , 473-491.		0
200	FCC to BCC transformation-induced plasticity based on thermodynamic phase stability in novel V10Cr10Fe45Co _x Ni35 [~] x medium-entropy alloys. Scientific Reports, 2019, 9, 2948.	1.6	71
201	Nanoporous Gold as a Highly Selective and Active Carbon Dioxide Reduction Catalyst. ACS Applied Energy Materials, 2019, 2, 164-170.	2.5	55
202	Tunable magnetic properties of Ni-doped CoFe2O4 nanoparticles prepared by the sol-gel citrate self-combustion method. Journal of Magnetism and Magnetic Materials, 2019, 476, 387-391.	1.0	35
203	High efficient catalytic degradation of tetracycline and ibuprofen using visible light driven novel Cu/Bi2Ti2O7/rGO nanocomposite: Kinetics, intermediates and mechanism. Journal of Industrial and Engineering Chemistry, 2019, 72, 512-528.	2.9	72
204	The effect of reactive element species and concentrations on the isothermal oxidation of β -NiAl coating fabricated by spark plasma sintering. Surface and Coatings Technology, 2019, 357, 841-848.	2.2	15
205	Optimization and detailed stability study on Pb doped ceria nanocubes for enhanced photodegradation of several anionic and cationic organic pollutants. Arabian Journal of Chemistry, 2020, 13, 1309-1322.	2.3	33
206	Unusual catalytic activity of TiO ₂ @CoTiO ₃ under 1064 nm pulsed laser illumination. Catalysis Today, 2020, 349, 3-9.	2.2	10
207	Effects of annealing temperature on microstructures and tensile properties of a single FCC phase CoCuMnNi high-entropy alloy. Journal of Alloys and Compounds, 2020, 812, 152111.	2.8	37
208	Oxygen vacancy-dependent microstructural, optical and magnetic properties of sol-gel Tb _{0.2} Er ₁ Y _{2.8} Fe ₅ O ₁₂ films. Journal of Magnetism and Magnetic Materials, 2020, 497, 166048.	1.0	13
209	Superior mechanical properties of 40Cr steel obtained by quenching and microstress relieving under electropulsing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 772, 138782.	2.6	11
210	Corrosion behavior of monophasic and multiphasic Al ₅₀ Au ₅₀ ribbons in AlCl ₃ + HCl solution. Corrosion Science, 2020, 165, 108398.	3.0	9
211	High-Pressure Phase Transitions in Densely Packed Nanocrystallites of TiO ₂ -II. Journal of Physical Chemistry C, 2020, 124, 1197-1206.	1.5	4
212	Effects of Fe ₃ O ₄ nanoparticle fabrication and surface modification on Chlorella sp. harvesting efficiency. Science of the Total Environment, 2020, 704, 135286.	3.9	35
213	Macroscopic residual stress and properties in different YBa ₂ Cu ₃ O _{7-x} heterogeneous systems. Physica C: Superconductivity and Its Applications, 2020, 577, 1353728.	0.6	1
214	Microstructure and ignition mechanisms of reactive aluminum-zirconium ball-milled composite metal powders as a function of particle size. Journal of Materials Science, 2020, 55, 14243-14263.	1.7	12
215	Transition from thin film to nanostructure in low pressure chemical vapor deposition growth of β -Ga ₂ O ₃ : Impact of metal gallium source. Thin Solid Films, 2020, 709, 138234.	0.8	16
216	Effect of Cu ²⁺ substitution on the structural properties of Mg-Mn nanoferrites. Materials Today: Proceedings, 2020, 33, 1568-1572.	0.9	1

#	ARTICLE	IF	CITATIONS
217	The effect of phase on microstructure and mechanical performance in TiAlN and TiSiN films. <i>Materials Research Express</i> , 2020, 7, 066401.	0.8	9
218	Effect of increase in Nano-particle Addition on Mechanical and Microstructural Behaviour of HVOF and Cold-Spray Ni-20Cr Coatings on Boiler Steels. <i>Materials Today: Proceedings</i> , 2020, 21, 2035-2042.	0.9	15
219	Single-line diffraction and microstructural analysis of NiOxGDC(1-x) nanocomposites. <i>Journal of Solid State Chemistry</i> , 2020, 288, 121400.	1.4	0
220	Role of Cu/graphene interface in suppressing fatigue damage of submicron Cu films for flexible electronics. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 792, 139786.	2.6	7
221	Interfacial and Bulk Magnetic Properties of Stoichiometric Cerium Doped Terbium Iron Garnet Polycrystalline Thin Films. <i>Advanced Functional Materials</i> , 2020, 30, 2000409.	7.8	12
222	Enhanced superconducting performance in solution-derived YBCO/BaZrO3 composite film. <i>Progress in Natural Science: Materials International</i> , 2020, 30, 180-184.	1.8	3
223	Mechanical reliability modification of metal matrix composite coatings by adding Al particles via cold spray technology. <i>Surfaces and Interfaces</i> , 2020, 20, 100515.	1.5	6
224	Novel bismuth ferrite nanopowder prepared by polyethylene glycol-assisted two-step solid-state reaction: Synthesis and magneto-optical properties. <i>Ceramics International</i> , 2021, 47, 3514-3519.	2.3	6
225	Mesoporous NiFe ₂ O ₄ with Tunable Pore Morphology for Electrocatalytic Water Oxidation. <i>ChemElectroChem</i> , 2021, 8, 227-239.	1.7	15
226	The effect of Mg content and milling time on the solid solubility and microstructure of Ti-Mg alloys processed by mechanical milling. <i>Journal of Materials Research and Technology</i> , 2021, 11, 1424-1433.	2.6	13
227	Depth-sensing thermal stability of accumulative fold-forged nanostructured materials. <i>Materials and Design</i> , 2021, 202, 109554.	3.3	3
228	Tuning the crystallite size of monoclinic ZrO ₂ to reveal critical roles of surface defects on ZrO ₂ catalyst for direct synthesis of isobutene from syngas. <i>Chinese Journal of Chemical Engineering</i> , 2021, 35, 211-219.	1.7	5
229	Gallium Oxide (Ga ₂ O ₃): An Efficient Heterogeneous Nanocatalyst for One Pot, Multi-Component Synthesis of Polyhydroquinolines. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 5809-5823.	1.4	7
230	Solid solution Na(Gd/La)(MoO ₄) ₂ :Yb ³⁺ /Er ³⁺ upconversion nanocrystals with simultaneously enhanced photothermal conversion efficiency and luminescence intensity. <i>Journal of Luminescence</i> , 2021, 239, 118356.	1.5	11
231	Mechanical properties and electrical conductivity of cold rolled Al-7.5wt%Y alloy with heterogeneous lamella structure and stacking faults. <i>Journal of Alloys and Compounds</i> , 2021, 882, 160692.	2.8	14
232	Impact of A-site rare earth substitution on structural, magnetic, optical and transport properties of double perovskites. <i>Materials Research Bulletin</i> , 2020, 127, 110844.	2.7	14
234	Moagem de pÃ³s de carbetto de silÃcio em moinho planetÃrio. <i>Ceramica</i> , 2005, 51, 393-398.	0.3	1
235	Coral micro- and macro-morphological skeletal properties in response to life-long acclimatization at CO ₂ vents in Papua New Guinea. <i>Scientific Reports</i> , 2021, 11, 19927.	1.6	10

#	ARTICLE	IF	CITATIONS
236	High Energy Milling Behavior of Alpha Silicon Carbide. Ceramic Engineering and Science Proceedings, 0, , 89-93.	0.1	0
237	Low-energy ion beam modified surface property and mechanism of high temperature superconductor YBa ₂ Cu ₃ O ₇ - thin film. Wuli Xuebao/Acta Physica Sinica, 2018, 67, 036103.	0.2	1
238	Magnetocaloric effect in the (Mn,Fe) ₂ (P,Si) system: From bulk to nano. Acta Materialia, 2022, 224, 117532.	3.8	17
239	Synthesis, spectral characterization, antimicrobial evaluation studies and cytotoxic activity of some transition metal complexes with tridentate (N,N,O) donor azo dye ligand. Results in Chemistry, 2021, 3, 100245.	0.9	29
240	Effects of Voigt diffraction peak profiles on the pair distribution function. Acta Crystallographica Section A: Foundations and Advances, 2022, 78, 10-20.	0.0	3
241	Microstructure Evolution of AZ91 Alloy Processed by Twin Parallel Channel Angular Extrusion Technique. Journal of Materials Engineering and Performance, 0, , 1.	1.2	1
242	High Energy Milling Behavior of Alpha Silicon Carbide. Ceramic Engineering and Science Proceedings, 0, , 349-353.	0.1	0
243	Facile Synthesis of Catalyst Free Carbon Nanoparticles From the Soot of Natural Oils. Frontiers in Materials, 2022, 9, .	1.2	0
244	Fe doped Ga ₂ O ₃ nanomaterial catalysed green and efficient one pot three component synthesis of tetrahydrobenzo[b]pyran. Letters in Organic Chemistry, 2022, 19, .	0.2	4
245	Advanced Techniques for Characterization of Structure, Composition and Mechanical Behaviour. , 2022, , 309-353.		0
246	Improved Superconducting Performance of YBCO-Coated Conductors by Low Energy Density Argon Ion Etching. Journal of Low Temperature Physics, 0, , .	0.6	0
247	Effect of surface hydrophobization on the 1,5,9-cyclododecatriene epoxidation process with hydrogen peroxide on silanized Ti-SBA-15 catalyst. Journal of Industrial and Engineering Chemistry, 2023, 121, 472-479.	2.9	1
248	A comparative analysis of Cr(VI) reduction with Cu ₂ O, ZnO and Fe ₂ O ₃ coatings grown by PEO. Revista Facultad De IngenierÃa, 0, , .	0.5	0