

Rapid climatic variations during marine isotopic stage 3 from Nordic Seas and North Atlantic

Earth and Planetary Science Letters

171, 489-502

DOI: [10.1016/S0012-821X\(99\)00162-4](https://doi.org/10.1016/S0012-821X(99)00162-4)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Geomagnetic modulation of the late Pleistocene cosmic-ray flux as determined by ^{10}Be from Blake Outer Ridge marine sediments. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2000, 172, 555-561.	1.4	39
2	North Atlantic palaeointensity stack since 75ka (NAPIS \hat{e} 75) and the duration of the Laschamp event. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2000, 358, 1009-1025.	3.4	327
3	Rock magnetic detection of distal ice-rafted debries: clue for the identification of Heinrich layers on the Portuguese margin. <i>Earth and Planetary Science Letters</i> , 2000, 180, 61-75.	4.4	113
4	Geomagnetic paleointensity and environmental record from Labrador Sea core MD95-2024: global marine sediment and ice core chronostratigraphy for the last 110 kyr. <i>Earth and Planetary Science Letters</i> , 2000, 183, 161-177.	4.4	152
5	Derivation of $\delta^{18}\text{O}$ from sediment core log data: Implications for millennial-scale climate change in the Labrador Sea. <i>Paleoceanography</i> , 2001, 16, 503-514.	3.0	11
6	Late Quaternary dinoflagellate cyst stratigraphy at the Eurasian continental margin, Arctic Ocean: indications for Atlantic water inflow in the past 150,000 years. <i>Global and Planetary Change</i> , 2001, 31, 65-86.	3.5	62
7	Coherent patterns of ice-rafted debris deposits in the Nordic regions during the last glacial (10 \hat{e} 60) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	4.4	105
8	Latest Quaternary rock magnetic record of climatic and oceanic change, Tanner Basin, California borderland. <i>Bulletin of the Geological Society of America</i> , 2001, 113, 346-359.	3.3	18
9	Extremely Large Variations of Atmospheric ^{14}C Concentration During the Last Glacial Period. <i>Science</i> , 2001, 292, 2453-2458.	12.6	334
10	Cosmogenic ^{10}Be and the Solid Earth: Studies in Geomagnetism, Subduction Zone Processes, and Active Tectonics. <i>Reviews in Mineralogy and Geochemistry</i> , 2002, 50, 207-270.	4.8	26
11	Simulation of ocean-ice sheet interactions during the last deglaciation. <i>Paleoceanography</i> , 2002, 17, 6-16-18.	3.0	12
12	Sources of Labrador Sea sediments since the last glacial maximum inferred from Nd-Pb isotopes. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 2569-2581.	3.9	40
13	Laschamp Excursion at Mono Lake?. <i>Earth and Planetary Science Letters</i> , 2002, 197, 151-164.	4.4	76
14	Geomagnetic field intensity, North Atlantic Deep Water circulation and atmospheric $\delta^{14}\text{C}$ during the last 50 kyr. <i>Earth and Planetary Science Letters</i> , 2002, 200, 177-190.	4.4	97
15	Geomagnetic-assisted stratigraphy and sea surface temperature changes in core MD94-103 (Southern) Tj ETQq0 0 0 rgBT /Overlock 10 Tf <i>Planetary Science Letters</i> , 2002, 201, 159-170.	4.4	60
16	Climatic and oceanographic changes in the Northeast Atlantic reflected by magnetic properties of sediments deposited on the Portuguese Margin during the last 340 ka. <i>Earth and Planetary Science Letters</i> , 2002, 202, 465-480.	4.4	59
17	Decadal-to-millennial-scale climate variability \hat{e} chronology and mechanisms: summary and recommendations. <i>Quaternary Science Reviews</i> , 2002, 21, 1121-1128.	3.0	43
18	South Atlantic and North Atlantic geomagnetic paleointensity stacks (0 \hat{e} 80ka): implications for inter-hemispheric correlation. <i>Quaternary Science Reviews</i> , 2002, 21, 1141-1151.	3.0	141

#	ARTICLE	IF	CITATIONS
19	Changes in North Atlantic deep-water formation associated with the Dansgaard-Oeschger temperature oscillations (60â€“10ka). <i>Quaternary Science Reviews</i> , 2002, 21, 1153-1165.	3.0	249
20	Global distribution of centennial-scale records for Marine Isotope Stage (MIS) 3: a database. <i>Quaternary Science Reviews</i> , 2002, 21, 1185-1212.	3.0	481
21	5. Cosmogenic Be-10 and the Solid Earth: Studies in Geomagnetism, Subduction Zone Processes, and Active Tectonics. , 2002, , 207-270.		9
22	Norwegian sea-surface palaeoenvironments of marine oxygen-isotope stage 3: the paradoxical response of dinoflagellate cysts. <i>Journal of Quaternary Science</i> , 2002, 17, 349-359.	2.1	25
23	Magnetic susceptibility and ice-rafted debris in surface sediments of the Nordic Seas: implications for Isotope Stage 3 oscillations. <i>Geo-Marine Letters</i> , 2002, 22, 1-11.	1.1	29
24	Were glacial iceberg surges in the North Atlantic triggered by climatic warming?. <i>Marine Geology</i> , 2002, 192, 393-417.	2.1	59
25	Evidence for a mid-Pleistocene shift of ice-drift pattern in the Nordic seas. <i>Journal of Quaternary Science</i> , 2003, 18, 183-191.	2.1	6
26	Sedimentary environment and glacial history during the last 40 ka of the VÃrreng continental margin, mid-Norway. <i>Marine Geology</i> , 2003, 193, 93-127.	2.1	82
27	Rock magnetic properties of the fine-grained sediment on the outer shelf of the East China Sea: implication for provenance. <i>Marine Geology</i> , 2003, 193, 195-206.	2.1	62
28	Stratigraphy and distribution of tephra layers in marine sediment cores from the Faeroe Islands, North Atlantic. <i>Marine Geology</i> , 2003, 199, 263-277.	2.1	50
29	Saw-tooth pattern of North Atlantic current speed during Dansgaard-Oeschger cycles revealed by the magnetic grain size of Reykjanes Ridge sediments at 59A°N. <i>Paleoceanography</i> , 2003, 18, n/a-n/a.	3.0	30
30	Time variations in geomagnetic intensity. <i>Reviews of Geophysics</i> , 2003, 41, .	23.0	238
31	Magnetic characterisation of present-day deep-sea sediments and sources in the North Atlantic. <i>Earth and Planetary Science Letters</i> , 2003, 214, 379-394.	4.4	50
32	The Campanian Ignimbrite Eruption, Heinrich Event 4, and palaeolithic change in Europe: A high-resolution investigation. <i>Geophysical Monograph Series</i> , 2003, , 301-325.	0.1	62
34	Comparison of the Holocene and Eemian palaeoenvironments in the South Icelandic Basin: dinoflagellate cysts as proxies for the North Atlantic surface circulation. <i>Review of Palaeobotany and Palynology</i> , 2004, 128, 55-79.	1.5	41
35	Heinrich events: Massive late Pleistocene detritus layers of the North Atlantic and their global climate imprint. <i>Reviews of Geophysics</i> , 2004, 42, .	23.0	1,188
37	Magnetic properties of rivers sands and rocks from Martinique Island: tracers of weathering?. <i>Physics and Chemistry of the Earth</i> , 2004, 29, 933-945.	2.9	8
38	Quartz content and the quartz-to-plagioclase ratio determined by X-ray diffraction: a proxy for ice rafting in the northern North Atlantic?. <i>Earth and Planetary Science Letters</i> , 2004, 218, 389-401.	4.4	40

#	ARTICLE	IF	CITATIONS
39	Changes in sedimentation patterns of the Nordic seas region across the mid-Pleistocene. <i>Marine Geology</i> , 2005, 215, 107-122.	2.1	27
40	Cenozoic alongslope processes and sedimentation on the NW European Atlantic margin. <i>Marine and Petroleum Geology</i> , 2005, 22, 1069-1088.	3.3	105
41	Reconstructing the variability of the climate system: Facts and theories. <i>Comptes Rendus - Geoscience</i> , 2005, 337, 888-896.	1.2	2
42	Magnetic signature of rapid climatic variations in glacial North Atlantic, a review. <i>Comptes Rendus - Geoscience</i> , 2005, 337, 908-918.	1.2	33
43	Effects of climate and the cosmic-ray flux on the ^{10}Be content of marine sediments. <i>Earth and Planetary Science Letters</i> , 2005, 232, 193-207.	4.4	17
44	Morphological and microtectonic analysis of Quaternary deformation from Punã and Santa Clara Islands, Gulf of Guayaquil, Ecuador (South America). <i>Tectonophysics</i> , 2005, 399, 331-350.	2.2	26
45	Geomagnetic field intensity during the last 60,000 years based on ^{10}Be and ^{36}Cl from the Summit ice cores and ^{14}C . <i>Quaternary Science Reviews</i> , 2005, 24, 1849-1860.	3.0	233
46	Deep-sea sediment records of the Laschamp geomagnetic field excursion ($\sim 41,000$ calendar years before) Tj ETQo] 1 0.784314 rg	3.3	76
47	Deep-water mass source and dynamic associated with rapid climatic variations during the last glacial stage in the North Atlantic: A multiproxy investigation of the detrital fraction of deep-sea sediments. <i>Geochemistry, Geophysics, Geosystems</i> , 2006, 7, n/a-n/a.	2.5	31
48	Geomagnetic field behavior during the Iceland Basin and Laschamp geomagnetic excursions: A simple transitional field geometry?. <i>Geochemistry, Geophysics, Geosystems</i> , 2006, 7, n/a-n/a.	2.5	92
49	Late Pliocene millennial-scale climate variability in the northern North Atlantic prior to and after the onset of Northern Hemisphere glaciation. <i>Paleoceanography</i> , 2006, 21, .	3.0	40
50	Meltwater and ice rafting in the southern Norwegian Sea between 20 and 40 calendar kyr B.P.: Implications for Fennoscandian Heinrich events. <i>Paleoceanography</i> , 2006, 21, .	3.0	39
51	Timing of meltwater pulse 1a and climate responses to meltwater injections. <i>Paleoceanography</i> , 2006, 21, .	3.0	181
52	Holocene centennial to millennial-scale climatic variability: Evidence from high-resolution magnetic analyses of the last 10 cal kyr off North Iceland (core MD99-2275). <i>Earth and Planetary Science Letters</i> , 2006, 242, 390-405.	4.4	52
53	The penultimate deglaciation: High-resolution paleoceanographic evidence from a north-south transect along the eastern Nordic Seas. <i>Earth and Planetary Science Letters</i> , 2006, 241, 505-516.	4.4	33
54	Late Brunhes polarity excursions (Mono Lake, Laschamp, Iceland Basin and Pringle Falls) recorded at ODP Site 919 (Irminger Basin). <i>Earth and Planetary Science Letters</i> , 2006, 244, 378-393.	4.4	125
55	High-resolution data of the Iceland Basin geomagnetic excursion from ODP sites 1063 and 983: Existence of intense flux patches during the excursion?. <i>Earth and Planetary Science Letters</i> , 2006, 251, 18-32.	4.4	16
56	High-resolution magnetic analysis of sediment cores: Strengths, limitations and strategies for maximizing the value of long-core magnetic data. <i>Physics of the Earth and Planetary Interiors</i> , 2006, 156, 162-178.	1.9	44

#	ARTICLE	IF	CITATIONS
57	A summary of Brunhes paleomagnetic field variability recorded in Ocean Drilling Program cores. <i>Physics of the Earth and Planetary Interiors</i> , 2006, 156, 194-204.	1.9	134
58	The Avaatech XRF Core Scanner: technical description and applications to NE Atlantic sediments. <i>Geological Society Special Publication</i> , 2006, 267, 39-50.	1.3	257
59	Geomagnetic Excursions. , 2007, , 373-416.		56
60	Paleointensities. , 2007, , 509-563.		46
61	Atlantic Meridional Overturning Circulation During the Last Glacial Maximum. <i>Science</i> , 2007, 316, 66-69.	12.6	322
62	Environmental magnetic record and paleosecular variation data for the last 40 kyrs from the Lake Biwa sediments, Central Japan. <i>Earth, Planets and Space</i> , 2007, 59, 807-814.	2.5	41
63	Variations of the ACC-CDW during MIS3 traced by magnetic grain deposition in midlatitude South Indian Ocean cores: Connections with the northern hemisphere and with central Antarctica. <i>Geochemistry, Geophysics, Geosystems</i> , 2007, 8, n/a-n/a.	2.5	16
64	Ocean circulation at the Last Glacial Maximum: A combined modeling and magnetic proxy-based study. <i>Paleoceanography</i> , 2007, 22, .	3.0	47
65	Primary productivity response to Heinrich events in the North Atlantic Ocean and Norwegian Sea. <i>Paleoceanography</i> , 2007, 22, .	3.0	30
66	Sedimentâ” magnetic signature of the mid-Holocene paleoenvironmental change in the central Okinawa Trough. <i>Marine Geology</i> , 2007, 239, 19-31.	2.1	23
67	Reduced North Atlantic Deep Water Coeval with the Glacial Lake Agassiz Freshwater Outburst. <i>Science</i> , 2008, 319, 60-64.	12.6	218
68	Mechanisms of abrupt climate change of the last glacial period. <i>Reviews of Geophysics</i> , 2008, 46, .	23.0	288
69	Origin of orbital periods in the sedimentary relative paleointensity records. <i>Physics of the Earth and Planetary Interiors</i> , 2008, 169, 140-151.	1.9	22
70	Millennialâ€scale propagation of Atlantic deep waters to the glacial Southern Ocean. <i>Paleoceanography</i> , 2008, 23, .	3.0	33
71	Geomagnetic field evolution during the Laschamp excursion. <i>Earth and Planetary Science Letters</i> , 2009, 278, 87-95.	4.4	47
72	The magnetic fraction: A tracer of deep water circulation in the North Atlantic. <i>Earth and Planetary Science Letters</i> , 2009, 288, 444-454.	4.4	41
73	Impact of diagenesis on the environmental magnetic record from a Holocene sedimentary sequence from the Chukchiâ€Alaskan margin, Arctic Ocean. <i>Global and Planetary Change</i> , 2009, 68, 100-114.	3.5	21
74	Sediment instability on the Portuguese continental margin under abrupt glacial climate changes (last) Tj ETQq1 1 0,784314 rgBT /Overld	3.0	73

#	ARTICLE	IF	CITATIONS
75	Variability of surface water characteristics and Heinrich-like events in the Pleistocene midlatitude North Atlantic Ocean: Biomarker and XRD records from IODP Site U1313 (MIS 16-9). <i>Paleoceanography</i> , 2009, 24, .	3.0	99
76	Polarity Reversals from Paleomagnetic Observations and Numerical Dynamo Simulations. <i>Space Science Reviews</i> , 2010, 155, 293-335.	8.1	69
77	Threshold behavior of millennial scale variability in deep water hydrography inferred from a 1.1 Ma long record of sediment provenance at the southern Gardar Drift. <i>Paleoceanography</i> , 2010, 25, n/a-n/a.	3.0	34
78	Variations of the Antarctic Circumpolar Current intensity during the past 500 ka. <i>Geochemistry, Geophysics, Geosystems</i> , 2010, 11, .	2.5	24
79	Millennial-scale iceberg surges after intensification of Northern Hemisphere glaciation. <i>Geochemistry, Geophysics, Geosystems</i> , 2010, 11, .	2.5	21
80	Monsoon variability and deep oceanic circulation in the western equatorial Pacific over the last climatic cycle: Insights from sedimentary magnetic properties and sortable silt. <i>Paleoceanography</i> , 2010, 25, .	3.0	30
81	Norwegian Sea tephrostratigraphy of marine isotope stages 4 and 5: Prospects and problems for tephrochronology in the North Atlantic region. <i>Quaternary Science Reviews</i> , 2010, 29, 847-864.	3.0	72
82	The Laschamp geomagnetic dipole low expressed as a cosmogenic ¹⁰ Be atmospheric overproduction at ~ 41 ka. <i>Earth and Planetary Science Letters</i> , 2011, 312, 305-317.	4.4	39
83	The Mono Lake excursion recorded in phonolitic lavas from Tenerife (Canary Islands): Paleomagnetic analyses and coupled K/Ar and Ar/Ar dating. <i>Physics of the Earth and Planetary Interiors</i> , 2011, 187, 232-244.	1.9	33
84	Loess stratigraphy using palaeomagnetism: Application to the Poiana Cireşului archaeological site (Romania). <i>Quaternary International</i> , 2011, 240, 100-107.	1.5	17
85	PADM2M: a penalized maximum likelihood model of the 0-2 Ma palaeomagnetic axial dipole moment. <i>Geophysical Journal International</i> , 2011, 184, 1069-1089.	2.4	158
86	Middle slope contourite deposits and associated sedimentary facies off NE Argentina. <i>Geo-Marine Letters</i> , 2011, 31, 495-507.	1.1	34
87	Non-synchronous deposition of North Atlantic Ash Zone II in Greenland ice cores, and North Atlantic and Norwegian Sea sediments: an example of complex glacial stage tephra transport. <i>Journal of Quaternary Science</i> , 2011, 26, 739-745.	2.1	18
88	True to Milankovitch: Glacial Inception in the New Community Climate System Model. <i>Journal of Climate</i> , 2012, 25, 2226-2239.	3.2	38
90	Environmental magnetism: Principles and applications. <i>Reviews of Geophysics</i> , 2012, 50, .	23.0	491
91	Temporal offsets between surface temperature, ice-rafting and bottom flow speed proxies in the glacial (MIS 3) northern North Atlantic. <i>Quaternary Science Reviews</i> , 2012, 48, 43-53.	3.0	15
92	Diagenetic alteration of magnetic minerals in Labrador Sea sediments (IODP Sites U1305, U1306, and) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.5	28
93	Late Quaternary chronostratigraphic framework of deep Baffin Bay glaciomarine sediments from high-resolution paleomagnetic data. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	2.5	35

#	ARTICLE	IF	CITATIONS
94	Relative paleointensity and environmental magnetism since 1.2 Ma at IODP site U1305 (Eirik Drift, NW) Tj ETQq0 0,0,rgBT /Overlock 10	4.4	25
96	An ocean-ice coupled response during the last glacial: a view from a marine isotopic stage 3 record south of the Faeroe Shetland Gateway. <i>Climate of the Past</i> , 2012, 8, 1997-2017.	3.4	13
97	Source as a controlling factor on the quality and interpretation of sediment magnetic records from the northern North Atlantic. <i>Earth and Planetary Science Letters</i> , 2013, 368, 69-77.	4.4	29
98	Dansgaard-Oeschger cycles: Interactions between ocean and sea ice intrinsic to the Nordic seas. <i>Paleoceanography</i> , 2013, 28, 491-502.	3.0	170
99	High Resolution Global Paleointensity Stack Since 75 kyr (GLOPIS-75) Calibrated to Absolute Values. <i>Geophysical Monograph Series</i> , 0, , 255-265.	0.1	65
100	Changes of Potential Density Gradients in the Northwestern North Atlantic During the Last Climatic Cycle Based on a Multiproxy Approach. <i>Geophysical Monograph Series</i> , 0, , 83-100.	0.1	10
101	Tracers of Past Ocean Circulation. , 2014, , 435-451.		7
102	Particle Size-Specific Magnetic Measurements as a Tool for Enhancing Our Understanding of the Bulk Magnetic Properties of Sediments. <i>Minerals (Basel, Switzerland)</i> , 2014, 4, 758-787.	2.0	60
103	North Atlantic marine radiocarbon reservoir ages through Heinrich event H4: a new method for marine age model construction. <i>Geological Society Special Publication</i> , 2014, 398, 95-112.	1.3	8
104	Abrupt glacial climate shifts controlled by ice sheet changes. <i>Nature</i> , 2014, 512, 290-294.	27.8	192
106	The paleomagnetic record at IODP Site U1307 back to 2.2 Ma (Eirik Drift, off south Greenland). <i>Earth and Planetary Science Letters</i> , 2015, 429, 82-89.	4.4	10
107	Correcting for the influence of ice-rafted detritus on grain size-based paleocurrent speed estimates. <i>Paleoceanography</i> , 2015, 30, 1347-1357.	3.0	29
108	Sortable silt cycles in Svalbard slope sediments 74±0 ka. <i>Journal of Quaternary Science</i> , 2015, 30, 743-753.	2.1	10
109	Stratification of surface waters during the last glacial millennial climatic events: a key factor in subsurface and deep-water mass dynamics. <i>Climate of the Past</i> , 2015, 11, 1507-1525.	3.4	12
110	Geomagnetic Excursions. , 2015, , 343-383.		35
111	Paleointensities. , 2015, , 461-509.		38
112	Ice sheet dynamics on the Lofoten-VesterÅlen shelf, north Norway, from Late MIS-3 to Heinrich Stadial 1. <i>Quaternary Science Reviews</i> , 2015, 119, 136-156.	3.0	10
113	Refining the Icelandic tephrochronology of the last glacial period - The deep-sea core PS2644 record from the southern Greenland Sea. <i>Global and Planetary Change</i> , 2015, 131, 35-62.	3.5	26

#	ARTICLE	IF	CITATIONS
114	Precession-driven changes in Iceland–Scotland Overflow Water penetration and bottom water circulation on Gardar Drift since ~ 200 ka. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 551-563.	2.3	4
115	Sensitivity of Sediment Magnetic Records to Climate Change during Holocene for the Northern South China Sea. <i>Frontiers in Earth Science</i> , 2016, 4, .	1.8	9
116	Magnetic record of deglaciation using FORC-PCA, sortable-silt grain size, and magnetic excursion at 26 ka, from the Rockall Trough (NE Atlantic). <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 1823-1841.	2.5	46
117	Geochemical response of the mid-depth Northeast Atlantic Ocean to freshwater input during Heinrich events 1 to 4. <i>Quaternary Science Reviews</i> , 2016, 151, 236-254.	3.0	16
118	Norwegian Sea warm pulses during Dansgaard-Oeschger stadials: Zooming in on these anomalies over the 35–41 ka cal BP interval and their impacts on proximal European ice-sheet dynamics. <i>Quaternary Science Reviews</i> , 2016, 151, 255-272.	3.0	17
119	Reconstruction of hydrographic changes in the southern Norwegian Sea during the past 135 kyr and the impact of different foraminiferal Mg/Ca cleaning protocols. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 3420-3436.	2.5	12
120	Magnetic minerals in three Asian rivers draining into the South China Sea: Pearl, Red, and Mekong Rivers. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 1678-1693.	2.5	25
121	Age of the Laschamp excursion determined by U-Th dating of a speleothem geomagnetic record from North America. <i>Geology</i> , 2016, 44, 139-142.	4.4	54
122	Southernmost evidence of large European Ice Sheet-derived freshwater discharges during the Heinrich Stadials of the Last Glacial Period (Galician Interior Basin, Northwest Iberian Continental Shelf). <i>Geology</i> , 2017, 45, 101-104.	4.4	21
123	Ventilation history of Nordic Seas overflows during the last (de)glacial period revealed by species-specific benthic foraminiferal ¹⁴ C dates. <i>Paleoceanography</i> , 2017, 32, 172-181.	3.0	28
124	An activity index for geomagnetic paleosecular variation, excursions, and reversals. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 1366-1375.	2.5	21
125	The southern Norwegian Sea during the last 45 ka: hydrographical reorganizations under changing ice-sheet dynamics. <i>Journal of Quaternary Science</i> , 2017, 32, 908-922.	2.1	11
126	Grain size dependent magnetic discrimination of Iceland and South Greenland terrestrial sediments in the northern North Atlantic sediment record. <i>Earth and Planetary Science Letters</i> , 2017, 474, 474-489.	4.4	22
127	Denmark Strait during the Late Glacial Maximum and Marine Isotope Stage 3: Sediment sources and transport processes. <i>Marine Geology</i> , 2017, 390, 181-198.	2.1	13
128	The Atlantic Meridional Overturning Circulation and Abrupt Climate Change. <i>Annual Review of Marine Science</i> , 2017, 9, 83-104.	11.6	184
129	Regional seesaw between the North Atlantic and Nordic Seas during the last glacial abrupt climate events. <i>Climate of the Past</i> , 2017, 13, 729-739.	3.4	10
130	Spatio-temporal dynamics of hydrographic reorganizations and iceberg discharges at the junction between the Northeast Atlantic and Norwegian Sea basins surrounding Heinrich event 4. <i>Earth and Planetary Science Letters</i> , 2018, 481, 236-245.	4.4	5
131	Paleomagnetism and rock magnetism from sediments along a continental shelf-to-slope transect in the NW Barents Sea: Implications for geomagnetic and depositional changes during the past 15 thousand years. <i>Global and Planetary Change</i> , 2018, 160, 10-27.	3.5	13

#	ARTICLE	IF	CITATIONS
132	Global and Regional Assessments of Paleosecular Variation Activity Over the Past 100 ka. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 1559-1580.	2.5	26
133	Large Changes in Sea Ice Triggered by Small Changes in Atlantic Water Temperature. <i>Journal of Climate</i> , 2018, 31, 4847-4863.	3.2	10
134	High-Resolution Benthic Mg/Ca Temperature Record of the Intermediate Water in the Denmark Strait Across Stadal-Interstadial Cycles. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 1169-1185.	2.9	10
135	Past Carbonate Preservation Events in the Deep Southeast Atlantic Ocean (Cape Basin) and Their Implications for Atlantic Overturning Dynamics and Marine Carbon Cycling. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 643-663.	2.9	11
136	Synchronous Changes in Sediment Transport and Provenance at the Iceland-Faroe Ridge Linked to Millennial Climate Variability From 55 to 6 ka BP. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 4184-4201.	2.5	3
137	Mechanisms of millennial-scale atmospheric CO ₂ change in numerical model simulations. <i>Quaternary Science Reviews</i> , 2019, 220, 30-74.	3.0	46
138	One Hundred Thousand Years of Geomagnetic Field Evolution. <i>Reviews of Geophysics</i> , 2019, 57, 1289-1337.	23.0	59
139	Southwest Greenland shelf glaciation during MIS 4 more extensive than during the Last Glacial Maximum. <i>Scientific Reports</i> , 2019, 9, 15617.	3.3	15
140	Consistently dated Atlantic sediment cores over the last 40 thousand years. <i>Scientific Data</i> , 2019, 6, 165.	5.3	63
141	Particle Size Specific Magnetic Properties Across the Norwegian-Greenland Seas: Insights Into the Influence of Sediment Source and Texture on Bulk Magnetic Records. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 1004-1025.	2.5	12
142	A High-Resolution Geomagnetic Relative Paleointensity Record From the Arctic Ocean Deep-Water Gateway Deposits During the Last 60 kyr. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 2355-2377.	2.5	13
143	Sea ice variability in the southern Norwegian Sea during glacial Dansgaard-Oeschger climate cycles. <i>Science Advances</i> , 2019, 5, eaau6174.	10.3	49
144	Coupled atmosphere-ice-ocean dynamics in Dansgaard-Oeschger events. <i>Quaternary Science Reviews</i> , 2019, 203, 1-20.	3.0	74
145	Hiatuses in the late Pliocene-Pleistocene stratigraphy of the Ioffe calcareous contourite drift, western South Atlantic. <i>Marine and Petroleum Geology</i> , 2020, 111, 624-637.	3.3	18
146	Magnetic investigation of surface sediments of the northwestern South China Sea: Implication for sediment provenance and transportation. <i>Journal of Asian Earth Sciences</i> , 2020, 202, 104530.	2.3	3
147	Enviromagnetic study of Late Quaternary environmental evolution in Lower Volga loess sequences, Russia. <i>Quaternary Research</i> , 2021, 103, 49-73.	1.7	20
148	Classification of a Complexly Mixed Magnetic Mineral Assemblage in Pacific Ocean Surface Sediment by Electron Microscopy and Supervised Magnetic Unmixing. <i>Frontiers in Earth Science</i> , 2020, 8, .	1.8	23
149	Independent tephrochronological evidence for rapid and synchronous oceanic and atmospheric temperature rises over the Greenland stadial-interstadial transitions between ca. 32 and 40 ka b2k. <i>Quaternary Science Reviews</i> , 2020, 236, 106277.	3.0	6

#	ARTICLE	IF	CITATIONS
150	Effect of deep Southwestern Subtropical Atlantic Ocean circulation on the biogeochemistry of mercury during the last two glacial/interglacial cycles. <i>Quaternary Science Reviews</i> , 2020, 239, 106368.	3.0	8
151	Multi-Proxy Approach for Identifying Heinrich Events in Sediment Cores from Hatton Bank (NE Tj ETQq1 1 0.784314,rgBT /Oyerlock 10	2.2	1
152	Past environmental and circulation changes in the South China Sea: Input from the magnetic properties of deep-sea sediments. <i>Quaternary Science Reviews</i> , 2020, 236, 106263.	3.0	20
153	Eurasian Ice Sheet collapse was a major source of Meltwater Pulse 1A 14,600 years ago. <i>Nature Geoscience</i> , 2020, 13, 363-368.	12.9	63
154	Late glacial to holocene sedimentary facies of the Eirik Drift, southern Greenland margin: Spatial and temporal variability and paleoceanographic implications. <i>Marine Geology</i> , 2021, 440, 106568.	2.1	4
155	Polarity Reversals from Paleomagnetic Observations and Numerical Dynamo Simulations. <i>Space Sciences Series of ISSI</i> , 2010, , 293-335.	0.0	2
158	Indian Ocean Variability and Interactions. , 2020, , 153-185.		2
159	Expedition 303 summary. , 0, , .		4
160	Site U1314. , 0, , .		2
163	Expedition 306 summary. , 0, , .		1
164	Direct astronomical influence on abrupt climate variability. <i>Nature Geoscience</i> , 2021, 14, 819-826.	12.9	27
165	Rapid reductions and millennial-scale variability in Nordic Seas sea ice cover during abrupt glacial climate changes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 29478-29486.	7.1	12
167	Variability of the Oceans. , 2020, , 1-53.		2
168	Teleconnections in the Atmosphere. , 2020, , 54-88.		2
169	Atmosphereâ€œOcean Interactions. , 2020, , 89-119.		2
170	Interacting Interannual Variability of the Pacific and Atlantic Oceans. , 2020, , 120-152.		2
171	The Arctic Mediterranean. , 2020, , 186-215.		1
172	Combined Oceanic Influences on Continental Climates. , 2020, , 216-257.		2

#	ARTICLE	IF	CITATIONS
173	Basin Interactions and Predictability. , 2020, , 258-292.		3
174	Climate Change and Impacts on Variability and Interactions. , 2020, , 293-337.		0
176	Evolution of the North Atlantic Current and Barents Ice Sheet as revealed by grain size populations in the northern Norwegian Sea during the last 60 ka. <i>Acta Oceanologica Sinica</i> , 2021, 40, 106-117.	1.0	0
177	Chronostratigraphy of talus flatirons and piedmont alluvium along the Book Cliffs, Utah â€“ Testing models of dryland escarpment evolution. <i>Quaternary Science Reviews</i> , 2021, 274, 107286.	3.0	6
179	S/SE Brazilian continental margin sea surface temperature and productivity changes over the last 50 kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 601, 111144.	2.3	1
180	Stratigraphy in the Greenland/Iceland/Norwegian (GIN) seas: A multiproxy approach on Pleistocene sediments. <i>Stratigraphy & Timescales</i> , 2022, , 37-80.	0.5	1
181	Changing sediment supply during glacial-interglacial intervals in the North Atlantic revealed by particle size characterization and environmental magnetism. <i>Global and Planetary Change</i> , 2023, 220, 104022.	3.5	2
182	The Amplitude and Timescales of 0â€“15Âka Paleomagnetic Secular Variation in the Northern North Atlantic. <i>Journal of Geophysical Research: Solid Earth</i> , 2023, 128, .	3.4	1
183	The lasting legacy of glacial landscape dynamics: Capturing the transport of boulder armor and hillslope retreat with geochronology in the Flint Hills of Kansas. <i>Geomorphology</i> , 2024, 445, 108980.	2.6	0