

CITATION REPORT

List of articles citing

Oxygenation of head and neck cancer: changes during radiotherapy and impact on treatment outcome

DOI: 10.1016/s0167-8140(99)00102-4
Radiotherapy and Oncology, 1999, 53, 113-7.

Source: <https://exaly.com/paper-pdf/30849788/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
492	A physical standard of the unit of electrical resistance based on the quantum Hall effect. 1988 , 31, 880-881		2
491	Review of methods used to study oxygen transport at the microcirculatory level. 2000 , 90, 237-255		76
490	Dynamic CT measurement of contrast medium washin kinetics in canine nasal tumors. 2000 , 41, 403-8		10
489	Can gene therapy overcome the problem of hypoxia in radiotherapy?. 2000 , 41, 201-12		19
488	Repeatability and prognostic impact of the pretreatment pO(2) histography in patients with advanced head and neck cancer. <i>Radiotherapy and Oncology</i> , 2000 , 57, 31-7	5.3	83
487	A confirmatory prognostic study on oxygenation status and loco-regional control in advanced head and neck squamous cell carcinoma treated by radiation therapy. <i>Radiotherapy and Oncology</i> , 2000 , 57, 39-43	5.3	251
486	Targeting tumor blood vessels: an adjuvant strategy for radiation therapy. <i>Radiotherapy and Oncology</i> , 2000 , 57, 5-12	5.3	59
485	Tirapazamine: a bioreductive anticancer drug that exploits tumour hypoxia. 2000 , 9, 2889-901		75
484	Modeling pO(2) distributions in the bone marrow hematopoietic compartment. I. Krogh's model. 2001 , 81, 675-84		199
483	The negative impact of anemia on radiotherapy and chemoradiation outcomes. 2001 , 38, 8-15		25
482	Phase Ia study of a hypoxic cell sensitizer doranidazole (PR-350) in combination with conventional radiotherapy. 2001 , 12, 1-6		25
481	Predictive value of the tumor oxygenation by means of pO2 histography in patients with advanced head and neck cancer. 2001 , 177, 462-8		67
480	A novel approach to overcome hypoxic tumor resistance: Cu-ATSM-guided intensity-modulated radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 49, 1171-82	4	365
479	Therapeutic targets in radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 49, 319-26	4	62
478	In vivo evaluation of a novel antitumor prodrug, 1-(2'-oxopropyl)-5-fluorouracil (OFU001), which releases 5-fluorouracil upon hypoxic irradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 49, 407-13	4	32
477	Invasive oxygen measurements and pimonidazole labeling in human cervix carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 49, 581-6	4	73
476	Pancreatic tumors show high levels of hypoxia: regarding Koong et al. <i>IJROBP</i> 2000;48:919-922. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 50, 1099-100	4	6

475	In response to Dr. Vaupel et al.. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 50, 1100	4	0
474	Elevated tumor lactate concentrations predict for an increased risk of metastases in head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 51, 349-53	4	379
473	Simultaneous administration of glucose and hyperoxic gas achieves greater improvement in tumor oxygenation than hyperoxic gas alone. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 51, 494-506	4	37
472	Effects of hyperbaric oxygen and normobaric carbogen on the radiation response of the rat rhabdomyosarcoma R1H. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 51, 1037-44	4	20
471	Metabolism of tirapazamine by multiple reductases in the nucleus. 2001 , 62, 1201-9		47
470	Prognostic Value of Histopathological Response to Radiotherapy and Microvessel Density in Oral Squamous Cell Carcinomas. 2001 , 40, 491-496		11
469	Microvessel density predicts the radiosensitivity of metastatic head and neck squamous cell carcinoma in cervical lymph nodes. 2001 , 19, 1127-32		4
468	Hypoxia in human soft tissue sarcomas: adverse impact on survival and no association with p53 mutations. <i>British Journal of Cancer</i> , 2001 , 84, 1070-5	8.7	173
467	Radiosensitizing effect of carbogen breathing during pulsed irradiation of the rat R1H tumor. 2001 , 40, 870-4		1
466	Targeting hypoxia in head and neck cancer. 2001 , 40, 937-40		20
465	Impact of tumor hypoxia and anemia on radiation therapy outcomes. 2002 , 7, 492-508		275
464	Managing anemia in the cancer patient: old problems, future solutions. 2002 , 7, 331-41		28
463	Tumor microenvironment and the response to anticancer therapy. 2002 , 1, 453-8		190
462	Prevalence of anemia in cancer patients undergoing radiotherapy: prognostic significance and treatment. 2002 , 63 Suppl 2, 11-8		43
461	Raising hemoglobin: an opportunity for increasing survival?. 2002 , 63 Suppl 2, 19-28		31
460	Hypoxia as a target for combined modality treatments. 2002 , 38, 240-57		159
459	Molecular approaches to chemo-radiotherapy. 2002 , 38, 231-9		36
458	Tumor hypoxia: chicken, egg, or a piece of the farm?. 2002 , 20, 610-5		41

457	Overview of cancer-related anemia: focus on the potential role of darbepoetin alfa. 2002 , 22, 150S-159S	10
456	The importance of tumor metabolism in cancer prognosis and therapy; pre-clinical studies on rodent tumors with agents that improve tumor oxygenation. 2002 , 42, 131-41	5
455	Comparison and modulation of angiogenic responses by FGFs, VEGF and SCF in murine and human fibrosarcomas. 2002 , 132, 17-25	5
454	Changes in oxygenation of intracranial tumors with carbogen: a BOLD MRI and EPR oximetry study. 2002 , 16, 511-21	97
453	Interventions for anemia in pediatric cancer patients. 2002 , 39, 451-4	14
452	Hypoxia-induced pathways in breast cancer. 2002 , 59, 41-8	53
451	Standards of care for anemia management in oncology: focus on lung carcinoma. 2002 , 95, 613-23	20
450	Molecular imaging of regional brain tumor biology. 2002 , 39, 25-35	15
449	Measurement of quality of life in head and neck cancer patients utilizing the quality of life radiation therapy questionnaire. 2002 , 178, 153-8	15
448	New and versatile syntheses of 3-alkyl- and 3-aryl-1,2,4-benzotriazine 1,4-dioxides: preparation of the bioreductive cytotoxins SR 4895 and SR 4941. 2002 , 43, 9569-9571	12
447	ARCON: experience in 215 patients with advanced head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 52, 769-78	4 161
446	Photodynamic therapy. 2002 , 26, 67-108	14
445	The hypoxic tumour microenvironment and metastatic progression. 2003 , 20, 237-50	276
444	Prognostic impact of hemoglobin level prior to radiotherapy on survival in patients with glioblastoma. 2003 , 179, 615-9	20
443	Clinical markers of hypoxia and other predictive factors of survival in conservative therapy of squamous-cell carcinoma of the esophagus. 2003 , 18, 167-71	4
442	How to overcome (and exploit) tumor hypoxia for targeted gene therapy. 2003 , 197, 312-25	55
441	Comparison of the comet assay and the oxygen microelectrode for measuring tumor oxygenation in head-and-neck cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 56, 375-83	4 37
440	Ion implicated in blood pact. 2003 , 9, 1460-1	12

439	Marrow to muscle, fission versus fusion. 2003 , 9, 1461-2		20
438	Tumor perfusion rate determined noninvasively by dynamic computed tomography predicts outcome in head-and-neck cancer after radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 57, 1351-6	4	156
437	Positron emission tomography imaging of brain tumors. 2003 , 13, 717-39		33
436	Structure-activity relationships of 1,2,4-benzotriazine 1,4-dioxides as hypoxia-selective analogues of tirapazamine. 2003 , 46, 169-82		102
435	Tumor hypoxia at the micro-regional level: clinical relevance and predictive value of exogenous and endogenous hypoxic cell markers. <i>Radiotherapy and Oncology</i> , 2003 , 67, 3-15	5.3	235
434	Activation of 3-amino-1,2,4-benzotriazine 1,4-dioxide antitumor agents to oxidizing species following their one-electron reduction. 2003 , 125, 748-56		111
433	Distinct role of fibroblast growth factor-2 and vascular endothelial growth factor on tumor growth and angiogenesis. 2003 , 162, 1913-26		146
432	Prognostic significance of tumor oxygenation in humans. <i>Cancer Letters</i> , 2003 , 195, 1-16	9.9	230
431	Suicide Gene Therapy. 2003 ,		
430	Bioreductive prodrugs for cancer therapy. 2004 , 90, 515-42		4
429	Ultrasound guided pO ₂ measurement of breast cancer reoxygenation after neoadjuvant chemotherapy and hyperthermia treatment. 2003 , 19, 498-506		31
428	[Sonographic evaluation of oxygenation in head and neck cancer]. 2003 , 82, 775-81		1
427	Tumor necrosis correlates with angiogenesis and is a predictor of poor prognosis in malignant mesothelioma. 2003 , 124, 1916-23		80
426	Targeting the tumor vasculature: a strategy to improve radiation therapy. 2004 , 4, 321-7		28
425	Tumour hypoxia: impact on biology, prognosis and treatment of solid malignant tumours. 2004 , 27, 83-90		41
424	Proceedings of the Oxygen Homeostasis/Hypoxia Meeting. 2004 , 64, 3350-6		28
423	Oxygen dependence of the metabolic activation and cytotoxicity of tirapazamine: implications for extravascular transport and activity in tumors. 2004 , 161, 656-66		43
422	Preradiotherapy hemoglobin level but not microvessel density predicts locoregional control and survival in laryngeal cancer treated with primary radical radiotherapy. 2004 , 10, 7941-9		8

421	Lack of microvessels in well-differentiated regions of human head and neck squamous cell carcinoma A253 associated with functional magnetic resonance imaging detectable hypoxia, limited drug delivery, and resistance to irinotecan therapy. 2004 , 10, 8005-17		40
420	Hypoxia targeted gene therapy to increase the efficacy of tirapazamine as an adjuvant to radiotherapy: reversing tumor radioresistance and effecting cure. 2004 , 64, 1396-402		75
419	Effect of radiation and ibuprofen on normoxic renal carcinoma cells overexpressing hypoxia-inducible factors by loss of von Hippel-Lindau tumor suppressor gene function. 2004 , 10, 4158-64		16
418	Hypoxia is important in the biology and aggression of human glial brain tumors. 2004 , 10, 8177-84		268
417	Hypoxia and anemia: factors in decreased sensitivity to radiation therapy and chemotherapy?. 2004 , 9 Suppl 5, 31-40		271
416	Identification of hypoxia-regulated proteins in head and neck cancer by proteomic and tissue array profiling. 2004 , 64, 7302-10		33
415	Physiological mechanisms underlying heat-induced radiosensitization. 2004 , 20, 163-74		70
414	Hypoxia and Photofrin uptake in the intraperitoneal carcinomatosis and sarcomatosis of photodynamic therapy patients. 2004 , 10, 4630-8		50
413	Preliminary study of plasma vascular endothelial growth factor (VEGF) during low- and high-dose radiation therapy of dogs with spontaneous tumors. 2004 , 45, 247-54		18
412	Exploiting tumour hypoxia in cancer treatment. 2004 , 4, 437-47		1987
411	The human tumor microenvironment: invasive (needle) measurement of oxygen and interstitial fluid pressure. <i>Seminars in Radiation Oncology</i> , 2004 , 14, 249-58	5.5	125
410	Novel therapeutic targets in squamous cell carcinoma of the head and neck. 2004 , 31, 755-68		15
409	Oxygenation of spontaneous canine tumors during fractionated radiation therapy. 2004 , 180, 297-305		21
408	A preclinical model for noninvasive imaging of hypoxia-induced gene expression; comparison with an exogenous marker of tumor hypoxia. 2004 , 31, 1530-8		48
407	Polarographic electrode study of tumor oxygenation in clinically localized prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 58, 750-7	4	118
406	Necessity for adjuvant neck dissection in setting of concurrent chemoradiation for advanced head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 58, 1418-23	4	191
405	Erythropoietin-induced reduction of hypoxia before and during fractionated irradiation contributes to improvement of radioresponse in human glioma xenografts. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 59, 250-9	4	50
404	Expression of hypoxic-inducible factor 1alpha predicts metastasis-free survival after radiation therapy alone in stage IIIB cervical squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 513-21	4	59

403	Acute hypoxia enhances spontaneous lymph node metastasis in an orthotopic murine model of human cervical carcinoma. 2004 , 64, 2054-61		186
402	The expanding role of systemic therapy in head and neck cancer. 2004 , 22, 1743-52		176
401	Impact of correction of anemia on clinical outcome in patients with cancer: recent data from head and neck and breast cancer trials. 2004 , 1, 145-9		3
400	Role of epoetin in the management of anaemia in patients with lung cancer. 2004 , 46, 149-56		20
399	Tumor hypoxia is independent of hemoglobin and prognostic for loco-regional tumor control after primary radiotherapy in advanced head and neck cancer. 2004 , 43, 396-403		118
398	Prognostic value of facilitative glucose transporter Glut-1 in oral squamous cell carcinomas treated by surgical resection; results of EORTC Translational Research Fund studies. 2004 , 40, 503-7		77
397	Functional imaging of intratumoral hypoxia. 2004 , 6, 291-305		79
396	Modeling and computer simulations of tumor growth and tumor response to radiotherapy. 2004 , 162, 71-83		45
395	Preclinical and clinical studies: a preview of potential future applications of erythropoietic agents. 2004 , 41, 17-25		29
394	Radiogenetic Therapy Using Radiation-Responsive Gene Promoters. 2005 , 2, 317-330		
393	Cancer patient survival and erythropoietin. 2005 , 3, 796-804		13
392	Relation between pO ₂ , ³¹ P magnetic resonance spectroscopy parameters and treatment outcome in patients with high-grade soft tissue sarcomas treated with thermoradiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 480-91	4	25
391	Pretreatment anemia is correlated with the reduced effectiveness of radiation and concurrent chemotherapy in advanced head and neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 1087-95	4	68
390	Tumor hypoxia versus blood flow: In regard to Lehtio et al. (Int J Radiat Oncol Biol Phys 2004;59:971-982). <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 1607-8; author reply 1608	4	
389	The vascular disrupting agent ZD6126 shows increased antitumor efficacy and enhanced radiation response in large, advanced tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 62, 846-53	4	60
388	Anemia, tumor hypoxemia, and the cancer patient. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 63, 25-36	4	108
387	The prognostic value of the hypoxia markers CA IX and GLUT 1 and the cytokines VEGF and IL 6 in head and neck squamous cell carcinoma treated by radiotherapy +/- chemotherapy. 2005 , 5, 42		96
386	Hypoxia in head and neck cancer: how much, how important?. 2005 , 27, 622-38		141

385	TX-1877, a bifunctional hypoxic cell radiosensitizer, enhances anticancer host response: immune cell migration and nitric oxide production. 2005 , 116, 571-8		8
384	Hypoxia-selective activation of 5-fluorodeoxyuridine prodrug possessing indolequinone structure: radiolytic reduction and cytotoxicity characteristics. 2005 , 15, 2321-4		35
383	Impact of anemia in patients with head and neck cancer treated with radiation therapy. 2005 , 6, 31-45		29
382	Management of anaemia in patients with breast cancer: role of epoetin. 2005 , 16, 817-24		16
381	Phase III trial of paclitaxel plus carboplatin with or without tirapazamine in advanced non-small-cell lung cancer: Southwest Oncology Group Trial S0003. 2005 , 23, 9097-104		102
380	The tumor bed effect: increased metastatic dissemination from hypoxia-induced up-regulation of metastasis-promoting gene products. 2005 , 65, 2387-96		76
379	Hyperspectral imaging of hemoglobin saturation in tumor microvasculature and tumor hypoxia development. <i>Journal of Biomedical Optics</i> , 2005 , 10, 44004	3-5	204
378	VP22-mediated intercellular transport for suicide gene therapy under oxidic and hypoxic conditions. 2005 , 12, 974-9		6
377	Conversion of polarographic electrode measurements--a computer based approach. 2005 , 50, 4581-91		2
376	Head and neck squamous cell carcinoma: optimizing the therapeutic index. 2005 , 5, 501-14		14
375	Both microtubule-stabilizing and microtubule-destabilizing drugs inhibit hypoxia-inducible factor-1alpha accumulation and activity by disrupting microtubule function. 2005 , 65, 9021-8		157
374	DNA damage induced by a quinoxaline 1,4-di-N-oxide derivative (hypoxic selective agent) in Caco-2 cells evaluated by the comet assay. 2005 , 20, 165-71		19
373	Microenvironmental Effects on Tumour Progression and Metastasis. 2005 , 1-22		1
372	Galectin-1: a link between tumor hypoxia and tumor immune privilege. 2005 , 23, 8932-41		209
371	A noninvasive approach for assessing tumor hypoxia in xenografts: developing a urinary marker for hypoxia. 2005 , 65, 6151-8		10
370	Combination therapy with bacteria and angiogenesis inhibitors: strangling cancer without mercy. 2005 , 4, 846-7		3
369	Prognostic value of tumor oxygenation in 397 head and neck tumors after primary radiation therapy. An international multi-center study. <i>Radiotherapy and Oncology</i> , 2005 , 77, 18-24	5-3	777
368	Experience of PET for target localisation in radiation oncology. 2005 , Supplement_28, 18-32		14

367	Highlights from: The 46th Annual Meeting of the American Society of Hematology; San Diego, CA. 2005 , 2, 79-83		
366	Implications of increased tumor blood flow and oxygenation caused by mild temperature hyperthermia in tumor treatment. 2005 , 21, 761-7		203
365	Tumour Oxygenation: The Importance of Hypoxia, Anemia, and Angiogenesis in Radiation Therapy. 2005 , 36, 21-33		2
364	Hypoxia: importance in tumor biology, noninvasive measurement by imaging, and value of its measurement in the management of cancer therapy. 2006 , 82, 699-757		506
363	New and emerging radiosensitizers and radioprotectors. 2006 , 24, 444-56		30
362	Erythropoietin biology in cancer. 2006 , 12, 332-9		168
361	Cancer Drug Resistance. 2006 ,		17
360	The effect of darbepoetin alfa on growth, oxygenation and radioresponsiveness of a breast adenocarcinoma. 2006 , 165, 192-201		11
359	Preclinical safety and antitumor efficacy of insulin combined with irradiation. <i>Radiotherapy and Oncology</i> , 2006 , 81, 112-7	5-3	12
358	Combined Modality Approaches Using Vasculature-disrupting Agents. 2006 , 123-136		6
357	Vasculature-disrupting Strategies Combined with Bacterial Spores Targeting Hypoxic Regions of Solid Tumors. 2006 , 261-276		1
356	Tumor Vasculature: a Target for Anticancer Therapies. 2006 , 1-8		7
355	. 2006 ,		22
354	Erythropoietin as an adjuvant treatment with (chemo) radiation therapy for head and neck cancer. 2006 ,		1
353	Concomitant hyperthermia and radiation therapy for treating locally advanced rectal cancer. 2006 ,		1
352	Hypoxia- and radiation-activated Cre/loxP 'molecular switch' vectors for gene therapy of cancer. 2006 , 13, 206-15		30
351	Prognostic value of haemoglobin levels during concurrent radio-chemotherapy in the treatment of oesophageal cancer. 2006 , 18, 139-44		20
350	Oxygen-modifying treatment with ARCON reduces the prognostic significance of hemoglobin in squamous cell carcinoma of the head and neck. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 83-9	4	21

349	Efficacy of intensified hyperfractionated and accelerated radiotherapy and concurrent chemotherapy with carboplatin and 5-fluorouracil: updated results of a randomized multicentric trial in advanced head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 1308-16	4	71
348	Nasopharyngeal carcinoma treated by radical radiotherapy alone: Ten-year experience of a single institution. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 161-8	4	171
347	Does the tumor microenvironment influence radiation-induced apoptosis?. 2006 , 11, 1727-35		27
346	FDG--a marker of tumour hypoxia? A comparison with [18F]fluoromisonidazole and pO ₂ -polarography in metastatic head and neck cancer. 2006 , 33, 1426-31		95
345	Radiolytic and cellular reduction of a novel hypoxia-activated cobalt(III) prodrug of a chloromethylbenzindoline DNA minor groove alkylator. 2006 , 71, 1683-94		63
344	Myelotoxicity from chemotherapy. 2006 , 33, 74-85		51
343	Predictive factors for the histologic response to preoperative radiotherapy in advanced oral cancer. 2006 , 64, 81-6		6
342	Mature results from a randomized Phase II trial of cisplatin plus 5-fluorouracil and radiotherapy with or without tirapazamine in patients with resectable Stage IV head and neck squamous cell carcinomas. 2006 , 106, 1940-9		52
341	Assessment of fraction of radiobiologically hypoxic cells in human melanoma xenografts by dynamic contrast-enhanced MRI. 2006 , 55, 874-82		39
340	F-18 labelled N,N-bis-haloethylamino-phenylsulfoxides: a new class of compounds for the imaging of hypoxic tissue. 2006 , 49, 1089-1103		11
339	Novel therapeutic target: the PERKs of inhibiting the integrated stress response. 2006 , 5, 2874-7		8
338	The chemokine receptor CXCR4: a homing device for hypoxic cancer cells?. 2006 , 5, 1563-5		5
337	Hypoxia in head and neck cancer. 2006 , 79, 791-8		68
336	Electron paramagnetic resonance oxygen images correlate spatially and quantitatively with Oxylite oxygen measurements. 2006 , 12, 4209-17		104
335	Extracellular pH and P-31 magnetic resonance spectroscopic variables are related to outcome in canine soft tissue sarcomas treated with thermoradiotherapy. 2006 , 12, 5733-40		29
334	Concurrent chemoradiotherapy for locally advanced, nonmetastatic, squamous carcinoma of the head and neck: consensus, controversy, and conundrum. 2006 , 24, 2612-7		78
333	Class III beta-tubulin overexpression is a marker of poor clinical outcome in advanced ovarian cancer patients. 2006 , 12, 2774-9		188
332	Erythropoietins and Erythropoiesis. 2006 ,		2

331	Treatment with Imatinib in NSCLC is associated with decrease of phosphorylated PDGFR-beta and VEGF expression, decrease in interstitial fluid pressure and improvement of oxygenation. <i>British Journal of Cancer</i> , 2006 , 95, 1013-9	8.7	66
330	Pathophysiologic effects of vascular-targeting agents and the implications for combination with conventional therapies. 2006 , 66, 11520-39		211
329	An evaluation of tumor oxygenation and gene expression in patients with early stage non-small cell lung cancers. 2006 , 12, 1507-14		205
328	Pretreatment 18F-FAZA PET predicts success of hypoxia-directed radiochemotherapy using tirapazamine. 2007 , 48, 973-80		79
327	Phase II trial of chemoradiation for organ preservation in resectable stage III or IV squamous cell carcinomas of the larynx or oropharynx: results of Eastern Cooperative Oncology Group Study E2399. 2007 , 25, 3971-7		113
326	Peroxiredoxin 1 interacts with androgen receptor and enhances its transactivation. 2007 , 67, 9294-303		69
325	Detection and characterization of tumor hypoxia using pO ₂ histography. 2007 , 9, 1221-35		486
324	Multi-Detector Computed Tomography in Oncology. 2007 ,		5
323	Design of clinical trials of radiation combined with antiangiogenic therapy. 2007 , 12, 465-77		78
322	M02-03: Tumor hypoxia and metastasis in non-small cell lung cancers. 2007 , 2, S154-S155		2
321	Hypoxia positron emission tomography imaging with 18f-fluoromisonidazole. 2007 , 37, 451-61		244
320	Advantage of combining NLCQ-1 (NSC 709257) with radiation in treatment of human head and neck xenografts. 2007 , 168, 65-71		7
319	Hypoxia-selective antitumor agents: norsesterterpene peroxides from the marine sponge <i>Diacarnus levii</i> preferentially suppress the growth of tumor cells under hypoxic conditions. 2007 , 70, 130-3		22
318	Dynamics of tumor hypoxia measured with bioreductive hypoxic cell markers. 2007 , 167, 127-45		145
317	Hypoxia-targeted over-expression of carboxylesterase as a means of increasing tumour sensitivity to irinotecan (CPT-11). 2007 , 9, 244-52		13
316	Vascular damaging agents. 2007 , 19, 443-56		114
315	A Phase II multi-institutional trial of chemoradiation using weekly docetaxel and erythropoietin for high-risk postoperative head and neck cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 1323-31	4	4
314	Hypoxia imaging with FAZA-PET and theoretical considerations with regard to dose painting for individualization of radiotherapy in patients with head and neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, 541-51	4	200

313	Increased expression of hypoxia-inducible factor 1alpha in type I and type II endometrial carcinomas. 2007 , 20, 35-43		39
312	Anemia correction in malignancy management: threat or opportunity?. 2007 , 105, 517-29		16
311	Glucose transporter type 1 expression are associated with poor prognosis in patients with salivary gland tumors. 2007 , 43, 563-9		36
310	Simultaneous application of the vascular endothelial growth factor (VEGF) receptor inhibitor PTK787/ZK 222584 and ionizing radiation does not further reduce the growth of canine oral melanoma xenografts in nude mice. 2007 , 173, 564-70		2
309	Tumour hypoxia imaging with [18F]FAZA PET in head and neck cancer patients: a pilot study. 2007 , 34, 1566-75		148
308	Hypoxia in cancer: significance and impact on clinical outcome. 2007 , 26, 225-39		1612
307	Hypoxia and radiotherapy: opportunities for improved outcomes in cancer treatment. 2007 , 26, 241-8		318
306	Early prediction of outcome in advanced head-and-neck cancer based on tumor blood volume alterations during therapy: a prospective study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 1287-90	4	104
305	Clinical biomarkers of angiogenesis inhibition. 2008 , 27, 415-34		39
304	Clinical biomarkers for hypoxia targeting. 2008 , 27, 351-62		62
303	Non-invasive assessment of tumor neovasculature: techniques and clinical applications. 2008 , 27, 615-30		42
302	Graded hypoxia modulates the invasive potential of HT1080 fibrosarcoma and MDA MB231 carcinoma cells. 2008 , 25, 253-64		18
301	Limitations of dynamic contrast-enhanced MRI in monitoring radiation-induced changes in the fraction of radiobiologically hypoxic cells in human melanoma xenografts. 2008 , 28, 1209-18		4
300	Fluorine-18-labeled fluoromisonidazole positron emission and computed tomography-guided intensity-modulated radiotherapy for head and neck cancer: a feasibility study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 2-13	4	199
299	Chemoradiation for advanced head and neck cancer: potential for improving results to match those of current treatment modalities for early-stage tumors--long-term results of hyperfractionated chemoradiation with carbogen breathing and anemia correction with erythropoietin. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1382-8	4	4
298	Electron paramagnetic resonance oxygen image hypoxic fraction plus radiation dose strongly correlates with tumor cure in FSa fibrosarcomas. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 542-9	4	70
297	Expression of carbonic anhydrase 9, a potential intrinsic marker of hypoxia, is associated with poor prognosis in oesophageal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2008 , 99, 1468-75	8.7	34
296	Impact of hemoglobin level on survival in definitive chemoradiotherapy for T4/M1 lymph node esophageal cancer. 2008 , 21, 195-200		18

295	Phase III trial to evaluate the efficacy of maintaining hemoglobin levels above 12.0 g/dL with erythropoietin vs above 10.0 g/dL without erythropoietin in anemic patients receiving concurrent radiation and cisplatin for cervical cancer. 2008 , 108, 317-25		137
294	Update on molecular diagnostic tests in head and neck cancer. 2008 , 35, 198-210		12
293	Targeting angiogenesis in head and neck cancer. 2008 , 35, 274-85		66
292	Erythropoiesis-Stimulating Agents and the Practice of Gynecologic Oncology. 2008 , 1, 44-53		
291	New developments in radiation therapy for head and neck cancer: intensity-modulated radiation therapy and hypoxia targeting. 2008 , 35, 236-50		36
290	Chronic cellular hypoxia as the prime cause of cancer: what is the de-oxygenating role of adulterated and improper ratios of polyunsaturated fatty acids when incorporated into cell membranes?. 2008 , 70, 298-304		16
289	iNOS as a therapeutic target for treatment of human tumors. 2008 , 19, 217-24		65
288	The novel hypoxic cell radiosensitizer, TX-1877 has antitumor activity through suppression of angiogenesis and inhibits liver metastasis on xenograft model of pancreatic cancer. <i>Cancer Letters</i> , 2008 , 272, 325-35	9.9	8
287	Intrinsic markers of tumour hypoxia and angiogenesis in localised prostate cancer and outcome of radical treatment: a retrospective analysis of two randomised radiotherapy trials and one surgical cohort study. 2008 , 9, 342-51		225
286	Assessment of fraction of hypoxic cells in human tumor xenografts with necrotic regions by dynamic contrast-enhanced MRI. 2008 , 169, 689-99		17
285	Gene therapy approaches to enhance bioreductive drug treatment. 2008 , 81 Spec No 1, S45-56		10
284	Angiogenesis. 2008 ,		25
283	Noninvasive molecular imaging of hypoxia in human xenografts: comparing hypoxia-induced gene expression with endogenous and exogenous hypoxia markers. 2008 , 68, 8597-606		59
282	CYR61 and alphaVbeta5 integrin cooperate to promote invasion and metastasis of tumors growing in preirradiated stroma. 2008 , 68, 7323-31		97
281	Cancer Supportive Care. 2008 ,		1
280	Intratumoral spatial distribution of hypoxia and angiogenesis assessed by 18F-FAZA and 125I-Gluco-RGD autoradiography. 2008 , 49, 597-605		37
279	Efficient Monte Carlo modelling of individual tumour cell propagation for hypoxic head and neck cancer. 2008 , 53, 4489-507		15
278	Vascular oxygen content and the tissue oxygenation--a theoretical analysis. 2008 , 35, 539-45		15

277	Erythropoiesis-stimulating agents in oncology. 2008 , 6, 565-75		13
276	Predicting response to radiotherapy: Evolutions and revolutions. 2009 , 85, 825-836		31
275	Quantitative metrics of net proliferation and invasion link biological aggressiveness assessed by MRI with hypoxia assessed by FMISO-PET in newly diagnosed glioblastomas. 2009 , 69, 4502-9		120
274	Carbogen breathing increases prostate cancer oxygenation: a translational MRI study in murine xenografts and humans. <i>British Journal of Cancer</i> , 2009 , 100, 644-8	8.7	51
273	Head and neck squamous cell carcinoma: CT perfusion can help noninvasively predict intratumoral microvessel density. 2009 , 251, 422-8		64
272	Quantitative optical spectroscopy can identify long-term local tumor control in irradiated murine head and neck xenografts. <i>Journal of Biomedical Optics</i> , 2009 , 14, 054051	3.5	42
271	Erythropoietin as an adjuvant treatment with (chemo) radiation therapy for head and neck cancer. 2009 , CD006158		32
270	Expression of the cellular oxygen sensor PHD2 (EGLN-1) predicts radiation sensitivity in squamous cell cancer of the head and neck. 2009 , 85, 900-908		7
269	Dose prescription and optimisation based on tumour hypoxia. 2009 , 48, 1181-92		49
268	Tirapazamine: a novel agent targeting hypoxic tumor cells. 2009 , 18, 77-87		99
267	Gene expression in human oral squamous cell carcinoma is influenced by risk factor exposure. 2009 , 45, 712-9		49
266	Characterization of response to radiation mediated gene therapy by means of multimodality imaging. 2009 , 62, 348-56		16
265	Monitoring of tumor oxygenation changes in head-and-neck carcinoma patients breathing a hyperoxic hypercapnic gas mixture with a noninvasive MRI technique. 2009 , 185, 19-26		16
264	Hypofractionated Conformal Radiotherapy (HCRT) for primary and metastatic lung cancers with small dimension : efficacy and toxicity. 2009 , 185, 27-33		12
263	Downregulation of matrix metalloprotease-9 and urokinase plasminogen activator by TX-1877 results in decreased tumor growth and metastasis on xenograft model of rectal cancer. 2009 , 64, 885-92		10
262	Endostar, a recombinant humanized endostatin, enhances the radioresponse for human nasopharyngeal carcinoma and human lung adenocarcinoma xenografts in mice. 2009 , 100, 1510-9		43
261	A phase I study of the nitroimidazole hypoxia marker SR4554 using 19F magnetic resonance spectroscopy. <i>British Journal of Cancer</i> , 2009 , 101, 1860-8	8.7	31
260	Analytical characterization of heat transport through biological media incorporating hyperthermia treatment. 2009 , 52, 1608-1618		126

259	Prospective trial incorporating pre-/mid-treatment [18F]-misonidazole positron emission tomography for head-and-neck cancer patients undergoing concurrent chemoradiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 101-8	4	106
258	Immunohistochemical detection of changes in tumor hypoxia. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 73, 1177-86	4	48
257	Expression of the cellular oxygen sensor PHD2 (EGLN-1) predicts radiation sensitivity in squamous cell cancer of the head and neck. 2009 , 85, 900-8		11
256	Development of novel benzotriazines for drug discovery. 2009 , 4, 33-49		6
255	Concomitant hyperthermia and radiation therapy for treating locally advanced rectal cancer. 2009 , CD006269	29	
254	Erythropoietin in cancer patients. 2009 , 60, 181-92		53
253	Comparative study of poly(styrene-sulfonate)/poly(L-lysine) and fibronectin as biofouling-preventing layers in dissolved oxygen electrochemical measurements. 2009 , 134, 784-93		28
252	Angiogenic markers show high prognostic impact on survival in marginally operable non-small cell lung cancer patients treated with adjuvant radiotherapy. 2009 , 4, 463-71		24
251	Hypoxic tumor microenvironment and cancer cell differentiation. 2009 , 9, 425-34		128
250	Synthesis and hypoxia selective radiosensitization potential of beta-2-FAZA and beta-3-FAZL: fluorinated azomycin beta-nucleosides. 2009 , 5, 118-29		12
249	Noninvasive assessment of tumor microenvironment using dynamic contrast-enhanced magnetic resonance imaging and 18F-fluoromisonidazole positron emission tomography imaging in neck nodal metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 77, 1403-10	4	93
248	Non-invasive imaging of angiogenesis in head and neck squamous cell carcinoma. 2010 , 13, 149-60		26
247	Measurement of reoxygenation during fractionated radiotherapy in head and neck squamous cell carcinoma xenografts. 2010 , 33, 251-63		9
246	Head and neck cancer: proteomic advances and biomarker achievements. 2010 , 116, 4914-25		46
245	In vivo observation of intracellular oximetry in perfluorocarbon-labeled glioma cells and chemotherapeutic response in the CNS using fluorine-19 MRI. 2010 , 64, 1252-9		49
244	Stereotactic ablative radiotherapy should be combined with a hypoxic cell radiosensitizer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 323-7	4	114
243	Anti-angiogenesis therapies: their potential in cancer management. <i>OncoTargets and Therapy</i> , 2010 , 3, 69-82	4-4	32
242	Low-field magnetic resonance imaging to visualize chronic and cycling hypoxia in tumor-bearing mice. 2010 , 70, 6427-36		101

241	Impact of the hypoxic tumor microenvironment on the regulation of cancer stem cell characteristics. 2010 , 9, 949-56		86
240	Imaging of hypoxic lesions in patients with gliomas by using positron emission tomography with 1-(2-[¹⁸ F] fluoro-1-[hydroxymethyl]ethoxy)methyl-2-nitroimidazole, a new ¹⁸ F-labeled 2-nitroimidazole analog. 2010 , 113, 358-68		24
239	Role of anemia prior to radiation treatment in local recurrence and survival after breast conservation treatment for early-stage breast cancer. 2010 , 10, 74-80		1
238	Henry S. Kaplan Distinguished Scientist Award Lecture 2007. The remarkable yin and yang of tumour hypoxia. 2010 , 86, 907-17		18
237	Proton vs carbon ion beams in the definitive radiation treatment of cancer patients. <i>Radiotherapy and Oncology</i> , 2010 , 95, 3-22	5:3	185
236	Correlating quantitative MR measurements of standardized tumor lines with histological parameters and tumor control dose. <i>Radiotherapy and Oncology</i> , 2010 , 96, 123-30	5:3	11
235	The role of adaptive and functional imaging modalities in radiation therapy: approach and application from a radiation oncology perspective. 2010 , 31, 444-61		6
234	Metastasis in melanoma xenografts is associated with tumor microvascular density rather than extent of hypoxia. <i>Neoplasia</i> , 2010 , 12, 889-98	6:4	33
233	Hypoxia-driven immunosuppression: a new reason to use thermal therapy in the treatment of cancer?. 2010 , 26, 232-46		59
232	Principles and Application of PET in Brain Tumors. 2011 , 6, 131-48		1
231	Preparation of nucleosides derived from 2-nitroimidazole and D-arabinose, D-ribose, and D-galactose by the Vorbrüggen method and their conversion to potential precursors for tracers to image hypoxia. 2011 , 76, 8159-67		8
230	Interventions that induce modifications in the tumor microenvironment. 2011 , 15, 376-82		7
229	Changes in the fraction of total hypoxia and hypoxia subtypes in human squamous cell carcinomas upon fractionated irradiation: evaluation using pattern recognition in microcirculatory supply units. <i>Radiotherapy and Oncology</i> , 2011 , 101, 209-16	5:3	17
228	Expression of hypoxia-inducible factor 1 β predicts clinical outcome after preoperative hyperthermo-chemoradiotherapy for locally advanced rectal cancer. 2011 , 52, 821-7		17
227	The promise of dynamic contrast-enhanced imaging in radiation therapy. <i>Seminars in Radiation Oncology</i> , 2011 , 21, 147-56	5:5	80
226	Radiation-induced olfactory neuroblastoma: a new etiology is possible. 2011 , 15, 71-7		1
225	A Bayesian hierarchical model for DCE-MRI to evaluate treatment response in a phase II study in advanced squamous cell carcinoma of the head and neck. 2011 , 24, 85-96		5
224	Prognostic impact of hemoglobin level and other factors in patients with high-grade gliomas treated with postoperative radiochemotherapy and sequential chemotherapy based on temozolomide: a 10-year experience at a single institution. 2011 , 187, 778-83		8

223	Long-term exposure to hypoxia inhibits tumor progression of lung cancer in rats and mice. 2011 , 11, 331		28
222	An evaluation of the preoperative hemoglobin level as a prognostic factor for oral squamous cell carcinoma. 2011 , 3, 35		28
221	Synthesis of 2-[(4-[¹⁸ F]Fluorobenzoyloxy)methyl]-1,4-naphthalenedione from 2-hydroxymethyl 1,4-naphthoquinone and 4-[¹⁸ F]fluorobenzoic acid using dicyclohexyl carbodiimide. 2011 , 54, 788-794		5
220	Imaging tumor hypoxia by magnetic resonance methods. 2011 , 24, 1-16		79
219	Exploratory study of the prognostic value of microenvironmental parameters during fractionated irradiation in human squamous cell carcinoma xenografts. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1205-13	4	53
218	Nitroxides as cancer imaging agents. 2011 , 11, 347-58		23
217	[Innovations in biomarker development: a pathway towards individualized cancer therapy?]. 2011 , 90, 168-77		
216	Inhibition of tumor angiogenesis by antibodies, synthetic small molecules and natural products. 2011 , 18, 3136-55		57
215	Management of anemia in cancer patients: transfusions. 2011 , 16 Suppl 3, 12-8		195
214	Facteurs de croissance hématopoïétiques. 2011 , 893-908		1
213	Hematologic abnormalities associated with lung carcinoma. 2011 , 56, 523-6		3
212	Radiation-induced modifications of the tumor microenvironment promote metastasis. 2011 , 98, 47-57		29
211	Dose prescription and treatment planning based on FMISO-PET hypoxia. 2012 , 51, 222-30		69
210	Elderly patients affected by glioblastoma treated with radiotherapy: the role of serum hemoglobin level. 2013 , 123, 133-7		5
209	Hypoxia in head and neck squamous cell carcinoma. 2012 , 2012, 708974		17
208	High immunohistochemical expression of TGF- β predicts a poor prognosis in cervical cancer patients who harbor enriched endoglin microvessel density. 2012 , 31, 482-9		20
207	Prospective trial of synchronous bevacizumab, erlotinib, and concurrent chemoradiation in locally advanced head and neck cancer. 2012 , 18, 1404-14		65
206	Noninvasive diffuse optical monitoring of head and neck tumor blood flow and oxygenation during radiation delivery. 2012 , 3, 259-72		20

205	Effects of exercise on fatigue, sleep, and performance: a randomized trial. 2012 , 39, 468-77		47
204	The HYP-RT hypoxic tumour radiotherapy algorithm and accelerated repopulation dose per fraction study. 2012 , 2012, 363564		10
203	Imaging of hypoxia using PET and MRI. 2012 , 13, 552-70		30
202	18 F-HX4 hypoxia imaging with PET/CT in head and neck cancer: a comparison with 18 F-FMISO. 2012 , 33, 1096-102		71
201	The relationship between tissue oxygenation and redox status using magnetic resonance imaging. 2012 , 41, 2103-8		12
200	Involvement of difference in decrease of hemoglobin level in poor prognosis of Stage I and II nasopharyngeal carcinoma: implication in outcome of radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 1471-8	4	23
199	Importance of hemoglobin concentration and its modification for the outcome of head and neck cancer patients treated with radiotherapy. 2012 , 51, 419-32		55
198	Radiation-induced vascular damage in tumors: implications of vascular damage in ablative hypofractionated radiotherapy (SBRT and SRS). 2012 , 177, 311-27		336
197	DLK1, delta-like 1 homolog (Drosophila), regulates tumor cell differentiation in vivo. <i>Cancer Letters</i> , 2012 , 318, 26-33	9.9	23
196	Inhibition of the Kit ligand/c-Kit axis attenuates metastasis in a mouse model mimicking local breast cancer relapse after radiotherapy. 2012 , 18, 4365-74		54
195	Clinically relevant biomarkers in targeted radiotherapy. 2012 , 29, 853-60		6
194	HIF1-alpha expression predicts survival of patients with squamous cell carcinoma of the oral cavity. <i>PLoS ONE</i> , 2012 , 7, e45228	3.7	31
193	The updated biology of hypoxia-inducible factor. 2012 , 31, 2448-60		390
192	Over-expression of cofilin-1 and phosphoglycerate kinase 1 in astrocytomas involved in pathogenesis of radioresistance. 2012 , 18, 729-36		39
191	The novel hypoxic cytotoxin, TX-2098 has antitumor effect in pancreatic cancer; possible mechanism through inhibiting VEGF and hypoxia inducible factor-1-targeted gene expression. 2012 , 318, 1554-63		18
190	Characterization and therapy monitoring of head and neck carcinomas using diffusion-imaging-based intravoxel incoherent motion parameters-preliminary results. 2013 , 55, 527-36		64
189	Effects of hypoxia on human cancer cell line chemosensitivity. 2013 , 13, 331		84
188	Contemporary radiotherapy in head and neck cancer: balancing chance for cure with risk for complication. 2013 , 22, 579-98		13

187	A 26-gene hypoxia signature predicts benefit from hypoxia-modifying therapy in laryngeal cancer but not bladder cancer. 2013 , 19, 4879-88		143
186	Radiobiological description of the LET dependence of the cell survival of oxic and anoxic cells irradiated by carbon ions. 2013 , 54, 18-26		45
185	INDQ/NO, a bio-reductively activated nitric oxide prodrug. 2013 , 15, 2636-9		54
184	Photothermal release of singlet oxygen from gold nanoparticles. 2013 , 49, 5639-41		45
183	Lack of prognostic effect of carbonic anhydrase-9, hypoxia inducible factor-1 α and bcl-2 in 286 patients with early squamous cell carcinoma of the glottic larynx treated with radiotherapy. 2013 , 25, 59-65		19
182	Tumors exposed to acute cyclic hypoxia show increased vessel density and delayed blood supply. 2013 , 85, 10-5		16
181	Modelling tumour oxygenation, reoxygenation and implications on treatment outcome. 2013 , 2013, 141087		28
180	Analysis of factors contributing to the low survival of cervical cancer patients undergoing radiotherapy in Kenya. <i>PLoS ONE</i> , 2013 , 8, e78411	3.7	48
179	Improved functionality of the vasculature during conventionally fractionated radiation therapy of prostate cancer. <i>PLoS ONE</i> , 2013 , 8, e84076	3.7	36
178	Dual acquisition of (18)F-FMISO and (18)F-FDOPA. 2014 , 59, 3925-49		5
177	Imaging tumor hypoxia to advance radiation oncology. 2014 , 21, 313-37		61
176	The Molecular Crosstalk between the MET Receptor Tyrosine Kinase and the DNA Damage Response-Biological and Clinical Aspects. <i>Cancers</i> , 2013 , 6, 1-27	6.6	25
175	Magnetic therapeutic delivery using navigable agents. 2014 , 5, 189-204		16
174	The clinical importance of assessing tumor hypoxia: relationship of tumor hypoxia to prognosis and therapeutic opportunities. 2014 , 21, 1516-54		219
173	Quantitative profiling of chromatin dynamics reveals a novel role for HP1BP3 in hypoxia-induced oncogenesis. 2014 , 13, 3236-49		32
172	Correlation of p16 status, hypoxic imaging using [18F]-misonidazole positron emission tomography and outcome in patients with loco-regionally advanced head and neck cancer. 2014 , 58, 89-97		28
171	Preclinical safety and activity of recombinant VSV-IFN- β in an immunocompetent model of squamous cell carcinoma of the head and neck. 2014 , 36, 1619-27		12
170	Tumor Radiation Biology. 2014 , 97-119		0

169	Tumor microenvironment and cellular stress: signaling, metabolism, imaging, and therapeutic targets. Preface. <i>Advances in Experimental Medicine and Biology</i> , 2014 , 772, v-viii	3.6	22
168	Hypoxia and regulation of cancer cell stemness. <i>Advances in Experimental Medicine and Biology</i> , 2014 , 772, 41-53	3.6	53
167	Tumor interstitial fluid pressure-a link between tumor hypoxia, microvascular density, and lymph node metastasis. <i>Neoplasia</i> , 2014 , 16, 586-94	6.4	76
166	Dynamic contrast-enhanced magnetic resonance imaging biomarkers in head and neck cancer: potential to guide treatment? A systematic review. 2014 , 50, 963-70		63
165	Prediction of treatment response in head and neck carcinomas using IVIM-DWI: Evaluation of lymph node metastasis. 2014 , 83, 783-7		62
164	Stem Cells and Cancer Stem Cells, Volume 12. <i>Stem Cells and Cancer Stem Cells</i> , 2014 ,		3
163	The tumor radiobiology of SRS and SBRT: are more than the 5 Rs involved?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 254-62	4	358
162	Linking the history of radiation biology to the hallmarks of cancer. 2014 , 181, 561-77		31
161	Lung Cancer Stem Cells and Resistance to Radiotherapy. 2014 , 171-182		
160	Phosphoglycerate kinase 1 promotes radioresistance in U251 human glioma cells. 2014 , 31, 894-900		15
159	Imaging of CAIX-expressing xenografts in vivo using 99mTc-HEHEHE-ZCAIX:1 affibody molecule. 2015 , 46, 513-20		24
158	Identification of Metastasis-Associated Metabolic Profiles of Tumors by (1)H-HR-MAS-MRS. <i>Neoplasia</i> , 2015 , 17, 767-75	6.4	4
157	Hypoxia PET Tracers in EBRT Dose Planning in Head and Neck Cancer. 2015 , 8, 32-7		5
156	The Six Rs of Head and Neck Cancer Radiotherapy. 2015 ,		1
155	Significant prognostic impact of chemoradiotherapy-induced hemoglobin decrease on treatment outcomes of nasopharyngeal carcinoma. 2015 , 6, 502-10		10
154	Imaging of Brain Tumours. 2015 ,		
153	The PI3K/Akt Pathway Regulates Oxygen Metabolism via Pyruvate Dehydrogenase (PDH)-E1 β Phosphorylation. 2015 , 14, 1928-38		36
152	Management of Acute Radiation Side Effects. 2015 , 203-221		1

151	Radio-sensitization effect of an mTOR inhibitor, temsirolimus, on lung adenocarcinoma A549 cells under normoxic and hypoxic conditions. 2015 , 56, 663-8		15
150	Hypoxia imaging in gliomas with 18F-fluoromisonidazole PET: toward clinical translation. 2015 , 45, 136-50		53
149	Supportive Care in Pediatric Oncology. 2015 ,		1
148	Prognostic value of hypoxia-associated markers in advanced larynx and hypopharynx squamous cell carcinoma. 2015 , 125, E8-15		15
147	GABARAPL1 is required for increased EGFR membrane expression during hypoxia. <i>Radiotherapy and Oncology</i> , 2015 , 116, 417-22	5-3	16
146	A modified international prognostic index including pretreatment hemoglobin level for early stage extranodal natural killer/T cell lymphoma. 2015 , 56, 3038-44		7
145	Imaging Advances for Target Volume Definition in Radiotherapy. 2015 , 3, 1		1
144	Molecular Pathways: A Novel Approach to Targeting Hypoxia and Improving Radiotherapy Efficacy via Reduction in Oxygen Demand. 2015 , 21, 1995-2000		32
143	Cellular and molecular mechanisms underlying oxygen-dependent radiosensitivity. 2015 , 183, 487-96		36
142	The hypoxic tumor microenvironment and drug resistance against EGFR inhibitors: preclinical study in cetuximab-sensitive head and neck squamous cell carcinoma cell lines. 2015 , 8, 203		19
141	Phosphorescent ruthenium complexes with a nitroimidazole unit that image oxygen fluctuation in tumor tissue. 2015 , 21, 2527-36		23
140	Correlation between pretreatment serum LDL-cholesterol levels and prognosis in nasopharyngeal carcinoma patients. <i>OncoTargets and Therapy</i> , 2016 , 9, 2585-91	4-4	7
139	Switching between Magnetotactic and Aerotactic Displacement Controls to Enhance the Efficacy of MC-1 Magneto-Aerotactic Bacteria as Cancer-Fighting Nanorobots. 2016 , 7,		12
138	Using Stable Free Radicals to Obtain Unique and Clinically Useful Data In Vivo in Human Subjects. 2016 , 172, 3-15		5
137	A Comparative Study of Noninvasive Hypoxia Imaging with 18F-Fluoroerythronitroimidazole and 18F-Fluoromisonidazole PET/CT in Patients with Lung Cancer. <i>PLoS ONE</i> , 2016 , 11, e0157606	3-7	14
136	Unique aspects of red blood cell transfusion in pediatric patients. 2016 , 43		0
135	Intravoxel incoherent motion MRI for predicting early response to induction chemotherapy and chemoradiotherapy in patients with nasopharyngeal carcinoma. 2016 , 43, 1179-90		43
134	Oxygen-Enhanced MRI Is a Major Advance in Tumor Hypoxia Imaging. 2016 , 76, 769-72		39

133	Hypoxia-Driven Mechanism of Vemurafenib Resistance in Melanoma. 2016 , 15, 2442-2454		36
132	Assessment of predictive molecular variables in feline oral squamous cell carcinoma treated with stereotactic radiation therapy. 2016 , 14, 39-57		17
131	Anticancer Action of Mn Porphyrins in Head and Neck Cancer. 2016 , 469-484		3
130	Hypoxia-activated cytotoxicity of benznidazole against clonogenic tumor cells. 2016 , 17, 1266-1273		3
129	HNSCC Biomarkers Derived from Key Processes of Cancerogenesis. 2016 , 115-160		1
128	Strategy of Using Intratreatment Hypoxia Imaging to Selectively and Safely Guide Radiation Dose De-escalation Concurrent With Chemotherapy for Locoregionally Advanced Human Papillomavirus-Related Oropharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 8-17	4	95
127	Oxygen and Perfusion Kinetics in Response to Fractionated Radiation Therapy in FaDu Head and Neck Cancer Xenografts Are Related to Treatment Outcome. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 462-469	4	19
126	Orthogonal near-infrared upconversion co-regulated site-specific O ₂ delivery and photodynamic therapy for hypoxia tumor by using red blood cell microcarriers. 2017 , 125, 90-100		110
125	Aggregate Formation of Oligonucleotides that Assist Molecular Imaging for Tracking of the Oxygen Status in Tumor Tissue. <i>ChemBioChem</i> , 2017 , 18, 1650-1658	3.8	12
124	Clinical PET imaging of tumour hypoxia in lung cancer. 2017 , 5, 427-445		
123	Realizing the Potential of Vascular Targeted Therapy: The Rationale for Combining Vascular Disrupting Agents and Anti-Angiogenic Agents to Treat Cancer. 2017 , 35, 519-534		41
122	Simulation of head and neck cancer oxygenation and doubling time in a 4D cellular model with angiogenesis. <i>Scientific Reports</i> , 2017 , 7, 11037	4.9	4
121	EPR Oximetry of Cetuximab-Treated Head-and-Neck Tumours in a Mouse Model. 2017 , 75, 299-309		3
120	Optical imaging and spectroscopy of microenvironmental changes associated with radiation resistance in tumors. 2017 ,		
119	Antagonism in effectiveness of evofosfamide and doxorubicin through intermolecular electron transfer. 2017 , 113, 564-570		7
118	The Impact of Hypoxia on Out-of-Field Cell Survival after Exposure to Modulated Radiation Fields. 2017 , 188, 636-644		7
117	Surveilling the Potential for Precision Medicine-driven PD-1/PD-L1-targeted Therapy in HNSCC. 2017 , 8, 332-344		17
116	Stadium IB-IVA cervical cancer patient's survival rate after receiving definitive radiation and radical operation therapy followed by adjuvant radiation therapy along with analysis of factors affecting the patient's survival rate. 2017 , 884, 012121		

115	Improving radiotherapy in cancer treatment: Promises and challenges. <i>Oncotarget</i> , 2017 , 8, 62742-62758,3		103
114	F-EF5 PET-based Imageable Hypoxia Predicts Local Recurrence in Tumors Treated With Highly Conformal Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 1183-1192	4	17
113	Radiotherapy Synergizes with the Hypoxia-Activated Prodrug Evofosfamide: In Vitro and In Vivo Studies. 2018 , 28, 131-140		19
112	Magnetic Nanoparticles for the Delivery of Dapagliflozin to Hypoxic Tumors: Physicochemical Characterization and Cell Studies. 2018 , 19, 621-633		8
111	Arene Ruthenium Metalla-Assemblies with Anthracene Moieties for PDT Applications. 2018 , 6, 97		10
110	Liposomal Formulations to Modulate the Tumour Microenvironment and Antitumour Immune Response. 2018 , 19,		19
109	LPA4-Mediated Vascular Network Formation Increases the Efficacy of Anti-PD-1 Therapy against Brain Tumors. 2018 , 78, 6607-6620		16
108	Gene and Cell Therapy: Biology and Applications. 2018 ,		0
107	Pharmaco-Gene Therapy. 2018 , 131-145		
106	Relative Radiosensitivity of Metastatic Spine Disease. 2018 , 21-28		
105	Patterns of local failures and suggestions for reduction of clinical target volume for nasopharyngeal carcinoma patients without cervical lymph node metastasis. <i>OncoTargets and Therapy</i> , 2018 , 11, 2545-2555	4-4	5
104	Hypoxia-Driven Immunosuppressive Metabolites in the Tumor Microenvironment: New Approaches for Combinational Immunotherapy. 2018 , 9, 1591		93
103	Leukocytosis, prognosis biomarker in locally advanced head and neck cancer patients after chemoradiotherapy. 2018 , 12, 8-15		9
102	Hypoxia-responsive block copolymer radiosensitizers as anticancer drug nanocarriers for enhanced chemoradiotherapy of bulky solid tumors. 2018 , 181, 360-371		39
101	Clinical trials targeting hypoxia. 2019 , 92, 20170966		17
100	High Single Doses of Radiation May Induce Elevated Levels of Hypoxia in Early-Stage Non-Small Cell Lung Cancer Tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 174-183	4	22
99	Pre-treatment tumour perfusion parameters and initial RECIST response do not predict long-term survival outcomes for patients with head and neck squamous cell carcinoma treated with induction chemotherapy. <i>PLoS ONE</i> , 2018 , 13, e0194841	3.7	5
98	The 100 most cited manuscripts in head and neck cancer: a bibliometric analysis. <i>Journal of Laryngology and Otology</i> , 2019 , 133, 936-942	1.8	6

97	The Role of Hyperthermia in the Multidisciplinary Treatment of Malignant Tumors. 2019 , 18, 1534735419876345		
96	Hypoxic Radioresistance: Can ROS Be the Key to Overcome It?. <i>Cancers</i> , 2019 , 11,	6.6	60
95	Hypoxia and angiogenic biomarkers in prostate cancer after external beam radiotherapy (EBRT) alone or combined with high-dose-rate brachytherapy boost (HDR-BTb). <i>Radiotherapy and Oncology</i> , 2019 , 137, 38-44	5.3	3
94	Label-Free Raman Spectroscopy Reveals Signatures of Radiation Resistance in the Tumor Microenvironment. 2019 , 79, 2054-2064		28
93	Baseline hemoglobin . 2019 , 34, 139-147		10
92	Routine Blood Tests Do Not Predict Survival in Patients with Glioblastoma-Multivariable Analysis of 497 Patients. <i>World Neurosurgery</i> , 2019 , 126, e1081-e1091	2.1	9
91	Optical Imaging Approaches to Investigating Radiation Resistance. <i>Frontiers in Oncology</i> , 2019 , 9, 1152	5.3	4
90	Predictive Values of MRI and PET Derived Quantitative Parameters for Patterns of Failure in Both p16+ and p16- High Risk Head and Neck Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 1118	5.3	11
89	Exercise as Adjunct Therapy in Cancer. <i>Seminars in Radiation Oncology</i> , 2019 , 29, 16-24	5.5	58
88	An Intratumor Pharmacokinetic/Pharmacodynamic Model for the Hypoxia-Activated Prodrug Evofosfamide (TH-302): Monotherapy Activity is Not Dependent on a Bystander Effect. <i>Neoplasia</i> , 2019 , 21, 159-171	6.4	16
87	Molecular landmarks of tumor hypoxia across cancer types. <i>Nature Genetics</i> , 2019 , 51, 308-318	36.3	255
86	Fabrication of hypoxia-responsive and uperconversion nanoparticles-modified RBC micro-vehicles for oxygen delivery and chemotherapy enhancement. <i>Biomaterials Science</i> , 2020 , 8, 4595-4602	7.4	14
85	Transient heating in a spherical tissue due to thermal therapy in the context of memory-dependent heat transport law. <i>Waves in Random and Complex Media</i> , 2020 , 1-19	1.9	6
84	Expression analysis based diagnostic potential of hypoxia-responsive genes in gastric tumorigenesis. <i>Gene Reports</i> , 2020 , 21, 100936	1.4	
83	Patient-Derived Xenograft and Organoid Models for Precision Medicine Targeting of the Tumour Microenvironment in Head and Neck Cancer. <i>Cancers</i> , 2020 , 12,	6.6	7
82	Healing of the cancer tissues under the action of moving heat and non-local Caputo-Fabrizio heat transport. <i>Waves in Random and Complex Media</i> , 2020 , 1-16	1.9	4
81	Phosphoglycerate kinase 1 (PGK1) in cancer: A promising target for diagnosis and therapy. <i>Life Sciences</i> , 2020 , 256, 117863	6.8	12
80	Radiation Damage to Tumor Vasculature Initiates a Program That Promotes Tumor Recurrences. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 108, 734-744	4	18

79	A graded spherical tissue under thermal therapy : the treatment of cancer cells. <i>Waves in Random and Complex Media</i> , 2020 , 1-20	1.9	14
78	Most Cited Articles in Head and Neck Oncology. <i>Ear, Nose and Throat Journal</i> , 2021 , 100, 10615-10725	1	
77	From Anemia to Erythropoietin Resistance in Head and Neck Squamous Cell Carcinoma Treatment: A Carousel Driven by Hypoxia. <i>OncoTargets and Therapy</i> , 2020 , 13, 841-851	4.4	5
76	Predictive quantitative ultrasound radiomic markers associated with treatment response in head and neck cancer. <i>Future Science OA</i> , 2019 , 6, FSO433	2.7	10
75	Dolastatin 15 from a Marine Cyanobacterium Suppresses HIF-1 α -Mediated Cancer Cell Viability and Vascularization. <i>ChemBioChem</i> , 2020 , 21, 2356-2366	3.8	8
74	Nanomedicine and chemotherapeutics drug delivery: challenges and opportunities. <i>Journal of Drug Targeting</i> , 2021 , 29, 185-198	5.4	4
73	Spectroscopic investigation of radiation-induced reoxygenation in radiation-resistant tumors. <i>Neoplasia</i> , 2021 , 23, 49-57	6.4	1
72	Transient heating within skin tissue due to time-dependent thermal therapy in the context of memory dependent heat transport law. <i>Mechanics Based Design of Structures and Machines</i> , 2021 , 49, 271-285	1.7	19
71	Review of in vivo optical molecular imaging and sensing from x-ray excitation. <i>Journal of Biomedical Optics</i> , 2021 , 26,	3.5	5
70	Hyperspectral imaging assessment for radiotherapy induced skin-erythema: Pilot study. <i>Photodiagnosis and Photodynamic Therapy</i> , 2021 , 33, 102195	3.5	1
69	Development of a PET/EPRI combined imaging system for assessing tumor hypoxia. <i>Journal of Instrumentation</i> , 2021 , 16,	1	1
68	Complement in Tumourigenesis and the Response to Cancer Therapy. <i>Cancers</i> , 2021 , 13,	6.6	10
67	Modulating the Heat Stress Response to Improve Hyperthermia-Based Anticancer Treatments. <i>Cancers</i> , 2021 , 13,	6.6	7
66	Radiotherapy and cGAS/STING signaling: Impact on MDSCs in the tumor microenvironment. <i>Cellular Immunology</i> , 2021 , 362, 104298	4.4	5
65	In Regard to Amdur et'al. <i>Practical Radiation Oncology</i> , 2021 , 11, 230-231	2.8	
64	Prognostic significance of hypoxia-inducible factor-1 α expression in advanced pharyngeal cancer without human papillomavirus infection. <i>Journal of Laryngology and Otology</i> , 2021 , 135, 625-633	1.8	
63	Mechanisms involved in selecting and maintaining neuroblastoma cancer stem cell populations, and perspectives for therapeutic targeting. <i>World Journal of Stem Cells</i> , 2021 , 13, 685-736	5.6	0
62	HPV-associated oropharyngeal cancer de-escalation strategies and trials: Past failures and future promise. <i>Journal of Surgical Oncology</i> , 2021 , 124, 962-966	2.8	1

61	First-In-Human Study in Cancer Patients Establishing the Feasibility of Oxygen Measurements in Tumors Using Electron Paramagnetic Resonance With the OxyChip. <i>Frontiers in Oncology</i> , 2021 , 11, 743258	5.3	0
60	Treatment of Mesothelioma with Radiotherapy. 2005 , 616-627		1
59	Erythropoietic therapy in the practice of oncology. 2003 , 163-184		1
58	Prognostic potential of the pre-therapeutic tumor oxygenation status. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 645, 241-6	3.6	48
57	Hypoxia, Angiogenesis, and Oral Cancer Metastasis. 2009 , 299-321		1
56	Oxygen distributions in tissue measured by phosphorescence quenching. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 510, 181-5	3.6	16
55	Quantitative spatial analysis of hypoxia and vascular perfusion in tumor sections. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 510, 37-43	3.6	7
54	Relationship between hemoglobin levels and tumor oxygenation. 2008 , 265-282		1
53	Pathophysiology of Solid Tumors. <i>Medical Radiology</i> , 2009 , 51-92	0.2	32
52	Overcoming Radioresistance of Lung Cancer Stem Cells. <i>Stem Cells and Cancer Stem Cells</i> , 2014 , 117-127		2
51	Disorders of Blood Cell Production in Clinical Oncology. 2008 , 677-692		2
50	Hypoxia and cancer related pathology. <i>Cancer Letters</i> , 2020 , 486, 1-7	9.9	19
49	Metastatic signaling of hypoxia-related genes across TCGA Pan-Cancer types.		1
48	Sub-sets of cancer stem cells differ intrinsically in their patterns of oxygen metabolism. <i>PLoS ONE</i> , 2013 , 8, e62493	3.7	65
47	Tumor hypoxia in the clinical setting. 2011 ,		5
46	HIF-1 β downregulation and apoptosis in hypoxic prostate tumor cells infected with oncolytic mammalian orthoreovirus. <i>Oncotarget</i> , 2014 , 5, 561-74	3.3	17
45	Quantitative ultrasound delta-radiomics during radiotherapy for monitoring treatment responses in head and neck malignancies. <i>Future Science OA</i> , 2020 , 6, FSO624	2.7	5
44	Tumor Microenvironment in Head and Neck Squamous Cell Carcinomas. <i>Turkish Archives of Otorhinolaryngology</i> , 2015 , 53, 120-127		5

- 43 A Review of the Role of Hypoxia in Radioresistance in Cancer Therapy. *Medical Science Monitor*, **2021**, 27, e934116 3.2 0
- 42 Optimal level of hemoglobin in cancer patients. **2002**, 369-390
- 41 Hematopoietic Growth Factors in Lung Cancer. **2004**, 249-274
- 40 Therapeutic Strategies that Target the HIF System. **2008**, 359-373
- 39 Central Nervous System Tumors. **2008**, 231-246
- 38 Anemia and Red Cell Factors. *Translational Medicine Series*, **2008**, 1-20
- 37 Radiation Therapy for Head and Neck Cancer. **2009**, 70-86
- 36 Prediction of Radiation Response. **2010**, 69-81
- 35 Hypoxia-Inducible Factor 1 (HIF-1) Mediated Adaptive Responses in the Solid Tumor. 271-290
- 34 Hypoxia in Head and Neck Cancers: Clinical Relevance and Treatment. **2011**, 169-178
- 33 Translational Research in Head and Neck Oncology. **2011**, 179-189
- 32 Imaging the Hypoxic Tumor Microenvironment in Preclinical Models. *Cancer Drug Discovery and Development*, **2014**, 157-178 0.3
- 31 Disorders of Blood Cell Production in Clinical Oncology. **2014**, 532-541.e10
- 30 Hypoxia in Head and Neck Cancers: Clinical Relevance and Treatment. **2016**, 229-242
- 29 Translational Research in Head and Neck Oncology. **2016**, 215-227
- 28 Role of PET/CT in Pediatric Malignancy. **2017**, 537-575
- 27 Hypoxia in Head and Neck Cancer. **2017**, 59-95
- 26 Quantitative Diffuse Optical Spectroscopy of Short-term Reoxygenation Kinetics in Radiation-Resistant and Sensitive Tumors. **2017**,

25	Unveiling the active sites on ferrihydrite with apparent catalase-like activity for potentiating radiotherapy. <i>Nano Today</i> , 2021 , 41, 101317	17.9	21
24	Radiobiology of Stereotactic Radiosurgery. 2020 , 21-30		
23	Targeted radiation: Specificity and deescalation. 2020 , 165-195		
22	Bacterial Systems for Tumor-Specific Gene Therapy. 2005 , 393-404		
21	The Role of Tumor Hypoxia in Head and Neck Cancer Radiotherapy. 2005 , 145-163		1
20	Targeted Therapies in Head and Neck Cancer. 2005 , 239-261		
19	Tumor Oxygenation and Treatment Response. 2006 , 43-66		
18	Nuclear Imaging of Gliomas. 2007 , 161-186		1
17	Alexithymia in oncologic disease: association with cancer invasion and hemoglobin levels. <i>Annals of Clinical Psychiatry</i> , 2011 , 23, 125-30	1.4	7
16	Kinetic modeling in PET imaging of hypoxia. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 4, 490-506	2.2	17
15	Human activated macrophages and hypoxia: a comprehensive review of the literature. <i>Iranian Journal of Basic Medical Sciences</i> , 2014 , 17, 820-30	1.8	2
14	The anti-protozoan drug nifurtimox preferentially inhibits clonogenic tumor cells under hypoxic conditions. <i>American Journal of Cancer Research</i> , 2017 , 7, 1084-1095	4.4	3
13	The role of tumor acidification in aggressiveness, cell dissemination and treatment resistance of oral squamous cell carcinoma. <i>Life Sciences</i> , 2021 , 288, 120163	6.8	0
12	Transiently hypoxic tumour cell turnover and radiation sensitivity in human tumour xenografts.. <i>British Journal of Cancer</i> , 2022 ,	8.7	0
11	The role of PET in the management of brain tumors. 8-20		1
10	A multi-omics deep learning model for hypoxia phenotype to predict tumor aggressiveness and prognosis in uveal melanoma for rationalized hypoxia-targeted therapy. <i>Computational and Structural Biotechnology Journal</i> , 2022 , 20, 3182-3194	6.8	0
9	A Multimodal Therapeutic Nanoplatfrom Overcoming Tumor Hypoxia Heterogeneity for Improved Tumor Chemoradiotherapy. <i>Advanced Functional Materials</i> , 2204629	15.6	1
8	The close interaction between hypoxia-related proteins and metastasis in pancarcinomas. <i>Scientific Reports</i> , 2022 , 12,	4.9	0

7	Combination of light and Ru(II) polypyridyl complexes: Recent advances in the development of new anticancer drugs. <i>Coordination Chemistry Reviews</i> , 2022 , 469, 214656	23.2	8
6	De-intensification Strategies for Head and Neck Cancer. 2022 , 1-12		0
5	Hypoxia Inducible factor 2 alpha (HIF2 α) inhibitors: targeting genetically driven tumor hypoxia.		1
4	Daily irradiation versus irradiation at two- to three-day intervals in stereotactic radiotherapy for patients with 1-5 brain metastases: study protocol for a multicenter open-label randomized phase II trial. 2022 , 22,		1
3	Progress and prospects of nanozymes for enhanced antitumor therapy. 10,		0
2	Visualization of tumor hypoxia and re-oxygenation after stereotactic body radiation therapy in early peripheral lung cancer: A prospective study. 2023 , 180, 109491		0
1	Improved Tumor Control Following Radiosensitization with Ultrasound-Sensitive Oxygen Microbubbles and Tumor Mitochondrial Respiration Inhibitors in a Preclinical Model of Head and Neck Cancer. 2023 , 15, 1302		0