

Standard and Capillary Chromatography, Including Electrochromatography, on Continuous Polymer Beds (Monoliths), Based on Water-

Industrial & Engineering Chemistry Research

38, 1205-1214

DOI: [10.1021/ie970676b](https://doi.org/10.1021/ie970676b)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Ion-Exchange Chromatography (HPIC). , 0, , 25-208.		0
2	Rapid reversed-phase separation of proteins and peptides using optimized "moulded"™ monolithic poly(styrene-co-divinylbenzene) columns. Journal of Chromatography A, 1999, 865, 169-174.	3.7	105
3	Liquid column chromatography. Journal of Chromatography A, 1999, 861, 383-506.	3.7	1
4	Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth. Journal of Chromatography A, 2000, 887, 137-163.	3.7	54
5	Design of the monolithic polymers used in capillary electrochromatography columns. Journal of Chromatography A, 2000, 887, 3-29.	3.7	241
6	Column Liquid Chromatography: Equipment and Instrumentation. Analytical Chemistry, 2000, 72, 37-52.	6.5	54
7	Chiral Monolithic Columns for Enantioselective Capillary Electrochromatography Prepared by Copolymerization of a Monomer with Quinidine Functionality. 1. Optimization of Polymerization Conditions, Porous Properties, and Chemistry of the Stationary Phase. Analytical Chemistry, 2000, 72, 4614-4622.	6.5	167
8	Fibrous stationary phase in capillary electrochromatography. Journal of Proteomics, 2001, 48, 209-218.	2.4	25
9	Capillary electrochromatography using fibers as stationary phases. Electrophoresis, 2001, 22, 3371-3376.	2.4	40
10	Highly efficient enantioseparations in non-aqueous capillary electrochromatography using cellulose tris(3,5-dichlorophenylcarbamate) as chiral stationary phase. Journal of Separation Science, 2001, 24, 27-34.	2.5	64
11	Poly(glycidyl methacrylate-co-divinylbenzene-co-triallylisocyanurate) continuous-bed protein chromatography. Journal of Chromatography A, 2001, 912, 31-38.	3.7	46
12	Continuous superporous agarose beds in radial flow columns. Journal of Chromatography A, 2001, 925, 69-78.	3.7	49
13	Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases. Journal of Chromatography A, 2001, 925, 265-277.	3.7	110
14	Chapter 5 Prominent chromatographers and their research seminal concepts in chromatography/separation sciences. Journal of Chromatography Library, 2001, 64, 99-599.	0.1	1
15	Capillary Column Technology: Continuous Polymer Monoliths. Journal of Chromatography Library, 2001, , 183-240.	0.1	10
16	Porous Polymer Monoliths: An Alternative to Classical Beads. Advances in Biochemical Engineering/Biotechnology, 2002, 76, 87-125.	1.1	27
17	Capillary Electrochromatography: A Rapidly Emerging Separation Method. Advances in Biochemical Engineering/Biotechnology, 2002, 76, 1-47.	1.1	14
18	Nonaqueous Capillary Electrochromatographic Separation of Synthetic Neutral Polymers by Size Exclusion Chromatography Using Polymeric Stationary Phases. Analytical Chemistry, 2002, 74, 617-625.	6.5	15

#	ARTICLE	IF	CITATIONS
19	Bonded-phase photopolymerized sol-gel monoliths for reversed phase capillary electrochromatography. <i>Journal of Separation Science</i> , 2002, 25, 3-9.	2.5	57
20	Recent progress in enantiomeric separation by capillary electrochromatography. <i>Electrophoresis</i> , 2002, 23, 4005-4021.	2.4	69
21	Preparation of monolithic polymers with controlled porous properties for microfluidic chip applications using photoinitiated free-radical polymerization. <i>Journal of Polymer Science Part A</i> , 2002, 40, 755-769.	2.3	182
22	Capillary electrochromatography of peptides on microfabricated poly(dimethylsiloxane) chips modified by cerium(IV)-catalyzed polymerization. <i>Journal of Chromatography A</i> , 2002, 948, 225-233.	3.7	139
23	Methacrylate monolithic columns of 320 μ m I.D. for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2002, 946, 99-106.	3.7	98
24	Polyrotaxane approach for synthesis of continuous beds for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2002, 971, 225-235.	3.7	25
25	Advances in capillary electrochromatography and micro-high performance liquid chromatography monolithic columns for separation science. <i>Electrophoresis</i> , 2003, 24, 917-944.	2.4	212
26	Stationary and mobile phases in capillary electrochromatography (CEC). <i>Journal of Separation Science</i> , 2003, 26, 1305-1330.	2.5	22
27	Methacrylate monolithic columns for capillary liquid chromatography polymerized using ammonium peroxydisulfate as initiator. <i>Journal of Separation Science</i> , 2003, 26, 1623-1628.	2.5	45
28	Monolithic Stationary Phases for the Separation of Small Molecules. <i>Journal of Chromatography Library</i> , 2003, 67, 373-387.	0.1	1
29	Rigid Macroporous Organic Polymer Monoliths Prepared by Free Radical Polymerization. <i>Journal of Chromatography Library</i> , 2003, 67, 19-50.	0.1	11
31	Monolithic Continuous Beds Prepared from Water-Soluble Acrylamide-Based Monomers. <i>Journal of Chromatography Library</i> , 2003, 67, 143-172.	0.1	4
32	Development of reactive thiol-modified monolithic capillaries and in-column surface functionalization by radical addition of a chromatographic ligand for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2004, 1044, 187-199.	3.7	100
33	Preparation and HPLC applications of rigid macroporous organic polymer monoliths. <i>Journal of Separation Science</i> , 2004, 27, 747-766.	2.5	225
34	Organic polymer monoliths as stationary phases for capillary HPLC. <i>Journal of Separation Science</i> , 2004, 27, 1419-1430.	2.5	180
35	Comparison of the efficiency of microparticulate and monolithic capillary columns. <i>Journal of Separation Science</i> , 2004, 27, 1431-1440.	2.5	49
36	Capillary electrochromatography with polymeric continuous beds synthesized via free radical polymerization in aqueous media using derivatized cyclodextrins as solubilizing agents. <i>Journal of Chromatography A</i> , 2004, 1044, 211-222.	3.7	27
37	Polymerised bicontinuous microemulsions as stationary phases for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2004, 1044, 245-252.	3.7	7

#	ARTICLE	IF	CITATIONS
38	Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. <i>Journal of Chromatography A</i> , 2004, 1053, 181-199.	3.7	5
39	Continuous beds (monoliths): stationary phases for liquid chromatography formed using the hydrophobic interaction-based phase separation mechanism. <i>Journal of Proteomics</i> , 2004, 59, 1-48.	2.4	40
40	Octyl-type monolithic columns of 530 μ m i.d. for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2005, 1062, 183-188.	3.7	39
41	Development of monolithic enzymatic reactors in glass microchips for the quantitative determination of enzyme substrates using the example of glucose determination via immobilized glucose oxidase. <i>Electrophoresis</i> , 2005, 26, 2303-2312.	2.4	33
42	Extending the array of crosslinkers suitable for the preparation of polymethacrylate-based monoliths. <i>Journal of Separation Science</i> , 2005, 28, 2401-2406.	2.5	31
43	Chapter 3 Peptide and protein separations by capillary electrophoresis and electrochromatography. <i>Comprehensive Analytical Chemistry</i> , 2005, 46, 149-252.	1.3	3
44	Efficient Polymer Monolith for Strong Cation-Exchange Capillary Liquid Chromatography of Peptides. <i>Analytical Chemistry</i> , 2006, 78, 3509-3518.	6.5	84
45	Monolithic beds of artificial gel antibodies. <i>Journal of Chromatography A</i> , 2006, 1109, 100-102.	3.7	34
46	Monolithic organic polymeric columns for capillary liquid chromatography and electrochromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 841, 79-87.	2.3	70
47	A study of the efficiency of monolithic silica gel capillary columns for gas chromatography. <i>Russian Journal of Physical Chemistry A</i> , 2006, 80, 609-614.	0.6	7
48	Theoretical and nomenclatural considerations of capillary electrochromatography with monolithic stationary phases. <i>Electrophoresis</i> , 2006, 27, 716-725.	2.4	14
49	The use of derivatized cyclodextrins as solubilizing agents in the preparation of macroporous polymers employed as amphiphilic continuous beds in capillary electrochromatography. <i>Journal of Separation Science</i> , 2006, 29, 2816-2826.	2.5	12
51	Assessing the Macroporous Structure of Monolithic Columns by Transmission Electron Microscopy. <i>Analytical Chemistry</i> , 2007, 79, 335-344.	6.5	64
52	Monolithic columns in high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2007, 1168, 101-168.	3.7	758
53	Hydroxymethyl methacrylate-based monolithic columns designed for separation of oligonucleotides in hydrophilic-interaction capillary liquid chromatography. <i>Journal of Proteomics</i> , 2007, 70, 23-29.	2.4	77
54	Recognition of oxytocin by capillary electrochromatography with monolithic tetrapeptide-imprinted polymer used as the stationary phase. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 1137-1145.	3.7	34
55	Stellan HjertÅ©n's contribution to the development of monolithic stationary phases. <i>Electrophoresis</i> , 2008, 29, 1593-1603.	2.4	19
56	A Novel Approach to Prepare a Glass-Fiber-Packed Capillary Column for Capillary Electrochromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008, 31, 3094-3104.	1.0	2

#	ARTICLE	IF	CITATIONS
57	Approaches to High-Performance Preparative Chromatography of Proteins. , 2009, 113, 217-254.		4
58	My favorite materials: Porous polymer monoliths. Journal of Separation Science, 2009, 32, 3-9.	2.5	30
59	Reversed phase capillary HPLC using polymer-entrapped C18 particles. Journal of Separation Science, 2009, 32, 4025-4032.	2.5	5
60	Short monolithic columns for purification and fractionation of peptide samples for matrix-assisted laser desorption/ionization time-of-flight/time-of-flight mass spectrometry analysis in proteomics. Journal of Chromatography A, 2009, 1216, 3629-3636.	3.7	23
61	Porous polymer monoliths: Amazingly wide variety of techniques enabling their preparation. Journal of Chromatography A, 2010, 1217, 902-924.	3.7	526
62	Monolithic silica with HPLC separation and solid phase extraction materials for determination of drugs in biological materials. Analytical Methods, 2011, 3, 2189.	2.7	20
63	A rapid synthetic method for organic polymer-based monoliths in a room temperature ionic liquid medium via microwave-assisted vinylization and polymerization. Green Chemistry, 2011, 13, 296-299.	9.0	44
64	Monolith as a new sample preparation material: Recent devices and applications. Journal of Separation Science, 2011, 34, 901-924.	2.5	101
65	Monoliths in capillary electrochromatography and capillary liquid chromatography in conjunction with mass spectrometry. Electrophoresis, 2016, 37, 880-912.	2.4	23
67	Monolithic columns: A historical overview. Electrophoresis, 2017, 38, 2810-2820.	2.4	43
69	Polymethacrylate-based monoliths as stationary phases for separation of biopolymers and immobilization of enzymes. Electrophoresis, 2017, 38, 2821-2826.	2.4	11
70	Preparation of a novel hydroxypropyl- β -cyclodextrin functionalized monolith for separation of chiral drugs in capillary electrochromatography. Chirality, 2021, 33, 188-195.	2.6	6
71	Micromonoliths and Microfabricated Molecularly Imprinted Polymers. , 2004, , 491-515.		0