

# CITATION REPORT

List of articles citing

**Id-1 and Id-2 are overexpressed in pancreatic cancer and in dysplastic lesions in chronic pancreatitis**

**DOI: 10.1016/s0002-9440(10)65180-2**  
**American Journal of Pathology, 1999, 155, 815-22.**

**Source:** <https://exaly.com/paper-pdf/30904557/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
133	Lactation defect in mice lacking the helix-loop-helix inhibitor Id2. <b>2000</b> , 19, 5772-81		103
132	The helix-loop-helix transcription factor, Id-1, is overexpressed in medullary thyroid cancer. <b>2000</b> , 128, 952-7		42
131	Growth factors, receptors, and molecular alterations in pancreatic cancer. Putting it all together. <b>2000</b> , 84, 697-705, xi-xii		9
130	Id1 expression is associated with histological grade and invasive behavior in endometrial carcinoma. <b>2001</b> , 165, 185-93		67
129	Id proteins at the cross-road of development and cancer. <b>2001</b> , 20, 8326-33		220
128	Molecular pathogenesis of pancreatic ductal adenocarcinoma and clinical implications. <b>2001</b> , 10, 1-23		21
127	The Id proteins: targets for inhibiting tumor cells and their blood supply. <b>2001</b> , 1551, F39-47		12
126	Up-regulation of TRPM-2, MMP-7 and ID-1 during sex hormone-induced prostate carcinogenesis in the Noble rat. <b>2001</b> , 22, 965-73		49
125	Id1 regulation of cellular senescence through transcriptional repression of p16/Ink4a. <b>2001</b> , 98, 7812-6		180
124	Id2 is a target of the beta-catenin/T cell factor pathway in colon carcinoma. <b>2001</b> , 276, 45113-9		111
123	c-Myc is a critical target for c/EBPalpha in granulopoiesis. <b>2001</b> , 21, 3789-806		218
122	E protein function in lymphocyte development. <b>2002</b> , 20, 301-22		162
121	Id proteins--tumor markers or oncogenes?. <b>2002</b> , 1, 91-6		46
120	Id-1 stimulates serum independent prostate cancer cell proliferation through inactivation of p16(INK4a)/pRB pathway. <b>2002</b> , 23, 721-5		83
119	Down-regulation of Id-1 expression is associated with TGF beta 1-induced growth arrest in prostate epithelial cells. <b>2002</b> , 1570, 145-52		47
118	Over Expression of ID-1 in Prostate Cancer. <i>Journal of Urology</i> , <b>2002</b> , 167, 2598-2602	2.5	122
117	Evidence of increased Id-1 expression and its role in cell proliferation in nasopharyngeal carcinoma cells. <b>2002</b> , 35, 42-9		27

116	Expression and distribution of id helix-loop-helix proteins in human astrocytic tumors. <b>2002</b> , 38, 329-38	103
115	Role of Id family proteins in growth control. <b>2002</b> , 190, 21-8	178
114	Constitutive expression of the Id-1 promoter in human metastatic breast cancer cells is linked with the loss of NF-1/Rb/HDAC-1 transcription repressor complex. <b>2002</b> , 21, 1812-22	56
113	Activation of MAPK signaling pathway is essential for Id-1 induced serum independent prostate cancer cell growth. <b>2002</b> , 21, 8498-505	85
112	The helix-loop-helix protein id-1 delays onset of replicative senescence in human endothelial cells. <b>2002</b> , 82, 1073-9	65
111	cDNA gene expression profile of rat hippocampus after chronic treatment with antidepressant drugs. <b>2003</b> , 110, 1413-36	51
110	Id proteins in cell growth and tumorigenesis. <b>2003</b> , 3, 525-30	252
109	Overexpression of Id-1 is associated with poor clinical outcome in node negative breast cancer. <b>2003</b> , 104, 677-82	125
108	Role for Id-1 in immunobiology of normal keratinocytes and in basal cell carcinoma. <b>2003</b> , 12, 255-60	7
107	Id proteins are overexpressed in human oral squamous cell carcinomas. <b>2003</b> , 32, 350-7	20
106	Id-1 expression promotes cell survival through activation of NF-kappaB signalling pathway in prostate cancer cells. <b>2003</b> , 22, 4498-508	133
105	Prostate development and carcinogenesis. <b>2003</b> , 227, 65-130	23
104	Id4 regulates mammary epithelial cell growth and differentiation and is overexpressed in rat mammary gland carcinomas. <i>American Journal of Pathology</i> , <b>2003</b> , 163, 2495-502	5.8 33
103	Id proteins in epithelial cells. <b>2003</b> , 285, 131-45	58
102	Kaposi's sarcoma-associated herpesvirus latency-associated nuclear antigen induces expression of the helix-loop-helix protein Id-1 in human endothelial cells. <b>2003</b> , 77, 5975-84	47
101	Id-1 as a molecular target in therapy for breast cancer cell invasion and metastasis. <b>2003</b> , 100, 13543-8	183
100	Molecular pathogenesis of precursor lesions of pancreatic ductal adenocarcinoma. <b>2003</b> , 35, 14-24	6
99	Id1 gene expression is up-regulated in hyperplastic and neoplastic thyroid tissue and regulates growth and differentiation in thyroid cancer cells. <b>2004</b> , 89, 6105-11	29

98	Id-1 and Id-2 proteins as molecular markers for human prostate cancer progression. <b>2004</b> , 10, 2044-51	99
97	Id-1-induced Raf/MEK pathway activation is essential for its protective role against taxol-induced apoptosis in nasopharyngeal carcinoma cells. <b>2004</b> , 25, 881-7	51
96	Induction of ID2 expression by hypoxia-inducible factor-1: a role in dedifferentiation of hypoxic neuroblastoma cells. <b>2004</b> , 279, 39223-31	110
95	Id-1 stimulates cell proliferation through activation of EGFR in ovarian cancer cells. <b>2004</b> , 91, 2042-7	24
94	Overexpression of Id-1 is significantly associated with tumour angiogenesis in human pancreas cancers. <b>2004</b> , 90, 1198-203	51
93	The helix-loop-helix protein ID1 localizes to centrosomes and rapidly induces abnormal centrosome numbers. <b>2004</b> , 23, 1930-8	34
92	Id-1 expression and cell survival. <b>2004</b> , 9, 279-89	87
91	Multitasking of helix-loop-helix proteins in lymphopoiesis. <b>2004</b> , 84, 43-77	24
90	TIMP1 and SERPIN-A overexpression and TFF3 and CRABP1 underexpression as biomarkers for papillary thyroid carcinoma. <b>2004</b> , 26, 1069-83	44
89	Expression and significances of Id1 helix-loop-helix protein overexpression in gastric cancer. <b>2004</b> , 216, 63-71	34
88	Id genes and proteins as promising targets in cancer therapy. <b>2004</b> , 10, 387-92	116
87	Pancreatic intraepithelial neoplasia in association with intraductal papillary mucinous neoplasms of the pancreas: implications for disease progression and recurrence. <b>2004</b> , 28, 1184-92	79
86	Pancreatic Carcinoma: An Introduction. <b>2005</b> , 3, 279-304	
85	Id-1 Protein as a New Marker for PCA. <b>2005</b> , 197-208	
84	Id helix-loop-helix proteins are differentially expressed in gestational trophoblastic disease. <b>2005</b> , 47, 303-9	13
83	The Ski oncoprotein is upregulated and localized at the centrosomes and mitotic spindle during mitosis. <b>2005</b> , 24, 4321-9	29
82	Id2 protein is selectively upregulated by UVB in primary, but not in immortalized human keratinocytes and inhibits differentiation. <b>2005</b> , 24, 5443-58	18
81	Tissue-specific and ubiquitous basic helix-loop-helix transcription factors in human placental trophoblasts. <b>2005</b> , 26, 527-39	20

80	High ID2 protein expression correlates with a favourable prognosis in patients with primary breast cancer and reduces cellular invasiveness of breast cancer cells. <b>2005</b> , 115, 403-11	44
79	Overexpressed Id-1 is associated with a high risk of hepatocellular carcinoma development in patients with cirrhosis without transcriptional repression of p16. <b>2005</b> , 104, 1037-44	37
78	Id1 gene expression and regulation in human thyroid tissue. <b>2005</b> , 15, 522-30	4
77	The helix-loop-helix inhibitor of differentiation (ID) proteins induce post-mitotic terminally differentiated Sertoli cells to re-enter the cell cycle and proliferate. <b>2005</b> , 72, 1205-17	71
76	Expression of HOXB2, a retinoic acid signaling target in pancreatic cancer and pancreatic intraepithelial neoplasia. <b>2005</b> , 11, 3587-96	126
75	Expression profiles of Id1 and p16 proteins in all-trans-retinoic acid-induced apoptosis and cell cycle re-distribution in melanoma. <b>2005</b> , 217, 33-41	12
74	Id-1 overexpression in invasive ductal carcinoma cells is significantly associated with intratumoral microvessel density in ER-negative/node-positive breast cancer. <b>2006</b> , 244, 203-10	24
73	Significance of Id-1 up-regulation and its association with EGFR in bladder cancer cell invasion. <b>2006</b> , 28, 847	2
72	The multiple roles of Id-1 in cancer progression. <b>2006</b> , 74, 481-7	91
71	Id proteins expression in prostate cancer: high-level expression of Id-4 in primary prostate cancer is associated with development of metastases. <b>2006</b> , 19, 931-41	44
70	Id-1 gene downregulation by sulindac sulfide and its upregulation during tumor development in gastric cancer. <b>2006</b> , 118, 1356-63	15
69	Inactivation of Id-1 in prostate cancer cells: A potential therapeutic target in inducing chemosensitization to taxol through activation of JNK pathway. <b>2006</b> , 118, 2072-81	36
68	Id-1 promotes proliferation of p53-deficient esophageal cancer cells. <b>2006</b> , 119, 508-14	39
67	Increasing expression of GST-pi MIF, and ID1 genes in chemoresistant prostate cancer cells. <b>2006</b> , 52, 275-81	12
66	Identification of a novel inhibitor of differentiation-1 (ID-1) binding partner, caveolin-1, and its role in epithelial-mesenchymal transition and resistance to apoptosis in prostate cancer cells. <b>2007</b> , 282, 33284-33294	66
65	Basic transcription factor 3 (BTF3) regulates transcription of tumor-associated genes in pancreatic cancer cells. <b>2007</b> , 6, 367-76	48
64	Id-1 and Id-2 are markers for metastasis and prognosis in oesophageal squamous cell carcinoma. <b>2007</b> , 97, 1409-15	58
63	Prognostic significance of Id-1 and its association with EGFR in renal cell cancer. <b>2007</b> , 50, 484-90	23

62	Pancreas transcription factor 1alpha expression is regulated in pancreatitis. <b>2007</b> , 37, 791-801	15
61	Evidence of a novel antiapoptotic factor: role of inhibitor of differentiation or DNA binding (Id-1) in anticancer drug-induced apoptosis. <b>2007</b> , 98, 308-14	26
60	Id-1 is induced in MDCK epithelial cells by activated Erk/MAPK pathway in response to expression of the Snail and E47 transcription factors. <b>2007</b> , 313, 2389-403	32
59	Expression of the inhibitor of DNA-binding (ID)-1 protein as an angiogenic mediator in tumour advancement of uterine cervical cancers. <b>2008</b> , 99, 1557-63	15
58	The foamy variant of pancreatic intraepithelial neoplasia. <b>2008</b> , 12, 252-259	14
57	Decreased ID2 promotes metastatic potentials of hepatocellular carcinoma by altering secretion of vascular endothelial growth factor. <b>2008</b> , 14, 1025-31	34
56	Increased expression of Id family proteins in small cell lung cancer and its prognostic significance. <b>2008</b> , 14, 2318-25	49
55	t(6;14)(p22;q32): a new recurrent IGH@ translocation involving ID4 in B-cell precursor acute lymphoblastic leukemia (BCP-ALL). <b>2008</b> , 111, 387-91	52
54	Bone marrow and peripheral blood expression of ID1 in human gastric carcinoma patients is a bona fide indicator of lymph node and peritoneal metastasis. <b>2009</b> , 100, 1937-42	17
53	Overexpression of inhibitor of DNA-binding (ID)-1 protein related to angiogenesis in tumor advancement of ovarian cancers. <i>BMC Cancer</i> , <b>2009</b> , 9, 430	4.8 27
52	Apigenin inhibits proliferation of ovarian cancer A2780 cells through Id1. <b>2009</b> , 583, 1999-2003	41
51	Nestin expression correlates with nerve and retroperitoneal tissue invasion in pancreatic cancer. <b>2009</b> , 40, 189-98	60
50	Expression and prognostic value of Id protein family in human breast carcinoma. <b>2009</b> , 23,	1
49	High Id1 expression is associated with poor prognosis in 237 patients with acute myeloid leukemia. <b>2009</b> , 114, 2993-3000	46
48	Elevated endogenous expression of the dominant negative basic helix-loop-helix protein ID1 correlates with significant centrosome abnormalities in human tumor cells. <b>2010</b> , 11, 2	16
47	Aberrant Signaling Pathways in Pancreatic Cancer. <b>2010</b> , 2783-2798	
46	Role of inhibitor of DNA binding-1 protein is related to angiogenesis in the tumor advancement of uterine endometrial cancers. <b>2010</b> , 1, 351-356	4
45	Bone morphogenetic protein 4 (BMP4) signaling in retinoblastoma cells. <b>2010</b> , 6, 700-15	15

44	Inhibition of tumourigenicity of small cell lung cancer cells by suppressing Id3 expression. <i>International Journal of Oncology</i> , <b>2010</b> , 37, 595-603	4.4	6
43	Id2 promotes tumor cell migration and invasion through transcriptional repression of semaphorin 3F. <b>2010</b> , 70, 3823-32		71
42	Id1/Id3 knockdown inhibits metastatic potential of pancreatic cancer. <b>2010</b> , 161, 76-82		27
41	Expression and prognostic values of Id-1 and Id-3 in gastric adenocarcinoma. <b>2011</b> , 167, 258-66		23
40	Expression and prognostic relevance of Id1 in stage III esophageal squamous cell carcinoma. <b>2010</b> , 8, 67-72		7
39	Precursor lesions in pancreatic cancer: morphological and molecular pathology. <b>2011</b> , 43, 183-200		48
38	Id3 modulates cellular localization of bHLH Ptf1-p48 protein. <b>2011</b> , 129, 295-306		8
37	The Id3/E47 axis mediates cell-cycle control in human pancreatic ducts and adenocarcinoma. <b>2011</b> , 9, 782-90		19
36	Physical and functional interaction between the ID1 and p65 for activation of NF-B. <b>2012</b> , 303, C267-77		7
35	Id-1 and the p65 subunit of NF-B promote migration of nasopharyngeal carcinoma cells and are correlated with poor prognosis. <b>2012</b> , 33, 810-7		44
34	Structural insights into interacting mechanism of ID1 protein with an antagonist ID1/3-PA7 and agonist ETS-1 in treatment of ovarian cancer: molecular docking and dynamics studies. <b>2012</b> , 18, 4865-84		6
33	Targeting Id1 reduces proliferation and invasion in aggressive human salivary gland cancer cells. <i>BMC Cancer</i> , <b>2013</b> , 13, 141	4.8	11
32	Small-molecule inhibitors of USP1 target ID1 degradation in leukemic cells. <i>Molecular Cancer Therapeutics</i> , <b>2013</b> , 12, 2651-62	6.1	104
31	The Role of Id2 in the Regulation of Chromatin Structure and Gene Expression. <b>2013</b> ,		1
30	Susceptibility of hepatoma-derived cells to histone deacetylase inhibitors is associated with ID2 expression. <i>International Journal of Oncology</i> , <b>2013</b> , 42, 1159-66	4.4	8
29	. <i>International Journal of Pharmaceutical Sciences and Research</i> , <b>2014</b> , 5,	1.8	
28	VEGF and Id-1 in pancreatic adenocarcinoma: prognostic significance and impact on angiogenesis. <i>European Journal of Surgical Oncology</i> , <b>2014</b> , 40, 1331-7	3.6	23
27	ID2 and ID3 protein expression mirrors granulopoietic maturation and discriminates between acute leukemia subtypes. <i>Histochemistry and Cell Biology</i> , <b>2014</b> , 141, 431-40	2.4	8

26	The ID proteins: master regulators of cancer stem cells and tumour aggressiveness. <i>Nature Reviews Cancer</i> , <b>2014</b> , 14, 77-91	31.3	235
25	ID proteins regulate diverse aspects of cancer progression and provide novel therapeutic opportunities. <i>Molecular Therapy</i> , <b>2014</b> , 22, 1407-1415	11.7	33
24	Id Proteins Contribute to Tumor Development and Metastatic Colonization in a Model of Bladder Carcinogenesis. <i>Bladder Cancer</i> , <b>2015</b> , 1, 159-170	1	2
23	Specific Biomarkers: Detection of Cancer Biomarkers Through High-Throughput Transcriptomics Data. <i>Cognitive Computation</i> , <b>2015</b> , 7, 652-666	4.4	2
22	Id-1, Id-2, and Id-3 co-expression correlates with prognosis in stage I and II lung adenocarcinoma patients treated with surgery and adjuvant chemotherapy. <i>Experimental Biology and Medicine</i> , <b>2016</b> , 241, 1159-68	3.7	7
21	Inhibitor of differentiation 1 transcription factor promotes metabolic reprogramming in hepatocellular carcinoma cells. <i>FASEB Journal</i> , <b>2016</b> , 30, 262-75	0.9	23
20	ID1 promotes hepatocellular carcinoma proliferation and confers chemoresistance to oxaliplatin by activating pentose phosphate pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2017</b> , 36, 166	12.8	41
19	High brain acid soluble protein 1(BASP1) is a poor prognostic factor for cervical cancer and promotes tumor growth. <i>Cancer Cell International</i> , <b>2017</b> , 17, 97	6.4	16
18	Cell Cycle Machinery and Its Alterations in Pancreatic Cancer. <b>2018</b> , 19-49		1
17	Expression and regulation of inhibitor of DNA binding proteins ID1, ID2, ID3, and ID4 at the maternal-conceptus interface in pigs. <i>Theriogenology</i> , <b>2018</b> , 108, 46-55	2.8	7
16	E47 Governs the MYC-CDKN1B/p27-RB Network to Growth Arrest PDA Cells Independent of CDKN2A/p16 and Wild-Type p53. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , <b>2018</b> , 6, 181-198	7.9	8
15	ROS/KRAS/AMPK Signaling Contributes to Gemcitabine-Induced Stem-like Cell Properties in Pancreatic Cancer. <i>Molecular Therapy - Oncolytics</i> , <b>2019</b> , 14, 299-312	6.4	24
14	Crucial role of the pentose phosphate pathway in malignant tumors. <i>Oncology Letters</i> , <b>2019</b> , 17, 4213-4226	2.6	52
13	High Levels of Prebiotic Resistant Starch in Diet Modulate Gene Expression and Metabolomic Profile in Pancreatic Cancer Xenograft Mice. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	6
12	The synergic inhibitory effects of dark tea ( <i>Camellia sinensis</i> ) extract and p38 inhibition on the growth of pancreatic cancer cells. <i>Journal of Cancer</i> , <b>2019</b> , 10, 6557-6569	4.5	2
11	Single-cell transcriptomes of pancreatic preinvasive lesions and cancer reveal acinar metaplastic cells heterogeneity. <i>Nature Communications</i> , <b>2020</b> , 11, 4516	17.4	37
10	The Role of Deubiquitinating Enzymes in Hematopoiesis and Hematological Malignancies. <i>Cancers</i> , <b>2020</b> , 12,	6.6	6
9	Over Expression of ID-1 in Prostate Cancer. <i>Journal of Urology</i> , <b>2002</b> , 2598-2602	2.5	8



8	ID helix-loop-helix proteins in cell growth, differentiation and tumorigenesis. <i>Journal of Cell Science</i> , <b>2000</b> , 113, 3897-3905	5.3	477
7	A screen for inducers of bHLH activity identifies pitavastatin as a regulator of p21, Rb phosphorylation and E2F target gene expression in pancreatic cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 53154-53167 <sup>3.3</sup>		11
6	Overexpression of BASP1 Indicates a Poor Prognosis in Head and Neck Squamous Cell Carcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2020</b> , 21, 3435-3439	1.7	1
5	Cell Cycle Machinery and Its Alterations in Pancreatic Cancer. <b>2017</b> , 1-31		
4	Differential expression of multiple genes in association with MADH4/DPC4/SMAD4 inactivation in pancreatic cancer. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2008</b> , 1, 510-7	1.4	12
3	Deubiquitinase USP1 influences the dedifferentiation of mouse pancreatic β cells.		0
2	Inhibitor of DNA binding/differentiation proteins as IDs for pancreatic cancer: Role in pancreatic cancer initiation, development and prognosis. <b>2023</b> , 853, 147092		0
1	Deubiquitinase USP1 influences the dedifferentiation of mouse pancreatic β cells. <b>2023</b> , 26, 106771		0