

CITATION REPORT

List of articles citing

p27kip1: a multifunctional cyclin-dependent kinase inhibitor with prognostic significance in human cancers

DOI: 10.1016/s0002-9440(10)65277-7
American Journal of Pathology, 1999, 154, 313-23.

Source: <https://exaly.com/paper-pdf/30904653/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
518	p27Kip1 is inactivated in human colorectal cancer by cytoplasmic localization associated with activation of Akt/PKB. 1992 , 34, 69		
517	Cyclin dependent kinase inhibitor p27Kip1 expression in normal and neoplastic cervical epithelium. 1999 , 52, 880-7		18
516	Gamma-irradiation deregulates cell cycle control and apoptosis in nevoid basal cell carcinoma syndrome-derived cells. 1999 , 90, 1351-7		13
515	G1-checkpoint function including a cyclin-dependent kinase 2 regulatory pathway as potential determinant of 7-hydroxystaurosporine (UCN-01)-induced apoptosis and G1-phase accumulation. 1999 , 90, 1364-72		23
514	Antiproliferative function of p27kip1 is frequently inhibited in highly malignant Burkitt's lymphoma cells. 1999 , 18, 6388-97		26
513	Proteasomes in apoptosis: villains or guardians?. 1999 , 56, 908-17		65
512	The Roles of the c-myc and c-myb Oncogenes in Hematopoiesis and Leukemogenesis. 519-549		
511	Bibliography Current World Literature. 2000 , 8, B15-B32		
510	Multiple functions of p27(Kip1) and its alterations in tumor cells: a review. 2000 , 183, 18-27		246
509	Decreased immunoreactivity for cell-cycle regulator p27(Kip1) in Kaposi's sarcoma correlates with higher stage and extracutaneous involvement. 2000 , 191, 387-93		10
508	Reduced expression of p27/Kip1 is associated with the development of pulmonary adenocarcinoma. 2000 , 192, 26-31		25
507	p27(Kip1) loss does not predict survival in patients with advanced gastric carcinoma. 2000 , 89, 1684-91		22
506	p27kip1 expression in breast carcinomas: An immunohistochemical study on 512 patients with long-term follow-up. 2000 , 89, 236-241		55
505	Decreased expression of p27 protein is associated with advanced tumor stage in hepatocellular carcinoma. 2000 , 89, 350-5		97
504	Squamous carcinoma of the head and neck: molecular mechanisms and potential biomarkers. 2000 , 70, 601-6		4
503	Small-molecule inhibitors of the cell cycle. 2000 , 4, 47-53		57
502	Expression patterns of p27Kip1 and Ki-67 in cholesteatoma epithelium. 2000 , 110, 1898-901		10

501	Regulation of the G1 phase of the mammalian cell cycle. 2000 , 10, 1-16	120
500	Prognostic significance of the cell cycle inhibitor p27Kip1 in acute myeloid leukemia. 2000 , 14, 28-33	36
499	Proteasome inhibitor induced gene expression profiles reveal overexpression of transcriptional regulators ATF3, GADD153 and MAD1. 2000 , 19, 2913-20	80
498	Tumor suppressors and oncogenes in cellular senescence. 2000 , 35, 317-29	314
497	Expression patterns of cellular growth-controlling genes in non-medullary thyroid cancer: basic aspects. 2000 , 1, 183-96	19
496	p27 and cyclin D1 abnormalities in uterine papillary serous carcinoma. 2000 , 77, 439-45	32
495	Endocervical cancer is associated with an increase in the ligands and receptors for transforming growth factor-beta and a contrasting decrease in p27(Kip1). 2000 , 78, 113-22	19
494	p27(kip1) and Other Cell-Cycle Protein Expression in Normal and Neoplastic Endocrine Tissues. 2000 , 11, 109-122	6
493	Prognostic Significance of p27, Ki-67, and Topoisomerase Ila Expression in Clinically Nonfunctioning Pancreatic Endocrine Tumors. 2000 , 11, 229-241	10
492	Effect of Dopamine Agonists on Lactotroph Adenomas of the Human Pituitary. 2000 , 11, 341-352	33
491	Genetic mapping and analysis of mouse p27Kip1 gene as Pas1 candidate gene. 2000 , 11, 338-9	
490	Pathogenesis of glomerulosclerosis: role of epithelial interactions. 2000 , 4, 173-181	4
489	p27(Kip1) is an inducer of intestinal epithelial cell differentiation. 2000 , 279, C1045-57	59
488	p27(kip1) protein expression correlates with survival in myxoid and round-cell liposarcoma. 2000 , 18, 2888-93	27
487	Cell-cycle dysregulation and the molecular mechanisms of prostate cancer. 2000 , 5, D372-90	37
486	Cell-cycle dysregulation and the molecular mechanisms of prostate cancer. 2000 , 5, d372-390	
485	Evidence for a telomere-independent "clock" limiting RAS oncogene-driven proliferation of human thyroid epithelial cells. 2000 , 20, 5690-9	75
484	Chronic Helicobacter pylori infection induces an apoptosis-resistant phenotype associated with decreased expression of p27(kip1). 2000 , 68, 5321-8	58

483	Differentiation-associated expression and intracellular localization of cyclin-dependent kinase inhibitor p27KIP1 and c-Jun co-activator JAB1 in neuroblastoma. 2000 , 17, 749-54		5
482	Association of SYT-SSX fusion types with proliferative activity and prognosis in synovial sarcoma. 2000 , 13, 482-8		92
481	p27kip1 expression distinguishes papillary hyperplasia in Graves Disease from papillary thyroid carcinoma. 2000 , 13, 1014-9		41
480	Abnormal integrin-mediated regulation of chronic myelogenous leukemia CD34+ cell proliferation: BCR/ABL up-regulates the cyclin-dependent kinase inhibitor, p27Kip, which is relocated to the cell cytoplasm and incapable of regulating cdk2 activity. 2000 , 97, 10538-43		77
479	Genetic analysis of mammalian cyclin-dependent kinases and their inhibitors. 2000 , 381, 827-38		45
478	p27(kip1) expression in rectal cancer correlates with disease-free survival. 2000 , 92, 78-84		20
477	Alterations of cell cycle regulators in localized synovial sarcoma: A multifactorial study with prognostic implications. <i>American Journal of Pathology</i> , 2000 , 156, 977-83	5.8	75
476	Integration of positive and negative growth signals during ras pathway activation in vivo. 2000 , 10, 106-13		78
475	PROGNOSTIC VALUE OF CELL CYCLE PROTEINS p27 kip1 AND MIB-1, AND THE CELL ADHESION PROTEIN CD44s IN SURGICALLY TREATED PATIENTS WITH PROSTATE CANCER. 2000 , 164, 2156-2161		72
474	Immunohistochemical markers for intracranial ependymoma recurrence. An analysis of 88 cases. 2000 , 177, 72-82		59
473	Butyrate-induced differentiation of Caco-2 cells occurs independently from p27. 2001 , 281, 295-9		19
472	Anomalous overexpression of p27(Kip1) in sporadic pancreatic endocrine tumors. 2001 , 96, 284-8		24
471	High cyclin E and low p27/Kip1 expressions are potentially poor prognostic factors in lung adenocarcinoma patients. 2001 , 34, 59-65		37
470	Expression of cyclin E and cyclin-dependent kinase 2 correlates with metastasis and prognosis in colorectal carcinoma. 2001 , 32, 945-53		55
469	p27: a potential main inhibitor of cell proliferation in digestive endocrine tumors but not a marker of benign behavior. 2001 , 32, 1094-101		51
468	Expression of cyclin-dependent kinase inhibitors in taste buds of mouse and hamster. 2001 , 33, 25-32		17
467	[Molecular mechanisms controlling the cell cycle: fundamental aspects and implications for oncology]. 2001 , 5, 109-29		63
466	Genetics of nervous system tumors. 2001 , 15, 961-77		14

465	Reduced expression of cyclin-dependent kinase inhibitor p27Kip1 in feline lymphoma. 2001 , 38, 698-702	7
464	Prognostic implications of p27 and cyclin E protein contents in malignant lymphomas. 2001 , 40, 461-70	40
463	Low Levels of p27 in Association With Deregulated p53-pRb Protein Status Enhance Tumor Proliferation and Chromosomal Instability in Non-Small Cell Lung Carcinomas. 2001 , 7, 418-429	11
462	p27Kip1 Localizes to Detergent-insoluble Microdomains Within Lymphocyte Membranes. 2001 , 7, 49-58	4
461	Mitogen-activated protein kinases control p27/Kip1 expression and growth of human melanoma cells. 2001 , 357, 297-303	39
460	Mitogen-activated protein kinases control p27/Kip1 expression and growth of human melanoma cells. 2001 , 357, 297-303	67
459	The role of TGF β in human cancers. 2001 , 33, 85-92	4
458	Effect of the nonsteroidal anti-inflammatory drug indomethacin on proliferation and apoptosis of colon carcinoma cells. 2001 , 127, 173-9	33
457	Abnormal expression of p27kip1 protein in levator ani muscle of aging women with pelvic floor disorders - a relationship to the cellular differentiation and degeneration. 2001 , 1, 4	22
456	Modulation of the expression of the Cip/Kip family of cyclin-dependent kinase inhibitors in foetal developing lungs of hamsters. 2001 , 34, 233-41	6
455	p27 immunostaining is related to prognosis in malignant mesothelioma. 2001 , 38, 535-41	27
454	Diagnostic and prognostic tumor markers in the gastrointestinal tract. 2001 , 20, 147-66	10
453	The expression of Ki-67, MCM3, and p27 defines distinct subsets of proliferating, resting, and differentiated cells. 2001 , 195, 457-62	62
452	Low expression of p27Kip1, a cyclin-dependent kinase inhibitor, is a marker of poor prognosis in synovial sarcoma. 2001 , 91, 1005-1012	34
451	Immunoreactivity for p27(KIP1) and cyclin E is an independent predictor of survival in primary gastric non-Hodgkin's lymphoma. 2001 , 94, 599-604	19
450	Green tea extracts decrease carcinogen-induced mammary tumor burden in rats and rate of breast cancer cell proliferation in culture. 2001 , 82, 387-98	178
449	Promotion of S-phase entry and cell growth under serum starvation by SAG/ROC2/Rbx2/Hrt2, an E3 ubiquitin ligase component: association with inhibition of p27 accumulation. 2001 , 30, 37-46	27
448	Expression of cell cycle proteins in ovarian carcinoma cells in serous effusions-biological and prognostic implications. 2001 , 83, 249-56	29

447	Pleomorphic xanthoastrocytomas: immunohistochemistry, grading and clinico-pathologic correlations. An analysis of 34 cases from a single Institute. 2001 , 52, 63-72	20
446	Cip/Kip cell-cycle inhibitors: a neuro-oncological perspective. 2001 , 51, 205-18	14
445	Molecular pathology of pituitary adenomas. 2001 , 54, 111-9	22
444	Inactivation of the p16 gene in human pituitary nonfunctioning tumors by hypermethylation is more common in null cell adenomas. 2001 , 12, 281-9	22
443	Involvement of p38 mitogen-activated protein kinase signaling in transformed growth of a cholangiocarcinoma cell line. 2001 , 33, 43-51	55
442	The role of cyclin-dependent kinase inhibitor p27 in squamous cell carcinoma of the esophagus. 2001 , 197, 157-64	16
441	Apoptosis, analysed by means of lamin B detection, correlates with grade of astroglial tumours but not with p27Kip1/retinoblastoma protein expression. 2001 , 439, 547-51	2
440	Comparison of the effects of recombinant adenovirus-mediated expression of wild-type p53 and p27Kip1 on cell cycle and apoptosis in SUDHL-1 cells derived from anaplastic large cell lymphoma. 2001 , 15, 1225-31	9
439	Repression of transcription of the p27(Kip1) cyclin-dependent kinase inhibitor gene by c-Myc. 2001 , 20, 1688-702	234
438	Biochemical differences between SUDHL-1 and KARPAS 299 cells derived from t(2;5)-positive anaplastic large cell lymphoma are responsible for the different sensitivity to the antiproliferative effect of p27(Kip1). 2001 , 20, 4466-75	24
437	Caretaker or undertaker? The role of the proteasome in aging. 2001 , 122, 235-54	79
436	Expression of cyclin kinase inhibitor p27(Kip1) in skin tumours of dogs. 2001 , 125, 153-8	8
435	Expression of second class of KIP protein p57KIP2 in human colorectal carcinoma. 2001 , 19, 39-47	9
434	Control of cyclin-dependent kinase inhibitor p27 expression by cap-independent translation. 2001 , 21, 4960-7	85
433	Hypoxia inhibits G1/S transition through regulation of p27 expression. 2001 , 276, 7919-26	277
432	p27kip protein levels and E2F activity are targets of Cot kinase during G1 phase progression in T cells. 2001 , 166, 6084-90	14
431	Prognostic significance of p27 and Ki-67 expression in mucoepidermoid carcinoma of the intraoral minor salivary gland. 2001 , 14, 1008-14	45
430	Low expression of p27 protein combined with altered p53 and Rb/p16 expression status is associated with increased expression of cyclin A and cyclin B1 in diffuse large B-cell lymphomas. 2001 , 14, 1105-13	39

429	p27(Kip1) is important in modulating pulmonary artery smooth muscle cell proliferation. 2001 , 25, 652-8	47
428	Expression of p27(Kip1) protein in transitional cell carcinoma of the upper urinary tract. 2001 , 14, 371-6	13
427	Prostate cancer: horizons in the development of novel anti-cancer strategies. 2001 , 1, 47-70	11
426	Genetic Alterations. 2001 , 181-209	
425	Identification of oncogenes collaborating with p27Kip1 loss by insertional mutagenesis and high-throughput insertion site analysis. 2002 , 99, 11293-8	103
424	Follicular growth of a thyroid carcinoma cell line (KAT-4) with abnormal E-cadherin and impaired epithelial barrier. 2002 , 12, 781-90	3
423	Alterations of cell cycle-regulatory genes in prostate cancer. 2002 , 70, 1-10	29
422	The proteasome: a novel target for cancer chemotherapy. 2002 , 16, 433-43	440
421	Cell cycle inhibitors and outcome after radiotherapy in bladder cancer patients. 2002 , 41, 463-70	3
420	p21, p27 and p53 in estrogen and antiprogestin-induced tumor regression of experimental mouse mammary ductal carcinomas. 2002 , 23, 749-58	31
419	Prevention of mouse lung tumors by budesonide and its modulation of biomarkers. 2002 , 23, 1185-92	45
418	Altered expression of c-myc, p16 and p27 in rat colon tumors and its reversal by short-term treatment with chemopreventive agents. 2002 , 23, 1447-54	39
417	Control of cell cycle exit and entry by protein kinase B-regulated forkhead transcription factors. 2002 , 22, 2025-36	371
416	. 2002 , 10, 344-350	5
415	Oxyphil parathyroid carcinomas: a clinicopathologic and immunohistochemical study of 10 cases. 2002 , 26, 344-9	54
414	10 Roles of immunohistochemical expression of cyclin A and cyclin-dependent kinase 2 in colorectal tumors. 2002 , 207-214	
413	Bortezomib, a proteasome inhibitor, in cancer therapy: From concept to clinic. 2002 , 27, 1079	15
412	Expression of p27 and VHL in renal tumors. 2002 , 10, 344-50	7

411	Pituitary hyperplasia in glycoprotein hormone alpha subunit-, p18(INK4C)-, and p27(kip-1)-null mice: analysis of proteins influencing p27(kip-1) ubiquitin degradation. <i>American Journal of Pathology</i> , 2002 , 160, 1171-9	5.8	15
410	Cyclin A correlates with carcinogenesis and metastasis, and p27(kip1) correlates with lymphatic invasion, in colorectal neoplasms. 2002 , 33, 1006-15		55
409	Inadequate formalin fixation decreases reliability of p27 immunohistochemical staining: probing optimal fixation time using high-density tissue microarrays. 2002 , 33, 756-60		83
408	Distinct patterns of p27/KIP 1 gene expression in hepatoblastoma and prognostic implications with correlation before and after chemotherapy. 2002 , 33, 198-205		18
407	Cyclin E and p27: their putative role as prognostic markers. 2002 , 8, 289-296		1
406	Anti-epidermal growth factor receptor monoclonal antibody 225 upregulates p27(KIP1) and p15(INK4B) and induces G1 arrest in oral squamous carcinoma cell lines. 2002 , 63, 92-8		56
405	The proteasome as a novel target for the treatment of breast cancer. 2002 , 15, 61-70		13
404	G protein gamma 7 expression as a new clinicopathological marker in patients with intrahepatic cholangiocarcinoma. 2002 , 137, 181-5		10
403	Thyroid cell proliferation in response to forced expression of gap junction proteins. 2002 , 81, 243-52		21
402	Modulation of intrinsic P-glycoprotein expression in multicellular prostate tumor spheroids by cell cycle inhibitors. 2002 , 1589, 49-62		29
401	Pathway-specific tumor suppression. Reduction of p27 accelerates gastrointestinal tumorigenesis in Apc mutant mice, but not in Smad3 mutant mice. 2002 , 1, 355-68		81
400	Prognostic factors in localised prostate cancer with emphasis on the application of molecular techniques. 2002 , 41, 363-71		15
399	Prognostic role of p27(Kip1) expression in oral squamous cell carcinoma in Taiwan. 2002 , 38, 172-8		36
398	Role of cell cycle molecules in the pathophysiology of glomerular epithelial cells. 2002 , 57, 203-7		7
397	Low expression of p27Kip1 is associated with tumor size and poor prognosis in patients with renal cell carcinoma. 2002 , 94, 973-979		67
396	High expression levels of p27 correlate with lymph node status in a subset of advanced invasive breast carcinomas: relation to E-cadherin alterations, proliferative activity, and ploidy of the tumors. 2002 , 94, 2454-65		30
395	Survival analysis with p27 expression and apoptosis appears to estimate the prognosis of patients with synovial sarcoma more accurately. 2002 , 94, 2712-8		10
394	Phosphorylation of pRb is required for HGF-induced muscle cell proliferation and is p27kip1-dependent. 2002 , 191, 173-82		21

393	Gene expression profiles of the rat cochlea, cochlear nucleus, and inferior colliculus. 2002 , 3, 54-67	43
392	Cyclin E and p27/Kip1: two proteins on a see-saw or another false dawn?. 2002 , 40, 393-4	5
391	Analysis of key cell-cycle checkpoint proteins in colorectal tumours. 2002 , 196, 386-93	64
390	Mechanisms underlying abnormal trafficking and expansion of malignant progenitors in CML: BCR/ABL-induced defects in integrin function in CML. 2002 , 21, 8605-11	44
389	Growth factors: Setting the framework. 2002 , 225-255	2
388	Immunohistochemical markers for prognosis of anaplastic astrocytomas. 2002 , 58, 203-15	16
387	Expression of the cyclin-dependent kinase inhibitor p27 in transitional cell bladder cancers: is it a good predictor for tumor behavior?. 2003 , 35, 181-8	6
386	Podocytes, parietal cells, and glomerular pathology: the role of cell cycle proteins. 2003 , 18, 3-8	21
385	Merkel cell carcinomas: expression of S-phase kinase-associated protein 2 (Skp2), p27, and proliferation markers. 2003 , 14, 221-29	7
384	P27(Kip1) and Ki-67 expression analysis in transitional cell carcinoma of the bladder. 2003 , 31, 397-401	11
383	p27 as a target for cancer therapeutics. 2003 , 3, 111-5	137
382	Involvement of PKA and Sp1 in the induction of p27(Kip1) by tamoxifen. 2003 , 66, 371-7	20
381	Low expression of p27 indicates a poor prognosis in patients with high-grade astrocytomas. 2003 , 97, 644-8	64
380	Regulation of p27 in the process of neuroblastoma N2A differentiation. 2003 , 89, 539-49	11
379	Roles of the Nkx3.1 homeobox gene in prostate organogenesis and carcinogenesis. 2003 , 228, 767-78	82
378	Cell cycle and apoptosis. 2003 , 36, 165-75	297
377	Expression of p27kip1 in breast cancer and its prognostic significance. 2003 , 201, 451-9	40
376	The prognosis in spindle-cell sarcoma depends on the expression of cyclin-dependent kinase inhibitor p27(Kip1) and cyclin E. 2003 , 94, 412-7	9

375	Retinoic acid decreases targeting of p27 for degradation via an N-myc-dependent decrease in p27 phosphorylation and an N-myc-independent decrease in Skp2. 2003 , 10, 230-9	39
374	p27 deficiency desensitizes Rb-/- cells to signals that trigger apoptosis during pituitary tumor development. 2003 , 22, 361-9	26
373	Quercetin elevates p27(Kip1) and arrests both primary and HPV16 E6/E7 transformed human keratinocytes in G1. 2003 , 22, 5504-14	26
372	Silibinin upregulates the expression of cyclin-dependent kinase inhibitors and causes cell cycle arrest and apoptosis in human colon carcinoma HT-29 cells. 2003 , 22, 8271-82	198
371	Cyclin D3 immunoreactivity in gastrointestinal stromal tumors is independent of cyclin D3 gene amplification and is associated with nuclear p27 accumulation. 2003 , 16, 886-92	19
370	Prolonged adenovirus-mediated expression of p27(Kip1) unveils unexpected effects of this protein on the phenotype of SUDHL-1 cells derived from t(2;5)-anaplastic large cell lymphoma. 2003 , 27, 329-35	1
369	Human bladder tumors with 2-hit mutations of tumor suppressor gene TSC1 and decreased expression of p27. 2003 , 170, 601-4	47
368	Progastrin stimulates murine colonic epithelial mitosis after DNA damage. 2003 , 124, 1348-57	27
367	Misexpression of the cyclin-dependent kinase inhibitor ICK1/KRP1 in single-celled Arabidopsis trichomes reduces endoreduplication and cell size and induces cell death. 2003 , 15, 303-15	171
366	p27(Kip1) is an independent predictor of recurrence after surgical resection in patients with small hepatocellular carcinoma. 2003 , 38, 591-7	37
365	Molecular pathway for (-)-epigallocatechin-3-gallate-induced cell cycle arrest and apoptosis of human prostate carcinoma cells. 2003 , 410, 177-85	248
364	TGF-beta 1 signaling controls retinal pericyte contractile protein expression. 2003 , 66, 190-6	59
363	The proteasome: structure, function, and role in the cell. 2003 , 29 Suppl 1, 3-9	390
362	p27 Kip1 expression is reduced in pancreatic carcinoma but has limited prognostic value. 2003 , 34, 385-90	15
361	Expression of p27KIP1 in human gliomas: relationship between tumor grade, proliferation index, and patient survival. 2003 , 34, 48-53	16
360	Altered expression of cell cycle regulators in myxofibrosarcoma, with special emphasis on their prognostic implications. 2003 , 34, 1035-42	29
359	Cell cycle deregulation in B-cell lymphomas. 2003 , 101, 1220-35	288
358	p27Kip1 inhibition of GRB2-SOS formation can regulate Ras activation. 2003 , 23, 3735-52	60

357	Loss of p27 Nuclear Expression in a Prognostically Favorable Subset of Well-Differentiated Pancreatic Endocrine Neoplasms. 2003 , 120, 685-690	26
356	Skp2 protein expression in soft tissue sarcomas. 2003 , 21, 722-7	47
355	Growth inhibition by the farnesyltransferase inhibitor FTI-277 involves Bcl-2 expression and defective association with Raf-1 in liver cancer cell lines. 2003 , 63, 159-66	16
354	p27 Kip1 protein expression in Hashimoto's thyroiditis. 2003 , 56, 587-91	8
353	p27Kip1 in Proteasome Inhibitor-Induced Apoptosis. 2003 , 2, 437-439	21
352	Regulation of cell proliferation by autocrine motility factor/phosphoglucose isomerase signaling. 2003 , 278, 32165-72	48
351	Mevastatin can cause G1 arrest and induce apoptosis in pulmonary artery smooth muscle cells through a p27Kip1-independent pathway. 2003 , 92, 501-9	36
350	Effects of tamoxifen therapy on the expression of p27 protein in the endometrium of women with primary breast cancer. 2003 , 23, 1545	
349	Short-chain fatty acid inhibitors of histone deacetylases: promising anticancer therapeutics?. 2003 , 3, 219-36	118
348	p27 Protein and cancers of the gastrointestinal tract and liver: an overview. 2003 , 37, 23-7	33
347	Pleomorphic carcinomas of the lung show a selective distribution of gene products involved in cell differentiation, cell cycle control, tumor growth, and tumor cell motility: a clinicopathologic and immunohistochemical study of 31 cases. 2003 , 27, 1203-15	79
346	Malignant peripheral nerve sheath tumor: a comparison of grade, immunophenotype, and cell cycle/growth activation marker expression in sporadic and neurofibromatosis 1-related lesions. 2003 , 27, 1337-45	99
345	Advances in Pituitary Pathology. 2003 , 13, 347-350	
344	Inverse correlation between high level expression of cyclin E and proliferation index in transitional cell carcinoma of the bladder. 2003 , 56, 353-61	8
343	DNA protein crosslinks and p53 expression are important in defining the danger of exposure to formaldehyde. 2003 , 56, 361-361	
342	Loss of p27 expression is associated with poor prognosis in stage I-II pancreatic cancer. 2003 , 65, 371-7	26
341	Transforming growth factor-beta inhibition of proteasomal activity: a potential mechanism of growth arrest. 2003 , 285, C277-85	121
340	Advances in pituitary pathology: use of novel techniques. 2004 , 32, 146-74	11

339	Targeting translation for treatment of cancer--a novel role for IRES?. 2004 , 4, 299-311	43
338	Regulation of p27 by S-phase kinase-associated protein 2 is associated with aggressiveness in non-small-cell lung cancer. 2004 , 22, 4165-73	61
337	Combined cDNA array/RT-PCR analysis of gene expression profile in rat gastrocnemius muscle: relation to its adaptive function in energy metabolism during fasting. 2004 , 18, 350-2	49
336	Microenvironmental regulation of proliferation in multicellular spheroids is mediated through differential expression of cyclin-dependent kinase inhibitors. 2004 , 64, 1621-31	54
335	Bortezomib as a potential treatment for prostate cancer. 2004 , 64, 5036-43	106
334	Immune defects in 28-kDa proteasome activator gamma-deficient mice. 2004 , 172, 3948-54	95
333	Subchronic exposure to arsenic through drinking water alters expression of cancer-related genes in rat liver. 2004 , 32, 64-72	42
332	Immunohistochemical expression of p27 and p21 in canine cutaneous mast cell tumors and histiocytomas. 2004 , 41, 296-9	13
331	Expression of cyclins D1, D3 and p27 in thymic epithelial tumors. 2004 , 3, 245-8	5
330	Mice deficient for the gap junction protein Connexin32 exhibit increased radiation-induced tumorigenesis associated with elevated mitogen-activated protein kinase (p44/Erk1, p42/Erk2) activation. 2004 , 25, 669-80	87
329	Expression of protein gene product 9.5 (PGP9.5)/ubiquitin-C-terminal hydrolase 1 (UCHL-1) in human myeloma cells. 2004 , 127, 292-8	41
328	Low-grade fibromyxoid sarcoma versus low-grade myxofibrosarcoma in the extremities and trunk. A comparison of clinicopathological and immunohistochemical features. 2004 , 45, 29-38	55
327	Histochemical examination of periodontal junctional epithelium in p21/p27 double knockout mice. 2004 , 112, 253-8	10
326	Vigabatrin-induced modification of Ki-67 expression in gingival epithelium: immunohistochemical study of a short series. 2004 , 39, 66-71	11
325	Prognostic impact of p27KIP1 expression in cyclin D1 positive lymphoproliferative disorders. 2004 , 18, 953-61	16
324	Distinct roles for p53, p27Kip1, and p21Cip1 during tumor development. 2004 , 23, 905-13	55
323	Brca1 inactivation induces p27(Kip1)-dependent cell cycle arrest and delayed development in the mouse mammary gland. 2004 , 23, 6136-45	15
322	Different cooperating effect of p21 or p27 deficiency in combination with INK4a/ARF deletion in mice. 2004 , 23, 8231-7	34

321	Simultaneous chromosome 1q gain and 16q loss is associated with steroid receptor presence and low proliferation in breast carcinoma. 2004 , 17, 449-55		19
320	Increase in p21 expression independent of the p53 pathway in bleomycin-induced lung fibrosis. 2004 , 77, 231-7		5
319	NPM/ALK downregulates p27Kip1 in a PI-3K-dependent manner. 2004 , 32, 1265-71		24
318	Markers of cell cycle-mediated drug resistance and prognosis of patients receiving preoperative combined modality therapy for rectal cancer. 2004 , 11, 949-50		2
317	3-Aminopyrazole inhibitors of CDK2/cyclin A as antitumor agents. 1. Lead finding. 2004 , 47, 3367-80		137
316	Cell cycle and no end. 2004 , 444, 313-23		18
315	Biological significance of p27 and Skp2 expression in renal cell carcinoma. A systematic analysis of primary and metastatic tumour tissues using a tissue microarray technique. 2004 , 445, 631-6		30
314	p27(Kip1) expression and grading of breast cancer diagnosed on cytological samples. 2004 , 30, 375-80		5
313	Expression of p27 and its ubiquitin ligase subunit Skp2 in upper urinary tract transitional cell carcinoma. 2004 , 64, 611-6		13
312	Interaction of Nkx3.1 and p27kip1 in prostate tumor initiation. <i>American Journal of Pathology</i> , 2004 , 164, 1607-14	5.8	27
311	Apoptosis incidence and protein expression of p53, TGF-beta receptor II, p27Kip1, and Smad4 in benign, premalignant, and malignant human prostate. 2004 , 35, 290-7		49
310	DD-RT-PCR identifies 7-dehydrocholesterol reductase as a key marker of early Leydig cell steroidogenesis. 2004 , 219, 37-45		4
309	Association between the V109G polymorphism of the p27 gene and the risk and progression of oral squamous cell carcinoma. <i>Clinical Cancer Research</i> , 2004 , 10, 3996-4002	12.9	42
308	Immunohistochemical characterization of cyclin E and p27KIP1 expression in early hydatidiform moles. 2004 , 23, 259-64		4
307	CD44: a new means to inhibit acute myeloid leukemia cell proliferation via p27Kip1. 2004 , 103, 1059-68		56
306	Prostate Epithelial Carcinogenesis: Putative and Controversial Precursor Lesions. 2005 , 141-150		
305	CAPTURING SIGNAL ANOMALIES OF HUMAN PROSTATE CANCER INTO MOUSE MODELS. 2005 , 393-421		
304	A novel p27 gene mutation in a case of unclassified myeloproliferative disorder. 2005 , 29, 229-31		11

303	Xanthones induce cell-cycle arrest and apoptosis in human colon cancer DLD-1 cells. 2005 , 13, 6064-9	129
302	DNA microarrays: recent developments and applications to the study of pituitary tissues. 2005 , 28, 49-56	13
301	Pituitary tumors: prognostic indicators. 2005 , 28, 57-66	16
300	p27kip1 expression is inversely related to the grade of gastric MALT lymphoma. 2005 , 35, 25-32	1
299	Expression of the cyclin-dependent kinase inhibitor p27(kip-1) in benign naevi and correlation with Ki-67 proliferative index. 2005 , 152, 373-4	2
298	Deficiency in the gap junction protein connexin32 alters p27Kip1 tumor suppression and MAPK activation in a tissue-specific manner. 2005 , 24, 1718-26	43
297	Increased expression of MDM2, cyclin D1, and p27Kip1 in carcinogen-induced rat mammary tumors. 2005 , 95, 875-84	20
296	Histone deacetylase inhibition-mediated post-translational elevation of p27KIP1 protein levels is required for G1 arrest in fibroblasts. 2005 , 202, 87-99	29
295	Inactivation of PTEN is associated with a low p27Kip1 protein expression in breast carcinoma. 2005 , 104, 2048-53	18
294	Immunohistochemical demonstration of histone H1(0) in human breast carcinoma. 2005 , 124, 435-43	21
293	Effect of the cyclin-dependent kinases inhibitor p27 on resistance of ovarian cancer multicellular spheroids to anticancer chemotherapy. 2005 , 131, 511-9	35
292	Potential of ceramide-induced apoptosis by p27kip1 overexpression. 2005 , 28, 87-92	2
291	p27Kip1 is expressed in proliferating cells in its form phosphorylated on threonine 187. 2005 , 5, 3	5
290	Altered expression of cell cycle regulators p21, p27, and p53 in tumors of salivary glands and paranasal sinuses. 2005 , 13, 1089	1
289	p27(kip1) functional regulation in human cancer: a potential target for therapeutic designs. 2005 , 12, 1589-605	63
288	Genetic polymorphisms of p21 are associated with risk of squamous cell carcinoma of the head and neck. 2005 , 26, 1596-602	60
287	Farnesyltransferase inhibitor, ABT-100, is a potent liver cancer chemopreventive agent. <i>Clinical Cancer Research</i> , 2005 , 11, 4266-74	12.9 19
286	Differential expression of biomarkers in lung adenocarcinoma: a comparative study between smokers and never-smokers. 2005 , 16, 1906-14	52

285	Pituitary hypoplasia in Pttg ^{-/-} mice is protective for Rb ^{+/-} pituitary tumorigenesis. 2005 , 19, 2371-9	115
284	A model of quiescent tumour microregions for evaluating multicellular resistance to chemotherapeutic drugs. 2005 , 93, 302-9	89
283	Both antiangiogenesis- and angiogenesis-independent effects are responsible for hepatocellular carcinoma growth arrest by tyrosine kinase inhibitor PTK787/ZK222584. 2005 , 65, 3691-9	95
282	p27kip1 in intestinal tumorigenesis and chemoprevention in the mouse. 2005 , 65, 9363-8	19
281	Polypyrimidine tract-binding protein enhances the internal ribosomal entry site-dependent translation of p27Kip1 mRNA and modulates transition from G1 to S phase. 2005 , 25, 1283-97	67
280	Tumor suppressor VDUP1 increases p27(kip1) stability by inhibiting JAB1. 2005 , 65, 4485-9	110
279	Functional promoter SNPs in cell cycle checkpoint genes. 2005 , 14, 2641-8	26
278	Altered tumor biology and tumorigenesis in irradiated and chemical carcinogen-treated single and combined connexin32/p27Kip1-deficient mice. 2005 , 12, 293-305	9
277	PTEN and p27 expression in mature T-cell and NK-cell neoplasms. 2005 , 46, 1463-70	17
276	Prognostic significance of expressions of cell-cycle regulatory proteins in gastrointestinal stromal tumor and the relevance of the risk grade. 2005 , 36, 828-37	111
275	Connexins as targets for cancer chemoprevention and chemotherapy. 2005 , 1719, 146-60	86
274	Regulation of the cell cycle in response to inhibition of mitochondrial generated energy. 2005 , 332, 1122-32	33
273	Apoptotic regulators in prostatic intraepithelial neoplasia (PIN): value in prostate cancer detection and prevention. 2005 , 8, 7-13	12
272	Knockdown of c-Myc expression by RNAi inhibits MCF-7 breast tumor cells growth in vitro and in vivo. 2005 , 7, R220-8	116
271	Murine metanephric mesenchyme possesses characteristics of vascular endothelial cells in vitro. 2006 , 102, e93-8	4
270	Cyclins and CDKS in development and cancer: lessons from genetically modified mice. 2006 , 11, 1164-88	137
269	Investigation of the mechanisms by which EB1089 abrogates apoptosis induced by 9-cis retinoic acid in pancreatic cancer cells. 2006 , 32, 93-100	16
268	Immunohistochemical detection of p27 and p21 proteins in canine hair follicle and epidermal neoplasms. 2006 , 68, 779-82	2

267	PI3K/Akt signaling regulates p27(kip1) expression via Skp2 in PC3 and DU145 prostate cancer cells, but is not a major factor in p27(kip1) regulation in LNCaP and PC346 cells. 2006 , 66, 749-60	40
266	A comparison of p21 and p27 immunoexpression in benign glands, prostatic intraepithelial neoplasia and prostate adenocarcinoma. 2006 , 97, 644-8	18
265	Vitamin D3 upregulated protein 1 (VDUP1) is a regulator for redox signaling and stress-mediated diseases. 2006 , 33, 662-9	56
264	Silymarin and silibinin cause G1 and G2-M cell cycle arrest via distinct circuitries in human prostate cancer PC3 cells: a comparison of flavanone silibinin with flavanolignan mixture silymarin. 2006 , 25, 1053-69	131
263	Expression of the cyclin-dependent kinase inhibitor p27 and its deregulation in mouse B cell lymphomas. 2006 , 30, 153-63	25
262	Prognostic value of p27 kip1 expression in adenocarcinoma of the pancreatic head region. 2006 , 8, 216-22	2
261	Prognostic impact of Skp2 and p27 in human breast cancer. 2006 , 99, 185-91	62
260	p16 and p27 are functionally correlated during the progress of hepatocarcinogenesis. 2006 , 39, 169-75	30
259	P27, SKP2, and extra-cellular signal-related kinase signalling in human salivary gland mucoepidermoid carcinoma. 2006 , 42, 1005-10	11
258	Prognostic value of p27Kip1 expression in Basaloid Squamous Cell Carcinoma of the larynx. 2006 , 6, 146	17
257	Downregulation of the cyclin-dependent kinase inhibitor p27kip1 might correlate with poor disease-free and overall survival in inflammatory breast cancer. 2006 , 7, 326-30	18
256	Overexpression of Jun activation domain-binding protein 1 in nonsmall cell lung cancer and its significance in p27 expression and clinical features. 2006 , 107, 154-61	35
255	Dramatic synergistic anticancer effect of clinically achievable doses of lovastatin and troglitazone. 2006 , 118, 773-9	56
254	Variant genotypes of CDKN1A and CDKN1B are associated with an increased risk of breast cancer in Chinese women. 2006 , 119, 2173-8	37
253	Downregulation of the KIP family members p27(KIP1) and p57(KIP2) by SKP2 and the role of methylation in p57(KIP2) inactivation in nonsmall cell lung cancer. 2006 , 119, 2546-56	64
252	Predictive markers of pituitary adenoma behavior. 2006 , 83, 179-88	75
251	Significance of immunohistochemical expression of p27 and involucrin as the marker of cellular differentiation of squamous cell carcinoma of the esophagus. 2006 , 71, 402-10	12
250	Mechanisms of tumor regression and resistance to estrogen deprivation and fulvestrant in a model of estrogen receptor-positive, HER-2/neu-positive breast cancer. 2006 , 66, 8266-73	133

249	Accumulation of p27(kip1) is associated with cyclin D3 overexpression in the oxyphilic (Hurthle cell) variant of follicular thyroid carcinoma. 2007 , 60, 377-81		13
248	Differential cellular and molecular effects of bortezomib, a proteasome inhibitor, in human breast cancer cells. <i>Molecular Cancer Therapeutics</i> , 2006 , 5, 665-75	6.1	86
247	Prognostic biomarkers in diffuse large B-cell lymphoma. 2006 , 24, 995-1007		209
246	Modeling sporadic loss of heterozygosity in mice by using mosaic analysis with double markers (MADM). 2007 , 104, 4495-500		59
245	miR-221 and miR-222 expression affects the proliferation potential of human prostate carcinoma cell lines by targeting p27Kip1. 2007 , 282, 23716-24		565
244	Targeting apoptosis in solid tumors: the role of bortezomib from preclinical to clinical evidence. 2007 , 11, 1571-86		10
243	Beneficial effect of atorvastatin on left ventricular remodeling in spontaneously hypertensive rats. 2007 , 80, 120-6		12
242	Prognostic value of cell cycle and apoptosis regulatory proteins in mismatch repair-proficient colorectal cancer: a tissue microarray-based approach. 2007 , 127, 114-23		24
241	Heterogeneous p27(Kip1) expression within primary renal cell cancers, their invasive margins and peritumoral renal parenchyma correlation with pathological and prognostic features. 2007 , 79, 164-9		2
240	Prognostic markers in gastrointestinal stromal tumors--we are not there yet. 2007 , 75, 1-3		2
239	The cyclin-dependent kinase inhibitor, p27, has no correlation with the malignant potential of GIST. 2007 , 75, 4-9		9
238	Reduced expression of p16 and p27 is correlated with tumour progression in cutaneous melanoma. 2007 , 39, 551-7		38
237	Protein profiling: a possible molecular mechanism to mislocalization and down-expression of p27(Kip1) in tumor cells. 2007 , 69, 580-3		5
236	Characterization of benign and malignant prostate epithelial Hoechst 33342 side populations. 2007 , 67, 1384-96		92
235	Overexpression of p27kip1 in urinary bladder urothelial carcinoma. 2007 , 14, 1084-7		7
234	Signaling mechanisms of melatonin in antiproliferation of hormone-refractory 22Rv1 human prostate cancer cells: implications for prostate cancer chemoprevention. 2007 , 42, 191-202		58
233	Towards rational and evidence-based use of melatonin in prostate cancer prevention and treatment. 2007 , 43, 1-9		51
232	Involvement of hepatitis B X-interacting protein (HBXIP) in proliferation regulation of cells. 2007 , 28, 431-8		39

231	Relationship between p53 and p27 expression following HER2 signaling. 2007 , 16, 597-605	13
230	A novel anticancer agent, icaritin, induced cell growth inhibition, G1 arrest and mitochondrial transmembrane potential drop in human prostate carcinoma PC-3 cells. 2007 , 564, 26-36	103
229	Clinicopathologic significance of an immunohistochemical expression of p27 in scirrhous carcinoma of the breast. 2007 , 14, 277-80	6
228	Promoter hypermethylation profile of cell cycle regulator genes in pituitary adenomas. 2007 , 83, 153-62	63
227	[Biomarkers - the way towards individualized chemotherapy in non-small cell lung cancer (NSCLC)]. 2007 , 157, 554-61	5
226	Human pheochromocytomas show reduced p27Kip1 expression that is not associated with somatic gene mutations and rarely with deletions. 2007 , 451, 37-46	14
225	Distinct molecular patterns based on proximal and distal sporadic colorectal cancer: arguments for different mechanisms in the tumorigenesis. 2007 , 22, 115-26	86
224	Different matrix micro-environments in colon cancer and diverticular disease. 2007 , 22, 515-20	19
223	Induction of p27(kip1) by 2,4,3,5-tetramethoxystilbene is regulated by protein phosphatase 2A-dependent Akt dephosphorylation in PC-3 prostate cancer cells. 2008 , 31, 1187-94	8
222	Progression elevated gene-3 promoter (PEG-Prom) confers cancer cell selectivity to human polynucleotide phosphorylase (hPNPase(old-35))-mediated growth suppression. 2008 , 215, 401-9	12
221	S10 phosphorylation of p27 mediates atRA induced growth arrest in ovarian carcinoma cell lines. 2008 , 217, 558-68	7
220	Activin a causes cancer cell aggressiveness in esophageal squamous cell carcinoma cells. 2008 , 15, 96-103	43
219	Molecular and prognostic markers in prostate cancer. 2008 , 116, 1-62	
218	Bayesian hierarchical spatially correlated functional data analysis with application to colon carcinogenesis. 2008 , 64, 64-73	76
217	Phellinus linteus suppresses growth, angiogenesis and invasive behaviour of breast cancer cells through the inhibition of AKT signalling. 2008 , 98, 1348-56	72
216	Prognostic implication of p27Kip1, Skp2 and Cks1 expression in renal cell carcinoma: a tissue microarray study. 2008 , 27, 51	29
215	Molecular markers for predicting prognosis of renal cell carcinoma. 2008 , 26, 113-24	33
214	Genetic deficiency of decorin causes intestinal tumor formation through disruption of intestinal cell maturation. 2008 , 29, 1435-40	112

213	CDKN1B V109G polymorphism frequency and prostate cancer risk in Taiwan. 2008 , 81, 36-40	10
212	Inverse relationship between E-cadherin and p27Kip1 expression in renal cell carcinoma. 2008 ,	0
211	Proteasome Inhibition: Thinking outside the Box. 2009 , 1, CMT.S3072	
210	Hypoxia-induced abrogation of contact-dependent inhibition of rheumatoid arthritis synovial fibroblast proliferation. 2009 , 36, 698-705	12
209	Histidine triad nucleotide-binding protein 1 up-regulates cellular levels of p27KIP1 by targeting ScfSKP2 ubiquitin ligase and Src. 2009 , 284, 5265-76	22
208	p57KIP2: "Kip"ing the cell under control. 2009 , 7, 1902-19	114
207	Thrombin induces tumor cell cycle activation and spontaneous growth by down-regulation of p27Kip1, in association with the up-regulation of Skp2 and MiR-222. 2009 , 69, 3374-81	48
206	Renal Cell Carcinoma. 2009 ,	3
205	TGFbeta prevents proteasomal degradation of the cyclin-dependent kinase inhibitor p27kip1 for cell cycle arrest. 2009 , 8, 742-56	40
204	The enigmatic parietal epithelial cell is finally getting noticed: a review. 2009 , 76, 1225-38	54
203	Prognostic significance of p27Kip1, Ki-67, and CRTC1-MAML2 fusion transcript in mucoepidermoid carcinoma: a molecular and clinicopathologic study of 101 cases. 2009 , 67, 1432-41	58
202	Seliciclib (CYC202, R-roscovitine) enhances the antitumor effect of doxorubicin in vivo in a breast cancer xenograft model. 2009 , 124, 465-72	47
201	No evidence that CDKN1B (p27) polymorphisms modify breast cancer risk in BRCA1 and BRCA2 mutation carriers. 2009 , 115, 307-13	9
200	The sine oculis homeobox (SIX) family of transcription factors as regulators of development and disease. 2009 , 66, 565-83	175
199	The V109G polymorphism in the p27 gene is associated with endometriosis. 2009 , 145, 180-3	13
198	Overexpression of DLC-1 induces cell apoptosis and proliferation inhibition in the renal cell carcinoma. 2009 , 283, 59-67	26
197	P27Kip1 is down-regulated in the endometrium of women with endometriosis. 2009 , 91, 682-6	24
196	Diffuse large B-cell lymphoma with TEL/ETV6 translocation. 2009 , 40, 588-93	3

195	Cancer vaccine enhanced, non-tumor-reactive CD8(+) T cells exhibit a distinct molecular program associated with "division arrest energy". 2009 , 69, 4346-54	13
194	Cytoplasmic localization of Jab1 and p27 Kip1 might be associated with invasiveness of papillary thyroid carcinoma. 2009 , 56, 707-13	24
193	Molecular markers and death from prostate cancer. 2009 , 150, 595-603	38
192	Human G-protein gamma 7 in extrahepatic cholangiocarcinoma and its clinicopathological significance. 2010 , 3, 66-70	3
191	Cytoplasmic p27 expression is an independent prognostic factor in ovarian cancer. 2010 , 29, 8-18	25
190	Biomarkers of pituitary neoplasms: a review (Part II). 2010 , 67, 1790-8; discussion 1798	42
189	Effect of intratumoral injection of mutant type p27Kip1 followed by in vivo electroporation on radiotherapy-resistant human oral tongue cancer xenografts. 2011 , 4, 41-6	1
188	Deregulation of p27 and cyclin D1/D3 control over mitosis is associated with unfavorable prognosis in non-small cell lung cancer, as determined in 405 operated patients. 2010 , 5, 1325-36	37
187	Clinical and biological significance of forkhead class box O 3a expression in glioma: mediation of glioma malignancy by transcriptional regulation of p27kip1. 2010 , 98, 57-69	21
186	Proteomic analysis of prolactinoma cells by immuno-laser capture microdissection combined with online two-dimensional nano-scale liquid chromatography/mass spectrometry. 2010 , 8, 2	20
185	Knockdown of TSP50 inhibits cell proliferation and induces apoptosis in P19 cells. 2010 , 62, 825-32	31
184	Parathyroid carcinoma. 2010 , 22, 498-507	100
183	Gastric adenocarcinoma and Helicobacter pylori: correlation with p53 mutation and p27 immunoexpression. 2010 , 34, 618-25	18
182	Genetic polymorphisms of p21 and risk of second primary malignancy in patients with index squamous cell carcinoma of the head and neck. 2010 , 31, 222-7	13
181	Prognostic and predictive factors in resected non-small-cell lung cancer. 2010 , 4, 373-81	7
180	Ceramide produces apoptosis through induction of p27(kip1) by protein phosphatase 2A-dependent Akt dephosphorylation in PC-3 prostate cancer cells. 2010 , 73, 1465-76	30
179	MEN-4 and other multiple endocrine neoplasias due to cyclin-dependent kinase inhibitors (p27(Kip1) and p18(INK4C)) mutations. 2010 , 24, 425-37	42
178	Phenolic-containing organic extracts of mulberry (<i>Morus alba</i> L.) leaves inhibit HepG2 hepatoma cells through G2/M phase arrest, induction of apoptosis, and inhibition of topoisomerase II activity. 2010 , 13, 1045-56	66

177	Predictive markers in the adjuvant therapy of non-small cell lung cancer. 2011 , 74, 355-63	21
176	Docosahexaenoic acid prevents dendritic cell maturation, inhibits antigen-specific Th1/Th17 differentiation and suppresses experimental autoimmune encephalomyelitis. 2011 , 25, 872-82	92
175	Differential expression of cyclin D1 in human pituitary tumors: relation to MIB-1 and p27/Kip1 labeling indices. 2011 , 23, 171-9	15
174	Zoledronic acid induces cell-cycle prolongation in murine lung cancer cells by perturbing cyclin and Ras expression. 2011 , 22, 89-98	12
173	Expression and modulation of Na ⁽⁺⁾ /H ⁽⁺⁾ exchanger 1 gene in hepatocellular carcinoma: A potential therapeutic target. 2011 , 26, 364-70	30
172	The in vitro and in vivo anti-tumor effect of KO-202125, a sauristolactam derivative, as a novel epidermal growth factor receptor inhibitor in human breast cancer. 2011 , 102, 597-604	1
171	C10ORF97 is a novel tumor-suppressor gene of non-small-cell lung cancer and a functional variant of this gene increases the risk of non-small-cell lung cancer. 2011 , 30, 4107-17	4
170	Parathyroid hormone and the regulation of cell cycle in colon adenocarcinoma cells. 2011 , 1813, 1749-57	8
169	SMAD4 protein expression and cell proliferation in colorectal adenocarcinomas. 2011 , 459, 511-9	7
168	Phosphorylated p27Kip1 on Thr157 is an important prognosis in human hepatocellular carcinoma in vivo and in vitro. 2011 , 28, 94-104	10
167	Systematic review of immunohistochemical biomarkers to identify prognostic subgroups of patients with pancreatic cancer. 2011 , 98, 1041-55	87
166	Combined loss of p21(waf1/cip1) and p27(kip1) enhances tumorigenesis in mice. 2011 , 91, 1634-42	33
165	Prognostic significance of angiogenesis in relation to Ki-67, p-53, p-27, and bcl-2 expression in embryonal tumors. 2011 , 47, 241-7	10
164	Association of genetic polymorphisms in cell-cycle control genes and susceptibility to endometrial cancer among Chinese women. 2011 , 173, 1263-71	17
163	IQGAP1 protein binds human epidermal growth factor receptor 2 (HER2) and modulates trastuzumab resistance. 2011 , 286, 29734-47	29
162	Immunohistochemical expression of cell cycle/apoptosis regulators and epidermal growth factor receptor in pediatric intracranial ependymomas. 2011 , 26, 195-8	8
161	Kaposi sarcoma. 2012 , 9, 77-85	
160	Common PIK3CA mutants and a novel 3QUTR mutation are associated with increased sensitivity to saracatinib. <i>Clinical Cancer Research</i> , 2012 , 18, 2704-14	12.9 38

159	B1, a novel topoisomerase II inhibitor, induces apoptosis and cell cycle G1 arrest in lung adenocarcinoma A549 cells. 2012 , 23, 191-9	12
158	Increased trefoil factor 3 levels in the serum of patients with three major histological subtypes of lung cancer. 2012 , 27, 1277-83	29
157	Roles of estrogen receptor and p21(Waf1) in bortezomib-induced growth inhibition in human breast cancer cells. 2012 , 10, 1473-81	5
156	Immunohistochemical expression of cell-cycle regulators in pediatric embryonal brain tumors. 2012 , 109, 529-34	4
155	Pediatric Cancer, Volume 3. 2012 ,	
154	Hypoxic Pulmonary Vascular Smooth Muscle Cell Proliferation. 2012 ,	2
153	REG1a is a strong candidate for the regulation of cell cycle, proliferation and the invasion by poorly differentiated thyroid carcinoma cells. 2012 , 45, 459-65	18
152	Enniatin B-induced cell death and inflammatory responses in RAW 267.4 murine macrophages. 2012 , 261, 74-87	52
151	Polysaccharides from <i>Phellinus linteus</i> inhibit cell growth and invasion and induce apoptosis in HepG2 human hepatocellular carcinoma cells. 2012 , 67, 247-254	10
150	Genetic variants of p27 and p21 as predictors for risk of second primary malignancy in patients with index squamous cell carcinoma of head and neck. 2012 , 11, 17	20
149	Prognostic value and functional consequences of cell cycle inhibitor p27Kip1 loss in medulloblastoma. 2013 , 1, 14	1
148	Tuberin and p27 expression in breast cancer patients with or without BRCA germline mutations. 2013 , 139, 1349-55	4
147	Clinical significance of cell cycle inhibitors in hepatocellular carcinoma. 2013 , 46, 185-92	24
146	The tumour biology of synchronous and metachronous colorectal liver metastases: a systematic review. 2013 , 30, 457-70	40
145	Cancer Chemoprevention and Treatment by Diet Therapy. 2013 ,	1
144	β-Sitosterol induces G1 arrest and causes depolarization of mitochondrial membrane potential in breast carcinoma MDA-MB-231 cells. 2013 , 13, 280	40
143	Regulation of SIRT2 levels for human non-small cell lung cancer therapy. 2013 , 82, 9-15	37
142	CDK2 and mTOR are direct molecular targets of isoangustone A in the suppression of human prostate cancer cell growth. 2013 , 272, 12-20	25

141	Inhibition of tumor growth in vitro and in vivo by fucoxanthin against melanoma B16F10 cells. 2013 , 35, 39-46	78
140	Modulation of Proteasome Pathways by Nutraceuticals. 2013 , 233-267	
139	Extracellular ATP regulates FoxO family of transcription factors and cell cycle progression through PI3K/Akt in MCF-7 cells. 2013 , 1830, 4456-69	16
138	Usefulness of ancillary methods for diagnosis, prognosis and targeted therapy in thyroid pathology. 2013 , 20, 639-54	4
137	Immunohistochemical evaluation of oral epithelial dysplasia using cyclin-D1, p27 and p63 expression as predictors of malignant transformation. 2013 , 4, 349-58	19
136	Expression of cell-cycle regulators p53, p27, and p21 in mucoepidermoid and adenoid cystic carcinomas of the minor salivary glands. 2013 , 33, 120-126	
135	Ablation of galectin-3 induces p27(KIP1)-dependent premature senescence without oncogenic stress. 2014 , 21, 1769-79	28
134	A low level of GPR37 is associated with human hepatocellular carcinoma progression and poor patient survival. 2014 , 210, 885-92	14
133	Involvement of ERK1/2, p38 MAPK, and PI3K/Akt signaling pathways in the regulation of cell cycle progression by PTHrP in colon adenocarcinoma cells. 2014 , 92, 305-15	14
132	Cyclin D1, p16(INK) (4A) and p27(Kip1) in pancreatic adenocarcinoma: assessing prognostic implications through quantitative image analysis. 2014 , 122, 1230-9	9
131	Gene delivery of cyclin-dependent kinase inhibitors p21Waf1 and p27Kip1 suppresses proliferation of MCF-7 breast cancer cells in vitro. 2014 , 21, 614-23	10
130	Relationship of immunohistochemical biomarker expression and lymph node involvement in patients undergoing surgical treatment of NSCLC with long-term follow-up. 2014 , 35, 4551-9	4
129	Suppression of KIF3B expression inhibits human hepatocellular carcinoma proliferation. 2014 , 59, 795-806	32
128	Mutations in the PTEN tumor gene and risk of endometriosis: a case-control study. 2014 , 29, 324-36	42
127	Expressions of p16 and p27 in urothelial carcinoma and their prognostic value. 2014 , 30, 453-8	4
126	Contact inhibition and high cell density deactivate the mammalian target of rapamycin pathway, thus suppressing the senescence program. 2014 , 111, 8832-7	95
125	Ferrocene and (arene)ruthenium(II) complexes of the natural anticancer naphthoquinone plumbagin with enhanced efficacy against resistant cancer cells and a genuine mode of action. 2014 , 138, 64-72	32
124	BCR-ABL1 promotes leukemia by converting p27 into a cytoplasmic oncoprotein. 2014 , 124, 3260-73	16

123	Interaction of Cx43 with Hsc70 regulates G1/S transition through CDK inhibitor p27. 2015 , 5, 15365	13
122	Evidence of an oncogenic role of aberrant TOX activation in cutaneous T-cell lymphoma. 2015 , 125, 1435-43	48
121	Tumor necrosis factor- β -induced protein-8 like-2 (TIPE2) upregulates p27 to decrease gastric cancer cell proliferation. 2015 , 116, 1121-9	39
120	Morphological and immunohistochemical profile of pancreatic neuroendocrine neoplasms. 2015 , 66, 176-94	5
119	Cullin family proteins and tumorigenesis: genetic association and molecular mechanisms. 2015 , 6, 233-42	41
118	Anticancer Effect of a Novel Proteasome Inhibitor, YSY01A, via G2/M Arrest in PC-3M Cells in vitro and in vivo. 2015 , 6, 701-8	3
117	Immunohistochemically detected expression of Skp2, p27 kip1, and p-p27 (Thr187) in patients with cholangiocarcinoma. 2015 , 36, 5119-25	6
116	Clinicopathological importance of Ki-67, p27, and p53 expression in gastric cancer. 2015 , 45, 118-28	20
115	Hypoxia regulates proliferation of acute myeloid leukemia and sensitivity against chemotherapy. 2015 , 39, 779-85	33
114	Manejo de los tumores hipofisarios agresivos. 2015 , 171-198	
113	Chrysin suppresses achaete-scute complex-like 1 and alters the neuroendocrine phenotype of carcinoids. 2015 , 22, 496-505	5
112	A Multi-Component Reaction to 6-Aminothiouracils: Synthesis, Mechanistic Study and Antitumor Activity. 2016 , 05,	1
111	Histone Deacetylase Inhibitors Increase p27(Kip1) by Affecting Its Ubiquitin-Dependent Degradation through Skp2 Downregulation. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 2481865	6, 7 6
110	The miRacle in Pancreatic Cancer by miRNAs: Tiny Angels or Devils in Disease Progression. 2016 , 17,	16
109	Significance of p27 Immunostaining in B-Cell Neoplasm. 2016 , 24, 482-9	
108	P27/CDKN1B Translational Regulators in Pituitary Tumorigenesis. 2016 , 48, 840-846	10
107	P21 and p27 Immunoexpression in Upper Urinary Tract Urothelial Carcinomas. 2016 , 22, 839-45	7
106	Biomarkers of pituitary carcinomas. 2016 , 11, 253-261	2

105	Gel-based chemical cross-linking analysis of 20S proteasome subunit-subunit interactions in breast cancer. 2016 , 36, 564-570	4
104	Calmidazolium chloride inhibits growth of murine embryonal carcinoma cells, a model of cancer stem-like cells. 2016 , 35, 86-92	5
103	Diagnostic criteria in invasive pituitary adenomas. 2016 , 30, 345-359	
102	Discovery of pyrrolospirooxindole derivatives as novel cyclin dependent kinase 4 (CDK4) inhibitors by catalyst-free, green approach. 2016 , 108, 476-485	25
101	Association between p21 Ser31Arg polymorphism and the development of cervical lesion in women infected with high risk HPV. 2016 , 37, 10935-41	3
100	Hypoxia inhibits mesenchymal stem cell proliferation through HIF1 α -dependent regulation of P27. 2016 , 415, 29-38	30
99	Therapeutic effects of Argyrin F in pancreatic adenocarcinoma. 2017 , 399, 20-28	7
98	Achaete-scute complex homologue-1 promotes development of laryngocarcinoma via facilitating the epithelial-mesenchymal transformation. 2017 , 39, 1010428317705752	6
97	Characterisation of cell cycle arrest and terminal differentiation in a maximally proliferative human epithelial tissue: Lessons from the human hair follicle matrix. 2017 , 96, 632-641	22
96	MEN4 and mutations: the latest of the MEN syndromes. 2017 , 24, T195-T208	90
95	Relation among Aromatase P450 and Tumoral Growth in Human Prolactinomas. 2017 , 18,	5
94	Expression of p27 and c-Myc by immunohistochemistry in breast ductal cancers in African American women. 2018 , 34, 170-174	4
93	Effects of electrical stimulation on cell proliferation and apoptosis. 2018 , 233, 1860-1876	54
92	UBA2 promotes proliferation of colorectal cancer. 2018 , 18, 5552-5562	11
91	Aspirin promotes apoptosis and inhibits proliferation by blocking G0/G1 into S phase in rheumatoid arthritis fibroblast-like synoviocytes via downregulation of JAK/STAT3 and NF- κ B signaling pathway. 2018 , 42, 3135-3148	30
90	MECHANISMS OF ENDOCRINOLOGY: Cell cycle regulation in adrenocortical carcinoma. 2018 , 179, R95-R110	13
89	PGC1 α s required for the induction of contact inhibition by suppressing ROS. 2018 , 501, 739-744	4
88	-V109G Polymorphism Is Not Associated with the Risk of Prostate Cancer: A Case-Control Study of Han Chinese Men in Central China. 2018 , 2018, 1418609	2

87	Gp78 involvement in cellular proliferation: Can act as a promising modulator for cell cycle regulatory proteins?. 2018 , 233, 6352-6368	0
86	SAMHD1 modulates in vitro proliferation of acute myeloid leukemia-derived THP-1 cells through the PI3K-Akt-p27 axis. 2018 , 17, 1124-1137	9
85	De novo macrocyclic peptides that specifically modulate Lys48-linked ubiquitin chains. 2019 , 11, 644-652	40
84	Hepatic metastasis from colorectal cancer. 2019 , 10, 1274-1298	49
83	G1 phase cell cycle arrest in NSCLC in response to LZ-106, an analog of enoxacin, is orchestrated through ROS overproduction in a P53-dependent manner. 2019 , 40, 131-144	6
82	A multiallelic indel in the promoter region of the Cyclin-dependent kinase inhibitor 3 gene is significantly associated with body weight and carcass traits in chickens. 2019 , 98, 556-565	44
81	Neuroendocrine Breast Carcinomas Share Prognostic Factors with Gastroenteropancreatic Neuroendocrine Tumors: A Putative Prognostic Role of Menin, p27, and SSTR-2A. 2019 , 96, 147-155	6
80	Tumor quiescence: elevating SOX2 in diverse tumor cell types downregulates a broad spectrum of the cell cycle machinery and inhibits tumor growth. 2020 , 20, 941	5
79	Down Syndrome Is a Metabolic Disease: Altered Insulin Signaling Mediates Peripheral and Brain Dysfunctions. 2020 , 14, 670	17
78	Protein Dynamics Enables Phosphorylation of Buried Residues in Cdk2/Cyclin-A-Bound p27. 2020 , 119, 2010-2018	7
77	Together we stand, apart we fall: how cell-to-cell contact/interplay provides resistance to ferroptosis. 2020 , 11, 789	5
76	Loss of p27Kip1 leads to expansion of CD4+ effector memory T cells and accelerates colitis-associated colon cancer in mice with a T cell lineage restricted deletion of Smad4. 2020 , 9, 1847832	1
75	FOXO transcription factor family in cancer and metastasis. 2020 , 39, 681-709	45
74	Antiproliferative effect of bacterial cyclodipeptides in the HeLa line of human cervical cancer reveals multiple protein kinase targeting, including mTORC1/C2 complex inhibition in a TSC1/2-dependent manner. 2020 , 25, 632-647	5
73	Airborne Particulate Matter (PM) Inhibits Apoptosis through PI3K/AKT/FoxO3a Pathway in Lung Epithelial Cells: The Role of a Second Oxidant Stimulus. 2020 , 21,	4
72	The clinicopathological and prognostic significance of P27 in hepatocellular carcinoma patients: A systemic review and meta-analysis. 2020 , 734, 144351	2
71	Holistic development of coal tar lotion by embedding design of experiments (DoE) technique: preclinical investigations. 2020 , 17, 255-273	0
70	Close Encounters of the Cell Kind: The Impact of Contact Inhibition on Tumour Growth and Cancer Models. 2020 , 82, 20	2

69	Erchen Plus Huiyanzhuyu Decoction Inhibits the Growth of Laryngeal Carcinoma in a Mouse Model of Phlegm-Coagulation-Blood-Stasis Syndrome via the STAT3/Cyclin D1 Pathway. 2020 , 2020, 2803496	1
68	Endothelial sprouting, proliferation, or senescence: tipping the balance from physiology to pathology. 2021 , 78, 1329-1354	12
67	Expression of p27 and p16 and their clinical significance in gastric cancer. 2021 , 23, 856-865	3
66	Biological roles of the B cell receptor-associated protein 31: Functional Implication in Cancer. 2021 , 48, 773-786	1
65	BC-N102 suppress breast cancer tumorigenesis by interfering with cell cycle regulatory proteins and hormonal signaling, and induction of time-course arrest of cell cycle at G1/G0 phase. 2021 , 17, 3224-3238	3
64	A New CD10 Antibody Inhibits the Growth of Malignant Mesothelioma. 2021 , 40, 21-27	2
63	The inhibitory effect of melatonin on human prostate cancer. 2021 , 19, 34	8
62	HBx induces hepatocellular carcinogenesis through ARRB1-mediated autophagy to drive the G/S cycle. 2021 , 1-19	2
61	Hematopoietic versus leukemic stem cell quiescence: Challenges and therapeutic opportunities. 2021 , 50, 100850	6
60	Vitamin D: Possible Therapeutic Roles in Hepatocellular Carcinoma. 2021 , 11, 642653	1
59	Cyclin-dependent kinase inhibitors (CDKIs) and the DNA damage response: The link between signaling pathways and cancer. 2021 , 102, 103103	2
58	Decreased Annexin A1 expression enhances sensitivity to docetaxel, cisplatin and 5-fluorouracil combination induction chemotherapy in oral squamous cell carcinoma. 2021 , 50, 795-802	1
57	The Role of DND1 in Cancers. 2021 , 13,	1
56	Molecular systems biology of Sic1 in yeast cell cycle regulation through multiscale modeling. 2012 , 736, 135-67	4
55	Mechanisms of Cell Cycle Regulation by TGF- β Disabled in Cancer. 2008 , 213-242	1
54	PROGNOSTIC VALUE OF CELL CYCLE PROTEINS p27kip1 AND MIB-1, AND THE CELL ADHESION PROTEIN CD44s IN SURGICALLY TREATED PATIENTS WITH PROSTATE CANCER. 2000 , 2156-2161	4
53	Protein dynamics enables phosphorylation of buried residues in Cdk2/Cyclin A-bound p27.	0
52	MicroRNA-221 mediates the effects of PDGF-BB on migration, proliferation, and the epithelial-mesenchymal transition in pancreatic cancer cells. 2013 , 8, e71309	51

51	Transcriptional basis for the inhibition of neural stem cell proliferation and migration by the TGFβ family member GDF11. 2013 , 8, e78478	22
50	ASC Induces Apoptosis via Activation of Caspase-9 by Enhancing Gap Junction-Mediated Intercellular Communication. 2017 , 12, e0169340	13
49	Merkel cell carcinomas: expression of S-phase kinase-associated protein 2 (Skp2), p27, and proliferation markers. 2003 , 14, 221	2
48	Immunoexpression of tumor suppressor genes p53, p21 WAF1/CIP1 and p27 KIP1 in human astrocytic tumors. 2007 , 65, 1114-22	12
47	Enantiomerically pure dipeptide derivative induces anticancer activity against human hormone-refractory prostate cancer through both PI3K/Akt-dependent and -independent pathways. 2017 , 8, 96668-96683	7
46	Clinical significances of p27 in digestive tract cancers: a comprehensive analysis on immunohistochemistry staining, published literatures, microarray and RNA-seq data. 2018 , 9, 12284-12303	1
45	Targeting Kinase Interaction Networks: A New Paradigm in PPI Based Design of Kinase Inhibitors. 2019 , 19, 467-485	8
44	Molecular mechanism underlying the functional loss of cyclin-dependent kinase inhibitors p16 and p27 in hepatocellular carcinoma. 2008 , 14, 1734-40	59
43	Expression and altered subcellular localization of the cyclin-dependent kinase inhibitor p27Kip1 in hepatocellular carcinoma. 2004 , 10, 1425-30	28
42	Effect of p27(KIP1) on cell cycle and apoptosis in gastric cancer cells. 2005 , 11, 7072-7	16
41	p21 and p27 immunoexpression in gastric well differentiated endocrine tumors (ECL-cell carcinoids). 2006 , 12, 6280-4	10
40	Cytoplasmic expression of p27(kip1) is associated with a favourable prognosis in colorectal cancer patients. 2006 , 12, 6299-304	8
39	p27(Kip1) is detected on most gastric MALT lymphomas, but not large cell lymphomas. 2006 , 46, 25-30	0
38	p27 Loss Is Associated with Poor Prognosis in Gastroenteropancreatic Neuroendocrine Tumors. 2014 , 46, 383-92	18
37	THE SIGNIFICANCE OF KEY REGULATORS OF APOPTOSIS IN THE DEVELOPMENT AND PROGNOSIS OF PROSTATE CARCINOMA. II. PRODUCTS OF SUPPRESSOR GENES RB AND PTEN, CDKI, FAS. 2003 , 147, 11-17	2
36	Status of p53 and p27(KIP1) in Iranian Patients With Oral Squamous Cell Carcinoma. 2015 , 17, e19359	2
35	Multiparameter immunohistochemical analysis of the cell cycle proteins cyclin D1, Ki-67, p21WAF1, p27KIP1, and p53 in mantle cell lymphoma. 2000 , 124, 1457-62	24
34	The prognostic significance of DNA topoisomerase II-alpha (Ki-S1), p21/Cip-1, and p27/Kip-1 protein immunoexpression in oligodendrogliomas. 2001 , 125, 892-8	14

33	Cullin3 deficiency shapes tumor microenvironment and promotes cholangiocarcinoma in liver-specific Smad4/Pten mutant mice. 2021 , 17, 4176-4191	0
32	Apoptosis and the Pathogenesis of Helicobacter pylori Related Disease. 2002 , 153-171	
31	Prognostic Role of P27 kip1 and Epidermal Growth Factor Receptor in Transitional Cell Carcinoma of the Bladder. 2002 , 2, 41-46	
30	The Role of the PI3K Pathway in Anti-IgM (Anti- μ) -Sensitive and -Resistant B-cell Lymphomas. 2003 , 37-47	
29	Molecular Markers for Predicting Prognosis of Renal Cell Carcinoma. 2009 , 449-471	1
28	Recent Developments in the Molecular Biology of Pituitary Tumors. 2010 , 103-113	
27	Pediatric Embryonal Tumors: Prognostic Role of Cyclin A and B1 Proteins. 2012 , 245-249	
26	Resection of Metachronous Colorectal Cancer Liver Metastases: Surgical Outcomes. 2020 , 355-369	
25	Carnosic acid increases sorafenib-induced inhibition of ERK1/2 and STAT3 signaling which contributes to reduced cell proliferation and survival of hepatocellular carcinoma cells. 2020 , 11, 3129-3143	2
24	Molecular Staging of Non-Small-Cell Lung Cancer. 2006 , 159-176	2
23	Gene Profiling Analysis of Androgen Receptor Mediated Function. 2008 , 83-113	
22	Clinico-prognostic value of D-type cyclins and p27 in laryngeal cancer patients: a review. 2005 , 25, 75-85	16
21	Anti-tumor efficacy of BEZ235 is complemented by its anti-angiogenic effects via downregulation of PI3K-mTOR-HIF1 α signaling in HER2-defined breast cancers. 2016 , 6, 714-46	19
20	Evaluating the expression of p16 and p27 in oral epithelial dysplasias and oral squamous cell carcinoma: A diagnostic marker for carcinogenesis. 2018 , 22, 59-64	2
19	Ion Channel Drugs Suppress Cancer Phenotype in NG108-15 and U87 Cells: Toward Novel Electroceuticals for Glioblastoma.. 2022 , 14,	0
18	TXNIP: A Double-Edged Sword in Disease and Therapeutic Outlook.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 7805115	6.7 0
17	KIF14 affects cell cycle arrest and cell viability in cervical cancer by regulating the p27 pathway.. <i>World Journal of Surgical Oncology</i> , 2022 , 20, 125	3-4 0
16	Evaluating the expression of p16 and p27 in oral epithelial dysplasias and oral squamous cell carcinoma: A diagnostic marker for carcinogenesis. 2018 , 22, 59	1

15	KLF7 Promotes Preadipocyte Proliferation via Activation of the Akt Signaling Pathway by Cis-regulating CDKN3.		
14	Targeting signaling pathways involved in primordial follicle growth or dormancy: potential application in prevention of follicular loss and infertility. <i>Expert Opinion on Biological Therapy</i> ,	5.4	
13	Patterns of Cyclin E, Retinoblastoma Protein, and p21Cip1/WAF1 Immunostaining in the Oncogenesis of Papillary Thyroid Carcinoma. <i>Clinical Cancer Research</i> , 2005 , 11, 1037-1043	12.9	2
12	Sanguinarine causes cell cycle blockade and apoptosis of human prostate carcinoma cells via modulation of cyclin kinase inhibitor-cyclin-cyclin-dependent kinase machinery. <i>Molecular Cancer Therapeutics</i> , 2004 , 3, 933-940	6.1	53
11	Subcellular Localization of p27kip1 Expression Predicts Poor Prognosis in Human Ovarian Cancer. 2005 , 11, 632-637		20
10	Using in vivo cerebellar electroporation to study neuronal cell proliferation and differentiation in a Joubert syndrome mouse model. 2022 ,		0
9	KLF7 Promotes Preadipocyte Proliferation via Activation of the Akt Signaling Pathway by Cis-regulating CDKN3. 2022 ,		0
8	Identifying tumor immunity-associated molecular features in liver hepatocellular carcinoma by multi-omics analysis. 9,		0
7	Melatonin and Prostate Cancer: Anti-tumor Roles and Therapeutic Application. 2022 , 0		0
6	D/L-Homosistein Tamoksifene Diren MCF-7/TAMR-1 Meme Kanseri Harelerinin Proliferatif Belliklerini ER Stresi Aracılı Olarak Baskıyabilir. 413-419		0
5	A Genetic and Immunohistochemical Analysis of H. Pylori Phenotypes and p27 expression in Adenocarcinoma Patients in Jordan.		0
4	Effects of Electrical Stimulation of the Cell: Wound Healing, Cell Proliferation, Apoptosis, and Signal Transduction. 2023 , 11, 11		0
3	2-Anilino-4-(1-methyl-1H-pyrazol-4-yl)pyrimidine-derived CDK2 Inhibitors as Anticancer Agents: Design, Synthesis & Evaluation. 2023 , 117158		1
2	Gastric Tumor Suppressor Genes Alterations Associated with cagA Positive H pylori among Patients with Gastric Cancer Systemic Review and Meta-Analysis.		0
1	Molecular Aspects of Hypoxic Stress Effects in Chronic Ethanol Exposure of Neuronal Cells. 2023 , 45, 1655-1680		0