

CITATION REPORT

List of articles citing

Protein secondary structure prediction based on position-specific scoring matrices

DOI: 10.1006/jmbi.1999.3091

Journal of Molecular Biology, 1999, 292, 195-202.

Source: <https://exaly.com/paper-pdf/30914256/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2290	The Kinetics of Amyloid Fibrillar Aggregation of Uperin 3.5 Is Directed by the Peptides Secondary Structure.		
2289	Comparative Proteomics Enables Identification of Nonannotated Cold Shock Proteins in E. coli.		
2288	StructureStabilityFunction Mechanistic Links in the Anti-Measles Virus Action of Tocopherol-Derivatized Peptide Nanoparticles.		
2287	Self-Assembling NanoLuc Luciferase Fragments as Probes for Protein Aggregation in Living Cells.		
2286	Using Local States To Drive the Sampling of Global Conformations in Proteins.		
2285	Detection of protein fold similarity based on correlation of amino acid properties. 1999 , 96, 14318-23		29
2284	Exploiting the past and the future in protein secondary structure prediction. 1999 , 15, 937-46		343
2283	Applying Agents to Bioinformatics in GeneWeaver. 2000 , 60-71		14
2282	Prediction of protein secondary structure at 80% accuracy. 2000 , 41, 17-20		96
2281	Predictions of protein segments with the same aminoacid sequence and different secondary structure: a benchmark for predictive methods. 2000 , 41, 535-44		39
2280	Protein structure prediction in the postgenomic era. 2000 , 10, 371-9		48
2279	Characterization and immunolocalization of major structural proteins in the brown algal virus EsV-1. 2000 , 269, 148-55		10
2278	The brown algal virus EsV-1 particle contains a putative hybrid histidine kinase. 2000 , 273, 383-90		12
2277	Cascaded multiple classifiers for secondary structure prediction. 2000 , 9, 1162-76		295
2276	Receptor recognition by a hepatitis B virus reveals a novel mode of high affinity virus-receptor interaction. 2000 , 19, 1217-27		45
2275	Cytochrome c oxidase assembly factors with a thioredoxin fold are conserved among prokaryotes and eukaryotes. 2000 , 78, 239-42		80
2274	Estimating the significance of sequence order in protein secondary structure and prediction. 2000 , 16, 978-87		6

2273	Environment-dependent residue contact energies for proteins. 2000 , 97, 2550-5		92
2272	Formation and characterization of the trimeric form of the fusion protein of Semliki Forest Virus. 2000 , 74, 7772-80		53
2271	Protein Structure Prediction. 2000 ,		6
2270	SURVEY AND SUMMARY: holliday junction resolvases and related nucleases: identification of new families, phyletic distribution and evolutionary trajectories. 2000 , 28, 3417-32		257
2269	Third generation prediction of secondary structures. 2000 , 143, 71-95		39
2268	Powers and pitfalls in sequence analysis: the 70% hurdle. 2000 , 10, 398-400		89
2267	Identification of lipoprotein homologues of pneumococcal PsaA in the equine pathogens <i>Streptococcus equi</i> and <i>Streptococcus zooepidemicus</i> . 2000 , 68, 6048-51		21
2266	Eukaryote-specific domains in translation initiation factors: implications for translation regulation and evolution of the translation system. 2000 , 10, 1172-84		68
2265	Structure-based predictions of Rad1, Rad9, Hus1 and Rad17 participation in sliding clamp and clamp-loading complexes. 2000 , 28, 2481-93		234
2264	Bacterial-type DNA holliday junction resolvases in eukaryotic viruses. 2000 , 97, 8926-31		84
2263	Enhanced genome annotation using structural profiles in the program 3D-PSSM. <i>Journal of Molecular Biology</i> , 2000 , 299, 499-520	6.5	1239
2262	Ab initio construction of protein tertiary structures using a hierarchical approach. <i>Journal of Molecular Biology</i> , 2000 , 300, 171-85	6.5	148
2261	Homology among (betaalpha) ₈ barrels: implications for the evolution of metabolic pathways. <i>Journal of Molecular Biology</i> , 2000 , 303, 627-41	6.5	182
2260	Unexpected structural diversity in DNA recombination: the restriction endonuclease connection. 2000 , 5, 1025-34		104
2259	Cleavage of cohesin by the CD clan protease separin triggers anaphase in yeast. 2000 , 103, 375-86		663
2258	Function of the cytosolic N-terminus of sucrose transporter AtSUT2 in substrate affinity. 2000 , 485, 189-94		63
2257	Biosynthesis of isoprenoids via mevalonate in Archaea: the lost pathway. 2000 , 10, 1468-84		107
2256	The PSIPRED protein structure prediction server. 2000 , 16, 404-5		2613

2255	Search and discovery strategies for biotechnology: the paradigm shift. 2000 , 64, 573-606		293
2254	Ab initio protein structure prediction: progress and prospects. 2001 , 30, 173-89		236
2253	The DNA-repair protein AlkB, EGL-9, and leprecan define new families of 2-oxoglutarate- and iron-dependent dioxygenases. 2001 , 2, RESEARCH0007		337
2252	A conservative amino acid substitution alters the regiospecificity of CYP94A2, a fatty acid hydroxylase from the plant <i>Vicia sativa</i> . 2001 , 391, 180-7		39
2251	Acidianus ambivalens Complex II typifies a novel family of succinate dehydrogenases. 2001 , 281, 141-50		36
2250	Molecular characterization of the 56-kDa CYP153 from <i>Acinetobacter</i> sp. EB104. 2001 , 286, 652-8		104
2249	Theoretical 3D model of histamine N-methyltransferase: insights into the effects of a genetic polymorphism on enzymatic activity and thermal stability. 2001 , 287, 204-8		19
2248	Statistical theory for protein combinatorial libraries. Packing interactions, backbone flexibility, and the sequence variability of a main-chain structure. <i>Journal of Molecular Biology</i> , 2001 , 306, 607-28	6.5	114
2247	A novel method of protein secondary structure prediction with high segment overlap measure: support vector machine approach. <i>Journal of Molecular Biology</i> , 2001 , 308, 397-407	6.5	378
2246	Review: protein secondary structure prediction continues to rise. 2001 , 134, 204-18		406
2245	<i>Aplysia</i> attractin: biophysical characterization and modeling of a water-borne pheromone. 2001 , 81, 463-72		37
2244	A theoretical model of a plant antifreeze protein from <i>Lolium perenne</i> . 2001 , 81, 3560-5		77
2243	A novel serine/threonine kinase gene, STK33, on human chromosome 11p15.3. 2001 , 280, 175-81		29
2242	Redox-regulated chaperone function and conformational changes of <i>Escherichia coli</i> Hsp33. 2001 , 489, 19-24		26
2241	A novel heterodimeric antimicrobial peptide from the tree-frog <i>Phyllomedusa distincta</i> . 2001 , 494, 85-9		62
2240	Identification of bacterial homologues of the Ku DNA repair proteins. 2001 , 500, 186-8		103
2239	Protein secondary structure: category assignment and predictability. 2001 , 507, 6-10		17
2238	Bagging is a small-data-set phenomenon.		3

2237	Effect of the disulfide bridge and the C-terminal extension on the oligomerization of the amyloid peptide ABri implicated in familial British dementia. 2001 , 40, 3449-57	49
2236	. 2001 ,	3
2235	Activation of phospholipase C-epsilon by heterotrimeric G protein betagamma-subunits. 2001 , 276, 48257-61	79
2234	Identification of essential active-site residues in ornithine decarboxylase of <i>Nicotiana glutinosa</i> decarboxylating both L-ornithine and L-lysine. 2001 , 360, 657-65	23
2233	Identification of essential active-site residues in ornithine decarboxylase of <i>Nicotiana glutinosa</i> decarboxylating both L-ornithine and L-lysine. 2001 , 360, 657-665	33
2232	Protein Structure Prediction. 2001 , 237-313	
2231	Chapter 21. The role of protein structure prediction in drug discovery. 2001 , 36, 211-225	
2230	The 2-5A/RNase L/RNase L inhibitor (RLI) [correction of (RNI)] pathway regulates mitochondrial mRNAs stability in interferon alpha-treated H9 cells. 2001 , 276, 48473-82	63
2229	ISSUES IN SECONDARY STRUCTURE PREDICTION QUALITY. 2001 , 91-98	
2228	Peroxisomal alanine : glyoxylate aminotransferase (AGT1) is a photorespiratory enzyme with multiple substrates in <i>Arabidopsis thaliana</i> . 2001 , 25, 487-98	138
2227	Identification of the beta-dystroglycan binding epitope within the C-terminal region of alpha-dystroglycan. 2001 , 268, 4590-7	31
2226	Conserved amino acid motifs from the novel Piv/MooV family of transposases and site-specific recombinases are required for catalysis of DNA inversion by Piv. 2001 , 39, 641-51	24
2225	Protein structure prediction using a combination of sequence-based alignment, constrained energy minimization, and structural alignment. 2001 , Suppl 5, 133-9	15
2224	Comparative modeling of CASP4 target proteins: combining results of sequence search with three-dimensional structure assessment. 2001 , Suppl 5, 47-54	32
2223	EVA: large-scale analysis of secondary structure prediction. 2001 , Suppl 5, 192-9	80
2222	Structure of the adenovirus E4 Orf6 protein predicted by fold recognition and comparative protein modeling. 2001 , 44, 97-109	6
2221	Prediction of protein interaction sites from sequence profile and residue neighbor list. 2001 , 44, 336-43	259
2220	PRED-CLASS: cascading neural networks for generalized protein classification and genome-wide applications. 2001 , 44, 361-9	30

2219	Computer simulations aimed at structure prediction of supersecondary motifs in proteins. 2001 , 45, 159-66	45
2218	Enhancement of protein modeling by human intervention in applying the automatic programs 3D-JIGSAW and 3D-PSSM. 2001 , Suppl 5, 39-46	448
2217	Sequence-structure homology recognition by iterative alignment refinement and comparative modeling. 2001 , Suppl 5, 92-7	28
2216	Rosetta in CASP4: progress in ab initio protein structure prediction. 2001 , Suppl 5, 119-26	204
2215	Predicting novel protein folds by using FRAGFOLD. 2001 , Suppl 5, 127-32	107
2214	Fold recognition and accurate query-template alignment by a combination of PSI-BLAST and threading. 2001 , 42, 23-37	32
2213	Defrosting the frozen approximation: PROSPECTOR _A new approach to threading. 2001 , 42, 319-331	117
2212	Improving the performance of Rosetta using multiple sequence alignment information and global measures of hydrophobic core formation. 2001 , 43, 1-11	71
2211	Adaptations of the helix-grip fold for ligand binding and catalysis in the START domain superfamily. 2001 , 43, 134-44	194
2210	Dilational Rheology of Mixed ECasein/Tween 20 and ECasein (f114f69)/Tween 20 Films at Oil/Water Interface. 2001 , 243, 515-522	29
2209	Novel germline BRCA1 and BRCA2 mutations in breast and breast/ovarian cancer families from the Czech Republic. 2001 , 18, 545	6
2208	Chemical characterization of the lectin from <i>Amaranthus leucocarpus</i> syn. <i>hypocondriacus</i> by 2-D proteome analysis. 2001 , 18, 321-9	12
2207	Human type 10 17 beta-hydroxysteroid dehydrogenase: molecular modelling and substrate docking. 2001 , 19, 514-20, 591-3	11
2206	Predicting protein conformation by statistical methods. 2001 , 1549, 123-36	13
2205	Recent developments in computational proteomics. 2001 , 19, 266-72	43
2204	The WWE domain: a common interaction module in protein ubiquitination and ADP ribosylation. 2001 , 26, 273-5	155
2203	Crystal structures of mitochondrial processing peptidase reveal the mode for specific cleavage of import signal sequences. 2001 , 9, 615-25	183
2202	Recent developments in computational proteomics. 2001 , 6, 996-1004	19

2201	TOUCHSTONE: an ab initio protein structure prediction method that uses threading-based tertiary restraints. 2001 , 98, 10125-30	131
2200	Identification and characterization of Harc, a novel Hsp90-associating relative of Cdc37. 2001 , 276, 30971-9	30
2199	The conserved sites for the FK506-binding proteins in ryanodine receptors and inositol 1,4,5-trisphosphate receptors are structurally and functionally different. 2001 , 276, 47715-24	62
2198	A critical view on conservative mutations. 2001 , 14, 397-402	21
2197	Data representation influences protein secondary structure prediction using artificial neural networks. 2001 ,	
2196	Critically assessing the state-of-the-art in protein structure prediction. 2001 , 1, 126-34	6
2195	Isolated hypervariable regions derived from streptococcal M proteins specifically bind human C4b-binding protein: implications for antigenic variation. 2001 , 167, 3870-7	57
2194	Revisiting the specificity of Mamestra brassicae and Antheraea polyphemus pheromone-binding proteins with a fluorescence binding assay. 2001 , 276, 20078-84	159
2193	Structural and catalytic similarities between nucleotide pyrophosphatases/phosphodiesterases and alkaline phosphatases. 2001 , 276, 1361-8	126
2192	Agent interaction for bioinformatics data management. 2001 , 15, 917-947	13
2191	Oj.py: a software tool for low complexity proteins and protein domains. 2001 , 17 Suppl 1, S288-95	14
2190	Protein structure prediction in genomics. 2001 , 2, 111-25	12
2189	Sequence-based detection of distantly related proteins with the same fold. 2001 , 14, 455-8	5
2188	Prediction of contact maps with neural networks and correlated mutations. 2001 , 14, 835-43	133
2187	Predicting the β helix fold from protein sequence data. 2001 ,	4
2186	Comparisons among the larger genome segments of six nodaviruses and their encoded RNA replicases. 2001 , 82, 1855-1866	52
2185	Genome-wide analysis of core cell cycle genes in Arabidopsis. 2002 , 14, 903-16	450
2184	Fold prediction of helical proteins using torsion angle dynamics and predicted restraints. 2002 , 99, 3581-5	30

2183	Three-dimensional structure of the amino-terminal domain of syntaxin 6, a SNAP-25 C homolog. 2002 , 99, 9184-9	50
2182	The SWIB and the MDM2 domains are homologous and share a common fold. 2002 , 18, 626-30	29
2181	What curves alpha-solenoids? Evidence for an alpha-helical toroid structure of Rpn1 and Rpn2 proteins of the 26 S proteasome. 2002 , 277, 49791-8	66
2180	The crystal structure of the C-terminal fragment of striated-muscle alpha-tropomyosin reveals a key troponin T recognition site. 2002 , 99, 7378-83	84
2179	Reversal of DNA alkylation damage by two human dioxygenases. 2002 , 99, 16660-5	306
2178	Secondary structure of the human cardiac Na ⁺ channel C terminus: evidence for a role of helical structures in modulation of channel inactivation. 2002 , 277, 9233-41	112
2177	Predicting the beta-helix fold from protein sequence data. 2002 , 9, 261-76	30
2176	Residues in the first extracellular loop of a G protein-coupled receptor play a role in signal transduction. 2002 , 277, 30581-90	31
2175	Domain fishing: a first step in protein comparative modelling. 2002 , 18, 1141-2	146
2174	Identification and expression of human cytomegalovirus transcription units coding for two distinct Fcgamma receptor homologs. 2002 , 76, 8596-608	142
2173	A critical assessment of the secondary structure alpha-helices and their termini in proteins. 2002 , 15, 545-54	11
2172	Toward predicting protein topology: an approach to identifying beta hairpins. 2002 , 99, 11157-62	41
2171	Prediction of 3D neighbours of molecular surface patches in proteins by artificial neural networks. 2002 , 18, 167-74	5
2170	Regions of the herpes simplex virus scaffolding protein that are important for intermolecular self-interaction. 2002 , 76, 673-87	10
2169	Expression of the potential novel gene E6DG1 downregulated by the E6 protein of human papillomavirus type 16 is correlated with anchorage-independent growth. 2002 , 21, 273	
2168	Identification of the catalytic residues of alpha-amino acid ester hydrolase from <i>Acetobacter turbidans</i> by labeling and site-directed mutagenesis. 2002 , 277, 28474-82	16
2167	Prediction of the structure of human Janus kinase 2 (JAK2) comprising JAK homology domains 1 through 7. 2002 , 15, 727-37	69
2166	Multiple Classifier Systems. 2002 ,	21

2165	Target space for structural genomics revisited. 2002 , 18, 922-33	66
2164	GapA and CrmA coexpression is essential for <i>Mycoplasma gallisepticum</i> cytoadherence and virulence. 2002 , 70, 6839-45	65
2163	Presence of a characteristic D-D-E motif in IS1 transposase. 2002 , 184, 6146-54	23
2162	Biochemical characterization of a membrane-bound manganese-containing superoxide dismutase from the cyanobacterium <i>Anabaena</i> PCC 7120. 2002 , 277, 43615-22	35
2161	R9AP, a membrane anchor for the photoreceptor GTPase accelerating protein, RGS9-1. 2002 , 99, 9755-60	146
2160	Prediction of protein secondary structure using Bayesian method and support vector machines.	
2159	Genes of the Pseudoviridae (Ty1/copia retrotransposons). 2002 , 19, 1832-45	83
2158	The anti-toxin ParD of plasmid RK2 consists of two structurally distinct moieties and belongs to the ribbon-helix-helix family of DNA-binding proteins. 2002 , 361, 41-47	35
2157	The anti-toxin ParD of plasmid RK2 consists of two structurally distinct moieties and belongs to the ribbon-helix-helix family of DNA-binding proteins. 2002 , 361, 41-7	26
2156	Combining GOR techniques with support vector machines for protein secondary structure prediction.	1
2155	Interactions of cytoplasmic dynein light chains Tctex-1 and LC8 with the intermediate chain IC74. 2002 , 41, 4302-11	89
2154	Structural homology discloses a bifunctional structural motif at the N-termini of G alpha proteins. 2002 , 41, 14518-23	25
2153	Characterization and membrane assembly of the TatA component of the <i>Escherichia coli</i> twin-arginine protein transport system. 2002 , 41, 13690-7	100
2152	Recombinant carp parvalbumin, the major cross-reactive fish allergen: a tool for diagnosis and therapy of fish allergy. 2002 , 168, 4576-84	197
2151	N-terminus of the photosystem II manganese stabilizing protein: effects of sequence elongation and truncation. 2002 , 41, 2702-11	43
2150	Structural and guanosine triphosphate/diphosphate requirements for transit peptide recognition by the cytosolic domain of the chloroplast outer envelope receptor, Toc34. 2002 , 41, 1934-46	69
2149	Native and recombinant proguanylin feature identical biophysical properties and are monomeric in solution. 2002 , 41, 14602-12	7
2148	Determinants in nuclease specificity of Ape1 and Ape2, human homologues of <i>Escherichia coli</i> exonuclease III. <i>Journal of Molecular Biology</i> , 2002 , 316, 853-66	6.5 99

2147	3D model of human arylamine N-acetyltransferase 2: structural basis of the slow acetylator phenotype of the R64Q variant and analysis of the active-site loop. 2002 , 291, 116-23	48
2146	Cloning and tissue distribution of three murine alpha/beta hydrolase fold protein cDNAs. 2002 , 292, 617-25	23
2145	Recent progress in multiple sequence alignment: a survey. 2002 , 3, 131-44	227
2144	Comparative modeling of the phosphatase and kinase domains of protein tyrosine phosphatase and insulin receptor kinase from <i>Drosophila melanogaster</i> (DPTP61fm), and a computational study of their mutual interactions. 2002 , 80, 225-39	2
2143	.	0
2142	. 2002 , 4, 50-62	16
2141	An efficient branch-and-bound algorithm for the assignment of protein backbone NMR peaks.	1
2140	A machine learning strategy for protein analysis. 2002 , 17, 28-35	8
2139	In silico sequence analysis of arylamine N-acetyltransferases: evidence for an absence of lateral gene transfer from bacteria to vertebrates and first description of paralogs in bacteria. 2002 , 293, 783-92	25
2138	Secondary structural wobble: the limits of protein prediction accuracy. 2002 , 294, 621-5	10
2137	The truncated hemoglobin from <i>Mycobacterium leprae</i> . 2002 , 294, 1064-70	38
2136	SufC hydrolyzes ATP and interacts with SufB from <i>Thermotoga maritima</i> . 2002 , 514, 225-8	54
2135	Structural characterization of a protein pheromone from a cold-adapted (Antarctic) single-cell eukaryote, the ciliate <i>Euplotes nobilii</i> . 2002 , 514, 329-32	8
2134	Iterative database searches demonstrate that glycoside hydrolase families 27, 31, 36 and 66 share a common evolutionary origin with family 13. 2002 , 523, 17-22	39
2133	Beta-helical catalytic domains in glycoside hydrolase families 49, 55 and 87: domain architecture, modelling and assignment of catalytic residues. 2002 , 530, 225-32	16
2132	Enzyme function less conserved than anticipated. <i>Journal of Molecular Biology</i> , 2002 , 318, 595-608	6.5 319
2131	The structure of the soluble domain of an archaeal Rieske iron-sulfur protein at 1.1 Å resolution. <i>Journal of Molecular Biology</i> , 2002 , 319, 791-805	6.5 67
2130	Prediction of human protein function from post-translational modifications and localization features. <i>Journal of Molecular Biology</i> , 2002 , 319, 1257-65	6.5 274

2129	Structural Modelling of the Sm-like Protein Hfq from Escherichia coli. <i>Journal of Molecular Biology</i> , 2002 , 320, 705-12	6.5	50
2128	The 2.0A resolution structure of the catalytic portion of a cyanobacterial membrane-bound manganese superoxide dismutase. <i>Journal of Molecular Biology</i> , 2002 , 321, 479-89	6.5	36
2127	The palm subdomain-based active site is internally permuted in viral RNA-dependent RNA polymerases of an ancient lineage. <i>Journal of Molecular Biology</i> , 2002 , 324, 47-62	6.5	171
2126	Characterization of the C-terminal DNA-binding/DNA endonuclease region of a group II intron-encoded protein. <i>Journal of Molecular Biology</i> , 2002 , 324, 933-51	6.5	79
2125	A physical approach to protein structure prediction. 2002 , 82, 36-49		25
2124	Peptide-induced negative selection of thymocytes activates transcription of an NF-kappa B inhibitor. 2002 , 9, 637-48		100
2123	The newt ortholog of CD59 is implicated in proximodistal identity during amphibian limb regeneration. 2002 , 3, 547-55		149
2122	Evolution and phylogenetic relationships of chitin synthases from yeasts and fungi. 2002 , 1, 247-256		1
2121	Cysteine and tyrosine-rich 1 (CYR1), a novel unpredicted gene on human chromosome 21 (21q21.2), encodes a cysteine and tyrosine-rich protein and defines a new family of highly conserved vertebrate-specific genes. 2002 , 290, 141-51		14
2120	Molecular cloning of the fish interferon stimulated gene, 15 kDa (ISG15) orthologue: a ubiquitin-like gene induced by nephrotoxic damage. 2002 , 298, 129-39		67
2119	Behaviour of protein secondary structure types in the sequence space of a certain length. 2002 , 6, 411-427		
2118	Ab Initio Protein Structure Prediction Using a Size-dependent Tertiary Folding Potential. 2002 , 223-263		1
2117	. 2002 ,		8
2116	. 2002 ,		0
2115	Molecular modeling approaches for determining gene function: application to a putative poly-A binding protein from <i>Leishmania amazonensis</i> (LaPABP). 2002 , 97, 335-41		3
2114	Functional genomics of gam56: characterisation of the role of a 56 kilodalton sexual stage antigen in oocyst wall formation in <i>Eimeria maxima</i> . 2002 , 32, 1727-37		26
2113	Comparative modelling of cytochromes P450. 2002 , 54, 385-406		40
2112	Archaeal surface layer proteins contain beta propeller, PKD, and beta helix domains and are related to metazoan cell surface proteins. 2002 , 10, 1453-64		111

2111 Bioinformatics: Tools for Protein Technologies. 309-328

2110 Ab initio prediction of helical segments in polypeptides. **2002**, 23, 245-66 34

2109 Expansin-like molecules: novel functions derived from common domains. **2002**, 54, 587-94 38

2108 An archaeal b-type cytochrome containing a nonfunctional carbonic anhydrase-like domain. **2002**, 7, 483-9 3

2107 Combining Discriminant Models with New Multi-Class SVMs. **2002**, 5, 168-179 65

2106 Processing in transgenic *Arabidopsis thaliana* plants of polyproteins with linker peptide variants derived from the *Impatiens balsamina* antimicrobial polyprotein precursor. **2002**, 40, 871-879 12

2105 Identification of *Xenorhabdus nematophila* genes required for mutualistic colonization of *Steinernema carpocapsae* nematodes. **2002**, 45, 1337-53 88

2104 A comprehensive analysis of 40 blind protein structure predictions. **2002**, 2, 3 42

2103 The human L-threonine 3-dehydrogenase gene is an expressed pseudogene. **2002**, 3, 18 55

2102 GLK gene pairs regulate chloroplast development in diverse plant species. **2002**, 31, 713-27 212

2101 Structure and function of N-acetylglucosamine kinase. Identification of two active site cysteines. **2002**, 269, 4212-8 21

2100 Alignments grow, secondary structure prediction improves. **2002**, 46, 197-205 146

2099 Prediction of coordination number and relative solvent accessibility in proteins. **2002**, 47, 142-53 199

2098 Improving the prediction of protein secondary structure in three and eight classes using recurrent neural networks and profiles. **2002**, 47, 228-35 561

2097 Identification of a novel class in the alpha/beta hydrolase fold superfamily: the N-myc differentiation-related proteins. **2002**, 47, 163-8 71

2096 Protein sequence threading: Averaging over structures. **2002**, 47, 496-505 11

2095 Ab initio prediction of protein structure using LINUS. **2002**, 47, 489-95 55

2094 Targeting novel folds for structural genomics. **2002**, 48, 44-52 27

2093	A novel fold recognition method using composite predicted secondary structures. 2002 , 48, 352-66	16
2092	Prediction of strand pairing in antiparallel and parallel beta-sheets using information theory. 2002 , 48, 178-91	61
2091	Combining the GOR V algorithm with evolutionary information for protein secondary structure prediction from amino acid sequence. 2002 , 49, 154-66	115
2090	Impact of incorporating the 2C5 crystal structure into comparative models of cytochrome P450 2D6. 2002 , 49, 216-31	62
2089	Triage protein fold prediction. 2002 , 48, 654-63	8
2088	A novel approach to the recognition of protein architecture from sequence using Fourier analysis and neural networks. 2003 , 50, 290-302	22
2087	Protein secondary structure prediction based on the GOR algorithm incorporating multiple sequence alignment information. 2002 , 43, 441-449	22
2086	Probing the free-energy surface for protein folding with single-molecule fluorescence spectroscopy. 2002 , 419, 743-7	788
2085	A transcription-factor-binding surface of coactivator p300 is required for haematopoiesis. 2002 , 419, 738-43	155
2084	Evolution and phylogenetic relationships of chitin synthases from yeasts and fungi. 2002 , 1, 247-56	104
2083	Potential multiple endonuclease functions and a ribonuclease H encoded in retroposon genomes. 2002 , 296, 147-58	8
2082	A model of the human M2 muscarinic acetylcholine receptor. 2002 , 16, 795-801	27
2081	Characterization of Ad5 E3-14.7K, an adenoviral inhibitor of apoptosis: structure, oligomeric state, and metal binding. 2002 , 11, 1117-28	11
2080	PROSHIFT: protein chemical shift prediction using artificial neural networks. 2003 , 26, 25-37	149
2079	Molecular modeling of the ligand-binding domains of the NR3A and NR3B subunits of the NMDA receptor. 2003 , 389, 83-9	3
2078	Exploring the molecular basis of selectivity in A1 adenosine receptors agonists: a case study. 2003 , 17, 39-51	10
2077	An antirrhinum ternary complex factor specifically interacts with C-function and SEPALLATA-like MADS-box factors. 2003 , 52, 1051-62	30
2076	Probing the structure of falcipain-3, a cysteine protease from Plasmodium falciparum: comparative protein modeling and docking studies. 2003 , 12, 501-9	59

2075	Prediction of beta-turns in proteins from multiple alignment using neural network. 2003 , 12, 627-34	117
2074	A neural-network based method for prediction of gamma-turns in proteins from multiple sequence alignment. 2003 , 12, 923-9	61
2073	The Omp85 protein of <i>Neisseria meningitidis</i> is required for lipid export to the outer membrane. 2003 , 22, 1780-9	90
2072	A Computational Biology Database Digest: Data, Data Analysis, and Data Management. 2003 , 13, 7-42	28
2071	Molecular analysis of two cytochrome P450 monooxygenase genes required for paxilline biosynthesis in <i>Penicillium paxilli</i> , and effects of paxilline intermediates on mammalian maxi-K ion channels. 2003 , 270, 9-23	49
2070	Putative microtubule-associated proteins from the <i>Arabidopsis</i> genome. 2003 , 222, 61-74	37
2069	Amidase domains from bacterial and phage autolysins define a family of gamma-D,L-glutamate-specific amidohydrolases. 2003 , 28, 230-4	129
2068	The cyanide degrading nitrilase from <i>Pseudomonas stutzeri</i> AK61 is a two-fold symmetric, 14-subunit spiral. 2003 , 11, 1413-22	45
2067	SeqVISTA: a graphical tool for sequence feature visualization and comparison. 2003 , 4, 1	78
2066	Analysis of two large functionally uncharacterized regions in the <i>Methanopyrus kandleri</i> AV19 genome. 2003 , 4, 12	8
2065	Metabolic reconstruction of sulfur assimilation in the extremophile <i>Acidithiobacillus ferrooxidans</i> based on genome analysis. 2003 , 4, 51	57
2064	Analysis of the retrovirus capsid interdomain linker region. 2003 , 308, 166-77	14
2063	Features of the Env leader protein and the N-terminal Gag domain of feline foamy virus important for virus morphogenesis. 2003 , 310, 235-44	33
2062	The complete sequence of marine bacteriophage VpV262 infecting <i>Vibrio parahaemolyticus</i> indicates that an ancestral component of a T7 viral supergroup is widespread in the marine environment. 2003 , 310, 359-71	65
2061	Protein decoy assembly using short fragments under geometric constraints. 2003 , 68, 278-85	32
2060	Distributed learning with bagging-like performance. 2003 , 24, 455-471	37
2059	An extracellular calcium-binding domain in bacteria with a distant relationship to EF-hands. 2003 , 221, 103-10	33
2058	Retron reverse transcriptase <i>rrtT</i> is ubiquitous in strains of <i>Salmonella enterica</i> serovar Typhimurium. 2003 , 223, 281-6	10

2057	Localisation of <i>Helicobacter pylori</i> catalase in both the periplasm and cytoplasm, and its dependence on the twin-arginine target protein, KapA, for activity. 2003 , 229, 283-9	39
2056	Identification of beta-barrel membrane proteins based on amino acid composition properties and predicted secondary structure. 2003 , 27, 355-61	34
2055	Ab initio modelling of the N-terminal domain of the secretin receptors. 2003 , 27, 103-14	12
2054	Helix propensities of short peptides: molecular dynamics versus bioinformatics. 2003 , 50, 552-62	23
2053	Real value prediction of solvent accessibility from amino acid sequence. 2003 , 50, 629-35	154
2052	Assembly of protein tertiary structures from secondary structures using optimized potentials. 2003 , 52, 155-65	13
2051	Genome-based identification of a carbohydrate binding module in <i>Streptococcus pneumoniae</i> hyaluronate lyase. 2003 , 52, 203-11	12
2050	Benchmarking secondary structure prediction for fold recognition. 2003 , 52, 166-75	30
2049	Tomato pectin methylesterase: modeling, fluorescence, and inhibitor interaction studies-comparison with the bacterial (<i>Erwinia chrysanthemi</i>) enzyme. 2003 , 53, 830-9	51
2048	TOUCHSTONEX: protein structure prediction with sparse NMR data. 2003 , 53, 290-306	35
2047	Better prediction of sub-cellular localization by combining evolutionary and structural information. 2003 , 53, 917-30	67
2046	Prediction of disordered regions in proteins from position specific score matrices. 2003 , 53 Suppl 6, 573-8	175
2045	Automated prediction of CASP-5 structures using the Robetta server. 2003 , 53 Suppl 6, 524-33	241
2044	CAFASP3 in the spotlight of EVA. 2003 , 53 Suppl 6, 548-60	25
2043	Automatic consensus-based fold recognition using Pcons, ProQ, and Pmodeller. 2003 , 53 Suppl 6, 534-41	98
2042	Prediction of protein structure by emphasizing local side-chain/backbone interactions in ensembles of turn fragments. 2003 , 53 Suppl 6, 486-90	26
2041	Assembling novel protein folds from super-secondary structural fragments. 2003 , 53 Suppl 6, 480-5	68
2040	A "Frankenstein's monster" approach to comparative modeling: merging the finest fragments of Fold-Recognition models and iterative model refinement aided by 3D structure evaluation. 2003 , 53 Suppl 6, 369-79	146

2039	Predictions without templates: new folds, secondary structure, and contacts in CASP5. 2003 , 53 Suppl 6, 436-56		94
2038	Strand-loop-strand motifs: prediction of hairpins and diverging turns in proteins. 2004 , 54, 282-8		39
2037	Comparative modeling in CASP5: progress is evident, but alignment errors remain a significant hindrance. 2003 , 53 Suppl 6, 380-8		50
2036	Aspartic acid racemization: evidence for marked longevity of elastin in human skin. 2003 , 149, 951-9		117
2035	The putative transcriptional repressor McbR, member of the TetR-family, is involved in the regulation of the metabolic network directing the synthesis of sulfur containing amino acids in <i>Corynebacterium glutamicum</i> . 2003 , 103, 51-65		81
2034	Accurate and automated classification of protein secondary structure with PsiCSI. 2003 , 12, 288-95		42
2033	Can correct protein models be identified?. 2003 , 12, 1073-86		551
2032	Energy landscape and dynamics of the beta-hairpin G peptide and its isomers: Topology and sequences. 2003 , 12, 1882-93		25
2031	Identification of a novel protein with guanylyl cyclase activity in <i>Arabidopsis thaliana</i> . 2003 , 278, 6490-4		130
2030	Experimental evidence for a beta beta alpha-Me-finger nuclease motif to represent the active site of the caspase-activated DNase. 2003 , 42, 9288-94		21
2029	Structural characterization of yeast acidic ribosomal P proteins forming the P1A-P2B heterocomplex. 2003 , 42, 3399-408		33
2028	Lipid-induced conformational switch in the membrane binding domain of CTP:phosphocholine cytidyltransferase: a circular dichroism study. 2003 , 42, 11768-76		41
2027	A triple mutant of the <i>Drosophila</i> ERR confers ligand-induced suppression of activity. 2003 , 42, 6427-35		20
2026	Protein secondary structure prediction with ICA feature extraction.		1
2025	On the role of structural information in remote homology detection and sequence alignment: new methods using hybrid sequence profiles. <i>Journal of Molecular Biology</i> , 2003 , 334, 1043-62	6.5	77
2024	The PDB is a covering set of small protein structures. <i>Journal of Molecular Biology</i> , 2003 , 334, 793-802	6.5	101
2023	Functional characterization of Narc 1, a novel proteinase related to proteinase K. 2003 , 420, 55-67		132
2022	Identification of the structural and functional boundaries of the multidrug resistance protein 1 cytoplasmic loop 3. 2003 , 42, 14099-113		43

2021	GeneSilico protein structure prediction meta-server. 2003 , 31, 3305-7		357
2020	Molecular modelling of S1 and S2 subunits of SARS coronavirus spike glycoprotein. 2003 , 310, 78-83		74
2019	The <i>Drosophila melanogaster</i> UMP-CMP kinase cDNA encodes an N-terminal mitochondrial import signal. 2003 , 311, 440-5		10
2018	Homologous proteins with different folds: the three-dimensional structures of domains 1 and 6 of the multiple Kazal-type inhibitor LEKTI. <i>Journal of Molecular Biology</i> , 2003 , 328, 205-19	6.5	28
2017	In silico protein recombination: enhancing template and sequence alignment selection for comparative protein modelling. <i>Journal of Molecular Biology</i> , 2003 , 328, 593-608	6.5	38
2016	A non-canonical transferable signal mediates nuclear import of simian immunodeficiency virus Vpx protein. <i>Journal of Molecular Biology</i> , 2003 , 331, 1141-56	6.5	20
2015	Unexpected catalytic site variation in phosphoprotein phosphatase homologues of cofactor-dependent phosphoglycerate mutase. 2003 , 536, 77-84		10
2014	Identification and analysis of catalytic TIM barrel domains in seven further glycoside hydrolase families. 2003 , 544, 103-11		25
2013	A <i>Sco</i> homologue plays a role in defence against oxidative stress in pathogenic <i>Neisseria</i> . 2003 , 546, 411-5		41
2012	Essential role of glycosaminoglycans in Fgf signaling during mouse gastrulation. 2003 , 114, 727-37		104
2011	Munc13-4 is essential for cytolytic granules fusion and is mutated in a form of familial hemophagocytic lymphohistiocytosis (FHL3). 2003 , 115, 461-73		729
2010	Protein secretion systems of <i>Pseudomonas aeruginosa</i> and <i>P. fluorescens</i> . 2003 , 1611, 223-33		76
2009	Archaeal-type rhodopsins in <i>Chlamydomonas</i> : model structure and intracellular localization. 2003 , 301, 711-7		130
2008	Structure-based prediction of potential binding and nonbinding peptides to HIV-1 protease. 2003 , 85, 853-63		14
2007	TOUCHSTONE II: a new approach to ab initio protein structure prediction. 2003 , 85, 1145-64		223
2006	ASTRO-FOLD: a combinatorial and global optimization framework for Ab initio prediction of three-dimensional structures of proteins from the amino acid sequence. 2003 , 85, 2119-46		92
2005	The human SUMF1 gene, required for posttranslational sulfatase modification, defines a new gene family which is conserved from pro- to eukaryotes. 2003 , 316, 47-56		59
2004	Identity and functions of CxxC-derived motifs. 2003 , 42, 11214-25		125

2003	Differential modulation of Kv4 kinetics by KCHIP1 splice variants. 2003 , 24, 357-66	27
2002	In silico analysis of the EPS8 gene family: genomic organization, expression profile, and protein structure. 2003 , 81, 234-44	34
2001	Coupled prediction of protein secondary and tertiary structure. 2003 , 100, 12105-10	148
2000	Combining few neural networks for effective secondary structure prediction.	4
1999	PCA feature extraction for protein structure prediction.	8
1998	Functional dissection of the eukaryotic-specific tRNA-interacting factor of lysyl-tRNA synthetase. 2003 , 278, 1472-9	38
1997	META-PP: single interface to crucial prediction servers. 2003 , 31, 3308-10	10
1996	The oligomerization domain of VP3, the scaffolding protein of infectious bursal disease virus, plays a critical role in capsid assembly. 2003 , 77, 6438-49	61
1995	A three-dimensional model of Suppressor Of Cytokine Signalling 1 (SOCS-1). 2003 , 16, 115-24	52
1994	PROTINFO: Secondary and tertiary protein structure prediction. 2003 , 31, 3296-9	33
1993	The Ku heterodimer performs separable activities at double-strand breaks and chromosome termini. 2003 , 23, 8202-15	86
1992	Epiplakin gene analysis in mouse reveals a single exon encoding a 725-kDa protein with expression restricted to epithelial tissues. 2003 , 278, 31657-66	28
1991	On the conformation of the COOH-terminal domain of the large mechanosensitive channel MscL. 2003 , 121, 227-44	70
1990	Systematic mutagenesis of the <i>Saccharomyces cerevisiae</i> MLH1 gene reveals distinct roles for Mlh1p in meiotic crossing over and in vegetative and meiotic mismatch repair. 2003 , 23, 873-86	66
1989	Structural and functional characterization of the human DNA repair helicase XPD by comparative molecular modeling and site-directed mutagenesis of the bacterial repair protein UvrB. 2003 , 278, 5309-16	35
1988	Molecular origins for the dominant negative function of human glucocorticoid receptor beta. 2003 , 23, 4319-30	138
1987	Computational assignment of protein backbone NMR peaks by efficient bounding and filtering. 2003 , 1, 387-409	4
1986	Tcoffee@igs: A web server for computing, evaluating and combining multiple sequence alignments. 2003 , 31, 3503-6	203

1985	Evolution of human calicivirus RNA in vivo: accumulation of mutations in the protruding P2 domain of the capsid leads to structural changes and possibly a new phenotype. 2003 , 77, 13117-24	170
1984	A novel IS element, IS621, of the IS110/IS492 family transposes to a specific site in repetitive extragenic palindromic sequences in Escherichia coli. 2003 , 185, 4891-900	29
1983	Solution structure of human proguanylin: the role of a hormone prosequence. 2003 , 278, 24118-24	17
1982	Molecular identification of a functional homologue of the mammalian fatty acid amide hydrolase in Arabidopsis thaliana. 2003 , 278, 34990-7	54
1981	The PredictProtein server. 2003 , 31, 3300-4	167
1980	EVA: Evaluation of protein structure prediction servers. 2003 , 31, 3311-5	131
1979	Conservation of structure and function among tyrosine recombinases: homology-based modeling of the lambda integrase core-binding domain. 2003 , 31, 805-18	23
1978	The nicking homing endonuclease I-BasI is encoded by a group I intron in the DNA polymerase gene of the Bacillus thuringiensis phage Bastille. 2003 , 31, 3071-7	35
1977	Bioverse: Functional, structural and contextual annotation of proteins and proteomes. 2003 , 31, 3736-7	19
1976	Functional sites and evolutionary connections of acylhomoserine lactone synthases. 2003 , 16, 271-8	9
1975	Protein secondary structure prediction based on an improved support vector machines approach. 2003 , 16, 553-60	122
1974	Structural basis of calcification inhibition by alpha 2-HS glycoprotein/fetuin-A. Formation of colloidal calciprotein particles. 2003 , 278, 13333-41	321
1973	Computing multiple sequence/structure alignments with the T-coffee package. 2004 , Chapter 3, Unit3.8	5
1972	Protein Sequencing Protocols. 2003 ,	6
1971	Functionality of system components: conservation of protein function in protein feature space. 2003 , 13, 2444-9	31
1970	A telomere-binding protein (TRF2/MTBP) from mouse nuclear matrix with motives of an intermediate filament-type rod domain. 2003 , 6, 205-18	8
1969	RAPTOR: optimal protein threading by linear programming. 2003 , 1, 95-117	204
1968	The maize Single myb histone 1 gene, Smh1, belongs to a novel gene family and encodes a protein that binds telomere DNA repeats in vitro. 2003 , 133, 1336-50	53

1967	Grb2-independent recruitment of Gab1 requires the C-terminal lobe and structural integrity of the Met receptor kinase domain. 2003 , 278, 30083-90	40
1966	General Framework for Two-stage Approaches to Protein Secondary Structure Prediction. 2003 , 07, 122-128	
1965	Is Error-Based Pruning Redeemable?. 2003 , 12, 249-264	4
1964	Rapid protein fold determination using unassigned NMR data. 2003 , 100, 15404-9	103
1963	Packing helices in proteins by global optimization of a potential energy function. 2003 , 100, 1706-10	35
1962	atTic110 functions as a scaffold for coordinating the stromal events of protein import into chloroplasts. 2003 , 278, 38617-27	101
1961	Characterization of a novel thermostable Mn(II)-dependent 2,3-dihydroxybiphenyl 1,2-dioxygenase from a polychlorinated biphenyl- and naphthalene-degrading <i>Bacillus</i> sp. JF8. 2003 , 278, 21483-92	51
1960	Chondroitin sulfate synthase-2. Molecular cloning and characterization of a novel human glycosyltransferase homologous to chondroitin sulfate glucuronyltransferase, which has dual enzymatic activities. 2003 , 278, 30235-47	66
1959	von Hippel-Lindau protein binds hyperphosphorylated large subunit of RNA polymerase II through a proline hydroxylation motif and targets it for ubiquitination. 2003 , 100, 2706-11	179
1958	Transcription-defective <i>soxR</i> mutants of <i>Escherichia coli</i> : isolation and in vivo characterization. 2003 , 185, 2441-50	14
1957	A novel approach to fold recognition using sequence-derived properties from sets of structurally similar local fragments of proteins. 2003 , 19 Suppl 2, ii81-91	20
1956	A computational pipeline for protein structure prediction and analysis at genome scale. 2003 , 19, 1985-96	19
1955	Local structure prediction with local structure-based sequence profiles. 2003 , 19, 1267-74	34
1954	ORFeus: Detection of distant homology using sequence profiles and predicted secondary structure. 2003 , 31, 3804-7	105
1953	An evolutionary approach to finding schemas for 3-class protein secondary structure prediction.	0
1952	Chitin synthesis as target for antifungal drugs. 2003 , 3, 77-91	74
1951	Improvement of the GenTHREADER method for genomic fold recognition. 2003 , 19, 874-81	303
1950	Closing the gap: identification of human 3-ketosteroid reductase, the last unknown enzyme of mammalian cholesterol biosynthesis. 2003 , 17, 1715-25	104

1949	Getting the most from your protein sequence. 2003 , 211, 411-30	2
1948	Automated protein NMR resonance assignments.	3
1947	Comparative genomics and structure prediction of dental matrix proteins. 2003 , 17, 100-3	4
1946	Functional characterization of the non-catalytic ectodomains of the nucleotide pyrophosphatase/phosphodiesterase NPP1. 2003 , 371, 321-30	43
1945	Retrieval-independent localization of lysyl hydroxylase in the endoplasmic reticulum via a peptide fold in its iron-binding domain. 2003 , 370, 913-20	17
1944	Molecular characterization of recombinant T1, a non-allergenic periwinkle (<i>Catharanthus roseus</i>) protein, with sequence similarity to the Bet v 1 plant allergen family. 2003 , 373, 261-9	17
1943	Allowed N-glycosylation sites on the Kv1.2 potassium channel S1-S2 linker: implications for linker secondary structure and the glycosylation effect on channel function. 2003 , 375, 769-75	28
1942	Rising Accuracy of Protein Secondary Structure Prediction. 2003 , 207-249	25
1941	A new similarity measure among protein sequences.	
1940	. 2003 ,	10
1939	. 2003 ,	6
1938	Interactions of LC8 with N-terminal segments of the intermediate chain of cytoplasmic dynein. 2003 , 3, 647-54	5
1937	Probabilistic Models for the Study of Protein Evolution. 2004 ,	1
1936	. 2004 ,	6
1935	A comparison of two machine learning methods for protein secondary structure prediction.	
1934	Protein beta-turn prediction using nearest-neighbor method. 2004 , 20, 40-4	78
1933	Squash inhibitors: from structural motifs to macrocyclic knottins. 2004 , 5, 341-349	133
1932	Detecting distant homology with Meta-BASIC. 2004 , 32, W576-81	87

1931	Computational and experimental studies on human misshapen/NIK-related kinase MINK-1. 2004 , 11, 569-82	5
1930	Factoring tertiary classification into binary classification improves neural network for protein secondary structure prediction.	
1929	PoPS: a computational tool for modeling and predicting protease specificity. 2004 , 372-81	9
1928	Sequence analysis and characterization of a novel fibronectin-binding repeat domain from the surface of <i>Streptococcus pneumoniae</i> . 2004 , 8, 341-56	23
1927	MtmMII-mediated C-methylation during biosynthesis of the antitumor drug mithramycin is essential for biological activity and DNA-drug interaction. 2004 , 279, 8149-58	16
1926	HYPROSP: a hybrid protein secondary structure prediction algorithm--a knowledge-based approach. 2004 , 32, 5059-65	22
1925	Protein structure prediction using sparse dipolar coupling data. 2004 , 32, 551-61	13
1924	Phosphorylation of IQGAP1 modulates its binding to Cdc42, revealing a new type of rho-GTPase regulator. 2004 , 279, 48495-504	69
1923	Functional genomics analysis of Singapore grouper iridovirus: complete sequence determination and proteomic analysis. 2004 , 78, 12576-90	143
1922	Prediction of protein folding rates from the amino acid sequence-predicted secondary structure. 2004 , 101, 8942-4	146
1921	Stabilities of folding of clustered, two-repeat fragments of spectrin reveal a potential hinge in the human erythroid spectrin tetramer. 2004 , 101, 1502-7	39
1920	The genomic threading database. 2004 , 20, 131-2	16
1919	Histogram-based scoring schemes for protein NMR resonance assignment. 2004 , 2, 747-64	3
1918	Exploring protein fold space by secondary structure prediction using data distribution method on Grid platform. 2004 , 20, 3500-7	6
1917	Prediction of the structural motifs of sandwich proteins. 2004 , 101, 16780-3	8
1916	Arby: automatic protein structure prediction using profile-profile alignment and confidence measures. 2004 , 20, 2228-35	38
1915	Identification and characterization of a critical region in the glycogen synthase from <i>Escherichia coli</i> . 2004 , 279, 8359-67	26
1914	Sequence diversity and molecular evolution of the heat-modifiable outer membrane protein gene (ompA) of <i>Mannheimia</i> (<i>Pasteurella</i>) <i>haemolytica</i> , <i>Mannheimia glucosida</i> , and <i>Pasteurella trehalosi</i> . 2004 , 186, 5741-52	38

1913	Cardiac expression of the cystic fibrosis transmembrane conductance regulator involves novel exon 1 usage to produce a unique amino-terminal protein. 2004 , 279, 15877-87	17
1912	The preparation of 19F-labeled proteins for NMR studies. 2004 , 380, 400-15	61
1911	Biochemical study of multiple CheY response regulators of the chemotactic pathway of <i>Rhodobacter sphaeroides</i> . 2004 , 186, 5172-7	25
1910	Comparison of probabilistic combination methods for protein secondary structure prediction. 2004 , 20, 3099-107	25
1909	Bovine enterovirus 2: complete genomic sequence and molecular modelling of a reference strain and a wild-type isolate from endemically infected US cattle. 2004 , 85, 3195-3203	16
1908	A pre-ribosome-associated HEAT-repeat protein is required for export of both ribosomal subunits. 2004 , 18, 196-209	93
1907	Automated structure prediction of weakly homologous proteins on a genomic scale. 2004 , 101, 7594-9	295
1906	The C-terminal domain of DNA gyrase A adopts a DNA-bending beta-pinwheel fold. 2004 , 101, 7293-8	131
1905	Soluble CuA domain of cyanobacterial cytochrome c oxidase. 2004 , 279, 10293-303	25
1904	Enzymatic characterization and homology model of a catalytically active recombinant West Nile virus NS3 protease. 2004 , 279, 48535-42	98
1903	<i>Arabidopsis</i> WPP-domain proteins are developmentally associated with the nuclear envelope and promote cell division. 2004 , 16, 3260-73	51
1902	The DISOPRED server for the prediction of protein disorder. 2004 , 20, 2138-9	567
1901	On the role of long-range dependencies in learning protein secondary structure.	3
1900	3DCoffee@igs: a web server for combining sequences and structures into a multiple sequence alignment. 2004 , 32, W37-40	139
1899	PROSPECT-PSPP: an automatic computational pipeline for protein structure prediction. 2004 , 32, W522-5	17
1898	Structural and thermodynamic characterization of Pal, a phage natural chimeric lysin active against pneumococci. 2004 , 279, 43697-707	30
1897	SseK1 and SseK2 are novel translocated proteins of <i>Salmonella enterica</i> serovar typhimurium. 2004 , 72, 5115-25	65
1896	Identification and characterization of functionally important elements in the multidrug resistance protein 1 COOH-terminal region. 2004 , 279, 53571-83	13

1895	Homology modeling of the CG-specific DNA methyltransferase SssI and its complexes with DNA and AdoHcy. 2004 , 22, 339-45	21
1894	A new member of the interleukin 10-related cytokine family encoded by a poxvirus. 2004 , 85, 1401-1412	23
1893	Filtering remote homologues using predicted structural information. 2004 , 17, 565-70	2
1892	Protein backbone angle prediction with machine learning approaches. 2004 , 20, 1612-21	64
1891	The PredictProtein server. 2004 , 32, W321-6	1082
1890	Delineation of modular proteins: domain boundary prediction from sequence information. 2004 , 5, 179-92	24
1889	A neural network method for prediction of beta-turn types in proteins using evolutionary information. 2004 , 20, 2751-8	80
1888	Wrap-and-pack. 2004 ,	1
1887	Kernel conditional random fields. 2004 ,	50
1886	Striped sheets and protein contact prediction. 2004 , 20 Suppl 1, i224-31	59
1885	Predicting protein secondary structure by cascade-correlation neural networks. 2004 , 20, 419-20	10
1884	Analysis and prediction of leucine-rich nuclear export signals. 2004 , 17, 527-36	613
1883	The structure-function relationship in the clostripain family of peptidases. 2004 , 271, 983-92	18
1882	The role of helix 8 and of the cytosolic C-termini in the internalization and signal transduction of B(1) and B(2) bradykinin receptors. 2005 , 272, 129-40	20
1881	Structure of the MutL C-terminal domain: a model of intact MutL and its roles in mismatch repair. 2004 , 23, 4134-45	148
1880	WIPI-1alpha (WIPI49), a member of the novel 7-bladed WIPI protein family, is aberrantly expressed in human cancer and is linked to starvation-induced autophagy. 2004 , 23, 9314-25	281
1879	Structural insights into the stability and flexibility of unusual erythroid spectrin repeats. 2004 , 12, 645-56	69
1878	Combining protein secondary structure prediction models with ensemble methods of optimal complexity. 2004 , 56, 305-327	27

1877	Protein family comparison using statistical models and predicted structural information. 2004 , 5, 183	11
1876	Formin homology 2 domains occur in multiple contexts in angiosperms. 2004 , 5, 44	79
1875	Identification and comparative analysis of components from the signal recognition particle in protozoa and fungi. 2004 , 5, 5	33
1874	Bayesian network multi-classifiers for protein secondary structure prediction. 2004 , 31, 117-36	30
1873	ACYP1 gene possesses two alternative splicing forms that induce apoptosis. 2004 , 56, 29-33	2
1872	Protein structure prediction and analysis using the Robetta server. 2004 , 32, W526-31	1239
1871	Prediction of drug-like molecular properties: modeling cytochrome p450 interactions. 2004 , 275, 449-520	9
1870	Protein flexibility and intrinsic disorder. 2004 , 13, 71-80	269
1869	Scoring profile-to-profile sequence alignments. 2004 , 13, 1612-26	113
1868	The modeling of the structure of the cysteine-rich domain of metabotropic glutamate receptors. 2004 , 394, 21-5	2
1867	NMR assignment of the hypothetical protein HI0004 from Haemophilus influenzae--a putative essential gene product. 2004 , 29, 101-2	4
1866	Complete amino acid sequence and location of Omp-28, an important immunogenic protein from Salmonella enterica serovar typhi. 2004 , 23, 71-7	4
1865	New Site-Specific Endonucleases F-TfII, F-TfIII, and F-TfIV Encoded by Bacteriophage T5. 2004 , 38, 530-537	3
1864	Molecular modeling of the von Willebrand factor A2 Domain and the effects of associated type 2A von Willebrand disease mutations. 2004 , 10, 259-70	58
1863	A multimodal neural network with single-state predictions for protein secondary structure. 2004 , 8, 168-173	1
1862	An optimization approach to the problem of protein structure prediction. 2004 , 101, 497-514	5
1861	Model-based inference of recombination hotspots in a highly variable oncogene [corrected]. 2004 , 58, 239-51	4
1860	Single-body residue-level knowledge-based energy score combined with sequence-profile and secondary structure information for fold recognition. 2004 , 55, 1005-13	165

1859	Automatic target selection for structural genomics on eukaryotes. 2004 , 56, 188-200	58
1858	Microbial genomes have over 72% structure assignment by the threading algorithm PROSPECTOR_Q. 2004 , 55, 464-73	30
1857	A structural pattern-based method for protein fold recognition. 2004 , 56, 222-34	13
1856	A unified representation of multiprotein complex data for modeling interaction networks. 2004 , 57, 99-108	23
1855	Combining evolutionary and structural information for local protein structure prediction. 2004 , 56, 782-94	21
1854	Protein contact prediction using patterns of correlation. 2004 , 56, 679-84	48
1853	Accurate prediction of solvent accessibility using neural networks-based regression. 2004 , 56, 753-67	205
1852	Improved prediction for N-termini of alpha-helices using empirical information. 2004 , 57, 322-30	12
1851	Fold recognition by combining sequence profiles derived from evolution and from depth-dependent structural alignment of fragments. 2005 , 58, 321-8	195
1850	Ab initio prediction of the three-dimensional structure of a de novo designed protein: a double-blind case study. 2005 , 58, 560-70	46
1849	Prediction of alpha-turns in proteins using PSI-BLAST profiles and secondary structure information. 2004 , 55, 83-90	44
1848	Prediction of protein relative solvent accessibility with support vector machines and long-range interaction 3D local descriptor. 2004 , 54, 557-62	91
1847	A novel method for protein secondary structure prediction using dual-layer SVM and profiles. 2004 , 54, 738-43	121
1846	Structural analysis of glucoamylase encoded by the STA1 gene of <i>Saccharomyces cerevisiae</i> (var. diastaticus). 2004 , 21, 379-88	18
1845	Genetic characterization of pilin glycosylation and phase variation in <i>Neisseria meningitidis</i> . 2003 , 49, 833-47	104
1844	Structural properties of the protein SV-IV. 2004 , 271, 263-71	3
1843	S1 subsite in snake venom thrombin-like enzymes: can S1 subsite lipophilicity be used to sort binding affinities of trypsin-like enzymes to small-molecule inhibitors?. 2004 , 12, 2571-87	16
1842	Hybrid nonribosomal peptide-polyketide interfaces in epothilone biosynthesis: minimal requirements at N and C termini of EpoB for elongation. 2004 , 11, 1533-42	29

1841	Structural similarity between HIV-1 gp41 and SARS-CoV S2 proteins suggests an analogous membrane fusion mechanism. 2004 , 677, 73-76	9
1840	The 3D structure analysis of SARS-CoV S1 protein reveals a link to influenza virus neuraminidase and implications for drug and antibody discovery. 2004 , 681, 137-141	10
1839	Physics of protein folding. 2004 , 1, 23-56	79
1838	On the use of secondary structure in protein structure prediction: a bioinformatic analysis. 2004 , 45, 525-546	16
1837	Phylogenetic distribution of DNA-binding transcription factors in bacteria and archaea. 2004 , 28, 341-50	75
1836	Comparing two K-category assignments by a K-category correlation coefficient. 2004 , 28, 367-74	245
1835	.	1
1834	Structural characterization of vivapain-2 and vivapain-3, cysteine proteases from Plasmodium vivax: comparative protein modeling and docking studies. 2004 , 21, 781-90	6
1833	A review of nanobioscience and bioinformatics initiatives in North America. 2004 , 3, 74-84	6
1832	Transmembrane segments prediction with support vector machine based on high performance encoding schemes.	1
1831	Secondary structure prediction using SVM and clustering.	0
1830	Archaea recruited D-Tyr-tRNATyr deacylase for editing in Thr-tRNA synthetase. 2004 , 10, 1845-51	12
1829	Genetic Programming. 2004 ,	
1828	Kernel based approach for protein fold prediction from sequence. 2004 , 2004, 2885-8	1
1827	Salt-induced oligomerization of partially folded intermediates of equinatoxin II. 2004 , 43, 9536-45	14
1826	Thermodynamic and biophysical characterization of cytochrome P450 BioI from Bacillus subtilis. 2004 , 43, 12410-26	55
1825	Dynein light chain LC8 promotes assembly of the coiled-coil domain of swallow protein. 2004 , 43, 4611-20	56
1824	The intermediate chain of cytoplasmic dynein is partially disordered and gains structure upon binding to light-chain LC8. 2004 , 43, 15595-603	61

1823	Identification and characterization of a novel RNA binding protein that associates with the 5'-untranslated region of the chloroplast psbA mRNA. 2004 , 43, 8541-50	31
1822	Mechanism of activation of human heparanase investigated by protein engineering. 2004 , 43, 1862-73	69
1821	Domain-domain interactions in the aminoglycoside antibiotic resistance enzyme AAC(6')-APH(2''). 2004 , 43, 9846-55	50
1820	Bayesian network multi-classifiers for protein secondary structure prediction. 2004 ,	
1819	Double-stranded DNA bacteriophage prohead protease is homologous to herpesvirus protease. 2004 , 13, 2260-9	51
1818	Characterization of SLAC: a small laccase from <i>Streptomyces coelicolor</i> with unprecedented activity. 2004 , 13, 2388-97	165
1817	Overexpression, purification, and characterization of ProQ, a posttranslational regulator for osmoregulatory transporter ProP of <i>Escherichia coli</i> . 2004 , 43, 12979-89	18
1816	Tertiary structure predictions on a comprehensive benchmark of medium to large size proteins. 2004 , 87, 2647-55	68
1815	Chemoinformatics. 2004 ,	22
1814	Molecular cloning of a beta-glucan pattern-recognition lipoprotein from the white shrimp <i>Penaeus (Litopenaeus) vannamei</i> : correlations between the deduced amino acid sequence and the native protein structure. 2004 , 28, 713-26	53
1813	A distant evolutionary relationship between GPI-specific phospholipase D and bacterial phosphatidylcholine-preferring phospholipase C. 2004 , 569, 229-34	5
1812	DKT1, a novel K ⁺ channel from carrot, forms functional heteromeric channels with KDC1. 2004 , 573, 61-7	23
1811	Unique constitution of photosystem I with a novel subunit in the cyanobacterium <i>Gloeobacter violaceus</i> PCC 7421. 2004 , 578, 275-9	26
1810	Specificity of <i>Amaranthus leucocarpus</i> syn. <i>hypocondriacus</i> lectin for O-glycopeptides. 2004 , 1674, 282-90	13
1809	The active site of the <i>Escherichia coli</i> glycogen synthase is similar to the active site of retaining GT-B glycosyltransferases. 2004 , 316, 960-6	25
1808	The N-terminus of yeast peptide: N-glycanase interacts with the DNA repair protein Rad23. 2004 , 323, 149-55	16
1807	Fatty acid synthesis in <i>Xylella fastidiosa</i> : correlations between genome studies, ¹³ C NMR data, and molecular models. 2004 , 323, 987-95	7
1806	Circular dichroism analysis of allergens. 2004 , 32, 241-8	27

1805	Human recombinant mutated forms of the mitochondrial COX assembly Sco2 protein differ from wild-type in physical state and copper binding capacity. 2004 , 81, 225-36		26
1804	Determination of the composition of sialoliths composed of carbonate apatite and albumin using artificial neural networks. 2004 , 62, 813-7		5
1803	A novel structural class of toxins: the methionine-rich peptides from the venoms of turrid marine snails (Mollusca, Conoidea). 2004 , 43, 365-74		25
1802	Structural and functional characterization of N-terminally blocked peptides isolated from the venom of the social wasp <i>Polybia paulista</i> . 2004 , 25, 2069-78		18
1801	Processing in <i>Arabidopsis thaliana</i> of a heterologous polyprotein resulting in differential targeting of the individual plant defensins. 2004 , 166, 113-121		36
1800	Functional characteristics of C-terminal regions of starch-branching enzymes from developing seeds of kidney bean (<i>Phaseolus vulgaris</i> L.). 2004 , 166, 1149-1158		6
1799	Sequence context and modified hydrophobic moment plots help identify 'horizontal' surface helices in transmembrane protein structure prediction. 2004 , 148, 51-65		9
1798	The crystal structure of the periplasmic domain of the type II secretion system protein EpsM from <i>Vibrio cholerae</i> : the simplest version of the ferredoxin fold. <i>Journal of Molecular Biology</i> , 2004 , 338, 585-98	6.5	56
1797	Prediction and functional analysis of native disorder in proteins from the three kingdoms of life. <i>Journal of Molecular Biology</i> , 2004 , 337, 635-45	6.5	1625
1796	Local propensities and statistical potentials of backbone dihedral angles in proteins. <i>Journal of Molecular Biology</i> , 2004 , 342, 635-49	6.5	64
1795	Structure of the N-terminal domain of the circadian clock-associated histidine kinase SasA. <i>Journal of Molecular Biology</i> , 2004 , 342, 9-17	6.5	40
1794	Predicting metal-binding site residues in low-resolution structural models. <i>Journal of Molecular Biology</i> , 2004 , 342, 307-20	6.5	106
1793	Solution NMR structure of the iron-sulfur cluster assembly protein U (IscU) with zinc bound at the active site. <i>Journal of Molecular Biology</i> , 2004 , 344, 567-83	6.5	121
1792	Role of evolutionary information in prediction of aromatic-backbone NH interactions in proteins. 2004 , 564, 47-57		8
1791	Protein structure prediction using Rosetta. 2004 , 383, 66-93		1142
1790	A graphical model for protein secondary structure prediction. 2004 ,		10
1789	Predicting gene ontology annotations from sequence data using kernel-based machine learning algorithms.		1
1788	Molecular basis of the spectral expression of CIAS1 mutations associated with phagocytic cell-mediated autoinflammatory disorders CINCA/NOMID, MWS, and FCU. 2004 , 103, 2809-15		442

- 1787 Neural Network-Based Prediction of Variable Site-Occupancy of N-Linked Glycosylation. **2004**, 37, 309-314
- 1786 Informatics (Computational Biology). **2004**,
- 1785 LOCSVMPSI: a web server for subcellular localization of eukaryotic proteins using SVM and profile of PSI-BLAST. **2005**, 33, W105-10 138
- 1784 Basic protein sequence analysis. **2005**, Chapter 19, Unit 19.5
- 1783 Evolving hidden Markov models for protein secondary structure prediction.
- 1782 An overview of protein-folding techniques: issues and perspectives. **2005**, 1, 121-43 20
- 1781 Large scale molecular dynamics simulation of native and mutant dihydropteroate synthase-sulphanilamide complexes suggests the molecular basis for dihydropteroate synthase drug resistance. **2005**, 363, 2055-73 8
- 1780 Structures and Motifs Involved in Toll Signaling. **2005**, 56-93 2
- 1779 Software Tools for Proteomics Technologies. 323-352
- 1778 Improved protein fold assignment using support vector machines. **2005**, 1, 319-34 4
- 1777 Integrative Models for the Prediction and Understanding of Protein Structure Patterns. **2005**, 239-255
- 1776 The yeast cyclin-dependent kinase inhibitor Sic1 and mammalian p27Kip1 are functional homologues with a structurally conserved inhibitory domain. **2005**, 387, 639-47 60
- 1775 Secondary Structure Assignment. **2005**, 339-363 3
- 1774 Determination of the minimal functional ligand-binding domain of the GABAB1b receptor. **2005**, 386, 423-31 14
- 1773 Prediction in 1D: Secondary Structure, Membrane Helices, and Accessibility. **2005**, 559-587 7
- 1772 Comparative Modeling and Structural Proteomics. **2005**, 109-136
- 1771 Structural model of the Plasmodium CDK, Pfmrk, a novel target for malaria therapeutics. **2005**, 24, 72-80 17
- 1770 Improving protein secondary structure prediction by using the residue conformational classes. **2005**, 26, 2346-2352 8

1769	Learning protein secondary structure from sequential and relational data. 2005 , 18, 1029-39	29
1768	Bacillus subtilis YkuK protein is distantly related to RNase H. 2005 , 251, 341-6	3
1767	Characterization of the sulfhydryl-sensitive site in the enzyme responsible for hydrolysis of 2-arachidonoyl-glycerol in rat cerebellar membranes. 2005 , 12, 649-56	125
1766	Human ribosomal protein S13: cloning, expression, refolding, and structural stability. 2005 , 1747, 93-7	8
1765	Characterization and study of a kappa-casein-like chymosin-sensitive linkage. 2005 , 1749, 75-80	3
1764	Descriptor-based protein remote homology identification. 2005 , 14, 431-44	31
1763	The effect of long-range interactions on the secondary structure formation of proteins. 2005 , 14, 1955-63	81
1762	COG3926 and COG5526: a tale of two new lysozyme-like protein families. 2005 , 14, 2574-81	22
1761	A seqlet-based maximum entropy Markov approach for protein secondary structure prediction. 2005 , 48, 394-405	1
1760	Virtual screening of novel CB2 ligands using a comparative model of the human cannabinoid CB2 receptor. 2005 , 48, 7166-71	57
1759	Variable site-occupancy classification of N-linked glycosylation using artificial neural networks. 2005 , 21, 1653-62	16
1758	Evidence that WbpD is an N-acetyltransferase belonging to the hexapeptide acyltransferase superfamily and an important protein for O-antigen biosynthesis in Pseudomonas aeruginosa PAO1. 2005 , 57, 1288-303	28
1757	The crystal structures of Lactococcus lactis MG1363 Dps proteins reveal the presence of an N-terminal helix that is required for DNA binding. 2005 , 57, 1101-12	60
1756	Nuclear magnetic resonance solution structure of the periplasmic signalling domain of the TonB-dependent outer membrane transporter FecA from Escherichia coli. 2005 , 58, 1226-37	37
1755	Modelling the human rhesus proteins: implications for structure and function. 2005 , 131, 543-51	81
1754	Molecular architecture of a eukaryotic DNA transposase. 2005 , 12, 715-21	94
1753	Identification of a domain in the alpha-subunit of the oxaloacetate decarboxylase Na ⁺ pump that accomplishes complex formation with the gamma-subunit. 2005 , 272, 846-55	14
1752	6-Phosphofructo-2-kinase and Fructose-2,6-bisphosphatase in Trypanosomatidae. Molecular characterization, database searches, modelling studies and evolutionary analysis. 2005 , 272, 3542-60	11

1751	The signature amidase from <i>Sulfolobus solfataricus</i> belongs to the CX3C subgroup of enzymes cleaving both amides and nitriles. Ser195 and Cys145 are predicted to be the active site nucleophiles. 2005 , 272, 4716-24	23
1750	SNAMA, a novel protein with a DWNN domain and a RING finger-like motif: a possible role in apoptosis. 2005 , 1727, 169-76	12
1749	Functional properties of a recombinant bacterial DING protein: comparison with a homologous human protein. 2005 , 1744, 234-44	34
1748	Folding of small helical proteins assisted by small-angle X-ray scattering profiles. 2005 , 13, 1587-97	29
1747	Better prediction of protein contact number using a support vector regression analysis of amino acid sequence. 2005 , 6, 248	45
1746	ProfNet, a method to derive profile-profile alignment scoring functions that improves the alignments of distantly related proteins. 2005 , 6, 253	14
1745	PSSM-based prediction of DNA binding sites in proteins. 2005 , 6, 33	172
1744	In silico functional characterization of a double histone fold domain from the <i>Heliothis zea</i> virus 1. 2005 , 6 Suppl 4, S15	5
1743	A hybrid genetic-neural system for predicting protein secondary structure. 2005 , 6 Suppl 4, S3	14
1742	Mice have a transcribed L-threonine aldolase/GLY1 gene, but the human GLY1 gene is a non-processed pseudogene. 2005 , 6, 32	32
1741	Non-classical protein secretion in bacteria. 2005 , 5, 58	473
1740	Predicting secondary structures of proteins. Recognizing properties of amino acids with the logical analysis of data algorithm. 2005 , 24, 88-94	6
1739	Research challenges, opportunities and synergism in systems engineering and computational biology. 2005 , 51, 1872-1884	27
1738	Protein Folding with a Reduced Model and Inaccurate Short-Range Restraints. 2005 , 14, 444-451	6
1737	COG4849 is a novel family of nucleotidyltransferases. 2005 , 18, 422-5	2
1736	Showing your ID: intrinsic disorder as an ID for recognition, regulation and cell signaling. 2005 , 18, 343-84	660
1735	Characterization of a C3-like cDNA in a coral: phylogenetic implications. 2005 , 57, 535-48	105
1734	Wide variation in the cyanobacterial complement of presumptive penicillin-binding proteins. 2005 , 184, 234-48	31

1733	Nucleotide binding domains of human CFTR: a structural classification of critical residues and disease-causing mutations. 2005 , 62, 2112-23	16
1732	Identification and in silico analysis of a new group of double-histone fold-containing proteins. 2005 , 12, 76-84	3
1731	Predicted consequences of site-directed mutagenesis and the impact of species variation on prion protein misfolding through the N-terminal domain. 2005 , 11, 468-73	
1730	Accurate Prediction of Protein Disordered Regions by Mining Protein Structure Data. 2005 , 11, 213-222	163
1729	High-throughput limited proteolysis/mass spectrometry for protein domain elucidation. 2005 , 6, 129-34	50
1728	Recombinant human ribosomal protein S16: expression, purification, refolding, and structural stability. 2005 , 70, 777-81	4
1727	Protein secondary structure assignment revisited: a detailed analysis of different assignment methods. 2005 , 5, 17	111
1726	Structural model of human GAD65: prediction and interpretation of biochemical and immunogenic features. 2005 , 59, 7-14	8
1725	Prediction of protein B-factor profiles. 2005 , 58, 905-12	174
1724	Protein domain of unknown function DUF1023 is an alpha/beta hydrolase. 2005 , 59, 1-6	4
1723	The human prion protein alpha2 helix: a thermodynamic study of its conformational preferences. 2005 , 59, 72-9	33
1722	Prediction of protein relative solvent accessibility with a two-stage SVM approach. 2005 , 59, 30-7	45
1721	Protein secondary structure prediction with dihedral angles. 2005 , 59, 476-81	70
1720	Combining prediction of secondary structure and solvent accessibility in proteins. 2005 , 59, 467-75	222
1719	PPRODO: prediction of protein domain boundaries using neural networks. 2005 , 59, 627-32	63
1718	A structural alphabet for local protein structures: improved prediction methods. 2005 , 59, 810-27	83
1717	High accuracy prediction of beta-turns and their types using propensities and multiple alignments. 2005 , 59, 828-39	83
1716	Prediction of interface residues in protein-protein complexes by a consensus neural network method: test against NMR data. 2005 , 61, 21-35	213

1715	Prediction of the conformation and geometry of loops in globular proteins: testing ArchDB, a structural classification of loops. 2005 , 60, 746-57	17
1714	Structures of vertebrate hyaluronidases and their unique enzymatic mechanism of hydrolysis. 2005 , 61, 227-38	62
1713	Real value prediction of solvent accessibility in proteins using multiple sequence alignment and secondary structure. 2005 , 61, 318-24	73
1712	Predicting protein secondary structure and solvent accessibility with an improved multiple linear regression method. 2005 , 61, 473-80	13
1711	TASSER: an automated method for the prediction of protein tertiary structures in CASP6. 2005 , 61 Suppl 7, 91-8	161
1710	Protein structure prediction using a variety of profile libraries and 3D verification. 2005 , 61 Suppl 7, 114-21	40
1709	Protein structure prediction in CASP6 using CHIMERA and FAMS. 2005 , 61 Suppl 7, 122-7	11
1708	Free modeling with Rosetta in CASP6. 2005 , 61 Suppl 7, 128-34	117
1707	Prediction of novel and analogous folds using fragment assembly and fold recognition. 2005 , 61 Suppl 7, 143-51	71
1706	Prediction of CASP6 structures using automated Robetta protocols. 2005 , 61 Suppl 7, 157-66	114
1705	Exploiting heterogeneous sequence properties improves prediction of protein disorder. 2005 , 61 Suppl 7, 176-82	423
1704	Automated prediction of domain boundaries in CASP6 targets using Ginzu and RosettaDOM. 2005 , 61 Suppl 7, 193-200	72
1703	Binding site-based classification of coronaviral papain-like proteases. 2006 , 62, 760-75	19
1702	Prediction of protein stability changes for single-site mutations using support vector machines. 2006 , 62, 1125-32	546
1701	Assessing a novel approach for predicting local 3D protein structures from sequence. 2006 , 62, 865-80	36
1700	Multipass membrane protein structure prediction using Rosetta. 2006 , 62, 1010-25	260
1699	Prediction of protein secondary structure content using amino acid composition and evolutionary information. 2006 , 62, 1107-14	33
1698	SSALN: an alignment algorithm using structure-dependent substitution matrices and gap penalties learned from structurally aligned protein pairs. 2006 , 62, 881-91	68

1697	Early-stage folding in proteins (in silico) sequence-to-structure relation. 2005 , 2005, 65-79	16
1696	. 2005 ,	13
1695	Secondary structure prediction. 2005 ,	
1694	Predicting secondary structures, contact numbers, and residue-wise contact orders of native protein structures from amino acid sequences using critical random networks. 2005 , 1, 67-74	17
1693	Data Mining with Computational Intelligence. 2005 ,	1
1692	Porter: a new, accurate server for protein secondary structure prediction. 2005 , 21, 1719-20	376
1691	HYPROSP II--a knowledge-based hybrid method for protein secondary structure prediction based on local prediction confidence. 2005 , 21, 3227-33	36
1690	SPEM: improving multiple sequence alignment with sequence profiles and predicted secondary structures. 2005 , 21, 3615-21	84
1689	Prediction of protein secondary structure using improved two-level neural network architecture. 2005 , 12, 805-11	12
1688	Disulfide connectivity prediction using secondary structure information and diresidue frequencies. 2005 , 21, 2336-46	74
1687	Characterization of new DsbB-like thiol-oxidoreductases of <i>Campylobacter jejuni</i> and <i>Helicobacter pylori</i> and classification of the DsbB family based on phylogenomic, structural and functional criteria. 2005 , 151, 219-231	41
1686	Two rhizobial strains, <i>Mesorhizobium loti</i> MAFF303099 and <i>Bradyrhizobium japonicum</i> USDA110, encode haloalkane dehalogenases with novel structures and substrate specificities. 2005 , 71, 4372-9	64
1685	Meta-DP: domain prediction meta-server. 2005 , 21, 2917-20	43
1684	Data Mining for Bioinformatics. 2005 , 63-116	3
1683	Mapping and consensus sequence identification for multiple vinculin binding sites within the talin rod. 2005 , 280, 37217-24	149
1682	Four-helix bundle: a ubiquitous sensory module in prokaryotic signal transduction. 2005 , 21 Suppl 3, iii45-8	48
1681	Adenovirus protein VI mediates membrane disruption following capsid disassembly. 2005 , 79, 1992-2000	315
1680	Hag directly mediates the adherence of <i>Moraxella catarrhalis</i> to human middle ear cells. 2005 , 73, 5127-36	41

1679	3D models of yeast RNase P/MRP proteins Rpp1p and Pop3p. 2005 , 11, 123-7	10
1678	Improved method for predicting beta-turn using support vector machine. 2005 , 21, 2370-4	47
1677	Plus and minus sexual agglutinins from <i>Chlamydomonas reinhardtii</i> . 2005 , 17, 597-615	68
1676	Pcons5: combining consensus, structural evaluation and fold recognition scores. 2005 , 21, 4248-54	97
1675	The HHpred interactive server for protein homology detection and structure prediction. 2005 , 33, W244-8	2558
1674	Protein homology detection by HMM-HMM comparison. 2005 , 21, 951-60	1860
1673	Membrane type-1 matrix metalloproteinase (MT1-MMP) exhibits an important intracellular cleavage function and causes chromosome instability. 2005 , 280, 25079-86	80
1672	cse, a Chimeric and variable gene, encodes an extracellular protein involved in cellular segregation in <i>Streptococcus thermophilus</i> . 2005 , 187, 2737-46	15
1671	GOR V server for protein secondary structure prediction. 2005 , 21, 2787-8	144
1670	The E2 glycoprotein of classical swine fever virus is a virulence determinant in swine. 2005 , 79, 3787-96	113
1669	Mutational analysis of essential interactions involved in the assembly of hepatitis E virus capsid. 2005 , 280, 3400-6	62
1668	Biological and Artificial Intelligence Environments. 2005 ,	
1667	Improving Protein Secondary-Structure Prediction by Predicting Ends of Secondary-Structure Segments. 2005 ,	3
1666	MollDE: a homology modeling framework you can click with. 2005 , 21, 2914-6	41
1665	Research in Computational Molecular Biology. 2005 ,	2
1664	Fold recognition by predicted alignment accuracy. 2005 , 2, 157-65	31
1663	Optimizing long intrinsic disorder predictors with protein evolutionary information. 2005 , 3, 35-60	346
1662	PoPS: a computational tool for modeling and predicting protease specificity. 2005 , 3, 551-85	71

1661	Proteomics: A new research area for the biomedical field. 2005 , 1, 83-94	4
1660	Wrap-and-Pack: a new paradigm for beta structural motif recognition with application to recognizing beta trefoils. 2005 , 12, 777-95	8
1659	Identification of the structural and functional domains of the large serine recombinase TnpX from <i>Clostridium perfringens</i> . 2005 , 280, 2503-11	18
1658	The crystal structures of EAP domains from <i>Staphylococcus aureus</i> reveal an unexpected homology to bacterial superantigens. 2005 , 280, 17243-50	54
1657	Functional characterization of XendoU, the endoribonuclease involved in small nucleolar RNA biosynthesis. 2005 , 280, 18996-9002	45
1656	Crystal structure of a nicotinate phosphoribosyltransferase from <i>Thermoplasma acidophilum</i> . 2005 , 280, 18326-35	29
1655	<i>Streptococcus pyogenes</i> collagen type I-binding Cpa surface protein. Expression profile, binding characteristics, biological functions, and potential clinical impact. 2005 , 280, 33228-39	74
1654	A new approach to prediction of short-range conformational propensities in proteins. 2005 , 21, 981-7	6
1653	The many faces of sequence alignment. 2005 , 6, 6-22	84
1652	Fold helical proteins by energy minimization in dihedral space and a DFIRE-based statistical energy function. 2005 , 3, 1151-70	10
1651	Structure of an archaeal virus capsid protein reveals a common ancestry to eukaryotic and bacterial viruses. 2005 , 102, 18944-9	158
1650	ProbCons: Probabilistic consistency-based multiple sequence alignment. 2005 , 15, 330-40	811
1649	Substitutions in the interdomain loop of the Tn10 TetA efflux transporter alter tetracycline resistance and substrate specificity. 2005 , 151, 2315-2322	14
1648	The C-terminus of prestin influences nonlinear capacitance and plasma membrane targeting. 2005 , 118, 2987-96	59
1647	cDNA cloning and expression of the cardiac Na ⁺ /Ca ²⁺ exchanger from Mozambique tilapia (<i>Oreochromis mossambicus</i>) reveal a teleost membrane transporter with mammalian temperature dependence. 2005 , 280, 28903-11	11
1646	Prediction of solvent accessibility and sites of deleterious mutations from protein sequence. 2005 , 33, 3193-9	123
1645	Profile-based string kernels for remote homology detection and motif extraction. 2005 , 3, 527-50	91
1644	Linear regression models for solvent accessibility prediction in proteins. 2005 , 12, 355-69	84

1643	Hidden Markov model analysis of motifs in interleukins and haematopoietic growth factor family. 2005 , 2005, 6089-91	
1642	Epimerase active domain of <i>Pseudomonas aeruginosa</i> AlgG, a protein that contains a right-handed beta-helix. 2005 , 187, 4573-83	28
1641	An inquiry into protein structure and genetic disease: introducing undergraduates to bioinformatics in a large introductory course. 2005 , 4, 207-20	26
1640	Structure of adeno-associated virus type 4. 2005 , 79, 5047-58	78
1639	Resurrecting the ancestral enzymatic role of a modulatory subunit. 2005 , 280, 10189-95	49
1638	Characterization of Gla(KP), a UDP-galacturonic acid C4-epimerase from <i>Klebsiella pneumoniae</i> with extended substrate specificity. 2005 , 187, 4104-15	19
1637	The coevolution of insect muscle TpnT and TpnI gene isoforms. 2005 , 22, 2231-42	21
1636	Three-stage prediction of protein beta-sheets by neural networks, alignments and graph algorithms. 2005 , 21 Suppl 1, i75-84	91
1635	The Arabidopsis R2R3 MYB proteins FOUR LIPS and MYB88 restrict divisions late in the stomatal cell lineage. 2005 , 17, 2754-67	157
1634	Genetic analysis of the HAMP domain of the Aer aerotaxis sensor localizes flavin adenine dinucleotide-binding determinants to the AS-2 helix. 2005 , 187, 193-201	26
1633	Characterization of a thermoacidophilic L-arabinose isomerase from <i>Alicyclobacillus acidocaldarius</i> : role of Lys-269 in pH optimum. 2005 , 71, 7888-96	82
1632	Functional role of C-terminal sequence elements in the transporter associated with antigen processing. 2005 , 174, 328-39	11
1631	A simple and fast secondary structure prediction method using hidden neural networks. 2005 , 21, 152-9	465
1630	Predicting fold novelty based on ProtoNet hierarchical classification. 2005 , 21, 1020-7	12
1629	INTERALIGN: interactive alignment editor for distantly related protein sequences. 2005 , 21, 3166-7	7
1628	Molecular determinants of the agonist binding domain of a P2X receptor channel. 2005 , 67, 1078-88	55
1627	The SSEA server for protein secondary structure alignment. 2005 , 21, 393-5	31
1626	The protein structure prediction problem could be solved using the current PDB library. 2005 , 102, 1029-34	235

1625	Gene and genome duplication in <i>Acanthamoeba polyphaga</i> Mimivirus. 2005 , 79, 14095-101	63
1624	A novel regucalcin gene promoter region-related protein: Comparison of nucleotide and amino acid sequences in vertebrate species. 2005 , 15, 97	
1623	NdPASA: a pairwise sequence alignment server for distantly related proteins. 2005 , 21, 3803-5	2
1622	PRALINE: a multiple sequence alignment toolbox that integrates homology-extended and secondary structure information. 2005 , 33, W289-94	359
1621	REPPER--repeats and their periodicities in fibrous proteins. 2005 , 33, W239-43	86
1620	Protein structure prediction servers at University College London. 2005 , 33, W36-8	607
1619	DiANNA: a web server for disulfide connectivity prediction. 2005 , 33, W230-2	252
1618	Identification of novel restriction endonuclease-like fold families among hypothetical proteins. 2005 , 33, 3598-605	70
1617	Evolution of eukaryotic cysteine sulfinic acid reductase, sulfiredoxin (Srx), from bacterial chromosome partitioning protein ParB. 2005 , 4, 947-52	29
1616	BhairPred: prediction of beta-hairpins in a protein from multiple alignment information using ANN and SVM techniques. 2005 , 33, W154-9	53
1615	Progress in modeling of protein structures and interactions. 2005 , 310, 638-42	244
1614	References. 2005 , 377-422	
1613	Advances in Bioinformatics and Computational Biology. 2005 ,	3
1612	Recent Applications of Neural Networks in Bioinformatics. 2005 , 91-97	1
1611	Toll and Toll-Like Receptors: An Immunologic Perspective. 2005 ,	
1610	Disulphide Bridge Prediction using Fuzzy Support Vector Machines. 2005 ,	1
1609	A novel aerobactin utilization cluster in <i>Vibrio vulnificus</i> with a gene involved in the transcription regulation of the iutA homologue. 2005 , 49, 823-34	31
1608	APOBEC4, a new member of the AID/APOBEC family of polynucleotide (deoxy)cytidine deaminases predicted by computational analysis. 2005 , 4, 1281-5	106

1607	A novel method of predicting gamma-turns using SVM and multiple alignment profiles. 2005,		
1606	Molecular cloning and characterization of copper/zinc-superoxide dismutase of <i>Paragonimus westermani</i> . 2005, 91, 293-9		9
1605	Prediction of beta-turn types using SVM and evolutionary information. 2005,		
1604	Prediction, conservation analysis, and structural characterization of mammalian mucin-type O-glycosylation sites. 2005, 15, 153-64		758
1603	Functional characterization of KIHEM13, a hypoxic gene of <i>Kluyveromyces lactis</i> . 2005, 51, 241-9		9
1602	Predicting Structural Disruption of Proteins Caused by Crossover. 2005,		
1601	A structural model for the osmosensor, transporter, and osmoregulator ProP of <i>Escherichia coli</i> . 2005, 44, 5634-46		42
1600	A model for the three-dimensional structure of human plasma vitronectin from small-angle scattering measurements. 2005, 44, 565-74		38
1599	Inhibition of a cathepsin L-like cysteine protease by a chimeric propeptide-derived inhibitor. 2005, 44, 10486-93		12
1598	Characterization of segments from the central region of BRCA1: an intrinsically disordered scaffold for multiple protein-protein and protein-DNA interactions?. <i>Journal of Molecular Biology</i> , 2005, 345, 275-87	6.5	141
1597	Dimeric dUTPases, HisE, and MazG belong to a new superfamily of all-alpha NTP pyrophosphohydrolases with potential "house-cleaning" functions. <i>Journal of Molecular Biology</i> , 2005, 347, 243-55	6.5	69
1596	Multi-domain proteins in the three kingdoms of life: orphan domains and other unassigned regions. <i>Journal of Molecular Biology</i> , 2005, 348, 231-43	6.5	179
1595	Protein folding rates estimated from contact predictions. <i>Journal of Molecular Biology</i> , 2005, 348, 507-12	6.5	77
1594	Determining protein topology from skeletons of secondary structures. <i>Journal of Molecular Biology</i> , 2005, 350, 571-86	6.5	27
1593	Armadillo: domain boundary prediction by amino acid composition. <i>Journal of Molecular Biology</i> , 2005, 350, 1061-73	6.5	56
1592	The structural basis for substrate specificity in DNA topoisomerase IV. <i>Journal of Molecular Biology</i> , 2005, 351, 545-61	6.5	133
1591	Conservation of the capsid structure in tailed dsDNA bacteriophages: the pseudoatomic structure of phi29. 2005, 18, 149-59		164
1590	Why don't humans get scrapie from eating sheep? A possible explanation based on secondary structure predictions. 2005, 64, 919-24		5

1589	A structural model of a seven-transmembrane helix receptor: the Duffy antigen/receptor for chemokine (DARC). 2005 , 1724, 288-306	55
1588	Protein secretion systems in <i>Fusobacterium nucleatum</i> : genomic identification of Type 4 piliation and complete Type V pathways brings new insight into mechanisms of pathogenesis. 2005 , 1713, 92-112	49
1587	Identification of an evolutionary conserved SURF-6 domain in a family of nucleolar proteins extending from human to yeast. 2005 , 327, 143-9	16
1586	A recombinant exonuclease III homologue of the thermophilic archaeon <i>Methanothermobacter thermoautotrophicus</i> . 2005 , 4, 433-44	13
1585	Prediction of protein secondary structure based on residue pair types and conformational states using dynamic programming algorithm. 2005 , 579, 3397-400	7
1584	A novel two-component system found in <i>Mycobacterium tuberculosis</i> . 2005 , 579, 4145-8	30
1583	CMAP27, a novel chicken cathelicidin-like antimicrobial protein. 2005 , 106, 321-7	68
1582	Export of complex cofactor-containing proteins by the bacterial Tat pathway. 2005 , 13, 175-80	180
1581	Basic protein sequence analysis. 2005 , Chapter 2, Unit 2.11	1
1580	Multiple alignment through protein secondary-structure information. 2005 , 4, 207-11	1
1579	Chapter 11 Protein bioinformatics. 2005 , 487-500	
1578	Support vector machines for prediction and analysis of beta and gamma-turns in proteins. 2005 , 3, 343-58	15
1577	Prediction of protein solvent accessibility using fuzzy k-nearest neighbor method. 2005 , 21, 2844-9	66
1576	Characterization of disulfide bonds in human nucleoside triphosphate diphosphohydrolase 3 (NTPDase3): implications for NTPDase structural modeling. 2005 , 44, 8998-9012	30
1575	Biological and Medical Data Analysis. 2005 ,	3
1574	Coupled folding and binding with alpha-helix-forming molecular recognition elements. 2005 , 44, 12454-70	541
1573	Evidence for selection on synonymous mutations affecting stability of mRNA secondary structure in mammals. 2005 , 6, R75	229
1572	Lineage-specific expansion of proteins exported to erythrocytes in malaria parasites. 2006 , 7, R12	312

1571	Cannabinoid CB2/CB1 selectivity. Receptor modeling and automated docking analysis. 2006 , 49, 984-94	85
1570	Prediction of signal peptides using bio-basis function neural networks and decision trees. 2006 , 5, 13-9	8
1569	Structural classification of bacterial response regulators: diversity of output domains and domain combinations. 2006 , 188, 4169-82	375
1568	MUMMALS: multiple sequence alignment improved by using hidden Markov models with local structural information. 2006 , 34, 4364-74	97
1567	Intrinsic disorder in transcription factors. 2006 , 45, 6873-88	518
1566	A Two-stage Classifier for Protein B-turn Prediction Using Support Vector Machines.	1
1565	Protein fold recognition using segmentation conditional random fields (SCRFs). 2006 , 13, 394-406	22
1564	Biophysics and bioinformatics reveal structural differences of the two peripheral stalk subunits in chloroplast ATP synthase. 2007 , 141, 411-20	9
1563	Nonlinear System Identification Provides Insight Into Protein Folding. 2006 ,	0
1562	Parallelization and performance characterization of protein 3D structure prediction of Rosetta. 2006 ,	
1561	Optimization of the Sliding Window Size for Protein Structure Prediction. 2006 ,	10
1560	Predicting the solvent accessibility of transmembrane residues from protein sequence. 2006 , 5, 1063-70	44
1559	On the accuracy of homology modeling and sequence alignment methods applied to membrane proteins. 2006 , 91, 508-17	202
1558	TASSER-Lite: an automated tool for protein comparative modeling. 2006 , 91, 4180-90	38
1557	Bioinformatics with soft computing. 2006 , 36, 616-635	63
1556	Bayesian segmental models with multiple sequence alignment profiles for protein secondary structure and contact map prediction. 2006 , 3, 98-113	22
1555	Small-angle X-ray scattering reveals an extended organization for the autoinhibitory resting state of the p47(phox) modular protein. 2006 , 45, 7185-93	28
1554	Dissection of a human septin: definition and characterization of distinct domains within human SEPT4. 2006 , 45, 13918-31	32

1553	Thermal stabilities of brain spectrin and the constituent repeats of subunits. 2006 , 45, 13670-6	30
1552	Binding of RPE65 fragments to lipid monolayers and identification of its partners by glutathione S-transferase pull-down assays. 2006 , 45, 3337-47	20
1551	Lipid-binding activity of intrinsically unstructured cytoplasmic domains of multichain immune recognition receptor signaling subunits. 2006 , 45, 15731-9	93
1550	A theoretical study to investigate D2DAR/D4DAR selectivity: receptor modeling and molecular docking of dopaminergic ligands. 2006 , 49, 1397-407	15
1549	Protein-Protein Interface Residue Prediction with SVM Using Evolutionary Profiles and Accessible Surface Areas. 2006 ,	6
1548	The SWISS-MODEL workspace: a web-based environment for protein structure homology modelling. 2006 , 22, 195-201	5826
1547	Two atypical carbonic anhydrase homologs from the planula larva of the scleractinian coral <i>Fungia scutaria</i> . 2006 , 211, 18-30	12
1546	Improved peptide elution time prediction for reversed-phase liquid chromatography-MS by incorporating peptide sequence information. 2006 , 78, 5026-39	147
1545	The binding of DYNLL2 to myosin Va requires alternatively spliced exon B and stabilizes a portion of the myosin's coiled-coil domain. 2006 , 45, 11564-77	49
1544	The ADP-glucose binding site of the <i>Escherichia coli</i> glycogen synthase. 2006 , 453, 188-96	18
1543	Studies on titin PEVK peptides and their interaction. 2006 , 454, 16-25	12
1542	Insight into the structure of <i>Mesorhizobium loti</i> arylamine N-acetyltransferase 2 (MLNAT2): a biochemical and computational study. 2006 , 580, 1780-8	13
1541	Molecular cloning of two toxic phospholipases A2 from the crown-of-thorns starfish <i>Acanthaster planci</i> venom. 2006 , 143, 54-60	11
1540	Expression, purification, and structural prediction of the Ets transcription factor ERM. 2006 , 1760, 1192-201	4
1539	Identification and characterization of the DNA-binding properties of a Zhangfei homologue in Japanese pufferfish, <i>Takifugu rubripes</i> . 2006 , 339, 1238-45	9
1538	Spectroscopic characterization of the tumor antigen NY-REN-21 and identification of heterodimer formation with SCAND1. 2006 , 343, 260-8	30
1537	Tertiary structure prediction of SARS coronavirus helicase. 2006 , 343, 1101-4	25
1536	Prediction of pi-turns in proteins using PSI-BLAST profiles and secondary structure information. 2006 , 347, 574-80	11

1535	Characterization of the human ortholog of Mov34 reveals eight N-terminal residues important for MPN domain stability. 2006 , 347, 608-15		5
1534	Crystal structure of <i>Bacillus subtilis</i> S-adenosylmethionine:tRNA ribosyltransferase-isomerase. 2006 , 351, 695-701		11
1533	Molecular and expression analysis of an interferon-gamma-inducible guanylate-binding protein from rainbow trout (<i>Oncorhynchus mykiss</i>). 2006 , 30, 1023-33		21
1532	Mitochondrial localization of CNP2 is regulated by phosphorylation of the N-terminal targeting signal by PKC: implications of a mitochondrial function for CNP2 in glial and non-glial cells. 2006 , 31, 446-62		40
1531	Human transcription factors contain a high fraction of intrinsically disordered regions essential for transcriptional regulation. <i>Journal of Molecular Biology</i> , 2006 , 359, 1137-49	6.5	206
1530	Crystal structure of a multi-domain immunophilin from <i>Arabidopsis thaliana</i> : a paradigm for regulation of plant ABC transporters. <i>Journal of Molecular Biology</i> , 2006 , 364, 799-809	6.5	25
1529	Two interleukin (IL)-15 homologues in fish from two distinct origins. 2006 , 43, 860-9		54
1528	Mechanical properties of cardiac titin's N2B-region by single-molecule atomic force spectroscopy. 2006 , 155, 263-72		43
1527	The three-dimensional structure of an eukaryotic glutamine synthetase: functional implications of its oligomeric structure. 2006 , 156, 469-79		47
1526	Identification and characterization of a resistance gene analog (RGA) from the Caricaceae Dumort family. 2006 , 28, 458-462		2
1525	Bioinformatics Resources for Cancer Research with an Emphasis on Gene Function and Structure Prediction Tools. 2006 , 2, 117693510600200		4
1524	Prediction of the amount of secondary structure of proteins using unassigned NMR spectra: a tool for target selection in structural proteomics. 2006 , 29, 762-770		4
1523	Structural Study on Proteins in Maize Silk.		
1522	Two exo-beta-D-glucosaminidases/exochitosanases from actinomycetes define a new subfamily within family 2 of glycoside hydrolases. 2006 , 394, 675-86		43
1521	Physical and functional interactions between MutY glycosylase homologue (MYH) and checkpoint proteins Rad9-Rad1-Hus1. 2006 , 400, 53-62		76
1520	MASSP3: A System for Predicting Protein Secondary Structure. 2006 , 2006, 1		1
1519	PREDICTION OF GLYCOSYLATION SITE-OCCUPANCY USING ARTIFICIAL NEURAL NETWORKS. 2006 , 39, 725-730		
1518	Crystallization and preliminary X-ray diffraction analysis of protein 14 from <i>Sulfolobus islandicus</i> filamentous virus (SIFV). 2006 , 62, 884-6		4

1517	Analysis of an optimal hidden Markov model for secondary structure prediction. 2006 , 6, 25	26
1516	Two-stage support vector regression approach for predicting accessible surface areas of amino acids. 2006 , 63, 542-50	38
1515	Molecular dynamics simulations of the hydrophobin SC3 at a hydrophobic/hydrophilic interface. 2006 , 64, 863-73	27
1514	Fold recognition and accurate sequence-structure alignment of sequences directing beta-sheet proteins. 2006 , 63, 976-85	20
1513	Old fold in a new X-ray diffraction dataset? Low-resolution molecular replacement using representative structural templates can provide phase information. 2006 , 64, 923-30	1
1512	Prediction of protein subcellular localization. 2006 , 64, 643-51	943
1511	YASSPP: better kernels and coding schemes lead to improvements in protein secondary structure prediction. 2006 , 64, 575-86	52
1510	Better prediction of the location of alpha-turns in proteins with support vector machine. 2006 , 65, 49-54	23
1509	Measures for the assessment of fuzzy predictions of protein secondary structure. 2006 , 65, 453-62	6
1508	MUPRED: a tool for bridging the gap between template based methods and sequence profile based methods for protein secondary structure prediction. 2007 , 66, 664-70	32
1507	Origin of functional diversity among tetrameric voltage-gated channels. 2007 , 66, 136-46	13
1506	Genome-based identification and characterization of a putative mucin-binding protein from the surface of <i>Streptococcus pneumoniae</i> . 2007 , 66, 547-58	17
1505	Theoretical model of human apolipoprotein B100 tertiary structure. 2007 , 66, 342-58	20
1504	Achieving 80% ten-fold cross-validated accuracy for secondary structure prediction by large-scale training. 2007 , 66, 838-45	94
1503	Intracellular domain of nicotinic acetylcholine receptor: the importance of being unfolded. 2006 , 97 Suppl 1, 63-7	29
1502	Structural and functional roles for beta-strand 7 in the alpha-crystallin domain of p26, a polydisperse small heat shock protein from <i>Artemia franciscana</i> . 2006 , 273, 1020-34	25
1501	Epl1, the major secreted protein of <i>Hypocrea atroviridis</i> on glucose, is a member of a strongly conserved protein family comprising plant defense response elicitors. 2006 , 273, 4346-59	127
1500	Chitinase from <i>Paracoccidioides brasiliensis</i> : molecular cloning, structural, phylogenetic, expression and activity analysis. 2006 , 46, 269-83	15

1499	Borrelia burgdorferi lipoproteins are secreted to the outer surface by default. 2006 , 59, 1473-84	92
1498	An evolutionarily conserved translation initiation mechanism regulates nuclear or mitochondrial targeting of DNA ligase 1 in Arabidopsis thaliana. 2006 , 47, 356-67	53
1497	Prediction of contact numbers of amino acid residues using a neural network regression algorithm. 2006 , 51, 56-60	2
1496	Information on the secondary structure improves the quality of protein sequence alignment. 2006 , 40, 474-480	5
1495	Advances in protein structure prediction and de novo protein design: A review. 2006 , 61, 966-988	175
1494	Homology modeling of membrane proteins: a critical assessment. 2006 , 30, 120-6	50
1493	Dimensionality of amino acid space and solvent accessibility prediction with neural networks. 2006 , 30, 160-8	4
1492	Comparative analysis of polyphenol oxidase from plant and fungal species. 2006 , 100, 108-23	177
1491	Aggregation mechanism of polyglutamine diseases revealed using quantum chemical calculations, fragment molecular orbital calculations, molecular dynamics simulations, and binding free energy calculations. 2006 , 778, 85-95	9
1490	Identification of correct regions in protein models using structural, alignment, and consensus information. 2006 , 15, 900-13	157
1489	A composite score for predicting errors in protein structure models. 2006 , 15, 1653-66	141
1488	A Consensus Data Mining secondary structure prediction by combining GOR V and Fragment Database Mining. 2006 , 15, 2499-506	20
1487	Statistical potential for assessment and prediction of protein structures. 2006 , 15, 2507-24	1714
1486	DOMpro: Protein Domain Prediction Using Profiles, Secondary Structure, Relative Solvent Accessibility, and Recursive Neural Networks. 2006 , 13, 1-10	75
1485	Sequence representation and prediction of protein secondary structure for structural motifs in twilight zone proteins. 2006 , 25, 463-74	3
1484	Active site acidic residues and structural analysis of modelled human aromatase: a potential drug target for breast cancer. 2005 , 19, 857-70	12
1483	Modeling and active site refinement for G protein-coupled receptors: application to the beta-2 adrenergic receptor. 2006 , 20, 463-70	13
1482	Bidirectional segmented-memory recurrent neural network for protein secondary structure prediction. 2006 , 10, 315-324	21

1481	Sequential and structural analysis of [NiFe]-hydrogenase-maturation proteins from <i>Desulfovibrio vulgaris</i> Miyazaki F. 2006 , 90, 281-90	5
1480	Prediction of beta-strand packing interactions using the signature product. 2006 , 12, 355-61	8
1479	Some operations research methods for analyzing protein sequences and structures. 2006 , 4, 91-123	5
1478	Highly conserved caspase and Bcl-2 homologues from the sea anemone <i>Aiptasia pallida</i> : lower metazoans as models for the study of apoptosis evolution. 2006 , 63, 95-107	46
1477	Candidate gene identification of an aluminum-activated organic acid transporter gene at the Alt4 locus for aluminum tolerance in rye (<i>Secale cereale</i> L.). 2007 , 114, 249-60	80
1476	A coprocessor architecture for fast protein structure prediction. 2006 , 39, 2494-2505	1
1475	Transmembrane segments prediction and understanding using support vector machine and decision tree. 2006 , 30, 64-72	27
1474	A 3D model of Reelin subrepeat regions predicts Reelin binding to carbohydrates. 2006 , 1116, 222-30	9
1473	Prediction of cis/trans isomerization in proteins using PSI-BLAST profiles and secondary structure information. 2006 , 7, 124	68
1472	2DDB - a bioinformatics solution for analysis of quantitative proteomics data. 2006 , 7, 158	20
1471	Protein secondary structure prediction for a single-sequence using hidden semi-Markov models. 2006 , 7, 178	66
1470	Length-dependent prediction of protein intrinsic disorder. 2006 , 7, 208	630
1469	Improving the accuracy of protein secondary structure prediction using structural alignment. 2006 , 7, 301	94
1468	CRNPRED: highly accurate prediction of one-dimensional protein structures by large-scale critical random networks. 2006 , 7, 401	26
1467	Predicting residue-wise contact orders in proteins by support vector regression. 2006 , 7, 425	47
1466	STAR: predicting recombination sites from amino acid sequence. 2006 , 7, 437	6
1465	Prediction of protein continuum secondary structure with probabilistic models based on NMR solved structures. 2006 , 7, 68	20
1464	Tracing the origin of functional and conserved domains in the human proteome: implications for protein evolution at the modular level. 2006 , 6, 91	12

1463	Transforming omics data into context: bioinformatics on genomics and proteomics raw data. 2006 , 27, 2659-75	31
1462	Enhanced recognition of protein transmembrane domains with prediction-based structural profiles. 2006 , 22, 303-9	78
1461	DUF283 domain of Dicer proteins has a double-stranded RNA-binding fold. 2006 , 22, 2711-4	51
1460	Hybrid SVM kernels for protein secondary structure prediction.	2
1459	HHrep: de novo protein repeat detection and the origin of TIM barrels. 2006 , 34, W137-42	56
1458	Cyanobacterial response regulator PatA contains a conserved N-terminal domain (PATAN) with an alpha-helical insertion. 2006 , 22, 1297-301	27
1457	DiANNA 1.1: an extension of the DiANNA web server for ternary cysteine classification. 2006 , 34, W182-5	146
1456	The MGenAS integrated bioinformatics toolkit for web-based sequence analysis. 2006 , 34, W15-9	12
1455	Homology modeling using parametric alignment ensemble generation with consensus and energy-based model selection. 2006 , 34, e112	85
1454	Zinc binding to the HCCH motif of HIV-1 virion infectivity factor induces a conformational change that mediates protein-protein interactions. 2006 , 103, 18475-80	57
1453	Developing a move-set for protein model refinement. 2006 , 22, 1838-45	16
1452	Slicing: A Distributed Learning Approach. 2006 , 55-97	
1451	SSEP-Domain: protein domain prediction by alignment of secondary structure elements and profiles. 2006 , 22, 181-7	50
1450	Improved performance in protein secondary structure prediction by combining multiple predictions. 2006 , 13, 985-91	18
1449	Traditional biomolecular structure determination by NMR spectroscopy allows for major errors. 2006 , 2, e9	72
1448	Structure modeling of all identified G protein-coupled receptors in the human genome. 2006 , 2, e13	159
1447	A new representation for protein secondary structure prediction based on frequent patterns. 2006 , 22, 2628-34	48
1446	The MPI Bioinformatics Toolkit for protein sequence analysis. 2006 , 34, W335-9	233

1445	Structural characterization of the UL25 DNA-packaging protein from herpes simplex virus type 1. 2006 , 80, 2309-17	41
1444	An unusual choanoflagellate protein released by Hedgehog autocatalytic processing. 2006 , 273, 401-7	41
1443	Coordination number prediction using learning classifier systems. 2006 ,	13
1442	indel-Seq-Gen: a new protein family simulator incorporating domains, motifs, and indels. 2007 , 24, 640-9	26
1441	SimShift: identifying structural similarities from NMR chemical shifts. 2006 , 22, 460-5	12
1440	Annular arrangement and collaborative actions of four domains of protein-disulfide isomerase: a small angle X-ray scattering study in solution. 2006 , 281, 6581-8	38
1439	Oligomerization of hantavirus nucleocapsid protein: analysis of the N-terminal coiled-coil domain. 2006 , 80, 9073-81	22
1438	Fungi and animals may share a common ancestor to nuclear receptors. 2006 , 103, 7077-81	54
1437	Identification of an N-terminal trimeric coiled-coil core within arenavirus glycoprotein 2 permits assignment to class I viral fusion proteins. 2006 , 80, 5897-907	109
1436	The AidB component of the Escherichia coli adaptive response to alkylating agents is a flavin-containing, DNA-binding protein. 2006 , 188, 223-30	28
1435	Computational Methods. 2006 ,	4
1434	Support vector machines for prediction of dihedral angle regions. 2006 , 22, 3009-15	38
1433	A spectroscopic analysis of the interaction between the human regulatory proteins RACK1 and Ki-1/57. 2006 , 387, 577-82	7
1432	Identification of a virulence-associated determinant, dihydrolipoamide dehydrogenase (lpd), in Mycoplasma gallisepticum through in vivo screening of transposon mutants. 2006 , 74, 931-9	56
1431	A novel plant-specific family gene, ROOT PRIMORDIUM DEFECTIVE 1, is required for the maintenance of active cell proliferation. 2006 , 140, 591-602	34
1430	Pattern Recognition in Bioinformatics. 2006 ,	
1429	Human herpesvirus 1 UL24 gene encodes a potential PD-(D/E)XK endonuclease. 2006 , 80, 2575-7	28
1428	Characterization of functional domains of equine infectious anemia virus Rev suggests a bipartite RNA-binding domain. 2006 , 80, 3844-52	21

1427	HYPLOSP: a knowledge-based approach to protein local structure prediction. 2006 , 4, 1287-307	4
1426	Identifying sequence regions undergoing conformational change via predicted continuum secondary structure. 2006 , 22, 1809-14	18
1425	Structural studies and mechanism of <i>Saccharomyces cerevisiae</i> dolichyl-phosphate-mannose synthase: insights into the initial step of synthesis of dolichyl-phosphate-linked oligosaccharide chains in membranes of endoplasmic reticulum. 2006 , 16, 666-78	18
1424	Combinatorial saturation mutagenesis by in vivo overlap extension for the engineering of fungal laccases. 2006 , 9, 719-27	33
1423	Mutagenic definition of a papain-like catalytic triad, sufficiency of the N-terminal domain for single-site core catalytic enzyme acylation, and C-terminal domain for augmentative metal activation of a eukaryotic phytochelatin synthase. 2006 , 141, 858-69	58
1422	Site-directed antibodies against the stem region reveal low pH-induced conformational changes of the Semliki Forest virus fusion protein. 2006 , 80, 9599-607	10
1421	Clustering of protein structures using hydrophobic free energy and solvent accessibility of proteins. 2006 , 73, 031920	41
1420	Characterization and function analysis of a cold-induced AmCIP gene encoding a dehydrin-like protein in <i>Ammopiptanthus mongolicus</i> . 2006 , 17, 342-9	15
1419	Identification of a novel NADH-specific aldo-keto reductase using sequence and structural homologies. 2006 , 400, 105-14	33
1418	CYP153A6, a soluble P450 oxygenase catalyzing terminal-alkane hydroxylation. 2006 , 188, 5220-7	103
1417	A novel CRM1-dependent nuclear export signal in adenoviral E1A protein regulated by phosphorylation. 2006 , 20, 2603-5	10
1416	Topology and boundaries of the aerotaxis receptor Aer in the membrane of <i>Escherichia coli</i> . 2006 , 188, 894-901	27
1415	ANGLE: a sequencing errors resistant program for predicting protein coding regions in unfinished cDNA. 2006 , 4, 649-64	51
1414	Protein structural motif prediction in multidimensional phi-psi space leads to improved secondary structure prediction. 2006 , 13, 1489-502	37
1413	The U-box protein CMPG1 is required for efficient activation of defense mechanisms triggered by multiple resistance genes in tobacco and tomato. 2006 , 18, 1067-83	155
1412	PROTEIN SECONDARY STRUCTURE PREDICTION USING SUPPORT VECTOR MACHINES AND A NEW FEATURE REPRESENTATION. 2006 , 06, 551-567	9
1411	Transmembrane transport of endo- and xenobiotics by mammalian ATP-binding cassette multidrug resistance proteins. 2006 , 86, 849-99	621
1410	Protein multiple alignment incorporating primary and secondary structure information. 2006 , 13, 1735-48	2

1409	Protein Multiple Alignment Incorporating Primary and Secondary Structure Information. 2006 , 13, 1615-1629	4
1408	A comprehensive structure-based alignment of prokaryotic and eukaryotic neurotransmitter/Na ⁺ symporters (NSS) aids in the use of the LeuT structure to probe NSS structure and function. 2006 , 70, 1630-42	232
1407	Improving the sensitivity and specificity of protein homology search by incorporating predicted secondary structures. 2006 , 4, 709-20	1
1406	References. 2007 , 238-257	
1405	Alpha-helical topology and tertiary structure prediction in globular proteins. 2007 ,	
1404	RUN-CBFbeta interaction in <i>C. elegans</i> : computational prediction and experimental verification. 2007 , 24, 343-58	1
1403	A structural model for duck hepatitis B virus core protein derived by extensive mutagenesis. 2007 , 81, 13218-29	17
1402	Identification of regions critically affecting kinetics and allosteric regulation of the <i>Escherichia coli</i> ADP-glucose pyrophosphorylase by modeling and pentapeptide-scanning mutagenesis. 2007 , 189, 5325-33	35
1401	Mapping of the proinflammatory domains of MspTL of <i>Treponema lecithinolyticum</i> . 2007 , 153, 2386-2392	8
1400	The structure of a putative scaffolding protein of immature poxvirus particles as determined by electron microscopy suggests similarity with capsid proteins of large icosahedral DNA viruses. 2007 , 81, 11075-83	17
1399	Identification of amino acid residues of <i>Salmonella</i> SlyA that are critical for transcriptional regulation. 2007 , 153, 548-60	25
1398	The pestivirus glycoprotein Erns is anchored in plane in the membrane via an amphipathic helix. 2007 , 282, 32730-41	36
1397	Consensus sequences improve PSI-BLAST through mimicking profile-profile alignments. 2007 , 35, 2238-46	8
1396	Inferring function using patterns of native disorder in proteins. 2007 , 3, e162	104
1395	Superfamily assignments for the yeast proteome through integration of structure prediction with the gene ontology. 2007 , 5, e76	42
1394	PFRES: protein fold classification by using evolutionary information and predicted secondary structure. 2007 , 23, 2843-50	99
1393	Solving large protein secondary structure classification problems by a nonlinear complementarity algorithm with {0, 1} variables. 2007 , 22, 25-49	8
1392	Bioinformatics approaches for disulfide connectivity prediction. 2007 , 8, 243-60	14

1391	Sequence Data Mining. 2007,	6
1390	PROMALS web server for accurate multiple protein sequence alignments. 2007, 35, W649-52	54
1389	Draft crystal structure of the vault shell at 9-A resolution. 2007, 5, e318	36
1388	Computer-assisted protein domain boundary prediction using the DomPred server. 2007, 8, 181-8	45
1387	Sequence harmony: detecting functional specificity from alignments. 2007, 35, W495-8	31
1386	GANNPhos: a new phosphorylation site predictor based on a genetic algorithm integrated neural network. 2007, 20, 405-12	50
1385	XtalPred: a web server for prediction of protein crystallizability. 2007, 23, 3403-5	219
1384	NetCGlyc 1.0: prediction of mammalian C-mannosylation sites. 2007, 17, 868-76	137
1383	Recent Advances in Disulfide Connectivity Predictions. 2007, 2, 31-47	1
1382	Local Protein Structures. 2007, 2, 165-202	64
1381	Bacterial DUF199/COG1481 proteins including sporulation regulator WhiA are distant homologs of LAGLIDADG homing endonucleases that retained only DNA binding. 2007, 6, 1666-70	21
1380	DISTILL: A MACHINE LEARNING APPROACH TO AB INITIO PROTEIN STRUCTURE PREDICTION. 2007, 153-181	9
1379	Ant Colony Optimization Methodfor Multiple Sequence Alignment. 2007,	
1378	The human checkpoint sensor Rad9-Rad1-Hus1 interacts with and stimulates DNA repair enzyme TDG glycosylase. 2007, 35, 6207-18	55
1377	Automated alphabet reduction method with evolutionary algorithms for protein structure prediction. 2007,	27
1376	A new expression system for protein crystallization using trimeric coiled-coil adaptors. 2008, 21, 11-8	30
1375	A Decade of Computing to Traverse the Labyrinth of Protein Domains. 2007, 2, 113-131	11
1374	Heterologous expression and activity of Ptr ToxB from virulent and avirulent isolates of <i>Pyrenophora tritici-repentis</i> . 2007, 29, 232-242	22

1373	Identification of HI-like loop in CELO adenovirus fiber for incorporation of receptor binding motifs. 2007 , 81, 9641-52	11
1372	Proportion of solvent-exposed amino acids in a protein and rate of protein evolution. 2007 , 24, 1005-11	73
1371	Improvement in fold recognition accuracy of a reduced-state-space Hidden Markov Model by using secondary structure information in scoring. 2007 , 2007, 5013-6	1
1370	Structural insight into repair of alkylated DNA by a new superfamily of DNA glycosylases comprising HEAT-like repeats. 2007 , 35, 2451-9	26
1369	Mapping and structural analysis of B-cell epitopes on the morbillivirus nucleoprotein amino terminus. 2007 , 88, 1231-1242	12
1368	Dissection of double-stranded RNA binding protein B2 from betanodavirus. 2007 , 81, 5449-59	30
1367	Predicting disulfide connectivity from protein sequence using multiple sequence feature vectors and secondary structure. 2007 , 23, 3147-54	60
1366	The lipodystrophy protein seipin is found at endoplasmic reticulum lipid droplet junctions and is important for droplet morphology. 2007 , 104, 20890-5	434
1365	QOMA: quasi-optimal multiple alignment of protein sequences. 2007 , 23, 162-8	4
1364	PROMALS: towards accurate multiple sequence alignments of distantly related proteins. 2007 , 23, 802-8	262
1363	A novel endoglycoceramidase hydrolyzes oligogalactosylceramides to produce galactooligosaccharides and ceramides. 2007 , 282, 11386-96	45
1362	Consensus Data Mining (CDM) Protein Secondary Structure Prediction Server: combining GOR V and Fragment Database Mining (FDM). 2007 , 23, 2628-30	23
1361	PrDOS: prediction of disordered protein regions from amino acid sequence. 2007 , 35, W460-4	537
1360	The coactivator function of Arabidopsis NPR1 requires the core of its BTB/POZ domain and the oxidation of C-terminal cysteines. 2006 , 18, 3670-85	184
1359	Amino Acid Features for Prediction of Protein-Protein Interface Residues with Support Vector Machines. 2007 , 187-196	1
1358	Multimerization of human cytomegalovirus regulatory protein UL69 via a domain that is conserved within its herpesvirus homologues. 2007 , 88, 405-410	26
1357	Topology of AspT, the aspartate:alanine antiporter of Tetragenococcus halophilus, determined by site-directed fluorescence labeling. 2007 , 189, 7089-97	15
1356	A Feature Selection Algorithm Based on Graph Theory and Random Forests for Protein Secondary Structure Prediction. 2007 , 590-600	

1355	The <i>Moraxella catarrhalis</i> autotransporter McaP is a conserved surface protein that mediates adherence to human epithelial cells through its N-terminal passenger domain. 2007 , 75, 314-24	51
1354	Intramolecular interaction in the tail of <i>Acanthamoeba</i> myosin IC between the SH3 domain and a putative pleckstrin homology domain. 2007 , 104, 784-9	14
1353	Pcons.net: protein structure prediction meta server. 2007 , 35, W369-74	50
1352	Protein Fold Recognition Based on Distant Homologs. 351-388	1
1351	De Novo Structure Prediction: Methods and Applications. 389-418	1
1350	Exploring alternative knowledge representations for protein secondary-structure prediction. 2007 , 1, 286-313	3
1349	T-B+NK+ severe combined immunodeficiency caused by complete deficiency of the CD3zeta subunit of the T-cell antigen receptor complex. 2007 , 109, 3198-206	68
1348	Prediction of Protein Secondary Structure with two-stage multi-class SVMs. 2007 , 1, 248-69	18
1347	Avl9p, a member of a novel protein superfamily, functions in the late secretory pathway. 2007 , 18, 1203-19	36
1346	Putative type IV secretion genes in <i>Bacillus anthracis</i> . 2007 , 15, 191-5	13
1345	Identification, cloning and sequencing of two major venom proteins from the box jellyfish, <i>Chironex fleckeri</i> . 2007 , 50, 850-60	98
1344	Expression, purification, and characterization of an aminopeptidase (Xac2987) with broad specificity from <i>Xanthomonas axonopodis</i> pv. <i>citri</i> . 2007 , 52, 117-22	1
1343	Differential activation of polymorphisms of the formyl peptide receptor by formyl peptides. 2007 , 1772, 1085-92	5
1342	Association of vasoactive intestinal peptide with polymer-grafted liposomes: structural aspects for pulmonary delivery. 2007 , 1768, 705-14	35
1341	Trans-splicing of an artificially split fungal mini-intein. 2007 , 355, 830-4	14
1340	Accurate prediction of the <i>Aspergillus nidulans</i> terrequinone gene cluster boundaries using the transcriptional regulator LaeA. 2007 , 44, 1134-45	87
1339	Proteomic and transcriptional analyses of coral larvae newly engaged in symbiosis with dinoflagellates. 2007 , 2, 63-73	24
1338	The NMR structure of the gpU tail-terminator protein from bacteriophage lambda: identification of sites contributing to Mg(II)-mediated oligomerization and biological function. <i>Journal of Molecular Biology</i> , 2007 , 365, 175-86	6.5 27

1337	Crystal structure of the human carboxypeptidase N (kininase I) catalytic domain. <i>Journal of Molecular Biology</i> , 2007 , 366, 504-16	6.5	31
1336	Structural characterisation of the insecticidal toxin XptA1, reveals a 1.15 MDa tetramer with a cage-like structure. <i>Journal of Molecular Biology</i> , 2007 , 366, 1558-68	6.5	31
1335	Phosphorylation-dependent conformational transition of the cardiac specific N-extension of troponin I in cardiac troponin. <i>Journal of Molecular Biology</i> , 2007 , 373, 706-22	6.5	73
1334	Negatively charged phospholipid membranes induce amyloid formation of medin via an alpha-helical intermediate. <i>Journal of Molecular Biology</i> , 2007 , 374, 186-94	6.5	29
1333	Molecular basis of the Tfs1/Ira2 interaction: a combined protein engineering and molecular modelling study. <i>Journal of Molecular Biology</i> , 2007 , 374, 604-17	6.5	8
1332	Application of complex demodulation on bZIP and bHLH-PAS protein domains. 2007 , 207, 204-18		2
1331	A conserved structural module regulates transcriptional responses to diverse stress signals in bacteria. 2007 , 27, 793-805		121
1330	Protein translocation into peroxisomes by ring-shaped import receptors. 2007 , 581, 4795-802		20
1329	Mutations in the KIAA0196 gene at the SPG8 locus cause hereditary spastic paraplegia. 2007 , 80, 152-61		141
1328	Three-dimensional structure of HIV-1 VIF constructed by comparative modeling and the function characterization analyzed by molecular dynamics simulation. 2007 , 5, 617-26		27
1327	Prediction of subcellular localization of eukaryotic proteins using position-specific profiles and neural network with weighted inputs. 2007 , 34, 1080-7		10
1326	Predicting peptide bond conformation using feature selection and the Naïve Bayes approach. 2007 , 2007, 5009-12		2
1325	Selected Contributions in Data Analysis and Classification. 2007 ,		3
1324	Algorithms in Bioinformatics. 2007 ,		1
1323	LOMETS: a local meta-threading-server for protein structure prediction. 2007 , 35, 3375-82		626
1322	To be or not to be: predicting soluble SecAs as membrane proteins. 2007 , 6, 168-79		13
1321	Improved Prediction of Relative Solvent Accessibility Using Two-stage Support Vector Regression. 2007 ,		
1320	Prediction of Protein Structural Class Using PSI-BLAST Profile Based Collocation of Amino Acid Pairs. 2007 ,		1

1319	Protein secondary structure prediction with high accuracy using Support Vector Machine. 2007,	
1318	Protein Secondary Structure Prediction Using Genetic Neural Support Vector Machines. 2007,	2
1317	Cascaded bidirectional recurrent neural networks for protein secondary structure prediction. 2007, 4, 572-582	27
1316	QOMA2: Optimizing the alignment of many sequences. 2007,	
1315	A grid-enabled protein secondary structure predictor. 2007, 6, 124-30	6
1314	Evolutionary Computation, Machine Learning and Data Mining in Bioinformatics. 2007,	2
1313	Acyl carrier protein phosphodiesterase (AcpH) of Escherichia coli is a non-canonical member of the HD phosphatase/phosphodiesterase family. 2007, 46, 129-36	20
1312	R990G polymorphism of calcium-sensing receptor does produce a gain-of-function and predispose to primary hypercalciuria. 2007, 71, 1155-62	97
1311	Surface accessibility of protein post-translational modifications. 2007, 6, 1833-45	64
1310	Cloning and molecular characterization of three arylamine N-acetyltransferase genes from Bacillus anthracis: identification of unusual enzymatic properties and their contribution to sulfamethoxazole resistance. 2007, 46, 7069-78	37
1309	Trends of amino acid usage in the proteins from the human genome. 2007, 25, 55-9	13
1308	Structural and thermodynamic characterization of the Escherichia coli RelBE toxin-antitoxin system: indication for a functional role of differential stability. 2007, 46, 12152-63	28
1307	Data Mining in Biomedicine. 2007,	27
1306	Functional analysis of the carboxy-terminal region of Bacillus subtilis TnrA, a MerR family protein. 2007, 189, 20-7	17
1305	Improving the accuracy of transmembrane protein topology prediction using evolutionary information. 2007, 23, 538-44	355
1304	Structure and function of transmembrane segment XII in osmosensor and osmoprotectant transporter ProP of Escherichia coli. 2007, 46, 5647-55	18
1303	Pattern Recognition in Bioinformatics. 2007,	1
1302	Research in Computational Molecular Biology. 2007,	1

1301	Computational Methods for Protein Structure Prediction and Modeling. 2007,	5
1300	NMR studies in dodecylphosphocholine of a fragment containing the seventh transmembrane helix of a G-protein-coupled receptor from <i>Saccharomyces cerevisiae</i> . 2007, 93, 467-82	29
1299	Current Methods for Protein Secondary-Structure Prediction Based on Support Vector Machines. 1-26	
1298	Protein Structure Prediction using String Kernels. 145-168	1
1297	Browning in <i>Annona cherimola</i> fruit: role of polyphenol oxidase and characterization of a coding sequence of the enzyme. 2007, 55, 9208-18	24
1296	Bioinformatics. 2007, 315-347	1
1295	Plant carbohydrate scavenging through tonB-dependent receptors: a feature shared by phytopathogenic and aquatic bacteria. 2007, 2, e224	236
1294	Model structure of human APOBEC3G. 2007, 2, e378	43
1293	Predicci3n computacional de la estructura terciaria de la iduronato 2-sulfato sulfatasa humana. 2007, 27, 7	13
1292	cDNA cloning and transcriptional expression of a peritrophin-like gene in the Hessian fly, <i>Mayetiola destructor</i> [Say]. 2007, 64, 19-29	14
1291	Protein structure prediction aided by geometrical and probabilistic constraints. 2007, 28, 1943-52	5
1290	A method for protein accessibility prediction based on residue types and conformational states. 2007, 31, 384-8	1
1289	VHL protein alterations in sporadic renal cell carcinoma. 2007, 19, 784-9	5
1288	The N-terminal region of the starch-branching enzyme from <i>Phaseolus vulgaris</i> L. is essential for optimal catalysis and structural stability. 2007, 68, 1367-75	9
1287	Fold-recognition and comparative modeling of human beta3GalT I, II, IV, V and VI and beta3GalNAcT I: prediction of residues conferring acceptor substrate specificity. 2007, 26, 255-68	2
1286	A generalized analysis of hydrophobic and loop clusters within globular protein sequences. 2007, 7, 2	44
1285	Prediction of flexible/rigid regions from protein sequences using k-spaced amino acid pairs. 2007, 7, 25	81
1284	Realm of PD-(D/E)XK nuclease superfamily revisited: detection of novel families with modified transitive meta profile searches. 2007, 7, 40	44

1283	Ab initio modeling of small proteins by iterative TASSER simulations. 2007 , 5, 17	378
1282	A third type of hydrogenase catalyzing H ₂ activation. 2007 , 7, 37-46	235
1281	Modelling of the ABL and ARG proteins predicts two functionally critical regions that are natively unfolded. 2007 , 67, 1-11	4
1280	Analysis of chameleon sequences and their implications in biological processes. 2007 , 67, 548-58	48
1279	Exploring the conformational space of protein loops using a mean field technique with MOLS sampling. 2007 , 67, 908-21	9
1278	The N- and C-termini of the human Nogo molecules are intrinsically unstructured: bioinformatics, CD, NMR characterization, and functional implications. 2007 , 68, 100-8	35
1277	Drug block of the hERG potassium channel: insight from modeling. 2007 , 68, 568-80	87
1276	Real-SPINE: an integrated system of neural networks for real-value prediction of protein structural properties. 2007 , 68, 76-81	65
1275	Prediction of folding transition-state position (betaT) of small, two-state proteins from local secondary structure content. 2007 , 68, 218-22	8
1274	Fold recognition by concurrent use of solvent accessibility and residue depth. 2007 , 68, 636-45	76
1273	A model of restriction endonuclease MvaI in complex with DNA: a template for interpretation of experimental data and a guide for specificity engineering. 2007 , 68, 324-36	12
1272	The relationship between n-gram patterns and protein secondary structure. 2007 , 68, 830-8	13
1271	Protein homology detection and fold inference through multiple alignment entropy profiles. 2008 , 70, 248-56	11
1270	Quantifying the relationship of protein burying depth and sequence. 2008 , 70, 509-16	17
1269	High incidence of ubiquitin-like domains in human ubiquitin-specific proteases. 2007 , 69, 1-7	44
1268	Assessment of predictions submitted for the CASP7 domain prediction category. 2007 , 69 Suppl 8, 137-51	36
1267	RosettaDock in CAPRI rounds 6-12. 2007 , 69, 758-63	26
1266	Template-based modeling and free modeling by I-TASSER in CASP7. 2007 , 69 Suppl 8, 108-17	368

1265	Fams-ace: a combined method to select the best model after remodeling all server models. 2007 , 69 Suppl 8, 98-107	23
1264	Remote homology detection of integral membrane proteins using conserved sequence features. 2008 , 71, 1387-99	9
1263	Probing of contacts between EcoRII DNA methyltransferase and DNA with the use of substrate analogs and molecular modeling. 2007 , 41, 806-819	1
1262	Structural framework for DNA translocation via the viral portal protein. 2007 , 26, 1984-94	179
1261	The DIX domain of Dishevelled confers Wnt signaling by dynamic polymerization. 2007 , 14, 484-92	309
1260	Membrane cell fusion activity of the vaccinia virus A17-A27 protein complex. 2008 , 10, 149-64	32
1259	The solution structure of the periplasmic domain of the TonB system ExbD protein reveals an unexpected structural homology with siderophore-binding proteins. 2007 , 66, 872-89	37
1258	Molecular identification of 26 syntaxin genes and their assignment to the different trafficking pathways in Paramecium. 2007 , 8, 523-42	38
1257	Enzymatic characterization of starch synthase III from kidney bean (<i>Phaseolus vulgaris</i> L.). 2007 , 274, 4550-60	15
1256	The intracellular region of the Notch ligand Jagged-1 gains partial structure upon binding to synthetic membranes. 2007 , 274, 5325-36	21
1255	Targeting HIV-1 through molecular modeling and docking studies of CXCR4: leads for therapeutic development. 2007 , 69, 191-203	18
1254	Accurate prediction of protein secondary structure and solvent accessibility by consensus combiners of sequence and structure information. 2007 , 8, 201	84
1253	Applying negative rule mining to improve genome annotation. 2007 , 8, 261	11
1252	Prediction of the burial status of transmembrane residues of helical membrane proteins. 2007 , 8, 302	33
1251	A comprehensive system for evaluation of remote sequence similarity detection. 2007 , 8, 314	19
1250	Benchmarking consensus model quality assessment for protein fold recognition. 2007 , 8, 345	64
1249	An evolutionary method for learning HMM structure: prediction of protein secondary structure. 2007 , 8, 357	35
1248	Glycosylation site prediction using ensembles of Support Vector Machine classifiers. 2007 , 8, 438	109

1247	Structural and evolutionary bioinformatics of the SPOUT superfamily of methyltransferases. 2007 , 8, 73	120
1246	Learning biophysically-motivated parameters for alpha helix prediction. 2007 , 8 Suppl 5, S3	2
1245	Adaptive evolution of multiple-variable exons and structural diversity of drug-metabolizing enzymes. 2007 , 7, 69	31
1244	Comparative analysis of cyanobacterial superoxide dismutases to discriminate canonical forms. 2007 , 8, 435	65
1243	Identification of two novel frameshift mutations in the KCNJ11 gene in two Italian patients affected by Congenital Hyperinsulinism of Infancy. 2007 , 83, 59-64	6
1242	Modular structure of the full-length DNA gyrase B subunit revealed by small-angle X-ray scattering. 2007 , 15, 329-39	30
1241	Structural and functional characterization of the aryl hydrocarbon receptor ligand binding domain by homology modeling and mutational analysis. 2007 , 46, 696-708	97
1240	Structural models for the KCNQ1 voltage-gated potassium channel. 2007 , 46, 14141-52	82
1239	Local quality assessment in homology models using statistical potentials and support vector machines. 2007 , 16, 1557-68	33
1238	Toward rational protein crystallization: A Web server for the design of crystallizable protein variants. 2007 , 16, 1569-76	205
1237	The challenge of protein structure determination--lessons from structural genomics. 2007 , 16, 2472-82	106
1236	CheckShift: automatic correction of inconsistent chemical shift referencing. 2007 , 39, 223-7	22
1235	Genome and proteome characterization of the psychrophilic Flavobacterium bacteriophage 11b. 2007 , 11, 95-104	27
1234	Characterization of cofactor-dependent and cofactor-independent phosphoglycerate mutases from Archaea. 2007 , 11, 647-57	20
1233	"Pinning strategy": a novel approach for predicting the backbone structure in terms of protein blocks from sequence. 2007 , 32, 51-70	24
1232	Using pseudo amino acid composition to predict protein subnuclear localization: Approached with PSSM. 2007 , 28, 1610-1615	96
1231	Stalking metal-linked dimers. 2008 , 102, 522-31	6
1230	Elucidation of active site residues of Arabidopsis thaliana flavonol synthase provides a molecular platform for engineering flavonols. 2008 , 69, 66-75	36

1229	Structure and denaturation of 4-chlorobenzoyl coenzyme A dehalogenase from <i>Arthrobacter</i> sp. strain TM-1. 2008 , 19, 65-75	8
1228	Prediction of the beta-hairpins in proteins using support vector machine. 2008 , 27, 115-22	22
1227	On the relation between the predicted secondary structure and the protein size. 2008 , 27, 234-9	3
1226	Fast and accurate methods for predicting short-range constraints in protein models. 2008 , 22, 783-8	
1225	Substrate specificity of gamma-secretase and other intramembrane proteases. 2008 , 65, 1311-34	229
1224	Cloning and characterization of the <i>Thcut1</i> gene encoding a cutinase of <i>Trichoderma harzianum</i> T34. 2008 , 54, 301-12	25
1223	PRINTR: prediction of RNA binding sites in proteins using SVM and profiles. 2008 , 35, 295-302	53
1222	Secondary structure-based assignment of the protein structural classes. 2008 , 35, 551-64	49
1221	DPROT: prediction of disordered proteins using evolutionary information. 2008 , 35, 599-605	10
1220	Use of tetrapeptide signals for protein secondary-structure prediction. 2008 , 35, 607-14	28
1219	A novel <i>WFS1</i> mutation in a family with dominant low frequency sensorineural hearing loss with normal VEMP and EcochG findings. 2008 , 9, 48	13
1218	Alternating evolutionary pressure in a genetic algorithm facilitates protein model selection. 2008 , 8, 34	12
1217	Contact prediction in protein modeling: scoring, folding and refinement of coarse-grained models. 2008 , 8, 36	13
1216	Expression of sterol regulatory element-binding transcription factor (SREBF) 2 and SREBF cleavage-activating protein (SCAP) in human atheroma and the association of their allelic variants with sudden cardiac death. 2008 , 6, 17	9
1215	Molecular replacement using ab initio polyalanine models generated with ROSETTA. 2008 , 64, 1288-91	29
1214	Phage display-derived inhibitor of the essential cell wall biosynthesis enzyme MurF. 2008 , 9, 33	19
1213	Mutational analysis of betaCOP (Sec26p) identifies an appendage domain critical for function. 2008 , 9, 3	9
1212	Nifs and Sufs in malaria. 2001 , 41, 973-81	82

1211	Dopamine transporter comparative molecular modeling and binding site prediction using the LeuT(Aa) leucine transporter as a template. 2008 , 70, 1033-46	69
1210	QMEAN: A comprehensive scoring function for model quality assessment. 2008 , 71, 261-77	724
1209	Structure-function relationships in the 2-oxo acid dehydrogenase family: substrate-specific signatures and functional predictions for the 2-oxoglutarate dehydrogenase-like proteins. 2008 , 71, 874-90	63
1208	Identification of GATC- and CCGG-recognizing Type II REases and their putative specificity-determining positions using Scan2S--a novel motif scan algorithm with optional secondary structure constraints. 2008 , 71, 631-40	2
1207	Ordered conformational change in the protein backbone: prediction of conformationally variable positions from sequence and low-resolution structural data. 2008 , 72, 74-87	20
1206	Analysis and prediction of protein local structure based on structure alphabets. 2008 , 72, 163-72	10
1205	Prediction of protein structure from ideal forms. 2008 , 70, 1610-9	27
1204	PSLDoc: Protein subcellular localization prediction based on gapped-dipeptides and probabilistic latent semantic analysis. 2008 , 72, 693-710	38
1203	MUSTER: Improving protein sequence profile-profile alignments by using multiple sources of structure information. 2008 , 72, 547-56	301
1202	fRMSDPred: predicting local RMSD between structural fragments using sequence information. 2008 , 72, 1005-18	13
1201	Scan2S: increasing the precision of PROSITE pattern motifs using secondary structure constraints. 2008 , 72, 1138-47	1
1200	Improved sequence-based prediction of protein secondary structures by combining vacuum-ultraviolet circular dichroism spectroscopy with neural network. 2008 , 73, 104-12	25
1199	Constructing templates for protein structure prediction by simulation of protein folding pathways. 2008 , 73, 380-94	8
1198	Threading without optimizing weighting factors for scoring function. 2008 , 73, 581-96	10
1197	Prediction of protein structural class using novel evolutionary collocation-based sequence representation. 2008 , 29, 1596-604	119
1196	Using support vector machine to predict beta- and gamma-turns in proteins. 2008 , 29, 1867-75	29
1195	Isolation, purification and characterization of hemerythrin from <i>Methylococcus capsulatus</i> (Bath). 2008 , 102, 1607-14	32
1194	Modeling and experimental analyses reveal a two-domain structure and amino acids important for the activity of aminoglycoside resistance methyltransferase Sgm. 2008 , 1784, 582-90	14

1193	Biochemical and structural characterization of the hypoxanthine-guanine-xanthine phosphoribosyltransferase from <i>Pyrococcus horikoshii</i> . 2008 , 1784, 953-60	6
1192	TMBETADISC-RBF: Discrimination of beta-barrel membrane proteins using RBF networks and PSSM profiles. 2008 , 32, 227-31	67
1191	Molecular modeling and dynamics simulations of PNP from <i>Streptococcus agalactiae</i> . 2008 , 16, 4984-93	32
1190	Understanding protein folding: small proteins in silico. 2008 , 1784, 252-8	20
1189	Protein secondary structure prediction using distance based classifiers. 2008 , 47, 37-44	14
1188	Aligning sequences to structures. 2008 , 413, 61-90	2
1187	Protein structure prediction using threading. 2008 , 413, 91-121	25
1186	Hidden Markov Models for prediction of protein features. 2008 , 413, 173-98	10
1185	Scoring functions for de novo protein structure prediction revisited. 2008 , 413, 243-81	8
1184	Estimating the length of transmembrane helices using Z-coordinate predictions. 2008 , 17, 271-8	23
1183	Implications of secondary structure prediction and amino acid sequence comparison of class I and class II phosphoribosyl diphosphate synthases on catalysis, regulation, and quaternary structure. 2001 , 10, 2317-24	19
1182	Bioinformatic Tools, Resources, and Strategies for Comparative Structural Studies of Food Allergens. 2008 , 322-356	
1181	The role of proline residues in the structure and function of human MT2 melatonin receptor. 2008 , 45, 361-72	17
1180	Structural models and binding site prediction of the C-terminal domain of human Hsp90: a new target for anticancer drugs. 2008 , 71, 420-433	20
1179	Structure-function analysis of the filamentous actin binding domain of the neuronal scaffolding protein spinophilin. 2008 , 275, 59-68	8
1178	piggyBac can bypass DNA synthesis during cut and paste transposition. 2008 , 27, 1097-109	163
1177	The HSA domain binds nuclear actin-related proteins to regulate chromatin-remodeling ATPases. 2008 , 15, 469-76	154
1176	Plasticity of the PAS domain and a potential role for signal transduction in the histidine kinase DcuS. 2008 , 15, 1031-9	77

1175	Defining the TRiC/CCT interactome links chaperonin function to stabilization of newly made proteins with complex topologies. 2008 , 15, 1255-62	245
1174	SCWRL and MolIDE: computer programs for side-chain conformation prediction and homology modeling. 2008 , 3, 1832-47	141
1173	The PhoQ histidine kinases of <i>Salmonella</i> and <i>Pseudomonas</i> spp. are structurally and functionally different: evidence that pH and antimicrobial peptide sensing contribute to mammalian pathogenesis. 2008 , 69, 503-19	37
1172	Molecular cloning and characterization of four novel LMW glutenin subunit genes from <i>Aegilops longissima</i> , <i>Triticum dicoccoides</i> and <i>T. zhukovskyi</i> . 2008 , 145, 92-8	32
1171	Evolution of the long terminal repeat and accessory genes of feline immunodeficiency virus genomes from naturally infected cougars. 2008 , 370, 55-62	2
1170	Mapping the domain structure of the influenza A virus polymerase acidic protein (PA) and its interaction with the basic protein 1 (PB1) subunit. 2008 , 379, 135-42	32
1169	SCPRED: accurate prediction of protein structural class for sequences of twilight-zone similarity with predicting sequences. 2008 , 9, 226	109
1168	Combining sequence-based prediction methods and circular dichroism and infrared spectroscopic data to improve protein secondary structure determinations. 2008 , 9, 24	6
1167	Impact of residue accessible surface area on the prediction of protein secondary structures. 2008 , 9, 357	25
1166	Sequence based residue depth prediction using evolutionary information and predicted secondary structure. 2008 , 9, 388	29
1165	MetaMQAP: a meta-server for the quality assessment of protein models. 2008 , 9, 403	147
1164	Prediction of beta-turns at over 80% accuracy based on an ensemble of predicted secondary structures and multiple alignments. 2008 , 9, 430	37
1163	A dynamic Bayesian network approach to protein secondary structure prediction. 2008 , 9, 49	44
1162	Prediction of glycosylation sites using random forests. 2008 , 9, 500	147
1161	ESLpred2: improved method for predicting subcellular localization of eukaryotic proteins. 2008 , 9, 503	41
1160	VirulentPred: a SVM based prediction method for virulent proteins in bacterial pathogens. 2008 , 9, 62	172
1159	Validation of protein models by a neural network approach. 2008 , 9, 66	22
1158	Using neural networks and evolutionary information in decoy discrimination for protein tertiary structure prediction. 2008 , 9, 94	10

1157	Real value prediction of protein solvent accessibility using enhanced PSSM features. 2008 , 9 Suppl 12, S12	20
1156	The value of position-specific scoring matrices for assessment of protein allergenicity. 2008 , 9 Suppl 12, S21	5
1155	Sub-grouping and sub-functionalization of the RIFIN multi-copy protein family. 2008 , 9, 19	66
1154	Phylogenetic distribution and membrane topology of the LytR-CpsA-Psr protein family. 2008 , 9, 617	56
1153	An evolutionary and structural characterization of mammalian protein complex organization. 2008 , 9, 629	18
1152	Lsa21, a novel leptospiral protein binding adhesive matrix molecules and present during human infection. 2008 , 8, 70	80
1151	The transmembrane topology of Batten disease protein CLN3 determined by consensus computational prediction constrained by experimental data. 2008 , 582, 1019-24	35
1150	Determinants governing the CYP74 catalysis: conversion of allene oxide synthase into hydroperoxide lyase by site-directed mutagenesis. 2008 , 582, 3423-8	33
1149	The F658G substitution in <i>Saccharomyces cerevisiae</i> cohesin Irr1/Scs3 is semi-dominant in the diploid and disturbs mitosis, meiosis and the cell cycle. 2008 , 87, 831-44	2
1148	Isolation and temporal endospermal expression of Ekaflin gene of grain sorghum (<i>Sorghum bicolor</i> L. moench) var. M 35-1 for introgression analysis of transgene. 2008 , 48, 808-815	9
1147	De novo high-resolution protein structure determination from sparse spin-labeling EPR data. 2008 , 16, 181-95	102
1146	Iterative assembly of helical proteins by optimal hydrophobic packing. 2008 , 16, 1257-66	10
1145	Genome pool strategy for structural coverage of protein families. 2008 , 16, 1659-67	12
1144	Expression and biochemical characterization of the <i>Plasmodium falciparum</i> DNA repair enzyme, flap endonuclease-1 (PFFEN-1). 2008 , 157, 1-12	8
1143	Insights into the interaction of sortilin with proneurotrophins: a computational approach. 2008 , 42, 205-14	17
1142	Multiple sequence alignment. 2008 , 452, 143-61	12
1141	Rule Extraction from SVM for Protein Structure Prediction. 2008 , 227-252	3
1140	A general target selection method for crystallographic proteomics. 2008 , 426, 27-35	1

1139	Protein domain prediction. 2008 , 426, 117-43	11
1138	First Steps of Protein Structure Prediction. 2008 , 39-62	
1137	Template Based Prediction of Three-Dimensional Protein Structures: Fold Recognition and Comparative Modeling. 2008 , 87-116	1
1136	Template-Free Predictions of Three-Dimensional Protein Structures: From First Principles to Knowledge-Based Potentials. 2008 , 117-141	1
1135	M-TASSER: an algorithm for protein quaternary structure prediction. 2008 , 94, 918-28	50
1134	Benchmarking of TASSER_2.0: an improved protein structure prediction algorithm with more accurate predicted contact restraints. 2008 , 95, 1956-64	18
1133	Mechanistic studies on ADAMTS13 catalysis. 2008 , 95, 2450-61	19
1132	Secondary structure and compliance of a predicted flexible domain in kinesin-1 necessary for cooperation of motors. 2008 , 95, 5216-27	20
1131	Intrinsic curvature properties of photosynthetic proteins in chromatophores. 2008 , 95, 2822-36	69
1130	Molecular modeling-based analysis of interactions in the RFC-dependent clamp-loading process. 2002 , 11, 2403-16	29
1129	The prokaryotic V4R domain is the likely ancestor of a key component of the eukaryotic vesicle transport system. 2008 , 3, 2	21
1128	Position-specific residue preference features around the ends of helices and strands and a novel strategy for the prediction of secondary structures. 2008 , 17, 1505-12	18
1127	How well can the accuracy of comparative protein structure models be predicted?. 2008 , 17, 1881-93	112
1126	A comparative study of the reported performance of ab initio protein structure prediction algorithms. 2008 , 5, 387-96	44
1125	Protein structure prediction. Preface. 2008 , 413, v-vii	8
1124	Natural selection of protein structural and functional properties: a single nucleotide polymorphism perspective. 2008 , 9, R69	46
1123	Machine learning methods for protein structure prediction. 2008 , 1, 41-9	70
1122	Modern Genome Annotation. 2008 ,	3

1121	The Jpred 3 secondary structure prediction server. 2008 , 36, W197-201		1224
1120	Protein Secondary Structure Prediction Based on Ramachandran Maps. 2008 , 204-211		1
1119	Angiotensin-converting enzyme in <i>Spodoptera littoralis</i> : molecular characterization, expression and activity profile during development. 2008 , 38, 166-75		15
1118	Prediction of N-linked glycan branching patterns using artificial neural networks. 2008 , 211, 89-104		10
1117	Crystal structures of the clock protein EA4 from the silkworm <i>Bombyx mori</i> . <i>Journal of Molecular Biology</i> , 2008 , 377, 630-5	6.5	18
1116	Small-angle X-ray scattering reveals the N-terminal domain organization of cardiac myosin binding protein C. <i>Journal of Molecular Biology</i> , 2008 , 377, 1186-99	6.5	55
1115	Insight into DNA and protein transport in double-stranded DNA viruses: the structure of bacteriophage N4. <i>Journal of Molecular Biology</i> , 2008 , 378, 726-36	6.5	79
1114	Multifunctional roles of a bacteriophage phi 29 morphogenetic factor in assembly and infection. <i>Journal of Molecular Biology</i> , 2008 , 378, 804-17	6.5	11
1113	Structural mechanism of transcriptional autorepression of the <i>Escherichia coli</i> RelB/RelE antitoxin/toxin module. <i>Journal of Molecular Biology</i> , 2008 , 380, 107-19	6.5	76
1112	The PMS2 subunit of human MutLalpha contains a metal ion binding domain of the iron-dependent repressor protein family. <i>Journal of Molecular Biology</i> , 2008 , 382, 610-27	6.5	51
1111	Direct visualization of asymmetric adenine-nucleotide-induced conformational changes in MutL alpha. 2008 , 29, 112-21		103
1110	Molecular characterization of interleukin-6 in the gilthead seabream (<i>Sparus aurata</i>). 2008 , 45, 3363-70		54
1109	A yeast genetic screen reveals a critical role for the pore helix domain in TRP channel gating. 2008 , 58, 362-73		104
1108	Addition of a polypeptide stretch at the N-terminus improves the expression, stability and solubility of recombinant protein tyrosine phosphatases from <i>Drosophila melanogaster</i> . 2008 , 57, 234-43		7
1107	Expression and purification of human respiratory syncytial virus recombinant fusion protein. 2008 , 62, 146-52		4
1106	Cytochemical and molecular characteristics of the process of cornification during feather morphogenesis. 2008 , 43, 1-69		48
1105	A synthetic peptide encompassing the G5 antigenic region of the rabies virus induces high avidity but poorly neutralizing antibody in immunized animals. 2008 , 26, 6749-53		15
1104	Protein contacts, inter-residue interactions and side-chain modelling. 2008 , 90, 626-39		48

1103	A conserved cysteine motif essential for ceramide kinase function. 2008 , 90, 1560-5	10
1102	A cyanase is transcriptionally regulated by arginine and involved in cyanate decomposition in <i>Sordaria macrospora</i> . 2008 , 45, 1458-69	32
1101	<i>Clostridium scindens</i> baiCD and baiH genes encode stereo-specific 7 α /7 β -hydroxy-3-oxo- Δ 4-cholenoic acid oxidoreductases. 2008 , 1781, 16-25	58
1100	Identification and analysis of novel functional sites in human GD3-synthase. 2008 , 370, 67-71	2
1099	Comparative models of P2X2 receptor support inter-subunit ATP-binding sites. 2008 , 375, 405-9	8
1098	Cloning and functional characterization of the ovine Hormone Sensitive Lipase (HSL) full-length cDNAs: an integrated approach. 2008 , 416, 30-43	10
1097	Characterization of a novel portal protein from deep-sea thermophilic bacteriophage GVE2. 2008 , 421, 61-6	12
1096	Prediction of beta-turns and beta-turn types by a novel bidirectional Elman-type recurrent neural network with multiple output layers (MOLEBRNN). 2008 , 422, 22-9	24
1095	Molecular characterization and responsive expression of a defender against apoptotic cell death homologue from the Hessian fly, <i>Mayetiola destructor</i> . 2008 , 149, 517-23	8
1094	Mapping a molecular link between allosteric inhibition and activation of the glycine receptor. 2008 , 15, 1084-93	28
1093	Novel mutations in the calcium sensing receptor gene in tropical chronic pancreatitis in India. 2008 , 43, 117-21	32
1092	Targeting human DNA polymerase alpha for the inhibition of keratinocyte proliferation. Part 1. Homology model, active site architecture and ligand binding. 2008 , 23, 94-100	7
1091	Extracting decision rules in prediction of protein secondary structure. 2008 ,	
1090	Pruning neural networks for protein secondary structure prediction. 2008 ,	2
1089	Jeeva: Enterprise Grid Enabled Web Portal for Protein Secondary Structure Prediction. 2008 ,	0
1088	Mining Protein Primary Structure Data Using Committee Machines Approach to Predict Protein Contact Map. 2008 ,	
1087	A generative, probabilistic model of local protein structure. 2008 , 105, 8932-7	84
1086	Multiple sequence alignment based on profile alignment of intermediate sequences. 2008 , 15, 767-77	9

1085	De novo refolding and aggregation of insulin in a nonaqueous environment: an inside out protein remake. 2008 , 112, 8744-7	4
1084	Prevalence of intrinsic disorder in the intracellular region of human single-pass type I proteins: the case of the notch ligand Delta-4. 2008 , 7, 2496-506	35
1083	LOCUSTRA: accurate prediction of local protein structure using a two-layer support vector machine approach. 2008 , 48, 1903-8	32
1082	Periplasmic loops of osmosensory transporter ProP in Escherichia coli are sensitive to osmolality. 2008 , 47, 13584-93	21
1081	Mass instability in isolated recombinant FixL heme domains of Bradyrhizobium japonicum. 2008 , 47, 1540-53	6
1080	A Temperature-sensitive mutation in the Arabidopsis thaliana phosphomannomutase gene disrupts protein glycosylation and triggers cell death. 2008 , 283, 5708-18	51
1079	Detergent-associated solution conformations of helical and beta-barrel membrane proteins. 2008 , 112, 13349-54	13
1078	PROMALS3D: a tool for multiple protein sequence and structure alignments. 2008 , 36, 2295-300	919
1077	Identification of an atypical membrane protein involved in the formation of protein disulfide bonds in oxygenic photosynthetic organisms. 2008 , 283, 15762-70	56
1076	Disulfide bond structure and domain organization of yeast beta(1,3)-glucanoyltransferases involved in cell wall biogenesis. 2008 , 283, 18553-65	27
1075	An unusual intrinsically disordered protein from the model legume Lotus japonicus stabilizes proteins in vitro. 2008 , 283, 31142-52	32
1074	Sequence analysis of GerM and SpoVS, uncharacterized bacterial 'sporulation' proteins with widespread phylogenetic distribution. 2008 , 24, 1793-7	25
1073	Stabilization of the pertussis toxin secretion apparatus by the C terminus of PtlD. 2008 , 190, 7285-90	7
1072	Structural analysis reveals an amyloid form of the human papillomavirus type 16 E1-E4 protein and provides a molecular basis for its accumulation. 2008 , 82, 8196-203	32
1071	His-311 and Arg-559 are key residues involved in fatty acid oxygenation in pathogen-inducible oxygenase. 2008 , 283, 24962-71	21
1070	Regulation of the Drosophila hypoxia-inducible factor alpha Sima by CRM1-dependent nuclear export. 2008 , 28, 3410-23	14
1069	A comprehensive assessment of sequence-based and template-based methods for protein contact prediction. 2008 , 24, 924-31	136
1068	Prediction of recursive convex hull class assignments for protein residues. 2008 , 24, 916-23	35

1067	Prediction of protein functional residues from sequence by probability density estimation. 2008 , 24, 613-20	104
1066	The carboxyl-terminal domain of TraR, a Streptomyces HutC family repressor, functions in oligomerization. 2008 , 190, 7164-9	6
1065	Correlation of Amino Acid Physicochemical Properties with Protein Secondary Structure Conformation. 2008 ,	3
1064	Roles for Srp72p in assembly, nuclear export and function of the signal recognition particle. 2008 , 5, 73-83	7
1063	Uncharacterized DUF1574 leptospira proteins are SGNH hydrolases. 2008 , 7, 542-4	4
1062	Radial basis function method for prediction of protein secondary structure. 2008 ,	2
1061	A Grammatical Swarm for protein classification. 2008 ,	4
1060	Prediction of loop regions in protein sequence. 2008 , 6, 1035-47	8
1059	HELIQUEST: a web server to screen sequences with specific alpha-helical properties. 2008 , 24, 2101-2	605
1058	Autophosphorylation-induced degradation of the Pho85 cyclin Pcl5 is essential for response to amino acid limitation. 2008 , 28, 6858-69	13
1057	Characterization of cytochrome 579, an unusual cytochrome isolated from an iron-oxidizing microbial community. 2008 , 74, 4454-62	54
1056	Moraxella catarrhalis synthesizes an autotransporter that is an acid phosphatase. 2008 , 190, 1459-72	11
1055	A carboxyl-terminal sequence in the lutropin beta subunit contributes to the sorting of lutropin to the regulated pathway. 2008 , 283, 11485-92	20
1054	Evidence for a coiled-coil interaction mode of disordered proteins from bacterial type III secretion systems. 2008 , 283, 34062-8	35
1053	Interaction of hepatitis B viral oncoprotein with cellular target HBXIP dysregulates centrosome dynamics and mitotic spindle formation. 2008 , 283, 2793-803	60
1052	Molecular identification of a SNAP-25-like SNARE protein in Paramecium. 2008 , 7, 1387-402	20
1051	Characterization of the periplasmic domain of MotB and implications for its role in the stator assembly of the bacterial flagellar motor. 2008 , 190, 3314-22	36
1050	PREDICT-2ND: a tool for generalized protein local structure prediction. 2008 , 24, 2453-9	31

1049	Design and characterization of a soluble fragment of the extracellular ligand-binding domain of the peptide hormone receptor guanylyl cyclase-C. 2009 , 22, 1-7	5
1048	Knowledge-based computational intelligence development for predicting protein secondary structures from sequences. 2008 , 5, 653-62	4
1047	Rule Extraction from Support Vector Machines. 2008 ,	28
1046	Interaction study of MADS-domain proteins in tomato. 2008 , 59, 2253-65	147
1045	HSEpred: predict half-sphere exposure from protein sequences. 2008 , 24, 1489-97	42
1044	Structural insight into epitopes in the pregnancy-associated malaria protein VAR2CSA. 2008 , 4, e42	67
1043	Accurate statistical model of comparison between multiple sequence alignments. 2008 , 36, 2240-8	16
1042	PROTEUS2: a web server for comprehensive protein structure prediction and structure-based annotation. 2008 , 36, W202-9	49
1041	Evaluation of leptospiral recombinant antigens MPL17 and MPL21 for serological diagnosis of leptospirosis by enzyme-linked immunosorbent assays. 2008 , 15, 1715-22	32
1040	New VAPB deletion variant and exclusion of VAPB mutations in familial ALS. 2008 , 70, 1179-85	43
1039	Characterization of proteins belonging to the CHAP-related superfamily within the Firmicutes. 2008 , 14, 31-40	29
1038	OCTOPUS: improving topology prediction by two-track ANN-based preference scores and an extended topological grammar. 2008 , 24, 1662-8	291
1037	A novel Cas family member, HEPL, regulates FAK and cell spreading. 2008 , 19, 1627-36	57
1036	Accurate sequence-based prediction of catalytic residues. 2008 , 24, 2329-38	64
1035	Structural and evolutionary classification of Type II restriction enzymes based on theoretical and experimental analyses. 2008 , 36, 3552-69	88
1034	Roles of pgaABCD genes in synthesis, modification, and export of the Escherichia coli biofilm adhesin poly-beta-1,6-N-acetyl-D-glucosamine. 2008 , 190, 3670-80	198
1033	Docking of cytochrome c6 and plastocyanin to the aa3-type cytochrome c oxidase in the cyanobacterium Phormidium laminosum. 2008 , 21, 689-98	4
1032	PROMALS3D web server for accurate multiple protein sequence and structure alignments. 2008 , 36, W30-4	119

1031	Interaction of Porphyromonas gingivalis with oral streptococci requires a motif that resembles the eukaryotic nuclear receptor box protein-protein interaction domain. 2008 , 76, 3273-80	58
1030	Designing succinct structural alphabets. 2008 , 24, i182-9	8
1029	Optimizing the size of the sequence profiles to increase the accuracy of protein sequence alignments generated by profile-profile algorithms. 2008 , 24, 1145-53	2
1028	BACK MATTER. 2008 , 179-225	
1027	Chapter 1. Target selection in structural genomics projects to increase knowledge of protein structure and function space. 2008 , 75, 1-52	1
1026	Combining Hydrophobicity with PSSM for Improving Prediction Accuracy of alpha-Helix Using BP Neural Network. 2008 ,	
1025	Attenuation of very virulent infectious bursal disease virus and comparison of full sequences of virulent and attenuated strains. 2008 , 37, 151-9	17
1024	PCI-SS: Web-based human and machine interfaces for protein secondary structure prediction. 2008 ,	
1023	Protein Secondary Structure Prediction Method Based on Neural Networks. 2008 ,	0
1022	Machine Learning for Protein Structure and Function Prediction. 2008 , 41-66	4
1021	A two-stage neural network based technique for protein secondary structure prediction. 2008 , 2008, 1355-8	3
1020	Influence of encoding scheme on protein secondary structure prediction. 2008 ,	
1019	Protein Fold Recognition and Threading. 2008 , 37-60	9
1018	Combining Physico-chemical Properties with PSSM for Protein Secondary Structure Prediction Using BP Neural Network. 2008 ,	
1017	Identification of a thermo-regulated glutamine-binding protein from Yersinia pestis. 2008 , 15, 887-94	
1016	Combining classifiers for HIV-1 drug resistance prediction. 2008 , 15, 435-42	5
1015	Characterization of non-trivial neighborhood fold constraints from protein sequences using generalized topohydrophobicity. 2008 , 2, 47-66	2
1014	Genetic polymorphisms in cytochrome P450 oxidoreductase influence microsomal P450-catalyzed drug metabolism. 2008 , 18, 11-24	76

1013	. 2008,	6
1012	Comparison of predicted binders in <i>Rhipicephalus (Boophilus) microplus</i> intestine protein variants Bm86 Campo Grande strain, Bm86 and Bm95. 2008 , 17, 93-8	13
1011	SP5: improving protein fold recognition by using torsion angle profiles and profile-based gap penalty model. 2008 , 3, e2325	60
1010	Species specificity in major urinary proteins by parallel evolution. 2008 , 3, e3280	114
1009	Sequence-Based Prediction of Residue-Level Properties in Proteins. 157-187	
1008	Remote Homology Detection Using a Kernel Method that Combines Sequence and Secondary-Structure Similarity Scores. 2009 , 9, 89-103	6
1007	In silico modeling of toluene binding site in the pore of voltage-gate sodium channel. 2009 , Volume 2, 1-2	4
1006	A novel function of ethylene. 2009 , 3, 21-30	2
1005	The EG95 antigen of <i>Echinococcus</i> spp. contains positively selected amino acids, which may influence host specificity and vaccine efficacy. 2009 , 4, e5362	24
1004	Sex determination in the <i>Squalius alburnoides</i> complex: an initial characterization of sex cascade elements in the context of a hybrid polyploid genome. 2009 , 4, e6401	16
1003	Dissecting the role of critical residues and substrate preference of a Fatty Acyl-CoA Synthetase (FadD13) of <i>Mycobacterium tuberculosis</i> . 2009 , 4, e8387	21
1002	Protein Contact Map Prediction Based on an Ensemble Learning Method. 2009 ,	
1001	Feature selection and granular SVM classification for protein arginine methylation identification. 2009 ,	1
1000	Protein Secondary Structure Prediction Based on Statistical Dictionaries. 2009 ,	0
999	The three-dimensional structure of carnocyclin A reveals that many circular bacteriocins share a common structural motif. 2009 , 284, 28674-81	69
998	Comprehensive classification of nucleotidyltransferase fold proteins: identification of novel families and their representatives in human. 2009 , 37, 7701-14	112
997	Mutational analysis and homology-based modeling of the IntDOT core-binding domain. 2009 , 191, 2330-9	4
996	A Two-amino Acid Mutation Encountered in Duchenne Muscular Dystrophy Decreases Stability of the Rod Domain 23 (R23) Spectrin-like Repeat of Dystrophin. 2009 , 284, 8822-32	26

995	Predicting local quality of a sequence-structure alignment. 2009 , 7, 789-810	4
994	Mimicking the folding pathway to improve homology-free protein structure prediction. 2009 , 106, 3734-9	56
993	Model structure of APOBEC3C reveals a binding pocket modulating ribonucleic acid interaction required for encapsidation. 2009 , 106, 12079-84	38
992	Enhanced Bounding Techniques to Reduce the Protein Conformational Search Space. 2009 , 24, 837-855	4
991	. 2009 ,	3
990	Fold Recognition. 2009 , 27-55	2
989	Regulation of nuclear import and export of negative cofactor 2. 2009 , 284, 9382-93	14
988	Importin 13 mediates nuclear import of histone fold-containing chromatin accessibility complex heterodimers. 2009 , 284, 11652-62	17
987	Identification of sequences in the polysialyltransferases ST8Sia II and ST8Sia IV that are required for the protein-specific polysialylation of the neural cell adhesion molecule, NCAM. 2009 , 284, 15505-16	40
986	Domain architecture of the stator complex of the A1A0-ATP synthase from <i>Thermoplasma acidophilum</i> . 2009 , 284, 12031-40	13
985	Leucine/valine residues direct oxygenation of linoleic acid by (10R)- and (8R)-dioxygenases: expression and site-directed mutagenesis of (10R)-dioxygenase with epoxyalcohol synthase activity. 2009 , 284, 13755-13765	31
984	Characterization of Tic110, a channel-forming protein at the inner envelope membrane of chloroplasts, unveils a response to Ca(2+) and a stromal regulatory disulfide bridge. 2009 , 284, 2603-2616	75
983	A conserved Na(+) binding site of the sodium-coupled neutral amino acid transporter 2 (SNAT2). 2009 , 284, 25314-23	26
982	Opportunities and Challenges for Next-Generation Applied Intelligence. 2009 ,	1
981	Biophysical characterizations of human mitochondrial transcription factor A and its binding to tumor suppressor p53. 2009 , 37, 6765-83	82
980	pGenTHREADER and pDomTHREADER: new methods for improved protein fold recognition and superfamily discrimination. 2009 , 25, 1761-7	227
979	Functional characterization of SsaE, a novel chaperone protein of the type III secretion system encoded by <i>Salmonella</i> pathogenicity island 2. 2009 , 191, 6843-54	27
978	The putative leucine zipper of the UL6-encoded portal protein of herpes simplex virus 1 is necessary for interaction with pUL15 and pUL28 and their association with capsids. 2009 , 83, 4557-64	18

977	In vitro characterization of a recombinant Blh protein from an uncultured marine bacterium as a beta-carotene 15,15'-dioxygenase. 2009 , 284, 15781-93	25
976	COP9 signalosome- and 26S proteasome-dependent regulation of SCFTIR1 accumulation in Arabidopsis. 2009 , 284, 7920-30	52
975	The respiratory syncytial virus M2-1 protein forms tetramers and interacts with RNA and P in a competitive manner. 2009 , 83, 6363-74	61
974	Helices alpha2 and alpha3 of West Nile virus capsid protein are dispensable for assembly of infectious virions. 2009 , 83, 5581-91	31
973	Insights into structure-activity relationships in the C-terminal region of divercin V41, a class IIa bacteriocin with high-level antilisterial activity. 2009 , 75, 1811-9	11
972	Foundations of Computational Intelligence Volume 4. 2009 ,	
971	Two aspartic proteinases secreted by the pathogenic yeast <i>Candida parapsilosis</i> differ in expression pattern and catalytic properties. 2009 , 390, 259-68	22
970	Localization of prion-destabilizing mutations in the N-terminal non-prion domain of Rnq1 in <i>Saccharomyces cerevisiae</i> . 2009 , 3, 250-8	18
969	Signal Series-Wound Prediction of Protein Secondary Structure. 2009 ,	0
968	The PqrR transcriptional repressor of <i>Pseudomonas aeruginosa</i> transduces redox signals via an iron-containing prosthetic group. 2009 , 191, 6709-21	7
967	ModLink+: improving fold recognition by using protein-protein interactions. 2009 , 25, 1506-12	13
966	Computational resources for protein modelling and drug discovery applications. 2009 , 9, 557-62	3
965	An Overview of the De Novo Prediction of Enzyme Catalytic Residues (Supplementary file). 2009 , 4, 197-206	4
964	Robust prediction of B-factor profile from sequence using two-stage SVR based on random forest feature selection. 2009 , 16, 1447-54	54
963	HHsvm: fast and accurate classification of profile-profile matches identified by HHsearch. 2009 , 25, 3071-6	8
962	Linear predictive coding representation of correlated mutation for protein sequence alignment. 2009 ,	
961	<i>Plasmodium falciparum</i> heterochromatin protein 1 marks genomic loci linked to phenotypic variation of exported virulence factors. 2009 , 5, e1000569	192
960	Predicting peptide structures in native proteins from physical simulations of fragments. 2009 , 5, e1000281	27

959	The Syntaxin 5 isoforms Syx5 and Syx5L have distinct effects on the processing of {beta}-amyloid precursor protein. 2009 , 146, 905-15	14
958	Using directed evolution to probe the substrate specificity of mandelamide hydrolase. 2009 , 22, 103-10	5
957	ProteDNA: a sequence-based predictor of sequence-specific DNA-binding residues in transcription factors. 2009 , 37, W396-401	28
956	Trypanosome prereplication machinery contains a single functional <i>orc1/cdc6</i> protein, which is typical of archaea. 2009 , 8, 1592-603	51
955	Comparative analysis of both genomic segments of betanodaviruses isolated from epizootic outbreaks in farmed fish species provides evidence for genetic reassortment. 2009 , 90, 2940-2951	84
954	Quasispecies dynamics and molecular evolution of human norovirus capsid P region during chronic infection. 2009 , 90, 432-441	23
953	A bacterial signal peptide is functional in plants and directs proteins to the secretory pathway. 2009 , 60, 3337-52	16
952	The beet virus Q coat protein readthrough domain is longer than previously reported, with two transmembrane domains. 2009 , 90, 754-758	7
951	A Novel extracytoplasmic function (ECF) sigma factor regulates virulence in <i>Pseudomonas aeruginosa</i> . 2009 , 5, e1000572	61
950	TraR, a homolog of a RNAP secondary channel interactor, modulates transcription. 2009 , 5, e1000345	41
949	Bimodal protein solubility distribution revealed by an aggregation analysis of the entire ensemble of <i>Escherichia coli</i> proteins. 2009 , 106, 4201-6	186
948	Data Mining and Inorganic Crystallography. 2009 , 59-87	4
947	A G-protein gamma subunit mimic is a general antagonist of prion propagation in <i>Saccharomyces cerevisiae</i> . 2009 , 106, 791-6	13
946	Organ-specific attenuation of murine hepatitis virus strain A59 by replacement of catalytic residues in the putative viral cyclic phosphodiesterase ns2. 2009 , 83, 3743-53	35
945	Ribosome association and stability of the nascent polypeptide-associated complex is dependent upon its own ubiquitination. 2009 , 181, 447-60	32
944	Verification of a topology model of PorT as an integral outer-membrane protein in <i>Porphyromonas gingivalis</i> . 2009 , 155, 328-337	45
943	Characterization of a protective <i>Escherichia coli</i> -expressed <i>Plasmodium falciparum</i> merozoite surface protein 3 indicates a non-linear, multi-domain structure. 2009 , 164, 45-56	18
942	Differences in biocatalytic behavior between two variants of StcI esterase from <i>Aspergillus nidulans</i> and its potential use in biocatalysis. 2009 , 61, 225-234	4

941	Combining segmental semi-Markov models with neural networks for protein secondary structure prediction. 2009 , 72, 3943-3950	21
940	Hybrid approaches: applying computational methods in cryo-electron microscopy. 2009 , 19, 218-25	33
939	Wheel of Life, Wheel of Death: A Mechanistic Insight into Signaling by STAND Proteins. 2009 , 17, 172-82	131
938	EM-fold: De novo folding of alpha-helical proteins guided by intermediate-resolution electron microscopy density maps. 2009 , 17, 990-1003	64
937	Predicting dihedral angle probability distributions for protein coil residues from primary sequence using neural networks. 2009 , 10, 338	12
936	(PS)2-v2: template-based protein structure prediction server. 2009 , 10, 366	85
935	Considering scores between unrelated proteins in the search database improves profile comparison. 2009 , 10, 399	1
934	Modular prediction of protein structural classes from sequences of twilight-zone identity with predicting sequences. 2009 , 10, 414	76
933	DescFold: a web server for protein fold recognition. 2009 , 10, 416	26
932	Prediction of backbone dihedral angles and protein secondary structure using support vector machines. 2009 , 10, 437	41
931	svmPRAT: SVM-based protein residue annotation toolkit. 2009 , 10, 439	24
930	Reduction of the secondary structure topological space through direct estimation of the contact energy formed by the secondary structures. 2009 , 10 Suppl 1, S40	5
929	Comparative proteome analysis of psychrophilic versus mesophilic bacterial species: Insights into the molecular basis of cold adaptation of proteins. 2009 , 10, 11	96
928	Identification of novel aspartic proteases from <i>Strongyloides ratti</i> and characterisation of their evolutionary relationships, stage-specific expression and molecular structure. 2009 , 10, 611	14
927	A modular kernel approach for integrative analysis of protein domain boundaries. 2009 , 10 Suppl 3, S21	6
926	Identification of a bacteriocin and its cognate immunity factor expressed by <i>Moraxella catarrhalis</i> . 2009 , 9, 207	7
925	ProDaMa: an open source Python library to generate protein structure datasets. 2009 , 2, 202	4
924	Identification, characterization and essentiality of the unusual peroxin 13 from <i>Trypanosoma brucei</i> . 2009 , 1793, 516-27	23

923	Characterisation of a fatty acid and retinol binding protein orthologue from the hookworm <i>Ancylostoma ceylanicum</i> . 2009 , 39, 1561-71	43
922	Prediction of cis/trans isomerization using feature selection and support vector machines. 2009 , 42, 140-9	19
921	The human short-chain dehydrogenase/reductase (SDR) superfamily: a bioinformatics summary. 2009 , 178, 99-109	78
920	Prediction of integral membrane protein type by collocated hydrophobic amino acid pairs. 2009 , 30, 163-72	56
919	Prediction of protein folding rates from primary sequences using hybrid sequence representation. 2009 , 30, 772-83	30
918	Beta-hairpin prediction with quadratic discriminant analysis using diversity measure. 2009 , 30, 2277-84	2
917	A fast method for large-scale de novo peptide and miniprotein structure prediction. 2010 , 31, 726-38	140
916	Beta-keratins of the crocodilian epidermis: composition, structure, and phylogenetic relationships. 2009 , 312, 42-57	47
915	Analysis of gene expression in gecko digital adhesive pads indicates significant production of cysteine- and glycine-rich beta-keratins. 2009 , 312, 58-73	39
914	Initial characterization of Pf62, a novel protein of <i>Plasmodium falciparum</i> identified by immunoscreening. 2009 , 104, 1389-97	1
913	Changes in beta-giardin sequence of <i>Giardia intestinalis</i> sensitive and resistant to albendazole strains. 2009 , 105, 25-33	16
912	An interrupted beta-propeller and protein disorder: structural bioinformatics insights into the N-terminus of alsin. 2009 , 15, 113-22	7
911	Molecular modeling and dynamics studies of purine nucleoside phosphorylase from <i>Bacteroides fragilis</i> . 2009 , 15, 913-22	4
910	Identification of amino acid residues of Ljungan virus VP0 and VP1 associated with cytolytic replication in cultured cells. 2009 , 154, 1271-84	6
909	Prediction of topological contacts in proteins using learning classifier systems. 2009 , 13, 245-258	23
908	Computational study of the heterodimerization between mu and delta receptors. 2009 , 23, 321-32	29
907	Refined homology model of monoacylglycerol lipase: toward a selective inhibitor. 2009 , 23, 799-806	8
906	CheckShift improved: fast chemical shift reference correction with high accuracy. 2009 , 44, 207-11	11

905	TALOS+: a hybrid method for predicting protein backbone torsion angles from NMR chemical shifts. 2009 , 44, 213-23	1994
904	Prediction of beta-turn in protein using E-SSpred and support vector machine. 2009 , 28, 175-81	11
903	Quantitative structure-activity relationships of selected phenols with non-monotonic dose-response curves. 2009 , 54, 1786-1796	3
902	Lysine-91 of the tetraheme c-type cytochrome CymA is essential for quinone interaction and arsenate respiration in <i>Shewanella</i> sp. strain ANA-3. 2009 , 191, 797-806	19
901	Fragment-based local statistical potentials derived by combining an alphabet of protein local structures with secondary structures and solvent accessibilities. 2009 , 74, 820-36	16
900	Towards accurate residue-residue hydrophobic contact prediction for alpha helical proteins via integer linear optimization. 2009 , 74, 929-47	18
899	Evaluating the absolute quality of a single protein model using structural features and support vector machines. 2009 , 75, 638-47	76
898	Local descriptors of protein structure: a systematic analysis of the sequence-structure relationship in proteins using short- and long-range interactions. 2009 , 75, 870-84	15
897	Enhanced protein fold recognition using a structural alphabet. 2009 , 76, 129-37	32
896	A new prediction strategy for long local protein structures using an original description. 2009 , 76, 570-87	25
895	REMO: A new protocol to refine full atomic protein models from C-alpha traces by optimizing hydrogen-bonding networks. 2009 , 76, 665-76	97
894	X-ray vs. NMR structures as templates for computational protein design. 2009 , 77, 97-110	33
893	Comprehensive secondary-structure analysis of disulfide variants of lysozyme by synchrotron-radiation vacuum-ultraviolet circular dichroism. 2009 , 77, 191-201	23
892	Template-free protein structure prediction and quality assessment with an all-atom free-energy model. 2009 , 77, 330-41	9
891	The Rho GTPase inactivation domain in <i>Vibrio cholerae</i> MARTX toxin has a circularly permuted papain-like thiol protease fold. 2009 , 77, 413-9	28
890	Folding in solution of the C-catalytic protein fragment of angiotensin-converting enzyme. 2009 , 15, 504-10	1
889	RSLpred: an integrative system for predicting subcellular localization of rice proteins combining compositional and evolutionary information. 2009 , 9, 2324-42	35
888	On the use of hydrogen/deuterium exchange mass spectrometry data to improve de novo protein structure prediction. 2009 , 23, 459-61	2

887	Statistical potentials for fold assessment. 2002 , 11, 430-48	270
886	CPDadh: a new peptidase family homologous to the cysteine protease domain in bacterial MARTX toxins. 2009 , 18, 856-62	5
885	ALINE: a WYSIWYG protein-sequence alignment editor for publication-quality alignments. 2009 , 65, 510-2	327
884	EDM-DEDM and protein crystal structure solution. 2009 , 65, 477-84	8
883	Crystallization and preliminary X-ray diffraction analysis of the C-terminal domain of the human spliceosomal DExD/H-box protein hPrp22. 2009 , 65, 956-8	1
882	Revised Mimivirus major capsid protein sequence reveals intron-containing gene structure and extra domain. 2009 , 10, 39	19
881	CSSP(Consensus Secondary Structure Prediction): a web-based server for structural biologists. 2009 , 42, 336-338	6
880	Identification of a region required for TSC1 stability by functional analysis of TSC1 missense mutations found in individuals with tuberous sclerosis complex. 2009 , 10, 88	26
879	Improving consensus contact prediction via server correlation reduction. 2009 , 9, 28	22
878	Ab initio and template-based prediction of multi-class distance maps by two-dimensional recursive neural networks. 2009 , 9, 5	35
877	TIM-Finder: a new method for identifying TIM-barrel proteins. 2009 , 9, 73	12
876	Modulation of drought resistance by the abscisic acid receptor PYL5 through inhibition of clade A PP2Cs. 2009 , 60, 575-88	372
875	Functional analysis of NsrR, a nitric oxide-sensing Rrf2 repressor in <i>Neisseria gonorrhoeae</i> . 2009 , 71, 227-39	54
874	Expression of the meningococcal adhesin NadA is controlled by a transcriptional regulator of the MarR family. 2009 , 72, 1054-67	19
873	Stator assembly and activation mechanism of the flagellar motor by the periplasmic region of MotB. 2009 , 73, 710-8	128
872	WNT10A missense mutation associated with a complete odonto-onycho-dermal dysplasia syndrome. 2009 , 17, 1600-5	57
871	Structural basis for leucine-rich nuclear export signal recognition by CRM1. 2009 , 458, 1136-41	242
870	Regulation of a Golgi flippase by phosphoinositides and an ArfGEF. 2009 , 11, 1421-6	102

869	Protein structure homology modeling using SWISS-MODEL workspace. 2009 , 4, 1-13	908
868	Prediction of amino acid residues protected from hydrogen-deuterium exchange in a protein chain. 2009 , 74, 888-97	7
867	Analogy-based protein structure prediction: II. Testing of substitution matrices and pseudopotentials used to align protein sequences with spatial structures. 2009 , 43, 677-684	1
866	Structural and kinetic determinants of protease substrates. 2009 , 16, 1101-8	104
865	Exosites mediate the anti-inflammatory effects of a multifunctional serpin from the saliva of the tick <i>Ixodes ricinus</i> . 2009 , 276, 3235-46	51
864	Coiled-coils in type III secretion systems: structural flexibility, disorder and biological implications. 2009 , 11, 719-29	36
863	Beta-keratins of turtle shell are glycine-proline-tyrosine rich proteins similar to those of crocodylians and birds. 2009 , 214, 284-300	55
862	Automatic protein structure prediction system enabling rapid and accurate model building for enzyme screening. 2009 , 45, 218-225	4
861	Characterization of protein secondary structure from NMR chemical shifts. 2009 , 54, 141-165	71
860	Ensembled support vector machines for human papillomavirus risk type prediction from protein secondary structures. 2009 , 39, 187-93	14
859	Improving the protein fold recognition accuracy of a reduced state-space Hidden Markov model. 2009 , 39, 907-14	16
858	Comparative analysis of the Epstein-Barr virus encoded nuclear proteins of EBNA-3 family. 2009 , 39, 1036-42	9
857	Subunit association as the stabilizing determinant for archaeal methionine adenosyltransferases. 2009 , 1794, 1082-90	10
856	Proteolysis of the proofreading subunit controls the assembly of <i>Escherichia coli</i> DNA polymerase III catalytic core. 2009 , 1794, 1606-15	8
855	"Short-chain" alpha-1,4-glucan phosphorylase having a truncated N-terminal domain: functional expression and characterization of the enzyme from <i>Sulfolobus solfataricus</i> . 2009 , 1794, 1709-14	22
854	Accurate prediction of native tertiary structure of protein using molecular dynamics simulation with the aid of the knowledge of secondary structures. 2009 , 472, 134-139	3
853	Natural computing methods in bioinformatics: A survey. 2009 , 10, 211-216	17
852	N-Hydroxy-1,2-disubstituted-1H-benzimidazol-5-yl acrylamides as novel histone deacetylase inhibitors: design, synthesis, SAR studies, and in vivo antitumor activity. 2009 , 19, 1403-8	23

851	Computer simulation of proteins: thermodynamics and structure prediction. 2009 , 51, 33-40	3
850	PrfA protein of Bacillus species: prediction and demonstration of endonuclease activity on DNA. 2002 , 11, 2370-81	14
849	Beta edge strands in protein structure prediction and aggregation. 2003 , 12, 2348-59	39
848	The prokaryotic enzyme DsbB may share key structural features with eukaryotic disulfide bond forming oxidoreductases. 2005 , 14, 1630-42	39
847	Characterization of Ejl, the cell-wall amidase coded by the pneumococcal bacteriophage Ej-1. 2002 , 11, 1788-99	18
846	A cytogenetic abnormality and rare coding variants identify ABCA13 as a candidate gene in schizophrenia, bipolar disorder, and depression. 2009 , 85, 833-46	88
845	The interactome: predicting the protein-protein interactions in cells. 2009 , 14, 1-22	26
844	Structure-activity relations of nanolipoblockers with the atherogenic domain of human macrophage scavenger receptor A. 2009 , 10, 1381-91	22
843	Molecular structure and biochemical properties of the HCCH-Zn ²⁺ site in HIV-1 Vif. 2009 , 48, 7969-78	16
842	Ligand prediction for orphan targets using support vector machines and various target-ligand kernels is dominated by nearest neighbor effects. 2009 , 49, 2155-67	55
841	Structure and function of Vps15 in the endosomal G protein signaling pathway. 2009 , 48, 6390-401	29
840	Granular Decision Tree and Evolutionary Neural SVM for Protein Secondary Structure Prediction. 2009 , 2, 343-352	14
839	Bioinformatics in Proteomics: A Review on Methods and Algorithms. 2009 , 23, 1115-1120	3
838	Improved prediction of trans-membrane spans in proteins using an Artificial Neural Network. 2009 , 2009, 68-74	2
837	Membrane-induced conformational change of alpha1-acid glycoprotein characterized by vacuum-ultraviolet circular dichroism spectroscopy. 2009 , 48, 9103-11	22
836	Protein Folding and Misfolding: Neurodegenerative Diseases. 2009 ,	5
835	Thctf1 transcription factor of Trichoderma harzianum is involved in 6-pentyl-2H-pyran-2-one production and antifungal activity. 2009 , 46, 17-27	87
834	The polycystic kidney disease-related proteins Bicc1 and SamCystin interact. 2009 , 383, 16-21	32

833	Induction of partial protection against infection with <i>Toxoplasma gondii</i> genotype II by DNA vaccination with recombinant chimeric tachyzoite antigens. 2009 , 27, 2489-98		31
832	Biochemical characterization of <i>Arabidopsis</i> developmentally regulated G-proteins (DRGs). 2009 , 67, 88-95		13
831	A novel antifungal peptide designed from the primary structure of a natural antimicrobial peptide purified from <i>Argopecten purpuratus</i> hemocytes. 2009 , 30, 1405-11		18
830	Solution structure of the KdpFABC P-type ATPase from <i>Escherichia coli</i> by electron microscopic single particle analysis. 2009 , 166, 295-302		6
829	Fold prediction of VP24 protein of Ebola and Marburg viruses using de novo fragment assembly. 2009 , 167, 136-44		10
828	Molecular and functional characterization of a juvenile hormone acid methyltransferase expressed in the corpora allata of mosquitoes. 2009 , 39, 31-7		46
827	Analyzing the catalytic mechanism of protein tyrosine phosphatase PtpB from <i>Staphylococcus aureus</i> through site-directed mutagenesis. 2009 , 45, 463-9		4
826	Insights into a putative hinge region in elastin using molecular dynamics simulations. 2009 , 28, 92-100		18
825	Protein secondary structure prediction using three neural networks and a segmental semi Markov model. 2009 , 217, 145-50		22
824	OPUS-Dom: applying the folding-based method VECFOLD to determine protein domain boundaries. <i>Journal of Molecular Biology</i> , 2009 , 385, 1314-29	6.5	14
823	Top 100 Most-Cited Articles from JMB. <i>Journal of Molecular Biology</i> , 2009 , 385, 8-10	6.5	
822	Modular organization of rabies virus phosphoprotein. <i>Journal of Molecular Biology</i> , 2009 , 388, 978-96	6.5	93
821	A common structural basis for pH- and calmodulin-mediated regulation in plant glutamate decarboxylase. <i>Journal of Molecular Biology</i> , 2009 , 392, 334-51	6.5	57
820	Sampling bottlenecks in de novo protein structure prediction. <i>Journal of Molecular Biology</i> , 2009 , 393, 249-60	6.5	80
819	Three-dimensional structure of A1A0 ATP synthase from the hyperthermophilic archaeon <i>Pyrococcus furiosus</i> by electron microscopy. 2009 , 284, 10110-9		64
818	Protein structure prediction by pro-Sp3-TASSER. 2009 , 96, 2119-27		53
817	QMEAN server for protein model quality estimation. 2009 , 37, W510-4		585
816	Transmembrane helix predictions revisited. 2002 , 11, 2774-91		149

815	CxxS: fold-independent redox motif revealed by genome-wide searches for thiol/disulfide oxidoreductase function. 2002 , 11, 2285-96	56
814	A de novo redesign of the WW domain. 2003 , 12, 2194-205	49
813	Comparison of TFII-I gene family members deleted in Williams-Beuren syndrome. 2004 , 13, 2588-99	35
812	Identifying natural substrates for chaperonins using a sequence-based approach. 2005 , 14, 193-201	17
811	A model of the acid sphingomyelinase phosphoesterase domain based on its remote structural homolog purple acid phosphatase. 2004 , 13, 3172-86	20
810	PCI-SS: MISO dynamic nonlinear protein secondary structure prediction. 2009 , 10, 222	18
809	Pivotal roles of the outer membrane polysaccharide export and polysaccharide copolymerase protein families in export of extracellular polysaccharides in gram-negative bacteria. 2009 , 73, 155-77	199
808	From Protein Structure to Function with Bioinformatics. 2009 ,	19
807	Biomedical informatics. Preface. 2009 , 569, v	
806	Bioinformatics: A Concept-Based Introduction. 2009 ,	1
805	Sequence-based feature prediction and annotation of proteins. 2009 , 10, 206	48
804	Structural modeling identified the tRNA-binding domain of Utp8p, an essential nucleolar component of the nuclear tRNA export machinery of <i>Saccharomyces cerevisiae</i> . 2009 , 87, 431-43	6
803	Segmented-memory recurrent neural networks. 2009 , 20, 1267-80	13
802	<i>Pseudomonas aeruginosa</i> MurE amide ligase: enzyme kinetics and peptide inhibitor. 2009 , 421, 263-72	20
801	PEP-FOLD: an online resource for de novo peptide structure prediction. 2009 , 37, W498-503	279
800	Protein secondary structure prediction using rule induction from coverings. 2009 ,	
799	Conantokin-Br from <i>Conus bretinghami</i> and selectivity determinants for the NR2D subunit of the NMDA receptor. 2009 , 48, 4063-73	25
798	A Database of Selected Marine Genomics for Retrieving Distantly Related Proteins. 2009 ,	0

797	HHomp--prediction and classification of outer membrane proteins. 2009 , 37, W446-51	78
796	Prediction of Protein B-Factor Profile Based on Feature Selection and Kernel Learning. 2009 ,	
795	Tri-Cluster-Tri-Scheme-Training: Exploiting Unlabeled Data for Transmembrane Segments Prediction. 2009 ,	
794	A Web-Accessible Protein Structure Prediction Pipeline. 2009 ,	
793	A Protein Secondary Structure Prediction Tool Using Two-Level Strategy to Improve the Prediction Accuracy of Secondary Structures and Structure Boundaries. 2009 ,	
792	Protein Secondary Structure Prediction Using Large Margin Methods. 2009 ,	
791	Identifying New Methylated Arginines via Granular Decision Fusion with SVM Modeling. 2009 ,	1
790	Protein Contact Map Prediction. 2007 , 255-277	5
789	De Novo Protein Structure Prediction. 2007 , 43-63	6
788	Computational Methods for Protein Fold Prediction: an Ab-initio Topological Approach. 2007 , 391-429	4
787	TPPP/p25: A New Unstructured Protein Hallmarking Synucleinopathies. 2009 , 225-250	5
786	Enhanced prediction of conformational flexibility and phosphorylation in proteins. 2010 , 680, 307-19	8
785	Divide and Conquer Strategies for Protein Structure Prediction. 2011 , 23-46	2
784	A Visual Analytics Approach for Protein Disorder Prediction. 2012 , 163-174	1
783	Computational prediction of B cell epitopes from antigen sequences. 2014 , 1184, 197-215	14
782	Protein structural information derived from NMR chemical shift with the neural network program TALOS-N. 2015 , 1260, 17-32	112
781	HMMs in Protein Fold Classification. 2017 , 1552, 13-27	2
780	Rapid Prediction of Multi-dimensional NMR Data Sets Using FANDAS. 2018 , 1688, 111-132	3

779	Protein structure prediction based on sequence similarity. 2009 , 569, 129-56	15
778	Prediction of intrinsic disorder and its use in functional proteomics. 2007 , 408, 69-92	32
777	Protein structure prediction. 2008 , 453, 33-85	3
776	In silico protein motif discovery and structural analysis. 2011 , 760, 341-53	1
775	PRALINE: a versatile multiple sequence alignment toolkit. 2014 , 1079, 245-62	52
774	Heuristic alignment methods. 2014 , 1079, 29-43	4
773	Bagging MSA Learning: Enhancing Low-Quality PSSM with Deep Learning for Accurate Protein Structure Property Prediction. 2020 , 88-103	2
772	A New Graph Theoretic Approach for Protein Threading. 2014 , 501-507	1
771	Template Scoring Methods for Protein Torsion Angle Prediction. 2015 , 206-223	2
770	Evolving Regular Expression-Based Sequence Classifiers for Protein Nuclear Localisation. 2004 , 31-40	15
769	Parallel Stochastic Search for Protein Secondary Structure Prediction. 2004 , 1162-1169	2
768	A Parallel Algorithm for Helix Mapping Between 3D and 1D Protein Structure Using the Length Constraints. 2004 , 746-756	7
767	A Combination of Support Vector Machines and Bidirectional Recurrent Neural Networks for Protein Secondary Structure Prediction. 2003 , 142-153	3
766	Mining Biological Data Using Pyramids. 2007 , 397-408	1
765	When Less Is More: Improving Classification of Protein Families with a Minimal Set of Global Features. 2007 , 12-24	3
764	Computational Methods for Protein Structure Prediction and Fold Recognition. 2008 , 1-21	6
763	MetaApproaches to Protein Structure Prediction. 2008 , 23-34	4
762	Dimensional Reduction in the Protein Secondary Structure Prediction [Nonlinear Method Improvements. 2007 , 425-432	1

761	Data Mining in Proteomics with Learning Classifier Systems. 2008 , 17-46	3
760	A New SVM-Based Decision Fusion Method Using Multiple Granular Windows for Protein Secondary Structure Prediction. 2008 , 324-331	2
759	Detection of Remote Protein Homologs Using Social Programming. 2009 , 277-296	2
758	A Kernel Framework for Protein Residue Annotation. 2009 , 439-451	1
757	Boosting Protein Threading Accuracy. 2009 , 5541, 31-45	53
756	Using Efficient RBF Networks to Classify Transport Proteins Based on PSSM Profiles and Biochemical Properties. 2009 , 869-876	2
755	Accuracy in Predicting Secondary Structure of Ionic Channels. 2009 , 315-326	2
754	Data Mining for Protein Secondary Structure Prediction. 2009 , 135-167	1
753	Topology Prediction of α -Helical and β -Barrel Transmembrane Proteins Using RBF Networks. 2010 , 642-649	2
752	Estimating the Class Posterior Probabilities in Protein Secondary Structure Prediction. 2011 , 260-271	3
751	Estimating the Accuracy of Multiple Alignments and its Use in Parameter Advising. 2012 , 45-59	12
750	A Graph Approach to Bridge the Gaps in Volumetric Electron Cryo-microscopy Skeletons. 2013 , 211-223	1
749	Enhancing Protein Fold Prediction Accuracy Using Evolutionary and Structural Features. 2013 , 196-207	16
748	Exploring Potential Discriminatory Information Embedded in PSSM to Enhance Protein Structural Class Prediction Accuracy. 2013 , 208-219	11
747	Secondary Structure in Protein Analysis. 2004 , 1-6	1
746	Hidden representations in deep neural networks: Part 2. Regression problems. 2020 , 139, 106895	7
745	Exaptation of two ancient immune proteins into a new dimeric pore-forming toxin in snails. 2020 , 211, 107531	3
744	Testis-enriched heat shock protein A2 (HSPA2): Adaptive advantages of the birds with internal testes over the mammals with testicular descent. 2016 , 6, 18770	6

743	Synergistic role of nucleotides and lipids for the self-assembly of Shs1 septin oligomers. 2020 , 477, 2697-2714	6
742	Characterization of C3larvinA, a novel RhoA-targeting ADP-ribosyltransferase toxin produced by the honey bee pathogen, <i>Paenibacillus larvae</i> . 2020 , 40,	5
741	Alternative splicing of clathrin heavy chain contributes to the switch from coated pits to plaques. 2020 , 219,	13
740	LAMPA, Large Multidomain Protein Annotator, and its application to RNA virus polyproteins. 2020 , 36, 2731-2739	2
739	SAINT: self-attention augmented inception-inside-inception network improves protein secondary structure prediction. 2020 , 36, 4599-4608	21
738	<i>Streptococcus pyogenes</i> sclB encodes a putative hypervariable surface protein with a collagen-like repetitive structure. 2001 , 147, 419-429	69
737	Genome-guided identification of novel head-to-tail cyclized antimicrobial peptides, exemplified by the discovery of pumilarin. 2017 , 3, e000134	19
736	Proteome analysis reveals differential expression of proteins involved in triacylglycerol accumulation by <i>Rhodococcus jostii</i> RHA1 after addition of methyl viologen. 2017 , 163, 343-354	12
735	Evaluation of a novel outer membrane surface-exposed protein, LIC13341 of <i>Leptospira</i> , as an adhesin and serodiagnostic candidate marker for leptospirosis. 2018 , 164, 1023-1037	9
734	Phylogenetic characterization of the energy taxis receptor Aer in and phenotypic characterization in KF707. 2019 , 165, 1331-1344	1
733	Complete genome sequence analysis of Seneca Valley virus-001, a novel oncolytic picornavirus. 2008 , 89, 1265-1275	189
732	Accurate contact predictions for thousands of protein families using PconsC3.	1
731	Phylogenetic Characterization of the Energy-taxis Receptor Aer in <i>Pseudomonas</i> and Phenotypic Characterization in <i>P. pseudoalcaligenes</i> KF707.	1
730	Large-scale structure prediction by improved contact predictions and model quality assessment.	1
729	Opportunities and obstacles for deep learning in biology and medicine.	45
728	Methods for estimation of model accuracy in CASP12.	1
727	Prediction of the intestinal resistome by a novel 3D-based method.	3
726	Protein Sequence Design with a Learned Potential.	11

725	Invertebrate Metaxins 1 and 2: Widely Distributed Proteins Homologous to Vertebrate Metaxins Implicated in Protein Import into Mitochondria.	0
724	Designing Novel Subunit Vaccines against Herpes Simplex Virus-1 using Reverse Vaccinology Approach.	5
723	The Essential Facts of Wuhan Novel Coronavirus Outbreak in China and Epitope-based Vaccine Designing against COVID-19.	13
722	A method for predicting evolved fold switchers exclusively from their sequences.	1
721	Plant and Bacterial Metaxin-like Proteins: Novel Proteins Related to Vertebrate Metaxins Involved in Uptake of Nascent Proteins into Mitochondria.	0
720	DeepDist: real-value inter-residue distance prediction with deep residual convolutional network.	8
719	An in silico approach to identification, categorization and prediction of nucleic acid binding proteins.	10
718	The crystal structure of SnTox3 from the necrotrophic fungus <i>Parastagonospora nodorum</i> reveals a unique effector fold and insights into Kex2 protease processing of fungal effectors.	3
717	Protein citrullination was introduced into animals by horizontal gene transfer from cyanobacteria.	1
716	Protein Contact Map Denoising Using Generative Adversarial Networks.	1
715	Sense the Moment: a highly sensitive antimicrobial activity predictor based on hydrophobic moment.	2
714	Immuno-informatics approach for multi-epitope vaccine designing against SARS-CoV-2. 2020,	8
713	Chloride-dependent conformational changes in the GlyT1 glycine transporter.	1
712	StackPDB: predicting DNA-binding proteins based on XGB-RFE feature optimization and stacked ensemble classifier.	1
711	Characterization and structural prediction of the putative ORF10 protein in SARS-CoV-2.	2
710	Iron oxidation by a fused cytochrome-porin common to diverse iron-oxidizing bacteria.	10
709	De novo protein structure prediction using ultra-fast molecular dynamics simulation.	1
708	Porter 5: state-of-the-art ab initio prediction of protein secondary structure in 3 and 8 classes.	22

707	NetSurfP-2.0: improved prediction of protein structural features by integrated deep learning.	8
706	CRISPRO Identifies Functional Protein Coding Sequences Based on Genome Editing Dense Mutagenesis.	1
705	Mutations in nucleoporin NUP88 cause lethal neuromuscular disorder.	1
704	RocS drives chromosome segregation and nucleoid occlusion in <i>Streptococcus pneumoniae</i> .	1
703	rawMSA: End-to-end Deep Learning Makes Protein Sequence Profiles and Feature Extraction obsolete.	5
702	A mutagenesis screen for essential plastid biogenesis genes in human malaria parasites.	1
701	Multiple C2 domains and Transmembrane region Proteins (MCTPs) tether membranes at plasmodesmata.	1
700	Modeling the language of life Deep Learning Protein Sequences.	18
699	DNSS2: improved ab initio protein secondary structure prediction using advanced deep learning architectures.	2
698	DTI-CDF: a CDF model towards the prediction of DTIs based on hybrid features.	1
697	Protein function prediction in genomes: Critical assessment of coiled-coil predictions based on protein structure data.	1
696	DeepPrime2Sec: Deep Learning for Protein Secondary Structure Prediction from the Primary Sequences.	9
695	Identification of the Repressive Domain of the Negative Circadian Clock Component CHRONO.	1
694	Computational reconstruction of the complete Piezo1 structure reveals a unique footprint and specific lipid interactions.	3
693	SAINT: Self-Attention Augmented Inception-Inside-Inception Network Improves Protein Secondary Structure Prediction.	2
692	JACOBI4 software for multivariate analysis of biological data.	7
691	InterPep2: Global Peptide-Protein Docking with Structural Templates.	3
690	Metaxin 3 is a Highly Conserved Vertebrate Protein Homologous to Mitochondrial Import Proteins and GSTs.	0

689	End-to-end multitask learning, from protein language to protein features without alignments.	2
688	Fast and flexible design of novel proteins using graph neural networks.	6
687	Production and Characterization of Synthetic Carboxysome Shells with Incorporated Luminal Proteins. 2016 , 170, 1868-77	50
686	The type IV secretion protein TraK from the Enterococcus conjugative plasmid pIP501 exhibits a novel fold. 2014 , 70, 1124-35	8
685	Cloning, overexpression, purification, crystallization and preliminary X-ray diffraction analysis of Rv0241c (HtdX) from Mycobacterium tuberculosis H37Rv. 2013 , 69, 1110-3	2
684	Solving coiled-coil protein structures. 2015 , 2, 164-5	7
683	SEQUENCE SLIDER: expanding polyalanine fragments for phasing with multiple side-chain hypotheses. 2020 , 76, 221-237	5
682	A practical overview of molecular replacement: Clostridioides difficile P1A1, a difficult case study. 2020 , 76, 261-271	2
681	In situ structure of the Caulobacter crescentus flagellar motor and visualization of binding of a CheY-homolog. 2020 , 114, 443-453	13
680	Prediction of Lysine Succinylation Sites by SVR and Weighted Down-sampling. 2019 ,	1
679	Protein Sequence Analysis and Prediction of Secondary Structural Features. 2004 , 99-185	1
678	Pericardin, a Drosophila type IV collagen-like protein is involved in the morphogenesis and maintenance of the heart epithelium during dorsal ectoderm closure. 2002 , 129, 3241-3253	81
677	A DNA polymerization-independent role for mitochondrial DNA polymerase I-like protein C in African trypanosomes. 2020 , 133,	2
676	A Predictor of Protein Secondary Structure Based on a Continuously Updated Templet Library. 2017 , 07, 13-22	1
675	Metazoan Scc4 homologs link sister chromatid cohesion to cell and axon migration guidance. 2006 , 4, e242	83
674	Modularity of Protein Folds as a Tool for Template-Free Modeling of Structures. 2015 , 11, e1004419	14
673	Cache Domains That are Homologous to, but Different from PAS Domains Comprise the Largest Superfamily of Extracellular Sensors in Prokaryotes. 2016 , 12, e1004862	95
672	Modeling disordered protein interactions from biophysical principles. 2017 , 13, e1005485	36

671	The Dedicated Chaperone Acl4 Escorts Ribosomal Protein Rpl4 to Its Nuclear Pre-60S Assembly Site. 2015 , 11, e1005565	44
670	Amplification of TLO Mediator Subunit Genes Facilitate Filamentous Growth in <i>Candida</i> Spp. 2016 , 12, e1006373	11
669	SmCL3, a gastrodermal cysteine protease of the human blood fluke <i>Schistosoma mansoni</i> . 2009 , 3, e449	42
668	Carbohydrate Recognition Specificity of Trans-sialidase Lectin Domain from <i>Trypanosoma congolense</i> . 2015 , 9, e0004120	24
667	ANGLOR: a composite machine-learning algorithm for protein backbone torsion angle prediction. 2008 , 3, e3400	55
666	Structural model of the Rev regulatory protein from equine infectious anemia virus. 2009 , 4, e4178	4
665	Conservation of helical bundle structure between the exocyst subunits. 2009 , 4, e4443	26
664	Evolution of the B3 DNA binding superfamily: new insights into REM family gene diversification. 2009 , 4, e5791	85
663	PSPP: a protein structure prediction pipeline for computing clusters. 2009 , 4, e6254	12
662	A novel human tectonin protein with multivalent beta-propeller folds interacts with ficolin and binds bacterial LPS. 2009 , 4, e6260	15
661	Prodepth: predict residue depth by support vector regression approach from protein sequences only. 2009 , 4, e7072	33
660	A novel side-chain orientation dependent potential derived from random-walk reference state for protein fold selection and structure prediction. 2010 , 5, e15386	172
659	Identification of the PDI-family member ERp90 as an interaction partner of ERFAD. 2011 , 6, e17037	20
658	Incorporating distant sequence features and radial basis function networks to identify ubiquitin conjugation sites. 2011 , 6, e17331	58
657	Rosetta FlexPepDock ab-initio: simultaneous folding, docking and refinement of peptides onto their receptors. 2011 , 6, e18934	193
656	The 2010 Rosetta developers meeting: macromolecular prediction and design meets reproducible publishing. 2011 , 6, e22431	6
655	Comprehensive structural and substrate specificity classification of the <i>Saccharomyces cerevisiae</i> methyltransferase. 2011 , 6, e23168	40
654	CYP5122A1, a novel cytochrome P450 is essential for survival of <i>Leishmania donovani</i> . 2011 , 6, e25273	27

653	Functional characterization of coat protein and V2 involved in cell to cell movement of Cotton leaf curl Kokhran virus-Dabawali. 2011 , 6, e26929	33
652	CARD8 and NLRP1 undergo autoproteolytic processing through a ZU5-like domain. 2011 , 6, e27396	112
651	Enzymatic activities and DNA substrate specificity of Mycobacterium tuberculosis DNA helicase XPB. 2012 , 7, e36960	17
650	A method to find longevity-selected positions in the mammalian proteome. 2012 , 7, e38595	8
649	SECOM: a novel hash seed and community detection based-approach for genome-scale protein domain identification. 2012 , 7, e39475	14
648	A two-staged model of Na ⁺ exclusion in rice explained by 3D modeling of HKT transporters and alternative splicing. 2012 , 7, e39865	134
647	A degenerate primer MOB typing (DPMT) method to classify gamma-proteobacterial plasmids in clinical and environmental settings. 2012 , 7, e40438	67
646	FunSAV: predicting the functional effect of single amino acid variants using a two-stage random forest model. 2012 , 7, e43847	36
645	Biochemical and mass spectrometric characterization of human N-acylethanolamine-hydrolyzing acid amidase inhibition. 2012 , 7, e43877	31
644	Biochemical and molecular dynamic simulation analysis of a weak coiled coil association between kinesin-II stalks. 2012 , 7, e45981	9
643	BCL::Fold--de novo prediction of complex and large protein topologies by assembly of secondary structure elements. 2012 , 7, e49240	38
642	Structure-function analysis of the glioma targeting NFL-TBS.40-63 peptide corresponding to the tubulin-binding site on the light neurofilament subunit. 2012 , 7, e49436	16
641	Recombinant human cytomegalovirus (HCMV) RL13 binds human immunoglobulin G Fc. 2012 , 7, e50166	38
640	eThread: a highly optimized machine learning-based approach to meta-threading and the modeling of protein tertiary structures. 2012 , 7, e50200	30
639	PROSPER: an integrated feature-based tool for predicting protease substrate cleavage sites. 2012 , 7, e50300	186
638	Exploring ORFan domains in giant viruses: structure of mimivirus sulfhydryl oxidase R596. 2012 , 7, e50649	13
637	Full-length minor ampullate spidroin gene sequence. 2012 , 7, e52293	58
636	Interaction of the transactivation domain of B-Myb with the TAZ2 domain of the coactivator p300: molecular features and properties of the complex. 2012 , 7, e52906	6

635	Evolutionary, structural and functional interplay of the IB family members. 2013 , 8, e54178	18
634	Purification and SAXS analysis of the integrin linked kinase, PINCH, parvin (IPP) heterotrimeric complex. 2013 , 8, e55591	10
633	On the relevance of sophisticated structural annotations for disulfide connectivity pattern prediction. 2013 , 8, e56621	8
632	Insights into the evolution of the CSP gene family through the integration of evolutionary analysis and comparative protein modeling. 2013 , 8, e63688	42
631	Functional and immunological relevance of Anaplasma marginale major surface protein 1a sequence and structural analysis. 2013 , 8, e65243	41
630	A method for WD40 repeat detection and secondary structure prediction. 2013 , 8, e65705	40
629	Molecular cloning and characterization of juvenile hormone acid methyltransferase in the honey bee, Apis mellifera, and its differential expression during caste differentiation. 2013 , 8, e68544	32
628	Hinged plakin domains provide specialized degrees of articulation in envoplakin, periplakin and desmoplakin. 2013 , 8, e69767	15
627	Cross-link guided molecular modeling with ROSETTA. 2013 , 8, e73411	114
626	Efficient and interpretable prediction of protein functional classes by correspondence analysis and compact set relations. 2013 , 8, e75542	3
625	Positive selection in bone morphogenetic protein 15 targets a natural mutation associated with primary ovarian insufficiency in human. 2013 , 8, e78199	18
624	Investigating the allosteric regulation of YfiN from Pseudomonas aeruginosa: clues from the structure of the catalytic domain. 2013 , 8, e81324	31
623	The ϵ proteobacteria Wolbachia pipientis protein disulfide machinery has a regulatory mechanism absent in ϵ proteobacteria. 2013 , 8, e81440	9
622	Targeting a cross-reactive Gly m 5 soy peptide as responsible for hypersensitivity reactions in a milk allergy mouse model. 2014 , 9, e82341	18
621	Identification and glycerol-induced correction of misfolding mutations in the X-linked mental retardation gene CASK. 2014 , 9, e88276	12
620	Distant homology modeling of LCAT and its validation through in silico targeting and in vitro and in vivo assays. 2014 , 9, e95044	6
619	PredPPCrys: accurate prediction of sequence cloning, protein production, purification and crystallization propensity from protein sequences using multi-step heterogeneous feature fusion and selection. 2014 , 9, e105902	20
618	A novel fatty acid-binding protein-like carotenoid-binding protein from the gonad of the New Zealand sea urchin Evechinus chloroticus. 2014 , 9, e106465	7

617	A new supervised over-sampling algorithm with application to protein-nucleotide binding residue prediction. 2014 , 9, e107676	29
616	Analysis of nidogen-1/laminin α interaction by cross-linking, mass spectrometry, and computational modeling reveals multiple binding modes. 2014 , 9, e112886	37
615	Characterization of the interaction between Rfa1 and Rad24 in <i>Saccharomyces cerevisiae</i> . 2015 , 10, e0116512	5
614	Brain expressed and X-linked (Bex) proteins are intrinsically disordered proteins (IDPs) and form new signaling hubs. 2015 , 10, e0117206	22
613	Proteasome 19S RP binding to the Sec61 channel plays a key role in ERAD. 2015 , 10, e0117260	18
612	GSHSite: exploiting an iteratively statistical method to identify s-glutathionylation sites with substrate specificity. 2015 , 10, e0118752	25
611	Structure and Assembly of TP901-1 Virion Unveiled by Mutagenesis. 2015 , 10, e0131676	14
610	Plasmid-Encoded RepA Proteins Specifically Autorepress Individual repABC Operons in the Multipartite <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> Genome. 2015 , 10, e0131907	7
609	Peptide Inhibitor of Complement C1 (PIC1) Rapidly Inhibits Complement Activation after Intravascular Injection in Rats. 2015 , 10, e0132446	26
608	The Inner Membrane Protein PilG Interacts with DNA and the Secretin PilQ in Transformation. 2015 , 10, e0134954	4
607	Histone H1 Variants in Arabidopsis Are Subject to Numerous Post-Translational Modifications, Both Conserved and Previously Unknown in Histones, Suggesting Complex Functions of H1 in Plants. 2016 , 11, e0147908	19
606	Functional Diversification after Gene Duplication: Paralog Specific Regions of Structural Disorder and Phosphorylation in p53, p63, and p73. 2016 , 11, e0151961	15
605	CASP11--An Evaluation of a Modular BCL::Fold-Based Protein Structure Prediction Pipeline. 2016 , 11, e0152517	12
604	The N-Terminal GYPSY Motif Is Required for Pilin-Specific Sortase SrtC1 Functionality in <i>Lactobacillus rhamnosus</i> Strain GG. 2016 , 11, e0153373	4
603	Amyotrophic Lateral Sclerosis Type 20 - In Silico Analysis and Molecular Dynamics Simulation of hnRNPA1. 2016 , 11, e0158939	11
602	qiRNApredictor: A Novel Computational Program for the Prediction of qiRNAs in <i>Neurospora crassa</i> . 2016 , 11, e0159487	1
601	The Neurite Outgrowth Inhibitory Nogo-A- Δ 20 Region Is an Intrinsically Disordered Segment Harboring Three Stretches with Helical Propensity. 2016 , 11, e0161813	2
600	Molecular Models for the Core Components of the Flagellar Type-III Secretion Complex. 2016 , 11, e0164047	11

599	Critical Features of Fragment Libraries for Protein Structure Prediction. 2017 , 12, e0170131	12
598	Structure, kinetic characterization and subcellular localization of the two ribulose 5-phosphate epimerase isoenzymes from <i>Trypanosoma cruzi</i> . 2017 , 12, e0172405	6
597	MDD-Palm: Identification of protein S-palmitoylation sites with substrate motifs based on maximal dependence decomposition. 2017 , 12, e0179529	22
596	Identification and molecular characterization of a metagenome-derived L-lysine decarboxylase gene from subtropical soil microorganisms. 2017 , 12, e0185060	7
595	Knowledge-based prediction of protein backbone conformation using a structural alphabet. 2017 , 12, e0186215	10
594	The importance of negative determinants as modulators of CK2 targeting. The lesson of Akt2 S131. 2018 , 13, e0193479	1
593	Upgraded molecular models of the human KCNQ1 potassium channel. 2019 , 14, e0220415	13
592	Mechanistic Insight into Bunyavirus-Induced Membrane Fusion from Structure-Function Analyses of the Hantavirus Envelope Glycoprotein Gc. 2016 , 12, e1005813	43
591	CIPPN: computational identification of protein pupylation sites by using neural network. 2017 , 8, 108867-108879	19
590	Accurate prediction of subcellular location of apoptosis proteins combining Chou's PseAAC and PsePSSM based on wavelet denoising. 2017 , 8, 107640-107665	53
589	DMXL2 drives epithelial to mesenchymal transition in hormonal therapy resistant breast cancer through Notch hyper-activation. 2015 , 6, 22467-79	25
588	Importance of Computational Intelligent in Proteomics. 2014 , 18, 469-473	1
587	Improving the Prediction of Protein Structural Class for Low-Similarity Sequences by Incorporating Evolutionary and Structural Information. 2016 , 20, 402-411	2
586	An in-silico approach to develop of a multi-epitope vaccine candidate against SARS-CoV-2 envelope (E) protein. 2020 ,	5
585	Recent Development of Computational Predicting Bioluminescent Proteins. 2019 , 25, 4264-4273	2
584	Advances in the structural understanding of Vif proteins. 2008 , 6, 91-9	39
583	A Systematic Review on Popularity, Application and Characteristics of Protein Secondary Structure Prediction Tools. 2019 , 16, 159-172	6
582	Prediction of Nitrosocysteine Sites Using Position and Composition Variant Features. 2019 , 16, 283-293	21

581	The Computational Prediction Methods for Linear B-cell Epitopes. 2019 , 14, 226-233	3
580	A Review of DNA-binding Proteins Prediction Methods. 2019 , 14, 246-254	56
579	Relevance of Machine Learning Techniques and Various Protein Features in Protein Fold Classification: A Review. 2019 , 14, 688-697	15
578	A Deep Convolutional Neural Network to Improve the Prediction of Protein Secondary Structure. 2020 , 15, 767-777	4
577	SHEETSPAIR: A Database of Amino Acid Pairs in Protein Sheet Structures. 2007 , 6, S589-S595	6
576	Opinion Prediction of protein Post-Translational Modification sites: An overview. 2017 , 2, 049-057	4
575	Characterization and evolutionary origin of novel C2H2 zinc finger protein (ZNF648) required for both erythroid and megakaryocyte differentiation in humans. 2021 , 106, 2859-2873	0
574	Order-wise in silico comparative analysis and identification of growth-regulating factor proteins in Malpighiales. 2016 , 40, 26-42	2
573	Cloning, Identification and Molecular Characteristics Analysis of p1 Gene of Yersinia ruckeri isolated from Channel Catfish (Ictalurus punctatus). 2012 , 7, 1067-1078	1
572	Biophysical characterization and modeling of human Ecdysoless (ECD) protein supports a scaffolding function. 2016 , 3, 195-208	2
571	In silico design of fusion protein of FimH from uropathogenic Escherichia coli and MrpH from Proteus mirabilis against urinary tract infections. 2015 , 4, 217	6
570	Molecular Modelling of Human Multidrug Resistance Protein 5 (ABCC5). 2016 , 07, 61-73	2
569	A GASVM Algorithm for Predicting Protein Structure Classes. 2016 , 04, 46-53	2
568	A Novel Prediction Method of Protein Structural Classes Based on Protein Super-Secondary Structure. 2016 , 04, 54-62	2
567	Protein Secondary Structure Prediction using Multiple Neural Network Likelihood Models. 2010 , 10, 314-318	3
566	Molecular Characterization of Legionellosis Drug Target Candidate Enzyme Phosphoglucosamine Mutase from Legionella pneumophila (strain Paris): An In Silico Approach. 2014 , 12, 268-75	5
565	Prediction of cystine connectivity using SVM. 2005 , 1, 69-74	4
564	An SVM method using evolutionary information for the identification of allergenic proteins. 2008 , 2, 253-6	14


563	Molecular modelling of urease accessory interaction proteins of <i>Helicobacter Pylori</i> J 99 and predicting an interruption in interaction by <i>Vigna radiata</i> Defensins. 2011 , 5, 410-5	2
562	Molecular docking and pharmacokinetic evaluation of natural compounds as targeted inhibitors against Crz1 protein in <i>Rhizoctonia solani</i> . 2019 , 15, 277-286	4
561	Decoding the vital segments in human ATP-dependent RNA helicase. 2020 , 16, 160-170	4
560	Analysis of methyltransferase (MTase) domain from Zika virus (ZIKV). 2020 , 16, 229-235	2
559	Prediction of promiscuous epitopes in the e6 protein of three high risk human papilloma viruses: a computational approach. 2013 , 14, 4167-75	10
558	The <i>Caenorhabditis elegans</i> protein SAS-5 forms large oligomeric assemblies critical for centriole formation. 2015 , 4, e07410	30
557	The angiopoietin-like protein ANGPTL4 catalyzes unfolding of the hydrolase domain in lipoprotein lipase and the endothelial membrane protein GPIHBP1 counteracts this unfolding. 2016 , 5,	58
556	Cryo-EM structure of the SAGA and NuA4 coactivator subunit Tra1 at 3.7 angstrom resolution. 2017 , 6,	28
555	Six domesticated PiggyBac transposases together carry out programmed DNA elimination in. 2018 , 7,	26
554	A conserved Mcm4 motif is required for Mcm2-7 double-hexamer formation and origin DNA unwinding. 2019 , 8,	12
553	Lack of activity of recombinant HIF prolyl hydroxylases (PHDs) on reported non-HIF substrates. 2019 , 8,	40
552	Architecture of the chromatin remodeler RSC and insights into its nucleosome engagement. 2019 , 8,	33
551	Structural and mechanistic basis of the EMC-dependent biogenesis of distinct transmembrane clients. 2020 , 9,	21
550	SNARE-CNN: a 2D convolutional neural network architecture to identify SNARE proteins from high-throughput sequencing data. 2019 , 5, e177	31
549	Multi-level machine learning prediction of protein-protein interactions in <i>Saccharomyces cerevisiae</i> . 2015 , 3, e1041	10
548	Artificial intelligence in the prediction of protein-ligand interactions: recent advances and future directions. 2021 ,	3
547	Dedicated chaperones coordinate co-translational regulation of ribosomal protein production with ribosome assembly to preserve proteostasis.	
546	A Computational Study of Molecular Mechanism of Chloroquine Resistance by Chloroquine Resistance Transporter Protein of <i>Plasmodium falciparum</i> via Molecular Modeling and Molecular Simulations. 2021 , 1, 232-242	2

545	Ensemble of Template-Free and Template-Based Classifiers for Protein Secondary Structure Prediction. 2021 , 22,	
544	IRAK1-dependent Regnase-1-14-3-3 complex formation controls Regnase-1-mediated mRNA decay. 2021 , 10,	3
543	Subunit cooperation in the Get1/2 receptor promotes tail-anchored membrane protein insertion. 2021 , 220,	0
542	BRD4 orchestrates genome folding to promote neural crest differentiation. 2021 , 53, 1480-1492	4
541	An effective feature extraction with deep neural network architecture for protein-secondary-structure prediction. 2021 , 10, 1	
540	AlphaDesign: A de novo protein design framework based on AlphaFold.	9
539	Identification and molecular characterization of the high-affinity copper transporters family in <i>Solanum lycopersicum</i> . 2021 , 192, 600-610	2
538	Protein β Sheet Partner Prediction by Neural Networks. 2000 , 3-9	
537	Amino Acids, Peptides, and Proteins. 2001 , 39-93	
536	Tools for Protein Technologies. 2001 , 325-344	
535	Structural roles of cysteine 50 and cysteine 230 residues in <i>Arabidopsis thaliana</i> S-adenosylmethionine decarboxylase. 2002 , 35, 178-85	1
534	Prediction of Protein Secondary Structure at High Accuracy Using a Combination of Many Neural Networks. 2003 , 117-122	1
533	Bioinformatik. 2003 , 143-212	0
532	Evolved Matrix Operations for Post-processing Protein Secondary Structure Predictions. 2004 , 220-229	
531	Poly-transformation. 2004 , 99-107	
530	Improving the Sensitivity and Specificity of Protein Homology Search by Incorporating Predicted Secondary Structures. 2005 , 960-967	
529	Secondary structure breakers and hairpin structures in myoglobin and hemoglobin. 2005 , 5, 65-77	3
528	A Multi-agent System for Protein Secondary Structure Prediction. 2005 , 14-32	1

- 527 BIOPACMAS: A Personalized, Adaptive, and Cooperative MultiAgent System for Predicting Protein Secondary Structure. **2005**, 587-598
- 526 Protein Loop Classification Using Artificial Neural Networks. **2005**, 222-225 1
- 525 Analysis of the Effects of Multiple Sequence Alignments in Protein Secondary Structure Prediction. **2005**, 128-140
- 524 Predicting Secondary Structure of All-Helical Proteins Using Hidden Markov Support Vector Machines. **2006**, 93-104 1
- 523 New Design of Neural Network Input and Output Vectors in the Protein Secondary Structure prediction. **2006**, 1, 213-221 0
- 522 Protein Structure Prediction by Protein Threading. **2007**, 1-42 1
- 521 Using Efficient RBF Network to Identify Interface Residues Based on PSSM Profiles and Biochemical Properties. **2007**, 132-141 1
- 520 Protein Structure Prediction as a Systems Problem. **2007**, 177-206
- 519 Structure prediction of globular proteins. **2008**, 283-307
- 518 Multi-layer Ensemble Classifiers on Protein Secondary Structure Prediction. **2008**, 79-85 2
- 517 Computer Aided Knowledge Discovery in Biomedicine. **2009**, 126-141
- 516 Predicting Residue-Wise Contact Orders in Proteins by Support Vector Regression with Parametric-Insensitive Model. **2009**, 7-12
- 515 Learning Models for Aligning Protein Sequences with Predicted Secondary Structure. **2009**, 512-531
- 514 Training Neural Networks for Protein Secondary Structure Prediction: The Effects of Imbalanced Data Set. **2009**, 258-265
- 513 THE CLONING AND PRELIMINARY CHARACTERIZATION OF A C18:0 Δ DESATURASE GENE FROM MARINE MICROALGAE PAVLOVA VIRIDIS. **2009**, 33, 732-739
- 512 Predicting the Start of Protein α -Helices Using Machine Learning Algorithms. **2010**, 33-41
- 511 Secondary Structure Classification of Isoform Protein Markers in Oncology. **2011**, 47-67
- 510 A Collaborative Web Application for Supporting Researchers in the Task of Generating Protein Datasets. **2011**, 13-26 1

- 509 A Resilient Voting Scheme for Improving Secondary Structure Prediction. **2011**, 339-350
- 508 Computer Aided Knowledge Discovery in Biomedicine. **2012**, 1389-1403
- 507 Multilayer Neural Networks with Receptive Fields as a Model for the Neuron Reconstruction Problem. **2012**, 242-250
- 506 Enhancing Sampling of the Conformational Space Near the Protein Native State. **2012**, 249-263 1
- 505 Neural Networks in Bioinformatics. **2013**, 505-525
- 504 Using the Support Vector Machine Algorithm to Predict β Turn Types in Proteins. **2013**, 05, 386-390 1
- 503 Confidence-guided local structure prediction with HHfrag. **2013**, 8, e76512 1
- 502 Comparative Modeling Reveals the Structure of Staphylococcus aureus Enterotoxin D. **2013**, 3, 91-105 1
- 501 The Interaction Networks of E. coli Chaperones. **2014**, 395-418
- 500 A Method to Predict Amino Acids at Proximity of Beta-Sheet Axes from Protein Sequences. **2014**, 05, 79-89 1
- 499 The Application of Support Vector Machine and Behavior Knowledge Space in the Disulfide Connectivity Prediction Problem. **2015**, 66-79
- 498 An Efficient Nearest Neighbor Method for Protein Contact Prediction. **2015**, 50-60
- 497 Software. **2015**, 31-36
- 496 Conjugation in Gram-Positive Bacteria. 237-256
- 495 Rapid Etiological Classification of Meningitis by NMR Spectroscopy Based on Metabolite Profiles and Host Response. **2016**, 65-81
- 494 High GC Content Causes De Novo Created Proteins to be Intrinsically Disordered.
- 493 Computational prediction of the tolerance to amino-acid deletion in green-fluorescent protein.
- 492 Proteus: A Random Forest Classifier to Predict Disorder-to-Order Transitioning Binding Regions in Intrinsically Disordered Proteins.

- 491 Ensemble Multiple Alignment. **2017**, 85-102
- 490 High GC Content Causes Orphan Proteins to be Intrinsically Disordered. 0
- 489 Core Column Prediction for Alignments. **2017**, 117-137
- 488 Fold Recognition. **2017**, 59-90
- 487 Prediction of Lysine Pupylation Sites with Machine Learning Methods. **2017**, 408-417 1
- 486 The Facet Accuracy Estimator. **2017**, 29-40
- 485 Transcripts' evolutionary history and structural dynamics give mechanistic insights into the functional diversity of the JNK family..
- 484 PB-kPRED: knowledge-based prediction of protein backbone conformation using a structural alphabet.
- 483 Structural propensity database of proteins.
- 482 The nematode homologue of Mediator complex subunit 28, F28F8.5, is a critical regulator of development. **2017**, 5, e3390
- 481 A Novel Approach of Protein Secondary Structure Prediction by SVM Using PSSM Combined by Sequence Features. **2018**, 1074-1084
- 480 Approaches to ab initio molecular replacement of helical transmembrane proteins. **2017**, 73, 985-996 3
- 479 Three-dimensional Modelling of the Voltage-gated Sodium Ion Channel from *Anopheles gambiae* Reveals Spatial Clustering of Evolutionarily Conserved Acidic Residues at the Extracellular Sites. **2017**, 15, 1062-1072 0
- 478 DNCON2: Improved protein contact prediction using two-level deep convolutional neural networks. 4
- 477 The amino-terminal domain of ELL transcription elongation factor is essential for ELL function in *Schizosaccharomyces pombe*. **2017**, 163, 1641-1653 1
- 476 Identification of residue pairing in interacting β strands from a predicted residue contact map.
- 475 In silico analysis of coevolution among ERMES proteins, Pex11, and Lam6. **2017**, 63, 984-997
- 474 3.7 Å cryo-EM structure of the core Centromere Binding Factor 3 complex.

- 473 A Simulation Analysis and Screening of Deleterious Non-Synonymous Single Nucleotide Polymorphisms (SNPs) in Human CDKN1A Gene. 0
- 472 Determining protein structures using genetics. 3
- 471 Novel anionic cecropins from the spruce budworm feature a poly-L-aspartic acid C-terminus.
- 470 Rosetta FunFoldes  a general framework for the computational design of functional proteins. 1
- 469 ELYS coordinates NF- κ B pathway dynamics during development in Drosophila.
- 468 Development of Vacuum-Ultraviolet Circular-Dichroism Spectrophotometer Using Synchrotron Radiation and Structural Analysis of Biomolecules. **2018**, 60, 200-208
- 467 The Arabidopsis autophagy cargo receptors AT1 and AT2 bind to ATG8 via intrinsically disordered regions and are post-translationally modified upon ATG8 interaction.
- 466 A sequence-based approach for identifying protein fold switchers.
- 465 Protein synthesis rates and ribosome occupancies reveal determinants of translation elongation rates. 0
- 464 Protein Secondary Structure Assignments and Their Usefulness for Dihedral Angle Prediction. **2019**, 699-712
- 463 Encyclopedia of Biophysics. **2019**, 1-9
- 462 Bersicht aktueller MSA-Programme. **2019**, 37-54
- 461 Protein Tertiary Structure Prediction Based on Multiscale Recurrence Quantification Analysis and Horizontal Visibility Graph. **2019**, 531-539 0
- 460 Protein Secondary Structure Prediction Based on Wavelet Feature Extraction and Support Vector Machine. **2019**, 09, 17-22
- 459 Secondary Structures of Histone H3 Proteins with Unmethylated and Methylated Lysine-4 and -9 Residues: Characterization Using Circular Dichroism Spectroscopy. **2019**, 479-494
- 458 Protein Structural Class Prediction Based on Distance-related Statistical Features from Graphical Representation of Predicted Secondary Structure. **2019**, 16, 317-324
- 457 Molecular docking analysis of netropsin and novobiocin with the viral protein targets HABD, MTD and RCD. **2019**, 15, 233-239
- 456 Integrative protein modeling in RosettaNMR from sparse paramagnetic restraints. 0

- 455 Protein structure prediction using sparse NOE and RDC restraints with Rosetta in CASP13.
- 454 Caldicellulosiruptor bescii regulates pilus expression in response to the polysaccharide, xylan.
- 453 Inferring Protein Domain Semantic Roles Using word2vec.
- 452 2dSS: a web server for protein secondary structure visualization. 1
- 451 Upgraded molecular models of the human KCNQ1 potassium channel.
- 450 Conservation of gene architecture and domains amidst sequence divergence in the hsr1hcRNA gene across the Drosophila genus: An in silico analysis.
- 449 Protein Subcellular Localization Prediction based on PSI-BLAST Profile and Principal Component Analysis. **2019**, 16, 402-414 2
- 448 Structure of D. melanogaster ARC1 reveals a repurposed molecule with characteristics of retroviral Gag. 1
- 447 CoRNeA: A pipeline to decrypt the inter protein interfaces from amino acid sequence information.
- 446 Allosteric activation of the nitric oxide receptor soluble guanylate cyclase mapped by cryo-electron microscopy.
- 445 A transient amphipathic helix in PCSK9 β prodomain facilitates low-density lipoprotein binding.
- 444 Architecture of the chromatin remodeler RSC and insights into its nucleosome engagement. 0
- 443 Structure of SWI/SNF chromatin remodeller RSC bound to a nucleosome. 1
- 442 Reversed Signaling Flow of a Bacterial Pseudokinase.
- 441 Application of Deep Architecture in Bioinformatics. **2020**, 167-186
- 440 CenH3-independent kinetochore assembly in Lepidoptera requires CENP-T.
- 439 Prediction of 8-state protein secondary structures by 1D-Inception and BD-LSTM. 0
- 438 Boosting Granular Support Vector Machines for the Accurate Prediction of Protein-Nucleotide Binding Sites. **2019**, 22, 455-469 0

- 437 The Genome3D Consortium for Structural Annotations of Selected Model Organisms. **2020**, 2165, 27-67 1
- 436 Protein Secondary Structure Prediction Approaches. **2020**, 251-273
- 435 Analysis of predicted proteasomal cleavages in the methyltransferase domain from JEV. **2020**, 16, 223-228 1
- 434 secondary structure.
- 433 Novel insights into the structure and transport mechanisms of TAPT1. 0
- 432 Leish-Exp: a database of exclusive proteins from Leishmania parasite. 2
- 431 ERH as a component of the Microprocessor facilitates the maturation of suboptimal microRNAs.
- 430 Structure of human RNA Polymerase III. 1
- 429 Protein Profiles: Biases and Protocols.
- 428 Structural determinants within the adenovirus early region 1A protein spacer region necessary for tumorigenesis.
- 427 An In silico Approach for Structural and Functional Annotation of Uncharacterized Protein Rv0986 present in Mycobacterium tuberculosis. **2020**, 61-67 0
- 426 Fertility-LightGBM: A fertility-related protein prediction model by multi-information fusion and light gradient boosting machine.
- 425 The TPLATE subunit is essential for structural assembly of the endocytic TSET complex. 0
- 424 De novo identification of mammalian ciliary motility proteins using cryo-EM. **2021**, 184, 5791-5806.e19 10
- 423 Dissecting gating mechanisms of Orai calcium channel paralogs using constitutively active Orai mutants that mimic STIM1-gated state.
- 422 TopProperty: Robust Metaprediction of Transmembrane and Globular Protein Features Using Deep Neural Networks. **2021**, 17, 7281-7289 0
- 421 Protein Design with Deep Learning. **2021**, 22, 2
- 420 Genomic Identification and Functional Analysis of JHAMTs in the Pond Wolf Spider,. **2021**, 22, 0

- 419 Multifaceted analysis of training and testing convolutional neural networks for protein secondary structure prediction.
- 418 IDP-LZerD: Software for Modeling Disordered Protein Interactions. **2020**, 2165, 231-244 1
- 417 Efficient Sampling of Protein Loop Regions Using Conformational Hashing Complemented with Random Coordinate Descent. **2021**, 17, 560-570 1
- 416 A multi-task deep-learning system for predicting membrane associations and secondary structures of proteins.
- 415 Structural basis for the dimerization-dependent CRISPR-Cas12f nuclease.
- 414 Quantifying shifts in natural selection on codon usage between protein regions: A population genetics approach.
- 413 The *Candida glabrata* glycogen branching enzyme structure reveals unique features of branching enzymes of the Saccharomycetaceae phylum. **2021**,
- 412 Protein-DNA Binding Residue Prediction via Bagging Strategy and Sequence-based Cube-Format Feature. **2021**, PP,
- 411 Analysis of Clustering Fragmented Protein Bond Angles. **2020**, 10, 74-83
- 410 Intrinsically disordered domain of kinesin-3 Kif14 enables unique functional diversity.
- 409 DTIFS: A Novel Computational Approach for Predicting Drug-Target Interactions from Drug Structure and Protein Sequence. **2020**, 371-383
- 408 Protein Secondary Structure Prediction Based on Long-Short-Term Memory Recurrent Network and Radical Group Features. **2020**, 10, 57-68
- 407 Makine Enmesi ve Biyoenformatik Uygulamaların Yüksek Başarımlı Hesaplama Sistemlerindeki Performans Analizi. 1-14 0
- 406 A phylogenetic analysis of MCTP proteins: from amino acid sequence to function. 0
- 405 Exploiting the Reverse Vaccinology Approach to Design Novel Subunit Vaccine against Ebola Virus. 3
- 404 Protein Secondary Structure Prediction Based on Generative Confrontation and Convolutional Neural Network. **2020**, 10, 49-56 1
- 403 Sequence-based Prediction of Metamorphic Behavior in Proteins.
- 402 Specialised functions of two common plasmid mediated toxin-antitoxin systems, *ccdAB* and *pemIK*, in Enterobacteriaceae. 1

401	A Cytoskeletal Protein Complex is Essential for Division of Intracellular Amastigotes of <i>Leishmania mexicana</i> .	0
400	Reconstruction and Visualization of Protein Structures by exploiting Bidirectional Neural Networks and Discrete Classes. 2021 ,	0
399	A Monoallelic Variant in <i>Is</i> Associated with Non-Syndromic Autosomal Dominant Hearing Impairment in a South African Family. 2021 , 12,	1
398	DeepStack-DTIs: Predicting Drug-Target Interactions Using LightGBM Feature Selection and Deep-Stacked Ensemble Classifier. 2021 , 1	2
397	Citrullination was introduced into animals by horizontal gene transfer from cyanobacteria. 2021 ,	2
396	Discovering the Ultimate Limits of Protein Secondary Structure Prediction. 2021 , 11,	0
395	AFP-CMBPred: Computational identification of antifreeze proteins by extending consensus sequences into multi-blocks evolutionary information. 2021 , 139, 105006	6
394	A Deep Semi-Supervised Framework for Accurate Modelling of Orphan Sequences.	1
393	Integrative Modeling of Membrane-associated Protein Assemblies.	
392	Motifs of the C-terminal Domain of MCM9 Direct Localization to Sites of Mitomycin-C Damage for RAD51 Recruitment.	
391	Near Atomic Structure of an Atadenovirus Reveals a Conserved Capsid-Binding Motif and Intergenera Variations in Cementing Proteins.	
390	Structure Prediction, Characterization, and Functional Annotation of Uncharacterized Protein BCRIVMBC126_02492 of <i>Bacillus cereus</i> : An In Silico Approach. 2020 , 104-111	
389	A Two-Layer Learning Architecture for Multi-Class Protein Folds Classification. 786-797	
388	A Two-Layer Learning Architecture for Multi-Class Protein Folds Classification. 39-50	
387	Protein Structure Assembly from Knowledge of β Sheet Motifs and Secondary Structure. 2005 , 45-52	
386	Local Structure Prediction of Proteins. 2007 , 207-254	1
385	Protein Structure Prediction. 2009 , 63-78	
384	PROTEIN SECONDARY STRUCTURE PREDICTION METHODS BASED ONRBF NEURAL NETWORKS. 2006 , 1037-1043	1

- 383 Fuzzy K-Nearest Neighbor Classifier to Predict Protein Solvent Accessibility. **2007**, 837-845
- 382 Multiple Sequence Alignment Based on Profile Alignment of Intermediate Sequences. **2007**, 283-295 3
- 381 Improved Prediction of Protein Secondary Structures Using Adaptively Weighted Profiles. **2007**, 83-94
- 380 Protein Structure and Its Folding Rate. **2008**, 273-301
- 379 A multimodal neural network with single-state predictions for protein secondary structure. **2004**, 8, 168-173
- 378 The guidance and adhesion protein FLRT2 dimerizes in cis via dual Small-X3-Small transmembrane motifs.
- 377 Structural studies on *M. tuberculosis* decaprenyl phosphoryl-ED-ribose epimerase-2 enzyme involved in cell wall biogenesis.
- 376 Extension of a de novo TIM barrel with a rationally designed secondary structure element. 0
- 375 Structural and mechanistic basis of the EMC-dependent biogenesis of distinct transmembrane clients.
- 374 Structural classification of proteins based on the computationally efficient recurrence quantification analysis and horizontal visibility graphs.
- 373 Refining pairwise sequence alignments of membrane proteins by the incorporation of anchors.
- 372 A vaccine built from potential immunogenic pieces derived from the SARS-CoV-2 spike glycoprotein.
- 371 Mutagenesis and homology modeling reveal a predicted pocket of lysophosphatidylcholine acyltransferase 2 to catch Acyl-CoA.
- 370 Structure of the molecular bushing of the bacterial flagellar motor. 2
- 369 Predicting protein secondary structure by an ensemble through feature-based accuracy estimation. **2020**, 0
- 368 Excavating the functionally crucial active-site residues of the DXS protein of *Bacillus subtilis* by exploring its closest homologues. **2020**, 18, 76
- 367 Can soybean lipoxygenases be real models for mammalian lipoxygenases? A bioinformatics approach. 79-102
- 366 Structure-function analysis Glyceraldehyde-3-Phosphate Dehydrogenase Homologue GapB in *Staphylococcus aureus*.

365	Naf1 p is a box H/ACA snoRNP assembly factor. 2002 , 8, 1502-14	60
364	Local backbone structure prediction of proteins. 2004 , 4, 381-6	27
363	Bioinformatics resources for cancer research with an emphasis on gene function and structure prediction tools. 2007 , 2, 25-35	5
362	Functional diversity of cysteine residues in proteins and unique features of catalytic redox-active cysteines in thiol oxidoreductases. 2008 , 26, 228-35	59
361	Modern aspects of the structural and functional organization of the DNA mismatch repair system. 2013 , 5, 17-34	4
360	Possible Function of the ribT Gene of Bacillus subtilis: Theoretical Prediction, Cloning, and Expression. 2014 , 6, 106-9	1
359	Scatter-search with support vector machine for prediction of relative solvent accessibility. 2013 , 12, 52-63	3
358	Screening and identification of RhD antigen mimic epitopes from a phage display random peptide library for the serodiagnosis of haemolytic disease of the foetus and newborn. 2019 , 17, 53-59	3
357	Recent progress on MHC-I epitope prediction in tumor immunotherapy. 2021 , 11, 2401-2416	
356	Identification of the active site and characterization of a novel sporulation-specific cysteine protease YabG from Bacillus subtilis. 2021 ,	
355	Structural and functional analysis of protein. 2022 , 189-206	
354	Secondary structure assignment of proteins in the absence of sequence information.	
353	DomBpred: protein domain boundary predictor using inter-residue distance and domain-residue level clustering.	
352	MAR1 links membrane adhesion to membrane merger during cell-cell fusion in Chlamydomonas. 2021 ,	4
351	Structure of the bacterial flagellar hook cap provides insights into a hook assembly mechanism. 2021 , 4, 1291	1
350	Seq-SetNet: directly exploiting multiple sequence alignment for protein secondary structure prediction. 2021 ,	0
349	Immunoinformatics-Based Designing of a Multi-Epitope Chimeric Vaccine From Multi-Domain Outer Surface Antigens of .. 2021 , 12, 735373	2
348	TOPOVIBL-REC114 interaction regulates meiotic DNA double-strand breaks.	0

- 347 EpiCurator: an immunoinformatic workflow to predict and prioritize SARS-CoV-2 epitopes.. **2021**, 9, e12548 0
- 346 Nickel import and export in the human pathogen *Helicobacter pylori*, perspectives from molecular modelling. **2021**, 13, 2
- 345 Combining Cryo-EM Density Map and Residue Contact for Protein Secondary Structure Topologies. **2021**, 26, 0
- 344 Identification, Characterization, and In Silico Analysis of New Imine Reductases From Native *Streptomyces* Genomes. **2021**, 1, 0
- 343 Evolution of polarity protein BASL and the capacity for stomatal lineage asymmetric divisions. **2021**, 2
- 342 Structural basis of Apt48 inhibition of the BCL6 BTB domain. **2021**, 2
- 341 A flexible GAS belt responds to pore mutations changing the ion selectivity of proton-gated channels. **2022**, 154, 0
- 340 structural analysis of secretory clusterin to assess pathogenicity of mutations identified in the evolutionarily conserved regions. **2021**, 1-10 1
- 339 Identification of Enzymes-specific Protein Domain Based on DDE, and Convolutional Neural Network.. **2021**, 12, 759384 0
- 338 Cockayne Syndrome B Protein Selectively Resolves and Interact with Intermolecular DNA G-Quadruplex Structures. **2021**, 2
- 337 Protein secondary structure prediction using a lightweight convolutional network and label distribution aware margin loss. **2021**, 237, 107771 1
- 336 DeepRCI: predicting ATP-binding proteins using the residue-residue contact information.. **2021**, PP, 0
- 335 MMEC: Multi-Modal Ensemble Classifier for Protein Secondary Structure Prediction. **2021**, 175-184 0
- 334 Artificial Intelligence in Medicine: Biochemical 3D Modeling and Drug Discovery. **2021**, 1-12 0
- 333 Genomic variants reducing expression of two endocytic receptors in 46,XY differences of sex development.. **2022**, 0
- 332 VTP-Identifier: Vesicular Transport Proteins Identification Based on PSSM Profiles and XGBoost.. **2021**, 12, 808856 0
- 331 Variations in immunodominant epitope and molecular conformation of alpha-gliadins in elite Ethiopian durum wheat cultivars. 1 0
- 330 Diversity of Sodium Transporter HKT1;5 in Genus *Oryza*. **2022**, 29, 31-46 0

329	In silico analysis and characterization of medicinal mushroom cystathionine beta-synthase as an angiotensin converting enzyme (ACE) inhibitory protein.. 2021 , 96, 107620		1
328	Macromolecular Crowding Induces a Binding Competent Transient Structure in Intrinsically Disordered Gab1.. <i>Journal of Molecular Biology</i> , 2021 , 434, 167407	6.5	1
327	Sense the moment: A highly sensitive antimicrobial activity predictor based on hydrophobic moment.. 2021 , 1866, 130070		1
326	An immunoinformatics-based designed multi-epitope candidate vaccine (mpme-VAC/STV-1) against <i>Mycoplasma pneumoniae</i> .. 2021 , 142, 105194		1
325	PS8-Net: A Deep Convolutional Neural Network to Predict the Eight-State Protein Secondary Structure. 2020 ,		1
324	Fusion of BLAST and Ensemble of Classifiers for Protein Secondary Structure Prediction. 2020 ,		1
323	Prediction of protein secondary structure based on deep residual convolutional neural network. 2021 , 35, 1881-1890		0
322	Bibliographie. 2021 , 217-222		
321	Visibility Graph Network of Multidimensional Time Series Data for Protein Structure Classification. 2021 ,		1
320	Cross-linking of the Endolysosomal System Reveals Flotillin Structures and Putative Cargo.		
319	A noncanonical chaperone interacts with drug efflux pumps during their assembly into bacterial outer membranes.. 2022 , 20, e3001523		1
318	Prediction of Protein Secondary Structure Based on WS-BiLSTM Model. 2022 , 14, 89		0
317	The Metaxin Mitochondrial Import Proteins: Multiple Metaxin-like Proteins in Fungi.		0
316	Recognition of mRNA N4 Acetylcytidine (ac4C) by Using Non-Deep vs. Deep Learning. 2022 , 12, 1344		6
315	Refining the domain architecture model of the replication origin firing factor Treslin/TICRR.. 2022 , 5,		1
314	Computational Modeling of Molecular Structures Guided by Hydrogen-Exchange Data.. 2022 ,		2
313	Computational designing of a novel subunit vaccine for human cytomegalovirus by employing the immunoinformatics framework. 1-23		0
312	Immunoinformatics analysis for design of multi-epitope subunit vaccine by using heat shock proteins against .. 2022 , 1-20		1

311	PERCC1, a new member of the YAP/TAZ/FAM181 transcriptional co-regulator family.	0
310	Immunoinformatics guided modeling of CCHF_GN728, an mRNA-based universal vaccine against Crimean-Congo hemorrhagic fever virus. 2021 , 140, 105098	0
309	Sequence analysis and crystal structure of a glycosylated protease from Euphorbia resinifera latex for its proteolytic activity aspect.. 2021 ,	
308	Stabilization and structure determination of integral membrane proteins by termini restraining.. 2022 ,	0
307	Mapping of the fibrinogen-binding site on the staphylocoagulase C-terminal repeat region.. 2021 , 298, 101493	
306	Human immunodeficiency virus type 2 capsid protein mutagenesis defines the determinants for Gag-Gag interactions.	0
305	Exploring different virulent proteins of human respiratory syncytial virus for designing a novel epitope-based polyvalent vaccine: Immunoinformatics and molecular dynamics approaches.	
304	Hybrid sequencing reveals the full-length Nephila pilipes pyriform spider 1 (PySp1).. 2021 , 200, 362-362	1
303	CRFalign: A Sequence-structure alignment of proteins based on a combination of HMM-HMM comparison and conditional random fields.	
302	Deep metric learning for accurate protein secondary structure prediction. 2022 , 242, 108356	0
301	Regulation of the activity of bacterial histidine kinase PleC by the scaffolding protein PodJ.. 2022 , 101683	1
300	Cooperativity of catalytic and lectin-like domain of Trypanosoma congolense trans-sialidase modulates its catalytic activity.. 2022 , 16, e0009585	1
299	Protein sequence design with a learned potential.. 2022 , 13, 746	3
298	Molecular insights into the interaction of HPV-16 E6 variants against MAGI-1 PDZ1 domain.. 2022 , 12, 1898	0
297	Accelerating Protein Folding Molecular Dynamics Using Inter-Residue Distances from Machine Learning Servers.. 2022 ,	0
296	Designing efficient multi-epitope peptide-based vaccine by targeting the antioxidant thioredoxin of bancroftian filarial parasite.. 2022 , 98, 105237	4
295	Variability of the antigen-coding gene of in animal and human origin: implications for vaccine development. 2019 , 98,	
294	Structure of Hsp90-p23-GR reveals the Hsp90 client-remodelling mechanism.. 2021 ,	12

293 Overview of Current MSA Programs. **2022**, 35-51

292 Understanding the Uncertainty Using Sensitivity Analysis in Artificial Neural Networks. **2022**, 183-193

291 Artificial Intelligence in Medicine: Biochemical 3D Modeling and Drug Discovery. **2022**, 661-672

290 Screening of TNFR1 Binding Peptides from Venom through Phage Display.. **2022**, 14, 0

289 Structural and functional analysis of the SET3 histone deacetylase complex.. **2022**, 78, 113-118

288 An effective machine learning-based model for the prediction of protein-protein interaction sites in health systems. 1 0

287 Systematic dissection of phosphorylation-dependent YAP1 complex formation elucidates a key role for PTPN14 in Hippo signal integration.

286 Resources for computational prediction of intrinsic disorder in proteins.. **2022**, 1

285 HLA3D: an integrated structure-based computational toolkit for immunotherapy.. **2022**, 0

284 Insights into the role of Nup62 and Nup93 in assembling cytoplasmic ring and central transport channel of the nuclear pore complex.

283 In silico profiling of non-synonymous SNPs in IDS gene for early diagnosis of Hunter syndrome. **2022**, 23,

282 Lightweight ProteinUnet2 network for protein secondary structure prediction: a step towards proper evaluation.. **2022**, 23, 100 0

281 An inductive graph neural network model for compound-protein interaction prediction based on a homogeneous graph.. **2022**, 1

280 Designing of an Epitope-Based Vaccine Against Common Pathotypes.. **2022**, 9, 829467 1

279 Gamete interaction protein evolution evinces Pantherines hybridizing history.

278 In Silico Characterisation of the Late Embryogenesis Abundant (LEA) Protein Families and Their Role in Desiccation Tolerance in Panc.. **2022**, 23, 0

277 SARS-CoV-2 Membrane Protein: From Genomic Data to Structural New Insights.. **2022**, 23, 0

276 Cryo-EM structure of the human TACAN in a closed state.. **2022**, 38, 110445 2

275	Improving Thermostability of Chimeric Enzymes Generated by Domain Shuffling Between Two Different Original Glucoamylases.. 2022 , 10, 881421	
274	Nuclease proteins CifA and CifB promote spermatid DNA damage associated with symbiont-induced cytoplasmic incompatibility.	1
273	Rational design of bioactive chimeric construct by exploring archaeal antimicrobial peptides: an in silico approach. 1	
272	RPI-MDLStack: Predicting RNA-protein interactions through deep learning with stacking strategy and LASSO. 2022 , 120, 108676	1
271	SmE2D2, a teleost ubiquitin-conjugating enzyme, is involved in the efficient propagation of megalocytivirus. 2022 , 554, 738143	
270	Structural and functional insights into fungal glutaminase using a computational approach. 2022 , 117, 76-89	1
269	Niching methods integrated with a differential evolution memetic algorithm for protein structure prediction. 2022 , 71, 101062	0
268	Dissecting the stability determinants of a challenging de novo protein fold using massively parallel design and experimentation.	0
267	Loss of YhcB results in dysregulation of coordinated peptidoglycan, LPS and phospholipid synthesis during Escherichia coli cell growth.. 2021 , 17, e1009586	0
266	Effect of Benchmark Datasets on Protein Structure Prediction As a Concept.	
265	Computational refinement identifies functional destructive single nucleotide polymorphisms associated with human retinoid X receptor gene.. 2021 , 1-21	2
264	identification and characterization of small-molecule inhibitors specific to RhoG/Rac1 signaling pathway. 2021 , 1-21	1
263	Spontaneous Mutation in the Movement Protein of Citrus Leprosis Virus C2, in a Heterologous Virus Infection Context, Increases Cell-to-Cell Transport and Generates Fitness Advantage.. 2021 , 13,	1
262	Protein Secondary Structure Detection without Alignment by Recurrent Neural Network with LSTM. 2021 ,	
261	The first report of porcine parvovirus 7 (PPV7) in Colombia demonstrates the presence of variants associated with modifications at the level of the VP2-capsid protein.. 2021 , 16, e0258311	0
260	High natural PHA production from acetate in Cobetia sp. MC34 and Cobetia marina DSM 4741 and in silico analyses of the genus specific PhaC polymerase variant.. 2021 , 20, 225	1
259	Peptides derived from gp43, the most antigenic protein from Paracoccidioides brasiliensis, form amyloid fibrils in vitro: implications for vaccine development. 2021 , 11, 23440	1
258	Extremophile enzyme optimization for low temperature and high salinity are fundamentally incompatible.. 2021 , 26, 5	0

- 257 Towards Computationally Guided Design and Engineering of a Neisseria meningitidis Serogroup W Capsule Polymerase with Altered Substrate Specificity. **2021**, 9, 2192
- 256 Modelling of Hepatitis E virus RNA-dependent RNA polymerase genotype 3 from a chronic patient and interaction analysis by molecular docking with Ribavirin. **2021**, 1-17 0
- 255 In-silico characterization and structure-based functional annotation of a hypothetical protein from Campylobacter jejuni involved in propionate catabolism.. **2021**, 19, e43 2
- 254 The Discovery of New Drug-Target Interactions for Breast Cancer Treatment.. **2021**, 26, 1
- 253 Nanotechnology and Multidrug Resistance. **2022**, 305-320
- 252 Enabling pseudokinases as potential drug targets.. **2022**, 667, 663-683
- 251 Empirical Study of Protein Feature Representation on Deep Belief Networks Trained with Small Data for Secondary Structure Prediction.. **2022**, PP,
- 250 In silico analysis of nitrilase-3 protein from Corynebacterium glutamicum for bioremediation of nitrile herbicides.. **2022**, 20, 51 0
- 249 SepF supports the recruitment of the DNA translocase SftA to the Z-ring.. **2022**, 0
- 248 BiRDS - Binding Residue Detection from Protein Sequences Using Deep ResNets.. **2022**, 0
- 247 Building Biological Relevance Into Integrative Modelling of Macromolecular Assemblies.. **2022**, 9, 826136 0
- 246 The peroxisomal exportomer directly inhibits phosphoactivation of the pexophagy receptor Atg36 to suppress pexophagy in yeast.. **2022**, 11, 1
- 245 Functional and Structural Changes in the Membrane-Bound O-Acyltransferase Family Member 7 (MBOAT7) Protein: The Pathomechanism of a Novel Variant in Patients With Intellectual Disability.. **2022**, 13, 836954 0
- 244 Association of the receptor for activated C-kinase 1 (RACK1) with ribosomes in Plasmodium falciparum.. **2022**, 101954 2
- 243 Table_1.DOC. **2020**,
- 242 Image_1.tif. **2020**,
- 241 Image_1.TIFF. **2018**,
- 240 Image_2.TIFF. **2018**,

239 Image_3.TIFF. 2018,

238 Image_4.TIFF. 2018,

237 Image_5.TIF. 2018,

236 Image_6.TIF. 2018,

235 Table_1.DOCX. 2018,

234 Table_2.DOCX. 2018,

233 DataSheet_1.pdf. 2020,

232 DataSheet_2.pdf. 2020,

231 Data_Sheet_1.PDF. 2019,

230 Data_Sheet_1.xlsx. 2020,

229 Presentation_1.pdf. 2020,

228 Table_1.XLSX. 2020,

227 Table_2.XLSX. 2020,

226 Data_Sheet_1.pdf. 2019,

225 Table_1.docx. 2019,

224 Video_1.MOV. 2019,

223 Data_Sheet_1.PDF. 2020,

222 Data_Sheet_1.pdf. 2020,

221 Data_Sheet_1.pdf. **2019,**

220 Data_Sheet_2.ZIP. **2019,**

219 Image_1.PDF. **2018,**

218 Image_2.PDF. **2018,**

217 Image_3.PDF. **2018,**

216 Image_4.PDF. **2018,**

215 Image_5.PDF. **2018,**

214 Image_6.PDF. **2018,**

213 Image_7.PDF. **2018,**

212 Image_8.PDF. **2018,**

211 Image_1.TIF. **2018,**

210 Image_2.TIF. **2018,**

209 Image_3.TIF. **2018,**

208 Image_4.TIF. **2018,**

207 Image_5.TIF. **2018,**

206 Image_6.TIF. **2018,**

205 Image_7.TIF. **2018,**

204 Image_8.TIF. **2018,**

- 203 Table_1.DOCX. **2018**,
- 202 Table_2.DOCX. **2018**,
- 201 Table_1.DOCX. **2019**,
- 200 Combinatorial InVitroFlow-assisted Mutagenesis (CombIMut) yields a 41-fold improved CelA2 cellulase.. **2022**, 0
- 199 Profiles of Natural and Designed Protein-Like Sequences Effectively Bridge Protein Sequence Gaps: Implications in Distant Homology Detection.. **2022**, 2449, 149-167
- 198 Complementarity of the residue-level protein function and structure predictions in human proteins. **2022**, 20, 2223-2234
- 197 Scientific Applications of Machine Learning Algorithms. **2022**, 78-111
- 196 Molecular characterization and expression analysis of two RING-between-RING (RBR) ubiquitin ligase orthologues from the Asian seabass (*Lates calcarifer*). 1
- 195 MSPEDTI: Prediction of Drug-Target Interactions via Molecular Structure with Protein Evolutionary Information. **2022**, 11, 740 1
- 194 Identification and Functional Characterization of Peptides With Antimicrobial Activity From the Syphilis Spirochete, *Treponema pallidum*. **2022**, 13,
- 193 Systematic comparison of the protein-protein interaction network of bacterial Universal stress protein A (UspA): an insight into its discrete functions. 1
- 192 Consecutive Aromatic Residues Are Required for Improved Efficacy of β Sheet Breakers.. **2022**, 23,
- 191 Structural dynamics of SARS-CoV-2 nucleocapsid protein induced by RNA binding.. **2022**, 18, e1010121 3
- 190 A unique class I polyhydroxyalkanoate synthase (PhaC) from *Brevundimonas* sp. KH11J01 exists as a functional trimer: A comparative study with PhaC from *Cupriavidus necator* H16.. **2022**, 70, 57-66
- 189 A critical analysis on the roles of exopolysaccharides and ACC deaminase in salinity stress tolerance in crop plants. **2022**, 42, 102372
- 188 Molecular dynamic assisted investigation on impact of mutations in deazaflavin dependent nitroreductase against pretomanid: a computational study.. **2022**, 1-23
- 187 Structurally Driven Selection of Human Hepatitis C Virus Mimotopes. **2006**, 11, 917-922
- 186 DomBpred: protein domain boundary prediction based on domain-residue clustering using inter-residue distance.. **2022**, PP, 0

- 185 Mediator-RNA Polymerase II Interactions Critical for Transcriptional Activation Are Mediated by the N-terminal Half of MED14 and C-terminal Domain of RPB1.
- 184 Analysis of the MCTP Amino Acid Sequence Reveals the Conservation of Putative Calcium- and Lipid-Binding Pockets Within the C2 Domains In Silico. ○
- 183 Interaction of Sars-Cov-2 Delta Variant B.1.617.2 with Antibody Cr3022: Homology Modelling and Molecular Dynamics Studies.
- 182 Full-Length Structure of the Host Targeted Bacterial Effector Bep1 Reveals a Novel Structural Domain Conserved in FIC Effector Proteins From *Bartonella*.
- 181 Immunoinformatic Design of a Multivalent Peptide Vaccine Against Mucormycosis: Targeting FTR1 Protein of Major Causative Fungi. **2022**, 13, 1
- 180 Quantifying shifts in natural selection on codon usage between protein regions: a population genetics approach. **2022**, 23, ○
- 179 Exploring the molecular interaction of Pheniramine with Enterococcus faecalis Homoserine Kinase: In-silico and in vitro studies.
- 178 Juxtaposition of Bub1 and Cdc20 on phosphorylated Mad1 during catalytic mitotic checkpoint complex assembly. ○
- 177 Multistage Combination Classifier Augmented Model for Protein Secondary Structure Prediction. **2022**, 13,
- 176 Discovery and Genetic Code Expansion of a Polyethylene Terephthalate (PET) Hydrolase from the Human Saliva Metagenome for the Degradation and Bio-Functionalization of PET.
- 175 Discovery and Genetic Code Expansion of a Polyethylene Terephthalate (PET) Hydrolase from the Human Saliva Metagenome for the Degradation and Bio-Functionalization of PET. ○
- 174 Uncovering cryptic pockets in the SARS-CoV-2 spike glycoprotein. **2022**, 2
- 173 Improved Protein Secondary Structure Prediction Using Bidirectional Long Short-Term Memory Neural Network and Bootstrap Aggregating. **2022**,
- 172 Modern and prebiotic amino acids support distinct structural profiles in proteins. **2022**, 12, 2
- 171 CRFalign: A Sequence-Structure Alignment of Proteins Based on a Combination of HMM-HMM Comparison and Conditional Random Fields. **2022**, 27, 3711 ○
- 170 Time-resolved emission spectroscopy to elucidate the functional nature of heat-stable transcription factor. ○
- 169 A Comprehensive Review on the Role of ZSCAN4 in Embryonic Development, Stem Cells, and Cancer. ○
- 168 Tertiary and Quaternary Structure Organization in GMP Synthetases: Implications for Catalysis. **2022**, 12, 871

- 167 Pangenomics facilitated with structural analysis reveals host NAD⁺ manipulation as a major virulence activity of bacterial effectors. 1
- 166 Discovery of novel gating checkpoints in the Orai1 calcium channel by systematic analysis of constitutively active mutants of its paralogs and orthologs. **2022**, 102616
- 165 Development of Multi-epitope Based Subunit Vaccine Against Crimean-Congo Hemorrhagic Fever Virus Using Reverse Vaccinology Approach. **2022**, 28, 0
- 164 The guidance and adhesion protein FLRT2 dimerizes in cis via dual small-X3-small transmembrane motifs. **2022**, 0
- 163 An isoform of sucrose synthase involved in sink strength of potato (*Solanum tuberosum* L): Molecular cloning, sequence analyses, 3-D structure, crucial motifs and expression. **2022**, 149, 446-457 0
- 162 In Silico Designed Multi-Epitope Immunogen Π pme-VAC/LGCM-2022 May Induce Both Cellular and Humoral Immunity against *Treponema pallidum* Infection. **2022**, 10, 1019 0
- 161 Structure and dynamic association of an assembly platform subcomplex of the bacterial type II secretion system. 0
- 160 Phylogenetic Classification and Functional Review of Autotransporters. 13, 2
- 159 Docking cyclic peptides formed by a disulfide bond through a hierarchical strategy. 1
- 158 Antimicrobial Activity of Cathelicidin-Derived Peptide from the Iberian Mole *Talpa occidentalis*. **2022**, 10, 1105 0
- 157 Ensemble Learning-Based Feature Selection for Phage Protein Prediction. 13,
- 156 The Structural Flexibility of MAD1 Facilitates the Assembly of the Mitotic Checkpoint Complex. 0
- 155 CryoEM Structures of the Human HIV-1 Restriction Factor SERINC3 and Function as a Lipid Transporter. 2
- 154 Mathematical Modeling and Computational Prediction of High-Risk Types of Human Papillomaviruses. **2022**, 2022, 1-11
- 153 Structural insights into a spindle-shaped archaeal virus with a sevenfold symmetrical tail. **2022**, 119, 0
- 152 Human immunodeficiency virus type 2 capsid protein mutagenesis reveals amino acid residues important for virus particle assembly. *Journal of Molecular Biology*, **2022**, 167753 6.5
- 151 Prediction of protein secondary structure based on an improved channel attention and multiscale convolution module. 10,
- 150 Neurological Disease-Affected Patients, including Multiple Sclerosis, Are Poor Responders to BKPyV, a Human Polyomavirus. **2022**, 2022, 1-11

- 149 MPP6 stimulates both RRP6 and DIS3 to degrade a specified subset of MTR4-sensitive substrates in the human nucleus. **2022**, 50, 8779-8806
- 148 Development of a Multiepitope Vaccine Against SARS-CoV-2: Immunoinformatics Study. **2022**, 3, e36100 ○
- 147 PTPAMP: prediction tool for plant-derived antimicrobial peptides.
- 146 A multifaceted strategy to improve recombinant expression and structural characterisation of a Trypanosoma invariant surface protein. **2022**, 12,
- 145 Uncoupling of Voltage- and Ligand-Induced Activation in HCN2 Channels by Glycine Inserts. 13, ○
- 144 In silico based multi-epitope vaccine design against norovirus. 1-11 ○
- 143 Identification of novel salt tolerance-associated proteins from the secretome of Enterococcus faecalis. **2022**, 38,
- 142 Challenges in describing the conformation and dynamics of proteins with ambiguous behavior. 9,
- 141 Robust self-training strategy for various molecular biology prediction tasks. **2022**,
- 140 A Simulation Analysis and Screening of Deleterious Nonsynonymous Single Nucleotide Polymorphisms (nsSNPs) in Sheep LEP Gene. **2022**, 2022, 1-9
- 139 Uncovering natural allelic and structural variants of OsCENH3 gene by targeted resequencing and in silico mining in genus Oryza.
- 138 &i>In silico&i> subtractive genomics approach characterizes a hypothetical protein (MG_476) from &i>microplasma genitalium&i> G37. **2022**, 13, em00805
- 137 S-Pred: protein structural property prediction using MSA transformer. **2022**, 12,
- 136 Modeling of MT. P495, an mRNA-based vaccine against the phosphate-binding protein PstS1 of Mycobacterium tuberculosis.
- 135 Antiviral radical SAM enzyme viperin homologue from Asian seabass (Lates calcarifer): Molecular characterisation and expression analysis. **2022**, 136, 104499
- 134 Structural and Functional Annotation and Molecular Docking Analysis of a Hypothetical Protein from Neisseria gonorrhoeae: An In-Silico Approach. **2022**, 2022, 1-12 2
- 133 Delineating specific regions of N- terminal domain of T3SS ATPase YsaN of Yersinia enterocolitica governing its different oligomerization states. 9, ○
- 132 Hallucinating symmetric protein assemblies. 4

131	Loss-of-function variants in the KCNQ5 gene are implicated in genetic generalized epilepsies. 2022 , 84, 104244	1
130	Designing a vaccine-based therapy against Epstein-Barr virus-associated tumors using immunoinformatics approach. 2022 , 150, 106128	0
129	DEEPStack-RBP: Accurate identification of RNA-binding proteins based on autoencoder feature selection and deep stacking ensemble classifier. 2022 , 256, 109875	0
128	Structural insights of a putative β ,4-xylosidase (PsGH43F) of glycoside hydrolase family 43 from <i>Pseudopedobacter saltans</i> . 2022 , 221, 751-762	0
127	Overview and applications of map and model validation tools in the CCP-EM software suite.	0
126	Planning, executing and assessing the validity of SANS contrast variation experiments. 2022 ,	0
125	IGPRED-MultiTask: A Deep Learning Model to Predict Protein Secondary Structure, Torsion Angles and Solvent Accessibility. 2022 , 1-12	0
124	Development of a Multiepitope Vaccine Against SARS-CoV-2: Immunoinformatics Study (Preprint).	0
123	Biocomputational characterisation of MBO_200107 protein of <i>Mycobacterium tuberculosis</i> variant caprae: a molecular docking and simulation study. 1-20	0
122	SAUR63 stimulates cell growth at the plasma membrane. 2022 , 18, e1010375	1
121	Novel multi epitope-based vaccine against monkeypox virus: vaccinomic approach. 2022 , 12,	3
120	A genome-wide search of Toll/Interleukin-1 receptor (TIR) domain-containing adapter molecule (TICAM) and their evolutionary divergence from other TIR domain containing proteins. 2022 , 17,	0
119	DomainRank: Improving Biological Data Sets With Domain Knowledge and Google TM PageRank.	0
118	<i>Giardia duodenalis</i> : Flavohemoglobin is involved in drug biotransformation and resistance to albendazole. 2022 , 18, e1010840	0
117	Pseudocontact shift NMR data obtained from a non-canonical amino acid-linked lanthanide tag improves integral membrane protein structure prediction.	0
116	Unorthodox PCNA Binding by Chromatin Assembly Factor 1. 2022 , 23, 11099	0
115	Structural basis of AcrIF24 as an anti-CRISPR protein and transcriptional suppressor.	0
114	Immunoinformatics Approach to Design Novel Subunit Vaccine against the Epstein-Barr Virus.	0

113	Targeted Mutagenesis of the Multicopy Myrosinase Gene Family in Allotetraploid Brassica juncea Reduces Pungency in Fresh Leaves across Environments. 2022 , 11, 2494	0
112	Novel biochemical, structural, and systems insights into inflammatory signaling revealed by contextual interaction proteomics. 2022 , 119,	1
111	Identifying SNARE Proteins Using an Alignment-Free Method Based on Multiscan Convolutional Neural Network and PSSM Profiles.	5
110	Propensities of Some Amino Acid Pairings in α -Helices Vary with Length.	0
109	A novel gyrase inhibitor from toxin-antitoxin system expressed by Staphylococcus aureus.	0
108	Designing mRNA- and Peptide-Based Vaccine Construct against Emerging Multidrug-Resistant Citrobacter freundii: A Computational-Based Subtractive Proteomics Approach. 2022 , 58, 1356	1
107	Prediction of protein-protein interaction sites in intrinsically disordered proteins. 9,	0
106	Dissecting the stability determinants of a challenging de novo protein fold using massively parallel design and experimentation. 2022 , 119,	0
105	Combining cysteine scanning with chemical labeling to map protein-protein interactions and infer bound structure in an intrinsically disordered region. 9,	0
104	In vivo developmental studies of Helicoverpa armigera and in silico molecular interactions with trypsin reveal the bio-insecticidal potential of trypsin inhibitor (SSTI) isolated from Solanum surattense. 2022 ,	0
103	Insights into the role of Nup62 and Nup93 in assembling cytoplasmic ring and central transport channel of the nuclear pore complex.	0
102	Designing of Peptide Based Multi-Epitope Vaccine Construct against Gallbladder Cancer Using Immunoinformatics and Computational Approaches. 2022 , 10, 1850	0
101	Predicted Structure and Functions of the Prototypic Alphaherpesvirus Herpes Simplex Virus Type-1 UL37 Tegument Protein. 2022 , 14, 2189	1
100	Protein folding problem: enigma, paradox, solution.	0
99	Envelope Glycoprotein based multi-epitope vaccine against a co-infection of Human Herpesvirus 5 and Human Herpesvirus 6 using in silico strategies.	0
98	How Does Gecko Keratin Stick to Hydrophilic and Hydrophobic Surfaces in the Presence and Absence of Water? An Atomistic Molecular Dynamics Investigation.	1
97	Immunoinformatics-Based Identification of B and T Cell Epitopes in RNA-Dependent RNA Polymerase of SARS-CoV-2. 2022 , 10, 1660	1
96	Juxtaposition of Bub1 and Cdc20 on phosphorylated Mad1 during catalytic mitotic checkpoint complex assembly. 2022 , 13,	0

95	New insights for the regulatory feedback loop between type 1 crustacean female sex hormone (CFSH-1) and insulin-like androgenic gland hormone (IAG) in the Chinese mitten crab (<i>Eriocheir sinensis</i>). 13,	1
94	Identification of a novel alternatively spliced isoform of the ribosomal uL10 protein. 2022 , 194890	0
93	Cross-linking of the endolysosomal system reveals potential flotillin structures and cargo. 2022 , 13,	0
92	Mapping the Domain Structure and Aggregation Propensity of Proteins Using a Gateway Plasmid Vector System. 2023 , 649-677	0
91	Molecular Mechanism of Sirtuin 1 Modulation by the AROS Protein. 2022 , 23, 12764	0
90	Consequential Innovations in Nature-Inspired Intelligent Computing Techniques for Biomarkers and Potential Therapeutics Identification. 2023 , 247-274	0
89	In silico designing of a novel polyvalent multi-subunit peptide vaccine leveraging cross- immunity against human visceral & cutaneous leishmaniasis: An Immunoinformatics-based approach.	0
88	A ShK-like Domain from <i>Steinernema carpocapsae</i> with Bioinsecticidal Potential. 2022 , 14, 754	0
87	Biochemical, genomic and structural characteristics of the Acr3 pump in <i>Exiguobacterium</i> strains isolated from arsenic-rich Salar de Huasco sediments. 13,	0
86	Protein encoder: An autoencoder-based ensemble feature selection scheme to predict protein secondary structure. 2023 , 213, 119081	0
85	Convolution-Bidirectional Temporal Convolutional Network for Protein Secondary Structure Prediction. 2022 , 10, 117469-117476	0
84	Structural and Functional Annotation of Hypothetical Protein P9WIB9 of <i>Mycobacterium tuberculosis</i> H37Rv: An In-Silico Approach. 2022 ,	0
83	A lightweight classification of adaptor proteins using transformer networks. 2022 , 23,	0
82	Exploring Structures and Dynamics of Protamine Molecules through Molecular Dynamics Simulations.	0
81	Two new Scianna variants causing loss of high prevalence antigens: ERMAP model and 3D analysis of the antigens.	0
80	BeEM: fast and faithful conversion of mmCIF format structure files to PDB format.	0
79	Design of a novel multiple epitope-based vaccine: an immunoinformatics approach to combat monkeypox. 1-12	0
78	Deep learning for protein secondary structure prediction: Pre and post-AlphaFold. 2022 ,	1

- 77 Prediction of protein structure and intrinsic disorder in the era of deep learning. **2023**, 199-224 ○
- 76 Protein secondary structure prediction based on Wasserstein generative adversarial networks and temporal convolutional networks with convolutional block attention modules. **2022**, 20, 2203-2218 ○
- 75 Designing multi-epitope monkeypox virus-specific vaccine using immunoinformatics approach. **2023**, 16, 107-116 1
- 74 Identification of adaptor proteins by incorporating deep learning and PSSM profiles. **2023**, 209, 10-17 ○
- 73 DLBLS_SS: protein secondary structure prediction using deep learning and broad learning system. **2022**, 12, 33479-33487 ○
- 72 Secondary Structure Classification of Low-homology Proteins with Graph Neural Networks. **2022**, ○
- 71 Improving protein secondary structure prediction by deep language models and transformer networks. ○
- 70 Boosting the Full Potential of PyMOL with Structural Biology Plugins. **2022**, 12, 1764 2
- 69 Integrating model simulation tools and cryo-electron microscopy. ○
- 68 AMP-BERT : Prediction of antimicrobial peptide function based on a BERT model. **2023**, 32, ○
- 67 The Effect of Heterozygous Mutation of Adenylate Kinase 2 Gene on Neutrophil Differentiation. **2022**, 23, 16089 ○
- 66 The genome wide analysis of Tryptophan Aminotransferase Related gene family, and their relationship with related agronomic traits in Brassica napus. 13, ○
- 65 dSCOPE: a software to detect sequences critical for liquid-liquid phase separation. ○
- 64 The UFM1 system regulates ER-phagy through the ufmylation of CYB5R3. **2022**, 13, ○
- 63 HBD-2 variants and SARS-CoV-2: New insights into inter-individual susceptibility. 13, ○
- 62 Personal Precise Force Field for Intrinsically Disordered and Ordered Proteins Based on Deep Learning. ○
- 61 Overexpression of a Cinnamyl Alcohol Dehydrogenase-Coding Gene, GsCAD1, from Wild Soybean Enhances Resistance to Soybean Mosaic Virus. **2022**, 23, 15206 ○
- 60 The novel compound heterozygous rare variants may impact positively selected regions of TUBGCP6, a microcephaly associated gene. 10, ○

- 59 Improving prediction of drug-target interactions based on fusing multiple features with data balancing and feature selection techniques. ○
- 58 Bioinformatics analysis of structural protein to approach a vaccine candidate against *Vibrio cholerae* infection. ○
- 57 Molecular interaction studies of thymol via molecular dynamic simulations and free energy calculations using multi-target approach against *Aedes aegypti* proteome to decipher its role as mosquito repellent. 1-16 ○
- 56 Convolutional ProteinUnetLM competitive with long short-term memory-based protein secondary structure predictors. ○
- 55 Crystallin Domains of Five Human Small Heat Shock Proteins (sHsps) Differ in Dimer Stabilities and Ability to Incorporate Themselves into Oligomers of Full-Length sHsps. **2023**, 24, 1085 ○
- 54 In-silico multi-epitope vaccine candidate against type-1 parainfluenza virus. ○
- 53 Uncovering natural allelic and structural variants of *OscENH3* gene by targeted resequencing and in silico mining in genus *Oryza*. **2023**, 13, ○
- 52 FAXC Proteins of Vertebrates and Invertebrates: Relationship to Metaxin Proteins. ○
- 51 Cross-variant proof predictive vaccine design based on SARS-CoV-2 spike protein using immunoinformatics approach. **2023**, 12, ○
- 50 Design of a potential Sema4A based multiepitope vaccine to combat triple-negative breast cancer: An immunoinformatic approach. ○
- 49 An in silico reverse vaccinology approach to design a novel multiepitope peptide vaccine for non-small cell lung cancers. **2023**, 37, 101169 ○
- 48 A draft *Diabrotica virgifera virgifera* genome: insights into control and host plant adaption by a major maize pest insect. **2023**, 24, ○
- 47 Transformer-based deep learning for predicting protein properties in the life sciences. 12, ○
- 46 Diversity and prevalence of type VI secretion system effectors in clinical *Pseudomonas aeruginosa* isolates. 13, ○
- 45 Molecular role of NAA38 in thermostability and catalytic activity of the human NatC N-terminal acetyltransferase. **2023**, ○
- 44 ProFeatX: A parallelized protein feature extraction suite for machine learning. **2023**, 21, 796-801 ○
- 43 Structure-guided mutagenesis of the capsid protein indicates that a nanovirus requires assembled viral particles for systemic infection. **2023**, 19, e1011086 ○
- 42 Reverse vaccinology assisted design of a novel multi-epitope vaccine to target *Wuchereria bancrofti* cystatin: An immunoinformatics approach. **2023**, 115, 109639 1

41	PSCP-CNN: Protein Structural Class Prediction using a Convolutional Neural Network. 2022,	○
40	Structure and dynamic association of an assembly platform subcomplex of the bacterial type II secretion system. 2022,	○
39	Improving DNA-Binding Protein Prediction Using Three-Part Sequence-Order Feature Extraction and a Deep Neural Network Algorithm.	○
38	VPg impact on Ryegrass mottle virus serine-like 3C protease proteolysis and structure.	○
37	Chaotic Modified Binary Grey Wolf Optimizer Feature Selection method for Drug-Target interaction prediction Based on drug-protein Features. 2022,	○
36	Design of a potential Sema4A-based multi-epitope vaccine to combat triple-negative breast cancer: an immunoinformatic approach. 2023, 40,	○
35	Sparse pseudocontact shift NMR data obtained from a non-canonical amino acid-linked lanthanide tag improves integral membrane protein structure prediction.	○
34	Oncogenic CALR mutant C-terminus mediates dual binding to the thrombopoietin receptor triggering complex dimerization and activation. 2023, 14,	○
33	Protein Secondary Structure Prediction Using Cascaded Feature Learning Model. 2023, 140, 110242	○
32	The in-silico evaluation of important GLUT9 residue for uric acid transport based on renal hypouricemia type 2. 2023, 373, 110378	○
31	Computational prediction of disordered binding regions. 2023, 21, 1487-1497	1
30	Ensemble deep learning models for protein secondary structure prediction using bidirectional temporal convolution and bidirectional long short-term memory. 11,	○
29	WG-ICRN: Protein 8-state secondary structure prediction based on Wasserstein generative adversarial networks and residual networks with Inception modules. 2023, 20, 7721-7737	○
28	Sorghum bicolor S b HSP110 has an elongated shape and is able of protecting against aggregation and replacing human HSPH1 / HSP110 in refolding and disaggregation assays. 2023, 114,	○
27	Evaluating native-like structures of RNA-protein complexes through the deep learning method. 2023, 14,	2
26	ORP9 and ORP10 form a heterocomplex to transfer phosphatidylinositol 4-phosphate at ER-TGN contact sites. 2023, 80,	○
25	In-silico Analysis of Human Papillomavirus L45 E6, E7 & L1 Proteins as Potential Immunogens. 2023, 17, 554-566	○
24	ORC1 binds to cis-transcribed RNAs for efficient activation of replication origins.	○

- 23 Structural and Dynamic Differences between Calreticulin Mutants Associated with Essential Thrombocythemia. **2023**, 13, 509 ○
- 22 Phosphorylation-linked complex profiling identifies assemblies required for Hippo signal integration. **2023**, 19, ○
- 21 VPg Impact on Ryegrass Mottle Virus Serine-like 3C Protease Proteolysis and Structure. **2023**, 24, 5347 ○
- 20 Insights on the interaction of SARS-CoV-2 variant B.1.617.2 with antibody CR3022 and analysis of antibody resistance. **2023**, 21, ○
- 19 The whole-genome shotgun sequence of a chitinolytic actinomycete, *Streptomyces californicus* TBG-201, and the in-silico studies of its chitinase-19 genes. ○
- 18 Illuminating the "Twilight Zone" Advances in Difficult Protein Modeling. **2023**, 25-40 ○
- 17 Homology Modeling in the Twilight Zone: Improved Accuracy by Sequence Space Analysis. **2023**, 1-23 ○
- 16 Lightweight Fine-tuning a Pretrained Protein Language Model for Protein Secondary Structure Prediction. ○
- 15 In silico designing of a novel polyvalent multi-subunit peptide vaccine leveraging cross-immunity against human visceral and cutaneous leishmaniasis: an immunoinformatics-based approach. **2023**, 29, ○
- 14 To Explore the Binding Affinity of Human ESecretase Activating Protein (GSAP) Isoform 4 with APP-C99 Peptides. **2023**, 8, 13435-13443 ○
- 13 Align-gram: Rethinking the Skip-gram Model for Protein Sequence Analysis. **2023**, 42, 135-146 ○
- 12 Protein Structure Prediction: Challenges, Advances, and the Shift of Research Paradigms. **2023**, ○
- 11 Eight-State Accuracy Prediction of Protein Secondary Structure using Ensembled Model. **2023**, ○
- 10 Correlation between Protein Features and the Properties of pH-Driven-Assembled Nanoparticles: Control of Particle Size. **2023**, 71, 5686-5699 ○
- 9 Evaluation of Transmembrane Protein Structural Models Using HPMScore. **2023**, 3, 306-326 ○
- 8 Screening and identification of cyprinid herpesvirus 2 (CyHV-2) ORF55-interacting proteins by phage display. **2023**, 20, ○
- 7 Immunoinformatics approach to design next-generation epitope-based peptide vaccine against Peste des Petits Ruminants Virus (PPRV). **2023**, ○
- 6 Gibberellin 2-Oxidases in Potato (*Solanum tuberosum* L.): Cloning, Characterization, In Silico Analysis and Molecular Docking. ○

- 5 Structure based virtual screening, molecular dynamic simulation to identify the oxadiazole derivatives as inhibitors of Enterococcus D-Ala-D-Ser ligase for combating vancomycin resistance. **2023**, 106965 ○
- 4 Molecular dynamics simulation of the interaction of a raspberry polygalacturonase (RiPG) with a PG inhibiting protein (RiPGIP) isolated from ripening raspberry (*Rubus idaeus* cv. Heritage) fruit as a model to understand proteins interaction during fruit softening. **2023**, 108502 ○
- 3 CogiTx1: A novel subtilisin A inhibitor isolated from the sea anemone *Condylactis gigantea* belonging to the defensin 4 protein family. **2023**, 213, 41-53 ○
- 2 RPI-CapsuleGAN: Predicting RNA-protein interactions through an interpretable generative adversarial capsule network. **2023**, 141, 109626 ○
- 1 A ParDE toxin-antitoxin system is responsible for the maintenance of the *Yersinia* virulence plasmid but not for type III secretion-associated growth inhibition. 13, ○