

CITATION REPORT

List of articles citing

Gadolinium(III) Chelates as MRI Contrast Agents: Structure, Dynamics, and Applications

DOI: 10.1021/cr980440x

Chemical Reviews, 1999, 99, 2293-352.

Source: <https://exaly.com/paper-pdf/30921247/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2363	2. Photo-sensitive complexes based on azobenzene.		
2362	Displacement of Inner-Sphere Water Molecules from Eu(3+) Analogues of Gd(3+) MRI Contrast Agents by Carbonate and Phosphate Anions: Dissociation Constants from Luminescence Data in the Rapid-Exchange Limit. 1999 , 38, 5616-5619		72
2361	Erster nichtkovalent gebundener Calix[4]aren-GdIII-Albumin-Komplex. 2000 , 112, 1686-1687		4
2360	Sulfonamide-Functionalized Gadolinium DTPA Complexes as Possible Contrast Agents for MRI: A Relaxometric Investigation. 2000 , 2000, 625-630		61
2359	Luminescent lanthanide sensors for pH, pO ₂ and selected anions. 2000 , 205, 109-130		683
2358	Crystal structure of hydrated diphenylguanidinium hexafluoroferrate (III). 2000 , 106, 77-81		12
2357	An efficient synthesis of pyridine containing triaza-macrocyclic triacetate ligand and luminescence properties of its europium(III) complex. 2000 , 41, 7443-7446		22
2356	Crystal Structures and Reactivity of 3a,5a,8a,10a-Tetraazaperhydropyrene Derivatives. An Alternative Approach to Selective Nitrogen Alkylation of 1,4,8,11-Tetraazacyclotetradecane (Cyclam). 2000 , 65, 243-266		31
2355	Bis(methylphosphonic Acid) Derivatives of 1,4,8,11-Tetraazacyclotetradecane (Cyclam). Synthesis, Crystal and Molecular Structures, and Solution Properties. 2000 , 65, 1289-1316		33
2354	Lanthanide Podates with Programmed Intermolecular Interactions: Luminescence Enhancement through Association with Cyclodextrins and Unusually Large Relaxivity of the Gadolinium Self-Aggregates. 2000 , 122, 10810-10820		55
2353	Ion-pair interactions of lanthanide(III) complexes in aqueous solutions. 2000 , 39, 4802-8		16
2352	Correlation of Water Exchange Rate with Isomeric Composition in Diastereoisomeric Gadolinium Complexes of Tetra(carboxyethyl)dota and Related Macrocyclic Ligands. 2000 , 122, 9781-9792		170
2351	Preparation of functionalized, conformationally constrained DTPA analogues from L- or D-serine and trans-4-hydroxy-L-proline. Hydroxymethyl substituents on the central acetic acid and on the backbone. 2000 , 65, 4048-57		23
2350	Syntheses and relaxation properties of mixed gadolinium hydroxypyridinonate MRI contrast agents. 2000 , 39, 5747-56		83
2349	Force Field Parametrization for Gadolinium Complexes Based on ab Initio Potential Energy Surface Calculations. 2000 , 104, 3421-3429		20
2348	Synthesis and characterization of racemic mixture and meso isomers of bis(trans-2-aminocyclohexyl)aminepentaacetic acid and the stabilities of their Gd(III) complexes. 2000 , 39, 1480-6		7
2347	Calix[4]arenes as selective extracting agents. An NMR dynamic and conformational investigation of the lanthanide(III) and thorium(IV) complexes. 2000 , 39, 2033-41		41

2346	[GdPCP2A(H ₂ O) ₂] ⁽⁻⁾ : a paramagnetic contrast agent designed for improved applications in magnetic resonance imaging. 2000 , 43, 4017-24	73
2345	Extension of Computational Chemistry to the Study of Lanthanide(III) Ions in Aqueous Solution: Implementation and Validation of a Continuum Solvent Approach. 2000 , 104, 8001-8007	75
2344	Synthesis and complexation properties of poly(ethylene glycol)-linked mono- and bis-dioxocyclams. 2000 , 65, 8301-6	35
2343	Gadolinium-Loaded Nanoparticles: New Contrast Agents for Magnetic Resonance Imaging. 2000 , 122, 8940-8945	139
2342	Unexpected Differences in the Dynamics and in the Nuclear and Electronic Relaxation Properties of the Isoelectronic [EuII(DTPA)(H ₂ O)] ₃ -and [GdIII(DTPA)(H ₂ O)] ₂ -Complexes (DTPA = Diethylenetriamine Pentaacetate)1. 2000 , 122, 5822-5830	51
2341	Bifunctional chelators for therapeutic lanthanide radiopharmaceuticals. 2001 , 12, 7-34	308
2340	The Literature of Heterocyclic Chemistry, Part VII: 1997-1999. 2001 , 79, 199-318	16
2339	Avidin-dendrimer-(1B4M-Gd) ₂₅₄ : a tumor-targeting therapeutic agent for gadolinium neutron capture therapy of intraperitoneal disseminated tumor which can be monitored by MRI. 2001 , 12, 587-93	91
2338	Cisplatin: from DNA damage to cancer chemotherapy. 2001 , 67, 93-130	428
2337	EPR spectroscopy of MRI-related Gd(III) complexes: simultaneous analysis of multiple frequency and temperature spectra, including static and transient crystal field effects. 2001 , 123, 2637-44	112
2336	Synthesis of DTPA analogues derived from piperidine and azepane: potential contrast enhancement agents for magnetic resonance imaging. 2001 , 66, 7745-50	31
2335	Synthesis, characterization, and relaxivity of two linear Gd(DTPA)-polymer conjugates. 2001 , 12, 170-7	50
2334	Optimization of the relaxivity of MRI contrast agents: effect of poly(ethylene glycol) chains on the water-exchange rates of Gd(III) complexes. 2001 , 123, 10758-9	75
2333	pH-dependent modulation of relaxivity and luminescence in macrocyclic gadolinium and europium complexes based on reversible intramolecular sulfonamide ligation. 2001 , 123, 7601-9	246
2332	Influence of bulky N-substituents on the formation of lanthanide triple helical complexes with a ligand derived from bis(benzimidazole)pyridine: structural and thermodynamic evidence. 2001 , 40, 2642-51	59
2331	Activity against Mycobacterium tuberculosis with concomitant induction of cellular immune responses by a tetraaza-macrocycle with acetate pendant arms. 2001 , 152, 569-76	10
2330	Interaction of [Ln(DO2A)(H ₂ O) ₂] ⁺ and [Ln(DO2P)(H ₂ O) ₂] ⁺ with phosphate, acetate and fluoride anions in aqueous solution. 2001 , 323-324, 828-832	12
2329	Proton- and lanthanide-coordinating properties of the tetraaza macrocycle (EDDA-KA) ₂ in aqueous solution. 2001 , 79, 1058-1067	8

2328	Solid-state and solution properties of the lanthanide complexes of a new heptadentate tripodal ligand: a route to gadolinium complexes with an improved relaxation efficiency. 2001 , 40, 6737-45	54
2327	¹ H and (¹⁷ O) NMR detection of a lanthanide-bound water molecule at ambient temperatures in pure water as solvent. 2001 , 40, 4284-90	61
2326	Isomerism and solution dynamics of (90)Y-labeled DTPA--biomolecule conjugates. 2001 , 12, 84-91	24
2325	The Gd(3+) complex of a fatty acid analogue of DOTP binds to multiple albumin sites with variable water relaxivities. 2001 , 40, 6580-7	74
2324	Lanthanide chemistry with (bis[[bis(carboxymethyl)amino]methyl]phosphinate: what does an extra phosphinate group do to EDTA?. 2001 , 40, 3734-8	23
2323	Hydrates of Gadolinium Diethylenetriaminepentaacetic Acid Bis(methylamide) as Studied by X-ray Diffraction. 2001 , 5, 361-367	3
2322	Thermodynamic stability and kinetic inertness of MS-325, a new blood pool agent for magnetic resonance imaging. 2001 , 40, 2170-6	70
2321	6-carboxamido-5,4-hydroxypyrimidinones: a new class of heterocyclic ligands and their evaluation as gadolinium chelating agents. 2001 , 40, 6746-56	37
2320	A double-functionalized cyclen with carbamoyl and dansyl groups (cyclen = 1,4,7,10-tetraazacyclododecane): a selective fluorescent probe for Y(3+) and La(3+). 2001 , 123, 1123-32	85
2319	Chelators for radioimmunotherapy: I. NMR and ab initio calculation studies on 1,4,7,10-tetra(carboxyethyl)-1,4,7,10-tetraazacyclododecane (DO4Pr) and 1,4,7-tris(carboxymethyl)-10-(carboxyethyl)-1,4,7,10-tetraazacyclododecane (DO3A1Pr). 2001 , 40, 4310-8	36
2318	DOTA tris(phenylmethyl) ester: a new useful synthon for the synthesis of DOTA monoamides containing acid-labile bonds. 2001 , 12, 1081-4	27
2317	Conception of the first magnetic resonance imaging contrast agents: a brief history. 2001 , 12, 221-30	36
2316	Gd ³⁺ complexes with slowly exchanging bound-water molecules may offer advantages in the design of responsive MR agents. 2001 , 36, 82-6	23
2315	Lipari-Szabo approach as a tool for the analysis of macromolecular gadolinium(III)-based MRI contrast agents illustrated by the [Gd(EGTA-BA-(CH ₂) ₁₂)] ⁿⁿ⁺ polymer. 2001 , 6, 247-55	46
2314	Liver-targeting macromolecular MRI contrast agents. 2001 , 44, 344-352	11
2313	P792: a rapid clearance blood pool agent for magnetic resonance imaging: preliminary results. 2001 , 12, 121-7	88
2312	Albumin-bound MRI contrast agents: the dilemma of the rotational correlation time. 2001 , 12, 135-40	8
2311	Research progress of magnetic resonance imaging contrast agents. 2001 , 46, 1233-1237	20

2310	Synthesis and structural characterization of the lanthanide Schiff-base complexes {N[CH ₂ CH ₂ N(CH ₂ -O-3,5-t-Bu ₂ C ₆ H ₂)] ₃ Ln (Ln=Sm, Nd). 2001 , 20, 373-377	38
2309	Thermodynamic and kinetic study of copper(II) complexes with N-methylene(phenylphosphinic acid) derivatives of cyclen and cyclam. 2001 , 20, 47-55	29
2308	Stoichiometric mono N-functionalization of cyclen via a boron protected intermediate. 2001 , 57, 2385-2390	8
2307	Regioselective synthesis of N-functionalized 12-membered azapyridinomacrocycles bearing trialkylcarboxylic acid side chains. 2001 , 57, 4713-4718	28
2306	P792: a rapid clearance blood pool agent for magnetic resonance imaging: preliminary results. 2001 , 12, 121-127	
2305	Albumin-bound MRI contrast agents: the dilemma of the rotational correlation time. 2001 , 12, 135-140	9
2304	Lanthanide-mediated DNA hydrolysis. 2001 , 5, 201-8	261
2303	Intermolecular nuclear relaxation in paramagnetic solutions: from free radicals to rare earths. 2001 , 4, 825-832	3
2302	UV-vis observation of different ⁷ F ₀ -> ⁵ D ₀ transitions for both isomeric species in Eu(III) DOTA-like complexes. 2001 , 4, 719-722	11
2301	Convenient synthesis of novel mono- and bi-functional fluorescent 1,4,7,10-tetraazacyclododecanes. 2001 , 1, 239-243	2
2300	Lanthanide nitrates as templates for the synthesis of new supramolecular dimetallic heptadentate Schiff base azaoxapodates. 2001 , 18, 113-116	3
2299	T ₁ measurements in cell cultures: a new tool for characterizing contrast agents at 1.5T. 2001 , 14, 636-48	14
2298	Determination of paramagnetic lanthanide(III) concentrations from bulk magnetic susceptibility shifts in NMR spectra. 2001 , 39, 723-726	165
2297	Novel liver macromolecular MR contrast agent with a polypropylenimine diaminobutyl dendrimer core: comparison to the vascular MR contrast agent with the polyamidoamine dendrimer core. 2001 , 46, 795-802	70
2296	TmDOTA-: a sensitive probe for MR thermometry in vivo. 2001 , 151, 101-6	36
2295	Formation and Dissociation Kinetics of the Complexes Gd(DOTP) ₅ and Gd(DOTPMB) ₃ 2001 , 2001, 813-820	40
2294	The Syntheses and Luminescent Properties of Eu(III) and Tb(III) Cryptates in Solution. 2001 , 2001, 1063-1069	10
2293	Relaxivity Studies on a Gadolinium(III) Complex of a Macrocyclic DTPA Derivative. 2001 , 2001, 3101-3105	17

2292	Synthesis of New Phosphonated Tripod Ligands as Putative New Therapeutic Agents in the Chelation Treatment of Metal Intoxications. 2001 , 2001, 349-352	8
2291	Enzyme-Activated Gd ³⁺ Magnetic Resonance Imaging Contrast Agents with a Prominent Receptor-Induced Magnetization Enhancement. 2001 , 113, 2987-2990	10
2290	A Calix[4]arene Gd(III) Complex Endowed with High Stability, Relaxivity, and Binding Affinity to Serum Albumin. 2001 , 113, 4873-4875	5
2289	Inulin as a carrier for contrast agents in magnetic resonance imaging. 2001 , 7, 64-71	34
2288	Molecular dynamics simulations of MRI-relevant Gd(III) chelates: direct access to outer-sphere relaxivity. 2001 , 7, 600-10	72
2287	Relaxivity and water exchange studies of a cationic macrocyclic gadolinium(III) complex. 2001 , 7, 1383-9	21
2286	Towards rational design of fast water-exchanging Gd(dota-like) contrast agents? Importance of the M/m ratio. 2001 , 7, 5160-7	79
2285	High-Relaxivity contrast agents for magnetic resonance imaging based on multisite interactions between a beta-cyclodextrin oligomer and suitably functionalized Gd(III) chelates. 2001 , 7, 5261-9	63
2284	Enzyme-Activated Gd Magnetic Resonance Imaging Contrast Agents with a Prominent Receptor-Induced Magnetization Enhancement. 2001 , 40, 2903-2906	125
2283	A Calix[4]arene Gd(III) Complex Endowed with High Stability, Relaxivity, and Binding Affinity to Serum Albumin This work was supported by CNR (Programma M.U.R.S.T. - Chimica Legge 95/95) "Agenti di contrasto, di shift e sonde luminescenti". We thank C.I.M. (Centro Interdipartimentale Misure) dell'Università di Parma for the NMR and mass spectroscopy facilities. 2001 , 40, 4737-4739	37
2282	Ionic imprinted resins based on EDTA and DTPA derivatives for lanthanides(III) separation. 2001 , 435, 75-82	68
2281	pH Switched sensitisation of europium(III) by a dansyl group. 2001 , 317, 163-173	41
2280	The cis/trans-isomerism on cobalt(III) complexes with 1,4,8,11-tetraazacyclotetradecane-1,8-bis(methylphosphonic acid). 2001 , 317, 324-330	21
2279	Gd(III) complexes of poly(hydroxymethyl)substituted derivatives of 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic acid. 2001 , 317, 218-229	11
2278	Infrared 4f-Luminescence of Lanthanides in the Complexes with Macrocyclic Ligands. 2001 , 21, 299-329	38
2277	Applications for polyaza macrocycles with nitrogen-attached pendant arms. 2001 , 293-334	58
2276	Outer-sphere nuclear spin relaxation in paramagnetic systems: a low-field theory. 2001 , 99, 1435-1445	27
2275	A general approach to the electronic spin relaxation of Gd(III) complexes in solutions. Monte Carlo simulations beyond the Redfield limit. 2001 , 115, 7554-7563	66

2274	Tumor-Selective Macromolecular MRI Contrast Agents. 2002 , 17, 139-151	17
2273	Vibrational motions and nuclear spin relaxation in paramagnetic complexes: Hexaaquonickel(II) as an example. 2002 , 116, 4079-4086	18
2272	The design and applications of multifunctional ligands. 2002 , 85, 199-217	15
2271	Metals in Medicine. 265-335	
2270	Temperature and Pressure Dependence of Excitation Spectra as a Probe of the Solution Structure and Equilibrium Thermodynamics of a Eu(III) Complex Containing a Modified dota Ligand. 2002 , 106, 12349-12355	17
2269	Using radiotracers to characterize magnetic resonance imaging contrast agents. 2002 , 37, 107-13	3
2268	Novel Alkoxo-Bridged Lanthanide(III) Dinuclear Complexes: Crystal Structure of Na ₄ [Yb ₂ (Edpta-O) ₂] (H ₄ dpta-OH=1,3-Diamino-2-hydroxypropane-N,N,N',N'-tetraacetic acid). 2002 , 31, 840-841	7
2267	Solid-Liquid Separation of Lanthanide/Lanthanide and Lanthanide/Actinide Using Ionic Imprinted Polymer Based on a DTPA Derivative. 2002 , 31, 202-203	31
2266	Conjugates of Gd(III) Complexes to Di- and Tri-hydroxy Substituted Cholanoic Acids: Regioselective Oxidation with Hydroxysteroid Dehydrogenases. 2002 , 20, 29-34	9
2265	Identification of protein surfaces by NMR measurements with a paramagnetic Gd(III) chelate. 2002 , 124, 372-3	182
2264	Conformational characterization of lanthanide(III)-DOTA complexes by ab initio investigation in vacuo and in aqueous solution. 2002 , 124, 4901-9	97
2263	Correlation analysis of the structures and stability constants of gadolinium(III) complexes. 2002 , 42, 1471-5	32
2262	Nuclear Spin Relaxation in Paramagnetic Systems: Electron Spin Relaxation Effects under Near-Redfield Limit Conditions and Beyond. 2002 , 106, 7376-7382	36
2261	Mechanistic studies of a calcium-dependent MRI contrast agent. 2002 , 41, 4018-24	147
2260	Unusually sharp dependence of water exchange rate versus lanthanide ionic radii for a series of tetraamide complexes. 2002 , 124, 4226-7	57
2259	Synthesis and solution studies of the complexes of trivalent lanthanides with the tetraazamacrocycle TETA-(PO)(2). 2002 , 41, 685-92	17
2258	Dendrimers as carrier protein mimetics for IgE antibody recognition. Synthesis and characterization of densely penicilloylated dendrimers. 2002 , 13, 647-53	31
2257	Analysis of paramagnetic NMR spectra of triple-helical lanthanide complexes with 2,6-dipicolinic acid revisited: a new assignment of structural changes and crystal-field effects 25 years later. 2002 , 41, 1436-45	78

2256	Highly luminescent, visible-emitting lanthanide macrocyclic chelates stable in water and derived from the cyclen framework. 2002 , 41, 2459-65	49
2255	A concise, modular synthesis of chiral peraza-macrocycles using chiral aziridines. 2002 , 4, 949-52	48
2254	Polymethylated DOTA ligands. 2. Synthesis of rigidified lanthanide chelates and studies on the effect of alkyl substitution on conformational mobility and relaxivity. 2002 , 41, 6856-66	66
2253	Non-invasive magnetic resonance thermometry using thulium-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetracetate (TmDOTA(-)). 2002 , 18, 165-79	36
2252	Polymethylated DOTA ligands. 1. Synthesis of rigidified ligands and studies on the effects of alkyl substitution on acid-base properties and conformational mobility. 2002 , 41, 6846-55	33
2251	Multiexponential electronic spin relaxation and Redfield's limit in Gd(III) complexes in solution: consequences for 17O/1H NMR and EPR simultaneous analysis. 2002 , 124, 2042-8	37
2250	Magnetic resonance imaging of a tissue/implanted device biointerface using in vivo microdialysis sampling. 2002 , 74, 4849-54	9
2249	X-ray diffraction and (1)H NMR in solution: structural determination of lanthanide complexes of a Py(2)N(6)Ac(4) ligand. 2002 , 41, 5300-12	43
2248	Metal chelation aptitudes of bis(o-azaheteroaryl)methanes as tuned by heterocycle charge demands. 2002 , 67, 5753-72	48
2247	Lanthanide complexes of 1,3,5-triamino-1,3,5-trideoxy-cis-inositol: evidence for heterotrinnuclear species in aqueous solution. 2002 , 68	17
2246	Highly luminescent Eu(3+) and Tb(3+) macrocyclic complexes bearing an appended phenanthroline chromophore. 2002 , 41, 2777-84	97
2245	Luminescent lanthanide ions hosted in a fluorescent polylysine dendrimer. Antenna-like sensitization of visible and near-infrared emission. 2002 , 124, 6461-8	197
2244	Lanthanide-containing molecular and supramolecular polymetallic functional assemblies. <i>Chemical Reviews</i> , 2002 , 102, 1897-928	68.1 891
2243	Kinetic Stabilities of Gadolinium(III) Chelates Used as MRI Contrast Agents. 2002 , 103-122	60
2242	Being excited by lanthanide coordination complexes: aqua species, chirality, excited-state chemistry, and exchange dynamics. <i>Chemical Reviews</i> , 2002 , 102, 1977-2010	68.1 756
2241	How does internal motion influence the relaxation of the water protons in Ln(III)DOTA-like complexes?. 2002 , 124, 710-6	61
2240	A new, facile synthesis of 1,4,7,10-tetraazacyclododecane: cyclen. 2002 , 67, 4081-5	29
2239	Cation-controlled self-assembly of a hexameric europium wheel. 2002 , 124, 9012-3	88

2238	Comparison of yttrium and indium complexes of DOTA-BA and DOTA-MBA: models for (90)Y- and (111)In-labeled DOTA-biomolecule conjugates. 2002 , 13, 902-13	46
2237	Synthesis and structural characterization of nonanuclear lanthanide complexes. 2002 , 41, 6802-7	132
2236	Synthesis of the first diethylenetriaminepentahydroxamic acid (DTPH) bifunctional chelating agent. 2002 , 13, 327-32	6
2235	De novo synthesis of a new diethylenetriaminepentaacetic acid (DTPA) bifunctional chelating agent. 2002 , 13, 317-26	21
2234	Luminescent lanthanide complexes of a bis-bipyridine-phosphine-oxide ligand as tools for anion detection. 2002 , 124, 7779-88	173
2233	Contrast Agents I. 2002 ,	8
2232	Noncovalent binding of sensitizers for lanthanide(III) luminescence in an EDTA-bis(beta-cyclodextrin) ligand. 2002 , 124, 2056-64	79
2231	Lanthanide-containing liquid crystals and surfactants. <i>Chemical Reviews</i> , 2002 , 102, 2303-46	68.1 461
2230	De novo structural prediction of transition metal complexes: application to technetium. 2002 , 41, 2060-9	15
2229	Rapid hydrolytic cleavage of the mRNA model compound HPNP by glycine based macrocyclic lanthanide ribonuclease mimics. 2002 , 2136-7	35
2228	Confusion, inversion, and creation--a new spring from porphyrin chemistry. 2002 , 1795-804	318
2227	CONVENIENT SYNTHESIS OF DI(n-OCTADECYL)AMINE AND DI(n-HEXADECYL)AMINE. 2002 , 34, 643-646	1
2226	Macrocyclic and polymeric lanthanide chelates: from physico-chemical studies to biomedical applications. 2002 , 344, 4-8	5
2225	The impact of lanthanide(III) derivatives on biological systems. 2002 , 344, 9-16	12
2224	The interaction of MS-325 with human serum albumin and its effect on proton relaxation rates. 2002 , 124, 3152-62	391
2223	Non-Gadolinium-Based MRI Contrast Agents. 2002 , 165-199	36
2222	New Classes of MRI Contrast Agents. 2002 , 123-164	119
2221	Evaluation of water-soluble metallofullerenes as MRI contrast agents. 2002 , 9 Suppl 2, S495-7	36

2220	Synthesis and physicochemical characterization of 1,4,7,10-tetra (2-glutaryl)-1,4,7,10 tetraazacyclododecane lanthanide complexes. 2002 , 9 Suppl 2, S300-3	7
2219	. 2002 ,	50
2218	Mapping Gene Expression by MRI. 2002 , 819-828	3
2217	Compartmentalization of a Gadolinium Complex in the Apoferritin Cavity: A Route To Obtain High Relaxivity Contrast Agents for Magnetic Resonance Imaging. 2002 , 114, 1059-1061	32
2216	Compartmentalization of a gadolinium complex in the apoferritin cavity: a route to obtain high relaxivity contrast agents for magnetic resonance imaging. 2002 , 41, 1017-9	251
2215	Dendritic polymers in biomedical applications: from potential to clinical use in diagnostics and therapy. 2002 , 41, 1329-34	560
2214	Insights into the use of paramagnetic Gd(III) complexes in MR-molecular imaging investigations. 2002 , 16, 394-406	299
2213	Coordination equilibrium in an Ln(III) macrocyclic chelate modulated by a reversible interaction with a weakly donor substituent. 2002 , 40, 87-92	10
2212	¹ H and ¹⁷ O relaxometric investigations of the binding of Mn(II) ion to human serum albumin. 2002 , 40, 41-48	28
2211	Separation of intra- and extracellular lactate NMR signals using a lanthanide shift reagent. 2002 , 47, 10-3	13
2210	Paramagnetic lanthanide(III) complexes as pH-sensitive chemical exchange saturation transfer (CEST) contrast agents for MRI applications. 2002 , 47, 639-48	346
2209	MR angiography with a new rapid-clearance blood pool agent: Initial experience in rabbits. 2002 , 48, 844-51	26
2208	Survey of factors determining the circularly polarised luminescence of macrocyclic lanthanide complexes in solution. 2002 , 14, 562-7	48
2207	Innovative magnetic resonance imaging diagnostic agents based on paramagnetic Gd(III) complexes. 2002 , 66, 419-28	29
2206	Relaxometric evaluation of novel manganese(II) complexes for application as contrast agents in magnetic resonance imaging. 2002 , 7, 58-67	88
2205	Gd(III) based MRI contrast agents: improved physical meaning in a combined analysis of EPR and NMR data?. 2002 , 5, 811-815	37
2204	Targeted Complexes of Lanthanide(III) Ions as Therapeutic and Diagnostic Pharmaceuticals. 2002 , 2, 1-15	67
2203	Design and synthesis of a novel magnetic resonance imaging contrast agent for selective sensing of zinc ion. 2002 , 9, 1027-32	95

2202	Hexaamminecobalt(III) aquabis(nitrilotriacetato-kappa4N,O,O',O'')gadolate(III) octahydrate. 2002 , 58, m611-2	3
2201	An evaluation of gadolinium polyoxometalates as possible MRI contrast agent. 2002 , 20, 407-12	31
2200	In vivo and in vitro (27)Al NMR studies of aluminum(III) chelates of triazacyclononane polycarboxylate ligands. 2002 , 88, 1-6	13
2199	Studies on the kinetic stabilities of the Gd(3+) complexes formed with the N-mono(methylamide), N'-mono(methylamide) and N,N"-bis(methylamide) derivatives of diethylenetriamine-N,N,N',N'',N'''-pentaacetic acid. 2002 , 91, 320-6	41
2198	Comparison between GdDTPA and two gadolinium polyoxometalates as potential MRI contrast agents. 2002 , 92, 193-9	30
2197	Liposomes as carriers of amphiphilic gadolinium chelates: the effect of membrane composition on incorporation efficacy and in vitro relaxivity. 2002 , 233, 131-40	89
2196	Spectroscopic study of the coordination sphere of Gd(III) in Gd(III)?M(II) complexes with a compartmental ligand, where the local environment around Gd(III) is controlled by (M(II) M(II)=Ni(II), Zn(II) and a vacancy). 2002 , 21, 2127-2135	6
2195	Metal complexes of edta-derived macrocyclic ether bis(lactones). Hydrolysis of the macrocycles and the metal catalysis effect. 2002 , 21, 2265-2276	10
2194	Hepatic targeting of macromolecular MRI contrast agents. 2002 , 51, 892-898	15
2193	Synthesis of the Gd(III) complex with a tetrazole-armed macrocyclic ligand as a potential MRI contrast agent. 2002 , 43, 783-786	18
2192	Synthesis of a new chelating agent derived from phenylenediamine for application in radioimmunotherapy. 2002 , 43, 3003-3005	10
2191	A convenient method for the preparation of mono N-alkylated cyclams and cyclens in high yields. 2002 , 43, 3217-3220	51
2190	One-step synthesis of a new eight-membered cyclic ligand from glycine, formaldehyde and hypophosphorous acid. 2002 , 43, 8387-8389	14
2189	Glycineβalanine conjugated macrocyclic lanthanide ion complexes as artificial ribonucleases. 2002 , 43, 8493-8497	38
2188	Synthesis of two stereoisomeric polydentate ligands, trans and cis cyclopentane-1,2-diaminotetraacetic acids, and complexation by 111In and 153Sm. 2002 , 58, 1131-1136	23
2187	Water permeability of capillaries in the subfornical organ of rats determined by Gd-DTPA(2-) enhanced 1H magnetic resonance imaging. 2002 , 545, 217-28	14
2186	Ruthenium metallopharmaceuticals. 2002 , 232, 69-93	335
2185	Synthesis and estrogen receptor affinity of a 4-hydroxytamoxifen-labeled ligand for diagnostic imaging. 2002 , 10, 4075-82	14

2184	Solvent ¹ H NMRD study of biotinylated paramagnetic liposomes containing Gd-bis-SDA-DTPA or Gd-DMPE-DTPA. 2002 , 331, 151-157	36
2183	Analysis of lanthanide induced NMR shifts using a crystal field independent method: application to complexes of tetraazamacrocyclic ligands. 2002 , 339, 273-282	21
2182	Synthesis, solution studies and structural characterisation of complexes of a mixed oxazamacrocycle bearing nitrile pendant arms. 2002 , 337, 59-69	15
2181	Lanthanide complexes in molecular recognition and chirality sensing of biological substrates. <i>Chemical Reviews</i> , 2002 , 102, 2389-403	68.1 561
2180	Structural, luminescence, and NMR studies of the reversible binding of acetate, lactate, citrate, and selected amino acids to chiral diaqua ytterbium, gadolinium, and europium complexes. 2002 , 124, 12697-705	227
2179	A paramagnetic probe to localize residues next to carboxylates on protein surfaces. 2002 , 7, 617-22	19
2178	Scandium, Yttrium, and the Lanthanides. 2003 , 93-188	16
2177	Fluorescent Complexes for Biomedical Applications. 2003 , 913-944	27
2176	New designs for MRI contrast agents. 2003 , 17, 463-73	12
2175	Preparation of Gd ³⁺ -containing polymer complex as a novel magnetic resonance signal-enhancing coating material. 2003 , 14, 283-6	5
2174	First soluble M@C ₆₀ derivatives provide enhanced access to metallofullerenes and permit in vivo evaluation of Gd@C ₆₀ [C(COOH) ₂] ₁₀ as a MRI contrast agent. 2003 , 125, 5471-8	378
2173	Metal Complexes as MRI Contrast Enhancement Agents. 2003 , 841-881	8
2172	Synthesis and preliminary evaluation of gadolinium complexes containing sulfonamide groups as potential MRI contrast agents. 2003 , 9, 35-41	14
2171	Synthesis and evaluation of novel polysaccharide-Gd-DTPA compounds as contrast agent for MRI. 2003 , 265, 123-129	25
2170	New magnetic resonance contrast agents as biochemical reporters. 2003 , 13, 597-602	110
2169	Tomography studies of human foreskin fibroblasts on polymer yarns. 2003 , 200, 397-405	20
2168	Effect of Mixed Pendant Groups on the Solution Properties of 12-Membered Azapyridinomacrocycles: Evaluation of the Protonation Constants and the Stability Constants of the Europium(III) Complexes. 2003 , 2003, 2834-2838	10
2167	Synthesis, Equilibrium and Kinetic Properties of Gd ³⁺ Complexes of Three DTPA-Bis(Amide) Derivatives Containing Stable Nitroxide Free Radical Substituents. 2003 , 2003, 3601-3608	2

2166	X-ray Crystal Structure of a Sodium Salt of [Gd(DOTP)] ⁵⁻ Implications for Its Second-Sphere Relaxivity and the ²³ Na NMR Hyperfine Shift Effects of [Tm(DOTP)] ⁵⁻ 2003 , 2003, 4179-4186	62
2165	The Water-Exchange Rate in Neutral Heptadentate DO3A-Like Gd(III) Complexes: Effect of the Basicity at the Macrocyclic Nitrogen Site. 2003 , 2003, 3530-3533	25
2164	8S paramagnetic centres in molecular assemblies: possible effect of their proximity on the water proton relaxivity. 2003 , 41, 794-799	26
2163	A ¹⁹ F relaxometric study of the competition of Gd(III) and Lu(III) towards DTPA in water. 2003 , 41, 782-787	4
2162	β-Cyclodextrin adducts of Gd(III) chelates: useful models for investigating the structural and dynamic determinants of the relaxivity of gadolinium-based systems. 2003 , 41, 800-805	17
2161	Variation of the relaxographic "shutter-speed" for transcytolemmal water exchange affects the CR bolus-tracking curve shape. 2003 , 50, 1151-69	155
2160	pH-sensitive modulation of the second hydration sphere in lanthanide(III) tetraamide-DOTA complexes: a novel approach to smart MR contrast media. 2003 , 9, 4634-40	49
2159	A novel series of complexones with bis- or biazole structure as mixed ligands of paramagnetic contrast agents for MRI. 2003 , 11, 5555-67	9
2158	Studies of inclusion complexes between cyclodextrins and polyazamacrocyclic chelates of lanthanide (III) ions. 2003 , 35, 1717-1735	6
2157	Physical characteristics of lanthanide complexes that act as magnetization transfer (MT) contrast agents. 2003 , 171, 38-43	62
2156	Synthesis of Gd-DTPA-cholesterol: a new lipophilic gadolinium complex as a potential MRI contrast agent. 2003 , 44, 3893-3895	33
2155	Solid-phase approach to the synthesis of cyclen scaffolds from cyclotetrapeptides. 2003 , 44, 5217-5219	14
2154	Dendrimers with a cyclam core. Absorption spectra, multiple luminescence, and effect of protonation. 2003 , 59, 3845-3852	64
2153	Phenylglyoxal for polyamines modification and cyclam synthesis. 2003 , 59, 4573-4579	11
2152	The syntheses of lanthanide metal complexes with diethylenetriamine-N,N,N',N',N'-pentaacetic acid and the comparison of their crystal structures. 2003 , 648, 81-88	24
2151	Quantitative assessment of Gd-DTPA contrast agent from signal enhancement: an in-vitro study. 2003 , 21, 637-43	39
2150	Synthesis, structural and biological evaluation of GlyAla based lanthanide macrocyclic conjugates as supramolecular ribonuclease mimics. 2003 , 22, 711-724	26
2149	Novel high relaxivity colloidal particles based on the specific phase organisation of amphiphilic gadolinium chelates with cholesterol. 2003 , 253, 39-48	16

2148	Europium(III) complex formed with pyridine containing azamacrocyclic triacetate ligand: characterization by sensitized Eu(III) luminescence. 2003 , 156, 23-29	24
2147	Phosphate ester serum albumin affinity tags greatly improve peptide half-life in vivo. 2003 , 13, 1513-5	19
2146	Comparison between Gd-DTPA and several bisamide derivatives as potential MRI contrast agents. 2003 , 11, 3359-66	21
2145	4f-4f hypersensitivity in the absorption spectra and NMR studies on paramagnetic lanthanide chloride complexes with 1,10-phenanthroline in non-aqueous solutions. 2003 , 59, 1061-74	28
2144	Aqua[5,17-dihydroxy-11,23-dimethylbicyclo[18.3.1.19,13]hexacos-1(25),2,7,9,11,13(26),21,23-octaene-25,26-diolato]dinitrate in methanol/water (1/0.5/1.75). 2003 , 59, m491-m493	
2143	Ruthenium metallopharmaceuticals. 2003 , 236, 209-233	627
2142	Nuclear spin relaxation in paramagnetic systems ($S > 1$) under fast rotation conditions. 2003 , 162, 229-40	31
2141	Solid-state and solution properties of cationic lanthanide complexes of a new neutral heptadentate N4O3 tripodal ligand. 2003 , 42, 7978-89	13
2140	Paramagnetic NMR Lanthanide Induced Shifts for Extracting Solution Structures. 2003 , 353-463	36
2139	Poly(L-glutamic acid) Gd(III)-DOTA conjugate with a degradable spacer for magnetic resonance imaging. 2003 , 14, 715-9	90
2138	PARACEST agents: modulating MRI contrast via water proton exchange. 2003 , 36, 783-90	397
2137	A simple, regioselective synthesis of 1,4-bis(tert-butoxycarbonylmethyl)-tetraazacyclododecane. 2003 , 68, 2956-9	37
2136	Lanthanoid endohedral metallofullerenols for MRI contrast agents. 2003 , 125, 4391-7	257
2135	New efficient procedure for the use of diethoxyphosphoryl as a protecting group in the synthesis of polyazamacrocycles. Preparation of polyazacyclophanes derived from resorcinol. 2003 , 68, 10169-71	10
2134	The Formation of Luminescent Supramolecular Ternary Complexes in Water: Delayed Luminescence Sensing of Aromatic Carboxylates Using Coordinated Unsaturated Cationic Heptadentate Lanthanide Ion Complexes. 2003 , 15, 505-519	78
2133	Enantioselective recognition between chiral alpha-hydroxy-carboxylates and macrocyclic heptadentate lanthanide(III) chelates. 2003 , 42, 4891-7	23
2132	Anaerobic ^{90}Y - and ^{177}Lu -labeling of a DOTA-conjugated nonpeptide vitronectin receptor antagonist. 2003 , 14, 1030-7	12
2131	Crystal structures of two complexes of the rare-earth-DOTA-binding antibody 2D12.5: ligand generality from a chiral system. 2003 , 125, 15039-48	27

2130	Structural analysis of nine-coordinate lanthanide complexes: steric control of the metal-water distance across the series. 2003 , 42, 8646-51	49
2129	Quantification Studies in Continuous-Flow ¹³ C Nuclear Magnetic Resonance Spectroscopy by Use of Immobilized Paramagnetic Relaxation Agents. 2003 , 107, 4879-4886	15
2128	Triamidotriazacyclononane complexes of group 3 metals. Synthesis and crystal structures. 2003 , 42, 4223-31	25
2127	The effect of ligand scaffold size on the stability of tripodal hydroxypyridonate gadolinium complexes. 2003 , 42, 2577-83	29
2126	A highly stable gadolinium complex with a fast, associative mechanism of water exchange. 2003 , 125, 14274-5	72
2125	A rare earth-DOTA-binding antibody: probe properties and binding affinity across the lanthanide series. 2003 , 125, 3436-7	45
2124	SOLVENT EXCHANGE ON METAL IONS. 2003 , 54, 1-69	49
2123	Application of NMRD to hydration of rubredoxin and a variant containing a (Cys-S) ₃ FeIII(OH) site. 2003 , 84, 545-51	7
2122	Radiochemical investigations of ¹⁷⁷ Lu-DOTA-8-Aoc-BBN[7-14]NH ₂ : an in vitro/in vivo assessment of the targeting ability of this new radiopharmaceutical for PC-3 human prostate cancer cells. 2003 , 30, 101-9	91
2121	Receptor mediated uptake of a radiolabeled contrast agent sensitive to beta-galactosidase activity. 2003 , 30, 261-5	34
2120	Formation of two diverse classes of poly(amino-alkoxide) chelates and their mononuclear and polynuclear lanthanide(III) complexes. 2003 , 42, 4828-41	36
2119	Europium luminescence of EF-hand helix-turn-helix chimeras: impact of pH and DNA-binding on europium coordination. 2003 , 42, 8098-104	11
2118	Higher Denticity Ligands. 2003 , 211-251	6
2117	Dlf complexes with uniform coordination geometry: structural and magnetic properties of an LnNi ₂ core supported by a heptadentate amine phenol ligand. 2003 , 42, 1576-83	50
2116	Relaxivity Studies on Dinitroxide and Polynitroxyl Functionalized Dendrimers: Effect of Electron Exchange and Structure on Paramagnetic Relaxation Enhancement. 2003 , 107, 8467-8475	42
2115	The gadolinium(III)-water hydrogen distance in MRI contrast agents. 2003 , 42, 3972-4	76
2114	The rotational motion and electronic relaxation of the Gd(III) aqua complex in water revisited through a full proton relaxivity study of a probe solute. 2003 , 119, 8636-8644	25
2113	Solid-state and solution properties of the lanthanide complexes of a new nonadentate tripodal ligand derived from 1,4,7-triazacyclononane. 2003 , 2428-2433	56

2112	Gadolinium-binding helix-turn-helix peptides: DNA-dependent MRI contrast agents. 2003 , 2574-5	41
2111	A solid-state study of eight-coordinate lanthanide(III) complexes (Ln = Eu, Gd, Tb, Dy) with 1-hydroxy-2-pyridinone. 2003 , 1738-1745	62
2110	Enantiopure lanthanide complexes incorporating a tetraazatriphenylene sensitizer and three naphthyl groups: exciton coupling, intramolecular energy transfer, efficient singlet oxygen formation and perturbation by DNA binding. 2003 , 1, 1870-2	38
2109	Absorption Spectral Studies Involving $4f \rightarrow f$ Transitions as Structural Probe in Chemical and Biochemical Reactions and Compositional Dependence of Intensity Parameters. 2003 , 38, 433-493	21
2108	Toward optimized high-relaxivity MRI agents: the effect of ligand basicity on the thermodynamic stability of hexadentate hydroxypyridonate/catecholate gadolinium(III) complexes. 2003 , 42, 4930-7	71
2107	Connecting terminal carboxylate groups in nine-coordinate lanthanide podates: consequences on the thermodynamic, structural, electronic, and photophysical properties. 2003 , 42, 4680-95	60
2106	Preparation and in vitro evaluation of GdDOTA-(BOM) ₄ ; a novel angiographic MRI contrast agent. 2003 , 1, 1707-10	20
2105	Modelling studies in aqueous solution of lanthanide (III) chelates designed for nuclear magnetic resonance biomedical applications. 2003 , 101, 2319-2333	14
2104	Nuclear spin relaxation in solution of paramagnetic complexes with large transient zero-field splitting. 2003 , 101, 2861-2874	25
2103	Size-selective loosening of the blood-brain barrier in claudin-5-deficient mice. 2003 , 161, 653-60	1325
2102	N-functionalization of poly(ethylene glycol)-linked mono- and bis-dioxocyclams as potential ligands for Gd ³⁺ . 2003 , 68, 8409-15	17
2101	Silencing of phosphonate-gadolinium magnetic resonance imaging contrast by hydroxyapatite binding. 2003 , 38, 750-60	27
2100	Synthesis and Characterization of a Gd-DOTA-D-Permeation Peptide for Magnetic Resonance Relaxation Enhancement of Intracellular Targets. 2003 , 2, 153535002003031	
2099	Probing the role of metal ions on reversible peptide-protein interactions by NMR. 2004 , 18, 251-256	
2098	Imaging and Targeting. 2004 , 687-695	
2097	Evaluation of Dendritic Gadolinium Complexes as MRI Contrast Agents. 2004 , 19, 453-465	12
2096	Engineering lanthanide complexes with controlled water exchange rates for magnetic resonance imaging. 2004 , 2004, 5254-7	3
2095	Biodistribution of pH-responsive liposomes for MRI and a novel approach to improve the pH-responsiveness. 2004 , 98, 87-95	41

2094	Site-specific labelling with a metal chelator for protein-structure refinement. 2004 , 29, 351-61	75
2093	Thermal behaviour of lanthanide complexes of 1,3-propanediamine- tetramethylenephosphonic acid. 2004 , 77, 767-776	2
2092	POTENTIAL APPLICATIONS FOR THE USE OF LANTHANIDE COMPLEXES AS LUMINESCENT BIOLABELS. 2004 , 361-432	45
2091	Novel gadolinium(III) polyaminocarboxylate macrocyclic complexes as potential magnetic resonance imaging contrast agents. 2004 , 98, 677-82	12
2090	Boron and gadolinium neutron capture therapy. 2004 , 53, 1871-1888	68
2089	Microparticles of poly(methacrylic acid) gadolinium ion complex and their magnetic force microscopic images. 2004 , 42, 1912-1918	7
2088	Template Synthesis, Crystal Structure and Luminescent Properties of Neutral N4O3 Tripodal Ln(III) Complexes (Ln(III) = La ³⁺ , Eu ³⁺ , Gd ³⁺ , Tb ³⁺ , Dy ³⁺ , Ho ³⁺ , Er ³⁺ , Tm ³⁺ or Lu ³⁺ ; H ₃ L = Tris{[3-(2-pyridyl)-5-tert-butyl-2-hydroxybenzylidene-2-imino]ethyl}amine). 2004 , 2004, 829-836	43
2087	Synthesis and Luminescence Properties of New Dinuclear Complexes of Lanthanide(III) Ions. 2004 , 2004, 2379-2384	45
2086	Improved route for the visualization of stem cells labeled with a Gd-/Eu-chelate as dual (MRI and fluorescence) agent. 2004 , 51, 938-44	133
2085	Persistent contrast enhancement by sterically stabilized paramagnetic liposomes in murine melanoma. 2004 , 52, 669-72	50
2084	Membrane protein-lipid interactions in mixed micelles studied by NMR spectroscopy with the use of paramagnetic reagents. 2004 , 5, 467-73	103
2083	Complexing mechanism of the lanthanide cations Eu ³⁺ , Gd ³⁺ , and Tb ³⁺ with 1,4,7,10-tetrakis(carboxymethyl)-1,4,7,10-tetraazacyclododecane (dota)-characterization of three successive complexing phases: study of the thermodynamic and structural properties of the complexes by potentiometric titrimetric, luminescence spectroscopy and EXAFS. 2004 , 10, 5810-22	133
2082	Lanthanide(III) complexes of DOTA-glycoconjugates: a potential new class of lectin-mediated medical imaging agents. 2004 , 10, 5804-16	82
2081	Tuning the MR properties of blood-stable pH-responsive paramagnetic liposomes. 2004 , 274, 75-83	18
2080	Investigation of sandwiched gadolinium (III) complexes with tungstosilicates as potential MRI contrast agents. 2004 , 22, 421-6	18
2079	Comparison of crystal field dependent and independent methods to analyse lanthanide induced NMR shifts in axially symmetric complexes. Part I. Systems with a C ₃ symmetry axis. 2004 , 357, 381-395	19
2078	Synthesis, structures and luminescent properties of new heterobimetallic Zn-4f Schiff base complexes. 2004 , 357, 4510-4521	102
2077	Synthesis of new polyoxapolycarboxylic ligands for lanthanide(III) ions complexation. 2004 , 45, 5901-5903	6

- 2076 Three step vs one pot synthesis and X-ray crystallographic investigation of heptadentate triamide cyclen (1,4,7,10-tetraazacyclododecane) based ligands and some of their lanthanide ion complexes. **2004**, 60, 105-113 34
- 2075 A selective one-step synthesis of tris N-alkylated cyclens. **2004**, 60, 5595-5601 28
- 2074 Gadolinium heteropoly complex K17[Gd(P2W17O61)2] as a potential MRI contrast agent. **2004**, 281, 405-409 8
- 2073 On the philosophy of optimizing contrast agents. An analysis of ¹H NMRD profiles and ESR lineshapes of the Gd(III) complex MS-325+HSA. **2004**, 167, 147-60 40
- 2072 Luminescent dendrimers as ligands for metal ions. **2004**, 689, 4375-4383 27
- 2071 Structural studies of bis-(2,6-diacetylpyridine-bis-(phenylhydrazone)) and X-ray structure of its Y(III), Pr(III), Sm(III) and Er(III) complex. **2004**, 23, 1191-1197 38
- 2070 Fabrication, characterization and conductivity of organic/inorganic hybrid Langmuir-Blodgett films based on polyquinoline and rare earth-substituted heteropolymolybdate. **2004**, 24, 459-462 2
- 2069 In vivo MR detection of vascular endothelial injury using a new class of MRI contrast agent. **2004**, 14, 2787-90 14
- 2068 Steric control of lanthanide hydration state: fast water exchange at gadolinium in a mono-amide 'DOTA' complex. **2004**, 1441-5 36
- 2067 Comparative in vivo behavior studies of cyclen-based copper-64 complexes: regioselective synthesis, X-ray structure, radiochemistry, log P, and biodistribution. **2004**, 47, 6625-37 36
- 2066 Probing the interaction of the biotin-avidin complex with the relaxivity of biotinylated Gd-DTPA. **2004**, 2, 1271-3 27
- 2065 Characterization of a gadolinium-tagged modular contrast agent by element and molecular mass spectrometry. **2004**, 19, 852-857 21
- 2064 NMR and chiroptical examination of the diastereoisomers of (S)-Eu-EOB-DTPA. **2004**, 1892-5 10
- 2063 Novel coordinating motifs for lanthanide(III) ions based on 5-(2-pyridyl)tetrazole and 5-(2-pyridyl-1-oxide)tetrazole. Potential new contrast agents. **2004**, 1770-1 44
- 2062 NMR relaxometric study of new Gd(III) macrocyclic complexes and their interaction with human serum albumin. **2004**, 2, 570-7 32
- 2061 Lanthanide complexes of new nonadentate imino-phosphonate ligands derived from 1,4,7-triazacyclononane: synthesis, structural characterisation and NMR studies. **2004**, 1945-52 13
- 2060 Bis- and tris-(methylphosphonic) acid derivatives of a 14-membered tetraazamacrocycle containing pyridine: synthesis, protonation and complexation studies. **2004**, 1812-22 30
- 2059 In vitro and in vivo stability investigations of Cu(II), Zn(II), Ca(II) and Gd(III) complexes with N,N'-bis(2-hydroxyiminopropionyl) propane-1,3-diamine. **2004**, 1432-40 13

2058	meso-aryl expanded porphyrins: synthesis, structures, and coordination chemistry. 2004 , 08, 175-181	18
2057	Interactions of Lanthanide Complexes with Oxidized Single-Walled Carbon Nanotubes. 2004 , 16, 1855-1863	26
2056	Metalloinitiation routes to biocompatible poly(lactic acid) and poly(acrylic acid) stars with luminescent ruthenium tris(bipyridine) cores. 2004 , 5, 580-8	42
2055	[Gd-AAZTA]-: a new structural entry for an improved generation of MRI contrast agents. 2004 , 43, 7588-90	193
2054	Synthesis, characterization, and structures of indium In(DTPA-BA2) and yttrium Y(DTPA-BA2)(CH3OH) complexes (BA = Benzylamine): models for ¹¹¹ In- and ⁹⁰ Y-labeled DTPA-biomolecule conjugates. 2004 , 43, 6006-14	29
2053	A gadolinium(III) complex of a carboxylic-phosphorus acid derivative of diethylenetriamine covalently bound to inulin, a potential macromolecular MRI contrast agent. 2004 , 15, 881-9	65
2052	Conjugates of gadolinium complexes to bile acids as hepatocyte-directed contrast agents for magnetic resonance imaging. 2004 , 47, 3629-41	50
2051	Estimating the number of bound waters in Gd(III) complexes revisited. Improved methods for the prediction of q-values. 2004 , 15, 1496-502	14
2050	Physicochemical properties of mixed micellar aggregates containing CCK peptides and Gd complexes designed as tumor specific contrast agents in MRI. 2004 , 126, 3097-107	89
2049	Synthesis and evaluation of a high relaxivity manganese(II)-based MRI contrast agent. 2004 , 43, 6313-23	120
2048	A liposomal system for contrast-enhanced magnetic resonance imaging of molecular targets. 2004 , 15, 799-806	198
2047	Effect on pKa of metal-bound water molecules in lanthanide ion-induced cyclen "cavities". 2004 , 6, 4805-8	18
2046	Mannich reaction as a new route to pyridine-based polyaminocarboxylic ligands. 2004 , 6, 1201-4	16
2045	The solution structure of rhombic lanthanide complexes analyzed with a Model-free and crystal-field independent paramagnetic NMR method: application to nonaxial trimetallic complexes [Ln _x Lu _(3-x) (TACI-3H) ₂ (H ₂ O) ₆] ₃₊ (x = 1-3). 2004 , 43, 1517-29	21
2044	Toward optimized high-relaxivity MRI agents: thermodynamic selectivity of hydroxypyridonate/catecholate ligands. 2004 , 43, 8520-5	24
2043	Assembling process of charged nonanuclear cationic lanthanide(III) clusters assisted by dichromium decacarbonyl hydride. 2004 , 43, 1603-5	36
2042	Cationic lanthanide complexes of neutral tripodal N,O ligands: enthalpy versus entropy-driven podate formation in water. 2004 , 2012-8	20
2041	Targeted molecular imaging agents for cellular-scale bimodal imaging. 2004 , 15, 1488-95	92

2040	Distribution of liposomes into brain and rat brain tumor models by convection-enhanced delivery monitored with magnetic resonance imaging. 2004 , 64, 2572-9	202
2039	Development of a zinc ion-selective luminescent lanthanide chemosensor for biological applications. 2004 , 126, 12470-6	378
2038	Recombinant HDL-like nanoparticles: a specific contrast agent for MRI of atherosclerotic plaques. 2004 , 126, 16316-7	271
2037	Iron Tris(bipyridine)-Centered Star Block Copolymers: Chelation of Triblock Macroligands Generated by ROP and ATRP. 2004 , 37, 2718-2727	69
2036	Synthesis and physicochemical characterization of Gd-DTPA-B(sLex)A, a new MRI contrast agent targeted to inflammation. 2004 , 15, 99-103	40
2035	Hetero-tripodal hydroxypyridonate gadolinium complexes: syntheses, relaxometric properties, water exchange dynamics, and human serum albumin binding. 2004 , 43, 8577-86	38
2034	Conformation and structure of polymeric contrast agents for medical imaging. 2004 , 5, 54-61	31
2033	Multivalent Contrast Agents Based on Gadolinium Diethylenetriaminepentaacetic Acid-Terminated Poly(propylene imine) Dendrimers for Magnetic Resonance Imaging. 2004 , 37, 3084-3091	111
2032	Design and synthesis of a bimodal target-specific contrast agent for angiogenesis. 2004 , 6, 4857-60	56
2031	Synthesis, relaxometric and photophysical properties of a new pH-responsive MRI contrast agent: the effect of other ligating groups on dissociation of a p-nitrophenolic pendant arm. 2004 , 126, 9248-56	119
2030	W-Band 17O Pulsed Electron Nuclear Double Resonance Study of Gadolinium Complexes with Water. 2004 , 108, 7318-7323	59
2029	Pulsed ENDOR Study of Water Coordination to Gd ³⁺ Complexes in Orientationally Disordered Systems. 2004 , 108, 1990-2001	57
2028	Expanding dinitrogen reduction chemistry to trivalent lanthanides via the LnZ ₃ /alkali metal reduction system: evaluation of the generality of forming Ln ₂ (μ-η ² :η ² -N ₂) complexes via LnZ ₃ /K. 2004 , 126, 14574-82	143
2027	Self-assembly of lanthanide helicate coordination polymers into 3D metal-organic framework structures. 2004 , 43, 2293-8	147
2026	Lanthanide/ATP interaction in water mediated by luminescent hemispherical-shaped complexes. 2004 , 43, 1819-21	44
2025	Properties of molecular lanthanide crystals spectra in the near-IR region. 2004 , 374, 27-31	17
2024	Heterobimetallic gadolinium(III)Iron(III) complex of DTPA-bis(3-hydroxytyramide). 2004 , 374, 325-329	14
2023	Synthesis and physico-chemical characterization of a new series of hydroxide ion acetylacetonate lanthanide(III)Tungsten decacarbonyl hydride complexes. 2004 , 374, 382-386	18

2022	Complexation, luminescence and energy transfer of Ln(III) ions with phenylphosphonic acid. 2004 , 380, 181-185	6
2021	The template synthesis and characterization of new mono- and dinuclear Schiff base complexes of lanthanide(III) ions. 2004 , 380, 159-162	16
2020	Gadolinium(III)-Incorporated Nanosized Mesoporous Silica as Potential Magnetic Resonance Imaging Contrast Agents. 2004 , 108, 15608-15611	120
2019	Efficient Reduction of tetrakis(2-Cyanoethyl)cyclen with Sodium Toluene and Synthesis of Carboxymethyl- and Hydroxyethyl Functionalized Second Generation Pendant Arms Appended Cyclens. 2004 , 34, 2843-2848	0
2018	Activated MR contrast agents. 2004 , 5, 519-28	41
2017	Thermodynamic and Kinetic Studies of Lanthanide(III) Complexes with H5do3ap (1,4,7,10-Tetraazacyclododecane-1,4,7-triacetic-10-(methylphosphonic Acid)), a Monophosphonate Analogue of H4dota. 2005 , 70, 1909-1942	59
2016	Comparison of magnetic properties of MRI contrast media solutions at different magnetic field strengths. 2005 , 40, 715-24	1208
2015	How to compare the efficiency of albumin-bound and nonalbumin-bound contrast agents in vivo: the concept of dynamic relaxivity. 2005 , 40, 565-73	53
2014	Interference of gadolinium-containing contrast-enhancing agents with colorimetric calcium laboratory testing. 2005 , 40, 521-5	24
2013	Physicochemical Characterization of Four Gadolinium(III) DTPA-like Complexes. 2005 , 52, 895-906	
2012	Molecular recognition and sensing via rare earth complexes. 2005 , 273-335	7
2011	Paramagnetic Metal Complexes As Contrast Agents for Magnetic Resonance Imaging. 2005 , 541-560	1
2010	Functionalization of XAD-4 resin for the separation of lanthanides using chelation ion exchange liquid chromatography. 2005 , 65, 277-283	26
2009	Spectroscopic approach in characterization of chromium(III), manganese(II), iron(III) and copper(II) complexes with a nitrogen donor tetradentate, 14-membered azamacrocyclic ligand. 2005 , 61, 2139-44	29
2008	Intravenous administration of Gd-DTPA prior to DWI does not affect the apparent diffusion constant. 2005 , 23, 685-9	33
2007	Synthesis, characterization and extraction behaviour of calix[4]arene with four propylene phosphonic acid groups on the lower rim. 2005 , 24, 311-317	28
2006	Synthesis of gadolinium(III) and samarium(III) complexes of new potentially heptadentate (N4O3) tripodal Schiff base ligands, and a theoretical study. 2005 , 24, 1478-1486	34
2005	Synthesis and characterization of new lanthanide complexes with hexadentate hydrazonic ligands. 2005 , 358, 903-911	30

- 2004 Copper complexes with new oxaaza-pendant-armed macrocyclic ligands: X-ray crystal structure of a macrocyclic copper(II) complex. **2005**, 358, 1141-1150 19
- 2003 The chiral structure induced by lone-pair electrons: syntheses and characterization of two novel chiral rare-earth selenites containing homochiral helical chains. **2005**, 733, 69-75 8
- 2002 Dinuclear macrocyclic polyamine zinc(II) complexes linked with flexible spacers: synthesis, characterization, and DNA cleavage. **2005**, 33, 374-85 36
- 2001 Synthesis and in vivo biodistribution of BPA-Gd-DTPA complex as a potential MRI contrast carrier for neutron capture therapy. **2005**, 13, 735-43 33
- 2000 Synthesis of a new tricyclic tetraazatriacetic acid as ligand for gadolinium(III). **2005**, 46, 611-613 14
- 1999 Pegylation of 1,4,8,11-tetraazacyclotetradecane (cyclam) and its Cu(II) complexation. **2005**, 46, 3209-3212 18
- 1998 Cyclen based lanthanide ion ribonuclease mimics: the effect of pyridine cofactors upon phosphodiester HPNP hydrolysis. **2005**, 46, 3761-3766 26
- 1997 Synthesis of azamacrocycles via a Mitsunobu reaction. **2005**, 46, 4387-4389 15
- 1996 Expedient synthesis of B-protected macrocycles en route to lanthanide chelate metal complexes. **2005**, 46, 4707-4710 13
- 1995 Lower rim substituted tert-butylcalix[4]arenes. Part 8: Calix[4]arenes with dialkoxyphosphoryl functions. Synthesis and complexing properties. **2005**, 61, 12307-12313 6
- 1994 Ionic complexation properties of per(3,6-anhydro)cyclodextrin derivatives towards lanthanides. **2005**, 340, 131-8 7
- 1993 Development of anion selective polymer membrane electrodes based on lutetium(III) porphyrins. **2005**, 539, 223-228 14
- 1992 {[GdAg₂(dtpa)(H₂O)](BH₂O)}_n: the first 2D GdAg coordination polymer with AgAg interaction. **2005**, 8, 178-181 27
- 1991 Synthesis, structure and luminescent properties of lanthanide(III) polymeric complexes constructed by citric acid. **2005**, 8, 328-330 50
- 1990 Metal complexes of polyaza and polyoxaaza Schiff base macrocycles. **2005**, 249, 2156-2175 216
- 1989 The extraordinary ligand binding properties of human serum albumin. **2005**, 57, 787-96 736
- 1988 Visible and near-infrared intense luminescence from water-soluble lanthanide [Tb(III), Eu(III), Sm(III), Dy(III), Pr(III), Ho(III), Yb(III), Nd(III), Er(III)] complexes. **2005**, 44, 529-37 332
- 1987 A gadolinium chelate for detection of beta-glucuronidase: a self-immolative approach. **2005**, 127, 12847-55 147

1986	The effect of pyridinecarboxylate chelating groups on the stability and electronic relaxation of gadolinium complexes. 2005 , 1129-35	50
1985	Studies on polyaspartamide gadolinium complexes as potential magnetic resonance imaging contrast agents. 2005 , 11, 117-122	3
1984	In vitro characterization of an Fe(8) cluster as potential MRI contrast agent. 2005 , 18, 300-7	24
1983	Mono-, Di- and Polymeric Calcium and Gadolinium Complexes of the Tripodal Ligand 2,2',2''-Nitrilotribenzoic Acid. 2005 , 2005, 759-765	32
1982	Lanthanide(III) Chelates of DTPA Bis(amide) Glycoconjugates: Potential Imaging Agents Targeted at the Asialoglycoprotein Receptor. 2005 , 2005, 2110-2119	18
1981	Synthesis and Relaxivity Studies of a Gadolinium(III) Complex of ATP-Conjugated DO3A as a Contrast Enhancing Agent for MRI. 2005 , 2005, 3918-3927	20
1980	Ru(III) Complexes of Edta and Dtpa Polyaminocarboxylate Analogues and Their Use as Nitric Oxide Scavengers. 2005 , 2005, 2685-2697	22
1979	Synthesis and Luminescent Properties of Novel Europium(III) Heterocyclic β -Diketone Complexes with Lewis Bases: Structural Analysis Using the Sparkle/AM1 Model. 2005 , 2005, 4129-4137	44
1978	Solid-Phase Synthesis of a Cyclic NGR-Functionalized Gd(III)DTPA Complex. 2005 , 2005, 2534-2538	8
1977	Synthesis of a Europium Complex for Anion-Sensing Involving Regioselective Substitution of Cyclen. 2005 , 2005, 4249-4252	19
1976	Gadolinium(III) Complexes of dota-Derived N-Sulfonylacetamides (H4(dota-NHSO ₂ R)=10-{2-[(R)sulfonylamino]-2-oxoethyl}-1,4,7,10-tetraazacyclododecane-1,4,7-triacetic Acid): A New Class of Relaxation Agents for Magnetic Resonance Imaging Applications. 2005 , 88, 588-603	11
1975	Complexation Properties of N,N',N'',N''''-[1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrayltetrakis(1-oxoethane-2,1-diyl)]tetrakis[glycine] (H4dotag). Equilibrium, Kinetic, and Relaxation Behavior of the Lanthanide(III) Complexes. 2005 ,	33
1974	H5dotasa (= (RS)- β -[Carboxymethyl]-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of H4dota (=1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: ¹ H-NMR and Potentiometric Studies of the Ligand and its Lanthanide(III) Complexes. 2005 , 88, 633-646	12
1973	Modulation of the Lifetime of Water Bound to Lanthanide Metal Ions in Complexes with Ligands Derived from 1,4,7,10-Tetraazacyclododecane Tetraacetate (DOTA). 2005 , 88, 923-935	33
1972	Structural Characterization and Relaxivity Study of a New Paramagnetic Mn(II) Complex of DTPA-BpABA. 2005 , 23, 1012-1016	4
1971	Probing the water coordination of protein-targeted MRI contrast agents by pulsed ENDOR spectroscopy. 2005 , 6, 2570-7	38
1970	Multilocus binding increases the relaxivity of protein-bound MRI contrast agents. 2005 , 44, 6766-9	84
1969	Multilocus Binding Increases the Relaxivity of Protein-Bound MRI Contrast Agents. 2005 , 117, 6924-6927	17

1968	Synthesis of Gadolinium-Labeled Shell-Crosslinked Nanoparticles for Magnetic Resonance Imaging Applications. 2005 , 15, 1248-1254	94
1967	Synthesis and Characterization of Fluorescent, Radio-Opaque, and Paramagnetic Silica Nanoparticles for Multimodal Bioimaging Applications. 2005 , 17, 2165-2169	193
1966	Nuclear spin relaxation study of aqueous raffinose solution in the presence of a gadolinium contrast agent. 2005 , 43, 235-9	1
1965	Numerical solution of the Bloch equations provides insights into the optimum design of PARACEST agents for MRI. 2005 , 53, 790-9	299
1964	Paramagnetic viral nanoparticles as potential high-relaxivity magnetic resonance contrast agents. 2005 , 54, 807-12	184
1963	New insights for pursuing high relaxivity MRI agents from modelling the binding interaction of Gd(III) chelates to HSA. 2005 , 6, 818-20	35
1962	Lanthanide(III) complexes of a mono(methylphosphonate) analogue of H4dota: the influence of protonation of the phosphonate moiety on the TSAP/SAP isomer ratio and the water exchange rate. 2005 , 11, 2373-84	102
1961	Synthesis, characterization, and pharmacokinetic evaluation of a potential MRI contrast agent containing two paramagnetic centers with albumin binding affinity. 2005 , 11, 3077-86	45
1960	Molecular recognition of sialic acid end groups by phenylboronates. 2005 , 11, 4010-8	110
1959	Gadolinium(III)-loaded nanoparticulate zeolites as potential high-field MRI contrast agents: relationship between structure and relaxivity. 2005 , 11, 4799-807	40
1958	A multinuclear NMR relaxometry study of ternary adducts formed between heptadentate Gd(III) chelates and L-lactate. 2005 , 11, 5531-7	47
1957	When are two waters worse than one? Doubling the hydration number of a Gd-DTPA derivative decreases relaxivity. 2005 , 11, 5866-74	30
1956	Rejection of Gd(III) by nanofiltration assisted by complexation on charged organic membrane: Influences of pH, pressure, flux, ionic strength and temperature. 2005 , 267, 41-49	25
1955	Macrocycles and medicine I Facile synthesis of a bis(macrocycle) with pendent functionality. 2005 , 8, 211-214	6
1954	Relaxivity of liposomal paramagnetic MRI contrast agents. 2005 , 18, 186-92	117
1953	Magnetic resonance imaging visualization of targeted cells by the internalization of supramolecular adducts formed between avidin and biotinylated Gd ³⁺ chelates. 2005 , 10, 78-86	29
1952	Synthesis and relaxivity of Gd(III), Fe(III) and Mn(II) complexes with dihydropyridine derivative of diethylenetriaminepentaacetic acid. 2005 , 48, 93-96	3
1951	High-field pulsed EPR and ENDOR of Gd ³⁺ complexes in glassy solutions. 2005 , 28, 281-295	63

1950	Managing the solvent water polarization to obtain improved NMR spectra of large molecular structures. 2005 , 32, 61-70	42
1949	Spectroscopic study of DHDA complex formation of d- and f-electron metal ions in methanol solution. 2005 , 15, 493-7	2
1948	Spectroscopic characterization of Eu(III) complexes with new monophosphorus acid derivatives of H(4)dota. 2005 , 15, 507-12	33
1947	Imidazol-4-yl 2-Imidazoline Nitroxide Radicals, a New Class of Promising Contrast Agents for Magnetic Resonance Imaging. 2005 , 404, 171-173	10
1946	Pharmacokinetics and tissue retention of (Gd-DTPA)-cystamine copolymers, a biodegradable macromolecular magnetic resonance imaging contrast agent. 2005 , 22, 596-602	43
1945	N,NEBis(acylvinylylated) diaza-18-crown-6 ether as a lanthanide-selective macrocyclic complex-forming agent. 2005 , 54, 159-164	2
1944	The first synthesis of chiral PNA monomer-cyclen conjugates. 2005 , 11, 812-7	14
1943	. 2005 ,	171
1942	Magnetic resonance imaging of self-assembled biomaterial scaffolds. 2005 , 16, 1343-8	85
1941	Inversion recovery measurements in the presence of radiation damping and implications for evaluating contrast agents in magnetic resonance. 2005 , 50, N371-6	13
1940	Radiolabeling and biological evaluation of DOTA-Ph-Al derivative conjugated to anti-EGFR antibody for egf/r3 for targeted tumor imaging and therapy. 2005 , 4, 854-60	23
1939	Science to practice: can we differentiate residual untreated tumor from tissue responses to heat following thermal tumor ablation?. 2005 , 234, 317-8	10
1938	Noninvasive thermometry using hyperfine-shifted MR signals from paramagnetic lanthanide complexes. 2005 , 21, 561-74	24
1937	Electronic relaxation of paramagnetic metal ions and NMR relaxivity in solution: critical analysis of various approaches and application to a Gd(III)-based contrast agent. 2005 , 123, 124510	44
1936	High relaxivity contrast agents for MRI and molecular imaging. 2005 , 99-121	7
1935	WATER AND PROTON EXCHANGE PROCESSES ON METAL IONS. 2005 , 57, 327-379	68
1934	Gd(III)-BASED CONTRAST AGENTS FOR MRI. 2005 , 57, 173-237	284
1933	Synthesis and complexation properties of DTPA-N,N''-bis[bis(n-butyl)]-N'-methyl-tris(amide). Kinetic stability and water exchange of its Gd ³⁺ complex. 2005 , 694-701	22

1932	A binaphthyl-containing Eu(III) complex and its interaction with human serum albumin: a luminescence study. 2005 , 657-9	23
1931	Dendrimers in biomedical applications--reflections on the field. 2005 , 57, 2106-29	1408
1930	Biological coordination chemistry, a confluence of chemistry and biochemistry. 2005 , 8, 199-210	1
1929	Syntheses and crystal structures of two novel lanthanide coordination compounds of 3-aminobenzoic acid. 2005 , 58, 647-652	7
1928	NMR relaxivity of Ln ³⁺ -based zeolite-type materials. 2005 , 15, 3832	21
1927	Kinetic studies of the on/off reaction of the amino group in the side chain of Cu(II), Ni(II), and Co(II) complexes with 14-membered tetraazamacrocycles. 2005 , 3079-82	14
1926	Sparkle model for the calculation of lanthanide complexes: AM1 parameters for Eu(III), Gd(III), and Tb(III). 2005 , 44, 3299-310	127
1925	Synthesis, characterization, and luminescence properties of a new series of Eu ³⁺ -containing macrocycles. 2005 , 44, 9829-36	8
1924	Derivatization of phosphopeptides with mercapto- and amino-functionalized conjugate groups by phosphate elimination and subsequent Michael addition. 2005 , 3, 3039-44	21
1923	Lanthanide luminescent switches: modulation of the luminescence of bis-macrocylic based Tb(III) conjugates in water by H ⁺ , Na ⁺ and K ⁺ . 2005 , 3204-12	53
1922	Dendrimeric Gd(III) complex of a monophosphinated DOTA analogue: optimizing relaxivity by reducing internal motion. 2005 , 2390-2	56
1921	Towards the rational design of MRI contrast agents: a practical approach to the synthesis of gadolinium complexes that exhibit optimal water exchange. 2005 , 3829-37	68
1920	Synthesis of stable dodecaalkoxy derivatives of hypercloso-B ₁₂ H ₁₂ . 2005 , 127, 18243-51	70
1919	A steroid-conjugated contrast agent for magnetic resonance imaging of cell signaling. 2005 , 127, 13164-6	44
1918	Group 13 and lanthanide complexes with mixed O,S anionic ligands derived from maltol. 2005 , 44, 2666-77	39
1917	Synthesis, characterization, and x-ray crystal structures of cyclam derivatives. 8. Thermodynamic and kinetic appraisal of lead(II) chelation by octadentate carbamoyl-armed macrocycles. 2005 , 44, 7895-910	26
1916	DTPA-bisamide-based MR sensor agents for peroxidase imaging. 2005 , 7, 1719-22	92
1915	Ground states, excited states, and metal-ligand bonding in rare earth hexachloro complexes: a DFT-based ligand field study. 2005 , 44, 2954-63	61

1914	Synthesis and relaxivity studies of a tetranuclear gadolinium(III) complex of DO3A as a contrast-enhancing agent for MRI. 2005 , 44, 9434-43	22
1913	Quantum chemical investigation of hyperfine coupling constants on first coordination sphere water molecule of gadolinium(III) aqua complexes. 2005 , 109, 10997-1005	43
1912	Self-assembled peptide amphiphile nanofibers conjugated to MRI contrast agents. 2005 , 5, 1-4	227
1911	A new class of macrocyclic lanthanide complexes for cell labeling and magnetic resonance imaging applications. 2005 , 127, 16178-88	58
1910	Anion chelation-induced porphyrin protonation and its application for chloride anion sensing. 2005 , 109, 7442-8	43
1909	A supramolecular approach to multivalent target-specific MRI contrast agents for angiogenesis. 2005 , 2811-3	38
1908	Structural and chiroptical properties of the two coordination isomers of YbDOTA-type complexes. 2005 , 44, 8391-8	46
1907	Controlled hydrolysis of lanthanide complexes of the N-donor tripod tris(2-pyridylmethyl)amine versus bisligand complex formation. 2005 , 44, 4756-65	54
1906	Synthesis and Development of Gadomer: A Dendritic MRI Contrast Agent. 2005 , 192-214	5
1905	Exploring Mycobacterium avium inhibition by macrocyclic compounds. 2005 , 156, 904-10	2
1904	Luminescent lanthanide complexes as sensors and imaging probes. 2005 , 123-46	4
1903	Magnetic resonance imaging: utility as a molecular imaging modality. 2005 , 70, 1-33	13
1902	Synthesis of DTPA-conjugated (1,4)-linked 2-aminoglycosides varying in the anomeric configuration and their MRI contrast effect. 2005 , 3, 3311-28	9
1901	A bisphosphonate monoamide analogue of DOTA: a potential agent for bone targeting. 2005 , 127, 16477-85	121
1900	Bimodal system (luminophore and paramagnetic contrastophore) derived from Ln(III) complexes based on a bipyridine-containing macrocyclic ligand. 2005 , 44, 8293-305	54
1899	Direct access to terpyridine-containing polyazamacrocycles as photosensitizing ligands for Eu(III) luminescence in aqueous media. 2005 , 70, 2274-84	69
1898	Nanosized Hybrid Particles with Double Luminescence for Biological Labeling. 2005 , 17, 1673-1682	172
1897	Next generation, high relaxivity gadolinium MRI agents. 2005 , 16, 3-8	277

1896	Anhydrous Praseodymium Salts in the Ionic Liquid [bmpyr][Tf2N]: Structural and Optical Properties of [bmpyr]4[Pr16][Tf2N] and [bmyr]2[Pr(Tf2N)5]. 2005 , 17, 6230-6238	100
1895	Confusion approach to porphyrinoid chemistry. 2005 , 38, 10-20	245
1894	Polyaspartamide gadolinium complexes containing sulfadiazine groups as potential macromolecular MRI contrast agents. 2005 , 16, 967-71	35
1893	Macrocyclic lanthanide complexes as artificial nucleases and ribonucleases: effects of pH, metal ionic radii, number of coordinated water molecules, charge, and concentrations of the metal complexes. 2005 , 44, 6646-54	43
1892	The physical organic chemistry of very high-spin polyradicals. 2005 , 153-199	27
1891	Synthesis and characterization of the novel monoamide derivatives of Gd-TTDA. 2005 , 44, 382-92	17
1890	Responsive lanthanide luminescent cyclen complexes: from switching/sensing to supramolecular architectures. 2005 , 3114-31	272
1889	Chlorophyll-a analogues conjugated with aminobenzyl-DTPA as potential bifunctional agents for magnetic resonance imaging and photodynamic therapy. 2005 , 16, 32-42	57
1888	Superparamagnetic gadonanotubes are high-performance MRI contrast agents. 2005 , 3915-7	279
1887	Synthesis and characterisation of highly emissive and kinetically stable lanthanide complexes suitable for usage "in cellulo". 2005 , 3, 1013-24	118
1886	Synthesis of two 3,5-disubstituted sulfonamide catechol ligands and evaluation of their iron(III) complexes for use as MRI contrast agents. 2005 , 48, 7482-5	24
1885	Practical route to relative diffusion coefficients and electronic relaxation rates of paramagnetic metal complexes in solution by model-independent outer-sphere NMRD. Potentiality for MRI contrast agents. 2005 , 127, 15801-14	33
1884	Straightforward Synthesis of a Novel Maleimide-DTPA Bifunctional Chelating Agent. 2005 , 35, 2409-2413	8
1883	In vivo evaluation of gadolinium hydroxypyridonate chelates: initial experience as contrast media in magnetic resonance imaging. 2005 , 48, 3874-7	32
1882	Crystal structures of lanthanide(III) complexes with cyclen derivative bearing three acetate and one methylphosphonate pendants. 2005 , 44, 5591-9	76
1881	Organic syntheses on an icosahedral borane surface: closomer structures with twelvefold functionality. 2005 , 127, 17832-41	33
1880	Dendrimeric gadolinium chelate with fast water exchange and high relaxivity at high magnetic field strength. 2005 , 127, 504-5	79
1879	Gadolinium-based hybrid nanoparticles as a positive MR contrast agent. 2006 , 128, 15090-1	214

1878	Coordination ability of trans-cyclohexane-1,2-diamine-N,N,N',N'-tetrakis(methylenephosphonic acid) towards lanthanide(III) ions. 2006 , 4384-94	25
1877	From structural properties of the Eu(III) complex with ethylenediaminetetra(methylenephosphonic acid) (H8EDTMP) towards biomedical applications. 2006 , 4702-10	48
1876	Labelling monoclonal antibodies with macrocyclic radiometal complexes. A challenge for coordination chemists. 2006 , 3617-23	15
1875	Synthesis of luminescent heterometallic bis-lanthanide complexes via selective, sequential metallation. 2006 , 4116-8	54
1874	Microwave-Assisted Synthesis of 1,4,7,10-Tetraazacyclododecane. 2006 , 36, 653-657	5
1873	Syntheses, crystal structures, and magnetic properties of [Ln(III) ₂ (Succinate) ₃ (H ₂ O) ₂].0.5H ₂ O [Ln = Pr, Nd, Sm, Eu, Gd, and Dy] polymeric networks: unusual ferromagnetic coupling in Gd derivative. 2006 , 45, 9114-22	99
1872	Paramagnetic lanthanide complexes as PARACEST agents for medical imaging. 2006 , 35, 500-11	341
1871	Pyridine and phosphonate containing ligands for stable lanthanide complexation. An experimental and theoretical study to assess the solution structure. 2006 , 5404-15	42
1870	On the role of the counter-ion in defining water structure and dynamics: order, structure and dynamics in hydrophilic and hydrophobic gadolinium salt complexes. 2006 , 5605-16	50
1869	Synthesis and characterisation of dimeric eight-coordinate lanthanide(III) complexes of a macrocyclic tribenzylphosphinate ligand. 2006 , 5423-8	13
1868	Structural characterisation of a diprotonated ligand lanthanide complex--a key intermediate in lanthanide ion association and complex dissociation pathways. 2006 , 3291-3	21
1867	Synthesis and physicochemical characterization of two gadolinium(III) TTDA-like complexes and their interaction with human serum albumin. 2006 , 45, 244-54	24
1866	New lipophilic 3-hydroxy-4-pyridinonate iron(III) complexes: synthesis and EXAFS structural characterisation. 2006 , 1313-21	14
1865	Strategy for the synthesis of multivalent peptide-based nonsymmetric dendrimers by native chemical ligation. 2006 , 1667-9	42
1864	Positively charged Gd(III) cryptates: slow, associative water exchange. 2006 , 629-34	16
1863	Synthesis and characterization of a novel paramagnetic macromolecular complex [Gd(TTDAQ-protamine)]. 2006 , 5149-55	5
1862	Thermodynamic, kinetic and solid-state study of divalent metal complexes of 1,4,8,11-tetraazacyclotetradecane (cyclam) bearing two trans (1,8-)methylphosphonic acid pendant arms. 2006 , 5184-97	25
1861	Relaxometric and solution NMR structural studies on ditopic lanthanide(III) complexes of a phosphinate analogue of DOTA with a fast rate of water exchange. 2006 , 2323-33	43

1860	Contrast agents for magnetic resonance imaging synthesized with ring-opening metathesis polymerization. 2006 , 128, 6534-5	49
1859	Equilibrium and NMR studies on Gd(III), Y(III), Cu(II) and Zn(II) complexes of various DTPA-N,N''-bis(amide) ligands. Kinetic stabilities of the gadolinium(III) complexes. 2006 , 1082-91	17
1858	Lanthanide(III) and group 13 metal ion complexes of tripodal amino phosphinate ligands. 2006 , 31-8	4
1857	Synthesis and structural characterization of lanthanide(III) nitrate complexes of a tetraaminodiphenol macrocycle in the solid state and in solution. 2006 , 3236-48	33
1856	Glycoconjugates of gadolinium complexes for MRI applications. 2006 , 1064-6	77
1855	Simple synthesis of a building block for solid-phase labeling of oligonucleotides with 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic acid (DOTA). 2006 , 17, 1105-7	11
1854	Modulation of luminescence intensity of lanthanide complexes by photoinduced electron transfer and its application to a long-lived protease probe. 2006 , 128, 6938-46	138
1853	Reversible B/Z-DNA transition under the low salt condition and non-B-form polydAdpolydT selectivity by a cubane-like europium-L-aspartic acid complex. 2006 , 90, 3203-7	39
1852	Synthesis and characterisation of bis-cyclen based dinuclear lanthanide complexes. 2006 , 4, 1572-9	17
1851	Sensitized near-infrared lanthanide luminescence from Nd(III)- and Yb(III)-based cyclen-ruthenium coordination conjugates. 2006 , 45, 10040-2	88
1850	A luminescent probe containing a tuftsin targeting vector coupled to a terbium complex. 2006 , 909-11	54
1849	Medicinal Properties of Organometallic Compounds. 177-210	25
1848	Modulation of Luminescence Intensity of Lanthanide Complexes by Photoinduced Electron Transfer and Its Application to a Long-Lived Protease Probe [J. Am. Chem. Soc. 2006, 128, 6938-6946]. 2006 , 128, 8699-8700	7
1847	A dinuclear lanthanide complex for the recognition of bis(carboxylates): formation of terbium(III) luminescent self-assembly ternary complexes in aqueous solution. 2006 , 45, 9465-74	90
1846	Metal complexes of maltol and close analogues in medicinal inorganic chemistry. 2006 , 35, 545-56	110
1845	Quantum dots with a paramagnetic coating as a bimodal molecular imaging probe. 2006 , 6, 1-6	439
1844	Tris(pyron) chelates of Gd(III) as high solubility MRI-CA. 2006 , 128, 2222-3	31
1843	Scandium, Yttrium & the Lanthanides: Inorganic & Coordination Chemistry. 2006 ,	6

1842	Gadolinium-loaded polychelating polymer-containing cancer cell-specific immunoliposomes. 2006 , 16, 45-55	45
1841	Fast water-exchange Gd ³⁺ -(DO3A-like) complex functionalized with aza-15-crown-5 showing prolonged residence lifetime in vivo. 2006 , 17, 571-4	23
1840	Auto-assembling of ditopic macrocyclic lanthanide chelates with transition-metal ions. Rigid multimetallic high relaxivity contrast agents for magnetic resonance imaging. 2006 , 45, 5092-102	55
1839	Substituent effects on Gd(III)-based MRI contrast agents: optimizing the stability and selectivity of the complex and the number of coordinated water molecules. 2006 , 45, 8355-64	77
1838	Equilibria and structure of the lanthanide(III)-2-hydroxy-1,3-diaminopropane-N,N,N',N'-tetraacetate complexes: formation of alkoxo-bridged dimers in solid state and solution. 2006 , 45, 4951-62	6
1837	Aggregation studies of the water-soluble gadofullerene magnetic resonance imaging contrast agent: [Gd@C82O6(OH)16(NHCH2CH2COOH)8]x. 2006 , 110, 15597-601	45
1836	In vitro and in vivo magnetic resonance detection of tumor cells by targeting glutamine transporters with Gd-based probes. 2006 , 49, 4926-36	67
1835	Pyridine- and phosphonate-containing ligands for stable Ln complexation. Extremely fast water exchange on the Gd(III) chelates. 2006 , 45, 8719-28	80
1834	A smart magnetic resonance contrast agent for selective copper sensing. 2006 , 128, 15942-3	131
1833	Synthesis of ultrafine Gd ₂ O ₃ nanoparticles inside single-wall carbon nanohorns. 2006 , 110, 5179-81	64
1832	Fe(III)-templated Gd(III) self-assemblies-a new route toward macromolecular MRI contrast agents. 2006 , 128, 9272-3	40
1831	A new class of Gd-based DO3A-ethylamine-derived targeted contrast agents for MR and optical imaging. 2006 , 17, 773-80	66
1830	Viral nanoparticles donning a paramagnetic coat: conjugation of MRI contrast agents to the MS2 capsid. 2006 , 6, 1160-4	175
1829	Development of contrast agents targeted to macrophage scavenger receptors for MRI of vascular inflammation. 2006 , 17, 538-47	34
1828	Supramolecular self-assembly of mixed f-d metal ion conjugates. 2006 , 8, 2727-30	62
1827	Three in one: TSA, TSA', and SA units in one crystal structure of a yttrium(III) complex with a monophosphinated H4dota analogue. 2006 , 45, 3097-102	36
1826	Synthesis and evaluation of novel macrocyclic and acyclic ligands as contrast enhancement agents for magnetic resonance imaging. 2006 , 49, 2055-62	28
1825	PAMAM dendrimeric conjugates with a Gd-DOTA phosphinate derivative and their adducts with polyaminoacids: the interplay of global motion, internal rotation, and fast water exchange. 2006 , 17, 975-87	104

1824	Macrophage targeted N-(2-hydroxypropyl)methacrylamide conjugates for magnetic resonance imaging. 2006 , 3, 550-7	31
1823	Variable temperature and EPR frequency study of two aqueous Gd(III) complexes with unprecedented sharp lines. 2006 , 110, 12434-8	34
1822	Lanthanide(III) complexes with a tetrapyrroline pendant-armed macrocyclic ligand: ¹ H NMR structural determination in solution, X-ray diffraction, and density-functional theory calculations. 2006 , 45, 4484-96	63
1821	Complexes of greatly enhanced thermodynamic stability and metal ion size-based selectivity, formed by the highly preorganized non-macrocyclic ligand 1,10-phenanthroline-2,9-dicarboxylic acid. A thermodynamic and crystallographic study. 2006 , 45, 9306-14	67
1820	Tuning the coordination number of hydroxypyridonate-based gadolinium complexes: implications for MRI contrast agents. 2006 , 128, 5344-5	45
1819	Equilibrium and formation/dissociation kinetics of some Ln(III)PCTA complexes. 2006 , 45, 9269-80	84
1818	Europium(III) macrocyclic complexes with alcohol pendant groups as chemical exchange saturation transfer agents. 2006 , 128, 10155-62	58
1817	PolydA and polyrA self-structured by a europium and amino acid complex. 2006 , 580, 3726-30	18
1816	Cyclohexanedione Bisaminals as Intermediates for Cyclen, Homocyclen, and Cyclam Synthesis. 2006 , 36, 3271-3282	6
1815	Synthesis of building blocks for solid-phase introduction of diethylenetriaminepentaacetic acid (DTPA) to oligonucleotides and oligopeptides. 2006 , 17, 855-9	5
1814	Synthesis and X-ray crystal structure of cationic polynuclear hydroxide acetylacetonate lanthanide(III) clusters with homodinuclear or heterodinuclear decacarbonyl hydrides: [HMo ₂ (CO) ₁₀] ⁺ and [HCrW(CO) ₁₀] ⁺ 2006 , 408-412, 1046-1051	21
1813	High lasing oscillation efficiency of Eu(III) complexes having remarkably sharp emission band. 2006 , 408-412, 771-775	33
1812	Molecular design of luminescent Eu(III) complexes as lanthanide lasing material and their optical properties. 2006 , 408-412, 669-674	46
1811	Strong luminescence of rare earth compounds in ionic liquids: Luminescent properties of lanthanide(III) iodides in the ionic liquid 1-dodecyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide. 2006 , 418, 204-208	59
1810	Quantitative Imaging of Cell-Permeable Magnetic Resonance Contrast Agents Using X-Ray Fluorescence. 2006 , 5, 7290.2006.00026	27
1809	Permeation Peptide Conjugates for In Vivo Molecular Imaging Applications. 2006 , 5, 7290.2006.00001	33
1808	Synthesis, thermodynamics stability constant and relaxation properties of neutral Gd(III) complex with derivative from diethylene triamine pentaacetic acid and p-hydroxybenzoyl hydrazine. 2006 , 54, 406-8	2
1807	Dendrimers as Drug and Gene Delivery Systems. 2006 , 489-508	

1806	Correlation between estimates of tumor perfusion from microbubble contrast-enhanced sonography and dynamic contrast-enhanced magnetic resonance imaging. 2006 , 25, 487-97	34
1805	Dendrimers. 2006 ,	2
1804	Species dependence on plasma protein binding and relaxivity of the gadolinium-based MRI contrast agent MS-325. 2006 , 41, 229-43	68
1803	Synthesis neutral rare earth complexes of diethylenetriamine-N,N''-bis(acetyl-isoniazid)-N,N',N''-triacetic acid as potential contrast enhancement agents for magnetic resonance imaging. 2006 , 54, 1203-6	9
1802	A new dinuclear CuII μ III complex with a salen-type Schiff base ligand. 2006 , 62, m2230-m2232	5
1801	A new dinuclear CuII μ III complex with a salen-type Schiff base ligand. 2006 , 62, m3205-m3207	2
1800	Clinical and biological consequences of transmetallation induced by contrast agents for magnetic resonance imaging: a review. 2006 , 20, 563-76	303
1799	Reactivity of μ -cytosine and derivatives towards palladium salts. X-ray characterization of a new palladium complex of μ -cytosine. 2006 , 9, 1301-1308	6
1798	Nickel(II) and copper(II) complexes with triethylenetetraaminehexaacetic acid: From binuclear complex to 1D coordination polymer. 2006 , 9, 192-195	6
1797	A new ligand containing a pyridine, a 2,2'-bipyridine and a carboxylate moiety and its lanthanide polymeric complexes: Synthesis, characterization and photophysical studies. 2006 , 9, 464-468	5
1796	The conjugates of uracil-cyclen Zn(II) complexes: synthesis, characterization, and their interaction with plasmid DNA. 2006 , 14, 5756-64	29
1795	Synthesis and properties of a neutral derivative of diethylenetriaminepentaacetic acid (DTPA). 2006 , 16, 4760-2	7
1794	A dual lanthanide probe suitable for optical (Tb ³⁺ luminescence) and magnetic resonance imaging (Gd ³⁺ relaxometry). 2006 , 16, 5309-12	33
1793	Synthesis and characterization of a new water-soluble endohedral metallofullerene for MRI contrast agents. 2006 , 44, 496-500	82
1792	High sensitivity lanthanide(III) based probes for MR-medical imaging. 2006 , 250, 1562-1579	264
1791	Biodistribution and tumor-accumulation of gadolinium (Gd) encapsulated in long-circulating liposomes in tumor-bearing mice for potential neutron capture therapy. 2006 , 320, 96-103	24
1790	Biodegradable cystamine spacer facilitates the clearance of Gd(III) chelates in poly(glutamic acid) Gd-DO3A conjugates for contrast-enhanced MR imaging. 2006 , 24, 931-40	40
1789	Chemical exchange saturation transfer imaging and spectroscopy. 2006 , 48, 109-136	356

- 1788 Relaxivity in paramagnetic systems: Theory and mechanisms. **2006**, 49, 45-64 130
- 1787 Synthesis, crystal structures and antenna-like sensitization of visible and near infrared emission in heterobimetallic Zn^{II} and Zn^{II}/Ni^{II} Schiff base compounds. **2006**, 25, 271-278 77
- 1786 Perspectives in bioinorganic chemistry of some metal based therapeutic agents. **2006**, 25, 1633-1645 124
- 1785 Capillary electrophoretic separation and kinetic study of inert copper(II) complexes of 1,8-bis(methylphosphonate) derivative of cyclam. **2006**, 25, 1884-1892 5
- 1784 Efficiency of paramagnetic relaxation enhancement in off-resonance rotating frame. **2006**, 181, 212-22 4
- 1783 Irreversibly binding anti-metal chelate antibodies: Artificial receptors for pretargeting. **2006**, 100, 882-90 20
- 1782 Novel crowned-porphyrin ligands. Synthesis and conformational studies. **2006**, 62, 3056-3064 14
- 1781 Stereochemistry of the intermediates in the synthesis of 1,4,7,10-tetraazacyclododecane from triethylenetetramine, glyoxal and diethyl oxalate. **2006**, 62, 6855-6861 9
- 1780 Synthesis and reactivity of cyclam-based enediynes. **2006**, 47, 117-120 6
- 1779 Synthesis of α -chloroamides in water. **2006**, 47, 6321-6324 33
- 1778 A facile synthesis of β -amino-DOTA as a versatile molecular imaging probe. **2006**, 47, 7327-7330 14
- 1777 Synthesis, structure, and anticancer activity of gallium(III) complexes with asymmetric tridentate ligands: growth inhibition and apoptosis induction of cisplatin-resistant neuroblastoma cells. **2006**, 45, 6263-8 58
- 1776 Nanoscale metal-organic frameworks as potential multimodal contrast enhancing agents. **2006**, 128, 9024-5 749
- 1775 Sensitivity enhancement of multidimensional NMR experiments by paramagnetic relaxation effects. **2006**, 128, 13474-8 69
- 1774 Lanthanides in magnetic resonance imaging. **2006**, 35, 557-71 458
- 1773 Syntheses and structural analyses of nine-coordinate protonated (Py)₂[GdIII(HNta)(Nta)(H₂O)]⁺ · 5H₂O and eight-coordinate (NH₄)₃[HoIII(Nta)₂] complexes. **2006**, 32, 63-70 5
- 1772 Strategies for increasing the sensitivity of gadolinium based MRI contrast agents. **2006**, 35, 512-23 1168
- 1771 Gd-DTPA L-cystine bisamide copolymers as novel biodegradable macromolecular contrast agents for MR blood pool imaging. **2006**, 23, 1285-94 23

1770	Pharmacokinetics, biodistribution and contrast enhanced MR blood pool imaging of Gd-DTPA cystine copolymers and Gd-DTPA cystine diethyl ester copolymers in a rat model. 2006 , 23, 1736-42	43
1769	Use of the macrocyclic ligand cucurbit[6]uril for isolation of tetranuclear lanthanide aquahydroxo-carboxylate complexes from aqueous solutions. 2006 , 55, 1956-1965	31
1768	Synthesis, Characterization and Relaxation Properties of Four Non-ion Transition Metal Manganese(II), Cobalt(II), Nickel(II) and Copper (II) Complexes with Derivatives from Diethylene Triamine Pentaacetic Acid and Isoniazid. 2006 , 31, 333-336	10
1767	Magnetic resonance imaging of tumor cells by targeting the amino acid transport system. 2006 , 16, 4111-4	13
1766	New paramagnetic supramolecular adducts for MRI applications based on non-covalent interactions between Gd(III)-complexes and beta- or gamma-cyclodextrin units anchored to chitosan. 2006 , 100, 931-8	27
1765	Interactions of the human telomeric DNA with terbium-amino acid complexes. 2006 , 100, 1646-52	35
1764	Dynamics of paramagnetic agents by off-resonance rotating frame technique. 2006 , 183, 213-27	4
1763	A polymeric micelle MRI contrast agent with changeable relaxivity. 2006 , 114, 325-33	76
1762	Relaxometric study of copper [15]metallacrown-5 gadolinium complexes derived from alpha-aminohydroxamic acids. 2005 , 12, 204-10	38
1761	Supramolecular assembly of an amphiphilic Gd(III) chelate: tuning the reorientational correlation time and the water exchange rate. 2006 , 12, 940-8	53
1760	An investigation of lanthanum coordination compounds by using solid-state ¹³⁹ La NMR spectroscopy and relativistic density functional theory. 2005 , 12, 159-68	34
1759	A starburst-shaped heterometallic compound incorporating six densely packed gd(3+) ions. 2006 , 12, 989-1003	108
1758	Lanthanide complexes of a picolinate ligand derived from 1,4,7-triazacyclononane with potential application in magnetic resonance imaging and time-resolved luminescence imaging. 2006 , 12, 7133-50	93
1757	A cyclam core dendrimer containing dansyl and oligoethylene glycol chains in the branches: protonation and metal coordination. 2006 , 12, 8926-34	24
1756	Synthesis of aminoxy-functionalized lanthanide(III) chelates for carbonyl-group conjugation. 2006 , 3, 296-303	11
1755	Lipid-based nanoparticles for contrast-enhanced MRI and molecular imaging. 2006 , 19, 142-64	468
1754	Evaluation of Gd(III)DTPA-terminated poly(propylene imine) dendrimers as contrast agents for MR imaging. 2006 , 19, 133-41	112
1753	Ten-Coordinate Neodymium(III) Complexes with Triethylenetetraaminehexaacetic Acid. 2006 , 2006, 1859-1867	19

- 1752 Tris(tropolonato)phenanthroline Lanthanide(III) Complexes as Photochemical Devices. **2006**, 2006, 2370-2376 14
- 1751 Study of Thermodynamic and Kinetic Stability of Transition Metal and Lanthanide Complexes of DTPA Analogues with a Phosphorus Acid Pendant Arm. **2006**, 2006, 1976-1986 30
- 1750 (Cyclen and cyclam)pyridine)copper Complexes: The Role of the Pyridine Moiety in CuII and CuI Stabilisation. **2006**, 2006, 3472-3481 32
- 1749 Functionalization of Porphyrins: Mechanistic Insights, Conformational Studies, and Structural Characterizations. **2006**, 2006, 1207-1215 11
- 1748 Capillary electrophoresis for the characterization of the complex dendrimeric contrast agent Gadomer. **2006**, 27, 2400-12 14
- 1747 Comparative study of the physicochemical properties of six clinical low molecular weight gadolinium contrast agents. **2006**, 1, 128-37 333
- 1746 How to determine free Gd and free ligand in solution of Gd chelates. A technical note. **2006**, 1, 184-8 219
- 1745 Pharmacokinetic and in vivo evaluation of a self-assembled gadolinium(III)-iron(II) contrast agent with high relaxivity. **2006**, 1, 267-78 37
- 1744 Cellular labeling with Gd(III) chelates: only high thermodynamic stabilities prevent the cells acting as 'sponges' of Gd³⁺ ions. **2006**, 1, 23-9 82
- 1743 First in vivo MRI assessment of a self-assembled metallostar compound endowed with a remarkable high field relaxivity. **2006**, 1, 30-9 65
- 1742 Gd-enhanced MR images of substrates other than water. **2006**, 1, 101-5 12
- 1741 Impact of rigidification on relaxometric properties of a tricyclic tetraazatriacetic gadolinium chelate. **2006**, 1, 121-7 33
- 1740 Determination of the hydration number of gadolinium(III) complexes by high-field pulsed 17O ENDOR spectroscopy. **2006**, 7, 1590-7 27
- 1739 Contrast enhanced MRI-guided photodynamic therapy for site-specific cancer treatment. **2006**, 56, 761-7 41
- 1738 Nature: a rich source for developing multifunctional agents. Tumor-imaging and photodynamic therapy. **2006**, 38, 445-67 140
- 1737 Synthesis of new heteroaromatic nitrogen ligands: Pyrimido-[4?,5?:4?,5?]-thieno[3?,2?:4,5]thieno[3,2-d]pyrimidines and 1,2,3-triazine[4?,5?:4?,5?]-thieno[3?,2?:4,5]thieno[3,2-d]-1,2,3-triazines. **2006**, 43, 1051-1056 7
- 1736 MR-visible coatings for endovascular device visualization. **2006**, 23, 763-9 37
- 1735 Formation of Novel Layered Nanostructures from Lanthanide-Complexes by Secondary Interactions with Ligating Monomers in Miniemulsion Droplets. **2006**, 207, 160-165 20

1734	Design of Gold Nanoparticles for Magnetic Resonance Imaging. 2006 , 16, 2330-2339	189
1733	GdIII-Functionalized Fluorescent Quantum Dots as Multimodal Imaging Probes. 2006 , 18, 2890-2894	131
1732	Selective Protection of 1,4,8,11-Tetraazacyclotetradecane (Cyclam) in Position 1,4 with the Phosphonothioyl Group and Synthesis of a Cyclam-1,4-bis(methylphosphonic Acid). Crystal Structures of Several Cyclic Phosphonothioamides. 2006 , 71, 337-367	8
1731	A method for pharmacokinetic modelling of dynamic contrast enhanced MRI studies of rapidly enhancing lesions acquired in a clinical setting. 2006 , 51, N187-97	8
1730	Usefulness of Magnetic Resonance Imaging in Cardiac and Enovascular Intervention. 2006 , 2, 299-313	
1729	Synthesis and Photophysical Properties of Luminescent Lanthanide Complexes Based on Dansyl-N-Methyl-Aminobenzoic Acid for Advanced Photonics Applications. 2006 , 446, 295-304	1
1728	Magnetic resonance visualization of tumor angiogenesis by targeting neural cell adhesion molecules with the highly sensitive gadolinium-loaded apoferritin probe. 2006 , 66, 9196-201	122
1727	Speciation Studies of Iron (III) with (Poly)phosphonate Ligands: The Case of EDTMP (EthylenediamineTetramethylene Phosphonic Acid). 2006 , 181, 947-958	3
1726	Gadolinium(III)-based blood-pool contrast agents for magnetic resonance imaging: status and clinical potential. 2007 , 4, 149-64	51
1725	The synthesis and in vitro testing of a zinc-activated MRI contrast agent. 2007 , 104, 13881-6	155
1724	Dynamic Contrast Enhanced Magnetic Resonance Imaging in Oncology: Theory, Data Acquisition, Analysis, and Examples. 2009 , 3, 91-107	273
1723	Stochastic Liouville equation treatment of the electron paramagnetic resonance line shape of an S-state ion in solution. 2007 , 126, 054510	10
1722	Relaxation theory of the electronic spin of a complexed paramagnetic metal ion in solution beyond the Redfield limit. 2007 , 126, 204503	44
1721	Ab initio simulation of a gadolinium-based magnetic resonance imaging contrast agent in aqueous solution. 2007 , 126, 181102	35
1720	Gadolinium (III) ion in liquid water: structure, dynamics, and magnetic interactions from first principles. 2007 , 127, 084506	43
1719	MRI contrast agents: current status and future perspectives. 2007 , 7, 291-305	204
1718	Nephrogenic systemic fibrosis: risk factors and incidence estimation. 2007 , 243, 148-57	1162
1717	Syntheses and structural determinations of the nine-coordinate rare earth metal: Na ₄ [Dy ^{III} (dtpa)(H ₂ O)] ₂ ·6H ₂ O, Na ₃ [Dy ^{III} (edta)(H ₂ O)] ₃ ·2.5H ₂ O and Na ₃ [Dy ^{III} (nta) ₂ (H ₂ O)] ₃ ·5H ₂ O. 2007 , 60, 2221-2241	25

1716	General Classification of Organometallic Reactions. 2007 , 93-117	1
1715	Radiochemical and biological behaviour of ¹⁵³ Sm and ¹⁶⁶ Ho complexes anchored by a novel bis(methylphosphonate) tetraazamacrocycle. 2007 , 95,	13
1714	Further reading. 2007 , 340-343	
1713	Synthesis, Relaxivity, and T1 Relaxation Enhancement of Binuclear Gadolinium(III) Complexes Based on DTPA or EDTA and Long-Chain Alkyl Esters of L-Lysine. 2007 , 60, 218	4
1712	Solid-phase oligonucleotide labeling with DOTA. 2007 , Chapter 14, Unit 4.31	1
1711	Basic design and synthesis of sulfonated contrast agents for magnetic resonance imaging based on gadolinium complexes. 2007 , 23, 1159-65	2
1710	Control of Coordination and Luminescence Properties of Lanthanide Complexes Using Octadentate Oligopyridine-Amine Ligands. 2007 , 80, 335-345	18
1709	Nanopartikel zur Diagnose von Blutgefäßkrankungen. 2007 , 55, 842-846	0
1708	Lanthanide containing compounds for therapeutic care in bone resorption disorders. 2007 , 5019-30	72
1707	Photophysical, electrochemical characteristics and cross-linking of STAT-3 protein by an efficient bifunctional agent for fluorescence image-guided photodynamic therapy. 2007 , 6, 1257-67	17
1706	One-pot preparation of surface modified boehmite nanoparticles with rare-earth cyclen complexes. 2007 , 3392-4	16
1705	Intramolecular Delayed Fluorescence as a Tool for Imaging Science: Synthesis and Photophysical Properties of a First-Generation Emitter. 2007 , 19, 1931-1938	13
1704	Hybrid gadolinium oxide nanoparticles: multimodal contrast agents for in vivo imaging. 2007 , 129, 5076-84	656
1703	Identification of emissive lanthanide complexes suitable for cellular imaging that resist quenching by endogenous anti-oxidants. 2007 , 5, 2055-62	69
1702	Novel functionalized pyridine-containing DTPA-like ligand. Synthesis, computational studies and characterization of the corresponding Gd(III) complex. 2007 , 5, 2441-7	15
1701	Maximizing the relaxivity of HSA-bound gadolinium complexes by simultaneous optimization of rotation and water exchange. 2007 , 4726-8	43
1700	Preparation and preliminary evaluation of a biotin-targeted, lectin-targeted dendrimer-based probe for dual-modality magnetic resonance and fluorescence imaging. 2007 , 18, 1474-82	109
1699	Synthesis and characterization of lanthanide complexes of DO3A-alkylphosphonates. 2007 , 5260-7	19

1698	Mechanistic studies of reactions of coordination compounds. Some recent highlights. 2007 , 60, 1-51	28
1697	Crystallization of Rare Earth Carbonate Nanostructures in the Reverse Micelle System. 2007 , 7, 1452-1458	22
1696	On-off regulation of ¹⁹ F magnetic resonance signals based on pH-sensitive PEGylated nanogels for potential tumor-specific smart ¹⁹ F MRI probes. 2007 , 18, 1379-82	117
1695	Sensitization of europium(III) luminescence by benzophenone-containing ligands: regioisomers, rearrangements and chelate ring size, and their influence on quantum yields. 2007 , 46, 9438-49	28
1694	Polyethylene glycol-covered ultra-small Gd ₂ O ₃ nanoparticles for positive contrast at 1.5 T magnetic resonance clinical scanning. 2007 , 18, 3955-01	146
1693	The dynamics of water exchange in gadolinium DOTA complexes studied by transition path sampling and potential of mean force methods. 2007 , 9, 1318-23	13
1692	Photochromically-controlled, reversibly-activated MRI and optical contrast agent. 2007 , 1331-3	43
1691	Thermodynamic and structural properties of Eu ³⁺ complexes of a new 12-membered tetraaza macrocycle containing pyridine and N-glutaryl groups as pendant arms: characterization of three complexing successive phases. 2007 , 1611-20	10
1690	Novel 15-crown-5 ether or beta-diketone incorporated gadolinium complexes for the detection of potassium ions or magnesium and calcium ions. 2007 , 132, 1153-60	36
1689	Thermodynamic study of lanthanide(III) complexes with bifunctional monophosphinic acid analogues of H ₄ dota and comparative kinetic study of yttrium(III) complexes. 2007 , 535-49	75
1688	Synthesis, complexation and water exchange properties of Gd(III)-TTDA-mono and bis(amide) derivatives and their binding affinity to human serum albumin. 2007 , 2749-59	18
1687	Synthesis and characterization of a Gd(III) based contrast agent responsive to thiol containing compounds. 2007 , 4980-7	35
1686	Responsive fluorinated lanthanide probes for ¹⁹ F magnetic resonance spectroscopy. 2007 , 2923-5	45
1685	Viral MRI contrast agents: coordination of Gd by native virions and attachment of Gd complexes by azide-alkyne cycloaddition. 2007 , 1269-71	176
1684	Metal complexes of cyclen and cyclam derivatives useful for medical applications: a discussion based on thermodynamic stability constants and structural data. 2007 , 2734-45	136
1683	Gadolinium(III) complexes of mono- and diethyl esters of monophosphonic acid analogue of DOTA as potential MRI contrast agents: solution structures and relaxometric studies. 2007 , 493-501	68
1682	Polyamine-substituted gadolinium chelates: a new class of intracellular contrast agents for magnetic resonance imaging of tumors. 2007 , 50, 139-48	17
1681	Synthesis and properties of dumbbell-shaped dendrimers containing 9-phenylcarbazole dendrons. 2007 , 9, 4531-4	32

1680	Water-soluble contrast agents targeted at the estrogen receptor for molecular magnetic resonance imaging. 2007 , 18, 1361-5	24
1679	Cascade polymeric MRI contrast media derived from poly(ethylene glycol) cores: initial syntheses and characterizations. 2007 , 8, 1519-29	37
1678	Paramagnetic Silica-Coated Nanocrystals as an Advanced MRI Contrast Agent. 2007 , 111, 12542-12551	71
1677	Use of a genetically engineered protein for the design of a multivalent MRI contrast agent. 2007 , 18, 1697-700	24
1676	Albumin binding, relaxivity, and water exchange kinetics of the diastereoisomers of MS-325, a gadolinium(III)-based magnetic resonance angiography contrast agent. 2007 , 46, 6632-9	128
1675	Peptidyl molecular imaging contrast agents using a new solid-phase peptide synthesis approach. 2007 , 18, 903-11	19
1674	Design of Gd(III)-based magnetic resonance imaging contrast agents: static and transient zero-field splitting contributions to the electronic relaxation and their impact on relaxivity. 2007 , 111, 832-40	32
1673	A bridge to coordination isomer selection in lanthanide(III) DOTA-tetraamide complexes. 2007 , 46, 2584-95	38
1672	Semiempirical Molecular Orbital Scheme To Study Lanthanide(III) Complexes: PM3 Parameters for Europium, Gadolinium, and Ytterbium. 2007 , 3, 1014-27	11
1671	Multiple-frequency EPR spectra of two aqueous Gd ³⁺ polyamino polypyridine carboxylate complexes: a study of high field effects. 2007 , 111, 5399-407	17
1670	Toward improved syntheses of dendrimer-based magnetic resonance imaging contrast agents: new bifunctional diethylenetriaminepentaacetic acid ligands and nonaqueous conjugation chemistry. 2007 , 50, 3185-93	53
1669	Dinuclear complexes formed with the triazacyclononane derivative ENOTA4-: high-pressure 17O NMR evidence of an associative water exchange on [MnII2(ENOTA)(H2O)2]. 2007 , 46, 238-50	50
1668	1,2-hydroxypyridonates as contrast agents for magnetic resonance imaging: TREN-1,2-HOPO. 2007 , 46, 9182-91	50
1667	Core/shell quantum dots with high relaxivity and photoluminescence for multimodality imaging. 2007 , 129, 3848-56	179
1666	Highly soluble tris-hydroxypyridonate Gd(III) complexes with increased hydration number, fast water exchange, slow electronic relaxation, and high relaxivity. 2007 , 129, 1870-1	85
1665	A robust and convergent synthesis of dipeptide-DOTAM conjugates as chelators for lanthanide ions: new PARACEST MRI agents. 2007 , 18, 1625-36	46
1664	A fan-shaped polynuclear Gd ₆ Cu ₁₂ amino acid cluster: a "hollow" and ferromagnetic [Gd ₆ (μ ₃ -OH) ₈] octahedral core encapsulated by six [Cu ₂] glycinato blade fragments. 2007 , 129, 15144-6	125
1663	Optimized relaxivity and stability of [Gd(H(2,2)-1,2-HOPO)(H ₂ O)] ⁻ for use as an MRI contrast agent. 2007 , 46, 4796-8	38

1662	Relaxometric and magnetic characterization of ultras-small iron oxide nanoparticles with high magnetization. Evaluation as potential T1 magnetic resonance imaging contrast agents for molecular imaging. 2007 , 23, 4583-8	193
1661	Synthesis, characterisation and anti-protozoal activity of carbamate-derived polyazamacrocycles. 2007 , 5, 3651-6	13
1660	Radiolabelled ¹⁵³ Sm-chelates of glycoconjugates: multivalence and topology effects on the targeting of the asialoglycoprotein receptor. 2007 , 95,	7
1659	Photochemistry and Photophysics of Coordination Compounds: Lanthanides. 2007 , 1-43	128
1658	A dimeric luminescent lanthanide complex [Eu(PAA) ₂ (phen)(NO ₃) ₂]: hydrothermal synthesis, crystal structure and fluorescence. 2007 , 60, 2045-2050	4
1657	Protein binding to lanthanide(III) complexes can reduce the water exchange rate at the lanthanide. 2007 , 46, 3576-84	56
1656	Monopropionate analogues of DOTA ⁴⁻ and DTPA ⁵⁻ : kinetics of formation and dissociation of their lanthanide(III) complexes. 2007 , 3572-81	33
1655	Dendrimers and magnetic resonance imaging. 2007 , 31, 1152	150
1654	DNA-TiO ₂ nanoconjugates labeled with magnetic resonance contrast agents. 2007 , 129, 15760-1	102
1653	Structural, kinetic, and thermodynamic characterization of the interconverting isomers of MS-325, a gadolinium(III)-based magnetic resonance angiography contrast agent. 2007 , 46, 6621-31	30
1652	Fluorescent-magnetic hybrid nanostructures: preparation, properties, and applications in biology. 2007 , 6, 298-308	89
1651	Studies on mononuclear transition metal chelates derived from a novel (E , E)-dioxime: synthesis, characterization and biological activity. 2007 , 60, 655-665	13
1650	Potentiometric and relaxometric properties of a gadolinium-based MRI contrast agent for sensing tissue pH. 2007 , 46, 5260-70	102
1649	Synthetic approaches to heterocyclic ligands for Gd-based MRI contrast agents. 2007 , 12, 1771-95	5
1648	Molecular Magnetic Resonance Imaging. 1637-1653	
1647	Magnetic resonance imaging of gadolinium-labeled pancreatic islets for experimental transplantation. 2007 , 20, 40-8	77
1646	Enhancement of relaxivity rates of Gd-DTPA complexes by intercalation into layered double hydroxide nanoparticles. 2007 , 13, 2824-30	67
1645	Relationship between the ligand structure and the luminescent properties of water-soluble lanthanide complexes containing bis(bipyridine) anionic arms. 2007 , 13, 346-58	35

1644	Anion-directed self-assembly of lanthanide-notp compounds and their fluorescence, magnetic, and catalytic properties. 2007 , 13, 2333-43	94
1643	Relaxometric and modelling studies of the binding of a lipophilic Gd-AAZTA complex to fatted and defatted human serum albumin. 2007 , 13, 5785-97	90
1642	Structure, stability, dynamics, high-field relaxivity and ternary-complex formation of a new tris(aquo) gadolinium complex. 2007 , 13, 8489-506	44
1641	Hybrid silica nanoparticles for multimodal imaging. 2007 , 46, 3680-2	256
1640	Development of a T1 contrast agent for magnetic resonance imaging using MnO nanoparticles. 2007 , 46, 5397-401	505
1639	Hybrid Silica Nanoparticles for Multimodal Imaging. 2007 , 119, 3754-3756	40
1638	Development of a T1 Contrast Agent for Magnetic Resonance Imaging Using MnO Nanoparticles. 2007 , 119, 5493-5497	119
1637	Complex formation reactions of lanthanum(III), cerium(III), thorium(IV), dioxouranyl(IV) complexes with tricine. 2007 , 97, 759-70	6
1636	Bis(phenylethylamide) Derivatives of Gd-DTPA as Potential Receptor-Specific MRI Contrast Agents. 2007 , 2007, 2061-2067	23
1635	Kinetics of the Formation of [Ln(DOTAM)] ³⁺ Complexes. 2007 , 2007, 3639-3645	21
1634	HSEPTPACH ₂ OH: Synthesis, Relaxometric Characterization and ¹ H NMR Spectroscopic Studies on the Solution Dynamics of Its Ln(III) Complexes. 2007 , 2007, 5489-5499	7
1633	Highly Luminescent, Neutral, Nine-Coordinate Lanthanide(III) Complexes. 2007 , 2007, 3465-3468	60
1632	Comprehensive profiling of the complex dendrimeric contrast agent Gadomer using a combined approach of CE, MS, and CE-MS. 2007 , 28, 3088-99	19
1631	A gadolinium triacetic monoamide DOTA derivative with a methanethiosulfonate anchor group. Relaxivity properties and conjugation with albumin and thiolated particles. 2007 , 2, 24-34	28
1630	Phenylboronate 160Tb complexes for molecular recognition of glycoproteins expressed on tumor cells. 2007 , 2, 35-41	25
1629	Spectral properties of a bifunctional PARACEST europium chelate: an intermediate for targeted imaging applications. 2007 , 2, 55-8	25
1628	The effects of intramolecular H-bond formation on the stability constant and water exchange rate of the Gd(III)-diethylenetriamine-N'-(3-amino-1,1-propylenephosphonic)-N, N,N'',N''-tetraacetate complex. 2007 , 2, 94-102	17
1627	How to determine the number of inner-sphere water molecules in Lanthanide(III) complexes by ¹⁷ O NMR spectroscopy. A technical note. 2007 , 2, 67-71	44

1626	Gadofullerenes as nanoscale magnetic labels for cellular MRI. 2007 , 2, 139-46	62
1625	Molecular recognition of sugars by lanthanide (III) complexes of a conjugate of N, N-bis[2-[bis[2-(1, 1-dimethylethoxy)-2-oxoethyl]amino]ethyl]glycine and phenylboronic acid. 2007 , 2, 163-71	14
1624	Dendritic PARACEST contrast agents for magnetic resonance imaging. 2007 , 2, 229-39	94
1623	Na ⁺ /Ca ²⁺ -exchanger-mediated Mn ²⁺ -enhanced (1)H ₂ O MRI in hypoxic, perfused rat myocardium. 2007 , 2, 248-57	7
1622	The presence of halide salts influences the non-covalent interaction of MRI contrast agents and human serum albumin. 2007 , 2, 258-61	4
1621	CMR 2007: 8.03: Gold nanoparticles as contrast agents for MRI and X-ray computed tomography imaging. 2007 , 2, 292-293	
1620	CMR 2007: 8.04: Bifunctional AAZTA-ligand based contrast agents for molecular and cellular imaging by MRI. 2007 , 2, 293-293	3
1619	CMR 2007: 8.05: Fluorescence-enhanced europium complexes for the assessment of renal function. 2007 , 2, 293-294	
1618	CMR 2007: 9.03: NSF and Gd-containing MR contrast agents: different stabilities of linear and macrocyclic MR contrast agents. 2007 , 2, 295-296	
1617	CMR 2007: 9.04: Stability and dissociation of Gd-complexes in human serum. 2007 , 2, 296-296	
1616	CMR 2007: 9.05: The potential role of gadolinium in the pathogenesis of NSF. 2007 , 2, 296-296	
1615	CMR 2007: 10.01: Contrast media: the other side of the coin. 2007 , 2, 296-297	
1614	Structural and relaxometric characterization of peptide aggregates containing gadolinium complexes as potential selective contrast agents in MRI. 2007 , 8, 2526-38	42
1613	Viral capsids as MRI contrast agents. 2007 , 58, 871-9	111
1612	Synthesis of a tricyclic tetraazatriacetic ligand for gadolinium(III) as potential contrast agent for MRI. 2007 , 63, 204-214	21
1611	Synthesis of pyridine-based polyaminocarboxylic ligands bearing a thioalkyl anchor. 2007 , 48, 3463-3466	12
1610	Efficient synthesis of immolative carbamate dendrimer with olefinic periphery. 2007 , 48, 4919-4923	12
1609	Efficient route to hybrid polypyridine-carboxylate ligands for lanthanide complexation. 2007 , 48, 9132-9136	8

1608	Chiral multinuclear macrocyclic polyamine complexes: synthesis, characterization and their interaction with plasmid DNA. 2007 , 15, 696-701	42
1607	Synthesis, characterisation and cryomagnetic studies of a novel homonuclear Nd(III) Schiff base dimer. 2007 , 10, 489-493	11
1606	First X-ray structure of a trans-IV of Ni complex of tetra-azamacrocycles with pendent groups, 1,8-bis(N,N-dimethylcarbamoyl)ethyl-1,5,8,12-tetramethyl-1,4,8,11-tetraazacyclotetra-decane. 2007 , 10, 590-592	7
1605	New approaches for medicinal applications of bioinorganic chemistry. 2007 , 11, 115-20	88
1604	Rational design, synthesis, and biological evaluation of progesterone-modified MRI contrast agents. 2007 , 14, 824-34	31
1603	Hydrothermal synthesis and characterization of a new 1-D polymeric lanthanum ethylenediaminetetraacetate with less metal-aqua coordination: {[La(EDTA)(H ₂ O)] ₂] _n . 2007 , 360, 1616-1620	16
1602	Luminescence properties and solution dynamics of lanthanide complexes composed by a macrocycle hosting site and naphthalene or quinoline appended chromophore. 2007 , 360, 2549-2557	14
1601	Kinetic study of dissociation of Eu(III) complex with H8dotp (H8dotp=1,4,7,10-tetraazacyclododecane-1,4,7,10-tetrakis(methylphosphonic acid)). 2007 , 360, 3748-3755	13
1600	One example of useful disorder : Structure of Pr(III) complex of 1,4,7,10-tetraazacyclododecane-10-methyl-1,4,7-tris(methylenephosphinic) acid. 2007 , 826, 82-88	4
1599	A new family of dimeric lanthanide (III) complexes: Synthesis, structures and photophysical property. 2007 , 871, 59-66	17
1598	Rapid and exothermic solid-state synthesis of metal oxyhalides and their solid solutions via energetic metathesis reactions. 2007 , 180, 2916-2925	8
1597	Structural and spectroscopic investigations of the Eu(III)EDTA system. 2007 , 26, 845-850	6
1596	Some new DTPA-N,N'-bis(amides) functionalized by alkyl carboxylates: Synthesis, complexation and stability properties. 2007 , 26, 3799-3809	19
1595	Formation and dissociation kinetics of Eu(III) complexes with H5do3ap and similar dota-like ligands. 2007 , 26, 4119-4130	38
1594	Polymers for bioimaging. 2007 , 32, 1031-1053	166
1593	{6,6'-Diethoxy-2,2'-[ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato}trinitratoeuropium(III)zinc(II). 2007 , 63, m2039-m2040	1
1592	{6,6'-Dimethoxy-2,2'-[ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato-1- λ O1,O1',O6,O6':2- λ O1,N,N',O1'}(methanol-1) 2007 , 63, m2135-m2136	1
1591	{6,6'-Dimethoxy-2,2'-[ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato}methanol- λ itrato-dinitratosamarium(III)nickel(II) 2007 , 63, m2256-m2257	3

1590	{6,6?-Dimethoxy-2,2?-[ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato}methanol- μ -nitrate-dinitratopraseodymium(III)zinc(II). 2007 , 63, m2275-m2276	1
1589	{6,6?-Dimethoxy-2,2?-[ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato}methanol- μ -nitratolutetium(III)zinc(II). 2007 , 63, m2277-m2278	4
1588	{6,6?-Diethoxy-2,2?-[ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato}trinitratosamarium(III)nickel(II). 2007 , 63, m3191-m3192	2
1587	Synthesis and Characterization of Lanthanide(III) Nitrate Complexes of an Hexaaza Macrocyclic Ligand. 2007 , 633, 747-751	4
1586	microMRI-HREM pipeline for high-throughput, high-resolution phenotyping of murine embryos. 2007 , 211, 132-7	41
1585	Magnetic resonance imaging contrast agents: Overview and perspectives. 2007 , 13, e5-e19	135
1584	Time-resolved long-lived luminescence imaging method employing luminescent lanthanide probes with a new microscopy system. 2007 , 129, 13502-9	224
1583	The lanthanide contraction revisited. 2007 , 129, 11153-60	206
1582	A disymmetric terpyridine based ligand for the formation of luminescent di-aquo lanthanide complexes. 2007 , 2245-53	26
1581	Gd nanoparticulates: from magnetic resonance imaging to neutron capture therapy. 2007 , 18, 663-698	56
1580	Use of lanthanide-grafted inorganic nanoparticles as effective contrast agents for cellular uptake imaging. 2007 , 18, 1053-63	64
1579	Binding of MRI contrast agents to albumin: a high-field EPR study. 2007 , 31, 431-446	1
1578	Noninvasive visualization of pharmacokinetics, biodistribution and tumor targeting of poly[N-(2-hydroxypropyl)methacrylamide] in mice using contrast enhanced MRI. 2007 , 24, 1208-16	45
1577	New CD derivatives as self-assembling contrast agents for magnetic resonance imaging (MRI). 2007 , 57, 489-495	16
1576	Synthesis, binding affinity, and relaxivity of target-specific MRI contrast agents. 2007 , 59, 323-329	9
1575	An iron-based T1 contrast agent made of iron-phosphate complexes: in vitro and in vivo studies. 2007 , 20, 27-37	15
1574	High-relaxivity supramolecular aggregates containing peptides and Gd complexes as contrast agents in MRI. 2007 , 12, 267-76	36
1573	Physicochemical and MRI characterization of Gd ³⁺ -loaded polyamidoamine and hyperbranched dendrimers. 2007 , 12, 406-20	76

1572	Albumin-binding PARACEST agents. 2007 , 12, 855-65	32
1571	Comprehensive investigation of the non-covalent binding of MRI contrast agents with human serum albumin. 2007 , 12, 929-37	41
1570	Multimodal MRI contrast agents. 2007 , 12, 939-49	190
1569	Towards extracellular Ca ²⁺ sensing by MRI: synthesis and calcium-dependent ¹ H and ¹⁷ O relaxation studies of two novel bismacrocylic Gd ³⁺ complexes. 2008 , 13, 35-46	58
1568	Synthesis and structural characterization of lanthanide coordination polymers constructed from a 13-membered macrocycle. 2007 , 52, 467-470	
1567	Mn(II)-monosubstituted polyoxometalates as candidates for contrast agents in magnetic resonance imaging. 2007 , 101, 1036-42	19
1566	Metalloprobes: synthesis, characterization, and potency of a novel gallium(III) complex in human epidermal carcinoma cells. 2007 , 101, 1347-53	15
1565	The gadolinium complexes with polyoxometalates as potential MRI contrast agents. 2007 , 25, 412-7	47
1564	Relaxivity of Gd-based contrast agents on X nuclei with long intrinsic relaxation times in aqueous solutions. 2007 , 25, 821-5	15
1563	Improved synthesis of a C ₃ -symmetrical pyridinophane. 2008 , 49, 1993-1996	8
1562	Efficiency, thermodynamic and kinetic stability of marketed gadolinium chelates and their possible clinical consequences: a critical review. 2008 , 21, 469-90	280
1561	Structure and Fluorescence of Three New Homodinuclear Lanthanide (III)/Schiff-base Compounds [Ln(clapi)] ₂ · 2CH ₃ CN {Ln=La, Ce, Eu; H ₃ clapi = 2-(5-Chloride-2-hydroxyphenyl)-1,3-bis [4-(5-chloride-2-hydroxyphenyl)-3-azabut-3-enyl]-1,3-imidazolidine}. 2008 , 38, 595-599	5
1560	Gold nanoparticles designed for combining dual modality imaging and radiotherapy. 2008 , 41, 90-97	32
1559	Synthesis, crystal structure and magnetic properties of bimetallic complex of Ni ₂ Co(TTHA) · 12H ₂ O. 2008 , 3, 294-297	
1558	Polymerized mixed aggregates containing gadolinium complex and CCK8 peptide. 2008 , 286, 1643-1652	2
1557	Iridium-complex-functionalized Fe ₃ O ₄ /SiO ₂ core/shell nanoparticles: a facile three-in-one system in magnetic resonance imaging, luminescence imaging, and photodynamic therapy. 2008 , 4, 218-24	216
1556	Lanthanoidkomplexe von 1-(2-Propenyl)- und 1-(3-Butenyl)-1,4,7,10-tetraazacyclododecan-4,7,10-triessigsäure. 2008 , 634, 2954-2958	
1555	Gadolinium-based contrast agents and their potential role in the pathogenesis of nephrogenic systemic fibrosis: the role of excess ligand. 2008 , 27, 955-62	78

1554	MALDI mass spectrometric determination of dendritic iron chelation stoichiometries and conditional affinity constants. 2008 , 43, 617-22	3
1553	Fragmentation reactions of singly and doubly protonated thiourea- and sugar-substituted cyclams and their transition-metal complexes. 2008 , 43, 651-63	5
1552	Magnetic resonance methods and applications in pharmaceutical research. 2008 , 97, 3637-65	15
1551	Water-proton relaxivities of DNA oligomers carrying TEMPO radicals. 2008 , 46, 1055-8	15
1550	¹ H and ¹⁷ O NMR relaxometric study in aqueous solution of Gd(III) complexes of EGTA-like derivatives bearing methylenephosphonic groups. 2008 , 46 Suppl 1, S86-93	12
1549	A sensitive PARACEST contrast agent for temperature MRI: Eu ³⁺ -DOTAM-glycine (Gly)-phenylalanine (Phe). 2008 , 59, 374-81	102
1548	HPMA copolymer-doxorubicin-gadolinium conjugates: synthesis, characterization, and in vitro evaluation. 2008 , 8, 741-8	22
1547	Smart magnetic resonance imaging agents that sense extracellular calcium fluctuations. 2008 , 9, 1729-34	76
1546	Gd-DOTA conjugate of RGD as a potential tumor-targeting MRI contrast agent. 2008 , 9, 2811-3	62
1545	A Gd ³⁺ -based magnetic resonance imaging contrast agent sensitive to beta-galactosidase activity utilizing a receptor-induced magnetization enhancement (RIME) phenomenon. 2008 , 14, 987-95	65
1544	High-relaxivity magnetic resonance imaging (MRI) contrast agent based on supramolecular assembly between a gadolinium chelate, a modified dextran, and poly-beta-cyclodextrin. 2008 , 14, 4551-61	92
1543	Towards the rational design of MRI contrast agents: electron spin relaxation is largely unaffected by the coordination geometry of gadolinium(III)-DOTA-type complexes. 2008 , 14, 2658-67	38
1542	Gd(III)-EPTPAC16, a new self-assembling potential liver MRI contrast agent: in vitro characterization and in vivo animal imaging studies. 2008 , 21, 322-36	14
1541	In vivo MRI assessment of a novel Gd(III)-based contrast agent designed for high magnetic field applications. 2008 , 3, 78-85	33
1540	MR imaging assessment of the kinetics of P846, a new gadolinium-based MR contrast medium, in ischemically injured myocardium. 2008 , 3, 112-9	7
1539	Fluoride binding in water: a new environment for a known receptor. 2008 , 9, 2168-71	26
1538	Tetranuclear Lanthanide Aqua Hydroxo Complexes with Macrocyclic Ligand Cucurbit[6]uril. 2008 , 2008, 416-424	83
1537	Nuclear Spin Relaxation Parameters of MRI Contrast Agents – Insight from Quantum Mechanical Calculations. 2008 , 2008, 201-211	25

1536	Lanthanide-Based Conjugates as Polyvalent Probes for Biological Labeling. 2008 , 2008, 2856-2862	16
1535	Synthesis, Structure, Spectroscopic Studies and Magnetic Properties of the Tetrakis(5,7-dichloro-8-quinolinolato)gadolinium(III) Complex. 2008 , 2008, 3820-3826	18
1534	Lanthanide Complexes of 2,2',2''-(10-[[Hydroxy(phenyl)phosphoryl]methyl]-1,4,7,10-tetraazacyclododecan-1,4,7-triyl)triacetic Acid: Structural Characterisation of Intermediates from the Proposed Complexation Mechanism in the Systems of Ln(III)-dota-Type Ligands. 2008 , 2008, 3948-3956	7
1533	An Assessment of the Potential Relationship between the Charge of GdDTPA Complexes and the Exchange Rate of the Water Coordinated to the Metal. 2008 , 2008, 4369-4379	21
1532	The Use of Solid-Phase Synthesis Techniques for the Preparation of Peptide-Metal Complex Conjugates. 2008 , 2008, 597-634	61
1531	The thulium complex of 1,4,7,10-tetrakis[[N-(1H-imidazol-2-yl)carbamoyl]methyl]-1,4,7,10-tetraazacyclododecane (dotami) as a ParaCEST contrast agent. 2008 , 5, 1505-12	10
1530	High-relaxivity MRI contrast agents: where coordination chemistry meets medical imaging. 2008 , 47, 8568-80	358
1529	Monovalent and bivalent fibrin-specific MRI contrast agents for detection of thrombus. 2008 , 47, 4918-21	48
1528	Polarization transfer over the water-protein interface in solids. 2008 , 47, 5851-4	39
1527	MRI-Kontrastmittel mit hoher Relaxivität: Komplexchemie im Dienste medizinischer Bildgebung. 2008 , 120, 8696-8709	25
1526	Monovalent and Bivalent Fibrin-specific MRI Contrast Agents for Detection of Thrombus. 2008 , 120, 4996-4999	5
1525	Polarisationstransfer über die Wasser-Protein-Grenzfläche im Festkörper. 2008 , 120, 5935-5938	
1524	Conformational study of lanthanide(III) complexes of N-(2-salicylaldiminatobenzyl)-1-aza-18-crown-6 by using X-ray and ab initio methods. 2008 , 27, 1415-1422	5
1523	Copper(II)-Lanthanide(III) 15-metallacrown-5 complexes based on pyrazinohydroxamic acid as new multiple-binding pentagonal platforms with Lewis amphoteric nature. 2008 , 27, 2349-2356	16
1522	Poly(amidoamine), polypropylenimine, and related dendrimers and dendrons possessing different 1->2 branching motifs: An overview of the divergent procedures. 2008 , 49, 1-173	326
1521	Spectroscopic characterization of chromium(III), manganese(II) and nickel(II) complexes with a nitrogen donor tetradentate, 12-membered azamacrocyclic ligand. 2008 , 69, 1-7	43
1520	Synthesis, characterization, cytotoxic activity and DNA-binding properties of the Ln(III) complexes with ethylenediiminobi(6-hydroxychromone-3-carbaldehyde) Schiff-base. 2008 , 194, 49-58	35
1519	Determination of water permeability of paramagnetic liposomes of interest in MRI field. 2008 , 102, 1112-9	62

1518	Chemical and biological evaluation of ^{153}Sm and ^{166}Ho complexes of 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetrakis(methylphosphonic acid monoethylester) (H_4 dotp OEt). 2008 , 102, 1531-40	27
1517	Structural and luminescence properties of $[\text{Ln}(\text{ODA})(\text{phen})_2\text{H}_2\text{O}]^+$ complexes ($\text{Ln}=\text{Sm}$ and Dy , ODA=oxydiacetate, phen=1,10-phenanthroline). 2008 , 128, 1867-1872	20
1516	Comparative studies of ^{177}Lu -EDTMP and ^{177}Lu -DOTMP as potential agents for palliative radiotherapy of bone metastasis. 2008 , 66, 1196-205	58
1515	A novel cholic acid-based contrast enhancement agent for targeted MRI. 2008 , 18, 2505-8	15
1514	Efficient synthesis and evaluation of bimodal ligand NETA. 2008 , 18, 3436-9	37
1513	Synthesis and evaluation of Gd-DTPA-labeled arabinogalactans as potential MRI contrast agents. 2008 , 343, 685-94	13
1512	Syntheses, structures and catalytic properties of one-dimensional lanthanide-dotp compounds [$\text{dotpH}_8=1,4,7,10$ -tetraazacyclododecane-1,4,7,10-tetrakis-(methylenephosphonic acid)]. 2008 , 11, 1075-1078	14
1511	Synthesis, structure, and stability studies of dimeric gadolinium(III) complexes containing cyclic polyaminopolycarboxylic bisamide ligands. 2008 , 11, 1323-1326	5
1510	Solid-phase synthesis of cyclic polyamines. 2008 , 64, 7531-7536	15
1509	A near-infrared fluorescent chemodosimeter for silver(I) ion based on an expanded porphyrin. 2008 , 49, 1843-1846	43
1508	Selective monoprotection of 1,4,7,10-tetraazacyclododecane via direct reaction with 4-nitrophenyl active esters. 2008 , 49, 6308-6310	3
1507	Synthesis and anti-protozoal activity of C2-substituted polyazamacrocycles. 2008 , 18, 2455-8	18
1506	Synthesis and biological evaluation of a novel decadentate ligand DEPA. 2008 , 18, 5792-5	22
1505	Synthesis and characterization of novel natural product-Gd(III) MRI contrast agent conjugates. 2008 , 18, 6058-61	16
1504	An unusual gadolinium ten-coordinated dimeric complex in the series of MRI contrast agents: $\text{Na}[\text{Gd}(\text{H}_2\text{O})\text{AAZTA}]\text{BH}_2\text{O}$. 2008 , 361, 1534-1541	24
1503	Solid state and solution properties of lanthanide(III) complexes of a tetraiminodiphenolate macrocyclic ligand. X-ray structure, ^1H NMR and luminescence spectral studies. 2008 , 891, 408-419	10
1502	The detection limit of a Gd^{3+} -based T1 agent is substantially reduced when targeted to a protein microdomain. 2008 , 26, 608-17	42
1501	Ultrasensitive optical bidiagnostic methods using metallic nanoparticles. 2008 , 3, 215-32	51

1500	The study of Gd ³⁺ complexation with 4-dihydroxyboropenylalanine in aqueous solutions. 2008 , 34, 789-793	0
1499	Bifunctional coupling agents for radiolabeling of biomolecules and target-specific delivery of metallic radionuclides. 2008 , 60, 1347-70	310
1498	Preclinical investigation to compare different gadolinium-based contrast agents regarding their propensity to release gadolinium in vivo and to trigger nephrogenic systemic fibrosis-like lesions. 2008 , 18, 2164-73	165
1497	Neuroscience: Brain control of a helping hand. 2008 , 453, 994-5	5
1496	Medical imaging: Colourful future for MRI. 2008 , 453, 993-4	7
1495	Preparation of magnetic resonance contrast agents activated by beta-galactosidase. 2008 , 3, 341-50	21
1494	Cerebral blood volume quantification in a C6 tumor model using gadolinium per (3,6-anhydro) alpha-cyclodextrin as a new magnetic resonance imaging preclinical contrast agent. 2008 , 28, 1017-29	12
1493	Nephrogenic systemic fibrosis risk: is there a difference between gadolinium-based contrast agents?. 2008 , 21, 129-34	51
1492	Solvothermal synthesis, crystal structure and characterizations of three quaternary lanthanide homophthalate coordination polymers. 2008 , 10, 1132-1138	2
1491	Facile synthesis and relaxation properties of novel bispolyazamacrocyclic Gd ³⁺ complexes: an attempt towards calcium-sensitive MRI contrast agents. 2008 , 47, 1370-81	62
1490	Gold-Speckled Multimodal Nanoparticles for Noninvasive Bioimaging. 2008 , 20, 6087-6094	72
1489	High relaxivity gadolinium hydroxypyridonate-viral capsid conjugates: nanosized MRI contrast agents. 2008 , 130, 2546-52	156
1488	Noncovalent functionalization of carbon nanotubes with amphiphilic gd ³⁺ chelates: toward powerful t1 and t2 MRI contrast agents. 2008 , 8, 232-6	144
1487	Cell-permeable MR contrast agents with increased intracellular retention. 2008 , 19, 2049-59	46
1486	Manganese-based nanoscale metal-organic frameworks for magnetic resonance imaging. 2008 , 130, 14358-9	525
1485	Contrast agents: magnetic resonance. 2008 , 135-65	77
1484	Organophosphonate Functionalized Gd@C82 as a Magnetic Resonance Imaging Contrast Agent. 2008 , 20, 2106-2109	53
1483	Significant relaxivity gap between a low-spin and a high-spin iron(II) complex of structural similarity: an attractive off-on system for the potential design of responsive MRI probes. 2008 , 32, 428-435	41

1482	Molecular architectures for trimetallic d/f/d complexes: structural and magnetic properties of a LnNi ₂ core. 2008 , 47, 2280-93	50
1481	Bimodal paramagnetic and fluorescent liposomes for cellular and tumor magnetic resonance imaging. 2008 , 19, 118-29	105
1480	Conjugation of a water-soluble gadolinium endohedral fulleride with an antibody as a magnetic resonance imaging contrast agent. 2008 , 19, 651-5	65
1479	Hydroxypyranones, hydroxypyridinones, and their complexes. 2008 , 60, 167-243	37
1478	Medicinal Chemistry and Pharmacological Potential of Fullerenes and Carbon Nanotubes. 2008 ,	87
1477	Poly(amidoamine)s carrying TEMPO residues for NMR imaging applications. 2008 , 32, 323-332	20
1476	Efficient sensitization of europium, ytterbium, and neodymium functionalized tris-dipicolinate lanthanide complexes through tunable charge-transfer excited states. 2008 , 47, 10258-68	161
1475	Detection of a family of gadolinium-containing endohedral fullerenes and the isolation and crystallographic characterization of one member as a metal-carbide encapsulated inside a large fullerene cage. 2008 , 130, 17296-300	139
1474	Cyano-bridged coordination polymer nanoparticles with high nuclear relaxivity: toward new contrast agents for MRI. 2008 , 3658-60	65
1473	Chemical exchange saturation transfer contrast agents for magnetic resonance imaging. 2008 , 10, 391-411	295
1472	A benzene-core trinuclear Gd ^{III} complex: towards the optimization of relaxivity for MRI contrast agent applications at high magnetic field. 2008 , 1195-202	66
1471	Comparison of different methods for calculating the paramagnetic relaxation enhancement of nuclear spins as a function of the magnetic field. 2008 , 128, 052315	87
1470	Stroke Recovery with Cellular Therapies. 2008 ,	
1469	Molecular Imaging II. 2008 ,	1
1468	Molecular Imaging I. 2008 ,	4
1467	Functionalized Nanocontainers as Dual Magnetic and Optical Probes for Molecular Imaging Applications. 2008 , 20, 5888-5893	71
1466	Syntheses, Structures, Near-Infrared, and Visible Luminescence of Lanthanide-Organic Frameworks with Flexible Macrocyclic Polyamine Ligands. 2008 , 8, 1897-1901	85
1465	Modulation of water exchange in europium(III) DOTA-tetraamide complexes via electronic substituent effects. 2008 , 130, 6-7	96

1464	NMR structure of the Escherichia coli type 1 pilus subunit FimF and its interactions with other pilus subunits. 2008 , 375, 752-63	21
1463	Conformation of pseudoazurin in the 152 kDa electron transfer complex with nitrite reductase determined by paramagnetic NMR. 2008 , 375, 1405-15	57
1462	Dissociation kinetics study of Ce(III) complexes with H8dotp (H8dotp=1,4,7,10-tetraazacyclododecane-1,4,7,10-tetrakis (methylphosphonic acid)). 2008 , 451, 42-45	7
1461	New lanthanide(III) complexes of chiral nonadendate macrocyclic amine derived from (1R,2R)-1,2-diaminocyclohexane and 2,6-diformyl-4-methylphenol. 2008 , 451, 443-447	11
1460	Gadolinium(III) cryptates investigated by multifrequency EPR. 2008 , 451, 182-185	7
1459	Synthesis of a New Ditopic Ligand Possessing Linear and Cyclic Tetraaza Subunits. 2008 , 38, 1589-1600	6
1458	Lanthanide(III) complexes of bis(phosphonate) monoamide analogues of DOTA: bone-seeking agents for imaging and therapy. 2008 , 51, 677-83	59
1457	Gold nanoparticles: From nanomedicine to nanosensing. 2008 , 1, 45-65	225
1456	The synthesis and chelation chemistry of DOTA-peptide conjugates. 2008 , 19, 391-402	203
1455	Chemistry of paramagnetic and diamagnetic contrast agents for Magnetic Resonance Imaging and Spectroscopy pH responsive contrast agents. 2008 , 67, 453-8	39
1454	Critical evaluation of five emissive europium(III) complexes as optical probes: correlation of cytotoxicity, anion and protein affinity with complex structure, stability and intracellular localisation profile. 2008 , 6, 2085-94	96
1453	Synthesis and solution thermodynamic study of rigidified and functionalised EGTA derivatives. 2008 , 6, 2361-8	19
1452	The Integration of Positron Emission Tomography With Magnetic Resonance Imaging. 2008 , 96, 416-438	58
1451	¹⁷⁷ Lu-EDTMP: a viable bone pain palliative in skeletal metastasis. 2008 , 23, 202-13	55
1450	Gadolinium Endohedral Metallofullerene-Based MRI Contrast Agents. 2008 , 157-180	11
1449	Lanthanide paramagnetic probes for NMR spectroscopic studies of molecular conformational dynamics in solution: Applications to macrocyclic molecules. 2008 , 52, 1-21	68
1448	Bifunctional ligands based on the DOTA-monoamide cage. 2008 , 6, 1176-84	47
1447	Ligand-directed nanobialys as theranostic agent for drug delivery and manganese-based magnetic resonance imaging of vascular targets. 2008 , 130, 9186-7	152

1446	Gadolinium(III) complexes as MRI contrast agents: ligand design and properties of the complexes. 2008 , 3027-47	410
1445	Triethylenetetramine penta- and hexa-acetamide ligands and their ytterbium complexes as paraCEST contrast agents for MRI. 2008 , 4138-51	16
1444	Gadofullerene MRI contrast agents. 2008 , 3, 201-13	192
1443	Enhanced cell uptake of superparamagnetic iron oxide nanoparticles functionalized with dendritic guanidines. 2008 , 19, 2375-84	112
1442	Carbon coated microshells containing nanosized Gd(III) oxidic phases for multiple bio-medical applications. 2008 , 5936-8	5
1441	Using the Ugi multicomponent condensation reaction to prepare families of chromophore appended azamacrocycles and their complexes. 2008 , 5212-4	34
1440	Pyridine-based lanthanide complexes: towards bimodal agents operating as near infrared luminescent and MRI reporters. 2008 , 6591-3	125
1439	Synthesis of Gd(III)-C-palmitamidomethyl-C'-DOTAMA-C(6)-o-carborane: a new dual agent for innovative MRI/BNCT applications. 2008 , 6, 4460-6	25
1438	Gd-complexes of DTPA-bis(amide) conjugates of tranexamic acid and its esters with high relaxivity and stability for magnetic resonance imaging. 2008 , 2199-206	12
1437	Isomorphous La, Nd, and Gd-PCPA-based polymers. 2008 , 61, 419-425	9
1436	Determination of the rate of a fast exchanging coordinated molecule in a lanthanide(III) complex by proton NMR. 2008 , 10, 5817-21	4
1435	NMR transversal relaxivity of aqueous suspensions of particles of Ln(3+)-based zeolite type materials. 2008 , 2241-7	13
1434	1D lanthanide(III) coordination polymers with disulfide ligand generated in situ. 2008 , 10, 693	32
1433	Lanthanide-loaded paramagnetic liposomes as switchable magnetically oriented nanovesicles. 2008 , 47, 2928-30	25
1432	¹⁹ F NMR based pH probes: lanthanide(III) complexes with pH-sensitive chemical shifts. 2008 , 2514-6	71
1431	A peptide targeted contrast agent specific to fibrin-fibronectin complexes for cancer molecular imaging with MRI. 2008 , 19, 2300-3	78
1430	Synthesis, potentiometric, kinetic, and NMR Studies of 1,4,7,10-tetraazacyclododecane-1,7-bis(acetic acid)-4,10-bis(methylenephosphonic acid) (DO2A2P) and its complexes with Ca(II), Cu(II), Zn(II) and lanthanide(III) ions. 2008 , 47, 3851-62	58
1429	Solution structure of the supramolecular adduct between a liver cytosolic bile acid binding protein and a bile acid-based gadolinium(III)-chelate, a potential hepatospecific magnetic resonance imaging contrast agent. 2008 , 51, 6782-92	16

1428	Synthesis and spectroscopic properties of a prototype single molecule dual imaging agent comprising a heterobimetallic rhenium-gadolinium complex. 2008 , 130, 2178-9	127
1427	Aqueous Ln(III) luminescence agents derived from a tasty precursor. 2008 , 47, 7951-3	13
1426	Density functional theory study of magnetic coupling in the Gd ₁₂ O ₁₈ cluster. 2008 , 112, 13650-4	14
1425	Comparison of a tartaric acid derived polymeric MRI contrast agent to a small molecule model chelate. 2008 , 19, 24-7	23
1424	Superparamagnetic Hollow and Paramagnetic Porous Gd ₂ O ₃ Particles. 2008 , 20, 3840-3848	95
1423	Reactivity and infrared spectroscopy of gaseous hydrated trivalent metal ions. 2008 , 130, 9122-8	54
1422	Physicochemical properties of the high-field MRI-relevant [Gd(DTTA-Me)(H ₂ O) ₂] ⁻ complex. 2008 , 47, 8357-66	31
1421	EP-2104R: a fibrin-specific gadolinium-Based MRI contrast agent for detection of thrombus. 2008 , 130, 6025-39	184
1420	A beta-cyclodextrin "click cluster" decorated with seven paramagnetic chelates containing two water exchange sites. 2008 , 19, 1505-9	79
1419	A rigorous framework to interpret water relaxivity. The case study of a Gd(III) complex with an alpha-cyclodextrin derivative. 2008 , 130, 10401-13	33
1418	Mechanisms of ZnII-activated magnetic resonance imaging agents. 2008 , 47, 10788-95	90
1417	Internal and external factors in the structural organization in cocrystals of the mixed-metal endohedrals (GdSc ₂ N@Ih-C ₈₀ , Gd ₂ ScN@Ih-C ₈₀ , and TbSc ₂ N@Ih-C ₈₀) and nickel(II) octaethylporphyrin. 2008 , 47, 1420-7	82
1416	Paramagnetic porous polymersomes. 2008 , 24, 8169-73	82
1415	Mechanistic investigation of beta-galactosidase-activated MR contrast agents. 2008 , 47, 56-68	65
1414	Novel bimodal bifunctional ligands for radioimmunotherapy and targeted MRI. 2008 , 19, 1439-47	37
1413	Tuning the coordination sphere around highly luminescent lanthanide complexes. 2008 , 47, 3748-62	45
1412	Synthesis, spectral, thermal, solid state d.c. electrical conductivity, fluorescence and biological studies of lanthanum(III) and thorium(IV) complexes of 24-membered macrocyclic triazoles. 2008 , 61, 2570-2583	10
1411	Polymeric PARACEST agents for enhancing MRI contrast sensitivity. 2008 , 130, 13854-5	67

1410	Synthesis, spectral, magnetic, electrochemical and catalytic studies of cyclam-based copper(II) and nickel(II) complexes Effect of N-substitution. 2008 , 61, 3594-3609	18
1409	Stem cell labeling for magnetic resonance imaging. 2008 , 17, 132-42	40
1408	Novel Imaging Modalities to Monitor Implanted Embryonic Stem Cells in Stroke. 2008 , 71-94	
1407	¹⁷⁷ Lu-DOTMP: A viable agent for palliative radiotherapy of painful bone metastasis. 2008 , 96, 55-61	22
1406	Kinetic Study of Dissociation of a Copper(II) Complex of A 14-Membered Tetraaza-Macrocyclic Ligand Containing Pyridine and Pendant N-Carboxymethyl Arms. 2008 , 73, 258-274	2
1405	Review: Metal Complexes of Polyaza and Polyoxaaza Macrocyclic Ligands: A Look into the Past and Present Work. 2008 , 28,	5
1404	Stability of gadolinium chelates and their biological consequences: new data and some comments. 2008 , 81, 258-9	10
1403	Small animal imaging with magnetic resonance microscopy. 2008 , 49, 35-53	73
1402	Synthesis of Polynuclear Complexes with an Amino Acid or a Peptide as a Bridging Ligand. 2008 , 2, 122-139	3
1401	Nephrogenic systemic fibrosis: a chemical perspective. 2008 , 247, 608-12	67
1400	Nephrogenic systemic fibrosis: the story unfolds. 2008 , 73, 1335-7	14
1399	Formation of a sandwich-type supercomplex through second-sphere coordination of functionalized macrocyclic polyamines. 2008 , 10, 19-22	19
1398	Ten-membered Rings or Larger with One or More Nitrogen Atoms. 2008 , 613-666	4
1397	A High Relaxivity Magnetic Resonance Imaging Contrast Agent Targeted to Serum Albumin. 2008 , 61, 682	11
1396	Synthesis and Structural Characterization of a Dinuclear Palladium(II) Complex with N,N',N'',N'''-Tetrakis(2-p-toluenesulfonamidoethyl)cyclam. 2008 , 81, 1454-1460	5
1395	Molecular design of tetraazamacrocyclic derivatives bearing a spirobenzopyran and three carboxymethyl moieties and their metal-ion complexing behavior. 2008 , 24, 463-9	11
1394	Contrast Agents for Magnetic Resonance Imaging: An Overview. 2008 , 63-78	
1393	A preclinical study to investigate the development of nephrogenic systemic fibrosis: a possible role for gadolinium-based contrast media. 2008 , 43, 65-75	169

1392	Stability of gadolinium-based magnetic resonance imaging contrast agents in human serum at 37 degrees C. 2008 , 43, 817-28	398
1391	The effect of the amide substituent on the biodistribution and tolerance of lanthanide(III) DOTA-tetraamide derivatives. 2008 , 43, 861-70	23
1390	Dendrimer-based contrast agents for molecular imaging. 2008 , 8, 1180-6	113
1389	Nanoparticles for Imaging and Tumor Gene Delivery. 2008 , 94, 264-270	20
1388	Radiological Central Vein Treatment in Vascular Access. 2008 , 9, 85-101	25
1387	Nanoparticles as Contrast Agents for MRI of Atherosclerotic Lesions. 2008 , 2, CMC.S642	3
1386	{6,6'-Dimethoxy-2,2'-[ethane-1,2-diylbis(nitrilo-methyl-idyne)]diphenolato-1O,O,O:2O,N,N',O}(ethanol-1O)-Ehitrato-1:2 2009 , 65, m1161-2	1
1385	The dependence of relaxation rates and chemical shift on the size of the imaged molecules and the concentration of MRI contrast agents. 2009 , 107, 2261-2273	3
1384	Accelerating X-ray fluorescence computed tomography. 2009 , 2009, 1000-3	3
1383	Quadrupole-enhanced proton spin relaxation for a slow reorienting spin pair: (I)(S). A stochastic Liouville approach. 2009 , 107, 2141-2148	26
1382	Synthesis and Characterization of a Biologically Active Lanthanum(III)Catechin Complex and DNA Binding Spectroscopic Studies. 2009 , 42, 178-185	8
1381	Kinetics and thermodynamics of adsorption on hydroxyapatite of the [160Tb]terbium complexes of the bone-targeting ligands DOTP and BPPED. 2009 , 25, 2294-301	58
1380	Synthesis and antimalarial activities of cyclen 4-aminoquinoline analogs. 2009 , 53, 1320-4	19
1379	Supramolecular protein cage composite MR contrast agents with extremely efficient relaxivity properties. 2009 , 9, 4520-6	54
1378	The involvement of pro-inflammatory cytokines in nephrogenic systemic fibrosis - a mechanistic hypothesis based on preclinical results from a rat model treated with gadodiamide. 2009 , 61, 537-52	43
1377	Combined Optical and MR Bioimaging Using Rare Earth Ion Doped NaYF4 Nanocrystals. 2009 , 19, 853-859	583
1376	Bifunctional Gd2O3/C Nanoshells for MR Imaging and NIR Therapeutic Applications. 2009 , 19, 249-258	89
1375	Porous Polymersomes with Encapsulated Gd-labeled Dendrimers as Highly Efficient MRI Contrast Agents. 2009 , 19, 3753-3759	86

1374	Inorganic Nanoparticles for MRI Contrast Agents. 2009 , 21, 2133-2148	1446
1373	Olive-Shaped Chiral Supramolecules: Simultaneous Self-Assembly of Heptameric Lanthanum Clusters and Carbon Dioxide Fixation. 2009 , 121, 3551-3554	10
1372	Tuning glutamine binding modes in Gd-DOTA-based probes for an improved MRI visualization of tumor cells. 2009 , 15, 76-85	18
1371	Equilibrium and kinetic properties of the lanthanoids(III) and various divalent metal complexes of the heptadentate ligand AAZTA. 2009 , 15, 1696-705	83
1370	Calix[4]arenes as molecular platforms for magnetic resonance imaging (MRI) contrast agents. 2009 , 15, 3290-6	38
1369	Self-assembly of a trinuclear luminescent europium complex. 2009 , 15, 3355-8	29
1368	A gadolinium-binding cyclodecapeptide with a large high-field relaxivity involving second-sphere water. 2009 , 15, 7083-93	42
1367	Lanthanide(III) complexes with two hexapeptides incorporating unnatural chelating amino acids: secondary structure and stability. 2009 , 15, 7456-69	20
1366	Lanthanide(III) complexes of tris(amide) PCTA derivatives as potential bimodal magnetic resonance and optical imaging agents. 2009 , 15, 13188-200	33
1365	Metal binding properties of fluorescent analogues of trichogin GA IV: a conformational study by time-resolved spectroscopy and molecular mechanics investigations. 2009 , 10, 91-7	16
1364	Multiple-Frequency and Variable-Temperature EPR Study of Gadolinium(III) Complexes with Polyaminocarboxylates: Analysis and Comparison of the Magnetically Dilute Powder and the Frozen-Solution Spectra. 2009 , 92, 2173-2185	16
1363	NMR Characterization of Lanthanide(3+) Complexes of Tetraazatetrakisphosphinato and Tetraazatetraakisphosphonato Ligands. 2009 , 92, 2532-2551	15
1362	Lanthanide(III) Complexes of 2-[4,7,10-Tris(phosphonomethyl)-1,4,7,10-tetraazacyclododecan-1-yl]acetic Acid (H7DOA3P): Multinuclear-NMR and Kinetic Studies. 2009 , 92, 2398-2413	11
1361	Synthesis and Relaxometric Properties of Gadolinium(III) Complexes of New Triazine-Based Polydentate Ligands. 2009 , 92, 2414-2426	8
1360	Classification and basic properties of contrast agents for magnetic resonance imaging. 2009 , 4, 1-23	407
1359	Influence of molecular parameters and increasing magnetic field strength on relaxivity of gadolinium- and manganese-based T1 contrast agents. 2009 , 4, 89-100	391
1358	Modulation of water exchange in Eu(III) DOTA-tetraamide complexes: considerations for in vivo imaging of PARACEST agents. 2009 , 4, 183-91	53
1357	Effect of a mesitylene-based ligand cap on the relaxometric properties of Gd(III) hydroxypyridonate MRI contrast agents. 2009 , 4, 220-9	12

1356	Lanthanide(III) Complexes of Phosphorus Acid Analogues of H4DOTA as Model Compounds for the Evaluation of the Second-Sphere Hydration. 2009 , 2009, 119-136	52
1355	Solid-State and Solution Structure of Lanthanide(III) Complexes with a Flexible Py-N6 Macrocyclic Ligand. 2009 , 2009, 1086-1095	13
1354	Relaxometric, Thermodynamic and Kinetic Studies of Lanthanide(III) Complexes of DO3A-Based Propylphosphonates. 2009 , 2009, 3298-3306	8
1353	Water-Soluble Ultra Small Paramagnetic or Superparamagnetic Metal Oxide Nanoparticles for Molecular MR Imaging. 2009 , 2009, 2477-2481	45
1352	Syntheses, Crystal Structures and Photophysical Properties of Two Doubly μ -Phenoxo-Bridged Ln(III) (Ln = Pr, Nd) Homodinuclear Schiff Base Complexes. 2009 , 2009, 3993-4000	25
1351	Lanthanide Complexes for Nonlinear Optics: From Fundamental Aspects to Applications. 2009 , 2009, 4357-4371	133
1350	Chemical, radiochemical and biological studies of Sm and Ho complexes of H4dota analogues containing one methylphosphonic/phosphinic acid pendant arm. 2009 , 53, 36-43	12
1349	Evaluating the role of zinc in the occurrence of fibrosis of the skin: a preclinical study. 2009 , 30, 374-83	18
1348	Effect of contrast media on single-shot echo planar imaging: implications for abdominal diffusion imaging. 2009 , 30, 1203-8	9
1347	Primer on gadolinium chemistry. 2009 , 30, 1240-8	292
1346	Role of thermodynamic and kinetic parameters in gadolinium chelate stability. 2009 , 30, 1249-58	135
1345	Biodistribution of gadolinium-based contrast agents, including gadolinium deposition. 2009 , 30, 1259-67	381
1344	Gadolinium-based contrast agents and NSF: evidence from animal experience. 2009 , 30, 1268-76	79
1343	Interaction of gadolinium-based MR contrast agents with choline: implications for MR spectroscopy (MRS) of the breast. 2009 , 61, 1286-92	37
1342	Optimized MRI contrast for on-resonance proton exchange processes of PARACEST agents in biological systems. 2009 , 62, 1282-91	7
1341	Functional L-lysine dendritic macromolecules as liver-imaging probes. 2009 , 9, 1227-36	39
1340	Multimodal Magnetic-Resonance/Optical-Imaging Contrast Agent Sensitive to NADH. 2009 , 121, 6669-6673	17
1339	Chemische, elektrochemische und Struktureigenschaften von endohedralen Metallofullerenen. 2009 , 121, 7650-7675	87

1338	Olive-shaped chiral supramolecules: simultaneous self-assembly of heptameric lanthanum clusters and carbon dioxide fixation. 2009 , 48, 3499-502	88
1337	Multimodal magnetic-resonance/optical-imaging contrast agent sensitive to NADH. 2009 , 48, 6547-51	90
1336	Chemical, electrochemical, and structural properties of endohedral metallofullerenes. 2009 , 48, 7514-38	437
1335	Synthesis and evaluation of lanthanide ion DOTA-tetraamide complexes bearing peripheral hydroxyl groups. 2009 , 14, 421-38	15
1334	Micelles obtained by aggregation of gemini surfactants containing the CCK8 peptide and a gadolinium complex. 2009 , 14, 587-99	6
1333	Gd ³⁺ binding of carboxylated polyglycidyl methacrylate latices and their colloidal stability. 2009 , 287, 203-214	
1332	Facile synthesis of 1-(acetic acid)-4,7,10-tris(tert-butoxycarbonylmethyl)-1,4,7,10-tetraaza-cyclododecane: a reactive precursor chelating agent. 2009 , 50, 2929-2931	27
1331	Convection-enhanced delivery of nanocarriers for the treatment of brain tumors. 2009 , 30, 2302-18	231
1330	Imaging atoms in medicine. 2009 , 22, 393-9	2
1329	Noninvasive monitoring of HPMA copolymer-RGDfK conjugates by magnetic resonance imaging. 2009 , 26, 1121-9	32
1328	Complexation of GdIII with tetra-p-tert-butylthiacalix[4]arenoic acid in micellar media. 2009 , 58, 1400-1407	4
1327	Synthesis and crystal structures of new lanthanide isonicotinate: coordination polymers and molecular complexes. 2009 , 58, 1858-1865	3
1326	Review on supermolecules as chemical drugs. 2009 , 52, 415-458	56
1325	pH-metric and thermodynamic studies of rare earth metal chelates. 2009 , 27, 457-460	2
1324	Micelles derivatized with octreotide as potential target-selective contrast agents in MRI. 2009 , 15, 242-50	38
1323	Magnetic quantum dots for multimodal imaging. 2009 , 1, 475-91	63
1322	Fabrication of Mn _x Fe _{1-x} O colloidal solid solution as a dual magnetic-resonance-contrast agent. 2009 , 5, 571-3	30
1321	Description of magnetic resonance imaging-derived enhancement variables in pathologically confirmed prostate cancer and normal peripheral zone regions. 2009 , 104, 621-7	46

- 1320 Microcalorimetric investigation on the formation of supramolecular nanoassemblies of associative polymers loaded with gadolinium chelate derivatives. **2009**, 379, 218-25 20
- 1319 Structural effect on degradability and in vivo contrast enhancement of polydisulfide Gd(III) complexes as biodegradable macromolecular MRI contrast agents. **2009**, 27, 503-11 23
- 1318 Fast and easy access to efficient bifunctional chelators for MRI applications. **2009**, 19, 3442-4 43
- 1317 N,N'-Ethylenediaminobis(benzylphosphonic acids) as a potent class of chelators for metal ions. **2009**, 362, 707-713 10
- 1316 A solution thermodynamic study of the Cu(II) and Zn(II) complexes of EBTA: X-ray crystal structure of the dimeric complex [Cu₂(EBTA)(H₂O)₃]₂. **2009**, 362, 2259-2264 4
- 1315 Synthesis of an hexadentate tricyclic tetraazadiacetic ligand as precursor for MRI contrast enhancement agents. **2009**, 65, 7573-7579 14
- 1314 An efficient route to pyridine and 2,2'-bipyridine macrocycles incorporating a triethylenetetraminetetraacetic acid core as ligand for lanthanide ions. **2009**, 50, 6522-6525 6
- 1313 Structure and magnetism of small Gd and Fe nanoclusters: calculations. **2009**, 149, 2058-2060 14
- 1312 7-Amino actinomycin D bound to single-stranded hairpin DNA enhanced by loop sequence-dependent luminescent Eu(3+) and Tb(3+) binding. **2009**, 103, 1675-9 7
- 1311 Fast-pulsing longitudinal relaxation optimized techniques: Enriching the toolbox of fast biomolecular NMR spectroscopy. **2009**, 55, 238-265 64
- 1310 Syntheses and crystal structures of gadolinium and europium complexes of AAZTA analogues. **2009**, 28, 1525-1531 15
- 1309 Preparation, spectroscopic and high field NMR relaxometry studies of gadolinium(III) complexes with the asymmetric tetraamine 1,4,7,11-tetraazaundecane. **2009**, 74, 363-9
- 1308 DNA cleavage promoted by diethylenetriaminepentaacetic acid (DTPA) derivatives. **2009**, 20, 1107-1110
- 1307 Supramolecular aggregates containing lipophilic Gd(III) complexes as contrast agents in MRI. **2009**, 253, 2193-2213 115
- 1306 Synthesis and in vitro and in vivo evaluation of manganese(III) porphyrin-dextran as a novel MRI contrast agent. **2009**, 19, 6675-8 35
- 1305 Complexation and biodistribution study of ¹¹¹In and ⁹⁰Y complexes of bifunctional phosphinic acid analogs of H4dota. **2009**, 67, 21-9 10
- 1304 Long-term retention of gadolinium in the skin of rodents following the administration of gadolinium-based contrast agents. **2009**, 19, 1417-24 62
- 1303 Novel coated graphite electrode for the selective determination of Gd(III) in rocks and waste water samples. **2009**, 54, 5640-5647 10

1302	Protein-targeted gadolinium-based magnetic resonance imaging (MRI) contrast agents: design and mechanism of action. 2009 , 42, 851-62	323
1301	Multifunctional Magnetic Nanoparticles for Medical Imaging Applications. 2009 , 19, 6258-6266	253
1300	Tuning the magnetic resonance imaging properties of positive contrast agent nanoparticles by surface modification with RAFT polymers. 2009 , 25, 9487-99	106
1299	Copper-responsive magnetic resonance imaging contrast agents. 2009 , 131, 8527-36	125
1298	Improving Proton Relaxivity of Dendritic MRI Contrast Agents by Rigid Silsesquioxane Core. 2009 , 41, 287-292	35
1297	Biological Activity of Aminophosphonic Acids and Their Short Peptides. 2009 , 31-63	86
1296	Fabrication of Gd ₂ O(CO ₃) ₂ ·H ₂ O/silica/gold hybrid particles as a bifunctional agent for MR imaging and photothermal destruction of cancer cells. 2009 , 19, 2147	40
1295	Relaxation and luminescence studies on hydrated bipyridyl- and terpyridyl-based lanthanide complexes. 2009 , 9466-74	7
1294	Sensitive and efficient detection of thrombus with fibrin-specific manganese nanocolloids. 2009 , 3234-6	45
1293	A highly effective, nontoxic T1 MR contrast agent based on ultrasmall PEGylated iron oxide nanoparticles. 2009 , 9, 4434-40	352
1292	Luminescent metal-organic frameworks. 2009 , 38, 1330-52	4177
1291	Molecular and magnetic resonance imaging: The value of immunoliposomes. 2009 , 61, 1402-11	71
1290	Large metal ions in a relatively small fullerene cage: the structure of Gd ₃ N@C ₂ (22010)-C78 departs from the isolated pentagon rule. 2009 , 131, 11519-24	112
1289	Dynamic measurements of aqueous lanthanide triflate-catalyzed reactions using luminescence decay. 2009 , 131, 6342-3	26
1288	Responsive MRI agents for sensing metabolism in vivo. 2009 , 42, 948-57	229
1287	Effect of the regiochemistry of butyl amide substituents on the solution-state structures of lanthanide(III) DOTA-tetraamide complexes. 2009 , 48, 10338-45	26
1286	A new approach in the preparation of dendrimer-based bifunctional diethylenetriaminepentaacetic acid MR contrast agent derivatives. 2009 , 20, 1412-8	43
1285	All-Electron Scalar Relativistic Basis Sets for the Lanthanides. 2009 , 5, 2229-38	227

1284	Lanthanide(III) complexes of pyridine-N-oxide analogues of DOTA in solution and in the solid state. A new kind of isomerism in complexes of DOTA-like ligands. 2009 , 48, 466-75		39
1283	Conformational changes of meso-aryl substituted expanded porphyrins upon protonation: effects on photophysical properties and aromaticity. 2009 , 113, 5794-802		29
1282	Structural study of Ga(III), In(III), and Fe(III) complexes of triaza-macrocycle based ligands with N3S3 donor set. 2009 , 48, 3257-67		21
1281	Stability, water exchange, and anion binding studies on lanthanide(III) complexes with a macrocyclic ligand based on 1,7-diaza-12-crown-4: extremely fast water exchange on the Gd ³⁺ complex. 2009 , 48, 8878-89		51
1280	1,2-hydroxypyridonate/terephthalamide complexes of gadolinium(III): synthesis, stability, relaxivity, and water exchange properties. 2009 , 48, 277-86		36
1279	Solid state and solution dynamics of pyridine based tetraaza-macrocyclic lanthanide chelates possessing phosphonate ligating functionality (Ln-PCTMB): effect on relaxometry and optical properties. 2009 , 48, 11767-78		16
1278	Lanthanide complexes of triethylenetetramine tetra-, penta-, and hexaacetamide ligands as paramagnetic chemical exchange-dependent saturation transfer contrast agents for magnetic resonance imaging: nona- versus decadentate coordination. 2009 , 48, 6692-712		22
1277	Pharmaceutical Perspectives of Cancer Therapeutics. 2009 ,		11
1276	Dendron-mediated self-assembly, disassembly, and self-organization of complex systems. <i>Chemical Reviews</i> , 2009 , 109, 6275-540	68.1	1052
1275	Nanomedicine: perspective and promises with ligand-directed molecular imaging. 2009 , 70, 274-85		82
1274	Cell labeling and tracking for experimental models using magnetic resonance imaging. 2009 , 48, 112-24		90
1273	A ruthenium-based metallostar: synthesis, sensitized luminescence and (1)H relaxivity. 2009 , 2088-95		43
1272	Controlled preparation of a heterometallic lanthanide complex containing different lanthanides in symmetrical binding pockets. 2009 , 6020-2		67
1271	PAMAM dendrimers conjugated with an uncharged gadolinium(III) chelate with a fast water exchange: the influence of chelate charge on rotational dynamics. 2009 , 20, 2142-53		29
1270	Dynamics and structure of Ln(III)-aqua ions: a comparative molecular dynamics study using ab initio based flexible and polarizable model potentials. 2009 , 113, 7270-81		59
1269	In situ imaging of metals in cells and tissues. <i>Chemical Reviews</i> , 2009 , 109, 4780-827	68.1	461
1268	'Two is better than one'--probes for dual-modality molecular imaging. 2009 , 3511-24		337
1267	Gd-hydroxypyridinone (HOPO)-based high-relaxivity magnetic resonance imaging (MRI) contrast agents. 2009 , 42, 938-47		214

1266	Bioresponsive, cell-penetrating, and multimeric MR contrast agents. 2009 , 42, 893-903	257
1265	Nanostructured T1 MRI contrast agents. 2009 , 19, 6267	223
1264	MRI relaxation properties of water-soluble apoferritin-encapsulated gadolinium oxide-hydroxide nanoparticles. 2009 , 800-4	45
1263	Facile preparation of a new gadofullerene-based magnetic resonance imaging contrast agent with high ¹ H relaxivity. 2009 , 20, 1186-93	107
1262	Design and function of metal complexes as contrast agents in MRI. 2009 , 61, 63-129	44
1261	Luminescent sensing and formation of mixed f-d metal ion complexes between a Eu(iii)-cyclen-phen conjugate and Cu(ii), Fe(ii), and Co(ii) in buffered aqueous solution. 2009 , 4703-11	57
1260	Syntheses, characterisation, magnetism and photoluminescence of a homodinuclear Ln(III)-Schiff base family. 2009 , 10263-72	37
1259	Application of metal coordination chemistry to explore and manipulate cell biology. <i>Chemical Reviews</i> , 2009 , 109, 4921-60	68.1 633
1258	Dextran Coated Gadolinium Phosphate Nanoparticles for Magnetic Resonance Tumor Imaging. 2009 , 19, 6393	65
1257	Changing the local coordination environment in mono- and bi- nuclear lanthanide complexes through "click" chemistry. 2009 , 6283-5	73
1256	X-Ray Crystal Structure, Acid - Base Properties and Complexation Characteristics of a Methylenephosphonate Derivative of 1,4,7,10-Tetraazacyclododecane. 2009 , 62, 1583	3
1255	Gadolinium(III) complexes of 1,4,7-triazacyclononane based picolinate ligands: simultaneous optimization of water exchange kinetics and electronic relaxation. 2009 , 8033-46	39
1254	Nanoassembled capsules as delivery vehicles for large payloads of high relaxivity Gd ³⁺ agents. 2009 , 131, 15918-23	36
1253	Calibrating the coordination chemistry tool chest: metrics of bi- and tridentate ligands. 2009 , 6610-25	27
1252	Synthesis and spectroscopic studies on azo-dye derivatives of polymetallic lanthanide complexes: using diazotization to link metal complexes together. 2009 , 131, 9916-7	66
1251	Structural, spectroscopic, and thermodynamic consequences of anti-chelate effect in nine-coordinate lanthanide podates. 2009 , 48, 2549-60	9
1250	Self-assembling DNA quadruplex conjugated to MRI contrast agents. 2009 , 20, 205-8	28
1249	Polymer-modified gadolinium metal-organic framework nanoparticles used as multifunctional nanomedicines for the targeted imaging and treatment of cancer. 2009 , 10, 983-93	232

1248	EPR of Mononuclear Non-Heme Iron Proteins. 2009 , 28, 233-268	8
1247	Self-assembly in Schiff base lanthanide complexes [From supramolecular dimers to coordination polymers. 2009 , 87, 1-7	18
1246	Size and fluorescence measurements of individual droplets by flow cytometry. 2009 , 5, 2232	29
1245	Scale-Up of Trisodium [(3R,2R,1R)-[4(S)-4-[Bis[2-[bis[(carboxy-kO)methyl]amino-kN]ethyl]amino-kN]-4-(carboxy-kO)-1-oxobutyl]amino]-1,2-hydroxypropan-2-yl]acetic Acid Gd(III) Complex under Development As a Contrast Agent for MRI Coronary Angiography. 2009 , 13, 739-746	12
1244	Magneto-optical FeGa ₂ O ₄ nanoparticles as dual-modality high contrast efficacy T ₂ imaging and cathodoluminescent agents. 2009 , 11, 6331-4	14
1243	Synthesis of a novel linear polymer of a macrocyclic polyamine copper (II) complex and its interaction with plasmid DNA. 2009 , 24, 315-9	3
1242	Lanthanide chelates of (bis)-hydroxymethyl-substituted DTTA with potential application as contrast agents in magnetic resonance imaging. 2009 , 4656-70	18
1241	Paramagnetic Gd-based gold glyconanoparticles as probes for MRI: tuning relaxivities with sugars. 2009 , 3922-4	72
1240	A new bifunctional Gd(III) complex of enhanced efficacy for MR-molecular imaging applications. 2009 , 9712-4	41
1239	Protonation and lanthanide(III) complexation equilibria of a new tripodal polyaza-polycatechol-amine. 2009 , 4236-44	15
1238	Targeting exofacial protein thiols with Gd(III) complexes. An efficient procedure for MRI cell labelling. 2009 , 893-5	19
1237	Colloidal particles composed of amphiphilic molecules binding gadolinium complexes and peptides as tumor-specific contrast agents in MRI: physicochemical characterization. 2009 ,	2
1236	Relaxivity modulation in Gd-functionalised mesoporous silicas. 2009 , 1246-8	57
1235	Gd(DO3A-N-alpha-aminopropionate): a versatile and easily available synthon with optimized water exchange for the synthesis of high relaxivity, targeted MRI contrast agents. 2009 , 6475-7	37
1234	Structural variability in uranyl-lanthanide heterometallic complexes with DOTA and oxalato ligands. 2009 , 11, 2319	40
1233	Conformational behaviour determines the low-relaxivity state of a conditional MRI contrast agent. 2009 , 11, 3943-50	12
1232	Fabrication of Mn-ferrite nanoparticles from MnO colloids. 2009 , 6780-2	5
1231	A general approach to silicate nanoshells: gadolinium silicate and gadolinium silicate:europium nanoshells for dual-modality optical and MR imaging. 2009 , 3360-2	25

1230	Speciation of gadolinium in gadolinium-based magnetic resonance imaging agents by high performance liquid chromatography inductively coupled plasma optical emission spectrometry. 2009 , 24, 1389	21
1229	Complexation of metal ions of higher charge by the highly preorganized tetradentate ligand 2,9-bis(hydroxymethyl)-1,10-phenanthroline. A crystallographic and thermodynamic study. 2009 , 48, 8201-9	29
1228	Paramagnetic ultrasmall gadolinium oxide nanoparticles as advanced T1 MRI contrast agent: account for large longitudinal relaxivity, optimal particle diameter, and in vivo T1 MR images. 2009 , 3, 3663-9	419
1227	Magnetic Nanoparticles for Early Detection of Cancer by Magnetic Resonance Imaging. 2009 , 34, 441-448	56
1226	Polymeric nanomedicine for cancer MR imaging and drug delivery. 2009 , 3497-510	149
1225	Solution structure and dynamics, stability, and NIR emission properties of lanthanide complexes with a carboxylated bispyrazolylpyridyl ligand. 2009 , 48, 1507-18	52
1224	Polymer beacons for luminescence and magnetic resonance imaging of DNA delivery. 2009 , 106, 16913-8	82
1223	Variation of water exchange dynamics with ligand structure and stereochemistry in lanthanide complexes based on 1,4-diazepine derivatives. 2009 , 7, 1120-31	30
1222	Synthesis of functionalised HP-DO3A chelating agents for conjugation to biomolecules. 2009 , 7, 3810-6	10
1221	Application of the Ugi four-component reaction to the synthesis of ditopic bifunctional chelating agents. 2009 , 7, 4406-14	32
1220	High-Frequency EPR and ENDOR Characterization of MRI Contrast Agents. 2009 , 581-621	6
1219	Involvement of gadolinium chelates in the mechanism of nephrogenic systemic fibrosis: an update. 2009 , 47, 855-69, vii	71
1218	Nephrogenic systemic fibrosis: history and epidemiology. 2009 , 47, 827-31, vi	79
1217	Ultrasmall superparamagnetic iron oxides (USPIOs): a future alternative magnetic resonance (MR) contrast agent for patients at risk for nephrogenic systemic fibrosis (NSF)? 2009 , 75, 465-74	200
1216	Impact of renal impairment on long-term retention of gadolinium in the rodent skin following the administration of gadolinium-based contrast agents. 2009 , 44, 226-33	68
1215	Molecular imaging with targeted contrast agents. 2009 , 20, 247-59	10
1214	Scandium, Yttrium and the Lanthanides: Applications. 2009 ,	1
1213	Structures and fluorescence of two new hetero-dinuclear lanthanide(III) complexes derived from a Schiff-base ligand. 2009 , 62, 1476-1483	17

1212	Multifunctional nanoparticles: from the detection of biomolecules to the therapy. 2010 , 7, 781	23
1211	High relaxivity magnetic resonance imaging contrast agents. Part 1. Impact of single donor atom substitution on relaxivity of serum albumin-bound gadolinium complexes. 2010 , 45, 600-12	66
1210	High-relaxivity magnetic resonance imaging contrast agents. Part 2. Optimization of inner- and second-sphere relaxivity. 2010 , 45, 613-24	93
1209	A fluorinated dendrimer-based nanotechnology platform: new contrast agents for high field imaging. 2010 , 45, 641-54	17
1208	Gadonanostructures as Magnetic Resonance Imaging Contrast Agents. 2010 , 287-300	3
1207	Synthesis, Crystal Structures, and Magnetic Properties of Dinuclear and Hexanuclear Copper(II) Complexes with Cyclam-Based Macrocyclic Ligands Having Four Schiff-Base Pendant Arms. 2010 , 83, 364-374	22
1206	Development of responsive lanthanide-based magnetic resonance imaging and luminescent probes for biological applications. 2010 , 58, 1283-94	35
1205	Magnetic Resonance-visible Coating for Endovascular Device Visualization: Gadolinium(III)Diethylenetriaminepentaacetic Acid-based Insoluble Polymer Coating. 2010 , 39, 1305-1306	1
1204	Synthesis and evaluation of gadolinium complexes based on PAMAM as MRI contrast agents. 2005 , 57, 351-7	16
1203	High-performance nanostructured MR contrast probes. 2010 , 2, 1884-91	63
1202	Toward cardiovascular MRI at 7 T: clinical needs, technical solutions and research promises. 2010 , 20, 2806-16	55
1201	In vitro and in vivo studies of FePt nanoparticles for dual modal CT/MRI molecular imaging. 2010 , 132, 13270-8	306
1200	Alternatives to gadolinium-based metal chelates for magnetic resonance imaging. <i>Chemical Reviews</i> , 2010 , 110, 2960-3018	68.1 346
1199	Cyclam-cored dendrimers appended with four dendrons of two different types: intradendrimer energy transfer. 2010 , 5, 1884-95	8
1198	New amino acid ligated yttrium hydroxy clusters. 2010 , 39, 6661-6	28
1197	Surface Modification of Positive Contrast Nanoparticle Agents with RAFT Polymers Towards the Targeted Imaging and Treatment of Cancer. 2010 , 65-101	2
1196	Polydisulfide Based Biodegradable Macromolecular Magnetic Resonance Imaging Contrast Agents. 2010 , 50, 220-232	20
1195	Gadonanotubes as magnetic nanolabels for stem cell detection. 2010 , 31, 9482-91	60

1194	Chitosan modified with gadolinium diethylenetriaminepentaacetic acid for magnetic resonance imaging of DNA/chitosan nanoparticles. 2010 , 80, 1137-1146	41
1193	Preparation and reaction of uracil substituted cyclen and cyclam: formation of tricyclic guanidinium and dihydroimidazolium salts. 2010 , 66, 1196-1201	
1192	A New Synthesis of TE2A-a Potential Bifunctional Chelator for (64)Cu. 2010 , 44, 185-92	13
1191	Polymer-assisted nanoparticulate contrast-enhancing materials. 2010 , 53, 479-486	1
1190	Dendrimers as carriers for contrast agents in magnetic resonance imaging. 2010 , 55, 3085-3093	13
1189	A conjugated polymer-Gd (III) complex as pH sensitive contrast agent in magnetic resonance imaging. 2010 , 5, 166-170	3
1188	Mesoporous Silica Functionalized by Cyclam Metal Groups: Spectroscopic Studies and Numerical Modeling. 2010 , 20, 761-773	5
1187	Synthesis of bombesin-functionalized iron oxide nanoparticles and their specific uptake in prostate cancer cells. 2009 , 12, 1599-1608	50
1186	Imaging of gadolinium spatial distribution in tumor tissue by laser ablation inductively coupled plasma mass spectrometry. 2010 , 12, 361-6	32
1185	Dextran gadolinium complexes as contrast agents for magnetic resonance imaging to sentinel lymph nodes. 2010 , 27, 1884-92	16
1184	Polyion complex micelle MRI contrast agents from poly(ethylene glycol)-b-poly(L-lysine) block copolymers having Gd-DOTA; preparations and their control of T(1)-relaxivities and blood circulation characteristics. 2010 , 148, 160-7	64
1183	Synthesis, Relaxivity and MRI Enhancement of Linear Oligo-Gd(III) Complexes with Poly (DTPA-ester) Ligands Derived from Amino Acids. 2010 , 19, 788-793	1
1182	Bifunctional Eu(3+)-doped Gd(2)O(3) nanoparticles as a luminescent and T(1) contrast agent for stem cell labeling. 2010 , 5, 105-11	29
1181	Tuftsins derivatives of FITC, Tb-DOTA or Gd-DOTA as potential macrophage-specific imaging biomarkers. 2010 , 5, 223-30	5
1180	Surface functionalization of magnetic iron oxide nanoparticles for MRI applications - effect of anchoring group and ligand exchange protocol. 2011 , 6, 189-99	80
1179	Almost ideal 1D water diffusion in imogolite nanotubes evidenced by NMR relaxometry. 2010 , 11, 2021-6	19
1178	Paramagnetic relaxation enhancements in acetate and its fluorine derivatives interacting with Gd3+: complex formation, structure, and transmetallation. 2010 , 11, 3474-84	2
1177	Challenges for Molecular Neuroimaging with MRI. 2010 , 20, 71-79	14

1176	Equilibrium Studies on the Gd ³⁺ , Cu ²⁺ and Zn ²⁺ Complexes of BOPTA, DTPA and DTPA-BMA Ligands: Kinetics of Metal-Exchange Reactions of [Gd(BOPTA)] ₂ 2010 , 2010, 1948-1956	33
1175	Structure and Dynamics of Lanthanide(III) Complexes with an N-Alkylated do3a Ligand (H ₃ do3a = 1,4,7,10-Tetraazacyclododecane-1,4,7-triacetic Acid): A Combined Experimental and DFT Study. 2010 , 2010, 3586-3595	28
1174	Water-Soluble Ultra-Small Manganese Oxide Surface Doped Gadolinium Oxide (Gd ₂ O ₃ @MnO) Nanoparticles for MRI Contrast Agent. 2010 , 2010, 4555-4560	37
1173	Nanoscale Metal-Organic Frameworks: Magnetic Resonance Imaging Contrast Agents and Beyond. 2010 , 2010, 3725-3734	164
1172	Comparative Study of the Luminescence Properties and Relative Stability of a Series of Europium(III) Complexes Bearing One to Four Coordinated Azaxanthone Groups. 2010 , 2010, 3961-3966	23
1171	Application of High Pressure in the Elucidation of Inorganic and Bioinorganic Reaction Mechanisms. 2010 , 2010, 269-365	8
1170	Metal-Nitroxide Complexes: Synthesis and Magnetostructural Correlations. 2010 , 2010, 461-506	33
1169	ChemInform Abstract: Gadolinium(III) Chelates as MRI Contrast Agents: Structure, Dynamics, and Applications. 2010 , 30, no-no	3
1168	Design principles and theory of paramagnetic fluorine-labelled lanthanide complexes as probes for (19)F magnetic resonance: a proof-of-concept study. 2010 , 16, 134-48	88
1167	Insights into intramolecular Trp and His side-chain orientation and stereospecific interactions surrounding metal centers: an investigation using protein metal-site mimicry in solution. 2010 , 16, 10854-65	8
1166	A triazacyclononane-based bifunctional phosphinate ligand for the preparation of multimeric ⁶⁸ Ga tracers for positron emission tomography. 2010 , 16, 7174-85	122
1165	Cyclodextrin-based bimodal fluorescence/MRI contrast agents: an efficient approach to cellular imaging. 2010 , 16, 10094-102	44
1164	A chemical strategy for the relaxivity enhancement of Gd(III) chelates anchored on mesoporous silica nanoparticles. 2010 , 16, 10727-34	65
1163	Target visualization by MRI using the avidin/biotin amplification route: synthesis and testing of a biotin-Gd-DOTA monoamide trimer. 2010 , 16, 8080-7	21
1162	Gadolinium-Conjugated Dendrimer Nanoclusters as a Tumor-Targeted T1 Magnetic Resonance Imaging Contrast Agent. 2010 , 122, 356-360	13
1161	Gadolinium-conjugated dendrimer nanoclusters as a tumor-targeted T1 magnetic resonance imaging contrast agent. 2010 , 49, 346-50	165
1160	Comparison of HPLC and CZE methods for analysis of DOTA-like esters--reaction intermediates in synthesis of magnetic resonance contrast agents. 2010 , 33, 658-63	1
1159	N-benzoylated 1,4,8,11-tetraazacyclotetradecane and their copper(II) and nickel(II) complexes: spectral, magnetic, electrochemical, crystal structure, catalytic and antimicrobial studies. 2010 , 77, 92-100	7

1158	Accumulation of Eu ³⁺ chelates in cells expressing or not P-glycoprotein: implications for blood-brain barrier crossing. 2010 , 104, 47-54	6
1157	Molecular imaging contrast media for visualization of liver function. 2010 , 28, 708-15	4
1156	Magnetization and EPR of a series of Cr ³⁺ squarate dimers. 2010 , 29, 3021-3027	7
1155	Gadolinium(III) chelated conjugated polymer as a potential MRI contrast agent. 2010 , 51, 1336-1340	27
1154	One-pot synthesis of amphiphilic superparamagnetic FePt nanoparticles and magnetic resonance imaging in vitro. 2010 , 322, 973-977	46
1153	Regional convection-enhanced delivery of gadolinium-labeled albumin in the rat hippocampus in vivo. 2010 , 187, 129-37	22
1152	Rare earth (Eu/Tb)/phthalic acid functionalized inorganic SiO ₂ /organic polymeric hybrids: Chemically bonded fabrication and photophysical property. 2010 , 210, 36-43	20
1151	Dual-modality in vivo imaging using rare-earth nanocrystals with near-infrared to near-infrared (NIR-to-NIR) upconversion luminescence and magnetic resonance properties. 2010 , 31, 3287-95	489
1150	Polyazamacrocycles based on a tetraaminoacetate moiety and a (poly)pyridine intracyclic unit: direct synthesis and application to the photosensitization of Eu(III) and Tb(III) ions in aqueous solutions. 2010 , 66, 8594-8604	12
1149	Synthesis and in vitro studies of GdDTPA derivatives as new potential MRI contrast agents. 2010 , 51, 2431-2433	7
1148	Optimization of time-resolved fluorescence assay for detection of europium-tetraazacyclododecyltetraacetic acid-labeled ligand-receptor interactions. 2010 , 398, 15-23	21
1147	Cu ²⁺ -labeled, SPION loaded porous silica nanoparticles for cell labeling and multifunctional imaging probes. 2010 , 31, 2866-73	57
1146	The characteristics of sub 10 nm manganese oxide T1 contrast agents of different nanostructured morphologies. 2010 , 31, 4073-8	109
1145	Design of luminescent lanthanide complexes: From molecules to highly efficient photo-emitting materials. 2010 , 254, 487-505	741
1144	Biomedical applications of macrocyclic ligand complexes. 2010 , 254, 1686-1712	228
1143	In vivo imaging with a cell-permeable porphyrin-based MRI contrast agent. 2010 , 17, 665-73	63
1142	Novel one-pot facile technique for preparing nanoparticles modified with hydrophilic polymers on the surface via block polymer-assisted emulsification/evaporation process. 2010 , 78, 85-91	22
1141	Synthesis, in vitro progesterone receptors affinity of gadolinium containing mifepristone conjugates and estimation of binding sites in human breast cancer cells. 2010 , 18, 1891-8	10

1140	Synthesis, in vitro and in vivo studies of Gd-DTPA-XDA-D1-Glc(OH) complex as a new potential MRI contrast agent. 2010 , 20, 932-4	3
1139	Gold nanoparticles functionalized by gadolinium-DTPA conjugate of cysteine as a multimodal bioimaging agent. 2010 , 20, 2287-91	58
1138	Synthesis and characterization of multifunctional hyperbranched polyesters as prospective contrast agents for targeted MRI. 2010 , 20, 4177-81	26
1137	Towards highly efficient, intelligent and bimodal imaging probes: Novel approaches provided by lanthanide coordination chemistry. 2010 , 13, 700-714	40
1136	Biocompatible Prussian blue nanoparticles: Preparation, stability, cytotoxicity, and potential use as an MRI contrast agent. 2010 , 13, 58-61	103
1135	A copper π -cyclo coordination complex associated with a polyoxometalate anion: Synthesis, crystal structure and electrochemistry of [Cu(cyclen)(MeCN)] $^{+}$ [W6O19] $^{6-}$. 2010 , 13, 1114-1117	14
1134	Multiple metal coordinating behaviour of the tetrapodal ligand 1,1,1,1-tetrakis[(salicylaldimino)methyl]methane. 2010 , 13, 1074-1080	7
1133	Effective Encapsulation of Europium(3+) by a Heptadentate Schiff-Base Ligand. 2010 , 636, 1431-1434	3
1132	Recent progress report on DNA B-Z transition modulated by rare earth-amino acid complex and Alzheimer's disease amyloid beta. 2010 , 28, 820-823	15
1131	Gd-labeled microparticles in MRI: in vivo imaging of microparticles after intraperitoneal injection. 2010 , 6, 2678-82	25
1130	Geometrical confinement of gadolinium-based contrast agents in nanoporous particles enhances T1 contrast. 2010 , 5, 815-21	335
1129	. 2010 ,	128
1128	. 2010 ,	117
1127	trans-Dichlorido(1,4,8,11-tetra-azacyclo-tetra-deca-ne)manganese(III) tetra-fluorido-borate. 2010 , 66, m265-6	1
1126	Gain of a 500-fold sensitivity on an intravital MR contrast agent based on an endohedral gadolinium-cluster-fullerene-conjugate: a new chance in cancer diagnostics. 2010 , 7, 136-46	42
1125	Cardiovascular Magnetic Resonance Contrast Agents. 2010 , 76-90	3
1124	Gadolinium-labeled dendronized gold nanoparticles as new targeted MRI contrast agent. 2010 ,	
1123	POLYMER-MODIFIED GADOLINIUM NANOPARTICLES FOR TARGETED MAGNETIC RESONANCE IMAGING AND THERAPY. 2010 , 01, 263-275	3

1122	Macromolecular and dendrimer-based magnetic resonance contrast agents. 2010 , 51, 751-67	61
1121	Multifunctional gadolinium oxide nanoparticles: towards image-guided therapy. 2010 , 2, 211-223	8
1120	Functionalization of porphyrins: towards the synthesis of bifunctional chelates for bismuth coordination. 2010 , 14, 412-420	6
1119	Smart MR imaging agents relevant to potential neurologic applications. 2010 , 31, 401-9	20
1118	Targeted contrast agents--an adjunct to whole-body imaging: current concepts. 2010 , 14, 86-94	
1117	Paramagnetic liposome nanoparticles for cellular and tumour imaging. 2010 , 11, 1759-76	63
1116	Enhancement of the water proton relaxivity by trapping Gd ³⁺ complexes in nanovesicles. 2010 , 133, 024504	21
1115	The medicinal chemistry of theragnostics, multimodality imaging and applications of nanotechnology in cancer. 2010 , 10, 1211-26	37
1114	Chemistry of tumour targeted T1 based MRI contrast agents. 2010 , 10, 1158-83	21
1113	Gd-functionalised Au nanoparticles as targeted contrast agents in MRI: relaxivity enhancement by polyelectrolyte coating. 2010 , 46, 451-3	63
1112	Syntheses and Characterizations. 2010 , 49-310	3
1111	6 Photophysics and Photochemistry of Various Expanded Porphyrins. 2010 , 507-558	4
1110	Gadolinium Complexes as MRI Contrast Agents for Diagnosis. 2010 , 407-433	4
1109	Synthesis and characterization of PEGylated Gd ₂ O ₃ nanoparticles for MRI contrast enhancement. 2010 , 26, 5753-62	177
1108	Photocytotoxic lanthanum(III) and gadolinium(III) complexes of phenanthroline bases showing light-induced DNA cleavage activity. 2010 , 49, 4036-45	58
1107	Layer-by-layer deposition of magnetic microgel films on plastic surfaces for the preparation of magnetic resonance visibility enhancing coatings. 2010 , 20, 555-560	9
1106	Rare Earth Complexes with Carboxylic Acids, Polyaminopolycarboxylic Acids, and Amino Acids. 2010 , 91-136	9
1105	Liposomes with conjugates of a calix[4]arene and a Gd-DOTA derivative on the outside surface; an efficient potential contrast agent for MRI. 2010 , 46, 4399-401	24

1104	Determination of outer-sphere dipolar time correlation functions from high-field NMR measurements. Example of a Gd(3+) complex in a viscous solvent. 2010 , 132, 044502		16
1103	Colloidal amphiphile self-assembly particles composed of gadolinium oleate and myverol: evaluation as contrast agents for magnetic resonance imaging. 2010 , 26, 2383-91		33
1102	Challenges for molecular magnetic resonance imaging. <i>Chemical Reviews</i> , 2010 , 110, 3019-42	68.1	644
1101	Targeted nanoagents for the detection of cancers. 2010 , 4, 511-28		66
1100	Synthesis and characterization of dinuclear heterometallic lanthanide complexes exhibiting MRI and luminescence response. 2010 , 39, 5721-7		29
1099	Dendrimers designed for functions: from physical, photophysical, and supramolecular properties to applications in sensing, catalysis, molecular electronics, photonics, and nanomedicine. <i>Chemical Reviews</i> , 2010 , 110, 1857-959	68.1	1534
1098	Advantages of macromolecular to nanosized chemical-exchange saturation transfer agents for MRI applications. 2010 , 2, 351-66		22
1097	Anion-exchangeable layered materials based on rare-earth phosphors: unique combination of rare-earth host and exchangeable anions. 2010 , 43, 1177-85		168
1096	Molecular imaging of in vivo gene expression. 2010 , 2, 503-19		17
1095	Bingel-Hirsch reactions on non-IPR Gd ₃ N@C _{2n} (2n = 82 and 84). 2010 , 75, 8299-302		44
1094	Structure, stereochemistry, and physico-chemical properties of trinuclear and dinuclear metal(II) complexes of a phenol-based tetrapodal Schiff base ligand. 2010 , 49, 7382-400		22
1093	Lanthanide Organic Framework of a Rigid Bis-Gd Complex: Composed by Carbonate Ions Spacers. 2010 , 10, 4235-4239		10
1092	A new class of ligands for aqueous, lanthanide-catalyzed, enantioselective Mukaiyama aldol reactions. 2010 , 132, 12871-3		45
1091	Outer-sphere investigation of MRI relaxation contrast agents. Example of a cyclodecapeptide gadolinium complex with second-sphere water. 2010 , 114, 8770-81		43
1090	Computational estimation of lanthanoid-water bond lengths by semiempirical methods. 2010 , 50, 217-20		9
1089	Evaluation of [Ln(H ₂ cmp)(H ₂ O)] metal organic framework materials for potential application as magnetic resonance imaging contrast agents. 2010 , 49, 2969-74		73
1088	Design, synthesis, and evaluation of 1,4,7,10-tetraazacyclododecane-1,4,7-triacetic acid derived, redox-sensitive contrast agents for magnetic resonance imaging. 2010 , 53, 6747-57		33
1087	Multifunctional Polymeric Scaffolds for Enhancement of PARACEST Contrast Sensitivity and Performance: The Effects of Random Copolymer Variations. 2010 , 43, 6616-6624		14

1086	The population of SAP and TSAP isomers in cyclen-based lanthanide(III) chelates is substantially affected by solvent. 2010 , 49, 8662-4		30
1085	Preparation of translationally competent tRNA by direct chemical acylation. 2010 , 12, 3776-9		15
1084	A copper-activated magnetic resonance imaging contrast agent with improved turn-on relaxivity response and anion compatibility. 2010 , 469-76		49
1083	Synthesis of Tumor-avid Photosensitizer-Gd(III)DTPA conjugates: impact of the number of gadolinium units in T1/T2 relaxivity, intracellular localization, and photosensitizing efficacy. 2010 , 21, 816-27		27
1082	Lanthanide phytanates: liquid-crystalline phase behavior, colloidal particle dispersions, and potential as medical imaging agents. 2010 , 26, 6240-9		34
1081	MRI probes for sensing biologically relevant metal ions. 2010 , 2, 367-84		42
1080	High relaxivity trimetallic nitride (Gd ₃ N) metallofullerene MRI contrast agents with optimized functionality. 2010 , 21, 610-5		117
1079	Exofacial protein thiols as a route for the internalization of Gd(III)-based complexes for magnetic resonance imaging cell labeling. 2010 , 53, 4877-90		43
1078	In vivo characterization of a smart MRI agent that displays an inverse response to calcium concentration. 2010 , 1, 819-28		24
1077	Macromolecules, dendrimers, and nanomaterials in magnetic resonance imaging: the interplay between size, function, and pharmacokinetics. <i>Chemical Reviews</i> , 2010 , 110, 2921-59	68.1	519
1076	Highly stable and soluble bis-aqua Gd, Nd, Yb complexes as potential bimodal MRI/NIR imaging agents. 2010 , 39, 9490-2		35
1075	Responsive magnetic resonance imaging contrast agents as chemical sensors for metals in biology and medicine. 2010 , 39, 51-60		223
1074	Parallel NMR Based on Solution Magnetic-Susceptibility Differences. Application to Isotopic Effects on Self-Diffusion□ 2010 , 55, 2048-2054		7
1073	Mechanochemical synthesis of homo- and hetero-rare-earth(III) metalorganic frameworks by ball milling. 2010 , 12, 3515		74
1072	Coordination Chemistry of Rare Earth Alkoxides, Aryloxides, and Hydroxides. 2010 , 229-271		2
1071	Luminescent Dendrimers as Ligands and Sensors of Metal Ions. 2010 , 253-284		9
1070	Trends in aqueous hydration across the 4f period assessed by reliable computational methods. 2010 , 49, 7808-17		62
1069	AAZTA-based bifunctional chelating agents for the synthesis of multimeric/dendrimeric MRI contrast agents. 2010 , 8, 4569-74		49

1068	Gd(III)-nanodiamond conjugates for MRI contrast enhancement. 2010 , 10, 484-9	261
1067	Ultra-small gadolinium oxide nanoparticles to image brain cancer cells in vivo with MRI. 2011 , 6, 209-18	67
1066	Stimuli-responsive smart nanogels for cancer diagnostics and therapy. 2010 , 5, 451-68	106
1065	Water-soluble MnO nanocolloid for a molecular T1 MR imaging: a facile one-pot synthesis, in vivo T1 MR images, and account for relaxivities. 2010 , 2, 2949-55	81
1064	Stimuli-Responsive PEGylated Nanogels for Smart Nanomedicine. 2010 , 87-105	4
1063	Single-domain protein A-engineered magnetic nanoparticles: toward a universal strategy to site-specific labeling of antibodies for targeted detection of tumor cells. 2010 , 4, 5693-702	74
1062	Unsymmetrical tripodal ligand for lanthanide complexation: structural, thermodynamic, and photophysical studies. 2010 , 49, 606-15	18
1061	Macrocyclic Gd ³⁺ chelates attached to a silsesquioxane core as potential magnetic resonance imaging contrast agents: synthesis, physicochemical characterization, and stability studies. 2010 , 49, 6124-38	52
1060	Novel polycarboxylated EDTA-type cyclodextrins as ligands for lanthanide binding: study of their luminescence, relaxivity properties of Gd(III) complexes, and PM3 theoretical calculations. 2010 , 8, 1910-21	17
1059	Large relaxivity enhancement of paramagnetic lipid nanoparticles by restricting the local motions of the Gd(III) chelates. 2010 , 132, 7836-7	127
1058	Bifunctional agents for imaging and therapy. 2010 , 635, 223-59	5
1057	Peptide-targeted Nanoglobular Gd-DOTA monoamide conjugates for magnetic resonance cancer molecular imaging. 2010 , 11, 754-61	73
1056	Two-particle random walk simulation of outer-sphere nuclear relaxation. 2010 , 132, 224103	11
1055	Gold nanoparticles coated with gadolinium-DTPA-bisamide conjugate of penicillamine (Au@GdL) as a T1-weighted blood pool contrast agent. 2010 , 20, 5411	29
1054	Uranyl-organic assemblies with the macrocyclic ligand 1,4,8,11-tetraazacyclotetradecane-1,4,8,11-tetraacetate (TETA). 2010 , 12, 1905	33
1053	Single-chain polyacrylic nanoparticles with multiple Gd(III) centres as potential MRI contrast agents. 2010 , 20, 6916	94
1052	Speciation of gadolinium based MRI contrast agents in environmental water samples using hydrophilic interaction chromatography hyphenated with inductively coupled plasma mass spectrometry. 2010 , 25, 55-61	41
1051	Near infrared-fluorescent and magnetic resonance imaging molecular probe with high T1 relaxivity for in vivo multimodal imaging. 2010 , 46, 3705-7	28

1050	A lanthanide binding peptide with short chelating side-chains: structural impact of the backbone coordination. 2010 , 39, 3560-2	9
1049	Densely packed Gd(III)-chelates with fast water exchange on a calix[4]arene scaffold: a potential MRI contrast agent. 2010 , 185-91	33
1048	Multivalent protein polymer MRI contrast agents: controlling relaxivity via modulation of amino acid sequence. 2010 , 11, 1429-36	34
1047	Paramagnetic, silicon quantum dots for magnetic resonance and two-photon imaging of macrophages. 2010 , 132, 2016-23	140
1046	First bodipy-DOTA derivatives as probes for bimodal imaging. 2010 , 46, 8267-9	54
1045	Magnetic levitation in the analysis of foods and water. 2010 , 58, 6565-9	97
1044	Identification and characterization of gadolinium(III) complexes in biological tissue extracts. 2010 , 2, 490-7	16
1043	Dual purpose Prussian blue nanoparticles for cellular imaging and drug delivery: a new generation of T1-weighted MRI contrast and small molecule delivery agents. 2010 , 20, 5251	177
1042	CEST and PARACEST MR contrast agents. 2010 , 51, 910-23	104
1041	Discovery of a strongly apoptotic ruthenium complex through combinatorial coordination chemistry. 2010 , 39, 8177-82	43
1040	Greatly improved neuroprotective efficiency of citicoline by stereotactic delivery in treatment of ischemic injury. 2011 , 18, 461-7	19
1039	Cleavable β -cyclodextrin nanocapsules incorporating Gd(III)-chelates as bioresponsive MRI probes. 2011 , 47, 3144-6	31
1038	Facile synthesis of non-ionic dimeric molecular resonance imaging contrast agent: its relaxation and luminescence studies. 2011 , 40, 3346-51	12
1037	Nano- and microcrystals of a Mn-based metal-oligomer framework showing size-dependent magnetic resonance behaviors. 2011 , 47, 3180-2	24
1036	Synthesis, complexation and NMR relaxation properties of Gd ³⁺ complexes of Mes(DO3A) ₃ . 2011 , 40, 4260-7	21
1035	Linear Dependency of NMR Relaxation Rates on Shear Modulus in Hydrogels. 2011 , 7, 9890-9893	11
1034	A modular system for the synthesis of multiplexed magnetic resonance probes. 2011 , 133, 5329-37	114
1033	Influence of metal/ligand ratio on benzimidazole based luminescent lanthanide complexes: 3-D network structures and chloride anion binding. 2011 , 35, 310-318	23

1032	A gadolinium(III) complex with 8-amidequinoline based ligand as copper(II) ion responsive contrast agent. 2011 , 40, 484-8	29
1031	Mn(II) complexes of novel hexadentate AAZTA-like chelators: a solution thermodynamics and relaxometric study. 2011 , 40, 2025-32	44
1030	New potential bimodal imaging contrast agents based on DOTA-like and porphyrin macrocycles. 2011 , 2, 119-125	44
1029	Strategies to enhance signal intensity with paramagnetic fluorine-labelled lanthanide complexes as probes for ¹⁹ F magnetic resonance. 2011 , 40, 904-13	38
1028	Spheroid array formation by non-label cell manipulation using magneto-Archimedes effect. 2011 ,	2
1027	Mn ²⁺ complexes of 1-oxa-4,7-diazacyclononane based ligands with acetic, phosphonic and phosphinic acid pendant arms: stability and relaxation studies. 2011 , 40, 10131-46	36
1026	Bimodal, dimetallic lanthanide complexes that bind to DNA: the nature of binding and its influence on water relaxivity. 2011 , 47, 3374-6	36
1025	Synthesis of d-f coordination polymer nanoparticles and their application in phosphorescence and magnetic resonance imaging. 2011 , 40, 11941-4	28
1024	Strategies for increasing relaxivity of gold nanoparticle based MRI contrast agents. 2011 , 13, 9812-7	28
1023	High-relaxivity MRI contrast agents prepared from miniemulsion polymerization using gadolinium(III)-based metallosurfactants. 2011 , 47, 4240-2	37
1022	Biometal binding-site mimicry with modular, hetero-bifunctionally modified architecture encompassing a Trp/His motif: insights into spatiotemporal noncovalent interactions from a comparative spectroscopic study. 2011 , 40, 3008-27	2
1021	[Gd(Trp-TTDA)(H ₂ O)] ₂ ⁻ : a new MRI contrast agent for copper ion sensing. 2011 , 40, 5018-25	19
1020	Poly(para-phenylene ethynylene)s functionalized with Gd(III) chelates as potential MRI contrast agents. 2011 , 89, 47-56	12
1019	Analysis of the conformational behavior and stability of the SAP and TSAP isomers of lanthanide(III) NB-DOTA-type chelates. 2011 , 50, 7966-79	38
1018	Examining MRI contrast in three-dimensional cell culture phantoms with DNA-templated nanoparticle chains. 2011 , 3, 1282-8	29
1017	¹¹ B NMR sensing of d-block metal ions in vitro and in cells based on the carbon-boron bond cleavage of phenylboronic acid-pendant cyclen (cyclen = 1,4,7,10-tetraazacyclododecane). 2011 , 50, 11568-80	31
1016	Synthesis and physicochemical characterization of carbon backbone modified [Gd(TTDA)(H ₂ O)] ₂ ⁻ derivatives. 2011 , 50, 1275-87	15
1015	Biocytin-derived MRI contrast agent for longitudinal brain connectivity studies. 2011 , 2, 578-87	8

1014	Water exchange of a ProHance MRI contrast agent: isomer-dependent free-energy landscapes and mechanisms. 2011 , 50, 4791-7	19
1013	Kinetics of the exchange reactions between Gd(DTPA) ₂ ⁻ , Gd(BOPTA) ₂ ⁻ , and Gd(DTPA-BMA) complexes, used as MRI contrast agents, and the triethylenetetraamine-hexaacetate ligand. 2011 , 50, 3471-8	10
1012	Properties, solution state behavior, and crystal structures of chelates of DOTMA. 2011 , 50, 7955-65	71
1011	Lanthanide dota-like complexes containing a picolinate pendant: structural entry for the design of Ln(III)-based luminescent probes. 2011 , 50, 4125-41	69
1010	A steroid-conjugated magnetic resonance probe enhances contrast in progesterone receptor expressing organs and tumors in vivo. 2011 , 8, 1390-400	23
1009	C-branched chiral (racemic) macrocyclic amino acids: structure of their Ni(II), Zn(II) and Cu(II) complexes. 2011 , 40, 9145-53	4
1008	Synthesis and biological evaluation of water-soluble progesterone-conjugated probes for magnetic resonance imaging of hormone related cancers. 2011 , 22, 2304-16	32
1007	Study of the luminescent and magnetic properties of a series of heterodinuclear [Zn(II)Ln(III)] complexes. 2011 , 50, 5879-89	140
1006	Effect of intravenous extracellular gadolinium based contrast medium on renal diffusion weighted images. 2011 , 18, 174-83	4
1005	Contrast agents and mechanisms. 2011 , 8, e109-15	14
1004	Influence of calcium-induced aggregation on the sensitivity of aminobis(methylenephosphonate)-containing potential MRI contrast agents. 2011 , 50, 6472-81	16
1003	Metal-Organic Frameworks for Biomedical Imaging. 2011 , 251-266	1
1002	Catalytic hydroxylation of [closo-B ₁₂ H ₁₂](2 ⁻)-adaptation of the Periana reaction to a polyhedral borane. 2011 , 47, 6978-80	14
1001	Carbon Nanotubes in Regenerative Medicine. 2011 , 27-39	7
1000	Europium(III) DOTA-derivatives having ketone donor pendant arms display dramatically slower water exchange. 2011 , 50, 1648-55	35
999	Peptide functionalized superparamagnetic iron oxide nanoparticles as MRI contrast agents. 2011 , 21, 15157	38
998	Injectable multidomain peptide nanofiber hydrogel as a delivery agent for stem cell secretome. 2011 , 12, 1651-7	154
997	Toward an image-guided microbeam radiation therapy using gadolinium-based nanoparticles. 2011 , 5, 9566-74	186

996	Viral capsids as self-assembling templates for new materials. 2011 , 103, 353-92	23
995	Structure, stability and relaxivity of trinuclear triangular complexes. 2011 , 40, 4284-90	7
994	Large endohedral fullerenes containing two metal ions, Sm ₂ @D ₂ (35)-C ₈₈ , Sm ₂ @C ₁ (21)-C ₉₀ , and Sm ₂ @D ₃ (85)-C ₉₂ , and their relationship to endohedral fullerenes containing two gadolinium ions. 2011 , 133, 16911-9	53
993	Spinschaltung und intelligente Kontrastmittel in der MRT. 2011 , 59, 817-821	9
992	Investigations into whole water, prototropic and amide proton exchange in lanthanide(III) DOTA-tetraamide chelates. 2011 , 40, 6759-64	27
991	Lanthanide complexes of DOTA monoamide derivatives bearing an isophthalate pendent arm. 2011 , 40, 11451-7	15
990	The controlled display of biomolecules on nanoparticles: a challenge suited to bioorthogonal chemistry. 2011 , 22, 825-58	410
989	Design and development of quantum dots and other nanoparticles based cellular imaging probe. 2011 , 13, 385-96	67
988	Novel design of multimodal MRI/NIR optical contrast agent. 2011 ,	
987	A smart magnetic resonance imaging contrast agent responsive to adenosine based on a DNA aptamer-conjugated gadolinium complex. 2011 , 47, 4998-5000	38
986	Lanthanide complexes as imaging agents anchored on nano-sized particles of boehmite. 2011 , 40, 6451-7	13
985	Metal-Directed Assembly of Hexameric Ring, Dimeric Ring and 1D Chain from a Branched Tripodal Ligand. 2011 , 11, 4876-4884	22
984	High relaxivity and stability of a hydroxyquinolate-based tripodal monoquagadolinium complex for use as a bimodal MRI/optical imaging agent. 2011 , 50, 7943-5	33
983	Dissociation kinetics of Mn ²⁺ complexes of NOTA and DOTA. 2011 , 40, 1945-51	56
982	Chemistry of endohedral metallofullerenes: the role of metals. 2011 , 47, 5942-57	191
981	Method for enhancing cell penetration of Gd ³⁺ -based MRI contrast agents by conjugation with hydrophobic fluorescent dyes. 2011 , 22, 2227-36	36
980	Carbon Nanotubes for Biomedical Applications. 2011 ,	22
979	Multivalent, high-relaxivity MRI contrast agents using rigid cysteine-reactive gadolinium complexes. 2011 , 133, 14704-9	107

- 978 Reporter protein-targeted probes for magnetic resonance imaging. **2011**, 133, 16346-9 54
- 977 Radiometals (non-Tc, non-Re) and Bifunctional Labeling Chemistry. **2011**, 2143-2178 6
- 976 A new and facile method to prepare uniform hollow MnO₂/functionalized mSiO₂ core/shell nanocomposites. **2011**, 5, 4177-87 119
- 975 Size-Tunable, Ultrasmall NaGdF₄ Nanoparticles: Insights into Their T₁MRI Contrast Enhancement. **2011**, 23, 3714-3722 368
- 974 An electroneutral macrocyclic iron(II) complex that enhances MRI contrast in vivo. **2011**, 54, 4274-8 14
- 973 Mn²⁺ complexes with 12-membered pyridine based macrocycles bearing carboxylate or phosphonate pendant arm: crystallographic, thermodynamic, kinetic, redox, and ¹H/¹⁷O relaxation studies. **2011**, 50, 12785-801 62
- 972 The effect of ring size variation on the structure and stability of lanthanide(III) complexes with crown ethers containing picolinate pendants. **2011**, 40, 384-92 26
- 971 Gadolinium DOTA chelates featuring alkyne groups directly grafted on the tetraaza macrocyclic ring: synthesis, relaxation properties, "click" reaction, and high-relaxivity micelles. **2011**, 50, 8946-58 42
- 970 Manganese(II)-containing MRI contrast agent employing a neutral and non-macrocyclic ligand. **2011**, 50, 9365-73 33
- 969 Polyamine salt aggregate assembly of capsules as responsive drug delivery vehicles. **2011**, 21, 9454 67
- 968 Dissociation kinetics of macrocyclic trivalent lanthanide complexes of 1,4,7,10-tetraazacyclododecane-1,7-diacetic acid (DO2A). **2011**, 40, 6268-77 6
- 967 Covalent lanthanide chemistry near the limit of weak bonding: observation of (CpSiMe₃)₃Ce-ECp* and a comprehensive density functional theory analysis of Cp₃Ln-ECp (E = Al, Ga). **2011**, 50, 345-57 51
- 966 Gd complexes of macrocyclic diethylenetriaminepentaacetic acid (DTPA) biphenyl-2,2'-bisamides as strong blood-pool magnetic resonance imaging contrast agents. **2011**, 54, 5385-94 35
- 965 Gd-complexes of 1,4,7,10-tetraazacyclododecane-N,N',N'',N'''-1,4,7,10-tetraacetic acid (DOTA) conjugates of tranexamates as a new class of blood-pool magnetic resonance imaging contrast agents. **2011**, 54, 143-52 21
- 964 Clinical Applications of Polymeric Micelle Carrier Systems in Chemotherapy and Image Diagnosis of Solid Tumors. **2011**, 3, 151-158 87
- 963 Synthesis of gadolinium nanoscale metal-organic framework with hydrotropes: manipulation of particle size and magnetic resonance imaging capability. **2011**, 3, 1502-10 83
- 962 A facile synthesis, in vitro and in vivo MR studies of d-glucuronic acid-coated ultrasmall Ln₂O₃ (Ln = Eu, Gd, Dy, Ho, and Er) nanoparticles as a new potential MRI contrast agent. **2011**, 3, 3325-34 113
- 961 The synthesis and application of polyamino polycarboxylic bifunctional chelating agents. **2011**, 40, 3019-49 136

- 960 Disordered Mesoporous Gadolinosilicate Nanoparticles Prepared Using Gadolinium Based Ionic Liquid Emulsions: Potential as Magnetic Resonance Imaging Contrast Agents. **2011**, 64, 617 13
- 959 Structure-related variable responses of calcium sensitive MRI probes. **2011**, 9, 5816-24 15
- 958 Single-molecule magnetic behavior in a neutral terbium(III) complex of a picolinate-based nitronyl nitroxide free radical. **2011**, 50, 7370-2 85
- 957 Comparative in vivo dissociation of gadolinium chelates in renally impaired rats: a relaxometry study. **2011**, 46, 292-300 39
- 956 Gadolinium contrast agent associated stimulation of human fibroblast collagen production. **2011**, 46, 711-7 17
- 955 Magnetic resonance contrast media sensing in vivo molecular imaging agents: an overview. **2011**, 4, 31-43 4
- 954 Cation-Responsive MRI Contrast Agents Based on Gadolinium(III). **2011**, 1, 76-90 20
- 953 Improvement of Microscopic MR Imaging of Amyloid Plaques with Targeting and Non-Targeting Contrast Agents. **2011**, 7, 8-15 5
- 952 On the use of molecular weight cutoff cassettes to measure dynamic relaxivity of novel gadolinium contrast agents: example using hyaluronic Acid polymer complexes in phosphate-buffered saline. **2011**, 2011, 808795 1
- 951 Applications of Density Functional Theory (DFT) to Investigate the Structural, Spectroscopic and Magnetic Properties of Lanthanide(III) Complexes. **2011**, 1, 91-116 41
- 950 Luminescent Lanthanide Labels. **2011**, 1, 2-16 20
- 949 Integrin Targeted MR Imaging. **2011**, 1, 83-101 42
- 948 Human in vitro suppression as screening tool for the recognition of an early state of immune imbalance. **2011**, 8 8
- 947 Evaluation of the effect of two gadolinium-containing contrast-enhancing agents, gadobutrol and gadoxetate disodium, on colorimetric calcium determinations in serum and plasma. **2011**, 46, 366-9 8
- 946 Use of neuroimaging techniques to detect cerebral hypoxia in healthy aircrew. **2011**, 82, 741-2 12
- 945 Molecular Imaging Probe Development using Microfluidics. **2011**, 8, 473-487 12
- 944 Medicinal Inorganic Chemistry: Metal-containing Diagnostic Compounds. **2011**, 8 12
- 943 Medicinal Inorganic Chemistry: Metal-containing Diagnostic Compounds. **2011**, 8 12

942	Scandium, Yttrium and the Lanthanides: Applications. 2011,	
941	Magnetic Nanomaterials for In Vivo and In Vitro Cancer Diagnostics. 2011,	
940	Preparation, purification, and characterization of lanthanide complexes for use as contrast agents for magnetic resonance imaging. 2011,	3
939	Effective encapsulation of a new cationic gadolinium chelate into apoferritin and its evaluation as an MRI contrast agent. 2011, 7, 638-46	31
938	Dendrimer-based MRI contrast agents: the effects of PEGylation on relaxivity and pharmacokinetics. 2011, 7, 1001-8	104
937	Eu(III) and Tb(III) luminescent lanthanide systems derived from DTPA-bisamide and DTTA-based ligands incorporating bipyridine antenna. 2011, 131, 2735-2745	9
936	Cardiovascular magnetic resonance: physics and terminology. 2011, 54, 181-90	7
935	Benchtop-MRI for in vivo imaging using a macromolecular contrast agent based on hydroxyethyl starch (HES). 2011, 417, 196-203	10
934	¹ H and ¹⁰ B NMR and MRI investigation of boron- and gadolinium-boron compounds in boron neutron capture therapy. 2011, 69, 1702-5	4
933	Lanthanide(III) nitrate complexes with a tetramethyl 4-(methyl)benzoate pendant-armed hexaazamacrocyclic ligand. 2011, 378, 127-133	5
932	Gadolinium-labeled peptide dendrimers with controlled structures as potential magnetic resonance imaging contrast agents. 2011, 32, 7951-60	90
931	Lanthanide-DTPA grafted silica nanoparticles as bimodal-imaging contrast agents. 2012, 33, 925-35	43
930	NIR-emissive erbium quinolinolate complexes. 2011, 255, 2514-2529	96
929	Metal ion complexes of cyclam-cored dendrimers for molecular photonics. 2011, 255, 2458-2468	31
928	Impact of agglomeration on the relaxometric properties of paramagnetic ultra-small gadolinium oxide nanoparticles. 2011, 22, 295103	58
927	Novel lanthanide-based polymeric chains and corresponding ultrafast dynamics in solution. 2011, 50, 11990-2000	45
926	Synthesis and physicochemical characterization of new squalenoyl amphiphilic gadolinium complexes as nanoparticle contrast agents. 2011, 9, 4367-86	19
925	Facile synthesis of ultrasmall PEGylated iron oxide nanoparticles for dual-contrast T1- and T2-weighted magnetic resonance imaging. 2011, 22, 245604	118

924	Unusual metal ion selectivities of the highly preorganized tetradentrate ligand 1,10-phenanthroline-2,9-dicarboxamide: a thermodynamic and fluorescence study. 2011 , 50, 8348-55	35
923	Differentiating treatment-induced necrosis from recurrent/progressive brain tumor using nonmodel-based semiquantitative indices derived from dynamic contrast-enhanced T1-weighted MR perfusion. 2011 , 13, 1037-46	92
922	Nanoscale metal-organic frameworks for biomedical imaging and drug delivery. 2011 , 44, 957-68	1666
921	Recent hot topics in contrast media. 2011 , 21, 492-5	14
920	Efficient sorption of light rare-earth elements using resorcinol-formaldehyde polymeric resin. 2011 , 53, 396-400	18
919	Multifunctional alginate microspheres for biosensing, drug delivery and magnetic resonance imaging. 2011 , 7, 3955-63	59
918	Layer-by-layer capsules for magnetic resonance imaging and drug delivery. 2011 , 63, 772-88	147
917	Hybrid magnetic nanostructures (MNS) for magnetic resonance imaging applications. 2011 , 63, 1282-99	60
916	Synthesis, crystal structure and spectroscopic studies of copper(II) complex of C-meso-1,5,8,12-tetramethyl-1,4,8,11-tetraazacyclotetradecane. 2011 , 70, 241-247	3
915	Synthesis of lanthanide(III) complexes appended with a diphenylphosphinamide and their interaction with human serum albumin. 2011 , 71, 435-444	12
914	Metal complexes with N-alkenylimidazoles: synthesis, structures, and biological activity. 2011 , 60, 601-614	6
913	Superparamagnetic nickel nanoparticles obtained by an organometallic approach. 2011 , 13, 365-374	29
912	Protein-based MRI contrast agents for molecular imaging of prostate cancer. 2011 , 13, 416-423	19
911	Folate-targeted optical and magnetic resonance dualmodality PCL-b-PEG micelles for tumor imaging. 2011 , 29, 427-430	23
910	Activatable T ₁ and T ₂ magnetic resonance imaging contrast agents. 2011 , 39, 1335-48	62
909	Size-induced effect upon the Néel temperature of the antiferro/paramagnetic transition in gadolinium oxide nanoparticles. 2011 , 105, 215-219	15
908	Labeling of fibronectin by fluorescent and paramagnetic nanoprobe for exploring the extracellular matrix: bioconjugate synthesis optimization and biochemical characterization. 2011 , 399, 1653-63	9
907	Porphyrim-containing polyaspartamide gadolinium complexes as potential magnetic resonance imaging contrast agents. 2011 , 407, 119-25	26

906	Fluorescence-enhanced gadolinium-doped zinc oxide quantum dots for magnetic resonance and fluorescence imaging. 2011 , 32, 1185-92	169
905	A small MRI contrast agent library of gadolinium(III)-encapsulated supramolecular nanoparticles for improved relaxivity and sensitivity. 2011 , 32, 2160-5	81
904	Multifunctional gadolinium-based dendritic macromolecules as liver targeting imaging probes. 2011 , 32, 2575-85	62
903	Supramolecular protamine/Gd-loaded liposomes adducts as relaxometric protease responsive probes. 2011 , 19, 1131-5	14
902	Luminescent nanodiamonds for biomedical applications. 2011 , 3, 171-184	61
901	Highly effective T2 MR contrast agent based on heparinized superparamagnetic iron oxide nanoparticles. 2011 , 19, 843-847	23
900	Simple diffusion delivery via brain interstitial route for the treatment of cerebral ischemia. 2011 , 54, 235-9	17
899	CMR assessment of endothelial damage and angiogenesis in porcine coronary arteries using gadofosveset. 2011 , 13, 10	39
898	Nanoparticles containing octreotide peptides and gadolinium complexes for MRI applications. 2011 , 17, 154-62	22
897	Convenient grafting through approach for the preparation of stealth polymeric blood pool magnetic resonance imaging contrast agents. 2011 , 49, 3700-3708	9
896	Probing a bifunctional luminomagnetic nanophosphor for biological applications: a photoluminescence and time-resolved spectroscopic study. 2011 , 7, 1767-73	47
895	Multifunctional mesoporous silica nanospheres with cleavable Gd(III) chelates as MRI contrast agents: synthesis, characterization, target-specificity, and renal clearance. 2011 , 7, 3519-28	91
894	Polymer-based therapeutics: nanoassemblies and nanoparticles for management of atherosclerosis. 2011 , 3, 400-20	49
893	Research Progress of Magnetic Resonance Imaging Contrast Agents. 2011 , 39, 757-764	9
892	PEG coating reduces NMR relaxivity of Mn(0.5)Zn(0.5)Gd(0.02)Fe(1.98)O ₄ hyperthermia nanoparticles. 2011 , 34, 1192-8	17
891	Immobilized contrast-enhanced MRI: Gadolinium-based long-term MR contrast enhancement of the vein graft vessel wall. 2011 , 65, 176-83	1
890	Development of nanoparticle-based magnetic resonance colonography. 2011 , 65, 673-9	7
889	Positive and Negative Lattice Shielding Effects Co-existing in Gd (III) Ion Doped Bifunctional Upconversion Nanoprobes. 2011 , 21, 4285-4294	187

888	Enhanced Relaxometric Properties of MRI Positive Contrast Agents Confined in Three-Dimensional Cubic Mesoporous Silica Nanoparticles. 2011 , 21, 4653-4662	71
887	MRI Contrast Agents Based on Inorganic Nanoparticles. 2011 , 279-308	2
886	Nanoparticles Containing Rare Earth Ions: A Tunable Tool for MRI. 2011 , 333-374	1
885	Imaging apolipoprotein AI in vivo. 2011 , 24, 916-24	11
884	Relaxometric Study of a Series of Monoaqua GdIII Complexes of Rigidified EGTA-Like Chelators and Their Noncovalent Interaction with Human Serum Albumin. 2011 , 2011, 802-810	22
883	A Modular Approach towards the Synthesis of Target-Specific MRI Contrast Agents. 2011 , 2011, 3577-3585	16
882	Convenient Synthesis and Evaluation of Heptadentate Bifunctional Ligand for Radioimmunotherapy Applications. 2011 , 2011, 6641-6648	7
881	Experimental and PM6/SPARKLE Semiempirical Study of Interaction between 4-Methoxyphenylcyanamide and Gadolinium(III) as a Fast Polymeric Membrane Sensor. 2011 , 23, 1029-1037	2
880	Development of intravascular contrast agents for MRI using gadolinium chelates. 2011 , 6, 781-7	9
879	The Gd ³⁺ complex of 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic acid mono(p-isothiocyanatoanilide) conjugated to inulin: a potential stable macromolecular contrast agent for MRI. 2011 , 6, 482-91	12
878	Gadolinium-conjugated folate-poly(ethylene glycol)-polyamidoamine dendrimer-carboxyl nanoparticles as potential tumor-targeted, circulation-prolonged macromolecular magnetic resonance imaging contrast agents. II. 2011 , 121, 3175-3184	5
877	Controlled Self-Assembling of Gadolinium Nanoparticles as Smart Molecular Magnetic Resonance Imaging Contrast Agents. 2011 , 123, 6407-6410	25
876	X-ray Photolysis To Release Ligands from Caged Reagents by an Intramolecular Antenna Sensitive to Magnetic Resonance Imaging. 2011 , 123, 9882-9885	6
875	Controlled self-assembling of gadolinium nanoparticles as smart molecular magnetic resonance imaging contrast agents. 2011 , 50, 6283-6	121
874	X-ray photolysis to release ligands from caged reagents by an intramolecular antenna sensitive to magnetic resonance imaging. 2011 , 50, 9708-11	19
873	Sol and gel states in peptide hydrogels visualized by Gd(III)-enhanced magnetic resonance imaging. 2011 , 96, 734-43	10
872	Luminescent properties of europium complexes with bis(diphenylphosphino)alkane dioxides. 2011 , 26, 650-5	13
871	A pyrophosphate-responsive gadolinium(III) MRI contrast agent. 2011 , 17, 223-30	30

870	Critical in vitro evaluation of responsive MRI contrast agents for calcium and zinc. 2011 , 17, 1529-37	42
869	Controlled supramolecular oligomerization of C3-symmetrical molecules in water: the impact of hydrophobic shielding. 2011 , 17, 5193-203	48
868	Synthesis, characterization, and DNA-binding and -photocleavage properties of water-soluble lanthanide porphyrinate complexes. 2011 , 17, 7041-52	24
867	Thermodynamics, structure and properties of polynuclear lanthanide complexes with a tripodal ligand: insight into their self-assembly. 2011 , 17, 6753-64	30
866	Enantiopure trinuclear lanthanide(III) complexes: Cooperative formation of Ln ₃ (β-OH) ₂ core within the macrocycle. 2011 , 14, 92-95	23
865	Design and synthesis of chelating diamide sorbents for the separation of lanthanides. 2011 , 14, 971-974	30
864	In vivo MR/optical imaging for gastrin releasing peptide receptor of prostate cancer tumor using Gd-TTDA-NP-BN-Cy5.5. 2011 , 19, 1085-96	14
863	Gd-modified MnOx for the selective catalytic reduction of NO by NH ₃ : The promoting effect of Gd on the catalytic performance and sulfur resistance. 2018 , 348, 820-830	103
862	Fe ³⁺ @polyDOPA-b-polysarcosine, a T1-Weighted MRI Contrast Agent via Controlled NTA Polymerization. 2018 , 7, 693-698	34
861	Composed in the f-block: solution structure and function of kinetically inert lanthanide(III) complexes. 2018 , 47, 10360-10376	37
860	Silica Materials for Biomedical Applications in Drug Delivery, Bone Treatment or Regeneration, and MRI Contrast Agent. 2018 , 8, 223-241	2
859	Supramolecular assemblies based on amphiphilic Mn-complexes as high relaxivity MRI probes. 2018 , 47, 10660-10670	9
858	Lanthanides: Schiff base complexes, applications in cancer diagnosis, therapy, and antibacterial activity. 2018 , 370, 42-54	129
857	Distribution of Gd(III) ions at the graphene oxide/water interface. 2018 , 527, 222-229	5
856	Expanding the Family of Pyclen-Based Ligands Bearing Pendant Picolinate Arms for Lanthanide Complexation. 2018 , 57, 6932-6945	25
855	Graphene-Based Nanomaterials. 2018 , 79-103	
854	Nanosensors for the Chemical Imaging of Acetylcholine Using Magnetic Resonance Imaging. 2018 , 12, 5761-5773	21
853	Potential detection of cancer with fluorinated silicon nanoparticles in F MR and fluorescence imaging. 2018 , 6, 4293-4300	8

852	Fullerenes for Cancer Therapy and Bioimaging. 2018 , 387-415	1
851	Biomedical Applications of Magnetic Nanomaterials. 2018 , 345-389	7
850	Metal–ligand interactions in drug design. 2018 , 2, 100-112	84
849	Nanoscale Metal-Organic Frameworks for Therapeutic, Imaging, and Sensing Applications. 2018 , 30, e1707634	353
848	Ultrasound-Triggered Delivery of Anticancer Therapeutics from MRI-Visible Multilayer Microcapsules. 2018 , 1, 1800051	19
847	Graphene and Graphene-Based Materials in Biomedical Science. 2018 , 35, 1800105	14
846	Thermal Behavior of ¹⁹ F Nuclear Magnetic Resonance Signal of F-Containing Compound in Lipid Nano-Emulsion for Potential Tumor Diagnosis. 2018 , 19, 2679-2686	3
845	Graphene-Based Nanomaterials in Bioimaging. 2018 , 247-287	14
844	Applications of Nuclear Magnetic Resonance. 2018 , 111-168	1
843	Insights into 2D MXenes for Versatile Biomedical Applications: Current Advances and Challenges Ahead. 2018 , 5, 1800518	245
842	Iron-based magnetic nanoparticles for magnetic resonance imaging. 2018 , 29, 2678-2685	25
841	Coordination-Responsive Longitudinal Relaxation Tuning as a Versatile MRI Sensing Protocol for Malignancy Targets. 2018 , 5, 1800021	26
840	A Self-Assembled Biocompatible Nanoplatfom for Multimodal MR/Fluorescence Imaging Assisted Photothermal Therapy and Prognosis Analysis. 2018 , 14, e1801612	32
839	Reduced Magnetic Coupling in Ultrasmall Iron Oxide T MRI Contrast Agents.. 2018 , 1, 783-791	8
838	Hydroxypyridinone Journey into Metal Chelation. <i>Chemical Reviews</i> , 2018 , 118, 7657-7701	68.1 33
837	Optimizing the Relaxivity of MRI Probes at High Magnetic Field Strengths With Binuclear Gd Complexes. 2018 , 6, 158	11
836	Synthesis, Stability and Relaxivity of TEEPO-Met: An Organic Radical as a Potential Tumour Targeting Contrast Agent for Magnetic Resonance Imaging. 2018 , 23,	10
835	Enhanced Performance of Polymeric ¹⁹ F MRI Contrast Agents through Incorporation of Highly Water-Soluble Monomer MSEA. 2018 , 51, 5875-5882	32

834	An O NMR study of diamagnetic and paramagnetic lanthanide-tris(oxydiacetate) complexes in aqueous solution. 2018 , 56, 1168-1175	2
833	Synthesis of a gadolinium based-macrocyclic MRI contrast agent for effective cancer diagnosis. 2018 , 22, 17	5
832	Synthesis and Unprecedented Complexation Properties of β -Cyclodextrin-Based Ligand for Lanthanide Ions. 2018 , 57, 8964-8977	7
831	A Bishydrated, Eight-Coordinate Gd(III) Complex with Very Fast Water Exchange: Synthesis, Characterization, and Phantom MR Imaging. 2018 , 3, 7668-7673	5
830	Fe-T Sensor Based on Coordination Chemistry for Sensitive and Versatile Bioanalysis. 2018 , 90, 9148-9155	11
829	Geometrical Confinement of Gadolinium Oxide Nanoparticles in Poly(ethylene glycol)/Arginylglycylaspartic Acid-Modified Mesoporous Carbon Nanospheres as an Enhanced T Magnetic Resonance Imaging Contrast Agent. 2018 , 10, 26099-26107	17
828	Surface Design of Eu-Doped Iron Oxide Nanoparticles for Tuning the Magnetic Relaxivity. 2018 , 10, 25080-25089	23
827	Interplay of Through-Bond Hyperfine and Substituent Effects on the NMR Chemical Shifts in Ru(III) Complexes. 2018 , 57, 8748-8759	9
826	Boron Compounds in Molecular Imaging. 2018 , 205-231	1
825	MRI Contrast Agents Based on Conjugated Polyelectrolytes and Dendritic Polymers. 2018 , 39, e1800258	8
824	Core-Shell Structurized FeO@C@MnO Nanoparticles as pH Responsive T-T* Dual-Modal Contrast Agents for Tumor Diagnosis. 2018 , 4, 3047-3054	15
823	Metal-based for Future Radiotherapy: Radiosensitizing and Synergistic Effects on Tumor Cells. 2018 , 8, 1824-1849	153
822	Fluorinated Paramagnetic Complexes: Sensitive and Responsive Probes for Magnetic Resonance Spectroscopy and Imaging. 2018 , 6, 160	46
821	Advances for Treatment of Knee OC Defects. 2018 , 1059, 3-24	2
820	Validation of Inner, Second, and Outer Sphere Contributions to T1 and T2 Relaxation in Gd ³⁺ -Based Nanoparticles Using Eu ³⁺ Lifetime Decay as a Probe. 2018 , 122, 11557-11569	15
819	pH-responsive theranostic nanocomposites as synergistically enhancing positive and negative magnetic resonance imaging contrast agents. 2018 , 16, 30	19
818	Bi quadrupole relaxation enhancement in solids as a step towards new contrast mechanisms in magnetic resonance imaging. 2018 , 20, 12710-12718	23
817	Amphiphilic complexes of Ho(III), Dy(III), Tb(III) and Eu(III) for optical and high field magnetic resonance imaging. 2018 , 47, 10646-10653	6

816	Cerium oxide nanoparticles with antioxidant capabilities and gadolinium integration for MRI contrast enhancement. 2018 , 8, 6999	73
815	New insights into water-soluble and water-coordinated copper 15-metallacrown-5 gadolinium complexes designed for high-field magnetic resonance imaging applications. 2018 , 32, e4389	7
814	Investigating subtle 4f vs. 5f coordination differences using kinetically inert Eu(iii), Tb(iii), and Cm(iii) complexes of a coumarin-appended 1,4,7,10-tetraazacyclododecane-1,4,7-triacetate (DO3A) ligand. 2018 , 47, 7362-7369	6
813	A New High-Performance Gadonanotube-Polymer Hybrid Material for Stem Cell Labeling and Tracking by MRI. 2018 , 2018, 2853736	7
812	Tumor-triggered transformation of chimeric peptide for dual-stage-amplified magnetic resonance imaging and precise photodynamic therapy. 2018 , 182, 269-278	30
811	Recent advances in gadolinium-based MRI metal responsive agent. 2018 , 61, 1329-1333	7
810	Electronic Effects of Ligand Substitution in a Family of Co PARACEST pH Probes. 2018 , 57, 11252-11263	8
809	Bimetallic Zeolitic Imidazolate Framework as an Intrinsic Two-Photon Fluorescence and pH-Responsive MR Imaging Agent. 2018 , 3, 9790-9797	17
808	One-step preparation of nano-in-micro poly(vinyl alcohol) embolic microspheres and used for dual-modal T/T-weighted magnetic resonance imaging. 2018 , 14, 2551-2561	14
807	Optical Nanoparticles for Cardiovascular Imaging. 2018 , 6, 1800626	16
806	Synthesis and Characterization of Rare-Earth Orthoferrite LnFeO ₃ Nanoparticles for Bioimaging. 2018 , 2018, 3570-3578	10
805	Dendrimer-based magnetic resonance imaging agents for brain cancer. 2018 , 61, 1420-1443	6
804	Glypican-1-antibody-conjugated Gd-Au nanoclusters for FI/MRI dual-modal targeted detection of pancreatic cancer. 2018 , 13, 2585-2599	14
803	Exploring the intramolecular catalysis of the proton exchange process to modulate the relaxivity of Gd(iii)-complexes of HP-DO3A-like ligands. 2018 , 54, 10056-10059	12
802	A Novel Histochemical Staining Approach for Rare-Earth-Based Nanoprobes. 2018 , 1, 1800005	7
801	Insulin Hexamer-Caged Gadolinium Ion as MRI Contrast-o-phore. 2018 , 24, 10646-10652	1
800	Black TiO ₂ -based nanoprobes for T-weighted MRI-guided photothermal therapy in CD133 high expressed pancreatic cancer stem-like cells. 2018 , 6, 2209-2218	22
799	Functionalized graphene. 2018 , 545-584	3

798	Structure and properties of DOTA-chelated radiopharmaceuticals within the Ac decay pathway. 2018 , 9, 1155-1163	6
797	Modulation of the Prototropic Exchange Rate in pH-Responsive Yb-HPDO3A Derivatives as ParaCEST Agents. 2018 , 3, 6035-6041	9
796	Lanthanide-induced relaxation anisotropy. 2018 , 20, 17676-17686	29
795	Nuclear Magnetic Resonance Studies of Amphipol-Trapped Membrane Proteins. 2018 , 453-496	
794	Anchoring Ligand-Effect on Bright Contrast-Enhancing Property of Hollow Mn ₃ O ₄ Nanoparticle in T1-Weighted Magnetic Resonance Imaging. 2018 , 30, 4056-4064	8
793	Paramagnetic NMR in solution and the solid state. 2019 , 111, 1-271	177
792	Imaging vascular and hemodynamic features of the brain using dynamic susceptibility contrast and dynamic contrast enhanced MRI. 2019 , 187, 32-55	24
791	Bladder Cancer Photodynamic Therapeutic Agent with Off-On Magnetic Resonance Imaging Enhancement. 2019 , 2, 1900068	13
790	Estimation of the magnitude of quadrupole relaxation enhancement in the context of magnetic resonance imaging contrast. 2019 , 150, 184306	11
789	d-Glucuronic Acid-Coated Ultrasmall Paramagnetic Ln ₂ O ₃ (Ln = Tb, Dy, and Ho) Nanoparticles: Magnetic Properties, Water Proton Relaxivities, and Fluorescence Properties. 2019 , 2019, 3832-3839	11
788	Accurate identification of myocardial viability after myocardial infarction with novel manganese chelate-based MR imaging. 2019 , 32, e4158	3
787	Magnetic Nanoparticles as MRI Contrast Agents. 2019 ,	6
786	Fast and Quantitative NMR Metabolite Analysis Afforded by a Paramagnetic Co-Solute. 2019 , 58, 15283-15286	11
785	Characterization and Relaxation Properties of a Series of Monodispersed Magnetic Nanoparticles. 2019 , 19,	4
784	Ln-MOFs using a compartmental ligand with a unique combination of hard/soft terminals and their magnetic, gas adsorption and luminescence properties. 2019 , 21, 5665-5672	9
783	Iridium(III) and gadolinium(III) loaded and peptide-modified silica nanoparticles for photoluminescence and magnetic resonance (dual) imaging. 2019 , 104, 109972	6
782	An overly anionic metal coordination environment eliminates the T-weighted response of quinol-containing MRI contrast agent sensors to H ₂ O ₂ . 2019 , 496, 119045	5
781	A nanoparticle enabled focused ultrasound-stimulated magnetic resonance imaging spotlight. 2019 , 55, 10261-10264	3

780	The Transition from Metal-Based to Metal-Free Contrast Agents for Magnetic Resonance Imaging Enhancement. 2019 , 30, 2264-2286	28
779	A light-responsive liposomal agent for MRI contrast enhancement and monitoring of cargo delivery. 2019 , 55, 10784-10787	11
778	Is Subcutaneous Route an Alternative to Intravenous Route for Mouse Contrast-Enhanced Magnetic Resonance Imaging at 1.5 T?. 2019 , 2019, 1-11	2
777	Relaxivity of Gd-Based MRI Contrast Agents in Crosslinked Hyaluronic Acid as a Model for Tissues. 2019 , 20, 2204-2209	12
776	Ultrasmall theranostic gadolinium-based nanoparticles improve high-grade rat glioma survival. 2019 , 67, 215-219	17
775	Advances in Applications of Metal Oxide Nanomaterials as Imaging Contrast Agents. 2019 , 216, 1801008	7
774	High-Field MRI Contrast Agents and their Synergy with Optical Imaging: the Evolution from Single Molecule Probes towards Nano-architectures. 2019 , 25, 13838-13847	7
773	Carbon Quantum Dots Codoped with Nitrogen and Lanthanides for Multimodal Imaging. 2019 , 29, 1903884	38
772	Nanocatalytic Medicine. 2019 , 31, e1901778	227
771	Combined Picosecond Time-Resolved UV-Vis and NMR Techniques Used for Investigation of the Excited State Intramolecular Triplet-Triplet Energy Transfer. 2019 , 123, 6978-6985	1
770	Novel poly(2-oxazoline) block copolymer with aromatic heterocyclic side chains as a drug delivery platform. 2019 , 307, 261-271	20
769	Hydroxyl-PEG-Phosphonic Acid-Stabilized Superparamagnetic Manganese Oxide-Doped Iron Oxide Nanoparticles with Synergistic Effects for Dual-Mode MR Imaging. 2019 , 35, 9474-9482	21
768	Trapping of Gd(III) Ions by Keplerate Polyanionic Nanocapsules in Water: A 1H Fast Field Cycling NMR Relaxometry Study. 2019 , 123, 18095-18102	2
767	Tailoring magnetic resonance imaging relaxivities in macroporous Prussian blue cubes. 2019 , 48, 11882-11888	3
766	Organic nanoparticles and gadolinium chelates: seeking hypersensitive probes for T1 magnetic resonance imaging. 2019 , 425-476	
765	Pharmacokinetics and biodistribution study of self-assembled Gd-micelles demonstrating blood-pool contrast enhancement for MRI. 2019 , 568, 118496	3
764	Coordination Behavior of 1,4-Disubstituted Cyclen Endowed with Phosphonate, Phosphonate Monoethylester, and H-Phosphinate Pendant Arms. 2019 , 24,	3
763	Functional Layered Double Hydroxide Nanohybrids for Biomedical Imaging. 2019 , 9,	16

762	Molecular Magnetic Resonance Imaging with Gd(III)-Based Contrast Agents: Challenges and Key Advances. 2019 , 141, 17025-17041	74
761	Experimental determination of line energies, line widths and relative transition probabilities of the Gadolinium L x-ray emission spectrum. 2019 , 56, 065007	2
760	Early detection and staging of chronic liver diseases with a protein MRI contrast agent. 2019 , 10, 4777	32
759	Gemcitabine Combination Nano Therapies for Pancreatic Cancer. 2019 , 11,	32
758	Macrophage-targeted and clearable glutathione-based MRI nanoprobes for atherosclerosis molecular imaging. 2019 , 21, 1	3
757	The Stability of the Complex and the Basicity of the Anion Impact the Selectivity and Affinity of Tripodal Gadolinium Complexes for Anions. 2019 , 58, 15189-15201	10
756	Recent Advances in Continuous-Flow Particle Manipulations Using Magnetic Fluids. 2019 , 10,	24
755	Gd(III)-Grafted Detonation Nanodiamonds for MRI Contrast Enhancement. 2019 , 123, 2627-2631	32
754	General Approach to Direct Measurement of the Hydration State of Coordination Complexes in the Gas Phase: Variable Temperature Mass Spectrometry. 2019 , 141, 14650-14660	8
753	Exceedingly Small Gadolinium Oxide Nanoparticles with Remarkable Relaxivities for Magnetic Resonance Imaging of Tumors. 2019 , 15, e1903422	22
752	Mesoporous MnSiO ₃ @Fe ₃ O ₄ @C nanoparticle as pH-responsive T ₁ -T ₂ * dual-modal magnetic resonance imaging contrast agent for tumor diagnosis. 2019 , 32, 391-398	
751	Understanding the High Longitudinal Relaxivity of Gd(DTPA)-Intercalated (Zn,Al)-Layered Double Hydroxide Nanoparticles. 2019 , 58, 12112-12121	3
750	Synthesis of Water-Soluble Chiral DOTA Lanthanide Complexes with Predominantly Twisted Square Antiprism Isomers and Circularly Polarized Luminescence. 2019 , 58, 12506-12510	13
749	Synthesis and Photochemical Studies on Gallium and Indium Complexes of DTPA-PEG-ArN for Radiolabeling Antibodies. 2019 , 58, 12302-12310	9
748	Metal-Based Complexes as Pharmaceuticals for Molecular Imaging of the Liver. 2019 , 12,	4
747	Fatal gadolinium-induced encephalopathy following accidental intrathecal administration: a case report and a comprehensive evidence-based review. 2019 ,	18
746	Future demands for high field MRI diagnostic. 2019 , 131, 1	1
745	Precision detection of liver metastasis by collagen-targeted protein MRI contrast agent. 2019 , 224, 119478	13

744	Norm-Conserving Pseudopotentials and Basis Sets To Explore Lanthanide Chemistry in Complex Environments. 2019 , 15, 5987-5997	22
743	Silver(I) complexes with long-chain diamines in non-aqueous solvents. 2019 , 138, 3257-3265	1
742	Fluorescent Radiosensitizing Gold Nanoparticles. 2019 , 20,	8
741	The biological fate of gadolinium-based MRI contrast agents: a call to action for bioinorganic chemists. 2019 , 11, 240-254	66
740	A new series of lanthanide complexes with the trans-disubstituted Py ₂ [18]aneN ₆ macrocyclic ligand: synthesis, structures and properties. 2019 , 160, 180-188	3
739	Atherosclerotic Plaque Imaging. 2019 , 229-248	
738	Synthesis, crystal structure and magnetic properties of an octanuclear cerium(III) complex of pyridine-2,6-dicarboxylate. 2019 , 74, 255-260	3
737	Gadolinium complexes of diethylenetriamine-N-oxide pentaacetic acid-bisamide: a new class of highly stable MRI contrast agents with a hydration number of 3. 2019 , 48, 1693-1699	16
736	Aggregation of [Ln] clusters by the dianion of 3-formylsalicylic acid. Synthesis, crystal structures, magnetic and luminescence properties. 2019 , 48, 1700-1708	12
735	Dramatic enhancement in pH sensitivity and signal intensity through ligand modification of a dicobalt PARACEST probe. 2019 , 55, 794-797	8
734	Crystal Structures of DOTMA Chelates from Ce to Yb : Evidence for a Continuum of Metal Ion Hydration States. 2019 , 25, 9997-10005	14
733	A Factor Two Improvement in High-Field Dynamic Nuclear Polarization from Gd(III) Complexes by Design. 2019 , 141, 8746-8751	17
732	Water exchange in lanthanide complexes for MRI applications. Lessons learned over the last 25 years. 2019 , 48, 11161-11180	23
731	A Responsive Magnetic Resonance Imaging Contrast Agent for Detection of Excess Copper(II) in the Liver. 2019 , 141, 11009-11018	17
730	Covalency and magnetic anisotropy in lanthanide single molecule magnets: the DyDOTA archetype. 2019 , 10, 7233-7245	35
729	Unravelling the Complexities of Pseudocontact Shift Analysis in Lanthanide Coordination Complexes of Differing Symmetry. 2019 , 58, 10290-10294	11
728	Peptide-functionalized NaGdF nanoparticles for tumor-targeted magnetic resonance imaging and effective therapy.. 2019 , 9, 17093-17100	9
727	Unravelling the Complexities of Pseudocontact Shift Analysis in Lanthanide Coordination Complexes of Differing Symmetry. 2019 , 131, 10396-10400	2

726	Fabrication of a dual T1 and T2 contrast agent for magnetic resonance imaging using cellulose nanocrystals/Fe ₃ O ₄ nanocomposite. 2019 , 118, 128-136	17
725	Synthesis and Crystallographic Characterization of the Tetravalent Actinide-DOTA Complexes [An([#] DOTA)(DMSO)] (An = Th, U). 2019 , 58, 8253-8256	11
724	Effect of Ligand Chirality and Hyperconjugation on the Thermodynamic Stability of a Tris(aquated) GdIII Complex: Synthesis, Characterization, and T1-Weighted Phantom MR Image Study. 2019 , 2019, 2518-2523 ²	
723	Preparation and Properties of Tumor-Targeting MRI Contrast Agent Based on Linear Polylysine Derivatives. 2019 , 24,	9
722	Recent NMR/MRI studies of biofilm structures and dynamics. 2019 , 97, 163-213	8
721	Periodic trends and hidden dynamics of magnetic properties in three series of triazacyclononane lanthanide complexes. 2019 , 48, 8400-8409	8
720	Clustering superparamagnetic iron oxide nanoparticles produces organ-targeted high-contrast magnetic resonance images. 2019 , 14, 1135-1152	18
719	Pluronic F127-Folate Coated Super Paramagnetic Iron Oxide Nanoparticles as Contrast Agent for Cancer Diagnosis in Magnetic Resonance Imaging. 2019 , 11,	22
718	Targeted Gold Nanoparticle/Oligonucleotide Contrast Agents in Combination with a New Local Voxel-Wise MRI Analysis Algorithm for In Vitro Imaging of Triple-Negative Breast Cancer. 2019 , 9,	10
717	Imaging-guided focused ultrasound-induced thermal and sonodynamic effects of nanosensitizers for synergistic enhancement of glioblastoma therapy. 2019 , 7, 3007-3015	18
716	Development of Functional Nanoparticles and Their Systems Capable of Accumulating to Tumors. 2019 , 113-130	
715	Improved magnetic relaxivity via hierarchical surface structure of dysprosium-engineered superparamagnetic iron oxide nanoparticles in ultra-high magnetic field. 2019 , 77, 408-415	5
714	Gadolinium as an Emerging Microcontaminant in Water Resources: Threats and Opportunities. 2019 , 9, 93	40
713	Ion Association in Lanthanide Chloride Solutions. 2019 , 25, 8725-8740	2
712	Electronic Effects of the Substituents on Relaxometric and CEST Behaviour of Ln(III)-DOTA-Tetraanilides. 2019 , 7, 43	1
711	A Gadolinium(III) Zeolite-like Metal-Organic-Framework-Based Magnetic Resonance Thermometer. 2019 , 5, 1609-1618	21
710	Low temperature thermoluminescence of Gd ₂ O ₃ nanoparticles using various heating rate and T _{max} vs T _{exc} methods. 2019 , 12, 1809-1813	5
709	Seven coordinate Co(II) and six coordinate Ni(II) complexes of an aromatic macrocyclic triamide ligand as paraCEST agents for MRI. 2019 , 48, 8899-8910	9

708	Lanthanide-Based Magnetic Resonance Imaging Metal-Responsive Agent Overview. 2019 , 469-480	1
707	Graphene nanomaterials: chemistry and pharmaceutical perspectives. 2019 , 373-402	10
706	Synthesis, Thermal, Structural Analyses, and Photoluminescent Properties of a New Family of Malonate-Containing Lanthanide(III) Coordination Polymers. 2019 , 7, 260	7
705	One-pot Synthesis of PEGylated Gd-based Nanoparticles as High-performance and Biocompatibility Contrast Agents for T1-Weighted Magnetic Resonance Imaging In vivo. 2019 , 35, 537-541	3
704	Substrate-induced luminescence response of terbium-containing polymeric vesicles doped with the tetra- and bis-1,3-diketone derivatives of calix[4]arenes bearing nonyl substituents at the lower rims. 2019 , 68, 394-399	2
703	The effect of cationic groups on the stability of ¹⁹ F MRI contrast agents in nanoparticles. 2019 , 57, 1994-2001	6
702	Emerging chemical tools and techniques for tracking biological manganese. 2019 , 48, 7047-7061	10
701	Degradation of Glycocalyx and Multiple Manifestations of Endothelial Dysfunction Coincide in the Early Phase of Endothelial Dysfunction Before Atherosclerotic Plaque Development in Apolipoprotein E/Low-Density Lipoprotein Receptor-Deficient Mice. 2019 , 8, e011171	44
700	Bifunctional Pyrrolidin-2-one Terminated Manganese Oxide Nanoparticles for Combined Magnetic Resonance and Fluorescence Imaging. 2019 , 11, 13069-13078	8
699	Bimodal Fluorescence-Magnetic Resonance Contrast Agent for Apoptosis Imaging. 2019 , 141, 6224-6233	64
698	Fluorescent Gadolinium(III)-Oligopeptide Complexes and Carbon Nanotube Composite as Dual Modality Anticancer Agents. 2019 , 4, 228-235	4
697	A magnetofluorescent boron-doped carbon dots as a metal-free bimodal probe. 2019 , 200, 9-14	7
696	Recent advances of stimuli-responsive systems based on transition metal dichalcogenides for smart cancer therapy. 2019 , 7, 2588-2607	21
695	High-Relaxivity Gd(III)-Hemicryptophane Complex. 2019 , 21, 1999-2003	10
694	An experimental study about the application of Gadolinium oxide nanoparticles in magnetic theranostics. 2019 , 6, 065025	7
693	Lanthanides compete with calcium for binding to cadherins and inhibit cadherin-mediated cell adhesion. 2019 , 11, 914-924	14
692	Molecular Magnetic Resonance Imaging Using a Redox-Active Iron Complex. 2019 , 141, 5916-5925	59
691	In Vitro Safety Evaluation and In Vivo Imaging Studies of Superparamagnetic Iron Oxide Nanoparticles through Biomimetic Modification. 2019 , 2019, 1-9	4

690	Radiofrequency-Sensitive Longitudinal Relaxation Tuning Strategy Enabling the Visualization of Radiofrequency Ablation Intensified by Magnetic Composite. 2019 , 11, 11251-11261	19
689	Composite of Gadolinium-Labeled Dendrimer Nanocluster And Graphene Oxide Nanosheet for Highly Efficient Liver -Weighted Imaging Probe. 2019 , 5, 1978-1986	4
688	¹ H NMR Relaxometric Analysis of Paramagnetic Gd ₂ O ₃ :Yb Nanoparticles Functionalized with Citrate Groups. 2019 , 7, 34	2
687	Magnetic Dehydrodipeptide-Based Self-Assembled Hydrogels for Theragnostic Applications. 2019 , 9,	25
686	Paramagnetic Clusters of Mn(OCCH)(Bpy) in Polyacrylamide Nanobeads as a New Design Approach to a T- T Multimodal Magnetic Resonance Imaging Contrast Agent. 2019 , 11, 18153-18164	4
685	Ligand design strategies to increase stability of gadolinium-based magnetic resonance imaging contrast agents. 2019 , 10, 1420	123
684	A pH-Sensitive Zwitterionic Iron Complex Probe with High Biocompatibility for Tumor-Specific Magnetic Resonance Imaging. 2019 , 25, 8353-8362	14
683	PMAO coated Na(GdLu)F:Nd nanocrystals as multifunctional contrast agent with NIR optical, X-ray and magnetic imaging properties. 2019 , 101, 283-291	1
682	Selective Binding and Quantitation of Calcium with a Cobalt-Based Magnetic Resonance Probe. 2019 , 141, 7163-7172	9
681	Cumulative administrations of gadolinium-based contrast agents: risks of accumulation and toxicity of linear vs macrocyclic agents. 2019 , 49, 262-279	20
680	Metal-based redox-responsive MRI contrast agents. 2019 , 390, 1-31	31
679	Radiomics for peripheral zone and intra-prostatic urethra segmentation in MR imaging. 2019 , 51, 19-29	10
678	Structural and thermodynamic aspects of hydration of Gd(III) systems. 2019 , 48, 3380-3391	14
677	Recent advances in delivery of photosensitive metal-based drugs. 2019 , 387, 154-179	104
676	Structure-Relaxivity Relationships of Magnetic Nanoparticles for Magnetic Resonance Imaging. 2019 , 31, e1804567	166
675	EWight Magnetic Resonance Imaging Performances of Iron Oxide Nanoparticles Modified with a Natural Protein Macromolecule and an Artificial Macromolecule. 2019 , 9,	15
674	Designing Calcium-Binding Proteins for Molecular MR Imaging. 2019 , 1929, 111-125	
673	Zn Complexes for Bioimaging and Correlated Applications. 2019 , 14, 509-526	6

672	Electronic Energy Levels of Dysprosium(III) ions in Solution. Assigning the Emitting State and the Intraconfigurational 4f-4f Transitions in the Vis-NIR Region and Photophysical Characterization of Dy(III) in Water, Methanol, and Dimethyl Sulfoxide. 2019 , 123, 2734-2744	23
671	Gadolinium (III) oxide nanoparticles coated with folic acid-functionalized poly(β -cyclodextrin-co-pentetic acid) as a biocompatible targeted nano-contrast agent for cancer diagnostic: in vitro and in vivo studies. 2019 , 32, 487-500	28
670	Design and synthesis of a dual imageable theranostic platinum prodrug for efficient cancer therapy. 2019 , 10, 3066-3078	6
669	Doped-Iron Oxide Nanocrystals Synthesized by One-Step Aqueous Route for Multi-Imaging Purposes. 2019 , 123, 7356-7365	6
668	Bi-DTPA as a high-performance CT contrast agent for in vivo imaging. 2019 , 203, 1-11	21
667	Coordination chemistry of f-block metal ions with ligands bearing bio-relevant functional groups. 2019 , 386, 267-309	21
666	Hydrophilic Quantum Dots Functionalized with Gd(III)-DO3A Monoamide Chelates as Bright and Effective T-weighted Bimodal Nanoprobes. 2019 , 9, 2341	10
665	The role of ligand to metal charge-transfer states on the luminescence of Europium complexes with 18-membered macrocyclic ligands. 2019 , 48, 4035-4045	20
664	Imaging tumor acidosis: a survey of the available techniques for mapping in vivo tumor pH. 2019 , 38, 25-49	60
663	Ethanol effects on Ga-radiolabelling efficacy and radiolysis in automated synthesis utilizing NaCl post-processing. 2019 , 4, 26	7
662	Water soluble gold nanoparticles based high relaxivity MRI contrast agents. 2019 , 6, 1250h1	1
661	Assessment of the Relaxation-Enhancing Properties of a Nitroxide-Based Contrast Agent TEEPO-Glc with Magnetic Resonance Imaging. 2019 , 2019, 5629597	0
660	Physicochemical and Pharmacokinetic Profiles of Gadopiclenol: A New Macrocyclic Gadolinium Chelate With High T1 Relaxivity. 2019 , 54, 475-484	19
659	Effects of Substituents on the Properties of Metal-Free MRI Contrast Agents. 2019 , 4, 20715-20723	5
658	Dynamic, Simultaneous Concentration Mapping of Multiple MRI Contrast Agents with Dual Contrast - Magnetic Resonance Fingerprinting. 2019 , 9, 19888	3
657	Tracking Metal Ions in Biology Using X-Ray Methods. 2019 , 1-17	1
656	Shape-controlled MnO nanoparticles as T1 MRI contrast agents. 2019 , 9, 125031	2
655	Copper complexes for the promotion of iminopyridine ligands derived from β -alanine and self-aldol additions: relaxivity and cytotoxic properties. 2019 , 48, 17544-17555	2

- 654 Activatable Core-Shell Metallofullerene: An Efficient Nanoplatfom for Bimodal Sensing of Glutathione. **2019**, 11, 46637-46644 15
- 653 Gd- and Eu-Loaded Iron Oxide@Silica Core-Shell Nanocomposites as Trimodal Contrast Agents for Magnetic Resonance Imaging and Optical Imaging. **2019**, 58, 16618-16628 9
- 652 Gadolinium-Based MRI Contrast Agents Induce Mitochondrial Toxicity and Cell Death in Human Neurons, and Toxicity Increases With Reduced Kinetic Stability of the Agent. **2019**, 54, 453-463 34
- 651 Fast and Quantitative NMR Metabolite Analysis Afforded by a Paramagnetic Co-Solute. **2019**, 131, 15427-15436
- 650 Intermolecular interactions play a role in the distribution and transport of charged contrast agents in a cartilage model. **2019**, 14, e0215047
- 649 Magnetic Nanoparticles Supporting Bio-responsive / Magnetic Resonance Imaging. **2019**, 12, 10
- 648 Highly water-dispersible calcium lignosulfonate-capped MnO nanoparticles as a MRI contrast agent with exceptional colloidal stability, low toxicity and remarkable relaxivity.. **2019**, 9, 40498-40506 2
- 647 Characterisation of magnetic resonance imaging (MRI) contrast agents using NMR relaxometry. **2019**, 117, 898-909 34
- 646 . **2019**, 29, 1-4 2
- 645 Development of an Aptamer-Conjugated Polyrotaxane-Based Biodegradable Magnetic Resonance Contrast Agent for Tumor-Targeted Imaging.. **2019**, 2, 406-416 7
- 644 Catalyst-Substrate Effects on Biocompatible SABRE Hyperpolarization. **2019**, 20, 285-294 5
- 643 Stearic Acid-Grafted Chitooligosaccharide Nanomicelle System with Biocleavable Gadolinium Chelates as a Multifunctional Agent for Tumor Imaging and Drug Delivery. **2018**, 36, 10 9
- 642 Introduction and Types of Hybrid Nanostructures for Medical Applications. **2019**, 1-16 2
- 641 Nanotheranostics for Cancer Applications. **2019**, 2 2
- 640 Influence of a Pre-organized N-Donor Group on the Coordination of Trivalent Actinides and Lanthanides by an Aminopolycarboxylate Complexant. **2019**, 25, 2545-2555 6
- 639 Modifying LnHPDO3A Chelates for Improved T and CEST MRI Applications. **2019**, 25, 4184-4193 6
- 638 Employing paramagnetic shift for responsive MRI probes. **2019**, 383, 30-42 31
- 637 Quadrupole relaxation enhancement and polarisation transfer in DMSO solution of [Bi(NO₃)₃(H₂O)₃]*18-crown-6 in solid state. **2019**, 117, 944-951 1

- 636 ¹H spin lattice relaxation in water solution of ²⁰⁹Bi counterparts of Gd³⁺-contrast agents. **2019**, 117, 927-934 3
- 635 Reactions of Cyclometalated Platinum(II) [Pt(NC)(PR)Cl] Complexes with Imidazole and Imidazole-Containing Biomolecules: Fine-Tuning of Reactivity and Photophysical Properties via Ligand Design. **2019**, 58, 204-217 19
- 634 Radioactive Main Group and Rare Earth Metals for Imaging and Therapy. *Chemical Reviews*, **2019**, 119, 902-956 68.1 170
- 633 Chemistry of MRI Contrast Agents: Current Challenges and New Frontiers. *Chemical Reviews*, **2019**, 119, 957-1057 68.1 549
- 632 Gadolinium Doping Enhances the Photoacoustic Signal of Synthetic Melanin Nanoparticles: A Dual Modality Contrast Agent for Stem Cell Imaging. **2019**, 31, 251-259 48
- 631 Synthesis, MR Relaxivities, and In Vitro Cytotoxicity of 3,5-Diiodo-L-tyrosine-Coated Gd₂O₃ Nanoparticles. **2019**, 9, 179-185
- 630 Nanostructure-enhanced water interaction to increase the dual-mode MR contrast performance of gadolinium-doped iron oxide nanoclusters. **2019**, 360, 289-298 14
- 629 Low-molecular-weight paramagnetic F contrast agents for fluorine magnetic resonance imaging. **2019**, 32, 115-122 4
- 628 Stimuli-Responsive Therapeutic Metallodrugs. *Chemical Reviews*, **2019**, 119, 1138-1192 68.1 257
- 627 Amino-phenol complexes of Fe(III) as promising T1 accelerators. **2019**, 12, 1424-1435 5
- 626 Metalloporphyrin Nanoparticles: Coordinating Diverse Theranostic Functions. **2019**, 379, 99-120 60
- 625 Ultrasmall Gd₂O₃ nanoparticles surface-coated by polyacrylic acid (PAA) and their PAA-size dependent relaxometric properties. **2019**, 477, 111-115 11
- 624 Molecules and elements for quantitative bioanalysis: The allure of using electrospray, MALDI, and ICP mass spectrometry side-by-side. **2019**, 38, 169-186 7
- 623 Magnetic resonance imaging and photothermal conversion properties of Gd-C nanocomposites for interstitial lymphography. **2020**, 108, 638-646
- 622 Magnetic Levitation in Chemistry, Materials Science, and Biochemistry. **2020**, 59, 17810-17855 40
- 621 Fabrication of doxorubicin and chlorotoxin-linked Eu-Gd₂O₃ nanorods with dual-modal imaging and targeted therapy of brain tumor. **2020**, 31, 285-291 9
- 620 Glyco-functionalised quantum dots and their progress in cancer diagnosis and treatment. **2020**, 14, 365-377 5
- 619 Exclusive T2 MRI contrast enhancement by mesoporous carbon framework encapsulated manganese oxide nanoparticles. **2020**, 20, 89-95 3

618	A Class of Fe Macrocyclic Complexes with Alcohol Donor Groups as Effective T MRI Contrast Agents. 2020 , 59, 2414-2419	28
617	Including and Declaring Structural Fluctuations in the Study of Lanthanide(III) Coordination Chemistry in Solution. 2020 , 59, 94-105	21
616	The Use of the Macrocyclic Chelator DOTA in Radiochemical Separations. 2020 , 2020, 36-56	21
615	Integration of gadolinium in nanostructure for contrast enhanced-magnetic resonance imaging. 2020 , 12, e1580	20
614	Magnetische Levitation in Chemie, Materialwissenschaft und Biochemie. 2020 , 132, 17962-18011	3
613	Delivery of polymeric nanostars for molecular imaging and endoradiotherapy through the enhanced permeability and retention (EPR) effect. 2020 , 10, 567-584	38
612	neutron capture therapy of cancer using ultrasmall gadolinium oxide nanoparticles with cancer-targeting ability.. 2020 , 10, 865-874	14
611	Luminescent gold nanoclusters for in vivo tumor imaging. 2020 , 145, 348-363	21
610	Lanthanides(III) and Silver(I) complex formation with triamines in DMSO: The effect of ligand cyclization. 2020 , 503, 119392	5
609	Fully Water-Soluble Polyphosphorhydrazone-Based Radical Dendrimers Functionalized with Tyr-PROXYL Radicals as Metal-Free MRI Contrast Agents.. 2020 , 3, 369-376	10
608	Albumin nanocomposites with MnO/GdO motifs for precise MR imaging of acute myocardial infarction in rabbit models. 2020 , 230, 119614	22
607	Carbon-coated ultrasmall gadolinium oxide (Gd ₂ O ₃ @C) nanoparticles: Application to magnetic resonance imaging and fluorescence properties. 2020 , 586, 124261	16
606	Dendrimers for diagnostic applications. 2020 , 291-324	3
605	Stability evaluation of Gd chelates for macromolecular MRI contrast agents. 2020 , 33, 527-536	0
604	A preliminary survey of anthropogenic gadolinium in water and sediment of a constructed wetland. 2020 , 255, 109897	8
603	and characteristics of doxorubicin-loaded cyclodextrine-based polyester modified gadolinium oxide nanoparticles: a versatile targeted theranostic system for tumour chemotherapy and molecular resonance imaging. 2020 , 28, 533-546	9
602	A Class of FeIII Macrocyclic Complexes with Alcohol Donor Groups as Effective T1 MRI Contrast Agents. 2020 , 132, 2435-2440	9
601	Carbon nanomaterials: fundamental concepts, biological interactions, and clinical applications. 2020 , 223-242	4

600	Controlled aggregation of amphiphilic aggregation-induced emission polycation and superparamagnetic iron oxide nanoparticles as fluorescence/magnetic resonance imaging probes. 2020 , 137, 48760	1
599	Current Techniques for Investigating the Brain Extracellular Space. 2020 , 14, 570750	7
598	Hemoglobin-mediated biomimetic synthesis of paramagnetic O-evolving theranostic nanoprobos for MR imaging-guided enhanced photodynamic therapy of tumor. 2020 , 10, 11607-11621	15
597	New Strategies in the Design of Paramagnetic CAs. 2020 , 2020, 4327479	4
596	New Class of Efficient T Magnetic Resonance Imaging Contrast Agent: Carbon-Coated Paramagnetic Dysprosium Oxide Nanoparticles. 2020 , 13,	3
595	MR Imaging Safety Considerations of Gadolinium-Based Contrast Agents: Gadolinium Retention and Nephrogenic Systemic Fibrosis. 2020 , 28, 497-507	11
594	Visualization of the morphology and pathology of the peripheral branches of the cranial nerves using three-dimensional high-resolution high-contrast magnetic resonance neurography. 2020 , 132, 109137	7
593	Different flavors of diffusion in paramagnetic systems: Unexpected NMR signal intensity and relaxation enhancements. 2020 , 2-3, 100003	3
592	Surface engineering of silica nanoparticles with a gadoliniumBCTA complex for efficient T1-weighted MRI contrast agents. 2020 , 44, 18031-18047	3
591	Imaging Tissue Physiology In Vivo by Use of Metal Ion-Responsive MRI Contrast Agents. 2020 , 13,	4
590	Two possible ways to combine boron and gadolinium for Gd-guided BNCT. A concept. 2020 , 195, 910-917	4
589	Rational design of an "all-in-one" phototheranostic. 2020 , 11, 8204-8213	16
588	Magnetic resonance contrast agents in optical clearing: Prospects for multimodal tissue imaging. 2020 , 13, e201960249	10
587	Noninvasive/Minimally Invasive Nanodiagnosics. 2020 , 105-121	1
586	Tumor-targetable magnetoluminescent silica nanoparticles for bimodal time-gated luminescence/magnetic resonance imaging of cancer cells in vitro and in vivo. 2020 , 220, 121378	6
585	The Renal Clearable Magnetic Resonance Imaging Contrast Agents: State of the Art and Recent Advances. 2020 , 25,	3
584	Facile Fabrication of Fe ₃ O ₄ @poly(acrylic) Acid Based Ferrofluid with Magnetic Resonance Imaging Contrast Effect. 2020 , 5, 12915-12923	2
583	La(III), Ce(III), Gd(III), and Eu(III) Complexation with Tris(hydroxymethyl)aminomethane in Aqueous Solution. 2020 , 59, 17783-17793	3

582	The Labeling, Visualization, and Quantification of Hyaluronan Distribution in Tumor-Bearing Mouse Using PET and MR Imaging. 2020 , 37, 237	
581	The effect of gadolinium-based contrast agent administration on magnetic resonance fingerprinting-based T relaxometry in patients with prostate cancer. 2020 , 10, 20475	8
580	Fluorinated Gadolinium Chelate-Grafted Nanoconjugates for Contrast-Enhanced -Weighted H and pH-Activatable F Dual-Modal MRI. 2020 , 92, 16293-16300	6
579	Delicately Designed Cancer Cell Membrane-Camouflaged Nanoparticles for Targeted F MR/PA/FL Imaging-Guided Photothermal Therapy. 2020 , 12, 57290-57301	11
578	Incorporation of Gadolinium Oxide and Gadolinium Oxysulfide Microspheres: MRI/CT Monitoring and Promotion of Osteogenic/Chondrogenic Differentiation for Bone Implants. 2020 , 6, 1819-1832	1
577	Synthesis and Antimicrobial Activities of Some New Bis(Schiff Bases) and Their Triazole-Based Lariat Macrocycles. 2020 , 1-16	3
576	Metals in Imaging of Alzheimer's Disease. 2020 , 21,	3
575	Solid phase synthesis in the development of magnetic resonance imaging probes. 2020 , 7, 4121-4141	1
574	Sensing of Phosphate and ATP by Lanthanide Complexes in Aqueous Medium and Its Application on Living Cells. 2020 , 5, 12878-12884	3
573	A Novel Paramagnetic Nanoparticle T2 Magnetic Resonance Imaging Contrast Agent With High Colloidal Stability: Polyacrylic Acid-Coated Ultrafine Dysprosium Oxide Nanoparticles. 2020 , 41, 829-836	4
572	Mn(II) chelate-coated superparamagnetic iron oxide nanocrystals as high-efficiency magnetic resonance imaging contrast agents. 2020 , 2, 2752-2757	1
571	Current Clinical Issues: Deposition of Gadolinium Chelates. 2020 ,	
570	Facile synthesis of Au@MnO magneto-plasmonic nanoflowers for -weighted magnetic resonance imaging and photothermal therapy of cancer. 2020 , 8, 8356-8367	7
569	Current knowledge on transport and reactivity of technology-critical elements (TCEs) in soil and aquifer environments. 2020 , 17, 118	1
568	Magnetic resonance assessment of the cerebral alterations associated with obesity development. 2020 , 40, 2135-2151	2
567	A Frequency-Selective pH-Responsive paraCEST Agent. 2020 , 59, 21671-21676	5
566	Expanding the Scope of PycLen-Picolinate Lanthanide Chelates to Potential Theranostic Applications. 2020 , 59, 11736-11748	4
565	Relaxivity of manganese ferrite nanoparticles. 2020 , 120-121, 72-94	8

- 564 Magnetic Resonance Monitoring of Opaque Temperature-Sensitive Polymeric Scaffolds.. **2020**, 3, 7639-7645
- 563 Hyperpolarized Y-EDTMP complex as a chemical shift-based NMR sensor for pH at the physiological range. **2020**, 320, 106837 1
- 562 Synthesis, characterization, optical and anti-bacterial properties of benzothiazole Schiff bases and their lanthanide (III) complexes. **2020**, 24, 925-933 9
- 561 Advanced Materials Designed with Nanodiamonds. **2020**, 201-227
- 560 Gadolinium Complexes Attached to Poly Ethoxy Ethyl Glycinamide (PEE-G) Dendrons: Magnetic Resonance Imaging Contrast Agents with Increased Relaxivity. **2020**, 85, 1881-1892 3
- 559 Up-converting nanoparticles synthesis using hydroxyl-carboxyl chelating agents: Fluoride source effect. **2020**, 153, 084706 1
- 558 Tunable NIR-II emitting silver chalcogenide quantum dots using thio/selenourea precursors: preparation of an MRI/NIR-II multimodal imaging agent. **2020**, 49, 15425-15432 6
- 557 A Frequency-Selective pH-Responsive paraCEST Agent. **2020**, 132, 21855-21860
- 556 Accessing distributions of exchange and dipolar couplings in stiff molecular rulers with Cu(II) centres. **2020**, 22, 21707-21730 4
- 555 Radiosensitizing high-Z metal nanoparticles for enhanced radiotherapy of glioblastoma multiforme. **2020**, 18, 122 26
- 554 Coating Effect on the H-NMR Relaxation Properties of Iron Oxide Magnetic Nanoparticles. **2020**, 10, 2
- 553 Biological Durability, Cytotoxicity and MRI Image Contrast Effects of Chitosan Modified Magnetic Nanoparticles. **2020**, 20, 5338-5348 5
- 552 Gadolinium Oxide Nanoparticles Induce Toxicity in Human Endothelial HUVECs via Lipid Peroxidation, Mitochondrial Dysfunction and Autophagy Modulation. **2020**, 10, 9
- 551 Maximizing Magnetic Resonance Contrast in Gd(III) Nanoconjugates: Investigation of Proton Relaxation in Zirconium Metal-Organic Frameworks. **2020**, 12, 41157-41166 10
- 550 Activatable Magnetic/Photoacoustic Nanoplatform for Redox-Unlocked Deep-Tissue Molecular Imaging via Prussian Blue Nanoprobe. **2020**, 92, 13452-13461 14
- 549 Inducing Defects in F-Nanocrystals Provides Paramagnetic-free Relaxation Enhancement for Improved Hotspot MRI. **2020**, 20, 7207-7212 11
- 548 The Structures of Gd(III) Chelates Conjugated at the Periphery of 3-(1'-Hexyloxy)ethyl-3-devinylpyropheophorbide-a (HPPH) Have a Significant Impact on the Imaging and Therapy of Cancer. **2020**, 15, 2058-2070 5
- 547 Magnetic exchange interactions in symmetric lanthanide dimetallics. **2020**, 7, 3909-3918 4

546	Functionalized graphene oxide as a vehicle for targeted drug delivery and bioimaging applications. 2020 , 8, 8116-8148	25
545	Benefits and Detriments of Gadolinium from Medical Advances to Health and Ecological Risks. 2020 , 25,	5
544	Detection of Cerebrovascular Loss in the Normal Aging C57BL/6 Mouse Brain Using Contrast-Enhanced Magnetic Resonance Angiography. 2020 , 12, 585218	2
543	When rare earth meets carbon nanodots: mechanisms, applications and outlook. 2020 , 49, 9220-9248	23
542	Single- and Multi-Arm Gadolinium MRI Contrast Agents for Targeted Imaging of Glioblastoma. 2020 , 15, 3057-3070	5
541	Iron oxide magnetic nanoparticles based low-field MR thermometry. 2020 , 31, 345101	6
540	An MRI contrast agent based on a zwitterionic metal-chelating polymer for hepatorenal angiography and tumor imaging. 2020 , 8, 6956-6963	10
539	Theranostics Application of Graphene-Based Materials in Cancer Imaging, Targeting and Treatment. 2020 ,	1
538	Liquid flow and control without solid walls. 2020 , 581, 58-62	37
537	Macrocyclic Pycen-Based Gd Complex with High Relaxivity and pH Response. 2020 , 59, 7306-7317	3
536	Magneto-Liposomes as MRI Contrast Agents: A Systematic Study of Different Liposomal Formulations. 2020 , 10,	14
535	Cyclodextrin-Based Organic Radical Contrast Agents for in vivo Imaging of Gliomas. 2020 , 85, 1171-1178	1
534	Anthropogenic gadolinium in freshwater and drinking water systems. 2020 , 182, 115966	14
533	Imaging as a Localized Biomarker. 2020 , 51-87	
532	Modulating the Properties of Fe(III) Macrocyclic MRI Contrast Agents by Appending Sulfonate or Hydroxyl Groups. 2020 , 25,	15
531	Multivalent ions and biomolecules: Attempting a comprehensive perspective. 2020 , 21, 1742-1767	27
530	3D-to-2D Transformation of Manganese-Based Layered Silicates for Tumor-Specific T-Weighted Magnetic Resonance Imaging with High Signal-to-Noise and Excretability. 2020 , 12, 24644-24654	4
529	Cross-linked polydimethylsiloxane colloid as novel contrast agent for gastrointestinal magnetic resonance imaging: Transient nuclear Overhauser effect within the interface. 2020 , 35, 264-273	

528	Synthesis of FeO@GdO:Tb@SiO _x multifunctional nanoparticles and their luminescent, magnetic and hyperthermia properties. 2020 , 31, 395705	3
527	Gd(DOTA)-grafted submicronic polysaccharide-based particles functionalized with fucoidan as potential MR contrast agent able to target human activated platelets. 2020 , 245, 116457	6
526	The effect of weighted averages when determining the speciation and structure-property relationships of europium(iii) dipicolinate complexes. 2020 , 22, 12794-12805	17
525	Engineered gadolinium-based nanomaterials as cancer imaging agents. 2020 , 20, 100686	20
524	Molecular Magnetic Resonance Imaging of Nitric Oxide in Biological Systems. 2020 , 5, 1674-1682	12
523	Exploring precision polymers to fine-tune magnetic resonance imaging properties of iron oxide nanoparticles. 2020 , 579, 401-411	4
522	Gadolinium complexes of macrocyclic diethylenetriamine-N-oxide pentaacetic acid-bisamide as highly stable MRI contrast agents with high relaxivity. 2020 , 49, 8927-8932	8
521	Programmed Self-Assembly of Protein-Coated AIE-Featured Nanoparticles with Dual Imaging and Targeted Therapy to Cancer Cells. 2020 , 12, 29641-29649	2
520	High-performance hepatobiliary dysprosium contrast agent for ultra-high-field magnetic resonance imaging. 2020 , 85, 297-307	3
519	Synthesis, characterization and applications of poly-aliphatic amine dendrimers and dendrons. 2020 , 17, 2717-2736	8
518	Manganese threonine chelate-a new enteric contrast agent for MRI: a pilot study on rats. 2020 , 33, e4293	
517	In Vivo Positive Magnetic Resonance Imaging Applications of Poly(methyl vinyl ether-alt-maleic acid)-coated Ultra-small Paramagnetic Gadolinium Oxide Nanoparticles. 2020 , 25,	14
516	Neuron labeling with rhodamine-conjugated Gd-based MRI contrast agents delivered to the brain via focused ultrasound. 2020 , 10, 2659-2674	9
515	Highly brain-permeable apoferritin nanocage with high dysprosium loading capacity as a new T ₁ contrast agent for ultra-high field magnetic resonance imaging. 2020 , 243, 119939	8
514	A Ln(III)-3-hydroxypyridine pH responsive probe optimized by DFT. 2020 , 10, 8994-8999	2
513	Synthesis and in vivo behaviour of an exendin-4-based MRI probe capable of cell-dependent contrast enhancement in the pancreas. 2020 , 49, 4732-4740	4
512	Magnetic core-shell nanowires as MRI contrast agents for cell tracking. 2020 , 18, 42	13
511	Influence of Gd ³⁺ on molecular organization and electrochemical properties of Si-based organic/inorganic sol-gel layers. 2020 , 341, 136033	1

510	Novel ultrasmall multifunctional nanodots for dual-modal MR/NIR-II imaging-guided photothermal therapy. 2020 , 256, 120219	21
509	Biosynthetic molecular imaging probe for tumor-targeted dual-modal fluorescence/magnetic resonance imaging. 2020 , 256, 120220	8
508	Magnetic nanowires in biomedical applications. 2020 , 31, 433001	12
507	Trace determination of gadolinium by conductivity-based approach. 2020 , 98, 652-658	1
506	Formation of nanosized Gd(III) coordination networks with tripodal amine-N-oxide type ligand through microemulsions to achieve high relaxivity and exceptional stability for MRI applications. 2020 , 55, 13206-13215	
505	Supramolecular and biomacromolecular enhancement of metal-free magnetic resonance imaging contrast agents. 2020 , 11, 2045-2050	20
504	Cell Tracking in Cancer Immunotherapy. 2020 , 7, 34	33
503	Enhanced luminescence and paramagnetic properties of Gd ₂ O ₃ :Tb ³⁺ multifunctional nanoparticles by K ⁺ /Co ²⁺ doping. 2020 , 222, 117154	7
502	Solution Structure, Electronic Energy Levels, and Photophysical Properties of [Eu(MeOH)(NO)] Complexes. 2020 , 59, 10409-10421	11
501	Enhancing P NMR relaxation rates with a kinetically inert gadolinium complex. 2020 , 49, 2989-2993	3
500	Paramagnetic Relaxation Enhancement in Hydrophilic Colloids Based on Gd(III) Complexes with Tetrathia- and Calix[4]arenes. 2020 , 124, 4320-4329	11
499	Gd-nanoparticle-enhanced multivalent biosensing that combines magnetic relaxation switching and magnetic separation. 2020 , 155, 112106	8
498	Synthesis and characterisation of isothiocyanate functionalised silicon nanoparticles and their uptake in cultured colonic cells. 2020 , 222, 332-349	1
497	Activatable Cell-Penetrating Peptide Conjugated Polymeric Nanoparticles with Gd-Chelation and Aggregation-Induced Emission for Bimodal MR and Fluorescence Imaging of Tumors.. 2020 , 3, 1394-1405	8
496	Comparison of the equilibrium, kinetic and water exchange properties of some metal ion-DOTA and DOTA-bis(amide) complexes. 2020 , 206, 111042	8
495	The Photocatalyzed Thiol-ene reaction: A New Tag to Yield Fast, Selective and reversible Paramagnetic Tagging of Proteins. 2020 , 21, 863-869	10
494	Heterogeneous surface architected metal-organic frameworks for cancer therapy, imaging, and biosensing: A state-of-the-art review. 2020 , 409, 213212	53
493	Synthesis of gadolinium/iron-bimetal-phenolic coordination polymer nanoparticles for theranostic applications. 2020 , 12, 6096-6103	29

- 492 Protic media enhanced protodeboronation for a potential H₂O₂-sensitive ligand system. **2020**, 179, 114377
- 491 The versatile biomedical applications of bismuth-based nanoparticles and composites: therapeutic, diagnostic, biosensing, and regenerative properties. **2020**, 49, 1253-1321 133
- 490 Covalently Conjugated Hydrogelators for Imaging and Therapeutic Applications. **2020**, 31, 448-461 7
- 489 DTPAA-Gd Functionalized Ultrasmall AuNCs Nanohybrids for Multimodal Imaging. **2020**, 15, 227-238 6
- 488 High-resolution characterization of nanoparticle transport in heterogeneous porous media via low-field nuclear magnetic resonance. **2020**, 583, 124558 1
- 487 Characterization and Water-Proton Longitudinal Relaxivities of Liposome-Type Radical Nanoparticles Prepared via a Supramolecular Approach. **2020**, 36, 5280-5286 4
- 486 Combination of solid-state NMR and H NMR relaxometry for the study of intercalated saponite clays with the macrocyclic derivatives of Gd(iii) and Y(iii). **2020**, 49, 6566-6571 5
- 485 A mitochondria-targeting magnetothermogenic nanozyme for magnet-induced synergistic cancer therapy. **2020**, 251, 120079 51
- 484 Formation of a lanthanoid complex shell on a nanoparticulate wax core. **2020**, 510, 119725
- 483 Examining relaxivities in suspensions of nanodiamonds grafted by magnetic entities: comparison of two approaches. **2020**, 33, 885-888 2
- 482 pH-sensitive biomaterials for cancer therapy and diagnosis. **2020**, 141-164
- 481 SiO₂-coated layered gadolinium hydroxides for simultaneous drug delivery and magnetic resonance imaging. **2020**, 286, 121291 6
- 480 Critical Role of Confinement in the NMR Surface Relaxation and Diffusion of n-Heptane in a Polymer Matrix Revealed by MD Simulations. **2020**, 124, 3801-3810 10
- 479 A New Class of Smart Gadolinium Contrast Agent for Tissue pH Probing Using Magnetic Resonance Imaging. **2020**, 25, 2 2
- 478 Gadolinium-based bimodal probes to enhance T1-Weighted magnetic resonance/optical imaging. **2020**, 110, 15-36 13
- 477 Effect of Gd and Dy Concentrations in Layered Double Hydroxides on Contrast in Magnetic Resonance Imaging. **2020**, 8, 462 3
- 476 The Art of Synthesis: From a (Social) Distance. **2020**, 59, 5791-5795 2
- 475 Evaluation of toxicity of gadolinium-based contrast agents on neuronal cells. **2021**, 62, 206-214 3

474	Preparation of Mn ²⁺ @PolyDOPA-b-polysarcosine micelle as MRI contrast agent with high longitudinal relaxivity. 2021 , 58, 175-181	2
473	Speciation analysis of Gadolinium-based contrast agents using aqueous eluent-hydrophilic interaction liquid chromatography hyphenated with inductively coupled plasma-mass spectrometry. 2021 , 222, 121531	4
472	Glycoconjugated Metal Complexes as Cancer Diagnostic and Therapeutic Agents. 2021 , 16, 30-64	11
471	Architecture of New Rare Earth Metal Complexes as Precursors for the Fabrication of a New Class of OLEDs with Blue Shift Fluorescence. 2021 , 647, 456-462	0
470	Precise magnetic resonance imaging-guided sonodynamic therapy for drug-resistant bacterial deep infection. 2021 , 264, 120386	19
469	[Gd(AAZTA)] Derivatives with n-Alkyl Acid Side Chains Show Improved Properties for Their Application as MRI Contrast Agents*. 2021 , 27, 1849-1859	3
468	Recent progress in layered double hydroxides as a cancer theranostic nanoplatform. 2021 , 13, e1679	6
467	Albumin-based nanoparticles as contrast medium for MRI: vascular imaging, tissue and cell interactions, and pharmacokinetics of second-generation nanoparticles. 2021 , 155, 19-73	1
466	The Positive Influence of Therapeutic Agent on Relaxivities of Gadolinium-Loaded Liposomal Theranostics. 2021 , 52, 143-155	2
465	Dysprosium and Holmium Vanadate Nanoprobes as High-Performance Contrast Agents for High-Field Magnetic Resonance and Computed Tomography Imaging. 2021 , 60, 152-160	4
464	FeO@M nanoparticles for MRI-targeted detection in the early lesions of atherosclerosis. 2021 , 33, 102348	3
463	Polymeric copper(II) diethylenetriaminepentaacetates for gas adsorptions. 2021 , 195, 114970	
462	Coordination polymers nanoparticles for bioimaging. 2021 , 432, 213716	23
461	Tetrakis-(N-methyl-4-pyridinium)-porphyrin as a diamagnetic chemical exchange saturation transfer (diaCEST) MRI contrast agent. 2021 , 45, 1262-1268	4
460	Synthesis of Novel 8- cyclo -1,5,3, 7-Diazadiphosphocine Derivatives Via [4 + 2] Cycloaddition. 2021 , 42, 60-65	1
459	Polyoxometalate-Based Nanomaterials Toward Efficient Cancer Diagnosis and Therapy. 2021 , 27, 6422-6434	5
458	Deposition patterns of iatrogenic lanthanum and gadolinium in the human body depend on delivered chemical binding forms. 2021 , 63, 126665	9
457	Paramagnetic chemical exchange saturation transfer agents and their perspectives for application in magnetic resonance imaging. 2021 , 40, 51-79	4

456	Fe/Mn multilayer nanowires as dual mode T-T magnetic resonance imaging contrast agents. 2021 , 109, 477-485	3
455	Stimulus-Responsive Nanoparticle Magnetic Resonance Imaging Contrast Agents: Design Considerations and Applications. 2021 , 10, e2001091	19
454	Push-Pull Bisnaphthyridylamine Supramolecular Nanoparticles: Polarity-Induced Aggregation and Crystallization-Induced Emission Enhancement and Fluorescence Resonance Energy Transfer. 2021 , 27, 3039-3046	4
453	Naphthalene-facilitated self-assembly of a Gd-chelate as a novel MRI contrast agent for visualization of stem cell transplants. 2021 , 9, 5729-5737	
452	Perfluoro--butanol: a cornerstone for high performance fluorine-19 magnetic resonance imaging. 2021 , 57, 7743-7757	4
451	Nanoparticles in medical imaging. 2021 , 175-210	1
450	Graphene Nanomaterials for Multi-modal Bioimaging and Diagnosis of Cancer. 2021 , 69-93	
449	Dynamic Contrast Enhancement (DCE) MRI-Derived Renal Perfusion and Filtration: Basic Concepts. 2021 , 2216, 205-227	
448	Characterization of metal-based nanoparticles as contrast agents for magnetic resonance imaging. 2021 , 303-343	
447	Fundamental Physics of Nuclear Magnetic Resonance. 2021 , 11-114	
446	Antifouling fluoropolymer-coated nanomaterials for F MRI. 2021 , 57, 4718-4721	4
445	Magnetic resonance colonography with intestine-absorbable nanoparticle contrast agents in evaluation of colorectal inflammation. 2021 , 31, 4615-4624	2
444	Design of pure heterodinuclear lanthanoid cryptate complexes. 2021 , 12, 6983-6991	4
443	Two-dimensional biomaterials: material science, biological effect and biomedical engineering applications. 2021 , 50, 11381-11485	23
442	Medical Applications of Magnetic Nanoparticles. 2021 , 327-351	1
441	Small functionalized iron oxide nanoparticles for dual brain magnetic resonance imaging and fluorescence imaging. 2021 , 11, 12867-12875	2
440	Hollow carbon nanospheres dotted with Gd-Fe nanoparticles for magnetic resonance and photoacoustic imaging. 2021 , 13, 10943-10952	3
439	Engineered Fe ₃ O ₄ -based nanomaterials for diagnosis and therapy of cancer. 2021 , 45, 7918-7941	4

- 438 Applications of nanoscale metal-organic frameworks as imaging agents in biology and medicine. **2021**, 9, 3423-3449 12
- 437 Revisiting paramagnetic relaxation enhancements in slowly rotating systems: how long is the long range?. **2021**, 2, 25-31 2
- 436 General Introduction. **2021**, 1-10
- 435 Lanthanide(III) Complexes Based on an 18-Membered Macrocyclic Containing Acetamide Pendants. Structural Characterization and paraCEST Properties. **2021**, 60, 1902-1914 1
- 434 Gd³⁺ Complexes Conjugated to Cyclodextrins: Hydroxyl Functions Influence the Relaxation Properties. **2021**, 9, 269 0
- 433 Ferroelectric properties and applications of dendrimer systems. **2021**, 49-62
- 432 Effect of Copper on the Oxidation Mechanisms of Tertiary and Secondary Amines of Methyl-naphthyl- cyclen-Modified Gold Electrodes. **2021**, 31, 3011
- 431 Polymerizable Gd(III) building blocks for the synthesis of high relaxivity macromolecular MRI contrast agents. **2021**, 12, 3999-4013 1
- 430 Structure-Relaxivity Mechanism of an Ultrasmall Ferrite Nanoparticle T MR Contrast Agent: The Impact of Dopants Controlled Crystalline Core and Surface Disordered Shell. **2021**, 21, 1115-1123 8
- 429 Biomedical applications of magnetic nanoparticles. **2021**, 463-497 6
- 428 Predicting H NMR relaxation in Gd-aqua using molecular dynamics simulations. **2021**, 23, 20974-20984 2
- 427 Iron(III) chelated paramagnetic polymeric nanoparticle formulation as a next-generation -weighted MRI contrast agent.. **2021**, 11, 32216-32226 3
- 426 Organic-Inorganic Hybrid Nanoparticles Synthesized with Hypericum perforatum Extract: Potential Agents for Photodynamic Therapy at Ultra-low Power Light. **2021**, 9, 1625-1645 2
- 425 Tracking of Labelled Stem Cells Using Molecular MR Imaging in a Mouse Burn Model as an Approach to Regenerative Medicine. **2021**, 11, 1-15
- 424 Carboxyl groups do not play the major role in binding metal cations by graphene oxide. **2021**, 23, 17430-17439 0
- 423 Synthesis and tumour cell uptake studies of gadolinium(III)-phosphonium complexes. **2021**, 11, 598 1
- 422 Vascular-targeted micelles as a specific MRI contrast agent for molecular imaging of fibrin clots and cancer cells. **2021**, 158, 347-358 2
- 421 Nuclear Magnetic Resonance Spectroscopy. **2021**, 3-43

- 420 Coordination Chemistry in Ionic Liquids: A Review. **2021**, 557-589
- 419 Thermally stable and robust gadolinium-based metal-organic framework: Synthesis, structure and heterogeneous catalytic O-arylation reaction. **2021**, 194, 114934 2
- 418 Design of polyazamacrocyclic Gd³⁺ theranostic agents combining magnetic resonance imaging and two-photon photodynamic therapy. **2021**, 8, 2213-2224 2
- 417 Pyclyen-Based Ligands Bearing Pendant Picolinate Arms for Gadolinium Complexation. **2021**, 60, 2390-2405 4
- 416 Enhanced relaxivity of Gd(III)-complexes with HP-DO3A-like ligands upon the activation of the intramolecular catalysis of the prototropic exchange. **2021**, 8, 1500-1510 7
- 415 Exploring the interstitial system in the brain: the last mile of drug delivery. **2021**, 32, 363-377 2
- 414 Targeted brain tumor imaging by using discrete biopolymer-coated nanodiamonds across the blood-brain barrier. **2021**, 13, 3184-3193 1
- 413 Synthesis, Biocompatibility, and Relaxometric Properties of Heavily Loaded Apoferritin with D-Glucuronic Acid-Coated Ultrasmall Gd₂O₃ Nanoparticles. **2021**, 11, 380-389
- 412 Quantum Dots and Gd Chelates: Advances and Challenges Towards Bimodal Nanoprobes for Magnetic Resonance and Optical Imaging. **2021**, 379, 12 2
- 411 TEA-assistant synthesis of MOF-74 nanorods for drug delivery and in-vitro magnetic resonance imaging. **2021**, 315, 110900 7
- 410 Facile synthesis of metal-polyphenol-formaldehyde coordination polymer colloidal nanoparticles with sub-50 nm for T1-weighted magnetic resonance imaging. **2021**, 32, 842-848 10
- 409 Design and Synthesis of Luminescent Lanthanide-Based Bimodal Nanoprobes for Dual Magnetic Resonance (MR) and Optical Imaging. **2021**, 11, 6
- 408 Prospects for multimodal visualisation of biological tissues using fluorescence imaging. **2021**, 51, 104-117 0
- 407 Polyphosphorhydrazone-Based Radical Dendrimers. **2021**, 26, 1
- 406 Accelerating ¹H NMR Detection of Aqueous Ammonia. **2021**, 6, 5698-5704 4
- 405 Amphiphilic Au Nanoclusters Modulated by Magnetic Gemini Surfactants as a Cysteine Chemosensor and an MRI Contrast Agent. **2021**, 37, 3130-3138 3
- 404 Single-Atom Gadolinium Anchored on Graphene Quantum Dots as a Magnetic Resonance Signal Amplifier.. **2021**, 4, 2798-2809 10
- 403 Medicinal inorganic chemistry: an updated review on the status of metallodrugs and prominent metallodrug candidates. **2021**, 3

402	Synthesis of Bis(Carboranyl)amides 1,1'- Γ [CHNH(O)C(CH)-1,2-CBH] ($\Gamma = 0, 1$) and Attempt of Synthesis of Gadolinium Bis(Dicarbollide). 2021 , 26,	0
401	In Vivo Positive Magnetic Resonance Imaging of Brain Cancer (U87MG) Using Folic Acid-Conjugated Polyacrylic Acid-Coated Ultrasmall Manganese Oxide Nanoparticles. 2021 , 11, 2596	1
400	Advances and Perspectives of Peptide and Polypeptide-Based Materials for Biomedical Imaging. 2021 , 1, 2000109	2
399	Nephrogenic Systemic Fibrosis as a Complication after Gadolinium-Containing Contrast Agents: A Rapid Review. 2021 , 18,	5
398	Polyphenol-Containing Nanoparticles: Synthesis, Properties, and Therapeutic Delivery. 2021 , 33, e2007356	47
397	Cytotoxic Activity of Piperazin-2-One-Based Structures: Cyclic Imines, Lactams, Aminophosphonates, and Their Derivatives. 2021 , 14,	2
396	Recent advances in iron oxide nanoparticles for brain cancer theranostics: from to clinical applications. 2021 , 18, 949-977	8
395	PD1 blockade potentiates the therapeutic efficacy of photothermally-activated and MRI-guided low temperature-sensitive magnetoliposomes. 2021 , 332, 419-433	4
394	Magneto-Erythrocyte Membrane Vesicles Superior T2 MRI Contrast Agents to Magneto-Liposomes. 2021 , 7, 51	1
393	2D Gadolinium Oxide Nanoplates as T Magnetic Resonance Imaging Contrast Agents. 2021 , 10, e2001780	7
392	Progress in tumour-targeted drug delivery based on cell-penetrating peptides. 2021 , 1-15	1
391	Sericin-based gadolinium nanoparticles as synergistically enhancing contrast agents for pH-responsive and tumor targeting magnetic resonance imaging. 2021 , 203, 109600	5
390	Construction of nanomaterials as contrast agents or probes for glioma imaging. 2021 , 19, 125	6
389	Synthesis, Characterizations, and 9.4 Tesla T MR Images of Polyacrylic Acid-Coated Terbium(III) and Holmium(III) Oxide Nanoparticles. 2021 , 11,	4
388	A Macrocyclic Ligand Framework That Improves Both the Stability and -Weighted MRI Response of Quinol-Containing HO Sensors. 2021 , 60, 8368-8379	1
387	Detecting and Monitoring Hydrogels with Medical Imaging. 2021 , 7, 4027-4047	3
386	Selective coordination and localized polarization in graphene quantum dots: Detection of fluoride anions using ultra-low-field NMR relaxometry. 2021 , 32, 3921-3921	0
385	Electronic Structure of Ytterbium(III) Solvates-a Combined Spectroscopic and Theoretical Study. 2021 , 60, 7453-7464	7

- 384 Target-Specific Magnetic Resonance Imaging of Human Prostate Adenocarcinoma Using NaDyF-NaGdF Core-Shell Nanoparticles. **2021**, 13, 24345-24355 2
- 383 Highly Stable 1,2-Dicarbonyl Radical Cations Derived from N-Heterocyclic Carbenes. **2021**, 143, 8527-8532 5
- 382 PEG-Neridronate-Modified NaYF:Gd,Yb,Tm/NaGdF Core-Shell Upconverting Nanoparticles for Bimodal Magnetic Resonance/Optical Luminescence Imaging. **2021**, 6, 14420-14429 1
- 381 Combination of peptides with biological, organic, and inorganic materials for synergistically enhanced diagnostics and therapeutics. e24233 0
- 380 Emerging strategies of activatable MR imaging probes and their advantages for biomedical applications. 20200141 1
- 379 Harnessing cerebrospinal fluid circulation for drug delivery to brain tissues. **2021**, 173, 20-59 9
- 378 Safety and Gadolinium Distribution of the New High-Relaxivity Gadolinium Chelate Gadopiclenol in a Rat Model of Severe Renal Failure. **2021**, 56, 0
- 377 Dinuclear Fe(III) Hydroxypropyl-Appended Macrocyclic Complexes as MRI Probes. **2021**, 60, 8651-8664 9
- 376 Simple Host-Guest Assembly for High-Resolution Magnetic Resonance Imaging of Microvasculature. **2021**, 13, 27945-27954
- 375 Crystal structure and optical properties of a two-sited Eu compound: an Eu ion coordinated by two [Eu(DOTA)] complexes (DOTA is 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetate). **2021**, 77, 354-364 2
- 374 A Perspective on Modelling Metallic Magnetic Nanoparticles in Biomedicine: From Monometals to Nanoalloys and Ligand-Protected Particles. **2021**, 14, 3
- 373 A Chiral Lanthanide Tag for Stable and Rigid Attachment to Single Cysteine Residues in Proteins for NMR, EPR and Time-Resolved Luminescence Studies. **2021**, 27, 13009-13023 9
- 372 GdClean: removal of Gadolinium contamination in mass cytometry data. **2021**, 1
- 371 Retinoic acid-conjugated chitosan/manganese porphyrin ionic-complex nanoparticles for improved T contrast MR imaging of hepatic fibrosis. **2021**, 0
- 370 Luminescent lanthanide(III) complexes of DTPA-bis(amido-phenyl-terpyridine) for bioimaging and phototherapeutic applications. **2021**, 256, 119709 1
- 369 Target-switchable Gd(III)-DOTA/protein cage nanoparticle conjugates with multiple targeting affibody molecules as target selective T contrast agents for high-field MRI. **2021**, 335, 269-280 2
- 368 Effects of Gadolinium Deposits in the Cerebellum: Reviewing the Literature from In Vitro Laboratory Studies to In Vivo Human Investigations. **2021**, 18, 3
- 367 Can Deep Learning Replace Gadolinium in Neuro-Oncology?: A Reader Study. **2021**, 0

366	Preclinical Cancer Theranostics From Nanomaterials to Clinic: The Missing Link. 2021 , 31, 2104199	3
365	AAZTA: The rise of mesocyclic chelating agents for metal coordination in medicine. 2021 , 438, 213908	1
364	Re-engineering a Liposome with Membranes of Red Blood Cells for Drug Delivery and Diagnostic Applications.. 2021 , 4, 6974-6981	2
363	A Complete View of Orbach and Raman Spin-Lattice Relaxation in a Dysprosium Coordination Compound. 2021 , 143, 13633-13645	26
362	Complexes of Bifunctional DO3A-N-(β -amino)propionate Ligands with Mg(II), Ca(II), Cu(II), Zn(II), and Lanthanide(III) Ions: Thermodynamic Stability, Formation and Dissociation Kinetics, and Solution Dynamic NMR Studies. 2021 , 26,	1
361	Size-Controlled Hapticity Switching in [Ln(C H)(C H)] Sandwiches. 2021 , 27, 13558-13567	1
360	K Mn [Fe (CN)] NPs with High T -Relaxivity Attributable to Water Coordination on the Mn(II) Center for Gastrointestinal Tract MR Imaging. 2021 , 10, e2100987	0
359	Holmium(III) Single-Ion Magnet for Cryomagnetic Refrigeration Based on an MRI Contrast Agent Derivative. 2021 , 60, 12719-12723	1
358	Nontoxic Gd ³⁺ and Tb ³⁺ co-induced polyelectrolyte nano-aggregates (GTIPAs) for luminescence/magnetic resonance dual-modality imaging. 2021 , 11, 2828	
357	Inulin and Its Application in Drug Delivery. 2021 , 14,	11
356	Underlining the Importance of Peripheral Protic Functional Groups to Enhance the Proton Exchange of Gd-Based MRI Contrast Agents. 2021 , 60, 13626-13636	3
355	Effects of repeated manganese treatment on proton magnetic resonance spectra of the globus pallidus in rat brain. 2021 , e4617	
354	Lanthanide-Based Complexes Containing a Chiral trans-1,2-Diaminocyclohexane (DACH) Backbone: Spectroscopic Properties and Potential Applications.	1
353	Recent Strategies to Develop Innovative Photosensitizers for Enhanced Photodynamic Therapy. <i>Chemical Reviews</i> , 2021 , 121, 13454-13619	68.1 90
352	A binuclear gadolinium complex of 8-hydroxyquinoline-2-carbaldehyde salicylhydrazone: structural characterisation and photoluminescence properties. 1	
351	Polyaspartic Acid-Coated Paramagnetic Gadolinium Oxide Nanoparticles as a Dual-Modal T1 and T2 Magnetic Resonance Imaging Contrast Agent. 2021 , 11, 8222	2
350	Recent Advances in Gadolinium Based Contrast Agents for Bioimaging Applications. 2021 , 11,	9
349	DCE-MRI of Brain Fluid Barriers: Water Cycling at the Human Choroid Plexus. 2021 , 1963143	0

348	Bacteria-Targeted MRI Probe-Based Imaging Bacterial Infection and Monitoring Antimicrobial Therapy In Vivo. 2021 , 17, e2103627	2
347	Responsive Nanoparticles to Enable a Focused Ultrasound-Stimulated Magnetic Resonance Imaging Spotlight. 2021 , 15, 14618-14630	0
346	Bis-Aargentivorous Molecules Bridged by Phenyl and 4,4'-Biphenyl Groups: Structural and Dynamic Behavior of Silver Complexes. 2021 , 60, 15159-15168	
345	Temperature Dependence of Fundamental Photophysical Properties of [Eu(MeOH-)] Solvates and [Eu(DOTA(MeOH-))] Complexes. 2021 , 125, 8347-8357	3
344	Magnetoferritin enhances T contrast in magnetic resonance imaging of macrophages. 2021 , 128, 112282	1
343	Intelligent Design of Ultrasmall Iron Oxide Nanoparticle-Based Theranostics. 2021 , 13, 45119-45129	2
342	Regulation of MRI contrast and cellular retention time by cellular interfacial distribution of Gd agents: Implications for stem cell tracking. 2021 , 100024	
341	Asymmetric polymersomes, from the formation of asymmetric membranes to the application on drug delivery. 2021 , 338, 422-445	2
340	Advancement of metal compounds as therapeutic and diagnostic metallodrugs: Current frontiers and future perspectives. 2021 , 445, 214104	12
339	Mn(III) porphyrins as potential MRI contrast agents for diagnosis and MRI-guided therapy. 2021 , 445, 214069	6
338	Ratiometric magnetic resonance imaging: Contrast agent design towards better specificity and quantification. 2021 , 447, 214150	3
337	Biodegradation of metal-based ultra-small nanoparticles: A combined approach using TDA-ICP-MS and CE-ICP-MS. 2021 , 1185, 339081	2
336	Emerging two-dimensional silicene nanosheets for biomedical applications. 2021 , 16, 100132	4
335	Simultaneous multielement imaging of liver tissue using laser ablation inductively coupled plasma mass spectrometry. 2021 , 235, 122725	1
334	A new series of manganese(II) complexes of three fully condensed Schiff base ligands derived from some symmetrical and asymmetrical tripodal tetraamines and 2-pyridinecarboxyaldehyde. 2021 , 1245, 130982	2
333	Bioconjugates of versatile β -diketonate-lanthanide complexes as probes for time-gated luminescence and magnetic resonance imaging of cancer cells in vitro and in vivo. 2021 , 9, 3161-3167	1
332	Cyclodextrins: promising scaffolds for MRI contrast agents.. 2021 , 11, 29762-29785	0
331	Engineering of stealth (maghemite/PLGA)/chitosan (core/shell)/shell nanocomposites with potential applications for combined MRI and hyperthermia against cancer. 2021 , 9, 4963-4980	4

330	A Polypeptide-Based, Membrane-Penetrating, Target-Specific Contrast Agent for Magnetic Resonance Molecular Imaging.. 2021 , 4, 1597-1604	
329	Mn(II)-Conjugated silica nanoparticles as potential MRI probes. 2021 , 9, 8994-9004	2
328	Grafting of Gd-DTPA onto MOF-808 to enhance MRI performance for guiding photothermal therapy. 2021 , 9, 8631-8638	1
327	Layered terbium hydroxides for simultaneous drug delivery and imaging. 2021 , 50, 10275-10290	0
326	Functionalized silica nanoplatfrom as a bimodal contrast agent for MRI and optical imaging. 2021 , 13, 16509-16524	2
325	A design strategy of ultrasmall Gd ₂ O ₃ nanoparticles for T1 MRI with high performance. 2021 , 45, 7270-7277	2
324	Metal Complexes as T1 MRI Contrast Agents. 2021 , 741-770	
323	Magnetic Resonance Imaging Agents. 2021 , 583-601	
322	Zeolitic imidazolate framework nanoparticles loaded with gadolinium chelate as efficient T1 MRI contrast agent. 2021 , 56, 7386-7396	0
321	A class of water-soluble Fe(III) coordination complexes as -weighted MRI contrast agents. 2021 , 9, 1787-1791	3
320	Magnets, Magnetism, and Magnetic Resonance Imaging: History, Basics, Clinical Aspects, and Future Directions. 2021 , 135-161	1
319	A T MRI Dy-based contrast agent for direct pH imaging using a ratiometric approach. 2021 , 50, 2014-2017	1
318	Development of a tumor-targetable heteropolymetallic lanthanide-complex-based magnetoluminescent probe for dual-modal time-gated luminescence/magnetic resonance imaging of cancer cells in vitro and in vivo. 2021 , 45, 9181-9188	0
317	Smart magnetic resonance imaging-based theranostics for cancer. 2021 , 11, 8706-8737	5
316	Chemistry, Physicochemical Properties and Pharmacokinetics of Gadolinium-Based Contrast Agents. 2021 , 63-69	
315	Effects of Contrast Agents in Susceptibility Weighted Imaging. 487-515	1
314	Dendrimers: A Class of Polymer in the Nanotechnology for Drug Delivery. 373-409	2
313	Magnetic Nanoparticles. 2020 , 171-195	1

312	Enhanced MRI-Guided Gadolinium (III) Neutron Capture Therapy by Polymeric Nanocarriers Promoting Tumor Accumulation and Intracellular Delivery. 2020 , 6, 412-419	5
311	Structures of MRI Contrast Agents in Solution. 2002 , 25-60	13
310	Blood-Pool MRI Contrast Agents: Properties and Characterization. 2002 , 201-235	22
309	(Super)paramagnetic Nanoparticles: Applications in Noninvasive MR Imaging of Stem Cell Transfer. 2008 , 91-140	3
308	Nanosystems for Multimodality In vivo Imaging. 2008 , 409-430	0
307	Magnetic Resonance Imaging of Single Cells. 2020 , 2126, 95-106	1
306	Preparation of Dextran-Based Macromolecular Chelates for Magnetic Resonance Angiography. 2001 , 219-229	1
305	Molecular Dynamics of Gd(III) Complexes in Aqueous Solution by HF EPR. 2004 , 207-247	4
304	Determining the relaxivity values of protein cage-templated nanoparticles using magnetic resonance imaging. 2015 , 1252, 39-50	1
303	Advanced Contrast Agents for Multimodal Biomedical Imaging Based on Nanotechnology. 2018 , 1718, 441-457	4
302	Screening of CEST MR contrast agents. 2011 , 771, 171-87	3
301	Engineering Multifunctional Nanomedicine Platforms for Drug Delivery and Imaging. 2019 , 319-344	2
300	Environment-sensitive and enzyme-sensitive MR contrast agents. 2008 , 37-57	9
299	MRI Contrast Media [Introduction and Basic Properties of the Blood Pool Agent Gadofosveset (Vasovist®)]. 2008 , 3-15	1
298	Magnetic Nanoparticles for Biomedical Applications. 2014 , 457-493	7
297	Magnetic Nanoparticles Used as Contrast Agents in MRI: Relaxometric Characterisation. 2017 , 511-555	2
296	Structure, synthesis and characterization of contrast agents for magnetic resonance molecular imaging. 2007 , 71-87	9
295	Brain relaxometry after macrocyclic Gd-based contrast agent. 2017 , 27, 459-468	7

294	Facile synthesis of pH-responsive gadolinium(III)-doped carbon nanodots with red fluorescence and magnetic resonance properties for dual-readout logic gate operations. 2020 , 166, 265-272	18
293	Supramolecular Purification and Regioselective Functionalization of Fullerenes and Endohedral Metallofullerenes. 2020 , 6, 3219-3262	12
292	Magnetic resonance imaging contrast agents: Theory and the role of dendrimers. 2002 , 129-247	9
291	Computer-Assisted Design of Macrocyclic Chelators for Actinium-225 Radiotherapeutics. 2021 , 60, 623-632	11
290	Multilevel, Dual-Readout Logic Operations Based on pH-Responsive Holmium(III)-Doped Carbon Nanodots.. 2020 , 3, 3761-3769	7
289	¹ H NMR Relaxometric Study of Chitosan-Based Nanogels Containing Mono- and Bis-Hydrated Gd(III) Chelates: Clues for MRI Probes of Improved Sensitivity.. 2020 , 3, 9065-9072	7
288	Comprehensive phenotyping revealed transient startle response reduction and histopathological gadolinium localization to perineuronal nets after gadodiamide administration in rats. 2020 , 10, 22385	5
287	Chapter 2: Intrinsic and Extrinsic Paramagnetic Probes. 2018 , 42-84	7
286	Optimising the relaxivities of Mn complexes by targeting human serum albumin (HSA). 2017 , 46, 8494-8504	20
285	Multi-arm star-branched polymer as an efficient contrast agent for tumor-targeted magnetic resonance imaging. 2017 , 5, 5001-5008	4
284	In situ embedding dual-Fe nanoparticles in synchronously generated carbon for the synergistic integration of magnetic resonance imaging and drug delivery. 2020 , 2, 5296-5304	3
283	Recycling Toward Rare Earth Security. 2015 , 156-177	1
282	Manganese-nitrogen and gadolinium-nitrogen Co-doped graphene quantum dots as bimodal magnetic resonance and fluorescence imaging nanoprobe. 2021 , 32, 095103	8
281	Vanadium-based nanomaterials for cancer diagnosis and treatment. 2020 , 16, 014101	3
280	Physicochemical and biological evaluation of P792, a rapid-clearance blood-pool agent for magnetic resonance imaging. 2001 , 36, 445-54	62
279	{E6,6'-Dimethoxy-2,2'-[ethane-1,2-diylbis(nitrilo-methyl-idyne)]diphenolato}-Ehitrato-dinitratoeuropium(III)zinc(II). 2007 , 64, m8-9	1
278	{E6,6'-Dimethoxy-2,2'-[ethane-1,2-diylbis(nitrilo-methyl-idyne)]diphenolato}-Ehitrato-dinitratoterbium(III)zinc(II). 2008 , 64, m562-3	2
277	{E6,6'-Dimethoxy-2,2'-[ethane-1,2-diylbis(nitrilo-methyl-idyne)]diphenolato}-Ehitrato-dinitratoholmium(III)zinc(II). 2008 , 64, m804-5	1

276	{[6,6'-Diethoxy-2,2'-[ethane-1,2-diylbis(nitrilo-methyl-idyne)]diphenolato}trinitratoholmium(III)nickel(II). 2008 , 64, m806-7	1
275	11 Tetrapyrrole-based theranostic combinations of photodynamic action and magnetic resonance imaging. 2017 , 211-248	2
274	Quantitative Visualization of Dynamic Tracer Transportation in the Extracellular Space of Deep Brain Regions Using Tracer-Based Magnetic Resonance Imaging. 2017 , 23, 4260-4268	3
273	Blood-brain barrier permeability of normal appearing white matter in relapsing-remitting multiple sclerosis. 2013 , 8, e56375	25
272	Progress in magnetic Fe ₃ O ₄ nanomaterials in magnetic resonance imaging. 2020 , 9, 1265-1283	9
271	An overview on ligands of therapeutically interest. 2018 , 6,	3
270	Polydisulfide Gd(III) chelates as biodegradable macromolecular magnetic resonance imaging contrast agents. 2006 , 1, 31-40	44
269	Toxicity Mechanism of Gadolinium Oxide Nanoparticles and Gadolinium Ions in Human Breast Cancer Cells. 2019 , 20, 907-917	7
268	Toward the Design of MR Agents for Imaging of Cell Function. 2004 , 4, 349-369	19
267	Strategies for the preparation of bifunctional gadolinium(III) chelators. 2011 , 8, 535-565	49
266	Multilanthanide Systems for Medical Imaging Applications. 2011 , 1, 88-100	3
265	Gadolinium Deposition in Neurology Clinical Practice. 2019 , 19, 17-25	8
264	Hydrophilic Biocompatible Poly(Acrylic Acid-co-Maleic Acid) Polymer as a Surface-Coating Ligand of Ultrasmall GdO Nanoparticles to Obtain a High r Value and T ₂ MR Images. 2020 , 11,	7
263	PREPARATION AND EVALUATION OF LIVER SPECIFIC NON-IONIC POLYMERIC CONTRAST AGENT. 2008 , 008, 116-122	2
262	A Review on Nanomedicinal and Nanosensing Potential of Nanoparticles. 2014 , 8, 58-84	4
261	Drug delivery from engineered organisms and nanocarriers as monitored by multimodal imaging technologies. 2017 , 4, 198-222	3
260	Biomedical Applications of Gold Nanoparticles. 2018 , 837-858	2
259	Nanoimaging in cardiovascular diseases: Current state of the art. 2015 , 141, 285-98	17

258	Syntheses and Characterization of Cr(III)-Hydrogensalicylato and -Hydroxynitrophenolato Tetraaza Macrocylic Complexes. 2006 , 27, 687-693	4
257	Gd-Complexes of DTPA-bis(amides) Functionalized by Pyridine and Picolinamide: Synthesis, Thermodynamic Stability, and Relaxivity Properties. 2008 , 29, 1211-1216	2
256	Determination of Correlation Times of New Paramagnetic Gadolinium MR Contrast Agents by EPR and ¹⁷ O NMR. 2009 , 30, 849-852	8
255	Gold Nanoparticles Coated with Gd-Chelate as a Potential CT/MRI Bimodal Contrast Agent. 2010 , 31, 1177-1181	25
254	Synthesis and Luminescence Properties of Lanthanide Complexes of a Novel Polyaminopolycarboxylate Ligand. 2010 , 31, 1283-1288	4
253	Gadolinium Complex of 1,4,7,10-Tetraazacyclododecane-1,4,7-trisacetic acid (DO3A) Conjugate of [(p-aniline benzothiazole)methyl]pyridine as a Tumor-Targeting MRI Contrast Agent. 2013 , 34, 3654-3658	2
252	Gadolinium Complex of 1,4,7,10-Tetraazacyclododecane-N,N',N'',N'''-1,4,7-trisacetic Acid (DO3A) Conjugate of Tranexamates: A Quest for a Liver-specific Magnetic Resonance Imaging Contrast Agent. 2014 , 35, 87-92	1
251	Synthesis, Spectroscopic, and Biological Studies of Chromium(III), Manganese(II), Iron(III), Cobalt(II), Nickel(II), Copper(II), Ruthenium(III), and Zirconyl(II) Complexes of N1,N2-Bis(3-((3-hydroxynaphthalen-2-yl)methylene-amino)propyl)phthalamide. 2011 , 55, 418-429	5
250	A Systematic Study on MR Contrast Agents for Constructing Specific Relaxation Times. 2010 , 14, 9-17	1
249	EDTMP ligand-enhanced water interactions endowing iron oxide nanoparticles with dual-modal MRI contrast ability. 2021 , 9, 9055-9066	0
248	Recent advances in waste-recycled nanomaterials for biomedical applications: Waste-to-wealth. 2021 , 10, 1662-1739	12
247	LAYERED DOUBLE HYDROXIDE-BASED MRI/CT DUAL MODAL CONTRASTING AGENT WITH HOMOGENEOUS PARTICLE SIZE. 2021 , 69, 425	0
246	Solvent and structural effects on silver(I) complex formation: thermodynamics and modeling.	0
245	Imaging of Dysfunctional Elastogenesis in Atherosclerosis Using an Improved Gadolinium-Based Tetrameric MRI Probe Targeted to Tropoelastin. 2021 , 64, 15250-15261	0
244	Magnetic Resonance Imaging of PSMA-Positive Prostate Cancer by a Targeted and Activatable Gd(III) MR Contrast Agent. 2021 , 143, 17097-17108	5
243	EPR spectral study of gadolinium(III) cryptate. 2002 , 316-321	1
242	Radiometals (non-Tc, non-Re) and Bifunctional Labeling Chemistry. 2003 , 1577-1611	
241	MR Contrast Agents for Molecular and Cellular Imaging. 2003 , 721-739	0

- 240 Magnetic Resonance Contrast Agents. **2004**, 19-29
- 239 Magnetic Resonance Imaging Contrast Agents. **2007**, 1-6
- 238 Contrast Agents in Neuroradiological MRI: Current Status. **2008**, 150-157
- 237 Summary of Safety of Vasovist[®] at 0.03 mmol/kg Body Weight Dose [Clinical Data]. **2008**, 43-50
- 236 Nanoceramics Intercalated with Gd-DTPA for Potential Imaging of Systems In Vivo. 54-62
- 235 Image Comparisons using a Diethylenetriaminetriacetic Acid Derivative and Gd-DTPA. **2008**, 8, 210-216 1
- 234 The Emergence of Magnetic and Fluorescent Multimodal Nanoparticles as Contrast Agents in Bioimaging. **2008**, 353-392
- 233 Image-Guided Photodynamic Cancer Therapy. **2009**, 581-599
- 232 Diagnostic Imaging in the Evaluation of Childhood Cancer. **2009**, 1015-1098
- 231 Gd-complexes of DTPA-bis(amide) Conjugates of Phosphonated Tranexamic Esters as MRI Contrast Agents. **2011**, 32, 1022-1026
- 230 Tools to Enhance the Contrast in MR Images: From Lanthanide Complexes and Iron Oxide Particles to MEMRI. **2012**, 79-132
- 229 Developments of Molecular Probes for Detecting Biological Events Based on Polymeric Materials. **2012**, 69, 468-484
- 228 Nanomedicine. **2012**, 1-41
- 227 CHAPTER 10. Supramolecular Metal Complexes for Imaging and Radiotherapy. **2013**, 300-330
- 226 Pharmacokinetics and Bio-distribution of New Gd-complexes of DTPA-bis (amide) (L3) in a Rat Model. **2013**, 17, 259
- 225 CHAPTER 6:F-block Elements Recovery. **2013**, 140-184
- 224 Contrast Media. **2013**, 343-367
- 223 Image Contrast and Resolution in MRI. **2014**, 21-36

222 Contrast Media. **2015**, 271-281

221 Dendritic Architectures: Theranostic Applications. 2391-2399

220 Gadolinium. **2016**, 491-504

0

219 Boron nitride nanotubes as magnetic resonance imaging contrast agents. **2016**, 111-121

218 Peking University - Juntendo University Joint Symposium on Brain and Skin Diseases. **2016**, 62, 302-307

217 Polyglycerol-Functionalized Nanoparticles for Biomedical Imaging. **2016**, 139-159

2

216  ~~2017~~, 140-148

215 Magnetic Materials for Nuclear Magnetic Resonance and Magnetic Resonance Imaging. **2017**, 131-188

214 Biomedical Applications of Gold Nanoparticles. **2017**, 74-101

0

213 Dendritic Architectures: Theranostic Applications. **2017**, 402-410

212 Quantitative Evaluation of Synthetic MR in Relaxation Time Measurement: A Phantom Study. **2017**, 27, 13-24

211 Molecular Imaging and Molecular Imaging Technologies. **2018**, 3-27

210 Application of Gadolinium-Doped Zinc Oxide Quantum Dots for Magnetic Resonance and Fluorescence Imaging. **2018**, 65-79

209 Introduction to Contrast-Enhanced Imaging. **2018**, 1-24

208 Cardiovascular Magnetic Resonance Contrast Agents. **2019**, 27-39.e4

207 Imaging Technology. 117-131

206 Intermolecular interactions play a role in the distribution and transport of charged contrast agents in a cartilage model.

205 The combined use of EphA2/MMP-2 expression and MRI findings contributes to the determination of cerebral glioma grade. **2019**, 18, 5607-5613

5

- 204 Design of High-Relaxivity Polyelectrolyte Nanocapsules Based on Citrate Complexes of Gadolinium(III) of Unusual Composition. **2021**, 22, 0
- 203 Luminescent Nanomaterials Doped with Rare Earth Ions and Prospects for Their Biomedical Applications (A Review). **2020**, 128, 2050-2068 1
- 202 T1 Measurement by NMR Inversion Recovery: An Upper-Division Undergraduate Experiment in Advanced NMR Techniques Demonstrating the Concept of Contrast-Enhanced MRI. **2021**, 98, 587-591
- 201 Transition Metal ParaCEST, LipoCEST, and CellCEST Agents as MRI Probes. 1-19
- 200 Mechanistic Insight of Sensing Hydrogen Phosphate in Aqueous Medium by Using Lanthanide(III)-Based Luminescent Probes. **2020**, 11, 1
- 199 Contrast Media. **2021**, 473-506
- 198 Al(III)-NTA-fluoride: a simple model system for Al-F binding with interesting thermodynamics. **2020**, 49, 13726-13736
- 197 Superparamagnetic Iron Oxide-Based Nanomaterials for Magnetic Resonance Imaging. **2021**, 167-203
- 196 Passive targeting of high-grade gliomas the EPR effect: a closed path for metallic nanoparticles?. **2021**, 9, 7984-7995 5
- 195 Aminopolycarboxylates in trivalent f-element separations. **2021**, 60, 1-162 0
- 194 Tumor Diagnosis Patterns. **2020**, 87-133
- 193 organometallic drugs.
- 192 Polymers and Nanostructured Materials for Drug Nanoparticles, Bioimaging, and Cell Delivery. 1-43
- 191 An NMR relaxometry approach for quantitative investigation of the transchelation of gadolinium ions from GBCAs to a competing macromolecular chelator. **2021**, 11, 21731 1
- 190 Fast and automated monitoring of gadolinium-based contrast agents in surface waters. **2021**, 207, 117836 0
- 189 MRI methods for structural and functional assessment of the lungs: proton and multinuclear. 1-19
- 188 Integrating image fusion with nanoparticle contrast agents for diagnosis: a review. **2020**, 51, 0
- 187 Gadonanotubes as new high-performance MRI contrast agents. **2006**, 1, 291-5 40

186	Evaluation of CLT1-(Gd-DTPA) for Cancer MR Molecular Imaging in a Mouse Breast Cancer Model. 2011 , 2, 325-330	3
185	Assessment of blood flow with (68)Ga-DOTA PET in experimental inflammation: a validation study using (15)O-water. 2014 , 4, 571-9	8
184	[T-weighted magnetic resonance imaging contrast agents and their theranostic nanoprobles]. 2020 , 40, 427-444	1
183	Development of a Flexible Tripodal Hydroxypyridinone Ligand with Cyclohexane Framework: Complexation, Solution Thermodynamics, Spectroscopic and DFT Studies. 2021 , 6, 12165-12181	0
182	Nanoparticle-Assisted Nuclear Relaxation-Based Detection of Oligonucleotides. 2022 , 2393, 611-622	1
181	Symptoms Associated with Gadolinium Exposure (SAGE): A Suggested Term. 2021 , 211349	1
180	Magnetic relaxation in single-ion magnets formed by less-studied lanthanide ions Ce(III), Nd(III), Gd(III), Ho(III), Tm(II/III) and Yb(III). 2021 , 214288	1
179	Lanthanide complexes with polyaminopolycarboxylates as prospective NMR/MRI diagnostic probes: peculiarities of molecular structure, dynamics and paramagnetic properties. 2021 , 1-33	1
178	How the catalysis of the prototropic exchange affects the properties of lanthanide(III) complexes in their applications as MRI contrast agents. 2021 , 532, 120730	0
177	Mn(II) complexes of phenylenediamine based macrocyclic ligands as T-MRI contrast agents.. 2021 , 228, 111684	1
176	Iridium-lanthanide complexes: Structures, properties and applications. 2022 , 456, 214367	3
175	Magnetic Nanoparticles for Image-Guided Drug Delivery. 2021 , 45-71	0
174	Advances in Imaging Modalities and Contrast Agents for the Early Diagnosis of Colorectal Cancer.. 2021 , 17, 558-581	2
173	Integration of PEG-conjugated gadolinium complex and superparamagnetic iron oxide nanoparticles as - dual-mode magnetic resonance imaging probes. 2021 , 8, rbab064	2
172	All Other Therapeutic Products [Antidotes, Detoxifying Agents (V03), and Contrast Media (V08)]. 1-39	
171	High-Relaxivity Molecular MRI Contrast Agent to Target Gb3-Expressing Cancer Cells.. 2022 ,	0
170	Unlabeled aspirin as an activatable theranostic MRI agent for breast cancer.. 2022 , 12, 1937-1951	1
169	Targeted PET/MRI Imaging Super Probes: A Critical Review of Opportunities and Challenges.. 2021 , 16, 8465-8483	1

168	Metal-Based Nanoparticle Magnetic Resonance Imaging Contrast Agents: Classifications, Issues, and Countermeasures toward their Clinical Translation. 2101710	0
167	Zwitterion-Coated Ultrasmall MnO Nanoparticles Enable Highly Sensitive -Weighted Contrast-Enhanced Brain Imaging.. 2022 ,	2
166	Repurposing ferumoxytol: Diagnostic and therapeutic applications of an FDA-approved nanoparticle.. 2022 , 12, 796-816	15
165	Gadolinium: pharmacokinetics and toxicity in humans and laboratory animals following contrast agent administration.. 2022 , 96, 403	2
164	Heat Modulation of Intrinsic MR Contrasts for Tumor Characterization.. 2022 , 14,	
163	Supramolecular Enhancement of Antenna-sensitized Europium(III) Luminescence by Cucurbit[7]uril Complexation.	
162	Magnetic Resonance/Infrared Dual-Modal Imaging-Guided Synergistic Photothermal/Photodynamic Therapy Nanoplatform Based on CuS-Gd@FA for Precision Cancer Theranostics.. 2022 , 615, 95-109	1
161	Metal-Organic Polyhedron with Four Fe(III) Centers Producing Enhanced T Magnetic Resonance Imaging Contrast in Tumors.. 2022 ,	3
160	Advanced metal and carbon nanostructures for medical, drug delivery and bio-imaging applications.. 2022 ,	3
159	Boosting Vascular Imaging-Performance and Systemic Biosafety of Ultra-Small NaGdF Nanoparticles via Surface Engineering with Rationally Designed Novel Hydrophilic Block Co-Polymer.. 2022 , e2101145	0
158	Dextran-Mimetic Quantum Dots for Multimodal Macrophage Imaging , and .. 2022 ,	1
157	High-field magnetic resonance imaging: Challenges, advantages, and opportunities for novel contrast agents. 2022 , 3, 011304	0
156	Responsive gadolinium(III) complex-based small molecule magnetic resonance imaging probes: Design, mechanism and application. 2022 , 457, 214398	1
155	Observation of chemical speciation on L X-ray emission spectra for gadolinium (III) materials. 2022 , 902, 163783	1
154	Synthesis, characterization and relaxivity validations of Gd(III) complex of DOTA tetrahydrazide as MRI contrast agent. 2022 , 1255, 132474	0
153	Manganese(II) EOB-Pyclen Diacetate for Liver-Specific MRI.. 2022 ,	0
152	Coordination-Directed Self-Assembly of Functional Polynuclear Lanthanide Supramolecular Architectures.. <i>Chemical Reviews</i> , 2022 ,	68.1 15
151	Combined speciation analysis and elemental bioimaging provides new insight into gadolinium retention in kidney.. 2022 ,	

150	A Molecule Having 13 Unpaired Electrons: Magnetic Property of a Gadolinium(III) Complex Coordinated with Six Nitronyl Nitroxide Radicals.. 2022 ,	0
149	NMR Relaxivities of Paramagnetic Lanthanide-Containing Polyoxometalates.. 2021 , 26,	1
148	Recent progress in the chemistry of 12-membered pyridine-containing tetraazamacrocycles: from synthesis to catalysis.. 2022 ,	1
147	Safety of gadolinium based contrast agents in magnetic resonance imaging-guided radiotherapy - An investigation of chelate stability using relaxometry.. 2022 , 21, 96-100	1
146	PEGylated amphiphilic polymeric manganese(II) complexes as magnetic resonance angiographic agents.. 2022 ,	2
145	Fabrication of nanomaterials for biomedical imaging. 2022 , 81-100	0
144	Nanoprobes for Computed Tomography and Magnetic Resonance Imaging in Atherosclerosis Research.. 2022 , 2419, 809-823	
143	A Modified PEG-Fe ₃ O ₄ Magnetic Nanoparticles Conjugated with D(+)Glucosamine (DG): MRI Contrast Agent. 1	
142	Ultrasmall MnSe Nanoparticles as -MRI Contrast Agents for Tumor Imaging.. 2022 ,	0
141	Melanin-gelatin nanoparticles with both EPR effect and renal clearance for PA/MRI dual-modal imaging of tumors.. 2022 , 112718	2
140	A thorough examination of gadolinium (III)-containing silicate bioactive glasses: synthesis, physical, mechanical, elastic and radiation attenuation properties. 2022 , 128, 1	1
139	High Relaxivity with No Coordinated Waters: A Seemingly Paradoxical Behavior of [Gd(DOTP)] Embedded in Nanogels.. 2022 , 61, 5380-5387	0
138	2D Materials-based Nanomedicine: From Discovery to Applications.. 2022 , 114268	4
137	Gadolinium(III) Porphyrinoid Phototheranostics.. 2022 ,	
136	Photoinduced Superhydrophilicity of Gd-Doped TiO Ellipsoidal Nanoparticles Boosts Contrast Enhancement for Magnetic Resonance Imaging.. 2022 ,	4
135	Recent advances in the preclinical development of responsive MRI contrast agents capable of detecting hydrogen peroxide.. 2022 , 230, 111763	1
134	Biomedical Engineering of Two-Dimensional MXenes.. 2022 , 114178	6
133	High content and dispersion of Gd in bimodal porous silica: T2 contrast agents under ultra-high magnetic fields. 2022 , 336, 111863	

132	Nanoheterostructures based on nanosized Prussian blue and its Analogues: Design, properties and applications. 2022 , 461, 214497	3
131	Use of Dextran-Coated Cobalt-Zinc Ferrite Nanoparticles to Improve Image Quality in Magnetic Resonance Imaging: Non-Clinical Approach. 2021 , 95, 2643-2652	1
130	Rare-Earth Doped Iron Oxide Nanostructures for Cancer Theranostics: Magnetic Hyperthermia and Magnetic Resonance Imaging. 2021 , e2104855	1
129	Designer Heme Proteins: Achieving Novel Function with Abiological Heme Analogues. 2021 ,	3
128	Versatile Macrocyclic Platform for the Complexation of [Y/Y]Yttrium and Lanthanide Ions.. 2022 ,	0
127	Effect of Structural Fine-Tuning on Chelate Stability and Liver Uptake of Anionic MRI Contrast Agents.. 2022 ,	1
126	Table_1.PDF. 2018 ,	
125	Data_Sheet_1.pdf. 2019 ,	
124	Data_Sheet_1.pdf. 2020 ,	
123	Nanoprobes for Visualization of Cancer Pathology in Vivo?. 2022 , 80, 805	1
122	Novel Methacrylate-Based Multilayer Nanofilms with Incorporated FePt-Based Nanoparticles and the Anticancer Drug 5-Fluorouracil for Skin Cancer Treatment.. 2022 , 14,	2
121	On the Experimental Determination of $4f$ Intensity Parameters from the Emission Spectra of Europium (III) Compounds. 2022 , 130, 10-17	0
120	Engineering lanmodulin's selectivity for actinides over lanthanides by controlling solvent coordination and second-sphere interactions.	1
119	Consensus on MR Imaging of Endolymphatic Hydrops in Patients With Suspected Hydropic Ear Disease (Meniere).. 2022 , 9, 874971	0
118	Amino Acids and Doxorubicin as Building Blocks for Metal Ions-Driven Self-Assembly of Biodegradable Polyprodrugs for Tumor Theranostics.. 2022 ,	1
117	Polyethylenimine-Coated Ultrasmall Holmium Oxide Nanoparticles: Synthesis, Characterization, Cytotoxicities, and Water Proton Spin Relaxivities.. 2022 , 12,	0
116	In-cell NMR: Why and how?. 2022 ,	0
115	Distinct Coordination Chemistry of Fe(III)-Based MRI Probes.. 2022 ,	3

- 114 Studies of the hydrophobic interaction between a pyrene - containing dye and a tetra-aza macrocyclic gadolinium complex.
- 113 Paramagnetic ultrasmall Ho₂O₃ and Tm₂O₃ nanoparticles: characterization of r₂ values and in vivo T₂ MR images at a 3.0 T MR field.
- 112 Gadolinium in Medical Imaging: Usefulness, Toxic Reactions and Possible Countermeasures. *Review*. **2022**, 12, 742 0
- 111 Lanthanide Supramolecular Systems. **2022**, 603-642
- 110 Preclinical Profile of Gadoquatrane. Publish Ahead of Print, 0
- 109 Metal-Free Radical Dendrimers as MRI Contrast Agents for Glioblastoma Diagnosis: Ex Vivo and In Vivo Approaches. 4
- 108 Rare-earth based materials: an effective toolbox for brain imaging, therapy, monitoring and neuromodulation. **2022**, 11, 2
- 107 Cerium Oxide Nanoparticles with Entrapped Gadolinium for High T₁ Relaxivity and ROS-Scavenging Purposes. **2022**, 7, 21337-21345 2
- 106 Evaluation of crodamine based probes as intracellular targeted contrast agents for magnetic resonance imaging. **2022**, 69, 116863
- 105 Importance of ligand design in lanthanide azamacrocyclic complexes relevant to biomedical applications. **2022**,
- 104 Engineering and functionalization of nanomaterials for theranostic applications in infectious diseases. **2022**, 45-71
- 103 Safe Magnetic Resonance Imaging on Biocompatible Nanoformulations. 1
- 102 Tumor-Avid 3-(1-Hexyloxy)ethyl-3-devinylpyrpyropheophorbide-a (HPPH)-3Gd(III)tetraxetan (DOTA) Conjugate Defines Primary Tumors and Metastases. **2022**, 65, 9267-9280 1
- 101 Versatile Procedures for Reliable NMR Quantification of CO₂ Electroreduction Products. **2022**, 126, 11026-11032
- 100 Design Principles for the Development of Gd(III) Polarizing Agents for Magic Angle Spinning Dynamic Nuclear Polarization. **2022**, 126, 11310-11317 0
- 99 Mono and Multiple Tumor-Targeting Ligand-Coated Ultrasmall Gadolinium Oxide Nanoparticles: Enhanced Tumor Imaging and Blood Circulation. **2022**, 14, 1458
- 98 Low-Molecular-Weight Fe(III) Complexes for MRI Contrast Agents. **2022**, 27, 4573 1
- 97 Multimodal Imaging Contrast Property of Nano Hybrid Fe₃O₄@Ag Fabricated by Seed-Growth for Medicinal Diagnosis. **2022**, 7, 0

96	Magneto-fluorescent Contrast Agents Based on Carbon Dots@Ferrite Nanoparticles for Tumor Imaging. 2022 , 169686	1
95	Hyaluronic Acid Stabilized Fe ₃ O ₄ Nanoparticles for Promoting In Vivo Magnetic Resonance Imaging of Tumors. 13,	
94	A dual-mode T1 MRI/CT contrast agent of Gd ₂ O ₃ /Au@MSNs for tumor imaging with high performance. 2022 , 24, 101494	0
93	Polymeric dual-modal imaging nanoprobe with two-photon aggregation-induced emission for fluorescence imaging and gadolinium-chelation for magnetic resonance imaging. 2023 , 19, 538-549	5
92	Seven Europium(III) Complexes in Solution ¶The Importance of Reporting Data When Investigating Luminescence Spectra and Electronic Structure.	0
91	Reply to ¶Comment on ¶Molecules, the Ultimate Nanomotor: Linking Chemical Reaction Intermediates to their Molecular Diffusivity¶ 2022 , 16, 9977-9981	0
90	Metal complex-based liposomes: Applications and prospects in cancer diagnostics and therapeutics. 2022 , 348, 1066-1088	3
89	Doping engineering and functionalization of iron oxide nanoclusters for biomedical applications. 2022 , 923, 166459	1
88	Response to Comment on ¶Following Molecular Mobility during Chemical Reactions: No Evidence for Active Propulsion¶and ¶Molecular Diffusivity of Click Reaction Components: The Diffusion Enhancement Question¶ 2022 , 144, 13436-13440	0
87	Carboxylate functionalized NaDy(MoO ₄) ₂ nanoparticles with tunable size and shape as high magnetic field MRI contrast agents. 2022 ,	0
86	Off-the-Shelf Gd(NO ₃) ₃ as an Efficient High-Spin Metal Ion Polarizing Agent for Magic Angle Spinning Dynamic Nuclear Polarization. 2022 , 126, 6281-6289	
85	Medical contrast agents as promising tools for biomacromolecular SAXS experiments. 2022 , 78,	
84	Comment on ¶Following Molecular Mobility during Chemical Reactions: No Evidence for Active Propulsion¶and ¶Molecular Diffusivity of Click Reaction Components: The Diffusion Enhancement Question¶ 2022 , 144, 13431-13435	0
83	Gadolinium based contrast agents (GBCAs): Uniqueness, aquatic toxicity concerns, and prospective remediation. 2022 , 104057	0
82	Design, Synthesis, and Biological Applications of Boron-Containing Polyamine and Sugar Derivatives.	
81	History of Technological Advancements towards MR-Linac: The Future of Image-Guided Radiotherapy. 2022 , 11, 4730	0
80	Water-dispersible Gadolinium Oxide Nanoplates as an Effective Positive Magnetic Resonance Imaging Contrast Agent. 2022 , 7,	0
79	The electrostatic confinement of aquated monocationic Gd(III) complex-molecules within the inner core of porous silica nanoparticles creates a highly efficient T1 contrast agent for magnetic resonance imaging. 2022 , 51, 14138-14149	0

- 78 Water-Soluble 15-Metallacrown-5 Complexes: Molecular Structures and Properties. **2022**, 277-315 0
- 77 Current status and future prospects of nanoscale metal-organic frameworks in bioimaging. 1
- 76 Long story short: donor set symmetry in [Eu(DOTA)(H₂O)]₂ crystals determines the electronic structure. **2022**, 51, 14118-14124 0
- 75 Magnetic resonance contrast agents for neuroradiology. **2022**, 203-211 0
- 74 Synergistic Effect of Oxygen- and Nitrogen-Containing Groups in Graphene Quantum Dots: Red Emitted Dual-Mode Magnetic Resonance Imaging Contrast Agents with High Relaxivity. **2022**, 14, 39885-39895¹
- 73 Redox-Responsive MRI Probes Based on First-Row Transition-Metal Complexes. **2022**, 61, 14487-14499 0
- 72 Gadolinium Deposition in the Rat Brain Measured with Quantitative MRI versus Elemental Mass Spectrometry. 0
- 71 Targeted Contrast Agents for Magnetic Resonance Molecular Imaging of Cancer. **2022**, 55, 2833-2847 3
- 70 Principles for the Design of MRI Probes. **2023**, 147-199 0
- 69 Entropy and Enthalpy Effects on Metal Complex Formation in Non-Aqueous Solvents: The Case of Silver(I) and Monoamines. **2022**, 24, 1253 0
- 68 Di-Pyridine-Containing Macrocyclic Triamide Fe(II) and Ni(II) Complexes as ParaCEST Agents. 0
- 67 Elemental Imaging of Long-term Gadolinium Retention in Rodent Femur. 0
- 66 Gadolinium Brain Deposition in the globus pallidus and dentate nucleus after serial administrations of a macrocyclic gadolinium-based contrast agent in oncologic pediatric patients. **2022**, 9, 018-025 0
- 65 Recent Advances in Metal-Organic Frameworks for Applications in Magnetic Resonance Imaging. 1
- 64 Smart and Multi-Functional Magnetic Nanoparticles for Cancer Treatment Applications: Clinical Challenges and Future Prospects. **2022**, 12, 3567 4
- 63 Molecular Parameters Promoting High Relaxivity in Cluster Nanocarrier Magnetic Resonance Imaging Contrast Agents. 0
- 62 Gadolinium-Engineered Magnetic Alloy Nanoparticles for Magnetic Resonance T1/T2 Dual-Modal and Computed Tomography Imaging. 1
- 61 Gadolinium ecotoxicity is enhanced in a warmer and acidified changing ocean as shown by the surf clam *Spisula solida* through a multibiomarker approach. **2022**, 253, 106346 0

60	Rational design of boron nitride with different dimensionalities for sustainable applications. 2022 , 170, 112910	1
59	Recent advances in MXenes: new horizons in biomedical technologies. 2022 , 26, 101205	0
58	PSMA1-mediated ultrasmall gold nanoparticles facilitate tumor targeting and MR/CT/NIRF multimodal detection of early-stage prostate cancer. 2023 , 47, 102617	0
57	Electronic Energy Levels and Optical Transitions in Samarium(III) Solvates.	0
56	A High-efficiency MRI Contrast Agent as well as a Tumor Therapeutic Agent. 2200164	0
55	A Dual-Kinetic Control Strategy for Designing Nano-Metamaterials: Novel Class of Metamaterials with Both Characteristic and Whole Sizes of Nanoscale. 2205595	1
54	Design Principles of Responsive Relaxometric ¹⁹ F Contrast Agents: Evaluation from the Point of View of Relaxation Theory and Experimental Data.	0
53	Computation of spectral parameters for the complexation of Pr(III) with L-Histidine through 4f-4f transition spectra: Further analysis of its kinetic and thermodynamic parameters. 2022 , 5, 100127	0
52	Ultrasound-assisted co-precipitation synthesis of GdFeO ₃ nanoparticles: structure, magnetic and MRI contrast properties. 2022 , 24, 29014-29023	0
51	Current advances in the application of nanomedicine in bladder cancer. 2023 , 157, 114062	0
50	Novel manganese and polyester dendrimer-based theranostic nanoparticles for MRI and breast cancer therapy.	0
49	Combining tetraphenylethene (TPE) derivative cations with Eu ³⁺ -β-diketone complex anions for tunable luminescence. 2022 , 59, 90-93	0
48	MRI Contrast Agents in Glycobiology. 2022 , 27, 8297	1
47	Is the Next Cisplatin Already in Our Laboratory?. 1-14	0
46	PET/MR imaging of inflammation in atherosclerosis.	0
45	New Gd ³⁺ and Mn ²⁺ -Co-Doped Scheelite-Type Ceramics—their Structural, Optical and Magnetic Properties. 2022 , 23, 15740	0
44	Mechanistic Aspects of In-situ Combustion Synthesis: Low Temperature Gadolinium Oxide Formation during the High Temperature Interactions between Gadolinium Nitrate Hexahydrate and Glycine through Solid State Route. 2022 , 179415	0
43	Biomedical applications of lanthanide complexes. 2022 ,	0

42	Role of surface hydrophilicity on MR relaxivity of PEG coated- gadolinium oxide nanoparticles. 2023 , 98, 015021	0
41	Systemic Delivery of Divalent Europium from Ligand Screening with Implications to Direct Imaging of Hypoxia. 2022 , 144, 23053-23060	2
40	Peptide-Based Hydrogels and Nanogels Containing Gd(III) Complexes as T1 Relaxation Agents. 2022 , 15, 1572	0
39	Recent Research Progress of 19 F Magnetic Resonance Imaging Probes: Principle, Design and Their Application. 2200744	0
38	Controlling Disassembly of Paramagnetic Prodrug and Photosensitizer Nanoassemblies for On-Demand Orthotopic Glioma Theranostics.	0
37	A Novel Protein for the Bioremediation of Gadolinium Waste.	1
36	Virus-like nanoparticles as a theranostic platform for cancer. 10,	0
35	Engineered Nonviral Protein Cages Modified for MR Imaging.	0
34	Structure of pre-miR-31 reveals an active role in Dicer processing.	0
33	Reversible pH-responsive MRI contrast with paramagnetic polymer micelles.	0
32	Integrin β targeted cancer imaging and therapy. 2023 , 4, 4	0
31	Iron β polyphenol dendritic complexes for regulating amplification of phenolic hydroxyl groups to improve magnetic resonance imaging. 2023 , 458, 141322	0
30	Manyetik Rezonans Kontrast Ajanlar β S β n Beyni β erine Etkilerinin Histopatolojik De β rlendirilmesi.	0
29	The Potential of Gadolinium Ascorbate Nanoparticles as a Safer Contrast Agent. 2023 , 127, 346-358	0
28	Nanodiamonds for advanced photonic and biomedical applications. 2023 , 455-472	0
27	State-of-the-art of polymer/fullerene nanocomposites in biomedical field. 2023 , 211-250	0
26	Effect of buffers and pH in antenna sensitized Eu(III) luminescence. 2023 , 11, 015005	0
25	Microfluidic Fabrication of Gadolinium-Doped Hydroxyapatite for Theragnostic Applications. 2023 , 13, 501	0

- 24 Modified carbon nanomaterials for diagnosis, drug delivery and stem cell therapy. **2023**, 331-350 ○
- 23 Thermosensitive Biodegradable Hydrogels for Local and Controlled Cerebral Delivery of Proteins: MRI-Based Monitoring of In Vitro and In Vivo Protein Release. ○
- 22 Optical and structural properties of H-BN@Gd₂O₃ nanoflake prepared by laser-induced ablation in liquid. **2023**, 98, 055903 ○
- 21 Review Exploring Technological Innovations of Doped Rare Earth Materials. ○
- 20 Current practices and perspectives on the integration of contrast agents in MRI-guided radiation therapy clinical practice: A worldwide survey. **2023**, 40, 100615 ○
- 19 Cyclen-based artificial nucleases: Three decades of development (1989–2022). Part a [Hydrolysis of phosphate esters. **2023**, 481, 215047 ○
- 18 Luminescent Lanthanide Complexes for Effective Oxygen-Sensing and Singlet Oxygen Generation. ○
- 17 Antibacterial Effects of X-ray and MRI Contrast Media: An In Vitro Pilot Study. **2023**, 24, 3470 ○
- 16 High-Stability Spherical Lanthanide Nanoclusters for Magnetic Resonance Imaging. ○
- 15 Engineered Graphene Quantum Dots as a Magnetic Resonance Signal Amplifier for Biomedical Imaging. **2023**, 28, 2363 ○
- 14 Metallacages and Covalent Cages for Biological Imaging and Therapeutics. **2023**, 5, 1061-1082 ○
- 13 Determination of molecular hydration in solution via changes in magnetic anisotropy. **2023**, 59, 4531-4534 ○
- 12 Inorganic nanosystems for imaging diagnostics. **2023**, 549-588 ○
- 11 Carbon nanotubes: superfabric nanoscale theranostic materials. **2023**, 43-81 ○
- 10 Metalloporphyrin nanoparticles for diverse 'theranostic' applications. **2023**, 489-507 ○
- 9 Metal-Assembled Collagen Peptide Microflorettes as Magnetic Resonance Imaging Agents. **2023**, 28, 2953 ○
- 8 Reporter-Spin-Assisted T1 Relaxometry. **2023**, 19, ○
- 7 Gadolinium(III) Complex-Backboned Branched Polymers as Imaging Probes for Contrast-Enhanced Magnetic Resonance Angiography. **2023**, 15, 18311-18322 ○

- 6 Synthesis of 5-Fluorouracil Polymer Conjugate and ^{19}F NMR Analysis of Drug Release for MRI Monitoring. **2023**, 15, 1778 ○
- 5 Contrast Enhancement in MRI Using Combined Double Action Contrast Agents and Image Post-Processing in the Breast Cancer Model. **2023**, 16, 3096 ○
- 4 Gadolinium-Cyclic 1,4,7,10-Tetraazacyclododecane-1,4,7,10-Tetraacetic Acid-Click-Sulfonyl Fluoride for Probing Serine Protease Activity in Magnetic Resonance Imaging. **2023**, 28, 3538 ○
- 3 Metal Coordination Complexes as Therapeutic Agents for Ischemia-Reperfusion Injury. ○
- 2 Practical considerations for rapid and quantitative NMR-based metabolomics. **2023**, 352, 107462 ○
- 1 Divalent europium-based contrast agents for magnetic resonance imaging. **2023**, ○