

CITATION REPORT

List of articles citing

Symptomatic relapse in bulimia nervosa following acute tryptophan depletion

DOI: 10.1001/archpsyc.56.2.171

Archives of General Psychiatry, 1999, 56, 171-6.

Source: <https://exaly.com/paper-pdf/30951709/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
75	Melanocortin receptors: perspectives for novel drugs. <i>European Journal of Pharmacology</i> , 1999 , 375, 295-310	5.3	152
74	Twin studies and the etiology of eating disorders. <i>International Journal of Eating Disorders</i> , 1999 , 26, 349-58	6.3	48
73	Binge eating disorder: a review of the literature after publication of DSM-IV. <i>Eating and Weight Disorders</i> , 1999 , 4, 103-14	3.6	35
72	Tryptophan levels, excessive exercise, and nutritional status in anorexia nervosa. <i>Psychosomatic Medicine</i> , 2000 , 62, 535-8	3.7	45
71	Decreased platelet monoamine oxidase activity in female anorexia nervosa. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 226-230	6.5	22
70	The prevention of eating disorders: a review of the research on risk factors with implications for practice. <i>Journal of Child and Adolescent Psychiatric Nursing</i> , 2000 , 13, 76-8	0.9	8
69	Clinical and physiological consequences of rapid tryptophan depletion. <i>Neuropsychopharmacology</i> , 2000 , 23, 601-22	8.7	151
68	Serotonin function following remission from bulimia nervosa. <i>Neuropsychopharmacology</i> , 2000 , 22, 257-63	8.7	21
67	Effects of acute tryptophan depletion on mood in bulimia nervosa. <i>Biological Psychiatry</i> , 2000 , 47, 151-7	7.9	51
66	A search for susceptibility loci for anorexia nervosa: methods and sample description. <i>Biological Psychiatry</i> , 2000 , 47, 794-803	7.9	100
65	Regional cerebral blood flow after recovery from bulimia nervosa. <i>Psychiatry Research - Neuroimaging</i> , 2000 , 100, 31-9	2.9	14
64	Meal-induced changes in tryptophan:LNAAs ratio: effects on craving and binge eating. <i>Eating Behaviors</i> , 2000 , 1, 53-62	3	5
63	Decreased platelet monoamine oxidase activity in female bulimia nervosa. <i>European Neuropsychopharmacology</i> , 2000 , 10, 113-7	1.2	24
62	Nutrition, serotonin and behavior in anorexia and bulimia nervosa. <i>Nestle Nutrition Workshop Series Clinical & Performance Programme</i> , 2001 , 5, 153-65; discussion 165-8		4
61	Nutrients and Affective Disorders. 2001 , 5, 135-152		
60	Altered serotonin 2A receptor activity in women who have recovered from bulimia nervosa. <i>American Journal of Psychiatry</i> , 2001 , 158, 1152-5	11.9	117
59	The effects of tryptophan depletion on mood and psychiatric symptoms. <i>Journal of Affective Disorders</i> , 2001 , 64, 107-19	6.6	164

58	Tryptophan depletion and its implications for psychiatry. <i>British Journal of Psychiatry</i> , 2001 , 178, 399-405.	5.4	213
57	Tryptophan depletion as a clinical tool: Current status and future directions. <i>International Journal of Psychiatry in Clinical Practice</i> , 2001 , 5, 237-47	2.4	
56	D-lactate and the false suffocation alarm. <i>Archives of General Psychiatry</i> , 2002 , 59, 287-8		
55	Anorexia Nervosa and Bulimia Nervosa. 2002 , 515-530		
54	Predictors of mood response to acute tryptophan depletion. A reanalysis. <i>Neuropsychopharmacology</i> , 2002 , 27, 852-61	8.7	136
53	The effects of tryptophan depletion on cognitive and affective processing in healthy volunteers. <i>Psychopharmacology</i> , 2002 , 163, 42-53	4.7	194
52	The children of mothers with eating disorders. <i>Clinical Child and Family Psychology Review</i> , 2002 , 5, 1-19	6.9	113
51	Anxiolytic effects of acute tryptophan depletion in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2003 , 33, 257-67; discussion 268-70	6.3	107
50	Serotonin in anorexia nervosa: A new study supports a familiar hypothesis. <i>International Journal of Eating Disorders</i> , 2003 , 33, 268-270	6.3	2
49	A practice guideline for treatment of eating disorders in children and adolescents. <i>Annals of Medicine</i> , 2003 , 35, 488-501	1.5	33
48	Milnacipran in the treatment of bulimia nervosa: a report of 16 cases. <i>European Neuropsychopharmacology</i> , 2003 , 13, 73-9	1.2	17
47	Association of the 5-HT _{2c} gene with susceptibility and minimum body mass index in anorexia nervosa. <i>NeuroReport</i> , 2003 , 14, 781-3	1.7	43
46	Tryptophan as a link between psychopathology and somatic states. <i>Psychosomatic Medicine</i> , 2003 , 65, 665-71	3.7	77
45	Coming to terms with risk factors for eating disorders: application of risk terminology and suggestions for a general taxonomy. <i>Psychological Bulletin</i> , 2004 , 130, 19-65	19.1	997
44	Eating disorders, serotonin transporter polymorphisms and potential treatment response. <i>Molecular Diagnosis and Therapy</i> , 2004 , 4, 9-17		44
43	Troubles du comportement alimentaire chez l'adulte. <i>Encyclopedie Medico-Chirurgicale Psychiatrie</i> , 2005 , 2, 1-21		
42	Reduced density of platelet-binding sites for [3H]paroxetine in remitted bulimic women. <i>Neuropsychopharmacology</i> , 2005 , 30, 1028-32	8.7	32
41	Acute tryptophan depletion. Part II: clinical effects and implications. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 565-74	2.6	79

40	Troubles du comportement alimentaire chez l'adulte. <i>EMC - Psychiatrie</i> , 2005 , 2, 96-127		7
39	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. <i>Biological Psychiatry</i> , 2005 , 57, 517-24	7.9	127
38	Intrafamilial correspondences on platelet [3H]-paroxetine-binding indices in bulimic probands and their unaffected first-degree relatives. <i>Neuropsychopharmacology</i> , 2006 , 31, 1785-92	8.7	25
37	Eating attitudes, weight concerns and beliefs about drug effects in women who use ecstasy. <i>Journal of Psychopharmacology</i> , 2006 , 20, 425-31	4.6	23
36	Tissue uptake of thyroid hormone by amino acid transporters. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2007 , 21, 237-51	6.5	34
35	Obsessive-compulsive characteristics in women who have recovered from bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2007 , 40, 381-5	6.3	10
34	Serotonin transporter binding of [123I]ADAM in bulimic women, their healthy twin sisters, and healthy women: a SPET study. <i>BMC Psychiatry</i> , 2007 , 7, 19	4.2	12
33	Association of 5-HTT gene polymorphism, platelet MAO activity, and drive for thinness in a population-based sample of adolescent girls. <i>International Journal of Eating Disorders</i> , 2008 , 41, 399-404	6.3	7
32	Serotonin, inhibition, and negative mood. <i>PLoS Computational Biology</i> , 2008 , 4, e4	5	166
31	Serotonin-induced decrease of intracellular Ca(2+) release in platelets of bulimic patients normalizes during treatment. <i>Journal of Neural Transmission</i> , 2009 , 116, 89-95	4.3	5
30	A biobehavioural model of the night eating syndrome. <i>Obesity Reviews</i> , 2009 , 10 Suppl 2, 69-77	10.6	44
29	Acute tryptophan depletion and sweet food consumption by overweight adults. <i>Eating Behaviors</i> , 2009 , 10, 36-41	3	17
28	Tryptophan as an evolutionarily conserved signal to brain serotonin: Molecular evidence and psychiatric implications. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 258-268	3.8	47
27	Specificity of the acute tryptophan and tyrosine plus phenylalanine depletion and loading tests I. Review of biochemical aspects and poor specificity of current amino Acid formulations. <i>International Journal of Tryptophan Research</i> , 2010 , 2010, 23-34	5.6	14
26	Neural circuits, neurotransmitters, and behavior: serotonin and temperament in bulimic syndromes. <i>Current Topics in Behavioral Neurosciences</i> , 2011 , 6, 125-38	3.4	14
25	Cerebral serotonin transporter binding is inversely related to body mass index. <i>NeuroImage</i> , 2010 , 52, 284-9	7.9	86
24	Altered Serotonin Function in Anorexia and Bulimia Nervosa. <i>Handbook of Behavioral Neuroscience</i> , 2010 , 21, 715-729	0.7	0
23	5-HT _{1A} receptor binding is increased after recovery from bulimia nervosa compared to control women and is associated with behavioral inhibition in both groups. <i>International Journal of Eating Disorders</i> , 2011 , 44, 477-87	6.3	28

22	Effects of low dose tryptophan depletion on emotional processing in dieters. <i>Eating Behaviors</i> , 2012 , 13, 154-7	3	3
21	Food-derived serotonergic modulators: effects on mood and cognition. <i>Nutrition Research Reviews</i> , 2013 , 26, 223-34	7	27
20	Wide impairment of cerebral serotonergic activity but inter-individual heterogeneity in bulimia nervosa patients: a pilot [(18)F]MPPF/PET study. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 599-608	3.8	7
19	Integrative Weight Management. 2014 ,		2
18	Eating Disorders. 2014 , 437-446		
17	Behavioral responses to catecholamine depletion in unmedicated, remitted subjects with bulimia nervosa and healthy subjects. <i>Biological Psychiatry</i> , 2015 , 77, 661-7	7.9	7
16	Neural response to catecholamine depletion in remitted bulimia nervosa: Relation to depression and relapse. <i>European Neuropsychopharmacology</i> , 2017 , 27, 633-646	1.2	7
15	Cortico-limbic connectivity in MAOA-L carriers is vulnerable to acute tryptophan depletion. <i>Human Brain Mapping</i> , 2017 , 38, 1622-1635	5.9	13
14	Nanomolar simultaneous determination of tryptophan and melatonin by a new ionic liquid carbon paste electrode modified with SnO-CoO@rGO nanocomposite. <i>Materials Science and Engineering C</i> , 2017 , 71, 386-394	8.3	57
13	5-HT2A Receptors in Eating Disorders. 2018 , 353-373		1
12	Dysbiosis of the Microbiota in Anorexia Nervosa: Pathophysiological Implications. 2019 ,		
11	A systematic review of blood-based serotonergic biomarkers in Bulimia Nervosa. <i>Psychiatry Research</i> , 2019 , 279, 155-171	9.9	3
10	Eating Disorders. 173		1
9	The Spectrum of Eating Disorders in Humans. 2001 , 19-49		3
8	The chronobiology and neurobiology of winter seasonal affective disorder. <i>Dialogues in Clinical Neuroscience</i> , 2007 , 9, 315-24	5.7	96
7	Dietary tryptophan depletion in humans using a simplified two amino acid formula - a pilot study. <i>Food and Nutrition Research</i> , 2016 , 60, 29272	3.1	3
6	An Association Study of the A218C Polymorphism of the Tryptophan Hydroxylase 1 Gene with Eating Disorders in a Korean Population: A Pilot Study. <i>Psychiatry Investigation</i> , 2009 , 6, 44-9	3.1	2
5	Aminprursoren. 2002 , 627-649		

4 Eating Disorders. **2003**, 431-438

3	Eating disorders and the serotonin connection: state, trait and developmental effects. <i>Journal of Psychiatry and Neuroscience</i> , 2004 , 29, 20-9	4.5	70
2	Impact of acute tryptophan depletion on mood and eating-related urges in bulimic and nonbulimic women. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 376-82	4.5	16
1	No effects of acute tryptophan depletion on anxiety or mood in weight-recovered female patients with anorexia nervosa.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	1