

Scales to measure dimensions of hallucinations and delusions (PSYRATS) rating scales (PSYRATS)

Psychological Medicine

29, 879-889

DOI: [10.1017/s0033291799008661](https://doi.org/10.1017/s0033291799008661)

Citation Report

#	ARTICLE	IF	CITATIONS
1	IS IT TIME TO DEVELOP A NEW COGNITIVE THERAPY FOR PSYCHOSISâ€”COGNITIVE REMEDIATION THERAPY (CRT)?. <i>Clinical Psychology Review</i> , 2001, 21, 1227-1256.	6.0	117
3	Cognitive therapy for auditory hallucinations as an alternative to antipsychotic medication: A case series. <i>Clinical Psychology and Psychotherapy</i> , 2001, 8, 136-147.	1.4	19
4	Cognitive therapy for auditory hallucinations: A theory-based approach. <i>Cognitive and Behavioral Practice</i> , 2001, 8, 147-160.	0.9	29
6	Religious delusions in patients admitted to hospital with schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 130-138.	1.6	125
7	Interpersonal relating and voice hearing: To what extent does relating to the voice reflect social relating?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2003, 76, 369-383.	1.3	82
8	Late-onset auditory hallucinations treated with cognitive behaviour therapy. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 537-539.	1.3	3
9	Phenomenology of hallucinations: A factor analytic approach. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 333-336.	1.0	12
10	Impact of case formulation in cognitive behaviour therapy for psychosis. <i>Behaviour Research and Therapy</i> , 2003, 41, 671-680.	1.6	106
11	The effects of focus of attention on attributional bias in patients experiencing auditory hallucinations. <i>Behaviour Research and Therapy</i> , 2003, 41, 895-907.	1.6	44
12	Command Hallucinations: Cognitive Theory, Therapy, and Research. <i>Journal of Cognitive Psychotherapy</i> , 2003, 17, 67-84.	0.2	20
13	Taysideâ€”Fife clinical trial of cognitiveâ€”behavioural therapy for medication-resistant psychotic symptoms. <i>British Journal of Psychiatry</i> , 2003, 182, 303-311.	1.7	143
14	Cognitive Therapy for Delusions in Schizophrenia: Models, Benefits, and New Approaches. <i>Journal of Cognitive Psychotherapy</i> , 2004, 18, 207-221.	0.2	10
15	The evolution of insight, paranoia and depression during early schizophrenia. <i>Psychological Medicine</i> , 2004, 34, 285-292.	2.7	182
16	FIRST EPISODE PSYCHOSIS: TWO CASES TO ILLUSTRATE THE ROLE OF COGNITIVE BEHAVIOUR THERAPY IN MAKING SENSE OF UNUSUAL EXPERIENCES. <i>Behavioural and Cognitive Psychotherapy</i> , 2004, 32, 331-345.	0.9	3
17	COGNITIVE-BEHAVIOUR THERAPY FOR INPATIENTS WITH PSYCHOSIS AND ANGER PROBLEMS WITHIN A LOW SECURE ENVIRONMENT. <i>Behavioural and Cognitive Psychotherapy</i> , 2004, 32, 77-98.	0.9	23
18	Cognitive therapy for command hallucinations: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2004, 184, 312-320.	1.7	237
19	Psychological treatment for voices in psychosis. <i>Cognitive Neuropsychiatry</i> , 2004, 9, 25-41.	0.7	24
20	Phenomenological features of auditory hallucinations and their symptomatological relevance. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 651-659.	1.0	17

#	ARTICLE	IF	CITATIONS
21	Delivering cognitive therapy to people with psychosis in a community mental health setting: an effectiveness study. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 36-44.	2.2	56
22	Pleasurable auditory hallucinations. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 273-278.	2.2	57
23	Group cognitive-behavioral therapy for auditory hallucinations: A pilot study. <i>Cognitive and Behavioral Practice</i> , 2004, 11, 93-98.	0.9	20
24	Cognitive therapy for psychosis. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 45-48.	0.2	0
25	Cognitive-behaviour therapy for people with psychosis and mild intellectual disabilities: a case series. <i>Clinical Psychology and Psychotherapy</i> , 2004, 11, 282-298.	1.4	55
26	Interpretations of voices in patients with hallucinations and non-patient controls: a comparison and predictors of distress in patients. <i>Behaviour Research and Therapy</i> , 2004, 42, 1315-1323.	1.6	82
27	A possible association between the CCK-AR gene and persistent auditory hallucinations in schizophrenia. <i>European Psychiatry</i> , 2004, 19, 349-353.	0.1	34
28	Stereotaxic rTMS for the treatment of auditory hallucinations in schizophrenia. <i>NeuroReport</i> , 2004, 15, 1669-1673.	0.6	94
29	Hallucination Focused Integrative Treatment: A Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2004, 30, 133-145.	2.3	38
30	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation... <i>Journal of Consulting and Clinical Psychology</i> , 2004, 72, 671-680.	1.6	183
31	Cognitive-behavioural therapy in first-episode and early schizophrenia. <i>British Journal of Psychiatry</i> , 2004, 184, 231-239.	1.7	243
32	Cognitive behaviour therapy for schizophrenia. , 2004, , CD000524.		121
33	A Double-Blind Sham-Controlled Trial of Repetitive Transcranial Magnetic Stimulation in the Treatment of Refractory Auditory Hallucinations. <i>Journal of Clinical Psychopharmacology</i> , 2005, 25, 358-362.	0.7	127
34	Cognitive-behavioural therapy for refractory psychotic symptoms of schizophrenia resistant to atypical antipsychotic medication. <i>British Journal of Psychiatry</i> , 2005, 186, 324-330.	1.7	141
35	Trauma and Hallucinatory Experience in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 501-507.	0.5	186
36	Early Psychological Intervention for Auditory Hallucinations: An Exploratory Study of Young People's Voices Groups. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 58-61.	0.5	35
37	Functional Cognitive-Behavioural Therapy: A Brief, Individual Treatment for Functional Impairments Resulting from Psychotic Symptoms in Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2005, 50, 258-263.	0.9	10
38	Individual and Group Cognitive-Behavioral Therapy for Psychotic Disorders A Pilot Investigation. <i>Journal of Psychiatric Practice</i> , 2005, 11, 27-34.	0.3	7

#	ARTICLE	IF	CITATIONS
39	Exploration of the Psychometric Properties of an Inventory of Voice Experiences. Archives of Psychiatric Nursing, 2005, 19, 58-69.	0.7	1
40	A normalizing approach to cognitive therapy for intrusive obsessional and psychotic phenomena: The case of sam. Cognitive and Behavioral Practice, 2005, 12, 384-389.	0.9	4
41	The reliability and validity of general psychotic rating scales with people with mild and moderate intellectual disabilities: an empirical investigation. Journal of Intellectual Disability Research, 2005, 49, 490-500.	1.2	51
42	Changes in quality of life in chronic psychiatric patients: A comparison between EuroQol (EQ-5D) and WHOQoL. Quality of Life Research, 2005, 14, 441-451.	1.5	79
43	A Randomized, Controlled Trial of Cognitive Behavioral Social Skills Training for Middle-Aged and Older Outpatients With Chronic Schizophrenia. American Journal of Psychiatry, 2005, 162, 520-529.	4.0	278
44	CBT for a Person With Schizophrenia: Systematic Desensitization for Phobias Led to Positive Symptom Improvement. Behavioural and Cognitive Psychotherapy, 2005, 33, 249-254.	0.9	6
45	FOXP2 polymorphisms in patients with schizophrenia. Schizophrenia Research, 2005, 73, 253-256.	1.1	25
46	Individual characteristics predisposing patients to aggression in a forensic psychiatric hospital. Journal of Forensic Psychiatry and Psychology, 2005, 16, 729-746.	0.6	41
47	Unreality symptoms and volumetric measures of Heschl's gyrus and planum temporal in first-episode psychosis. Biological Psychiatry, 2005, 57, 947-950.	0.7	109
48	Temporoparietal Transcranial Magnetic Stimulation for Auditory Hallucinations: Safety, Efficacy and Moderators in a Fifty Patient Sample. Biological Psychiatry, 2005, 58, 97-104.	0.7	244
49	A pilot study of functional Cognitive Behavioral Therapy (fCBT) for schizophrenia. Schizophrenia Research, 2005, 74, 201-209.	1.1	105
50	What are the effects of group cognitive behaviour therapy for voices? A randomised control trial. Schizophrenia Research, 2005, 77, 201-210.	1.1	114
51	Reasoning, Emotions, and Delusional Conviction in Psychosis.. Journal of Abnormal Psychology, 2005, 114, 373-384.	2.0	379
52	Delusions. , 2006, , 205-213.		0
53	Treating Auditory Hallucinations by Transcranial Magnetic Stimulation: A Randomized Controlled Cross-Over Trial. Neuropsychobiology, 2006, 53, 63-69.	0.9	80
54	A Delusion Assessment Scale for Psychotic Major Depression: Reliability, Validity, and Utility. Biological Psychiatry, 2006, 60, 1336-1342.	0.7	35
55	Suicide behaviour over 18 months in recent onset schizophrenic patients: The effects of CBT. Schizophrenia Research, 2006, 83, 15-27.	1.1	80
57	A validation of a new measure of activity in psychosis. Schizophrenia Research, 2006, 85, 288-295.	1.1	69

#	ARTICLE	IF	CITATIONS
58	Left superior temporal gyrus activation during sentence perception negatively correlates with auditory hallucination severity in schizophrenia patients. <i>Schizophrenia Research</i> , 2006, 87, 109-115.	1.1	84
59	Computerized binary scale of auditory speech hallucinations (cbSASH). <i>Schizophrenia Research</i> , 2006, 88, 73-81.	1.1	16
60	Emotion and psychosis: Links between depression, self-esteem, negative schematic beliefs and delusions and hallucinations. <i>Schizophrenia Research</i> , 2006, 86, 181-188.	1.1	336
61	The conviction of delusional beliefs scale: Reliability and validity. <i>Schizophrenia Research</i> , 2006, 86, 80-88.	1.1	19
62	Diagnosing delusions: A review of inter-rater reliability. <i>Schizophrenia Research</i> , 2006, 86, 76-79.	1.1	43
63	The selective effect of antipsychotics on the different dimensions of the experience of psychosis in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2006, 88, 111-118.	1.1	52
64	Believability of Hallucinations as a Potential Mediator of Their Frequency and Associated Distress in Psychotic Inpatients. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 497.	0.9	34
65	The relationship between command hallucinations and factors of compliance: A critical review of the literature. <i>Journal of Forensic Psychiatry and Psychology</i> , 2006, 17, 266-298.	0.6	22
66	Delusions and decision-making style: Use of the Need for Closure Scale. <i>Behaviour Research and Therapy</i> , 2006, 44, 1147-1158.	1.6	81
67	Attributional style in psychosis – The role of affect and belief type. <i>Behaviour Research and Therapy</i> , 2006, 44, 1597-1607.	1.6	61
68	Influence of age on outcome of psychological treatments in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2006, 188, 250-254.	1.7	55
69	“Hitting” Voices of Schizophrenia Patients May Lastingly Reduce Persistent Auditory Hallucinations and Their Burden: 18-Month Outcome of a Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , 2006, 51, 169-177.	0.9	23
70	Is Symptomatic Improvement in Clinical Trials of Cognitive-Behavioral Therapy for Psychosis Clinically Significant?. <i>Journal of Psychiatric Practice</i> , 2006, 12, 11-23.	0.3	27
71	Serotonin transporter gene polymorphism (5-HTTLPR) and emotional response to auditory hallucinations in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 131.	1.0	13
72	Association between FOXP2 polymorphisms and schizophrenia with auditory hallucinations. <i>Psychiatric Genetics</i> , 2006, 16, 67-72.	0.6	116
73	Understanding suicidal ideation in psychosis: findings from the Psychological Prevention of Relapse in Psychosis (PRP) trial. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 177-186.	2.2	127
74	Group cognitive behavioural therapy for schizophrenia: a systematic review of the literature. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2006, 13, 673-681.	1.2	24
75	Content and affect in persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2006, 45, 561-577.	1.7	48

#	ARTICLE	IF	CITATIONS
76	Cognitive Therapy for Command Hallucinations: Not a Quasi-Neuroleptic. <i>Journal of Contemporary Psychotherapy</i> , 2006, 36, 1-7.	0.7	8
77	Group Cognitive Behavioral Therapy for Delusions: Helping Patients Improve Reality Testing. <i>Journal of Contemporary Psychotherapy</i> , 2006, 36, 9-17.	0.7	41
78	Delusional disorder and delusions: is there a risk of violence in social interactions about the core symptom?. <i>Behavioral Sciences and the Law</i> , 2006, 24, 313-331.	0.6	14
79	Persistent Auditory Hallucinations. <i>Psychopathology</i> , 2006, 39, 120-125.	1.1	25
80	Helping patients with paranoid and suspicious thoughts: a cognitive-behavioural approach. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 404-415.	0.6	33
81	Outcomes of an effectiveness trial of cognitive-behavioural intervention by mental health nurses in schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 36-40.	1.7	137
82	Cognitive Processes, Reasoning Biases and Persecutory Delusions: A Comparative Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 421.	0.9	29
83	Coping with Voices: A Group Approach for Managing Auditory Hallucinations. <i>American Journal of Psychiatric Rehabilitation</i> , 2006, 9, 241-258.	0.7	2
84	A First Step Toward Cognitive Remediation of Voices: a Case Study. <i>Cognitive Behaviour Therapy</i> , 2006, 35, 159-163.	1.9	29
85	Hallucinations from a Cognitive Perspective. <i>Harvard Review of Psychiatry</i> , 2007, 15, 109-117.	0.9	73
86	Quantifying self-reports of auditory verbal hallucinations in persons with psychosis.. <i>Canadian Journal of Behavioural Science</i> , 2007, 39, 73-77.	0.5	53
87	Development, Reliability and Validity of a Self-Administered Questionnaire on Subjective Opinion about Delusions and Voices. <i>Psychopathology</i> , 2007, 40, 312-320.	1.1	14
88	Chronic Auditory Hallucinations in Schizophrenic Patients: MR Analysis of the Coincidence between Functional and Morphologic Abnormalities. <i>Radiology</i> , 2007, 244, 549-556.	3.6	57
89	Second run of transcranial magnetic stimulation has no effects on persistent auditory hallucinations. <i>World Journal of Biological Psychiatry</i> , 2007, 8, 48-50.	1.3	9
90	The Interaction Between Individual Characteristics and the Function of Aggression in Forensic Psychiatric Inpatients. <i>Psychiatry, Psychology and Law</i> , 2007, 14, 17-25.	0.9	29
91	Self-Esteem and Psychosis: A Pilot Study investigating the Effectiveness of a Self-Esteem Programme on the Self-Esteem and Positive Symptomatology of Mentally Disordered Offenders. <i>Behavioural and Cognitive Psychotherapy</i> , 2007, 35, .	0.9	21
92	Association between CCK-AR gene and schizophrenia with auditory hallucinations. <i>Psychiatric Genetics</i> , 2007, 17, 47-53.	0.6	19
93	Clinical dimensions of auditory hallucinations in schizophrenic disorders. <i>Comprehensive Psychiatry</i> , 2007, 48, 337-342.	1.5	13

#	ARTICLE	IF	CITATIONS
94	Coping with hallucinated voices in schizophrenia: A review of self-initiated strategies and therapeutic interventions. <i>Clinical Psychology Review</i> , 2007, 27, 476-493.	6.0	81
95	Acting on persecutory delusions: The importance of safety seeking. <i>Behaviour Research and Therapy</i> , 2007, 45, 89-99.	1.6	163
96	Persecutory delusions and catastrophic worry in psychosis: Developing the understanding of delusion distress and persistence. <i>Behaviour Research and Therapy</i> , 2007, 45, 523-537.	1.6	155
97	Relationships between worry, psychotic experiences and emotional distress in patients with schizophrenia spectrum diagnoses and comparisons with anxious and non-patient groups. <i>Behaviour Research and Therapy</i> , 2007, 45, 1593-1600.	1.6	73
98	Metacognitive beliefs across the continuum of psychosis: Comparisons between patients with psychotic disorders, patients at ultra-high risk and non-patients. <i>Behaviour Research and Therapy</i> , 2007, 45, 2241-2246.	1.6	86
99	The Psychotic Symptom Rating Scales (PSYRATS): Their usefulness and properties in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 89, 119-122.	1.1	136
100	The voices acceptance and action scale (VAAS): Pilot data. <i>Journal of Clinical Psychology</i> , 2007, 63, 593-606.	1.0	101
101	The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 88-96.	1.1	56
102	Attention Training With Auditory Hallucinations: A Case Study. <i>Cognitive and Behavioral Practice</i> , 2007, 14, 127-133.	0.9	62
103	Emotional words induce enhanced brain activity in schizophrenic patients with auditory hallucinations. <i>Psychiatry Research - Neuroimaging</i> , 2007, 154, 21-29.	0.9	60
104	A preliminary fMRI study of the effects on cortical activation of the treatment of refractory auditory hallucinations with rTMS. <i>Psychiatry Research - Neuroimaging</i> , 2007, 155, 83-88.	0.9	35
105	White matter abnormalities associated with auditory hallucinations in schizophrenia: A combined study of voxel-based analyses of diffusion tensor imaging and structural magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 93-104.	0.9	144
106	Cognitive therapy for psychosis. <i>Psychiatry (Abingdon, England)</i> , 2007, 6, 362-366.	0.2	4
107	Befriending patients with medication-resistant schizophrenia: Can psychotic symptoms predict treatment response?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 97-106.	1.3	19
108	Emotional Reactions to Simulations of Auditory Hallucinations. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2008, 30, 307-314.	0.7	8
109	Psychotic experiences in people who have been sexually assaulted. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 602-611.	1.6	53
110	The voice and you: development and psychometric evaluation of a measure of relationships with voices. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 45-52.	1.4	56
111	Acting on voices: Omnipotence, sources of threat, and safety-seeking behaviours. <i>British Journal of Clinical Psychology</i> , 2008, 47, 201-213.	1.7	48

#	ARTICLE	IF	CITATIONS
112	Responding mindfully to unpleasant thoughts and images: Reliability and validity of the Southampton mindfulness questionnaire (SMQ). <i>British Journal of Clinical Psychology</i> , 2008, 47, 451-455.	1.7	329
113	Cognitive-Behavioural Therapy for Command Hallucinations and Intellectual Disability: A Case Study. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2008, 21, 236-245.	1.3	15
114	The compatibility of psychosocial interventions (PSI) and assertive outreach: a survey of managers and PSI-trained staff working in UK assertive outreach teams. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2008, 15, 479-483.	1.2	3
115	Cognitive Behavioral Therapy Across the Stages of Psychosis: Prodromal, First Episode, and Chronic Schizophrenia. <i>Cognitive and Behavioral Practice</i> , 2008, 15, 179-193.	0.9	12
116	The psychological effect of an urban environment on individuals with persecutory delusions: The Camberwell walk study. <i>Schizophrenia Research</i> , 2008, 99, 77-84.	1.1	115
117	Uncontrollable voices and their relationship to gating deficits in schizophrenia. <i>Schizophrenia Research</i> , 2008, 101, 185-194.	1.1	39
118	Attribution style as a factor in psychosis and symptom resolution. <i>Schizophrenia Research</i> , 2008, 104, 220-227.	1.1	30
119	Spectroscopic metabolomic abnormalities in the thalamus related to auditory hallucinations in patients with schizophrenia. <i>Schizophrenia Research</i> , 2008, 104, 13-22.	1.1	26
121	CLINICAL STATES OF DEPRESSION IN SCHIZOPHRENIA PATIENTS. <i>Schizophrenia Research</i> , 2008, 102, 173.	1.1	0
124	CORRELATING FUNCTIONAL DOMAINS AND SYMPTOM CLUSTERS IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2008, 102, 223.	1.1	0
125	The right profile: Mismatch negativity in schizophrenia with and without auditory hallucinations as measured by a multi-feature paradigm. <i>Clinical Neurophysiology</i> , 2008, 119, 909-921.	0.7	74
126	Handbook of Behavioral and Cognitive Therapies with Older Adults. , 2008, , .		28
127	Auditory hallucinations and the mismatch negativity: Processing speech and non-speech sounds in schizophrenia. <i>International Journal of Psychophysiology</i> , 2008, 70, 3-15.	0.5	45
128	Schizophrenia with auditory hallucinations: A voxel-based morphometry study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 72-80.	2.5	100
129	Hallucinatory disorder, an original clinical picture? Clinical and imaging data. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 523-530.	2.5	13
130	MR and genetics in schizophrenia: Focus on auditory hallucinations. <i>European Journal of Radiology</i> , 2008, 67, 434-439.	1.2	18
132	Cortical folding abnormalities in schizophrenia patients with resistant auditory hallucinations. <i>NeuroImage</i> , 2008, 39, 927-935.	2.1	156
133	Jumping to conclusions and persecutory delusions. <i>European Psychiatry</i> , 2008, 23, 457-459.	0.1	39

#	ARTICLE	IF	CITATIONS
134	Jumping to conclusions and paranoid ideation in the general population. <i>Schizophrenia Research</i> , 2008, 102, 254-260.	1.1	148
135	Auditory verbal hallucinations predominantly activate the right inferior frontal area. <i>Brain</i> , 2008, 131, 3169-3177.	3.7	268
136	The Reality of Persecutory Beliefs: Base Rate Information for Clinicians. <i>Ethical Human Psychology and Psychiatry</i> , 2008, 10, 163-178.	0.5	2
137	Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008, 192, 412-423.	1.7	251
138	Identifying Specific Interpretations and Exploring the Nature of Safety Behaviours for People Who Hear Voices: An Exploratory Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, .	0.9	5
139	Belief inflexibility in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2008, 13, 267-277.	0.7	109
140	Measuring ideas of persecution and social reference: the Green et al. Paranoid Thought Scales (GPTS). <i>Psychological Medicine</i> , 2008, 38, 101-111.	2.7	296
141	The relationship between trauma and beliefs about hearing voices: a study of psychiatric and non-psychiatric voice hearers. <i>Psychological Medicine</i> , 2008, 38, 1409-1417.	2.7	101
142	Fluorodeoxyglucose-PET study in first-episode schizophrenic patients during the hallucinatory state, after remission and during linguistic auditory activation. <i>Nuclear Medicine Communications</i> , 2008, 29, 894-900.	0.5	29
143	Acting on Harmful Command Hallucinations in Psychotic Disorders. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 390-398.	0.5	28
145	Evaluating Treatment. , 0, , 169-188.		1
147	Left temporal lobe structural and functional abnormality underlying auditory hallucinations. <i>Frontiers in Neuroscience</i> , 2009, 3, 34-45.	1.4	96
148	Fear of madness and persecutory delusions: Preliminary investigation of a new scale. <i>Psychosis</i> , 2009, 1, 39-50.	0.4	25
149	The Therapeutic Relationship in CBT for Psychosis: Client, Therapist and Therapy Factors. <i>Behavioural and Cognitive Psychotherapy</i> , 2009, 37, 527-540.	0.9	56
150	Effect of Augmentary Repetitive Transcranial Magnetic Stimulation on Auditory Hallucinations in Schizophrenia: Randomized Controlled Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 386-392.	1.3	28
151	Electro-acupuncture versus sham electro-acupuncture for auditory hallucinations in patients with schizophrenia: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2009, 23, 579-588.	1.0	13
152	Cognitive Processes during Acute Psychosis: The Role of Heightened Responsibility and Catastrophic Misinterpretations. <i>Behavioural and Cognitive Psychotherapy</i> , 2009, 37, 357-377.	0.9	9
153	Advances in Cognitive Therapy for Schizophrenia: Empowerment and Recovery in the Absence of Insight. <i>Clinical Case Studies</i> , 2009, 8, 424-437.	0.5	8

#	ARTICLE	IF	CITATIONS
154	Predictors of Outcome in Brief Cognitive Behavior Therapy for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2009, 35, 859-864.	2.3	85
155	Stabilization of the Internal Structure of Persistent Auditory Verbal Hallucinations in Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 244-251.	1.3	14
156	Mindfulness Groups for Distressing Voices and Paranoia: A Replication and Randomized Feasibility Trial. <i>Behavioural and Cognitive Psychotherapy</i> , 2009, 37, 403-412.	0.9	178
157	Relating therapy for people who hear voices: A case series. <i>Clinical Psychology and Psychotherapy</i> , 2009, 16, 216-227.	1.4	89
158	Cognitive-behavioral therapy of delusions: mental imagery within a goal-directed framework. <i>Journal of Clinical Psychology</i> , 2009, 65, 791-802.	1.0	16
159	Patient health outcomes in psychiatric mental health nursing. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 32-45.	1.2	12
160	A preliminary investigation into the experience of symptoms of psychosis in mental health professionals: implications for the psychiatric classification model of schizophrenia. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 473-480.	1.2	7
161	Collecting subjective and rating scale data within a single case study design: cognitive behavioural therapy for a person experiencing psychosis. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 848-856.	1.2	1
162	Development and validation of a scale for assessing reasons for substance use in schizophrenia: The ReSUS scale. <i>Addictive Behaviors</i> , 2009, 34, 830-837.	1.7	24
163	Abnormal brain response during the auditory emotional processing in schizophrenic patients with chronic auditory hallucinations. <i>Schizophrenia Research</i> , 2009, 107, 83-91.	1.1	36
164	A randomized controlled trial of group cognitive-behavioral therapy vs. enhanced supportive therapy for auditory hallucinations. <i>Schizophrenia Research</i> , 2009, 109, 52-59.	1.1	101
165	Patient Perceptions of Caregiver Criticism in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 85-91.	0.5	35
166	Cognitive-behavioural therapy. social activity therapy for people with psychosis and a history of violence: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2009, 194, 152-157.	1.7	110
167	Decreased language lateralization is characteristic of psychosis, not auditory hallucinations. <i>Brain</i> , 2010, 133, 3734-3744.	3.7	58
168	Schizophrenia and Borderline Personality Disorder. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 399-403.	0.5	137
169	Examination of Clinical and Cognitive Insight in Acute Schizophrenia Patients. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 465-469.	0.5	30
170	Factors Correlated With Client Attachment to Mental Health Services. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 572-575.	0.5	14
171	Treatment of Therapy-Resistant Auditory Verbal Hallucinations in Schizophrenia Patients by Repetitive Transcranial Magnetic Stimulation. <i>Advances in Biological Psychiatry</i> , 2010, , 177-194.	0.2	1

#	ARTICLE	IF	CITATIONS
172	Conceptualisation of recovery from psychosis: a service-user perspective. <i>The Psychiatrist</i> , 2010, 34, 465-470.	0.3	23
173	Supportive Therapie bei schizophrenen Störungen. <i>Verhaltenstherapie</i> , 2010, 20, 167-174.	0.3	1
174	Delusions and belief flexibility in psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2010, 83, 45-57.	1.3	33
176	Implementing a Brief Hallucination Simulation as a Mental Illness Stigma Reduction Strategy. <i>Community Mental Health Journal</i> , 2010, 46, 500-504.	1.1	60
177	Is It the Symptom or the Relation to It? Investigating Potential Mediators of Change in Acceptance and Commitment Therapy for Psychosis. <i>Behavior Therapy</i> , 2010, 41, 543-554.	1.3	78
178	FOXP2 gene and language impairment in schizophrenia: association and epigenetic studies. <i>BMC Medical Genetics</i> , 2010, 11, 114.	2.1	88
179	Acetylcholinesterase Inhibitors (AChEI's) for the treatment of visual hallucinations in schizophrenia: a case report. <i>BMC Psychiatry</i> , 2010, 10, 68.	1.1	15
180	A single blind randomized controlled trial of cognitive behavioural therapy in a help-seeking population with an At Risk Mental State for psychosis: the Dutch Early Detection and Intervention Evaluation (EDIE-NL) trial. <i>Trials</i> , 2010, 11, 30.	0.7	46
181	Low-grade psychotic symptoms in a non-clinical population: a study. <i>British Journal of Wellbeing</i> , 2010, 1, 21-25.	0.1	3
182	Healthy Individuals With Auditory Verbal Hallucinations; Who Are They? Psychiatric Assessments of a Selected Sample of 103 Subjects. <i>Schizophrenia Bulletin</i> , 2010, 36, 633-641.	2.3	228
183	Cognitive-Behavioral Therapy as an Adjunct to Second-Generation Antipsychotics in the Treatment of Schizophrenia. <i>Psychiatric Services</i> , 2010, 61, 940-943.	1.1	7
184	Interpersonal Processes and Hearing Voices: A Study of the Association Between Relating to Voices and Distress in Clinical and Non-Clinical Hearers. <i>Behavioural and Cognitive Psychotherapy</i> , 2010, 38, 127-140.	0.9	64
185	CHOice of Outcome In Cbt for psychosEs (CHOICE): The Development of a New Service User-Led Outcome Measure of CBT for Psychosis. <i>Schizophrenia Bulletin</i> , 2010, 36, 126-135.	2.3	107
186	Hallucinations in Nonpsychotic Disorders. <i>Harvard Review of Psychiatry</i> , 2010, 18, 22-35.	0.9	62
187	Psychometric Evaluation of the Characteristics of Delusions Rating Scale as an Expert Rating Scale. <i>Psychopathology</i> , 2010, 43, 373-380.	1.1	3
188	Prevalence and correlates of auditory vocal hallucinations in middle childhood. <i>British Journal of Psychiatry</i> , 2010, 196, 41-46.	1.7	90
189	Different sides of the same coin? Intercorrelations of cognitive biases in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2010, 15, 406-421.	0.7	85
190	Cognitive insight predicts favorable outcome in cognitive behavioral therapy for psychosis. <i>Psychosis</i> , 2010, 2, 23-33.	0.4	57

#	ARTICLE	IF	CITATIONS
191	Deactivation of the Parahippocampal Gyrus Preceding Auditory Hallucinations in Schizophrenia. <i>American Journal of Psychiatry</i> , 2010, 167, 427-435.	4.0	181
192	Dimensions of Delusional Experience Scale: A Psychometric Evaluation of a German Version. <i>Psychopathology</i> , 2010, 43, 189-196.	1.1	3
193	Nonantipsychotic Therapy for Monosymptomatic Auditory Hallucinations. <i>Biological Psychiatry</i> , 2010, 68, e33-e34.	0.7	4
194	Increased amygdala and parahippocampal gyrus activation in schizophrenic patients with auditory hallucinations: An fMRI study using independent component analysis. <i>Schizophrenia Research</i> , 2010, 117, 31-41.	1.1	75
195	A systematic review of relapse measurement in randomized controlled trials of relapse prevention in first-episode psychosis. <i>Schizophrenia Research</i> , 2010, 119, 79-88.	1.1	61
196	Jumping to conclusions and perceptions in early psychosis: Relationship with delusional beliefs. <i>Cognitive Neuropsychiatry</i> , 2010, 15, 422-440.	0.7	23
197	A randomised controlled trial of a worry intervention for individuals with persistent persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 45-51.	0.6	111
198	Cognitive triggers of auditory hallucinations: An experimental investigation. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 179-184.	0.6	17
199	Metacognitive training for patients with schizophrenia (MCT): Feasibility and preliminary evidence for its efficacy. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 207-211.	0.6	129
200	Auditory hallucinations and the P3a: Attention-switching to speech in schizophrenia. <i>Biological Psychology</i> , 2010, 85, 417-423.	1.1	33
201	Reviewing evidence for the cognitive model of auditory hallucinations: The relationship between cognitive voice appraisals and distress during psychosis. <i>Clinical Psychology Review</i> , 2010, 30, 248-258.	6.0	102
202	Evaluation of the therapeutic effect of theta burst stimulation on drug-resistant auditory hallucinations in a schizophrenic patient and its impact on cognitive function and neuronal excitability: A case study. <i>Clinical Neurophysiology</i> , 2010, 121, 802.	0.7	26
203	The usefulness of a self-report questionnaire measuring auditory verbal hallucinations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 968-973.	2.5	38
204	Cognitive-behaviour therapy for medication-resistant positive symptoms in early psychosis: a case series. <i>Microbial Biotechnology</i> , 2010, 4, 251-256.	0.9	5
205	Handbook of Clinical Rating Scales and Assessment in Psychiatry and Mental Health. , 2010, , .		58
206	Experiences of psychosis in borderline personality disorder: A qualitative analysis. <i>Journal of Mental Health</i> , 2011, 20, 381-391.	1.0	27
207	Can Low-Frequency Repetitive Transcranial Magnetic Stimulation Really Relieve Medication-Resistant Auditory Verbal Hallucinations? Negative Results from a Large Randomized Controlled Trial. <i>Biological Psychiatry</i> , 2011, 69, 450-456.	0.7	116
208	Microstructural alterations of the arcuate fasciculus in schizophrenia patients with frequent auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2011, 130, 68-77.	1.1	80

#	ARTICLE	IF	CITATIONS
209	d-cycloserine facilitation of cognitive behavioral therapy for delusions in schizophrenia. Schizophrenia Research, 2011, 131, 69-74.	1.1	68
210	Auditory verbal hallucinations and cognitive functioning in healthy individuals. Schizophrenia Research, 2011, 132, 203-207.	1.1	69
211	Validation of the dimensions of psychosis instrument in Mexican patients with schizophrenia spectrum disorders. Schizophrenia Research, 2011, 132, 153-156.	1.1	0
212	The Subjective Experiences of Psychosis Scale (SEPS): Psychometric evaluation of a scale to assess outcome in psychosis. Schizophrenia Research, 2011, 133, 244-249.	1.1	27
213	Psychometric evaluation of the Psychotic Symptom Rating Scales. Comprehensive Psychiatry, 2011, 52, 102-108.	1.5	27
214	A review of hearing voices groups: Evidence and mechanisms of change. Clinical Psychology Review, 2011, 31, 757-766.	6.0	54
215	Voices from the storm: A critical review of quantitative studies of auditory verbal hallucinations and childhood sexual abuse. Clinical Psychology Review, 2011, 31, 983-992.	6.0	38
216	Further evidence for the efficacy of a metacognitive group training in schizophrenia. Behaviour Research and Therapy, 2011, 49, 151-157.	1.6	151
217	Group person-based cognitive therapy for distressing voices: Pilot data from nine groups. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 111-116.	0.6	72
218	Cognitive behavioural treatment of insomnia in individuals with persistent persecutory delusions: A pilot trial. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 330-336.	0.6	132
219	Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 414-421.	0.6	104
220	Effects of auditory hallucinations on the mismatch negativity (MMN) in schizophrenia as measured by a modified "optimal" multi-feature paradigm. International Journal of Psychophysiology, 2011, 81, 245-251.	0.5	63
221	Effects of repetitive transcranial magnetic stimulation on late-onset hallucinations: A case report. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 299-300.	2.5	1
222	The role of emotion regulation in auditory hallucinations. Psychiatry Research, 2011, 185, 303-308.	1.7	112
223	What happened to the voices? A fine-grained analysis of how hallucinations and delusions change under psychiatric treatment. Psychiatry Research, 2011, 188, 13-17.	1.7	33
225	Treating prolactinoma and psychosis: medication and cognitive behavioural therapy. BMJ Case Reports, 2011, 2011, bcr0720103185-bcr0720103185.	0.2	5
226	T�cnica de entrenamiento en atenci�n para el tratamiento de la esquizofrenia = The attention training technique for the treatment of schizophrenia. Revista De Psicopatolog�a Y Psicolog�a Cl�nica, 2011, 16, 145.	0.1	2
227	Towards concordance in schizophrenia: a case study. NursePrescribing, 2011, 9, 234-242.	0.1	0

#	ARTICLE	IF	CITATIONS
228	Auditory Hallucinations and Posttraumatic Stress Disorder Within Schizophrenia and Substance Abuse. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 709-711.	0.5	17
229	Cortical Interactions During the Experience of Auditory Verbal Hallucinations. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, 287-293.	0.9	21
230	Developing Treatments of Persistent Persecutory Delusions. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 653-658.	0.5	38
233	Improving insight into delusions: a pilot study of metacognitive training for patients with schizophrenia. <i>Journal of Advanced Nursing</i> , 2011, 67, 401-407.	1.5	48
234	“Jumping to conclusions”™ in first-episode psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 50-56.	0.9	43
235	Attentional modulation of external speech attribution in patients with hallucinations and delusions. <i>Neuropsychologia</i> , 2011, 49, 805-812.	0.7	22
236	Metacognition and persecutory delusions: Tests of a metacognitive model in a clinical population and comparisons with non-patients. <i>British Journal of Clinical Psychology</i> , 2011, 50, 223-233.	1.7	38
237	A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. <i>BMC Psychiatry</i> , 2011, 11, 155.	1.1	18
238	Auditory hallucinations in anorexia nervosa. <i>European Eating Disorders Review</i> , 2011, 19, 494-500.	2.3	8
239	Auditory hallucinations: a review of assessment tools. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 524-534.	1.4	37
240	Insight among psychotic patients with auditory hallucinations. <i>Journal of Clinical Psychology</i> , 2011, 67, 701-708.	1.0	13
242	Cognitive-behavioural therapy for persistent and recurrent psychosis in people with schizophrenia-spectrum disorder: cost-effectiveness analysis. <i>British Journal of Psychiatry</i> , 2011, 198, 59-65.	1.7	36
243	Antipsychotic treatment beyond antipsychotics: metacognitive intervention for schizophrenia patients improves delusional symptoms. <i>Psychological Medicine</i> , 2011, 41, 1823-1832.	2.7	130
244	Cognitive Behavioural Therapy for Auditory Hallucinations: Effectiveness and Predictors of Outcome in a Specialist Clinic. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 129-138.	0.9	39
245	Mindfulness Groups for Psychosis; Key Issues for Implementation on an Inpatient Unit. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 349-353.	0.9	39
246	Dysconnectivity of multiple resting-state networks in patients with schizophrenia who have persistent auditory verbal hallucinations. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 366-374.	1.4	125
247	Cognitive behaviour therapy versus other psychosocial treatments for schizophrenia. <i>The Cochrane Library</i> , 2011, , CD000524.	1.5	14
248	Treatment of Alice in Wonderland Syndrome and Verbal Auditory Hallucinations Using Repetitive Transcranial Magnetic Stimulation: A Case Report with fMRI Findings. <i>Psychopathology</i> , 2011, 44, 337-344.	1.1	18

#	ARTICLE	IF	CITATIONS
249	Cognitive behavior therapy for schizophrenia: A meta-analytical review of randomized controlled trials. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 162-174.	0.7	87
250	Childhood Sexual Abuse and Construction of Self and Others in People Who have Experienced Psychosis. <i>Journal of Constructivist Psychology</i> , 2011, 24, 185-207.	0.7	1
251	Differential brain glucose metabolic patterns in antipsychotic-naive first-episode schizophrenia with and without auditory verbal hallucinations. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 312-321.	1.4	29
252	"Where Do Auditory Hallucinations Come From?"—A Brain Morphometry Study of Schizophrenia Patients With Inner or Outer Space Hallucinations. <i>Schizophrenia Bulletin</i> , 2011, 37, 212-221.	2.3	97
253	Real-Time Electronic Ambulatory Monitoring of Substance Use and Symptom Expression in Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 202-209.	4.0	101
254	Predicting the Occurrence, Conviction, Distress, and Disruption of Different Delusional Experiences in the Daily Life of People with Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 826-837.	2.3	52
255	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 129-139.	2.0	123
256	Dissociation, trauma, and the role of lived experience: Toward a new conceptualization of voice hearing.. <i>Psychological Bulletin</i> , 2012, 138, 28-76.	5.5	191
257	Translating CBT for Voices into a Program for Carers: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2012, 40, 117-123.	0.9	0
258	Comparing Retrospective Reports to Real-Time/Real-Place Mobile Assessments in Individuals With Schizophrenia and a Nonclinical Comparison Group. <i>Schizophrenia Bulletin</i> , 2012, 38, 396-404.	2.3	87
259	Consistency and reliability of the auditory vocal hallucination rating scale (AVHRS). <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 305-310.	1.8	18
260	Auditory verbal hallucinations in patients with borderline personality disorder are similar to those in schizophrenia. <i>Psychological Medicine</i> , 2012, 42, 1873-1878.	2.7	116
261	Auditory Hallucinations Elicit Similar Brain Activation in Psychotic and Nonpsychotic Individuals. <i>Schizophrenia Bulletin</i> , 2012, 38, 1074-1082.	2.3	109
262	Brief Cognitive Behavioural Therapy for Hallucinations: Can it Help People Who Decide Not to Take Antipsychotic Medication? A Case Report. <i>Behavioural and Cognitive Psychotherapy</i> , 2012, 40, 111-116.	0.9	17
263	Childhood trauma and auditory verbal hallucinations. <i>Psychological Medicine</i> , 2012, 42, 2475-2484.	2.7	124
264	Cognitive therapy for people with a schizophrenia spectrum diagnosis not taking antipsychotic medication: an exploratory trial. <i>Psychological Medicine</i> , 2012, 42, 1049-1056.	2.7	58
265	Exploring the Folk Understanding of Belief: Identifying Key Dimensions Endorsed in the General Population. <i>Journal of Cognition and Culture</i> , 2012, 12, 81-99.	0.1	6
266	Treatment of auditory verbal hallucinations with transcranial magnetic stimulation in a patient with psychotic major depression: One-year follow-up. <i>Neurocase</i> , 2012, 18, 57-65.	0.2	4

#	ARTICLE	IF	CITATIONS
267	Predictors of Self-Stigma in Schizophrenia: New Insights Using Mobile Technologies. <i>Journal of Dual Diagnosis</i> , 2012, 8, 305-314.	0.7	42
268	Cognitive behavioural therapy versus other psychosocial treatments for schizophrenia. <i>The Cochrane Library</i> , 2012, , CD008712.	1.5	94
269	Jumping to Conclusions Is Associated with Paranoia but Not General Suspiciousness: A Comparison of Two Versions of the Probabilistic Reasoning Paradigm. <i>Schizophrenia Research and Treatment</i> , 2012, 2012, 1-9.	0.7	59
270	Appraisals, psychotic symptoms and affect in daily life. <i>Psychological Medicine</i> , 2012, 42, 1013-1023.	2.7	41
271	Voice Identity Recognition Failure in Patients With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 784-790.	0.5	15
272	Cognitive behavioral therapy for psychosis in clinical practice.. <i>Psychotherapy</i> , 2012, 49, 258-270.	0.7	30
273	French version validation of the psychotic symptom rating scales (PSYRATS) for outpatients with persistent psychotic symptoms. <i>BMC Psychiatry</i> , 2012, 12, 161.	1.1	17
274	Reasoning bias and belief conviction in obsessive-compulsive disorder and delusions: Jumping to conclusions across disorders?. <i>British Journal of Clinical Psychology</i> , 2012, 51, 84-99.	1.7	40
275	Understanding reduced activity in psychosis: the roles of stigma and illness appraisals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1685-1693.	1.6	24
276	Cognitive Behavior Therapy Versus Other Psychosocial Treatments for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 908-910.	2.3	71
277	Voice identity discrimination in schizophrenia. <i>Neuropsychologia</i> , 2012, 50, 2730-2735.	0.7	29
278	A pilot study exploring the contribution of working memory to "jumping to conclusions" in people with first episode psychosis. <i>Cognitive Neuropsychiatry</i> , 2012, 17, 97-114.	0.7	26
279	Impaired discrimination between imagined and performed actions in schizophrenia. <i>Psychiatry Research</i> , 2012, 195, 1-8.	1.7	52
280	Cognitive decision modelling of emotion-based learning impairment in schizophrenia: The role of awareness. <i>Psychiatry Research</i> , 2012, 196, 15-19.	1.7	16
281	Nicotine and the hallucinating brain: Effects on mismatch negativity (MMN) in schizophrenia. <i>Psychiatry Research</i> , 2012, 196, 181-187.	1.7	43
282	Treating trauma in psychosis with EMDR: A pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, 664-671.	0.6	116
283	Anxiety and depression and their links with delusions and hallucinations in people with a dual diagnosis of psychosis and substance misuse: A study using data from a randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2012, 50, 65-71.	1.6	18
284	A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 110-121.	1.6	115

#	ARTICLE	IF	CITATIONS
285	A preliminary exploration of predictors of outcome and cognitive mechanisms of change in cognitive behaviour therapy for psychosis in people not taking antipsychotic medication. <i>Behaviour Research and Therapy</i> , 2012, 50, 163-167.	1.6	33
286	The effects of reducing worry in patients with persecutory delusions: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 223.	0.7	16
287	Effects of group metacognitive training (MCT) on mental capacity and functioning in patients with psychosis in a secure forensic psychiatric hospital: a prospective-cohort waiting list controlled study. <i>BMC Research Notes</i> , 2012, 5, 302.	0.6	39
288	The relationship between metacognitive beliefs, auditory hallucinations, and hallucination-related distress in clinical and non-clinical voice-hearers. <i>British Journal of Clinical Psychology</i> , 2012, 51, 434-447.	1.7	39
289	Priming does not enhance the efficacy of 1 Hertz repetitive transcranial magnetic stimulation for the treatment of auditory verbal hallucinations: Results of a randomized controlled study. <i>Brain Stimulation</i> , 2012, 5, 554-559.	0.7	12
290	MRI-targeted repetitive transcranial magnetic stimulation of Heschl's gyrus for refractory auditory hallucinations. <i>Brain Stimulation</i> , 2012, 5, 577-585.	0.7	48
291	Alterations of mismatch negativity (MMN) in schizophrenia patients with auditory hallucinations experiencing acute exacerbation of illness. <i>Schizophrenia Research</i> , 2012, 139, 237-245.	1.1	63
292	The influence of semantic top-down processing in auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2012, 139, 82-86.	1.1	38
293	Cognitive-Behavioral Therapy for the Management of Insomnia Comorbid with Mental Disorders. <i>Current Psychiatry Reports</i> , 2012, 14, 519-528.	2.1	50
294	How do auditory verbal hallucinations in patients differ from those in non-patients?. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 25.	1.0	76
295	Top-down modulation of the perception of other people in schizophrenia and autism. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 175.	1.0	53
297	The Role of Social Schema in the Experience of Auditory Hallucinations: A Systematic Review and a Proposal for the Inclusion of Social Schema in a Cognitive Behavioural Model of Voice Hearing. <i>Clinical Psychology and Psychotherapy</i> , 2012, 19, 459-472.	1.4	65
298	Service user attachments to psychiatric key workers and teams. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 817-825.	1.6	13
299	The psychometric properties of the Peters et al. Delusions Inventory (PDI) in Taiwan: reliability, validity, and utility. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1221-1234.	1.6	13
300	Improving outcomes for psychoses through the use of psychoeducation; preliminary findings. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2012, 19, 881-890.	1.2	6
301	Initial evaluation of the effects of competitive memory training (COMET) on depression in schizophrenia-spectrum patients with persistent auditory verbal hallucinations: A randomized controlled trial. <i>British Journal of Clinical Psychology</i> , 2012, 51, 158-171.	1.7	57
302	An investigation of adult attachment and the nature of relationships with voices. <i>British Journal of Clinical Psychology</i> , 2012, 51, 280-291.	1.7	29
303	The effects of using cognitive behavioural therapy to improve sleep for patients with delusions and hallucinations (the BEST study): study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 214.	0.7	23

#	ARTICLE	IF	CITATIONS
304	A multi-site single blind clinical study to compare the effects of prolonged exposure, eye movement desensitization and reprocessing and waiting list on patients with a current diagnosis of psychosis and co morbid post traumatic stress disorder: study protocol for the randomized controlled trial Treating Trauma in Psychosis. <i>Trials</i> , 2013, 14, 151.	0.7	39
305	Assessing Anomalous Perceptual Experiences in Nonpsychiatric Individuals and Outpatients with Psychosis in Taiwan: An Investigation Using the Cardiff Anomalous Perceptions Scale (CAPS). <i>Psychiatric Quarterly</i> , 2013, 84, 137-157.	1.1	4
306	Psychosocial treatments for negative symptoms in schizophrenia: Current practices and future directions. <i>Clinical Psychology Review</i> , 2013, 33, 914-928.	6.0	131
307	Psychotic symptoms, self-harm and violence in individuals with schizophrenia and substance misuse problems. <i>Schizophrenia Research</i> , 2013, 151, 215-220.	1.1	26
308	Detecting improvements in acute psychotic symptoms using experience sampling methodology. <i>Psychiatry Research</i> , 2013, 210, 82-88.	1.7	36
309	Do depression and anxiety mediate the relationship between meta-cognitive beliefs and psychological dimensions of auditory hallucinations and delusions in schizophrenia?. <i>Psychiatry Research</i> , 2013, 210, 1316-1319.	1.7	4
310	Web-based cognitive-behavioral therapy for auditory hallucinations in persons with psychosis: A pilot study. <i>Schizophrenia Research</i> , 2013, 145, 82-87.	1.1	63
311	Treating PTSD in Patients With Psychosis: A Within-Group Controlled Feasibility Study Examining the Efficacy and Safety of Evidence-Based PE and EMDR Protocols. <i>Behavior Therapy</i> , 2013, 44, 717-730.	1.3	82
312	The interaction of affective with psychotic processes: A test of the effects of worrying on working memory, jumping to conclusions, and anomalies of experience in patients with persecutory delusions. <i>Journal of Psychiatric Research</i> , 2013, 47, 1837-1842.	1.5	43
313	The impact of psychological therapies on violent behaviour in clinical and forensic settings: A systematic review. <i>Aggression and Violent Behavior</i> , 2013, 18, 761-773.	1.2	50
314	Hallucinatory Experiences in Non-clinical Populations. , 2013, , 21-41.		14
315	A non-randomised controlled trial of the R&MHP cognitive skills program in high risk male offenders with severe mental illness. <i>BMC Psychiatry</i> , 2013, 13, 267.	1.1	33
316	Theta burst transcranial magnetic stimulation for the treatment of auditory verbal hallucinations: Results of a randomized controlled study. <i>Psychiatry Research</i> , 2013, 209, 114-117.	1.7	42
317	The auditory dorsal stream plays a crucial role in projecting hallucinated voices into external space. <i>Schizophrenia Research</i> , 2013, 146, 314-319.	1.1	21
318	Diagnosis and Evaluation of Hallucinations and Other Psychotic Symptoms in Children and Adolescents. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013, 22, 655-673.	1.0	36
319	Metacognitive and social cognition training (MSCT) in schizophrenia: A preliminary efficacy study. <i>Schizophrenia Research</i> , 2013, 150, 64-68.	1.1	58
320	Assessing Cognitive Therapy Instead Of Neuroleptics: Rationale, study design and sample characteristics of the ACTION trial. <i>Psychosis</i> , 2013, 5, 82-92.	0.4	10
321	Low intensity cognitive behavioural therapy for psychosis: A pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 98-104.	0.6	52

#	ARTICLE	IF	CITATIONS
323	Brain correlates of auditory hallucinations: Stimulus detection is a potential confounder. Schizophrenia Research, 2013, 150, 319-320.	1.1	4
324	Reduced Neuronal Activity in Language-Related Regions After Transcranial Magnetic Stimulation Therapy for Auditory Verbal Hallucinations. Biological Psychiatry, 2013, 73, 518-524.	0.7	93
325	Monotherapy with tDCS for Schizophrenia: A Case Report. Brain Stimulation, 2013, 6, 708-709.	0.7	38
326	Cognitive factors maintaining persecutory delusions in psychosis: The contribution of depression.. Journal of Abnormal Psychology, 2013, 122, 1121-1131.	2.0	86
327	Complementary group Metacognitive Training (MCT) reduces delusional ideation in schizophrenia. Schizophrenia Research, 2013, 151, 61-69.	1.1	118
328	Self-attacking and self-reassurance in persecutory delusions: A comparison of healthy, depressed and paranoid individuals. Psychiatry Research, 2013, 205, 127-136.	1.7	37
329	Performance of Electroconvulsive Therapy in a Patient with Clipping (Yasargil Titanium Clip) of an Aneurysm of the Internal Carotid Artery without Vascular Complications. Brain Stimulation, 2013, 6, 709-710.	0.7	4
330	Functional connectivity of left Heschl's gyrus in vulnerability to auditory hallucinations in schizophrenia. Schizophrenia Research, 2013, 143, 260-268.	1.1	111
331	Association of impaired reality processing with psychotic symptoms in schizophrenia. Psychiatry Research, 2013, 210, 721-728.	1.7	6
332	â€Poor meâ€ versus â€Bad meâ€ paranoia: The association between selfâ€beliefs and the instability of persecutory ideation. Psychology and Psychotherapy: Theory, Research and Practice, 2013, 86, 146-163.	1.3	7
333	Impaired action self-monitoring in schizophrenia patients with auditory hallucinations. Schizophrenia Research, 2013, 144, 72-79.	1.1	52
334	Auditory verbal hallucinations in schizophrenia correlate with P50 gating. Clinical Neurophysiology, 2013, 124, 1329-1335.	0.7	62
335	Intrusive mental imagery in patients with persecutory delusions. Behaviour Research and Therapy, 2013, 51, 7-14.	1.6	35
336	Group Cognitive-Behavioral Therapy for Early Psychosis. Cognitive Therapy and Research, 2013, 37, 403-411.	1.2	9
337	The Subjective Present and Its Modulation in Clinical Contexts. Timing and Time Perception, 2013, 1, 239-259.	0.4	11
338	Dimensions of Hallucinations and Delusions in Affective and Nonaffective Illnesses. , 2013, 2013, 1-10.		27
339	Dysfunctional Attitudes and Expectancies in Deficit Syndrome Schizophrenia. Schizophrenia Bulletin, 2013, 39, 43-51.	2.3	69
340	Assessing Suitability for Short-Term Cognitive-Behavioral Therapy in Psychiatric Outpatients with Psychosis. Journal of Psychiatric Practice, 2013, 19, 29-41.	0.3	9

#	ARTICLE	IF	CITATIONS
341	Attentional Modulation of Source Attribution in First-Episode Psychosis: A Functional Magnetic Resonance Imaging Study. <i>Schizophrenia Bulletin</i> , 2013, 39, 1027-1036.	2.3	10
342	Psychotic symptoms in patients with borderline personality disorder. <i>Current Opinion in Psychiatry</i> , 2013, 26, 113-119.	3.1	83
343	Memory binding in clinical and non-clinical psychotic experiences: How does the continuum model fare?. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 304-325.	0.7	12
344	Exacerbation of Auditory Verbal Hallucinations With Adjunctive High-Frequency Cerebellar Vermal Repetitive Transcranial Magnetic Stimulation in Schizophrenia. <i>Journal of ECT</i> , 2013, 29, 65-66.	0.3	13
345	Socioeconomic Status and Paranoia. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 698-702.	0.5	6
346	Differences in Cognitive and Emotional Processes Between Persecutory and Grandiose Delusions. <i>Schizophrenia Bulletin</i> , 2013, 39, 629-639.	2.3	81
347	Computer-assisted therapy for medication-resistant auditory hallucinations: proof-of-concept study. <i>British Journal of Psychiatry</i> , 2013, 202, 428-433.	1.7	146
348	A Graded Exposure Intervention for Distressing Visual Hallucinations in Schizophrenia. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 495-499.	0.9	5
349	Cognitive biases and auditory verbal hallucinations in healthy and clinical individuals. <i>Psychological Medicine</i> , 2013, 43, 2339-2347.	2.7	28
350	Paranoia and post-traumatic stress disorder in the months after a physical assault: a longitudinal study examining shared and differential predictors. <i>Psychological Medicine</i> , 2013, 43, 2673-2684.	2.7	60
351	Cognitive Behaviour Therapy for Psychotic Symptoms: A Randomized Controlled Effectiveness Trial. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 511-524.	0.9	28
352	Experiencing malevolent voices is associated with attentional dysfunction in psychotic patients. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 72-77.	0.8	10
353	Metacognitive beliefs, beliefs about voices and affective symptoms in patients with severe auditory verbal hallucinations. <i>British Journal of Clinical Psychology</i> , 2013, 52, 235-248.	1.7	22
354	“Jumping to conclusions”™ in first-episode psychosis: A longitudinal study. <i>British Journal of Clinical Psychology</i> , 2013, 52, 380-393.	1.7	33
355	Dopaminergic Function in the Psychosis Spectrum: An [18F]-DOPA Imaging Study in Healthy Individuals With Auditory Hallucinations. <i>Schizophrenia Bulletin</i> , 2013, 39, 807-814.	2.3	80
356	Clinical characteristics of disclosed visual hallucinations in users of an Early Intervention in Psychosis Service. <i>Psychosis</i> , 2013, 5, 127-133.	0.4	20
357	Cognitive Behavioural Relating Therapy (CBRT) for Voice Hearers: A Case Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 626-631.	0.9	10
358	Dimensions of positive symptoms in late versus early onset psychosis. <i>International Psychogeriatrics</i> , 2013, 25, 320-327.	0.6	22

#	ARTICLE	IF	CITATIONS
359	Emotional prosody modulates attention in schizophrenia patients with hallucinations. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 59.	1.0	23
360	Stop, look, listen: the need for philosophical phenomenological perspectives on auditory verbal hallucinations. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 127.	1.0	33
361	Repeated measurements of cerebral blood flow in the left superior temporal gyrus reveal tonic hyperactivity in patients with auditory verbal hallucinations: a possible trait marker. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 304.	1.0	37
362	Assessing the Boundaries of Symptom Over-Reporting Using the Structured Inventory of Malingered Symptomatology in a Clinical Schizophrenia Sample: Its Relation to Symptomatology and Neurocognitive Dysfunctions. <i>Journal of Experimental Psychopathology</i> , 2013, 4, 64-77.	0.4	17
363	Brain Metabolism during Hallucination-Like Auditory Stimulation in Schizophrenia. <i>PLoS ONE</i> , 2014, 9, e84987.	1.1	25
364	A synthesis of evidence on inhibitory control and auditory hallucinations based on the Research Domain Criteria (RDoC) framework. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 180.	1.0	39
367	Metacognitive Therapy in Treatment-Resistant Psychosis: A Multiple-Baseline Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 166-185.	0.9	39
368	The Use of Rescripting Imagery for People with Psychosis Who Hear Voices. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 129-142.	0.9	34
369	Hear Today, Not gone Tomorrow? An Exploratory Longitudinal Study of Auditory Verbal Hallucinations (Hearing Voices). <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 117-123.	0.9	18
370	Psychological flexibility and nonjudgemental acceptance in voice hearers: relationships with omnipotence and distress. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1150-1162.	1.3	37
371	Acupuncture for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1198-1199.	2.3	21
372	Emerging Perspectives From the Hearing Voices Movement: Implications for Research and Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, S285-S294.	2.3	176
373	Adapting cognitive behavioral therapy for psychosis for case managers: Increasing access to services in a community mental health agency.. <i>Psychiatric Rehabilitation Journal</i> , 2014, 37, 11-16.	0.8	6
374	Cognitive-behavioural therapy for schizophrenia in a forensic mental health setting. <i>Journal of Forensic Practice</i> , 2014, 16, 68-77.	0.2	12
375	The Relationship Between Cognitive Behavioral Therapy Maintenance Processes, Emotional Distress, and Positive Psychotic Symptoms: Evidence That CBT Is "Not a Quasi-Neuroleptic". <i>Journal of Cognitive Psychotherapy</i> , 2014, 28, 101-116.	0.2	3
376	Abnormal synchrony and effective connectivity in patients with schizophrenia and auditory hallucinations. <i>NeuroImage: Clinical</i> , 2014, 6, 171-179.	1.4	24
377	An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: The potential benefits of enhancing self confidence. <i>Schizophrenia Research</i> , 2014, 160, 186-192.	1.1	99
378	Inter-rater reliability of query/probe-based techniques for measuring situation awareness. <i>Ergonomics</i> , 2014, 57, 959-972.	1.1	10

#	ARTICLE	IF	CITATIONS
379	An exploratory investigation of real-world reasoning in paranoia. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 44-59.	1.3	2
380	A case series exploring possible predictors and mechanisms of change in hearing voices groups. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 60-79.	1.3	7
381	Symptom assessment in early psychosis: The use of well-established rating scales in clinical high-risk and recent-onset populations. <i>Psychiatry Research</i> , 2014, 220, 1077-1083.	1.7	18
382	Individualized Metacognitive Therapy Program for Patients with Psychosis (MCT+): Introduction of a Novel Approach for Psychotic Symptoms. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 105-110.	0.9	20
383	A randomised controlled trial of acceptance and commitment therapy (ACT) for psychosis: study protocol. <i>BMC Psychiatry</i> , 2014, 14, 198.	1.1	22
384	A comparison of thought and perception disorders in borderline personality disorder and schizophrenia: psychotic experiences as a reaction to impaired social functioning. <i>BMC Psychiatry</i> , 2014, 14, 239.	1.1	31
385	Depersonalization in Patients With Persecutory Delusions. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 752-758.	0.5	11
386	Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 389-397.	1.8	14
387	Neural Basis of tDCS Effects on Auditory Verbal Hallucinations in Schizophrenia. <i>Journal of ECT</i> , 2014, 30, e2-e4.	0.3	28
388	Negative Communication in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 829-832.	0.5	9
389	A naturalistic, randomized, controlled trial combining cognitive remediation with cognitive-behavioural therapy after first-episode non-affective psychosis. <i>Psychological Medicine</i> , 2014, 44, 1889-1899.	2.7	49
390	An experience sampling study of worry and rumination in psychosis. <i>Psychological Medicine</i> , 2014, 44, 1605-1614.	2.7	105
391	Towards a cognitive model of hallucinations in the course of alcohol dependence? A source monitoring-based pilot study. <i>Psychological Medicine</i> , 2014, 44, 2763-2773.	2.7	10
392	Future in Psychopathology Research. <i>Schizophrenia Bulletin</i> , 2014, 40, S147-S151.	2.3	6
393	Sustained and "Sleeper" Effects of Group Metacognitive Training for Schizophrenia. <i>JAMA Psychiatry</i> , 2014, 71, 1103.	6.0	136
394	Letters to the Editor. <i>Clinical Schizophrenia and Related Psychoses</i> , 2014, 8, 133-136.	1.4	3
395	Cognitive Biases Questionnaire for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 300-313.	2.3	66
396	Psychological Therapies for Auditory Hallucinations (Voices): Current Status and Key Directions for Future Research. <i>Schizophrenia Bulletin</i> , 2014, 40, S202-S212.	2.3	153

#	ARTICLE	IF	CITATIONS
397	High-Yield Cognitive Behavioral Techniques for Psychosis Delivered by Case Managers to Their Clients With Persistent Psychotic Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 30-34.	0.5	25
398	Avatar therapy for persecutory auditory hallucinations: What is it and how does it work?. <i>Psychosis</i> , 2014, 6, 166-176.	0.4	102
399	Metacognitive group training for schizophrenia spectrum patients with delusions: a randomized controlled trial. <i>Psychological Medicine</i> , 2014, 44, 3025-3035.	2.7	58
400	Understanding jumping to conclusions in patients with persecutory delusions: working memory and intolerance of uncertainty. <i>Psychological Medicine</i> , 2014, 44, 3017-3024.	2.7	54
401	The effects of individually tailored formulation-based cognitive behavioural therapy in auditory hallucinations and delusions: A meta-analysis. <i>Schizophrenia Research</i> , 2014, 156, 30-37.	1.1	221
402	Sustained antipsychotic effect of metacognitive training in psychosis: A randomized-controlled study. <i>European Psychiatry</i> , 2014, 29, 275-281.	0.1	76
403	Hallucinations and negative symptoms differentially revealed by frontal and temporal responses to speech in schizophrenia. <i>Schizophrenia Research</i> , 2014, 155, 39-44.	1.1	5
404	Psychometric properties of the Questionnaire about the Process of Recovery (QPR). <i>Schizophrenia Research</i> , 2014, 156, 184-189.	1.1	107
405	An Investigation of the "Jumping to Conclusions" Data-Gathering Bias and Paranoid Thoughts in Asperger Syndrome. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 111-119.	1.7	20
406	Persecutory delusions and psychological well-being. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1045-1050.	1.6	42
407	Source-based morphometry of gray matter volume in patients with schizophrenia who have persistent auditory verbal hallucinations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 50, 102-109.	2.5	66
408	Treatment of Auditory Hallucinations With Bilateral Theta Burst Stimulation: A Randomized Controlled Pilot Trial. <i>Brain Stimulation</i> , 2014, 7, 340-341.	0.7	25
409	Treatment "Refractory Schizophrenia. , 2014, , .		4
410	Can virtual reality reduce reality distortion? Impact of performance feedback on symptom change in schizophrenia patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 267-271.	0.6	34
411	Are you sure? Delusion conviction moderates the behavioural and emotional consequences of paranoid ideas. <i>Cognitive Neuropsychiatry</i> , 2014, 19, 164-180.	0.7	22
412	Acupuncture for schizophrenia. <i>The Cochrane Library</i> , 2014, 2014, CD005475.	1.5	18
413	The Relationship Among Critical Inner Voices, Low Self-Esteem, and Self-Criticism in Eating Disorders. <i>Eating Disorders</i> , 2014, 22, 337-351.	1.9	45
414	Cognitive behaviour therapy to prevent harmful compliance with command hallucinations (COMMAND): a randomised controlled trial. <i>Lancet Psychiatry</i> , 2014, 1, 23-33.	3.7	120

#	ARTICLE	IF	CITATIONS
415	Safety-seeking behaviours and verbal auditory hallucinations in schizophrenia. <i>Psychiatry Research</i> , 2014, 220, 158-162.	1.7	13
416	The influence of metacognitive training on delusion severity and metacognitive ability in schizophrenia. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014, 21, 841-847.	1.2	28
417	The use of intuitive and analytic reasoning styles by patients with persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 454-458.	0.6	31
418	Mindful cognitive enhancement training for psychosis: A pilot study. <i>Schizophrenia Research</i> , 2014, 157, 312-313.	1.1	15
419	Metacognitive training for schizophrenia: A multicentre randomised controlled trial. <i>Schizophrenia Research</i> , 2014, 157, 99-106.	1.1	51
420	A phenomenological investigation of overvalued ideas and delusions in clinical and subclinical anorexia nervosa. <i>Psychiatry Research</i> , 2014, 220, 507-512.	1.7	35
421	The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 255.	0.7	11
422	Relating therapy for voices (the R2V study): study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2014, 15, 325.	0.7	7
423	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1051-1061.	1.6	18
424	A pilot trial of cognitive behavioural therapy for interpersonal sensitivity in individuals with persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 441-446.	0.6	32
425	Metacognitive group training for forensic and dangerous non-forensic patients with schizophrenia: A randomised controlled feasibility trial. <i>Criminal Behaviour and Mental Health</i> , 2014, 24, 345-357.	0.4	26
426	Examining vulnerability to involuntary memories in schizophrenia comorbid with post-traumatic stress disorder. <i>Schizophrenia Research</i> , 2014, 152, 487-489.	1.1	12
427	Insight facilitation with add-on tDCS in schizophrenia. <i>Schizophrenia Research</i> , 2014, 156, 63-65.	1.1	63
428	Relationships Among Self, Others, and Persecutors in Individuals With Persecutory Delusions: A Repertory Grid Analysis. <i>Behavior Therapy</i> , 2014, 45, 273-282.	1.3	11
429	Changes in delusions in the early phase of antipsychotic treatment – An experience sampling study. <i>Psychiatry Research</i> , 2014, 215, 568-573.	1.7	42
430	Neurocognitive capabilities modulate the integration of evidence in schizophrenia. <i>Psychiatry Research</i> , 2014, 219, 72-78.	1.7	19
431	Voxel-based gray and white matter morphometry correlates of hallucinations in schizophrenia: The superior temporal gyrus does not stand alone. <i>NeuroImage: Clinical</i> , 2014, 4, 249-257.	1.4	62
432	Metacognitive therapy in people with a schizophrenia spectrum diagnosis and medication resistant symptoms: A feasibility study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 280-284.	0.6	71

#	ARTICLE	IF	CITATIONS
433	Cognitive therapy for people with schizophrenia spectrum disorders not taking antipsychotic drugs: a single-blind randomised controlled trial. <i>Lancet</i> , The, 2014, 383, 1395-1403.	6.3	196
434	Deficits in Predictive Coding Underlie Hallucinations in Schizophrenia. <i>Journal of Neuroscience</i> , 2014, 34, 8072-8082.	1.7	151
435	Targeted, intermittent booster tDCS: A novel add-on application for maintenance treatment in a schizophrenia patient with refractory auditory verbal hallucinations. <i>Asian Journal of Psychiatry</i> , 2014, 11, 79-80.	0.9	8
436	Attenuation of mismatch negativity (MMN) and novelty P300 in schizophrenia patients with auditory hallucinations experiencing acute exacerbation of illness. <i>Biological Psychology</i> , 2014, 100, 43-49.	1.1	38
437	The cognitive behavioural prevention of suicide in psychosis: A clinical trial. <i>Schizophrenia Research</i> , 2014, 156, 204-210.	1.1	65
438	Symptom Dimensions of the Psychotic Symptom Rating Scales in Psychosis: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2014, 40, S265-S274.	2.3	92
439	Top-down Control of Dyskinesias in PD Using Brain Stimulation. <i>Brain Stimulation</i> , 2014, 7, 488.	0.7	2
440	May Hyperdirect Pathway Be a Plausible Neural Substrate for Understanding the rTMS-related Effects on PD Patients With Levodopa-induced Dyskinesias?. <i>Brain Stimulation</i> , 2014, 7, 488-489.	0.7	5
441	Modulation of Corollary Discharge Dysfunction in Schizophrenia by tDCS: Preliminary Evidence. <i>Brain Stimulation</i> , 2014, 7, 486-488.	0.7	24
442	Awareness of Symptoms Amelioration Following Low-frequency Repetitive Transcranial Magnetic Stimulation in a Patient With Tourette Syndrome and Comorbid Obsessive-compulsive Disorder. <i>Brain Stimulation</i> , 2014, 7, 341-343.	0.7	18
443	Sowing the seeds of doubt: a narrative review on metacognitive training in schizophrenia. <i>Clinical Psychology Review</i> , 2014, 34, 358-366.	6.0	268
445	Treating your worst nightmare: a case-series of imagery rehearsal therapy for nightmares in individuals experiencing psychotic symptoms. <i>The Cognitive Behaviour Therapist</i> , 2015, 8, .	0.4	14
446	Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. <i>Lancet Psychiatry</i> , the, 2015, 2, 305-313.	3.7	207
447	A Pilot Study of Group Administered Metacognitive Training (MCT) for Schizophrenia Patients in a High-Security Forensic Setting: Subjective Training Success and Health-Related Quality of Life. <i>Journal of Forensic Psychology Practice</i> , 2015, 15, 344-362.	0.4	2
448	Nightmares in Patients with Psychosis: The Relation with Sleep, Psychotic, Affective, and Cognitive Symptoms. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 354-361.	0.9	57
449	Supportive therapy for schizophrenia. <i>The Cochrane Library</i> , 2017, 2017, CD004716.	1.5	25
450	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 404.	0.7	38
451	The development and implementation of a pilot <scp>CBT</scp> for early psychosis service: achievements and challenges. <i>Microbial Biotechnology</i> , 2015, 9, 252-259.	0.9	1

#	ARTICLE	IF	CITATIONS
452	Transcranial magnetic stimulation (TMS) for schizophrenia. The Cochrane Library, 2015, 2015, CD006081.	1.5	37
453	Psychosocial interventions for very early and early-onset schizophrenia. <i>Current Opinion in Psychiatry</i> , 2015, 28, 312-323.	3.1	25
454	Aberrant cerebellar connectivity in motor and association networks in schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 134.	1.0	82
455	Metacognitive training for delusions (MCTd): effectiveness on data-gathering and belief flexibility in a Chinese sample. <i>Frontiers in Psychology</i> , 2015, 6, 730.	1.1	26
456	The speaker behind the voice: therapeutic practice from the perspective of pragmatic theory. <i>Frontiers in Psychology</i> , 2015, 6, 817.	1.1	14
457	Metacognitive therapy (MCT+) in patients with psychosis not receiving antipsychotic medication: A case study. <i>Frontiers in Psychology</i> , 2015, 6, 967.	1.1	11
458	Hallucinations and related conceptsâ€”their conceptual background. <i>Frontiers in Psychology</i> , 2015, 6, 991.	1.1	34
459	Can we respond mindfully to distressing voices? A systematic review of evidence for engagement, acceptability, effectiveness and mechanisms of change for mindfulness-based interventions for people distressed by hearing voices. <i>Frontiers in Psychology</i> , 2015, 6, 1154.	1.1	43
460	Does Cognitive Behavior Therapy for psychosis (CBTp) show a sustainable effect on delusions? A meta-analysis. <i>Frontiers in Psychology</i> , 2015, 6, 1450.	1.1	96
461	The long-term effectiveness of cognitive behavior therapy for psychosis within a routine psychological therapies service. <i>Frontiers in Psychology</i> , 2015, 6, 1658.	1.1	26
462	Priming rTMS for Treatment Resistant Auditory Hallucinations in Schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e177-e178.	0.9	1
463	Prolonged Exposure vs Eye Movement Desensitization and Reprocessing vs Waiting List for Posttraumatic Stress Disorder in Patients With a Psychotic Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 259.	6.0	267
464	Self-help interventions for psychosis: A meta-analysis. <i>Clinical Psychology Review</i> , 2015, 39, 96-112.	6.0	22
465	â€œWho is talking to me?â€” Selfâ€”other attribution of auditory hallucinations and sulcation of the right temporoparietal junction. <i>Schizophrenia Research</i> , 2015, 169, 95-100.	1.1	28
466	Efficacy of cognitive behavioural therapy for sleep improvement in patients with persistent delusions and hallucinations (BEST): a prospective, assessor-blind, randomised controlled pilot trial. <i>Lancet Psychiatry</i> , 2015, 2, 975-983.	3.7	169
467	The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR) Tj ETQq1 1 0.784314 rgBTJ/Overlock	0.7	29
468	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. <i>Behaviour Research and Therapy</i> , 2015, 65, 1-4.	1.6	12
469	Transcranial Direct Current Stimulation (tDCS) for Auditory Verbal Hallucinations in Schizophrenia During Pregnancy: A Case Report. <i>Brain Stimulation</i> , 2015, 8, 163-164.	0.7	26

#	ARTICLE	IF	CITATIONS
470	Abnormal, affect-specific modulatory effects on early auditory processing in schizophrenia: Magnetoencephalographic evidence. <i>Schizophrenia Research</i> , 2015, 161, 308-313.	1.1	7
471	Metamemory in schizophrenia: Retrospective confidence ratings interact with neurocognitive deficits. <i>Psychiatry Research</i> , 2015, 225, 596-603.	1.7	22
472	Validation of a Psycho-Sensory hAllucinations Scale (PSAS) in schizophrenia and Parkinson's disease. <i>Schizophrenia Research</i> , 2015, 161, 269-276.	1.1	23
473	Group CBT for psychosis: A longitudinal, controlled trial with inpatients. <i>Behaviour Research and Therapy</i> , 2015, 65, 76-85.	1.6	22
474	Effect of tDCS on auditory hallucinations in schizophrenia: Influence of catechol-O-methyltransferase (COMT) Val158Met polymorphism. <i>Asian Journal of Psychiatry</i> , 2015, 16, 75-77.	0.9	18
475	A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 478-489.	0.9	10
476	Inhibitory deterioration may contribute to hallucinations in Alzheimer's disease. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 281-295.	0.7	25
477	Changes in delusional dimensions and emotions over eight weeks of antipsychotic treatment in acute patients. <i>Psychiatry Research</i> , 2015, 228, 393-398.	1.7	4
478	The relationship between dissociation and voices: A systematic literature review and meta-analysis. <i>Clinical Psychology Review</i> , 2015, 40, 138-155.	6.0	103
479	Finding the missing-stimulus mismatch negativity (MMN) in early psychosis: Altered MMN to violations of an auditory gestalt. <i>Schizophrenia Research</i> , 2015, 166, 158-163.	1.1	29
480	Clinical utility of attentional salience in treatment of auditory verbal hallucinations in schizophrenia using transcranial direct current stimulation (tDCS). <i>Schizophrenia Research</i> , 2015, 164, 279-280.	1.1	15
481	Differences in the internal structure of hallucinatory experiences between clinical and nonclinical populations. <i>Psychiatry Research</i> , 2015, 226, 204-210.	1.7	7
483	Reliability and validity of a new scale for measuring relationships with voices: The DAIMON Scale. <i>Psychosis</i> , 2015, 7, 312-323.	0.4	6
484	Adjuvant low-frequency rTMS in treating auditory hallucinations in recent-onset schizophrenia: a randomized controlled study investigating the effect of high-frequency priming stimulation. <i>Annals of General Psychiatry</i> , 2015, 14, 8.	1.2	17
485	Preliminary Evaluation of Culturally Adapted CBT for Psychosis (CA-CBTp): Findings from Developing Culturally-Sensitive CBT Project (DCCP). <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 200-208.	0.9	40
486	Pseudohallucinations versus hallucinations: wherein lies the difference?. <i>Australasian Psychiatry</i> , 2015, 23, 254-257.	0.4	14
487	Hearing voices in the resting brain: A review of intrinsic functional connectivity research on auditory verbal hallucinations. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 55, 78-87.	2.9	126
488	Beliefs about Voices and Schemas about Self and Others in Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 209-223.	0.9	42

#	ARTICLE	IF	CITATIONS
489	Brief culturally adapted CBT for psychosis (CaCBTp): A randomized controlled trial from a low income country. <i>Schizophrenia Research</i> , 2015, 164, 143-148.	1.1	75
490	Decreasing self-reported cognitive biases and increasing clinical insight through meta-cognitive training in patients with chronic schizophrenia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 98-104.	0.6	43
491	Internal versus external auditory hallucinations in schizophrenia: symptom and course correlates. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 187-197.	0.7	9
492	Effects of transcranial direct current stimulation (tDCS) on cognition, symptoms, and smoking in schizophrenia: A randomized controlled study. <i>Schizophrenia Research</i> , 2015, 168, 260-266.	1.1	155
493	The role of sleep dysfunction in the occurrence of delusions and hallucinations: A systematic review. <i>Clinical Psychology Review</i> , 2015, 42, 96-115.	6.0	177
494	Relationship between self-focused attention, mindfulness and distress in individuals with auditory verbal hallucinations. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 482-488.	0.7	12
495	Laterality and mental disorders in the postgenomic age – A closer look at schizophrenia and language lateralization. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 59, 100-110.	2.9	61
496	What Are the Primary Goals of Cognitive Behavior Therapy for Psychosis? A Theoretical and Empirical Review. <i>Journal of Cognitive Psychotherapy</i> , 2015, 29, 45-67.	0.2	4
497	Theta Burst Transcranial Magnetic Stimulation for Auditory Verbal Hallucinations: Negative Findings From a Double-Blind-Randomized Trial. <i>Schizophrenia Bulletin</i> , 2015, 42, sbv100.	2.3	34
498	A randomised controlled trial of positive memory training for the treatment of depression within schizophrenia. <i>BMC Psychiatry</i> , 2015, 15, 85.	1.1	24
499	Discrimination of Schizophrenia Auditory Hallucinators by Machine Learning of Resting-State Functional MRI. <i>International Journal of Neural Systems</i> , 2015, 25, 1550007.	3.2	61
500	A Meta-Analysis of Autobiographical Memory Studies in Schizophrenia Spectrum Disorder. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv099.	2.3	79
501	A comparison of cognitive biases between schizophrenia patients with delusions and healthy individuals with delusion-like experiences. <i>European Psychiatry</i> , 2015, 30, 943-949.	0.1	29
502	Evaluation of auditory hallucinations in patients with schizophrenia: A validation study of the Malay version of Psychotic Symptom Rating Scales (PSYRATS). <i>Psychiatry Research</i> , 2015, 228, 462-467.	1.7	10
503	Opportunities and challenges in Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI): Evaluating the first operational year of the South London and Maudsley (SLaM) demonstration site for psychosis. <i>Behaviour Research and Therapy</i> , 2015, 64, 24-30.	1.6	67
504	Repetitive transcranial magnetic stimulation (rTMS) in schizophrenia with treatment-refractory auditory hallucinations and major self-mutilation. <i>Journal of Neural Transmission</i> , 2015, 122, 19-23.	1.4	3
505	Static and Dynamic Characteristics of Cerebral Blood Flow During the Resting State in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 163-170.	2.3	83
506	Resilience, recovery style, and stress in early psychosis. <i>Psychosis</i> , 2015, 7, 183-185.	0.4	6

#	ARTICLE	IF	CITATIONS
507	A Randomized Controlled Trial Comparing Cognitive Behavior Therapy, Cognitive Adaptation Training, Their Combination and Treatment as Usual in Chronic Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 597-603.	2.3	22
508	Commentary: Does Cognitive Behavior Therapy for psychosis (CBTp) show a sustainable effect on delusions? A meta-analysis. <i>Frontiers in Psychology</i> , 2016, 7, 59.	1.1	4
509	The Proximity between Hallucination and Delusion Dimensions: An Observational, Analytic, Cross-Sectional, Multicentre Study. <i>Frontiers in Psychology</i> , 2016, 7, 1642.	1.1	7
510	Functional MRI Evaluation of Multiple Neural Networks Underlying Auditory Verbal Hallucinations in Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , 2016, 7, 39.	1.3	19
511	Transcranial Direct Current Stimulation as Monotherapy Attenuates Auditory Hallucinations in Treatment-Naïve First-Episode Schizophrenia. <i>Journal of ECT</i> , 2016, 32, e15-e16.	0.3	2
512	Determinants of subjective well-being in people with psychosis referred for psychological therapy in South London. <i>British Journal of Clinical Psychology</i> , 2016, 55, 429-440.	1.7	15
513	Disturbances of Agency and Ownership in Schizophrenia: An Auditory Verbal Event Related Potentials Study. <i>Brain Topography</i> , 2016, 29, 716-727.	0.8	13
514	A Systematic Review of Efficacy of the Attention Training Technique in Clinical and Nonclinical Samples. <i>Journal of Clinical Psychology</i> , 2016, 72, 999-1025.	1.0	54
515	Characteristics and clinical correlates of dimensions of delusional experience in schizophrenia and delusional disorder. <i>Schizophrenia Research</i> , 2016, 176, 404-410.	1.1	10
516	Experiential avoidance and appraisals of voices as predictors of voice-related distress. <i>British Journal of Clinical Psychology</i> , 2016, 55, 320-331.	1.7	34
517	Auditory verbal hallucinations in first-episode psychosis: a phenomenological investigation. <i>BJPsych Open</i> , 2016, 2, 88-95.	0.3	31
518	Relationship between neuroticism, childhood trauma and cognitive-affective responses to auditory verbal hallucinations. <i>Scientific Reports</i> , 2016, 6, 34401.	1.6	4
519	Exposing therapists to trauma-focused treatment in psychosis: effects on credibility, expected burden, and harm expectancies. <i>HÅgare Utbildning</i> , 2016, 7, 31712.	1.4	10
521	Analyzing Confabulations in Schizophrenia and Healthy Participants. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 911-919.	1.2	3
522	Auditory hallucinations in schizophrenia: helping patients to develop effective coping strategies. <i>BJ Psych Advances</i> , 2016, 22, 391-396.	0.5	8
523	Group cognitive behaviour therapy combining early intervention with an exclusive focus on single medication-resistant delusional beliefs: a service evaluation. <i>The Cognitive Behaviour Therapist</i> , 2016, 9, .	0.4	1
524	Clozapine in a patient with treatment-resistant schizophrenia and hypertrophic cardiomyopathy: a case report. <i>BJPsych Open</i> , 2016, 2, 390-393.	0.3	4
525	Does insecure attachment mediate the relationship between trauma and voice-hearing in psychosis?. <i>Psychiatry Research</i> , 2016, 246, 776-782.	1.7	21

#	ARTICLE	IF	CITATIONS
526	Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). Behavioural and Cognitive Psychotherapy, 2016, 44, 539-552.	0.9	30
527	Negative cognitions about the self in patients with persecutory delusions: An empirical study of self-compassion, self-stigma, schematic beliefs, self-esteem, fear of madness, and suicidal ideation. Psychiatry Research, 2016, 239, 79-84.	1.7	57
528	Group mindfulness-based intervention for distressing voices: A pragmatic randomised controlled trial. Schizophrenia Research, 2016, 175, 168-173.	1.1	86
529	Subjective versus objective cognition: Evidence for poor metacognitive monitoring in schizophrenia. Schizophrenia Research, 2016, 178, 74-79.	1.1	39
530	Deficits in metaphor but not in idiomatic processing are related to verbal hallucinations in patients with psychosis. Psychiatry Research, 2016, 246, 101-112.	1.7	8
531	Five year follow-up of non-psychotic adults with frequent auditory verbal hallucinations: are they still healthy?. Psychological Medicine, 2016, 46, 1897-1907.	2.7	23
532	Semi-structured Interview Measure of Stigma (SIMS) in psychosis: Assessment of psychometric properties. Schizophrenia Research, 2016, 176, 398-403.	1.1	10
533	Cognitive Insight, Clinical Insight, and Reasoning in Schizophrenia: A Pilot Study in a Forensic Setting. Journal of Forensic Psychology Practice, 2016, 16, 253-267.	0.4	6
534	A Pilot Study of the Relations Within Which Hearing Voices Participates: Towards A Functional Distinction Between Voice Hearers and Controls. Psychological Record, 2016, 66, 611-626.	0.6	2
535	Auditory false perception in schizophrenia: Development and validation of auditory signal detection task. Asian Journal of Psychiatry, 2016, 24, 23-27.	0.9	16
536	Assessing and managing hallucinations in children and adolescents. BJ Psych Advances, 2016, 22, 380-390.	0.5	5
537	Psychological Services. Evidence-based Practices in Behavioral Health, 2016, , 227-257.	0.3	0
538	Predicting trauma-focused treatment outcome in psychosis. Schizophrenia Research, 2016, 176, 239-244.	1.1	11
539	Preliminary study of a rehabilitation program based on attentional processes to treat auditory hallucinations. Cognitive Neuropsychiatry, 2016, 21, 315-334.	0.7	2
540	Virtual reality in the treatment of persecutory delusions: Randomised controlled experimental study testing how to reduce delusional conviction. British Journal of Psychiatry, 2016, 209, 62-67.	1.7	180
541	Brain connectivity and auditory hallucinations: In search of novel noninvasive brain stimulation therapeutic approaches for schizophrenia. Revue Neurologique, 2016, 172, 653-679.	0.6	9
542	Mindfulness-Based Crisis Interventions for patients with psychotic symptoms on acute psychiatric wards (amBITION study): protocol for a feasibility randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, .	0.5	11
543	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study.. Journal of Abnormal Psychology, 2016, 125, 788-797.	2.0	77

#	ARTICLE	IF	CITATIONS
544	The role of unhelpful metacognitive beliefs in psychosis: Relationships with positive symptoms and negative affect. <i>Psychiatry Research</i> , 2016, 246, 401-406.	1.7	16
545	TechCare: mobile assessment and therapy for psychosis – an intervention for clients in the Early Intervention Service: A feasibility study protocol. <i>SAGE Open Medicine</i> , 2016, 4, 205031211666961.	0.7	16
546	A brief CBT intervention for depersonalisation/derealisation in psychosis: study protocol for a feasibility randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 47.	0.5	11
547	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 280.	1.1	16
548	A transdiagnostic sleep and circadian treatment to improve severe mental illness outcomes in a community setting: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 606.	0.7	31
549	Is Seeing Believing? The Process of Change During Cognitive-behavioural Therapy for Distressing Visual Hallucinations. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 285-297.	1.4	14
550	Understanding auditory verbal hallucinations: a systematic review of current evidence. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 352-367.	2.2	103
551	Process analysis of trauma-focused cognitive behavioural therapy for individuals with schizophrenia. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016, 89, 117-132.	1.3	12
552	Brief Interventions for Psychosis. , 2016, , .		6
553	Prolonged exposure and EMDR for PTSD in a PTSD waiting-list condition: effects on symptoms of psychosis, depression and social functioning in patients with chronic psychotic disorders. <i>Psychological Medicine</i> , 2016, 46, 2411-2421.	2.7	93
554	Traditional Chinese version of the Mayer Salovey Caruso Emotional Intelligence Test (MSCEIT-TC): Its validation and application to schizophrenic individuals. <i>Psychiatry Research</i> , 2016, 243, 61-70.	1.7	11
555	From the Incomprehensible to the Partially Understood. An Update on Cognitive Bias Research and Metacognitive Training in Schizophrenia Psychosis. <i>Current Treatment Options in Psychiatry</i> , 2016, 3, 83-98.	0.7	4
556	The use of a brief mental health screener to enhance the ability of police officers to identify persons with serious mental disorders. <i>International Journal of Law and Psychiatry</i> , 2016, 47, 28-35.	0.5	18
557	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the –INSITE– trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 79.	0.7	22
558	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , 2016, 17, 134.	0.7	24
559	Mindfulness-Based Cognitive Therapy for Psychosis: Measuring Psychological Change Using Repertory Grids. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 496-508.	1.4	11
560	The Phenomenology and Generation of Positive Mental Imagery in Early Psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 523-532.	1.4	10
561	Worry processes in patients with persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2016, 55, 387-400.	1.7	31

#	ARTICLE	IF	CITATIONS
562	An Exploration of the Reliability and Validity of the Spanish Version of the "Voice and You" (VAY): A Scale for Measuring the Relationship with Voices. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 183-188.	1.4	7
563	Effects of Community Mental Health Service in Subjects with Early Psychosis: One-Year Prospective Follow Up. <i>Community Mental Health Journal</i> , 2016, 52, 724-730.	1.1	5
564	Trauma-Focused Treatment in PTSD Patients With Psychosis: Symptom Exacerbation, Adverse Events, and Revictimization. <i>Schizophrenia Bulletin</i> , 2016, 42, 693-702.	2.3	104
565	Structural Brain Network Disturbances in the Psychosis Spectrum. <i>Schizophrenia Bulletin</i> , 2016, 42, 782-789.	2.3	29
566	Cognitive Behavior Therapy for psychosis based Guided Self-help (CBTp-GSH) delivered by frontline mental health professionals: Results of a feasibility study. <i>Schizophrenia Research</i> , 2016, 173, 69-74.	1.1	16
567	Four-Year Follow-up of Cognitive Behavioral Therapy in Persons at Ultra-High Risk for Developing Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. <i>Schizophrenia Bulletin</i> , 2016, 42, 1243-1252.	2.3	57
568	A systematic review and meta-analysis of low intensity CBT for psychosis. <i>Clinical Psychology Review</i> , 2016, 45, 183-192.	6.0	90
569	Bias against disconfirmatory evidence in the "at-risk mental state" and during psychosis. <i>Psychiatry Research</i> , 2016, 238, 242-250.	1.7	23
570	Impact of antipsychotic medication on transcranial direct current stimulation (tDCS) effects in schizophrenia patients. <i>Psychiatry Research</i> , 2016, 235, 97-103.	1.7	38
571	A Cognitive Neuroscience View of Voice-Processing Abnormalities in Schizophrenia. <i>Harvard Review of Psychiatry</i> , 2016, 24, 148-163.	0.9	21
572	Reasoning in psychosis: risky but not necessarily hasty. <i>Cognitive Neuropsychiatry</i> , 2016, 21, 91-106.	0.7	33
573	Acceptance and Efficacy of Metacognitive Training (MCT) on Positive Symptoms and Delusions in Patients With Schizophrenia: A Meta-analysis Taking Into Account Important Moderators. <i>Schizophrenia Bulletin</i> , 2016, 42, 952-962.	2.3	187
574	Dissociation and mindfulness in patients with auditory verbal hallucinations. <i>Journal of Trauma and Dissociation</i> , 2016, 17, 294-306.	1.0	22
575	The Massachusetts General Hospital Handbook of Cognitive Behavioral Therapy. , 2016, , .		4
576	Thematic associations between personal goals and clinical and non-clinical voices (auditory verbal) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.4	12
577	Cognitive Behavioral Approaches for Schizophrenia and Other Psychotic Disorders. , 2016, , 183-195.		1
578	Cognitive Behavioral Therapy for Psychosis (CBTp) Delivered in a Community Mental Health Setting: A Case Comparison of Clients Receiving CBT Informed Strategies by Case Managers Prior to Therapy. <i>Community Mental Health Journal</i> , 2017, 53, 134-142.	1.1	3
579	Brief acceptance and commitment therapy for psychotic inpatients: A randomized controlled feasibility trial in Sweden. <i>Nordic Psychology</i> , 2017, 69, 110-125.	0.4	33

#	ARTICLE	IF	CITATIONS
580	A randomised controlled pilot study of Experience Focused Counselling with voice hearers. <i>Psychosis</i> , 2017, 9, 12-24.	0.4	18
581	The role of set-shifting in auditory verbal hallucinations. <i>Comprehensive Psychiatry</i> , 2017, 74, 162-172.	1.5	20
582	Diminished auditory sensory gating during active auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2017, 188, 125-131.	1.1	34
583	Eficacia, eficiencia y efectividad en el tratamiento multidimensional de la esquizofrenia: proyecto Rethinking. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017, 10, 4-20.	1.0	18
584	MKT+. , 2017, , .		5
585	Psychological interventions for post-traumatic stress disorder (PTSD) in people with severe mental illness. <i>The Cochrane Library</i> , 2017, 2017, CD011464.	1.5	37
587	Where pseudo-hallucinations meet dissociation: a cluster analysis. <i>Australasian Psychiatry</i> , 2017, 25, 364-368.	0.4	10
588	Suicidality and hospitalisation in patients with borderline personality disorder who experience auditory verbal hallucinations. <i>European Psychiatry</i> , 2017, 41, 47-52.	0.1	40
590	Experiences of outcome monitoring in service users with psychosis: Findings from an Improving Access to Psychological Therapies for people with Severe Mental Illness (<scp>IAPT</scp>â€‹<scp>SMI</scp>) demonstration site. <i>British Journal of Clinical Psychology</i> , 2017, 56, 253-272.	1.7	26
591	Distress, omnipotence, and responsibility beliefs in command hallucinations. <i>British Journal of Clinical Psychology</i> , 2017, 56, 303-309.	1.7	13
592	Auditory verbal hallucinations and the differential diagnosis of schizophrenia and dissociative disorders: Historical, empirical and clinical perspectives. <i>European Journal of Trauma and Dissociation</i> , 2017, 1, 37-46.	0.6	34
593	Depression, goals and motivations in people with persecutory delusions. <i>Psychiatry Research</i> , 2017, 254, 133-134.	1.7	3
594	Measures of visual hallucinations: Review and recommendations. <i>Clinical Psychology Review</i> , 2017, 57, 164-182.	6.0	15
595	Delivering CBT for Insomnia in Psychosis. , 0, , .		6
597	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017, 10, 4-20.	0.2	7
599	Attachment in psychosis: A latent profile analysis of attachment styles and association with symptoms in a large psychosis cohort. <i>Psychiatry Research</i> , 2017, 247, 243-249.	1.7	28
600	Relating Therapy for distressing auditory hallucinations: A pilot randomized controlled trial. <i>Schizophrenia Research</i> , 2017, 183, 137-142.	1.1	96
601	Individualized metacognitive therapy for delusions: A randomized controlled rater-blind study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 56, 144-151.	0.6	34

#	ARTICLE	IF	CITATIONS
602	The Beliefs about Paranoia Scale: Confirmatory factor analysis and tests of a metacognitive model of paranoia in a clinical sample. <i>Psychiatry Research</i> , 2017, 248, 87-94.	1.7	8
603	Service user satisfaction with cognitive behavioural therapy for psychosis: Associations with therapy outcomes and perceptions of the therapist. <i>British Journal of Clinical Psychology</i> , 2017, 56, 84-102.	1.7	23
604	Cognitive-behaviour therapy for post-traumatic stress in schizophrenia. A randomized controlled trial. <i>Psychological Medicine</i> , 2017, 47, 43-51.	2.7	38
605	Active and placebo transcranial magnetic stimulation effects on external and internal auditory hallucinations of schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 228-238.	2.2	35
606	Acceptance and commitment therapy for psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 140-148.	1.7	64
607	Hallucinations in borderline personality disorder: Prevalence, characteristics and associations with comorbid symptoms and disorders. <i>Scientific Reports</i> , 2017, 7, 13920.	1.6	52
608	Distinct processing of ambiguous speech in people with non-clinical auditory verbal hallucinations. <i>Brain</i> , 2017, 140, 2475-2489.	3.7	78
609	Effectiveness of metacognitive interventions for mental disorders in adults: a systematic review protocol (METACOG). <i>BMJ Open</i> , 2017, 7, e015428.	0.8	6
610	Effects of transcranial direct current stimulation on the auditory mismatch negativity response and working memory performance in schizophrenia: a pilot study. <i>Journal of Neural Transmission</i> , 2017, 124, 1489-1501.	1.4	14
611	Auditory verbal hallucinations related to altered long-range synchrony of gamma-band oscillations. <i>Scientific Reports</i> , 2017, 7, 8401.	1.6	22
612	Cerebellar Contributions to Persistent Auditory Verbal Hallucinations in Patients with Schizophrenia. <i>Cerebellum</i> , 2017, 16, 964-972.	1.4	34
613	What is distressing about auditory verbal hallucinations? The contribution of goal interference and goal facilitation. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017, 90, 720-734.	1.3	8
614	Negative Beliefs about Voices in Patients with Borderline Personality Disorder Are Associated with Distress: A Plea for Cognitive-Behavioural Therapy?. <i>Psychopathology</i> , 2017, 50, 255-261.	1.1	13
615	Reality monitoring performance and the role of visual imagery in visual hallucinations. <i>Behaviour Research and Therapy</i> , 2017, 97, 115-122.	1.6	37
616	Characterizing the experience of auditory verbal hallucinations and accompanying delusions in individuals with a diagnosis of bipolar disorder: A systematic review. <i>Bipolar Disorders</i> , 2017, 19, 417-433.	1.1	33
617	Cognitive behavioural therapy for visual hallucinations: an investigation using a single-case experimental design. <i>The Cognitive Behaviour Therapist</i> , 2017, 10, .	0.4	7
618	Behandlungen kognitiver Verzerrungen bei Psychose: Ein Überblick der aktuellen Befunde. <i>Verhaltenstherapie</i> , 2017, 27, 210-217.	0.3	2
619	Safety and Efficacy of Theta-Burst Stimulation in the Treatment of Psychiatric Disorders. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 823-839.	0.5	29

#	ARTICLE	IF	CITATIONS
620	Insight in body dysmorphic disorder (BDD) relative to obsessive-compulsive disorder (OCD) and psychotic disorders: Revisiting this issue in light of DSM-5. <i>Comprehensive Psychiatry</i> , 2017, 77, 100-108.	1.5	31
621	Spanish adaptation of the Varieties of Inner Speech Questionnaire (VISQ). Study of the relationship between inner speech, dissociation, and hallucination proneness. <i>Clinica Y Salud</i> , 2017, 28, 93-100.	0.3	8
622	Experimental variation of social stress in virtual reality – Feasibility and first results in patients with psychotic disorders. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 56, 129-136.	0.6	22
623	Measuring common responses to psychosis: Assessing the psychometric properties of a new measure. <i>Schizophrenia Research</i> , 2017, 181, 131-136.	1.1	2
624	A meta-analysis of metacognitive beliefs as implicated in the self-regulatory executive function model in clinical psychosis. <i>Schizophrenia Research</i> , 2017, 179, 75-84.	1.1	45
625	Characteristics of memories of delusion-like experiences within the psychosis continuum: Pilot studies providing new insight on the relationship between self and delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 56, 33-41.	0.6	6
626	The relationship between cognitive biases and psychological dimensions of delusions: The importance of jumping to conclusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 56, 51-56.	0.6	14
628	Systems Neuroscience of Psychosis: Mapping Schizophrenia Symptoms onto Brain Systems. <i>Neuropsychobiology</i> , 2017, 75, 100-116.	0.9	61
630	Auditory Verbal Hallucinations in Schizophrenia: A Model for Aberrant Self-consciousness. , 2017, , 123-149.		2
632	Neural Effects of Transcranial Direct Current Stimulation in Schizophrenia: A Case Study using Functional Near-infrared Spectroscopy. <i>Indian Journal of Psychological Medicine</i> , 2017, 39, 691-694.	0.6	1
633	The Structure and Measurement of Unusual Sensory Experiences in Different Modalities: The Multi-Modality Unusual Sensory Experiences Questionnaire (MUSEQ). <i>Frontiers in Psychology</i> , 2017, 8, 1363.	1.1	27
634	Integrated Trauma-Focused Cognitive-Behavioural Therapy for Post-traumatic Stress and Psychotic Symptoms: A Case-Series Study Using Imaginal Reprocessing Strategies. <i>Frontiers in Psychiatry</i> , 2017, 8, 92.	1.3	29
635	Use of transcranial direct current stimulation for the treatment of auditory hallucinations of schizophrenia – a systematic review. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 347-355.	1.0	22
636	Pilot randomised controlled trial of culturally adapted cognitive behavior therapy for psychosis (CaCBTp) in Pakistan. <i>BMC Health Services Research</i> , 2017, 17, 808.	0.9	14
637	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.	0.7	44
638	A Chinese version of the Psychotic Symptom Rating Scales: psychometric properties in recent-onset and chronic psychosis. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 745-753.	1.0	7
639	The role of expressive suppression in hallucinatory-like and delusion-like experiences. Findings in a non-clinical sample. <i>Comprehensive Psychiatry</i> , 2018, 82, 121-127.	1.5	4
640	Auditory Mismatch Negativity and P300a Elicited by the –Optimal–Multi-feature Paradigm in Early Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 238-247.	0.9	11

#	ARTICLE	IF	CITATIONS
641	Reducing distress and improving social functioning in daily life in people with auditory verbal hallucinations: study protocol for the "Temstem"™ randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e020537.	0.8	22
642	Beck Self-Esteem Scale-Short Form: Development and psychometric evaluation of a scale for the assessment of self-concept in schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 173-180.	1.7	5
643	The Efficacy of Metacognitive Training for Delusions in Patients With Schizophrenia: A Meta-Analysis of Randomized Controlled Trials Informs Evidence-Based Practice. <i>Worldviews on Evidence-Based Nursing</i> , 2018, 15, 130-139.	1.2	80
644	Virtual reality therapy for refractory auditory verbal hallucinations in schizophrenia: A pilot clinical trial. <i>Schizophrenia Research</i> , 2018, 197, 176-181.	1.1	103
645	Differential relationship of jumping-to-conclusions and incorrigibility with delusion severity. <i>Psychiatry Research</i> , 2018, 264, 297-301.	1.7	8
646	Alterations of complex mismatch negativity (cMMN) elicited by a two-tone pattern paradigm in early-phase psychosis. <i>Biological Psychology</i> , 2018, 135, 128-135.	1.1	7
647	The tangled roots of inner speech, voices and delusions. <i>Psychiatry Research</i> , 2018, 264, 281-289.	1.7	17
648	C4A mRNA expression in PBMCs predicts the presence and severity of delusions in schizophrenia and bipolar disorder with psychosis. <i>Schizophrenia Research</i> , 2018, 197, 321-327.	1.1	23
649	An ecological momentary assessment evaluation of emotion regulation abnormalities in schizophrenia. <i>Psychological Medicine</i> , 2018, 48, 2337-2345.	2.7	47
651	Real-time fMRI neurofeedback to down-regulate superior temporal gyrus activity in patients with schizophrenia and auditory hallucinations: a proof-of-concept study. <i>Translational Psychiatry</i> , 2018, 8, 46.	2.4	58
652	Long-term outcomes of trauma-focused treatment in psychosis. <i>British Journal of Psychiatry</i> , 2018, 212, 180-182.	1.7	45
653	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. <i>Journal of Mental Health</i> , 2018, 27, 336-344.	1.0	13
654	Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 59, 121-128.	0.6	11
655	Cortical folding abnormalities in patients with schizophrenia who have persistent auditory verbal hallucinations. <i>European Neuropsychopharmacology</i> , 2018, 28, 297-306.	0.3	18
656	Monocausal Attributions Along Cross-Sections of Psychosis Development and Links with Psychopathology and Data Gathering Style. <i>Cognitive Therapy and Research</i> , 2018, 42, 699-710.	1.2	2
657	Mental Health Stigma and Its Effects on Treatment-Related Outcomes: A Narrative Review. <i>Military Medicine</i> , 2018, 183, e427-e437.	0.4	15
658	Interpersonal processes in paranoia: a systematic review. <i>Psychological Medicine</i> , 2018, 48, 2299-2312.	2.7	21
659	Gene polymorphisms and response to transcranial direct current stimulation for auditory verbal hallucinations in schizophrenia. <i>Acta Neuropsychiatrica</i> , 2018, 30, 218-225.	1.0	17

#	ARTICLE	IF	CITATIONS
660	A dimensional approach to thought disturbances in epilepsy: Utility in psychosis and behavioural syndromes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 718-718.	1.3	0
661	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1070-1080.	2.3	160
662	Negative voice-content as a full mediator of a relation between childhood adversity and distress ensuing from hearing voices. <i>Schizophrenia Research</i> , 2018, 199, 361-366.	1.1	26
663	Neurofeedback-Based Enhancement of Single-Trial Auditory Evoked Potentials: Treatment of Auditory Verbal Hallucinations in Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 367-378.	0.9	6
664	Video-based mobile health interventions for people with schizophrenia: Bringing the "pocket therapist" to life.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 39-45.	0.8	43
665	Neuropsychological analysis of auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2018, 192, 459-460.	1.1	2
666	Working memory predicts presence of auditory verbal hallucinations in schizophrenia and bipolar disorder with psychosis. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018, 40, 84-94.	0.8	41
667	Mindfulness- and acceptance-based interventions for psychosis: Our current understanding and a meta-analysis. <i>Schizophrenia Research</i> , 2018, 192, 57-63.	1.1	120
668	Embracing Psychosis: A Cognitive Insight Intervention Improves Personal Narratives and Meaning-Making in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 307-316.	2.3	48
669	Brief Coping Strategy Enhancement for Distressing Voices: an Evaluation in Routine Clinical Practice. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 226-237.	0.9	34
670	Monocausal attribution and its relationship with reasoning biases in schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 77-82.	1.1	23
671	Emotional fMR auditory paradigm demonstrates normalization of limbic hyperactivity after cognitive behavior therapy for auditory hallucinations. <i>Schizophrenia Research</i> , 2018, 193, 304-312.	1.1	9
672	Guided self-help cognitive-behaviour Intervention for VoicEs (GiVE): Results from a pilot randomised controlled trial in a transdiagnostic sample. <i>Schizophrenia Research</i> , 2018, 195, 441-447.	1.1	47
673	Maintenance repetitive transcranial magnetic stimulation (rTMS) for relapse prevention in with depression: A review. <i>Psychiatry Research</i> , 2018, 262, 363-372.	1.7	51
674	Neuropsychological functioning and jumping to conclusions in recent onset psychosis patients. <i>Schizophrenia Research</i> , 2018, 195, 366-371.	1.1	21
675	AVATAR therapy for auditory verbal hallucinations in people with psychosis: a single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 31-40.	3.7	249
676	Treatment of auditory hallucinations with bilateral theta burst stimulation (ctBS): protocol of a randomized, double-blind, placebo-controlled, multicenter trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 663-673.	1.8	6
677	A systematic review of group work interventions in UK high secure hospitals. <i>Aggression and Violent Behavior</i> , 2018, 38, 53-75.	1.2	9

#	ARTICLE	IF	CITATIONS
678	The COMMAND trial of cognitive therapy to prevent harmful compliance with command hallucinations: predictors of outcome and mediators of change. <i>Psychological Medicine</i> , 2018, 48, 1966-1974.	2.7	23
679	Relationship between attachment style and symptom severity across the psychosis spectrum: A meta-analysis. <i>Clinical Psychology Review</i> , 2018, 59, 145-158.	6.0	54
680	Moderators of Symptomatic Outcome in Metacognitive Training for Psychosis (MCT). Who Benefits and Who Does Not?. <i>Cognitive Therapy and Research</i> , 2018, 42, 80-91.	1.2	10
681	Case conceptualization research in cognitive behavior therapy: A state of the science review. <i>Journal of Clinical Psychology</i> , 2018, 74, 356-384.	1.0	23
682	Validation of the Indonesian version of psychotic symptom rating scale (Ina-PSYRATS) hallucination subscale. <i>Journal of Physics: Conference Series</i> , 2018, 1073, 022026.	0.3	0
685	Cognitive behavioural therapy plus standard care versus standard care for people with schizophrenia. <i>The Cochrane Library</i> , 2018, 2018, CD007964.	1.5	26
686	Cognitive behavioural therapy plus standard care versus standard care plus other psychosocial treatments for people with schizophrenia. <i>The Cochrane Library</i> , 2019, 2019, CD008712.	1.5	36
688	Impairments of emotional face processing in schizophrenia patients: Evidence from P100, N170 and P300 ERP components in a sample of auditory hallucinators. <i>International Journal of Psychophysiology</i> , 2018, 134, 120-134.	0.5	16
690	Smartphone-based ecological momentary assessment and intervention in a blended coping-focused therapy for distressing voices: Development and case illustration. <i>Internet Interventions</i> , 2018, 14, 18-25.	1.4	28
691	Does mindfulness help people adapt to the experience of hearing voices?. <i>Psychiatry Research</i> , 2018, 270, 329-334.	1.7	8
692	Trauma-intrusive hallucinations and the dissociative state. <i>BJPsych Open</i> , 2018, 4, 385-388.	0.3	5
693	Psychometric properties of the Clinical Outcome Routine Evaluationâ€”Learning Disabilities 30â€”Item (COREâ€”LD30). <i>Journal of Intellectual Disability Research</i> , 2018, 62, 962-973.	1.2	5
694	Source flexibility in schizophrenia: specificity and role in auditory hallucinations. <i>Cognitive Neuropsychiatry</i> , 2018, 23, 393-407.	0.7	4
695	Building a Grounded Theory of Engagement in Mindfulness-Based Group Therapy for Distressing Voices. <i>Qualitative Health Research</i> , 2018, 28, 2169-2182.	1.0	7
696	High-Definition Transcranial direct current stimulation (HD-tDCS) for auditory hallucinations in dementiaâ€”A case series. <i>Asian Journal of Psychiatry</i> , 2018, 37, 102-105.	0.9	5
697	Lower P300 amplitudes for internally-generated events in patients with schizophrenia. <i>Asian Journal of Psychiatry</i> , 2018, 35, 67-71.	0.9	6
698	Mobile Health (mHealth) Versus Clinic-Based Group Intervention for People With Serious Mental Illness: A Randomized Controlled Trial. <i>Psychiatric Services</i> , 2018, 69, 978-985.	1.1	120
699	Relating Therapy for distressing voices: Who, or what, is changing?. <i>Psychosis</i> , 2018, 10, 132-141.	0.4	17

#	ARTICLE	IF	CITATIONS
700	Brief coping strategy enhancement for distressing voices: Predictors of engagement and outcome in routine clinical practice. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 634-640.	1.4	15
701	Persecutory delusions: effects of Cognitive Bias Modification for Interpretation and the Maudsley Review Training Programme on social anxiety, jumping to conclusions, belief inflexibility and paranoia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 61, 14-23.	0.6	7
702	A systematic scoping review of psychological therapies for psychosis within acute psychiatric in-patient settings. <i>British Journal of Psychiatry</i> , 2018, 213, 490-497.	1.7	31
703	Two case studies from a virtual reality intervention for delusions: feasibility and preliminary evidence. <i>The Cognitive Behaviour Therapist</i> , 2018, 11, .	0.4	4
704	Avatar Therapy for Persistent Auditory Verbal Hallucinations in an Ultra-Resistant Schizophrenia Patient: A Case Report. <i>Frontiers in Psychiatry</i> , 2018, 9, 131.	1.3	22
705	Moment-to-moment associations between negative affect, aberrant salience, and paranoia. <i>Cognitive Neuropsychiatry</i> , 2018, 23, 299-306.	0.7	30
706	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 633-643.	3.7	71
707	Cognitive Behavioural Therapy for schizophrenia - outcomes for functioning, distress and quality of life: a meta-analysis. <i>BMC Psychology</i> , 2018, 6, 32.	0.9	130
708	Aberrant salience network functional connectivity in auditory verbal hallucinations: a first episode psychosis sample. <i>Translational Psychiatry</i> , 2018, 8, 69.	2.4	75
709	Smartphone-based ecological momentary assessment and intervention in a coping-focused intervention for hearing voices (SAVVy): study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2018, 19, 262.	0.7	21
710	Auditory Verbal Hallucinations in Borderline Personality Disorder and the Efficacy of Antipsychotics: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018, 9, 347.	1.3	30
711	High-definition transcranial direct current stimulation (HD-tDCS) for persistent auditory hallucinations in schizophrenia. <i>Asian Journal of Psychiatry</i> , 2018, 37, 46-50.	0.9	30
712	Prevalence and characteristics of multi-modal hallucinations in people with psychosis who experience visual hallucinations. <i>Psychiatry Research</i> , 2018, 269, 25-30.	1.7	41
713	An Experimental Investigation into the Effect of State-Anxiety on State-Paranoia in People Experiencing Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 52-66.	0.9	2
714	The Acceptability, Feasibility and Potential Outcomes of an Individual Mindfulness-Based Intervention for Hearing Voices. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 200-216.	0.9	15
715	Reduced integrity of superior longitudinal fasciculus and arcuate fasciculus as a marker for auditory hallucinations in schizophrenia: A DTI tractography study. <i>Asian Journal of Psychiatry</i> , 2019, 44, 179-186.	0.9	28
716	Suicidal ideation and behaviour in patients with persecutory delusions: Prevalence, symptom associations, and psychological correlates. <i>Comprehensive Psychiatry</i> , 2019, 93, 41-47.	1.5	36
717	Imagery rescripting for the treatment of trauma in voice hearers: a case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 709-725.	0.9	39

#	ARTICLE	IF	CITATIONS
718	Therapy based on avatar-therapist synergy for patients with chronic auditory hallucinations: A pilot study. <i>Schizophrenia Research</i> , 2019, 211, 115-117.	1.1	10
719	Post-psychotic depression: Paranoia and the damage done. <i>Schizophrenia Research</i> , 2019, 211, 79-85.	1.1	9
720	Immediate and short term effects of values-based interventions on paranoia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2019, 65, 101500.	0.6	2
721	Differences between self-reported and clinician-rated evaluations of 1-year changes in auditory verbal hallucinations among schizophrenia patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 95, 109671.	2.5	4
722	Functional neuroimaging in treatment resistant schizophrenia: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 104, 178-190.	2.9	21
723	Evaluating the effectiveness of brief cognitive behaviour therapy for distressing voices in routine clinical practice in an uncontrolled study. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 734-742.	1.4	9
724	Sensory processing deficiencies in patients with borderline personality disorder who experience auditory verbal hallucinations. <i>Psychiatry Research</i> , 2019, 281, 112545.	1.7	3
725	Reducing the Emotionality of Auditory Hallucination Memories in Patients Suffering From Auditory Hallucinations. <i>Frontiers in Psychiatry</i> , 2019, 10, 637.	1.3	8
726	Does the Beck Cognitive Insight Scale predict change in delusional beliefs?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 690-704.	1.3	4
727	Mental health: working with people who hear voices. <i>British Journal of Nursing</i> , 2019, 28, 1242-1244.	0.3	0
728	The weeks before 100 persecutory delusions: the presence of many potential contributory causal factors. <i>BJPsych Open</i> , 2019, 5, e83.	0.3	14
730	Adaptation of the scale for the assessment of positive symptoms and scale for the assessment of negative symptoms of schizophrenia in Bangladesh. <i>Asia Pacific Journal of Counselling and Psychotherapy</i> , 2019, 10, 201-213.	0.3	0
731	Making Sense of Voices: a case series. <i>Psychosis</i> , 2019, 11, 3-15.	0.4	24
732	Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. <i>Microbial Biotechnology</i> , 2019, 13, 1373-1381.	0.9	10
733	Automated psychological therapy using virtual reality (VR) for patients with persecutory delusions: study protocol for a single-blind parallel-group randomised controlled trial (THRIVE). <i>Trials</i> , 2019, 20, 87.	0.7	38
734	The effect of cognitive behavioral therapy for insomnia in schizophrenia patients with sleep Disturbance: A non-randomized, assessor-blind trial. <i>Psychiatry Research</i> , 2019, 274, 182-188.	1.7	31
735	Feasibility of EMDR for posttraumatic stress disorder in patients with personality disorders: a pilot study. <i>HÅrre Utbildning</i> , 2019, 10, 1614822.	1.4	19
736	Paracingulate Sulcus Morphology and Hallucinations in Clinical and Nonclinical Groups. <i>Schizophrenia Bulletin</i> , 2019, 45, 733-741.	2.3	31

#	ARTICLE	IF	CITATIONS
737	Preliminary Evidence for the Cognitive Model of Auditory Verbal Hallucinations in Youth With Borderline Personality Disorder. <i>Frontiers in Psychiatry</i> , 2019, 10, 292.	1.3	11
738	“Monsters don’t bother me anymore” forensic mental health service users’ experiences of acceptance and commitment therapy for psychosis. <i>Journal of Forensic Psychiatry and Psychology</i> , 2019, 30, 594-613.	0.6	4
739	Impact of a brief worry-based cognitive therapy group in psychosis: a study of feasibility and acceptability. <i>The Cognitive Behaviour Therapist</i> , 2019, 12, .	0.4	2
740	A systematic review of the “eating disorder voice” experience. <i>International Review of Psychiatry</i> , 2019, 31, 347-366.	1.4	21
741	Structural and functional brain biomarkers of clinical response to rTMS of medication-resistant auditory hallucinations in schizophrenia patients: study protocol for a randomized sham-controlled double-blind clinical trial. <i>Trials</i> , 2019, 20, 229.	0.7	6
742	Structure/function interrelationships in patients with schizophrenia who have persistent auditory verbal hallucinations: A multimodal MRI study using parallel ICA. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 93, 114-121.	2.5	26
743	A distinct inferential mechanism for delusions in schizophrenia. <i>Brain</i> , 2019, 142, 1797-1812.	3.7	67
744	Metaphor framing and distress in lived-experience accounts of voice-hearing. <i>Psychosis</i> , 2019, 11, 16-27.	0.4	13
745	Combining CDP-choline and galantamine, an optimized ± 7 nicotinic strategy, to ameliorate sensory gating to speech stimuli in schizophrenia. <i>International Journal of Psychophysiology</i> , 2019, 145, 70-82.	0.5	17
746	Cognitive behavioural therapy for psychosis targeting trauma, voices and dissociation: a case report. <i>The Cognitive Behaviour Therapist</i> , 2019, 12, .	0.4	6
747	The Effect of Dopamine Antagonist Treatment on Auditory Verbal Hallucinations in Healthy Individuals Is Clearly Influenced by COMT Genotype and Accompanied by Corresponding Brain Structural and Functional Alterations: An Artificially Controlled Pilot Study. <i>Frontiers in Genetics</i> , 2019, 10, 92.	1.1	7
748	The development, validity, and reliability of the auditory vocal hallucination rating scale questionnaire (AVHRS-Q). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 927-935.	1.6	6
749	Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. <i>Behaviour Research and Therapy</i> , 2019, 116, 104-110.	1.6	15
750	Feasibility of using a smartphone app to assess early signs, basic symptoms and psychotic symptoms over six months: A preliminary report. <i>Schizophrenia Research</i> , 2019, 208, 105-113.	1.1	42
751	Mismatch negativity-indexed auditory change detection of speech sounds in early and chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 287, 1-9.	0.9	18
752	Hallucinations Research: Into the Future, and Beyond. <i>Schizophrenia Bulletin</i> , 2019, 45, NP-NP.	2.3	0
753	Evaluation of functional connectivity in subdivisions of the thalamus in schizophrenia. <i>British Journal of Psychiatry</i> , 2019, 214, 288-296.	1.7	33
754	The Questionnaire for Psychotic Experiences: An Examination of the Validity and Reliability. <i>Schizophrenia Bulletin</i> , 2019, 45, S78-S87.	2.3	52

#	ARTICLE	IF	CITATIONS
755	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019, 5, e14.	0.3	23
756	Improving Pleasure and Motivation in Schizophrenia: A Randomized Controlled Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 84-95.	4.0	45
757	Effects of Metacognitive Training on Cognitive Insight in a Sample of Patients with Schizophrenia. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4541.	1.2	8
758	Phenomenology of Voice-Hearing in Psychosis Spectrum Disorders: a Review of Neural Mechanisms. <i>Current Behavioral Neuroscience Reports</i> , 2019, 6, 243-252.	0.6	0
759	Efficacy of Acceptance and Commitment Therapy in Daily Life (ACT-DL) in early psychosis: study protocol for a multi-centre randomized controlled trial. <i>Trials</i> , 2019, 20, 769.	0.7	65
760	Eye movement desensitization and reprocessing (EMDR) therapy for posttraumatic stress disorder in adults with serious mental illness within forensic and rehabilitation services: a study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 642.	0.7	11
761	Assessment of People with Psychotic and Bipolar Disorders. , 2019, , 360-370.		0
762	Avoiding Misdiagnosis When Auditory Verbal Hallucinations Are Present in Borderline Personality Disorder. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 1048-1055.	0.5	25
763	Targeting relapse prevention and positive symptom in first-episode schizophrenia using brief cognitive behavioral therapy: A pilot randomized controlled study. <i>Psychiatry Research</i> , 2019, 272, 275-283.	1.7	14
764	Reliability and Validity of a Brief Version of the Intolerance of Uncertainty Scale in Outpatients with Psychosis. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2019, 41, 221-234.	0.7	6
765	The linguistic signature of hallucinated voice talk in schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 111-117.	1.1	16
766	A meta-analysis of transcranial direct current stimulation for schizophrenia: "œls more better?â€. <i>Journal of Psychiatric Research</i> , 2019, 110, 117-126.	1.5	40
767	iMAGery-Focused Psychological Therapy for Persecutory Delusions in PSYchosis (iMAPS): A Novel Treatment Approach. <i>Cognitive and Behavioral Practice</i> , 2019, 26, 575-588.	0.9	9
768	The ice in voices: Understanding negative content in auditory-verbal hallucinations. <i>Clinical Psychology Review</i> , 2019, 67, 1-10.	6.0	54
769	Group cognitive behavioural therapy for Chinese patients with psychotic disorder: A feasibility controlled study. <i>Asian Journal of Psychiatry</i> , 2019, 39, 157-164.	0.9	4
770	Effects and potential mechanisms of transcranial direct current stimulation (tDCS) on auditory hallucinations: A meta-analysis. <i>Psychiatry Research</i> , 2019, 273, 343-349.	1.7	26
771	Mathematically Modeling Emotion Regulation Abnormalities During Psychotic Experiences in Schizophrenia. <i>Clinical Psychological Science</i> , 2019, 7, 216-233.	2.4	27
772	Targeting reduced neural oscillations in patients with schizophrenia by transcranial alternating current stimulation. <i>NeuroImage</i> , 2019, 186, 126-136.	2.1	95

#	ARTICLE	IF	CITATIONS
773	A review of the frequency and nature of adaptations to cognitive behavioural therapy for adults with Intellectual Disabilities. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2019, 32, 219-237.	1.3	19
774	Individualized Metacognitive Training (MCT+) Reduces Delusional Symptoms in Psychosis: A Randomized Clinical Trial. <i>Schizophrenia Bulletin</i> , 2019, 45, 27-36.	2.3	24
775	Exploratory comparison of auditory verbal hallucinations and other psychotic symptoms among youth with borderline personality disorder or schizophrenia spectrum disorder. <i>Microbial Biotechnology</i> , 2019, 13, 1252-1262.	0.9	19
776	Dynamic Causal Modeling and machine learning for effective connectivity in Auditory Hallucination. <i>Neurocomputing</i> , 2019, 326-327, 61-68.	3.5	4
777	A systematic review and discussion of symptom specific cognitive behavioural approaches to delusions and hallucinations. <i>Schizophrenia Research</i> , 2019, 203, 66-79.	1.1	73
778	COMT-Val158Met polymorphism modulates antipsychotic effects on auditory verbal hallucinations and temporal lobe gray matter volumes in healthy individualsâ€”symptom relief accompanied by worrisome volume reductions. <i>Brain Imaging and Behavior</i> , 2020, 14, 1373-1381.	1.1	2
779	Neuroimaging auditory verbal hallucinations in schizophrenia patient and healthy populations. <i>Psychological Medicine</i> , 2020, 50, 403-412.	2.7	21
780	Changes in care costs associated with cognitive behavioural therapy for psychosis delivered in routine clinical practice. <i>Journal of Mental Health</i> , 2020, 29, 605-610.	1.0	6
781	Functional Brain Networks Underlying Evidence Integration and Delusions in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 175-183.	2.3	29
782	Transcranial Magnetic Stimulation for Positive Symptoms in Schizophrenia: A Systematic Review. <i>Neuropsychobiology</i> , 2020, 79, 384-396.	0.9	40
783	The psychometric properties of the DAIMON Scale, a translation from Spanish to English: an instrument to measure the relationship with and between voices. <i>Psychosis</i> , 2020, 12, 45-56.	0.4	2
784	Cognitive behavioral therapy in adolescents with early-onset psychosis: a randomized controlled pilot study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1011-1022.	2.8	11
785	The efficacy of extended metacognitive training for psychosis: A randomized controlled trial. <i>Schizophrenia Research</i> , 2020, 215, 399-407.	1.1	15
786	Data, diagnoses, and interventions addressing the nursing focus â€œdelusionâ€: A scoping review. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 175-187.	0.9	5
787	Comparison of the Effectiveness of Two Cognitive-Behavioral Group Therapy Programs for Schizophrenia: Results of a Short-Term Randomized Control Trial. <i>Community Mental Health Journal</i> , 2020, 56, 222-228.	1.1	4
788	Assessment in Psychosis. , 2020, , 135-152.		1
789	Trauma, Posttraumatic Stress, and Psychosis. , 2020, , 223-243.		6
790	Beyond Beliefâ€”New Approaches to the Treatment of Paranoia. , 2020, , 591-613.		3

#	ARTICLE	IF	CITATIONS
791	Assessing the clinical significance of treatment outcomes for distressing voices in routine clinical practice. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 79-86.	1.4	6
792	A randomized controlled trial to evaluate the efficacy of metacognitive training for people with schizophrenia applied by mental health nurses: Study protocol. <i>Journal of Advanced Nursing</i> , 2020, 76, 356-363.	1.5	5
793	Deep brain stimulation in treatment resistant schizophrenia: A pilot randomized cross-over clinical trial. <i>EBioMedicine</i> , 2020, 51, 102568.	2.7	50
794	Awareness and rumination moderate the affective pathway to paranoia in daily life. <i>Schizophrenia Research</i> , 2020, 216, 161-167.	1.1	22
795	Client experiences of blending a coping-focused therapy for auditory verbal hallucinations with smartphone-based ecological momentary assessment and intervention. <i>Internet Interventions</i> , 2020, 19, 100299.	1.4	9
797	Pilot randomised controlled trial of a brief coping-focused intervention for hearing voices blended with smartphone-based ecological momentary assessment and intervention (SAVVy): Feasibility, acceptability and preliminary clinical outcomes. <i>Schizophrenia Research</i> , 2020, 216, 479-487.	1.1	40
798	A tale of two outcomes: Remission and exacerbation in the use of trauma-focused imaginal exposure for trauma-related voice-hearing. Key learnings to guide future practice. <i>Clinical Psychologist</i> , 2020, 24, 195-205.	0.5	3
799	Temporal signatures of auditory verbal hallucinations: An app-based experience sampling study. <i>Schizophrenia Research</i> , 2020, 215, 442-444.	1.1	5
800	Terminology and assessment tools of psychosis: A systematic narrative review. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 226-246.	1.0	27
801	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	6
802	Development of Voluntary Control Over Voice-Hearing Experiences: Evidence From Treatment-Seeking and Non-Treatment-Seeking Voice-Hearers. <i>Schizophrenia Bulletin Open</i> , 2020, 1, sgaa052.	0.9	2
803	Feasibility study of eye movement desensitisation and reprocessing (EMDR) in people with an at-risk mental state (ARMS) for psychosis: study protocol. <i>BMJ Open</i> , 2020, 10, e038620.	0.8	2
804	Interaction of Background Noise and Auditory Hallucinations on Phonemic Mismatch Negativity (MMN) and P3a Processing in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 540738.	1.3	6
805	Exploring the Benefits of Virtual Reality-Assisted Therapy Following Cognitive-Behavioral Therapy for Auditory Hallucinations in Patients with Treatment-Resistant Schizophrenia: A Proof of Concept. <i>Journal of Clinical Medicine</i> , 2020, 9, 3169.	1.0	17
806	The experience of psychosis and recovery from consumers' perspectives: An integrative literature review. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2022, 29, 99-115.	1.2	8
807	Positive memory training for the treatment of depression in schizophrenia: A randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2020, 135, 103734.	1.6	12
808	Emotional state representation and detection method of users in library space based on body posture recognition. <i>Digital Library Perspectives</i> , 2020, 36, 113-125.	0.5	1
809	Change in the Neural Response to Auditory Deviance Following Cognitive Therapy for Hallucinations in Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 555.	1.3	1

#	ARTICLE	IF	CITATIONS
810	Insight-related beliefs and controllability appraisals contribute little to hallucinated voices: a transdiagnostic network analysis study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 271, 1525-1535.	1.8	2
811	Associations between responses to voices, distress and appraisals during daily life: an ecological validation of the cognitive behavioural model. <i>Psychological Medicine</i> , 2022, 52, 538-547.	2.7	5
812	D-cycloserine augmentation of cognitive behavioral therapy for delusions: A randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 222, 145-152.	1.1	6
813	Augmenting Evidence-Based Care With a Texting Mobile Interventionist: A Pilot Randomized Controlled Trial. <i>Psychiatric Services</i> , 2020, 71, 1218-1224.	1.1	24
814	P.714 Brain correlates of speech perception in schizophrenia patients with and without auditory verbal hallucinations. <i>European Neuropsychopharmacology</i> , 2020, 40, S406-S407.	0.3	0
815	P300 Analysis Using High-Density EEG to Decipher Neural Response to rTMS in Patients With Schizophrenia and Auditory Verbal Hallucinations. <i>Frontiers in Neuroscience</i> , 2020, 14, 575538.	1.4	2
816	Eye movement desensitization and reprocessing therapy for psychosis (<scp>EMDRp</scp>): Protocol of a feasibility randomized controlled trial with early intervention service users. <i>Microbial Biotechnology</i> , 2021, 15, 1224-1233.	0.9	9
817	Managing Dissociation in Imagery Rescripting for Voice Hearers With Trauma: Lessons From a Case Series. <i>Cognitive and Behavioral Practice</i> , 2022, 29, 434-445.	0.9	6
818	Speed, Accuracy, and Efficiency of Judgements of Coincidence between Speech Acts and Auditory Perception during a Delayed Auditory Feedback Paradigm: A Behavioral Study in Patients with Schizophrenia. <i>Timing and Time Perception</i> , 2020, 8, 177-191.	0.4	1
819	<p>Prevalence and Factors Associated with Suicidal Ideation in Institutionalized Patients with Schizophrenia</p>. <i>Psychology Research and Behavior Management</i> , 2020, Volume 13, 949-962.	1.3	5
820	Beliefs about voices in voice-hearers: the role of schema functioning. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 584-597.	0.9	4
821	Exploring concomitant neuroimaging and genetic alterations in patients with and patients without auditory verbal hallucinations: A pilot study and mini review. <i>Journal of International Medical Research</i> , 2020, 48, 030006051988485.	0.4	2
822	Mindfulness-Based Interventions for In-Patients With Schizophrenia Spectrum Disordersâ€™A Qualitative Approach. <i>Frontiers in Psychiatry</i> , 2020, 11, 600.	1.3	20
823	CBTp for people with treatment refractory schizophrenia on clozapine: a systematic review and meta-analysis. <i>Journal of Mental Health</i> , 2023, 32, 321-328.	1.0	8
824	Group acceptance and commitment therapy for patients and caregivers in psychosis services: Feasibility of training and a preliminary randomized controlled evaluation. <i>British Journal of Clinical Psychology</i> , 2020, 59, 524-551.	1.7	13
825	The Role of Sense of Voice Presence and Anxiety Reduction in AVATAR Therapy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2748.	1.0	11
826	Voluntary control of auditory hallucinations: phenomenology to therapeutic implications. <i>NPJ Schizophrenia</i> , 2020, 6, 19.	2.0	16
827	Abnormal dynamic resting-state brain network organization in auditory verbal hallucination. <i>Brain Structure and Function</i> , 2020, 225, 2315-2330.	1.2	17

#	ARTICLE	IF	CITATIONS
828	Problems in measuring the JTC-bias in patients with psychotic disorders with the fish task: a secondary analysis of a baseline assessment of a randomized controlled trial. <i>BMC Psychiatry</i> , 2020, 20, 554.	1.1	11
829	The relationship between anxiety, depression, and subtypes of negative auditory verbal hallucination (AVH) content in affective and non-affective psychosis. <i>Psychiatry Research</i> , 2020, 294, 113500.	1.7	4
830	An exploration of relationship between self-compassion and voice-related distress in people who hear voices. <i>Journal of Clinical Psychology</i> , 2020, 76, 1984-1994.	1.0	6
831	Depressive symptoms combined with auditory hallucinations are accompanied with severe gray matter brain impairments in patients with first-episode untreated schizophrenia – A pilot study in China. <i>Neuroscience Letters</i> , 2020, 730, 135033.	1.0	2
832	A network analysis of post-traumatic stress and psychosis symptoms. <i>Psychological Medicine</i> , 2021, 51, 2485-2492.	2.7	26
833	Avatar Therapy for people with schizophrenia or related disorders. <i>The Cochrane Library</i> , 2020, 5, CD011898.	1.5	17
834	Clinical and demographic predictors of engagement in mobile health vs. clinic-based interventions for serious mental illness. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020, 30, 3-11.	0.7	11
835	Functional Decoupling of Language and Self-Reference Networks in Patients with Persistent Auditory Verbal Hallucinations. <i>Neuropsychobiology</i> , 2020, 79, 345-351.	0.9	6
836	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 20, 306.	1.1	14
837	On the phenomenology of auditory verbal hallucinations in affective and non-affective psychosis. <i>Psychiatry Research</i> , 2020, 290, 113147.	1.7	10
838	Impact of the group intervention "Accept Voices" for the management of auditory hallucinations. <i>Psychiatry Research</i> , 2020, 291, 113159.	1.7	7
839	Assessing Voice Hearing in Trauma Spectrum Disorders: A Comparison of Two Measures and a Review of the Literature. <i>Frontiers in Psychiatry</i> , 2019, 10, 1011.	1.3	17
840	Construction and validation of the Approve questionnaires – Measures of relating to voices and other people. <i>Schizophrenia Research</i> , 2020, 220, 254-260.	1.1	10
841	The Effectiveness of a Mindfulness-Based Psychoeducation Programme for Emotional Regulation in Individuals with Schizophrenia Spectrum Disorders: A Pilot Randomised Controlled Trial. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 729-747.	1.0	18
842	Power to the voice hearer – The German version of the voice power differential scale. <i>PLoS ONE</i> , 2020, 15, e0230778.	1.1	0
843	Different response patterns in hallucinations and delusions to antipsychotic treatment. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 497-504.	0.7	3
844	A Feasibility Study of the Translation of Cognitive Behaviour Therapy for Psychosis into an Australian Adult Mental Health Clinical Setting. <i>Behaviour Change</i> , 2020, 37, 22-32.	0.6	2
845	Exploring the relationship between auditory hallucinations, trauma and dissociation. <i>BJPsych Open</i> , 2020, 6, e54.	0.3	9

#	ARTICLE	IF	CITATIONS
846	Development and psychometric evaluation of a Chinese version of auditory hallucination risk assessment scale in patients with a diagnosis of schizophrenia. <i>Journal of Clinical Nursing</i> , 2020, 29, 3414-3424.	1.4	1
847	Hallucinations in Older Adults: A Practical Review. <i>Schizophrenia Bulletin</i> , 2020, 46, 1382-1395.	2.3	13
848	Characteristics of non-clinical hallucinations: A mixed-methods analysis of auditory, visual, tactile and olfactory hallucinations in a primary voice-hearing cohort. <i>Psychiatry Research</i> , 2020, 289, 112987.	1.7	10
849	Relationships between psychiatric symptoms, functioning and personal recovery in psychosis. <i>Schizophrenia Research</i> , 2020, 223, 112-118.	1.1	41
850	Mathematically Modeling Anhedonia in Schizophrenia: A Stochastic Dynamical Systems Approach. <i>Schizophrenia Bulletin</i> , 2020, 46, 1191-1201.	2.3	14
851	Theory of mind, emotion recognition, delusions and the quality of the therapeutic relationship in patients with psychosis – a secondary analysis of a randomized-controlled therapy trial. <i>BMC Psychiatry</i> , 2020, 20, 59.	1.1	6
852	The role of inner speech on the association between childhood adversity and “hearing voices”™. <i>Psychiatry Research</i> , 2020, 286, 112866.	1.7	2
853	Voice hearers’™ experiences of the Making Sense of Voices approach in an NHS setting. <i>Psychosis</i> , 2020, 12, 106-114.	0.4	14
854	Is cognitive behavioural therapy effective for individuals experiencing thought disorder?. <i>Psychiatry Research</i> , 2020, 285, 112806.	1.7	2
855	Moment-to-moment associations between posttraumatic stress symptoms and auditory hallucinations in the flow of daily life. <i>Psychiatry Research</i> , 2020, 285, 112838.	1.7	9
856	Factors associated with internalized stigma for Indonesian individuals diagnosed with schizophrenia in a community setting. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 584-594.	1.2	16
857	iMAGery focused psychological therapy for persecutory delusions in PSychosis (iMAPS): a multiple baseline experimental case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 530-545.	0.9	12
858	Eye Movement Desensitization and Reprocessing (EMDR) for the treatment of psychosis: a systematic review. <i>HÅrre Utbildning</i> , 2020, 11, 1711349.	1.4	18
859	Global functional connectivity density alterations in patients with bipolar disorder with auditory verbal hallucinations and modest short-term effects of transcranial direct current stimulation augmentation treatment – Baseline and follow-up study. <i>Brain and Behavior</i> , 2020, 10, e01637.	1.0	4
860	Mindfulness Mediates the Effect of a Psychological Online Intervention for Psychosis on Self-Reported Hallucinations: A Secondary Analysis of Voice Hearers From the EviBaS Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 228.	1.3	6
861	Increasing access to CBT for psychosis patients: a feasibility, randomised controlled trial evaluating brief, targeted CBT for distressing voices delivered by assistant psychologists (GiVE2). <i>Trials</i> , 2020, 21, 302.	0.7	5
862	Abberant inverted U-shaped brain pattern and trait-related retinal impairment in schizophrenia patients with combined auditory and visual hallucinations: a pilot study. <i>Brain Imaging and Behavior</i> , 2021, 15, 738-747.	1.1	8
863	Understanding the role of self in auditory verbal hallucinations using a self-discrepancy paradigm. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 268-285.	1.3	4

#	ARTICLE	IF	CITATIONS
864	Moment-to-moment dynamics between auditory verbal hallucinations and negative affect and the role of beliefs about voices. <i>Psychological Medicine</i> , 2021, 51, 661-667.	2.7	6
865	Patients with first-episode untreated schizophrenia who experience concomitant visual disturbances and auditory hallucinations exhibit co-impairment of the brain and retinas—a pilot study. <i>Brain Imaging and Behavior</i> , 2021, 15, 1533-1541.	1.1	8
866	Rumination, intolerance of uncertainty and paranoia in treatment resistant psychosis. <i>Psychosis</i> , 2021, 13, 65-70.	0.4	7
867	Voice-Hearing and Personification: Characterizing Social Qualities of Auditory Verbal Hallucinations in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 228-236.	2.3	25
868	Mapping psychotic-like experiences: Results from an online survey. <i>Scandinavian Journal of Psychology</i> , 2021, 62, 237-248.	0.8	11
869	Targeting dissociation using cognitive behavioural therapy in voice hearers with psychosis and a history of interpersonal trauma: A case series. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 247-265.	1.3	14
870	Trauma-focused imaginal exposure for auditory hallucinations: A case series. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 408-425.	1.3	17
871	Exploring the Development, Validity, and Utility of the Short-Form Version of the Choice of Outcome In Cbt for Psychoses: A Patient-Reported Outcome Measure of Psychological Recovery. <i>Schizophrenia Bulletin</i> , 2021, 47, 653-661.	2.3	8
872	Assessing the efficacy and feasibility of providing metacognitive training for patients with schizophrenia by mental health nurses: A randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2021, 77, 999-1012.	1.5	6
873	Trauma-Focused Treatment for PTSD With Comorbid Psychosis: A Case Report. <i>Clinical Case Studies</i> , 2021, 20, 201-216.	0.5	0
874	A randomised controlled trial of metacognitive training for psychosis, depression, and belief flexibility. <i>Journal of Affective Disorders</i> , 2021, 279, 388-397.	2.0	5
875	A service evaluation of a group mindfulness-based intervention for distressing voices: how do findings from a randomized controlled trial compare with routine clinical practice?. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 76-90.	0.9	6
876	Tailoring cognitive behavioural therapy to subtypes of voice-hearing using a novel tabletised manual: a feasibility study. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 287-301.	0.9	6
877	The Long-Term Relationship Between Psychological Resilience, Psychosis, Distress, and Suicidal Thoughts and Behaviors. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	7
878	Religious delusions in psychotic patients: Prevalence, possible origin, and effects. , 2021, , 87-113.		1
879	A Phenomenological Exploration of the Voices Reported by Borderline Personality and Schizophrenia Patients. <i>Psychopathology</i> , 2021, 54, 159-168.	1.1	2
880	Functional connectome differences in individuals with hallucinations across the psychosis continuum. <i>Scientific Reports</i> , 2021, 11, 1108.	1.6	7
881	Psychosen, Schizophrenie. , 2021, , 195-209.		0

#	ARTICLE	IF	CITATIONS
882	Inflexibility in Reasoning: Comparisons of Cognitive Flexibility, Explanatory Flexibility, and Belief Flexibility Between Schizophrenia and Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 609569.	1.3	11
883	Relationship Between White Matter Microstructure and Hallucination Severity in the Early Stages of Psychosis: A Diffusion Tensor Imaging Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	4
884	Metacognitive training: a useful complement to community-based rehabilitation for schizophrenia patients in China. <i>BMC Psychiatry</i> , 2021, 21, 38.	1.1	8
885	Efficacy and durability of cognitive behavior therapy in managing hallucination in patients with schizophrenia. <i>Industrial Psychiatry</i> , 2021, 30, 255.	0.3	5
886	Is there an association between caregiver antipathy and psychosis? A systematic review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 798-821.	1.3	2
887	One-year randomized trial comparing virtual reality-assisted therapy to cognitive-behavioral therapy for patients with treatment-resistant schizophrenia. <i>NPJ Schizophrenia</i> , 2021, 7, 9.	2.0	36
888	Validation of the Hamilton Program for Schizophrenia Voices Questionnaire: Associations with emotional distress and wellbeing, and invariance across diagnosis and sex. <i>Schizophrenia Research</i> , 2021, 228, 336-343.	1.1	11
889	Acoustic salience in emotional voice perception and its relationship with hallucination proneness. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2021, 21, 412-425.	1.0	8
890	Evaluation of an Internet-based metacognitive training for individuals who hear voices. <i>Schizophrenia Research</i> , 2021, 228, 256-259.	1.1	1
891	Prevalence and severity of posttraumatic stress symptoms in psychosis: Associations with affective and patient-centered variables in those referred for psychological services. <i>Schizophrenia Research</i> , 2021, 228, 53-55.	1.1	0
892	Confusions about "Inner" and "Outer" Voices: Conceptual Problems in the Study of Auditory Verbal Hallucinations. <i>Review of Philosophy and Psychology</i> , 2022, 13, 215-236.	1.0	2
893	An experimental study on the effectiveness of emotion regulation in patients with acute delusions. <i>Schizophrenia Research</i> , 2021, 228, 206-217.	1.1	8
895	Systematic review and meta-analysis of therapeutic alliance, engagement, and outcome in psychological therapies for psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 822-853.	1.3	14
896	A relationship of sorts: gender and auditory hallucinations in schizophrenia spectrum disorders. <i>Archives of Women's Mental Health</i> , 2021, 24, 709-720.	1.2	1
897	A case study of the feasibility of weekly tACS for the treatment of auditory hallucinations in schizophrenia. <i>Brain Stimulation</i> , 2021, 14, 361-363.	0.7	7
898	Multimodal versus unimodal auditory hallucinations in clinical practice: Clinical characteristics and treatment outcomes. <i>Psychiatry Research</i> , 2021, 297, 113754.	1.7	6
899	Auditory signal detection in schizophrenia: Correlates with auditory verbal hallucinations & effect of single session transcranial direct current stimulation (tDCS). <i>Psychiatry Research</i> , 2021, 297, 113704.	1.7	1
900	The Safe pilot study: A prospective naturalistic study with repeated measures design to test the psychosis - violence link in and after discharge from forensic facilities. <i>Psychiatry Research</i> , 2021, 298, 113793.	1.7	2

#	ARTICLE	IF	CITATIONS
901	Multimodal versus unimodal auditory hallucinations in clinical practice: Treatment outcomes following cognitive-behavioural therapy. <i>Psychiatry Research</i> , 2021, 298, 113791.	1.7	0
902	The role of characterisation in everyday voice engagement and AVATAR therapy dialogue. <i>Psychological Medicine</i> , 2022, 52, 3846-3853.	2.7	6
903	The relationship between appraisals of voices (auditory verbal hallucinations) and distress in voice-hearers with schizophrenia-spectrum diagnoses: A meta-analytic review. <i>Schizophrenia Research</i> , 2021, 230, 38-47.	1.1	14
904	“Hallucinatory voices coming from some part of the body” in ICD-10 criteria for schizophrenia: a silent existence amidst “first rank” neighbours?. <i>Asian Journal of Psychiatry</i> , 2021, 58, 102616.	0.9	0
905	Delusion progression process from the perspective of patients with psychoses: A descriptive study based on the primary delusion concept of Karl Jaspers. <i>PLoS ONE</i> , 2021, 16, e0250766.	1.1	1
906	Neuronal Signatures of Negative and Positive Schemas towards the Self and Others in Patients with Early Stage Schizophrenia. <i>Psychiatry Investigation</i> , 2021, 18, 284-294.	0.7	0
907	The Relationship Between Different Aspects of Theory of Mind and Symptom Clusters in Psychotic Disorders: Deconstructing Theory of Mind Into Cognitive, Affective, and Hyper Theory of Mind. <i>Frontiers in Psychiatry</i> , 2021, 12, 607154.	1.3	8
908	Relating behaviours and therapeutic actions during AVATAR therapy dialogue: An observational study. <i>British Journal of Clinical Psychology</i> , 2021, 60, 443-462.	1.7	2
909	Metacognitive training for schizophrenia: a scoping review and phenomenological evaluation. <i>Psychosis</i> , 2022, 14, 1-21.	0.4	3
910	Effectiveness of psychological and psychosocial interventions for forensic mental health inpatients: A meta-analysis. <i>Aggression and Violent Behavior</i> , 2021, 58, 101551.	1.2	15
911	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021, 22, 366.	0.7	21
912	Negative content in auditory verbal hallucinations: a natural language processing approach. <i>Cognitive Neuropsychiatry</i> , 2022, 27, 139-149.	0.7	11
913	Network signatures of rTMS treatment in patients with schizophrenia and auditory verbal hallucination during an auditory-motor task using HD-EEG. <i>Schizophrenia Research</i> , 2021, , .	1.1	2
914	A randomized controlled trial of the Transdiagnostic Intervention for Sleep and Circadian Dysfunction (Trans-C) to improve serious mental illness outcomes in a community setting. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 537-550.	1.6	37
915	RELATE—a randomised controlled feasibility trial of a Relating Therapy module for distressing auditory verbal hallucinations: a study protocol. <i>BMJ Open</i> , 2021, 11, e046390.	0.8	4
916	Do voice-hearing assessment measures capture the positive experiences of individuals, and to what extent? A systematic review of published assessment measures. <i>Psychosis</i> , 2022, 14, 176-189.	0.4	1
917	Preliminary Evidence for Heterogeneity of Beliefs About Auditory Verbal Hallucinations Intent. <i>Journal of Nervous and Mental Disease</i> , 2021, Publish Ahead of Print, 872-878.	0.5	0
918	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 714.	6.0	41

#	ARTICLE	IF	CITATIONS
919	Anxiety, OCD, delusions, and religiosity among the general public during the COVID-19 pandemic. <i>International Social Science Journal</i> , 2021, 71, 163-178.	1.0	4
920	Brief coping strategy enhancement for the treatment of distressing voices in the context of borderline personality disorder: A comparison with outcomes in the context of psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 567-578.	1.4	5
921	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2021, 8, 696-707.	3.7	40
922	Increasing access to cognitive-behavioural therapy for patients with psychosis by evaluating the feasibility of a randomised controlled trial of brief, targeted cognitive-behavioural therapy for distressing voices delivered by assistant psychologists: the GiVE2 trial. <i>BJPsych Open</i> , 2021, 7, .	0.3	5
923	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-90.	0.9	4
924	Results from a quasi-controlled trial of a "Coping with Voices" group. Part 2. <i>Psychosis</i> , 2022, 14, 259-269.	0.4	1
925	A cross-sectional study of auditory verbal hallucinations experienced by people with a diagnosis of borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 631-641.	1.4	5
926	Psychophysiological stress-reactivity in clinical and non-clinical voice-hearers. <i>Schizophrenia Research</i> , 2021, 235, 52-59.	1.1	1
927	An emotional regulation approach to psychosis recovery: The Living Through Psychosis group programme. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021, 72, 101651.	0.6	7
928	Auditory hallucinations activate language and verbal short-term memory, but not auditory, brain regions. <i>Scientific Reports</i> , 2021, 11, 18890.	1.6	7
929	Illusory social agents within and beyond voices: A computational linguistics analysis of the experience of psychosis. <i>British Journal of Clinical Psychology</i> , 2022, 61, 349-363.	1.7	1
930	Could Avatar Therapy Enhance Mental Health in Chronic Patients? A Systematic Review. <i>Electronics (Switzerland)</i> , 2021, 10, 2212.	1.8	6
931	The role of self-compassion on the relationship between trauma and hearing voices. <i>Clinical Psychology and Psychotherapy</i> , 2021, , .	1.4	1
932	EMDR therapy for PTSD symptoms in patients with mild intellectual disability or borderline intellectual functioning and comorbid psychotic disorder: A case series. <i>Research in Developmental Disabilities</i> , 2021, 117, 104044.	1.2	5
933	Attention to voices is increased in non-clinical auditory verbal hallucinations irrespective of salience. <i>Neuropsychologia</i> , 2021, 162, 108030.	0.7	2
934	Effects of virtual reality-based computer avatar therapy system on auditory verbal hallucinations assessed using functional near-infrared spectroscopy: A two-patient case study. <i>Psychiatry Research</i> , 2021, 305, 114150.	1.7	4
935	L'émancipation de la qualité de vie chez les patients atteints d'une schizophrénie fractaire ayant suivi la thérapie assistée par la réalité virtuelle: une analyse de contenu. <i>Sante Mentale Au Quebec</i> , 0, 46, 157-174.	0.1	1
936	Does the Phenomenology of Auditory Hallucinations Differ Across Patients Having Severe Mental Illness With and Without Hearing Impairment?. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	1

#	ARTICLE	IF	CITATIONS
941	Standardized Assessment of Hallucinations. , 2013, , 85-104.		2
942	Common and distinct brain functional alterations in pharmacotherapy treatment-naïve female borderline personality disorder patients with and without auditory verbal hallucinations: a pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1149-1157.	1.8	2
943	Entraînement des habiletés métacognitives avec des personnes atteintes de schizophrénie. , 2009, , 103-114.		2
944	Effect of add-on transcranial alternating current stimulation (tACS) on persistent delusions in schizophrenia. <i>Psychiatry Research</i> , 2020, 290, 113106.	1.7	12
945	The Perseverative Thinking Questionnaire in Patients with Persecutory Delusions. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 472-481.	0.9	19
946	A Systematic Review of Trials Targeting Depression and Anxiety in Patients With Delusions. <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2018, 226, 142-151.	0.7	15
947	Hallucinations: The science of idiosyncratic perception.. , 2008, , .		117
948	A working memory related mechanism of auditory hallucinations.. <i>Journal of Abnormal Psychology</i> , 2019, 128, 423-430.	2.0	6
949	Emotions and persecutory ideation in daily life: On the trail of the "chicken and egg" problem.. <i>Journal of Abnormal Psychology</i> , 2020, 129, 215-223.	2.0	22
950	The cognitive-behavioral treatment of schizophrenia: The state of the art and the evidence.. <i>International Journal of Behavioral and Consultation Therapy</i> , 2006, 2, 1-11.	0.4	6
951	Randomized controlled trial of an internet cognitive behavioral skills-based program for auditory hallucinations in persons with psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2017, 40, 283-292.	0.8	28
952	Assessment of hallucinations. , 2010, , 377-398.		7
954	Echoes of others: A path analytic examination of an interpersonal "cognitive model of voice" related distress. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017, 90, 617-632.	1.3	16
955	Metacognitive training for schizophrenia: a systematic review. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 149-57.	0.7	20
956	On the primacy and irreducible nature of first-person versus third-person information. <i>F1000Research</i> , 2017, 6, 99.	0.8	3
957	On the primacy and irreducible nature of first-person versus third-person information. <i>F1000Research</i> , 2017, 6, 99.	0.8	4
958	The validation of the Indonesian version of psychotic symptoms ratings scale (PSYRATS), the Indonesian version of cognitive bias questionnaire for psychosis (CBQP) and metacognitive ability questionnaire (MAQ). <i>International Journal of Advanced Nursing Studies</i> , 2014, 3, 97-100.	0.1	2
959	Metacognition and Mindfulness Integrated Therapy Reduces Severity of Hallucination in a Patient Not Taking Antipsychotic Medication. <i>Journal of Cognitive Psychotherapy</i> , 2018, 32, 192-202.	0.2	3

#	ARTICLE	IF	CITATIONS
960	The "Clinical Interview for Psychotic Disorders" (CIPD): Development and expert evaluation. <i>International Journal of Clinical Neurosciences and Mental Health</i> , 2015, , 7.	0.7	6
962	<p>Validation of the Dutch Version of the Brief Negative Symptom Scale</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2563-2567.	1.0	3
963	Transdiagnostic Mobile Health: Smartphone Intervention Reduces Depressive Symptoms in People With Mood and Psychotic Disorders. <i>JMIR Mental Health</i> , 2019, 6, e13202.	1.7	25
964	Long-Term Changes in Self-Report Auditory Verbal Hallucinations in Patients with Schizophrenia Using Clozapine. <i>Psychiatry Investigation</i> , 2019, 16, 403-406.	0.7	3
965	An explanatory randomised controlled trial testing the effects of targeting worry in patients with persistent persecutory delusions: the Worry Intervention Trial (WIT). <i>Efficacy and Mechanism Evaluation</i> , 2015, 2, 1-36.	0.9	4
966	Cognitive"behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-144.	1.3	16
967	The HELPER programme: HEalthy Living and Prevention of Early Relapse " three exploratory randomised controlled trials of phase-specific interventions in first-episode psychosis. <i>Programme Grants for Applied Research</i> , 2015, 3, 1-238.	0.4	7
968	Psychological approaches to understanding and promoting recovery in psychosis and bipolar disorder: a mixed-methods approach. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-272.	0.4	12
969	Emotional, cognitive and behavioral reactions to paranoid symptoms in clinical and nonclinical populations. <i>Clinical Schizophrenia and Related Psychoses</i> , 2013, , 1-25.	1.4	1
970	Sustained Improvement of Negative Symptoms in Schizophrenia with Add-on tDCS. <i>Clinical Schizophrenia and Related Psychoses</i> , 2013, 8, 1-7.	1.4	12
971	The Same or Different?. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 320-325.	1.1	263
972	Effect of Transcranial Direct Current Stimulation on Prefrontal Inhibition in Schizophrenia Patients with Persistent Auditory Hallucinations: A Study on Antisaccade Task Performance. <i>Indian Journal of Psychological Medicine</i> , 2015, 37, 419-422.	0.6	9
973	Safety of Transcranial Direct Current Stimulation in Alcohol-Induced Psychotic Disorder with Comorbid Psoriasis. <i>Indian Journal of Psychological Medicine</i> , 2016, 38, 71-73.	0.6	5
974	Right-sided Transcranial Direct Current Stimulation and Attentional Saliency of Auditory Hallucinations in Schizophrenia. <i>Indian Journal of Psychological Medicine</i> , 2017, 39, 821-822.	0.6	1
975	Beliefs about voices and their relation to severity of psychosis in chronic schizophrenia patients. <i>Indian Journal of Psychiatry</i> , 2019, 61, 465.	0.4	2
976	The Effect of Cognitive Behavioral Therapy in Drug-Resistant Patients with Schizophrenia. <i>Journal of Korean Neuropsychiatric Association</i> , 2013, 52, 26.	0.2	2
977	Multimodal morphometry and functional magnetic resonance imaging in schizophrenia and auditory hallucinations. <i>World Journal of Radiology</i> , 2012, 4, 159.	0.5	14
978	The Phenomenological Diversity of Hallucinations: Some theoretical and clinical implications. <i>Psychologica Belgica</i> , 2013, 46, 163.	1.0	37

#	ARTICLE	IF	CITATIONS
979	Psychosocial interventions in a medium secure unit for people with learning disabilities: A service development. <i>Mental Health and Learning Disabilities Research and Practice</i> , 2004, 1, 29-35.	0.0	1
980	Person-based contextual therapy applied to a complex case of schizophrenia. <i>Psicothema</i> , 2014, 26, 299-307.	0.7	4
981	Neural Signature for Auditory Hallucinations in Schizophrenia: A High-Resolution Positron Emission Tomography Study with Fludeoxyglucose (18F). <i>Clinical Psychopharmacology and Neuroscience</i> , 2018, 16, 324-332.	0.9	4
982	Psychosis and Schizophrenia: Case Conceptualization and Treatment. , 2021, , .		0
983	How does attachment style affect psychosis? A systematic review of causal mechanisms and guide to future inquiry. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 345-380.	1.3	5
984	Auditory Hallucinations, Depressive Symptoms, and Current Suicidal Ideation or Behavior Among Patients with Acute-episode Schizophrenia. <i>Archives of Suicide Research</i> , 2021, , 1-16.	1.2	2
985	Aberrant Learned Irrelevance in Patients with First-Episode Schizophrenia-Spectrum Disorder. <i>Brain Sciences</i> , 2021, 11, 1370.	1.1	3
986	Psychosocial Interventions for People with Serious Mental Illness. , 2004, , 273-289.		0
987	Una posible asociación entre el gen del receptor A de la CCK-RA y las alucinaciones auditivas persistentes en la esquizofrenia. <i>European Psychiatry (Ed Española)</i> , 2005, 12, 94-98.	0.0	0
988	Psychotic Behavior. , 2006, , 349-370.		0
989	Cognitive Therapy for Older People with Psychosis. , 2008, , 151-170.		1
990	Enduring mental illness. , 2008, , 91-103.		0
993	Auditory Verbal Hallucinations in Patients with Borderline Personality Disorder. , 2012, , 125-132.		2
994	Auditory Verbal Hallucinations. , 2012, , 109-124.		0
996	Rating scales in schizophrenia: Clinical applicability. , 2012, , 269-284.		0
997	Candidate Genes Involved in the Expression of Psychotic Symptoms: A Focus on Hallucinations. , 2013, , 231-252.		1
998	Rating scales in schizophrenia. , 2012, , 269-284.		0
1004	Cognitive Behavioural Therapy for Psychosis. , 2014, , 139-164.		0

#	ARTICLE	IF	CITATIONS
1009	Yoga and Mindfulness-Based Cognitive Therapy for Psychosis (Y-MBCT p Â©): A Pilot Study on Its Efficacy as Brief Therapy. , 2016, , 55-87.		4
1010	Investigating the role of acceptance, mindfulness and values in patients with psychosis in the context of depression. Journal of Psychiatric Intensive Care, 2016, 12, 79-87.	0.2	1
1011	Clinical Correlates of Suicide in Suicidal Patients with Schizophrenia Spectrum Disorders and Affective Disorders. Indian Journal of Psychological Medicine, 2016, 38, 517-523.	0.6	2
1012	Schizophrenie. , 2017, , 7-37.		0
1013	Comprendre les hallucinations auditives verbalesÂ: apports et limites des questionnaires. Le Journal Des Psychologues, 2017, nÂ° 351, 60-65.	0.0	0
1016	Successful administration of electroconvulsive therapy in a patient with treatment-resistant schizophrenia and coexisting myasthenia gravis. Indian Journal of Psychiatry, 2019, 61, 653.	0.4	1
1017	Psychotische StÃ¶rungen. , 2019, , 715-736.		0
1018	Investigation of Emotional Expression Processing Following Cognitive Behavioural Therapy for Patients with Schizophrenia: An Event-Related Potentials Study. Neuropsychologie Clinique Et AppliquÃ©e, 2019, 3, 146-164.	0.1	0
1019	Using cognitive behaviour therapy techniques with people who hold delusional beliefs. Mental Health Practice, 2019, , .	0.1	0
1020	Acceptance and commitment therapy for psychosis in community-based mental health center. Anadolu Psikiyatri Dergisi, 2020, 21, 1.	0.3	0
1021	Severe Psychopathology. Autism and Child Psychopathology Series, 2020, , 239-249.	0.1	1
1022	Different measures for auditory hallucinations in populations with psychosis. The Validation of the Spanish versions of the Auditory Vocal Hallucination Rating Scale (AVHRS) and the Positive and Useful Voices Inquiry (PUVI). Revista De PsiquiatrÃa Y Salud Mental, 2022, 15, 259-271.	1.0	1
1024	Managing unusual sensory experiences: A feasibility trial in an At Risk Mental States for psychosis group. Psychology and Psychotherapy: Theory, Research and Practice, 2021, 94, 481-503.	1.3	7
1025	Psychotische StÃ¶rungen und Schizophrenie. , 2020, , 947-1003.		0
1026	Personality Across the Psychosis Continuum: A Fine-Grained Perspective. Schizophrenia Bulletin Open, 2020, 1, .	0.9	1
1027	Reliability and Diagnostic Validity of a Novel Visual Disturbance Subjective Experience Scale in Chinese Patients with Schizophrenia. , 2020, 30, 307.		3
1028	The Treatment of the Dually Diagnosed: Intellectual Disability and Severe Psychopathology. Autism and Child Psychopathology Series, 2020, , 475-504.	0.1	0
1029	Measurement practices in hallucinations research. Cognitive Neuropsychiatry, 2022, 27, 183-198.	0.7	4

#	ARTICLE	IF	CITATIONS
1030	Mental health: working with people who hear voices. <i>British Journal of Nursing</i> , 2019, 28, 1142-1144.	0.3	0
1031	Repetitive transcranial magnetic stimulation for hallucination in schizophrenia spectrum disorders: A meta-analysis. <i>Neural Regeneration Research</i> , 2013, 8, 2666-76.	1.6	14
1032	Training Community Mental Health Agencies in Cognitive Therapy for Schizophrenia. <i>The Behavior Therapist</i> , 2012, 35, 34-39.	0.2	3
1033	A randomised multiple baseline case series of a novel imagery rescripting protocol for intrusive trauma memories in people with psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2022, 75, 101699.	0.6	11
1034	Care co-ordinator in my pocket™: a feasibility study of mobile assessment and therapy for psychosis (TechCare). <i>BMJ Open</i> , 2021, 11, e046755.	0.8	8
1035	Dispositional Mindfulness and Psychotic Symptoms in Schizophrenia Spectrum Disorders: The Mediating Roles of Rumination and Negative Emotion. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 75-85.	1.0	3
1036	Characteristics and stability of hallucinations and delusions in patients with borderline personality disorder. <i>Comprehensive Psychiatry</i> , 2022, 113, 152290.	1.5	6
1037	The relationship between early symptom severity, improvement and remission in first episode psychosis with jumping to conclusions. <i>Schizophrenia Research</i> , 2022, 240, 24-30.	1.1	4
1038	IMPACHS: Feasibility and acceptability of an m-health solution integrated into routine clinical treatment for psychosis. <i>Schizophrenia Research</i> , 2022, 240, 150-152.	1.1	1
1039	Measuring Voluntary Control Over Hallucinations: The Yale Control Over Perceptual Experiences (COPE) Scales. <i>Schizophrenia Bulletin</i> , 2022, , .	2.3	2
1040	Voice phenomenology as a mirror of the past. <i>Psychological Medicine</i> , 2023, 53, 2954-2962.	2.7	7
1041	Hearing voices as a feature of typical and psychopathological experience. , 2022, 1, 72-86.		16
1043	Modular-Level Functional Connectome Alterations in Individuals With Hallucinations Across the Psychosis Continuum. <i>Schizophrenia Bulletin</i> , 2022, 48, 684-694.	2.3	5
1044	Continuities and Discontinuities in the Cognitive Mechanisms Associated With Clinical and Nonclinical Auditory Verbal Hallucinations. <i>Clinical Psychological Science</i> , 2022, 10, 752-766.	2.4	15
1045	Is allopurinol a marvel in the endgame of ultra-resistant schizophrenia?. <i>Schizophrenia Research</i> , 2022, 241, 12-13.	1.1	1
1046	Susceptibility to auditory hallucinations is associated with spontaneous but not directed modulation of top-down expectations for speech. <i>Neuroscience of Consciousness</i> , 2022, 2022, niac002.	1.4	1
1047	A data-driven linguistic characterization of hallucinated voices in clinical and non-clinical voice-hearers. <i>Schizophrenia Research</i> , 2022, 241, 210-217.	1.1	5
1049	Increased Belief Instability in Psychotic Disorders Predicts Treatment Response to Metacognitive Training. <i>Schizophrenia Bulletin</i> , 2022, 48, 826-838.	2.3	7

#	ARTICLE	IF	CITATIONS
1050	The Triple P Positive Parenting Program for Parents With Psychosis: A Case Series With Qualitative Evaluation. <i>Frontiers in Psychiatry</i> , 2022, 13, 791294.	1.3	5
1051	Outcomes From the Transdiagnostic Sleep and Circadian Intervention (TranS-C) for Midlife and Older Adults With Serious Mental Illness and Sleep and Circadian Dysfunction. <i>Behavior Therapy</i> , 2022, 53, 585-599.	1.3	4
1052	Adjunctive tDCS for treatment-refractory auditory hallucinations in schizophrenia: A meta-analysis of randomized, double-blinded, sham-controlled studies. <i>Asian Journal of Psychiatry</i> , 2022, 73, 103100.	0.9	14
1053	Functional near-infrared spectroscopy in schizophrenia patients with auditory verbal hallucinations: Preliminary observations. <i>Asian Journal of Psychiatry</i> , 2022, 73, 103127.	0.9	3
1054	Thinking biases and their role in persecutory delusions: A systematic review. <i>Microbial Biotechnology</i> , 2022, 16, 1278-1296.	0.9	2
1055	Expressed Emotion and Attributions in Parents With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 799626.	1.3	6
1056	Terapia cognitivo conductual y esquizofrenia: un estudio de revisión sobre su eficacia. <i>Pro Sciences</i> , 2021, 5, 362-372.	0.0	0
1058	Processing of linguistic deixis in people with schizophrenia, with and without auditory verbal hallucinations. <i>NeuroImage: Clinical</i> , 2022, 34, 103007.	1.4	3
1059	Belief Updating and Paranoia in Individuals With Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 1149-1157.	1.1	10
1060	Dissociation as a Mediator Between Childhood Abuse and Hallucinations: An Exploratory Investigation Using Dissociative Identity Disorder and Schizophrenia Spectrum Disorders. <i>Journal of Trauma and Dissociation</i> , 2022, 23, 521-538.	1.0	5
1061	Delusions. , 2006, , 205-213.		0
1067	MMN and P3a elicited by a novelty paradigm in healthy controls: An investigation of sex differences. <i>Neuroscience Letters</i> , 2022, 781, 136654.	1.0	3
1068	Changes in positive and negative voice content in cognitive-behavioural therapy for distressing voices. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, , .	1.3	2
1069	Visual P300 as a neurophysiological correlate of symptomatic improvement by a virtual reality-based computer AT system in patients with auditory verbal hallucinations: A Pilot study. <i>Journal of Psychiatric Research</i> , 2022, 151, 261-271.	1.5	3
1071	Managing Unusual Sensory Experiences in People with First-Episode Psychosis (MUSE FEP): a study protocol for a single-blind parallel-group randomised controlled feasibility trial. <i>BMJ Open</i> , 2022, 12, e061827.	0.8	3
1072	Efficiency of intensive bilateral Temporo-Parietal Continuous theta-burst Stimulation for Auditory Verbal hallucinations (TPC-SAVE) in schizophrenia: A randomized sham-controlled trial. <i>Asian Journal of Psychiatry</i> , 2022, 74, 103176.	0.9	7
1073	A Decrease in Hemodynamic Response in the Right Postcentral Cortex Is Associated With Treatment-Resistant Auditory Verbal Hallucinations in Schizophrenia: An NIRS Study. <i>Frontiers in Neuroscience</i> , 2022, 16, .	1.4	2
1074	Multisite randomised controlled trial of trauma-focused cognitive behaviour therapy for psychosis to reduce post-traumatic stress symptoms in people with co-morbid post-traumatic stress disorder and psychosis, compared to treatment as usual: study protocol for the STAR (Study of Trauma And) Tj ETQq1 1 0.784314 rgBT /Overlo	0.7	8

#	ARTICLE	IF	CITATIONS
1075	Alterations in the volume of thalamic nuclei in patients with schizophrenia and persistent auditory hallucinations. <i>NeuroImage: Clinical</i> , 2022, 35, 103070.	1.4	11
1076	“Is hearing believing?” A study of voices and beliefs in psychosis and trauma. <i>Australasian Psychiatry</i> , 0, , 103985622211060.	0.4	0
1077	Voice-Hearing Across The Continuum: A Phenomenology of Spiritual Voices. <i>Schizophrenia Bulletin</i> , 0, , .	2.3	4
1078	Neural correlates of referential/persecutory delusions in schizophrenia: examination using fMRI and a virtual reality underground travel paradigm. <i>Psychological Medicine</i> , 0, , 1-8.	2.7	0
1080	Distress factors of voice-hearing in young people and social relating: Exploring a cognitive-interpersonal voice-hearing model. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 0, , .	1.3	2
1081	Effects of a Metacognitive Smartphone Intervention With Weekly Mentoring Sessions for Individuals With Schizophrenia: A Quasi-Experimental Study. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2023, 61, 27-37.	0.3	5
1082	Effectiveness of a metacognitive intervention for schizophrenia (MCI-S) program for symptom relief and improvement in social cognitive functioning in patients with schizophrenia. <i>Archives of Psychiatric Nursing</i> , 2022, , .	0.7	0
1083	Cognitive behavioural therapy (group) for schizophrenia. <i>The Cochrane Library</i> , 2022, 2022, .	1.5	3
1084	Visual phenomenology in schizophrenia and post-traumatic stress disorder: an exploratory study. <i>BJPsych Open</i> , 2022, 8, .	0.3	2
1085	Indications and Formats for Brief CBT Sessions. , 2010, , .		0
1086	CBT in Medical Patients. , 2010, , .		0
1088	Targeting Maladaptive Thinking. , 2010, , .		0
1089	Behavioral Methods for Depression. , 2010, , .		0
1090	Relapse Prevention. , 2010, , .		0
1091	Coping With Hallucinations. , 2010, , .		0
1092	Enhancing the Impact of Brief Sessions. , 2010, , .		0
1093	CBT for Substance Misuse and Abuse. , 2010, , .		0
1094	Treating Hopelessness and Suicidality. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
1095	Lifestyle Change: Building Healthy Habits. , 2010, , .		0
1096	Modifying Delusions. , 2010, , .		0
1097	Promoting Adherence. , 2010, , .		0
1098	Case Formulation and Treatment Planning. , 2010, , .		0
1099	Behavioral Methods for Anxiety. , 2010, , .		0
1100	CBT Methods for Insomnia. , 2010, , .		0
1102	Novel Use of Transcranial Direct Current Stimulation (tDCS) in Adolescents with Early Recovery Stage of Neuroleptic Malignant Syndrome or Catatonia. , 2022, 18, 107-110.		1
1103	Feasibility and Benefit of Cognitive Behavioural Therapy for Psychosis via Teleconsultation in Indonesia: A Case Study of a 40-Year-Old Schizoaffective Disorder Patient. Behaviour Change, 0, , 1-14.	0.6	0
1104	Further validation of the Cognitive Biases Questionnaire for psychosis. BMC Psychiatry, 2022, 22, .	1.1	1
1105	A preclinical study of deep brain stimulation in the ventral tegmental area for alleviating positive psychotic-like behaviors in mice. Frontiers in Human Neuroscience, 0, 16, .	1.0	2
1106	Recovery After Stressâ€™Autonomic and Subjective Arousal in Individuals With Psychosis Compared to Healthy Controls. Schizophrenia Bulletin, 2022, 48, 1373-1383.	2.3	2
1107	Self-Structure in Persecutory Delusions. Behavior Therapy, 2023, 54, 132-140.	1.3	2
1108	Listening to and Believing Derogatory and Threatening Voices. Schizophrenia Bulletin, 2023, 49, 151-160.	2.3	3
1109	Superior temporal gyrus functional connectivity predicts transcranial direct current stimulation response in Schizophrenia: A machine learning study. Frontiers in Psychiatry, 0, 13, .	1.3	4
1110	Maasai women hearing voices: Implications for global mental health. Transcultural Psychiatry, 0, , 136346152211116.	0.9	2
1111	Trauma and dissociation among inpatients diagnosed with schizophrenia spectrum disorders in Taiwan. European Journal of Psychotraumatology, 2022, 13, .	0.9	10
1112	Virtual Reality Therapy for the Negative Symptoms of Schizophrenia (V-NeST): A pilot randomised feasibility trial. Schizophrenia Research, 2022, 248, 50-57.	1.1	5
1113	Measuring the longitudinal course of voice hearing under psychological interventions: A systematic review. Clinical Psychology Review, 2022, 97, 102191.	6.0	2

#	ARTICLE	IF	CITATIONS
1115	The CHALLENGE trial: the effects of a virtual reality-assisted exposure therapy for persistent auditory hallucinations versus supportive counselling in people with psychosis: study protocol for a randomised clinical trial. <i>Trials</i> , 2022, 23, .	0.7	1
1116	Clinical insight in first-episode psychosis: Clinical, neurocognitive and metacognitive predictors. <i>Schizophrenia Research</i> , 2022, 248, 158-167. .	1.1	4
1118	Measuring Psychotropic Drug Effects and Side Effects. <i>Autism and Child Psychopathology Series</i> , 2022, , 505-533.	0.1	0
1120	Feasibility and efficacy of an acceptance and mindfulness-based group intervention for young people with early psychosis (Feel-Good group). <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	2
1121	Trauma-focused therapies for post-traumatic stress in psychosis: study protocol for the RE.PROCESS randomized controlled trial. <i>Trials</i> , 2022, 23, .	0.7	2
1122	Hearing voices in the head: Two meta-analyses on structural correlates of auditory hallucinations in schizophrenia. <i>NeuroImage: Clinical</i> , 2022, 36, 103241.	1.4	9
1123	Cognitive Behavior Therapy for Psychosis. , 2022, , 607-615.		0
1124	Alterations in innate immune defense distinguish first-episode schizophrenia patients from healthy controls. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	2
1125	Talk-based approaches to support people who are distressed by their experience of hearing voices: A scoping review. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	2
1126	Smartphone-assisted guided self-help cognitive behavioral therapy for young people with distressing voices (SmartVoices): study protocol for a randomized controlled trial. <i>Trials</i> , 2022, 23, .	0.7	1
1127	Bayesian reasoning with emotional material in patients with schizophrenia. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	0
1129	Disrupted auditory N1, theta power and coherence suppression to willed speech in people with schizophrenia. <i>NeuroImage: Clinical</i> , 2023, 37, 103290.	1.4	2
1130	Prevalence and nature of multi-sensory and multi-modal hallucinations in people with first episode psychosis. <i>Psychiatry Research</i> , 2023, 319, 114988.	1.7	3
1131	Different measures for auditory hallucinations in populations with psychosis. The Validation of the Spanish versions of the Auditory Vocal Hallucination Rating Scale (AVHRS) and the Positive and Useful Voices Inquiry (PUVI). <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2022, 15, 259-271.	0.2	0
1132	An online survey on clinical and healthy individuals with auditory verbal hallucinations: Abuse did not lead to more negative voice content. <i>Schizophrenia Research</i> , 2022, , .	1.1	3
1133	Do the Components of Attenuated Positive Symptoms Truly Represent One Construct?. <i>Schizophrenia Bulletin</i> , 0, , .	2.3	2
1134	Brain correlates of speech perception in schizophrenia patients with and without auditory hallucinations. <i>PLoS ONE</i> , 2022, 17, e0276975.	1.1	2
1135	Schizophrenie. <i>Psychotherapie: Manuale</i> , 2023, , 9-57.	0.0	0

#	ARTICLE	IF	CITATIONS
1136	A psychological intervention for engaging dialogically with auditory hallucinations (Talking With) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 172-179.	1.1	7
1137	Thinking about thinking: developing a meta-cognitive approach to group-based cognitive behavioural therapy for psychosis within a medium secure setting. , 2011, 1, 31-35.		0
1138	The Psychosocial Interventions Clinic in a rehabilitation and recovery mental health service. , 2011, 1, 34-39.		0
1139	Correlation between abnormal N-acetyl-aspartate levels in posterior cingulate cortex and persistent auditory verbal hallucinations in Chinese patients with chronic schizophrenia. Asian Journal of Psychiatry, 2023, 80, 103416.	0.9	0
1140	Relationship between cognition and suicidal behavior in recent-onset psychosis. Schizophrenia Research, 2023, 252, 172-180.	1.1	1
1141	Accreditation Programme for Psychological Therapies Services (APPTS): The experience of an integrated psychological therapies service. , 2018, 1, 24-28.		0
1142	Auditory hallucinations, childhood sexual abuse, and limbic gray matter volume in a transdiagnostic sample of people with psychosis. , 2022, 8, .		0
1143	The bumpy road of traumaâ€ƒfocused treatment: Posttraumatic stress disorder symptom exacerbation in people with psychosis. Journal of Traumatic Stress, 2023, 36, 299-309.	1.0	6
1144	Time varying dynamics of hallucinations in clinical and non-clinical voice-hearers. NeuroImage: Clinical, 2023, 37, 103351.	1.4	3
1145	In the eyes of the beholders: Subjective experiences of positive symptoms among patients with symptoms of psychosis seeking psychotherapy. Schizophrenia Research, 2023, 254, 14-21.	1.1	1
1146	Emotion regulation relates to clinical characteristics and quality of life but not daily functioning in psychosis spectrum outpatients. Journal of Psychiatric Research, 2023, 161, 289-297.	1.5	0
1149	Exploring engagement with the CBT-informed Actissist smartphone application for early psychosis. Journal of Mental Health, 2023, 32, 643-654.	1.0	4
1151	Assessing the delivering of i <sc>MA</sc> geryâ€ƒfocused therapy for <sc>PS</sc> ychosis (i) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 1.3	1.3	1
1152	Decreased insight, but not self-stigma or belief about medicine, is associated with greater severity of delusions in a sample of long-stay patients with schizophrenia: a cross-sectional study. BMC Psychiatry, 2023, 23, .	1.1	5
1154	Functional network interactions in patients with schizophrenia with persistent auditory verbal hallucinations: A multimodal MRI fusion approach using three-way pICA. Schizophrenia Research, 2023, , .	1.1	2
1155	The Indirect Effect of Depression between Nightmares and Well-Being in Lebanese Patients with Schizophrenia. Perspectives in Psychiatric Care, 2023, 2023, 1-9.	0.9	0
1156	A comparison between auditory hallucinations, interpretation of voices, and formal thought disorder in dissociative identity disorder and schizophrenia spectrum disorders. Journal of Clinical Psychology, 2023, 79, 2009-2022.	1.0	2
1165	Cognitive-Behavioral Therapy for Schizophrenia and Related Psychoses. Current Clinical Psychiatry, 2023, , 273-289.	0.2	0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------