

CITATION REPORT

List of articles citing

Compliance with handwashing in a teaching hospital. Infection Control Program

DOI: 10.7326/0003-4819-130-2-199901190-00006
Annals of Internal Medicine, 1999, 130, 126-30.

Source: <https://exaly.com/paper-pdf/31070042/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
718	Facts and Ideas from Anywhere. 1999 , 12, 145-151		
717	Washing our hands of the matter. 1999 , 34, 11		
716	Methicillin-Resistant Staphylococcus aureus Infections. 1999 , 1, 328-333		4
715	Central line sepsis in intensive care units: overview and update. 1999 , 10, 14-20		2
714	Infection in the critically ill surgical patient. 1999 , 13, 395-409		
713	Hospital infection prevention and control: A global perspective. 1999 , 27, 233-5		
712	Routine disinfection of patients' environmental surfaces. Myth or reality?. 1999 , 42, 113-7		105
711	A case-control study to detect modifiable risk factors for colonization with vancomycin-resistant enterococci. 1999 , 20, 760-3		27
710	Outbreak of Enterobacter cloacae related to understaffing, overcrowding, and poor hygiene practices. 1999 , 20, 598-603		241
709	Reply. 2000 , 21, 306-307		
708	Disinfectants that do. 2000 , 13, 395-399		2
707	Hand hygiene-beliefs or science?. 2000 , 6, 350-6		45
706	Hand Hygiene Revisited: Lessons from the Past and Present. 2000 , 2, 484-489		14
705	Hand washing. Simple, cost effective, evidence based ... lip service!. 2000 , 10, 461-5		3
704	Inadequate antimicrobial treatment: an important determinant of outcome for hospitalized patients. 2000 , 31 Suppl 4, S131-8		474
703	Preventing fungal infections in immunocompromised patients. 2000 , 9, 1154-6, 1158-64		7
702	Availability of an alcohol solution can improve hand disinfection compliance in an intensive care unit. 2000 , 162, 324-7		150

701	Replace hand washing with use of a waterless alcohol hand rub?. 2000 , 31, 136-43	169
700	Handwashing-the Semmelweis lesson misunderstood?. 2000 , 30, 990-1	17
699	A stinging cause for preventive skin care. 2000 , 356, 768-9	28
698	Can quality circles improve hospital-acquired infection control?. 2000 , 45, 302-10	21
697	Intensive care unit design and environmental factors in the acquisition of infection. 2000 , 45, 255-62	72
696	A survey on handwashing practices and opinions of healthcare workers. 2000 , 45, 318-21	88
695	Effects on nursing workload of different methicillin-resistant Staphylococcus aureus (MRSA) control strategies. 2000 , 46, 118-22	24
694	Les mesures d'isolement en ranimation: Pour. 2000 , 9, 70-74	1
693	Les mesures d'isolement en ranimation. 2000 , 9, 75-77	1
692	Impact of a prevention strategy targeted at vascular-access care on incidence of infections acquired in intensive care. 2000 , 355, 1864-8	367
691	Non-invasive ventilation for chronic obstructive pulmonary disease. 2000 , 356, 956-7	8
690	Clean hands closer to the bedside. 2000 , 356, 1290-1	12
689	Effectiveness of a hospital-wide programme to improve compliance with hand hygiene. Infection Control Programme. 2000 , 356, 1307-12	1690
688	Using alcohol for hand antisepsis: dispelling old myths. 2000 , 21, 438-41	69
687	Skin irritation and dryness associated with two hand-hygiene regimens: soap-and-water hand washing versus hand antisepsis with an alcoholic hand gel. 2000 , 21, 442-8	191
686	An organizational climate intervention associated with increased handwashing and decreased nosocomial infections. 2000 , 26, 14-22	278
685	The influence of the composition of the nursing staff on primary bloodstream infection rates in a surgical intensive care unit. 2000 , 21, 12-7	183
684	"Colonization pressure" and risk of acquisition of methicillin-resistant Staphylococcus aureus in a medical intensive care unit. 2000 , 21, 718-23	226

683	Improving compliance with hand hygiene in hospitals. 2000 , 21, 381-6	381
682	Reasons for noncompliance with infection control guidelines. 2000 , 21, 411-6	40
681	An overview of fungal infections. 2001 , 61 Suppl 1, 1-12	163
680	Nonantibiotic measures for the prevention of Gram-positive infections. 2001 , 7 Suppl 4, 91-9	7
679	Evaluation of the contribution of isolation precautions in prevention and control of multi-resistant bacteria in a teaching hospital. 2001 , 47, 116-24	38
678	The effectiveness of interventions aimed at increasing handwashing in healthcare workers - a systematic review. 2001 , 47, 173-80	211
677	Agenda for clinical governance. 2001 , 47, S69-S74	
676	Evaluation of a patient-empowering hand hygiene programme in the UK. 2001 , 48, 222-7	148
675	"Road signs" approach to hand hygiene. 2001 , 48, 242-3	7
674	High-level handwashing compliance in a community teaching hospital: a challenge that can be met!. 2001 , 49, 55-8	32
673	Ventilator-associated pneumonia: recent issues on pathogenesis, prevention and diagnosis. 2001 , 49, 155-62	23
672	Special article: New concepts in hand hygiene. 2001 , 12, 147-153	2
671	Understanding adherence to hand hygiene recommendations: the theory of planned behavior. 2001 , 29, 352-60	306
670	Arguments for alcoholic hand disinfection. 2001 , 48 Suppl A, S4-8	94
669	Compliance with hand disinfection and its impact on hospital-acquired infections. 2001 , 48 Suppl A, S40-6	195
668	Handwashing practices in Polish hospitals: results of a survey conducted by Polish Society of Hospital Infection. 2001 , 48 Suppl A, S47-9	2
667	Handwashing compliance in a French university hospital: new perspective with the introduction of hand-rubbing with a waterless alcohol-based solution. 2001 , 48 Suppl A, S55-7	46
666	[Spread of Enterobacteriaceae producing broad-spectrum beta-lactamase and the development of their incidence over a 16-month period in a university hospital center]. 2001 , 49, 515-21	3

665	Guiding hands of our teachers. 2001 , 357, 480	2
664	Hand hygiene and patient care: pursuing the Semmelweis legacy. 2001 , 1, 9-20	178
663	A hospital epidemic of vancomycin-resistant Enterococcus: risk factors and control. 2001 , 22, 140-7	100
662	Why don't doctors and nurses wash their hands?. 2001 , 22, 199-200	18
661	Handwashing compliance depends on professional status. 2001 , 2, 241-5	40
660	Assessment of two hand hygiene regimens for intensive care unit personnel. 2001 , 29, 944-51	144
659	Nosocomial transmission of antibiotic-resistant microorganisms. 2001 , 14, 437-42	7
658	Compliance with hand hygiene practice in pediatric intensive care. 2001 , 2, 311-4	47
657	MRSA: Monitoring Quality. 2001 , 2, 20-23	5
656	Assessing risk factors for systemic fungal infections. 2001 , 10, 56-62	84
655	Spread and prevention of some common viral infections in community facilities and domestic homes. 2001 , 91, 7-21	141
654	Irritancy of the skin disinfectant n-propanol. 2001 , 45, 226-31	36
653	Coexistence of SHV-4- and TEM-24-producing Enterobacter aerogenes strains before a large outbreak of TEM-24-producing strains in a French hospital. 2001 , 39, 2184-90	42
652	Infection control in the ICU. 2001 , 120, 2059-93	294
651	Implementation of strategies to control antimicrobial resistance. 2001 , 119, 405S-411S	40
650	Understanding the spread of antibiotic resistant pathogens in hospitals: mathematical models as tools for control. 2001 , 33, 1739-46	149
649	Effect of hand cleansing with antimicrobial soap or alcohol-based gel on microbial colonization of artificial fingernails worn by health care workers. 2001 , 32, 367-72	102
648	Consequences of inaction: importance of infection control practices. 2001 , 33 Suppl 3, S133-7	24

647	Physicians who do not take sick leave: hazardous heroes?. 2001 , 29, 71-75	81
646	Effect of an evidence-based hand washing policy on hand washing rates and false-positive coagulase negative staphylococcus blood and cerebrospinal fluid culture rates in a level III NICU. 2002 , 22, 137-43	40
645	Why do physicians not follow evidence-based guidelines for preventing ventilator-associated pneumonia?: a survey based on the opinions of an international panel of intensivists. 2002 , 122, 656-61	187
644	Can alcohol hand rubs increase compliance with hand hygiene?. 2002 , 11, 1072, 1074-7	17
643	To gown or not to gown: the effect on acquisition of vancomycin-resistant enterococci. 2002 , 35, 18-25	96
642	Prevention of ventilator-associated pneumonia: selecting interventions that make a difference. 2002 , 121, 679-81	16
641	Effect of an education program aimed at reducing the occurrence of ventilator-associated pneumonia. 2002 , 30, 2407-12	237
640	The 'hygiene hypothesis: how clean should we be?. 2002 , 102, 81, 83, 85, passim	
639	Antimicrobial resistance in the intensive care unit: understanding the problem. 2002 , 13, 410-20	6
638	Interventional study to evaluate the impact of an alcohol-based hand gel in improving hand hygiene compliance. 2002 , 21, 489-95	148
637	Efficacy of handrubbing with alcohol based solution versus standard handwashing with antiseptic soap: randomised clinical trial. 2002 , 325, 362	213
636	Guideline for Hand Hygiene in Health-Care Settings: recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. 2002 , 23, S3-40	740
635	[Nosocomial infection surveillance in critically-ill patients]. 2002 , 20, 103-5	0
634	Patient volume, staffing, and workload in relation to risk-adjusted outcomes in a random stratified sample of UK neonatal intensive care units: a prospective evaluation. 2002 , 359, 99-107	236
633	Marketing hand hygiene in hospitals--a case study. 2002 , 50, 42-7	76
632	Handwashing frequencies in an intensive care unit. 2002 , 50, 36-41	47
631	Impact of teaching interventions on nurse compliance with hand disinfection. 2002 , 51, 69-72	29
630	Hand contamination before and after different hand hygiene techniques: a randomized clinical trial. 2002 , 50, 276-80	87

629	Controversies in isolation and general infection control practices in pediatrics. 2002 , 13, 48-54	15
628	Organizational and environmental factors that affect worker health and safety and patient outcomes. 2002 , 30, 93-106	111
627	The impact of alcohol hand sanitizer use on infection rates in an extended care facility. 2002 , 30, 226-33	82
626	Compliance with methicillin-resistant Staphylococcus aureus precautions in a teaching hospital. 2002 , 30, 430-3	74
625	The importance of evaluating product dispensers when selecting alcohol-based handrubs. 2002 , 30, 373-5	28
624	Assessment of handwashing practices with chemical and microbiologic methods: preliminary results from a prospective crossover study. 2002 , 30, 334-40	28
623	Staffing requirements for infection control programs in US health care facilities: Delphi project. 2002 , 30, 321-33	91
622	Guideline for Hand Hygiene in Health-Care Settings. Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HIPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. 2002 , 30, S1-46	445
621	[Evaluation of the efficacy of a multiresistant bacteria control programme in a teaching hospital, studying the evolution of methicillin-resistant Staphylococcus aureus incidence]. 2002 , 50, 538-43	1
620	Portage, acquisition et transmission de Staphylococcus aureus résistant à la méthicilline en milieu communautaire. Conséquences en terme de politique de prévention et d'antibiothérapie. 2002 , 32, 717-724	1
619	Understanding and controlling methicillin-resistant Staphylococcus aureus infections. 2002 , 23, 485-7	34
618	Improving healthcare workers' compliance with hand hygiene: is a picture worth a thousand words?. 2002 , 23, 418-9	4
617	Hand washing and physicians: how to get them together. 2002 , 23, 32-5	74
616	Promotion of hand hygiene: magic, hype, or scientific challenge?. 2002 , 23, 118-9	30
615	Limited impact of sustained simple feedback based on soap and paper towel consumption on the frequency of hand washing in an adult intensive care unit. 2002 , 23, 120-6	67
614	The role of nurse understaffing in nosocomial viral gastrointestinal infections on a general pediatrics ward. 2002 , 23, 133-6	55
613	Why, When, and How to Isolate ICU Patients. 2002 , 581-608	
612	Infections liées aux accés vasculaires : épidémiologie, pathogénie, traitement et nouvelles méthodes de prévention. 2002 , 16, 62-65	2

611	Overview of catheter-related infections with special emphasis on prevention based on educational programs. 2002 , 8, 295-309	76
610	Moving from recommendation to implementation and audit: part 2. Review of interventions and audit. 2002 , 8 Suppl 2, 107-28	14
609	Prevention of ventilator-associated pneumonia. 2002 , 28, 822-3	12
608	Comment on "Prevention of severe Candida infections in non-neutropenic, high-risk, critically ill patients," by Garbino et al. 2003 , 29, 1192-3; author reply 1194-5	16
607	Introduction of a waterless alcohol-based hand rub in a long-term-care facility. 2003 , 24, 165-71	70
606	Use of an alcohol-based hand rub and quality improvement interventions to improve hand hygiene in a Russian neonatal intensive care unit. 2003 , 24, 172-9	74
605	Hand antisepsis: evaluation of a sprayer system for alcohol distribution. 2003 , 24, 180-3	11
604	Adherence with hand hygiene: does number of sinks matter?. 2003 , 24, 224-5	36
603	Incidence and prevalence of methicillin-resistant Staphylococcus aureus nasal carriage among healthcare workers in geriatric departments: relevance to preventive measures. 2003 , 24, 456-8	19
602	Hand antisepsis: evaluation of a sprayer system for alcohol distribution. 2003 , 24, 637; author reply 637-8	
601	Clustering of enterococcal infections in a general intensive care unit. 2003 , 54, 188-95	6
600	Prévention des risques d'infection urinaire nosocomiale dans les collectivités (hospitalières et extra-hospitalières) : isolement. 2003 , 33, 529-533	
599	Physiopathologie et prévention des infections liées aux accès vasculaires. 2003 , 33, 554-563	1
598	Vancomycin-resistant enterococci: 15 years and counting. 2003 , 53, 159-71	86
597	Use of alcohol hand sanitizer as an infection control strategy in an acute care facility. 2003 , 31, 109-16	104
596	Rates of hand disinfection associated with glove use, patient isolation, and changes between exposure to various body sites. 2003 , 31, 97-103	65
595	Compliance with handwashing in a university hospital in Thailand. 2003 , 31, 128	8
594	Revolutionising hand hygiene in health-care settings: guidelines revisited. 2003 , 3, 269-70	38

593	Comparison of waterless hand antiseptics agents at short application times: raising the flag of concern. 2003 , 24, 160-4	58
592	SHEA guideline for preventing nosocomial transmission of multidrug-resistant strains of Staphylococcus aureus and enterococcus. 2003 , 24, 362-86	1185
591	Sex differences in public restroom handwashing behavior associated with visual behavior prompts. 2003 , 97, 805-10	66
590	Factors associated with hand hygiene practices in two neonatal intensive care units. 2003 , 22, 494-9	54
589	Observations of Nurses Treatment of Leg and Foot Ulcers in Community Health Care. 2003 , 30, 342-350	2
588	Hand hygiene: improved standards and practice for hospital care. 2003 , 16, 327-35	59
587	The epidemiology of a large single-strain outbreak of vancomycin-resistant Enterococcus faecium vanB in an Australian teaching hospital. 2003 , 8, 77-87	3
586	Influence of role models and hospital design on hand hygiene of healthcare workers. 2003 , 9, 217-23	233
585	Methicillin-Resistant Staphylococcus Aureus in a General Intensive Care Unit. 2004 , 97, 521-526	12
584	Clostridium difficile: a formidable foe. 2004 , 171, 47-8	32
583	Combined use of alcohol hand rub and gloves reduces the incidence of late onset infection in very low birthweight infants. 2004 , 89, F336-40	54
582	Risk factors for ventilator-associated pneumonia: from epidemiology to patient management. 2004 , 38, 1141-9	205
581	Methicillin resistant Staphylococcus aureus in the critically ill. 2004 , 92, 121-30	49
580	Evidence-based guidelines for the management of neutropenia following outpatient hematopoietic stem cell transplantation. 2004 , 8, 601-13	10
579	The effect of a continuous educational program on handwashing compliance among healthcare workers in an intensive care unit. 2004 , 5, 15-18	23
578	Methicillin-resistant Staphylococcus aureus and beyond: what's new in the world of the golden staph?. 2004 , 74, 465-9	15
577	Commentary on Bennett G. & Mansell I. (2004) Universal precautions: a survey of community nurses' experience and practice. Journal of Clinical Nursing 13, 413-421. 2004 , 13, 1017-9	3
576	Prevention of food worker transmission of foodborne pathogens: risk assessment and evaluation of effective hygiene intervention strategies. 2004 , 4, 31-49	69

575	Hand washing and hand disinfection: more than your mother taught you. 2004 , 22, 457-71, vi	5
574	Studenten opvoeden met handhygië. 2004 , 2, 22-24	
573	Standard precautions and post exposure prophylaxis for preventing infections. 2004 , 71, 617-25	15
572	Reply to letter by Tulleken et al.. 2004 , 30, 998-999	0
571	Ethics roundtable debate: A patient dies from an ICU-acquired infection related to methicillin-resistant Staphylococcus aureus--how do you defend your case and your team?. 2005 , 9, 5-9	4
570	Hand hygiene practices in a neonatal intensive care unit: a multimodal intervention and impact on nosocomial infection. 2004 , 114, e565-71	222
569	Hand hygiene: a frequently missed lifesaving opportunity during patient care. 2004 , 79, 109-16	119
568	[Guidelines for the treatment of short-term intravascular catheter-related infections in adults; SEIMC-SEMICYUC Consensus Conference]. 2004 , 22, 92-101	11
567	Les infections nosocomiales sont-elles un indicateur de la qualité des soins en réanimation ?. 2004 , 8, 3-4	
566	Differences in hand hygiene behavior related to the contamination risk of healthcare activities in different groups of healthcare workers. 2004 , 25, 203-6	47
565	Handwashing program for the prevention of nosocomial infections in a neonatal intensive care unit. 2004 , 25, 742-6	134
564	Survey of knowledge, beliefs, and practices of neonatal intensive care unit healthcare workers regarding nosocomial infections, central venous catheter care, and hand hygiene. 2004 , 25, 747-52	36
563	Infection control in the intensive care unit. 2004 , 2, 795-805	4
562	Stratégies de maîtrise de la diffusion des bactéries multirésistantes aux antibiotiques dans les établissements de santé. 2004 , 6, 169-174	
561	Control of endemic MRSA-what is the evidence? A personal view. 2004 , 56, 253-68	66
560	Reducing ventilator-associated pneumonia rates through a staff education programme. 2004 , 57, 223-7	72
559	Misuse of gloves: the foundation for poor compliance with hand hygiene and potential for microbial transmission?. 2004 , 57, 162-9	129
558	The Lowbury lecture: behaviour in infection control. 2004 , 58, 1-13	188

557	Handwashing in healthcare workers: accessibility of sink location does not improve compliance. 2004 , 58, 247-53	58
556	Comparative in vitro and in vivo study of nine alcohol-based handrubs. 2004 , 32, 200-4	12
555	Evaluation of a patient education model for increasing hand hygiene compliance in an inpatient rehabilitation unit. 2004 , 32, 235-8	106
554	Hand hygiene: promoting compliance among nurses and health workers. 2004 , 13, 404-10	14
553	Electronic monitoring and voice prompts improve hand hygiene and decrease nosocomial infections in an intermediate care unit. 2004 , 32, 358-63	149
552	Prevention of hospital-associated pneumonia and ventilator-associated pneumonia. 2004 , 32, 1396-405	317
551	Methicillin-resistant Staphylococcus aureus in a general intensive care unit. 2004 , 97, 521-6	31
550	Infecciones nosocomiales. 2004 , 1, 1-8	
549	Hand hygiene, the crusade of the infection control specialist. Alcohol-based handrub: the solution!. 2004 , 59, 189-93	11
548	An educational intervention to reduce ventilator-associated pneumonia in an integrated health system: a comparison of effects. 2004 , 125, 2224-31	177
547	Strategies to prevent antimicrobial resistance in the intensive care unit. 2005 , 33, 1845-53	116
546	The culmination of rare events in global healthcare and public health concern. 2005 , 10, 119-120	
545	Simpson, Semmelweis, and transformational change. 2005 , 106, 384-7	376
544	Decreasing hospital-associated rotavirus infection: a multidisciplinary hand hygiene campaign in a children's hospital. 2005 , 24, 397-403	85
543	Reducing the risk of health care-associated infections by complying with CDC hand hygiene guidelines. 2005 , 31, 173-9	13
542	Outcomes of an infection prevention project focusing on hand hygiene and isolation practices. 2005 , 16, 121-32	40
541	The therapeutic challenge of Gram-negative sepsis: prolonging the lifespan of a scarce resource. 2005 , 11 Suppl 6, 18-22	6
540	Healthcare workers' hand decontamination practices: compliance with recommended guidelines. 2005 , 51, 208-16	136

539	Prevention and control of infection in the ICU. 2005 , 16, 191-199	5
538	Hygiène Des Mains Et Solutions Hydro-Alcooliques. 2005 , 2005, 45-48	
537	Hygienemaßnahmen auf der Intensivstation. 2005 , 71-76	
536	Are active microbiological surveillance and subsequent isolation needed to prevent the spread of methicillin-resistant Staphylococcus aureus?. 2005 , 40, 405-9	103
535	Editorial. 2005 , 6, 25-25	
534	Relationship between probable nosocomial bacteraemia and organisational and structural factors in UK neonatal intensive care units. 2005 , 14, 264-9	22
533	Paradoxical increase in methicillin-resistant Staphylococcus aureus acquisition rates despite barrier precautions and increased hand washing compliance during an outbreak of severe acute respiratory syndrome. 2005 , 40, 632-3	16
532	Mechanisms to Prevent Infection: Invasive Monitoring. 2005 , 6, 26-30	
531	President's Letter. 2005 , 6, 23-24	
530	Antibiotic rotation and development of gram-negative antibiotic resistance. 2005 , 171, 480-7	91
529	A multicentric survey of the practice of hand hygiene in haemodialysis units: factors affecting compliance. 2005 , 20, 1164-71	79
528	Infection control policies and hospital-associated infections among surgical patients: variability and associations in a multicenter pediatric setting. 2005 , 115, e387-92	22
527	Hand hygiene compliance in a hematology unit. 2005 , 113, 190-3	10
526	Isolation of patients in single rooms or cohorts to reduce spread of MRSA in intensive-care units: prospective two-centre study. 2005 , 365, 295-304	241
525	Prevention of systemic mycoses by reducing exposure to fungal pathogens in hospitalized and ambulatory neutropenic patients. 2005 , 32, 565-79	4
524	Infection control in ER: how hand-washing is avoided even in fiction. 2005 , 5, 131-2	4
523	Increased mortality associated with a clonal outbreak of ceftazidime-resistant Klebsiella pneumoniae: a case-control study. 2005 , 26, 63-8	15
522	Attitudes and perceptions toward hand hygiene among healthcare workers caring for critically ill neonates. 2005 , 26, 305-11	89

521	Compliance with hand hygiene and glove use in a university-affiliated hospital. 2005 , 26, 312-5	56
520	Reduction in nosocomial transmission of drug-resistant bacteria after introduction of an alcohol-based handrub. 2005 , 26, 650-3	134
519	Hygiène des mains en anesthésie : Quand ? Comment ? Pourquoi ?. 2005 , 9, 355-360	1
518	Managing infection in the critical care unit: how can infection control make the ICU safe?. 2005 , 21, 111-28, ix	16
517	Handwashing in the intensive care unit: a big measure with modest effects. 2005 , 59, 172-9	54
516	Could hospital patients' hands constitute a missing link?. 2005 , 61, 183-8	31
515	[Consumption of hand-hygiene products in health establishments in the west of France]. 2005 , 35, 349-56	3
514	Practices and an assessment of health care workers' perceptions of compliance with infection control knowledge of nosocomial infections. 2005 , 33, 55-7	34
513	Reduction in nosocomial infection with improved hand hygiene in intensive care units of a tertiary care hospital in Argentina. 2005 , 33, 392-7	209
512	Infection control and quality health care in the new millennium. 2005 , 33, 258-67	91
511	Focus group data as a tool in assessing effectiveness of a hand hygiene campaign. 2005 , 33, 368-73	32
510	Comparative efficacy of hand hygiene agents in the reduction of bacteria and viruses. 2005 , 33, 558-60	7
509	Exogenous sources of pseudomonas aeruginosa in intensive care unit patients: implementation of infection control measures and follow-up with molecular typing. 2006 , 27, 953-7	35
508	The intensive care unit as a research laboratory: developing strategies to prevent antimicrobial resistance. 2006 , 7, 85-99	3
507	Evidence-based model for hand transmission during patient care and the role of improved practices. 2006 , 6, 641-52	497
506	Muslim health-care workers and alcohol-based handrubs. 2006 , 367, 1025-7	59
505	Hand hygiene: an evidence-based review for surgeons. 2006 , 4, 53-65	20
504	Implementing best practice strategies to prevent infection in the ICU. 2006 , 18, 441-52	20

503	Surgical Hand Antisepsis: An Evidence-Based Review. 2006 , 1, 235-249	5
502	An outbreak of <i>Serratia marcescens</i> bloodstream infections associated with misuse of drug vials in a surgical ward. 2006 , 27, 79-82	20
501	Improving patient safety: resource availability and application for reducing the incidence of healthcare-associated infection. 2006 , 27, 245-51	13
500	Hand hygiene among laboratory workers. 2006 , 27, 978-80	10
499	Compliance with application time for surgical hand disinfection. 2006 , 27, 996-8	7
498	Impact of alcohol-based, waterless hand antiseptic on the incidence of infection and colonization with methicillin-resistant <i>Staphylococcus aureus</i> and vancomycin-resistant enterococci. 2006 , 27, 1018-24	18
497	Association between hand hygiene compliance and methicillin-resistant <i>Staphylococcus aureus</i> prevalence in a French rehabilitation hospital. 2006 , 27, 1128-30	31
496	Hygiène des mains en anesthésie et en réanimation : comment améliorer les pratiques ?. 2006 , 10, 465-467	
495	Mentor's hand hygiene practices influence student's hand hygiene rates. 2006 , 34, 18-24	63
494	Measurement and feedback of infection control process measures in the intensive care unit: Impact on compliance. 2006 , 34, 537-9	39
493	Social marketing: a behavior change technology for infection control. 2006 , 34, 452-7	27
492	Managing methicillin-resistant staphylococci: a paradigm for preventing nosocomial transmission of resistant organisms. 2006 , 34, S46-54; discussion S64-73	44
491	Skin reactions related to hand hygiene and selection of hand hygiene products. 2006 , 34, 627-35	94
490	Formulation technology as a key component in improving hand hygiene practices. 2006 , 34, S82-S97	11
489	The influence of nurse cohorting on hand hygiene effectiveness. 2006 , 34, 621-6	48
488	Managing methicillin-resistant staphylococci: a paradigm for preventing nosocomial transmission of resistant organisms. 2006 , 119, S45-52; discussion S62-70	56
487	How much time is needed for hand hygiene in intensive care? A prospective trained observer study of rates of contact between healthcare workers and intensive care patients. 2006 , 62, 304-10	51
486	Multicentre study on hand hygiene facilities and practice in the Mediterranean area: results from the NosoMed Network. 2006 , 62, 311-8	24

485	Potential use of copper surfaces to reduce survival of epidemic meticillin-resistant Staphylococcus aureus in the healthcare environment. 2006 , 63, 289-97	270
484	Guidelines for the control and prevention of meticillin-resistant Staphylococcus aureus (MRSA) in healthcare facilities. 2006 , 63 Suppl 1, S1-44	391
483	Alcohol-based hand rub: influence of healthcare workers' knowledge and perception on declared use. 2006 , 64, 149-55	16
482	The 2003 SARS outbreak and its impact on infection control practices. 2006 , 120, 8-14	67
481	A decade of adult intensive care unit design: a study of the physical design features of the best-practice examples. 2006 , 29, 282-311	82
480	Infection control: behavioural issues for healthcare workers. 2006 , 11, 316-325	11
479	HAI prevention. 2006 , 37, 1????	
478	Febrile respiratory illness in the intensive care unit setting: an infection control perspective. 2006 , 12, 37-42	22
477	Ventilator associated pneumonia and infection control. 2006 , 5, 7	64
476	Should clinicians worry about vancomycin-resistant Enterococcus bloodstream infections?. 2006 , 38, 771-4	4
475	Hand hygiene compliance in healthcare workers. 2006 , 64, 205-9	108
474	Using a motivational paradigm to improve handwashing compliance. 2006 , 6, 156-62	15
473	Improving adherence to hand hygiene among health care workers. 2006 , 26, 244-51	22
472	Nosocomial rotavirus infection in European countries: a review of the epidemiology, severity and economic burden of hospital-acquired rotavirus disease. 2006 , 25, S12-21	170
471	System failure versus personal accountability--the case for clean hands. 2006 , 355, 121-3	82
470	Handwashing and gloving practice among health care workers in medical and surgical wards in a tertiary care centre in Riyadh, Saudi Arabia. 2006 , 38, 620-4	26
469	Paediatric emergency department staff perceptions of infection control measures against severe acute respiratory syndrome. 2006 , 23, 349-53	14
468	Occupational Therapists' Knowledge and Practice of Infection Control Procedures: A Preliminary Study. 2006 , 69, 124-129	

467	The impact of gown-use requirement on hand hygiene compliance. 2006 , 42, 370-6	51
466	Health care workers' hand decontamination practices: an Irish study. 2006 , 15, 6-26	23
465	Consumer attitudes about health care-acquired infections and hand hygiene. 2006 , 21, 342-6	49
464	Potential confounding in evaluating infection-control interventions in hospital settings: changing antibiotic prescription. 2006 , 43, 616-23	27
463	Abstracts. 2007 , 1, 9-309	2
462	Outbreak of acute gastroenteritis among emergency department staff. 2007 , 24, 699-702	12
461	Performance measurement of nursing care: state of the science and the current consensus. 2007 , 64, 10S-43S	76
460	How "user friendly" is the hospital for practicing hand hygiene? An ergonomic evaluation. 2007 , 33, 171-9	25
459	Miles to go: an introduction to the 5 Million Lives Campaign. 2007 , 33, 477-84	87
458	5 Million Lives Campaign. Reducing methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) infections. 2007 , 33, 726-31	19
457	Isolation status and voice prompts improve hand hygiene. 2007 , 35, 470-6	37
456	A controlled trial of universal gloving versus contact precautions for preventing the transmission of multidrug-resistant organisms. 2007 , 35, 650-5	66
455	Evaluation of hand hygiene adherence in a tertiary hospital. 2007 , 35, 676-83	56
454	The use of the elbow technique to access neonatal incubators: Can this reduce the risk of cross infection?. 2007 , 13, 118-120	2
453	Reliability and validity of hand hygiene measures. 2007 , 29, 20-9	10
452	Effectiveness of an educational program to reduce ventilator-associated pneumonia in a tertiary care center in Thailand: a 4-year study. 2007 , 45, 704-11	571
451	Liquid versus gel handrub formulation: a prospective intervention study. 2007 , 11, R52	37
450	Are alcohol gels better than liquid hand rubs?. 2007 , 11, 418	3

449	Reduction of health care associated infection risk in neonates by successful hand hygiene promotion. 2007 , 120, e382-90	156
448	Hand hygiene practices after brief encounters with patients: an important opportunity for prevention. 2007 , 28, 341-5	23
447	Assessment of healthcare professionals' adherence to hand hygiene after alcohol-based hand rub introduction at an intensive care unit in S ^o Paulo, Brazil. 2007 , 28, 365-7	30
446	Effect of education on hand hygiene beliefs and practices: a 5-year program. 2007 , 28, 88-91	26
445	Multicenter intervention program to increase adherence to hand hygiene recommendations and glove use and to reduce the incidence of antimicrobial resistance. 2007 , 28, 42-9	90
444	Is compliance with hand disinfection in the intensive care unit related to work experience?. 2007 , 28, 362-4	8
443	Reduction in surgical site infections in neurosurgical patients associated with a bedside hand hygiene program in Vietnam. 2007 , 28, 583-8	42
442	Reduction in hospitalwide incidence of infection or colonization with methicillin-resistant <i>Staphylococcus aureus</i> with use of antimicrobial hand-hygiene gel and statistical process control charts. 2007 , 28, 837-44	49
441	Healthcare-associated infection in developing countries: simple solutions to meet complex challenges. 2007 , 28, 1323-7	96
440	Factors associated with critical-care healthcare workers' adherence to recommended barrier precautions during the Toronto severe acute respiratory syndrome outbreak. 2007 , 28, 1275-83	39
439	Determinants of good adherence to hand hygiene among healthcare workers who have extensive exposure to hand hygiene campaigns. 2007 , 28, 1267-74	155
438	Double-blind, randomized, crossover trial of 3 hand rub formulations: fast-track evaluation of tolerability and acceptability. 2007 , 28, 1344-51	24
437	[Hand hygiene: a priority for the safety of hospitalized patients]. 2007 , 25, 365-8	6
436	[Compliance with hand hygiene guidelines and determinants of compliance]. 2007 , 25, 369-75	16
435	Control and prevention of MRSA infections. 2007 , 391, 209-25	10
434	Hand hygiene and glove use behavior in an Italian hospital. 2007 , 28, 1099-102	23
433	Bacterial contamination of hospital bed-control handsets in a surgical setting: a potential marker of contamination of the healthcare environment. 2007 , 89, 656-60	25
432	The business case for patient safety. 2007 , 457, 21-34	2

431	Hand hygiene among nurses in Turkey: opinions and practices. 2007 , 16, 431-7	25
430	Antimicrobial drug use and infection control practices associated with the prevalence of methicillin-resistant <i>Staphylococcus aureus</i> in European hospitals. 2007 , 13, 269-76	68
429	Behavioural considerations for hand hygiene practices: the basic building blocks. 2007 , 65, 1-8	894
428	Measurement of compliance with hand hygiene. 2007 , 66, 6-14	240
427	Electronic surveillance of wall-mounted soap and alcohol gel dispensers in an intensive care unit. 2007 , 66, 34-9	36
426	Rapid recontamination with MRSA of the environment of an intensive care unit after decontamination with hydrogen peroxide vapour. 2007 , 66, 360-8	95
425	'My five moments for hand hygiene': a user-centred design approach to understand, train, monitor and report hand hygiene. 2007 , 67, 9-21	509
424	Prevention of VAP: the whole is more than the sum of its parts. 2008 , 34, 985-7	7
423	Increasing the frequency of hand washing by healthcare workers does not lead to commensurate reductions in staphylococcal infection in a hospital ward. 2008 , 8, 114	30
422	The effectiveness of a promotion programme on hand hygiene compliance and nosocomial infections in a neonatal intensive care unit. 2008 , 14, 315-21	42
421	Hand hygiene compliance monitoring: current perspectives from the USA. 2008 , 70 Suppl 1, 2-7	92
420	Development of an observational measure of healthcare worker hand-hygiene behaviour: the hand-hygiene observation tool (HHOT). 2008 , 68, 222-9	38
419	The role of healthcare personnel in the maintenance and spread of methicillin-resistant <i>Staphylococcus aureus</i> . 2008 , 1, 78-100	19
418	Vancomycin-resistant enterococci (VRE): transmission and control. 2008 , 31, 99-106	96
417	Comparison of the effect of ciprofloxacin and Tazocin on the incidence of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) in an Intensive Care Unit. 2008 , 32, 499-504	2
416	Pseudooutbreak of <i>Stenotrophomonas maltophilia</i> bacteremia in a general ward. 2008 , 36, 29-32	10
415	Appraisal of recommended respiratory infection control practices in primary care and emergency department settings. 2008 , 36, 268-75	23
414	Adherence to hand hygiene in an Italian long-term care facility. 2008 , 36, 495-7	29

413	The individual, environmental, and organizational factors that influence nurses' use of facial protection to prevent occupational transmission of communicable respiratory illness in acute care hospitals. 2008 , 36, 481-7	54
412	Overcrowding and understaffing in modern health-care systems: key determinants in methicillin-resistant <i>Staphylococcus aureus</i> transmission. 2008 , 8, 427-34	150
411	Prospective, controlled, cross-over trial of alcohol-based hand gel in critical care units. 2008 , 29, 8-15	130
410	Time-series analysis of the impact of bed occupancy rates on the incidence of methicillin-resistant <i>Staphylococcus aureus</i> infection in overcrowded general wards. 2008 , 29, 496-502	37
409	Inverse correlation between level of professional education and rate of handwashing compliance in a teaching hospital. 2008 , 29, 534-8	69
408	Rapid antibacterial activity of 2 novel hand soaps: evaluation of the risk of development of bacterial resistance to the antibacterial agents. 2008 , 29, 736-41	10
407	Implementation of an industrial systems-engineering approach to reduce the incidence of methicillin-resistant <i>Staphylococcus aureus</i> infection. 2008 , 29, 702-8, 7 p following 708	52
406	Controlled trial measuring the effect of a feedback intervention on hand hygiene compliance in a step-down unit. 2008 , 29, 730-5	41
405	Now, Wash your Hands 2008 , 9, 190-190	
404	Methicillin-resistant <i>Staphylococcus aureus</i> in orthopaedic surgery. 2008 , 90, 1401-6	40
403	Compliance with hand hygiene in a genitourinary medicine department. 2008 , 19, 782-3	5
402	Strategies for prevention of RSV nosocomial infection. 2008 , 28, 319-23	44
401	Compliance with hand hygiene guidelines: where are we in 2008?. 2008 , 108, 40-4; quiz 45	26
400	HAI prevention. 2008 , 39, 1-7	1
399	Noninvasive ventilation for patients near the end of life: what do we know and what do we need to know?. 2008 , 36, 1003-4	4
398	Educational interventions for prevention of healthcare-associated infection: a systematic review. 2008 , 36, 933-40	71
397	Nosocomial Infection in the Intensive Care Unit. 2008 , 1003-1069	4
396	Quand soigner rend malade: des soignants face au risque infectieux à l'hôpital. 2008 , 20, 57	7

395	Hand hygiene audits utilising medical student observers and measuring product consumption. 2008 , 13, 10-14		3
394	Hand hygiene: more than just hands. 2008 , 23, 438-44		3
393	Adesão à técnica de lavagem de mãos em Unidade de Terapia Intensiva Neonatal. 2009 , 27, 179-185		3
392	The impact of requiring completion of an online infection control course on health professionals' intentions to comply with infection control guidelines: A comparative study. 2009 , 20, 15-9		6
391	Improvements in hand hygiene across New South Wales public hospitals: clean hands save lives, part III. 2009 , 191, S18-24		25
390	Clinical practice improvement initiatives: don't be satisfied with the early results. 2009 , 136, 335-338		5
389	Sykehusinfeksjoner og pasientsikkerhet. 2009 , 29, 33-37		2
388	Psychological processes underlying nurses' handwashing behaviour. <i>Journal of Infection Prevention</i> , 2009 , 10, 90-95	1.1	3
387	Hand washing versus hand hygiene in intensive care unit: a clinical trial. 2009 , 24, e15-7		0
386	Performance of hand hygiene in 214 healthcare facilities in South-Western France. 2009 , 71, 280-2		18
385	Measurement and interpretation of hand hygiene compliance rates: importance of monitoring entire care episodes. 2009 , 72, 211-7		34
384	Effectiveness of a training programme to improve hand hygiene compliance in primary healthcare. 2009 , 9, 469		14
383	Implementation of a multimodal infection control program during an Acinetobacter outbreak. 2009 , 25, 57-63		15
382	Comparison of acceptability, skin tolerance, and compliance between handwashing and alcohol-based handrub in ICUs: results of a multicentric study. 2009 , 35, 1216-24		22
381	Interruptions during nurses' drug rounds in surgical wards: observational study. 2009 , 17, 185-192		55
380	Profile of anesthetic infection control in Taiwan: a questionnaire report. 2009 , 21, 13-8		4
379	Hand hygiene and treatment table sanitizing in chiropractic teaching institutions: results of an education intervention to increase compliance. 2009 , 32, 469-76		9
378	Exploring the hand hygiene competence of student nurses: a case of flawed self assessment. 2009 , 29, 380-8		47

377	Religion and culture: potential undercurrents influencing hand hygiene promotion in health care. 2009 , 37, 28-34	46
376	Factors affecting performance of hospital infection control in Japan. 2009 , 37, 136-42	16
375	Changes in hands microbiota associated with skin damage because of hand hygiene procedures on the health care workers. 2009 , 37, 155-9	44
374	Hand hygiene compliance by physicians: marked heterogeneity due to local culture?. 2009 , 37, 301-5	51
373	E-learning may improve adherence to alcohol-based hand rubbing: a cohort study. 2009 , 37, 565-8	11
372	Compliance with hand hygiene on surgical, medical, and neurologic intensive care units: direct observation versus calculated disinfectant usage. 2009 , 37, 835-41	69
371	A qualitative exploration of reasons for poor hand hygiene among hospital workers: lack of positive role models and of convincing evidence that hand hygiene prevents cross-infection. 2009 , 30, 415-9	173
370	Cohort study of adherence to correct hand antisepsis before and after performance of clinical procedures. 2009 , 30, 172-8	15
369	Hand hygiene with soap and water is superior to alcohol rub and antiseptic wipes for removal of <i>Clostridium difficile</i> . 2009 , 30, 939-44	151
368	Evaluation of an electronic device for real-time measurement of alcohol-based hand rub use. 2009 , 30, 1090-5	56
367	Understanding Hand Hygiene Behavior Among Jordanian Registered Nurses. 2009 , 17, 150-156	
366	Hand hygiene adherence is influenced by the behavior of role models. 2009 , 10, 360-3	43
365	Safety in Critical Care and Pulmonary Medicine. 2009 , 16, 28-32	6
364	A practical tool to identify and eliminate barriers to compliance with evidence-based guidelines. 2009 , 35, 526-32, 485	42
363	Common complications in the surgical intensive care unit. 2010 , 38, S483-93	15
362	Hand hygiene in the intensive care unit. 2010 , 38, S299-305	29
361	Methicillin-resistant <i>Staphylococcus aureus</i> and vancomycin-resistant enterococcus: recognition and prevention in intensive care units. 2010 , 38, S335-44	43
360	A multifaceted program to prevent ventilator-associated pneumonia: impact on compliance with preventive measures. 2010 , 38, 789-96	112

359	Effects of reducing beta-lactam antibiotic pressure on intestinal colonization of antibiotic-resistant gram-negative bacteria. 2010 , 36, 512-9	37
358	Changes in knowledge, beliefs, and perceptions throughout a multifaceted behavioral program aimed at preventing ventilator-associated pneumonia. 2010 , 36, 1341-7	27
357	Presenteeism: are we hurting the patients we are trying to help?. 2010 , 25, 1142-3	15
356	Educating healthcare workers to optimal hand hygiene practices: addressing the need. 2010 , 38, 349-56	42
355	Impact of alcohol hand-rub use on methicillin-resistant <i>Staphylococcus aureus</i> : an analysis of the literature. 2010 , 74, 204-11	61
354	Clean Hands for Life: results of a large, multicentre, multifaceted, social marketing hand-hygiene campaign. 2010 , 74, 225-31	17
353	Are open box gloves clean enough to perform vaginal examinations?. 2010 , 75, 243-4	3
352	When are the hands of healthcare workers positive for methicillin-resistant <i>Staphylococcus aureus</i> ?. 2010 , 75, 107-11	35
351	Influence of job seniority, hand hygiene education, and patient-to-nurse ratio on hand disinfection compliance. 2010 , 76, 32-5	24
350	Systematic patients' hand disinfection: impact on methicillin-resistant <i>Staphylococcus aureus</i> infection rates in a community hospital. 2010 , 75, 269-72	42
349	Epidemiology meets econometrics: using time-series analysis to observe the impact of bed occupancy rates on the spread of multidrug-resistant bacteria. 2010 , 76, 108-13	18
348	Compliance with hand hygiene in patients with methicillin-resistant <i>Staphylococcus aureus</i> and extended-spectrum β -lactamase-producing enterobacteria. 2010 , 76, 320-3	38
347	MRSA in dermatology - Prospective epidemiological study in employees and patients of a dermatological department of a university hospital. 2010 , 8, 607-13	6
346	Evaluation of individual and facility factors that promote hand washing in aged-care facilities in Japan. 2010 , 12, 127-34	15
345	Outbreaks where food workers have been implicated in the spread of foodborne disease. Part 11. Use of antiseptics and sanitizers in community settings and issues of hand hygiene compliance in health care and food industries. 2010 , 73, 2306-20	42
344	Outbreaks where food workers have been implicated in the spread of foodborne disease. Part 9. Washing and drying of hands to reduce microbial contamination. 2010 , 73, 1937-55	75
343	What have we learned about interventions to reduce medical errors?. 2010 , 31, 479-97 1 p following 497	52
342	Emerging fungal infections among children: A review on its clinical manifestations, diagnosis, and prevention. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2010 , 2, 314-20	1.1 59

341	Measuring rates of hand hygiene adherence in the intensive care setting: a comparative study of direct observation, product usage, and electronic counting devices. 2010 , 31, 796-801	76
340	Rates of adherence to hand hygiene and gloving practices in 2 French rehabilitation hospitals by differentiation between single contacts and series of successive contacts with patients or the environment. 2010 , 31, 878-9	6
339	Positive deviance and hand hygiene: more questions than answers. 2010 , 31, 978-9; author reply 979-80	2
338	Effect of a multifaceted intervention on adherence to hand hygiene among healthcare workers: a cluster-randomized trial. 2010 , 31, 1170-6	37
337	Method for automated monitoring of hand hygiene adherence without radio-frequency identification. 2010 , 31, 1294-7	46
336	Patient participation: current knowledge and applicability to patient safety. 2010 , 85, 53-62	461
335	Clinical practice guidelines for <i>Clostridium difficile</i> infection in adults: 2010 update by the society for healthcare epidemiology of America (SHEA) and the infectious diseases society of America (IDSA). 2010 , 31, 431-55	2383
334	Systematic review of studies on compliance with hand hygiene guidelines in hospital care. 2010 , 31, 283-94	627
333	Factors determining poor practice in alcoholic gel hand rub technique in hospital workers. 2010 , 3, 25-34	23
332	[Hand hygiene adherence among Cantabrian health service workers]. 2010 , 134, 82-3	2
331	The impact of teamwork on missed nursing care. 2010 , 58, 233-41	151
330	Does hand hygiene compliance among health care workers change when patients are in contact precaution rooms in ICUs?. 2010 , 38, 515-7	17
329	Increased use of alcohol-based hand sanitizers and successful eradication of methicillin-resistant <i>Staphylococcus aureus</i> from a neonatal intensive care unit: a multivariate time series analysis. 2010 , 38, 529-34	21
328	Diurnal variation in hand hygiene compliance in a tertiary level multidisciplinary intensive care unit. 2010 , 38, 535-9	30
327	CE: continuing education article. Prevention of infection in patients with chronic kidney disease part 1: application of infection control principles to the renal care environment. 2010 , 36, 191-8	9
326	Preventing healthcare-associated infection through education: have surgeons been overlooked?. 2010 , 8, 96-100	11
325	Stery-hand: A new device to support hand disinfection. 2010 , 2010, 4756-9	4
324	Prevention of endemic healthcare-associated <i>Clostridium difficile</i> infection: reviewing the evidence. 2010 , 105, 2327-39; quiz 2340	46

323	The socioeconomic impact of musculoskeletal infections. 2010 , 92, e13	77
322	Randomized comparison of 2 protocols to prevent acquisition of methicillin-resistant <i>Staphylococcus aureus</i> : results of a 2-center study involving 500 patients. 2011 , 32, 1064-72	19
321	Predictors of hand hygiene in the emergency department. 2011 , 32, 1120-3	19
320	Dissemination and sustainability of a hospital-wide hand hygiene program emphasizing positive reinforcement. 2011 , 32, 59-66	53
319	Prevention of Antimicrobial Resistance: Current and Future Strategies. 2011 , 507-517	1
318	Measuring healthcare worker hand hygiene activity: current practices and emerging technologies. 2011 , 32, 1016-28	133
317	Prevention of VAP: is zero rate possible?. 2011 , 32, 591-9	20
316	Measurement of hand hygiene compliance and gloving practices in different settings for the elderly considering the location of hand hygiene opportunities during patient care. 2011 , 39, 339-41	11
315	Adherence to hand hygiene and risk factors for poor adherence in 13 Ontario acute care hospitals. 2011 , 39, 693-696	15
314	"Comment, culture, and research"!. 2011 , 39, 345-6	
313	[We can and must improve hand hygiene. You decide. "Clean care is safer care"]. 2011 , 29, 1-3	1
312	Remembering Semmelweis: Hand Hygiene and Its Importance on Today's Clinical Practice. 2011 , 77, 123-125	2
311	[Quality of hand hygiene of active professionals in basic health units]. 2011 , 32, 569-75	5
310	Performance of medical residents in sterile techniques during central vein catheterization: randomized trial of efficacy of simulation-based training. 2011 , 139, 80-7	69
309	Hand hygiene compliance of nurses: a 5-unit observational study in North-Eastern Anatolia. 2011 , 17, 435-40	3
308	Impact of a multi-faceted training intervention on the improvement of hand hygiene and gloving practices in four healthcare settings including nursing homes, acute-care geriatric wards and physical rehabilitation units. 2011 , 20, 2744-51	13
307	Influence of a hygiene promotion programme on infection control in an intensive-care unit. 2011 , 17, 894-900	6
306	Evaluation of handwashing behaviors and analysis of hand flora of intensive care unit nurses. 2011 , 5, 99-107	5

305	Reduction in ventilator associated pneumonia in a mixed intensive care unit after initiation of a novel hand hygiene program. 2011 , 26, 489-495		45
304	Helping hands: a cluster randomised trial to evaluate the effectiveness of two different strategies for promoting hand hygiene in hospital nurses. 2011 , 6, 101		19
303	Healthcare workers' and parents' perceptions of measures for improving adherence to hand-hygiene. 2011 , 11, 466		11
302	Improvement of adherence to hand hygiene practice using a multimodal intervention program in a neonatal intensive care. 2011 , 26, 22-9		18
301	Relationship between systems-level factors and hand hygiene adherence. 2011 , 26, 30-8		11
300	Improving hand hygiene adherence among nursing staff. 2011 , 26, 39-48		15
299	Back to the future: rising to the Semmelweis challenge in hand hygiene. 2011 , 6, 855-76		25
298	Quality-improvement initiative sustains improvement in pediatric health care worker hand hygiene. 2011 , 128, e689-98		24
297	Infection control in the community: a pragmatic approach. 2011 , 16, 282-8		9
296	Use of personal protective equipment in Canadian pediatric emergency departments. 2011 , 13, 71-8		10
295	Efficacy of a multimodal intervention strategy in improving hand hygiene compliance in a tertiary level intensive care unit. 2011 , 15, 6-15		30
294	Hand hygiene compliance in the intensive care units of a tertiary care hospital. 2011 , 36, 217-21		27
293	A Study on Hand Contamination and Hand Washing Practices among Medical Students. 2012 , 2012, 1-5		17
292	Utilizing improvement science methods to improve physician compliance with proper hand hygiene. 2012 , 129, e1042-50		34
291	Infection prevention practice: how does experience affect knowledge and application?. <i>Journal of Infection Prevention</i> , 2012 , 13, 92-96	1.1	5
290	Hand hygiene compliance: is there a theory-practice-ethics gap?. 2012 , 21, 1011-4		15
289	The effects of a poster in informing and empowering patients in infection prevention and control. <i>Journal of Infection Prevention</i> , 2012 , 13, 146-153	1.1	3
288	Low compliance to handwashing program and high nosocomial infection in a Brazilian hospital. 2012 , 2012, 579681		9

287	Attitudes and beliefs about hand hygiene among paediatric residents: a qualitative study. 2012 , 2,	17
286	Relationship between chlorhexidine gluconate skin concentration and microbial density on the skin of critically ill patients bathed daily with chlorhexidine gluconate. 2012 , 33, 889-96	75
285	Features of educational interventions that lead to compliance with hand hygiene in healthcare professionals within a hospital care setting. A BEME systematic review: BEME Guide No. 22. 2012 , 34, e406-20	28
284	Impact of a hospital-wide hand hygiene initiative on healthcare-associated infections: results of an interrupted time series. 2012 , 21, 1019-26	69
283	Cluster randomized trial to evaluate the effect of a multimodal hand hygiene improvement strategy in primary care. 2012 , 33, 681-8	27
282	Analysis of a <i>Streptococcus pyogenes</i> puerperal sepsis cluster by use of whole-genome sequencing. 2012 , 50, 2224-8	47
281	Impact of a hand hygiene educational programme on hospital-acquired infections in medical wards. 2012 , 18, 1212-8	36
280	Point-of-care hand hygiene: preventing infection behind the curtain. 2012 , 40, S3-10	16
279	[Effectiveness of an intervention to improve the compliance of hand hygiene in a tertiary hospital]. 2012 , 27, 3-10	3
278	A systematic review of hand hygiene improvement strategies: a behavioural approach. 2012 , 7, 92	144
277	Estimating the volume of alcohol-based hand rub required for a hand hygiene program. 2012 , 40, 810-4	5
276	A simple inexpensive audio-visual reminder of infection control procedures on entry to a neonatal intensive care unit. 2012 , 82, 203-6	5
275	Hand Hygiene. 2012 , 418-444	
274	Hand Hygiene: State-of-the-Art Review With Emphasis on New Technologies and Mechanisms of Surveillance. 2012 , 14, 585-91	29
273	<i>Staphylococcus aureus</i> résistant à la méthicilline en réanimation. 2012 , 21, 493-505	
272	Is it time for a blood pressure measurement "bundle"?. 2012 , 27, 615-7	5
271	Effectiveness of hand hygiene education in a basic nursing school curricula. 2012 , 29, 152-9	35
270	Infectious disease in assisted living: controlling the enemy is in our hands!. 2012 , 33, 56-9	

269	Predictors of hospitalized patients' intentions to prevent healthcare harm: a cross sectional survey. 2012 , 49, 407-15		20
268	Do staffing and workload levels influence the risk of new acquisitions of meticillin-resistant <i>Staphylococcus aureus</i> in a well-resourced intensive care unit?. 2012 , 80, 331-9		4
267	Hand hygiene compliance and irritant dermatitis: a juxtaposition of healthcare issues. 2012 , 34, 402-15		28
266	Explaining the effects of two different strategies for promoting hand hygiene in hospital nurses: a process evaluation alongside a cluster randomised controlled trial. 2013 , 8, 41		35
265	Improving physician hand hygiene compliance using behavioural theories: a study protocol. 2013 , 8, 16		33
264	Observance of hand washing procedures performed by the medical personnel before patient contact. Part I. 2013 , 26, 113-21		12
263	The impact of staffing on central venous catheter-associated bloodstream infections in preterm neonates - results of nation-wide cohort study in Germany. <i>Antimicrobial Resistance and Infection Control</i> , 2013 , 2, 11	6.2	24
262	A large-scale assessment of hand hygiene quality and the effectiveness of the "WHO 6-steps". 2013 , 13, 249		40
261	Determinants of hand hygiene noncompliance in intensive care units. 2013 , 41, 131-5		39
260	Promoting and sustaining a hospital-wide, multifaceted hand hygiene program resulted in significant reduction in health care-associated infections. 2013 , 41, 482-6		54
259	Physician 'defiance' towards hand hygiene compliance: Is there a theory-practice-ethics gap?. 2013 , 25, 203-8		19
258	The effect of hand hygiene compliance on hospital-acquired infections in an ICU setting in a Kuwaiti teaching hospital. 2013 , 6, 27-34		39
257	Effectiveness of a neonatal intensive care unit access intercom linked audiovisual display monitor highlighting infection control procedures. 2013 , 41, 749-50		3
256	Reducing pathogen transmission in a hospital setting. Handshake versus fist bump: a pilot study. 2013 , 85, 321-3		12
255	Comparing hand hygiene measures in a neonatal ICU: a randomized crossover trial. 2013 , 50, 917-21		6
254	Has improved hand hygiene compliance reduced the risk of hospital-acquired infections among hospitalized patients in Ontario? Analysis of publicly reported patient safety data from 2008 to 2011. 2013 , 34, 605-10		15
253	Multimodal evaluation of the effectiveness of a hand hygiene educational campaign at a small animal veterinary teaching hospital. 2013 , 243, 1042-8		8
252	Acceptability and tolerability of liquid versus gel and standard versus virucidal alcohol-based hand rub formulations among dental students. 2013 , 41, 1007-11		4

251	Assessment of exposure to ethanol vapors released during use of Alcohol-Based Hand Rubs by healthcare workers. 2013 , 6, 16-26	10
250	Predictors of hand hygiene compliance in the era of alcohol-based hand rinse. 2013 , 83, 276-83	27
249	Acinetobacter baumannii infection was decreased by the structural renovation of a medical intensive care unit. 2013 , 28, 328-34	4
248	Evolutionary Psychology: A Fresh Perspective for Understanding and Changing Problematic Behavior. 2013 , 73, 12-22	12
247	Hand hygiene compliance in the critical care setting: a comparative study of 2 different alcohol handrub formulations. 2013 , 41, 136-9	21
246	Perceptions of risk to patient safety in the pediatric ICU, a study of American pediatric intensivists. 2013 , 53, 160-167	3
245	Evaluation of the number of opportunities for hand hygiene in hospital: a new methodological approach. 2013 , 50, 413-8	2
244	Overcoming patient barriers to discussing physician hand hygiene: do patients prefer electronic reminders to other methods?. 2013 , 34, 929-34	27
243	Bed occupancy rates and hospital-acquired Clostridium difficile infection: a cohort study. 2013 , 34, 1062-9	10
242	Hand hygiene behavior: translating behavioral research into infection control practice. 2013 , 34, 1137-45	17
241	Infection control knowledge, attitudes, and practices among healthcare workers in Addis Ababa, Ethiopia. 2013 , 34, 1289-96	53
240	Impact of regular soap provision to primary schools on hand washing and E. coli hand contamination among pupils in Nyanza Province, Kenya: a cluster-randomized trial. 2013 , 89, 698-708	29
239	Adherence Engineering: A New Approach to Increasing Adherence to Protocols. 2013 , 21, 19-25	13
238	Types of interventions used to improve hand hygiene compliance and prevent healthcare associated infection. <i>Journal of Infection Prevention</i> , 2013 , 14, 88-93	1.1 17
237	Knowledge of and Adherence to Hygiene Guidelines among Medical Students in Austria. 2013 , 2013, 802930	11
236	The Environmental Cost of Misinformation: Why the Recommendation to Use Elevated Temperatures for Handwashing is Problematic. 2013 , 37, 433-441	4
235	Improving hand hygiene compliance in healthcare settings using behavior change theories: reflections. 2013 , 25, 374-82	23
234	Factors associated with hand hygiene compliance at a tertiary care teaching hospital. 2013 , 34, 1146-52	19

233	Hand hygiene perception among health care workers in Hungarian hospitals: prior to a nationwide microbiological survey. 2013 , 60, 55-61	
232	Hand hygiene practices among community Health Officers in Rivers State, Nigeria. 2013 , 13, 507-11	4
231	Compliance of health care workers with hand hygiene practices: independent advantages of overt and covert observers. 2013 , 8, e53746	67
230	Assessing the Effectiveness of an Educational Program on Compliance with Hand Hygiene in a Pediatric Intensive Care Unit. 2014 , 2014, 1-4	3
229	Improved Hand Hygiene Compliance is Associated with the Change of Perception toward Hand Hygiene among Medical Personnel. 2014 , 46, 165-71	30
228	Knowledge, Attitude, and Practice of Hand Hygiene among Medical and Nursing Students at a Tertiary Health Care Centre in Raichur, India. 2014 , 2014, 608927	38
227	Do peer effects improve hand hygiene adherence among healthcare workers?. 2014 , 35, 1277-85	27
226	Predictors of health care professionals' attitudes towards involvement in safety-relevant behaviours. 2014 , 20, 12-9	12
225	Understanding practice: factors that influence physician hand hygiene compliance. 2014 , 35, 1511-20	34
224	Minimizing Nosocomial Infection. 2014 , 693-707	
223	Compliance of healthcare workers with hand hygiene practices in neonatal and pediatric intensive care units: overt observation. 2014 , 2014, 306478	28
222	Hand sanitization rates in an urban emergency medical services system. 2014 , 47, 163-8	13
221	Assessing the impact of an educational intervention on ventilator-associated pneumonia in a pediatric critical care unit. 2014 , 42, 111-5	13
220	Hand Hygiene. 2014 , 37-48	
219	EMS provider compliance with infection control recommendations is suboptimal. 2014 , 18, 290-4	27
218	A multifactorial action plan improves hand hygiene adherence and significantly reduces central line-associated bloodstream infections. 2014 , 42, 1146-51	30
217	Hand hygiene among neurologists attending a congress. 2014 , 42, e27-8	3
216	Application of a theoretical framework for behavior change to hospital workers' real-time explanations for noncompliance with hand hygiene guidelines. 2014 , 42, 106-10	44

215	Pharmacist participation in infection prevention: an innovative approach to monitoring compliance with the Five Moments for Hand Hygiene in a large academic medical center. 2014 , 42, 331-2		6
214	Accuracy of a radiofrequency identification (RFID) badge system to monitor hand hygiene behavior during routine clinical activities. 2014 , 42, 144-7		47
213	Improving hand hygiene at eight hospitals in the United States by targeting specific causes of noncompliance. 2015 , 41, 4-12		42
212	Hand hygiene behavior in a tertiary university hospital: differences between surgical and nonsurgical departments. 2015 , 1,		6
211	New and emerging concepts in managing and preventing community-associated methicillin-resistant <i>Staphylococcus aureus</i> infections. 2015 , 54, 1226-32		12
210	The Hawthorne Effect on the Adherence to Hand Hygiene. 2015 , 12, 7		2
209	Banning the Handshake from Healthcare Settings is not the Solution to Poor Hand Hygiene. 2015 , 42, 510-1		2
208	Personal hand gel for improved hand hygiene compliance on the regional anesthesia team. 2015 , 29, 899-903		5
207	A case study of healthcare professional views on the meaning of data produced by hand hygiene auditing. <i>Journal of Infection Prevention</i> , 2015 , 16, 248-254	1.1	2
206	Environmental interventions to control <i>Clostridium difficile</i> . 2015 , 29, 83-91		22
205	Systematic review of the effectiveness of strategies to encourage patients to remind healthcare professionals about their hand hygiene. 2015 , 89, 141-62		30
204	Contact precautions and hand hygiene in veterinary clinics. 2015 , 45, 343-60, vi		15
203	Hand hygiene and aseptic techniques during routine anesthetic care - observations in the operating room. <i>Antimicrobial Resistance and Infection Control</i> , 2015 , 4, 5	6.2	19
202	Usage of ultraviolet test method for monitoring the efficacy of surgical hand rub technique among medical students. 2015 , 72, 530-5		15
201	Understanding the current state of infection prevention to prevent <i>Clostridium difficile</i> infection: a human factors and systems engineering approach. 2015 , 43, 241-7		36
200	Arsenic Contamination in Soil and Sediment in India: Sources, Effects, and Remediation. 2015 , 1, 35-46		74
199	The 'My five moments for hand hygiene' concept for the overcrowded setting in resource-limited healthcare systems. 2015 , 91, 95-9		28
198	Implementation of infection control in health facilities in Arua district, Uganda: a cross-sectional study. 2015 , 15, 268		20

197	An agent-based simulation model for Clostridium difficile infection control. 2015 , 35, 211-29		28
196	Advances in infection control. 2016 , 14, 108-9		1
195	Impact of WHO Hand Hygiene Improvement Program Implementation: A Quasi-Experimental Trial. 2016 , 2016, 7026169		20
194	Hand hygiene knowledge and practice among university students: evidence from Private Universities of Bangladesh. 2016 , 9, 13-20		19
193	Choosing Opioid Policies Our Patients Can Live With. 2016 , 23, 1290-1292		1
192	What Transmission Precautions Best Control Influenza Spread in a Hospital?. 2016 , 183, 1045-54		25
191	Chaos in collective health: Fractal dynamics of social learning. 2016 , 409, 47-59		2
190	Prevention of Infection Due to Clostridium difficile. 2016 , 30, 999-1012		1
189	When procedures meet practice in community pharmacies: qualitative insights from pharmacists and pharmacy support staff. 2016 , 6, e010851		22
188	A quasi-experimental study to determine the effects of a multifaceted educational intervention on hand hygiene compliance in a radiography unit. <i>Antimicrobial Resistance and Infection Control</i> , 2016 , 5, 36	6.2	5
187	Resilience, tipping, and hydra effects in public health: emergent collective behavior in two agent-based models. 2016 , 16, 265		2
186	Luminal Toxin-Binding Agents for Clostridium difficile Infection. 2016 , 29, 361-7		10
185	Successful development of a direct observation program to measure health care worker hand hygiene using multiple trained volunteers. 2016 , 44, 544-7		8
184	Current and future healthcare needs of future hospital physicians. 2016 , 66, 122-7		2
183	Potential infection control risks associated with roaming healthcare industry representatives. <i>Journal of Infection Prevention</i> , 2016 , 17, 22-28	1.1	5
182	Factors associated with biosafety level-2 research workers' laboratory exit handwashing behaviors and glove removal compliance. 2016 , 13, 254-64		4
181	Visitor characteristics and alcohol-based hand sanitizer dispenser locations at the hospital entrance: Effect on visitor use rates. 2016 , 44, 258-62		9
180	WITHDRAWN: Hand hygiene: From Semmelweis to present!. 2016 ,		1

179	Role of parents in the promotion of hand hygiene in the paediatric setting: a systematic literature review. 2016 , 93, 159-63	12
178	The role of time pressure and different psychological safety climate referents in the prediction of nurses' hand hygiene compliance. 2016 , 82, 29-43	24
177	Ventilator-Associated Pneumonia. 2016 , 583-592.e5	
176	Frequency of Use of Alcohol-Based Hand Rubs by Nurses: A Systematic Review. 2017 , 38, 189-195	8
175	A stochastic model for MRSA transmission within a hospital ward incorporating environmental contamination. 2017 , 145, 825-838	3
174	Impact of a hand hygiene audit on hand hygiene compliance in a tertiary care public sector teaching hospital in South India. 2017 , 45, 498-501	10
173	Workload even affects hand hygiene in a highly trained and well-staffed setting: a prospective 365/7/24 observational study. 2017 , 97, 11-16	24
172	Evaluation of hand hygiene compliance and associated factors with a radio-frequency-identification-based real-time continuous automated monitoring system. 2017 , 95, 344-351	26
171	Hand hygiene compliance: Social cohesion and role modeling. 2017 , 45, 579-580	
170	Electronic monitoring in combination with direct observation as a means to significantly improve hand hygiene compliance. 2017 , 45, 528-535	45
169	Conducting a Literature Review on Hand Hygiene. 2017 , 391-399	0
168	Compliance with Hand Hygiene Best Practices. 2017 , 76-84	2
167	Barriers to Compliance. 2017 , 85-88	1
166	Self-reported behaviors and perceptions of Australian paramedics in relation to hand hygiene and gloving practices in paramedic-led health care. 2017 , 45, 771-778	13
165	Patient Attitudes and Participation in Hand Co-Washing in an Outpatient Clinic Before and After a Prompt. 2017 , 15, 155-157	2
164	Hand hygiene mantra: teach, monitor, improve, and celebrate. 2017 , 95, 335-337	8
163	Hand Hygiene With Alcohol-Based Hand Rub: How Long Is Long Enough?. 2017 , 38, 547-552	46
162	Implementation of the WHO multimodal Hand Hygiene Improvement Strategy in a University Hospital in Central Ethiopia. <i>Antimicrobial Resistance and Infection Control</i> , 2017 , 6, 3	6.2 33

161	Patients' intention to speak up for health care providers' hand hygiene in inpatient diabetic foot wound treatment: a cross-sectional survey in diabetes outpatient centres in Lower Saxony, Germany. 2017 , 22, 1137-1148		1
160	Shortening the Application Time of Alcohol-Based Hand Rubs to 15 Seconds May Improve the Frequency of Hand Antisepsis Actions in a Neonatal Intensive Care Unit. 2017 , 38, 1430-1434		17
159	Hand hygiene: Attitudes and practices of nurses, a comparison between 2007 and 2015. 2017 , 45, 1300-1307		10
158	Why language matters: a tour through hand hygiene literature. <i>Antimicrobial Resistance and Infection Control</i> , 2017 , 6, 65	6.2	3
157	A nationwide covert observation study using a novel method for hand hygiene compliance in health care. 2017 , 45, 240-244		9
156	In-hospital contact investigation among health care workers after exposure to pulmonary tuberculosis in an intermediate tuberculosis prevalence area: A prospective study. 2017 , 72, 272-278		5
155	Effect of different alcohols on stratum corneum kallikrein 5 and phospholipase A together with epidermal keratinocytes and skin irritation. 2017 , 39, 188-196		14
154	[A multimodal strategy to improve adherence to hand hygiene in a university hospital]. 2017 , 32, 50-56		1
153	Hand hygiene compliance among health care workers in pediatric oncology ward of a tertiary care hospital: A cross sectional observational study. 2017 , 8, 197-199		1
152	Violations. 141-182		
151	Incentives, Peer Pressure, and Behavior Persistence. 2017 ,		4
150	Frequency and Nature of Infectious Risk Moments During Acute Care Based on the INFORM Structured Classification Taxonomy. 2018 , 39, 272-279		5
149	The WHO 2018 Hand Hygiene Campaign: Make a Difference-Prevent Sepsis in Health Care. 2018 , 197, 985-986		4
148	Clinical Practice Guidelines for Clostridium difficile Infection in Adults and Children: 2017 Update by the Infectious Diseases Society of America (IDSA) and Society for Healthcare Epidemiology of America (SHEA). 2018 , 66, e1-e48		926
147	Healthcare-associated respiratory infections in intensive care unit can be reduced by a hand hygiene program: A multicenter study. 2018 , 31, 340-346		4
146	Sanitation and Hygiene. 2018 , 67-79		
145	Hand hygiene. 2018 , 61, 13		1
144	Use patterns and frequency of hand hygiene in healthcare facilities: Analysis of electronic surveillance data. 2018 , 46, 1104-1109		9

143	Adoption and learning across hospitals: The case of a revenue-generating practice. 2018 , 60, 142-164		10
142	Infectious Disease Considerations for the Operating Room. 2019 , 1146-1160.e4		2
141	The devil is in the details: Factors influencing hand hygiene adherence and contamination with antibiotic-resistant organisms among healthcare providers in nursing facilities. 2019 , 40, 1394-1399		9
140	A multimodal regional intervention strategy framed as friendly competition to improve hand hygiene compliance. 2019 , 40, 187-193		5
139	Factors influencing awareness of healthcare providers on maternal sepsis: a mixed-methods approach. 2019 , 19, 683		5
138	Increased nurse workload is associated with bloodstream infections in very low birth weight infants. 2019 , 9, 6331		3
137	Obstacles to the successful introduction of an electronic hand hygiene monitoring system, a cohort observational study. <i>Antimicrobial Resistance and Infection Control</i> , 2019 , 8, 43	6.2	7
136	Hand Hygiene Compliance Study at a Large Central Hospital in Vietnam. 2019 , 16,		13
135	Bacteriological profile and perception on hand hygiene in school-going Children. 2019 , 11, 300-304		3
134	User-centred participatory design of visual cues for isolation precautions. <i>Antimicrobial Resistance and Infection Control</i> , 2019 , 8, 179	6.2	1
133	Hand hygiene in hospitals: anatomy of a revolution. 2019 , 101, 383-392		31
132	Validity of hand hygiene compliance measurement by observation: A systematic review. 2019 , 47, 313-322		21
131	Antibacterial efficacy of handrubbing for 15 versus 30 seconds: EN 1500-based randomized experimental study with different loads of <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> . 2019 , 25, 851-856		7
130	Hand hygiene compliance and behavioural determinants in a paediatric intensive care unit: An observational study. 2019 , 32, 21-27		4
129	Hand hygiene compliance in Dutch general practice offices. 2020 , 78, 79		1
128	Handrubbing with sprayed alcohol-based hand rub: an alternative method for effective hand hygiene. 2020 , 104, 430-434		2
127	Assessment of hand hygiene facilities and staff compliance in a large tertiary health care facility in northern Nigeria: a cross sectional study. <i>Antimicrobial Resistance and Infection Control</i> , 2020 , 9, 30	6.2	10
126	Sustained effects of a multimodal campaign aiming at hand hygiene improvement on compliance and healthcare-associated infections in a large gynaecology/obstetrics tertiary-care centre in Vietnam. <i>Antimicrobial Resistance and Infection Control</i> , 2020 , 9, 51	6.2	2

125	Hand Hygiene Compliance at Critical Points of Care. 2021 , 72, 814-820	8
124	Hand Hygiene Compliance at a Canadian provincial cancer centre - the complementary roles of nurse auditor-driven and patient auditor-driven audit processes and impact upon practice in ambulatory cancer care. 2021 , 49, 571-575	0
123	Increasing hand-hygiene compliance in clinical settings using a baby-eyes sticker: A field study. 2021 , 15, 183449092110398	
122	Impact of an Interventional Program on Improving Compliance of Hand Hygiene and Reducing Hospital-Acquired Infection in the Critical Care Unit. 2021 , 13, 80-84	1
121	Hand hygiene compliance in companion animal clinics and practices in Switzerland: An observational study. 2021 , 189, e307	1
120	Hand hygiene and the sequence of patient care. 2021 , 1-6	1
119	Reorganization of nurse scheduling reduces the risk of healthcare associated infections. 2021 , 11, 7393	1
118	Cranial Surgical Site Infection Interventions and Prevention Bundles: A Systematic Review of the Literature. 2021 , 148, 206-219.e4	2
117	The impact of workload on hand hygiene compliance: Is 100% compliance achievable?. 2021 , 1-3	0
116	Infecciones nosocomiales: conducta y estrategia terapéutica ante una epidemia. 2021 , 47, 1-18	
115	Defining, measuring, and improving quality. 2021 , 432-445	0
114	Hand hygiene in health care: 20 years of ongoing advances and perspectives. 2021 , 21, e209-e221	13
113	Infezioni nosocomiali: linea d'azione e strategia terapeutica di fronte a un'epidemia. 2021 , 26, 1-17	
112	Implementation of change in healthcare: a complex problem. 1-17	6
111	Healthcare-Acquired Bacterial Infections. 2009 , 543-575	3
110	Control of Clostridium (Clostridioides) difficile Infection in Long-Term Care Facilities/Nursing Homes. 2020 , 53-64	2
109	Vulvar Nick and Metzitzah bĕbeh: Punishment or Harm Reduction?. 2017 , 151-169	2
108	Digital imaging for the education of proper surgical hand disinfection. 2011 , 14, 619-26	3

107	Non-Pharmacologic Prevention of Ventilator-Associated Pneumonia (VAP). 2000 , 123-131	1
106	Catheter-Related Infections in the ICU. 2000 , 95-110	2
105	Ventilator-Associated Pneumonia. 2010 , 741-753	2
104	Evolution and associated factors of hand hygiene compliance in a pediatric tertiary hospital. 2020 , 48, 1305-1310	2
103	Rôle de l'hygiène hospitalière dans la réduction de la résistance aux antibiotiques. 2004 , 188, 1269-1281	1
102	IMPACT OF EDUCATION ON KNOWLEDGE, ATTITUDES AND PRACTICES AMONG VARIOUS CATEGORIES OF HEALTH CARE WORKERS ON NOSOCOMIAL INFECTIONS. 2007 , 25, 181-187	12
101	Improved rates of compliance with hand antisepsis guidelines: a three-phase observational study. 2001 , 101, 26-33	109
100	Antifungal prophylaxis in neutropenia. 1999 , 12, 549-55	3
99	Rewriting the playbook: infection prevention practices to mitigate nosocomial severe acute respiratory syndrome coronavirus 2 transmission. 2021 , 33, 136-143	1
98	Interruptions during nurses' drug rounds in surgical wards: observational study. 2009 , 17, 185-92	9
97	A qualitative evaluation of the role of simulation in policy development for service improvement.. 2018 , 4, 19-22	0
96	Multimodal intervention program to improve hand hygiene compliance: effectiveness and challenges. 2020 , 95, 11	2
95	Understanding Healthcare Workers Self-Reported Practices, Knowledge and Attitude about Hand Hygiene in a Medical Setting in Rural India. 2016 , 11, e0163347	20
94	Comparison of knowledge, attitudes and hand hygiene behavioral intention in medical and nursing students. 2020 , 61, E9-E14	2
93	[The Semmelweis-reflex]. 2009 , 150, 1430	4
92	Methicillin-resistant Staphylococcus aureus on surfaces of an Intensive Care Unit. 2011 , 24, 453-458	9
91	Reduction of Invasive Fungal Infections Among Cancer Patients With Chemotherapy-Induced Neutropenia After Protective Environment Implementation May Save Costs in a Developing Country: A Quasi-Experimental Study. 2015 , 3,	1
90	Evaluation of students' social hand washing knowledge, practices, and skills in a university setting. 2011 , 19, 222-6	18

89	Do Incentivized Behaviors Become Habits?.	1
88	Hand disinfectant practice: the impact of an education intervention. 2010 , 4, 20-4	7
87	Controlling antimicrobial resistance in hospitals: infection control and use of antibiotics. 2001 , 7, 188-92	160
86	Antiseptic technology: access, affordability, and acceptance. 2001 , 7, 231-3	49
85	Improving adherence to hand hygiene practice: a multidisciplinary approach. 2001 , 7, 234-40	344
84	A Serious Game for On-the-Ward Infection Control Awareness Training. 233-246	1
83	Hand Hygiene Behavior in a Pediatric Emergency Department and a Pediatric Intensive Care Unit: Comparison of Use of 2 Dispenser Systems. 2005 , 14, 304-311	71
82	Protecting Your Patients, Colleagues, Family, and Yourself From Infection: First Wash. 2008 , 28, 7-12	2
81	Study on Pediatric Nurses' Attitudes and Compliance with Hospital Infection Standard Precautions. 2011 , 17, 238	11
80	Hand hygiene: back to the basics of infection control. 2011 , 134, 611-20	134
79	Infection control in cystic fibrosis: cohorting, cross-contamination, and the respiratory therapist. 2009 , 54, 641-57	43
78	Nosocomial transmission of group B streptococci proven by positive environmental culture. 2014 , 29, 376-9	3
77	Compliance with handwashing. <i>Annals of Internal Medicine</i> , 1999 , 131, 309-10	8 2
76	Hand hygiene in hospitals. <i>Annals of Internal Medicine</i> , 1999 , 131, 546	8 1
75	Toys - friend or foe? A study of infection risk in a paediatric intensive care unit. 2006 , 18, 14-18	9
74	An audit of clinician compliance with best practice recommendations to repair severe obstetric anal sphincter injuries. 2014 , 18, 27-31	5
73	Is Prevention of Ventilator-Associated Pneumonia Cost Effective. 2001 , 141-153	
72	Cross-Colonization: Fact or Fiction?. 2001 , 181-193	

- 71 Methicillin-Resistant Staphylococcus Aureus: Is Control Necessary?. **2001**, 57-65
- 70 Education as a Primary Tool for Prevention of Catheter-related Infections. **2001**, 137-150
- 69 Epidemic Infections in the ICU: Multiresistant Microorganisms. **2001**, 361-376
- 68 Mathematical Models in the ICU: Dynamics, Infection Control and Antibiotic Resistance. **2001**, 245-266
- 67 Control of Acinetobacter Outbreaks with Oral Polymyxin. **2001**, 147-159
- 66 Isolation and Handwashing. **2001**, 331-340
- 65 Resistant Pathogens: Emergence and Control in ICU Patients. **2001**, 109-129
- 64 Is Prevention of Ventilator- Associated Pneumonia Cost Effective?. **2001**, 45-60 1
- 63 Fungal Infections: The Role of Prophylaxis and Empiric Therapy in ICU Patients. **2001**, 107-114
- 62 Conventional Infection Control Measures: Value or Ritual?. **2001**, 195-211
- 61 Prevention of Ventilator-Associated Pneumonia. **2001**, 707-717 2
- 60 Future Trends in Antimicrobial Use. **2001**, 331-339
- 59 Conventional Infection Control Measures: Value or Ritual?. **2001**, 213-229
- 58 Cross-Infection with Candida in the Intensive Care Unit. **2002**, 13-21
- 57 Compliance. **2003**, 221-249
- 56 Preventing Nosocomial Infections to Improve Outcomes of Intensive Care. **2003**, 247-255
- 55 Antibiotic Resistance in the Intensive Care Unit. **2005**, 675-692
- 54 Populations at elevated risk of foodborne disease. **2006**, 9-30

53 Ethical Issues of Infectious Disease Interventions. **2006**, 87-104

52 Monitoring and evaluation of nursing care quality with stress on implementation of nursing audit. **2006**, 8, 240-248

51 Nosocomial Infections. **2008**, 273-286

50 Proper Use for Hand Finger Disinfectant(Proper Use of Disinfectant). **2009**, 79, 120-125 1

49 Infectious Disease Considerations for the Operating Room. **2009**, 1065-1075

48 ??????????????????????????. **2010**, 25, 357-364

47 Healthcare Associated Infections.

46 Feedback de usuários como subsídio para avaliação do estudante de medicina. **2012**, 36, 381-386 0

45 Avoir raison de la souillure: l'observance de l'hygiène des mains en milieu hospitalier. **2013**, 31, 5 1

44 Scaling-Up of High Impact Interventions. **2015**, 139-147 1

43 Investigation of Microbial Contamination by Methicillin-Resistant Staphylococcus aureus in the Patient Care Environment of ICUs. **2015**, 30, 309-316 1

42 Hand Hygiene Compliance in a Pediatric Long-term Care Facility. **2015**, 30, 33-43 1

41 A Serious Game for On-the-Ward Infection Control Awareness Training. **2015**, 1306-1319

40 Einführung. **2016**, 1-8

39 MEDICINOS DARBUOTOJINIŲ APIE RANKŲ HIGIENOS REIKALAVIMŲ LAIKYMSI ASMENS SVEIKATOS PRIEŠROS TAIGOSE. **2017**, 27, 114-121

38 Persistence of Healthcare-Associated (Nosocomial) Infections Due to Inadequate Hand Hygiene: Part 2 Human Factors. **2018**, 09, 310-323

37 Review of updated clinical practice guidelines of the Infectious Diseases Society of America (IDSA) and Society for Healthcare Epidemiology of America (SHEA) for Clostridium difficile infection in adults and children (2017). **2018**, 20, 76-124 1

36 Factors Affecting Hand Washing Behavior of Children in Indonesia : Based on Health Belief Model. **2018**, 29, 455-467

- 35 Development of a Scale to Measure Aspects of Organizational Climate Related to the Hand Hygiene of Nurses. **2019**, 34, 95-105
- 34 Microbial Colonization of Pneumatic Tourniquets in the Orthopedic Operating Room. **2019**, 11, e5308
- 33 Reorganization of nurse scheduling reduces the risk of healthcare associated infections.
- 32 Prevention of Infection due to Clostridium (Clostridioides) difficile. **2021**, 35, 995-1011 0
- 31 Awareness of Hand Hygiene in Hospital Set-up for Infection Control: Knowledge-based Questionnaire for Health Care Workers in a Teaching Hospital. **2020**, 13, 1773-1779 1
- 30 An agent-based model to simulate the transmission of vancomycin-resistant enterococci according different prevention and control measures. **2021**, 42, 857-863 1
- 29 Baseline assessment of hand hygiene knowledge perception: An observational study at a newly set up teaching hospital. **2020**, 9, 2460-2464
- 28 Hand Hygiene Evaluation Using Two Different Evaluation Tools and Hand Contamination of Veterinary Healthcare Workers in a Swiss Companion Animal Clinic. **2021**, 8, 0
- 27 Evolutionary Psychology: A Fresh Perspective for Understanding and Changing Problematic Behavior. **2012**, n/a-n/a
- 26 Setting The Scene. **2006**, 3-21
- 25 Standardhygienemaßnahmen und abteilungsbergreifende Pflegetechniken. 307-323
- 24 Hygienemaßnahmen auf der Intensivstation. **2007**, 81-86
- 23 KNOWLEDGE, ATTITUDE AND PRACTICES OF HAND HYGIENE IN A HEALTH-CARE SETTING. **2020**, 1-2
- 22 Evaluation of an intervention program to prevent hospital-acquired catheter-associated urinary tract infections in an ICU in a rural Egypt hospital. **2014**, 9, Doc15 6
- 21 Role of disinfection as infection prophylaxis over the course of time - anesthesia, intensive care and emergency medicine, pain therapy. **2007**, 2, Doc11
- 20 Effectiveness of motivational interviewing in promoting hand hygiene of nursing personnel. **2013**, 4, 441-7 4
- 19 [Study of bacterial flora contaminating mobile phones before and after disinfection: comparison between nursing professionals of the Military Hospital Mohammed V in Rabat and controls]. **2015**, 22, 326 1
- 18 Guidelines for infection control and prevention in anaesthesia in South Africa. *Southern African Journal of Anaesthesia and Analgesia*, **2021**, 27, 0.4

17	Compliance to hand hygiene and its determinant factors among Community Health Care Providers in Community Clinics: an observational study in Bangladesh.. <i>Journal of Infection Prevention</i> , 2022 , 23, 67-74	1.1	
16	Report of a Multimodal Strategy for Improvement of Hand Hygiene Compliance in a Latin American Hospital. How Far From Excellence?. <i>Journal of Patient Safety</i> , 2022 , Publish Ahead of Print,	1.9	
15	Improving hand hygiene practices in two regional hospitals in Kenya using a continuous quality improvement (CQI) approach.. <i>Antimicrobial Resistance and Infection Control</i> , 2022 , 11, 56	6.2	○
14	Sensors in Hospitals. 2022 ,		
13	Evaluation of knowledge, attitude, and practice regarding hand hygiene practices among inpatients of kalinga institute of medical sciences Bhubaneswar: A preliminary study. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2022 , 14, 568	1.1	
12	Increased Rate of Hand Hygiene Compliance During COVID -19 Pandemic: Myths and Facts. 2022 , 37-47		
11	Increased Rate of Hand Hygiene Compliance During COVID -19 Pandemic: Myths and Facts. 2022 , 37-47		
10	Quantification of diurnal variation in glove hygiene compliance in COVID ICUs: an exploratory study. 2022 ,		
9	Hand Hygiene in the Intensive Care Unit: Knowledge, Compliance and Factors Influencing Nursing Adherence, a Descriptive Study. 2022 , 16,		
8	Eye-tracking to observe compliance with hand hygiene in the intensive care unit in a randomised feasibility study. 2022 ,		○
7	The Importance of Education in the Compliance of Healthcare Workers with Hand Hygiene. 2022 , 75, 379-387		○
6	Exploring factors influencing the compliance of patients and family carers with infection prevention and control recommendations across Bangladesh, Indonesia, and South Korea. 10,		○
5	SafeHANDS: A Multimodal Hand Hygiene Intervention in a Resource-Limited Neonatal Unit. 2023 , 8, 27		○
4	A Multifaceted Approach to the Bare below the Elbow Concept and Hand Hygiene Compliance among Healthcare Professionals in a Multicenter Population-Based Study. 2023 , 20, 4435		○
3	Improving Hand-Hygiene Compliance Among the Health Care Personnel in the Special Newborn Care Unit.		○
2	Compliance with hand hygiene practices and its appropriateness among healthcare workers during COVID-19 pandemic in public health facilities of Tamil Nadu, India. 2023 , 9, e15410		○
1	Hand cleaning. Every day of the health professionals in a pediatric inpatient unit. 2011 , 29,		○