

CITATION REPORT

List of articles citing

Natural history of behavioural changes and psychiatric symptoms in Alzheimer's disease. A longitudinal study

DOI: 10.1192/bjp.174.1.39

British Journal of Psychiatry, 1999, 174, 39-44.

Source: <https://exaly.com/paper-pdf/31073032/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
156	Behavioural changes and psychiatric symptoms in Alzheimer's disease. <i>British Journal of Psychiatry</i> , 1999 , 174, 561-2	5.4	
155	Anti-Aging Medicine LiteratureWatch. 1999 , 2, 165-182		
154	Natural history of aggressive behaviour in dementia. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 541-8	3.9	62
153	Current World Literature. 2000 , 13, 435-470		
152	Behavioral and Psychological Symptoms of Dementia: Physical Nonaggressive Agitation. <i>International Psychogeriatrics</i> , 2000 , 12, 125-127	3.4	1
151	Relationship Between Cognition and Behavioral and Psychological Symptoms of Dementia. <i>International Psychogeriatrics</i> , 2000 , 12, 165-170	3.4	1
150	Subnormal serum vitamin B12 and behavioural and psychological symptoms in Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 415-8	3.9	13
149	Improvement of agitation and anxiety in demented patients after psychoeducative group intervention with their caregivers. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 1125-9	3.9	45
148	Predictors of severity of behavioral disturbance among community-dwelling elderly individuals with Alzheimer's disease: a 6-year follow-up study. 2000 , 54, 673-7		10
147	. 2000 ,		
146	Cholinergic deficits contribute to behavioral disturbance in patients with dementia. 2000 , 55, 1460-7		143
145	Behavioral disturbances without amyloid deposits in mice overexpressing human amyloid precursor protein with Flemish (A692G) or Dutch (E693Q) mutation. 2000 , 7, 9-22		94
144	Treatment of Depression in Patients with Dementia. 2000 , 14, 191-201		3
143	Clinical and economic factors in the treatment of behavioural and psychological symptoms of dementia. 2001 , 18, 527-50		22
142	Platelet PIA2 polymorphism enhances risk of neurocognitive decline after cardiopulmonary bypass. Multicenter Study of Perioperative Ischemia (McSPI) Research Group. 2001 , 71, 663-6		46
141	Rivastigmine. A pharmacoeconomic review of its use in Alzheimer's disease. 2001 , 19, 303-18		33
140	Are changes in everyday memory over time in autopsy-confirmed Alzheimer's disease related to changes in reported behaviour?. 2001 , 11, 201-217		2

139	Efficacy and safety of risperidone oral solution in agitation associated with dementia in the elderly. <i>Arquivos De Neuro-Psiquiatria</i> , 2001 , 59, 859-64	1.6	11
138	Synaptic pathology in prefrontal cortex is present only with severe dementia in Alzheimer disease. 2001 , 60, 929-36		53
137	Role of serotonin in the behavioral and psychological symptoms of dementia. 2001 , 13, 5-21		85
136	Psychosis and behavioural symptoms of dementia: defining the role of neuroleptic interventions. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16 Suppl 1, S2-6	3.9	20
135	Pharmacotherapy of behavioral and psychological symptoms of dementia: time for a different paradigm?. 2001 , 21, 74-102		17
134	Caring for relatives with dementia [Caregiver experiences of relatives of patients on the waiting list for admission to a psychogeriatric nursing home in The Netherlands. 2001 , 29, 113-121		23
133	Behavioural management of aggression in dementia: a randomized controlled trial. 2001 , 30, 141-5		36
132	Psychosis of Alzheimer's disease is associated with elevated muscarinic M2 binding in the cortex. 2001 , 57, 805-11		95
131	Postmortem serotonergic correlates of cognitive decline in Alzheimer's disease. <i>NeuroReport</i> , 2002 , 13, 1175-8	1.7	72
130	Definition, and Epidemiology of Dementia: A Review. 2002 , 1-68		12
129	Pharmacotherapy for Alzheimer's disease: progress and prospects. 2002 , 23, 426-33		90
128	Mood stabilizers in Alzheimer's disease: symptomatic and neuroprotective rationales. 2002 , 54, 1567-77		58
127	Sunlight levels and behavioural disturbance in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 784-5	3.9	4
126	[3H]GR113808 binding to serotonin 5-HT(4) receptors in the postmortem neocortex of Alzheimer disease: a clinicopathological study. 2003 , 110, 779-88		25
125	Part I: consultation-liaison literature database: 2003 update and national lists. 2003 , 25, 377-478		3
124	Reduced serotonin 5-HT1A receptor binding in the temporal cortex correlates with aggressive behavior in Alzheimer disease. 2003 , 974, 82-7		129
123	A retrospective study of the behavioural and psychological symptoms of mid and late phase Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 1037-42	3.9	88
122	Role of behavioural disturbance in the loss of autonomy for activities of daily living in Alzheimer patients. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 977-82	3.9	15

121	Depression in Alzheimer's disease: the effect of serotonin receptor gene variation. 2003 , 119B, 40-3		43
120	Psychopathological features in Alzheimer's disease: course and relationship with cognitive status. 2003 , 51, 953-60		90
119	Association of the androgen receptor CAG repeat polymorphism with Alzheimer's disease in men. 2003 , 340, 87-90		38
118	Drugs for disruptive features in dementia. 2003 , 41, 1-4		2
117	Maladaptive behaviors related to adaptive decline in aging adults with mental retardation. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2003 , 108, 327-39		26
116	Behavioural and psychological symptoms of dementia (BPSD): effects of EGb 761. 2003 , 36 Suppl 1, S56-61		15
115	[Presentation and stability of cognitive and noncognitive symptom patterns in patients with Alzheimer's disease. Disease course over a two-year period under constant treatment conditions with rivastigmine]. 2003 , 71, 199-204		1
114	Serotonin transporters are preserved in the neocortex of anxious Alzheimer's disease patients. <i>NeuroReport</i> , 2003 , 14, 1297-1300	1.7	2
113	Serotonin transporters are preserved in the neocortex of anxious Alzheimer's disease patients. <i>NeuroReport</i> , 2003 , 14, 1297-300	1.7	17
112	Definition and Epidemiology of Dementia: A Review. 2003 , 1-68		3
111	Todesfälle unter Risperidon und Olanzapin - was nun? - Behandlung psychotischer Symptome bei Demenzpatienten. 2004 , 30, 314-316		
110	An attempt to determine the benefits of a 'home-for-life' principle in residential care for people with dementia and behavioural problems: a comparative cohort study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004 , 18, 6-14	2.6	5
109	Cholinesterase inhibitor therapies and neuropsychiatric manifestations of Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004 , 17, 100-8	2.6	86
108	Sodium valproate in aggressive behaviour in dementia: a twelve-week open label follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 305-12	3.9	22
107	[Hallucinations and dementia. Prevalence, clinical presentation and pathophysiology]. 2004 , 160, S31-43		11
106	Management of Mild to Moderate Alzheimer Disease. 2004 , 12, 55-72		12
105	Psychotic symptoms in Alzheimer's disease are not influenced by polymorphic variation at the dopamine receptor DRD3 gene. 2004 , 368, 33-6		23
104	Anorgasmia in a patient treated with bupropion SR for smoking cessation. 2004 , 24, 460-1		4

103	Serum cholesterol in the continuation phase of pharmacotherapy with fluoxetine in remitted major depressive disorder. 2004 , 24, 467-9		10
102	Mutation analysis of the ryanodine receptor gene isoform 3 (RYR3) in recurrent neuroleptic malignant syndrome. 2004 , 24, 471-3		3
101	Panic attacks with spontaneous ejaculation successfully treated with citalopram and clonazepam. 2004 , 24, 463-4		5
100	QT interval prolongation in patients on methadone with concomitant drugs. 2004 , 24, 446-8		28
99	Further comments on the effects of nitrous oxide treatment on alcohol withdrawal. 2004 , 24, 473-5		
98	Changes in energy after switching from daily citalopram, paroxetine, or sertraline to once-weekly fluoxetine. 2004 , 24, 464-7		2
97	Melatonin treatment of day-night rhythm disturbances and sundowning in Alzheimer disease: an open-label pilot study using actigraphy. 2004 , 24, 456-9		71
96	The effect of hypertension and obesity on the development of diabetes mellitus in patients treated with atypical antipsychotic drugs. 2004 , 24, 452-4		6
95	Comparative evaluation of olanzapine efficacy in the maintenance treatment of bipolar disorder. 2004 , 24, 454-6		9
94	Comments on article by Harrigan et al: "A randomized evaluation of the effects of six antipsychotic agents on QTc, in the absence and presence of metabolic inhibition". 2004 , 24, 456		3
93	Gabapentin and behavioral disorders in severe Alzheimer disease. 2004 , 24, 459-60		9
92	A follow-up study of male sexual disorders: the neurophysiological assessments, anxiety-depression levels, and response to fluoxetine treatment. 2004 , 24, 461-3		
91	Amoxapine in schizophrenia: a negative double-blind controlled trial. 2004 , 24, 448-50		5
90	Differential time course efficacy on dysphoric and physical symptoms of the intermittent dosing of fluoxetine in the premenstrual dysphoric disorder. 2004 , 24, 469-71		3
89	Behavioral symptoms and the administration of psychotropic drugs to aged patients with dementia in nursing homes and in acute geriatric wards. <i>International Psychogeriatrics</i> , 2004 , 16, 61-74	3-4	84
88	MCP-1 and murine prion disease: separation of early behavioural dysfunction from overt clinical disease. 2005 , 20, 283-95		58
87	Self-injurious behaviour in nursing home residents with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 651-7	3-9	17
86	Loss of serotonin 5-HT _{2A} receptors in the postmortem temporal cortex correlates with rate of cognitive decline in Alzheimer's disease. <i>Psychopharmacology</i> , 2005 , 179, 673-7	4-7	68

85	Prevalence and clinical correlates of neuropsychiatric symptoms in dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2005 , 20, 367-73	2.5	47
84	Association analysis of apolipoprotein E genotype and risk of depressive symptoms in Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 154-7	2.6	21
83	Memantine: a pharmacoeconomic review of its use in moderate-to-severe Alzheimer's disease. 2005 , 23, 193-206		30
82	Management of agitation, aggression, and psychosis associated with dementia: a pooled analysis including three randomized, placebo-controlled double-blind trials in nursing home residents treated with risperidone. 2005 , 107, 497-508		76
81	Regional cerebral metabolism in early Alzheimer's disease with clinically significant apathy or depression. 2005 , 57, 412-21		147
80	A Cross-Sectional Study of Neuropsychiatric Symptoms in 435 Patients With Alzheimer's Disease. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 460-468	6.5	155
79	Antipsychotics for behavioural and psychological problems in elderly people with dementia: a systematic review of adverse events. 2005 , 22, 845-58		33
78	Neuropsychological differentiation of dementia with Lewy bodies from normal aging and Alzheimer's disease. 2006 , 20, 623-36		137
77	Cognitive effects of atypical antipsychotics in patients with Alzheimer's disease and comorbid psychiatric or behavioral problems: a retrospective study. 2006 , 28, 1695-700		8
76	Impaired coupling of muscarinic M1 receptors to G-proteins in the neocortex is associated with severity of dementia in Alzheimer's disease. 2006 , 27, 1216-23		74
75	Cyclin-dependent kinase 5, Munc18a and Munc18-interacting protein 1/X11alpha protein up-regulation in Alzheimer's disease. 2006 , 138, 511-22		31
74	Eficácia e segurança dos antipsicóticos atípicos nas demências: uma revisão sistemática. 2006 , 55, 218-224		0
73	Delta-9-tetrahydrocannabinol for nighttime agitation in severe dementia. <i>Psychopharmacology</i> , 2006 , 185, 524-8	4.7	122
72	Selective effects of the APOE epsilon4 allele on presynaptic cholinergic markers in the neocortex of Alzheimer's disease. 2006 , 22, 555-61		23
71	Approaches to palliative therapies for Alzheimer's disease. 2006 , 6, 553-68		25
70	[Non-cognitive symptoms and psychopharmacological treatment in demented nursing home residents]. 2007 , 75, 720-7		15
69	Antipsychotics and cognitive decline in Alzheimer's disease: the LASER-Alzheimer's disease longitudinal study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 25-9	5.5	31
68	Role of serotonin transporter polymorphisms in the behavioural and psychological symptoms in probable Alzheimer disease patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 201-6	2.6	49

67	Behavioral and Psychological Symptoms of Dementia of Psychogeriatric Inpatients on Admission to a Psychiatric Hospital. 2007 , 30, 53-63		4
66	Disease staging and milestones. 2007 , 34 Suppl 1, S62-6		2
65	Dementia with Lewy bodies. 2007 , 25, 741-60, vii		51
64	Premorbid personality and behavioral and psychological symptoms in probable Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 202-13	6.5	56
63	Systemic infections and inflammation affect chronic neurodegeneration. 2007 , 7, 161-7		747
62	Loss of [3H]4-DAMP binding to muscarinic receptors in the orbitofrontal cortex of Alzheimer's disease patients with psychosis. <i>Psychopharmacology</i> , 2008 , 198, 251-9	4.7	12
61	Selective loss of P2Y2 nucleotide receptor immunoreactivity is associated with Alzheimer's disease neuropathology. 2008 , 115, 1165-72		44
60	Carer burden in dementia--assessing the impact of behavioural and psychological symptoms via self-report questionnaire. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 60-4	3.9	27
59	A case series on the hypothesized connection between dementia and bipolar spectrum disorders: bipolar type VI?. 2008 , 107, 307-15		56
58	Role of 5HT 2A and 5HT 2C polymorphisms in behavioural and psychological symptoms of Alzheimer's disease. 2008 , 29, 341-7		54
57	Alterations in NMDA receptor subunit densities and ligand binding to glycine recognition sites are associated with chronic anxiety in Alzheimer's disease. 2008 , 29, 1524-32		18
56	Treatment of a whole population sample of Alzheimer's disease with donepezil over a 4-year period: lessons learned. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 25, 226-31	2.6	25
55	Maladaptive behaviors related to dementia status in adults with Down syndrome. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2008 , 113, 73-86		40
54	Therapeutic touch and agitation in individuals with Alzheimer's disease. <i>Western Journal of Nursing Research</i> , 2008 , 30, 417-34	2	44
53	Management of behavioural and psychological symptoms of dementia and acquired brain injury. 187-216		4
52	Neuropsychiatric symptoms and quality of life in patients in the final phase of dementia. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 25-32	3.9	31
51	Genome wide profiling of altered gene expression in the neocortex of Alzheimer's disease. <i>Journal of Neuroscience Research</i> , 2010 , 88, 1157-69	4.4	72
50	Characterization of histamine H3 receptors in Alzheimer's Disease brain and amyloid over-expressing TASTPM mice. <i>British Journal of Pharmacology</i> , 2009 , 157, 130-8	8.6	43

49	Memantine therapy of behavioral symptoms in community-dwelling patients with moderate to severe Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 164-72	2.6	39
48	Hippocampal neurofibrillary tangle changes and aggressive behaviour in dementia. <i>NeuroReport</i> , 2010 , 21, 1111-5	1.7	16
47	Approaches to Amyloid Therapies for the Treatment of Alzheimer's Disease. 2010 , 329-404		
46	Contribution of systemic inflammation to chronic neurodegeneration. <i>Acta Neuropathologica</i> , 2010 , 120, 277-86	14.3	208
45	Alzheimer's disease: the strength of association of costs with different measures of disease severity. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 655-63	5.2	41
44	Course of neuropsychiatric symptoms in residents with dementia in nursing homes over 2-year period. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 1054-65	6.5	120
43	Psychiatric symptoms in adults with Down syndrome and Alzheimer's disease. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2010 , 115, 265-76	2.2	40
42	A serotonergic basis for hyperphagic eating changes in Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2010 , 288, 151-5	3.2	33
41	Differential involvement of hippocampal serotonin1A receptors and re-uptake sites in non-cognitive behaviors of Alzheimer's disease. <i>Psychopharmacology</i> , 2011 , 213, 431-9	4.7	32
40	A review of the methods used to estimate the cost of Alzheimer's disease in the United States. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2011 , 26, 298-309	2.5	23
39	Chronic divalproex sodium to attenuate agitation and clinical progression of Alzheimer disease. <i>Archives of General Psychiatry</i> , 2011 , 68, 853-61		146
38	Farsi version of the Neuropsychiatric Inventory: validity and reliability study among Iranian elderly with dementia. <i>International Psychogeriatrics</i> , 2012 , 24, 223-30	3.4	12
37	The symptom experience of community-dwelling persons with dementia: self and caregiver report and comparison with standardized symptom assessment measures. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 298-305	6.5	17
36	Pathology and temporal onset of visual hallucinations, misperceptions and family misidentification distinguishes dementia with Lewy bodies from Alzheimer's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 227-31	3.6	36
35	Slowing progression of early stages of AD with alternative therapies: a feasibility study. <i>Geriatric Nursing</i> , 2013 , 34, 457-64	2.1	7
34	Electrocardiographic monitoring for new prescriptions of quetiapine co-prescribed with acetylcholinesterase inhibitors or memantine from 2005 to 2009. A population study on community-dwelling older people in Italy. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1487-94	2.8	1
33	Decreased rabphilin 3A immunoreactivity in Alzheimer's disease is associated with Aβ burden. <i>Neurochemistry International</i> , 2014 , 64, 29-36	4.4	19
32	Impact of caregivers' behaviors on resistiveness to care and collaboration in persons with dementia in the context of hygienic care: an interactional perspective. <i>International Psychogeriatrics</i> , 2015 , 27, 1861-73	3.4	23

31	Educational disparities in antipsychotic drug use among older people with and without dementia in Sweden. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 20-8	6.5	11
30	Adult Missing Persons: Can an Investigative Framework be Generated Using Behavioural Themes?. <i>Journal of Investigative Psychology and Offender Profiling</i> , 2016 , 13, 296-312	1.1	14
29	Longitudinal course of behavioural and psychological symptoms of dementia: systematic review. <i>British Journal of Psychiatry</i> , 2016 , 209, 366-377	5.4	141
28	Car drivers with dementia: Different complications due to different etiologies?. <i>Traffic Injury Prevention</i> , 2016 , 17, 9-23	1.8	19
27	Altered relaxin family receptors RXFP1 and RXFP3 in the neocortex of depressed Alzheimer's disease patients. <i>Psychopharmacology</i> , 2016 , 233, 591-8	4.7	6
26	The electronic, personalizable Rosetta system for dementia care: exploring the user-friendliness, usefulness and impact. <i>Disability and Rehabilitation: Assistive Technology</i> , 2016 , 11, 61-71	1.8	44
25	Clinical and neurocognitive aspects of hallucinations in Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 83, 713-720	9	27
24	Psychiatric Diagnosis and Violence: Description and Mechanisms. 2017 , 1-12		
23	Prevalence of hyperphagia in Alzheimer's disease: a meta-analysis. <i>Psychogeriatrics</i> , 2018 , 18, 243-251	1.8	5
22	Comments on "Prevalence and Predictors of Abuse in Elderly Patients with Depression at a Tertiary Care Centre in Saurashtra, India". <i>Indian Journal of Psychological Medicine</i> , 2019 , 41, 95-96	1.8	
21	The individual course of neuropsychiatric symptoms in people with Alzheimer's and Lewy body dementia: 12-year longitudinal cohort study. <i>British Journal of Psychiatry</i> , 2020 , 216, 43-48	5.4	33
20	Molecular Docking Analysis of Potential Anti-Alzheimer's Compounds Present in Chloroform Extract of Leaf Using Gas Chromatography MS/MS. <i>Current Therapeutic Research</i> , 2020 , 93, 100615	2.4	5
19	Pathological Correlations of Neuropsychiatric Symptoms in Institutionalized People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 1731-1741	4.3	6
18	The Relationship Between Anxiety and Incident Agitation in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 1119-1127	4.3	3
17	In silico exploration of anti-Alzheimer's compounds present in methanolic extract of Neolamarckia cadamba bark using GCMS/MS. <i>Arabian Journal of Chemistry</i> , 2020 , 13, 6246-6255	5.9	5
16	Visual hallucinations in neurological and ophthalmological disease: pathophysiology and management. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 512-519	5.5	38
15	Peripheral Leukocytosis Predicts Cognitive Decline but Not Behavioral Disturbances: A Nationwide Study of Alzheimer's and Parkinson's Disease Patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021 , 50, 143-152	2.6	2
14	Psychosis and behavioural symptoms of dementia: defining the role of neuroleptic interventions. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, S2-S6	3.9	11

13	Psychiatric Complications in Dementia. 2006 , 125-136		1
12	Ursachen und Behandlungskonzepte der Demenzen. 2001 , 113-199		2
11	Alzheimer's disease. 2003 , 57-116		3
10	Clinical Aspects of Neurobehavioral Symptoms of Dementia. <i>Dementia and Neurocognitive Disorders</i> , 2020 , 19, 54-64	2.1	3
9	[Psychiatric symptoms among patients with dementia seen in an ambulatory service]. <i>Arquivos De Neuro-Psiquiatria</i> , 1999 , 57, 937-43	1.6	7
8	Recognition and Management of Behavioral Disturbances in Dementia. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2001 , 3, 93-109		58
7	The Cerebral Blood Flow Correlates of Emotional Facial Processing in Mild Alzheimer's Disease. <i>Neuroscience and Medicine</i> , 2011 , 02, 6-13	0.3	3
6	Hiperfagia e Doenã de Alzheimer. <i>Revista Neurociencias</i> , 2013 , 21, 141-147	0	
5	The Rosetta Project. 2014 , 1-8		
4	The Rosetta Project. 2017 , 589-598		
3	Impact of Donepezil and Memantine on Behavioral and Psychological Symptoms of Alzheimer Disease: Six-month Open-label Study. <i>Cognitive and Behavioral Neurology</i> , 2021 , 34, 288-294	1.6	1
2	Problems. 2003 , 695-722		0
1	Alzheimer's Disease Biochemical and Psychological Background for Diagnosis and Treatment. 2023 , 24, 1059		0