Tolerance, withdrawal, and physical dependency after l children in the pediatric intensive care unit

Critical Care Medicine 28, 2122-2132

DOI: 10.1097/00003246-200006000-00079

Citation Report

#	Article	IF	CITATIONS
1	Propofol: Effects on the Central Nervous System. Journal of Intensive Care Medicine, 2000, 15, 237-246.	1.3	1
2	Propofol: Effects on the Central Nervous System. Journal of Intensive Care Medicine, 2000, 15, 237-246.	1.3	O
3	Tolerance during sedation in a pediatric ICU patient: effects on the BIS monitor. Journal of Clinical Anesthesia, 2001, 13, 122-124.	0.7	27
4	ANXIETY, DELIRIUM, AND PAIN IN THE INTENSIVE CARE UNIT. Critical Care Clinics, 2001, 17, 821-842.	1.0	67
5	Efficacy of an enteral 10-day methadone wean to prevent opioid withdrawal in fentanyl-tolerant pediatric intensive care unit patients. Pediatric Critical Care Medicine, 2001, 2, 329-333.	0.2	72
8	Pain management in the critically ill child. Indian Journal of Pediatrics, 2001, 68, 749-769.	0.3	9
9	Opioid tolerance in neonates: a state-of-the-art review. Paediatric Anaesthesia, 2001, 11, 511-521.	0.6	85
10	Enteral Methadone to Expedite Fentanyl Discontinuation and Prevent Opioid Abstinence Syndrome in the PICU. Pharmacotherapy, 2001, 21, 1566-1573.	1.2	65
11	Can we use methadone for analgesia in neonates?. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2001, 85, 79F-81.	1.4	34
12	Assessing sedation in the pediatric intensive care unit by using BIS and the COMFORT scale. Pediatric Critical Care Medicine, 2002, 3, 11-14.	0.2	85
13	The effects of analgesia in the vulnerable infant during the perinatal period. Clinics in Perinatology, 2002, 29, 511-534.	0.8	44
14	New concepts in acute and extended postoperative pain management in children. Anesthesiology Clinics, 2002, 20, 115-135.	1.4	19
15	Remifentanil vs fentanyl/morphine for pain control during paediatric cardiac surgery. Paediatric Anaesthesia, 2002, 12, 817-817.	0.6	2
16	An interim analysis of a cohort study on the preoperative anxiety and postoperative behavioural changes in children having repeat anaesthetics. Paediatric Anaesthesia, 2002, 12, 824-824.	0.6	1
17	Randomised comparison of a new paediatric laryngoscope with the Miller and Macintosh blades. Paediatric Anaesthesia, 2002, 12, 825-825.	0.6	0
18	A new method for rationalising blood transfusion in paediatric surgery. Paediatric Anaesthesia, 2002, 12, 825-826.	0.6	O
19	QT prolongation under sevoflurane in infants. Paediatric Anaesthesia, 2002, 12, 826-826.	0.6	3
20	Comparison of the work of breathing imposed by three anaesthetic breathing systems in children. Paediatric Anaesthesia, 2002, 12, 826-827.	0.6	1

#	Article	IF	Citations
21	Modelling paracetamol urine metabolites. Paediatric Anaesthesia, 2002, 12, 827-827.	0.6	1
22	The development and introduction of competency-based training and assessment for the paediatric anaesthetic specialist registrar training module at St Bartholomew's and the Royal London Hospitals. Paediatric Anaesthesia, 2002, 12, 828-828.	0.6	0
23	A prospective observational study of post-operative analgesic requirements for fundonlication. Paediatric Anaesthesia, 2002, 12, 828-828.	0.6	0
24	Winner Of Trainee Prize. Detection of epidural catheter with ultrasound in children. Paediatric Anaesthesia, 2002, 12, 829-829.	0.6	1
25	Pre-operative starvation - have we changed our views since Emerson, Wrigley and Newton?. Paediatric Anaesthesia, 2002, 12, 829-830.	0.6	3
26	A study of peri-operative respiratory complications in patients with Apert syndrome. Paediatric Anaesthesia, 2002, 12, 819-819.	0.6	0
27	The BCH Epidural System, a safe system for epidural infusion analgesia in children. Paediatric Anaesthesia, 2002, 12, 830-830.	0.6	0
28	Pre-audit survey of documentation of invasive procedures in paediatric anaesthesia. Paediatric Anaesthesia, 2002, 12, 830-831.	0.6	0
29	The braun thermoscan thermometer: validation of normal ranges in a paediatric practice. Paediatric Anaesthesia, 2002, 12, 831-832.	0.6	2
30	Anaesthetic information for parents is IT the answer?. Paediatric Anaesthesia, 2002, 12, 832-832.	0.6	1
31	Clinical and research developments in congenital diaphragmatic hernia. Paediatric Anaesthesia, 2002, 12, 832-833.	0.6	0
32	A 3:1 volume admixture of 1% propofol and 2.5% thiopentone reduces pain on induction in paediatric anaesthesia. Paediatric Anaesthesia, 2002 , 12 , $833-834$.	0.6	0
33	Pain and analgesia requirement after day case exodontia in children. Paediatric Anaesthesia, 2002, 12, 834-834.	0.6	0
34	Tramadol for pain relief in children undergoing tonsillectomy. A comparison with morphine. Paediatric Anaesthesia, 2002, 12, 834-835.	0.6	5
35	Reduction of blood loss using aprotonin during spinal surgery in children for non-idiopathic scoliosis Paediatric Anaesthesia, 2002, 12, 835-835.	0.6	3
36	Clinical Practice of Deliberate Postoperative Analgesia in Paediatric Patients. Paediatric Anaesthesia, 2002, 12, 835-836.	0.6	2
37	Intravenous anaesthesia for laser surgery of the airway in children with recurrent laryngeal papillomatosis Paediatric Anaesthesia, 2002, 12, 819-820.	0.6	0
38	In praise of the epidural space for analgesia in neonates. Paediatric Anaesthesia, 2002, 12, 836-837.	0.6	11

#	Article	IF	CITATIONS
39	The provision of analgesia and sedation in the PICU: current practice and recent advances. Paediatric Anaesthesia, 2002, 12, 837-839.	0.6	11
40	Clinical management of the child with chronic pain. Paediatric Anaesthesia, 2002, 12, 839-840.	0.6	2
41	Survey of paediatric epidural practice in the UK. Paediatric Anaesthesia, 2002, 12, 820-820.	0.6	0
42	Should parents be present and assist during inhalational induction of their child? A survey of the APA. Paediatric Anaesthesia, 2002, 12, 821-821.	0.6	1
43	Pre-operative parent information and attitudes towards general anaesthetic induction technique in paediatric patients: An audit. Paediatric Anaesthesia, 2002, 12, 821-822.	0.6	0
44	An Audit of Preoperative Behaviour and Premedication Practise at Great Ormond Street Hospital. Paediatric Anaesthesia, 2002, 12, 822-822.	0.6	0
45	Exomphalos - a major or minor problem?. Paediatric Anaesthesia, 2002, 12, 823-823.	0.6	0
46	Preparation of parents by teaching of distraction techniques does not reduce child anxiety at anaesthetic induction Paediatric Anaesthesia, 2002, 12, 823-824.	0.6	6
47	Comparison of the bispectral index monitor with the Comfort score in assessing level of sedation of critically ill children. Intensive Care Medicine, 2003, 29, 2239-2246.	3.9	83
48	Alcohol withdrawal severity is decreased by symptom-orientated adjusted bolus therapy in the ICU. Intensive Care Medicine, 2003, 29, 2230-2238.	3.9	121
49	Tremor in children. Seminars in Pediatric Neurology, 2003, 10, 26-34.	1.0	10
50	Correlation of the Dose of Midazolam for Symptom Control with Administration Periods. Journal of Pain and Symptom Management, 2003, 25, 369-375.	0.6	29
51	Methadone dosage for prevention of opioid withdrawal in children. Paediatric Anaesthesia, 2003, 13, 805-810.	0.6	84
52	Opioid Withdrawal in Critically Ill Neonates. Annals of Pharmacotherapy, 2003, 37, 473-477.	0.9	58
53	Short-Term Propofol Infusion as an Adjunct to Extubation in Burned Children. Journal of Burn Care and Research, 2003, 24, 356-360.	1.7	31
54	Analgesia e sedação em situações de emergência e unidades de tratamento intensivo pediátrico. Jornal De Pediatria, 2003, 79, S223-S230.	0.9	10
55	Extracorporeal Life Support in Pediatric and Neonatal Critical Care: A Review. Journal of Intensive Care Medicine, 2004, 19, 243-258.	1.3	81
56	Continuous pentobarbital infusion in children is associated with high rates of complications. Journal of Critical Care, 2004, 19, 174-178.	1.0	37

#	Article	IF	Citations
57	Use of oral clonidine for sedation in ventilated paediatric intensive care patients. Intensive Care Medicine, 2004, 30, 1625-1629.	3.9	82
58	Electroencephalograph variables, drug concentrations and sedation scores in children emerging from propofol infusion anaesthesia. Paediatric Anaesthesia, 2004, 14, 143-151.	0.6	20
59	Managing sedation withdrawal in children who undergo prolonged PICU admission after discharge to the ward. Paediatric Anaesthesia, 2004, 14, 293-298.	0.6	75
60	Sedation and comfort issues in the ventilated infant and child. Critical Care Nursing Clinics of North America, 2004, 16, 365-377.	0.4	3
61	Increased propofol requirement during succeeding administrations for electroconvulsive therapy. Journal of Clinical Anesthesia, 2004, 16 , $282-285$.	0.7	21
62	The Presence of Working Memory Without Explicit Recall in a Critically Ill Patient. Anesthesia and Analgesia, 2004, 98, 469-470.	1.1	1
63	Children Undergoing Repeated Exposures for Radiation Therapy Do Not Develop Tolerance to Propofol. Anesthesiology, 2004, 100, 251-254.	1.3	31
64	Management of sedation in mechanically ventilated patients. Current Opinion in Critical Care, 2004, 10, 40-46.	1.6	68
65	The patient died, but we can try again: Simulation in pediatric critical care training*. Pediatric Critical Care Medicine, 2005, 6, 712-713.	0.2	5
66	Fluid Management During Respiratory Failure: ???Whatever????. Pediatric Critical Care Medicine, 2005, 6, 713-714.	0.2	3
67	Risk factors for extubation failure in mechanically ventilated pediatric patients. Pediatric Critical Care Medicine, 2005, 6, 166-170.	0.2	74
68	Monitoring the depth of sedation in the pediatric ICU patient: Where are we, or more importantly, where are our patients?*. Pediatric Critical Care Medicine, 2005, 6, 715-718.	0.2	14
69	Air Embolism during Intraoperative Endoscopic Localization and Surgical Resection for Blue Rubber Bleb Nevus Syndrome. Anesthesiology, 2005, 102, 1279-1280.	1.3	8
70	Remifentanil in the Intensive Care Unit: Tolerance and Acute Withdrawal Syndrome after Prolonged Sedation. Anesthesiology, 2005, 102, 1281-1282.	1.3	45
71	Use of intravenous midazolam and clonidine in cyclical vomiting syndrome: a case report. Paediatric Anaesthesia, 2005, 15, 68-72.	0.6	24
72	S(+)-ketamine for long-term sedation in a child with retinoblastoma undergoing interstitial brachytherapy. Paediatric Anaesthesia, 2005, 15, 248-250.	0.6	9
73	Protracted pain following partial splenic embolization in an adolescent female with hypersplenism. Paediatric Anaesthesia, 2005, 15, 1013-1015.	0.6	4
74	Three cases of PICU sedation with isoflurane delivered by the 'AnaConDaR'. Paediatric Anaesthesia, 2005, 15, 879-885.	0.6	82

#	Article	IF	Citations
75	A prospective study of adverse reactions to the weaning of opioids and benzodiazepines among critically ill children. Intensive and Critical Care Nursing, 2005, 21, 179-186.	1.4	48
76	Withdrawal following sufentanil/propofol and sufentanil/midazolam. Intensive Care Medicine, 2005, 31, 380-387.	3.9	42
77	Three patients and their drugs: A parallel case paper on paediatric opiate use and withdrawal. Paediatrics and Child Health, 2005, 10, 163-168.	0.3	1
78	Analgesia in PACU: Intravenous Opioids. Current Drug Targets, 2005, 6, 767-771.	1.0	16
79	Dexmedetomidine in the Treatment of Withdrawal Syndromes in Cardiothoracic Surgery Patients. Journal of Intensive Care Medicine, 2005, 20, 118-123.	1.3	91
80	Bispectral Index Monitoring During the Administration of Neuromuscular Blocking Agents in the Pediatric Intensive Care Unit Patient. Journal of Intensive Care Medicine, 2005, 20, 233-237.	1.3	20
81	A survey of sedation assessment and management in Australian and New Zealand paediatric intensive care patients requiring prolonged mechanical ventilation. Australian Critical Care, 2005, 18, 152-157.	0.6	18
82	Adverse Responses: Sedation, Analgesia and Neuromuscular Blocking Agents in Critically III Children. Critical Care Nursing Clinics of North America, 2005, 17, 441-450.	0.4	7
83	Tolerance and Withdrawal Issues with Sedation. Critical Care Nursing Clinics of North America, 2005, 17, 211-223.	0.4	25
84	Bispectral index versus COMFORT score to determine the level of sedation in paediatric intensive care unit patients: a prospective study. Critical Care, 2005, 9, R9.	2.5	46
85	Practice of sedation and analgesia in German intensive care units: results of a national survey. Critical Care, 2005, 9, R117.	2.5	73
86	Analgesia and local anesthesia during invasive procedures in the neonate. Clinical Therapeutics, 2005, 27, 844-876.	1.1	115
87	The pharmacological treatment of neonatal pain. Seminars in Fetal and Neonatal Medicine, 2005, 10, 195-205.	1.1	46
88	How to monitor delirium in the ICU and why it is important. Clinical Effectiveness in Nursing, 2006, 9, e269-e279.	0.1	6
89	Shake, Rattle, and Roll. Journal of Pediatric Health Care, 2006, 20, 272-273.	0.6	0
90	Shake, Rattle, and Roll. Journal of Pediatric Health Care, 2006, 20, 287-289.	0.6	0
91	Postoperative Sedation and Analgesia After Pediatric Liver Transplantation. Transplantation Proceedings, 2006, 38, 841-843.	0.3	12
92	Phenobarbital Provides Effective Sedation for a Select Cohort of Adult ICU Patients Intolerant of Standard Treatment: A Brief Report. Hospital Pharmacy, 2006, 41, 17-23.	0.4	10

#	ARTICLE	IF	CITATIONS
93	A Prospective Evaluation of Opioid Weaning in Opioid-Dependent Pediatric Critical Care Patients. Anesthesia and Analgesia, 2006, 102, 1045-1050.	1.1	108
94	Pharmacological therapy for analgesia and sedation in the newborn. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2006, 91, F448-F453.	1.4	65
95	Population-Based Analysis of Methadone Distribution and Metabolism Using an Age-Dependent Physiologically Based Pharmacokinetic Model. Journal of Pharmacokinetics and Pharmacodynamics, 2006, 33, 485-518.	0.8	90
96	Consensus guidelines on sedation and analgesia in critically ill children. Intensive Care Medicine, 2006, 32, 1125-1136.	3.9	257
98	Evaluation and Development of Potentially Better Practices to Improve Pain Management of Neonates. Pediatrics, 2006, 118, S78-S86.	1.0	58
99	Withdrawal from Lorazepam in Critically III Children. Annals of Pharmacotherapy, 2006, 40, 1035-1039.	0.9	30
100	Efficacy, Safety, and Cost Effectiveness of Intravenous Midazolam and Flunitrazepam for Primary Insomnia in Terminally III Patients with Cancer: A Retrospective Multicenter Audit Study. Journal of Palliative Medicine, 2007, 10, 1054-1062.	0.6	26
101	Remifentanil–midazolam sedation for paediatric patients receiving mechanical ventilation after cardiac surgery â€. British Journal of Anaesthesia, 2007, 99, 252-261.	1.5	77
102	Effects of low-dose naloxone on opioid therapy in pediatric patients: aÂretrospective case-control study. Intensive Care Medicine, 2007, 33, 190-194.	3.9	24
104	Minimizing Tolerance and Withdrawal to Prolonged Pediatric Sedation: Case Report and Review of the Literature. Journal of Intensive Care Medicine, 2007, 22, 173-179.	1.3	30
105	Evaluation of propofol for repeated prolonged deep sedation in children undergoing proton radiation therapy. British Journal of Anaesthesia, 2007, 99, 556-560.	1.5	37
106	Chronic Administration of Ketamine for Analgesia. Journal of Pain and Palliative Care Pharmacotherapy, 2007, 21, 7-14.	0.5	13
107	The Efficacy of the COMFORT Scale in Assessing Optimal Sedation in Critically Ill Children Requiring Mechanical Ventilation. Journal of Korean Medical Science, 2007, 22, 693.	1.1	44
108	Sedação e analgesia em crianças: uma abordagem prática para as situações mais freqüentes. Jornal De Pediatria, 2007, 83, S71-S82.	0.9	4
109	Clonidina associada à morfina e midazolam em crianças submetidas à ventilação mecânica: estudo aleatório, duplamente encoberto e placebo controlado. Revista Brasileira De Terapia Intensiva, 2007, 19, 284-291.	0.1	6
110	Detection, prevention and treatment of delirium in critically ill patients. Nursing in Critical Care, 2007, 12, 53-53.	1.1	1
111	Age is of influence on midazolam requirements in a paediatric intensive care unit. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 414-417.	0.7	15
112	Pediatric delirium in critical illness: phenomenology, clinical correlates and treatment response in 40 cases in the pediatric intensive care unit. Intensive Care Medicine, 2007, 33, 1033-1040.	3.9	177

#	Article	IF	CITATIONS
113	Withdrawal symptoms in children after long-term administration of sedatives and/or analgesics: aÂliterature review. "Assessment remains troublesome― Intensive Care Medicine, 2007, 33, 1396-1406.	3.9	134
114	Intravenous clonidine infusion in infants after cardiovascular surgery. Paediatric Anaesthesia, 2008, 18, 217-222.	0.6	34
115	Sedation and Analgesia in the Pediatric Intensive Care Unit Following Laryngotracheal Reconstruction. Otolaryngologic Clinics of North America, 2008, 41, 1023-1044.	0.5	17
118	Use of sevoflurane sedation by the AnaConDaÂ $^{\odot}$ device as an adjunct to extubation in a pediatric burn patient. Burns, 2008, 34, 136-138.	1.1	24
119	Reduction of Benzodiazepine Requirements During Mechanical Ventilation in a Child by Topical Application of Essential Oils. Explore: the Journal of Science and Healing, 2008, 4, 136-138.	0.4	3
120	Skin Conductance Versus the Modified COMFORT Sedation Score as a Measure of Discomfort in Artificially Ventilated Children. Pediatrics, 2008, 122, e848-e853.	1.0	77
121	Analgesia and sedation in critically ill children. Archives of Disease in Childhood: Education and Practice Edition, 2008, 93, 87-92.	0.3	13
122	Effect of Low-Dose Naloxone Infusion on Fentanyl Requirements in Critically III Children. Pediatrics, 2008, 121, e1363-e1371.	1.0	19
123	Analgesia and sedation in critically ill children. Continuing Education in Anaesthesia, Critical Care & Pain, 2008, 8, 90-94.	0.6	6
124	Children's Factual and Delusional Memories of Intensive Care. American Journal of Respiratory and Critical Care Medicine, 2008, 177, 976-982.	2.5	189
125	Patient-Focused Sedation and Analgesia in the ICU. Chest, 2008, 133, 552-565.	0.4	179
126	Pediatric illness severity measures predict delirium in a pediatric intensive care unit. Critical Care Medicine, 2008, 36, 1933-1936.	0.4	73
127	The Withdrawal Assessment Tool–1 (WAT–1): An assessment instrument for monitoring opioid and benzodiazepine withdrawal symptoms in pediatric patients*. Pediatric Critical Care Medicine, 2008, 9, 573-580.	0.2	215
128	Assessment of withdrawal symptoms in pediatric intensive care patients, a new future?*. Pediatric Critical Care Medicine, 2008, 9, 654-655.	0.2	3
129	Withdrawal symptoms in critically ill children after long-term administration of sedatives and/or analgesics: A first evaluation*. Critical Care Medicine, 2008, 36, 2427-2432.	0.4	149
130	Dor sofrida pelo recém-nascido durante a punção arterial. Escola Anna Nery, 2009, 13, 726-732.	0.2	5
131	α ₂ -Receptor Agonists for Treatment and Prevention of latrogenic Opioid Abstinence Syndrome in Critically III Patients. Annals of Pharmacotherapy, 2009, 43, 1506-1511.	0.9	55
132	Hypothermic responses to infection are inhibited by $\hat{i}\pm 2$ -adrenoceptor agonists with possible clinical implications. British Journal of Anaesthesia, 2009, 103, 554-560.	1.5	8

#	Article	IF	CITATIONS
133	Pilot safety study of low-dose vasopressin in non-septic critically ill children. Intensive Care Medicine, 2009, 35, 355-359.	3.9	14
134	Construction of the Sophia Observation withdrawal Symptoms-scale (SOS) for critically ill children. Intensive Care Medicine, 2009, 35, 1075-1081.	3.9	103
135	Sedation and analgesia in the pediatric intensive care unit following laryngotracheal reconstruction. Paediatric Anaesthesia, 2009, 19, 166-179.	0.6	12
136	Opioid and benzodiazepine withdrawal syndromes in the paediatric intensive care unit: a review of recent literature. Nursing in Critical Care, 2009, 14, 26-37.	1.1	52
137	Pharmacology of Commonly Used Analgesics and Sedatives in the ICU: Benzodiazepines, Propofol, and Opioids. Critical Care Clinics, 2009, 25, 431-449.	1.0	112
138	Early decannulation of the pediatric patient from tracheostomy to noninvasive positive pressure ventilation: Teamwork and patience*. Pediatric Critical Care Medicine, 2010, 11, 146-147.	0.2	8
139	SpO2/Fio2 vs PaO2/Fio2: Are we ready to establish less invasive indicators for early diagnosis of acute respiratory distress syndrome?*. Pediatric Critical Care Medicine, 2010, 11, 143-144.	0.2	5
140	Cytokines and hypothermia: Harmful or helpful?*. Pediatric Critical Care Medicine, 2010, 11, 157-158.	0.2	O
141	Somatotropic axis dysfunction in pediatric sepsis-induced multiple organ dysfunction syndrome a matter of "growing―importance!*. Pediatric Critical Care Medicine, 2010, 11, 145-146.	0.2	1
142	Withdrawal from multiple sedative agent therapy in an infant: Is dexmedetomidine the cause or the cure?*. Pediatric Critical Care Medicine, 2010, 11, e1-e3.	0.2	31
143	Dexmedetomidine: Are tolerance and withdrawal going to be an issue with long-term infusions?*. Pediatric Critical Care Medicine, 2010, 11, 158-160.	0.2	19
144	Is cardiac surgery sufficient to create insufficiency?*. Pediatric Critical Care Medicine, 2010, 11, 150-151.	0.2	10
145	Developmental neurotoxicity of sedatives and anesthetics: A concern for neonatal and pediatric critical care medicine?*. Pediatric Critical Care Medicine, 2010, 11, 217-226.	0.2	105
146	Systemic inflammatory response syndrome and bacteremia in developing countries*. Pediatric Critical Care Medicine, 2010, 11, 153-154.	0.2	1
147	Collaborative Pediatric Critical Care Research Network: Looking back and moving forward. Pediatric Critical Care Medicine, 2010, 11, 1-6.	0.2	37
148	Extracorporeal lung assistance: The ultimate gentle lung ventilation strategy?*. Pediatric Critical Care Medicine, 2010, 11, 160-162.	0.2	0
149	Dexmedetomidine and pediatric (cardiac) critical careâ€"Are we there yet?*. Pediatric Critical Care Medicine, 2010, 11, 148-149.	0.2	4
150	Therapeutic hypothermia and pediatric cardiac arrests: Vexing questions*. Pediatric Critical Care Medicine, 2010, 11, 151-153.	0.2	2

#	ARTICLE	IF	CITATIONS
151	Activated recombinant factor VII and extracorporeal membrane oxygenation: Everything is all right, nothing is wrong?*. Pediatric Critical Care Medicine, 2010, 11, 155-156.	0.2	4
152	New Directions in Acute Pain Management: Ketamine. , 0, , 29-44.		0
153	Synchronizing ventilatory support with the neural signal to breathe*. Pediatric Critical Care Medicine, 2010, 11, 142-143.	0.2	2
154	Acute Pain Management in Infants, Children, and Adolescents. Refresher Courses in Anesthesiology, 2010, 38, 97-105.	0.1	5
155	Tolerance and Withdrawal From Prolonged Opioid Use in Critically Ill Children. Pediatrics, 2010, 125, e1208-e1225.	1.0	255
156	Perioperative care following complex laryngotracheal reconstruction in infants and children. Saudi Journal of Anaesthesia, 2010, 4, 186.	0.2	6
157	Comparison of early and late extubation following single-stage anterior laryngotracheoplasty. International Journal of Pediatric Otorhinolaryngology, 2010, 74, 1039-1042.	0.4	2
159	Sédation-analgésie en réanimation pédiatrique. , 2010, , 225-242.		1
160	Pharmacology of Commonly Used Analgesics and Sedatives in the ICU: Benzodiazepines, Propofol, and Opioids. Anesthesiology Clinics, 2011, 29, 567-585.	0.6	60
163	Rebound increase in seizure susceptibility but not isolation-induced calls after single administration of clonazepam and Ro 19-8022 in infant rats. Epilepsy and Behavior, 2011, 20, 12-19.	0.9	7
164	Successful implementation of a pediatric sedation protocol for mechanically ventilated patients*. Critical Care Medicine, 2011, 39, 683-688.	0.4	100
165	Creating or preventing opioid addiction, finding the right dose*. Pediatric Critical Care Medicine, 2011, 12, 590-592.	0.2	2
166	A trial of methadone tapering schedules in pediatric intensive care unit patients exposed to prolonged sedative infusions*. Pediatric Critical Care Medicine, 2011, 12, 504-511.	0.2	48
167	Analgesia and sedation after pediatric cardiac surgery. Paediatric Anaesthesia, 2011, 21, 567-576.	0.6	42
168	Tolerance and addiction; the patient, the parent or the clinician?. Paediatric Anaesthesia, 2011, 21, 794-799.	0.6	9
169	Withdrawal treatment with clonidine after prolonged use of chloral hydrate in a pediatric intensive care patient. Paediatric Anaesthesia, 2011, 21, 1082-1083.	0.6	8
170	Analysis of opioid efficacy, tolerance, addiction and dependence from cell culture to human. British Journal of Pharmacology, 2011, 164, 1322-1334.	2.7	197
171	Dexmedetomidine for opioid and benzodiazepine withdrawal in pediatric patients. American Journal of Health-System Pharmacy, 2011, 68, 1233-1238.	0.5	41

#	Article	IF	CITATIONS
172	Perinatal Substance Abuse., 2012, , 111-128.		0
173	Sedation and Analgesia in Critically Ill Children. AACN Advanced Critical Care, 2012, 23, 415-434.	0.6	26
174	Biomarkers and clinical tools in critically ill children: are we heading toward tailored drug therapy?. Biomarkers in Medicine, 2012, 6, 239-257.	0.6	9
175	Sedation and Analgesia in Pediatric Intensive Care. Current Drug Targets, 2012, 13, 936-943.	1.0	18
176	Analgesia and Sedation in Mechanical Ventilation in Neonatology. Current Respiratory Medicine Reviews, 2012, 8, 53-59.	0.1	0
177	Safety and efficacy of prolonged dexmedetomidine use in critically ill children with heart disease*. Pediatric Critical Care Medicine, 2012, 13, 660-666.	0.2	69
178	Prospective evaluation of sedation-related adverse events in pediatric patients ventilated for acute respiratory failure*. Critical Care Medicine, 2012, 40, 1317-1323.	0.4	35
180	Morphine treatment in early life alters glutamate uptake in the spinal synaptosomes of adult rats. Neuroscience Letters, 2012, 529, 51-54.	1.0	7
182	Sedation and Analgesia., 2012,, 382-405.		4
183	Pain Management in the ICU. Surgical Clinics of North America, 2012, 92, 1621-1636.	0.5	23
184	A review of the utility of EEG depth of anaesthesia monitors in the paediatric intensive care environment. Intensive and Critical Care Nursing, 2012, 28, 294-303.	1.4	3
185	Hemodynamic Effects of Dexmedetomidine in Critically III Neonates and Infants With Heart Disease. Pediatric Cardiology, 2012, 33, 1069-1077.	0.6	65
186	Neonatal Pain and Stress. , 2012, , 429-444.		2
187	Use of Methadone for Prevention of Opioid Withdrawal in Critically III Children. Canadian Journal of Hospital Pharmacy, 2012, 65, 12-8.	0.1	20
188	Selection of the Initial Methadone Regimen for the Management of latrogenic Opioid Abstinence Syndrome in Critically Ill Children. Pharmacotherapy, 2012, 32, 148-157.	1.2	25
189	Perioperative management of the child on longâ€term opioids. Paediatric Anaesthesia, 2012, 22, 189-202.	0.6	14
190	Validity and generalizability of the Withdrawal Assessment Tool-1 (WAT-1) for monitoring iatrogenic withdrawal syndrome in pediatric patients. Pain, 2012, 153, 142-148.	2.0	130
191	Remifentanil-Induced Tolerance, Withdrawal or Hyperalgesia in Infants: A Randomized Controlled Trial. RAPIP Trial: Remifentanil-Based Analgesia and Sedation of Paediatric Intensive Care Patients. Neonatology, 2013, 104, 34-41.	0.9	19

#	Article	IF	CITATIONS
192	Pain status and sedation level in Chinese children after cardiac surgery: an observational study. Journal of Clinical Nursing, 2013, 22, 137-147.	1.4	7
193	Prevenci \tilde{A}^3 n del s \tilde{A} ndrome de abstinencia en el postoperatorio de trasplante cardiaco: utilidad de la dexmedetomidina. Revista Espanola De Cardiologia, 2013, 66, 593-595.	0.6	4
194	SÃndrome de abstinencia en Cuidados Intensivos Pediátricos. Incidencia y factores de riesgo. Medicina Intensiva, 2013, 37, 67-74.	0.4	35
195	Pentobarbital withdrawal and treatment in an infant in the pediatric cardiac intensive care unit. Journal of Clinical Anesthesia, 2013, 25, 62-65.	0.7	4
196	Prevention of Opioid Withdrawal Syndrome After Pediatric Heart Transplantation: Usefulness of Dexmedetomidine. Revista Espanola De Cardiologia (English Ed), 2013, 66, 593-595.	0.4	2
197	Defining sedation-related adverse events in the pediatric intensive care unit. Heart and Lung: Journal of Acute and Critical Care, 2013, 42, 171-176.	0.8	25
198	Opioid withdrawal signs and symptoms in children: Frequency and determinants. Heart and Lung: Journal of Acute and Critical Care, 2013, 42, 407-413.	0.8	28
199	Withdrawal syndrome in the pediatric intensive care unit. Incidence and risk factors. Medicina Intensiva (English Edition), 2013, 37, 67-74.	0.1	13
200	The Diagnosis and Management of Delirium in Infancy. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 352-356.	0.7	41
201	The Role of Systematic Reviews in Pharmacovigilance Planning and Clinical Trials Authorisation Application: Example from the SLEEPS Trial. PLoS ONE, 2013, 8, e51787.	1.1	5
202	Norepinephrine infusion increases urine output in children under sedative and analgesic infusion. Revista Da Associação Médica Brasileira, 2014, 60, 208-215.	0.3	8
203	Pain Management in the Neonate. , 2014, , 424-438.		0
204	The Neonatal Pain, Agitation and Sedation Scale reliably detected oversedation but failed to differentiate between other sedation levels. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, e515-21.	0.7	11
205	High doses of benzodiazepine predict analgesic and sedative drug withdrawal syndrome in paediatric intensive care patients. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, e538-43.	0.7	27
207	Withdrawal Assessment Following Subchronic Oral Ketamine Administration in <i>Cynomolgus macaques</i> . Drug Development Research, 2014, 75, 162-171.	1.4	4
208	Randomized controlled trial of daily interruption of sedatives in critically ill children. Paediatric Anaesthesia, 2014, 24, 151-156.	0.6	31
209	Methadone. Pediatric Critical Care Medicine, 2014, 15, 268-270.	0.2	4
210	Overtesting and Overtreatment. Pediatric Critical Care Medicine, 2014, 15, 773-775.	0.2	0

#	ARTICLE	IF	CITATIONS
211	Sedation, Sleep Promotion, and Delirium Screening Practices in the Care of Mechanically Ventilated Children. Critical Care Medicine, 2014, 42, 1592-1600.	0.4	197
212	Evaluation of a Pharmacist-Managed Methadone Taper*. Pediatric Critical Care Medicine, 2014, 15, 206-210.	0.2	25
213	Continuous Infusion of Clonidine in Ventilated Newborns and Infants. Pediatric Critical Care Medicine, 2014, 15, 511-522.	0.2	74
214	Clonidine Infusionsâ€"Do They Have a Role in the PICU?*. Pediatric Critical Care Medicine, 2014, 15, 563-565.	0.2	3
215	Toward Unreasonable Effectiveness of Cardiac ICU Data. Pediatric Critical Care Medicine, 2014, 15, 565-567.	0.2	3
216	Long-Term Dexmedetomidine Use for Pediatric Critical Care Sedation. Pediatric Critical Care Medicine, 2014, 15, 771-773.	0.2	1
217	The Pharmacologic Management of Delirium in Children and Adolescents. Paediatric Drugs, 2014, 16, 267-274.	1.3	45
218	A Phase II/III, Multicenter, Safety, Efficacy, and Pharmacokinetic Study of Dexmedetomidine in Preterm and Term Neonates. Journal of Pediatrics, 2014, 164, 276-282.e3.	0.9	126
219	Levomepromazine for difficult sedation in pediatric intensive care. Journal of Pediatric Intensive Care, 2015, 03, 053-057.	0.4	6
220	The efficacy of the COMFORT score and pain management protocol in ventilated pediatric patients following cardiac surgery. International Journal of Pediatrics and Adolescent Medicine, 2015, 2, 123-127.	0.5	10
221	Nurseâ€driven pediatric analgesia and sedation protocol reduces withdrawal symptoms in critically ill medical pediatric patients. Paediatric Anaesthesia, 2015, 25, 786-794.	0.6	57
222	Effects of Clonidine on Withdrawal From Long-term Dexmedetomidine in the Pediatric Patient. Journal of Pediatric Pharmacology and Therapeutics, 2015, 20, 45-53.	0.3	30
224	Systemwide Change of Sedation Wean Protocol Following Pediatric Laryngotracheal Reconstruction. JAMA Otolaryngology - Head and Neck Surgery, 2015, 141, 27.	1.2	10
225	Nonpulmonary Treatments for Pediatric Acute Respiratory Distress Syndrome. Pediatric Critical Care Medicine, 2015, 16, S73-S85.	0.2	48
226	Dexmedetomidine in combination with midazolam after pediatric cardiac surgery. Asian Cardiovascular and Thoracic Annals, 2015, 23, 802-808.	0.2	13
228	Optimizing Sedation Management to Promote Early Mobilization for Critically III Children. Journal of Pediatric Intensive Care, 2015, 04, 188-193.	0.4	23
229	Volatile anesthetics for status asthmaticus in pediatric patients: a comprehensive review and case series. Paediatric Anaesthesia, 2015, 25, 460-467.	0.6	41
231	Practice guidelines for sedation and analgesia management of critically ill children: a pilot study evaluating guideline impact and feasibility in the PICU. BMJ Open, 2015, 5, e006428-e006428.	0.8	36

#	ARTICLE	IF	CITATIONS
232	Risk Factors Associated With latrogenic Opioid and Benzodiazepine Withdrawal in Critically Ill Pediatric Patients. Pediatric Critical Care Medicine, 2015, 16, 175-183.	0.2	89
233	Protocolized Sedation vs Usual Care in Pediatric Patients Mechanically Ventilated for Acute Respiratory Failure. JAMA - Journal of the American Medical Association, 2015, 313, 379.	3.8	344
234	Pediatric Withdrawal Identification and Management. Journal of Pediatric Intensive Care, 2015, 04, 073-078.	0.4	5
235	Evaluation of initial methadone dosing for prevention of iatrogenic opioid abstinence syndrome in children. Journal of Pediatric Intensive Care, 2015, 01, 105-113.	0.4	3
236	Acute rehabilitation in critically ill children. Journal of Pediatric Intensive Care, 2015, 01, 183-192.	0.4	5
237	Cardiovascular Effects of Continuous Dexmedetomidine Infusion Without a Loading Dose in the Pediatric Intensive Care Unit. Journal of Intensive Care Medicine, 2015, 30, 512-517.	1.3	6
238	Review of delirium in the pediatric intensive care unit. Journal of Pediatric Intensive Care, 2015, 02, 169-176.	0.4	4
239	Dexmedetomidine: a review of applications for cardiac surgery during perioperative period. Journal of Anesthesia, 2015, 29, 102-111.	0.7	31
240	Sedation in Critically Ill Children with Respiratory Failure. Frontiers in Pediatrics, 2016, 4, 89.	0.9	31
241	Importance of the use of protocols for the management of analgesia and sedation in pediatric intensive care unit. Revista Da Associação Médica Brasileira, 2016, 62, 602-609.	0.3	26
242	Patterns of Sedation Weaning in Critically Ill Children Recovering From Acute Respiratory Failure*. Pediatric Critical Care Medicine, 2016, 17, 19-29.	0.2	23
243	Perchance to Dream. Pediatric Critical Care Medicine, 2016, 17, 87-88.	0.2	4
244	Patient-Ventilator Asynchrony During Assisted Ventilation in Children. Pediatric Critical Care Medicine, 2016, 17, e204-e211.	0.2	34
245	Pediatric Cardiac Intensive Care Society 2014 Consensus Statement. Pediatric Critical Care Medicine, 2016, 17, S3-S15.	0.2	35
246	Sedation and Analgesia in Pediatric Cardiac Critical Care. Pediatric Critical Care Medicine, 2016, 17, S225-S231.	0.2	11
247	A Pediatric Sedation Protocol for Mechanically Ventilated Patients Requires Sustenance Beyond Implementation*. Pediatric Critical Care Medicine, 2016, 17, 721-726.	0.2	31
248	Tolerance and Withdrawal Issues with Sedatives in the Intensive Care Unit. Critical Care Nursing Clinics of North America, 2016, 28, 155-167.	0.4	4
249	Clinical recommendations for pain, sedation, withdrawal and delirium assessment in critically ill infants and children: an ESPNIC position statement for healthcare professionals. Intensive Care Medicine, 2016, 42, 972-986.	3.9	290

#	Article	IF	CITATIONS
250	Year in Review 2015: Pediatric ARDS. Respiratory Care, 2016, 61, 980-985.	0.8	21
251	Play-based procedural preparation and support intervention for cranial radiation. Supportive Care in Cancer, 2016, 24, 2421-2427.	1.0	42
252	The use of methadone to facilitate opioid weaning in pediatric critical care patients: a systematic review of the literature and metaâ€analysis. Paediatric Anaesthesia, 2017, 27, 228-239.	0.6	30
253	Sedation Management in Children Supported on Extracorporeal Membrane Oxygenation for Acute Respiratory Failure*. Critical Care Medicine, 2017, 45, e1001-e1010.	0.4	22
254	Interprofessional Team's Perception of Care Delivery After Implementation of a Pediatric Pain and Sedation Protocol. Critical Care Nurse, 2017, 37, 66-76.	0.5	8
255	Effectiveness of \hat{l}_{\pm} ₂ agonists for sedation in paediatric critical care: study protocol for a retrospective cohort observational study. BMJ Open, 2017, 7, e013858.	0.8	6
256	Withdrawal Assessment Tool-1 Monitoring in PICU: A Multicenter Study on latrogenic Withdrawal Syndrome. Pediatric Critical Care Medicine, 2017, 18, e86-e91.	0.2	36
257	Ketamine Infusion as a Counter Measure for Opioid Tolerance in Mechanically Ventilated Children: A Pilot Study. Paediatric Drugs, 2017, 19, 259-265.	1.3	19
258	Sedation and analgesia for procedures in the pediatric emergency room. Jornal De Pediatria, 2017, 93, 2-18.	0.9	15
259	Opioid and Benzodiazepine Weaning in Pediatric Patients: Review of Current Literature. Pharmacotherapy, 2017, 37, 1458-1468.	1.2	22
260	latrogenic Opioid Withdrawal in Critically Ill Patients: A Review of Assessment Tools and Management. Annals of Pharmacotherapy, 2017, 51, 1099-1111.	0.9	32
262	Nurseâ€driven analgesia and sedation in pediatric patients with univentricular hearts requiring extracorporeal life support after firstâ€stage palliation surgery: A pilot study. Paediatric Anaesthesia, 2017, 27, 1261-1270.	0.6	8
263	Analgesia and Sedation Protocol for Mechanically Ventilated Postsurgical Children Reduces Benzodiazepines and Withdrawal Symptoms—But Not in All Patients. European Journal of Pediatric Surgery, 2017, 27, 255-262.	0.7	14
264	Chloral hydrate enteral infusion for sedation in ventilated children: the CHOSEN pilot study. Critical Care, 2017, 21, 290.	2.5	5
265	Phase IV, Open-Label, Safety Study Evaluating the Use of Dexmedetomidine in Pediatric Patients Undergoing Procedure-Type Sedation. Frontiers in Pharmacology, 2017, 8, 529.	1.6	4
266	Management of Opioid and Sedative Weaning in Pediatric Congenital Heart Disease Patients. Dimensions of Critical Care Nursing, 2017, 36, 116-124.	0.4	9
267	Opioid-associated iatrogenic withdrawal in critically ill adult patients: a multicenter prospective observational study. Annals of Intensive Care, 2017, 7, 88.	2.2	42
268	Considerations for pediatric burn sedation and analgesia. Burns and Trauma, 2017, 5, 28.	2.3	22

#	Article	IF	Citations
269	In Vitro Adsorption of Analgosedative Drugs in New Extracorporeal Membrane Oxygenation Circuits. Pediatric Critical Care Medicine, 2018, 19, e251-e258.	0.2	27
270	Oral lorazepam can be substituted for intravenous midazolam when weaning paediatric intensive care patients off sedation. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1594-1600.	0.7	10
271	Pharmacokinetic considerations for pediatric patients receiving analgesia in the intensive care unit; targeting postoperative, ECMO and hypothermia patients. Expert Opinion on Drug Metabolism and Toxicology, 2018, 14, 417-428.	1.5	14
272	Metadona para tratar el sÃndrome de abstinencia en cuidado intensivo pediátrico. Acta Colombiana De Cuidado Intensivo, 2018, 18, 43-50.	0.1	0
273	Psychometric analysis of subjective sedation scales used for critically ill paediatric patients. Nursing in Critical Care, 2018, 23, 30-41.	1.1	7
274	Asthma Severity Pathway in the PICU. Pediatric Critical Care Medicine, 2018, 19, 797-798.	0.2	3
275	The authors reply. Pediatric Critical Care Medicine, 2018, 19, 796-797.	0.2	1
276	Shortened Taper Duration after Implementation of a Standardized Protocol for latrogenic Benzodiazepine and Opioid Withdrawal in Pediatric Patients: Results of a Cohort Study. Pediatric Quality & Safety, 2018, 3, e079.	0.4	8
277	Neonatal Clonazepam Administration Induces Long-Lasting Changes in Glutamate Receptors. Frontiers in Molecular Neuroscience, 2018, 11, 382.	1.4	11
278	Evaluation of IV to Enteral Benzodiazepine Conversion Calculations in a Pediatric Intensive Care Setting. Pediatric Critical Care Medicine, 2018, 19, e569-e575.	0.2	6
279	Methods in the design and implementation of the Randomized Evaluation of Sedation Titration for Respiratory Failure (RESTORE) clinical trial. Trials, 2018, 19, 687.	0.7	11
280	Pharmacological Strategies for Decreasing Opioid Therapy and Management of Side Effects from Chronic Use. Children, 2018, 5, 163.	0.6	1
281	Opioid tapering and weaning protocols in pediatric critical care units: a systematic review. Revista Da Associa§ão MÃ@dica Brasileira, 2018, 64, 909-915.	0.3	4
282	Can We Replace Midazolam With Massage Therapy in the Pediatric Cardiac ICU?*. Pediatric Critical Care Medicine, 2018, 19, 780-782.	0.2	1
283	Incidence of tolerance in children undergoing repeated administration of propofol for proton radiation therapy: a retrospective study. BMC Anesthesiology, 2018, 18, 125.	0.7	6
284	Ketamine dosing for sedation during repeated radiotherapy sessions in children. Turkish Journal of Medical Sciences, 2018, 48, 851-855.	0.4	3
285	Supervised Multidimensional Item Response Theory Modeling of Pediatric latrogenic Withdrawal Symptoms. CPT: Pharmacometrics and Systems Pharmacology, 2019, 8, 904-912.	1.3	4
286	Validation of the Withdrawal Assessment Tool–1 in Adult Intensive Care Patients. American Journal of Critical Care, 2019, 28, 361-369.	0.8	13

#	Article	IF	CITATIONS
287	Outcomes of Children With Bronchiolitis Treated With High-Flow Nasal Cannula or Noninvasive Positive Pressure Ventilation*. Pediatric Critical Care Medicine, 2019, 20, 128-135.	0.2	56
288	Effectiveness of Protocolized Sedation Utilizing the COMFORT-B Scale in Mechanically Ventilated Children in a Pediatric Intensive Care Unit. Journal of Pediatric Intensive Care, 2019, 08, 156-163.	0.4	4
289	Combining opioids and non-opioids for pain management: Current status. Neuropharmacology, 2019, 158, 107619.	2.0	20
291	latrogenic Withdrawal Syndrome: a Review of Pathophysiology, Prevention, and Treatment. Current Pediatrics Reports, 2019, 7, 12-19.	1.7	4
292	Ketamine Tolerance in Sprague–Dawley Rats after Chronic Administration of Ketamine, Morphine, or Cocaine. Comparative Medicine, 2019, 69, 29-34.	0.4	15
293	Reevaluating a Standardized Sedation Weaning Protocol for Pediatric Laryngotracheal Reconstruction for Continuous Quality Improvement. JAMA Otolaryngology - Head and Neck Surgery, 2019, 145, 321.	1.2	0
294	Ventilator-Dependent Patients Successfully Weaned With Cognitive-Behavioral Therapy: A Case Series. Psychosomatics, 2019, 60, 612-619.	2.5	11
295	Evaluating the Practice of Repositioning Endotracheal Tubes in Neonates and Children Based on Radiographic Location*. Pediatric Critical Care Medicine, 2019, 20, 1057-1060.	0.2	7
296	Efficacy and safety of dexmedetomidine for prevention of withdrawal syndrome in the pediatric intensive care unit: protocol for an adaptive, multicenter, randomized, double-blind, placebo-controlled, non-profit clinical trial. Trials, 2019, 20, 710.	0.7	10
297	Analgesia, sedation, and delirium in pediatric surgical critical care. Seminars in Pediatric Surgery, 2019, 28, 33-42.	0.5	8
298	Weaning and Extubation Readiness Assessment in Pediatric Patients., 2019,, 43-62.		1
299	Pediatric Critical Care., 2019, , .		3
300	Evaluation of an updated sedation protocol to reduce benzodiazepines in a pediatric intensive care unit. Current Medical Research and Opinion, 2020, 36, 1-6.	0.9	6
301	Sedation withdrawal following single stage laryngotracheal reconstruction: Does dexmedetomidine help?. International Journal of Pediatric Otorhinolaryngology, 2020, 129, 109758.	0.4	2
302	Ketamine-induced neuromuscular reactivity is associated with aging in female rhesus macaques. PLoS ONE, 2020, 15, e0236430.	1.1	6
303	Methadone's Effect on Cardiac Repolarization: Safety in the PICU. Pediatric Critical Care Medicine, 2020, 21, e747-e751.	0.2	2
304	Sedation, Analgesia, and Neuromuscular Blockade: An Assessment of Practices From 2009 to 2016 in a National Sample of 66,443 Pediatric Patients Cared for in the ICU*. Pediatric Critical Care Medicine, 2020, 21, e599-e609.	0.2	22
305	Nurse-Implemented Goal-Directed Strategy to Improve Pain and Sedation Management in a Pediatric Cardiac ICU. Pediatric Critical Care Medicine, 2020, 21, 1064-1070.	0.2	10

#	Article	IF	Citations
306	latrogenic withdrawal syndrome in specialty pediatric critical care. Applied Nursing Research, 2020, 55, 151284.	1.0	2
307	Potential Energy Function for Fentanyl-Based Opioid Pain Killers. Journal of Chemical Information and Modeling, 2020, 60, 3566-3576.	2.5	13
308	Assessment and treatment of the withdrawal syndrome in paediatric intensive care units. Medicine (United States), 2020, 99, e18502.	0.4	20
309	Extubation Readiness Practices and Barriers to Extubation in Pediatric Subjects. Respiratory Care, 2021, 66, 582-590.	0.8	10
310	latrogenic Opiate Withdrawal in Pediatric Patients: Implementation of a Standardized Methadone Weaning Protocol and Withdrawal Assessment Tool. Journal of Pharmacy Practice, 2021, 34, 417-422.	0.5	6
311	Sedation in the Pediatric Intensive Care Unit: Current Practice in Europe., 2021,, 373-396.		0
312	Sedation protocols in the pediatric intensive care unit: fact or fiction?. Translational Pediatrics, 2021, 10, 0-0.	0.5	6
313	Sedation and Analgesia., 2021,, 797-829.		0
314	Exposure-Based Methadone and Lorazepam Weaning Protocol Reduces Wean Length in Children. Journal of Pediatric Pharmacology and Therapeutics, 2021, 26, 42-49.	0.3	1
315	Dexmedetomidine and latrogenic Withdrawal Syndrome in Critically III Children. Critical Care Nurse, 2021, 41, e17-e23.	0.5	1
316	Evaluation of the Development of Tolerance Following Frequent Administration of Propofol in Children Requiring Successive Sedation for Separate Procedures. Journal of Pediatric Pharmacology and Therapeutics, 2021, 26, 277-283.	0.3	0
317	latrogenic withdrawal syndrome frequently occurs in paediatric intensive care without algorithm for tapering of analgosedation. Acta Anaesthesiologica Scandinavica, 2021, 65, 928-935.	0.7	5
318	Age-Specific Dose Regimens of Dexmedetomidine for Pediatric Patients in Intensive Care Following Elective Surgery: A Phase 3, Multicenter, Open-Label Clinical Trial in Japan. Pediatric Critical Care Medicine, 2021, 22, e546-e557.	0.2	5
319	Towards Evidence-Based Weaning: a Mechanism-Based Pharmacometric Model to Characterize latrogenic Withdrawal Syndrome in Critically Ill Children. AAPS Journal, 2021, 23, 71.	2.2	3
320	Trends in Pediatric Patient-Ventilator Asynchrony During Invasive Mechanical Ventilation. Pediatric Critical Care Medicine, 2021, 22, 993-997.	0.2	2
321	Assessment of Phenobarbital Administration to Reduce Opioid and Benzodiazepine Use in the Immediate Postoperative Period Following Stage 2 Single-Ventricle Palliation. Journal of Pediatric Pharmacology and Therapeutics, 2021, 26, 584-591.	0.3	0
322	Post-Operative Sedation and Analgesia. , 2014, , 705-719.		2
323	Pharmacokinetics and Pharmacodynamics in the Pediatric Patient., 2017,, 441-516.		2

#	Article	IF	Citations
324	Intravenous Sedatives and Analgesics. , 2018, , 69-101.		1
326	PEDIATRIC NEUROANESTHESIA AND CRITICAL CARE. , 2010, , 327-342.		3
327	Neonatal Pain Management in the 21st Century. , 2005, , 438-446.		2
328	Dexmedetomidine to Facilitate Drug Withdrawal. Anesthesiology, 2003, 98, 575-577.	1.3	77
329	Chronic Administration of Ketamine for Analgesia. , 0, .		5
330	A sedação e analgesia de crianças submetidas à ventilação mecânica estariam sendo superestimadas?. Jornal De Pediatria, 2003, 79, .	0.9	9
331	Sedation strategies in children with pediatric acute respiratory distress syndrome (PARDS). Annals of Translational Medicine, 2019, 7, 509-509.	0.7	10
332	Analgesia and sedation in children: practical approach for the most frequent situations. Jornal De Pediatria, 2007, 83, 71-82.	0.9	20
333	Prospective multicentre randomised, double-blind, equivalence study comparing clonidine and midazolam as intravenous sedative agents in critically ill children: the SLEEPS (Safety profiLe, Efficacy) Tj ETQq0 (0 0 ₁ .gBT /0	Overlock 10 Tr
334	1-212. latrogenic Opioid Withdrawal Syndrome in Critically III Patients: a Retrospective Cohort Study. Journal of Korean Medical Science, 2020, 35, e106.	1.1	18
335	Dexmedetomidine infusion to facilitate opioid detoxification and withdrawal in a patient with chronic opioid abuse. Indian Journal of Palliative Care, 2011, 17, 251.	1.0	14
336	lsoflurane for Life-Threatening Bronchospasm: A 15-Year Single-Center Experience. Respiratory Care, 2012, 57, 1857-1864.	0.8	30
337	Conversion from prolonged intravenous fentanyl infusion to enteral methadone in critically ill children. World Journal of Clinical Pediatrics, 2017, 6, 110.	0.6	5
338	Impact of a Standardized Treatment Guideline for Pediatric Iatrogenic Opioid Dependence: A Quality Improvement Initiative. Journal of Pediatric Pharmacology and Therapeutics, 2016, 21, 54-65.	0.3	8
339	Survey of the Current Use of Dexmedetomidine and Management of Withdrawal Symptoms in Critically III Children. Journal of Pediatric Pharmacology and Therapeutics, 2019, 24, 16-21.	0.3	9
340	Clinical pharmacology of analgesics in infants and the pharmacologic management of pain in neonates. Medical Express, 2014, 1 , .	0.2	5
341	Zentrales Nervensystem., 2003,, 369-389.		0
343	Problems in propofol sedation in children. Journal of the Japanese Society of Intensive Care Medicine, 2005, 12, 5-7.	0.0	0

#	Article	IF	CITATIONS
344	Perinatal Substance Abuse., 2005, , 106-126.		0
345	Opioid Analgesic Drugs. , 2006, , 589-611.		0
346	Withdrawal Syndromes., 2007,, 1140-1143.		1
347	Clinical Evaluation of Repeated Propofol Total Intravenous Anesthesia in Dog. Pakistan Journal of Biological Sciences, 2008, 11, 1820-1824.	0.2	3
349	Medikamente., 2009,, 55-102.		0
350	Dexmedetomidine: Are There Going to be Issues with Prolonged Administration?. Journal of Pediatric Pharmacology and Therapeutics, 2010, 15, 4-9.	0.3	9
353	Opioid Tolerance., 2011,, 343-358.		0
354	Sedatives and Hypnotics. , 2011, , 1366-1373.		1
355	Opioid Tapers. , 2011, , 359-374.		0
356	Ipnotici e sedativi. , 2012, , 691-694.		0
357	Morfinoderivati., 2012,, 683-686.		0
358	Dolore e sedazione. , 2012, , 81-90.		0
359	Tapering of Opioid Analgesics Injected to the Patients Hospitalized in Surgical Intensive Care Unit. Journal of Korean Society of Health-System Pharmacists, 2012, 29, 384-393.	0.1	0
360	Medikamente. , 2013, , 53-95.		1
361	Sedation and Analgesia., 2014,, 31-61.		0
362	Sedation and analgesia in children. , 2014, , 1103-1108.e2.		0
363	Sedation in the Pediatric Intensive Care Unit: Current Practice in Europe., 2015,, 329-350.		1
364	Barbiturates. , 2016, , 1-10.		O

#	Article	IF	CITATIONS
365	The Pediatric Patient Cared for in the Adult ICU., 2016, , 431-441.		2
367	Intensive Care Unit: Developing and Implementing Pull Systems. , 2016, , 143-161.		0
368	Perioperative Management of the Esophageal Growth Procedure. , 2017, , 295-302.		0
369	A PRACTICAL GUIDE TO SEDATION AND ANALGESIA IN PAEDIATRIC INTENSIVE CARE UNIT (ICU). Journal of Anesthesia and Surgery, 2017, 4, 1-6.	0.1	0
370	Barbiturates. , 2017, , 955-964.		0
371	Sedation of the Critically Ill Child. , 2017, , 537-560.		0
372	Association Between Deep Sedation from Continuous Intravenous Sedatives and Extubation Failures in Mechanically Ventilated Patients in the Pediatric Intensive Care Unit. Journal of Pediatric Pharmacology and Therapeutics, 2017, 22, 106-111.	0.3	1
373	Delirium in the Pediatric Critical Care Oncologic Patient. , 2020, , 2021-2034.		O
374	Protocolized Sedative Weaning vs Usual Care in Pediatric Critically III Patients: A Pilot Randomized Controlled Trial. Indian Journal of Critical Care Medicine, 2020, 24, 451-458.	0.3	5
375	Trauma and Intensive Care. Issues in Clinical Child Psychology, 2020, , 239-250.	0.2	O
376	Withdraw Sedation Gently or Face Withdrawal Syndrome!. Indian Journal of Critical Care Medicine, 2020, 24, 381-382.	0.3	0
377	Analgesia and sedation during mechanical ventilation in paediatrics. , 2007, , 421-433.		O
378	Zentrales Nervensystem. , 2005, , 422-451.		0
379	Beatmungstherapie in der Intensivmedizin — besondere Aspekte beim kardial geschÃ d igten Patienten. , 2006, , 75-91.		O
381	Tolerance and Withdrawal in Critically Ill Children. , 2021, , 143-151.		0
382	Analgesia and Sedation in the Neonate. , 2021, , 193-219.		0
383	Sedative Agents (Benzodiazepines)., 2021,, 57-69.		0
384	Dexmedetomidine: Are There Going to be Issues with Prolonged Administration?. Journal of Pediatric Pharmacology and Therapeutics, 2010, 15, 4-9.	0.3	19

#	Article	IF	CITATIONS
385	Choice of sedation in neurointensive care. , 2022, , 321-358.		1
386	Implementation of a sedation protocol: a quality improvement project to enhance sedation management in the paediatric intensive care unit. BMJ Open Quality, 2022, 11, e001501.	0.4	1
387	Opioid Weaning Protocol Using Morphine Compared With Nonprotocolized Methadone Associated With Decreased Dose and Duration of Opioid After Norwood Procedure. Pediatric Critical Care Medicine, 2022, 23, 361-370.	0.2	4
388	Use of continuous infusion of clonidine for sedation in critically ill infants and children. Archives De Pediatrie, 2022, 29, 116-120.	0.4	0
389	Aromatherapy massage seems effective in critically ill children: an observational beforeâ€after study. Paediatric and Neonatal Pain, 2022, 4, 61-68.	0.6	2
390	Association of Intravenous Acetaminophen Administration With the Duration of Intravenous Opioid Use Among Hospitalized Pediatric Patients. JAMA Network Open, 2021, 4, e2138420.	2.8	2
392	Analgesia, Sedation, Paralytics, Delirium, and Iatrogenic Withdrawal. Pediatric Clinics of North America, 2022, 69, 531-546.	0.9	2
394	Management of Severe Traumatic Brain Injury in Pediatric Patients. Frontiers in Toxicology, 0, 4, .	1.6	3
396	Analgesia, Sedation, and Anesthesia for Neonates With Cardiac Disease. Pediatrics, 2022, 150, .	1.0	4
397	Mechanisms Involved in the Neurotoxicity and Abuse Liability of Nitrous Oxide: A Narrative Review. International Journal of Molecular Sciences, 2022, 23, 14747.	1.8	10
398	Operational Definitions Related to Pediatric Ventilator Liberation. Chest, 2023, 163, 1130-1143.	0.4	2
399	Incidence of iatrogenic withdrawal syndrome and associated factors in surgical pediatric intensive care. Archives De Pediatrie, 2023, 30, 14-19.	0.4	1
400	A survey of current practices in sedation, analgesia, withdrawal, and delirium management in paediatric cardiac ICUs. Cardiology in the Young, 2023, 33, 2209-2214.	0.4	1
401	Duration of Spontaneous Breathing Trials in Children. Chest, 2023, 163, 14-15.	0.4	1
402	Validation of the withdrawal assessment toolâ€1 (WATâ€1) in pediatric cardiovascular patients on an inpatient unit. Journal for Specialists in Pediatric Nursing, 2023, 28, .	0.6	1
403	Hemodynamic Effects of a High-Frequency Oscillatory Ventilation Open-Lung Strategy in Critically Ill Children With Acquired or Congenital Cardiac Disease. Pediatric Critical Care Medicine, 2023, 24, e272-e281.	0.2	0
405	Analgesia and sedation in critically ill pediatric patients: an update from the recent guidelines and point of view. European Journal of Pediatrics, 2023, 182, 2013-2026.	1.3	4
406	Impact of in utero drug exposure on neonates requiring ECMO: A retrospective cohort study. Frontiers in Pediatrics, 0, 11, .	0.9	0

#	Article	IF	CITATIONS
408	Anesthesia and Ancillary Drugs and the Neonate. , 2023, , 99-166.		0
413	Pain and Symptom Management in Newborns Receiving Palliative and End-of-Life Care., 2024, , 776-782.		O