

CITATION REPORT

List of articles citing

Effect of size and dose on bone resorption activity of macrophages by in vitro clinically relevant ultra high molecular weight polyethylene particles

DOI: 10.1002/1097-4636(200009)53:53.0.co;2-7

Journal of Biomedical Materials Research Part B, 2000, 53, 490-7.

Source: <https://exaly.com/paper-pdf/31275066/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
263	Do current wear particle isolation procedures underestimate the number of particles generated by prosthetic bearing components?. <i>Wear</i> , 2001 , 251, 1213-1217	3.5	30
262	Studies on in vitro evaluation for the biocompatibility of various biomaterials: inhibitory activity of various kinds of polymer microspheres on metabolic cooperation. <i>Journal of Biomedical Materials Research Part B</i> , 2001 , 57, 279-84		5
261	Contact mechanics of a novel metal-on-metal total hip replacement. 2001 , 215, 543-8		24
260	The wear of metal-on-metal total hip prostheses measured in a hip simulator. 2001 , 215, 523-30		68
259	Cytotoxic reaction and TNF-alpha response of macrophages to polyurethane particles. 2002 , 13, 257-72		11
258	Biocompatibility of Various Kinds of Polymer Microspheres Estimated from Their Effect on Gap Junctional Intercellular Communication of Fibroblasts. 2002 , 43, 3122-3127		3
257	Comparison of wear, wear debris and functional biological activity of moderately crosslinked and non-crosslinked polyethylenes in hip prostheses. 2002 , 216, 111-22		151
256	Standardized analysis of UHMWPE wear particles from failed total joint arthroplasties. <i>Journal of Biomedical Materials Research Part B</i> , 2002 , 63, 475-83		66
255	Human monocyte response to retrieved polymethylmethacrylate particles. <i>Journal of Biomedical Materials Research Part B</i> , 2002 , 62, 331-7		5
254	Adherent endotoxin mediates biological responses of titanium particles without stimulating their phagocytosis. 2002 , 20, 696-703		64
253	The effect of particle size and electrical charge on macrophage-osteoclast differentiation and bone resorption. 2003 , 14, 731-8		49
252	The nature and dissemination of UHMWPE wear debris retrieved from periprosthetic tissue of THR. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 65, 95-108		43
251	Effects of clinically relevant alumina ceramic wear particles on TNF-alpha production by human peripheral blood mononuclear phagocytes. 2003 , 24, 1193-204		88
250	Wear of Historical Polyethylenes in Hip Prostheses. Biomechanical Success and a Biological Failure. 2003 , 13, 17-27		12
249	Wear characteristic and biocompatibility of some polymer composite acetabular cups. <i>Wear</i> , 2004 , 256, 1026-1036	3.5	62
248	Characteristics of polyethylene wear particles isolated from synovial fluid after mobile-bearing and posterior-stabilized total knee arthroplasties. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 71, 1-6		34
247	Influence of orthopedic particulate biomaterials on inflammation and synovial microcirculation in the murine knee joint. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 71, 108-15		13

246	Oponization of polyethylene wear particles regulates macrophage and osteoblast responses in vitro. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 71, 244-51		10
245	Comparison of the response of primary human blood monocytes and the U937 human monocytic cell line to two different sizes of alumina ceramic particles. 2004 , 22, 832-8		39
244	The influence of alumina and ultra-high molecular weight polyethylene particles on osteoblast-osteoclast cooperation. 2004 , 25, 4037-45		52
243	The influence of molecular weight, crosslinking and counterface roughness on TNF-alpha production by macrophages in response to ultra high molecular weight polyethylene particles. 2004 , 25, 3511-22		145
242	Surgical management of polyethylene wear and pelvic osteolysis with modular uncemented acetabular components. 2004 , 19, 124-9		29
241	Effect of augmented cup fixation on stability, wear, and osteolysis: a 5-year follow-up of total hip arthroplasty with RSA. 2004 , 19, 962-71		29
240	Particles of all sizes provoke inflammatory responses in vivo. 2005 , 258-64		16
239	Nanometre size wear debris generated from crosslinked and non-crosslinked ultra high molecular weight polyethylene in artificial joints. <i>Wear</i> , 2005 , 259, 977-983	3.5	44
238	The role of macrophages in osteolysis of total joint replacement. 2005 , 26, 1271-86		529
237	Adhesion of human U937 macrophages to phosphorylcholine-coated surfaces. <i>Journal of Biomedical Materials Research Part B</i> , 2005 , 72, 1-9		20
236	Flow cytometric measurement of phagocytosis reveals a role for C3b in metal particle uptake by phagocytes. 2005 , 73, 80-5		7
235	Hydroxy apatite microspheres enhance gap junctional intercellular communication of human osteoblasts composed of connexin 43 and 45. 2005 , 74, 181-6		2
234	Particle analysis for the determination of UHMWPE wear. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2005 , 73, 325-37	3.5	47
233	The osteolytic response of macrophages to challenge with particles of Simplex P, Endurance, Palacos R, and Vertebroplastic bone cement particles in vitro. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2005 , 75, 210-20	3.5	9
232	UHMWPE wear debris upregulates mononuclear cell proinflammatory gene expression in a novel murine model of intramedullary particle disease. 2005 , 76, 412-420		26
231	[Cytokine profile of a human bone marrow cell culture under the influence of UHMW-PE wear particles]. 2005 , 50, 330-6		2
230	Isolation and characterization of wear debris generated in patients wearing polyethylene Hylamer inserts, gamma irradiated in air. 2005 , 20, 103-21		5
229	Impingement of acetabular cups in a hip simulator: comparison of highly cross-linked and conventional polyethylene. 2005 , 20, 77-86		40

228	Wear particulate and osteolysis. 2005 , 36, 41-8, vi	73
227	No difference in early cellular response of the pseudo-synovial membrane after total hip arthroplasty: comparison of 3 combinations of bearing materials. 2006 , 77, 402-12	6
226	Effects of bone cement particles on the function of pseudocapsule-derived fibroblasts. 2006 , 77, 320-8	6
225	Aseptic loosening, not only a question of wear: a review of different theories. 2006 , 77, 177-97	418
224	Hip Joints, Artificial. 2006 ,	
223	Biomaterials, Corrosion and Wear of. 2006 ,	
222	In vitro wear assessment of the Charit[Artificial Disc according to ASTM recommendations. 2006 , 31, 1900-10	34
221	Tribology of alternative bearings. 2006 , 453, 25-34	165
220	Hip implants: Paper V. Physiological effects. 2006 , 27, 287-307	93
219	Wear of crosslinked polyethylene under different tribological conditions. 2006 , 17, 235-43	69
218	Elucidating in vitro cell-cell interaction using a microfluidic coculture system. 2006 , 8, 65-71	38
217	[Wear particles: key to aseptic prosthetic loosening?]. 2006 , 27, 447-60	29
216	Correlating subjective and objective descriptors of ultra high molecular weight wear particles from total joint prostheses. 2006 , 27, 752-7	7
215	The use of functionally gradient materials in medicine. 2006 , 58, 52-56	13
214	The effects of titanium and polymethylmethacrylate particles on osteoblast phenotypic stability. 2006 , 77, 512-7	23
213	Isolation and characterization of UHMWPE wear particles down to ten nanometers in size from in vitro hip and knee joint simulators. 2006 , 78, 473-80	82
212	Alumina particles influence the interactions of cocultured osteoblasts and macrophages. 2006 , 24, 46-54	25
211	Biological effects of clinically relevant wear particles from metal-on-metal hip prostheses. 2006 , 220, 355-69	80

210	Enhancement of Differentiation and Homeostasis of Human Osteoblasts by Interaction with Hydroxyapatite in Microsphere Form. 2006 , 309-311, 1293-1298		1
209	Highly Crosslinked Polyethylenes in Hip Replacements: Improved Wear Performance or Paradox?. 2007 , 50, 277-290		28
208	Does bone quality predict loosening of cemented total hip replacements?. 2007 , 89, 1303-8		47
207	Wear and biological activity of highly crosslinked polyethylene in the hip under low serum protein concentrations. 2007 , 221, 1-10		57
206	Gene expression profile of macrophage-like U937 cells in response to polyethylene particles: a novel cell-particle culture system. 2007 , 22, 960-5		8
205	Patient sensitivity to polyethylene particles with cemented total hip arthroplasty. 2007 , 22, 966-73		9
204	Significance of nano- and microtopography for cell-surface interactions in orthopaedic implants. 2007 , 2007, 69036		101
203	Modeling UHMWPE wear debris generation. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2007 , 80, 479-85	3.5	8
202	Host response to biomaterial implants: Biological activity of prosthetic wear particles. 2007 , 240, 137-138		2
201	Mouse femoral intramedullary injection model: technique and microCT scan validation. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 84, 286-90	3.5	14
200	Characteristics of Hylamer polyethylene particles isolated from peri-prosthetic tissues of failed cemented total hip arthroplasties. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 85, 125-9	3.5	5
199	"Severe" wear challenge to 36 mm mechanically enhanced highly crosslinked polyethylene hip liners. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 86, 253-63	3.5	19
198	Wear particles and osteolysis. 2008 , 140-163		1
197	Reduction of osteolysis with use of Marathon cross-linked polyethylene. A concise follow-up, at a minimum of five years, of a previous report. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008 , 90, 1487-91 ^{5.6}		68
196	Sterilization of joint replacement materials. 2008 , 407-427		
195	Pathophysiologic Reactions to UHMWPE Wear Particles. 2009 , 341-353		2
194	Comparison between highly cross-linked and conventional polyethylene in total knee arthroplasty. 2009 , 16, 348-51		57
193	The effect of Lipoxin A4 on the interaction between macrophage and osteoblast: possible role in the treatment of aseptic loosening. 2009 , 10, 57		13

192	Analysis of retrieved ultra-high-molecular-weight polyethylene tibial components from rotating-platform total knee arthroplasty. 2009 , 24, 131-8		23
191	Clinical results of the wear performance of cross-linked polyethylene in total hip arthroplasty: prospective randomized trial. 2009 , 24, 1216-20		26
190	Effect of head surface roughness and sterilization on wear of UHMWPE acetabular cups. 2009 , 90, 1032-42		12
189	In vivo response to cross-linked polyethylene and polycarbonate-urethane particles. 2010 , 93, 227-34		23
188	Migration of wear debris of polyethylene depends on bone microarchitecture. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 90, 730-7	3.5	12
187	Comparison of periprosthetic tissue digestion methods for ultra-high molecular weight polyethylene wear debris extraction. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 91, 409-18	3.5	18
186	In vivo comparison of wear particles between highly crosslinked polyethylene and conventional polyethylene in the same design of total knee arthroplasties. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 91, 799-804	3.5	28
185	Development of porous UHMWPE morphologies for fixation of gel-based materials. 2009 , 114, 2555-2563		10
184	Investigating the immunologic effects of CoCr nanoparticles. 2009 , 467, 3010-6		17
183	Understanding polyethylene wear mechanisms by modeling of debris size distributions. <i>Wear</i> , 2009 , 267, 646-652	3.5	11
182	Influence of design and bearing material on polyethylene wear particle generation in total knee replacement. <i>Acta Biomaterialia</i> , 2009 , 5, 2495-502	10.8	30
181	PGE2 signaling through the EP4 receptor on fibroblasts upregulates RANKL and stimulates osteolysis. 2009 , 24, 1753-62		50
180	Cross-linked glenoid prosthesis: a wear comparison to conventional glenoid prosthesis with wear particulate analysis. 2009 , 18, 130-7		34
179	Characterization of UHMWPE Wear Particles. 2009 , 409-422		0
178	Retrieval analysis of motion preserving spinal devices and periprosthetic tissues. 2009 , 3, 161-77		14
177	A review of the biologic effects of spine implant debris: Fact from fiction. 2009 , 3, 143-60		44
176	In vitro macrophage response to polyethylene and polycarbonate-urethane particles. 2010 , 93, 347-55		20
175	Corrosion behavior of amorphous carbon deposit in 0.89% NaCl by electrochemical impedance spectroscopy. 2009 , 18, 1360-1368		13

174	Initial increased wear debris of XLPE-AL ₂ O ₃ bearing in total hip arthroplasties. 2010 , 130, 1481-6		4
173	Crosslinked polyethylene in knee arthroplasty: a simulator study evaluating the positive influence on the tribocontact area in the fixed-bearing knee. 2010 , 130, 1419-24		4
172	Cell interactions in bone tissue engineering. 2010 , 14, 93-102		38
171	Different apoptosis modalities in periprosthetic membranes. 2010 , 92, 175-84		4
170	Surveillance of systemic trafficking of macrophages induced by UHMWPE particles in nude mice by noninvasive imaging. 2010 , 94, 706-11		20
169	Distinct immunohistomorphologic changes in periprosthetic hip tissues from historical and highly crosslinked UHMWPE implant retrievals. 2010 , 95, 68-78		13
168	Polyethylene wear debris produced in a knee simulator model: effect of crosslinking and counterface material. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010 , 92, 78-85	3,5	12
167	A new material for hip prosthesis without considerable debris release. 2010 , 32, 908-13		39
166	COMBINED EFFECTS OF POLYETHYLENE WEAR PARTICLE SIZE AND DOSAGE ON MACROPHAGE RESPONSES. 2010 , 22, 279-291		1
165	Cross-linked versus conventional polyethylene for total hip replacement: a meta-analysis of randomised controlled trials. 2011 , 93, 593-600		89
164	Oestrogen deficiency modulates particle-induced osteolysis. 2011 , 13, R100		29
163	Biological Effects of Wear Debris from Joint Arthroplasties. 2011 , 79-87		1
162	Investigation of corrosion behavior of nitrogen doped and platinum/ruthenium doped diamond-like carbon thin films in Hank's solution. <i>Materials Science and Engineering C</i> , 2011 , 31, 1539-1544	8,3	10
161	Highly crosslinked polyethylene in posterior-stabilized total knee arthroplasty: in vitro performance evaluation of wear, delamination, and tibial post durability. 2011 , 26, 483-91		31
160	Polyethylene and metal wear particles: characteristics and biological effects. 2011 , 33, 257-71		64
159	The potential role of cobalt ions released from metal prosthesis on the inhibition of Hv1 proton channels and the decrease in <i>Staphylococcus epidermidis</i> killing by human neutrophils. 2011 , 32, 1769-77		28
158	Continuous infusion of UHMWPE particles induces increased bone macrophages and osteolysis. 2011 , 469, 113-22		68
157	Cartilage-mimicking, high-density brush structure improves wear resistance of crosslinked polyethylene: a pilot study. 2011 , 469, 2327-36		44

156	Nano-osteimmunology as an important consideration in the design of future implants. <i>Acta Biomaterialia</i> , 2011 , 7, 2926-34	10.8	15
155	Wear debris stimulates bone-resorbing factor expression in the fibroblasts and osteoblasts. 2011 , 21, 231-7		20
154	Biological effects of wear particles generated in total joint replacements: trends and future prospects. 2012 , 6, 39-52		12
153	[Principles of tribological analysis of endoprostheses]. 2012 , 41, 844-52		8
152	Wear-induced loss of mass in reversed total shoulder arthroplasty with conventional and inverted bearing materials. 2012 , 45, 469-73		33
151	Electroactive Hydrophilic Polylactide Surface by Covalent Modification with Tetraaniline. 2012 , 45, 652-659		56
150	Quantifying subtle but persistent peri-spine inflammation in vivo to submicron cobalt-chromium alloy particles. 2012 , 21, 2649-58		15
149	miR-21 expression is related to particle-induced osteolysis pathogenesis. 2012 , 30, 1837-42		21
148	Orthopedic implant cobalt-alloy particles produce greater toxicity and inflammatory cytokines than titanium alloy and zirconium alloy-based particles in vitro, in human osteoblasts, fibroblasts, and macrophages. 2012 , 100, 2147-58		81
147	Macrophage reactivity to different polymers demonstrates particle size- and material-specific reactivity: PEEK-OPTIMA(□) particles versus UHMWPE particles in the submicron, micron, and 10 micron size ranges. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012 , 100, 480-92	3.5	52
146	Synthesis and characterization of novel biodegradable and electroactive hydrogel based on aniline oligomer and gelatin. 2012 , 12, 241-50		112
145	Selective inhibition of the MCP-1-CCR2 ligand-receptor axis decreases systemic trafficking of macrophages in the presence of UHMWPE particles. 2012 , 30, 547-53		60
144	The John Charnley Award: an accurate and sensitive method to separate, display, and characterize wear debris: part 1: polyethylene particles. 2012 , 470, 329-38		16
143	Wear testing and particle characterisation of sequentially crosslinked polyethylene acetabular liners using different femoral head sizes. 2013 , 24, 2057-65		20
142	Polyethylene wear particles play a role in development of osteoarthritis via detrimental effects on cartilage, meniscus, and synovium. 2013 , 21, 2021-9		13
141	Macrophages-Key cells in the response to wear debris from joint replacements. 2013 , 101, 3033-45		152
140	Assessment of epidural versus intradiscal biocompatibility of PEEK implant debris: an in vivo rabbit model. 2013 , 22, 2740-51		14
139	Generation of physiological parameter sets for hip joint motions and loads during daily life activities for application in wear simulators of the artificial hip joint. 2013 , 35, 131-9		31

138	Establishment of a novel in vitro test setup exposing adherent cells to wear particles made of polyethylene. 2013 , 32, 982-986		1
137	The 2012 John Charnley Award: Clinical multicenter studies of the wear performance of highly crosslinked remelted polyethylene in THA. 2013 , 471, 393-402		98
136	Biodegradable and electrically conducting polymers for biomedical applications. 2013 , 38, 1263-1286		455
135	Total knee prosthesis polyethylene wear reduction by a new metal part finishing method. 2013 , 11, e99-e105		
134	Characteristics of highly cross-linked polyethylene wear debris in vivo. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2013 , 101, 467-75	3-5	9
133	Increasing both CoCrMo-alloy particle size and surface irregularity induces increased macrophage inflammasome activation in vitro potentially through lysosomal destabilization mechanisms. 2013 , 31, 1633-42		71
132	Development and Validation of a Wear Model to Predict Polyethylene Wear in a Total Knee Arthroplasty: A Finite Element Analysis. 2014 , 2, 193-205		18
131	Histology of failed metal-on-metal hip arthroplasty; three distinct sub-types. 2014 , 24, 243-8		17
130	Generation of a large volume of clinically relevant nanometre-sized ultra-high-molecular-weight polyethylene wear particles for cell culture studies. 2014 , 228, 418-26		2
129	Human polyethylene granuloma tissues inhibit bone healing in a novel xenograft animal model. 2014 , 32, 735-43		
128	Effects of surface coating on reducing friction and wear of orthopaedic implants. 2014 , 15, 014402		170
127	In vitro macrophage response to nanometer-size chromium oxide particles. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014 , 102, 149-59	3-5	22
126	Novel biological strategies for treatment of wear particle-induced periprosthetic osteolysis of orthopaedic implants for joint replacement. 2014 , 11, 20130962		96
125	Elevated cytokine expression of different PEEK wear particles compared to UHMWPE in vivo. 2014 , 25, 141-9		23
124	Biological activity and migration of wear particles in the knee joint: an in vivo comparison of six different polyethylene materials. 2014 , 25, 1599-612		10
123	Polyethylene wear particles induce TLR 2 upregulation in the synovial layer of mice. 2014 , 25, 507-13		12
122	Interaction of Materials and Biology in Total Joint Replacement - Successes, Challenges and Future Directions. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 7094-7108	7-3	26
121	Recent developments and future trends in total hip arthroplasty (THA). 2014 , 76-95		

120	Synthesis, characterization and antioxidant activity of a novel electroactive and biodegradable polyurethane for cardiac tissue engineering application. <i>Materials Science and Engineering C</i> , 2014 , 44, 24-37	8.3	101
119	Contributions of human tissue analysis to understanding the mechanisms of loosening and osteolysis in total hip replacement. <i>Acta Biomaterialia</i> , 2014 , 10, 2354-66	10.8	86
118	Facile and Green Approach towards Electrically Conductive Hemicellulose Hydrogels with Tunable Conductivity and Swelling Behavior. 2014 , 26, 4265-4273		73
117	10-year follow-up wear analysis of first-generation highly crosslinked polyethylene in primary total hip arthroplasty. 2014 , 29, 630-3		35
116	The current state of bearing surfaces in total hip replacement. 2014 , 96-B, 147-56		56
115	Characterization of macrophage polarizing cytokines in the aseptic loosening of total hip replacements. 2014 , 32, 1241-6		46
114	Investigation of wear and wear particles from a UHMWPE/multi-walled carbon nanotube nanocomposite for total joint replacements. <i>Wear</i> , 2014 , 317, 163-169	3.5	39
113	Integrin-directed modulation of macrophage responses to biomaterials. 2014 , 35, 3504-15		101
112	PMMA third-body wear after unicondylar knee arthroplasty decouples the UHMWPE wear particle generation in vitro. 2015 , 2015, 575849		5
111	The biological response to nanometre-sized polymer particles. <i>Acta Biomaterialia</i> , 2015 , 23, 38-51	10.8	47
110	In Vivo Performance of Moderately Crosslinked, Thermally Treated Polyethylene in a Prospective Randomized Controlled Primary Total Knee Arthroplasty Trial. 2015 , 30, 1333-8		15
109	The evolution of polymer wear debris from total disc arthroplasty. <i>Biotribology</i> , 2015 , 1-2, 42-50	2.3	13
108	Minimum 10-Year Wear Analysis of Highly Cross-Linked Polyethylene in Cementless Total Hip Arthroplasty. 2015 , 30, 2224-6		20
107	Effect of poly(vinyl alcohol) (PVA) wear particles generated in water lubricant on immune response of macrophage. 2015 , 1, 71-79		7
106	Absence of systemic toxicity in mouse model towards BaTiO ₃ nanoparticulate based eluate treatment. 2015 , 26, 103		20
105	Host Response to Orthopedic Implants (Metals and Plastics). 2015 , 315-373		3
104	Macrophage response to chitosan/poly-(γ -glutamic acid) nanoparticles carrying an anti-inflammatory drug. 2015 , 26, 167		25
103	Options for Primary Hip Arthroplasty. 2015 , 207-247		

102	Tribological and oxidational properties of porous high-pressure crystallized and vitamin E incorporated ultra-high-molecular weight polyethylene as an artificial cartilage. 2015 , 7, 168781401559388		1
101	Histopathological Analysis of PEEK Wear Particle Effects on the Synovial Tissue of Patients. 2016 , 2016, 2198914		16
100	A Tribological Assessment of Ultra High Molecular Weight Polyethylene Types GUR 1020 and GUR 1050 for Orthopedic Applications. 2016 , 4, 25		15
99	Tribology of total hip arthroplasty prostheses: What an orthopaedic surgeon should know. 2016 , 1, 52-57		19
98	A novel method for isolation and recovery of ceramic nanoparticles and metal wear debris from serum lubricants at ultra-low wear rates. <i>Acta Biomaterialia</i> , 2016 , 42, 420-428	10.8	9
97	Synthesis and characterization of conductive, biodegradable, elastomeric polyurethanes for biomedical applications. 2016 , 104, 2305-14		24
96	Pro-osteoclastic in vitro effect of Polyethylene-like nanoparticles: Involvement in the pathogenesis of implant aseptic loosening. 2016 , 104, 2649-57		8
95	Changes in Plasma Aldosterone and Electrolytes Following High-Volume and High-Intensity Resistance Exercise Protocols in Trained Men. 2016 , 30, 1917-23		5
94	The Biologic Response to Polyetheretherketone (PEEK) Wear Particles in Total Joint Replacement: A Systematic Review. 2016 , 474, 2394-2404		47
93	A review of UHMWPE wear-induced osteolysis: the role for early detection of the immune response. 2016 , 4, 16014		67
92	The pathobiology and pathology of aseptic implant failure. 2016 , 5, 162-8		73
91	In vivo biological response to highly cross-linked and vitamin e-doped polyethylene--a particle-induced osteolysis animal study. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2016 , 104, 561-7	3.5	12
90	Cross-linked versus conventional polyethylene for total knee arthroplasty: a meta-analysis. 2016 , 11, 39		12
89	Release of zirconia nanoparticles at the metal stem-bone cement interface in implant loosening of total hip replacements. <i>Acta Biomaterialia</i> , 2016 , 31, 412-424	10.8	12
88	Pathophysiologic Reactions to UHMWPE Wear Particles. 2016 , 506-530		0
87	Characterization of UHMWPE Wear Particles. 2016 , 635-653		1
86	Colloid electrochemistry of conducting polymer: towards potential-induced in-situ drug release. 2017 , 228, 407-412		12
85	In vitro cytotoxicity evaluation of nano-carbon particles with different sp ² /sp ratios. <i>Materials Science and Engineering C</i> , 2017 , 75, 854-862	8.3	4

84 7.6 Biological Effects of Wear Debris From Joint Arthroplasties ?. **2017**, 92-105

83	Current status and future direction of biodegradable metallic and polymeric vascular scaffolds for next-generation stents. <i>Acta Biomaterialia</i> , 2017 , 60, 3-22	10.8	86
82	A Novel Electroactive Agarose-Aniline Pentamer Platform as a Potential Candidate for Neural Tissue Engineering. 2017 , 7, 17187		97
81	The shape and size of hydroxyapatite particles dictate inflammatory responses following implantation. 2017 , 7, 2922		90
80	Macrophage integrins modulate response to ultra-high molecular weight polyethylene particles and direct particle-induced osteolysis. 2017 , 115, 128-140		42
79	Peripheral snap-fit locking mechanisms and smooth surface finish of tibial trays reduce backside wear in fixed-bearing total knee arthroplasty. 2017 , 88, 62-69		8
78	Analysis of polyethylene wear of reverse shoulder components: A validated technique and initial clinical results. 2017 , 35, 980-987		11
77	Correction of radiographic measurements of acetabular cup wear for variations in pelvis orientation. 2018 , 232, 299-309		2
76	Oligoaniline-based conductive biomaterials for tissue engineering. <i>Acta Biomaterialia</i> , 2018 , 72, 16-34	10.8	102
75	Mechanical tests, wear simulation and wear particle analysis of carbon-based nanomultilayer coatings on TiAlV alloys as hip prostheses.. 2018 , 8, 6849-6857		5
74	Stainless steel wear debris of a scoliotic growth guidance system has little local and systemic effect in an animal model. 2018 , 36, 1980-1990		3
73	Preferential CD8 rather than CD4 T-cell response to wear particles of polyether-ether-ketone and highly cross-linked polyethylene.. 2018 , 8, 1866-1874		4
72	analysis of the effects of CoCrMo and Ti particles on inflammatory responses and osteolysis.. 2018 , 8, 5151-5157		0
71	The effect of constraint on post damage in total knee arthroplasty: posterior stabilized vs posterior stabilized constrained inserts. 2018 , 4, 200-204		5
70	One pot biocatalytic synthesis of a biodegradable electroactive macromonomer based on 3,4-ethylenedioxythiophene and poly(l-lactic acid). <i>Materials Science and Engineering C</i> , 2018 , 83, 35-43	8.3	18
69	Novel Conducting and Biodegradable Copolymers with Noncytotoxic Properties toward Embryonic Stem Cells. 2018 , 3, 5593-5604		22
68	Biological Impact of Silicon Nitride for Orthopaedic Applications: Role of Particle Size, Surface Composition and Donor Variation. 2018 , 8, 9109		15
67	Inflammatory Response of Human Peripheral Blood Mononuclear Cells and Osteoblasts Incubated With Metallic and Ceramic Submicron Particles. 2018 , 9, 831		17

66	Effects of Major Components of Synovial Fluid on the Morphology and Wear Rate of Polyetheretherketone (PEEK) Particles under an Accelerated Wear Process. 2018 , 10,		1
65	Vitamin E-stabilized UHMWPE: Biological response on human osteoblasts to wear debris. 2018 , 486, 18-25		14
64	Dysregulated expression of antioxidant enzymes in polyethylene particle-induced periprosthetic inflammation and osteolysis. 2018 , 13, e0202501		6
63	Wear properties of poly-ether-ether-ketone bearing combinations under zero and cross shear kinematics in total knee arthroplasty. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2019 , 107, 445-453	3.5	6
62	Self-gelling electroactive hydrogels based on chitosan-aniline oligomers/agarose for neural tissue engineering with on-demand drug release. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 184, 110549	6	47
61	Inflammation and Bone Repair: From Particle Disease to Tissue Regeneration. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 230	5.8	28
60	The Inflammatory Effects of Breast Implant Particulate Shedding: Comparison With Orthopedic Implants. <i>Aesthetic Surgery Journal</i> , 2019 , 39, S36-S48	2.4	30
59	Clinical Applications of UHMWPE in Joint Implants. <i>Springer Series in Biomaterials Science and Engineering</i> , 2019 , 1-20	0.6	0
58	Biomechanics and Biotribology of UHMWPE Artificial Hip Joints. <i>Springer Series in Biomaterials Science and Engineering</i> , 2019 , 241-286	0.6	2
57	Advances in Conducting, Biodegradable and Biocompatible Copolymers for Biomedical Applications. <i>Frontiers in Materials</i> , 2019 , 6,	4	27
56	Biologic Responses to Polyetheretherketone (PEEK) Wear Particles. 2019 , 367-384		
55	In vitro and in vivo investigations of a-C/a-C:Ti nanomultilayer coated Ti6Al4V alloy as artificial femoral head. <i>Materials Science and Engineering C</i> , 2019 , 99, 816-826	8.3	8
54	A Novel Cartilage Fragments Stimulation Model Revealed that Macrophage Inflammatory Response Causes an Upregulation of Catabolic Factors of Chondrocytes. <i>Cartilage</i> , 2021 , 12, 354-361	3	8
53	Electroconductive materials as biomimetic platforms for tissue regeneration. <i>Biotechnology Advances</i> , 2019 , 37, 444-458	17.8	17
52	Micropatterned, electroactive, and biodegradable poly(glycerol sebacate)-aniline trimer elastomer for cardiac tissue engineering. <i>Chemical Engineering Journal</i> , 2019 , 366, 208-222	14.7	66
51	Rapid microwave assisted synthesis and characterisation of a semiconducting polymer with pKa tuneable degradation properties. <i>European Polymer Journal</i> , 2019 , 114, 206-212	5.2	5
50	Wear Failure Analysis of UHMWPE Acetabular Cups in THR. <i>Materials Science Forum</i> , 2019 , 957, 417-426	0.4	
49	Periprosthetic Osteolysis: Mechanisms, Prevention and Treatment. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	64

48	Backside wear in acetabular hip joint replacement. <i>Acta Biomaterialia</i> , 2019 , 83, 467-476	10.8	8
47	Microfluidic Device used for the Secretion of Inflammatory Cytokines from Human Monocyte-Derived Macrophages Stimulated by Ultra-High Molecular Weight Polyethylene Particles. <i>Biotribology</i> , 2020 , 23, 100137	2.3	2
46	Mimicking the electrophysiological microenvironment of bone tissue using electroactive materials to promote its regeneration. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 10221-10256	7.3	16
45	Further reading. 2020 , 311-313		
44	Cellular response to synthetic polymers. 2020 , 269-319		1
43	MgO Nanoparticles Protect against Titanium Particle-Induced Osteolysis in a Mouse Model Because of Their Positive Immunomodulatory Effect. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 3005-3014	5.5	5
42	Backside wear in total knee replacement: A new quantitative measurement method and a comparison of polished cobalt-chromium tibial trays with titanium tibial trays. <i>Wear</i> , 2021 , 466-467, 203552	3.5	0
41	The impact of polyethylene abrasion on the occurrence of periprosthetic proximal femoral fractures in patients with total hip arthroplasty. <i>European Journal of Trauma and Emergency Surgery</i> , 2021 , 47, 211-216	2.3	
40	Wear in Conventional and Highly Cross-Linked Polyethylene. 2005 , 361-364		1
39	Implantate. 2012 , 47-82		2
38	The Inert-Bioactivity Conundrum. 2003 ,		4
37	Estimation of the Osteolytic Potential of Noncrosslinked and Crosslinked Polyethylenes and Ceramic-on-Ceramic Total Hip Prostheses. <i>Journal of ASTM International</i> , 2006 , 3, 100558		1
36	Implant debris particle size affects serum protein adsorption which may contribute to particle size-based bioreactivity differences. <i>Journal of Long-Term Effects of Medical Implants</i> , 2014 , 24, 77-88	0.2	15
35	Role of macrophages in the biological reaction to wear debris from joint replacements. <i>Journal of Long-Term Effects of Medical Implants</i> , 2014 , 24, 259-65	0.2	37
34	Effects of wear particles of polyether-ether-ketone and cobalt-chromium-molybdenum on CD4- and CD8-T-cell responses. <i>Oncotarget</i> , 2018 , 9, 11197-11208	3.3	9
33	Relationship between gravimetric wear and particle generation in hip simulators: conventional compared with cross-linked polyethylene. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001 , 83-A Suppl 2 Pt 2, 116-22	5.6	70
32	Relationship between polyethylene wear and osteolysis in hips with a second-generation porous-coated cementless cup after seven years of follow-up. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003 , 85, 1095-9	5.6	147
31	Early failure due to osteolysis associated with contemporary highly cross-linked ultra-high molecular weight polyethylene. A case report. <i>Journal of Bone and Joint Surgery - Series A</i> , 2004 , 86, 1051-6	5.6	55

30	K.F. Orishimo, A.M. Claus, C.J. Sychterz, and C.A. Engh Sr. reply. <i>Journal of Bone and Joint Surgery - Series A</i> , 2004 , 86, 1097-1098	5.6	2
29	Release of chromium from orthopaedic arthroplasties. <i>The Open Orthopaedics Journal</i> , 2008 , 2, 10-8	0.3	36
28	Osteoclasts lose innate inflammatory reactivity to metal and polymer implant debris compared to monocytes/macrophages. <i>The Open Orthopaedics Journal</i> , 2013 , 7, 605-13	0.3	10
27	What are the local and systemic biologic reactions and mediators to wear debris, and what host factors determine or modulate the biologic response to wear particles?. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2008 , 16 Suppl 1, S42-8	4.5	103
26	Isolated acetabular liner exchange. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2008 , 16, 243-8	4.5	21
25	Osteolysis: A Literature Review of Basic Science and Potential Computer-Based Image Processing Detection Methods. <i>Computational Intelligence and Neuroscience</i> , 2021 , 2021, 4196241	3	3
24	Plastics - Pages 507-512. 2005 , 507-512		0
23	Characterization and Analysis of Dispersed Systems. <i>Drugs and the Pharmaceutical Sciences</i> , 2005 , 77-123		
22	Nanoparticles in Medicine. 2006 , 387-411		3
21	Total Joint Replacement. 2007 , 1-40		
20	Aseptic Loosening of Total Hip Implant: Mechanisms of Osteolysis and Potential Therapy. <i>N N Priorov Journal of Traumatology and Orthopedics</i> , 2010 , 17, 82-88	0.1	1
19	Bearings. 2011 , 217-223		
18	Bearing Surfaces. 2011 , 133-140		
17	Influence of Wear Particles on Local and Systemic Immune System. 2012 , 133-142		
16	Biologic Aspects of Implant Wear. 2012 , 157-168		1
15	Fifty Years of Ultra High Molecular Polyethylene Use in Total Joint Replacement. Success, Problems, Perspectives. <i>N N Priorov Journal of Traumatology and Orthopedics</i> , 2012 , 19, 85-94	0.1	2
14	The Biology of Aseptic Loosening. 2014 , 139-157		
13	Analysis Techniques for Polyethylene Implants in Total Knee Arthroplasty. 2018 , 49-64		

12	Highly Crosslinked UHMWPE for Joint Implants. <i>Springer Series in Biomaterials Science and Engineering</i> , 2019 , 21-68	0.6	0
11	Extracellular Vesicles from Human Urine-Derived Stem Cells Ameliorate Particulate Polyethylene-Induced Osteolysis. <i>International Journal of Nanomedicine</i> , 2021 , 16, 7479-7494	7.3	2
10	Comparison of Uncemented Total Hip Arthroplasty between Metal on Metal and Ceramic on Polyethylene Bearing Surfaces in Young Patients. 2007 , 73-81		
9	Wear investigation based on a novel, anatomic shoulder prosthesis with bearing materials inversion.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 127, 105080	4.1	
8	Chemical welding of polymer networks. <i>Materials Today Chemistry</i> , 2022 , 24, 100803	6.2	0
7	Mixed material wear particle isolation from periprosthetic tissue surrounding total joint replacements.. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022 ,	3.5	0
6	Biodegradable Bioelectronics for Biomedical Applications.		0
5	Electrically Conducting Smart Biodegradable Polymers and Their Applications. 2022 , 1-24		1
4	FTIR Characterization of Sulfated Polysaccharides Obtained from <i>Macrocystis integrifolia</i> Algae and Verification of Their Antiangiogenic and Immunomodulatory Potency In Vitro and In Vivo. 2023 , 21, 36		0
3	Microchamber device for studying phagocytosis of ultra-high molecular weight polyethylene particles by human monocyte-derived macrophages. 2023 , 523, 204749		0
2	Electrically Conducting Smart Biodegradable Polymers and Their Applications. 2023 , 391-413		0
1	Abrieberkrankungen und deren Effekte auf das umliegende Gewebe. 2023 , 52, 196-205		0