

Clock-drawing: is it the ideal cognitive screening test?

International Journal of Geriatric Psychiatry

15, 548-561

DOI: [10.1002/1099-1166\(200006\)15:6<548::aid-gps242>3.0.co;2-u](https://doi.org/10.1002/1099-1166(200006)15:6<548::aid-gps242>3.0.co;2-u)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Mutation of recF, recJ, recO, recQ, or recR improves Hfr recombination in resolvase-deficient ruv recG strains of Escherichia coli. Journal of Bacteriology, 1994, 176, 1570-1577.	2.2	42
2	Population aspects of the dementias. International Journal of Geriatric Psychiatry, 2000, 15, 753-757.	2.7	5
4	Mild cognitive impairment: Clinical features and review of screening instruments. Aging Clinical and Experimental Research, 2001, 13, 183-202.	2.9	27
5	Qualitative analyses of clock drawings in Alzheimer's disease and vascular dementia. Psychiatry and Clinical Neurosciences, 2001, 55, 485-491.	1.8	52
6	The clock drawing test in primary care: sensitivity in dementia detection and specificity against normal and depressed elderly. International Journal of Geriatric Psychiatry, 2001, 16, 935-940.	2.7	83
7	The clock drawing test is a poor screen for very mild dementia. Neurology, 2002, 59, 898-903.	1.1	111
8	Six-Item Screener to Identify Cognitive Impairment Among Potential Subjects for Clinical Research. Medical Care, 2002, 40, 771-781.	2.4	1,206
9	Brief Screening Tests for Dementia. Canadian Journal of Psychiatry, 2002, 47, 723-733.	1.9	183
10	Memory encoding and retrieval in frontotemporal dementia and Alzheimer's disease.. Neuropsychology, 2002, 16, 190-196.	1.3	76
11	Geriatric Psychiatry: Complex Challenges, Promising Treatments. Canadian Journal of Psychiatry, 2002, 47, 713-714.	1.9	3
12	Neurotoxic Effects of Aluminium Among Foundry Workers and Alzheimer's Disease. NeuroToxicology, 2002, 23, 761-774.	3.0	263
13	Achieving and Maintaining Cognitive Vitality With Aging. Mayo Clinic Proceedings, 2002, 77, 681-696.	3.0	231
14	Comparing clock tests for dementia screening: naïve judgments vs formal systems? what is optimal?. International Journal of Geriatric Psychiatry, 2002, 17, 14-21.	2.7	57
15	Clock drawing test in mild and moderate dementia of the Alzheimer's type: a comparative and correlation study. International Journal of Geriatric Psychiatry, 2002, 17, 480-485.	2.7	24
16	Can clock drawing test help to differentiate between dementia of the Alzheimer's type and vascular dementia? A preliminary study. International Journal of Geriatric Psychiatry, 2002, 17, 699-703.	2.7	27
17	Mental Alternation Test (MAT): a rapid and valid screening tool for dementia in primary care. International Journal of Geriatric Psychiatry, 2002, 17, 1157-1161.	2.7	31
18	The clock drawing test and questionable dementia: reliability and validity. International Journal of Geriatric Psychiatry, 2002, 17, 1048-1054.	2.7	78
20	Relationship between clock drawing test performance and regional cerebral blood flow in Alzheimer's disease: A single photon emission computed tomography study. Psychiatry and Clinical Neurosciences, 2002, 56, 25-29.	1.8	50

#	ARTICLE	IF	CITATIONS
21	A population based study on the intra and inter-rater reliability of the clock drawing test in Brazil: the BambuÃ-Health and Ageing Study. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 450-456.	2.7	27
22	Amnesic Behavior in Dementia: Symptoms to Assist in Early Detection and Diagnosis. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 32-37.	2.6	26
23	Clock drawing test in institutionalized patients with schizophrenia compared with Alzheimer's disease patients. <i>Schizophrenia Research</i> , 2003, 59, 173-179.	2.0	19
24	Parieto-frontal networks for clock drawing revealed with fMRI. <i>Neuroscience Research</i> , 2003, 45, 71-77.	1.9	73
25	Screening elderly patients in an outpatient ophthalmology clinic for dementia, depression, and functional impairment. <i>Ophthalmology</i> , 2003, 110, 651-657.	5.2	31
26	Improving screening accuracy for dementia in a community sample by augmenting cognitive testing with informant report. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 358-366.	5.0	71
27	Clock Drawing in Developmental Dyslexia. <i>Journal of Learning Disabilities</i> , 2003, 36, 216-228.	2.2	32
28	The Three-Item Clock-Drawing Test: A Simplified Screening Test for Alzheimer's Disease. <i>European Neurology</i> , 2003, 49, 53-58.	1.4	58
29	Managing Alzheimer Dementia Tomorrow. <i>Journal of the American Board of Family Medicine</i> , 2003, 16, 423-434.	1.5	3
30	Are the Clock-Drawing Test and the MMSE Combined Interchangeable with CAMCOG as a Dementia Evaluation Instrument in a Specialized Outpatient Setting?. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003, 16, 74-79.	2.3	58
31	Increased Risk of Cognitive Impairment 3 Months After Mild to Moderate First-Ever Stroke. <i>Stroke</i> , 2003, 34, 1136-1143.	2.0	108
32	The Clock-Drawing Test in Elderly Italian Community Dwellers: Associations with Sociodemographic Status and Risk Factors for Vascular Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003, 16, 287-295.	1.5	24
33	Discrimination of Dementia With Lewy Bodies From Alzheimer Disease and Parkinson Disease Using the Clock Drawing Test. <i>Cognitive and Behavioral Neurology</i> , 2003, 16, 85-92.	0.9	81
34	Differentiate Depression From Dementia. <i>Nurse Practitioner</i> , 2003, 28, 18-19.	0.3	21
35	Relationship Between Clock-Drawing and Neuropsychological and Functional Status in Elderly Institutionalized Patients With Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 621-628.	1.2	14
36	The Rapid Dementia Screening Test (RDST): A New Economical Tool for Detecting Possible Patients with Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003, 16, 193-199.	1.5	81
37	Screening for Dementia in Primary Care: A Summary of the Evidence for the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2003, 138, 927.	3.9	484
38	Designing a Brief Alzheimer Screen (BAS). <i>Journal of Alzheimer's Disease</i> , 2003, 5, 391-398.	2.6	56

#	ARTICLE	IF	CITATIONS
40	Clock Drawing Test-Modified and Integrated Approach(CDT-MIA): Description and Preliminary Examination of its Validity and Reliability in Dementia Patients Referred to a Specialized Psychogeriatric Setting. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2004, 17, 73-80.	2.3	15
41	The Clock Drawing Test as a Valid Screening Method for Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 172-179.	1.5	95
42	The seven minute screen: a neurocognitive screening test highly sensitive to various types of dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 700-705.	1.9	133
43	Validity of the Clock-Drawing Test as a Screening Tool for Cognitive Impairment in the Elderly. <i>American Journal of Epidemiology</i> , 2004, 160, 797-807.	3.4	112
44	Visual exploration behaviour during clock reading in Alzheimer's disease. <i>Brain</i> , 2004, 127, 431-438.	7.6	59
45	Screening for cognitive impairment among older people in black and minority ethnic groups. <i>Age and Ageing</i> , 2004, 33, 447-452.	1.6	115
46	Clock Drawing, Clock Reading, Clock Setting, and Judgment of Clock Faces in Elderly People with Dementia and Depression. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1146-1150.	2.6	14
47	Clinical assessment in dementia. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 13-18.	0.2	0
48	Clinical identification of cognitive impairment in ICU survivors: insights for intensivists. <i>Intensive Care Medicine</i> , 2004, 30, 1997-2008.	8.2	59
49	DemTect: a new, sensitive cognitive screening test to support the diagnosis of mild cognitive impairment and early dementia. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 136-143.	2.7	668
50	Scoring clock tests for dementia screening: a comparison of two scoring methods. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 685-689.	2.7	24
51	Triple task Clock Completion Test (CCT) as a predictor of functional outcome in geriatric rehabilitation. <i>Archives of Gerontology and Geriatrics</i> , 2004, 39, 117-124.	3.0	5
52	Correlation between the CAMCOG, the MMSE, and three clock drawing tests in a specialized outpatient psychogeriatric service. <i>Archives of Gerontology and Geriatrics</i> , 2004, 38, 77-84.	3.0	30
53	Clock Drawing Test in patients with schizophrenia. <i>Psychiatry Research</i> , 2004, 121, 229-238.	3.3	26
54	The executive clock drawing task (CLOX) is a poor screening test for executive dysfunction in Chinese elderly patients with subcortical ischemic vascular disease. <i>Journal of Clinical Neuroscience</i> , 2004, 11, 493-497.	1.5	9
56	Contrasting metabolic impairment in frontotemporal degeneration and early onset Alzheimer's disease. <i>NeuroImage</i> , 2004, 23, 739-743.	4.2	67
57	The clock-drawing test: a critique. <i>International Psychogeriatrics</i> , 2004, 16, 251-256.	1.0	10
58	Pelvic Floor Surgery in the Older Woman: Enhanced Compared With Usual Preoperative Assessment. <i>Obstetrics and Gynecology</i> , 2005, 105, 800-807.	2.4	18

#	ARTICLE	IF	CITATIONS
59	Performance of Three Clock Scoring Systems across Different Ranges of Dementia Severity. <i>Alzheimer Disease and Associated Disorders</i> , 2005, 19, 119-127.	1.3	27
60	Drawing clocks and driving cars. <i>Journal of General Internal Medicine</i> , 2005, 20, 240-244.	2.6	124
61	The TE4D-Cog: a new test for detecting early dementia in English-speaking populations. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 1172-1179.	2.7	33
63	Type 2 Diabetes Mellitus in Senior Citizens. , 0, , 1431-1445.		2
65	Health Related Quality of Life, Cognitive Function, and Depression in Diabetic Patients With Foot Ulcer or Amputation. A Preliminary Study. <i>Foot and Ankle International</i> , 2005, 26, 128-134.	2.3	106
67	The Performance of the Clock Drawing Test in Elderly Medical Inpatients: Does It Have Utility in the Identification of Delirium?. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2005, 18, 129-133.	2.3	27
68	[¹⁸ F]FDG-PET in Patients with Alzheimer's Disease: Marker of Disease Spread. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 19, 24-30.	1.5	20
69	Neural Correlates of Impaired Performance on the Clock Drawing Test in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 19, 390-396.	1.5	29
70	Screening for Cognitive Impairment: A Triage for Outpatient Care. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 20, 278-285.	1.5	52
71	Improvement Pattern in the Clock Drawing Test in Early Alzheimer's Disease. <i>European Neurology</i> , 2005, 53, 140-145.	1.4	21
72	Funci3n cognitiva y demencia en la hipertensi3n arterial. <i>Hipertension</i> , 2005, 22, 156-172.	0.0	0
73	Assessing the patient with dementia. <i>Foundation Years</i> , 2005, 1, 7-12.	0.0	0
74	Images in Psychosomatic Medicine: The Clock-Drawing Test. <i>Psychosomatics</i> , 2005, 46, 77-78.	2.5	6
76	Cognitive Function After Carotid Endarterectomy: Greater Risk of Decline in Symptomatic Patients With Left Internal Carotid Artery Disease. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2005, 14, 221-228.	1.6	10
78	Screening for mild cognitive impairment in elderly ambulatory patients with cognitive complaints. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 374-379.	2.9	42
79	Validation of a Brief Screen for Cognitive Impairment (BSCI) Administered by Telephone for Use in the Medicare Population. <i>Disease Management: DM</i> , 2005, 8, 223-234.	1.0	33
80	A Mirror in the Mind: A Case of Visual Allaesthesia in Homonymous Hemianopia. <i>Neurocase</i> , 2006, 12, 98-106.	0.6	30
81	Validation Study of the Three-Objects-Three-Places Test: A Screening Test for Alzheimer's Disease. <i>Experimental Aging Research</i> , 2006, 32, 395-410.	1.2	14

#	ARTICLE	IF	CITATIONS
83	Quantitative and qualitative analyses of clock drawing in frontotemporal dementia and Alzheimer's disease. <i>Journal of the International Neuropsychological Society</i> , 2006, 12, 159-165.	1.8	52
84	What Is the Best Dementia Screening Instrument for General Practitioners to Use?. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 391-400.	1.2	223
86	IPA survey of brief cognitive screening instruments. <i>International Psychogeriatrics</i> , 2006, 18, 281-294.	1.0	172
87	Brain tumour surgery in the vicinity of short-term memory representation " results of neuronavigation using fMRI images. <i>Acta Neurochirurgica</i> , 2006, 148, 733-739.	1.7	25
88	Prevalence of undernutrition in elderly patients hospitalized in a geriatric unit in Belo Horizonte, MG, Brazil. <i>Nutrition</i> , 2006, 22, 1005-1011.	2.4	13
89	Diagnostic accuracy of the Eurotest for dementia: a naturalistic, multicenter phase II study. <i>BMC Neurology</i> , 2006, 6, 15.	1.8	43
90	Drawing Impairment Predicts Mortality in Severe COPD. <i>Chest</i> , 2006, 130, 1687-1694.	0.8	116
92	Assessment of Older Adults. , 2006, , 315-325.		0
93	Validation of the Addenbrooke's Cognitive Examination for Detecting Early Alzheimer's Disease and Mild Vascular Dementia in a German Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 385-391.	1.5	32
94	Cognitive Dysfunction Is Associated With Poor Diabetes Control in Older Adults. <i>Diabetes Care</i> , 2006, 29, 1794-1799.	8.6	308
95	ACE Clock Scoring: A Comparison With Eight Standard Correction Methods in a Population of Low Educational Level. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2006, 19, 216-219.	2.3	17
96	Assessment of Testamentary Capacity and Vulnerability to Undue Influence. <i>American Journal of Psychiatry</i> , 2007, 164, 722-727.	7.2	53
99	Cognitive assessment in the elderly: a review of clinical methods. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007, 100, 469-484.	0.5	262
101	Clinical and Prognostic Implications of Cognitive Dysfunction and Depression in COPD. <i>Current Respiratory Medicine Reviews</i> , 2007, 3, 107-115.	0.2	5
102	Use of the clock-drawing test in a hospice population. <i>Palliative Medicine</i> , 2007, 21, 559-565.	3.1	13
103	Preliminary Assessment of Cognitive Function in Older Adults by Clock Drawing, Box Copying and Narrative Writing. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 23, 74-81.	1.5	12
104	Clinical and Neuropsychological Features Associated with Structural Imaging Patterns in Patients with Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 23, 175-183.	1.5	19
105	Cognitive screening for people from minority ethnic backgrounds. <i>Nursing Older People</i> , 2007, 18, 31-36.	0.2	9

#	ARTICLE	IF	CITATIONS
106	An Interdisciplinary Expert Consensus Statement on Assessment of Pain in Older Persons. <i>Clinical Journal of Pain</i> , 2007, 23, S1-S43.	1.9	485
107	Evaluation of Two Assessment Tools in Predicting Driving Ability of Senior Drivers. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2007, 86, 190-199.	1.4	35
108	The Clock Reading Test: validation of an instrument for the diagnosis of dementia and disorders of visuo-spatial cognition. <i>International Psychogeriatrics</i> , 2007, 19, 307.	1.0	50
109	Correlation and agreement between the Mini-mental State Examination and the Clock Drawing Test in older adults with low levels of schooling: the BambuÃ-Health Aging Study (BHAS). <i>International Psychogeriatrics</i> , 2007, 19, 657-667.	1.0	22
111	Vascular damage and EEG markers in subjects with mild cognitive impairment. <i>Clinical Neurophysiology</i> , 2007, 118, 1866-1876.	1.5	66
112	Hippocampal atrophy and EEG markers in subjects with mild cognitive impairment. <i>Clinical Neurophysiology</i> , 2007, 118, 2716-2729.	1.5	78
113	Neuropsychological testing and assessment for dementia. <i>Alzheimer's and Dementia</i> , 2007, 3, 299-317.	0.8	112
115	Self-perceived limitations of gait in persons with multiple sclerosis. <i>Advances in Physiotherapy</i> , 2007, 9, 136-143.	0.2	30
116	Spatial Perseveration in Dementia with Lewy Bodies. <i>Behavioural Neurology</i> , 2007, 18, 235-236.	2.1	3
117	CLINICAL ASSESSMENT OF MENTAL STATUS. , 2007, , 2-21.		5
119	Enhancing care in older people with type 2 diabetes. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2007, 24, 98-101.	0.2	2
120	Cognitive impairment in later life in patients with early-onset bipolar disorder. <i>Bipolar Disorders</i> , 2007, 9, 868-875.	1.9	59
121	Assessing Alzheimer's Disease and Dementia: Best Practices in Nursing Care. <i>Geriatric Nursing</i> , 2007, 28, 358-365.	1.9	6
122	Clinical assessment in dementia. <i>Psychiatry (Abingdon, England)</i> , 2007, 6, 491-497.	0.2	3
124	Brain perfusion correlates of medial temporal lobe atrophy and white matter hyperintensities in mild cognitive impairment. <i>Journal of Neurology</i> , 2007, 254, 1000-1008.	3.6	36
125	Cerebral perfusion correlates of conversion to Alzheimer's disease in amnesic mild cognitive impairment. <i>Journal of Neurology</i> , 2007, 254, 1698-1707.	3.6	81
126	Acceptability and concurrent validity of measures to predict older driver involvement in motor vehicle crashes: An Emergency Department pilot case-control study. <i>Accident Analysis and Prevention</i> , 2007, 39, 1056-1063.	5.7	47
127	Development and pilot testing of an assessment battery for older drivers. <i>Journal of Safety Research</i> , 2007, 38, 535-543.	3.6	12

#	ARTICLE	IF	CITATIONS
128	Minimum geriatric screening tools to detect common geriatric problems. <i>Journal of Nutrition, Health and Aging</i> , 2008, 12, 348-352.	3.3	29
129	Decreased phospholipase A2 activity in cerebrospinal fluid of patients with dementia. <i>Journal of Neural Transmission</i> , 2008, 115, 1173-1179.	2.8	22
130	Cognitive impairment in 873 patients with idiopathic Parkinson's disease. <i>Journal of Neurology</i> , 2008, 255, 255-264.	3.6	242
131	The MOBILIZE Boston Study: Design and methods of a prospective cohort study of novel risk factors for falls in an older population. <i>BMC Geriatrics</i> , 2008, 8, 16.	2.7	123
132	The Lausanne cohort Lc65+: a population-based prospective study of the manifestations, determinants and outcomes of frailty. <i>BMC Geriatrics</i> , 2008, 8, 20.	2.7	89
133	The value of the clock drawing test and the mini-mental state examination for identifying vascular cognitive impairment no dementia. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 422-426.	2.7	25
134	Error specific restrictions for older drivers: Promoting continued independence and public safety. <i>Accident Analysis and Prevention</i> , 2008, 40, 97-103.	5.7	24
135	In my car the brake is on the right: Pedal errors among older drivers. <i>Accident Analysis and Prevention</i> , 2008, 40, 403-409.	5.7	48
136	Poor performance in Clock Drawing Test associated with visual memory deficit and reduced bilateral hippocampal and left temporoparietal regional blood flows in Alzheimer's disease patients. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 167-173.	1.8	21
137	Sensitivity and specificity of the clock drawing test, incorporating Rouleau scoring system, as a screening instrument for questionable and mild dementia: Scale development. <i>International Journal of Nursing Studies</i> , 2008, 45, 75-84.	5.6	27
139	Diagnosis and treatment of dementia: 2. Diagnosis. <i>Cmaj</i> , 2008, 178, 825-836.	2.0	196
141	Cognitive Screening for Dementia and Mild Cognitive Impairment in Assisted Living: Comparison of 3 Tests. <i>Journal of the American Medical Directors Association</i> , 2008, 9, 586-593.	2.5	94
142	Clock drawing performance in cognitively normal elderly. <i>Archives of Clinical Neuropsychology</i> , 2008, 23, 295-327.	0.5	59
143	Conceptualizing Functional Cognition in Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2008, 22, 122-135.	2.9	76
144	Clock drawing performance and brain morphology in mild cognitive impairment and Alzheimer's disease. <i>Brain and Cognition</i> , 2008, 67, 88-93.	1.8	52
145	Detection of changed regional cerebral blood flow in mild cognitive impairment and early Alzheimer's dementia by perfusion-weighted magnetic resonance imaging. <i>NeuroImage</i> , 2008, 40, 495-503.	4.2	80
147	Predictive Value of the Clock Drawing Test. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 351-355.	1.5	35
148	Clocking Delirium: The Value of the Clock Drawing Test with Case Illustrations. <i>American Journal of Hospice and Palliative Medicine</i> , 2008, 25, 385-388.	1.4	5

#	ARTICLE	IF	CITATIONS
149	Pattern and progression of white-matter changes in a case of posterior cortical atrophy using diffusion tensor imaging. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 80, 432-436.	1.9	22
150	Cube Copying Test in Combination with rCBF or CSF A β 2 Predicts Development of Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 544-552.	1.5	20
151	Oral Transmucosal Fentanyl Citrate for Dyspnea in Terminally Ill Patients: An Observational Case Series. <i>Journal of Palliative Medicine</i> , 2008, 11, 643-648.	1.1	39
152	Screening for cognitive deficits after stroke: a comparison of three screening tools. <i>Clinical Rehabilitation</i> , 2008, 22, 1095-1104.	2.2	44
153	Do age and education contribute to performance on the clock drawing test? Normative data for the Greek population. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2008, 30, 199-203.	1.3	58
154	Chapter 19 Visuospatial and visuoconstructive deficits. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2008, 88, 373-391.	1.8	28
155	Patient satisfaction, pain, and quality of life 4 months after displaced femoral neck fractures: A comparison of 663 fractures treated with internal fixation and 906 with bipolar hemiarthroplasty reported to the Norwegian Hip Fracture Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 594-601.	3.3	67
156	Problem-Based Behavioral Science and Psychiatry. , 2008, , .		4
157	The Norwegian Hip Fracture Register: Experiences after the first 2 years and 15,576 reported operations. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 583-593.	3.3	139
158	The Clock-Drawing Test: Time for a Change?. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2008, 23, 377-381.	1.9	1
160	Complex discourse production in mild cognitive impairment: Detecting subtle changes. <i>Aphasiology</i> , 2008, 22, 729-740.	2.2	56
161	Screening for dementia in primary care: a review of the use, efficacy and quality of measures. <i>International Psychogeriatrics</i> , 2008, 20, 911-26.	1.0	176
162	High rate of conversion to Alzheimer's disease in a cohort of amnesic MCI patients. <i>International Psychogeriatrics</i> , 2008, 20, 96-108.	1.0	99
163	Time that tells: critical clock-drawing errors for dementia screening. <i>International Psychogeriatrics</i> , 2008, 20, 459-70.	1.0	64
164	Association of Blood Pressure and Genetic Background With White Matter Lesions in Patients With Mild Cognitive Impairment. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 510-517.	3.6	8
165	Screening for dementia in primary care: how is it measuring up?. <i>Quality in Ageing and Older Adults</i> , 2008, 9, 39-44.	0.8	13
166	Does the Clock Drawing Test have focal neuroanatomical correlates?. <i>Neuropsychology</i> , 2008, 22, 553-562.	1.3	64
167	Brain Vascular Damage of Cholinergic Pathways and EEG Markers in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2008, 15, 357-372.	2.6	44

#	ARTICLE	IF	CITATIONS
168	Cerebrovascular Disease and Hippocampal Atrophy Are Differently Linked to Functional Coupling of Brain Areas: An EEG Coherence Study in MCI Subjects. <i>Journal of Alzheimer's Disease</i> , 2008, 14, 285-299.	2.6	57
170	Tradução, adaptação e validação de construto do Teste do Relógio aplicado entre idosos no Brasil. <i>Revista De Saude Publica</i> , 2008, 42, 930-937.	1.7	50
171	The Clock Drawing Test: performance among elderly with low educational level. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 309-315.	1.7	52
172	Triagem cognitiva: comparações entre o mini-mental e o teste de trilhas. <i>Estudos De Psicologia (Campinas)</i> , 2008, 25, 353-359.	0.8	9
173	Better Transitions: Improving Comprehension of Discharge Instructions. <i>Frontiers of Health Services Management</i> , 2009, 25, 11-32.	0.4	84
174	The Clock Drawing Test A review of its accuracy in screening for dementia. <i>Dementia E Neuropsychologia</i> , 2009, 3, 74-80.	0.8	64
175	The performance of the Mini-Cog in a sample of low educational level elderly. <i>Dementia E Neuropsychologia</i> , 2009, 3, 81-87.	0.8	23
176	Literature Review of the Clock Drawing Test as a Tool for Cognitive Screening. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 201-213.	1.5	177
177	Visuospatial Dysfunction May Be a Key in the Differentiation between Alzheimer's Disease and Subcortical Cognitive Impairment in Moderate to Severe Stages. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 288-294.	1.5	15
178	Comparative study of the cognitive performance of Greek Australian and Greek national elderly: Implications for neuropsychological practice. <i>Australian Psychologist</i> , 2009, 44, 27-39.	1.6	16
179	Different cognitive profiles between mild cognitive impairment due to cerebral small vessel disease and mild cognitive impairment of Alzheimer's disease origin. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 898-905.	1.8	43
180	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 365-372.	1.5	26
181	Clock Test Deficits Are Associated With Semantic Memory Impairment in Alzheimer Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2009, 22, 235-245.	2.3	22
182	Correlation between the Bicycle Drawing Task and Neuropsychological Variables in Patients Referred for a Dementia Evaluation. <i>Perceptual and Motor Skills</i> , 2009, 109, 721-730.	1.3	8
185	The Clock Drawing Test's Modified and Integrated Approach (CDT-MIA) as an Instrument for Detecting Mild Cognitive Impairment in a Specialized Outpatient Setting. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2009, 22, 171-180.	2.3	7
186	A Possible New Diagnostic Biomarker in Early Diagnosis of Alzheimers Disease. <i>Current Alzheimer Research</i> , 2009, 6, 519-524.	1.4	25
187	Comparing explorative saccade and flicker training in hemianopia. <i>Neurology</i> , 2009, 72, 324-331.	1.1	131
188	Development and Evaluation of a Computerized Test Battery for Alzheimer's Disease Screening in Community-based Settings. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2009, 24, 129-135.	1.9	49

#	ARTICLE	IF	CITATIONS
189	Predicting accidental falls in people with multiple sclerosis – a longitudinal study. <i>Clinical Rehabilitation</i> , 2009, 23, 259-269.	2.2	280
190	Visuospatial Function is a Significant Contributor to Functional Status in Patients With Alzheimer’s Disease. <i>American Journal of Alzheimer’s Disease and Other Dementias</i> , 2009, 24, 313-321.	1.9	35
191	Practical suggestions on how to differentiate dementia with Lewy bodies from Alzheimer’s disease with common cognitive tests. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1405-1412.	2.7	72
192	Blood biomarkers of osteoporosis in mild cognitive impairment and Alzheimer’s disease. <i>Journal of Neural Transmission</i> , 2009, 116, 905-911.	2.8	43
193	How do cognitive and axial motor signs correlate in Parkinson’s disease? A 6-year prospective study. <i>Journal of Neurology</i> , 2009, 256, 1655-1662.	3.6	17
194	Validation and Comparison of Two Frailty Indexes: The MOBILIZE Boston Study. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1532-1539.	2.6	193
195	Characteristics of clock drawing test (CDT) errors by the dementia type: Quantitative and qualitative analyses. <i>Archives of Gerontology and Geriatrics</i> , 2009, 48, 58-60.	3.0	35
196	CLOCK DRAWING TEST (CDT) IN THE SCREENING OF MILD COGNITIVE IMPAIRMENT (MCI). <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, 227-229.	3.0	24
198	Diagnostic tools for dementia. <i>Maturitas</i> , 2009, 63, 181-185.	2.4	21
199	Validation of the Revised Quick Cognitive Screening Test. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1469-1477.	0.9	11
200	Lying obliquely—a clinical sign of cognitive impairment: cross sectional observational study. <i>BMJ: British Medical Journal</i> , 2009, 339, b5273-b5273.	2.3	4
201	Memory performance correlates with gray matter density in the ento-/perirhinal cortex and posterior hippocampus in patients with mild cognitive impairment and healthy controls – A voxel based morphometry study. <i>NeuroImage</i> , 2009, 47, 1914-1920.	4.2	75
202	Validation of the Danish Addenbrooke’s Cognitive Examination as a Screening Test in a Memory Clinic. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 361-365.	1.5	42
203	Cognitive Dysfunction and Medical Morbidity in Elderly Outpatients With Bipolar Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 1004-1011.	1.2	51
204	Driving Habits of Older Drivers 3 Months Before Driving Evaluation. <i>Topics in Geriatric Rehabilitation</i> , 2009, 25, 118-134.	0.4	2
205	High Fruit and Vegetable Intake is Positively Correlated with Antioxidant Status and Cognitive Performance in Healthy Subjects. <i>Journal of Alzheimer’s Disease</i> , 2009, 17, 921-927.	2.6	122
207	Increase of Theta/Gamma and Alpha3/Alpha2 Ratio is Associated with Amygdalo-Hippocampal Complex Atrophy. <i>Journal of Alzheimer’s Disease</i> , 2009, 17, 349-357.	2.6	56
208	Interrater Reliability of the Clock Drawing Task in the Occupational Therapy Adult Perceptual Screening Test. <i>British Journal of Occupational Therapy</i> , 2010, 73, 77-83.	0.9	1

#	ARTICLE	IF	CITATIONS
209	<i>Staphylococcus aureus</i> carriage in care homes: identification of risk factors, including the role of dementia. <i>Epidemiology and Infection</i> , 2010, 138, 686-696.	2.1	29
210	Is the Clock Drawing Test a screening tool for the diagnosis of mild cognitive impairment? A systematic review. <i>International Psychogeriatrics</i> , 2010, 22, 56-63.	1.0	75
211	Utility of a Computerised Cognitive Screen in MCI and Depression in an Older Population. <i>Australian Journal of Rehabilitation Counselling</i> , 2010, 16, 14-26.	0.5	9
212	The accuracy of the Clock Drawing Test compared to that of standard screening tests for Alzheimer's disease: results from a study of Brazilian elderly with heterogeneous educational backgrounds. <i>International Psychogeriatrics</i> , 2010, 22, 64-71.	1.0	80
213	Computerized kinematic analysis of the clock drawing task in elderly people with mild Major Depressive Disorder: an exploratory study. <i>International Psychogeriatrics</i> , 2010, 22, 479-488.	1.0	21
214	Personhood and dementia: toward a relational framework for assessing decisional capacity. <i>Journal of Mental Health Training, Education and Practice</i> , 2010, 5, 22-30.	0.7	7
215	The Alzheimer's Questionnaire: A Proof of Concept Study for a New Informant-Based Dementia Assessment. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 1015-1021.	2.6	43
216	Assessing the elderly psychiatric patient. , 0, , 5-22.		0
217	Reduced benefit from mnemonic strategies in early-stage Alzheimer's disease: a brief testing-the-limits paradigm for clinical practice. <i>Journal of Neurology</i> , 2010, 257, 1718-1726.	3.6	6
219	Metabolic alterations associated with impaired clock drawing in Lewy body dementia. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 85-89.	1.8	11
220	The relation of regional cerebral perfusion and atrophy in mild cognitive impairment (MCI) and early Alzheimer's dementia. <i>Psychiatry Research - Neuroimaging</i> , 2010, 183, 44-51.	1.8	26
222	Evaluation of cognitive technologies in geriatric rehabilitation: a case study pilot project. <i>Occupational Therapy International</i> , 2010, 17, 53-63.	0.7	14
223	Brief cognitive screening instruments: an update. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 111-120.	2.7	357
224	Validation study of a French version of the modified telephone interview for cognitive status (Fâ€¦ICSâ€¦m) in elderly women. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 1142-1149.	2.7	33
225	Patient clock drawing and accuracy of self-report compared with chart review for colorectal cancer (CRC) screening. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, 341-344.	3.0	10
226	Effects of muscle fatigue on gait characteristics under single and dual-task conditions in young and older adults. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2010, 7, 56.	4.6	76
227	Diagnostic Accuracy of a New Instrument for Detecting Cognitive Dysfunction in an Emergent Psychiatric Population: The Brief Cognitive Screen. <i>Academic Emergency Medicine</i> , 2010, 17, 307-315.	1.8	6
228	Old-age psychiatry. , 2010, , 635-692.		1

#	ARTICLE	IF	CITATIONS
229	Cortical Activation during Clock Reading as a Quadratic Function of Dementia State. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 267-284.	2.6	9
230	Propriedades psicométricas de um protocolo neuropsicológico breve para uso em populações geriátricas. <i>Revista De Psiquiatria Clinica</i> , 2010, 37, 251-255.	0.6	11
231	Criterion validity of a Wechsler-III scale short form in a sample of Brazilian Elderly. <i>Dementia E Neuropsychologia</i> , 2010, 4, 207-213.	0.8	3
232	Assessment of Cognitive Training. , 2010, , 211-228.		2
233	EEG Markers Discriminate Among Different Subgroup of Patients With Mild Cognitive Impairment. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2010, 25, 58-73.	1.9	35
234	Performance on the Clock Drawing Task Correlates with fMRI Response to a Visuospatial Task in Alzheimer's Disease. <i>International Journal of Neuroscience</i> , 2010, 120, 335-343.	1.6	11
235	The Reversed Clock Drawing Test Phenomenon in Alzheimer's Disease: A Perfusion SPECT Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 1-10.	1.5	8
236	Diagnostic Performance of an Executive Clock Drawing Task (CLOX) as a Screening Test for Mild Cognitive Impairment in Elderly Persons with Cognitive Complaints. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 20-27.	1.5	24
237	Prevalence of Mild Cognitive Impairment and Its Subtypes in the Heinz Nixdorf Recall Study Cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 362-373.	1.5	47
238	Executive Dysfunction and Presbycusis in Older Persons With and Without Memory Loss and Dementia. <i>Cognitive and Behavioral Neurology</i> , 2010, 23, 218-223.	0.9	122
239	Effects of education, literacy, and dementia on the Clock Drawing Test performance. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 1138-1146.	1.8	48
240	Does the Combination of the MMSE and Clock Drawing Test (Mini-Clock) Improve the Detection of Mild Alzheimer's Disease and Mild Cognitive Impairment?. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 889-896.	2.6	53
241	Altered control of postural sway following cerebral infarction. <i>Neurology</i> , 2010, 74, 458-464.	1.1	40
242	Normative Performance on an Executive Clock Drawing Task (CLOX) in a Community-Dwelling Sample of Older Adults. <i>Archives of Clinical Neuropsychology</i> , 2010, 25, 610-617.	0.5	17
243	Internal Screw Fixation Compared with Bipolar Hemiarthroplasty for Treatment of Displaced Femoral Neck Fractures in Elderly Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 619-628.	3.0	151
244	Dichotomous Scoring of Trails B in Patients Referred for a Dementia Evaluation. <i>Perceptual and Motor Skills</i> , 2010, 110, 429-441.	1.3	5
245	Comparing the Influences of Age and Disease on Distortion in the Clock Drawing Test in Japanese Patients With Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 908-916.	1.2	5
246	Clock drawing performance in a community-dwelling population: Normative data for Japanese subjects. <i>Aging and Mental Health</i> , 2010, 14, 587-592.	2.8	20

#	ARTICLE	IF	CITATIONS
247	Questionnaires and instruments for a multidimensional assessment of the older cancer patient: What clinicians need to know?. <i>European Journal of Cancer</i> , 2010, 46, 1019-1025.	2.8	72
248	Functional compensation in incipient Alzheimer's disease. <i>Neurobiology of Aging</i> , 2010, 31, 387-397.	3.1	28
249	Fibrinolysis and von Willebrand factor in Alzheimer's disease and vascular dementia – a case-referent study. <i>Thrombosis Research</i> , 2010, 126, 35-38.	1.7	12
250	Cognitive estimation in aged patients with major depressive disorder. <i>Psychiatry Research</i> , 2010, 176, 26-29.	3.3	25
251	Screening Instruments and Brief Batteries for Dementia. , 2010, , 503-530.		18
252	Validation of the German Revised Addenbrooke's Cognitive Examination for Detecting Mild Cognitive Impairment, Mild Dementia in Alzheimer's Disease and Frontotemporal Lobar Degeneration. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 448-456.	1.5	53
253	Screening and Case-Finding Tools for the Detection of Dementia. Part II: Evidence-Based Meta-Analysis of Single-Domain Tests. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 783-800.	1.2	38
254	Neuroanatomical correlates of the clock drawing test in patients with traumatic brain injury. <i>Brain Injury</i> , 2010, 24, 1568-1574.	1.2	12
255	Window to the brain: Can retinopathy be used to assess cognitive function. <i>Brain Injury</i> , 2010, 24, 1448-1454.	1.2	4
256	Italian norms for the Freedman version of the Clock Drawing Test. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 982-988.	1.3	64
257	Analysis of Prognostic Factors of Comprehensive Geriatric Assessment and Development of a Clinical Scoring System in Elderly Asian Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 3620-3627.	1.6	184
258	Clinical outcome after undisplaced femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 268-274.	3.3	121
259	Usefulness of short tests in dementia screening. <i>Neurologia (English Edition)</i> , 2011, 26, 425-433.	0.4	4
260	Clinical Dementia Rating. , 2011, , 587-590.		6
262	Cognitive Screening in Community-Dwelling Elders: Performance on the Clock-in-the-Box. <i>American Journal of Medicine</i> , 2011, 124, 662-669.	1.5	24
263	Stability of cognitive functions under mitoxantrone therapy in patients with progressive multiple sclerosis: A pilot analysis. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 527-530.	1.4	9
264	Reasonable neuropsychological battery to identify mild cognitive impairment. <i>Medical Hypotheses</i> , 2011, 76, 50-53.	1.5	2
265	Neural correlates of performance on the different scoring systems of the clock drawing test. <i>Neuroscience Letters</i> , 2011, 487, 421-425.	2.1	32

#	ARTICLE	IF	CITATIONS
266	Cognitive Functioning in the Acute Phase Poststroke: A Predictor of Discharge Destination?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011, 20, 549-555.	1.6	41
267	Is the Mental Capacity Act reducing generalizable research in care homes?. <i>Public Health</i> , 2011, 125, 604-608.	2.9	4
268	The Link between Cognitive Measures and ADLs and IADL Functioning in Mild Alzheimer's: What Has Gender Got to Do with It?. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-6.	2.0	59
269	Psychometric Evaluation of a Self-Medication Assessment Tool in an Elderly Population. <i>Canadian Journal of Hospital Pharmacy</i> , 2011, 64, 16-24.	0.1	7
270	Analysis of a Trend of Instrument Usage to Assess Cognitive Function of Breast Cancer Patients Undergoing Chemotherapy. <i>Journal of Korean Oncology Nursing</i> , 2011, 11, 179.	0.5	2
271	Contraindication. , 2011, , 701-702.		0
272	A Clinical Update on Delirium: From Early Recognition to Effective Management. <i>Nursing Research and Practice</i> , 2011, 2011, 1-12.	1.0	47
273	Diagnostic Accuracy, Effectiveness and Cost for Cognitive Impairment and Dementia Screening of Three Short Cognitive Tests Applicable to Illiterates. <i>PLoS ONE</i> , 2011, 6, e27069.	2.5	45
274	Clock-Drawing Performance Predicts Inpatient Rehabilitation Outcomes After Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, 449-453.	1.8	10
275	Clock Drawing Test " screening utility for mild cognitive impairment according to different scoring systems: results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>International Psychogeriatrics</i> , 2011, 23, 1592-1601.	1.0	40
276	Development of a method for quantifying cognitive ability in the elderly through adaptive test administration. <i>International Psychogeriatrics</i> , 2011, 23, 1116-1123.	1.0	11
277	Cognitive screening tests as experienced by older hospitalised patients: a qualitative study. <i>Scandinavian Journal of Caring Sciences</i> , 2011, 25, 679-687.	2.1	32
279	Deterioro cognitivo y/o demencia en el anciano. <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2011, 18, 49-63.	0.0	0
280	Odor identification and cognitive abilities in Alzheimer's disease. <i>Translational Neuroscience</i> , 2011, 2, 233-240.	1.4	3
281	A visual [18F]FDG-PET rating scale for the differential diagnosis of frontotemporal lobar degeneration. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 433-446.	3.2	29
282	First-generation versus third-generation comprehensive geriatric assessment instruments in the acute hospital setting: A comparison of the Minimum Geriatric Screening Tools (MGST) and the interRAI Acute Care (interRAI AC). <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 638-644.	3.3	29
283	The clock drawing test is a poor screening tool for postoperative delirium and cognitive dysfunction after aortic repair. <i>Canadian Journal of Anaesthesia</i> , 2011, 58, 267-274.	1.6	14
284	Medication quality and quality of life in the elderly, a cohort study. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 95.	2.4	80

#	ARTICLE	IF	CITATIONS
285	Is there any difference between the findings of clock drawing tests if the clocks show different times?. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 437-438.	2.7	0
286	Detecting cognitive impairment in individuals at risk for cardiovascular disease: the "Clock in the Box" screening test. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 969-975.	2.7	12
287	Longitudinal changes in clock drawing test (CDT) performance according to dementia subtypes and severity. <i>Archives of Gerontology and Geriatrics</i> , 2011, 53, e179-e182.	3.0	22
288	Predictors of clock drawing test (CDT) performance in elderly patients attending an internal medicine outpatient clinic: A pilot study on sun exposure and physical activity. <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, e226-e231.	3.0	4
289	Revisiting the neuroanatomical correlates of the clock drawing test among persons with traumatic brain injury. <i>Brain Injury</i> , 2011, 25, 539-542.	1.2	5
290	Clock Drawing and Mini-Mental State Examination in Patients with Traumatic Brain Injury. <i>Applied Neuropsychology</i> , 2011, 18, 179-190.	1.5	22
291	Assessment Tools for Evaluating Fitness to Drive: A Critical Appraisal of Evidence. <i>Canadian Journal of Occupational Therapy</i> , 2011, 78, 80-96.	1.3	43
292	Cognition and driving in older persons. <i>Swiss Medical Weekly</i> , 2011, 140, w13136.	1.6	28
293	Poorer clock draw test scores are associated with greater functional impairment in peripheral artery disease: The Walking and Leg Circulation Study II. <i>Vascular Medicine</i> , 2011, 16, 173-181.	1.5	9
294	Independent Association Between Preoperative Cognitive Status and Discharge Location After Cardiac Surgery. <i>American Journal of Critical Care</i> , 2011, 20, 129-137.	1.6	29
295	Mexican American Males Providing Personal Care for Their Mothers. <i>Hispanic Journal of Behavioral Sciences</i> , 2011, 33, 234-260.	0.5	11
296	Delirium Is an Important Predictor of Incident Dementia among Elderly Hip Fracture Patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 63-70.	1.5	82
297	Demans Hastalarında Açık Farklı Saat İzime Testinin İlk Uyarlamaların Psikometrik Özellikleri. <i>Noropsikiyatri Arsivi</i> , 2011, 48, 1-1.	0.7	1
298	Clock Drawing in the Montreal Cognitive Assessment: Recommendations for Dementia Assessment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 179-187.	1.5	63
299	A Comparison of the Validity of the Cornell Scale and the MADRS in Detecting Depression among Memory Clinic Patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 32, 287-294.	1.5	38
300	Low and high spatial frequencies are most useful for drawing.. <i>Psychology of Aesthetics, Creativity, and the Arts</i> , 2011, 5, 269-278.	1.3	6
301	Does the Clock Drawing Test Predict Dementia Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 89-97.	1.5	15
302	Longitudinal Assessment of Cognitive Function by Clock Drawing in Older Adults. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2011, 1, 75-83.	1.3	16

#	ARTICLE	IF	CITATIONS
303	Population-Based Distribution and Psychometric Properties of a Short Cognitive Performance Measure in the Population-Based Heinz Nixdorf Recall Study. <i>Neuroepidemiology</i> , 2011, 37, 13-20.	2.3	27
304	Mapping levels of theory of mind in Alzheimer's disease: A preliminary study. <i>Aging and Mental Health</i> , 2011, 15, 157-168.	2.8	87
305	Quantitative and Qualitative Analyses of the Clock Drawing Test in Mild Cognitive Impairment and Alzheimer Disease: Evaluation of a Modified Scoring System. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2011, 24, 108-118.	2.3	41
306	Measurement properties of the CLOX Executive Clock Drawing Task in an inpatient stroke rehabilitation setting. <i>Rehabilitation Psychology</i> , 2011, 56, 138-144.	1.3	7
307	The Tower of London Test: Different Scoring Criteria for Diagnosing Alzheimer's Disease and Mild Cognitive Impairment. <i>Psychological Reports</i> , 2012, 110, 477-488.	1.7	21
309	Effects of a Salsa Dance Training on Balance and Strength Performance in Older Adults. <i>Gerontology</i> , 2012, 58, 305-312.	2.8	77
310	Clock Drawing Test in Elderly Individuals With Different Education Levels. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2012, 27, 620-624.	1.9	15
311	Neuropsychological Features of Early Cognitive Impairment in Parkinson's Disease. <i>Advances in Biological Psychiatry</i> , 2012, , 84-102.	0.2	1
312	The Clock Drawing Task: Common Errors and Functional Neuroanatomy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2012, 24, 260-265.	1.8	43
313	The relationship between cognitive function and non-prescribed therapy use in older adults. <i>Aging and Mental Health</i> , 2012, 16, 648-658.	2.8	3
314	Clock Test Deficits Related to the Global Cognitive State in Alzheimer's and Parkinson's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 59-72.	1.5	16
315	Activities of Daily Living in Mexican American Caregivers. <i>Journal of Family Nursing</i> , 2012, 18, 439-466.	1.9	17
316	Use of Clock Drawing Test as a Screening Tool for Cognitive Status Evaluation in Middle-Aged Patients with Depressive Disorder. <i>Journal of Microbiology and Biotechnology</i> , 2012, 22, 332-339.	2.1	1
317	Remission of Cognitive Deficits in Parkinson's Disease: Recovery from a Nonamnesic Mild Cognitive Impairment or Psychiatric Symptoms Remission?. <i>Case Reports in Psychiatry</i> , 2012, 2012, 1-7.	0.5	0
318	The Mini-Cog versus the Mini-Mental State Examination and the Clock Drawing Test in daily clinical practice: screening value in a German Memory Clinic. <i>International Psychogeriatrics</i> , 2012, 24, 766-774.	1.0	49
319	Assessment scales for delirium: A review. <i>World Journal of Psychiatry</i> , 2012, 2, 58.	2.7	133
320	Impact of White Matter Lesions on Cognition in Stroke Patients Free from Pre-Stroke Cognitive Impairment: A One-Year Follow-Up Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 38-47.	1.3	19
321	Home-based computerized cognitive assessment tool for dementia screening. <i>Journal of Ambient Intelligence and Smart Environments</i> , 2012, 4, 429-442.	1.4	12

#	ARTICLE	IF	CITATIONS
322	A reduced scoring system for the Clock Drawing Test using a population-based sample. <i>International Psychogeriatrics</i> , 2012, 24, 1738-1748.	1.0	12
323	The Diagnostic Accuracy of Telegeriatrics for the Diagnosis of Dementia via Video Conferencing. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 487.e19-487.e24.	2.5	78
324	Cognitive impairment is common in Parkinson's disease without dementia in the early and middle stages in a Han Chinese cohort. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 161-165.	2.2	23
325	Interrater reliability of the interRAI Acute Care (interRAI AC). <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 165-172.	3.0	28
326	Subcortical morphological correlates of impaired clock drawing performance. <i>Neuroscience Letters</i> , 2012, 512, 28-32.	2.1	11
327	Validity and reliability of the clock drawing test as a screening tool for cognitive impairment in patients with fibromyalgia. <i>Comprehensive Psychiatry</i> , 2012, 53, 81-86.	3.1	27
328	Cognitive impairment is undetected in medical inpatients: a study of mortality and recognition amongst healthcare professionals. <i>BMC Geriatrics</i> , 2012, 12, 47.	2.7	38
329	Assessment of Dementia by a Primary Health Care Dementia Team Cooperating with the Family Doctor – The Norwegian Model. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 263-270.	1.5	17
330	Neuropsychological and functional correlates of clock drawing test in elderly institutionalized patients with schizophrenia. <i>Psychogeriatrics</i> , 2012, 12, 242-247.	1.2	3
331	The relationship between cognitive ability, insight and self-regulatory behaviors: Findings from the older driver population. <i>Accident Analysis and Prevention</i> , 2012, 49, 316-321.	5.7	46
332	Suitability of neuropsychological tests in patients with vascular dementia (VaD). <i>Journal of the Neurological Sciences</i> , 2012, 322, 41-45.	0.6	9
334	A biomarker for severity of Alzheimer's disease: ¹ H-NMR resonances in cerebrospinal fluid correlate with performance in mini-mental-state-exam. <i>Biomarkers</i> , 2012, 17, 36-42.	1.9	11
335	Comparison of Brief Cognitive Tests and CSF Biomarkers in Predicting Alzheimer's Disease in Mild Cognitive Impairment: Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2012, 7, e38639.	2.5	73
336	Lack of Correlation of WAIS Digit Span with Clox 1 and the Dementia Rating Scale in MCI. <i>International Journal of Alzheimer's Disease</i> , 2012, 2012, 1-4.	2.0	7
337	Quantitative EEG Markers in Mild Cognitive Impairment: Degenerative versus Vascular Brain Impairment. <i>International Journal of Alzheimer's Disease</i> , 2012, 2012, 1-12.	2.0	44
338	Specific EEG Changes Associated with Atrophy of Hippocampus in Subjects with Mild Cognitive Impairment and Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2012, 2012, 1-8.	2.0	46
340	Fidedignidade e validade de construto do Teste de Aprendizagem Auditivo-Verbal de Rey em idosos brasileiros. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 19-23.	0.6	14
341	Elevated Levels of High-Sensitivity C-Reactive Protein are Associated with Mild Cognitive Impairment and its Subtypes: Results of a Population-Based Case-Control Study. <i>Journal of Alzheimer's Disease</i> , 2012, 28, 503-514.	2.6	19

#	ARTICLE	IF	CITATIONS
342	Diagnostic accuracy of a new instrument for detecting cognitive dysfunction. International Journal of Geriatric Psychiatry, 2012, 27, 914-923.	2.7	2
343	Normative performance on the executive clock drawing task in a multi-ethnic bilingual cohort: a project FRONTIER study. International Journal of Geriatric Psychiatry, 2012, 27, 959-966.	2.7	16
344	Intra- and inter-cortical motor excitability in Alzheimer's disease. Journal of Neural Transmission, 2012, 119, 605-612.	2.8	35
345	Diabetes in care homes: current care standards and residents' experience. Diabetic Medicine, 2012, 29, 132-135.	2.3	13
346	Knowledge and attitude of elderly persons towards dental implants. Gerodontology, 2012, 29, e914-23.	2.0	47
347	Stroop interference and negative priming (NP) suppression in normal aging. Archives of Gerontology and Geriatrics, 2012, 54, 333-338.	3.0	29
348	Effects of a three party healthcare network on the incidence levels of drug related problems. International Journal of Clinical Pharmacy, 2013, 35, 763-771.	2.1	11
349	The Development and Validation of a Neuropsychological Assessment for Mild Cognitive Impairment of Filipino Older Adults. Ageing International, 2013, 38, 271-327.	1.3	0
350	Perioperative mortality in hip fracture patients treated with cemented and uncemented hemiprosthesis: a register study of 11,210 patients. International Orthopaedics, 2013, 37, 1135-1140.	1.9	71
351	Perfil clínico e autonômico de pacientes com doença de Alzheimer e demência mista. Revista Da Associação Médica Brasileira, 2013, 59, 435-441.	0.7	10
352	The Sensitivity and Specificity of Subjective Memory Complaints and the Subjective Memory Rating Scale, Deterioration Cognitive Observee, Mini-Mental State Examination, Six-Item Screener and Clock Drawing Test in Dementia Screening. Dementia and Geriatric Cognitive Disorders, 2013, 36, 119-135.	1.5	35
353	Alzheimer's Association recommendations for operationalizing the detection of cognitive impairment during the Medicare Annual Wellness Visit in a primary care setting. Alzheimer's and Dementia, 2013, 9, 141-150.	0.8	418
354	No difference in mortality between cemented and uncemented hemiprosthesis for elderly patients with cervical hip fracture. A prospective randomized study on 334 patients over 75 years. Archives of Orthopaedic and Trauma Surgery, 2013, 133, 805-809.	2.4	43
355	TRIGEN INTERTAN Intramedullary Nail Versus Sliding Hip Screw. Journal of Bone and Joint Surgery - Series A, 2013, 95, 200-208.	3.0	130
356	Clock Drawing Test. , 2013, , 79-109.		17
357	Clinical and autonomic profile of patients with Alzheimer's disease and mixed dementia. Revista Da Associação Médica Brasileira (English Edition), 2013, 59, 435-441.	0.1	4
358	El test del dibujo del reloj, interpretación de casos. Revista Espanola De Medicina Legal, 2013, 39, 82-83.	0.1	3
359	Cognitive function is a risk for health literacy in older adults with diabetes. Diabetes Research and Clinical Practice, 2013, 101, 141-147.	2.8	31

#	ARTICLE	IF	CITATIONS
360	Increased frequency of T cells expressing IL-10 in Alzheimer disease but not in late-onset depression patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 47, 40-45.	4.8	25
361	Subjective well-being in Swedish active seniors or seniors with cognitive complaints and its relation to commonly available biomarkers. <i>Archives of Gerontology and Geriatrics</i> , 2013, 56, 303-308.	3.0	13
362	A cross-cultural comparison of the phenotype of depression as measured by the Cornell Scale and the MADRS in two elderly outpatient populations. <i>Journal of Affective Disorders</i> , 2013, 144, 34-41.	4.1	7
363	Neuropsychologic assessment in collaborative Parkinson's disease research: A proposal from the National Institute of Neurological Disorders and Stroke Morris K. Udall Centers of Excellence for Parkinson's Disease Research at the University of Pennsylvania and the University of Washington. <i>Alzheimer's and Dementia</i> , 2013, 9, 609-614.	0.8	24
364	Use of the Freund Clock Drawing Test within the Mini-Cog as a screening tool for cognitive impairment in elderly patients with or without cancer. <i>Journal of Geriatric Oncology</i> , 2013, 4, 174-182.	1.0	38
365	The association between health literacy and indicators of cognitive impairment in a diverse sample of primary care patients. <i>Patient Education and Counseling</i> , 2013, 93, 319-326.	2.2	21
366	Effects of Core Instability Strength Training on Trunk Muscle Strength, Spinal Mobility, Dynamic Balance and Functional Mobility in Older Adults. <i>Gerontology</i> , 2013, 59, 105-113.	2.8	168
367	Altered Effective Connectivity of the Default Mode Network in Resting-State Amnestic Type Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 400-409.	1.8	37
368	A review of brief cognitive assessment tests. <i>Reviews in Clinical Gerontology</i> , 2013, 23, 164-176.	0.5	8
369	Neural correlates of the components of the clock drawing test. <i>International Psychogeriatrics</i> , 2013, 25, 1317-1323.	1.0	21
370	The Maze Test: A significant predictor of older driver crash risk. <i>Accident Analysis and Prevention</i> , 2013, 50, 483-489.	5.7	29
371	Patients with hepatitis C infection and normal liver function: an evaluation of cognitive function. <i>Postgraduate Medical Journal</i> , 2013, 89, 433-439.	1.8	27
372	Visuoconstructional Abilities in Cognitively Healthy Illiterate Turkish Immigrants: A Quantitative and Qualitative Investigation. <i>Clinical Neuropsychologist</i> , 2013, 27, 681-692.	2.3	49
373	Kynurenines and other novel therapeutic strategies in the treatment of dementia. <i>Therapeutic Advances in Neurological Disorders</i> , 2013, 6, 386-397.	3.5	19
374	The Clock Drawing Test: Portuguese Norms, by Age and Education, for Three Different Scoring Systems. <i>Archives of Clinical Neuropsychology</i> , 2013, 28, 375-387.	0.5	22
375	Clinical and cognitive profiles of patients with both Parkinson's disease and essential tremor. <i>Acta Neurologica Belgica</i> , 2013, 113, 117-125.	1.1	8
376	Visual exploration in Parkinson's disease and Parkinson's disease dementia. <i>Brain</i> , 2013, 136, 739-750.	7.6	72
379	Neuropsychological effects of deep brain stimulation for Parkinson's disease. , 2013, 4, 443.		22

#	ARTICLE	IF	CITATIONS
380	Cognitive dysfunction: an important extrahepatic manifestation of hepatitis C infection?. <i>Postgraduate Medical Journal</i> , 2013, 89, 431-432.	1.8	6
381	The assessment of cognition in visually impaired older adults. <i>Age and Ageing</i> , 2013, 42, 98-102.	1.6	34
382	The Stick Design Test on the assessment of older adults with low formal education: evidences of construct, criterion-related and ecological validity. <i>International Psychogeriatrics</i> , 2013, 25, 2057-2065.	1.0	14
383	A Quick Test of Cognitive Speed (AQT): Usefulness in dementia evaluations in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 13-19.	1.5	18
384	Clock Drawing Test. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013, 26, 151-157.	2.3	5
385	Mapping the clockworks: what does the Clock Drawing Test assess in normal and pathological aging?. <i>Arquivos De Neuro-Psiquiatria</i> , 2013, 71, 763-768.	0.8	34
386	A Comparison of the Cornell Scale for Depression in Dementia and the Montgomery-Aasberg Depression Rating Scale in a Memory Clinic Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 35, 256-265.	1.5	8
387	Disability in Instrumental Activities of Daily Living in Elderly Patients with Mild Cognitive Impairment and Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 146-153.	1.5	30
388	The Use of the Mini-Mental State Examination and the Clock-Drawing Test for Dementia in a Tertiary Hospital. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2013, 7, 484-8.	0.8	8
389	Diagnostic performance of a combination of Mini-Mental State Examination and Clock Drawing Test in detecting Alzheimer's disease. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 581.	2.2	19
390	Detection of Memory Impairment in a Community-Based System: A Collaborative Study. <i>Health and Social Work</i> , 2013, 38, 89-96.	1.0	3
391	Understanding the mental lexicon through neglect dyslexia: a study on compound noun reading. <i>Neurocase</i> , 2013, 19, 128-144.	0.6	10
392	The Framingham Heart Study Clock Drawing Performance: Normative Data from the Offspring Cohort. <i>Experimental Aging Research</i> , 2013, 39, 80-108.	1.2	22
393	DemTect, PANDA, EASY, and MUSIC: Cognitive Screening Tools with Age Correction and Weighting of Subtests According to Their Sensitivity and Specificity. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 813-834.	2.6	32
394	Long-Term Test-Retest Reliability of Resting-State Networks in Healthy Elderly Subjects and Patients with Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 741-754.	2.6	46
395	Putting personalisation and integration into practice in primary care. <i>Journal of Integrated Care</i> , 2013, 21, 105-120.	0.5	17
396	Initial Neuropsychological Profile of a Series of 20 Patients with Logopenic Variant of Primary Progressive Aphasia. <i>Journal of Alzheimer's Disease</i> , 2013, 36, 799-808.	2.6	35
397	Physical Performance and Quality of Life of Nursing-Home Residents with Mild and Moderate Dementia. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 6672-6686.	2.6	24

#	ARTICLE	IF	CITATIONS
398	Multidisciplinary intervention reducing readmissions in medical inpatients: a prospective, non-randomized study. <i>Clinical Interventions in Aging</i> , 2013, 8, 1295.	2.9	15
400	Cerebrospinal Fluid Melanin-Concentrating Hormone (MCH) and Hypocretin-1 (HCRT-1, Orexin-A) in Alzheimer's Disease. <i>PLoS ONE</i> , 2013, 8, e63136.	2.5	58
401	Mental status examination. , 0, , 344-393.		4

402 Reliability and Validity of the Short Form of the Literacy-Independent Cognitive Assessment in the

#	ARTICLE	IF	CITATIONS
419	Prevalence of depression among memory clinic patients as measured by the Cornell Scale of Depression in Dementia. <i>Aging and Mental Health</i> , 2014, 18, 579-587.	2.8	50
420	Dementia, neuropsychiatric symptoms, and the use of psychotropic drugs among older people who receive domiciliary care: a cross-sectional study. <i>International Psychogeriatrics</i> , 2014, 26, 383-391.	1.0	36
421	A novel computer test to assess driving-relevant cognitive functions – a pilot study. <i>International Psychogeriatrics</i> , 2014, 26, 229-238.	1.0	9
422	How to Implement a Geriatric Assessment in Your Clinical Practice. <i>Oncologist</i> , 2014, 19, 1056-1068.	3.7	68
423	Predictors of Older Adults' Technology Use and Its Relationship to Depressive Symptoms and Well-being. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014, 69, 667-677.	3.9	129
424	Elli BeÄŸ YaÄŸ ÄcestÄ¼ PopÄ¼lasyonda Subjektif Bellek YakÄ±nmasÄ± ile Objektif Kognitif Performans ArasÄ±ndaki Ä°liÄŸinin Belirlenmesi. <i>Noropsikiyatri Arsivi</i> , 2014, 51, 57-62.	0.7	5
425	Clinical Utility of Cognistat in Multiprofessional Team Evaluations of Patients with Cognitive Impairment in Swedish Primary Care. <i>International Journal of Family Medicine</i> , 2014, 2014, 1-10.	1.2	13
426	Influence of Depressive Symptoms on Dopaminergic Treatment of Parkinson's Disease. <i>Frontiers in Neurology</i> , 2014, 5, 188.	2.4	6
427	Intersecting pentagon copying and clock drawing test in mild and moderate Alzheimer's disease. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2014, 5, 47-52.	0.7	10
428	Delirium is a risk factor for institutionalization and functional decline in older hip fracture patients. <i>Journal of Psychosomatic Research</i> , 2014, 76, 68-74.	2.6	62
429	Medication management capacity in relation to cognition and self-management skills in older people on polypharmacy. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 44-49.	3.3	47
430	Radiotherapy in low-grade glioma adult patients: a retrospective survival and neurocognitive toxicity analysis. <i>Radiologia Medica</i> , 2014, 119, 432-439.	7.7	11
431	Three-question dementia screening. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2014, 47, 577-582.	1.8	8
432	Everyday uses of standardized test information in a geriatric setting: a qualitative study exploring occupational therapist and physiotherapist test administrators' justifications. <i>BMC Health Services Research</i> , 2014, 14, 72.	2.2	3
433	Change of Visual Perceptions in Taiwan's Aged People with Mild Dementia Caused by the Textures of Building Materials. <i>Ageing International</i> , 2014, 39, 221-232.	1.3	1
434	Clinical Practice Guideline: Tinnitus. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 151, S1-S40.	1.9	475
435	Validation of the Freund Clock Drawing Test as a screening tool to detect cognitive dysfunction in elderly cancer patients undergoing comprehensive geriatric assessment. <i>Psycho-Oncology</i> , 2014, 23, 1172-1177.	2.3	21
436	Relationships Between Balance and Cognition in Patients With Subjective Cognitive Impairment, Mild Cognitive Impairment, and Alzheimer Disease. <i>Physical Therapy</i> , 2014, 94, 1123-1134.	2.4	114

#	ARTICLE	IF	CITATIONS
437	Atrophy of the cholinergic basal forebrain in dementia with Lewy bodies and Alzheimer's disease. <i>Journal of Neurology</i> , 2014, 261, 1939-1948.	3.6	113
438	Review of brief cognitive tests for patients with suspected dementia. <i>International Psychogeriatrics</i> , 2014, 26, 1247-1262.	1.0	166
439	Vitamin D deficiency is common in psychogeriatric patients, independent of diagnosis. <i>BMC Psychiatry</i> , 2014, 14, 134.	2.6	28
440	The effect of a pre- and postoperative orthogeriatric service on cognitive function in patients with hip fracture: randomized controlled trial (Oslo Orthogeriatric Trial). <i>BMC Medicine</i> , 2014, 12, 63.	5.5	134
441	Multiple clock drawing scoring systems: simpler is better. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 127-136.	2.7	77
442	Clinical features and neuropsychological profile in vascular parkinsonism. <i>Journal of the Neurological Sciences</i> , 2014, 345, 193-197.	0.6	15
443	Predictors for return to own home and being alive at 6 months after nursing home intermediate care following acute hospitalization. <i>European Geriatric Medicine</i> , 2014, 5, 108-112.	2.8	11
444	Hospitalization, depression and dementia in community-dwelling older Americans: findings from the National Health and Aging Trends Study. <i>General Hospital Psychiatry</i> , 2014, 36, 135-141.	2.4	27
445	Using the Brief Assessment of Cognition in Schizophrenia (BACS) to assess cognitive impairment in older patients with schizophrenia and bipolar disorder. <i>Bipolar Disorders</i> , 2014, 16, 326-336.	1.9	23
446	Cognitive impairments associated with periventricular white matter hyperintensities are mediated by cortical atrophy. <i>Acta Neurologica Scandinavica</i> , 2014, 130, 178-187.	2.1	18
448	The effects of physical exercise on functional performance, quality of life, cognitive impairment and physical activity levels for older adults aged 65 years and older with a diagnosis of dementia: a systematic review. <i>Journal of Systematic Reviews and Implementation Reports</i> , 2014, 12, 158-276.	1.7	9
449	Combination of the Clock Drawing Test with the Physical Phenotype of Frailty for the Prediction of Mortality and Other Adverse Outcomes in Older Community Dwellers without Dementia. <i>Gerontology</i> , 2014, 60, 204-211.	2.8	17
450	Association of Diabetes Mellitus and Mild Cognitive Impairment in Middle-Aged Men and Women. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 1269-1277.	2.6	37
451	Is There Any Difference between the Findings of Clock Drawing Tests if the Clocks Show Different Times?. <i>Journal of Alzheimer's Disease</i> , 2014, 39, 749-757.	2.6	5
452	Examining Executive Dysfunction with the Institute of Cognitive Neurology (INCO) Frontal Screening (IFS): Normative Values from a Healthy Sample and Clinical Utility in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 261-273.	2.6	29
453	Combining Select Neuropsychological Assessment with Blood-Based Biomarkers to Detect Mild Alzheimer's Disease: A Molecular Neuropsychology Approach. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 635-640.	2.6	13
454	Brief Tests such as the Clock Drawing Test or Cognistat Can Be Useful Predictors of Conversion from MCI to Dementia in the Clinical Assessment of Outpatients. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 263-270.	1.3	14
455	Air pollution and your brain: what do you need to know right now. <i>Primary Health Care Research and Development</i> , 2015, 16, 329-345.	1.2	153

#	ARTICLE	IF	CITATIONS
456	Can clock drawing differentiate Alzheimer's disease from other dementias?. <i>International Psychogeriatrics</i> , 2015, 27, 1649-1660.	1.0	19
457	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. <i>Psychological Assessment</i> , 2015, 27, 895-904.	1.5	9
458	Ankle-Brachial Index but Neither Intima Media Thickness Nor Coronary Artery Calcification is Associated With Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 433-442.	2.6	17
459	Anemia and Mild Cognitive Impairment in the German General Population. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 1031-1042.	2.6	26
461	Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 320-329.	1.3	47
462	Longitudinal cerebrospinal fluid biomarker measurements in preclinical sporadic Alzheimer's disease: A prospective 9-year study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 403-411.	2.4	26
463	An Evidence-Based Approach to Medical Clearance of Psychiatric Patients in the Emergency Department. <i>Current Emergency and Hospital Medicine Reports</i> , 2015, 3, 176-182.	1.5	1
464	“Modern Family” Hispanic <i>Journal of Behavioral Sciences</i> , 2015, 37, 522-540.	0.5	2
465	Thyroid-Stimulating Hormone and Mild Cognitive Impairment: Results of the Heinz Nixdorf Recall Study. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 797-807.	2.6	11
466	Evaluation of a Brief Survey Instrument for Assessing Subtle Differences in Cognitive Function Among Older Adults. <i>Alzheimer Disease and Associated Disorders</i> , 2015, 29, 317-324.	1.3	52
467	Validation of a Brief Screening Tool for Alcohol-Related Neuropsychological Impairments. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 2249-2260.	2.4	41
468	Specific algorithm method of scoring the Clock Drawing Test applied in cognitively normal elderly. <i>Dementia & Neuropsychologia</i> , 2015, 9, 128-135.	0.8	18
470	Acute care of older patients in the emergency department: strategies to improve patient outcomes. <i>Open Access Emergency Medicine</i> , 2015, 7, 45.	1.3	42
471	Specific cognitive functions and depressive symptoms as predictors of activities of daily living in older adults with heterogeneous cognitive backgrounds. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 139.	3.4	42
474	Spatial navigation measured by the Floor Maze Test in patients with subjective cognitive impairment, mild cognitive impairment, and mild Alzheimer's disease. <i>International Psychogeriatrics</i> , 2015, 27, 1401-1409.	1.0	27
475	Determining fitness to drive: A systematic review of the methods and assessments used after mild traumatic brain injury. <i>British Journal of Occupational Therapy</i> , 2015, 78, 73-84.	0.9	21
476	A 36-month follow-up of decline in activities of daily living in individuals receiving domiciliary care. <i>BMC Geriatrics</i> , 2015, 15, 47.	2.7	27
477	Performance of the Maze Navigation Test in a sample of older New Zealanders. <i>Australasian Psychiatry</i> , 2015, 23, 503-506.	0.7	1

#	ARTICLE	IF	CITATIONS
478	First results about recovery of walking function in patients with intensive care unit-acquired muscle weakness from the General Weakness Syndrome Therapy (GymNAST) cohort study. <i>BMJ Open</i> , 2015, 5, e008828.	1.9	27
479	Quantitative EEG Applying the Statistical Recognition Pattern Method: A Useful Tool in Dementia Diagnostic Workup. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 1-12.	1.5	58
480	Predictive Factors of Clinical Response to Cholinesterase Inhibitors in Mild and Moderate Alzheimer's Disease and Mixed Dementia: A One-Year Naturalistic Study. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 609-620.	2.6	30
481	Depression and Mild Cognitive Impairment in the General Population: Results of the Heinz Nixdorf Recall Study. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 159-174.	2.6	12
482	â€œMAGICâ€- development of a manageable geriatric assessment for general practice use. <i>BMC Family Practice</i> , 2015, 16, 4.	2.9	20
483	Clinical validation of the WMS-IV-NL brief cognitive status exam (BCSE) in older adults with MCI or dementia. <i>International Psychogeriatrics</i> , 2015, 27, 221-229.	1.0	6
484	Dementia: timely diagnosis and early intervention. <i>BMJ</i> , The, 2015, 350, h3029-h3029.	6.0	315
485	Specific locations within the white matter and cortex are involved in the cognitive impairments associated with periventricular white matter lesions (PWMLs). <i>Behavioural Brain Research</i> , 2015, 289, 9-18.	2.2	17
487	Visuo-constructional functions in patients with mild cognitive impairment, Alzheimer's disease, and Parkinson's disease. <i>Neuropsychiatrie</i> , 2015, 29, 112-119.	2.5	8
488	Age-dependent visual exploration during simulated day- and night driving on a motorway: a cross-sectional study. <i>BMC Geriatrics</i> , 2015, 15, 18.	2.7	18
489	Executive dysfunction in patients with transient ischemic attack and minor stroke. <i>Journal of the Neurological Sciences</i> , 2015, 354, 17-20.	0.6	26
491	Motor cognitive dual tasking. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2015, 48, 15-21.	1.8	88
492	Clock Drawing Test in a Space-Occupying Process. <i>Neurohospitalist</i> , The, 2015, 5, 5-6.	0.8	0
493	Optimal Stroke Prevention in the Geriatric Patient with Atrial Fibrillation: Position Paper of an Interdisciplinary Expert Panel. <i>Drug Research</i> , 2015, 65, 505-514.	1.7	8
494	Ten Years of Abstinence in Former Opiate Addicts: Medication-Free Non-Patients Compared to Methadone Maintenance Patients. <i>Journal of Addictive Diseases</i> , 2015, 34, 284-295.	1.3	8
495	Medial temporal lobe atrophy is underreported and may have important clinical correlates in medical inpatients. <i>BMC Geriatrics</i> , 2015, 15, 65.	2.7	18
496	The Bicycle Drawing Test. <i>Assessment</i> , 2015, 22, 629-639.	3.1	2
497	Is Internet Addiction Prevalent Among Methadone Maintenance Treatment Patients? Data from Las Vegas and Tel Aviv. <i>Journal of Addictive Diseases</i> , 2015, 34, 296-302.	1.3	1

#	ARTICLE	IF	CITATIONS
498	Modafinil for cognitive neuroenhancement in healthy non-sleep-deprived subjects: A systematic review. <i>European Neuropsychopharmacology</i> , 2015, 25, 1865-1881.	0.7	162
499	Comparison of Clock Test Deficits Between Elderly Patients With Early and Late Onset Depression. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 231-238.	2.3	3
500	Burden of Care and Patient's Neuropsychiatric Symptoms Influence Carer's Evaluation of Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 256-267.	1.5	22
501	The Times They Are a-Changinã™. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 145-155.	2.3	35
503	The six-item Clock Drawing Test â€“ reliability and validity in mild Alzheimerã™s disease. <i>Aging, Neuropsychology, and Cognition</i> , 2015, 22, 301-311.	1.3	5
504	Matching user needs to technology in dementia care: experiences with the Alma Supervisor Educational Program. <i>Family Medicine and Primary Care Review</i> , 2016, 4, 492-496.	0.2	9
505	Geriatric Depression and Cognitive Impairment: A Follow up Study. <i>Journal of Gerontology & Geriatric Research</i> , 2016, 5, .	0.1	0
506	Montreal Cognitive Assessment (MoCA) screening mild cognitive impairment in patients with chronic kidney disease (CKD) pre-dialysis. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2016, 38, 31-41.	0.9	18
507	The Clock Drawing Test: Performance differences between the free-drawn and incomplete-copy versions in patients with MCI and dementia. <i>Dementia E Neuropsychologia</i> , 2016, 10, 227-231.	0.8	6
508	El entrenamiento cognitivo en los ancianos y efectos en las funciones ejecutivas.. <i>Acta Colombiana De Psicologia</i> , 2016, 19, 177-197.	0.4	2
509	Recovery of sit-to-stand function in patients with intensive-care-unit-acquired muscle weakness: Results from the General Weakness Syndrome Therapy cohort study.. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 793-798.	1.1	10
510	Patterns of Longitudinal Neural Activity Linked to Different Cognitive Profiles in Parkinson's Disease. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 275.	3.4	13
511	Delirium Diagnostic and Screening Instruments in the Emergency Department: An Up-to-Date Systematic Review. <i>Geriatrics (Switzerland)</i> , 2016, 1, 22.	1.7	23
512	Identification of Comprehensive Geriatric Assessment Based Risk Factors for Malnutrition in Elderly Asian Cancer Patients. <i>PLoS ONE</i> , 2016, 11, e0156008.	2.5	9
513	A Reanalysis of Cognitive-Functional Performance in Older Adults: Investigating the Interaction Between Normal Aging, Mild Cognitive Impairment, Mild Alzheimer's Disease Dementia, and Depression. <i>Frontiers in Psychology</i> , 2015, 6, 2061.	2.1	16
514	Demenz in der oralen Medizin: Erkennen von Zeichen der Erkrankung - EinschÃtzen von Ressourcen. <i>Schweizerische Zeitschrift FÃ¼r GanzheitsMedizin</i> , 2016, 28, 45-50.	0.0	1
515	Underdiagnosis of delirium on admission and prediction of patients who will develop delirium during their inpatient stay: a pilot study. <i>Singapore Medical Journal</i> , 2016, 57, 18-21.	0.6	19
516	The Management of Dementia in Primary Care. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
517	The clock-drawing test as a possible indicator of acute psychosis. <i>International Clinical Psychopharmacology</i> , 2016, 31, 155-158.	1.7	0
518	Cognitive Screening Following Stroke: Are We Following Best Evidence-based Practice in Australian Clinical Settings?. <i>Australian Psychologist</i> , 2016, 51, 360-365.	1.6	5
519	Applicability of the International Affective Picture System in Chinese older adults: A validation study. <i>PsyCh Journal</i> , 2016, 5, 117-124.	1.1	14
520	Screening for cognitive dysfunction in Huntington's disease with the clock drawing test. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 1013-1020.	2.7	6
521	Middle Cerebral Artery Pulsatility Index is Associated with Cognitive Impairment in Lacunar Stroke. <i>Journal of Neuroimaging</i> , 2016, 26, 431-435.	2.0	27
522	Cognitive Reserve in Alzheimer's Dementia: Diagnostic Accuracy of a Testing-the-Limits Paradigm. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 519-528.	2.6	2
523	The "Reckoning Point" as a Marker for Formal Palliative and End-of-Life Care in Mexican American Families. <i>Journal of Family Nursing</i> , 2016, 22, 606-630.	1.9	3
524	Symptoms of Anxiety in Older Adults with Depression, Dementia, or Psychosis: A Principal Component Analysis of the Geriatric Anxiety Inventory. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 310-322.	1.5	11
525	Cognition, depression, fatigue, and quality of life in primary Sjögren's syndrome: correlations. <i>Brain and Behavior</i> , 2016, 6, e00586.	2.2	51
526	Lesions of Left Basal Ganglia and Insula Structures Impair Executive Functions but not Emotion Recognition: A Case Report. <i>Brain Impairment</i> , 2016, 17, 233-241.	0.7	1
527	The Letter and Shape Drawing (LSD) test: An efficient and systematised approach to testing of visuospatial function. , 2016, 2016, 2323-2326.		2
528	Effect of trauma onset on personality traits of politically persecuted victims. <i>BMC Psychiatry</i> , 2016, 16, 148.	2.6	5
529	Reliability, validity and clinical correlates of the Quality of Life in Alzheimer's disease (QoL-AD) scale in medical inpatients. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 90.	2.4	40
530	Transcranial direct current stimulation as a memory enhancer in patients with Alzheimer's disease: a randomized, placebo-controlled trial. <i>Alzheimer's Research and Therapy</i> , 2016, 8, 13.	6.2	94
531	Problem-based Behavioral Science and Psychiatry. , 2016, , .		1
533	Comprehensive Geriatric Assessment (CGA) based risk factors for increased caregiver burden among elderly Asian patients with cancer. <i>Journal of Geriatric Oncology</i> , 2016, 7, 211-218.	1.0	22
534	Subclinical Mood and Cognition Impairments and Blood Pressure Control in a Large Cohort of Elderly Hypertensives. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 864.e17-864.e22.	2.5	12
535	The cortical surface correlates of clinical manifestations in the mid-stage sporadic Parkinson's disease. <i>Neuroscience Letters</i> , 2016, 633, 125-133.	2.1	7

#	ARTICLE	IF	CITATIONS
536	Primary Sjögren's syndrome is associated with significant cognitive dysfunction. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 981-988.	1.9	16
537	Clinical usefulness of the clock drawing test applying rasch analysis in predicting of cognitive impairment. <i>Journal of Physical Therapy Science</i> , 2016, 28, 2140-2143.	0.6	15
538	N-Terminal Pro-B Type Natriuretic Peptide is Associated with Mild Cognitive Impairment in the General Population. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 359-369.	2.6	10
539	Physical Fitness in Older People with Mild Cognitive Impairment and Dementia. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 92-100.	1.0	28
540	Increased CSF levels of aromatic amino acids in hip fracture patients with delirium suggests higher monoaminergic activity. <i>BMC Geriatrics</i> , 2016, 16, 149.	2.7	29
541	A Maltese adaptation of the Boston Naming Test: A shortened version. <i>Clinical Linguistics and Phonetics</i> , 2016, 30, 871-887.	0.9	4
542	Delirium is a risk factor for further cognitive decline in cognitively impaired hip fracture patients. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 38-44.	3.0	47
543	The clock drawing test as a screening tool in mild cognitive impairment and very mild dementia: a new brief method of scoring and normative data in the elderly. <i>Neurological Sciences</i> , 2016, 37, 867-873.	1.9	35
544	PDD-5S: A useful screening tool for Parkinson's disease dementia. <i>Parkinsonism and Related Disorders</i> , 2016, 25, 85-90.	2.2	1
546	The utility of the clock drawing test in detection of delirium in elderly hospitalised patients. <i>Aging and Mental Health</i> , 2016, 20, 981-986.	2.8	14
547	Gardony Map Drawing Analyzer: Software for quantitative analysis of sketch maps. <i>Behavior Research Methods</i> , 2016, 48, 151-177.	4.0	69
548	The effects of behavioral and psychological symptoms on caregiver burden in frontotemporal dementia, Lewy body dementia, and Alzheimer's disease: clinical experience in China. <i>Aging and Mental Health</i> , 2017, 21, 651-657.	2.8	48
549	A comprehensive geriatric assessment screening questionnaire (CGA-GOLD) for older people undergoing treatment for cancer. <i>European Journal of Cancer Care</i> , 2017, 26, e12509.	1.5	22
550	The Reliability of Clock Drawing Test Scoring Systems Modeled on the Normative Data in Healthy Aging and Nonamnesic Mild Cognitive Impairment. <i>Assessment</i> , 2017, 24, 945-957.	3.1	19
551	Development of the four-item Letter and Shape Drawing test (LSD-4): A brief bedside test of visuospatial function. <i>Psychiatry Research</i> , 2017, 247, 317-322.	3.3	3
552	Cognitive Impairment and Older Age Bipolar Disorder. , 2017, , 107-126.		2
553	Cognitive Decline, Body Mass Index, and Waist Circumference in Community-Dwelling Elderly Participants. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017, 30, 67-76.	2.3	34
554	Cortical signature of clock drawing performance in Alzheimer's disease and mild cognitive impairment. <i>Journal of Psychiatric Research</i> , 2017, 90, 133-142.	3.1	11

#	ARTICLE	IF	CITATIONS
555	Madness. , 0, , .		5
556	Intentional binding as a marker of agency across the lifespan. <i>Consciousness and Cognition</i> , 2017, 52, 104-114.	1.5	12
558	Cognitive Screening Instruments. , 2017, , .		33
559	Collective Care: Multiple Caregivers and Multiple Care Recipients in Mexican American Families. <i>Journal of Transcultural Nursing</i> , 2017, 28, 398-407.	1.3	8
560	Inflammation, Amyloid, and Atrophy in The Aging Brain: Relationships with Longitudinal Changes in Cognition. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 829-840.	2.6	31
561	Low-Cost Robotic Assessment of Visuo-Motor Deficits in Alzheimer's Disease. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2017, 25, 852-860.	4.9	12
562	Distinguishing age-related cognitive decline from dementias: A study based on machine learning algorithms. <i>Journal of Clinical Neuroscience</i> , 2017, 42, 186-192.	1.5	20
563	Clock Drawing Test. , 2017, , 67-108.		12
564	Bipolar Disorder in Older Age Patients. , 2017, , .		3
565	Getting clocked: screening for TBI-related cognitive impairment with the clock drawing test. <i>Brain Injury</i> , 2017, 31, 1501-1506.	1.2	7
566	Cognitive and Neuropsychiatric Screening Tests in Older Adults. <i>Mental Health and Illness Worldwide</i> , 2017, , 343-368.	0.1	9
567	Neuropsychological Differences Related to Age in Dementia with Lewy Bodies. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2017, 7, 188-194.	1.3	2
568	A pilot study of performance among hospitalised elderly patients on a novel test of visuospatial cognition: the letter and shape drawing (LSD) test. <i>Irish Journal of Psychological Medicine</i> , 2017, 34, 169-175.	1.0	3
569	Cognitive impairment categorized in community-dwelling older adults with and without dementia using in-home sensors that recognise activities of daily living. <i>Scientific Reports</i> , 2017, 7, 42084.	3.3	90
570	Screening tools for the identification of dementia for adults with age-related acquired hearing or vision impairment: a scoping review. <i>International Psychogeriatrics</i> , 2017, 29, 1771-1784.	1.0	54
572	Clock-drawing test for cognitive assessment in an older adult with long-term benzodiazepine use. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1135-1137.	1.5	1
573	Cognitive Impairment and Overall Survival in Frail Surgical Patients. <i>Journal of the American College of Surgeons</i> , 2017, 225, 590-600e1.	0.5	21
574	Physical Fitness in Older People Recently Diagnosed with Cognitive Impairment Compared to Older People Recently Discharged from Hospital. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2017, 6, 396-406.	1.3	6

#	ARTICLE	IF	CITATIONS
575	Persistent use of psychotropic drugs in nursing home residents in Norway. <i>BMC Geriatrics</i> , 2017, 17, 52.	2.7	37
576	Radiation therapy for older patients with brain tumors. <i>Radiation Oncology</i> , 2017, 12, 101.	2.7	32
577	Clock drawing test in screening for Alzheimer's dementia and mild cognitive impairment in clinical practice. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 933-939.	2.7	22
578	CSF neurofilament light levels predict hippocampal atrophy in cognitively healthy older adults. <i>Neurobiology of Aging</i> , 2017, 49, 138-144.	3.1	60
579	Delivering tailored surgery to older cancer patients: Preoperative geriatric assessment domains and screening tools – A systematic review of systematic reviews. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1-14.	1.0	73
580	Usefulness of investigating error profiles in diagnosis of naming impairments. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 214-226.	1.5	5
582	Language Rehabilitation in Alzheimer's Disease-Verbal Fluency Clusters. <i>Journal of Novel Physiotherapies</i> , 2017, 07, .	0.1	0
583	Pathogenic beliefs among patients with depressive disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1047-1055.	2.2	11
584	The Clock Drawing Test: A Reasonable Instrument to Assess Probable Dementia in Primary Care?. <i>Current Alzheimer Research</i> , 2017, 15, 38-43.	1.4	12
585	Functional decline in the elderly with MCI: Cultural adaptation of the ADCS-ADL scale. <i>Revista Da Associação Brasileira de Geriatria e Gerontologia</i> , 2017, 63, 590-599.	0.7	11
586	Screening for Alzheimer's Disease: Cognitive Impairment in Self-Referred and Memory Clinic-Referred Patients. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1621-1631.	2.6	8
587	Time to decannulation and associated risk factors in the postacute rehabilitation of critically ill patients with intensive care unit-acquired weakness: a cohort study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 501-507.	2.2	4
588	Scoring systems for the Clock Drawing Test: A historical review. <i>Dementia E Neuropsychologia</i> , 2017, 11, 6-14.	0.8	52
589	Increased Diagnostic Accuracy of Digital vs. Conventional Clock Drawing Test for Discrimination of Patients in the Early Course of Alzheimer's Disease from Cognitively Healthy Individuals. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 101.	3.4	49
590	Extending XNAT Platform with an Incremental Semantic Framework. <i>Frontiers in Neuroinformatics</i> , 2017, 11, 57.	2.5	5
591	Correlation of Visuospatial Ability and EEG Slowing in Patients with Parkinson's Disease. <i>Parkinson's Disease</i> , 2017, 2017, 1-11.	1.1	4
592	Diagnostic Accuracy of the Overlapping Infinity Loops, Wire Cube, and Clock Drawing Tests for Cognitive Impairment in Mild Cognitive Impairment and Dementia. <i>International Journal of Alzheimer's Disease</i> , 2017, 2017, 1-5.	2.0	11
593	Detecting At-Risk Alzheimer's Disease Cases. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 97-105.	2.6	42

#	ARTICLE	IF	CITATIONS
594	Perioperative hemodynamics and risk for delirium and new onset dementia in hip fracture patients; A prospective follow-up study. PLoS ONE, 2017, 12, e0180641.	2.5	38
595	How to choose the most appropriate cognitive test to evaluate cognitive complaints in primary care. BMC Family Practice, 2017, 18, 101.	2.9	22
596	Development of the Cognitive Function Scale for Breast Cancer Patients. Asian Oncology Nursing, 2017, 17, 12.	0.6	1
597	Latin American Delphi Consensus on Vascular Cognitive Impairment: Definitions, Clinical Features, Pathophysiology, Prevention and Treatment. Journal of Neurology and Neuroscience, 2017, 08, .	0.4	3
598	Age and Graphomotor Decision Making Assessed with the Digital Clock Drawing Test: The Framingham Heart Study. Journal of Alzheimer's Disease, 2017, 60, 1611-1620.	2.6	38
599	Effect of Sugammadex versus Neostigmine/Atropine Combination on Postoperative Cognitive Dysfunction after Elective Surgery. Anaesthesia and Intensive Care, 2017, 45, 581-588.	0.7	16
601	Cerebrospinal Fluid Phosphate in Delirium after Hip Fracture. Dementia and Geriatric Cognitive Disorders Extra, 2018, 7, 309-317.	1.3	4
602	Can we incorporate geriatric assessment in the management of acute lymphoblastic leukemia in older adults?. Journal of Geriatric Oncology, 2018, 9, 296-301.	1.0	4
603	Development and validation of a new cognitive screening test: The Hong Kong Brief Cognitive Test (HKBC). International Journal of Geriatric Psychiatry, 2018, 33, 994-999.	2.7	15
604	The clock-drawing test: normative data in adult and elderly Israeli Arabs. Psychogeriatrics, 2018, 18, 175-181.	1.2	5
605	The association between fear of falling and motor imagery abilities in older community-dwelling individuals. Maturitas, 2018, 110, 18-20.	2.4	16
606	Social Cognition Differentiates Behavioral Variant Frontotemporal Dementia From Other Neurodegenerative Diseases and Psychiatric Disorders. American Journal of Geriatric Psychiatry, 2018, 26, 569-579.	1.2	31
607	Cognitive impairment in Parkinson's disease, Alzheimer's dementia, and vascular dementia: the role of the clock-drawing test. Psychogeriatrics, 2018, 18, 123-131.	1.2	26
608	Performance of middle-aged and elderly European minority and majority populations on a Cross-Cultural Neuropsychological Test Battery (CNTB). Clinical Neuropsychologist, 2018, 32, 1411-1430.	2.3	40
609	Correspondence and cluster analysis of free-drawn clocks in a group of children and adolescents with neurological and psychiatric diseases. Developmental Neuropsychology, 2018, 43, 69-81.	1.4	0
610	Cerebrospinal Fluid S100B and Alzheimer's Disease Biomarkers in Hip Fracture Patients with Delirium. Dementia and Geriatric Cognitive Disorders Extra, 2018, 7, 374-385.	1.3	31
611	Measuring mobility in older hospital patients with cognitive impairment using the de Morton Mobility Index. BMC Geriatrics, 2018, 18, 100.	2.7	11
612	Personality Traits and Cortical Activity Affect Gambling Behavior in Parkinson's Disease. Journal of Parkinson's Disease, 2018, 8, 341-352.	2.8	7

#	ARTICLE	IF	CITATIONS
613	Early Detection of Alzheimer's Disease Based on the Patient's Creative Drawing Process: First Results with a Novel Neuropsychological Testing Method. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 675-687.	2.6	11
614	Olfactory Function is Associated with Cognitive Performance: Results of the Heinz Nixdorf Recall Study. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 319-329.	2.6	16
615	Predictors of Patient Satisfaction with Removable Denture Renewal: A Pilot Study. <i>Journal of Prosthodontics</i> , 2018, 27, 509-516.	3.7	11
616	Regaining water swallowing function in the rehabilitation of critically ill patients with intensive-care-unit acquired muscle weakness. <i>Disability and Rehabilitation</i> , 2018, 40, 1494-1500.	1.8	6
617	The test of time: a history of clock drawing. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e22-e30.	2.7	52
618	Neuroinflammation and Tau Interact with Amyloid in Predicting Sleep Problems in Aging Independently of Atrophy. <i>Cerebral Cortex</i> , 2018, 28, 2775-2785.	2.9	40
619	Finding of increased caudate nucleus in patients with Alzheimer's disease. <i>Acta Neurologica Scandinavica</i> , 2018, 137, 224-232.	2.1	47
620	A comparison of six clock-drawing test scoring methods in a nursing home. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 775-781.	2.9	6
621	Clock Drawing Test as a Bedside Assessment of Postoperative Delirium Risk in Elderly Patients with Accidental Hip Fracture. <i>World Journal of Surgery</i> , 2018, 42, 1340-1345.	1.6	8
622	Challenges in the neuropsychological assessment of illiterate older adults. <i>Language, Cognition and Neuroscience</i> , 2018, 33, 373-386.	1.2	30
623	Frequency and subgroups of neuropsychiatric symptoms in mild cognitive impairment and different stages of dementia in Alzheimer's disease. <i>International Psychogeriatrics</i> , 2018, 30, 103-113.	1.0	99
624	Clinical effects of cognitive impairment in patients with chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2018, 15, 306-314.	2.4	16
625	Can visuospatial measures improve the diagnosis of Alzheimer's disease?. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 66-74.	2.4	63
626	Clock drawing test in forensic assessment. <i>Spanish Journal of Legal Medicine</i> , 2018, 44, 144-149.	0.2	1
628	What Every Oncologist Should Know About Geriatric Assessment for Older Patients With Cancer: Young International Society of Geriatric Oncology Position Paper. <i>Journal of Oncology Practice</i> , 2018, 14, 85-94.	2.5	120
629	Mental Health Problems in Older People. , 0, , 153-174.		0
630	Usefulness of the Clock Drawing Test as a Cognitive Screening Instrument for Mild Cognitive Impairment and Mild Dementia: an Evaluation Using Three Scoring Systems. <i>Dementia and Neurocognitive Disorders</i> , 2018, 17, 100.	1.4	22
631	The Clock Drawing Test versus Mini-mental Status Examination as a Screening Tool for Dementia: A Clinical Comparison. <i>Indian Journal of Psychological Medicine</i> , 2018, 40, 1-10.	1.5	54

#	ARTICLE	IF	CITATIONS
632	Fine particle sources and cognitive function in an older Puerto Rican cohort in Greater Boston. <i>Environmental Epidemiology</i> , 2018, 2, e022.	3.0	25
633	Use of cyclin-dependent kinase 4/6 (CDK4/6) inhibitors in older patients with ER-positive HER2-negative breast cancer: Young International Society of Geriatric Oncology review paper. <i>Therapeutic Advances in Medical Oncology</i> , 2018, 10, 175883591880961.	3.2	44
634	The 100-plus Study of cognitively healthy centenarians: rationale, design and cohort description. <i>European Journal of Epidemiology</i> , 2018, 33, 1229-1249.	5.7	43
635	Systematic Review on Resting-State EEG for Alzheimer's Disease Diagnosis and Progression Assessment. <i>Disease Markers</i> , 2018, 2018, 1-26.	1.3	195
637	Alzheimer's Disease: A Review from the Pathophysiology to Diagnosis, New Perspectives for Pharmacological Treatment. <i>Current Medicinal Chemistry</i> , 2018, 25, 3141-3159.	2.4	193
638	The influence of education on performance of adults on the Clock Drawing Test. <i>Dementia E Neuropsychologia</i> , 2018, 12, 61-67.	0.8	20
639	The Validity of the Norwegian Version of the Cognitive Function Instrument. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 46, 217-228.	1.5	12
640	Diagnostic accuracy of new and old cognitive screening tools for HIV-associated neurocognitive disorders. <i>HIV Medicine</i> , 2018, 19, 455-464.	2.2	19
642	Effect of Baduanjin exercise on cognitive function in patients with post-stroke cognitive impairment: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e020954.	1.9	19
643	Development and validation of a salivary tau biomarker in Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 53-60.	2.4	40
644	Clock Drawing Test: A Simple Scoring System for the Accurate Screening of Cognitive Impairment in Patients with Mild Cognitive Impairment and Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 326-334.	1.5	25
645	The clock drawing test: A systematic review and meta-analysis of diagnostic accuracy. <i>Journal of Advanced Nursing</i> , 2018, 74, 2742-2754.	3.3	49
646	Neuropathology and cognitive performance in self-reported cognitively healthy centenarians. <i>Acta Neuropathologica Communications</i> , 2018, 6, 64.	5.2	36
647	Screening for neuropsychological impairment in COPD patients undergoing rehabilitation. <i>PLoS ONE</i> , 2018, 13, e0199736.	2.5	21
648	Health-related quality of life, participation, and physical and cognitive function of patients with intensive care unit-acquired muscle weakness 1 year after rehabilitation in Germany: the GymNAST cohort study. <i>BMJ Open</i> , 2018, 8, e020163.	1.9	18
649	Differences in road-crossing decisions between healthy older adults and patients with Alzheimer's disease. <i>Journal of Safety Research</i> , 2018, 66, 81-88.	3.6	6
650	TOMMORROW neuropsychological battery: German language validation and normative study. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 314-323.	3.7	9
651	Qualitative analysis and identification of pattern of errors in Clock Drawing Tests of community-dwelling older adults. <i>Dementia E Neuropsychologia</i> , 2018, 12, 181-188.	0.8	0

#	ARTICLE	IF	CITATIONS
652	Normative data for the Clock Drawing Test for French-Quebec mid- and older aged healthy adults. <i>Clinical Neuropsychologist</i> , 2018, 32, 91-101.	2.3	11
653	<i>Physical and Cognitive Function.</i> , 2018, , 23-35.		0
654	Using Base Rate of Low Scores to Identify Progression from Amnesic Mild Cognitive Impairment to Alzheimer's Disease. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1360-1366.	2.6	32
655	Parkinson disease in elderly patients: lessons from odour detection thresholds on olfacto-trigeminal interaction. <i>Rhinology</i> , 2018, 56, 127-132.	1.3	4
656	CSF sodium at toxic levels precedes delirium in hip fracture patients. <i>NeuroToxicology</i> , 2018, 69, 11-16.	3.0	1
657	Anxiety Symptoms in Older Adults with Depression Are Associated with Suicidality. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 180-189.	1.5	15
658	Comparison of the value of Mini-Cog and MMSE screening in the rapid identification of Chinese outpatients with mild cognitive impairment. <i>Medicine (United States)</i> , 2018, 97, e10966.	1.0	44
659	Elevation of Plasma Amyloid- β Level is More Significant in Early Stage of Cognitive Impairment: A Population-Based Cross-Sectional Study. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 61-69.	2.6	21
660	Association between cognitive function and supplementation with omega-3 PUFAs and other nutrients in \geq 75 years old patients: A randomized multicenter study. <i>PLoS ONE</i> , 2018, 13, e0193568.	2.5	36
661	Pathological Gambling in Parkinson's disease: Autonomic measures supporting impaired decision-making. <i>European Journal of Neuroscience</i> , 2019, 50, 2392-2400.	2.6	7
662	Longitudinal Functional Brain Mapping in Supernormals. <i>Cerebral Cortex</i> , 2019, 29, 242-252.	2.9	24
663	The AD8 (Dementia Screening Interview) is a valid and reliable screening scale not only for dementia but also for mild cognitive impairment in the Turkish geriatric outpatients. <i>International Psychogeriatrics</i> , 2019, 31, 223-229.	1.0	20
664	Slow gait as a motor marker of mild cognitive impairment? the relationships between functional mobility and mild cognitive impairment. <i>Aging, Neuropsychology, and Cognition</i> , 2019, 26, 521-530.	1.3	3
665	Toileting difficulties in older people with and without dementia receiving formal in-home care: A longitudinal study. <i>Nursing Open</i> , 2019, 6, 1055-1066.	2.4	12
666	Oscillatory connectivity as a diagnostic marker of dementia due to Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2019, 130, 1889-1899.	1.5	30
667	Nutritional Status and Cognitive Impairment among the Very Old in a Community Sample from Southern Brazil. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 923-929.	3.3	12
668	Reduced Capacity of Cognitive Control in Older Adults with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 185-200.	2.6	12
669	Optimizing Clock Drawing Scoring Criteria: Development of the West Haven-Yale Clock Drawing Test. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2129-2133.	2.6	3

#	ARTICLE	IF	CITATIONS
670	Effects of age and education on clock-drawing performance by elderly adults in China. <i>Clinical Neuropsychologist</i> , 2019, 33, 96-105.	2.3	9
671	Longitudinal progression of posterior cortical atrophy over 11 years: Relationship between lesion topology and clinical deficits. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2019, 41, 875-880.	1.3	2
673	Validity of screening instruments for the detection of dementia and mild cognitive impairment in hospital inpatients: A systematic review of diagnostic accuracy studies. <i>PLoS ONE</i> , 2019, 14, e0219569.	2.5	21
674	Trend in the Incidence and Prevalence of Dementia in the Faroe Islands. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 969-978.	2.6	7
676	A quick test of cognitive speed can predict development of dementia in Parkinson's disease. <i>Scientific Reports</i> , 2019, 9, 15417.	3.3	11
677	The course of depressive symptoms with decline in cognitive function - a longitudinal study of older adults receiving in-home care at baseline. <i>BMC Geriatrics</i> , 2019, 19, 231.	2.7	20
678	Amyloid- β PET's Correlation with cerebrospinal fluid biomarkers and prediction of Alzheimer's disease diagnosis in a memory clinic. <i>PLoS ONE</i> , 2019, 14, e0221365.	2.5	37
679	Chronic HCV infection and neuropsychiatric dysfunction. <i>ENeurologicalSci</i> , 2019, 17, 100206.	1.3	4
680	Structural imaging findings on non-enhanced computed tomography are severely underreported in the primary care diagnostic work-up of subjective cognitive decline. <i>Neuroradiology</i> , 2019, 61, 397-404.	2.2	5
681	Optimization of the Effects of Physical Activity on Plantar Sensation and Postural Control With Barefoot Exercises in Institutionalized Older Adults: A Pilot Study. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 452-465.	1.0	5
682	Reliability of mobility measures in older medical patients with cognitive impairment. <i>BMC Geriatrics</i> , 2019, 19, 20.	2.7	18
683	Clinico-Neuropathological Findings in the Oldest Old from the Georgia Centenarian Study. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 35-49.	2.6	19
684	Does stage of illness influence recovery-focused outcomes after psychological treatment in bipolar disorder? A systematic review protocol. <i>Systematic Reviews</i> , 2019, 8, 125.	5.3	6
685	Validity of the Kihon Checklist for evaluating frailty status in Turkish older adults. <i>Geriatrics and Gerontology International</i> , 2019, 19, 616-621.	1.5	12
686	Frailty assessment in elective gastrointestinal oncogeriatric surgery: Predictors of one-year mortality and functional status. <i>Journal of Geriatric Oncology</i> , 2019, 10, 716-723.	1.0	41
688	Visuospatial dysfunction in Alzheimer's disease and behavioural variant frontotemporal dementia. <i>Journal of the Neurological Sciences</i> , 2019, 402, 74-80.	0.6	27
689	Naming difficulties after thyroid stimulating hormone suppression therapy in patients with differentiated thyroid carcinoma: a prospective cohort study. <i>Endocrine</i> , 2019, 65, 327-337.	2.3	5
690	Prevalence and persistent use of psychotropic drugs in older adults receiving domiciliary care at baseline. <i>BMC Geriatrics</i> , 2019, 19, 119.	2.7	15

#	ARTICLE	IF	CITATIONS
691	Differentiation of Cognitive Deficit Profiles in Multiple Sclerosis Patients: Latent Profile Analysis. <i>Medical Principles and Practice</i> , 2019, 28, 373-379.	2.4	4
692	Diagnostic value of digital clock drawing test in comparison with CERAD neuropsychological battery total score for discrimination of patients in the early course of Alzheimer's disease from healthy individuals. <i>Scientific Reports</i> , 2019, 9, 3543.	3.3	47
693	The Neural Correlates of the Clock-Drawing Test in Healthy Aging. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 25.	2.0	26
694	The Digital Tree Drawing Test for Screening of Early Dementia: An Explorative Study Comparing Healthy Controls, Patients with Mild Cognitive Impairment, and Patients with Early Dementia of the Alzheimer Type. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1561-1574.	2.6	19
695	Subjective cognitive decline, ϵ 4, and incident mild cognitive impairment in men and women. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 221-230.	2.4	27
696	Cognitive function assessment in elderly patients with overactive bladder treated with transdermal oxybutynin. <i>Actas Urológicas Españolas (English Edition)</i> , 2019, 43, 143-150.	0.2	1
697	Therapeutic Role of Transcranial Direct Current Stimulation in Alzheimer Disease Patients: Double-Blind, Placebo-Controlled Clinical Trial. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 384-394.	2.9	44
698	Incidence of Mild Cognitive Impairment and Dementia in Parkinson's Disease: The Parkinson's Disease Cognitive Impairment Study. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 21.	3.4	62
699	Evaluación de la utilidad diagnóstica y validez discriminativa del Test del Reloj y del Mini-Cog en la detección del deterioro cognitivo. <i>Neurología</i> , 2019, , .	0.7	8
700	Screening for cognitive impairment in Arabic-speaking Hajj pilgrims. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2019, 55, .	1.0	3
702	14. Geriátrische Betreuung und Begleitung. , 2019, , 279-299.		0
703	Screening Versus Brief Domain-specific Tests to Assess Long-term Postoperative Cognitive Dysfunction After Concomitant Aortic Valve Replacement and Coronary Artery Bypass Grafting. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, 511-516.	1.1	4
704	Emotion Recognition in Patients With Parkinson Disease. <i>Cognitive and Behavioral Neurology</i> , 2019, 32, 247-255.	0.9	8
705	Screening and Assessment in Integrated Primary Care Settings. , 2019, , 447-461.		0
706	Assessing the Prevalence of Undetected Possible Dementia in Faroese Nursing Homes. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019, 48, 30-38.	1.5	2
707	Neuropsychological Test Performance of Cognitively Healthy Centenarians: Normative Data From the Dutch 100+ Study. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 759-767.	2.6	19
708	The Gothenburg H70 Birth cohort study 2014-16: design, methods and study population. <i>European Journal of Epidemiology</i> , 2019, 34, 191-209.	5.7	89
709	Translation, cultural adaptation, and validation of Cognistat for its use in Arabic-speaking population with acquired brain injury. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2019, 55, 595-604.	2.2	3

#	ARTICLE	IF	CITATIONS
710	Discriminative capacity and construct validity of the Clock Drawing Test in Mild Cognitive Impairment and Alzheimer's disease. <i>Clinical Neuropsychologist</i> , 2019, 33, 1159-1174.	2.3	5
711	Utility of the Clock Drawing Test in the Assessment of Catatonia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019, 31, 89-91.	1.8	3
712	Heterotopic Ossification After Stroke: Clinical Profile and Severity of Ossification. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 513-520.	1.6	10
713	Anxiety symptom levels are persistent in older adults with a mental disorder: A 33-month follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 601-608.	2.7	1
714	Evaluación de la función cognitiva en pacientes de edad avanzada con vejiga hiperactiva tratados con oxibutinina transdérmica. <i>Actas Urológicas Españolas</i> , 2019, 43, 143-150.	0.7	3
715	Clock drawing and neuroanatomical correlates: A systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 223-232.	2.7	8
716	Going Online to Stay Connected: Online Social Participation Buffers the Relationship Between Pain and Depression. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2019, 74, 1020-1031.	3.9	24
717	The association of cognitive reserve with motor and cognitive functions for different stages of Parkinson's disease. <i>Experimental Gerontology</i> , 2019, 115, 79-87.	2.8	22
718	Effects of Illiteracy on the European Cross-Cultural Neuropsychological Test Battery (CNTB). <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 713-720.	0.5	13
719	Validation of a European Cross-Cultural Neuropsychological Test Battery (CNTB) for evaluation of dementia. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 144-152.	2.7	24
720	The relevance of hippocampal subfield integrity and clock drawing test performance for the diagnosis of Alzheimer's disease and mild cognitive impairment. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 197-208.	2.6	9
721	Reduced Walking Speed in Subjective and Mild Cognitive Impairment: A Cross-Sectional Study. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E122-E128.	1.1	29
722	Verbal working memory training in older adults: an investigation of dose response. <i>Aging and Mental Health</i> , 2020, 24, 81-91.	2.8	12
723	Executive functions and working memory in motor control: Does the type of MCI matter?. <i>Applied Neuropsychology Adult</i> , 2020, 27, 580-588.	1.2	3
724	The AVERT MoCA Data: Scoring Reliability in a Large Multicenter Trial. <i>Assessment</i> , 2020, 27, 976-981.	3.1	8
726	Development of a predictor of one-year mortality in older patients with cancer by geriatric and oncologic parameters. <i>Journal of Geriatric Oncology</i> , 2020, 11, 610-616.	1.0	4
727	Brain N-Acetyl Aspartate and associations with cognitive impairment in alcohol dependent patients. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 111-117.	1.3	7
728	Assessment of Functional Performance in Acute Geriatric Psychiatry – Time for New Strategies?. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2020, 33, 316-323.	2.3	4

#	ARTICLE	IF	CITATIONS
729	The Relationship between Plasma Al Levels and Multi-domain Cognitive Performance among In-service Aluminum-exposed Workers at the SH Aluminum Factory in China: A Cross-sectional Study. <i>NeuroToxicology</i> , 2020, 76, 144-152.	3.0	17
730	The impact of depressive mood and cognitive impairment on quality of life of the elderly. <i>Psychogeriatrics</i> , 2020, 20, 271-277.	1.2	13
731	Performance at the clock drawing test of individuals affected by Parkinson's disease and healthy subjects: a retrospective study. <i>Neurological Sciences</i> , 2020, 41, 843-849.	1.9	7
732	Quantitative and Qualitative Analyses of the Clock Drawing Test in Fall and Non-Fall Patients with Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2020, 9, 381-388.	1.3	8
733	A Systematic Review on Predictors of Working Memory Training Responsiveness in Healthy Older Adults: Methodological Challenges and Future Directions. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 575804.	3.4	14
734	The role of depressive symptoms within the association of long-term exposure to indoor and outdoor traffic noise and cognitive function – Results from the Heinz Nixdorf Recall study. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 230, 113570.	4.3	11
735	Dichotic listening while walking: A dual-task paradigm examining gait asymmetries in healthy older and younger adults. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 794-810.	1.3	3
736	Neuropsychological Test Performance Among Native and Non-Native Swedes: Second Language Effects. <i>Archives of Clinical Neuropsychology</i> , 2022, 37, 826-838.	0.5	14
737	Tablets for deeply disadvantaged older adults: Challenges in long-term care facilities. <i>International Journal of Human Computer Studies</i> , 2020, 144, 102504.	5.6	7
738	Dysbiosis, gut barrier dysfunction and inflammation in dementia: a pilot study. <i>BMC Geriatrics</i> , 2020, 20, 248.	2.7	104
739	Validation of a Brief Cognitive Screening Examination in an Adult Acute Inpatient Rehabilitation Population. <i>Topics in Geriatric Rehabilitation</i> , 2020, 36, 122-126.	0.4	0
740	Metacognition deficits and impulsivity in Parkinson's Disease patients with and without gambling behavior: A pilot study. <i>Neurology Psychiatry and Brain Research</i> , 2020, 36, 88-95.	2.0	6
741	Programmed Activity Offerings and Attendance Patterns in Assisted Living. <i>Activities, Adaptation and Aging</i> , 2021, 45, 276-288.	2.4	1
742	Age-related differences in correction behavior for unintended acceleration. <i>PLoS ONE</i> , 2020, 15, e0236053.	2.5	3
743	The clinical characteristics and subtypes of patients with cognitive impairment in memory clinic. <i>Journal of Clinical Neuroscience</i> , 2020, 82, 186-191.	1.5	5
744	CCCDT5 recommendations on early and timely assessment of neurocognitive disorders using cognitive, behavioral, and functional scales. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12057.	3.7	9
746	Dual-Task Tests Predict Conversion to Dementia – A Prospective Memory-Clinic-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8129.	2.6	8
747	Clock-drawing test in vascular mild cognitive impairment: Validity of quantitative and qualitative analyses. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 622-633.	1.3	6

#	ARTICLE	IF	CITATIONS
748	Pedal Misapplication: Interruption Effects and Age-Related Differences. <i>Human Factors</i> , 2021, 63, 1342-1351.	3.5	4
749	Recommendations of the 5th Canadian Consensus Conference on the diagnosis and treatment of dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, 1182-1195.	0.8	119
750	cCOG: A web-based cognitive test tool for detecting neurodegenerative disorders. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12083.	2.4	9
751	Nasal chemosensory tests: biomarker between dementia with Lewy bodies and Parkinson disease dementia. <i>Rhinology</i> , 2020, 58, 0-0.	1.3	5
752	Digital neuropsychological assessment: Feasibility and applicability in patients with acquired brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 781-793.	1.3	7
753	Clock-drawing test: Normative data of three quantitative scoring methods for Chinese-speaking adults in Shijiazhuang City and clinical utility in patients with acute ischemic stroke. <i>Brain and Behavior</i> , 2020, 10, e01806.	2.2	5
754	Association of the Qualitative Clock Drawing Test with Progression to Dementia in Non-Demented Older Adults. <i>Journal of Clinical Medicine</i> , 2020, 9, 2850.	2.4	11
755	Relationship between comprehensive geriatric assessment and amyloid PET in older persons with MCI. <i>BMC Geriatrics</i> , 2020, 20, 337.	2.7	12
756	Amyloidogenic Nanoplaques in Cerebrospinal Fluid: Relationship to Amyloid Brain Uptake and Clinical Alzheimer's Disease in a Memory Clinic Cohort. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 831-842.	2.6	3
757	Using Serial Trichotomization with Neuropsychological Measures to Inform Clinical Decisions on Fitness-to-Drive among Older Adults with Cognitive Impairment. <i>Occupational Therapy in Health Care</i> , 2024, 38, 5-25.	0.3	3
758	Amyloid Plaques and Symptoms of Depression Links to Medical Help-Seeking due to Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 879-890.	2.6	7
759	Brief Cognitive Tests Used in Primary Care Cannot Accurately Differentiate Mild Cognitive Impairment from Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 1191-1201.	2.6	31
760	Executive dysfunction is associated with self-care confidence in patients with heart failure. <i>Applied Nursing Research</i> , 2020, 54, 151312.	2.2	2
761	Preoperative cognitive dysfunction in older elective noncardiac surgical patients in South Africa. <i>British Journal of Anaesthesia</i> , 2020, 125, 275-281.	3.4	17
762	Characteristics of patients assessed for cognitive decline in primary healthcare, compared to patients assessed in specialist healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 107-116.	1.5	12
763	Daily exposure to digital displays may affect the clock-drawing test: from psychometrics to serendipity. <i>Neurological Sciences</i> , 2020, 41, 3683-3690.	1.9	14
764	Barriers to Computerized Career Interventions in Community Outreach Centers. <i>Journal of Employment Counseling</i> , 2020, 57, 85-96.	1.5	1
765	The Weakened Relationship Between Prestimulus Alpha Oscillations and Response Time in Older Adults With Mild Cognitive Impairment. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 48.	2.0	5

#	ARTICLE	IF	CITATIONS
766	Rapid in-person cognitive screening in the preoperative setting: Test considerations and recommendations from the Society for Perioperative Assessment and Quality Improvement (SPAQI). <i>Perioperative Care and Operating Room Management</i> , 2020, 19, 100089.	0.3	12
767	Self-reported Sleep Problems Related to Amyloid Deposition in Cortical Regions with High HOMER1 Gene Expression. <i>Cerebral Cortex</i> , 2020, 30, 2144-2156.	2.9	13
768	A Meta-Analysis of Neuropsychological Predictors of Outcome Following Stroke and Other Non-Traumatic Acquired Brain Injuries in Adults. <i>Neuropsychology Review</i> , 2020, 30, 194-223.	4.9	16
769	Nutritional and Functional Indicators and Their Association With Mortality Among Older Adults With Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2020, 35, 153331752090716.	1.9	8
770	Understated Cognitive Impairment Assessed with the Clock-Drawing Test in Community-Dwelling Individuals Aged 50 Years. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1658-1664.	2.5	8
771	The Power of EEG to Predict Conversion from Mild Cognitive Impairment and Subjective Cognitive Decline to Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2020, 49, 38-47.	1.5	25
772	Demographic characteristics and neuropsychological assessments of subjective cognitive decline (SCD). <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 1002-1012.	3.7	18
773	The influence of stage of illness on functional outcomes after psychological treatment in bipolar disorder: A systematic review. <i>Bipolar Disorders</i> , 2020, 22, 666-692.	1.9	4
774	Cognitive Profile of Patients With Mitochondrial Chronic Progressive External Ophthalmoplegia. <i>Frontiers in Neurology</i> , 2020, 11, 36.	2.4	3
775	Rapid in-person cognitive screening in the preoperative setting: Test considerations and recommendations from the Society for Perioperative Assessment and Quality Improvement (SPAQI). <i>Journal of Clinical Anesthesia</i> , 2020, 62, 109724.	1.6	35
776	Forgetting in Alzheimer's disease: Is it fast? Is it affected by repeated retrieval?. <i>Neuropsychologia</i> , 2020, 138, 107351.	1.6	18
777	Psychometric properties of the Montreal Cognitive Assessment (MoCA) in healthy participants aged 18-70. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 293-300.	2.4	46
778	Epigenetic Clock and Leukocyte Telomere Length Are Associated with Vitamin D Status but not with Functional Assessments and Frailty in the Berlin Aging Study II. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 2056-2063.	3.6	33
779	Changes in the left temporal microstate are a sign of cognitive decline in patients with Alzheimer's disease. <i>Brain and Behavior</i> , 2020, 10, e01630.	2.2	22
780	Biomarker profiling beyond amyloid and tau: cerebrospinal fluid markers, hippocampal atrophy, and memory change in cognitively unimpaired older adults. <i>Neurobiology of Aging</i> , 2020, 93, 1-15.	3.1	11
781	Associations between self-reported sleep characteristics and incident mild cognitive impairment: The Heinz Nixdorf Recall Cohort Study. <i>Scientific Reports</i> , 2020, 10, 6542.	3.3	13
782	The Role of the Medical Expert in the Retrospective Assessment of Testamentary Capacity. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 255-261.	1.9	4
783	The Repeatable Battery for the Assessment of Neuropsychological Status as a screening strategy for HIV-Associated Neurocognitive Disorders. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 357-363.	1.2	5

#	ARTICLE	IF	CITATIONS
784	Effects of Acculturation on the Cross-Cultural Neuropsychological Test Battery (CNTB) in a Culturally and Linguistically Diverse Population in Denmark. Archives of Clinical Neuropsychology, 2021, 36, 381-393.	0.5	12
785	A systematic review and meta-analysis of the accuracy of the clock drawing test (CDT) in the identification of delirium in older hospitalised patients. Aging and Mental Health, 2021, 25, 879-888.	2.8	4
786	Blood pressure and cognitive decline – the impact of hypertension over one decade. Aging, Neuropsychology, and Cognition, 2021, 28, 528-542.	1.3	6
787	Hearing impairment is associated with cognitive function in community-dwelling older adults: A cross-sectional study. Archives of Gerontology and Geriatrics, 2021, 93, 104302.	3.0	13
789	Cognitive Screening Tool for Geriatrics: A Retrospective Observational Study on the Correlation of the Scores in 30-Point Clock Face Test and MMSE. Indian Journal of Psychological Medicine, 2021, 43, 306-311.	1.5	2
790	Comprehensive Geriatric Assessment. , 2021, , 1-46.		0
791	Association of Cognitive Function Trajectories in Centenarians With Postmortem Neuropathology, Physical Health, and Other Risk Factors for Cognitive Decline. JAMA Network Open, 2021, 4, e2031654.	5.9	29
792	Association of physical frailty with cognitive function and mood in older adults without dementia and depression. Turkish Journal of Medical Sciences, 2021, 51, 2334-2340.	0.9	1
793	The clock drawing test as a cognitive screening tool for assessment of hypertension-mediated brain damage. Hipertension Y Riesgo Vascular, 2021, 38, 13-20.	0.6	1
794	A volunteer-supported walking programme to improve physical function in older people (the POWER) Tj ETQq1 1 0,784314 rgBT /Ov	2.7	2
795	Less Is Better: Single-Digit Brain Functional Connections Predict T2DM and T2DM-Induced Cognitive Impairment. Frontiers in Neuroscience, 2020, 14, 588684.	2.8	7
797	Cognitive impairment in bipolar disorder in comparison to mild cognitive impairment and dementia: a systematic review. Trends in Psychiatry and Psychotherapy, 2022, , .	0.8	2
798	Comprehensive Geriatric Assessment. , 2021, , 201-246.		2
799	The combination of MMSE with VSRAD and eZIS has greater accuracy for discriminating mild cognitive impairment from early Alzheimer’s disease than MMSE alone. PLoS ONE, 2021, 16, e0247427.	2.5	9
800	Basal Forebrain Atrophy Is Associated With Allocentric Navigation Deficits in Subjective Cognitive Decline. Frontiers in Aging Neuroscience, 2021, 13, 596025.	3.4	6
801	Association of Digital Clock Drawing With PET Amyloid and Tau Pathology in Normal Older Adults. Neurology, 2021, 96, e1844-e1854.	1.1	38
803	Description of Participants in the ‘‘Atout Age Mobility’’-Prevention Workshops at the University Hospital Center of La Reunion: A Prospective Study. Journal of Nutrition, Health and Aging, 2021, 25, 628-636.	3.3	1
804	Implementing Precision Medicine in Human Frailty through Epigenetic Biomarkers. International Journal of Environmental Research and Public Health, 2021, 18, 1883.	2.6	5

#	ARTICLE	IF	CITATIONS
805	Clock-Drawing Tasks as Predictive Measurements for Disease Classification Among Patients With Parkinson's Disease and Essential Tremor. <i>Cureus</i> , 2021, 13, e13239.	0.5	2
806	Changes in executive function and gait in people with mild cognitive impairment and Alzheimer disease. <i>Dementia E Neuropsychologia</i> , 2021, 15, 60-68.	0.8	3
807	Sex-Specific Association of Endogenous PCSK9 With Memory Function in Elderly Subjects at High Cardiovascular Risk. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 632655.	3.4	2
808	Memory complaints at primary care in a middle-income country: clinical and neuropsychological characterization. <i>Dementia E Neuropsychologia</i> , 2021, 15, 88-97.	0.8	4
809	Diagnosis of Alzheimer's Disease by Time-Dependent Power Spectrum Descriptors and Convolutional Neural Network Using EEG Signal. <i>Computational and Mathematical Methods in Medicine</i> , 2021, 2021, 1-17.	1.3	24
810	Neuropsychological profile of hearing-impaired patients and the effect of hearing aid on cognitive functions: an exploratory study. <i>Scientific Reports</i> , 2021, 11, 9384.	3.3	18
811	Adding high-sensitivity C-reactive protein to frailty assessment to predict mortality and cardiovascular events in elderly inpatients with cardiovascular disease. <i>Experimental Gerontology</i> , 2021, 146, 111235.	2.8	8
812	Use of the Clock Drawing Test and the Rey-Osterrieth Complex Figure Test-copy with convolutional neural networks to predict cognitive impairment. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 85.	6.2	23
813	The performance of balance exercises during daily tooth brushing is not sufficient to improve balance and muscle strength in healthy older adults. <i>BMC Geriatrics</i> , 2021, 21, 257.	2.7	6
814	Reliability of Telephone and Videoconference Methods of Cognitive Assessment in Older Adults with and without Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1625-1647.	2.6	21
815	Can Cochlear Implantation in Older Adults Reverse Cognitive Decline Due to Hearing Loss?. <i>Ear and Hearing</i> , 2021, 42, 1560-1576.	2.1	17
816	Comparing drawing under instructions with image copying for mild cognitive impairment (MCI) or dementia screening: a meta-analysis of 92 diagnostic studies. <i>Aging and Mental Health</i> , 2021, , 1-8.	2.8	1
817	Cross-Cultural Comparisons of Subjective Cognitive Complaints in a Diverse Primary Care Population. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 545-555.	2.6	14
818	Association between nutritional and functional status indicators with caregivers' burden in Alzheimer's disease. <i>Nutrition and Dietetics</i> , 2022, 79, 380-389.	1.8	5
819	Limitations to self-management of adjustable compression wraps in the elderly: results of a prospective cohort study. <i>International Angiology</i> , 2021, 40, 261-266.	0.9	4
820	Swedish Normative Data for Mindmore: A Comprehensive Cognitive Screening Battery, Both Digital and Self-Administered. <i>Journal of the International Neuropsychological Society</i> , 2022, 28, 188-202.	1.8	8
821	Prediction of future Alzheimer's disease dementia using plasma phospho-tau combined with other accessible measures. <i>Nature Medicine</i> , 2021, 27, 1034-1042.	30.7	236
822	Patient-Tailored, Home-Based Non-invasive Brain Stimulation for Memory Deficits in Dementia Due to Alzheimer's Disease. <i>Frontiers in Neurology</i> , 2021, 12, 598135.	2.4	17

#	ARTICLE	IF	CITATIONS
823	Increased Plasma Level of 24S-Hydroxycholesterol and Polymorphism of CYP46A1 SNP (rs754203) Are Associated With Mild Cognitive Impairment in Patients With Type 2 Diabetes. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 619916.	3.4	9
824	Normative References for Graphomotor and Latency Digital Clock Drawing Metrics for Adults Age 55 and Older: Operationalizing the Production of a Normal Appearing Clock. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 59-70.	2.6	7
825	Association Between the Digital Clock Drawing Test and Neuropsychological Test Performance: Large Community-Based Prospective Cohort (Framingham Heart Study). <i>Journal of Medical Internet Research</i> , 2021, 23, e27407.	4.3	16
827	Case Report in the Brazilian Context: Cognitive and Behavioral Changes Following an Electric Injury. <i>Frontiers in Psychiatry</i> , 2021, 12, 684817.	2.6	0
828	Acute Exercise and Cognitive Function in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 749-760.	2.6	12
829	Plasma neurofilament light chain levels and cognitive testing as predictors of fast progression in Alzheimer's disease. <i>European Journal of Neurology</i> , 2021, 28, 2980-2988.	3.3	6
830	Prevalence and persistent use of analgesic drugs in older adults receiving domiciliary care at baseline: A longitudinal study. <i>Health Science Reports</i> , 2021, 4, e316.	1.5	1
831	Tele-Neuropsychological Assessment of Alzheimer's Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 688.	2.5	18
832	Interaction of Alzheimer's Disease-Associated Genetic Risk with Indicators of Socioeconomic Position on Mild Cognitive Impairment in the Heinz Nixdorf Recall Study. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1715-1725.	2.6	6
833	Calibrating Mini-Mental State Examination Scores to Predict Misdiagnosed Dementia Patients. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8055.	2.5	2
835	Frequencies and Neuropsychological Characteristics of Errors in the Clock Drawing Test. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1291-1300.	2.6	5
836	Normative Data for Adult Mandarin-Speaking Populations: A Systematic Review of Performance-Based Neuropsychological Instruments. <i>Journal of the International Neuropsychological Society</i> , 2022, 28, 520-540.	1.8	5
837	Automatic, Qualitative Scoring of the Clock Drawing Test (CDT) Based on U-Net, CNN and Mobile Sensor Data. <i>Sensors</i> , 2021, 21, 5239.	3.8	11
838	Effects of Cognitive Reserve on Cognition in Individuals With Central Nervous System Disease. <i>Cognitive and Behavioral Neurology</i> , 2021, 34, 245-258.	0.9	7
839	High-Definition Transcranial Direct Current Stimulation Improves Delayed Memory in Alzheimer's Disease Patients: A Pilot Study Using Computational Modeling to Optimize Electrode Position. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 753-769.	2.6	13
840	Decreased Plasma Level of Lipoprotein Lipase Predicted Verbal Disfluency in Chinese Type 2 Diabetes Mellitus Patients with Early Cognitive Deficits. <i>Current Alzheimer Research</i> , 2021, 18, 656-666.	1.4	1
841	Disorganized resting-state functional connectivity between the dorsal attention network and intrinsic networks in Parkinson's disease with freezing of gait. <i>European Journal of Neuroscience</i> , 2021, 54, 6633-6645.	2.6	15
842	Neuropsychological basis of impaired gesture imitations in patients with Alzheimer's disease and dementia with Lewy bodies. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	4

#	ARTICLE	IF	CITATIONS
843	Assessment of the diagnostic accuracy and discriminative validity of the Clock Drawing and Mini-Cog tests in detecting cognitive impairment. <i>Neurologia (English Edition)</i> , 2022, 37, 13-20.	0.4	9
844	Decline in the integration of top-down and bottom-up attentional control in older adults with mild cognitive impairment. <i>Neuropsychologia</i> , 2021, 161, 108014.	1.6	7
845	Executive Function Moderates Functional Outcomes of Engagement Strategies During Rehabilitation in Older Adults. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2021, 100, 635-642.	1.4	2
846	Evaluation of semi-quantitative measures of 18F-flutemetamol PET for the clinical diagnosis of Alzheimer's disease. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 493-509.	2.0	6
847	Biological aspects of aging that influence response to anticancer treatments. <i>Current Opinion in Supportive and Palliative Care</i> , 2021, 15, 29-38.	1.3	2
849	Holistic Approach to the Geriatric Patient: Geriatric Evaluation. , 2008, , 1-18.		1
850	Comprehensive Geriatric Assessment. , 2012, , 55-69.		6
851	Cognitive Decline. <i>Practical Issues in Geriatrics</i> , 2018, , 67-80.	0.8	2
852	Urodynamik Urodynamikobere Harnwege der oberen Harnwege. , 2012, , 53-67.		2
853	Using Pen-Based Computing in Technology for Health. <i>Lecture Notes in Computer Science</i> , 2011, , 192-201.	1.3	3
854	Cognitive and Neuropsychiatric Screening Tests in Older Adults. <i>Mental Health and Illness Worldwide</i> , 2016, , 1-26.	0.1	1
855	Cognitive impairment in obstructive sleep apnea syndrome: a descriptive review. <i>Sleep and Breathing</i> , 2021, 25, 29-40.	1.7	26
856	Presentation and Clinical Management of Dementia. , 2010, , 392-401.		2
857	Is the Clock Drawing Test useful in the screening assessment of aged patients with chronic heart failure?. <i>Advances in Medical Sciences</i> , 2018, 63, 199-204.	2.1	2
861	Integrated behavioral health in primary care: Step-by-step guidance for assessment and intervention.. , 2017, , .		62
864	Associations between Cognition and Hand Function in Older People Diagnosed with Mild Cognitive Impairment or Dementia. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2021, 10, 195-204.	1.3	16
865	Relationship Between Clock-Drawing and Neuropsychological and Functional Status in Elderly Institutionalized Patients With Schizophrenia. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 621-628.	1.2	10
866	Clinical Applicability and Cutoff Values for an Unstructured Neuropsychological Assessment Protocol for Older Adults with Low Formal Education. <i>PLoS ONE</i> , 2013, 8, e73167.	2.5	34

#	ARTICLE	IF	CITATIONS
867	Zinc Deficiency Is Common in Several Psychiatric Disorders. PLoS ONE, 2013, 8, e82793.	2.5	55
868	Longitudinal Changes in Clock Drawing Test (CDT) Performance before and after Cognitive Decline. PLoS ONE, 2014, 9, e97873.	2.5	22
869	Revision of the Cognitive Assessment for Dementia, iPad Version (CADi2). PLoS ONE, 2014, 9, e109931.	2.5	35
870	Neuroanatomical Correlates of Theory of Mind Deficit in Parkinson's Disease: A Multimodal Imaging Study. PLoS ONE, 2015, 10, e0142234.	2.5	31
871	Effectiveness of diffusion tensor imaging in differentiating early-stage subcortical ischemic vascular disease, Alzheimer's disease and normal ageing. PLoS ONE, 2017, 12, e0175143.	2.5	40
872	Testes do desenho do relógio e de fluência verbal: contribuições diagnóstica para o Alzheimer. Psicologia - Teoria E Prática, 2014, 16, 169-180.	0.1	3
873	Brazilian version of the European Cross-Cultural Neuropsychological Test Battery (CNTB-BR): diagnostic accuracy across schooling levels. Revista Brasileira De Psiquiatria, 2020, 42, 286-294.	1.7	11
874	Evaluation of functional disability and associated factors in the elderly. Revista Brasileira De Geriatria E Gerontologia, 2019, 22, .	0.3	13
875	Predictive values of two frailty screening tools in older patients with solid cancer: a comparison of SAOP2 and G8. Oncotarget, 2018, 9, 35056-35068.	1.8	19
876	Patient Empowerment Using Electronic Telemonitoring With Telephone Support in the Transition to Insulin Therapy in Adults With Type 2 Diabetes: Observational, Pre-Post, Mixed Methods Study. Journal of Medical Internet Research, 2020, 22, e16161.	4.3	20
877	Identifying the Value of an eHealth Intervention Aimed at Cognitive Impairments: Observational Study in Different Contexts and Service Models. Journal of Medical Internet Research, 2020, 22, e17720.	4.3	7
878	Can a Novel Web-Based Computer Test Predict Poor Simulated Driving Performance? A Pilot Study With Healthy and Cognitive-Impaired Participants. Journal of Medical Internet Research, 2013, 15, e232.	4.3	5
879	Addressing neuropsychiatric disturbances during rehabilitation after traumatic brain injury: current and future methods. Dialogues in Clinical Neuroscience, 2011, 13, 325-345.	3.7	29
880	Neuropsychological Assessment of Adult Patients with Shunted Hydrocephalus. Journal of Korean Neurosurgical Society, 2010, 47, 191.	1.2	13
885	Demensdiagnostikk - automatisert kvantifisering av hjernestrukturer. Tidsskrift for Den Norske Laegeforening, 2012, 132, 1747-1751.	0.2	12
886	Medisinske funn i en tverrfaglig geriatrisk fallpoliklinikk. Tidsskrift for Den Norske Laegeforening, 2014, 134, 705-709.	0.2	12
887	Cognitive functions and normal tension glaucoma. Indian Journal of Ophthalmology, 2017, 65, 974.	1.1	7
888	Neurocognitive deficits in obsessive-compulsive disorder: A selective review. Indian Journal of Psychiatry, 2019, 61, 30.	0.7	20

#	ARTICLE	IF	CITATIONS
889	Journal of Human Environmental Studies, 2003, 6, 15-20.		
890	Using Serial Trichotomization With Common Cognitive Tests to Screen for Fitness to Drive. American Journal of Occupational Therapy, 2017, 71, 7102260010p1-7102260010p8.	0.3	13
891	Sensitivity and specificity of neuropsychological tests for dementia and mild cognitive impairment in a sample of residential elderly in South Africa. South African Journal of Psychiatry, 2014, 20, 153.	0.4	3
892	Cognitive Assessment Tools Recommended in Geriatric Oncology Guidelines: A Rapid Review. Current Oncology, 2021, 28, 3987-4003.	2.2	14
893	DCTclock: Clinically-Interpretable and Automated Artificial Intelligence Analysis of Drawing Behavior for Capturing Cognition. Frontiers in Digital Health, 2021, 3, 750661.	2.8	19
894	Cerebrospinal fluid markers for synaptic function and Alzheimer type changes in late life depression. Scientific Reports, 2021, 11, 20375.	3.3	9
896	Understanding Cognition in the Elderly. The Consultant Pharmacist, 2004, 19, 487-494.	0.4	0
897	The Efficiency of Four Clock-Drawing Conditions for Differentiating Mild Dementia from Geriatric Depression. The Korean Journal of Clinical Psychology, 2008, 27, 451-469.	0.3	2
898	Dementia presenting with visual complaints. BMJ Case Reports, 2009, 2009, bcr0820080730-bcr0820080730.	0.5	1
899	No-motor impairment in patients with Parkinson's disease. Bulletin of Siberian Medicine, 2009, 8, 136-141.	0.3	1
901	Assessment of the patient with apparent dementia. , 2010, , 48-54.		0
902	Deterioro cognitivo leve. , 2011, , 269-e52.		0
903	Constructional Apraxia. , 2011, , 695-697.		1
905	Cerebrospinal Fluid Biomarkers and Cerebral Morphometry in Mild Cognitive Impairment. GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry, 2011, 24, 65-70.	0.5	0
906	The Clock Drawing Test as a General Cognitive Function Screening Tool for Dementia: Quantitative and Qualitative Analyses. The Korean Journal of Clinical Psychology, 2011, 30, 943-961.	0.3	0
907	Postprostatektomieinkontinenz Postprostatektomieinkontinenz. , 2012, , 225-228.		0
910	Mild Cognitive Impairment and Quantitative EEG Markers: Degenerative Versus Vascular Brain Damage. , , .		3
912	Evaluaci3n de la prueba del reloj en el tamizaje de enfermedad de Alzheimer. Anales De La Facultad De Medicina, 2013, 65, 42.	0.1	6

#	ARTICLE	IF	CITATIONS
913	Chapitre 16. Troubles cognitifs et conduite automobile. , 2014, , 409.		0
914	Effect of Cognitive Impairment on Driving-Relevant Cognition in Older Persons. Journal of Traffic and Transportation Engineering, 2014, 2, .	0.1	0
915	Differences in the response characteristics found in the drawings by dementia patients and by schizophrenia patients on the Clock Drawing Test. Korean Journal of Art Therapy, 2014, 21, 941-957.	0.0	0
916	New Frontiers in Alzheimer's Disease Diagnosis. , 0, , .		0
917	Clock Drawing Test (CDT): is Qualitative Analysis of the CDT Better to Screen Mild Cognitive Impairment than Quantitative Analysis?. International Journal of Neurology and Neurotherapy, 2015, 2, .	0.3	0
918	Neurocognitive stoornissen. , 2016, , 381-427.		0
919	Performance-rated Outcome Measuresâ€”Framework, Psychometrics, and Uses. , 2016, , 1-32.		0
920	El entrenamiento cognitivo en los ancianos y efectos en las funciones ejecutivas. Acta Colombiana De Psicología, 2016, 19, 159-176.	0.4	6
921	10 Neurocognitive stoornissen. , 2016, , 275-304.		1
922	Neurocognitive Disorders. , 2016, , 511-532.		0
923	A AvaliaÃ§Ã£o Global da Pessoa Idosa como Instrumento de EducaÃ§Ã£o MÃ©dica: Relato de ExperiÃªncia. Revista Brasileira De Educacao Medica, 2016, 40, 314-320.	0.2	1
924	A Study on the Possibility of Using the Face Stimulus Assessment(FSA) as a Screening Tool for Dementia. Korean Journal of Art Therapy, 2017, 24, 331-351.	0.0	0
925	Networks of Depression and Cognition in Elderly Psychiatric Patients. GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry, 2017, 30, 89-96.	0.5	3
926	A study of factors affecting performance on the cube copying test (CCT) and the intersecting pentagon copying test (PCT). Higher Brain Function Research, 2017, 37, 395-402.	0.0	1
927	Augmented Reality in Tablets for the Yerkes Test for Older Adults. Lecture Notes in Computer Science, 2018, , 36-48.	1.3	2
930	Psychometric Properties of the Persian Version of the Clock Drawing Test (CDT) Among the Aged People in Iran. Iranian Journal of Psychiatry and Behavioral Sciences, 2018, In Press, .	0.4	0
932	CLINICAL AND DEMOGRAPHIC PREDICTORS OF MILD COGNITIVE IMPAIRMENT - CROSS-SECTIONAL STUDY. WiadomoÅci Lekarskie, 2019, 72, 1715-1722.	0.3	0
933	Neurocognitive stoornissen. , 2020, , 207-234.		0

#	ARTICLE	IF	CITATIONS
934	Driving cessation in people with dementia. , 2020, , 53-86.		0
935	Fiber Connectivity Density in Cerebral Small-Vessel Disease Patients With Mild Cognitive Impairment and Cerebral Small-Vessel Disease Patients With Normal Cognition. <i>Frontiers in Neuroscience</i> , 2020, 14, 83.	2.8	8
938	The association between blood lymphocyte NMDAR, group I mGluRs and cognitive function changes in occupationally aluminum-exposed workers and verification in rats. <i>Journal of Trace Elements in Medicine and Biology</i> , 2022, 69, 126875.	3.0	1
939	Cognitive Testing During Mild Acute Ischemic Stroke Predicts Long-Term Return to Work. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106132.	1.6	2
941	Assessments fÃ¼r den Urologen. , 2020, , 27-56.		0
942	Diagnostic performance and cutoff value for the clock drawing test, semantic verbal fluency, and the short Boston Naming Test in community-dwelling educated older adults with neurocognitive disorders. <i>Middle East Current Psychiatry</i> , 2020, 27, .	1.2	0
943	Relationship between Clock-Drawing Performance and Neuropsychological Functions in Patients with Chronic Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2020, 23, 15-28.	0.3	0
944	Neuropsychological function among workers exposed to aluminum â€œ a mini-review. <i>Industrial Health</i> , 2021, 60, 97-105.	1.0	3
945	Cognitive Disorders. , 2008, , 367-380.		0
947	AlterasÃµes NeuropsicolÃ³gicas na DoenÃ§a Renal CrÃ³nica prÃ©-dialÃtica e sua associaÃ£o com o metabolismo do ferro. <i>Revista Neurociencias</i> , 0, 28, 1-23.	0.0	1
948	The value of clock drawing in identifying executive cognitive dysfunction in people with a normal Mini-Mental State Examination score. <i>Cmaj</i> , 2002, 167, 859-64.	2.0	26
949	Recognizing dementia. <i>Western Journal of Medicine</i> , 2002, 176, 267-70.	0.3	7
950	Optimising primary care for people with dementia. <i>Mental Health in Family Medicine</i> , 2013, 10, 143-51.	0.2	10
951	Clock face drawing test performance in children with ADHD. <i>Basic and Clinical Neuroscience</i> , 2013, 4, 50-6.	0.6	3
952	Factors Associated with Severe Carotid Artery Stenosis in a Population with One of the Highest Incidences of Ischemic Stroke in Europe - Single National Center Analysis. <i>MÃ¡dica</i> , 2020, 15, 339-347.	0.1	0
953	Taking the Time to Assess Cognition in Parkinsonâ€™s Disease: The Clock Drawing Test. <i>Journal of Parkinson's Disease</i> , 2022, 12, 713-722.	2.8	3
955	Assessing a Sensory-Motor-Cognition Triad in Amnesic Mild Cognitive Impairment With Dichotic Listening While Walking: A Dual-Task Paradigm. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 718900.	3.4	1
956	Gait, physical function, and physical activity in three groups of home-dwelling older adults with different severity of cognitive impairment â€œ a cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 670.	2.7	10

#	ARTICLE	IF	CITATIONS
957	Saat Āsizme testinin ĀseĀyitli demans tiplerini ayĀrt etmedeki etkinliĀyi. Cukurova Medical Journal, 2021, 46, 1703-1710.	0.2	0
958	Clock drawing test: comparison between the Pfizer and the Shulman systems. Dementia E Neuropsychologia, 2021, 15, 480-484.	0.8	0
959	Effect of Multiple Medicines on Dementia Initial Treatment: Experience and Thinking. American Journal of Alzheimer's Disease and Other Dementias, 2021, 36, 153331752110531.	1.9	0
960	Comparisons of Neuropsychological Characteristics of Elderly Subjects With Versus Without History of Agent Orange Exposure. Journal of Korean Neuropsychiatric Association, 2021, 60, 346.	0.5	0
961	The neuropsychological profile of delirium vulnerability: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2022, 132, 248-259.	6.1	3
963	Cochlear Implant Results in Older Adults with Post-Lingual Deafness: The Role of Ā€œTop-DownĀ€ Neurocognitive Mechanisms. International Journal of Environmental Research and Public Health, 2022, 19, 1343.	2.6	5
964	Time setting errors in the Clock Drawing Test are associated with both semantic and executive deficits. Applied Neuropsychology Adult, 2022, , 1-10.	1.2	3
965	The Tuokko version of the Clock Drawing Test: A validation study in the Greek population. Journal of Clinical and Experimental Neuropsychology, 2022, , 1-13.	1.3	1
966	Cognitive processing and body balance in elderly subjects with vestibular dysfunction. Brazilian Journal of Otorhinolaryngology, 2012, 78, 87-95.	1.0	15
967	Cognitive function in patients undergoing cystectomy for bladder cancer Ā€ results from a prospective observational study. Therapeutic Advances in Urology, 2022, 14, 175628722210876.	2.0	2
969	Multidimensional Clinical Assessment in Frontotemporal Dementia and Its Spectrum in Latin America and the Caribbean: A Narrative Review and a Glance at Future Challenges. Frontiers in Neurology, 2021, 12, 768591.	2.4	6
970	Frailty and functional dependence in older population: lessons from the FREEDOM Limousin Ā€ Nouvelle Aquitaine Cohort Study. BMC Geriatrics, 2022, 22, 128.	2.7	13
973	The Combined Use of Neuropsychiatric and Neuropsychological Assessment Tools to Make a Differential Dementia Diagnosis in the Presence of Ā€œLong-HaulĀ€ COVID-19. Case Reports in Neurology, 2022, 14, 130-148.	0.7	3
974	Applications of artificial intelligence to aid early detection of dementia: A scoping review on current capabilities and future directions. Journal of Biomedical Informatics, 2022, 127, 104030.	4.3	33
975	Desempenho em linguagem escrita e aritmĀtica: relaĀo entre triagem (subitens do teste Neupsilin) Tj ETQq0 0,0 rgBT /Qverlock 1		
976	Diagnostic performance and neural basis of the combination of freeĀ€ and preĀ€ drawn Clock Drawing Test. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	1
977	Prevalence and severity of cognitive dysfunction in patients referred for transcatheter aortic valve implantation (TAVI): clinical and cognitive impact at 1Ā year. Aging Clinical and Experimental Research, 2022, , 1.	2.9	1
978	An exploratory pilot study on the involvement of APOE, HFE, C9ORF72 variants and comorbidities in neurocognitive and physical performance in a group of HIV-infected people. Metabolic Brain Disease, 2022, , 1.	2.9	0

#	ARTICLE	IF	CITATIONS
979	The Use of the Clock Drawing Test as A Developmental and Clinical Indicators for Children and Adolescents. <i>Ayna Klinik Psikoloji Dergisi</i> , 2022, 9, 112-134.	0.2	1
980	Is kallikrein-8 a blood biomarker for detecting amnesic mild cognitive impairment? Results of the population-based Heinz Nixdorf Recall study. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 202.	6.2	1
981	A Comprehensive Approach to Assessment of Testamentary Capacity. <i>Frontiers in Psychology</i> , 2021, 12, 789494.	2.1	1
982	Analysis of the Clock-Reading Ability in Patients with Cognitive Impairment: Comparison of Analog Clocks and Digital Clocks. <i>Journal of Alzheimer's Disease</i> , 2022, , 1-15.	2.6	0
983	The Association of Plasma Amyloid- β and Cognitive Decline in Cognitively Unimpaired Population. <i>Clinical Interventions in Aging</i> , 2022, Volume 17, 555-565.	2.9	1
988	Examination of the validity of the "Papadum test": an alternative to the clock drawing test for people with low levels of education. <i>Clinical Neuropsychologist</i> , 2022, , 1-18.	2.3	3
992	Description and clinical application of comprehensive geriatric assessment scales: A rapid systematic review of reviews. <i>Revista Clínica Española</i> , 2022, , .	0.5	0
993	Using the Montreal cognitive assessment to identify individuals with subtle cognitive decline.. <i>Neuropsychology</i> , 2022, 36, 373-383.	1.3	4
994	Variational autoencoder provides proof of concept that compressing CDT to extremely low-dimensional space retains its ability of distinguishing dementia. <i>Scientific Reports</i> , 2022, 12, 7992.	3.3	5
995	Automatic Classification System for Diagnosis of Cognitive Impairment Based on the Clock-Drawing Test. <i>Lecture Notes in Computer Science</i> , 2022, , 34-42.	1.3	1
997	Effects of Intermittent Hypoxia-Hyperoxia Exposure Prior to Aerobic Cycling Exercise on Physical and Cognitive Performance in Geriatric Patients: A Randomized Controlled Trial. <i>Frontiers in Physiology</i> , 2022, 13, .	2.8	9
998	Virtual reality for the assessment and rehabilitation of neglect: where are we now? A 6-year review update. <i>Virtual Reality</i> , 2022, 26, 1663-1704.	6.1	17
999	The effects of repetitive transcranial magnetic stimulation and aerobic exercise on cognition, balance and functional brain networks in patients with Alzheimer's disease. <i>Cognitive Neurodynamics</i> , 2023, 17, 39-61.	4.0	8
1000	Amplitude of low-frequency fluctuations in multiple-frequency bands in patients with intracranial tuberculosis: a prospective cross-sectional study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 4120-4134.	2.0	5
1001	COVID-19 related psychiatric manifestations requiring hospitalization: Analysis in older vs. younger patients. <i>Experimental and Therapeutic Medicine</i> , 2022, 24, .	1.8	7
1002	The Prevalence and the Effect of COVID-19 Infection on Older Patients with Dementia: A Single-center Experience in the Light of Comprehensive Geriatric Assessment. <i>European Journal of Geriatrics and Gerontology</i> , 2022, .	0.2	0
1003	Escalation of Tau Accumulation after a Traumatic Brain Injury: Findings from Positron Emission Tomography. <i>Brain Sciences</i> , 2022, 12, 876.	2.3	2
1004	Bestform-F " Best Function of Range of Motion: A Feasibility Study of a Multimodal Exercise Training Program for Older Adults in Retirement Homes. <i>Clinical Interventions in Aging</i> , 0, Volume 17, 1069-1080.	2.9	2

#	ARTICLE	IF	CITATIONS
1006	THE POTENTIAL UTILITY OF THE CLOCK DRAWING TEST IN SPECIAL EDUCATION AND REHABILITATION. , 2021, 4, 165-180.		0
1007	The impact of cognitive impairment of individuals with Parkinson's disease on their caregivers' mental health: A systematic review protocol. PLoS ONE, 2022, 17, e0271480.	2.5	1
1008	Preventing frailty with the support of a home-monitoring and communication platform among older adults—a study protocol for a randomised-controlled pilot study in Sweden. Pilot and Feasibility Studies, 2022, 8, .	1.2	1
1009	Shared and specific dynamics of brain activity and connectivity in amnesic and nonamnesic mild cognitive impairment. CNS Neuroscience and Therapeutics, 2022, 28, 2053-2065.	3.9	6
1010	Reduction in manual asymmetry and decline in fine manual dexterity in right-handed older adults with mild cognitive impairment. Laterality, 2022, 27, 581-604.	1.0	4
1011	Reduced plasma BDNF concentration and cognitive decline in veterans with PTSD. Psychiatry Research, 2022, 316, 114772.	3.3	16
1012	Convergent and divergent cognitive impairment of unipolar and bipolar depression: A magnetoencephalography resting-state study. Journal of Affective Disorders, 2023, 321, 8-15.	4.1	4
1013	Clock-Drawing Test as a Screening Tool for Cognitive Impairment Associated With Fecal Immunochemical Test Collection Errors. Annals of Family Medicine, 2022, 20, 452-459.	1.9	0
1014	Executive, visuospatial, and memory impairments in patients participating in rehabilitation for hip fracture: prevalence and relationships with outcomes.. American Journal of Geriatric Psychiatry, 2022, , .	1.2	0
1015	Integrating Mild Cognitive Impairment Screening Tools in Audiologic Care: A Review. Perspectives of the ASHA Special Interest Groups, 0, , 1-17.	0.8	0
1016	De kwetsbare oudere patiënten. , 2022, , 597-616.		0
1017	Fluctuation of depressive symptoms in cognitively unimpaired participants and the risk of mild cognitive impairment 5 years later: Results of the Heinz Nixdorf Recall study. Frontiers in Behavioral Neuroscience, 0, 16, .	2.0	1
1019	Gaze tracking patterns on different types of traffic risk in early-stage Alzheimer's disease. Transportation Research Part F: Traffic Psychology and Behaviour, 2022, 91, 451-460.	3.7	0
1020	Cultural influence on clock drawing test: A systematic review. Journal of the International Neuropsychological Society, 2023, 29, 704-714.	1.8	1
1021	The neurocognitive disorder cohort RIFADE: Aims, methods, first results showing cognitive improvement in a subgroup. European Archives of Psychiatry and Clinical Neuroscience, 0, , .	3.2	1
1022	Cardiovascular risk in subjects over 55 years of age and cognitive performance after five years. NEDICES2-RISK study. Study protocol. PLoS ONE, 2022, 17, e0274589.	2.5	1
1023	Cognitive Assessment Has Never Been Faster! The Clock Drawing Test as a Screening Test for Cognitive Impairment in MS Clinical Practice. , 2023, 2, 80-84.		0
1024	Validation of the self-reported domains of the Edmonton Frail Scale in patients 65 years of age and older. BMC Geriatrics, 2023, 23, .	2.7	4

#	ARTICLE	IF	CITATIONS
1025	Anemia in Elderly Patientsâ€™The Impact of Hemoglobin Cut-Off Levels on Geriatric Domains. <i>Diagnostics</i> , 2023, 13, 191.	2.6	8
1026	Visuoconstructional Abilities of Patients With Subjective Cognitive Decline, Mild Cognitive Impairment and Alzheimerâ€™s Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 0, , 089198872211355.	2.3	0
1027	Difference in Methylation and Expression of Brain-Derived Neurotrophic Factor in Alzheimerâ€™s Disease and Mild Cognitive Impairment. <i>Biomedicines</i> , 2023, 11, 235.	3.2	4
1028	Limits on using the clock drawing test as a measure to evaluate patients with neurological disorders. <i>BMC Neurology</i> , 2022, 22, .	1.8	1
1029	Kan bruk av atferd- og dÃgnrytmeregistreringsskjema predikere aggresjon og irritasjon hos pasienter innlagt i en alderspsykiatrisk dÃgnavdeling?. <i>Nordisk Sygeplejeforskning</i> , 2023, 13, 1-23.	0.2	0
1030	Ability of clock drawing errors on Mini-Cog test to predict development of delirium after major urological cancer surgery. <i>Current Urology</i> , 0, Publish Ahead of Print, .	0.6	0
1031	Using Explainable Artificial Intelligence in the Clock Drawing Test to Reveal the Cognitive Impairment Pattern. <i>International Journal of Neural Systems</i> , 2023, 33, .	5.2	9
1033	Interaction between aluminum exposure and ApoEÎ¼4 gene on cognitive function of in-service workers.. <i>Chemosphere</i> , 2023, 323, 138282.	8.2	2
1035	Use of Absorbent Products in Older Men and Women Are Associated with Depressive Symptoms: A Retrospective Study from a University Hospital. <i>European Journal of Geriatrics and Gerontology</i> , 2023, 5, 78-83.	0.2	0
1036	Regional homogeneity alterations in multifrequency bands in patients with extracranial multi-organ tuberculosis: a prospective cross-sectional study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2023, 13, 1753-1767.	2.0	0
1037	Outcome of visuospatial dysfunction assessment in patients with Parkinsonâ€™s disease using mobile application software. <i>Frontiers in Aging Neuroscience</i> , 0, 15, .	3.4	0
1039	Relationship between Brain-Derived Neurotrophic Factor and Cognitive Decline in Patients with Mild Cognitive Impairment and Dementia. <i>Biomolecules</i> , 2023, 13, 570.	4.0	6
1040	Food Insecurity and Cognitive Trajectories in Community-Dwelling Medicare Beneficiaries 65 Years and Older. <i>JAMA Network Open</i> , 2023, 6, e234674.	5.9	2
1041	Blood Kallikrein-8 and Non-Amnesic Mild Cognitive Impairment: An Exploratory Study. <i>Journal of Alzheimer's Disease Reports</i> , 0, , 1-11.	2.2	0
1042	A Systematic Review of International Affective Picture System (IAPS) around the World. <i>Sensors</i> , 2023, 23, 3866.	3.8	3
1043	Increased parasympathetic activity as a fall risk factor beyond conventional factors in institutionalized older adults with mild cognitive impairment. <i>Asian Nursing Research</i> , 2023, , .	1.4	0
1044	Explainable semi-supervised deep learning shows that dementia is associated with small, avocado-shaped clocks with irregularly placed hands. <i>Scientific Reports</i> , 2023, 13, .	3.3	2
1045	The Effects of High versus Low Levels of Altruism and Volunteering on the 4-Year Follow-Up Cognitive Performance of Community-Dwelling Older Adults. <i>Clinical Gerontologist</i> , 0, , 1-8.	2.2	0

#	ARTICLE	IF	CITATIONS
1046	Spatial navigation is associated with subcortical alterations and progression risk in subjective cognitive decline. <i>Alzheimer's Research and Therapy</i> , 2023, 15, .	6.2	2
1047	Cardiovascular autonomic regulation correlates with cognitive performance in patients with a history of traumatic brain injury. <i>Neurological Sciences</i> , 0, , .	1.9	0
1048	Association of long-term air pollution and ambient noise with cognitive decline in the Heinz Nixdorf Recall study. <i>Environmental Pollution</i> , 2023, 331, 121898.	7.5	2
1049	The connectome-based prediction of trust propensity in older adults: A resting-state functional magnetic resonance imaging study. <i>Human Brain Mapping</i> , 2023, 44, 4337-4351.	3.6	0
1050	Neuropsychological Performance in Alzheimer's Disease versus Late-Life Depression: A Systematic Review and Meta-Analysis. <i>Archives of Clinical Neuropsychology</i> , 2023, 38, 991-1016.	0.5	1
1053	Brain imaging and neuropsychological assessment of individuals recovered from a mild to moderate SARS-CoV-2 infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2023, 120, .	7.1	13
1054	Quality of recovery and pre-existing impaired cognition in patients undergoing advanced GI-endoscopic procedures with patient-controlled sedation: A prospective observational cohort study. , 2023, , .		0
1055	Vulnerable elderly patients. , 2023, , 593-612.		0
1056	Clock Drawing Test Performance of Young Adults Based on a One-Shot Case Study. <i>Archives of Clinical Neuropsychology</i> , 2024, 39, 175-185.	0.5	0
1057	Investigating the Relationship Between Marital Status and Ethnicity on Neurocognitive Functioning in a Rural Older Population: A Project FRONTIER Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2024, 79, .	3.9	0
1058	Predictive factors for Alzheimer's disease progression: a comprehensive retrospective analysis of 3,553 cases with 211 months follow-up. <i>Frontiers in Neurology</i> , 0, 14, .	2.4	2
1059	Conventional clock drawing tests have low to moderate reliability and validity for detecting subtle cognitive impairments in community-dwelling older adults. <i>Frontiers in Aging Neuroscience</i> , 0, 15, .	3.4	0
1060	Prediction of conversion to dementia disorders based on timed up and go dual-task test verbal and motor outcomes: a five-year prospective memory-clinic-based study. <i>BMC Geriatrics</i> , 2023, 23, .	2.7	1
1061	Assessing patient-reported outcomes (PROs) and patient-related outcomes in randomized cancer clinical trials for older adults: Results of DATECAN-ELDERLY initiative. <i>Journal of Geriatric Oncology</i> , 2024, 15, 101611.	1.0	1
1062	Multimodal Physical Exercise Affects Visuo-Spatial Working Memory: Preliminary Evidence from a Descriptive Study on Tai-Chi Practitioners and Runners. <i>Brain Sciences</i> , 2023, 13, 1400.	2.3	1
1063	Evolution of neurodegeneration in patients with normal pressure hydrocephalus: a monocentric follow up study. <i>Neurological Research and Practice</i> , 2023, 5, .	2.0	0
1064	The Clock-Drawing Test as a Useful Screening Assessment of Preoperative Cognitive Impairment with Readmission After Transcatheter Aortic Valve Implantation. <i>Yonago Acta Medica</i> , 2023, 66, 345-354.	0.7	0
1066	Age-Related Alterations in Gray Matter Microstructure in Older People With Remitted Major Depression at Risk for Dementia. <i>Biological Psychiatry Global Open Science</i> , 2023, , .	2.2	0

#	ARTICLE	IF	CITATIONS
1067	Clock Drawing Test: Types of Errors and Accuracy in Early Cognitive Screening. <i>Journal of Alzheimer's Disease</i> , 2023, 95, 1597-1608.	2.6	0
1068	Theory of mind deficits in Parkinson's disease are not modulated by dopaminergic medication. <i>Frontiers in Neurology</i> , 0, 14, .	2.4	0
1070	A Case of a Rapidly Aging Society and Its Dementia Population. , 2023, , 11-49.		0
1071	Clock-Drawing Test and Cube-Copying Test to Quickly Screen Dementia: In Combination with the Mini-Mental State Examination Scores. <i>Internal Medicine</i> , 2023, , .	0.7	1
1073	Attentional Control in Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2023, , 1-11.	2.6	0
1075	Dietary Iron, Anemia Markers, Cognition, and Quality of Life in Older Community-Dwelling Subjects at High Cardiovascular Risk. <i>Nutrients</i> , 2023, 15, 4440.	4.1	0
1076	Attentive pairwise interaction network for AI-assisted clock drawing test assessment of early visuospatial deficits. <i>Scientific Reports</i> , 2023, 13, .	3.3	0
1077	Normalization of Rowland Universal Dementia Assessment Scale (RUDAS) in Chilean older people. <i>Dementia E Neuropsychologia</i> , 0, 17, .	0.8	0
1078	SARS-CoV-2 infection and cognition in community-dwelling and nursing home residents in southern Switzerland. <i>Brain, Behavior, & Immunity - Health</i> , 2024, 35, 100701.	2.5	0
1080	Diagnostic Accuracy of the Swedish Version of the Multicultural Cognitive Examination for Cognitive Assessment in Swedish Memory Clinics. <i>Journal of Alzheimer's Disease</i> , 2023, , 1-12.	2.6	0
1082	Diagnostic accuracy of the Clock Drawing Test in screening for early post-stroke neurocognitive disorder: the Nor-COAST study. <i>BMC Neurology</i> , 2024, 24, .	1.8	0
1083	Mid-Term and Long-Lasting Psycho-Cognitive Benefits of Bidomain Training Intervention in Elderly Individuals with Mild Cognitive Impairment. <i>European Journal of Investigation in Health, Psychology and Education</i> , 2024, 14, 284-298.	1.9	0
1084	Uncovering the interplay between drawings, mental representations, and arithmetic problem-solving strategies in children and adults. <i>Memory and Cognition</i> , 0, , .	1.6	0
1085	A Network Analysis of Digital Clock Drawing for Command and Copy Conditions. <i>Assessment</i> , 0, , .	3.1	0
1086	A latent clinical-anatomical dimension relating metabolic syndrome to brain structure and cognition. <i>ELife</i> , 0, 12, .	6.0	0