

# CITATION REPORT

List of articles citing

One-year follow-up of disulfiram and psychotherapy for cocaine-alcohol users: sustained effects of treatment

DOI: 10.1046/j.1360-0443.2000.95913355.x  
Addiction, 2000, 95, 1335-49.

**Source:** <https://exaly.com/paper-pdf/31327590/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
173	Current awareness in human psychopharmacology. <b>2001</b> , 16, 197-202		
172	Pharmacological approaches to the treatment of excessive drinking and alcohol dependence. <b>2002</b> , 2, 119-25		2
171	The URICA as a measure of motivation to change among treatment-seeking individuals with concurrent alcohol and cocaine problems.. <i>Psychology of Addictive Behaviors</i> , <b>2002</b> , 16, 299-307	3.4	70
170	Abstinence reinforcement maintenance contingency and one-year follow-up. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 67, 125-37	4.9	41
169	Pharmacotherapy of addictions. <b>2002</b> , 1, 710-26		289
168	Pharmacologic treatments for women with addictions. <b>2003</b> , 30, 523-44		1
167	Evidence-based practices for substance use disorders. <b>2003</b> , 26, 991-1010		60
166	A review of psychosocial interventions for amphetamine use. <b>2003</b> , 22, 323-35		26
165	Pharmacological treatments for heroin and cocaine addiction. <b>2003</b> , 13, 476-87		55
164	Single versus multiple drug focus in substance abuse clinical trials research. <i>Drug and Alcohol Dependence</i> , <b>2003</b> , 70, 117-25	4.9	62
163	Cognitive-behavioral therapy plus contingency management for cocaine use: findings during treatment and across 12-month follow-up. <i>Psychology of Addictive Behaviors</i> , <b>2003</b> , 17, 73-82	3.4	117
162	Alcohol and other drug problems. <b>2003</b> , 133-146		
161	Evidence-based guidelines for the pharmacological management of substance misuse, addiction and comorbidity: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , <b>2004</b> , 18, 293-335	4.6	127
160	Efficacy of disulfiram and cognitive behavior therapy in cocaine-dependent outpatients: a randomized placebo-controlled trial. <b>2004</b> , 61, 264-72		338
159	The disulfiram-ethanol reaction (DER) experience. <i>Addiction</i> , <b>2004</b> , 99, 26; author reply 27-8	4.6	12
158	A Preliminary trial of twelve-step facilitation and acceptance and commitment therapy with polysubstance-abusing methadone-maintained opiate addicts. <b>2004</b> , 35, 667-688		181
157	Pharmacotherapeutic interventions in alcohol dependence. <b>2004</b> , 3, 40-41		1

156	Pharmacotherapies for problematic psychostimulant use: a review of current research. <b>2004</b> , 23, 203-11		31
155	Agents in development for the management of cocaine abuse. <b>2004</b> , 64, 1547-73		154
154	Choosing a behavioral therapy platform for pharmacotherapy of substance users. <i>Drug and Alcohol Dependence</i> , <b>2004</b> , 75, 123-34	4.9	77
153	Modeling the use of innovations in private treatment organizations: the role of absorptive capacity. <i>Journal of Substance Abuse Treatment</i> , <b>2004</b> , 26, 353-61	4.2	118
152	Cost effectiveness of disulfiram: treating cocaine use in methadone-maintained patients. <i>Journal of Substance Abuse Treatment</i> , <b>2004</b> , 26, 225-32	4.2	16
151	Differences at Treatment Entry Between Opioid-Dependent and Cocaine-Dependent Males and Females. <b>2004</b> , 3, 110-121		3
150	Ethnic differences in substance abuse treatment retention, compliance, and outcome from two clinical trials. <b>2004</b> , 55, 167-73		58
149	ADH4 gene variation is associated with alcohol and drug dependence: results from family controlled and population-structured association studies. <b>2005</b> , 15, 755-68		82
148	Pharmacotherapy and other treatments for cocaine abuse and dependence. <b>2005</b> , 18, 265-70		70
147	A better widget? Three lessons for improving addiction treatment from a meta-analytical study. <i>Addiction</i> , <b>2005</b> , 100, 742-50	4.6	38
146	Medications development: successes and challenges. <b>2005</b> , 108, 94-108		131
145	Recent advances in the psychotherapy of addictive disorders. <b>2005</b> , 7, 329-36		30
144	Behavioral therapies for drug abuse. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 1452-60	11.9	310
143	Organizational Predictors of Pharmacological Innovation Adoption: The Case of Disulfiram. <b>2005</b> , 35, 559-573		29
142	Screening for Co-Occurring Mental Disorders in Drug Treatment Populations. <b>2005</b> , 35, 593-605		7
141	Medical illness and comorbidities in drug users: implications for addiction pharmacotherapy treatment. <b>2005</b> , 40, 1899-921, 2043-8		6
140	Medications for the treatment of cocaine addiction: Emerging candidates. <b>2005</b> , 2, 87-92		8
139	Needs and scientific opportunities for research on substance abuse treatment among Hispanic adults. <i>Drug and Alcohol Dependence</i> , <b>2006</b> , 84 Suppl 1, S64-75	4.9	71

138	Early impact of methadone induction for heroin dependence: differential effects of two dose sequences in a randomized controlled study. <i>Experimental and Clinical Psychopharmacology</i> , <b>2006</b> , 14, 52-67	3.2	14
137	The status of disulfiram: a half of a century later. <b>2006</b> , 26, 290-302		254
136	A breath test to assess compliance with disulfiram. <i>Addiction</i> , <b>2006</b> , 101, 1705-10	4.6	7
135	ADH4 gene variation is associated with alcohol dependence and drug dependence in European Americans: results from HWD tests and case-control association studies. <i>Neuropsychopharmacology</i> , <b>2006</b> , 31, 1085-95	8.7	87
134	Completing substance abuse treatment in child welfare: the role of co-occurring problems and primary drug of choice. <b>2006</b> , 11, 313-25		58
133	There and back again: a tale of norepinephrine and drug addiction. <i>Neuropsychopharmacology</i> , <b>2007</b> , 32, 1433-51	8.7	267
132	The treatment of alcohol dependence. <b>2007</b> , 20, 222-7		29
131	Couples Treatment for Drug-dependent Males. <b>2007</b> , 6, 21-37		13
130	The adoption of medications in substance abuse treatment: associations with organizational characteristics and technology clusters. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 87, 164-74	4.9	81
129	Disulfiram effects on responses to intravenous cocaine administration. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 87, 202-9	4.9	59
128	Psychosocial approaches to psychostimulant dependence: a systematic review. <i>Journal of Substance Abuse Treatment</i> , <b>2007</b> , 32, 41-52	4.2	45
127	Comparing adaptive stepped care and monetary-based voucher interventions for opioid dependence. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 88 Suppl 2, S14-23	4.9	140
126	Behavioral counseling content for optimizing the use of buprenorphine for treatment of opioid dependence in community-based settings: a review of the empirical evidence. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2007</b> , 33, 643-54	3.7	28
125	Clinical care of the HIV-infected drug user. <b>2007</b> , 21, 149-79, ix		65
124	Psychosocial interventions for cocaine and psychostimulant amphetamines related disorders. <b>2007</b> , CD003023		102
123	Dopamine Beta-Hydroxylase. <b>2007</b> , 1-15		
122	Tweaking 12-Step the potential role of 12-Step self-help group involvement in methamphetamine recovery. <i>Addiction</i> , <b>2007</b> , 102 Suppl 1, 121-9	4.6	39
121	Do coping skills mediate the relationship between cognitive-behavioral therapy and reductions in gambling in pathological gamblers?. <i>Addiction</i> , <b>2007</b> , 102, 1280-91	4.6	41

120	Effects of disulfiram and dopamine beta-hydroxylase knockout on cocaine-induced seizures. <b>2008</b> , 89, 556-62		20
119	[Current pharmacotherapies and immunotherapy in cocaine addiction]. <b>2008</b> , 37, 689-98		4
118	A double blind, placebo-controlled trial that combines disulfiram and naltrexone for treating co-occurring cocaine and alcohol dependence. <b>2008</b> , 33, 651-67		71
117	New treatments for cocaine dependence: a focused review. <b>2008</b> , 11, 425-38		131
116	Lapses following alcohol treatment: modeling the falls from the wagon. <b>2008</b> , 69, 594-604		47
115	Disulphiram for the treatment of cocaine dependence. <b>2008</b> ,		1
114	Empirically validated psychological therapies for drug dependence. 351-368		
113	mechanisms of disulfiram-induced cocaine abstinence: antabuse and cocaine relapse. <b>2009</b> , 9, 175-87		89
112	The potential of pharmacogenomics to treat drug addiction. <b>2009</b> , 10, 1883-6		4
111	Adjunctive Pharmacotherapy in the Treatment of Alcohol and Drug Dependence. <b>2009</b> , 287-310		3
110	Pharmacogenetic treatments for drug addiction: cocaine, amphetamine and methamphetamine. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2009</b> , 35, 161-77	3.7	52
109	Pharmacotherapy of addictive disorders. <b>2009</b> , 32, 277-89		36
108	Cognitive-behavioral treatment with adult alcohol and illicit drug users: a meta-analysis of randomized controlled trials. <b>2009</b> , 70, 516-27		475
107	Clinical Case Discussion: Pathological Gambling and Nicotine Dependence. <b>2009</b> , 3, 120-127		2
106	Drug dependence: neuropharmacology and management. <b>2002</b> , 54, 885-95		4
105	Topiramate in the treatment of substance-related disorders: a critical review of the literature. <b>2010</b> , 71, 634-48		84
104	Disulfiram attenuates drug-primed reinstatement of cocaine seeking via inhibition of dopamine Hydroxylase. <i>Neuropsychopharmacology</i> , <b>2010</b> , 35, 2440-9	8.7	98
103	Disulfiram for the treatment of cocaine dependence. <i>The Cochrane Library</i> , <b>2010</b> , CD007024	5.2	48

102	[Cocaine and alcohol: a risky association]. <b>2010</b> , 39, 291-302		10
101	A Combined Group and Individual 12-Step Facilitative Intervention Targeting Stimulant Abuse in the NIDA Clinical Trials Network: STAGE-12. <b>2011</b> , 6, 228-244		17
100	Determination of GABA, glutamate, dopamine and carbamathione in brain microdialysis samples by micellar electrokinetic chromatography and laser-induced fluorescence (MEKC-LIF). <b>2011</b> , 3, 1514		8
99	How practice and science are balanced and blended in the NIDA Clinical Trials Network: the bidirectional process in the development of the STAGE-12 protocol as an example. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2011</b> , 37, 408-16	3.7	14
98	Implementation of evidence-based substance use disorder continuing care interventions. <i>Psychology of Addictive Behaviors</i> , <b>2011</b> , 25, 238-51	3.4	45
97	Twelve-step program attendance and polysubstance use: interplay of alcohol and illicit drug use. <b>2011</b> , 72, 864-71		20
96	Treatment outcomes of a stage 1 cognitive-behavioral trial to reduce alcohol use among human immunodeficiency virus-infected out-patients in western Kenya. <i>Addiction</i> , <b>2011</b> , 106, 2156-66	4.6	83
95	Determination of GABA, glutamate and carbamathione in brain microdialysis samples by capillary electrophoresis with fluorescence detection. <b>2011</b> , 32, 284-91		27
94	The impact of disulfiram treatment on the reinforcing effects of cocaine: a randomized clinical trial. <b>2012</b> , 7, e47702		18
93	Do social networks explain 12-step sponsorship effects? A prospective lagged mediation analysis. <i>Psychology of Addictive Behaviors</i> , <b>2012</b> , 26, 432-9	3.4	10
92	Developing an evidence-based, multimedia group counseling curriculum toolkit. <i>Journal of Substance Abuse Treatment</i> , <b>2012</b> , 43, 178-89	4.2	5
91	BAP updated guidelines: evidence-based guidelines for the pharmacological management of substance abuse, harmful use, addiction and comorbidity: recommendations from BAP. <i>Journal of Psychopharmacology</i> , <b>2012</b> , 26, 899-952	4.6	204
90	A controlled trial of the adjunct use of D-cycloserine to facilitate cognitive behavioral therapy outcomes in a cocaine-dependent population. <b>2012</b> , 37, 900-7		15
89	Psychosocial interventions to reduce alcohol consumption in concurrent problem alcohol and illicit drug users. <b>2012</b> , 11, CD009269		18
88	Efficacy of disulfiram and Twelve Step Facilitation in cocaine-dependent individuals maintained on methadone: a randomized placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 126, 224-31	4.9	50
87	Non-attendance at counselling therapy in cocaine-using methadone-maintained patients: lessons learnt from an abandoned randomised controlled trial. <b>2012</b> , 181, 483-9		10
86	Advances in the psychosocial treatment of addiction: the role of technology in the delivery of evidence-based psychosocial treatment. <b>2012</b> , 35, 481-93		70
85	Chronic inhibition of dopamine βhydroxylase facilitates behavioral responses to cocaine in mice. <b>2012</b> , 7, e50583		14

84	Pharmacotherapeutics directed at deficiencies associated with cocaine dependence: focus on dopamine, norepinephrine and glutamate. <b>2012</b> , 134, 260-77		41
83	Combining cognitive behavioral therapy and contingency management to enhance their effects in treating cannabis dependence: less can be more, more or less. <i>Addiction</i> , <b>2012</b> , 107, 1650-9	4.6	59
82	Disulfiram stimulates dopamine release from noradrenergic terminals and potentiates cocaine-induced dopamine release in the prefrontal cortex. <b>2012</b> , 219, 1153-64		34
81	Management of alcohol dependence in patients with liver disease. <b>2013</b> , 27, 287-99		66
80	12-step interventions and mutual support programs for substance use disorders: an overview. <b>2013</b> , 28, 313-32		54
79	S-(N, N-diethylcarbamoyl)glutathione (carbamathione), a disulfiram metabolite and its effect on nucleus accumbens and prefrontal cortex dopamine, GABA, and glutamate: a microdialysis study. <b>2013</b> , 75, 95-105		12
78	Interpersonal Climate of 12-step Groups Predicts Reductions in Alcohol Use. <b>2013</b> , 31, 167-185		10
77	Stimulant abuser groups to engage in 12-step: a multisite trial in the National Institute on Drug Abuse Clinical Trials Network. <i>Journal of Substance Abuse Treatment</i> , <b>2013</b> , 44, 103-14	4.2	36
76	Social workers and delivery of evidence-based psychosocial treatments for substance use disorders. <b>2013</b> , 28, 279-301		25
75	Comparison of behavioral treatment conditions in buprenorphine maintenance. <i>Addiction</i> , <b>2013</b> , 108, 1788-98	4.6	81
74	Treatment integrity and dissemination: Rethinking fidelity via the stage model.. <b>2013</b> , 20, 99-106		12
73	Smokers versus snorters: do treatment outcomes differ according to route of cocaine administration?. <i>Experimental and Clinical Psychopharmacology</i> , <b>2013</b> , 21, 490-8	3.2	21
72	Illegal Drug Use. <b>2013</b> , 1339-1358		
71	PROTOCOL: Cognitive-behavioural treatment for amphetamine-type stimulants (ATS) use disorders. <i>Campbell Systematic Reviews</i> , <b>2014</b> , 10, 1-10	2.1	
70	Lost in translation? Moving contingency management and cognitive behavioral therapy into clinical practice. <i>Annals of the New York Academy of Sciences</i> , <b>2014</b> , 1327, 94-111	6.5	32
69	Sex differences in guanfacine effects on drug craving and stress arousal in cocaine-dependent individuals. <i>Neuropsychopharmacology</i> , <b>2014</b> , 39, 1527-37	8.7	76
68	Drinking reduction and reversibility of neuroadaptation in alcoholism. <i>Journal of Psychopharmacology</i> , <b>2014</b> , 28, 810-2	4.6	2
67	Gender differences in clinical outcomes for cocaine dependence: randomized clinical trials of behavioral therapy and disulfiram. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 145, 156-67	4.9	41

66	Pharmacological means of reducing human drug dependence: a selective and narrative review of the clinical literature. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 77, 242-52	3.8	13
65	Toward empirical identification of a clinically meaningful indicator of treatment outcome: features of candidate indicators and evaluation of sensitivity to treatment effects and relationship to one year follow up cocaine use outcomes. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 137, 3-19	4.9	72
64	Future pharmacological treatments for substance use disorders. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 77, 382-400	3.8	39
63	Is level of exposure to a 12-step facilitation therapy associated with treatment outcome?. <i>Journal of Substance Abuse Treatment</i> , <b>2014</b> , 47, 265-74	4.2	5
62	Predicting substance-abuse treatment providers' communication with clients about medication assisted treatment: a test of the theories of reasoned action and planned behavior. <i>Journal of Substance Abuse Treatment</i> , <b>2014</b> , 47, 307-13	4.2	11
61	Cognitive-behavioural treatment for amphetamine-type stimulants (ATS) use disorders. <i>The Cochrane Library</i> , <b>2014</b> ,	5.2	1
60	What happens in treatment doesn't stay in treatment: cocaine abstinence during treatment is associated with fewer problems at follow-up. <i>Journal of Consulting and Clinical Psychology</i> , <b>2014</b> , 82, 619-27	6.5	22
59	Psychosocial interventions to reduce alcohol consumption in concurrent problem alcohol and illicit drug users. <i>The Cochrane Library</i> , <b>2014</b> , CD009269	5.2	27
58	Selective inhibition of dopamine-beta-hydroxylase enhances dopamine release from noradrenergic terminals in the medial prefrontal cortex. <i>Brain and Behavior</i> , <b>2015</b> , 5, e00393	3.4	20
57	Stimulant Use Disorders. <b>2015</b> , 1561-1614		
56	Evaluation of the dopamine beta-hydroxylase (DBH) inhibitor nepicastat in participants who meet criteria for cocaine use disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2015</b> , 59, 40-48	5.5	17
55	Pharmacotherapy of Alcohol and Drug Dependence. <i>Current Behavioral Neuroscience Reports</i> , <b>2015</b> , 2, 30-39	1.7	0
54	Psychostimulants: Basic and Clinical Pharmacology. <i>International Review of Neurobiology</i> , <b>2015</b> , 120, 41-84	4.4	24
53	WITHDRAWN: Psychosocial interventions for cocaine and psychostimulant amphetamines related disorders. <i>The Cochrane Library</i> , <b>2015</b> , CD003023	5.2	3
52	Comorbid substance use among persons with HIV and chronic pain. <b>2016</b> , 78-96		2
51	Definitions of drinking problems. 5-22		
50	Alcohol and other drug problems. 112-130		
49	Introduction, settings, and roles. 131-135		



48 Specialist treatment of drinking problems. 190-214

47	Coadministration of disulfiram and lorazepam in the treatment of alcohol dependence and co-occurring anxiety disorder: an open-label pilot study. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2016</b> , 42, 490-499	3.7	7
46	Psychosocial interventions for psychostimulant misuse. <i>The Cochrane Library</i> , <b>2016</b> , 9, CD011866	5.2	38
45	Predictors of 12-Step Attendance and Participation for Individuals With Stimulant Use Disorders. <i>Journal of Substance Abuse Treatment</i> , <b>2016</b> , 68, 74-82	4.2	6
44	Brain mechanisms of Change in Addictions Treatment: Models, Methods, and Emerging Findings. <i>Current Addiction Reports</i> , <b>2016</b> , 3, 332-342	3.9	19
43	A randomized factorial trial of disulfiram and contingency management to enhance cognitive behavioral therapy for cocaine dependence. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 160, 135-42	4.9	32
42	Treatment-refractory substance use disorder: Focus on alcohol, opioids, and cocaine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2016</b> , 70, 148-61	5.5	23
41	Review article: pharmacotherapy for alcohol dependence - the why, the what and the wherefore. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2017</b> , 45, 865-882	6.1	48
40	Comparable efficacy of behavioral and pharmacological treatments among African American and White cocaine users. <i>Journal of Ethnicity in Substance Abuse</i> , <b>2017</b> , 16, 445-459	1.1	5
39	12-step programs for reducing illicit drug use. <i>Campbell Systematic Reviews</i> , <b>2017</b> , 13, 1-149	2.1	52
38	Alcohol: Treatment. <b>2017</b> , 75-82		
37	Cognitive-behavioural treatment for amphetamine-type stimulants (ATS)-use disorders. <i>The Cochrane Library</i> , <b>2018</b> , 12, CD011315	5.2	22
36	Psychosocial interventions to reduce alcohol consumption in concurrent problem alcohol and illicit drug users. <i>The Cochrane Library</i> , <b>2018</b> , 12, CD009269	5.2	15
35	A review of contingency management for the treatment of substance-use disorders: adaptation for underserved populations, use of experimental technologies, and personalized optimization strategies. <i>Substance Abuse and Rehabilitation</i> , <b>2018</b> , 9, 43-57	5.5	31
34	Randomized Clinical Trial of Computerized and Clinician-Delivered CBT in Comparison With Standard Outpatient Treatment for Substance Use Disorders: Primary Within-Treatment and Follow-Up Outcomes. <i>American Journal of Psychiatry</i> , <b>2018</b> , 175, 853-863	11.9	82
33	Computerized Cognitive Behavioral Therapy for Substance Use Disorders: A Summary of the Evidence and Potential Mechanisms of Behavior Change. <i>Perspectives on Behavior Science</i> , <b>2019</b> , 42, 465-478	2.4	4
32	Beyond the 12 steps: Integrating chaplaincy services into Veteran Affairs substance use specialty care. <i>Substance Abuse</i> , <b>2019</b> , 40, 444-452	3.8	0
31	Cognitive-Behavioral Therapy for Alcohol and Other Substance Use Disorders: the Beck Model in Action. <i>International Journal of Cognitive Therapy</i> , <b>2019</b> , 12, 307-326	1.4	3

30	Cognitive-behavioural treatment for amphetamine-type stimulants (ATS)-use disorders. <i>Campbell Systematic Reviews</i> , <b>2019</b> , 15, e1026	2.1	2
29	Dialectical behaviour therapy and 12-step programmes for substance use disorder: A systematic review and meta-analysis. <i>Counselling and Psychotherapy Research</i> , <b>2019</b> , 19, 274	1.3	0
28	The Role of Norepinephrine in Drug Addiction: Past, Present, and Future. <b>2019</b> , 221-236		1
27	Connectome-Based Prediction of Cocaine Abstinence. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 156-164	1.9	55
26	A systematic review exploring therapist competence, adherence, and therapy outcomes in individual CBT for children and young people. <i>Psychotherapy Research</i> , <b>2019</b> , 29, 1010-1019	3.6	10
25	A Call to Action: A Systematic Review Examining the Failure to Include Females and Members of Minoritized Racial/Ethnic Groups in Clinical Trials of Pharmacological Treatments for Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2020</b> , 44, 1933-1951	3.7	8
24	Pilot Cohorts for Development of Concurrent Mobile Treatment for Alcohol and Tobacco Use Disorders. <i>Substance Abuse: Research and Treatment</i> , <b>2021</b> , 15, 11782218211030524	1.6	
23	Acceptability, efficacy and safety of pharmacological interventions for cocaine dependence: an overview of Cochrane reviews.		2
22	Facilitating involvement in twelve-step programs. <i>Recent Developments in Alcoholism: an Official Publication of the American Medical Society on Alcoholism, and the Research Society on Alcoholism, and the National Council on Alcoholism</i> , <b>2008</b> , 18, 303-20		19
21	Cocaine. <b>2012</b> , 163-173		1
20	Functional neural changes following behavioral therapies and disulfiram for cocaine dependence. <i>Psychology of Addictive Behaviors</i> , <b>2017</b> , 31, 534-547	3.4	14
19	Cognitive behavioral interventions for alcohol and drug use disorders: Through the stage model and back again. <i>Psychology of Addictive Behaviors</i> , <b>2017</b> , 31, 847-861	3.4	92
18	Limited modulation of the abuse-related behavioral effects of d-methamphetamine by disulfiram. <i>Experimental and Clinical Psychopharmacology</i> , <b>2018</b> , 26, 497-502	3.2	2
17	A Cognitive Behavioral Therapy-Based Text Messaging Intervention Versus Medical Management for HIV-Infected Substance Users: Study Protocol for a Pilot Randomized Trial. <i>JMIR Research Protocols</i> , <b>2016</b> , 5, e131	2	7
16	Alcohol treatment. <b>2008</b> , 116-124		
15	Medikamente zur Behandlung von Abhängigkeit und Entzugssymptomen. <b>2012</b> , 733-749		
14	Kokain, Amphetamin und andere Stimulanzien. <b>2012</b> , 903-911		
13	Farmakoterapia wspomagająca w leczeniu uzależnienia od alkoholu i narkotyków. <b>2013</b> ,		

12	Acceptability, efficacy and safety of pharmacological interventions for cocaine dependence: an overview of Cochrane reviews.		
11	Evidence-Based Treatments for Substance Use Disorders. <b>2015</b> , 209-227		
10	Motivational Enhancement Therapy and Cognitive Behavioral Therapy for Alcohol Use Disorders. <i>Journal of Korean Neuropsychiatric Association</i> , <b>2019</b> , 58, 173	0.4	
9	Disulfiram in the Management of Cocaine Dependence and Other Psychiatric Disorders. <b>2019</b> , 31-42		1
8	Psychological interventions to reduce alcohol consumption recommended by modern clinical guidelines (review of foreign publications). <b>2020</b> ,		0
7	Medikamente zur Behandlung von Abhängigkeit und Entzugssymptomen. <b>2008</b> , 667-686		
6	Perspective is everything: the predictive validity of six working alliance instruments. <i>The Journal of Psychotherapy Practice and Research</i> , <b>2001</b> , 10, 262-8		28
5	Treatment of co-occurring alcohol and other drug use disorders. <i>Alcohol Research</i> , <b>2008</b> , 31, 155-67		12
4	The Lesch alcoholism typology - psychiatric and psychosocial treatment approaches. <i>Annals of Gastroenterology</i> , <b>2011</b> , 24, 89-97	2.2	7
3	Alcohol and other drug problems. 94-104		
2	Specialist treatment. 197-217		
1	The Effect of Cognitive Behavioral Therapy on Impulsivity in Addictive Disorders: a Narrative Review.		0