

CITATION REPORT

List of articles citing

**Bird diversity and environmental gradients in Britain:
a test of the speciesenergy hypothesis**

DOI: 10.1046/j.1365-2656.2000.00418.x

Journal of Animal Ecology, 2000, 69, 581-598.

Source: <https://exaly.com/paper-pdf/31336215/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
138	Global patterns in biodiversity. 2000 , 405, 220-7		2091
137	Area and the latitudinal diversity gradient for terrestrial birds. 2001 , 4, 595-601		28
136	Scale and species richness: towards a general, hierarchical theory of species diversity. 2001 , 28, 453-470		1013
135	The geographical structure of British bird distributions: diversity, spatial turnover and scale. <i>Journal of Animal Ecology</i> , 2001 , 70, 966-979	4.7	449
134	Mapping distributions of chromosomal forms of <i>Anopheles gambiae</i> in West Africa using climate data. 2001 , 15, 267-74		41
133	Remotely sensed habitat diversity predicts butterfly species richness and community similarity in Canada. 2001 , 98, 11365-70		191
132	Geographic range size and determinants of avian species richness. 2002 , 297, 1548-51		510
131	Fractal species distributions do not produce power-law species-area relationships. 2002 , 97, 378-386		56
130	Water-energy balance and the geographic pattern of species richness of western Palearctic butterflies. 2003 , 28, 678-686		85
129	Geometry of the species-area relationship in central European birds: testing the mechanism. <i>Journal of Animal Ecology</i> , 2003 , 72, 509-519	4.7	59
128	Distribution patterns in butterflies and birds of the Czech Republic: separating effects of habitat and geographical position. 2003 , 30, 1195-1205		67
127	Contribution of rarity and commonness to patterns of species richness. 2003 , 7, 81-87		203
126	Does climate determine broad-scale patterns of species richness? A test of the causal link by natural experiment. <i>Global Ecology and Biogeography</i> , 2003 , 12, 461-473	6.1	80
125	Relative influences of current and historical factors on mammal and bird diversity patterns in deglaciated North America. <i>Global Ecology and Biogeography</i> , 2003 , 12, 475-481	6.1	141
124	Spatial autocorrelation and red herrings in geographical ecology. <i>Global Ecology and Biogeography</i> , 2003 , 12, 53-64	6.1	740
123	PRODUCTIVITY AND HISTORY AS PREDICTORS OF THE LATITUDINAL DIVERSITY GRADIENT OF TERRESTRIAL BIRDS. 2003 , 84, 1608-1623		349
122	ENERGY, WATER, AND BROAD-SCALE GEOGRAPHIC PATTERNS OF SPECIES RICHNESS. 2003 , 84, 3105-3117		1566

121	Comment on "Global biodiversity, biochemical kinetics, and the energetic-equivalence rule". 2003 , 299, 346; author reply 346		28
120	The effect of energy and seasonality on avian species richness and community composition. <i>American Naturalist</i> , 2003 , 161, 83-97	3.7	274
119	Birds and people in Europe. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004 , 271, 1649-55	4.4	51
118	Summer vegetation, deglaciation and the anomalous bird diversity gradient in eastern North America. <i>Global Ecology and Biogeography</i> , 2004 , 13, 321-325	6.1	37
117	Primary productivity and species richness: relationships among functional guilds, residency groups and vagility classes at multiple spatial scales. <i>Ecography</i> , 2004 , 27, 207-217	6.5	93
116	Analysis of determinants of mammalian species richness in South America using spatial autoregressive models. <i>Ecography</i> , 2004 , 27, 427-436	6.5	122
115	Untangling ecological complexity on different scales of space and time. 2004 , 5, 389-400		55
114	Explaining the global biodiversity gradient: energy, area, history and natural selection. 2004 , 5, 435-448		73
113	A comprehensive framework for global patterns in biodiversity. 2004 , 7, 1-15		934
112	Effect of topography on the risk of malaria infection in the Usambara Mountains, Tanzania. 2004 , 98, 400-8		70
111	Importance of Climate Change for the Ranges, Communities and Conservation of Birds. 2004 , 211-236		49
110	EFFECT OF ROADSIDE BIAS ON THE ACCURACY OF PREDICTIVE MAPS PRODUCED BY BIOCLIMATIC MODELS. 2004 , 14, 401-413		294
109	Effects of golf courses on local biodiversity. 2005 , 71, 137-146		60
108	The species-area-energy relationship. 2005 , 8, 487-92		101
107	Species-energy relationship in the deep sea: a test using the Quaternary fossil record. 2005 , 8, 739-747		66
106	Does energy availability influence classical patterns of spatial variation in exotic species richness?. <i>Global Ecology and Biogeography</i> , 2005 , 14, 57-65	6.1	19
105	People, energy and avian species richness. <i>Global Ecology and Biogeography</i> , 2005 , 14, 187-196	6.1	61
104	Reducing uncertainty in projections of extinction risk from climate change. <i>Global Ecology and Biogeography</i> , 2005 , 14, 529-538	6.1	357

103	Raptorial birds and environmental gradients in the southern Neotropics: A test of species-richness hypotheses. 2005 , 30, 892-898		9
102	The roles of extinction and colonization in generating species-energy relationships. <i>Journal of Animal Ecology</i> , 2005 , 74, 498-507	4.7	31
101	Patterns and determinants of shorebird species richness in the circumpolar Arctic. 2005 , 32, 383-396		15
100	Distribution patterns of boreal marshland birds: modelling the relationships to land cover and climate. 2005 , 32, 1957-1970		58
99	Historical biogeography and the evolution of the latitudinal gradient of species richness in the Papionini (Primata: Cercopithecidae). 2005 , 85, 235-246		22
98	Species-energy relationships at the macroecological scale: a review of the mechanisms. <i>Biological Reviews</i> , 2005 , 80, 1-25	13.5	496
97	Dissecting the species-energy relationship. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005 , 272, 2155-63	4.4	99
96	Equilibrium of species-distributions with climate. <i>Ecography</i> , 2005 , 28, 693-695	6.5	432
95	Mapping the richness and composition of British breeding birds from coarse spatial resolution satellite sensor imagery. 2005 , 26, 3943-3956		25
94	Relative contribution of abundant and rare species to species-energy relationships. 2005 , 1, 87-90		33
93	Contrasting spatial and temporal global change impacts on butterfly species richness during the 20th century. <i>Ecography</i> , 2006 , 29, 908-918	6.5	43
92	Urbanization and homogenization – Comparing the floras of urban and rural areas in Germany. 2006 , 127, 292-300		241
91	. 2006 ,		33
90	Does seasonal fine-tuning of climatic variables improve the performance of bioclimatic envelope models for migratory birds?. 2006 , 12, 502-510		26
89	Abundance, species richness and energy availability in the North American avifauna. <i>Global Ecology and Biogeography</i> , 2006 , 15, 372-385	6.1	93
88	Beyond Rapoport's rule: evaluating range size patterns of New World birds in a two-dimensional framework. <i>Global Ecology and Biogeography</i> , 2006 , 15, 461-469	6.1	78
87	The Association of Natural, Social and Economic Factors with Bird Species Richness in Rural England. 2006 , 57, 295-312		21
86	Bird species richness patterns of northern Taiwan: primary productivity, human population density, and habitat heterogeneity. 2006 , 12, 546-554		70

85	Climate, energy and diversity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006 , 273, 2257-66	4.4	303
84	Using coarse-grained occurrence data to predict species distributions at finer spatial resolutions: possibilities and limitations. 2006 , 192, 499-522		77
83	Assessment of Sustainable Land Use in Producing Biomass. 2006 , 173-192		5
82	Winter bird distribution in abiotic and habitat structural gradients: A case study with mediterranean montane oakwoods. 2006 , 13, 100-110		16
81	Species traits and the form of individual species-energy relationships. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006 , 273, 1779-87	4.4	30
80	Biodiversity and extinction: macroecological patterns and people. 2006 , 30, 258-269		22
79	The relative influence of climate, environmental heterogeneity, and human population on the distribution of vertebrate species richness in south-eastern Spain. 2007 , 32, 50-58		39
78	Direct and indirect effects of climate and habitat factors on butterfly diversity. 2007 , 88, 605-11		287
77	The distribution of species: occupancy, scale, and rarity. 32-50		27
76	The scaling of spatial turnover: pruning the thicket. 181-222		34
75	Scaling species richness and distribution: uniting the species-area and species-energy relationships. 300-322		6
74	Slopes of Avian Species-Area Relationships, Human Population Density, and Environmental Factors. 2007 , 2,		5
73	Red herrings revisited: spatial autocorrelation and parameter estimation in geographical ecology. <i>Ecography</i> , 2007 , 30, 375-384	6.5	165
72	Geographical gradients of species richness: a test of the water-energy conjecture of Hawkins et al. (2003) using European data for five taxa. <i>Global Ecology and Biogeography</i> , 2007 , 16, 76-89	6.1	177
71	The positive correlation between avian species richness and human population density in Britain is not attributable to sampling bias. <i>Global Ecology and Biogeography</i> , 2007 , 16, 300-304	6.1	35
70	Fish community comparisons along environmental gradients in lakes of France and north-east USA. <i>Global Ecology and Biogeography</i> , 2007 , 16, 350-366	6.1	39
69	Type and spatial structure of distribution data and the perceived determinants of geographical gradients in ecology: the species richness of African birds. <i>Global Ecology and Biogeography</i> , 2007 , 16, 657-667	6.1	47
68	Bird densities are associated with household densities. <i>Global Change Biology</i> , 2007 , 13, 1685-1695	11.4	121

67	Low functional diversity and no redundancy in British avian assemblages. <i>Journal of Animal Ecology</i> , 2007 , 76, 977-85	4.7	243
66	Promising the future? Global change projections of species distributions. 2007 , 8, 387-397		332
65	Macroecological patterns of spider species richness across Europe. 2008 , 17, 2849-2868		57
64	City-wide relationships between green spaces, urban land use and topography. 2008 , 11, 269-287		87
63	Spatial scale, abundance and the species-energy relationship in British birds. <i>Journal of Animal Ecology</i> , 2008 , 77, 395-405	4.7	53
62	Geographic differences between functional groups in patterns of bird species richness in North America. 2008 , 33, 253-264		30
61	Temperature Differentially Mediates Species Richness of Birds of Different Biogeographic Types. 2008 , 96, 115-120		4
60	Incorporating private lands in conservation planning: protected areas in Britain. 2008 , 18, 1050-60		19
59	Exploring the relative importance of satellite-derived descriptors of production, topography and land cover for predicting breeding bird species richness over Ontario, Canada. <i>Remote Sensing of Environment</i> , 2009 , 113, 668-679	13.2	45
58	Statutory protected areas and avian species richness in Britain. 2009 , 18, 2143-2151		12
57	Relative influence of habitat heterogeneity, climate, human disturbance, and spatial structure on vertebrate species richness in Spain. 2009 , 24, 335-344		37
56	Plant species diversity and environmental heterogeneity: spatial scale and competing hypotheses. 2009 , 20, 377-391		176
55	Ensemble models predict Important Bird Areas in southern Africa will become less effective for conserving endemic birds under climate change. <i>Global Ecology and Biogeography</i> , 2009 , 18, 701-710	6.1	154
54	Energy availability and density estimates in African ungulates. <i>American Naturalist</i> , 2009 , 173, 698-704	3.7	65
53	Spatial patterns of terrestrial vertebrates richness in Brazilian semiarid, Northeastern Brazil: Selecting hypotheses and revealing constraints. 2010 , 74, 1418-1426		19
52	Deconstructing the mammal species richness pattern in Europe [Towards an understanding of the relative importance of climate, biogeographic history, habitat heterogeneity and humans. <i>Global Ecology and Biogeography</i> , 2011 , 20, 218-230	6.1	57
51	Physiological effects of climate on distributions of endothermic species. 2011 , 38, 430-438		14
50	European Farmland Bird Distribution Explained by Remotely Sensed Phenological Indices. 2011 , 16, 385-399		10

49	Bilateral Song Convergence in a Passerine Hybrid Zone: Genetics Contribute in One Species Only. 2011 , 38, 441-452		11
48	Temperature and food constraints in wintering birds: An experimental approach in montane Mediterranean oakwoods. 2012 , 13, 221-229		15
47	Biogeography of species richness gradients: linking adaptive traits, demography and diversification. <i>Biological Reviews</i> , 2012 , 87, 457-79	13.5	32
46	Rise of the generalists: evidence for climate driven homogenization in avian communities. <i>Global Ecology and Biogeography</i> , 2012 , 21, 568-578	6.1	135
45	Impact of climate change on communities: revealing species' contribution. <i>Journal of Animal Ecology</i> , 2013 , 82, 551-61	4.7	50
44	Spatial variation in bird species abundances: Environmental constraints across southern Neotropical regions. 2013 , 14, 263-270		4
43	Modelling potential habitats for <i>Artemisia sieberi</i> and <i>Artemisia aucheri</i> in Poshtkouh area, central Iran using the maximum entropy model and geostatistics. 2013 , 18, 61-68		28
42	Factors influencing geographic patterns in diversity of forest bird communities of eastern Connecticut, USA. <i>Ecography</i> , 2013 , 36, 599-609	6.5	2
41	Exploring the ecological processes driving geographical patterns of breeding bird richness in British Columbia, Canada. 2013 , 23, 888-903		13
40	Unimodal latitudinal pattern of land-snail species richness across northern Eurasian lowlands. <i>PLoS ONE</i> , 2014 , 9, e104035	3.7	9
39	Winter Distribution of Passerine Richness in the Maghreb (North Africa): A Conservation Assessment. 2014 , 61, 335-350		8
38	Bird and mammal species composition in distinct geographic regions and their relationships with environmental factors across multiple spatial scales. <i>Ecology and Evolution</i> , 2014 , 4, 1963-71	2.8	11
37	Predictors of contraction and expansion of area of occupancy for British birds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014 , 281,	4.4	32
36	Geographical and environmental factors affecting the distribution of wintering black storks <i>Ciconia nigra</i> in the Iberian Peninsula. <i>Journal of Avian Biology</i> , 2014 , 45, 514-521	1.9	10
35	References. 383-450		
34	Bird diversity and environmental heterogeneity in North America: a test of the area-heterogeneity trade-off. <i>Global Ecology and Biogeography</i> , 2015 , 24, 1225-1235	6.1	17
33	Latitudinal diversity gradients in bryophytes and woody plants: Roles of temperature and water availability. <i>Journal of Systematics and Evolution</i> , 2015 , 53, 535-545	2.9	17
32	Physicochemical control of bacterial and protist community composition and diversity in Antarctic sea ice. <i>Environmental Microbiology</i> , 2015 , 17, 3869-81	5.2	36

31	Terminology and quantification of environmental heterogeneity in species-richness research. <i>Biological Reviews</i> , 2015 , 90, 815-36	13.5	84
30	Predicting the Potential Distribution of <i>Olea ferruginea</i> in Pakistan incorporating Climate Change by Using Maxent Model. <i>Sustainability</i> , 2016 , 8, 722	3.6	26
29	Environmental Harshness Decreases ant βDiversity Between Salt Marsh and Neighboring Upland Environments. <i>Wetlands</i> , 2016 , 36, 667-680	1.7	1
28	Keeping it regular: Development of thermoregulation in four tropical seabird species. <i>Journal of Thermal Biology</i> , 2017 , 64, 19-25	2.9	1
27	The Eurasian hot nightlife: Environmental forces associated with nocturnality in lizards. <i>Global Ecology and Biogeography</i> , 2017 , 26, 1316-1325	6.1	11
26	The effect of the habitat on wintering birds in Central Europe. <i>Folia Zoologica</i> , 2017 , 66, 95-105	1.3	1
25	Avian species-area relationships indicate that towns are not different from natural areas. <i>Environmental Conservation</i> , 2018 , 45, 419-424	3.3	3
24	How complex should models be? Comparing correlative and mechanistic range dynamics models. <i>Global Change Biology</i> , 2018 , 24, 1357-1370	11.4	48
23	Urbanization as a driver of taxonomic, functional, and phylogenetic diversity losses in bird communities. <i>Canadian Journal of Zoology</i> , 2018 , 96, 1114-1121	1.5	15
22	Tropical bird species richness is strongly associated with patterns of primary productivity captured by the Dynamic Habitat Indices. <i>Remote Sensing of Environment</i> , 2019 , 232, 111306	13.2	10
21	The call of the wild: Investigating the potential for ecoacoustic methods in mapping wilderness areas. <i>Science of the Total Environment</i> , 2019 , 695, 133797	10.2	9
20	Seasonality in spatial distribution: Climate and land use have contrasting effects on the species richness of breeding and wintering birds. <i>Ecology and Evolution</i> , 2019 , 9, 7549-7561	2.8	9
19	Modelling the distribution of a potential invasive tropical fern, <i>Cyclosorus afer</i> in Nigeria. <i>African Journal of Ecology</i> , 2019 , 57, 304-313	0.8	2
18	Ecological Limits as the Driver of Bird Species Richness Patterns along the East Himalayan Elevational Gradient. <i>American Naturalist</i> , 2020 , 195, 802-817	3.7	11
17	Integrating dynamic environmental predictors and species occurrences: Toward true dynamic species distribution models. <i>Ecology and Evolution</i> , 2020 , 10, 1087-1092	2.8	9
16	Discriminating climate, land-cover and random effects on species range dynamics. <i>Global Change Biology</i> , 2021 , 27, 1309-1317	11.4	4
15	Identifying the Drivers of Spatial Taxonomic and Functional Beta-Diversity of British Breeding Birds. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	1
14	Habitat heterogeneity, temperature, and primary productivity drive elevational gradients in avian species diversity. <i>Ecology and Evolution</i> , 2021 , 11, 5985-5997	2.8	0

13	Variation in Temperature, Precipitation, and Vegetation Greenness Drive Changes in Seasonal Variation of Avian Diversity in an Urban Desert Landscape. <i>Land</i> , 2021 , 10, 480	3.5	
12	Universality in biodiversity patterns: variation in species-temperature and species-productivity relationships reveals a prominent role of productivity in diversity gradients. <i>Ecography</i> , 2021 , 44, 1366-1378	6.5	3
11	Geographical gradients of species richness: a test of the water-energy conjecture of) using European data for five taxa. <i>Global Ecology and Biogeography</i> , 2006 , 061120101210013-???	6.1	3
10	Effect of Climate Change on Mediterranean Winter Ranges of Two Migratory Passerines. <i>PLoS ONE</i> , 2016 , 11, e0146958	3.7	15
9	Global warming and biodiversity model projections. <i>Journal of Ecology and Environment</i> , 2012 , 35, 157-166		3
8	Energy and Biodiversity.		1
7	Trait Correlates of Climatic Niche Tracking in British Birds.		
6	Universality in biodiversity patterns: Variation in species-temperature and species-productivity relationships reveals a prominent role of productivity in diversity gradients.		
5	Assessing taxonomic and functional change in British breeding bird assemblages over time. <i>Global Ecology and Biogeography</i> , 2022 , 31, 925-939	6.1	1
4	Niche conservatism limits the distribution of <i>Medicago</i> in the tropics. <i>Ecography</i> ,	6.5	
3	Diversification is correlated with temperature in white and sulfur butterflies.		0
2	Bird Assemblages in a Peri-Urban Landscape in Eastern India. 2022 , 3, 383-401		0
1	Benefits of protected area networks for breeding bird populations and communities.		0