Citation Report
List of articles citing

# The effect of material properties and tooling design on deformation and fracture during equal channel angular extru

DOI: 10.1016/s1359-6454(00)00019-7
Acta Materialia, 2000, 48, 1841-1851.

**Source:** https://exaly.com/paper-pdf/31377880/citation-report.pdf
**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|---|---|---|---|
| 193 | Progress in equal-channel angular processing. **2001**, 53, 36-40 | | 9 |
| 192 | Failure modes during equal channel angular extrusion of aluminum alloy 2024. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2001**, 32, 1869-1871 | 2.3 | 15 |
| 191 | Effect of texture changes on flow softening during hot working of Ti-6Al-4V. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2001**, 32, 1871-1875 | 2.3 | 38 |
| 190 | The potential for scaling ECAP: effect of sample size on grain refinement and mechanical properties. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2001**, 318, 34-41 | 5.3 | 203 |
| 189 | Plastic deformation analysis of metals during equal channel angular pressing. *Journal of Materials Processing Technology*, **2001**, 113, 622-626 | 5.3 | 103 |
| 188 | Development of microstructure and texture during high temperature equal channel angular extrusion of aluminium. *Journal of Materials Processing Technology*, **2001**, 117, 169-177 | 5.3 | 35 |
| 187 | Deformation heating and its effect on grain size evolution during equal channel angular extrusion. **2001**, 44, 135-140 | | 53 |
| 186 | Estimating the equivalent strain in equal-channel angular pressing. **2001**, 44, 575-579 | | 56 |
| 185 | Evaluation of Strain Rate During Equal-channel Angular Pressing. *Journal of Materials Research*, **2002**, 17, 172-179 | 2.5 | 63 |
| 184 | FEM analysis of equal channel angular processes. **2002**, 17, 223-250 | | 17 |
| 183 | Structural evolution of a strip-cast al alloy sheet processed by continuous equal-channel angular pressing. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2002**, 33, 665-673 | 2.3 | 46 |
| 182 | Factors influencing the shearing patterns in equal-channel angular pressing. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2002**, 332, 97-109 | 5.3 | 214 |
| 181 | Finite element analysis of equal channel angular pressing of strain rate sensitive metals. *Journal of Materials Processing Technology*, **2002**, 130-131, 497-503 | 5.3 | 63 |
| 180 | Processing of a low-carbon steel by equal-channel angular pressing. *Acta Materialia*, **2002**, 50, 1359-1368 | 8.4 | 189 |
| 179 | Modelling texture development during equal channel angular extrusion of aluminium. *Acta Materialia*, **2002**, 50, 2121-2136 | 8.4 | 134 |
| 178 | Microstructural evolutions of the Al strip prepared by cold rolling and continuous equal channel angular pressing. *Acta Materialia*, **2002**, 50, 4005-4019 | 8.4 | 167 |
| 177 | Work-softening behavior of the ultrafine-grained Al alloy processed by high-strain-rate, dissimilar-channel angular pressing. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2003**, 34, 625-632 | 2.3 | 38 |

| | | | |
|---|---|---|---|
| 176 | Influence of a round corner die on flow homogeneity in ECA pressing. **2003**, 48, 1-4 | | 93 |
| 175 | Slip line solutions, deformation mode and loading history during equal channel angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2003**, 345, 36-46 | 5.3 | 148 |
| 174 | A model investigation of the shearing characteristics in equal-channel angular pressing. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2003**, 347, 223-230 | 5.3 | 31 |
| 173 | Dislocation density-based modeling of deformation behavior of aluminium under equal channel angular pressing. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2003**, 351, 86-97 | 5.3 | 179 |
| 172 | Equal channel angular extrusion in a commercial Al-Mn alloy. *Journal of Materials Processing Technology*, **2003**, 143-144, 506-511 | 5.3 | 23 |
| 171 | Finite element analysis of strain conditions after equal channel angular extrusion. *Journal of Materials Processing Technology*, **2003**, 140, 583-587 | 5.3 | 45 |
| 170 | The Effect of Ram Speed on Mechanical and Thermal Properties in ECAE Process Simulation. *Materials Transactions*, **2003**, 44, 973-980 | 1.3 | 12 |
| 169 | Quasi-3D Strain Analysis in Equal Channel Angular Pressing. **2004**, | | 2 |
| 168 | Superplasticity in an 7475 Aluminum Alloy Subjected to Equal Channel Angular Extrusion. *Materials Science Forum*, **2004**, 447-448, 453-458 | 0.4 | 2 |
| 167 | The role of modeling in the development of advanced processes for metallic aerospace alloys. *Metals and Materials International*, **2004**, 10, 589-603 | 2.4 | 5 |
| 166 | Analytical modeling of material flow in equal channel angular extrusion (ECAE). *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2004**, 380, 171-190 | 5.3 | 82 |
| 165 | Models for severe plastic deformation by equal-channel angular extrusion. **2004**, 56, 69-77 | | 9 |
| 164 | Finite element analysis of the plastic deformation zone and working load in equal channel angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2004**, 382, 217-236 | 5.3 | 167 |
| 163 | Finite element analysis for deformation behavior of an aluminum alloy composite containing SiC particles and porosities during ECAP. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2004**, 371, 306-312 | 5.3 | 20 |
| 162 | The application of equal-channel angular pressing to an aluminum single crystal. *Acta Materialia*, **2004**, 52, 1387-1395 | 8.4 | 95 |
| 161 | Analysis of texture evolution in equal channel angular extrusion of copper using a new flow field. *Acta Materialia*, **2004**, 52, 1885-1898 | 8.4 | 162 |
| 160 | Effects of the deformation history and the initial textures on the texture evolution in an Al alloy strip during the shear deforming process. *Acta Materialia*, **2004**, 52, 4907-4918 | 8.4 | 13 |
| 159 | Biodegradability of Poly (L-lactic Acid) Functionally Graded Materials with Hardness Gradient. *Materials Transactions*, **2004**, 45, 1005-1009 | 1.3 | 8 |

| | | | |
|---|---|---|---|
| 158 | Finite Element Investigation of Equal Channel Angular Extrusion Process. *Materials Transactions*, **2004**, 45, 2165-2171 | 1.3 | 21 |
| 157 | A Comparative Study of Two Shear Deforming Processes in Texture Evolution. *Materials Transactions*, **2005**, 46, 1064-1069 | 1.3 | 1 |
| 156 | Finite element simulation of equal channel angular extrusion. *Journal of Materials Processing Technology*, **2005**, 166, 71-78 | 5.3 | 21 |
| 155 | Finite element modeling of equal channel angular pressing: Effect of material properties, friction and die geometry. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 410-411, 248-251 | 5.3 | 62 |
| 154 | Continuous dynamic recrystallization in an Al□□Mg□c alloy during equal-channel angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 396, 341-351 | 5.3 | 176 |
| 153 | The evolution of homogeneity and grain refinement during equal-channel angular pressing: A model for grain refinement in ECAP. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 398, 66-76 | 5.3 | 218 |
| 152 | Microstructural modelling of equal channel angular pressing for producing ultrafine grained materials. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 410-411, 285-289 | 5.3 | 41 |
| 151 | An investigation of the deformation process during equal-channel angular pressing of an aluminum single crystal. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 410-411, 194-200 | 5.3 | 30 |
| 150 | Computational analysis of effect of route on strain uniformity in equal channel angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2005**, 412, 287-297 | 5.3 | 30 |
| 149 | Texture evolution of five wrought magnesium alloys during route A equal channel angular extrusion: Experiments and simulations. *Acta Materialia*, **2005**, 53, 3135-3146 | 8.4 | 259 |
| 148 | Texture evolution during equal channel angular extrusion: Effect of initial texture from experiment and simulation. **2005**, 52, 1099-1104 | | 67 |
| 147 | Analysis of strain uniformity during multi-pressing in equal channel angular extrusion. **2005**, 53, 293-298 | | 20 |
| 146 | Effect of friction, backpressure and strain rate sensitivity on material flow during equal channel angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 406, 102-109 | 5.3 | 35 |
| 145 | The role of back-pressure in equal channel angular extrusion. *Journal of Materials Science*, **2005**, 40, 341-346 | 1.5 | 138 |
| 144 | Experimental Investigations of the Al 6082 Alloy Subjected to Equal-Channel Angular Pressing. *Materials Science Forum*, **2005**, 473-474, 129-134 | 0.4 | |
| 143 | Microstructure and Properties of a Low Carbon Steel after Equal Channel Angular Pressing. **2005**, 829-834 | | |
| 142 | Non-uniform microstructure and texture evolution during equal channel angular extrusion. *Philosophical Magazine*, **2005**, 85, 1359-1394 | 1.6 | 50 |
| 141 | An Upper Bound Solution Analysis of Equal Channel Angular Pressing. **2005**, 23, 109-112 | | |

| | | | |
|---|---|---|---|
| 140 | Finite element modelling and simulation of bulk material forming. **2006**, 23, 250-342 | | 6 |
| 139 | Influence of crystal orientation on ECAP of aluminum single crystals. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2006**, 420, 79-86 | 5.3 | 54 |
| 138 | Finite element investigation of equal channel angular extrusion with back pressure. *Journal of Materials Processing Technology*, **2006**, 171, 480-487 | 5.3 | 40 |
| 137 | Analysis of deformation behavior in 3D during equal channel angular extrusion. *Journal of Materials Processing Technology*, **2006**, 176, 260-267 | 5.3 | 14 |
| 136 | Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes. *Journal of Materials Processing Technology*, **2006**, 176, 251-259 | 5.3 | 41 |
| 135 | Finite element modelling of plastic instability during ECAP processing of flow-softening materials. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2006**, 430, 179-184 | 5.3 | 38 |
| 134 | Grain refinement mechanism analysis and experimental investigation of equal channel angular pressing for producing pure aluminum ultra-fine grained materials. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2006**, 437, 281-292 | 5.3 | 29 |
| 133 | Mechanics of single pass equal channel angular extrusion of powder in tubes. **2006**, 85, 185-194 | | 25 |
| 132 | Principles of equal-channel angular pressing as a processing tool for grain refinement. *Progress in Materials Science*, **2006**, 51, 881-981 | 42.2 | 3270 |
| 131 | Origin of inhomogenous behavior during equal channel angular pressing. **2006**, 54, 1865-1869 | | 48 |
| 130 | Analytical and Numerical Modelling of Strain and Strain Rate in Equal Channel Angular Pressing (ECAP). **2006**, 306-308, 965-970 | | |
| 129 | Evaluation of a Ni-20Cr Alloy Processed by Multi-Axis Forging. *Materials Science Forum*, **2006**, 503-504, 793-798 | 0.4 | 8 |
| 128 | The Positive Role of Back-Pressure in Equal Channel Angular Extrusion. *Materials Science Forum*, **2006**, 503-504, 37-44 | 0.4 | 23 |
| 127 | 3D finite element analysis on strain uniformity during ECAP process. **2007**, 23, 727-735 | | 9 |
| 126 | Finite element simulation of severe plastic deformation processes. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, **2007**, 221, 187-196 | 1.3 | 4 |
| 125 | Modeling and Experimental Observation of the Plastic Anisotropy and Damage of CP-Ti during Multi-Pass ECAE. *Materials Science Forum*, **2007**, 561-565, 1919-1922 | 0.4 | |
| 124 | Load predictions for non-isothermal ECAE by finite element analyses. **2007**, 1, 242 | | |
| 123 | Microstructure and texture gradient in copper deformed by equal channel angular pressing. *Acta Materialia*, **2007**, 55, 2013-2024 | 8.4 | 91 |

| | | | |
|---|---|---|---|
| 122 | The processing of difficult-to-work alloys by ECAP with an emphasis on magnesium alloys. *Acta Materialia*, **2007**, 55, 4769-4779 | 8.4 | 160 |
| 121 | Influences of crystallographic orientations on deformation mechanism and grain refinement of Al single crystals subjected to one-pass equal-channel angular pressing. *Acta Materialia*, **2007**, 55, 5889-5900 | 8.4 | 39 |
| 120 | Sensitivity of friction condition in finite element investigations of equal channel angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2007**, 445-446, 676-685 | 5.3 | 18 |
| 119 | Finite element analysis of plastic deformation of CP-Ti by multi-pass equal channel angular extrusion at medium hot-working temperature. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2007**, 447, 134-141 | 5.3 | 19 |
| 118 | A finite element analysis of the superplastic forming of an aluminum alloy processed by ECAP. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2007**, 456, 236-242 | 5.3 | 10 |
| 117 | Finite element analysis and optimization of equal channel angular pressing for producing ultra-fine grained materials. *Journal of Materials Processing Technology*, **2007**, 184, 209-216 | 5.3 | 43 |
| 116 | Design guideline of multi-pass equal channel angular extrusion for uniform strain distribution. *Journal of Materials Processing Technology*, **2007**, 191, 39-43 | 5.3 | 6 |
| 115 | Finite element analysis of the effect of back pressure during equal channel angular pressing. *Journal of Materials Science*, **2007**, 42, 1491-1500 | 4.3 | 20 |
| 114 | The development of hardness homogeneity in aluminum and an aluminum alloy processed by ECAP. *Journal of Materials Science*, **2007**, 42, 1542-1550 | 4.3 | 68 |
| 113 | Three-dimensional numerical analysis and experimental investigation of grain refinement in multi-pass equal channel angular pressing for round-workpieces. **2007**, 1, 187-196 | | |
| 112 | The role of the friction during the equal channel angular pressing of an IF-steel billet. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2008**, 489, 363-372 | 5.3 | 10 |
| 111 | A computational study of die geometry and processing conditions effects on equal channel angular extrusion of a polymer. **2008**, 50, 589-602 | | 34 |
| 110 | ECAP of commercially pure titanium: A review. *Transactions of the Indian Institute of Metals*, **2008**, 61, 51-62 | 1.2 | 9 |
| 109 | Investigation on the geometrical aspect of deformation during equal-channel angular pressing by in-situ physical modeling experiments. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2008**, 476, 224-229 | 5.3 | 21 |
| 108 | Evaluation of formability and planar anisotropy based on textures in aluminum alloys processed by a shear deforming process. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2008**, 477, 107-120 | 5.3 | 33 |
| 107 | An upper-bound approach for equal channel angular extrusion with circular cross-section. *Journal of Materials Processing Technology*, **2008**, 198, 48-53 | 5.3 | 18 |
| 106 | Texture evolution by shear on two planes during ECAP of a high-strength aluminum alloy. *Acta Materialia*, **2008**, 56, 3800-3809 | 8.4 | 32 |
| 105 | Numerical investigation of aluminum deformation behavior in three-dimensional continuous confined strip shearing process. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2008**, 476, 281-289 | 5.3 | 11 |

| | | | |
|---|---|---|---|
| 104 | 3D finite element simulation of deformation behavior of CP-Ti and working load during multi-pass equal channel angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2008**, 485, 409-414 | 5.3 | 21 |
| 103 | Deformation and fracture during equal channel angular pressing of AZ31 magnesium alloy. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2008**, 487, 68-73 | 5.3 | 75 |
| 102 | On microstructure and texture heterogeneities in single crystals deformed by equal channel angular extrusion. **2008**, 59, 1087-1090 | | 21 |
| 101 | Microstructure quantification and correlation with flow stress of ultrafine grained commercially pure Al fabricated by equal channel angular pressing (ECAP). *Materials Characterization*, **2008**, 59, 1312-1323 | 3.9 | 71 |
| 100 | Numerical simulation and experimental investigation of pure copper deformation behavior for equal channel angular pressing/extrusion process. *Computational Materials Science*, **2008**, 44, 247-252 | 3.2 | 18 |
| 99 | Severe plastic deformation (SPD) processes for metals. **2008**, 57, 716-735 | | 689 |
| 98 | Finite Element Analysis of Plastic Strain Distribution in Multipass ECAE Process of High Density Polyethylene. *Journal of Manufacturing Science and Engineering, Transactions of the ASME*, **2009**, 131, | 3.3 | 11 |
| 97 | Upper-bound analysis of equal channel angular extrusion using linear and rotational velocity fields. *Materials & Design*, **2009**, 30, 28-34 | | 18 |
| 96 | Upper-bound analysis of dual equal channel lateral extrusion. *Materials & Design*, **2009**, 30, 1484-1489 | | 24 |
| 95 | The evolution of damage in perfect-plastic and strain hardening materials processed by equal-channel angular pressing. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2009**, 518, 124-131 | 5.3 | 36 |
| 94 | Improvement of mechanical properties of AL (A356) cast alloy processed by ECAP with different heat treatments. **2009**, 2, 85-88 | | 17 |
| 93 | Effects of die geometry on variation of the deformation rate in equal channel angular pressing. *Metals and Materials International*, **2009**, 15, 439-445 | 2.4 | 8 |
| 92 | Modeling texture evolution in equal channel angular extrusion using crystal plasticity finite element models. *International Journal of Plasticity*, **2009**, 25, 768-779 | 7.6 | 47 |
| 91 | Texture evolution in equal-channel angular extrusion. *Progress in Materials Science*, **2009**, 54, 427-510 | 42.2 | 368 |
| 90 | A modified die for equal channel angular pressing. *Journal of Materials Processing Technology*, **2009**, 209, 3182-3186 | 5.3 | 38 |
| 89 | Effect of equal channel angular pressing (ECAP) on microstructure and properties of Al–SiCp composites. *Materials & Design*, **2009**, 30, 3554-3559 | | 86 |
| 88 | An experimental verification of the finite element modelling of equal channel angular pressing. *Computational Materials Science*, **2009**, 46, 347-351 | 3.2 | 37 |
| 87 | Three-dimensional flow characteristics of aluminum alloy in multi-pass equal channel angular pressing. *Metals and Materials International*, **2010**, 16, 413-420 | 2.4 | 9 |

| | | | |
|---|---|---|---|
| 86 | Stable and Unstable Flow in Materials Processed by Equal-Channel Angular Pressing with an Emphasis on Magnesium Alloys. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2010**, 41, 778-786 | 2.3 | 46 |
| 85 | The influence of ECAP on the small punch creep of Al□ vol.% Al4C3 composite. *Journal of Materials Science*, **2010**, 45, 5171-5176 | 4.3 | 5 |
| 84 | Crystal plasticity investigation of friction effect on texture evolution of Al single crystal during ECAP. *Journal of Materials Science*, **2010**, 45, 4711-4717 | 4.3 | 20 |
| 83 | Utilization of channel angular deformation as an alternative for direct extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2010**, 527, 2492-2497 | 5.3 | |
| 82 | Finite Element Simulation of Effects of Mould Angle and Friction on ECAP for AZ80 Magnesium Alloy. *Materials Science Forum*, **2010**, 667-669, 81-86 | 0.4 | 2 |
| 81 | Finite Element Simulation of the Effects of Mould Angle on the Equal Channel Angular Pressing for Al-Zn-Mg-Cu Alloy. *Advanced Materials Research*, **2010**, 97-101, 3075-3078 | 0.5 | 0 |
| 80 | On the selection of outlet channel length and billet length in equal channel angular extrusion. *Computational Materials Science*, **2010**, 49, 293-298 | 3.2 | 6 |
| 79 | Design for Isothermal Forging of Ti-46. 5A1-2. 5V-1. 0Cr-0.3Ni Alloy. *Journal of Iron and Steel Research International*, **2010**, 17, 67-73 | 1.2 | 6 |
| 78 | Adiabatic Shear Banding in an Al-Mg-Si Alloy Processed by Equal Channel Angular Pressing. *Materials Science Forum*, **2010**, 654-656, 1014-1017 | 0.4 | 6 |
| 77 | Simulation on extrusion process of TiAl alloy. *Intermetallics*, **2011**, 19, 169-174 | 3.5 | 9 |
| 76 | Numerical simulation, formation of microstructure and mechanical properties of nanocopper prepared by severe plastic deformation. *International Journal of Materials and Product Technology*, **2011**, 40, 36 | 1 | |
| 75 | Recent developments in plastic forming technology of titanium alloys. *Science China Technological Sciences*, **2011**, 54, 490-501 | 3.5 | 70 |
| 74 | Finite Element Analysis of the Deformation Distribution During Multi-Pass Rotary-Die ECAP. *Journal of Materials Engineering and Performance*, **2011**, 20, 1378-1384 | 1.6 | 15 |
| 73 | Hardness homogeneity on longitudinal and transverse sections of an aluminum alloy processed by ECAP. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2011**, 528, 3833-3840 | 5.3 | 64 |
| 72 | Evolution of damage in AA-5083 processed by equal channel angular extrusion using different die geometries. *Journal of Materials Processing Technology*, **2011**, 211, 48-56 | 5.3 | 29 |
| 71 | On the Conflicts in the Experimental Results Concerning the Mechanical Properties of Ultra-Fine Grained and Nanostructured Materials: Effects of Processing Routes and Experimental Conditions. *Materials Science Forum*, **2011**, 683, 3-54 | 0.4 | 4 |
| 70 | Finite Element Analysis of □Titanium during Equal Channel Angular Extrusion. *Advanced Materials Research*, **2011**, 399-401, 1702-1707 | 0.5 | |
| 69 | Metallographic Studies on Deformation Microstructures of ECAE Processed AA 2014 Aluminium Alloy. *Materials Science Forum*, **2011**, 702-703, 109-112 | 0.4 | |

| | | | |
|---|---|---|---|
| 68 | Three-Dimensional Numerical Simulation and Experimental Study of Severe Plastic Deformation of AZ31 Magnesium Alloy. *Applied Mechanics and Materials*, **2011**, 110-116, 3371-3375 | 0.3 | |
| 67 | On the Tensile Stress and Damage Accumulation during Equal Channel Angular Extrusion. *Advanced Materials Research*, **2011**, 295-297, 2283-2289 | 0.5 | 1 |
| 66 | Finite Element Analysis of the Evolution of Damage during Equal Channel Angular Pressing of a Mg□Al□Zn Alloy. *Advanced Materials Research*, **2012**, 482-484, 2418-2423 | 0.5 | |
| 65 | Analysis of Large-Strain Extrusion Machining with Different Chip Compression Ratios. *Journal of Nanomaterials*, **2012**, 2012, 1-12 | 3.2 | 12 |
| 64 | The development of hardness homogeneity in a Cu□r alloy processed by equal-channel angular pressing. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2012**, 556, 526-532 | 5.3 | 35 |
| 63 | Fabricating Ultrafine-Grained Materials through the Application of Severe Plastic Deformation: a Review of Developments in Brazil. *Journal of Materials Research and Technology*, **2012**, 1, 55-62 | 5.5 | 27 |
| 62 | Prediction of Surface Fracture of 6061 Al Processed by Equal-Channel Angular Pressing. *Applied Mechanics and Materials*, **2012**, 217-219, 2373-2378 | 0.3 | |
| 61 | Finite Element Analysis of Die Geometry and Process Conditions Effects on Equal Channel Angular Extrusion for □Titanium Alloy. *Journal of Iron and Steel Research International*, **2012**, 19, 54-58 | 1.2 | 10 |
| 60 | Effects of confining pressure on flaw formation during the consolidation of ductile powders by angular extrusion. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2012**, 536, 24-32 | 5.3 | 4 |
| 59 | Modelling of equal channel angular pressing using a mesh-free method. *Journal of Materials Science* , **2012**, 47, 4514-4519 | 4.3 | 8 |
| 58 | Structural and hardness inhomogeneities in Mg□Al□Zn alloys processed by high-pressure torsion. *Journal of Materials Science*, **2013**, 48, 4661-4670 | 4.3 | 32 |
| 57 | Equal-channel angular extrusion of polymers. *Journal of Polymer Research*, **2013**, 20, 1 | 2.7 | 18 |
| 56 | Development of Processing Using Equal-Channel Angular Pressing. **2013**, 191-214 | | |
| 55 | Three-dimensional analysis of plastic flow during high-pressure torsion. *Journal of Materials Science* , **2013**, 48, 4524-4532 | 4.3 | 26 |
| 54 | A comparison between equal channel angular pressing and asymmetric rolling of silver in the severe plastic deformation regime. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2013**, 559, 742-750 | 5.3 | 18 |
| 53 | Homogeneity in Ultrafine-Grained Aluminum Prepared by Equal-Channel Angular Pressing. **2013**, 161-172 | | |
| 52 | New approaches to optimize strain behavior of Al6082 during equal channel angular pressing. *Journal of Strain Analysis for Engineering Design*, **2013**, 48, 395-404 | 1.3 | 9 |
| 51 | Effect of copper tube casing on strain distribution and mechanical properties of Al-7075 alloy processed by equal channel angular pressing. *Journal of Strain Analysis for Engineering Design*, **2013**, 48, 512-521 | 1.3 | 30 |

| | | | |
|---|---|---|---|
| 50 | An insight into the deformation and orientation development of severely plastic deformed aluminum. **2013**, | | |
| 49 | Fundamental Parameters and Experimental Factors in ECAP. **2013**, 215-238 | | 1 |
| 48 | Analysis of Plastic Deformation Behavior during Equal Channel Angular Pressing. **2013**, 99-117 | | |
| 47 | Evaluating the Induced Strain during Equal Channel Angular Processing. **2013**, 119-133 | | 1 |
| 46 | Investigation of a new route for equal channel angular pressing process using three-dimensional finite element method. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, **2014**, 228, 765-774 | 2.4 | 6 |
| 45 | Equal Channel Angular Extrusion of TB2 Alloy under Different Die Designs by Finite Element Method. *Rare Metal Materials and Engineering*, **2014**, 43, 1577-1581 | | 3 |
| 44 | Evaluating a New Core-Sheath Procedure for Processing Hard Metals by Equal-Channel Angular Pressing. *Advanced Engineering Materials*, **2014**, 16, 918-926 | 3.5 | 6 |
| 43 | The evolution of hardness homogeneity in commercially pure Ti processed by ECAP. *Journal Wuhan University of Technology, Materials Science Edition*, **2014**, 29, 578-584 | 1 | 6 |
| 42 | Development of Ultrafine-Grained Metals by Equal-Channel Angular Pressing. **2014**, 187-209 | | 6 |
| 41 | Experimental investigation on the performance of an improved equal channel angular pressing die. *IOP Conference Series: Materials Science and Engineering*, **2014**, 63, 012011 | 0.4 | 3 |
| 40 | Equal Channel Angular Extrusion Simulation of High-Nb Containing□TiAl Alloys. *Advances in Materials Science and Engineering*, **2015**, 2015, 1-7 | 1.5 | 1 |
| 39 | Optimized Design of an ECAP Die Using the Finite Element Method for Obtaining Nanostructured Materials. *Advances in Materials Science and Engineering*, **2015**, 2015, 1-8 | 1.5 | 5 |
| 38 | Tuning the Mechanical Properties of High-Density Polyethylene by ECAE Process. **2015**, | | |
| 37 | Estimation of the mechanical properties of aluminium and an aluminium composite after equal channel angular pressing by means of the small punch test. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2015**, 626, 313-321 | 5.3 | 27 |
| 36 | Evaluating the Room Temperature ECAP Processing of a NiTi Alloy via Simulation and Experiments. *Advanced Engineering Materials*, **2015**, 17, 532-538 | 3.5 | 7 |
| 35 | Microstructural approach to equal channel angular processing of commercially pure titanium□A review. *Transactions of Nonferrous Metals Society of China*, **2015**, 25, 1353-1366 | 3.3 | 31 |
| 34 | Segmentation of copper alloys processed by equal-channel angular pressing. *Transactions of Nonferrous Metals Society of China*, **2015**, 25, 2571-2580 | 3.3 | 7 |
| 33 | Modeling and optimization of equivalent plastic strain in equal-channel angular rolling using response surface methodology. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, **2015**, 229, 1963-1975 | 2.4 | 5 |

| | | | |
|---|---|---|---|
| 32 | Numerical Estimation of Frictional Effects in Equal Channel Angular Extrusion. *Materials Transactions*, **2016**, 57, 1399-1403 | 1.3 | 3 |
| 31 | Study of a modified ECAP die for producing nanostructured Al6060 alloy using 3D finite element simulation. *Materials Research Society Symposia Proceedings*, **2016**, 1818, 1 | | |
| 30 | Effect of Equal Channel Angular Pressing on the Microstructure and Mechanical Properties of Al6061-SiCpComposites. *IOP Conference Series: Materials Science and Engineering*, **2016**, 149, 012119 | 0.4 | 3 |
| 29 | Study on structure homogeneity of plate sample with large dimension during equal channel angular pressing (ECAP). *Journal of Materials Research*, **2016**, 31, 3420-3427 | 2.5 | 6 |
| 28 | Simulation of the Elastoplastic Behavior of Grade-4 Ti in the ECAP-C Process. *Metal Science and Heat Treatment*, **2016**, 58, 236-244 | 0.6 | 2 |
| 27 | Microstructure and mechanical properties of carbon nanotubes reinforced aluminum matrix composites synthesized via equal-channel angular pressing. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2016**, 670, 205-216 | 5.3 | 45 |
| 26 | Estimation of Average Strain Rate during Equal-Channel Angular Pressing. *Materials Science Forum*, **2016**, 850, 419-425 | 0.4 | 1 |
| 25 | Tube Reversing and Extrusion (TRE) as a Novel Method for Producing UFG Thin Tubes. *Transactions of the Indian Institute of Metals*, **2017**, 70, 979-988 | 1.2 | 2 |
| 24 | Finite Element Simulation of Pure Aluminum Processed by ECAP Using New Die Design. *Materials Today: Proceedings*, **2017**, 4, 2544-2553 | 1.4 | 4 |
| 23 | An experimental investigation of casing effect on mechanical properties of billet in ECAP process. *International Journal of Advanced Manufacturing Technology*, **2017**, 90, 3203-3216 | 3.2 | 11 |
| 22 | Computation on continuous grain refinement in AA1050 aluminum during repetitive tube expansion and shrinking technique. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, **2018**, 232, 307-318 | 1.3 | |
| 21 | Analytical and numerical approaches to modelling severe plastic deformation. *Progress in Materials Science*, **2018**, 95, 172-242 | 42.2 | 81 |
| 20 | Effect of ECAP process on the Microstructure and Mechanical Properties of Al6061-Gr Composites. *Materials Today: Proceedings*, **2018**, 5, 2453-2461 | 1.4 | 6 |
| 19 | Tube Twist Pressing (TTP) as a New Severe Plastic Deformation Method. *Transactions of the Indian Institute of Metals*, **2018**, 71, 639-648 | 1.2 | 4 |
| 18 | Effective Damage Indicator for Aluminum Alloy (AA6082Zr) Processed by ECAE. *Journal of Manufacturing Science and Engineering, Transactions of the ASME*, **2018**, 140, | 3.3 | 6 |
| 17 | Severe Plastic Deformation Methods for Bulk Samples. **2018**, 37-112 | | 7 |
| 16 | Strain Localization during Equal-Channel Angular Pressing Analyzed by Finite Element Simulations. *Metals*, **2018**, 8, 55 | 2.3 | 10 |
| 15 | Investigation of the grinding temperature and energy partition during cylindrical grinding. *International Journal of Advanced Manufacturing Technology*, **2018**, 97, 1767-1778 | 3.2 | 11 |

| | | | |
|---|---|---|---|
| 14 | Microstructure and mechanical properties of ultrafine-grained titanium processed by multi-pass ECAP at room temperature using core–sheath method. *Journal of Materials Research*, **2018**, 33, 3809-3817 | 2.5 | 2 |
| 13 | Filtration and heat processes in lateral extrusion of plastically compressible materials. *Journal of Physics: Conference Series*, **2019**, 1203, 012022 | 0.3 | |
| 12 | Deformation Heterogeneities in Equal Channel Angular Pressing. *Materials Transactions*, **2019**, 60, 1331-1343 | 1.3 | 10 |
| 11 | Microhardness evolution of pure titanium deformed by equal channel angular extrusion. *Metallurgical Research and Technology*, **2019**, 116, 408 | 0.9 | 13 |
| 10 | Study of the microstructure and texture heterogeneities of Fe–28wt%Ni alloy severely deformed by equal channel angular pressing. *Journal of Materials Science*, **2019**, 54, 4354-4365 | 4.3 | 3 |
| 9 | Microstructure and tensile anisotropy of pure Ti processed by up-scaled RD-ECAP. *Materials Characterization*, **2020**, 168, 110513 | 3.9 | 4 |
| 8 | Evolution of microstructural deformation mechanisms under equal-channel angular extrusion loading conditions: a molecular dynamics case study of single crystal titanium. *Philosophical Magazine*, **2021**, 101, 435-449 | 1.6 | 0 |
| 7 | Equal channel angular processing: modern deforming technique for quality products. **2021**, 381-423 | | |
| 6 | Numerical Investigation of Plastic Deformation in Two-turn Equal Channel Angular Extrusion. *Engineering, Technology & Applied Science Research*, **2014**, 4, 728-733 | 1 | 1 |
| 5 | Finite Element Analysis of Deformation Behavior During ECAP for an Aluminum Alloy Composite Model containing a SiC Particle and Porosities. *Transactions of the Korean Society of Mechanical Engineers, A*, **2004**, 28, 739-746 | 1 | |
| 4 | Numerical Simulation of Channel Angles and Their Combination Influence on Plastic Deformation Behaviour of Pure Al Processed by Equal Channel Angular Pressing. *Lecture Notes on Multidisciplinary Industrial Engineering*, **2020**, 451-458 | 0.3 | |
| 3 | Design and analysis of equal-channel angular pressing of Al6061: a comparative study. 1-10 | | 0 |
| 2 | Cold angular rolling process as a continuous severe plastic deformation technique. **2023**, 58, 4621-4636 | | 0 |
| 1 | Cyclic severe plastic deformation processes. **2023**, | | 0 |