## CITATION REPORT List of articles citing

The prevalence and bothersomeness of lower urinary tract symptoms in women 4060 years of age

DOI: 10.1034/j.1600-0412.2000.079004298.x Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 298-305.

**Source:** https://exaly.com/paper-pdf/31386069/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
24	Urinary incontinence in working women: a comparison study. <i>Journal of Womens</i> Health, <b>2002</b> , 11, 879-	88	22
23	The contribution of hysterectomy to the occurrence of urge and stress urinary incontinence symptoms. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2002</b> , 109, 149-154	3.7	11
22	Symptoms, bother and POPQ in women referred with pelvic organ prolapse. <i>International Urogynecology Journal</i> , <b>2003</b> , 14, 122-7	2	121
21	Sacrospinous hysteropexy compared to vaginal hysterectomy as primary surgical treatment for a descensus uteri: effects on urinary symptoms. <i>International Urogynecology Journal</i> , <b>2003</b> , 14, 350-5; discussion 355	2	84
20	Measuring health-related quality of life in women with urogenital dysfunction: the urogenital distress inventory and incontinence impact questionnaire revisited. <i>Neurourology and Urodynamics</i> , <b>2003</b> , 22, 97-104	2.3	174
19	An investigation into nonresponse bias in a postal survey on urinary symptoms. <i>BJU International</i> , <b>2003</b> , 91, 631-6	5.6	32
18	Prevalence of and risk factors for nocturia: Analysis of a health screening program. <i>International Journal of Urology</i> , <b>2004</b> , 11, 282-7	2.3	112
17	Relationship between nigrostriatal dopaminergic degeneration, urinary symptoms, and bladder control in Parkinsond disease. <i>European Journal of Neurology</i> , <b>2005</b> , 12, 842-50	6	70
16	Questionnaire survey on female urinary frequency and incontinence. <i>International Journal of Urology</i> , <b>2005</b> , 12, 621-30	2.3	5
15	Estimating the prevalence of urinary and faecal incontinence in Australia: systematic review. <i>Australasian Journal on Ageing</i> , <b>2005</b> , 24, 19-27	1.5	31
14	Lower urinary tract symptoms in middle-aged womenprevalence and attitude towards mild urinary incontinence: a community-based population study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2005</b> , 84, 1108-12	3.8	14
13	Quality of life of women with urinary incontinence: cross-cultural performance of 15 language versions of the I-QOL. <i>Quality of Life Research</i> , <b>2005</b> , 14, 1901-13	3.7	79
12	What is the effect of overactive bladder symptoms on womand quality of life during and after first pregnancy?. <i>BJU International</i> , <b>2006</b> , 97, 296-300	5.6	34
11	Bothersome lower urinary tract symptoms 1 year after first delivery: prevalence and the effect of childbirth. <i>BJU International</i> , <b>2006</b> , 98, 89-95	5.6	41
10	Sexual activity and lower urinary tract symptoms. <i>International Urogynecology Journal</i> , <b>2006</b> , 17, 18-21	2	10
9	Impact of stress urinary incontinence and overactive bladder on micturition patterns and health-related quality of life. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 65-71	2	14
8	The effect of vaginal and cesarean delivery on lower urinary tract symptoms: what makes the difference?. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 133-9	2	79

## CITATION REPORT

7	Prevalence of lower urinary tract symptoms among female elementary school teachers in Taipei. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 1151-61	2	10
6	Prevalence of urinary incontinence in Korean women:an epidemiologic survey. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 1309-15	2	31
5	Incontinence urinaire et mBopause: donnBs BidEniologiques. <i>Pelvi-perineologie</i> , <b>2007</b> , 2, 149-155		3
4	Medical management of stress urinary incontinence: is there a future?. <i>Current Urology Reports</i> , <b>2009</b> , 10, 401-7	2.9	9
3	Evaluation of bioelectrical activity of pelvic floor muscles and synergistic muscles depending on orientation of pelvis in menopausal women with symptoms of stress urinary incontinence: a preliminary observational study. <i>BioMed Research International</i> , <b>2014</b> , 2014, 274938	3	22
2	Group training for overactive bladder in female patients: a clinical, randomized, non-blinded study. <i>International Journal of Urological Nursing</i> , <b>2016</b> , 10, 88-96	0.8	
1	Natural history of urinary incontinence from first childbirth to 30-months postpartum. <i>Archives of Gynecology and Obstetrics</i> , <b>2021</b> , 304, 713-724	2.5	1