CITATION REPORT List of articles citing

Validation of immunoassays for bioanalysis: a pharmaceutical industry perspective

DOI: 10.1016/s0731-7085(99)00244-7 Journal of Pharmaceutical and Biomedical Analysis, 2000, 21, 1249-73.

Source: https://exaly.com/paper-pdf/31413319/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
486	Bioanalytical method validationa revisit with a decade of progress. 2000 , 17, 1551-7		1223
485	Applications and Recent Developments in the use of Antibodies for Analysis. 2000 , 33, 2563-2609		37
484	Bioanalytical methods validation: A critique of the proposed FDA guidance. 2000 , 52, S65-S69		17
483	Development of an enzyme immunoassay for a stable amidated analog of the hemoregulatory peptide acetyl-Ser-Asp-Lys-Pro. <i>Journal of Immunoassay and Immunochemistry</i> , 2001 , 22, 15-31	1.8	5
482	Characterization of immunoreactive acetyl-Ser-Asp-Lys-Pro in human plasma and urine by liquid chromatography-electrospray mass spectrometry. 2001 , 752, 69-75		7
481	A sensitive chemiluminescent enzyme immunoassay for the bioanalysis of carboxyl-terminal B-chain analogues of human insulin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2001 , 26, 53-61	3.5	17
480	Transformations in pharmaceutical research and development, driven by innovations in multidimensional mass spectrometry-based technologies. 2001 , 212, 135-196		37
479	Workshop on bioanalytical methods validation for macromolecules: summary report. 2001 , 18, 1373-83		82
478	Integration of pharmacokinetic and pharmacodynamic studies in the discovery, development, and review of protein therapeutic agents: a conference report. 2001 , 69, 387-99		28
477	Identification of human serum interferants in the recombinant P-selectin glycoprotein ligand-1 clinical ELISA using MALDI MS and RP-HPLC. <i>Journal of Immunological Methods</i> , 2001 , 255, 41-56	2.5	3
476	Production and Characterization of Murine Single Chain Fv Antibodies to Aflatoxin B 1 Derived From a Pre-immunized Antibody Phage Display Library System. 2002 , 14, 255-274		39
475	Adaptation of commercial immunoassays to analysis of complex biological substances. <i>Journal of Immunoassay and Immunochemistry</i> , 2002 , 23, 1-32	1.8	4
474	Determination of Cry9C Protein in Processed Foods Made with StarLink[Corn. 2002 , 85, 1070-1076		10
473	Delivery of high-quality biomarker assays. 2002 , 18, 47-56		32
472	ZeptosensRprotein microarrays: a novel high performance microarray platform for low abundance protein analysis. 2002 , 2, 383-93		226
471	Ligand binding assays and anti-drug antibodies, analytical approaches and validation issues. 2002 , 55, S101-S106		
470	Development and validation of a highly sensitive RIA for zoledronic acid, a new potent heterocyclic bisphosphonate, in human serum, plasma and urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 30, 897-911	3.5	32

(2004-2003)

469	Biomarkers in drug discovery and development: from target identification through drug marketing. 2003 , 43, 329-41		110	
468	Recommendations for the bioanalytical method validation of ligand-binding assays to support pharmacokinetic assessments of macromolecules. 2003 , 20, 1885-900		461	
467	Immunological assays for chemokine detection in in-vitro culture of CNS cells. 2003 , 5, 90-102		27	
466	Folate determination in Swedish berries by radioprotein-binding assay (RPBA) and high performance liquid chromatography (HPLC). 2003 , 216, 264-269		22	
465	Evaluation of a botulinum fragment C-based ELISA for measuring the humoral immune response in primates. <i>Biologicals</i> , 2003 , 31, 17-24	1.8	15	
464	Criteria for selection and application of molecular markers for clinical studies of osteoarthritis. 2003 , 11, 153-8		7	
463	Improved solid-phase microextraction device for use in on-line immunoaffinity capillary electrophoresis. 2003 , 24, 3718-27		90	
462	Characterization of pharmaceutical drugs by a modified nonaqueous capillary electrophoresismass spectrometry method. 2003 , 24, 139-50		41	
461	Fisher Lecture: the 2002 R. A. Fisher lecture: dedicated to the memory of Shanti S. Gupta. Variances are not always nuisance parameters. 2003 , 59, 211-20		55	
460	Biomarkers, validation and pharmacokinetic-pharmacodynamic modelling. 2003 , 42, 997-1022		58	
459	Validation of the BIACORE 3000 platform for detection of antibodies against erythropoietic agents in human serum samples. 2003 , 19, 651-9		52	
458	Validating the performance of biological detection equipment: the role of the federal government. 2003 , 1, 131-7		9	
457	Development of ELISA and Sensor-based Assays for the Detection of Ethynyl Estradiol in Bile. 2003 , 15, 55-64		8	
456	A sensitive, robust high-throughput electrochemiluminescence assay for rat insulin. 2004 , 9, 62-70		18	
455	Preparation of antibodies and development of enzyme-linked immunosorbent assay for nonylphenol. 2004 , 84, 965-978		11	
454	The development and application of a surface plasmon resonance-based inhibition immunoassay for the determination of warfarin in plasma ultrafiltrate. <i>Journal of Immunological Methods</i> , 2004 , 291, 11-25	2.5	39	
453	Recommendations for the design and optimization of immunoassays used in the detection of host antibodies against biotechnology products. <i>Journal of Immunological Methods</i> , 2004 , 289, 1-16	2.5	509	
452	Development and validation of ELISA for herceptin detection in human serum. <i>Journal of Immunological Methods</i> , 2004 , 295, 169-82	2.5	48	

451	Double-chip protein arrays: force-based multiplex sandwich immunoassays with increased specificity. 2004 , 379, 974-81		18
450	Multivariate analysis to separate the signal given by cross-reactants in immunoassay with sample matrix dilution. 2004 , 380, 898-907		6
449	Development and validation of fluorescent receptor assays based on the human recombinant estrogen receptor subtypes alpha and beta. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 34, 671-9	3.5	10
448	Prevalidation in pharmaceutical analysis. Part I. Fundamentals and critical discussion. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 35, 489-512	3.5	21
447	Bioanalytical method validation: a risk-based approach?. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 35, 887-93	3.5	28
446	Harmonization of strategies for the validation of quantitative analytical procedures. A SFSTP proposalPart I. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 579-86	3.5	40
445	A flow-through enzyme immunoassay for the screening of fumonisins in maize. 2004 , 523, 229-235		47
444	Stratgie de validation de mEhodes de dosage en bioanalyse en vue dRudes pharmacocinEiques et toxicologiques. 2004 , 16, 118-127		5
443	Harmonization of strategies for the validation of quantitative analytical procedures: A SFSTP proposal part I. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 579-586	3.5	317
442	ADAMTS13 autoantibodies in patients with thrombotic microangiopathies and other immunomediated diseases. 2005 , 106, 1262-7		229
442			229
	immunomediated diseases. 2005 , 106, 1262-7	3.5	
441	immunomediated diseases. 2005, 106, 1262-7 Analytical Techniques for Biopharmaceutical Development IELISA. 2005, 279-304 Development, validation, and implementation of a multiplex immunoassay for the simultaneous determination of five cytokines in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> ,	3.5	1
441 440	immunomediated diseases. 2005, 106, 1262-7 Analytical Techniques for Biopharmaceutical Development ŒLISA. 2005, 279-304 Development, validation, and implementation of a multiplex immunoassay for the simultaneous determination of five cytokines in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005, 36, 1037-44 A one-step, competitive electrochemiluminescence-based immunoassay method for the quantification of a fully human anti-TNFalpha antibody in human serum. <i>Journal of Pharmaceutical</i>		1 109
441 440 439	Analytical Techniques for Biopharmaceutical Development ŒLISA. 2005, 279-304 Development, validation, and implementation of a multiplex immunoassay for the simultaneous determination of five cytokines in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005, 36, 1037-44 A one-step, competitive electrochemiluminescence-based immunoassay method for the quantification of a fully human anti-TNFalpha antibody in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005, 38, 703-8 Development and validation of a radioreceptor assay for the determination of morphine and its	3.5	1 109 12
441 440 439 438	Analytical Techniques for Biopharmaceutical Development IELISA. 2005, 279-304 Development, validation, and implementation of a multiplex immunoassay for the simultaneous determination of five cytokines in human serum. Journal of Pharmaceutical and Biomedical Analysis, 2005, 36, 1037-44 A one-step, competitive electrochemiluminescence-based immunoassay method for the quantification of a fully human anti-TNFalpha antibody in human serum. Journal of Pharmaceutical and Biomedical Analysis, 2005, 38, 703-8 Development and validation of a radioreceptor assay for the determination of morphine and its active metabolites in serum. Journal of Pharmaceutical and Biomedical Analysis, 2005, 39, 964-71	3.5	1 109 12
441 440 439 438 437	Analytical Techniques for Biopharmaceutical Development IELISA. 2005, 279-304 Development, validation, and implementation of a multiplex immunoassay for the simultaneous determination of five cytokines in human serum. Journal of Pharmaceutical and Biomedical Analysis, 2005, 36, 1037-44 A one-step, competitive electrochemiluminescence-based immunoassay method for the quantification of a fully human anti-TNFalpha antibody in human serum. Journal of Pharmaceutical and Biomedical Analysis, 2005, 38, 703-8 Development and validation of a radioreceptor assay for the determination of morphine and its active metabolites in serum. Journal of Pharmaceutical and Biomedical Analysis, 2005, 39, 964-71 Validation of qualitative methods of analysis that use control samples. 2005, 24, 516-524 Children with stable asthma have reduced airway matrix metalloproteinase-9 and matrix	3.5	1 109 12 10

(2006-2005)

433	development: a conference report. 2005 , 22, 499-511		159
432	Development of a surface plasmon resonance-based immunoassay for Listeria monocytogenes. 2005 , 68, 728-35		38
431	Hydrogel-immobilized antibodies for microfluidic immunoassays: hydrogel immunoassay. <i>Methods in Molecular Biology</i> , 2006 , 321, 83-95	1.4	4
430	Rapid polyelectrolyte-based membrane immunoassay for the herbicide butachlor. <i>Journal of Immunoassay and Immunochemistry</i> , 2005 , 26, 231-44	1.8	1
429	Chapter 9 Immunoassay: potentials and limitations. 2005 , 375-427		2
428	Surface Plasmon Resonance-Based Immunoassay for the Detection of Aflatoxin B1 Using Single-Chain Antibody Fragments. 2005 , 38, 229-245		41
427	Quantitative evaluation of renal function in healthy Beagle puppies and mature dogs. 2005 , 79, 161-7		29
426	Microfluidic Techniques. 2005,		2
425	A rapid and efficient method for generating anti-variable region monoclonal antibodies using type-1 interferons as immune modulators. 2006 , 15, 61-69		2
424	Rapid Analysis of Coumarins Using Surface Plasmon Resonance. 2006 , 89, 884-892		13
424	Rapid Analysis of Coumarins Using Surface Plasmon Resonance. 2006 , 89, 884-892 LRapport du laboratoire dans les essais cliniques vaccinaux. 2006 , 2006, 47-52		13
		11.8	
423	LRapport du laboratoire dans les essais cliniques vaccinaux. 2006 , 2006, 47-52 Evaluation of progesterone content in saliva using magnetic particle-based immuno supported		
423	LRapport du laboratoire dans les essais cliniques vaccinaux. 2006 , 2006, 47-52 Evaluation of progesterone content in saliva using magnetic particle-based immuno supported liquid membrane assay (m-ISLMA). <i>Biosensors and Bioelectronics</i> , 2006 , 22, 241-6 Novel use of accelerator mass spectrometry for the quantification of low levels of systemic		25
423 422 421	LRapport du laboratoire dans les essais cliniques vaccinaux. 2006, 2006, 47-52 Evaluation of progesterone content in saliva using magnetic particle-based immuno supported liquid membrane assay (m-ISLMA). Biosensors and Bioelectronics, 2006, 22, 241-6 Novel use of accelerator mass spectrometry for the quantification of low levels of systemic therapeutic recombinant protein. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 1299-302 Qualification and application of a surface plasmon resonance-based assay for monitoring potential HAHA responses induced after passive administration of a humanized anti Lewis-Y antibody.	3.5	25 18
423 422 421 420	LRapport du laboratoire dans les essais cliniques vaccinaux. 2006, 2006, 47-52 Evaluation of progesterone content in saliva using magnetic particle-based immuno supported liquid membrane assay (m-ISLMA). Biosensors and Bioelectronics, 2006, 22, 241-6 Novel use of accelerator mass spectrometry for the quantification of low levels of systemic therapeutic recombinant protein. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 1299-302 Qualification and application of a surface plasmon resonance-based assay for monitoring potential HAHA responses induced after passive administration of a humanized anti Lewis-Y antibody. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 1347-53 Quantification of recombinant human parathyroid hormone (rhPTH(1-84)) in human plasma by immunoassay: commercial kit evaluation and validation to support pharmacokinetic studies. Journal	3.5	25 18 22
423 422 421 420 419	Evaluation of progesterone content in saliva using magnetic particle-based immuno supported liquid membrane assay (m-ISLMA). Biosensors and Bioelectronics, 2006, 22, 241-6 Novel use of accelerator mass spectrometry for the quantification of low levels of systemic therapeutic recombinant protein. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 1299-302 Qualification and application of a surface plasmon resonance-based assay for monitoring potential HAHA responses induced after passive administration of a humanized anti Lewis-Y antibody. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 1347-53 Quantification of recombinant human parathyroid hormone (rhPTH(1-84)) in human plasma by immunoassay: commercial kit evaluation and validation to support pharmacokinetic studies. Journal of Pharmaceutical and Biomedical Analysis, 2006, 42, 261-71 Quantification of uric acid, xanthine and hypoxanthine in human serum by HPLC for	3.5	25 18 22

415	Validation of ELISA for the determination of anti-ricin immunoglobulin G concentration in mouse sera. <i>Biologicals</i> , 2006 , 34, 33-41	1.8	13
414	The use of rabbit polyclonal antibodies to assess neoantigenicity following viral reduction of an alpha-1-proteinase inhibitor preparation. <i>Biologicals</i> , 2006 , 34, 199-207	1.8	1
413	Protein microarray platform for the multiplex analysis of biomarkers in human sera. <i>Journal of Immunological Methods</i> , 2006 , 316, 1-7	2.5	28
412	Development and validation of a sensitive ELISA for quantitation of Grastim (rhG-CSF) in rat plasma: Application to a pharmacokinetic study. 2006 , 20, 945-50		3
411	The optimization and validation of the glycoprotein ELISA assay for quantitative varicella-zoster virus (VZV) antibody detection. 2006 , 78, 1679-87		47
410	Urinary desmosine as a biomarker in acute lung injury. 2006 , 11, 85-96		14
409	Enzyme-linked immunosorbent assay for measuring antibodies to pneumococcal polysaccharides for the PNEUMOVAX 23 vaccine: assay operating characteristics and correlation to the WHO international assay. 2006 , 13, 905-12		25
408	Matrix effect and cross-reactivity of select amphetamine-type substances, designer analogues, and putrefactive amines using the Bio-Quant direct ELISA presumptive assays for amphetamine and methamphetamine. 2007 , 31, 208-13		40
407	Bioanalytical Method Validation for Macromolecules. 611-632		1
406	Key elements of bioanalytical method validation for macromolecules. 2007 , 9, E156-63		106
405	Specificity and selectivity evaluations of ligand binding assay of protein therapeutics against concomitant drugs and related endogenous proteins. 2007 , 9, E164-70		35
404	Intralaboratory Validation of Cell-Free Translation Assay for Detecting Ricin Toxin Biological Activity. 2007 , 90, 1316-1325		14
403	A rapid method for generating and characterizing anti-variable region monoclonal antibodies. 2007 , 15, 155-162		
402	Analytical Considerations for Immunoassays for Macromolecules. 573-584		1
401	Risk management for analytical methods based on the total error concept: Conciliating the objectives of the pre-study and in-study validation phases. 2007 , 86, 198-207		28
400	Analysis of recent pharmaceutical regulatory documents on analytical method validation. 2007 , 1158, 111-25		201
399	Harmonization of strategies for the validation of quantitative analytical procedures. A SFSTP proposalpart II. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 70-81	3.5	265

(2008-2007)

397	Quantification of urinary chorionic gonadotropin in spontaneous abortion of pre-clinically recognized pregnancy: method development and analytical validation. 2007 , 210, 419-27		7
396	Species and epitope specificity of two 65 kDa glutamate decarboxylase time-resolved fluorometric immunoassays. <i>Journal of Immunological Methods</i> , 2007 , 319, 133-43	2.5	23
395	Evaluation of a peptide ELISA for the detection of rituximab in serum. <i>Journal of Immunological Methods</i> , 2007 , 325, 127-39	2.5	56
394	Confirmatory reanalysis of incurred bioanalytical samples. 2007 , 9, E336-43		119
393	Critical ligand binding reagent preparation/selection: when specificity depends on reagents. 2007 , 9, E148-55		49
392	Appropriate calibration curve fitting in ligand binding assays. 2007 , 9, E260-7		250
391	A total error approach for the validation of quantitative analytical methods. 2007, 24, 1157-64		43
390	Results and harmonization guidelines from two large-scale international Elispot proficiency panels conducted by the Cancer Vaccine Consortium (CVC/SVI). 2008 , 57, 303-15		172
389	A novel method for monitoring monoclonal antibody production during cell culture. 2008 , 100, 448-57		13
388	Effectiveness of saliva collection and enzyme-immunoassay for the quantification of cortisol in socially housed baboons. 2008 , 70, 1145-51		23
387	Suspension microarrays for the identification of the response patterns in hyperinflammatory diseases. 2008 , 30, 976-83		32
386	Recommendations for the validation of immunoassays used for detection of host antibodies against biotechnology products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1267-81	3.5	434
385	Insights in the application of research-grade diagnostic kits for biomarker assessments in support of clinical drug development: bioanalysis of circulating concentrations of soluble receptor activator of nuclear factor kappaB ligand. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1282-9	3.5	22
384	Risk-based approach for the transfer of quantitative methods: bioanalytical applications. 2008 , 1189, 32-41		14
383	Specificity and accuracy data for ligand-binding assays for macromolecules should be interpreted with caution. 2008 , 10, 433-4		10
382	Biomarker method validation in anticancer drug development. 2008 , 153, 646-56		101
381	Precision and linearity targets for validation of an IFNgamma ELISPOT, cytokine flow cytometry, and tetramer assay using CMV peptides. 2008 , 9, 9		54
380	Validation of a HLA-A2 tetramer flow cytometric method, IFNgamma real time RT-PCR, and IFNgamma ELISPOT for detection of immunologic response to gp100 and MelanA/MART-1 in melanoma patients. 2008 , 6, 61		21

379	Validation of a flow cytometry based chemokine internalization assay for use in evaluating the pharmacodynamic response to a receptor antagonist. 2008 , 6, 76	14
378	Canine heterophilic antibodies as a source of false-positive B-type natriuretic peptide sandwich ELISA results. 2008 , 37, 86-95	14
377	Development and validation of an ELISA method for detection of growth arrest specific 6 (GAS6) protein in human plasma. <i>Journal of Immunoassay and Immunochemistry</i> , 2008 , 29, 167-80	28
376	Validation of analytic methods for biomarkers used in drug development. 2008 , 14, 5967-76	174
375	Simultaneous measurement of plasma concentrations of proinsulin and C-peptide and their ratio with a trefoil-type time-resolved fluorescence immunoassay. 2008 , 54, 1990-8	22
374	An international comparability study to determine the sources of uncertainty associated with a non-competitive sandwich fluorescent ELISA. 2008 , 46, 1033-45	26
373	Validation of a novel ELISA for measurement of electronegative low-density lipoprotein. 2008, 46, 1769-75	29
372	Complexities of clinical assay development and optimization prior to first-in-man immunization trials - a description of immunogenicity assay development for the testing of samples from a phase 1.8 Alzheimer vaccine trial. <i>Journal of Immunoassay and Immunochemistry</i> , 2008 , 29, 332-47	10
371	Peptide impurities in commercial synthetic peptides and their implications for vaccine trial assessment. 2008 , 15, 267-76	22
370	Development of Validated Neutralization Bioassays. 209-237	1
369	Measurement and monitoring of the production of proteins during cell culture using plasmonic structures. 2008 ,	
368	. 2008,	5
367	. 2009,	8
366	Development of enzyme-linked immunosorbent assays for Sudan dyes in chilli powder, ketchup and egg yolk. 2009 , 26, 800-7	28
365	Optimization and validation of a multiplex, electrochemiluminescence-based detection assay for the quantitation of immunoglobulin G serotype-specific antipneumococcal antibodies in human serum. 2009 , 16, 387-96	65
364	Measurement and quality control issues in multiplex protein assays: a case study. 2009 , 55, 1092-9	52
363	Methodologic issues in the validation of putative biomarkers and surrogate endpoints in treatment evaluation for systemic lupus erythematosus. 2009 , 9, 108-12	9
362	Development and technical and clinical validation of a quantitative enzyme-linked immunosorbent assay for the detection of human antibodies to hepatitis B surface antigen in recipients of	30

361	Validation and comparison of two multiplex technologies, Luminex and Mesoscale Discovery, for human cytokine profiling. <i>Journal of Immunological Methods</i> , 2009 , 340, 55-64	2.5	199
360	床it-for-purposeRvalidation of SearchLight multiplex ELISAs of angiogenesis for clinical trial use. <i>Journal of Immunological Methods</i> , 2009 , 342, 106-14	2.5	32
359	Homogeneous immunoassay based on gold nanoparticles and visible absorption detection. 2009 , 394, 507-12		18
358	Some important considerations for validation of ligand-binding assays. 2009 , 877, 2191-7		13
357	Total error profiling of a proinsulin time-resolved fluorescence immunoassay. 2009 , 877, 2403-6		6
356	Methodologies for the transfer of analytical methods: a review. 2009 , 877, 2214-23		30
355	Use of the total error approach to evaluate the performance of a semi-quantitative immunological method (BIACORE method) for detecting sulfamethazine in bovine milk. 2009 , 877, 2375-9		10
354	Complement dependent cytotoxicity (CDC) activity of a humanized anti Lewis-Y antibody: FACS-based assay versus the RlassicalRadioactive method qualification, comparison and application of the FACS-based approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009,	3.5	5
353	A highly sensitive enzyme immunoassay for evaluation of 2Rdeoxycytidine plasma level as a prognostic marker for breast cancer chemotherapy. 2009 , 632, 266-71		2
352	Antidrug antibody assay validation: industry survey results. 2009 , 11, 133-8		24
351	"Fit-for-purpose" method validation and application of a biomarker (C-terminal telopeptides of type 1 collagen) in denosumab clinical studies. 2009 , 11, 385-94		31
350	Enhanced fluorescence of proteins and label-free bioassays using aluminum nanostructures. <i>Analytical Chemistry</i> , 2009 , 81, 6049-54	7.8	37
349	Optical Sensor Systems in Biotechnology. 2009 ,		2
348	Preparation of a highly specific polyclonal antibody against and its use in development of ELISA for determination of in plasma. 2009 , 1, 220-224		5
347	Plasmon-controlled fluorescence towards high-sensitivity optical sensing. 2009 , 116, 29-72		12
346	Validation of Ligand-Binding Assays to Support Pharmacokinetic Assessments of Biotherapeutics. 81-11	0	1
345	Documentation and Regulatory Compliance. 327-341		
344	Ligand-Binding Assays to Support Disposition Studies of Macromolecular Therapeutics. 15-37		

343	Development of Ligand-Binding Assays for Drug Development Support. 39-79		1
342	Statistical Considerations in the Validation of Ligand-Binding Assays. 111-128		1
341	Carfilzomib can induce tumor cell death through selective inhibition of the chymotrypsin-like activity of the proteasome. 2009 , 114, 3439-47		271
340	Ligand-Binding Assays in Drug Development: Introduction and Historical Perspective. 1-13		
339	Biomarkers and Surrogate Markers in Drug Development. 2010 , 101-166		
338	Enhancing the analytical performance of immunoassays that employ metal-enhanced fluorescence. 2010 , 396, 1127-34		39
337	Development of a novel homogenous electrochemiluminescence assay for quantitation of ranibizumab in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 52, 680-6	.5	10
336	A strategy for improving comparability across sites for ligand binding assays measuring therapeutic proteins. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 729-34	.5	9
335	A highly sensitive and specific polyclonal antibody-based enzyme immunoassay for therapeutic monitoring and pharmacokinetic studies of atorvastatin. 2010 , 170, 67-74		5
334	The role of laboratory medicine in healthcare: quality requirements of immunoassays, standardisation and data management in prospective medicine. 2010 , 1, 619-26		14
333	Validation of an ELISA for the determination of rituximab pharmacokinetics in clinical trials subjects. <i>Journal of Immunological Methods</i> , 2010 , 360, 30-8	.5	21
332	Development, validation and application of ELISAs for pharmacokinetic and HACA assessment of a chimeric anti-CD40 monoclonal antibody in human serum. <i>Journal of Immunological Methods</i> , 2010 , 2363, 1-8	.5	4
331	Fit-for-purpose biomarker method validation in anticancer drug development. 2010 , 15, 816-25		38
330	Enumeration and phenotypic assessment of human plasmacytoid and myeloid dendritic cells in whole blood. 2010 , 77, 328-37		11
329	Pattern-mapped multiple detection of 11 pathogenic bacteria using a 16s rDNA-based oligonucleotide microarray. 2010 , 106, 183-92		11
328	Applications of a planar electrochemiluminescence platform to support regulated studies of macromolecules: benefits and limitations in assay range. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 626-32	.5	11
327	A sensitive fluorimetric assay for pyruvate. 2010 , 396, 146-51		48
326	Development of a multipurpose time-resolved fluorescence immunoassay for rat insulin. 2010 , 404, 8-13		6

(2010-2010)

325	Highly sensitive recombinant antibodies capable of reliably differentiating heart-type fatty acid binding protein from noncardiac isoforms. 2010 , 407, 165-71	22
324	Development and application of a quantitative lateral flow immunoassay for fumonisins in maize. 2010 , 682, 104-9	71
323	Multiplex assays for biomarker research and clinical application: translational science coming of age. 2010 , 4, 271-84	73
322	Serum adiponectin and resistin levels in major depressive disorder. 2010 , 121, 209-15	69
321	Issues on fit-for-purpose validation of a panel of ELISAs for application as biomarkers in clinical trials of anti-Angiogenic drugs. 2010 , 102, 1524-32	11
320	Fit-for-purpose biomarker method validation for application in clinical trials of anticancer drugs. 2010 , 103, 1313-7	86
319	. 2010,	5
318	Bioanalytical Methods for Food Contaminant Analysis. 2010 , 93, 1681-1691	17
317	Bioanalytical method validation: An updated review. 2010 , 1, 25-38	118
316	Streptomycin and dihydrostreptomycin residues in bovine milk from the Brazilian retail market. 2010 , 3, 156-62	6
315	Method Development for Preclinical Bioanalytical Support. 2010 , 1	
314	Lupus nephritis combined with renal injury due to thrombotic thrombocytopaenic purpura-haemolytic uraemic syndrome. 2010 , 25, 145-52	23
313	Validated sandwich ELISA for the quantification of von Willebrand factor in rabbit plasma. 2010 , 5, 119-27	8
312	Multiplexed serologic assay for nine anogenital human papillomavirus types. 2010 , 17, 818-27	50
311	Immunogenicity of therapeutics: a matter of efficacy and safety. 2010 , 5, 1067-79	23
310	Bioanalytical Strategies. 2010 , 131-204	
309	Time-Resolved Fluorometric Method for One-Step Immunoassays Using Plasmonic Nanostructures. 2010 , 114, 7236-7241	14
308	Hybrid ELISAs for vitellogenins of the endangered copper redhorse Moxostoma hubbsi and the shorthead redhorse Moxostoma macrolepidotum (Cypriniformes, catostomidae). 2010 , 73, 883-92	12

307	A comparison of mono and multivalent linkers and their effect on the colloidal stability of nanoparticle and immunoassays performance. <i>Talanta</i> , 2010 , 81, 1833-9	6.2	41
306	A randomized, double-blind, dose-finding Phase II study to evaluate immunogenicity and safety of the third generation smallpox vaccine candidate IMVAMUNE. 2010 , 28, 1209-16		71
305	An approach to multiplexing an immunosorbent assay with antibody-oligonucleotide conjugates. 2010 , 21, 2190-6		16
304	Novel ELISAs for screening of the biogenic amines GABA, glycine, beta-phenylethylamine, agmatine, and taurine using one derivatization procedure of whole urine samples. <i>Analytical Chemistry</i> , 2010 , 82, 6526-33	7.8	22
303	Antibody Engineering. 2010 ,		4
302	Acute phase protein concentrations in dogs with nasal disease. 2010 , 167, 895-9		16
301	Development and validation of a multiplex bead assay for measuring growth mediators in wound fluid. 2010 , 135, 182-8		6
300	Development of a quantitative lateral flow immunoassay for the detection of aflatoxins in maize. 2011 , 28, 226-34		47
299	Immunogenicity Assay Development and Validation. 2011, 487-499		
298	Quality assessment of bioanalytical quantification of monoclonal antibody drugs. 2011 , 2, 383-96		7
297	Bayesian analysis of an international ELISA comparability study. 2011 , 49, 1459-68		4
296	A lateral flow immunoassay for measuring ochratoxin A: Development of a single system for maize, wheat and durum wheat. 2011 , 22, 1965-1970		60
295	Production of monoclonal antibodies against hop-derived (Humulus lupulus L.) prenylflavonoids and the development of immunoassays. <i>Talanta</i> , 2011 , 85, 197-205	6.2	11
294	Determination of a new antibacterial peptide S-thanatin in rat plasma by an indirected-ELISA. 2011 , 32, 1484-7		9
293	Recommendations and requirements for the design of bioanalytical testing used in comparability studies for biosimilar drug development. <i>Bioanalysis</i> , 2011 , 3, 535-40	2.1	14
292	Method Development and Validation of Analytical Procedures. 2011,		3
291	. 2011,		6
290	Immunogenicity of Microbial Digestive Enzymes for Oral Replacement Therapy in Pancreatic Exocrine Insufficiency. 2011 , 343-367		

289	PR-924, a selective inhibitor of the immunoproteasome subunit LMP-7, blocks multiple myeloma cell growth both in vitro and in vivo. 2011 , 152, 155-63		88
288	Validation of a flow cytometry based G(2)M delay cell cycle assay for use in evaluating the pharmacodynamic response to Aurora A inhibition. <i>Journal of Immunological Methods</i> , 2011 , 363, 135-42	2.5	10
287	A one-step immunoassay for carbohydrate antigen 19-9 by biosensor based on imaging ellipsometry. 2011 , 39, 185-92		13
286	Quantitative analysis of erythropoietin in human plasma by tandem mass spectrometry. 2011 , 400, 2073	3-84	12
285	A new bioassay for the immunocytokine L19-IL2 for simultaneous analysis of both functional moieties. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 81-6	3.5	1
284	Microfluidic electrochemical immunoarray for ultrasensitive detection of two cancer biomarker proteins in serum. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 4477-83	11.8	181
283	Generation of polyclonal antibody with high avidity to rosuvastatin and its use in development of highly sensitive ELISA for determination of rosuvastatin in plasma. 2011 , 5, 38		6
282	Detection of the circulating antigen 14-3-3 protein of Schistosoma japonicum by time-resolved fluoroimmunoassay in rabbits. 2011 , 4, 95		11
281	Microarray-based kinetic colorimetric detection for quantitative multiplex protein phosphorylation analysis. 2011 , 11, 2129-33		14
280	Advances in validation, risk and uncertainty assessment of bioanalytical methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 848-58	3.5	103
279	Validation of immunoassay for protein biomarkers: bioanalytical study plan implementation to support pre-clinical and clinical studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 869	<i>3</i> 75	106
278	Detection of alpha-fetoprotein through biological signal amplification by biosensor based on imaging ellipsometry. 2011 , 519, 2763-2767		17
277	Bioanalytical considerations in the comparability assessment of biotherapeutics. <i>Bioanalysis</i> , 2011 , 3, 613-22	2.1	9
276	One size does not fit all. <i>Bioanalysis</i> , 2011 , 3, 473-5	2.1	
275	Generation of a specific polyclonal antibody with high affinity to atorvastatin and its employment in the development of ELISA for determination of atorvastatin in plasma. <i>Journal of Immunoassay and Immunochemistry</i> , 2011 , 32, 57-69	1.8	5
274	Insights in regulated bioanalysis of human insulin and insulin analogs by immunoanalytical methods. <i>Bioanalysis</i> , 2011 , 3, 883-98	2.1	10
273	Validation of a flow cytometry based binding assay for evaluation of monoclonal antibody recognizing EGF receptor. 2011 , 79, 569-81		8
272	Unique challenges of providing bioanalytical support for biological therapeutic pharmacokinetic programs. <i>Bioanalysis</i> , 2011 , 3, 509-21	2.1	31

271	Incurred sample reanalysis: failures in macromolecule analysisinsight into possible causes. <i>Bioanalysis</i> , 2011 , 3, 1001-6	2.1	5
270	Quality requirements for critical assay reagents used in bioanalysis of therapeutic proteins: what bioanalysts should know about their reagents. <i>Bioanalysis</i> , 2011 , 3, 523-34	2.1	53
269	Analytical Method Development and Validation in Accordance to the Regulatory Guidelines. 2012, 1		
268	2012 white paper on recent issues in bioanalysis and alignment of multiple guidelines. <i>Bioanalysis</i> , 2012 , 4, 2213-26	2.1	71
267	Validation of quantitative ELISAS for measuring anti-Yersinia pestis F1 and V antibody concentrations in nonhuman primate sera. <i>Journal of Immunoassay and Immunochemistry</i> , 2012 , 33, 91-1	1738	1
266	Mathematical simulations for bioanalytical assay development: the (un-)necessity and (im-)possibility of free drug quantification. <i>Bioanalysis</i> , 2012 , 4, 381-95	2.1	21
265	Validation and life-cycle management of a quantitative ligand-binding assay for the measurement of Nulojix([]), a CTLA-4-Fc fusion protein, in renal and liver transplant patients. <i>Bioanalysis</i> , 2012 , 4, 121	5 - 26	14
264	Validation of analytical methods involved in dissolution assays: acceptance limits and decision methodologies. 2012 , 751, 44-51		7
263	A highly sensitive, multiplex immunoassay using gold nanoparticle-enhanced signal amplification. 2012 , 48, 5895-7		34
262	Electrochemical immunosensors for detection of cancer protein biomarkers. 2012 , 6, 6546-61		515
262 261	Electrochemical immunosensors for detection of cancer protein biomarkers. 2012 , 6, 6546-61 Development and validation of sensitive sandwich ELISAs for two investigational nonapeptide metastin receptor agonists, TAK-448 and TAK-683. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 369-77	3.5	515
	Development and validation of sensitive sandwich ELISAs for two investigational nonapeptide metastin receptor agonists, TAK-448 and TAK-683. <i>Journal of Pharmaceutical and Biomedical</i>	3·5 3·5	
261	Development and validation of sensitive sandwich ELISAs for two investigational nonapeptide metastin receptor agonists, TAK-448 and TAK-683. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 369-77 Determination of soluble vascular endothelial growth factor receptor 3 (sVEGFR-3) in plasma as	3.5	13
26 1	Development and validation of sensitive sandwich ELISAs for two investigational nonapeptide metastin receptor agonists, TAK-448 and TAK-683. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 369-77 Determination of soluble vascular endothelial growth factor receptor 3 (sVEGFR-3) in plasma as pharmacodynamic biomarker. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 485-91	3.5	13 5
261 260 259	Development and validation of sensitive sandwich ELISAs for two investigational nonapeptide metastin receptor agonists, TAK-448 and TAK-683. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 369-77 Determination of soluble vascular endothelial growth factor receptor 3 (sVEGFR-3) in plasma as pharmacodynamic biomarker. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 485-91 Validation of an enzyme-linked immunosorbent assay for C-peptide analysis in Cameroon. 2012 , 98, 459 An automated flow immunosensor based on kinetic exclusion analysis for measurement of a free	3.5	1355
261 260 259 258	Development and validation of sensitive sandwich ELISAs for two investigational nonapeptide metastin receptor agonists, TAK-448 and TAK-683. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 369-77 Determination of soluble vascular endothelial growth factor receptor 3 (sVEGFR-3) in plasma as pharmacodynamic biomarker. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 485-91 Validation of an enzyme-linked immunosorbent assay for C-peptide analysis in Cameroon. 2012 , 98, 459 An automated flow immunosensor based on kinetic exclusion analysis for measurement of a free Ebubunit of human chorionic gonadotropin in serum. 2012 , 36, 1114 Signal enhancement in antibody microarrays using quantum dots nanocrystals: application to	3·5 9-64	13 5 5 8
261260259258257	Development and validation of sensitive sandwich ELISAs for two investigational nonapeptide metastin receptor agonists, TAK-448 and TAK-683. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 369-77 Determination of soluble vascular endothelial growth factor receptor 3 (sVEGFR-3) in plasma as pharmacodynamic biomarker. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 485-91 Validation of an enzyme-linked immunosorbent assay for C-peptide analysis in Cameroon. 2012 , 98, 459 An automated flow immunosensor based on kinetic exclusion analysis for measurement of a free Esubunit of human chorionic gonadotropin in serum. 2012 , 36, 1114 Signal enhancement in antibody microarrays using quantum dots nanocrystals: application to potential Alzheimer® disease biomarker screening. <i>Analytical Chemistry</i> , 2012 , 84, 6821-7 Novel automated flow-based immunosensor for real-time measurement of the breast cancer	3.5 9-64 7.8	1355856

253	Development of immunoassays for anti-electronegative LDL autoantibodies and immune complexes. 2012 , 413, 291-7		15
252	Discovery biotherapeutics bioanalysis: challenges and possible solutions. <i>Bioanalysis</i> , 2012 , 4, 1003-7	2.1	6
251	Immune Monitoring Design within the Developmental Pipeline for an Immunotherapeutic or Preventive Vaccine. 2012 , 417-440		1
250	General LC-MS/MS method approach to quantify therapeutic monoclonal antibodies using a common whole antibody internal standard with application to preclinical studies. <i>Analytical Chemistry</i> , 2012 , 84, 1267-73	7.8	159
249	Immunoassay - A Standard Method to Study the Concentration of Peptide Hormones in Reproductive Tissues in vitro. 2012 ,		
248	Ligand-Binding Assays. 2012, 1		
247	BIOMARKER QUANTITATION: ANALYTICAL CONSIDERATIONS FOR LIGAND BINDING ASSAY REGRESSION CURVES AND QUALITY CONTROL SAMPLES. 2012 , 8, 71-77		3
246	Interlaboratory evaluation of automated, multiplexed peptide immunoaffinity enrichment coupled to multiple reaction monitoring mass spectrometry for quantifying proteins in plasma. 2012 , 11, M111.0°	1385	4 ¹⁵³
245	The Analytical Aspects and Regulatory Challenges of Biomarker Discovery: Examples from the Field of Neurodegeneration. 2012 , 1, 94-103		
244	Rapid affinity measurement of protein-protein interactions in a microfluidic platform. 2012 , 426, 134-41		21
243	Indirect, non-competitive amperometric immunoassay for accurate quantification of calpastatin, a meat tenderness marker, in bovine muscle. 2012 , 133, 598-603		2
242	A practical validation approach for virus titer testing of avian infectious bursal disease live vaccine according to current regulatory guidelines. <i>Biologicals</i> , 2012 , 40, 41-8	1.8	1
241	Practical quantitative and kinetic applications of bio-layer interferometry for toxicokinetic analysis of a monoclonal antibody therapeutic. <i>Journal of Immunological Methods</i> , 2012 , 379, 30-41	2.5	10
240	KOMA: ELISA-microarray calibration and data analysis based on kinetic signal amplification. <i>Journal of Immunological Methods</i> , 2012 , 380, 10-5	2.5	10
239	Validated enzyme-linked immunosorbent assay for determination of rosuvastatin in plasma at picogram level. 2013 , 5, 334-9		3
238	Quality assurance in immunoassay performancecomparison of different enzyme immunoassays for the determination of caffeine in consumer products. 2013 , 405, 1601-11		22
237	Novel Biopharmaceuticals. 2013 , 97-137		4
236	Calibration Curve Fitting. 2013 , 323-336		10

235	Special Considerations for the Nonclinical Safety Assessment of Vaccines. 2013 , 243-255		1
234	A microfluidic electrochemiluminescent device for detecting cancer biomarker proteins. 2013 , 405, 383	1-8	78
233	Detecting and solving the interference of pregnancy serum, in a GH immunometric assay. 2013 , 23, 13-8	3	17
232	Single laboratory validation of an optical biosensor method for the determination of folate in foods. 2013 , 29, 87-93		7
231	Kinetic-exclusion analysis-based immunosensors versus enzyme-linked immunosorbent assays for measurement of cancer markers in biological specimens. <i>Talanta</i> , 2013 , 111, 13-9	6.2	24
230	Determination of renal tissue ibandronate levels in rats with normal and mildly impaired renal function. 2013 , 68, 225-230		4
229	Measures of Rabies Immunity. 2013 , 461-495		2
228	A personal perspective of the development and validation of a phase-specific antibody-drug conjugate cytotoxicity potency assay. <i>Bioanalysis</i> , 2013 , 5, 1083-97	2.1	5
227	Ligand Binding Assays in Drug Development. 2013 , 647-657		
226	Characterization of therapeutic antibodies and related products. <i>Analytical Chemistry</i> , 2013 , 85, 715-36	7.8	433
226	Characterization of therapeutic antibodies and related products. <i>Analytical Chemistry</i> , 2013 , 85, 715-36 An immunoassay utilizing the DNA-coated polydiacetylene micelles as a signal generator. 2013 , 23, 2675	,	433
	An immunoassay utilizing the DNA-coated polydiacetylene micelles as a signal generator. 2013 , 23, 2675	,	3
225	An immunoassay utilizing the DNA-coated polydiacetylene micelles as a signal generator. 2013 , 23, 2675. Elongated oligonucleotide-linked immunosorbent assay for sensitive detection of a biomarker in a	5-8	3
225	An immunoassay utilizing the DNA-coated polydiacetylene micelles as a signal generator. 2013 , 23, 2679. Elongated oligonucleotide-linked immunosorbent assay for sensitive detection of a biomarker in a microwell plate-based platform. <i>Biosensors and Bioelectronics</i> , 2013 , 50, 421-4 Comparison of bioanalytical methods for the quantitation of PEGylated human insulin. <i>Journal of</i>	5-8	3 5
225 224 223	An immunoassay utilizing the DNA-coated polydiacetylene micelles as a signal generator. 2013, 23, 2679. Elongated oligonucleotide-linked immunosorbent assay for sensitive detection of a biomarker in a microwell plate-based platform. <i>Biosensors and Bioelectronics</i> , 2013, 50, 421-4 Comparison of bioanalytical methods for the quantitation of PEGylated human insulin. <i>Journal of Immunological Methods</i> , 2013, 396, 1-7 Optimization of a lateral flow immunoassay for the ultrasensitive detection of aflatoxin M1 in milk. 2013, 772, 75-80	5-8	3 5 12
225 224 223 222	An immunoassay utilizing the DNA-coated polydiacetylene micelles as a signal generator. 2013, 23, 2679. Elongated oligonucleotide-linked immunosorbent assay for sensitive detection of a biomarker in a microwell plate-based platform. <i>Biosensors and Bioelectronics</i> , 2013, 50, 421-4 Comparison of bioanalytical methods for the quantitation of PEGylated human insulin. <i>Journal of Immunological Methods</i> , 2013, 396, 1-7 Optimization of a lateral flow immunoassay for the ultrasensitive detection of aflatoxin M1 in milk. 2013, 772, 75-80 Part per trillion label-free electronic bioanalytical detection. <i>Analytical Chemistry</i> , 2013, 85, 3849-57 Coupled solid phase extraction and microparticle-based stability and purity-indicating	5-8 11.8 2.5	3 5 12 69
225 224 223 222 221	An immunoassay utilizing the DNA-coated polydiacetylene micelles as a signal generator. 2013, 23, 2679. Elongated oligonucleotide-linked immunosorbent assay for sensitive detection of a biomarker in a microwell plate-based platform. <i>Biosensors and Bioelectronics</i> , 2013, 50, 421-4 Comparison of bioanalytical methods for the quantitation of PEGylated human insulin. <i>Journal of Immunological Methods</i> , 2013, 396, 1-7 Optimization of a lateral flow immunoassay for the ultrasensitive detection of aflatoxin M1 in milk. 2013, 772, 75-80 Part per trillion label-free electronic bioanalytical detection. <i>Analytical Chemistry</i> , 2013, 85, 3849-57 Coupled solid phase extraction and microparticle-based stability and purity-indicating immunosensor for the determination of recombinant human myelin basic protein in transgenic	5-8 11.8 2.5	35126947

217	Discovery fit-for-purpose ligand-binding PK assays: what is really important?. Bioanalysis, 2013, 5, 1463-6	52.1	4
216	Best practices for veterinary toxicologic clinical pathology, with emphasis on the pharmaceutical and biotechnology industries. 2013 , 42, 252-69		48
215	The Gyrolabilmmunoassay system: a platform for automated bioanalysis and rapid sample turnaround. <i>Bioanalysis</i> , 2013 , 5, 1765-74	2.1	20
214	Bioanalysis for Service Users. 2013 ,		1
213	Practical considerations for outsourcing ligand binding assays in a regulated environment. 2013 , 96-107	,	
212	Phase 0 clinical trials: theoretical and practical implications in oncologic drug development. 2013 , 119		2
211	Performance of multiplex cytokine assays in serum and saliva among community-dwelling postmenopausal women. <i>PLoS ONE</i> , 2013 , 8, e59498	3.7	45
210	Research paper Validation of a flow cytometry-based assay for monitoring complement-dependent cytotoxicity of an anti-CD20 biosimilar candidate antibody. 2014 , 1, 17-26		
209	ISR: background, evolution and implementation, with specific consideration for ligand-binding assays. <i>Bioanalysis</i> , 2014 , 6, 393-402	2.1	7
208	A highly sensitive polyclonal antibody-based ELISA for therapeutic monitoring and pharmacokinetic studies of lenalidomide. <i>Journal of Immunoassay and Immunochemistry</i> , 2014 , 35, 130-8	1.8	2
207	Systematic verification of bioanalytical similarity between a biosimilar and a reference biotherapeutic: committee recommendations for the development and validation of a single ligand-binding assay to support pharmacokinetic assessments. 2014 , 16, 1149-58		20
206	Measuring biotherapeutics with endogenous counterparts and pre-existing antibodies: an interferon case study. <i>Bioanalysis</i> , 2014 , 6, 1113-22	2.1	7
205	Introduction to the proposals from the global bioanalysis consortium harmonization team. 2014 , 16, 1159-61		5
204	Resolution of matrix interference: quantitative and quasi-quantitative ligand-binding assays case studies. <i>Bioanalysis</i> , 2014 , 6, 1093-101	2.1	4
203	In vitro microdialysis recovery and delivery investigation of cytokines as prerequisite for potential biomarker profiling. 2014 , 57, 48-59		15
202	Decreased serum levels of adiponectin in adult attention deficit hyperactivity disorder. 2014 , 216, 123-	30	15
201	Safety and immunogenicity of an investigational vaccine containing two common pneumococcal proteins in toddlers: a phase II randomized clinical trial. 2014 , 32, 3025-34		46
200	Safety, reactogenicity and immunogenicity of a novel pneumococcal protein-based vaccine in adults: a phase I/II randomized clinical study. 2014 , 32, 6838-46		47

199	Recommendations and best practices for reference standards and reagents used in bioanalytical method validation. 2014 , 16, 352-6		11
198	Large molecule run acceptance: Recommendation for best practices and harmonization from the Global Bioanalysis Consortium Harmonization Team. 2014 , 16, 221-5		4
197	Development of an improved time-resolved fluoroimmunoassay for simultaneous quantification of C-peptide and insulin in human serum. 2014 , 47, 439-44		19
196	On-line protein capture on magnetic beads for ultrasensitive microfluidic immunoassays of cancer biomarkers. <i>Biosensors and Bioelectronics</i> , 2014 , 53, 268-74	11.8	93
195	Plasmonic optical sensors printed from Ag B VA nanoinks. 2014 , 2, 908-915		30
194	Ultrasensitive multi-analyte electrochemical immunoassay based on GNR-modified heated screen-printed carbon electrodes and PS@PDA-metal labels for rapid detection of MMP-9 and IL-6. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 51-6	11.8	60
193	Simultaneous determination of the cytokeratin 19 fragment and carcinoembryonic antigen in human serum by magnetic nanoparticle-based dual-label time-resolved fluoroimmunoassay. <i>RSC Advances</i> , 2014 , 4, 55229-55236	3.7	18
192	A matrix approach to guide IHC-based tissue biomarker development in oncology drug discovery. 2014 , 232, 190-8		21
191	The T-cell-dependent antibody response assay in nonclinical studies of pharmaceuticals and chemicals: study design, data analysis, interpretation. 2014 , 69, 7-21		23
190	Direct, reagentless electrochemical detection of the BIR3 domain of X-linked inhibitor of apoptosis protein using a peptide-based conducting polymer sensor. <i>Biosensors and Bioelectronics</i> , 2014 , 61, 57-62	11.8	17
189	A time-resolved fluoroimmunoassay for the quantitation of rabies virus nucleoprotein in the rabies vaccine. 2014 , 206, 89-94		14
188	A lab-in-a-briefcase for rapid prostate specific antigen (PSA) screening from whole blood. <i>Lab on A Chip</i> , 2014 , 14, 2918-28	7.2	48
187	Multi-detection of mycotoxins by membrane based flow-through immunoassay. 2014 , 46, 462-469		27
186	Good Clinical Practice. 2014 , 756-787		
185	Biosimilar Development: Nonclinical and Clinical Strategies and Challenges with a Focus on the Role of PK/PD Assessments. 2015 , 1-16		
184	Potentials and capabilities of the Extracellular Vesicle (EV) Array. 2015 , 4, 26048		51
183	Direct and high throughput (HT) interactions on the ribosomal surface by iRIA. <i>Scientific Reports</i> , 2015 , 5, 15401	4.9	6
182	The Post-Illumination Pupil Response (PIPR). 2015 , 56, 3838-49		93

(2015-2015)

181	Optimization of buffer solutions to analyze inflammatory cytokines in gingival crevicular fluid by multiplex flow cytometry. 2015 , 20, e13-6		3
180	microRNAs with different functions and roles in disease development and as potential biomarkers of diabetes: progress and challenges. 2015 , 11, 1217-34		27
179	Detection of orchid viruses by analyzing Brownian diffusion of nanobeads and virus[Immunobead association. 2015 , 7, 5476-5482		2
178	Anemia in Chronic obstructive pulmonary disease: Prevalence, pathogenesis, and potential impact. 2015 , 32, 142-51		23
177	Relationships between inflammatory cytokine and cortisol responses in firefighters exposed to simulated wildfire suppression work and sleep restriction. 2015 , 3, e12604		24
176	When close is not close enough: a comparison of endogenous and recombinant biomarker stability samples. <i>Bioanalysis</i> , 2015 , 7, 1355-60	2.1	13
175	A Generalized Pivotal Quantity Approach to Analytical Method Validation Based on Total Error. 2015 , 69, 725-35		1
174	Recommendations for adaptation and validation of commercial kits for biomarker quantification in drug development. <i>Bioanalysis</i> , 2015 , 7, 229-42	2.1	31
173	Data quality in drug discovery: the role of analytical performance in ligand binding assays. 2015 , 29, 84	7-65	32
172	Photoluminescent lateral-flow immunoassay revealed by graphene oxide: highly sensitive paper-based pathogen detection. <i>Analytical Chemistry</i> , 2015 , 87, 8573-7	7.8	132
172 171		7.8	132
	paper-based pathogen detection. <i>Analytical Chemistry</i> , 2015 , 87, 8573-7 Current industrial practices and regulatory requirements to assess analyte and reagent stability	<u> </u>	
171	paper-based pathogen detection. <i>Analytical Chemistry</i> , 2015 , 87, 8573-7 Current industrial practices and regulatory requirements to assess analyte and reagent stability using ligand-binding assays. <i>Bioanalysis</i> , 2015 , 7, 1371-84 UV-patternable nanocomposite containing CdSe and PbS quantum dots as miniaturized	2.1	1
171 170	paper-based pathogen detection. <i>Analytical Chemistry</i> , 2015 , 87, 8573-7 Current industrial practices and regulatory requirements to assess analyte and reagent stability using ligand-binding assays. <i>Bioanalysis</i> , 2015 , 7, 1371-84 UV-patternable nanocomposite containing CdSe and PbS quantum dots as miniaturized luminescent chemo-sensors. <i>RSC Advances</i> , 2015 , 5, 19874-19883 A magnetic nanoparticle-based time-resolved fluoroimmunoassay for determination of the	2.1 3·7	1
171 170 169	Current industrial practices and regulatory requirements to assess analyte and reagent stability using ligand-binding assays. <i>Bioanalysis</i> , 2015 , 7, 1371-84 UV-patternable nanocomposite containing CdSe and PbS quantum dots as miniaturized luminescent chemo-sensors. <i>RSC Advances</i> , 2015 , 5, 19874-19883 A magnetic nanoparticle-based time-resolved fluoroimmunoassay for determination of the cytokeratin 19 fragment in human serum. <i>Journal of Fluorescence</i> , 2015 , 25, 361-7	2.1 3·7	1 14 4
171 170 169 168	Current industrial practices and regulatory requirements to assess analyte and reagent stability using ligand-binding assays. <i>Bioanalysis</i> , 2015 , 7, 1371-84 UV-patternable nanocomposite containing CdSe and PbS quantum dots as miniaturized luminescent chemo-sensors. <i>RSC Advances</i> , 2015 , 5, 19874-19883 A magnetic nanoparticle-based time-resolved fluoroimmunoassay for determination of the cytokeratin 19 fragment in human serum. <i>Journal of Fluorescence</i> , 2015 , 25, 361-7 A scanometric antibody probe for facile and sensitive immunoassays. 2015 , 51, 8865-7 Development of an ELISA for the Pharmacokinetic Evaluation of a Murine Anti CD66 Monoclonal	2.1 3.7 2.4	1 14 4
171 170 169 168	Current industrial practices and regulatory requirements to assess analyte and reagent stability using ligand-binding assays. <i>Bioanalysis</i> , 2015 , 7, 1371-84 UV-patternable nanocomposite containing CdSe and PbS quantum dots as miniaturized luminescent chemo-sensors. <i>RSC Advances</i> , 2015 , 5, 19874-19883 A magnetic nanoparticle-based time-resolved fluoroimmunoassay for determination of the cytokeratin 19 fragment in human serum. <i>Journal of Fluorescence</i> , 2015 , 25, 361-7 A scanometric antibody probe for facile and sensitive immunoassays. 2015 , 51, 8865-7 Development of an ELISA for the Pharmacokinetic Evaluation of a Murine Anti CD66 Monoclonal Antibody in Human Serum. <i>Journal of Immunoassay and Immunochemistry</i> , 2015 , 36, 579-96 Shaking the myth: Body mass, aggression, steroid hormones, and social dominance in wild house	2.1 3.7 2.4	1 14 4 11

163	Recognition of N-glycoforms in human chorionic gonadotropin by monoclonal antibodies and their interaction motifs. 2015 , 290, 22715-23		7
162	Safety and Immunogenicity of Modified Vaccinia Ankara-Bavarian Nordic Smallpox Vaccine in Vaccinia-Naive and Experienced Human Immunodeficiency Virus-Infected Individuals: An Open-Label, Controlled Clinical Phase II Trial. 2015 , 2, ofv040		37
161	Effect of protease inhibitors on pulmonary bioavailability of therapeutic proteins and peptides in the rat. 2015 , 68, 1-10		10
160	Multiplex Immunosensor Arrays for Electrochemical Detection of Cancer Biomarker Proteins. <i>Electroanalysis</i> , 2016 , 28, 2644-2658	3	65
159	Development of an ultra high performance liquid chromatography method for determining triamcinolone acetonide in hydrogels using the design of experiments/design space strategy in combination with process capability index. 2016 , 39, 2689-701		9
158	Parallelism experiments in biomarker ligand-binding assays to assess immunological similarity. Bioanalysis, 2016 , 8, 2387-2391	2.1	11
157	Biosensing made easy with PEG-targeted bi-specific antibodies. 2016 , 52, 5730-3		10
156	Development and use of specific ELISA methods for quantifying the biological activity of bevacizumab, cetuximab and trastuzumab in stability studies. 2016 , 1032, 155-164		22
155	Multiplex immunoassay for in vitro characterization of acellular pertussis antigens in combination vaccines. 2016 , 34, 1040-6		9
154	A whole-molecule immunocapture LC-MS approach for the in vivo quantitation of biotherapeutics. <i>Bioanalysis</i> , 2016 , 8, 2103-14	2.1	32
153	Optimization and validation of ELISA immunoassay for the evaluation of in-vitro relative potency of a four-component human papillomavirus vaccine products. <i>Biologicals</i> , 2016 , 44, 596-599	1.8	3
152	Pharmacodynamic analyses in a multi-laboratory network: lessons from the poly(ADP-ribose) assay. 2016 , 43, 492-500		4
151	Microfluidic Immuno-Biochip for Detection of Breast Cancer Biomarkers Using Hierarchical Composite of Porous Graphene and Titanium Dioxide Nanofibers. 2016 , 8, 20570-82		123
150	Best Practices in Novel Biomarker Assay Fit-for-Purpose Testing. 2016 , 481-488		1
149	Analytical Application of Flow Immunosensor in Detection of Thyroxine and Triiodothyronine in Serum. 2016 , 14, 535-542		6
148	Characterization of a Cell-Culturing System for the Study of Contact-Independent Extracellular Vesicle Communication. 2016 , 5, 3		3
147	Mitigation of microtiter plate positioning effects using a block randomization scheme. 2016 , 408, 3969-7	'9	9
146	Automated DBS microsampling, microscale automation and microflow LC-MS for therapeutic protein PK. <i>Bioanalysis</i> , 2016 , 8, 649-59	2.1	9

145	Application of high-resolution MS for development of peptide and large-molecule drug candidates. <i>Bioanalysis</i> , 2016 , 8, 169-77	2.1	18
144	New analytical application of antibody-based biosensor in estimation of thyroid-stimulating hormone in serum. <i>Bioanalysis</i> , 2016 , 8, 625-32	2.1	9
143	The development and application of a high-sensitivity immunoassay for cardiac myosin-binding protein C. 2016 , 170, 17-25.e5		16
142	Cross-laboratory analytical validation of the cardiac biomarker NT-proANP in rat. 2016 , 77, 58-65		9
141	Standardization of Hemagglutination Inhibition Assay for Influenza Serology Allows for High Reproducibility between Laboratories. 2016 , 23, 236-42		42
140	PEP-on-DEP: A competitive peptide-based disposable electrochemical aptasensor for renin diagnostics. <i>Biosensors and Bioelectronics</i> , 2016 , 84, 120-5	11.8	13
139	Reactogenicity, safety and immunogenicity of a protein-based pneumococcal vaccine in Gambian children aged 2-4 years: A phase II randomized study. 2016 , 12, 393-402		28
138	Evaluation of serum cytokines in cats with and without degenerative joint disease and associated pain. 2017 , 183, 49-59		9
137	Development of an enzyme-linked immunosorbent assay for the detection of isomiroestrol, an identical marker, in White Kwao Krua using a monoclonal antibody. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 137, 229-234	3.5	11
136	Validation of commercial ELISAs for quantifying anabolic growth factors and cytokines in canine ACD-A anticoagulated plasma. <i>Journal of Veterinary Diagnostic Investigation</i> , 2017 , 29, 143-147	1.5	6
135	Assessment of Natural Variability of Maize Lipid Transfer Protein Using a Validated Sandwich ELISA. 2017 , 65, 1740-1749		2
134	A Microarray Immunoassay for Serum Thyrotropin and Thyroglobulin Using Antibodies Immobilized on Track-Etched Membranes. 2017 , 32, 193-199		8
133	Regulated Bioanalysis: Fundamentals and Practice. 2017,		3
132	Development and Maintenance of Critical Reagents for Ligand Binding Assays to Support Regulatory-Compliant Bioanalysis. 2017 , 155-176		
131	Ligand Binding Assays in the Regulated Bioanalytical Laboratory. 2017 , 177-228		
130	Introduction. 2017 , 1-13		
129	A shear-enhanced CNT-assembly nanosensor platform for ultra-sensitive and selective protein detection. <i>Biosensors and Bioelectronics</i> , 2017 , 97, 143-149	11.8	19
128	Clinical Pharmacology and Translational Aspects of Bispecific Antibodies. 2017 , 10, 147-162		51

127	Implementing a tiered approach to bioanalytical method validation for large-molecule ligand-binding assay methods in pharmacokinetic assessments. <i>Bioanalysis</i> , 2017 , 9, 1407-1422	2.1	3
126	Best practices in performing flow cytometry in a regulated environment: feedback from experience within the European Bioanalysis Forum. <i>Bioanalysis</i> , 2017 , 9, 1253-1264	2.1	25
125	Production of recombinant human procollagen type I C-terminal propeptide and establishment of a sandwich ELISA for quantification. <i>Scientific Reports</i> , 2017 , 7, 15946	4.9	16
124	Towards Novel Graphene-Enabled Diagnostic Assays with Improved Signal-to-Noise Ratio. 2017 , 2, 3733	3-3739	6
123	Subspecies-specific response to ACTH challenge test in the house mouse (Mus musculus). 2017 , 252, 186-192		6
122	Recent Advances of Carbon Nanotubes-based Electrochemical Immunosensors for the Detection of Protein Cancer Biomarkers. <i>Electroanalysis</i> , 2017 , 29, 662-675	3	27
121	Hazards in chromatographic bioanalysis method development and applications. 2017, 31, e3859		6
120	Current Demands for Food-Approved Liposome Nanoparticles in Food and Safety Sector. 2017 , 8, 2398		44
119	A Proximity Extension Assay (PEA)-based method for quantification of bevacizumab. 2018 , 92, 20-23		4
118	Photoperiod manipulation for the reproductive management of captive wolffish populations: Anarhichas minor and A. lupus. 2018 , 26, 1051-1065		6
117	Development and validation of an ELISA to study panitumumab pharmacokinetics. <i>Bioanalysis</i> , 2018 , 10, 205-214	2.1	3
116	Development of a novel parallel determination platform: a feasibility study tested on a chemiluminescence device. 2018 , 10, 298-307		2
115	Calibration Curves in Quantitative Ligand Binding Assays: Recommendations and Best Practices for Preparation, Design, and Editing of Calibration Curves. 2017 , 20, 22		27
114	Disposable inkjet-printed electrochemical platform for detection of clinically relevant HER-2 breast cancer biomarker. <i>Biosensors and Bioelectronics</i> , 2018 , 104, 158-162	11.8	45
113	A Simple Approach to Determine a Curve Fitting Model with a Correct Weighting Function for Calibration Curves in Quantitative Ligand Binding Assays. 2018 , 20, 45		13
112	An optimized double-antibody sandwich ELISA for quantitative detection of WSSV in artificially infected crayfish. 2018 , 251, 133-138		7
111	Plasma ADAMTS-13 activity in proliferative lupus nephritis: a large cohort study from China. 2018 , 27, 389-398		3
110	Validation of a Multiplexed Opsonophagocytic Assay for 11 Additional Pneumococcal Serotypes and Its Application to Functional Antibody Evaluation Induced by Pneumococcal Polysaccharide Vaccine. 2018 , 33, e340		

109	Review of approaches and examples for monitoring biotransformation in protein and peptide therapeutics by MS. <i>Bioanalysis</i> , 2018 ,	2.1	14
108	Linearity of Calibration Curves for Analytical Methods: A Review of Criteria for Assessment of Method Reliability. 2018 ,		17
107	Toward decision-based acceptance criteria for Bioanalytical Method Validation: a proposal for discussion from the European Bioanalysis Forum. <i>Bioanalysis</i> , 2018 , 10, 1255-1259	2.1	8
106	Development and validation of generic heterogeneous fluoroimmunoassay for bioanalysis of bevacizumab and cetuximab monoclonal antibodies used for cancer immunotherapy. <i>Talanta</i> , 2018 , 188, 562-569	6.2	1
105	Bioanalytical Requirements and Regulatory Guidelines for Immunoassays. 2018 , 81-95		10
104	Immunoassays: An Overview. 2018 , 1-18		10
103	An exosomal- and interfacial-biosensing based strategy for remote monitoring of aberrantly phosphorylated proteins in lung cancer cells. 2018 , 6, 2336-2341		12
102	T-Cell-Dependent Antibody Response Assay: Biology, Methods, and Application. 2018 , 376-398		
101	Development and validation of an ELISA with high sensitivity for therapeutic monitoring of afatinib. <i>Bioanalysis</i> , 2018 , 10, 1511-1523	2.1	3
100	Feasibility of A Novel On-Site Detection Method for Aflatoxin in Maize Flour from Markets and Selected Households in Kampala, Uganda. 2018 , 10,		11
99	Prevalence of interfering antibodies in dogs and cats evaluated using a species-independent assay. 2018 , 47, 205-212		5
98	Generalized ROC methods for immunogenicity data analysis of vaccine phase I studies in a seropositive population. 2018 , 14, 2692-2700		2
97	Quantitation of monoclonal antibody by capture ELISA based on initial enzyme activity rate. <i>Journal of Immunological Methods</i> , 2019 , 474, 112645	2.5	1
96	Urinary Cell Adhesion Molecule 1 Is a Novel Biomarker That Links Tubulointerstitial Damage to Glomerular Filtration Rates in Chronic Kidney Disease. 2019 , 7, 111		7
95	Development of two different formats of heterogeneous fluorescence immunoassay for bioanalysis of afatinib by employing fluorescence plate reader and KinExA 3200 immunosensor. <i>Scientific Reports</i> , 2019 , 9, 14742	4.9	3
94	Measuring Hormones. 2019 , 31-46		
93	A paper microfluidics-based fluorescent lateral flow immunoassay for point-of-care diagnostics of non-communicable diseases. 2019 , 144, 6291-6303		12
92	Detection of Mycobacterium tuberculosis lipoarabinomannan and CFP-10 (Rv3874) from urinary extracellular vesicles of tuberculosis patients by immuno-PCR. 2019 , 77,		13

91	Gold Nanoparticle Probe-Assisted Antigen-Counting Chip Using SEM. 2019 , 11, 6769-6776	8
90	Anti-drug Antibody Assay Validation: Improved Reporting of the Assay Selectivity via Simpler Positive Control Recovery Data Analysis. 2019 , 21, 76	1
89	Validity of a single antibody-based lateral flow immunoassay depending on graphene oxide for highly sensitive determination of E. coli O157:H7 in minced beef and river water. 2019 , 297, 124965	35
88	Bioanalytical method validation guidance language and a decade of progress. <i>Bioanalysis</i> , 2019 , 11, 587- <u>59</u> 3	3
87	Correlation between synovial fluid cytokine concentrations and limb function in normal dogs and in dogs with lameness from spontaneous osteoarthritis. 2019 , 48, 770-779	8
86	Development and comparative evaluation of two immunoassay platforms for bioanalysis of crizotinib: A potent drug used for the treatment of non-small cell lung cancer. <i>Talanta</i> , 2019 , 201, 217-225 ²	3
85	Disposable electrochemical immunosensor for analysis of cystatin C, a CKD biomarker. <i>Talanta</i> , 2019 , 201, 211-216	16
84	Point-of-Care Technologies Enabling Next-Generation Healthcare Monitoring and Management. 2019 ,	8
83	Synthesis of hapten, generation of specific polyclonal antibody and development of ELISA with high sensitivity for therapeutic monitoring of crizotinib. <i>PLoS ONE</i> , 2019 , 14, e0212048	4
82	Bioanalytical Parameters in Immunoassays and Their Determination. 2019 , 197-208	
81	Voltammetric immunosensing platform based on dual signal amplification using gold nanoparticle labels. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 577, 012103	2
80	Effects of different progestins on prostaglandin biosynthesis in human endometrial explants. Contraception, 2019 , 99, 61-66	2
79	Automated flow fluorescent noncompetitive immunoassay for measurement of human plasma levels of monoclonal antibodies used for immunotherapy of cancers with KinExAB200 biosensor. 6.2 <i>Talanta</i> , 2019 , 192, 331-338	7
78	Measurement of IL-21 in human serum and plasma using ultrasensitive MSD S-PLEX and Quanterix SiMoA methodologies. <i>Journal of Immunological Methods</i> , 2019 , 466, 9-16	9
77	Development and validation of a robust multiplex serological assay to quantify antibodies specific to pertussis antigens. <i>Biologicals</i> , 2019 , 57, 9-20	6
76	Microfluidic device with a pushbull sequential solution-exchange function for affinity sensing. Microfluidics and Nanofluidics, 2019 , 23, 1	2
75	Analytical quality assessment and method comparison of immunoassays for the measurement of serum cobalamin and folate in dogs and cats. <i>Journal of Veterinary Diagnostic Investigation</i> , 2019 , 31, 164-174	5
74	Multiplexed Electrochemical Cancer Diagnostics With Automated Microfluidics. <i>Electroanalysis</i> , 2019 , 31, 208-211	9

(2021-2019)

73	Response to letter to editor regarding Variability of symmetric dimethylarginine in apparently healthy dogs. <i>Journal of Veterinary Internal Medicine</i> , 2019 , 33, 9-10	3.1	2
72	Molecularly imprinted polymers as receptors for assays of antibiotics. <i>Critical Reviews in Analytical Chemistry</i> , 2020 , 50, 291-310	5.2	17
71	A kinetic ELISA to determine the immunoreactive fraction of monoclonal antibodies. <i>Journal of Immunological Methods</i> , 2020 , 476, 112689	2.5	
70	Battery-powered distance-based electrochemical sensor using a longitudinally-oriented silver band electrode. <i>Sensors and Actuators B: Chemical</i> , 2020 , 308, 127684	8.5	4
69	Advanced methods to analyze steroid estrogens in environmental samples. <i>Environmental Chemistry Letters</i> , 2020 , 18, 543-559	13.3	3
68	Label-Free Immunoassay of Carcinoembryonic Antigen by Microfluidic Channel Biosensor Based on Imaging Ellipsometry and Its Clinic Application. <i>Integrated Ferroelectrics</i> , 2020 , 209, 19-29	0.8	2
67	Applying Statistics Appropriately for Your Biomarker Application. 2020, 177-218		
66	Anti-PEG antibodies: Properties, formation, testing and role in adverse immune reactions to PEGylated nano-biopharmaceuticals. <i>Advanced Drug Delivery Reviews</i> , 2020 , 154-155, 163-175	18.5	103
65	Intact Protein Mass Spectrometry for Therapeutic Protein Quantitation, Pharmacokinetics, and Biotransformation in Preclinical and Clinical Studies: An Industry Perspective. <i>Journal of the American Society for Mass Spectrometry</i> , 2021 , 32, 1886-1900	3.5	9
64	Antibody Subunit LC-MS Analysis for Pharmacokinetic and Biotransformation Determination from In-Life Studies for Complex Biotherapeutics. <i>Analytical Chemistry</i> , 2020 , 92, 8268-8277	7.8	8
63	Fit-for-Purpose Method Validation and Assays for Biomarker Characterization to Support Drug Development. 2020 , 149-176		
62	Measures of rabies immunity. 2020 , 445-479		1
61	Unusual Selective Response to Glycoprotein over Sugar Facilitates Ultrafast Universal Fluorescent Immunoassay of Biomarkers. <i>Analytical Chemistry</i> , 2020 , 92, 5540-5545	7.8	9
60	Precipitation-based colorimetric multiplex immunoassay in hydrogel particles. <i>Lab on A Chip</i> , 2020 , 20, 2841-2850	7.2	7
59	Direct Electrochemical Aptamer-Based Detection of Digoxin. <i>ChemistrySelect</i> , 2020 , 5, 2408-2411	1.8	1
58	ELISA assay employing epitope-specific monoclonal antibodies to quantify circulating HER2 with potential application in monitoring cancer patients undergoing therapy with trastuzumab. <i>Scientific Reports</i> , 2020 , 10, 3016	4.9	6
57	Development of a highly sensitive ELISA for determination of darunavir in plasma samples using a polyclonal antibody with high affinity and specificity. <i>Bioanalysis</i> , 2020 , 12, 355-366	2.1	2
56	Review: Detection and quantification of proteins in human urine. <i>Talanta</i> , 2021 , 223, 121718	6.2	26

55	Highly sensitive and specific graphene/TiO impedimetric immunosensor based on plant-derived tetravalent envelope glycoprotein domain III (EDIII) probe antigen for dengue diagnosis. <i>Biosensors and Bioelectronics</i> , 2021 , 176, 112895	11.8	13
54	Point-of-need detection with smartphone. 2021 , 311-362		O
53	Method and Clinical Validation of Biomarkers for Neurodegenerative Diseases. <i>Neuromethods</i> , 2021 , 163-173	0.4	
52	Immunoassays applications. 2021 , 161-173		
51	Plasma 25-Hydroxyvitamin D Concentrations and Serum and Salivary C-Reactive Protein in the Osteoporosis and Periodontal Disease Study. <i>Nutrients</i> , 2021 , 13,	6.7	O
50	Development and Evaluation of a Quantitative Fluorescent Lateral Flow Immunoassay for Cystatin-C, a Renal Dysfunction Biomarker. <i>Sensors</i> , 2021 , 21,	3.8	4
49	Molecularly Imprinted Silver Nanocomposites for Explosive Taggant Sensing. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 2960-2970	4.3	7
48	Bayesian calibration, process modeling and uncertainty quantification in biotechnology.		1
47	Optimization of High-Throughput Multiplexed Phenotyping of Extracellular Vesicles Performed in 96-Well Microtiter Plates. <i>Polymers</i> , 2021 , 13,	4.5	0
46	Challenges of Rabies Serology: Defining Context of Interpretation. <i>Viruses</i> , 2021 , 13,	6.2	3
45	Electrochemical Nanobiosensors as Point-of-care Testing Solution to Cytokines Measurement Limitations. <i>Electroanalysis</i> ,	3	2
44	Biosimilars accessible in the market for the treatment of cancer. <i>Journal of Controlled Release</i> , 2021 , 336, 112-129	11.7	20
43	Overview of therapeutic drug monitoring of immunosuppressive drugs: Analytical and clinical practices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 205, 114315	3.5	4
42	An electrochemical amplification strategy based on the ferrocene functionalized cuprous oxide superparticles for the detection of NSE. <i>Talanta</i> , 2022 , 236, 122865	6.2	3
41	Surface-enhanced Raman spectroscopy-based microfluidic devices for in vitro diagnostics. 2022 , 281-3	02	
40	Fit-for-Purpose Method Validation and Assays for Biomarker Characterization to Support Drug Development. 1		2
39	Miniaturized parallelized sandwich immunoassays. <i>Methods in Molecular Biology</i> , 2008 , 428, 247-61	1.4	17
38	Detection of thioredoxin-1 using ultra-sensitive ELISA with enzyme-encapsulated human serum albumin nanoparticle. <i>Nano Convergence</i> , 2019 , 6, 37	9.2	6

(2019-2003)

37	Validation of Assays for the Bioanalysis of Novel Biomarkers. <i>Drugs and the Pharmaceutical Sciences</i> , 2003 ,		7
36	Modeling pharmacodynamic response to the poly(ADP-Ribose) polymerase inhibitor ABT-888 in human peripheral blood mononuclear cells. <i>PLoS ONE</i> , 2011 , 6, e26152	3.7	45
35	Development and evaluation of a pseudovirus-luciferase assay for rapid and quantitative detection of neutralizing antibodies against enterovirus 71. <i>PLoS ONE</i> , 2013 , 8, e64116	3.7	21
34	Serum regucalcin is a useful indicator of liver injury severity in patients with hepatitis B virus-related liver diseases. <i>Brazilian Journal of Medical and Biological Research</i> , 2019 , 52, e8845	2.8	1
33	Bio-analytical Assay Methods used in Therapeutic Drug Monitoring of Antiretroviral Drugs-A Review. <i>Current Drug Therapy</i> , 2019 , 14, 16-57	0.7	2
32	Biomarker Strategies in Drug Development. Drugs and the Pharmaceutical Sciences, 2003,		
31	Approaches to Immunotoxicity Testing. 2005 , 421-429		
30	Analytical Test Methods for Biological and Biotechnological Products. 2005 , 277-326		
29	Immunoassay. 2010 , 171-180		
28	Human Anti-antibody Response. 2010 , 507-515		
28	Human Anti-antibody Response. 2010 , 507-515 Importance of Statistics in the Qualification and Application of Biomarkers. 1		
27	Importance of Statistics in the Qualification and Application of Biomarkers. 1		
27 26	Importance of Statistics in the Qualification and Application of Biomarkers. 1 Analytical Considerations for Immunoassays for Macromolecules. 1		
27 26 25	Importance of Statistics in the Qualification and Application of Biomarkers. 1 Analytical Considerations for Immunoassays for Macromolecules. 1 Bioanalytical Method Validation for Macromolecules. 1	1.8	
27 26 25 24	Importance of Statistics in the Qualification and Application of Biomarkers. 1 Analytical Considerations for Immunoassays for Macromolecules. 1 Bioanalytical Method Validation for Macromolecules. 1 Immunogenicity Assay Development and Validation. 2011, 521-534 DESIGN OF IMMUNORADIOMETRIC ASSAY FOR GONADOTROPINS USING A COMMON DETECTION	1.8	
27 26 25 24 23	Importance of Statistics in the Qualification and Application of Biomarkers. 1 Analytical Considerations for Immunoassays for Macromolecules. 1 Bioanalytical Method Validation for Macromolecules. 1 Immunogenicity Assay Development and Validation. 2011, 521-534 DESIGN OF IMMUNORADIOMETRIC ASSAY FOR GONADOTROPINS USING A COMMON DETECTION ANTIBODY: AN EXPERIENCE. Journal of Immunoassay and Immunochemistry, 2013,	1.8	

Experimental investigation on processing of fused silica microchannels by high repetition rate femtosecond laser. **2019**,

18	Multiplexed Immunoassays for Protein Profiling in Human Body Fluids. 2007 , 71-82		
17	Immunoassay Methods and their Applications in Pharmaceutical Analysis: Basic Methodology and Recent Advances. <i>International Journal of Biomedical Science</i> , 2006 , 2, 217-35		36
16	Antibody mix-and-read assays based on fluorescence intensity probes. <i>MAbs</i> , 2021 , 13, 1980178	6.6	
15	Antibody mix-and-read assays based on fluorescence intensity probes. <i>MAbs</i> , 2021 , 13, 1980178	6.6	O
14	Development and Evaluation of Europium-Based Quantitative Lateral Flow Immunoassay for the Chronic Kidney Disease Marker Cystatin-C <i>Journal of Fluorescence</i> , 2022 , 32, 419	2.4	O
13	Quantitation of Trastuzumab and an Antibody to SARS-CoV-2 in Minutes Using Affinity Membranes in 96-Well Plates <i>Analytical Chemistry</i> , 2022 ,	7.8	0
12	Simple manual roller pump-driven valve-free microfluidic solution exchange system for urgent bioassay <i>RSC Advances</i> , 2022 , 12, 2938-2946	3.7	O
11	Bayesian calibration, process modeling and uncertainty quantification in biotechnology <i>PLoS Computational Biology</i> , 2022 , 18, e1009223	5	3
10	Comprehensive Analysis of Nivolumab, A Therapeutic Anti-Pd-1 Monoclonal Antibody: Impact of Handling and Stress <i>Pharmaceutics</i> , 2022 , 14,	6.4	
9	Development and Validation of an ELISA to Evaluate Neutralizing Equine Anti Shiga Toxin Antibodies in Preclinical Studies. 2022 , 02,		
8	Standardized Whole Blood Assay and Bead-Based Cytokine Profiling Reveal Commonalities and Diversity of the Response to Bacteria and TLR Ligands in Cattle. <i>Frontiers in Immunology</i> , 2022 , 13,	8.4	O
7	Advances in nanomaterial-based immunosensors for prostate cancer screening. 2022, 155, 113649		О
6	An Introduction to Bioanalysis of Monoclonal Antibodies. 2022 , 19-47		O
5	An engineered (CAGA)12-EGFP cell-based biosensor for high-content and accurate detection of active TGF-[]2022, 114884		О
4	Recent Progress in Nanomaterial-Based Biosensors and Theranostic Nanomedicine for Bladder Cancer. 2023 , 13, 106		O
3	Control of protein density on nanoparticles for SERS-based immunoassays.		O
2	Biological Burden of Adverse Childhood Experiences in Children. 2023 , 85, 108-117		O

CITATION REPORT

A Novel Highly Sensitive Chemiluminescence Enzyme Immunoassay with Signal Enhancement Using Horseradish Peroxidase-Luminol-Hydrogen Peroxide Reaction for the Quantitation of Monoclonal Antibodies Used for Cancer Immunotherapy. **2023**, 11, 245

О