

# Structural basis for phosphoserine-proline recognition

Nature Structural Biology

7, 639-643

DOI: [10.1038/77929](https://doi.org/10.1038/77929)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Converging on proline: the mechanism of WW domain peptide recognition. , 2000, 7, 611-613.		131
2	Survivin structure: crystal unclear. , 2000, 7, 620-623.		28
3	Structure of a WW domain containing fragment of dystrophin in complex with beta-dystroglycan. Nature Structural Biology, 2000, 7, 634-638.	9.7	249
4	Phosphothreonine recognition comes into focus. , 2000, 7, 1085-1087.		256
5	Understanding IAP function and regulation: a view from Drosophila. Cell Death and Differentiation, 2000, 7, 1045-1056.	5.0	134
6	Structural basis for binding of Smac/DIABLO to the XIAP BIR3 domain. Nature, 2000, 408, 1004-1008.	13.7	624
7	Structural basis of IAP recognition by Smac/DIABLO. Nature, 2000, 408, 1008-1012.	13.7	806
8	Evolution of binding affinity in a WW domain probed by phage display. Protein Science, 2000, 9, 2366-2376.	3.1	34
9	BiRinging Chromosomes through Cell Divisionâ€™And Survivin' the Experience. Cell, 2000, 102, 545-548.	13.5	147
10	Insights into Programmed Cell Death through Structural Biology. Cell, 2000, 103, 273-282.	13.5	282
11	NeW Wrinkles for an Old Domain. Cell, 2000, 103, 1001-1004.	13.5	337
12	Human Survivin Is a Kinetochore-Associated Passenger Protein. Journal of Cell Biology, 2000, 151, 1575-1582.	2.3	222
13	Prolyl Isomerases. Advances in Protein Chemistry, 2001, 59, 243-282.	4.4	69
14	Solution structures of the YAP65 WW domain and the variant L30 K in complex with the peptides CTPPPYTVG, N-(n-octyl)-GPPPY and PLPPY and the application of peptide libraries reveal a minimal binding epitope. Journal of Molecular Biology, 2001, 314, 1147-1156.	2.0	106
15	The N-terminal domain of Homer/Ves1 is a new class II EVH1 domain. Journal of Molecular Biology, 2001, 309, 155-169.	2.0	50
16	The folding mechanism of a $\beta^2$ -sheet: the WW domain. Journal of Molecular Biology, 2001, 311, 373-393.	2.0	297
17	The molecular basis and potential role of survivin in cancer diagnosis and therapy. Trends in Molecular Medicine, 2001, 7, 542-547.	3.5	384
18	Structural Analysis of a Functional DIAP1 Fragment Bound to Grim and Hid Peptides. Molecular Cell, 2001, 8, 95-104.	4.5	113

#	ARTICLE	IF	CITATIONS
19	Multiple interactions of the cytosolic polyproline region of the CD95 ligand: hints for the reverse signal transduction capacity of a death factor1. <i>FEBS Letters</i> , 2001, 509, 255-262.	1.3	50
20	Structural Basis of Caspase Inhibition by XIAP. <i>Cell</i> , 2001, 104, 781-790.	13.5	118
21	Structural Basis for the Inhibition of Caspase-3 by XIAP. <i>Cell</i> , 2001, 104, 791-800.	13.5	717
22	A Novel Peptide Recognition Mode Revealed by the X-Ray Structure of a Core U2AF35/U2AF65 Heterodimer. <i>Cell</i> , 2001, 106, 595-605.	13.5	192
23	Trafficking and cell surface stability of ENaC. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F391-F399.	1.3	112
24	Cytokine-regulated expression of survivin in myeloid leukemia. <i>Blood</i> , 2001, 97, 2784-2790.	0.6	194
25	Genetic interactions between the ESS1 prolyl-isomerase and the RSP5 ubiquitin ligase reveal opposing effects on RNA polymerase II function. <i>Current Genetics</i> , 2001, 40, 234-242.	0.8	32
27	Synthesis of an Array Comprising 837 Variants of the hYAP WW Protein Domain. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 897-900.	7.2	53
28	Zinc coordination sphere in biochemical zinc sites. <i>BioMetals</i> , 2001, 14, 271-313.	1.8	621
29	Characterizing Class I WW domains defines key specificity determinants and generates mutant domains with novel specificities. <i>Chemistry and Biology</i> , 2001, 8, 231-241.	6.2	92
30	Solution structure of a Nedd4 WW domain-ENaC peptide complex. <i>Nature Structural Biology</i> , 2001, 8, 407-412.	9.7	202
31	PhosphoSerine/Threonine Binding Domains. <i>Structure</i> , 2001, 9, R33-R38.	1.6	75
32	Phosphoserine/threonine-binding domains. <i>Current Opinion in Cell Biology</i> , 2001, 13, 131-138.	2.6	331
33	Zinc finger proteins: new insights into structural and functional diversity. <i>Current Opinion in Structural Biology</i> , 2001, 11, 39-46.	2.6	1,240
34	Structure of melanoma inhibitory activity protein, a member of a recently identified family of secreted proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 5515-5520.	3.3	53
35	The Transcription Elongation Factor CA150 Interacts with RNA Polymerase II and the Pre-mRNA Splicing Factor SF1. <i>Molecular and Cellular Biology</i> , 2001, 21, 7617-7628.	1.1	126
36	Livin, a Novel Inhibitor of Apoptosis Protein Family Member. <i>Journal of Biological Chemistry</i> , 2001, 276, 3238-3246.	1.6	396
37	Physical Interaction with Yes-associated Protein Enhances p73 Transcriptional Activity. <i>Journal of Biological Chemistry</i> , 2001, 276, 15164-15173.	1.6	368

#	ARTICLE	IF	CITATIONS
38	Zinc coordination sphere in biochemical zinc sites. , 2001, , 85-127.		38
39	p13 and the WW Domain of PIN1 Bind to the Same Phosphothreonine-Proline Epitope. Journal of Biological Chemistry, 2001, 276, 1434-1438.	1.6	24
40	<sup>1</sup> H NMR Study on the Binding of Pin1 Trp-Trp Domain with Phosphothreonine Peptides. Journal of Biological Chemistry, 2001, 276, 25150-25156.	1.6	115
41	A role for survivin in chemoresistance of endothelial cells mediated by VEGF. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 4349-4354.	3.3	414
42	Determinants of Ligand Specificity in Groups I and IV WW Domains as Studied by Surface Plasmon Resonance and Model Building. Journal of Biological Chemistry, 2002, 277, 10173-10177.	1.6	47
43	Loss of Pin1 function in the mouse causes phenotypes resembling cyclin D1-null phenotypes. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 1335-1340.	3.3	317
44	Critical Role of WW Domain Phosphorylation in Regulating Phosphoserine Binding Activity and Pin1 Function. Journal of Biological Chemistry, 2002, 277, 2381-2384.	1.6	210
45	The Schizosaccharomyces pombe Aurora-related Kinase Ark1 Interacts with the Inner Centromere Protein Pic1 and Mediates Chromosome Segregation and Cytokinesis. Molecular Biology of the Cell, 2002, 13, 1132-1143.	0.9	78
46	Aurora B Kinase Exists in a Complex with Survivin and INCENP and Its Kinase Activity Is Stimulated by Survivin Binding and Phosphorylation. Molecular Biology of the Cell, 2002, 13, 3064-3077.	0.9	289
47	CRM1-Mediated Nuclear Export Determines the Cytoplasmic Localization of the Antiapoptotic Protein Survivin. Experimental Cell Research, 2002, 275, 44-53.	1.2	139
48	WAC, a Novel WW Domain-Containing Adapter with a Coiled-Coil Region, Is Colocalized with Splicing Factor SC35. Genomics, 2002, 79, 87-94.	1.3	26
49	Synthesis of a Negatively Charged Dibenzofuran-Based $\beta^2$ -Turn Mimetic and Its Incorporation into the WW Mini-protein-Enhanced Solubility without a Loss of Thermodynamic Stability. Journal of the American Chemical Society, 2002, 124, 11900-11907.	6.6	46
50	The Effect of Backbone Cyclization on the Thermodynamics of $\beta^2$ -Sheet Unfolding: A Stability Optimization of the PIN WW Domain. Journal of the American Chemical Society, 2002, 124, 4980-4986.	6.6	56
51	WW and SH3 domains, two different scaffolds to recognize proline-rich ligands. FEBS Letters, 2002, 513, 30-37.	1.3	431
52	Pin1 modulates the dephosphorylation of the RNA polymerase II C-terminal domain by yeast Fcp1. FEBS Letters, 2002, 513, 305-311.	1.3	55
53	Dephosphorylation of the inhibitory phosphorylation site S287 in Xenopus Cdc25C by protein phosphatase-2A is inhibited by 14-3-3 binding. FEBS Letters, 2002, 528, 267-271.	1.3	22
54	Solution Structure of the Single-domain Prolyl Cis/Trans Isomerase PIN1At from Arabidopsis thaliana. Journal of Molecular Biology, 2002, 320, 321-332.	2.0	36
55	The Structure of an FF Domain from Human HYPA/FBP11. Journal of Molecular Biology, 2002, 323, 411-416.	2.0	82

#	ARTICLE	IF	CITATIONS
56	Solution Structure and Ligand Recognition of the WW Domain Pair of the Yeast Splicing Factor Prp40. <i>Journal of Molecular Biology</i> , 2002, 324, 807-822.	2.0	73
57	Overexpression of TIAP/m-surivin in thymocytes enhances cell proliferation. <i>Molecular Immunology</i> , 2002, 39, 289-298.	1.0	15
59	Alternative Splicing of a $\beta$ 2 Subunit Proline-Rich Motif Regulates Voltage-Dependent Gating and Toxin Block of Cav2.1 Ca <sup>2+</sup> Channels. <i>Journal of Neuroscience</i> , 2002, 22, 9331-9339.	1.7	25
60	The effects of phosphorylation on adaptor protein function. <i>Frontiers in Bioscience - Landmark</i> , 2002, 7, d164.	3.0	7
61	The effects of phosphorylation on adaptor protein function. <i>Frontiers in Bioscience - Landmark</i> , 2002, 7, d164-203.	3.0	1
62	A p34cdc2 survival checkpoint in cancer. <i>Cancer Cell</i> , 2002, 2, 43-54.	7.7	304
63	Pinning down proline-directed phosphorylation signaling. <i>Trends in Cell Biology</i> , 2002, 12, 164-172.	3.6	334
64	The WW domain: Linking cell signalling to the membrane cytoskeleton. <i>Cellular Signalling</i> , 2002, 14, 183-189.	1.7	170
65	NMR solution structure of the isolated Apo Pin1 WW domain: Comparison to the x-ray crystal structures of Pin1. <i>Biopolymers</i> , 2002, 63, 111-121.	1.2	69
66	Distinct in vivo expression patterns of survivin splice variants in renal cell carcinomas. <i>International Journal of Cancer</i> , 2002, 100, 30-36.	2.3	116
67	Apoptosis and toxicology—what relevance?. <i>Toxicology</i> , 2002, 181-182, 3-7.	2.0	25
68	Implicit solvent models for flexible protein-protein docking by molecular dynamics simulation. <i>Proteins: Structure, Function and Bioinformatics</i> , 2002, 50, 158-169.	1.5	66
69	Differential subcellular localization of functionally divergent survivin splice variants. <i>Cell Death and Differentiation</i> , 2002, 9, 1334-1342.	5.0	154
70	The prolyl isomerase Pin1 reveals a mechanism to control p53 functions after genotoxic insults. <i>Nature</i> , 2002, 419, 853-857.	13.7	390
71	Phosphoregulation of sorting signal—VHS domain interactions by a direct electrostatic mechanism. <i>Nature Structural Biology</i> , 2002, 9, 532-6.	9.7	44
72	The Chemical Biology of Apoptosis. <i>Chemistry and Biology</i> , 2002, 9, 1059-1072.	6.2	82
73	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N backbone resonance assignment of the peptidyl-prolyl cis-trans isomerase Pin1. <i>Journal of Biomolecular NMR</i> , 2002, 23, 163-164.	1.6	10
74	Peptidyl—prolyl isomerases: a new twist to transcription. <i>EMBO Reports</i> , 2002, 3, 521-526.	2.0	146

#	ARTICLE	IF	CITATIONS
75	Pin1 : A Therapeutic Target in Alzheimer Neurodegeneration. Journal of Molecular Neuroscience, 2002, 19, 275-288.	1.1	38
76	The Structure and Function of Proline Recognition Domains. Science Signaling, 2003, 2003, re8-re8.	1.6	282
77	Getting a Grip on the CTD of Pol II. Structure, 2003, 11, 900-902.	1.6	5
78	Survivin study: What is the next wave?. Journal of Cellular Physiology, 2003, 197, 8-29.	2.0	300
79	Pin1 and Par14 Peptidyl Prolyl Isomerase Inhibitors Block Cell Proliferation. Chemistry and Biology, 2003, 10, 15-24.	6.2	156
80	The CTD code. Nature Structural and Molecular Biology, 2003, 10, 679-680.	3.6	294
81	A serine protease is involved in the initiation of DNA damage-induced apoptosis. Cell Death and Differentiation, 2003, 10, 1204-1212.	5.0	56
82	Procaspase 3 expression in ovarian carcinoma cells increases survivin transcription which can be countered with a dominant-negative mutant, survivin T34A; a combination gene therapy strategy. Oncogene, 2003, 22, 3539-3547.	2.6	38
83	Cell cycle-dependent phosphorylation of Disabled-2 by cdc2. Oncogene, 2003, 22, 4524-4530.	2.6	37
84	Survivin, versatile modulation of cell division and apoptosis in cancer. Oncogene, 2003, 22, 8581-8589.	2.6	832
85	Validating survivin as a cancer therapeutic target. Nature Reviews Cancer, 2003, 3, 46-54.	12.8	1,158
86	WW domain sequence activity relationships identified using ligand recognition propensities of 42 WW domains. Protein Science, 2003, 12, 491-500.	3.1	119
87	The crystal structure of the human polo-like kinase-1 polo box domain and its phospho-peptide complex. EMBO Journal, 2003, 22, 5757-5768.	3.5	209
88	Survivin-Dependent Angiogenesis in Ischemic Brain. American Journal of Pathology, 2003, 163, 935-946.	1.9	88
89	Structural Basis for Phosphodependent Substrate Selection and Orientation by the SCFCdc4 Ubiquitin Ligase. Cell, 2003, 112, 243-256.	13.5	468
90	FY Is an RNA 3' End-Processing Factor that Interacts with FCA to Control the Arabidopsis Floral Transition. Cell, 2003, 113, 777-787.	13.5	399
91	The Molecular Basis for Phosphodependent Substrate Targeting and Regulation of Plks by the Polo-Box Domain. Cell, 2003, 115, 83-95.	13.5	687
92	PCIF1, a novel human WW domain-containing protein, interacts with the phosphorylated RNA polymerase II. Biochemical and Biophysical Research Communications, 2003, 301, 378-385.	1.0	40

#	ARTICLE	IF	CITATIONS
93	Survivin acts as an antiapoptotic factor during the development of mouse preimplantation embryos. <i>Developmental Biology</i> , 2003, 256, 331-341.	0.9	76
94	Natural cellular inhibitors of caspases. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 215-229.	2.5	65
95	Structure of an mRNA Capping Enzyme Bound to the Phosphorylated Carboxy-Terminal Domain of RNA Polymerase II. <i>Molecular Cell</i> , 2003, 11, 1549-1561.	4.5	192
96	Ternary complex factors: prime nuclear targets for mitogen-activated protein kinases. <i>International Journal of Biochemistry and Cell Biology</i> , 2003, 35, 1210-1226.	1.2	116
97	Assembly of Cell Regulatory Systems Through Protein Interaction Domains. <i>Science</i> , 2003, 300, 445-452.	6.0	1,310
98	Cis-Trans Isomerization of Organic Molecules and Biomolecules: Implications and Applications. <i>Chemical Reviews</i> , 2003, 103, 2475-2532.	23.0	893
99	Prolyl isomerase Pin1: a catalyst for oncogenesis and a potential therapeutic target in cancer. <i>Journal of Cell Science</i> , 2003, 116, 773-783.	1.2	173
100	Polarized Distribution of IQGAP Proteins in Gastric Parietal Cells and Their Roles in Regulated Epithelial Cell Secretion. <i>Molecular Biology of the Cell</i> , 2003, 14, 1097-1108.	0.9	34
101	Affinity and Specificity of Interactions between Nedd4 Isoforms and the Epithelial Na <sup>+</sup> Channel. <i>Journal of Biological Chemistry</i> , 2003, 278, 20019-20028.	1.6	80
102	Survivin Enhances Aurora-B Kinase Activity and Localizes Aurora-B in Human Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 486-490.	1.6	105
103	Localization, Dynamics, and Function of Survivin Revealed by Expression of Functional SurvivinDsRed Fusion Proteins in the Living Cell. <i>Molecular Biology of the Cell</i> , 2003, 14, 78-92.	0.9	75
104	Rapid amyloid fiber formation from the fast-folding WW domain FBP28. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 9814-9819.	3.3	78
105	Structural Analysis of the Mitotic Regulator hPin1 in Solution. <i>Journal of Biological Chemistry</i> , 2003, 278, 26183-26193.	1.6	115
106	Peptide Binding Induces Large Scale Changes in Inter-domain Mobility in Human Pin1. <i>Journal of Biological Chemistry</i> , 2003, 278, 26174-26182.	1.6	87
107	Survivin and apoptosis control. <i>Advances in Cancer Research</i> , 2003, 88, 31-52.	1.9	128
108	Pin1 modulates the structure and function of human RNA polymerase II. <i>Genes and Development</i> , 2003, 17, 2765-2776.	2.7	147
109	Direct Interaction between Survivin and Smac/DIABLO Is Essential for the Anti-apoptotic Activity of Survivin during Taxol-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2003, 278, 23130-23140.	1.6	329
111	Insights into the catalytic mechanism of peptidyl prolyl cis/trans isomerases. <i>Frontiers in Bioscience - Landmark</i> , 2004, 9, 3453.	3.0	208

#	ARTICLE	IF	CITATIONS
112	Acute Ablation of Survivin Uncovers p53-dependent Mitotic Checkpoint Functions and Control of Mitochondrial Apoptosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 2077-2084.	1.6	116
113	FF Domains of CA150 Bind Transcription and Splicing Factors through Multiple Weak Interactions. <i>Molecular and Cellular Biology</i> , 2004, 24, 9274-9285.	1.1	62
114	Functional Unit of the RNA Polymerase II C-Terminal Domain Lies within Heptapeptide Pairs. <i>Eukaryotic Cell</i> , 2004, 3, 735-740.	3.4	62
115	A Single Amino Acid Change (Asp 53 to Ala53) Converts Survivin from Anti-apoptotic to Pro-apoptotic. <i>Molecular Biology of the Cell</i> , 2004, 15, 1287-1296.	0.9	43
116	Induction of Survivin Expression by Taxol (Paclitaxel) Is an Early Event, Which Is Independent of Taxol-mediated G2/M Arrest. <i>Journal of Biological Chemistry</i> , 2004, 279, 15196-15203.	1.6	156
117	KeePin™ the p53 Family in Good Shape. <i>Cell Cycle</i> , 2004, 3, 903-909.	1.3	22
118	Integrating folding kinetics and protein function: Biphasic kinetics and dual binding specificity in a WW domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 3432-3437.	3.3	65
119	Elongation by RNA polymerase II: the short and long of it. <i>Genes and Development</i> , 2004, 18, 2437-2468.	2.7	596
120	Common Mechanism of Ligand Recognition by Group II/III WW Domains. <i>Journal of Biological Chemistry</i> , 2004, 279, 31833-31841.	1.6	61
121	Rapid induction of mitochondrial events and caspase-independent apoptosis in Survivin-targeted melanoma cells. <i>Oncogene</i> , 2004, 23, 39-48.	2.6	162
122	The Nedd4 family of E3 ubiquitin ligases: functional diversity within a common modular architecture. <i>Oncogene</i> , 2004, 23, 1972-1984.	2.6	440
123	Cell death by mitotic catastrophe: a molecular definition. <i>Oncogene</i> , 2004, 23, 2825-2837.	2.6	1,074
124	A nuclear FK506-binding protein is a histone chaperone regulating rDNA silencing. <i>Nature Structural and Molecular Biology</i> , 2004, 11, 275-283.	3.6	83
125	Structure and mechanism of the RNA polymerase II transcription machinery. <i>Nature Structural and Molecular Biology</i> , 2004, 11, 394-403.	3.6	438
126	Recognition of RNA polymerase II carboxy-terminal domain by 5'-RNA-processing factors. <i>Nature</i> , 2004, 430, 223-226.	13.7	260
127	Pinning down cell signaling, cancer and Alzheimer's disease. <i>Trends in Biochemical Sciences</i> , 2004, 29, 200-209.	3.7	226
128	Survivin and Leukemia. <i>International Journal of Hematology</i> , 2004, 80, 232-238.	0.7	27
129	Interpretation of NMR relaxation properties of Pin1, a two-domain protein, based on Brownian dynamic simulations. <i>Journal of Biomolecular NMR</i> , 2004, 29, 21-35.	1.6	27



#	ARTICLE	IF	CITATIONS
130	Chromosomal passengers: the four-dimensional regulation of mitotic events. <i>Chromosoma</i> , 2004, 113, 211-222.	1.0	294
131	A map of WW domain family interactions. <i>Proteomics</i> , 2004, 4, 643-655.	1.3	122
132	Multisite phosphorylation of Pin1-associated mitotic phosphoproteins revealed by monoclonal antibodies MPM-2 and CC-3. <i>BMC Cell Biology</i> , 2004, 5, 22.	3.0	14
133	Molecular circuits of apoptosis regulation and cell division control: The survivin paradigm. <i>Journal of Cellular Biochemistry</i> , 2004, 92, 656-663.	1.2	123
134	Proline-Directed Random-Coil Chemical Shift Values as a Tool for the NMR Assignment of the Tau Phosphorylation Sites. <i>ChemBioChem</i> , 2004, 5, 73-78.	1.3	53
135	The Structure and Dynamics of Tandem WW Domains in a Negative Regulator of Notch Signaling, Suppressor of Deltex. <i>Journal of Biological Chemistry</i> , 2004, 279, 34991-35000.	1.6	41
136	Conformationally Locked Isostere of PhosphoSer <sup>~</sup> cis-Pro Inhibits Pin1 23-Fold Better than PhosphoSer <sup>~</sup> trans-Pro Isostere. <i>Journal of the American Chemical Society</i> , 2004, 126, 15533-15542.	6.6	92
137	Toward Assessing the Position-Dependent Contributions of Backbone Hydrogen Bonding to $\beta^2$ -Sheet Folding Thermodynamics Employing Amide-to-Ester Perturbations. <i>Journal of the American Chemical Society</i> , 2004, 126, 16762-16771.	6.6	107
138	Extracellular Signal-regulated Kinases 1/2 Are Serum-stimulated $\alpha$ -BimEL Kinases That Bind to the BH3-only Protein BimEL Causing Its Phosphorylation and Turnover. <i>Journal of Biological Chemistry</i> , 2004, 279, 8837-8847.	1.6	172
139	The Use of In Vitro Peptide-Library Screens in the Analysis of Phosphoserine/Threonine-Binding Domain Structure and Function. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2004, 33, 225-244.	18.3	78
140	The Proteasome in Cell-Cycle Regulation. , 2004, , 77-84.		2
141	Identification of a novel splice variant of the human anti-apoptosis gene survivin. <i>Biochemical and Biophysical Research Communications</i> , 2004, 314, 902-907.	1.0	142
142	The link between mRNA processing and transcription: communication works both ways. <i>Experimental Cell Research</i> , 2004, 296, 91-97.	1.2	127
143	Nuclear Survivin Expression in Mantle Cell Lymphoma Is Associated with Cell Proliferation and Survival. <i>American Journal of Pathology</i> , 2004, 164, 501-510.	1.9	92
144	Prevalent Overexpression of Prolyl Isomerase Pin1 in Human Cancers. <i>American Journal of Pathology</i> , 2004, 164, 1727-1737.	1.9	347
145	Structure and Mechanism of RNA Polymerase II CTD Phosphatases. <i>Molecular Cell</i> , 2004, 15, 399-407.	4.5	121
146	Shortfalls in the peptidyl-prolyl cis $\leftrightarrow$ trans isomerase protein Pin1 in neurons are associated with frontotemporal dementias. <i>Neurobiology of Disease</i> , 2004, 17, 237-249.	2.1	42
147	Survivin expression in rat testis is upregulated by stem-cell factor. <i>Molecular and Cellular Endocrinology</i> , 2004, 218, 165-174.	1.6	26

#	ARTICLE	IF	CITATIONS
148	Dephosphorylation of RNA Polymerase II by CTD-phosphatase FCP1 is Inhibited by Phospho-CTD Associating Proteins. <i>Journal of Molecular Biology</i> , 2004, 335, 415-424.	2.0	27
149	Comparative Structural and Energetic Analysis of WW Domain's Peptide Interactions. <i>Journal of Molecular Biology</i> , 2004, 344, 865-881.	2.0	37
150	Competitive Binding of Proline-Rich Sequences by SH3, WW, and Other Functionally Related Protein Domains. , 2005, , 185-201.		2
151	Specificity and versatility of SH3 and other proline-recognition domains: structural basis and implications for cellular signal transduction. <i>Biochemical Journal</i> , 2005, 390, 641-653.	1.7	353
152	Mathematical modeling of the regulation of caspase-3 activation and degradation. <i>Journal of Theoretical Biology</i> , 2005, 234, 123-131.	0.8	59
153	Suzuki coupling for protein modification. <i>Tetrahedron Letters</i> , 2005, 46, 3301-3305.	0.7	85
154	Crystallization and preliminary X-ray diffraction studies of the WW4 domain of the Nedd4-2 ubiquitin's protein ligase. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005, 61, 1084-1086.	0.7	5
155	Inducing interactions with the CTD. <i>Nature Structural and Molecular Biology</i> , 2005, 12, 102-103.	3.6	10
156	Key features of the interaction between Pcf11 CID and RNA polymerase II CTD. <i>Nature Structural and Molecular Biology</i> , 2005, 12, 144-151.	3.6	94
157	Phosphorylation-specific prolyl isomerization: is there an underlying theme?. <i>Nature Cell Biology</i> , 2005, 7, 435-441.	4.6	230
158	Multisite protein modification and intramolecular signaling. <i>Oncogene</i> , 2005, 24, 1653-1662.	2.6	245
159	Differential regulation of survivin expression and apoptosis by vitamin D3 compounds in two isogenic MCF-7 breast cancer cell sublines. <i>Oncogene</i> , 2005, 24, 1385-1395.	2.6	55
160	Survivin splice variants regulate the balance between proliferation and cell death. <i>Oncogene</i> , 2005, 24, 1994-2007.	2.6	176
161	Natural-like function in artificial WW domains. <i>Nature</i> , 2005, 437, 579-583.	13.7	231
162	Human ATP-dependent RNA/DNA helicase hSuv3p interacts with the cofactor of survivin HBXIP. <i>FEBS Journal</i> , 2005, 272, 5008-5019.	2.2	37
163	Survivin, a novel anti-apoptosis inhibitor, expression in uterine cervical cancer and relationship with prognostic factors. <i>International Journal of Gynecological Cancer</i> , 2005, 15, 113-119.	1.2	31
164	Rational design of shepherdin, a novel anticancer agent. <i>Cancer Cell</i> , 2005, 7, 457-468.	7.7	311
165	Rules of engagement: co-transcriptional recruitment of pre-mRNA processing factors. <i>Current Opinion in Cell Biology</i> , 2005, 17, 251-256.	2.6	440

#	ARTICLE	IF	CITATIONS
166	An autonomously folding $\beta$ -hairpin derived from the human YAP65 WW domain: Attempts to define a minimum ligand-binding motif. <i>Biopolymers</i> , 2005, 80, 303-311.	1.2	13
167	Recognition of Proline-Rich Motifs by Protein-Protein-Interaction Domains. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 2852-2869.	7.2	236
168	Lessons from nature: On the molecular recognition elements of the phosphoprotein binding-domains. <i>Biotechnology and Bioengineering</i> , 2005, 91, 546-555.	1.7	29
170	Survivin, other IAPs, Smac/Diablo, and Omi/Htra2 " Modulation of the Advancing Apoptotic Process. , 2005, , 137-155.		1
171	14-3-3 Proteins Modulate the Expression of Epithelial Na <sup>+</sup> Channels by Phosphorylation-dependent Interaction with Nedd4-2 Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2005, 280, 13187-13194.	1.6	170
172	A structural perspective of CTD function. <i>Genes and Development</i> , 2005, 19, 1401-1415.	2.7	276
173	Voltage-Gated Sodium Channel Nav1.6 Is Modulated by p38 Mitogen-Activated Protein Kinase. <i>Journal of Neuroscience</i> , 2005, 25, 6621-6630.	1.7	105
174	WW Domains Provide a Platform for the Assembly of Multiprotein Networks. <i>Molecular and Cellular Biology</i> , 2005, 25, 7092-7106.	1.1	221
175	Comparative Genomics and Evolution of Proteins Associated with RNA Polymerase II C-Terminal Domain. <i>Molecular Biology and Evolution</i> , 2005, 22, 2166-2178.	3.5	30
176	Survivin expression in ovarian cancer and its correlation with clinico-pathological, surgical and apoptosis-related parameters. <i>British Journal of Cancer</i> , 2005, 92, 271-277.	2.9	79
177	Different Strategies for Carboxyl-terminal Domain (CTD) Recognition by Serine 5-specific CTD Phosphatases. <i>Journal of Biological Chemistry</i> , 2005, 280, 37681-37688.	1.6	42
178	Vanishingly Low Levels of Ess1 Prolyl-isomerase Activity Are Sufficient for Growth in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 15510-15517.	1.6	57
179	Regulation of the Transcriptional Activity of c-Fos by ERK. <i>Journal of Biological Chemistry</i> , 2005, 280, 35081-35084.	1.6	239
180	Peptidyl-Prolyl Isomerase 1 (Pin1) Serves as a Coactivator of Steroid Receptor by Regulating the Activity of Phosphorylated Steroid Receptor Coactivator 3 (SRC-3/AIB1). <i>Molecular and Cellular Biology</i> , 2005, 25, 9687-9699.	1.1	85
181	Solution structure of the Set2-Rpb1 interacting domain of human Set2 and its interaction with the hyperphosphorylated C-terminal domain of Rpb1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17636-17641.	3.3	122
182	Suppressors of Bir1p (Survivin) Identify Roles for the Chromosomal Passenger Protein Pic1p (INCENP) and the Replication Initiation Factor Psf2p in Chromosome Segregation. <i>Molecular and Cellular Biology</i> , 2005, 25, 9000-9015.	1.1	44
183	Survivin interacts with Smac/DIABLO in ovarian carcinoma cells but is redundant in Smac-mediated apoptosis. <i>Experimental Cell Research</i> , 2005, 302, 69-82.	1.2	51
184	Engineering a $\beta$ -Sheet Protein toward the Folding Speed Limit. <i>Journal of Physical Chemistry B</i> , 2005, 109, 15182-15186.	1.2	58

#	ARTICLE	IF	CITATIONS
185	Control of Protein-Protein Interactions: A Structure-Based Discovery of Low Molecular Weight Inhibitors of the Interactions between Pin1 WW Domain and Phosphopeptides. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4815-4823.	2.9	26
186	Structural Basis for APPTPPPLPP Peptide Recognition by the FBP11WW1 Domain. <i>Journal of Molecular Biology</i> , 2005, 348, 399-408.	2.0	22
187	Structural Basis of the Interaction Between P-element Somatic Inhibitor and U1-70k Essential for the Alternative Splicing of P-element Transposase. <i>Journal of Molecular Biology</i> , 2005, 351, 52-65.	2.0	17
188	Expression of the C-terminal domain of novel human SR-A1 protein: Interaction with the CTD domain of RNA polymerase II. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 61-68.	1.0	7
189	The Structure of the <i>Candida albicans</i> Ess1 Prolyl Isomerase Reveals a Well-Ordered Linker that Restricts Domain Mobility. <i>Biochemistry</i> , 2005, 44, 6180-6189.	1.2	46
190	Regulation of Bruton Tyrosine Kinase by the Peptidylprolyl Isomerase Pin1. <i>Journal of Biological Chemistry</i> , 2006, 281, 18201-18207.	1.6	40
191	Pin1 Flips Alzheimer's Switch. <i>ACS Chemical Biology</i> , 2006, 1, 214-216.	1.6	16
192	High-level expression, purification and pro-apoptosis activity of HIV-TAT-survivin (T34A) mutant to cancer cells in vitro. <i>Journal of Biotechnology</i> , 2006, 123, 367-378.	1.9	22
193	Testing Simplified Proteins Models of the hPin1 WW Domain. <i>Biophysical Journal</i> , 2006, 91, 694-704.	0.2	21
194	Effective Disruption of Phosphoprotein-Protein Surface Interaction Using Zn(II) Dipicolylamine-Based Artificial Receptors via Two-Point Interaction. <i>Journal of the American Chemical Society</i> , 2006, 128, 2052-2058.	6.6	88
195	Comparative analysis of enzyme activities and mRNA levels of peptidyl prolyl isomerases in various organs of wild type and Pin1 <sup>-/-</sup> mice. <i>FEBS Letters</i> , 2006, 580, 3237-3245.	1.3	26
196	Survivin mutant (Surv-DD70, 71AA) disrupts the interaction of Survivin with Aurora B and causes multinucleation in HeLa cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 346, 400-407.	1.0	15
197	Nuclear interaction of Smac/DIABLO with Survivin at G2/M arrest prompts docetaxel-induced apoptosis in DU145 prostate cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 949-954.	1.0	28
198	A retrogen plasmid-based vaccine generates high titer antibody responses against the autologous cancer antigen survivin and demonstrates anti-tumor efficacy. <i>Cancer Letters</i> , 2006, 237, 45-55.	3.2	11
199	Determinants for Dephosphorylation of the RNA Polymerase II C-Terminal Domain by Scp1. <i>Molecular Cell</i> , 2006, 24, 759-770.	4.5	103
200	Construction, expression, and purification of HIV-TAT-survivin (T34A) mutant: A pro-apoptosis protein in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2006, 47, 36-44.	0.6	10
201	Recent structural studies of RNA polymerases II and III. <i>Biochemical Society Transactions</i> , 2006, 34, 1058-1061.	1.6	10
202	Pin1: Inhibitors and Mechanism. , 2006, , 759-762.		3

#	ARTICLE	IF	CITATIONS
203	Targeting the Survivin Pathway for Rational Cancer Therapy. , 0, , 427-442.		0
205	Characterization of novel elongated Parvulin isoforms that are ubiquitously expressed in human tissues and originate from alternative transcription initiation. <i>BMC Molecular Biology</i> , 2006, 7, 9.	3.0	35
206	Survivin increased vascular development during <i>Xenopus</i> ontogenesis. <i>Differentiation</i> , 2006, 74, 244-253.	1.0	10
207	REVIEW: Pin1 in Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2006, 98, 1697-1706.	2.1	156
208	Suppression of tumor growth using a recombinant adenoviral vector carrying the dominant-negative mutant gene Survivin-D53A in a nude mice model. <i>Cancer Gene Therapy</i> , 2006, 13, 762-770.	2.2	13
209	An overview of apoptosis and the prevention of colorectal cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2006, 57, 107-121.	2.0	97
210	Phosphorylation of the HTLV-1 matrix L-domain-containing protein by virus-associated ERK-2 kinase. <i>Virology</i> , 2006, 349, 430-439.	1.1	11
211	The case for survivin as a regulator of microtubule dynamics and cell-death decisions. <i>Current Opinion in Cell Biology</i> , 2006, 18, 609-615.	2.6	254
212	The case for Survivin as mitotic regulator. <i>Current Opinion in Cell Biology</i> , 2006, 18, 616-622.	2.6	161
213	$\beta$ -Sheet folding mechanisms from perturbation energetics. <i>Current Opinion in Structural Biology</i> , 2006, 16, 94-101.	2.6	37
214	Structural Determinants for High-Affinity Binding in a Nedd4 WW3 $\hat{=}$ Domain-Comm PY Motif Complex. <i>Structure</i> , 2006, 14, 543-553.	1.6	77
215	The cell cycle as a therapeutic target for Alzheimer's disease. , 2006, 111, 99-113.		85
216	Peptidyl-prolyl isomerase inhibitors. <i>Biopolymers</i> , 2006, 84, 125-146.	1.2	88
217	Tetraploidy/aneuploidy and stem cells in cancer promotion: The role of chromosome passenger proteins. <i>Journal of Cellular Physiology</i> , 2006, 208, 12-22.	2.0	56
218	Targeting carcinogenesis: A role for the prolyl isomerase Pin1?. <i>Molecular Carcinogenesis</i> , 2006, 45, 397-402.	1.3	48
219	Uncoupling the Central Spindle-associated Function of the Chromosomal Passenger Complex from Its Role at Centromeres. <i>Molecular Biology of the Cell</i> , 2006, 17, 1897-1909.	0.9	69
220	Molecular Analysis of Survivin Isoforms. <i>Journal of Biological Chemistry</i> , 2006, 281, 1286-1295.	1.6	73
221	The Peptidyl-Prolyl Isomerase Pin1 Regulates Granulocyte-Macrophage Colony-Stimulating Factor mRNA Stability in T Lymphocytes. <i>Journal of Immunology</i> , 2006, 177, 6999-7006.	0.4	62

#	ARTICLE	IF	CITATIONS
222	Centromere Targeting of the Chromosomal Passenger Complex Requires a Ternary Subcomplex of Borealin, Survivin, and the N-Terminal Domain of INCENP. <i>Molecular Biology of the Cell</i> , 2006, 17, 2547-2558.	0.9	145
223	Structure-function-folding relationship in a WW domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10648-10653.	3.3	199
224	Structure and Carboxyl-terminal Domain (CTD) Binding of the Set2 SRI Domain That Couples Histone H3 Lys36 Methylation to Transcription*. <i>Journal of Biological Chemistry</i> , 2006, 281, 13-15.	1.6	76
225	Phosphorylation and functions of the RNA polymerase II CTD. <i>Genes and Development</i> , 2006, 20, 2922-2936.	2.7	626
226	Identification of a Novel Mutation in the Myosin VIIA Motor Domain in a Family with Autosomal Dominant Hearing Loss (DFNA11). <i>Audiology and Neuro-Otology</i> , 2006, 11, 157-164.	0.6	25
227	The Structure of Prp40 FF1 Domain and Its Interaction with the crn-TPR1 Motif of Clf1 Gives a New Insight into the Binding Mode of FF Domains. <i>Journal of Biological Chemistry</i> , 2006, 281, 356-364.	1.6	32
228	Structure of FBP11 WW1-PL Ligand Complex Reveals the Mechanism of Proline-rich Ligand Recognition by Group II/III WW Domains. <i>Journal of Biological Chemistry</i> , 2006, 281, 40321-40329.	1.6	11
229	The plant homeodomain finger of RAG2 recognizes histone H3 methylated at both lysine-4 and arginine-2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18993-18998.	3.3	186
230	The Prolyl Isomerase Pin1 Affects Che-1 Stability in Response to Apoptotic DNA Damage. <i>Journal of Biological Chemistry</i> , 2007, 282, 19685-19691.	1.6	40
231	Pin1 modulates RNA polymerase II activity during the transcription cycle. <i>Genes and Development</i> , 2007, 21, 2950-2962.	2.7	74
232	The Mitotic Regulator Survivin Binds as a Monomer to Its Functional Interactor Borealin. <i>Journal of Biological Chemistry</i> , 2007, 282, 35018-35023.	1.6	42
233	The Rate of c-fos Transcription in Vivo Is Continuously Regulated at the Level of Elongation by Dynamic Stimulus-coupled Recruitment of Positive Transcription Elongation Factor b. <i>Journal of Biological Chemistry</i> , 2007, 282, 5075-5084.	1.6	25
234	Specificity and Autoregulation of Notch Binding by Tandem WW Domains in Suppressor of Deltex. <i>Journal of Biological Chemistry</i> , 2007, 282, 29032-29042.	1.6	33
235	An essential role for Pin1 in <i>Xenopus laevis</i> embryonic development revealed by specific inhibitors. <i>Biological Chemistry</i> , 2007, 388, 1103-11.	1.2	7
236	Rct1, a Nuclear RNA Recognition Motif-Containing Cyclophilin, Regulates Phosphorylation of the RNA Polymerase II C-Terminal Domain. <i>Molecular and Cellular Biology</i> , 2007, 27, 3601-3611.	1.1	14
237	Identification and characterization of a novel and functional murine Pin1 isoform. <i>Biochemical and Biophysical Research Communications</i> , 2007, 359, 529-535.	1.0	10
238	Mass spectroscopic phosphoprotein mapping of Ral binding protein 1 (RalBP1/Rip1/RLIP76). <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 56-62.	1.0	13
239	Structure of a Survivin-Borealin-INCENP Core Complex Reveals How Chromosomal Passengers Travel Together. <i>Cell</i> , 2007, 131, 271-285.	13.5	305

#	ARTICLE	IF	CITATIONS
240	Survivin: A promising tumor biomarker. <i>Cancer Letters</i> , 2007, 249, 49-60.	3.2	229
241	Functionally Important Residues in the Peptidyl-prolyl Isomerase Pin1 Revealed by Unigenic Evolution. <i>Journal of Molecular Biology</i> , 2007, 365, 1143-1162.	2.0	77
242	Crystal Structure of Human Filamin C Domain 23 and Small Angle Scattering Model for Filamin C 23-24 Dimer. <i>Journal of Molecular Biology</i> , 2007, 368, 1011-1023.	2.0	28
243	Structural Basis for Polyproline Recognition by the FE65 WW Domain. <i>Journal of Molecular Biology</i> , 2007, 372, 970-980.	2.0	43
244	On the Benefit of Bivalency in Peptide Ligand/Pin1 Interactions. <i>Journal of Molecular Biology</i> , 2007, 374, 147-161.	2.0	55
245	Compartmentalized Phosphorylation of IAP by Protein Kinase A Regulates Cytoprotection. <i>Molecular Cell</i> , 2007, 27, 17-28.	4.5	138
246	The Tumor Gene Survivin Is Highly Expressed in Adult Renal Tubular Cells. <i>American Journal of Pathology</i> , 2007, 171, 1483-1498.	1.9	52
247	Design of a Hybrid Biosensor for Enhanced Phosphopeptide Recognition Based on a Phosphoprotein Binding Domain Coupled with a Fluorescent Chemosensor. <i>Journal of the American Chemical Society</i> , 2007, 129, 6232-6239.	6.6	71
248	Structural Basis for High-Affinity Peptide Inhibition of Human Pin1. <i>ACS Chemical Biology</i> , 2007, 2, 320-328.	1.6	123
249	Pin1 Interacts With a Specific Serine-Proline Motif of Hepatitis B Virus X-Protein to Enhance Hepatocarcinogenesis. <i>Gastroenterology</i> , 2007, 132, 1088-1103.	0.6	121
250	Structural, Energetic, and Dynamic Aspects of Ligand-Receptor Interactions. , 2007, , 193-213.		8
251	Survivin Expression in Tuberosus Sclerosis Complex Cells. <i>Molecular Medicine</i> , 2007, 13, 166-177.	1.9	21
252	A Novel Synthesis of Highly Substituted Perhydropyrrolizines, Perhydroindolizines, and Pyrrolidines: Inhibition of the Peptidyl-Prolylcis/trans Isomerase (PPLase) Pin1. <i>Helvetica Chimica Acta</i> , 2007, 90, 217-259.	1.0	18
253	Discovery of a novel small molecule binding site of human survivin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 3122-3129.	1.0	69
254	PinA from <i>Aspergillus nidulans</i> binds to pS/pT-P motifs using the same Loop I and XP groove as mammalian Pin1. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2007, 1774, 1208-1212.	1.1	3
255	The anti-apoptotic factor Che-1/AATF links transcriptional regulation, cell cycle control, and DNA damage response. <i>Cell Division</i> , 2007, 2, 21.	1.1	28
256	Regulation of p53 localization and transcription by the HECT domain E3 ligase WWP1. <i>Oncogene</i> , 2007, 26, 1477-1483.	2.6	113
257	Chromatin and transcription regulation. <i>Molecular Biology</i> , 2007, 41, 343-348.	0.4	5



#	ARTICLE	IF	CITATIONS
259	Prolyl cis-trans isomerization as a molecular timer. <i>Nature Chemical Biology</i> , 2007, 3, 619-629.	3.9	574
260	Chromosomal passengers: conducting cell division. <i>Nature Reviews Molecular Cell Biology</i> , 2007, 8, 798-812.	16.1	747
261	The prolyl isomerase PIN1: a pivotal new twist in phosphorylation signalling and disease. <i>Nature Reviews Molecular Cell Biology</i> , 2007, 8, 904-916.	16.1	606
262	Peptidyl-prolyl cis / trans isomerases and transcription: is there a twist in the tail?. <i>EMBO Reports</i> , 2007, 8, 40-45.	2.0	62
263	Multienzyme assembly of a p53 transcription complex. <i>Nature Structural and Molecular Biology</i> , 2007, 14, 885-887.	3.6	11
264	Sequence-specific dynamics modulate recognition specificity in WW domains. <i>Nature Structural and Molecular Biology</i> , 2007, 14, 325-331.	3.6	56
265	Homodimerization Antagonizes Nuclear Export of Survivin. <i>Traffic</i> , 2007, 8, 1495-1502.	1.3	43
266	Molecular mechanisms of the phospho-dependent prolyl cis/trans isomerase Pin1. <i>FEBS Journal</i> , 2007, 274, 5211-5222.	2.2	55
267	Substrate Recognition Reduces Side-Chain Flexibility for Conserved Hydrophobic Residues in Human Pin1. <i>Structure</i> , 2007, 15, 313-327.	1.6	75
268	NMR Structural Studies of the ItchWW3 Domain Reveal that Phosphorylation at T30 Inhibits the Interaction with PPxY-Containing Ligands. <i>Structure</i> , 2007, 15, 473-483.	1.6	25
269	Inhibitor of Apoptosis Proteins and Caspases. , 2006, , 313-334.		0
270	Coupling Apoptosis and Cell Division Control in Cancer. , 2007, , 321-334.		0
271	Survivin acts as anti-apoptotic factor during the development of bovine pre-implantation embryos. <i>Molecular Reproduction and Development</i> , 2007, 74, 582-590.	1.0	20
272	Influence of hPin1 WW N-terminal domain boundaries on function, protein stability, and folding. <i>Protein Science</i> , 2007, 16, 1495-1501.	3.1	19
273	A cross-strand Trp-Trp pair stabilizes the hPin1 WW domain at the expense of function. <i>Protein Science</i> , 2007, 16, 2306-2313.	3.1	48
274	The role of the turn in hairpin formation during WW domain folding. <i>Protein Science</i> , 2007, 16, 2233-2239.	3.1	39
275	Protein factors in pre-mRNA 3'-end processing. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 1099-1122.	2.4	351
276	Protein-protein docking by simulating the process of association subject to biochemical constraints. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008, 71, 1955-1969.	1.5	27



#	ARTICLE	IF	CITATIONS
277	Protein-protein recognition as a first step towards the inhibition of XIAP and Survivin anti-apoptotic proteins. <i>Journal of Molecular Recognition</i> , 2008, 21, 190-204.	1.1	20
278	Structural characterisation of PinA WW domain and a comparison with other Group IV WW domains, Pin1 and Ess1. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 1208-1214.	1.1	7
279	Chemically synthesized human survivin does not inhibit caspase-3. <i>Protein Science</i> , 2008, 17, 1624-1629.	3.1	25
280	Increasing protein stability using a rational approach combining sequence homology and structural alignment: Stabilizing the WW domain. <i>Protein Science</i> , 2008, 10, 1454-1465.	3.1	44
281	Inhibition of fibroblast growth factor 2-induced apoptosis involves survivin expression, protein kinase C $\alpha$ activation and subcellular translocation of Smac in human small cell lung cancer cells. <i>Acta Biochimica Et Biophysica Sinica</i> , 2008, 40, 297-303.	0.9	16
282	The Nrd1-Nab3-Sen1 termination complex interacts with the Ser5-phosphorylated RNA polymerase II C-terminal domain. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 795-804.	3.6	242
283	New wirings in the survivin networks. <i>Oncogene</i> , 2008, 27, 6276-6284.	2.6	160
284	Survivin, cancer networks and pathway-directed drug discovery. <i>Nature Reviews Cancer</i> , 2008, 8, 61-70.	12.8	903
285	Computationally Mapping Sequence Space To Understand Evolutionary Protein Engineering. <i>Biotechnology Progress</i> , 2008, 24, 62-73.	1.3	7
286	Pin1 promotes cell death in NGF-dependent neurons through a mechanism requiring c-Jun activity. <i>Journal of Neurochemistry</i> , 2008, 106, 734-745.	2.1	21
287	Cracking the RNA polymerase II CTD code. <i>Trends in Genetics</i> , 2008, 24, 280-288.	2.9	338
288	Molecular evolution of the RNA polymerase II CTD. <i>Trends in Genetics</i> , 2008, 24, 289-296.	2.9	129
289	Structure of Eukaryotic RNA Polymerases. <i>Annual Review of Biophysics</i> , 2008, 37, 337-352.	4.5	251
290	Structure-Based Design, Synthesis, Evaluation, and Crystallographic Studies of Conformationally Constrained Smac Mimetics as Inhibitors of the X-linked Inhibitor of Apoptosis Protein (XIAP). <i>Journal of Medicinal Chemistry</i> , 2008, 51, 7169-7180.	2.9	82
291	IAPs: What's in a Name?. <i>Molecular Cell</i> , 2008, 30, 123-135.	4.5	420
292	Radiation-induced apoptosis of tumor cells is facilitated by inhibition of the interaction between Survivin and Smac/DIABLO. <i>Cancer Letters</i> , 2008, 259, 71-81.	3.2	23
293	Human phosphorylated CTD-interacting protein, PCIF1, negatively modulates gene expression by RNA polymerase II. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 449-455.	1.0	29
294	The human interferon-regulated ISG95 protein interacts with RNA polymerase II and shows methyltransferase activity. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 719-724.	1.0	37

#	ARTICLE	IF	CITATIONS
295	A putative protein structurally related to zygote arrest 1 (Zar1), Zar1-like, is encoded by a novel gene conserved in the vertebrate lineage. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2008, 150, 233-239.	0.7	15
296	Apoptosis and non-apoptotic deaths in cancer development and treatment response. <i>Cancer Treatment Reviews</i> , 2008, 34, 737-749.	3.4	242
297	The Dual Histidine Motif in the Active Site of Pin1 Has a Structural Rather than Catalytic Role. <i>Biochemistry</i> , 2008, 47, 11481-11489.	1.2	44
298	Large scale preparation and characterization of a genetically engineering protein and biological activity of suppressing proliferation and rapid pro-apoptosis to carcinoma cells. <i>Journal of Biotechnology</i> , 2008, 136, S82-S83.	1.9	0
299	Structure and Function of the Phosphothreonine-Specific FHA Domain. <i>Science Signaling</i> , 2008, 1, re12.	1.6	126
300	Snapshots of the RNA Processing Factor SCAF8 Bound to Different Phosphorylated Forms of the Carboxyl-terminal Domain of RNA Polymerase II. <i>Journal of Biological Chemistry</i> , 2008, 283, 22659-22669.	1.6	55
301	The Ubiquitin-Protein Ligase Nedd4-2 Differentially Interacts with and Regulates Members of the Tweety Family of Chloride Ion Channels. <i>Journal of Biological Chemistry</i> , 2008, 283, 24000-24010.	1.6	30
302	Genome-Wide Prediction of SH2 Domain Targets Using Structural Information and the FoldX Algorithm. <i>PLoS Computational Biology</i> , 2008, 4, e1000052.	1.5	39
303	A genetically encoded fluorescent sensor of ERK activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 19264-19269.	3.3	299
304	Failure in downregulation of intratumoral survivin expression following neoadjuvant chemoradiation in esophageal cancer. <i>Pharmacogenomics</i> , 2008, 9, 681-690.	0.6	23
305	Understanding eukaryotic linear motifs and their role in cell signaling and regulation. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 6580.	3.0	284
306	Cytosolic Aryl Sulfotransferase 4A1 Interacts with the Peptidyl Prolyl <i>Cis-Trans</i> Isomerase Pin1. <i>Molecular Pharmacology</i> , 2009, 76, 388-395.	1.0	17
307	The E3 Ubiquitin Ligase Atrophin Interacting Protein 4 Binds Directly To The Chemokine Receptor CXCR4 Via a Novel WW Domain-mediated Interaction. <i>Molecular Biology of the Cell</i> , 2009, 20, 1324-1339.	0.9	86
308	Reduced amyloidogenic processing of the amyloid $\beta$ -protein precursor by the small-molecule Differentiation Inducing Factor-1. <i>Cellular Signalling</i> , 2009, 21, 567-576.	1.7	10
309	Outcome of treatment of human HeLa cervical cancer cells with roscovitine strongly depends on the dosage and cell cycle status prior to the treatment. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 937-955.	1.2	25
310	Conformational preferences and prolyl <i>cis</i> $\leftrightarrow$ <i>trans</i> isomerization of phosphorylated Ser/Thr-Pro motifs. <i>Biopolymers</i> , 2010, 93, 330-339.	1.2	12
311	Design, synthesis and biological evaluation of novel pyridine derivatives as anticancer agents and phosphodiesterase 3 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 5974-5982.	1.4	81
312	Mapping the dynamics of ligand reorganization via $^{13}\text{C}$ and $^{13}\text{C}$ relaxation dispersion at natural abundance. <i>Journal of Biomolecular NMR</i> , 2009, 45, 171-183.	1.6	26

#	ARTICLE	IF	CITATIONS
313	Induction of apoptosis of human colon cancer cells by siRNA recombinant expression vector targeting survivin gene. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2009, 29, 45-49.	1.0	4
314	Sequence determinants of thermodynamic stability in a WW domain—An all- $\beta$ -sheet protein. <i>Protein Science</i> , 2009, 18, 1806-1813.	3.1	63
315	Prolyl isomerase Pin1 shares functional similarity with phosphorylated CTD interacting factor PCIF1 in vertebrate cells. <i>Genes To Cells</i> , 2009, 14, 1105-1118.	0.5	5
316	Identification, structure, and functional requirement of the Mediator submodule Med7N/31. <i>EMBO Journal</i> , 2009, 28, 69-80.	3.5	49
317	A molecular basis for phosphorylation-dependent SUMO conjugation by the E2 UBC9. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 945-952.	3.6	75
318	Discovery and Binding Studies on a Series of Novel Pin1 Ligands. <i>Chemical Biology and Drug Design</i> , 2009, 73, 369-379.	1.5	9
319	Phosphorylation of a Borealin Dimerization Domain Is Required for Proper Chromosome Segregation. <i>Biochemistry</i> , 2009, 48, 6783-6793.	1.2	37
320	Binding of an RNA pol II Ligand to the WW Domain of Pin1 Using Molecular Dynamics Docking Simulations. <i>Journal of Chemical Theory and Computation</i> , 2009, 5, 2886-2897.	2.3	4
321	Effects of Full-Length Borealin on the Composition and Protein-Protein Interaction Activity of a Binary Chromosomal Passenger Complex. <i>Biochemistry</i> , 2009, 48, 1156-1161.	1.2	6
322	Anti-survivin antibody responses in lung cancer. <i>Cancer Letters</i> , 2009, 282, 159-166.	3.2	18
323	Dipentamethylene thiuram monosulfide is a novel inhibitor of Pin1. <i>Biochemical and Biophysical Research Communications</i> , 2009, 384, 394-398.	1.0	56
324	TFIIF Kinase Places Bivalent Marks on the Carboxy-Terminal Domain of RNA Polymerase II. <i>Molecular Cell</i> , 2009, 34, 387-393.	4.5	235
325	FAK Phosphorylation by ERK Primes Ras-Induced Tyrosine Dephosphorylation of FAK Mediated by PIN1 and PTP-PEST. <i>Molecular Cell</i> , 2009, 35, 11-25.	4.5	141
326	The Ess1 Prolyl Isomerase Is Required for Transcription Termination of Small Noncoding RNAs via the Nrd1 Pathway. <i>Molecular Cell</i> , 2009, 36, 255-266.	4.5	63
327	Ubiquitin Ligase Nedd4L Targets Activated Smad2/3 to Limit TGF- $\beta$ Signaling. <i>Molecular Cell</i> , 2009, 36, 457-468.	4.5	306
328	Structural Biology of Programmed Cell Death. , 2009, , 95-118.		1
329	A computational method for the analysis and prediction of protein:phosphopeptide-binding sites. <i>Protein Science</i> , 2009, 14, 131-139.	3.1	44
330	Pin1 overexpression is associated with poor differentiation and survival in oral squamous cell carcinoma. <i>Oncology Reports</i> , 2009, 21, 1097-104.	1.2	28

#	ARTICLE	IF	CITATIONS
331	Modulating Proteostasis: Peptidomimetic Inhibitors and Activators of Protein Folding. <i>Current Pharmaceutical Design</i> , 2009, 15, 2488-2507.	0.9	13
332	Survivin and IAP proteins in cell-death mechanisms. <i>Biochemical Journal</i> , 2010, 430, 199-205.	1.7	331
333	Inhibition of human lung adenocarcinoma growth using survivin34a by low-dose systematic administration. <i>Journal of Biosciences</i> , 2010, 35, 209-216.	0.5	5
334	WNT1-inducible signaling pathway protein-1 activates diverse cell survival pathways and blocks doxorubicin-induced cardiomyocyte death. <i>Cellular Signalling</i> , 2010, 22, 809-820.	1.7	111
335	Virion incorporation of the herpes simplex virus type 1 tegument protein VP22 is facilitated by trans-Golgi network localization and is independent of interaction with glycoprotein E. <i>Virology</i> , 2010, 405, 176-192.	1.1	16
336	Restricted domain mobility in the <i>Candida albicans</i> Ess1 prolyl isomerase. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010, 1804, 1537-1541.	1.1	6
337	Enzyme-linked enzyme-binding assay for Pin1 WW domain ligands. <i>Analytical Biochemistry</i> , 2010, 402, 77-82.	1.1	1
338	Structural and functional analysis of the phosphoryl transfer reaction mediated by the human small C-terminal domain phosphatase, Scp1. <i>Protein Science</i> , 2010, 19, 974-986.	3.1	34
339	Survivin mediates prostate cell protection by HIF1 $\alpha$ against zinc toxicity. <i>Prostate</i> , 2010, 70, 1179-1188.	1.2	17
340	Phosphorylation-Specific Peptidyl-Prolyl Isomerization of Neuronal Cytoskeletal Proteins by Pin1: Implications for Therapeutics in Neurodegeneration. <i>Journal of Alzheimer's Disease</i> , 2010, 19, 389-403.	1.2	32
341	Regulation of Mouse Brain-Selective Sulfotransferase Sult4a1 by cAMP Response Element-Binding Protein and Activating Transcription Factor-2. <i>Molecular Pharmacology</i> , 2010, 78, 503-510.	1.0	8
342	Cleavage of Survivin by Granzyme M Triggers Degradation of the Survivin-X-linked Inhibitor of Apoptosis Protein (XIAP) Complex to Free Caspase Activity Leading to Cytolysis of Target Tumor Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 18326-18335.	1.6	41
343	Bio-molecular architects: a scaffold provided by the C-terminal domain of eukaryotic RNA polymerase II. <i>Nano Reviews</i> , 2010, 1, 5502.	3.7	7
344	Acetylation Directs Survivin Nuclear Localization to Repress STAT3 Oncogenic Activity. <i>Journal of Biological Chemistry</i> , 2010, 285, 36129-36137.	1.6	80
345	Novel Mode of Phosphorylation-triggered Reorganization of the Nuclear Lamina during Nuclear Egress of Human Cytomegalovirus. <i>Journal of Biological Chemistry</i> , 2010, 285, 13979-13989.	1.6	86
346	Liaisons between Survivin and Plk1 during Cell Division and Cell Death. <i>Journal of Biological Chemistry</i> , 2010, 285, 22592-22604.	1.6	35
347	Phosphorylation stabilizes Nanog by promoting its interaction with Pin1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13312-13317.	3.3	131
348	N-Terminal Deletion Effects of Human Survivin on Dimerization and Binding to Smac/DIABLO in Vitro. <i>Journal of Physical Chemistry B</i> , 2010, 114, 15656-15662.	1.2	7

#	ARTICLE	IF	CITATIONS
349	Prolyl-peptidyl isomerase, Pin1, phosphorylation is compromised in association with the expression of the HFE polymorphic allele, H63D. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 389-395.	1.8	14
350	Recognition of Phospho-Serine/Threonine Phosphorylated Proteins by Phospho-Serine/Threonine-Binding Domains. , 2010, , 539-550.		2
351	RNA Processing and Export. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a000752-a000752.	2.3	142
352	Antisense Inhibition of Survivin Expression as a Cancer Therapeutic. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 221-232.	1.9	106
353	Thermal Stability and Structural Variations of Survivin and Its Deletants in Aqueous Solution as Revealed by Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2011, 115, 7038-7044.	1.2	5
354	Epigallocatechin-gallate Suppresses Tumorigenesis by Directly Targeting Pin1. <i>Cancer Prevention Research</i> , 2011, 4, 1366-1377.	0.7	99
355	The antiapoptotic gene survivin is highly expressed in human chondrosarcoma and promotes drug resistance in chondrosarcoma cells in vitro. <i>BMC Cancer</i> , 2011, 11, 120.	1.1	45
356	Molecular Mechanisms of Ubiquitin-Dependent Membrane Traffic. <i>Annual Review of Biophysics</i> , 2011, 40, 119-142.	4.5	83
357	Structural Features and Ligand Binding Properties of Tandem WW Domains from YAP and TAZ, Nuclear Effectors of the Hippo Pathway. <i>Biochemistry</i> , 2011, 50, 3300-3309.	1.2	68
358	A Reduced-Amide Inhibitor of Pin1 Binds in a Conformation Resembling a Twisted-Amide Transition State. <i>Biochemistry</i> , 2011, 50, 9545-9550.	1.2	26
359	Apoptosis in polycystic kidney disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 1272-1280.	1.8	52
360	Deciphering the RNA Polymerase II CTD Code in Fission Yeast. <i>Molecular Cell</i> , 2011, 43, 311-318.	4.5	109
361	Structural Insights to How Mammalian Capping Enzyme Reads the CTD Code. <i>Molecular Cell</i> , 2011, 43, 299-310.	4.5	87
362	Novel survivin mutant protects differentiated SK-N-SH human neuroblastoma cells from activated T-cell neurotoxicity. <i>Journal of Neuroimmunology</i> , 2011, 233, 18-28.	1.1	14
363	Complete determination of the Pin1 catalytic domain thermodynamic cycle by NMR lineshape analysis. <i>Journal of Biomolecular NMR</i> , 2011, 51, 21-34.	1.6	53
364	Overexpression of survivin and cyclin D1 in CHO cells confers apoptosis resistance and enhances growth in serum-free suspension culture. <i>Biotechnology Letters</i> , 2011, 33, 1293-1300.	1.1	10
365	The expression and significance of cyclin B1 and survivin in human non-small cell lung cancer. <i>Chinese-German Journal of Clinical Oncology</i> , 2011, 10, 192-197.	0.1	10
366	Impacting tumor cell-fate by targeting the inhibitor of apoptosis protein survivin. <i>Molecular Cancer</i> , 2011, 10, 35.	7.9	130

#	ARTICLE	IF	CITATIONS
367	Mechanism of PhosphoThreonine/Serine Recognition and Specificity for Modular Domains from All-atom Molecular Dynamics. <i>BMC Biophysics</i> , 2011, 4, 12.	4.4	12
368	The polymorphism and haplotypes of PIN1 gene are associated with the risk of lung cancer in southern and eastern chinese populations. <i>Human Mutation</i> , 2011, 32, 1299-1308.	1.1	59
369	Isolation and expression analysis of a homolog of the 14 <sup>3-3</sup> epsilon gene in the diamondback moth, <i>Plutella xylostella</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 2011, 76, 114-124.	0.6	2
370	Multivalent Binding of Formin-binding Protein 21 (FBP21)-Tandem-WW Domains Fosters Protein Recognition in the Pre-spliceosome. <i>Journal of Biological Chemistry</i> , 2011, 286, 38478-38487.	1.6	25
371	Threonine 48 in the BIR domain of survivin is critical to its mitotic and anti-apoptotic activities and can be phosphorylated by CK2 in vitro. <i>Cell Cycle</i> , 2011, 10, 538-548.	1.3	43
372	Stereospecific gating of functional motions in Pin1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 12289-12294.	3.3	69
373	cis-Proline-mediated Ser(P)5 Dephosphorylation by the RNA Polymerase II C-terminal Domain Phosphatase Ssu72. <i>Journal of Biological Chemistry</i> , 2011, 286, 5717-5726.	1.6	108
375	Regulatory Roles of Protein Kinases in Cytomegalovirus Replication. <i>Advances in Virus Research</i> , 2011, 80, 69-101.	0.9	57
376	Colorectal Cancer Stem Cells and Cell Death. <i>Cancers</i> , 2011, 3, 1929-1946.	1.7	15
377	A critical step for JNK activation: isomerization by the prolyl isomerase Pin1. <i>Cell Death and Differentiation</i> , 2012, 19, 153-161.	5.0	29
378	Structure of the Mediator Head module bound to the carboxy-terminal domain of RNA polymerase II. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 17931-17935.	3.3	106
379	The Prolyl Isomerase Pin1 Targets Stem-Loop Binding Protein (SLBP) To Dissociate the SLBP-Histone mRNA Complex Linking Histone mRNA Decay with SLBP Ubiquitination. <i>Molecular and Cellular Biology</i> , 2012, 32, 4306-4322.	1.1	39
380	Quantitative Analysis of Survivin Protein Expression and Its Therapeutic Depletion by an Antisense Oligonucleotide in Human Lung Tumors. <i>Molecular Therapy - Nucleic Acids</i> , 2012, 1, e30.	2.3	7
381	Interfacial water molecules in SH3 interactions: a revised paradigm for polyproline recognition. <i>Biochemical Journal</i> , 2012, 442, 443-451.	1.7	24
382	The chromosomal passenger complex (CPC): from easy rider to the godfather of mitosis. <i>Nature Reviews Molecular Cell Biology</i> , 2012, 13, 789-803.	16.1	737
383	A Propensity Scale for Type II Polyproline Helices (PPII): Aromatic Amino Acids in Proline-Rich Sequences Strongly Disfavor PPII Due to Proline <sup>π</sup> -Aromatic Interactions. <i>Biochemistry</i> , 2012, 51, 5041-5051.	1.2	92
384	Structural and Kinetic Analysis of Prolyl-isomerization/Phosphorylation Cross-Talk in the CTD Code. <i>ACS Chemical Biology</i> , 2012, 7, 1462-1470.	1.6	59
385	The roles of peptidyl-proline isomerases in gene regulation <sup>1</sup> This review is part of Special Issue entitled Asilomar Chromatin and has undergone the Journal's usual peer review process.. <i>Biochemistry and Cell Biology</i> , 2012, 90, 55-69.	0.9	23



#	ARTICLE	IF	CITATIONS
386	Disabling the mitotic spindle and tumor growth by targeting a cavity-induced allosteric site of survivin. <i>Oncogene</i> , 2012, 31, 1938-1948.	2.6	37
387	The RNA polymerase II CTD coordinates transcription and RNA processing. <i>Genes and Development</i> , 2012, 26, 2119-2137.	2.7	513
388	Survivin isoform Delta Ex3 regulates tumor spheroid formation. <i>Cancer Letters</i> , 2012, 318, 61-67.	3.2	11
389	Electrochemical Investigations of Tau Protein Phosphorylations and Interactions with Pin1. <i>Chemistry and Biodiversity</i> , 2012, 9, 1693-1702.	1.0	22
390	Complete Thermodynamic and Kinetic Characterization of the Isomer-Specific Interaction between Pin1-WW Domain and the Amyloid Precursor Protein Cytoplasmic Tail Phosphorylated at Thr668. <i>Biochemistry</i> , 2012, 51, 8583-8596.	1.2	24
391	WW Domains in the Heart of Smad Regulation. <i>Structure</i> , 2012, 20, 1619-1620.	1.6	10
392	The acidic pH-induced structural changes in Pin1 as revealed by spectral methodologies. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 98, 199-206.	2.0	19
393	WW domain-containing proteins: Retrospectives and the future. <i>Frontiers in Bioscience - Landmark</i> , 2012, 17, 331.	3.0	101
394	Understanding protein unfolding from molecular simulations. <i>Wiley Interdisciplinary Reviews: Computational Molecular Science</i> , 2012, 2, 405-423.	6.2	29
395	Threonine-4 of mammalian RNA polymerase II CTD is targeted by Polo-like kinase 3 and required for transcriptional elongation. <i>EMBO Journal</i> , 2012, 31, 2784-2797.	3.5	123
396	Ubiquitin and Membrane Protein Turnover: From Cradle to Grave. <i>Annual Review of Biochemistry</i> , 2012, 81, 231-259.	5.0	279
397	Relationship between Hot Spot Residues and Ligand Binding Hot Spots in Protein-Protein Interfaces. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 2236-2244.	2.5	99
398	DNA and adenovirus tumor vaccine expressing truncated survivin generates specific immune responses and anti-tumor effects in a murine melanoma model. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 1857-1867.	2.0	27
399	NAIPs: Building an innate immune barrier against bacterial pathogens. <i>BioEssays</i> , 2012, 34, 589-598.	1.2	39
400	A phase II study of the survivin suppressant YM155 in patients with refractory diffuse large B-cell lymphoma. <i>Cancer</i> , 2012, 118, 3128-3134.	2.0	95
401	Survivin in Solid Tumors: Rationale for Development of Inhibitors. <i>Current Oncology Reports</i> , 2012, 14, 120-128.	1.8	98
402	Structural Basis for Recognition of H3T3ph and Smac/DIABLO N-terminal Peptides by Human Survivin. <i>Structure</i> , 2012, 20, 185-195.	1.6	60
403	The Writers, Readers, and Functions of the RNA Polymerase II C-Terminal Domain Code. <i>Chemical Reviews</i> , 2013, 113, 8491-8522.	23.0	101

#	ARTICLE	IF	CITATIONS
404	Unraveling a phosphorylation event in a folded protein by NMR spectroscopy: phosphorylation of the Pin1 WW domain by PKA. <i>Journal of Biomolecular NMR</i> , 2013, 55, 323-337.	1.6	26
405	Phospho-Ser/Thr-binding domains: navigating the cell cycle and DNA damage response. <i>Nature Reviews Molecular Cell Biology</i> , 2013, 14, 563-580.	16.1	239
406	Structure and dynamics of human Nedd4-1 WW3 in complex with the $\hat{\text{I}}\pm\text{ENaC}$ PY motif. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 1632-1641.	1.1	26
407	Transient Domain Interactions Enhance the Affinity of the Mitotic Regulator Pin1 toward Phosphorylated Peptide Ligands. <i>Structure</i> , 2013, 21, 1769-1777.	1.6	24
408	Selection of a high-affinity WW domain against the extracellular region of VEGF receptor isoform-2 from a combinatorial library using CIS display. <i>Protein Engineering, Design and Selection</i> , 2013, 26, 307-315.	1.0	19
409	Atomistic Modelling of Phosphopeptide Recognition for Modular Domains. <i>Annual Reports in Computational Chemistry</i> , 2013, 9, 61-84.	0.9	1
410	RNA Polymerase II C-Terminal Domain: Tethering Transcription to Transcript and Template. <i>Chemical Reviews</i> , 2013, 113, 8423-8455.	23.0	146
411	The RNA Polymerase II Carboxy-Terminal Domain (CTD) Code. <i>Chemical Reviews</i> , 2013, 113, 8456-8490.	23.0	368
412	The CTD code of RNA polymerase II: a structural view. <i>Wiley Interdisciplinary Reviews RNA</i> , 2013, 4, 1-16.	3.2	61
413	Phosphoserines of the Carboxy Terminal Domain of RNA Polymerase II Are Involved in the Interaction with Transcription-Associated Proteins (TAPs). <i>OMICS A Journal of Integrative Biology</i> , 2013, 17, 130-135.	1.0	1
414	Interdomain Interactions Support Interdomain Communication in Human Pin1. <i>Biochemistry</i> , 2013, 52, 6968-6981.	1.2	54
415	Novel Modifications on C-terminal Domain of RNA Polymerase II Can Fine-tune the Phosphatase Activity of Ssu72. <i>ACS Chemical Biology</i> , 2013, 8, 2042-2052.	1.6	25
416	Dynamics of an Ultrafast Folding Subdomain in the Context of a Larger Protein Fold. <i>Journal of the American Chemical Society</i> , 2013, 135, 19260-19267.	6.6	18
417	Chemically Modified Tandem Repeats in Proteins: Natural Combinatorial Peptide Libraries. <i>ACS Chemical Biology</i> , 2013, 8, 275-282.	1.6	5
418	Renal uptake of the antiapoptotic protein survivin is mediated by megalin at the apical membrane of the proximal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F734-F744.	1.3	14
419	Non-catalytic participation of the Pin1 peptidyl-prolyl isomerase domain in target binding. <i>Frontiers in Physiology</i> , 2013, 4, 18.	1.3	32
420	HIPK2 kinase activity depends on cis-autophosphorylation of its activation loop. <i>Journal of Molecular Cell Biology</i> , 2013, 5, 27-38.	1.5	59
421	The alphabet of intrinsic disorder. <i>Intrinsically Disordered Proteins</i> , 2013, 1, e24360.	1.9	208



#	ARTICLE	IF	CITATIONS
422	Evidence for small-molecule-mediated loop stabilization in the structure of the isolated Pin1 WW domain. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013, 69, 2506-2512.	2.5	10
423	Achieving Peptide Binding Specificity and Promiscuity by Loops: Case of the Forkhead-Associated Domain. <i>PLoS ONE</i> , 2014, 9, e98291.	1.1	4
424	Cross-Talk of Phosphorylation and Prolyl Isomerization of the C-terminal Domain of RNA Polymerase II. <i>Molecules</i> , 2014, 19, 1481-1511.	1.7	8
425	Rpb4/7 facilitates RNA polymerase II CTD dephosphorylation. <i>Nucleic Acids Research</i> , 2014, 42, 13674-13688.	6.5	33
426	The Yeast Ess1 Prolyl Isomerase Controls Swi6 and Whi5 Nuclear Localization. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 523-537.	0.8	13
427	Modulating the folding stability and ligand binding affinity of Pin1 WW domain by proline ring puckering. <i>Proteins: Structure, Function and Bioinformatics</i> , 2014, 82, 67-76.	1.5	16
428	Bifunctional roles of survivin-1 <sup>Ex3</sup> and survivin-2B for susceptibility to apoptosis in endometrial carcinomas. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 2027-2037.	1.2	11
429	Association between survivin -31G>C polymorphism and cancer risk: meta-analysis of 29 studies. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 179-188.	1.2	16
430	A Tale of Chromatin and Transcription in 100 Structures. <i>Cell</i> , 2014, 159, 985-994.	13.5	25
431	Designed Phosphoprotein Recognition in <i>Escherichia coli</i> . <i>ACS Chemical Biology</i> , 2014, 9, 2502-2507.	1.6	20
432	OGLcNAcylation and Phosphorylation Have Opposing Structural Effects in tau: Phosphothreonine Induces Particular Conformational Order. <i>Journal of the American Chemical Society</i> , 2014, 136, 3803-3816.	6.6	67
433	WW Domain Folding Complexity Revealed by Infrared Spectroscopy. <i>Biochemistry</i> , 2014, 53, 5476-5484.	1.2	23
434	OGLcNAcylation and Phosphorylation Have Similar Structural Effects in $\hat{1}\pm$ -Helices: Post-Translational Modifications as Inducible Start and Stop Signals in $\hat{1}\pm$ -Helices, with Greater Structural Effects on Threonine Modification. <i>Biochemistry</i> , 2014, 53, 2242-2260.	1.2	45
435	Characterization of Native Protein Complexes Using Ultraviolet Photodissociation Mass Spectrometry. <i>Journal of the American Chemical Society</i> , 2014, 136, 12920-12928.	6.6	102
436	Physicochemical Properties of Cells and Their Effects on Intrinsically Disordered Proteins (IDPs). <i>Chemical Reviews</i> , 2014, 114, 6661-6714.	23.0	391
437	The Ess1 prolyl isomerase: Traffic cop of the RNA polymerase II transcription cycle. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2014, 1839, 316-333.	0.9	37
438	Phage Libraries for Developing Antibody-Targeted Diagnostics and Vaccines. , 2015, , 140-197.		2
439	Structural Analysis of the Pin1-CPEB1 interaction and its potential role in CPEB1 degradation. <i>Scientific Reports</i> , 2015, 5, 14990.	1.6	14

#	ARTICLE	IF	CITATIONS
440	Adaptable Hydrogel Networks with Reversible Linkages for Tissue Engineering. <i>Advanced Materials</i> , 2015, 27, 3717-3736.	11.1	557
441	Regulation of AU-Rich Element RNA Binding Proteins by Phosphorylation and the Prolyl Isomerase Pin1. <i>Biomolecules</i> , 2015, 5, 412-434.	1.8	31
442	Investigating dynamic interdomain allostery in Pin1. <i>Biophysical Reviews</i> , 2015, 7, 239-249.	1.5	38
443	Mitotic activity of survivin is regulated by acetylation at K129. <i>Cell Cycle</i> , 2015, 14, 1738-1747.	1.3	8
444	Exosomes Secreted from Human Cancer Cell Lines Contain Inhibitors of Apoptosis (IAP). <i>Cancer Microenvironment</i> , 2015, 8, 65-73.	3.1	57
445	Harnessing the master transcriptional repressor REST to reciprocally regulate neurogenesis. <i>Neurogenesis (Austin, Tex)</i> , 2015, 2, e1055419.	1.5	1
446	Negative Regulation of Peptidyl-Prolyl Isomerase Activity by Interdomain Contact in Human Pin1. <i>Structure</i> , 2015, 23, 2224-2233.	1.6	30
447	Chemical Tools To Decipher Regulation of Phosphatases by Proline Isomerization on Eukaryotic RNA Polymerase II. <i>ACS Chemical Biology</i> , 2015, 10, 2405-2414.	1.6	22
448	An in silico and chemical approach towards small protein production and application in phosphoproteomics. <i>RSC Advances</i> , 2015, 5, 19743-19751.	1.7	4
449	Stereospecific Phosphorylation by the Central Mitotic Kinase Cdk1-Cyclin B. <i>ACS Chemical Biology</i> , 2015, 10, 952-956.	1.6	8
450	IAPs: Modular regulators of cell signalling. <i>Seminars in Cell and Developmental Biology</i> , 2015, 39, 80-90.	2.3	43
451	Two Pathways Mediate Interdomain Allosteric Regulation in Pin1. <i>Structure</i> , 2015, 23, 237-247.	1.6	70
452	Survivin – The inconvenient IAP. <i>Seminars in Cell and Developmental Biology</i> , 2015, 39, 91-96.	2.3	130
453	Multidomain Peptidyl Prolyl cis/trans Isomerases. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2005-2016.	1.1	73
454	A Selective, Cell-Permeable Nonphosphorylated Bicyclic Peptidyl Inhibitor against Peptidyl-Prolyl Isomerase Pin1. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 6306-6312.	2.9	35
455	Peptidylprolyl Isomerase Pin1 Directly Enhances the DNA Binding Functions of Estrogen Receptor $\beta$ . <i>Journal of Biological Chemistry</i> , 2015, 290, 13749-13762.	1.6	17
456	Protein recognition using synthetic small-molecular binders toward optical protein sensing in vitro and in live cells. <i>Chemical Society Reviews</i> , 2015, 44, 4454-4471.	18.7	121
457	The Proapoptotic F-box Protein Fbxl7 Regulates Mitochondrial Function by Mediating the Ubiquitylation and Proteasomal Degradation of Survivin. <i>Journal of Biological Chemistry</i> , 2015, 290, 11843-11852.	1.6	56

#	ARTICLE	IF	CITATIONS
458	Pin1: Intimate involvement with the regulatory protein kinase networks in the global phosphorylation landscape. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2077-2086.	1.1	22
459	Modulating the Affinities of Phosphopeptides for the Human Pin1 WW Domain Using 4-Substituted Proline Derivatives. <i>Biochemistry</i> , 2015, 54, 6186-6194.	1.2	11
460	Pin1 inhibits PP2A-mediated Rb dephosphorylation in regulation of cell cycle and S-phase DNA damage. <i>Cell Death and Disease</i> , 2015, 6, e1640-e1640.	2.7	29
461	Survivin expression and serum levels in pancreatic cancer. <i>World Journal of Surgical Oncology</i> , 2015, 13, 189.	0.8	41
462	Prolyl isomerases in gene transcription. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2017-2034.	1.1	69
463	The Functional Repertoire of Survivin's Tails. <i>Cell Cycle</i> , 2015, 14, 261-268.	1.3	15
464	Pre-Anchoring of Pin1 to Unphosphorylated c-Myc in a Fuzzy Complex Regulates c-Myc Activity. <i>Structure</i> , 2015, 23, 2267-2279.	1.6	48
465	Visualization of Compartmentalized Kinase Activity Dynamics Using Adaptable BimKARs. <i>Chemistry and Biology</i> , 2015, 22, 1470-1479.	6.2	32
466	NmPin from the marine thaumarchaeote <i>Nitrosopumilus maritimus</i> is an active membrane associated prolyl isomerase. <i>BMC Biology</i> , 2016, 14, 53.	1.7	8
467	The Prolyl Isomerase Pin1 Promotes the Herpesvirus-Induced Phosphorylation-Dependent Disassembly of the Nuclear Lamina Required for Nucleocytoplasmic Egress. <i>PLoS Pathogens</i> , 2016, 12, e1005825.	2.1	43
468	Disruption of protein-protein interactions: hot spot detection, structure-based virtual screening and in vitro testing for the anti-cancer drug target survivin. <i>RSC Advances</i> , 2016, 6, 31947-31959.	1.7	35
469	Ex vivo imaging of active caspase 3 by a FRET-based molecular probe demonstrates the cellular dynamics and localization of the protease in cerebellar granule cells and its regulation by the apoptosis-inhibiting protein survivin. <i>Molecular Neurodegeneration</i> , 2016, 11, 34.	4.4	23
470	Interaction-dependent native chemical ligation and protein trans-splicing (IDNCL-PTS) for detection and visualization of ligand-protein interactions. <i>ChemistrySelect</i> , 2016, 1, 1768-1772.	0.7	4
471	Separation of 1,3-dioxolane, 1,4-dioxane, acetonitrile and tert-butanol from their aqueous solutions by using Good's buffer HEPES-Na as an auxiliary agent. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 66, 43-53.	2.7	8
472	Evaluation of the cytotoxic, apoptosis inducing activity and molecular docking of spiroquinazolinone benzamide derivatives in MCF-7 breast cancer cells. <i>Chemico-Biological Interactions</i> , 2016, 260, 232-242.	1.7	30
473	The Dynamic Basis for Signal Propagation in Human Pin1-WW. <i>Structure</i> , 2016, 24, 1464-1475.	1.6	20
474	JNK Signaling: Regulation and Functions Based on Complex Protein-Protein Partnerships. <i>Microbiology and Molecular Biology Reviews</i> , 2016, 80, 793-835.	2.9	348
475	Synthesis and Pin1 inhibitory activity of thiazole derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 5911-5920.	1.4	33

#	ARTICLE	IF	CITATIONS
476	SurvivinT34A increases the therapeutic efficacy of arsenic trioxide in mouse hepatocellular carcinoma models. <i>Oncology Reports</i> , 2016, 36, 3283-3290.	1.2	8
477	Neighboring phosphoSerâ€Pro motifs in the undefined domain of <scp>IRAK</scp> 1 impart bivalent advantage for Pin1 binding. <i>FEBS Journal</i> , 2016, 283, 4528-4548.	2.2	12
478	A new survivin tracer tracks, delocalizes and captures endogenous survivin at different subcellular locations and in distinct organelles. <i>Scientific Reports</i> , 2016, 6, 31177.	1.6	26
479	The NH2 terminus of survivin is a mitochondrial targeting sequence and C-Src regulator. <i>Journal of Cell Science</i> , 2016, 129, 2707-12.	1.2	10
480	Effective Targeting of the Survivin Dimerization Interface with Small-Molecule Inhibitors. <i>Cancer Research</i> , 2016, 76, 453-462.	0.4	48
481	The Role of Electrostatic Interactions in Folding of Î²-Proteins. <i>Journal of the American Chemical Society</i> , 2016, 138, 1456-1464.	6.6	21
482	Molecular Mechanism of Pin1â€™Tau Recognition and Catalysis. <i>Journal of Molecular Biology</i> , 2016, 428, 1760-1775.	2.0	22
483	Loss of Survivin in Intestinal Epithelial Progenitor Cells Leads to Mitotic Catastrophe and Breakdown of Gut Immune Homeostasis. <i>Cell Reports</i> , 2016, 14, 1062-1073.	2.9	17
484	Protein Allosterity and Conformational Dynamics. <i>Chemical Reviews</i> , 2016, 116, 6503-6515.	23.0	306
485	The Nedd4â€™1 WW Domain Recognizes the PY Motif Peptide through Coupled Folding and Binding Equilibria. <i>Biochemistry</i> , 2016, 55, 659-674.	1.2	20
486	Targeted inhibition of metastatic melanoma through interference with Pin1-FOXM1 signaling. <i>Oncogene</i> , 2016, 35, 2166-2177.	2.6	49
487	Pin1 and secondary hyperparathyroidism of chronic kidney disease: gene polymorphisms and protein levels. <i>Renal Failure</i> , 2017, 39, 159-165.	0.8	12
488	Effects of naturally occurring charged mutations on the structure, stability, and binding of the Pin1 WW domain. <i>Biochemical and Biophysical Research Communications</i> , 2017, 487, 470-476.	1.0	0
489	Different phosphoisoforms of RNA polymerase II engage the Rtt103 termination factor in a structurally analogous manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E3944-E3953.	3.3	24
490	Multiple <scp>WW</scp> domains of Nedd4â€™1 undergo conformational exchange that is quenched upon peptide binding. <i>FEBS Letters</i> , 2017, 591, 1573-1583.	1.3	5
491	Targeting survivin for therapeutic discovery: past, present, and future promises. <i>Drug Discovery Today</i> , 2017, 22, 1466-1477.	3.2	67
492	Phosphate Transfer in Activated Protein Complexes Reveals Interaction Sites. <i>Angewandte Chemie</i> , 2017, 129, 13829-13832.	1.6	2
493	Microprocessor Recruitment to Elongating RNA Polymerase II Is Required for Differential Expression of MicroRNAs. <i>Cell Reports</i> , 2017, 20, 3123-3134.	2.9	23

#	ARTICLE	IF	CITATIONS
494	Phosphate Transfer in Activated Protein Complexes Reveals Interaction Sites. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13641-13644.	7.2	4
495	Targeting HECT-type E3 ligases – insights from catalysis, regulation and inhibitors. <i>FEBS Letters</i> , 2017, 591, 2636-2647.	1.3	55
496	Global analysis of protein folding using massively parallel design, synthesis, and testing. <i>Science</i> , 2017, 357, 168-175.	6.0	392
497	Bayesian Analysis of MicroScale Thermophoresis Data to Quantify Affinity of Protein:Protein Interactions with Human Survivin. <i>Scientific Reports</i> , 2017, 7, 16816.	1.6	7
498	Stereoselective Deuteration in Aspartate, Asparagine, Lysine, and Methionine Amino Acid Residues Using Fumarate as a Carbon Source for <i>Escherichia coli</i> in D <sub>2</sub> O. <i>Biochemistry</i> , 2017, 56, 6015-6029.	1.2	4
499	Survivin does not influence the anti-apoptotic action of XIAP on caspase-9. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 530-535.	1.0	17
500	Dynamic Allostery Modulates Catalytic Activity by Modifying the Hydrogen Bonding Network in the Catalytic Site of Human Pin1. <i>Molecules</i> , 2017, 22, 992.	1.7	12
501	Sub1 contacts the RNA polymerase II stalk to modulate mRNA synthesis. <i>Nucleic Acids Research</i> , 2017, 45, 2458-2471.	6.5	19
502	Crystal structures of resorcin[4]arene and pyrogallol[4]arene complexes with proline: A model for proline recognition through C-H...N interaction. <i>Journal of Molecular Structure</i> , 2018, 1163, 336-344.	1.8	1
503	Tau Antibody Structure Reveals a Molecular Switch Defining a Pathological Conformation of the Tau Protein. <i>Scientific Reports</i> , 2018, 8, 6209.	1.6	20
504	Pin1 impairs microRNA biogenesis by mediating conformation change of XPO5 in hepatocellular carcinoma. <i>Cell Death and Differentiation</i> , 2018, 25, 1612-1624.	5.0	36
505	Hinge-Shift Mechanism Modulates Allosteric Regulations in Human Pin1. <i>Journal of Physical Chemistry B</i> , 2018, 122, 5623-5629.	1.2	30
506	Extended Impact of Pin1 Catalytic Loop Phosphorylation Revealed by S71E Phosphomimetic. <i>Journal of Molecular Biology</i> , 2018, 430, 710-721.	2.0	5
507	Evaluation of $\beta$ -Amino Acid Replacements in Protein Loops: Effects on Conformational Stability and Structure. <i>ChemBioChem</i> , 2018, 19, 604-612.	1.3	18
508	Proline Restricts Loop I Conformation of the High Affinity WW Domain from Human Nedd4-1 to a Ligand Binding-Competent Type I $\beta$ -Turn. <i>Journal of Physical Chemistry B</i> , 2018, 122, 4219-4230.	1.2	1
509	Survivin Monoclonal Antibodies Detect Survivin Cell Surface Expression and Inhibit Tumor Growth <i>In Vivo</i> . <i>Clinical Cancer Research</i> , 2018, 24, 2642-2652.	3.2	35
510	Structural and cellular mechanisms of peptidyl-prolyl isomerase Pin1-mediated enhancement of Tissue Factor gene expression, protein half-life, and pro-coagulant activity. <i>Haematologica</i> , 2018, 103, 1073-1082.	1.7	13
511	Pin1 mediates $\beta$ -induced dendritic spine loss. <i>Science Signaling</i> , 2018, 11, .	1.6	23

#	ARTICLE	IF	CITATIONS
512	Multivalent Interactions with Fbw7 and Pin1 Facilitate Recognition of c-Jun by the SCFFbw7 Ubiquitin Ligase. <i>Structure</i> , 2018, 26, 28-39.e2.	1.6	29
513	Interfering RNA with multi-targets for efficient gene suppression in HCC cells. <i>International Journal of Molecular Medicine</i> , 2018, 41, 3604-3610.	1.8	2
514	Gears-In-Motion: The Interplay of WW and PPlase Domains in Pin1. <i>Frontiers in Oncology</i> , 2018, 8, 469.	1.3	21
515	Host-Driven Phosphorylation Appears to Regulate the Budding Activity of the Lassa Virus Matrix Protein. <i>Pathogens</i> , 2018, 7, 97.	1.2	8
516	A quantitative connection of experimental and simulated folding landscapes by vibrational spectroscopy. <i>Chemical Science</i> , 2018, 9, 9002-9011.	3.7	20
517	Prolyl isomerase Pin1: a promoter of cancer and a target for therapy. <i>Cell Death and Disease</i> , 2018, 9, 883.	2.7	101
518	Enhanced Sampling of Interdomain Motion Using Map-Restrained Langevin Dynamics and NMR: Application to Pin1. <i>Journal of Molecular Biology</i> , 2018, 430, 2164-2180.	2.0	12
519	Anti-survivin single-domain antibodies derived from an artificial library including three synthetic random regions by inÂvitro selection using cDNA display. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 2054-2060.	1.0	20
520	Pin1 Modulation in Physiological Status and Neurodegeneration. Any Contribution to the Pathogenesis of Type 3 Diabetes?. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2319.	1.8	6
521	On the discovery of a potential survivin inhibitor combining computational tools and cytotoxicity studies. <i>Heliyon</i> , 2019, 5, e02238.	1.4	11
522	A direct interaction between survivin and myosin II is required for cytokinesis. <i>Journal of Cell Science</i> , 2019, 132, .	1.2	13
523	Bivalent SMAC Mimetics for Treating Cancer by Antagonizing Inhibitor of Apoptosis Proteins. <i>ChemMedChem</i> , 2019, 14, 1951-1962.	1.6	10
524	Oncogenic Hijacking of the PIN1 Signaling Network. <i>Frontiers in Oncology</i> , 2019, 9, 94.	1.3	21
525	Efficient and robust preparation of tyrosine phosphorylated intrinsically disordered proteins. <i>BioTechniques</i> , 2019, 67, 16-22.	0.8	2
526	Toward early cancer detection: Focus on biosensing systems and biosensors for an anti-apoptotic protein survivin and survivin mRNA. <i>Biosensors and Bioelectronics</i> , 2019, 137, 58-71.	5.3	75
527	Frameshift PQBP-1 mutants K192Sfs*7 and R153Sfs*41 implicated in X-linked intellectual disability form stable dimers. <i>Journal of Structural Biology</i> , 2019, 206, 305-313.	1.3	7
528	Cloning, expression, and purification of the recombinant pro-apoptotic dominant-negative survivin T34A-C84A protein in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2019, 160, 73-83.	0.6	7
529	Survivin at a glance. <i>Journal of Cell Science</i> , 2019, 132, .	1.2	250

#	ARTICLE	IF	CITATIONS
530	Uncorrelated Effect of Interdomain Contact on Pin1 Isomerase Activity Reveals Positive Catalytic Cooperativity. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 1272-1278.	2.1	10
531	Pin1 Plays Essential Roles in NASH Development by Modulating Multiple Target Proteins. <i>Cells</i> , 2019, 8, 1545.	1.8	12
532	Phosphothreonine (pThr)-Based Multifunctional Peptide Catalysis for Asymmetric Baeyer-Villiger Oxidations of Cyclobutanones. <i>ACS Catalysis</i> , 2019, 9, 242-252.	5.5	34
533	Superfunneled Energy Landscape of Protein Evolution Unifies the Principles of Protein Evolution, Folding, and Design. <i>Physical Review Letters</i> , 2019, 122, 018103.	2.9	7
534	Exploring the binding mechanism between human profilin (PFN1) and polyproline-10 through binding mode screening. <i>Journal of Chemical Physics</i> , 2019, 150, 015102.	1.2	4
535	Molecular Mechanism of the Pin1-Histone H1 Interaction. <i>Biochemistry</i> , 2019, 58, 788-798.	1.2	6
536	Casein Kinase 1 $\gamma$ Stabilizes Mature Axons by Inhibiting Transcription Termination of Ankyrin. <i>Developmental Cell</i> , 2020, 52, 88-103.e18.	3.1	15
537	Targeting Wnt/ $\beta$ -catenin and PI3K/Akt/mTOR pathways in T-cell acute lymphoblastic leukemia. <i>Journal of Cellular Physiology</i> , 2020, 235, 5413-5428.	2.0	40
538	Synchrotron FTIR microspectroscopy revealed apoptosis-induced biomolecular changes of cholangiocarcinoma cells treated with ursolic acid. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129708.	1.1	16
539	The Mammalian Cap-Specific m6Am RNA Methyltransferase PCIF1 Regulates Transcript Levels in Mouse Tissues. <i>Cell Reports</i> , 2020, 32, 108038.	2.9	50
540	Funneled energy landscape unifies principles of protein binding and evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 27218-27223.	3.3	11
541	Design of Tunable Protein Interfaces Controlled by Post-Translational Modifications. <i>ACS Synthetic Biology</i> , 2020, 9, 2132-2143.	1.9	8
542	A combinatorial view of old and new RNA polymerase II modifications. <i>Transcription</i> , 2020, 11, 66-82.	1.7	13
543	RNA polymerase II phosphorylation and gene looping: new roles for the Rpb4/7 heterodimer in regulating gene expression. <i>Current Genetics</i> , 2020, 66, 927-937.	0.8	7
544	Activity-dependent isomerization of Kv4.2 by Pin1 regulates cognitive flexibility. <i>Nature Communications</i> , 2020, 11, 1567.	5.8	28
545	Allostery and Epistasis: Emergent Properties of Anisotropic Networks. <i>Entropy</i> , 2020, 22, 667.	1.1	15
546	Effect of Phosphorylation and O-GlcNAcylation on Proline-Rich Domains of Tau. <i>Journal of Physical Chemistry B</i> , 2020, 124, 1909-1918.	1.2	18
547	Discovery of inner centromere protein-derived small peptides for cancer imaging and treatment targeting survivin. <i>Cancer Science</i> , 2020, 111, 1357-1366.	1.7	9



#	ARTICLE	IF	CITATIONS
548	Unraveling survivin expression in chronic myeloid leukemia: Molecular interactions and clinical implications. <i>Blood Reviews</i> , 2020, 43, 100671.	2.8	13
549	Activity and Affinity of Pin1 Variants. <i>Molecules</i> , 2020, 25, 36.	1.7	7
550	Pin1 promotes pancreatic cancer progression and metastasis by activation of NF- $\kappa$ B-IL-18 feedback loop. <i>Cell Proliferation</i> , 2020, 53, e12816.	2.4	32
551	Prolyl Isomerase Pin1 in Human Cancer: Function, Mechanism, and Significance. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 168.	1.8	17
552	Genetic interactions and transcriptomics implicate fission yeast CTD prolyl isomerase Pin1 as an agent of RNA 3' processing and transcription termination that functions via its effects on CTD phosphatase Ssu72. <i>Nucleic Acids Research</i> , 2020, 48, 4811-4826.	6.5	14
553	Phosphosite Analysis of the Cytomegaloviral mRNA Export Factor pUL69 Reveals Serines with Critical Importance for Recruitment of Cellular Proteins Pin1 and UAP56/URH49. <i>Journal of Virology</i> , 2020, 94, .	1.5	7
554	Pin1 Binding to Phosphorylated PSD-95 Regulates the Number of Functional Excitatory Synapses. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 10.	1.4	8
555	An Alternative Pin1 Binding and Isomerization Site in the N-Terminus Domain of PSD-95. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 31.	1.4	2
556	SMURF1, a promoter of tumor cell progression?. <i>Cancer Gene Therapy</i> , 2021, 28, 551-565.	2.2	15
557	Detecting ligand-protein interactions inside cells using reactive peptide tags and split luciferase. <i>Chemical Communications</i> , 2021, 57, 9906-9909.	2.2	2
558	Optical chemosensors for the detection of proximally phosphorylated peptides and proteins. <i>RSC Chemical Biology</i> , 2021, 2, 815-829.	2.0	9
559	What's all the phos about? Insights into the phosphorylation state of the RNA polymerase II C-terminal domain via mass spectrometry. <i>RSC Chemical Biology</i> , 2021, 2, 1084-1095.	2.0	4
560	Peptide-Conjugated Ultrasmall Gold Nanoparticles (2 nm) for Selective Protein Targeting. <i>ACS Applied Bio Materials</i> , 2021, 4, 945-965.	2.3	17
561	Rational design of PIN1 inhibitors for cancer treatment based on conformational diversity analysis and docking based virtual screening. <i>Journal of Biomolecular Structure and Dynamics</i> , 2022, 40, 5858-5867.	2.0	1
563	Fatal Attraction: The Case of Toxic Soluble Dimers of Truncated PQBP-1 Mutants in X-Linked Intellectual Disability. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2240.	1.8	1
564	Simplicity is the Ultimate Sophistication—Crosstalk of Post-translational Modifications on the RNA Polymerase II. <i>Journal of Molecular Biology</i> , 2021, 433, 166912.	2.0	16
565	A novel RNA pol II CTD interaction site on the mRNA capping enzyme is essential for its allosteric activation. <i>Nucleic Acids Research</i> , 2021, 49, 3109-3126.	6.5	3
566	Specific inhibition of the Survivin-CRM1 interaction by peptide-modified molecular tweezers. <i>Nature Communications</i> , 2021, 12, 1505.	5.8	18



#	ARTICLE	IF	CITATIONS
567	Structure analysis suggests Ess1 isomerizes the carboxy-terminal domain of RNA polymerase II via a bivalent anchoring mechanism. <i>Communications Biology</i> , 2021, 4, 398.	2.0	7
568	Molecular Interactions between Two LMP2A PY Motifs of EBV and WW Domains of E3 Ubiquitin Ligase AIP4. <i>Life</i> , 2021, 11, 379.	1.1	2
569	NEDD4 regulates ubiquitination and stability of the cell adhesion molecule IGPR-1 via lysosomal pathway. <i>Journal of Biomedical Science</i> , 2021, 28, 35.	2.6	10
570	Do polyproline II helix associations modulate biomolecular condensates?. <i>FEBS Open Bio</i> , 2021, 11, 2390-2399.	1.0	12
571	BAFF signaling drives interstitial transformation of mouse renal tubular epithelial cells in a Pin1-dependent manner. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2021, 57, 649-659.	0.7	3
572	A Spatial and Functional Interaction of a Heterotetramer Survivin-DNA-PKcs Complex in DNA Damage Response. <i>Cancer Research</i> , 2021, 81, 2304-2317.	0.4	8
573	Polyploidy: Mechanisms and Cancer Promotion in Hematopoietic and Other Cells. <i>Advances in Experimental Medicine and Biology</i> , 2010, 676, 105-122.	0.8	22
574	Molecular Simulations of Peptides: A Useful Tool for the Development of New Drugs and for the Study of Molecular Recognition. <i>Methods in Molecular Biology</i> , 2009, 570, 77-153.	0.4	8
575	The peptidyl-prolyl cis/trans isomerase Pin1 interacts with three early regulatory proteins of human cytomegalovirus. <i>Virus Research</i> , 2020, 285, 198023.	1.1	9
576	Coupled intra- and interdomain dynamics support domain cross-talk in Pin1. <i>Journal of Biological Chemistry</i> , 2020, 295, 16585-16603.	1.6	5
577	The Ess1 Prolyl Isomerase Is Required for Growth and Morphogenetic Switching in <i>Candida albicans</i> . <i>Genetics</i> , 2002, 160, 37-48.	1.2	43
578	The Structure and Function of Proline Recognition Domains. <i>Science Signaling</i> , 2003, 2003, re8-re8.	1.6	17
579	Two kinds of BIR-containing protein - inhibitors of apoptosis, or required for mitosis. <i>Journal of Cell Science</i> , 2001, 114, 1821-1827.	1.2	107
580	Isolation and characterization of the Pin1/Ess1p homologue in <i>Schizosaccharomyces pombe</i> . <i>Journal of Cell Science</i> , 2001, 114, 3779-3788.	1.2	33
581	Performance of Survivin mRNA as a Biomarker for Bladder Cancer in the Prospective Study UroScreen. <i>PLoS ONE</i> , 2012, 7, e35363.	1.1	24
582	Solution Structural Analysis of the Single-Domain Parvulin TbPin1. <i>PLoS ONE</i> , 2012, 7, e43017.	1.1	7
583	Role of Ess1 in Growth, Morphogenetic Switching, and RNA Polymerase II Transcription in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2013, 8, e59094.	1.1	4
584	Targeting Peptidyl-prolyl Cis-trans Isomerase NIMA-interacting 1: A Structure-based Virtual Screening Approach to Find Novel Inhibitors. <i>Current Computer-Aided Drug Design</i> , 2020, 16, 605-617.	0.8	10

#	ARTICLE	IF	CITATIONS
585	Survivin antisense compound inhibits proliferation and promotes apoptosis in liver cancer cells. World Journal of Gastroenterology, 2005, 11, 193.	1.4	26
586	Expression and significance of new inhibitor of apoptosis protein survivin in hepatocellular carcinoma. World Journal of Gastroenterology, 2005, 11, 3855.	1.4	34
587	Adenovirus expressing p27kip1 suppresses growth of established esophageal carcinoma xenografts. World Journal of Gastroenterology, 2005, 11, 6582.	1.4	3
588	Understanding the role of PIN1 in hepatocellular carcinoma. World Journal of Gastroenterology, 2016, 22, 9921.	1.4	18
589	PHF3 regulates neuronal gene expression through the Pol II CTD reader domain SPOC. Nature Communications, 2021, 12, 6078.	5.8	21
590	Structural Biology of Programmed Cell Death. , 2003, , 47-65.		0
591	Recognition of Phospho-Serine/Threonine Phosphorylated Proteins. , 2003, , 505-511.		0
593	Pin1. The AFCS-nature Molecule Pages, 0, , .	0.2	0
594	CHAPTER 7. Double Input“Single Output Systems. Monographs in Supramolecular Chemistry, 2012, , 114-194.	0.2	0
595	Role of $\beta$ -Arrestins in Endosomal Sorting of G Protein-Coupled Receptors. , 0, , .		0
597	Peptidyl-Prolyl Cis-Trans Isomerase Pin1. , 2018, , 3873-3873.		0
599	Synergistic Effects of Targeting Survivin and CDK1 on Nasopharyngeal Carcinoma &in Vitro& and &in Vivo&. Journal of Cancer Therapy, 2019, 10, 305-315.	0.1	0
604	Wild type, dEX3 and 2B survivin isoforms localize to the tumor cell plasma membrane, are secreted in exosomes, and interact with extracellular tubulin. Biochemistry and Biophysics Reports, 2021, 28, 101174.	0.7	1
605	Orchestrating serine/threonine phosphorylation and elucidating downstream effects by short linear motifs. Biochemical Journal, 2022, 479, 1-22.	1.7	16
606	Selective Disruption of Survivin's Protein-Protein Interactions: A Supramolecular Approach Based on Guanidiniocarbonylpyrrole. ChemBioChem, 2022, , e202100618.	1.3	3
607	Target Recognition in Tandem WW Domains: Complex Structures for Parallel and Antiparallel Ligand Orientation in h-FBP21 Tandem WW. Journal of Chemical Information and Modeling, 2022, 62, 6586-6601.	2.5	3
608	Exploring the Effect of Enhanced Sampling on Protein Stability Prediction. Journal of Chemical Theory and Computation, 2022, 18, 2569-2583.	2.3	8
609	Dysregulation of Survivin-Targeting microRNAs in Autoimmune Diseases: New Perspectives for Novel Therapies. Frontiers in Immunology, 2022, 13, 839945.	2.2	18

#	ARTICLE	IF	CITATIONS
612	Synthetic Antibodies Detect Distinct Cellular States of Chromosome Passenger Complex Proteins. <i>Journal of Molecular Biology</i> , 2022, 434, 167602.	2.0	2
613	Benzimidazole-based Ionic and Non-ionic Organoselenium Compounds: Innovative Synthetic Strategies, Structural Characterizations and Preliminary Anti-Proliferative Activities. <i>New Journal of Chemistry</i> , 0, , .	1.4	6
614	A novel survivin dimerization inhibitor without a labile hydrazone linker induces spontaneous apoptosis and synergizes with docetaxel in prostate cancer cells. <i>Bioorganic and Medicinal Chemistry</i> , 2022, 65, 116761.	1.4	8
615	Advances in nanotechnology-based platforms for survivin-targeted drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2022, 17, 733-754.	2.5	10
616	Identification of novel functional mini-receptors by combinatorial screening of split-WW domains. <i>Chemical Science</i> , 2022, 13, 9079-9090.	3.7	4
617	Ligand-specific conformational change drives interdomain allostery in Pin1. <i>Nature Communications</i> , 2022, 13, .	5.8	8
618	The kingdom of the prolyl-isomerase Pin1: The structural and functional convergence and divergence of Pin1. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	1.8	0
619	Coevolution of the Ess1-CTD axis in polar fungi suggests a role for phase separation in cold tolerance. <i>Science Advances</i> , 2022, 8, .	4.7	6
621	Condensed-phase signaling can expand kinase specificity and respond to macromolecular crowding. <i>Molecular Cell</i> , 2022, 82, 3693-3711.e10.	4.5	37
622	Regulation of eukaryotic protein kinases by Pin1, a peptidyl-prolyl isomerase. <i>Advances in Biological Regulation</i> , 2022, , 100938.	1.4	1
624	Structural mechanism of extranucleosomal DNA readout by the INO80 complex. <i>Science Advances</i> , 2022, 8, .	4.7	12
626	Interaction modules that impart specificity to disordered protein. <i>Trends in Biochemical Sciences</i> , 2023, 48, 477-490.	3.7	22
627	Survivin Small Molecules Inhibitors: Recent Advances and Challenges. <i>Molecules</i> , 2023, 28, 1376.	1.7	13
628	Contribution of survivin to the immune system, allergies and autoimmune diseases. <i>Human Immunology</i> , 2023, 84, 301-310.	1.2	4
629	The Peptidyl-Prolyl cis-trans isomerase, Pin1, associates with Protein Kinase C $\delta$ via a critical Phospho-Thr-Pro motif in the V3 regulatory domain. <i>Frontiers in Immunology</i> , 0, 14, .	2.2	0
630	Kinase-Modulated Bioluminescent Indicators Enable Noninvasive Imaging of Drug Activity in the Brain. <i>ACS Central Science</i> , 2023, 9, 719-732.	5.3	9
635	Biological Function of Pin1 in Vivo and Its Inhibitors for Preclinical Study: Early Development, Current Strategies, and Future Directions. <i>Journal of Medicinal Chemistry</i> , 2023, 66, 9251-9277.	2.9	5