CITATION REPORT List of articles citing

A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae

DOI: 10.1038/35001009 Nature, 2000, 403, 623-7.

Source: https://exaly.com/paper-pdf/31436799/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2296	Bibliography. 255-272		
2295	Specific Unbinding Forces Between Mutated Human PSelectin Glycoprotein Ligand1 and Viral Protein1 Measured Using Force Spectroscopy.		
2294	Clinical pathologic conference; pinealoma. 1953 , 3, 226-30		
2293	Automated segmentation and classification of high throughput yeast assay spots. 2007 , 26, 1401-11		190
2292	A census of yeast protein-protein interactions. 2000 , 1, 1		
2291	Vaccinia's interactions. 2000 , 18, 585		
2290	Building a protein interaction map: research in the post-genome era. 2000 , 22, 503-6		5
2289	The beauty of the yeast: live cell microscopy at the limits of optical resolution. 2000 , 51, 511-29		41
2288	Meeting review: the Drosophila genome: so that's what it looks like!. 2000 , 17, 154-7		
2287	Yeast two-hybrid systems and protein interaction mapping projects for yeast and worm. 2000 , 17, 88-9	4	101
2286	Genome-wide protein interaction screens reveal functional networks involving Sm-like proteins. 2000 , 17, 95-110		156
2285	A network of proteins around Rvs167p and Rvs161p, two proteins related to the yeast actin cytoskeleton. 2000 , 16, 1229-41		37
2284	Uses of lacZ to study gene function: evaluation of beta-galactosidase assays employed in the yeast two-hybrid system. 2000 , 285, 1-15		98
2283	Mis3 with a conserved RNA binding motif is essential for ribosome biogenesis and implicated in the start of cell growth and S phase checkpoint. 2000 , 5, 525-41		13
2282	The use of yeast two-hybrid screens in studies of protein:protein interactions involved in trafficking. 2000 , 1, 763-8		24
2281	Antagonists of protein-protein interactions. 2000 , 7, R85-94		196
2280	Assessing the impact of Plasmodium falciparum genome sequencing. 2000 , 2, 1479-87		6

(2000-2000)

From the analysis of protein complexes to proteome-wide linkage maps. 2000 , 11, 402-7		30
Applied genomics: integration of the technology within pharmaceutical research and development. 2000 , 11, 602-9		34
2277 Large-scale functional analysis using peptide or protein arrays. 2000 , 18, 393-7		215
2276 Integrative database analysis in structural genomics. 2000 , 7 Suppl, 960-3		36
2275 Protein networks-built by association. 2000 , 18, 1242-3		30
2274 Applications of display technology in protein analysis. 2000 , 18, 1251-6		91
A network of protein-protein interactions in yeast. 2000 , 18, 1257-61		1066
2272 Guilt-by-association goes global. <i>Nature</i> , 2000 , 403, 601-3	50.4	413
Dynamics of Jupiter's atmosphere. <i>Nature</i> , 2000 , 403, 603, 605	50.4	6
2270 Protein function in the post-genomic era. <i>Nature</i> , 2000 , 405, 823-6	50.4	590
2269 Proteomics to study genes and genomes. <i>Nature</i> , 2000 , 405, 837-46	50.4	1907
2268 Genomics. Beyond the book of life. <i>Nature</i> , 2000 , 408, 894-6	50.4	6
2267 Mining bacterial genomes for antimicrobial targets. 2000 , 6, 470-4		29
2266 A genomic perspective on plant transcription factors. 2000 , 3, 423-34		326
Functions of Lsm proteins in mRNA degradation and splicing. 2000 , 12, 346-50		137
2264 From fold to function. 2000 , 10, 384-9		58
2263 Structural genomics projects in Japan. 2000 , 73, 363-76		46
2262 Genome-wide screen for proteinprotein interaction in yeast. 2000 , 16, 204		

2261	Protein arrays: a high-throughput solution for proteomics research?. 2000 , 18, 47-51	9
2260	Using mass spectrometry for quantitative proteomics. 2000 , 18, 31-36	4
2259	Protein recruitment systems for the analysis of protein-protein interactions. 2000 , 60, 1009-13	8
2258	The eukaryotic mRNA decapping protein Dcp1 interacts physically and functionally with the eIF4F translation initiation complex. 2000 , 19, 4372-82	69
2257	Human pre-mRNA cleavage factor II(m) contains homologs of yeast proteins and bridges two other cleavage factors. 2000 , 19, 5895-904	135
2256	Cytochrome c oxidase assembly factors with a thioredoxin fold are conserved among prokaryotes and eukaryotes. 2000 , 78, 239-42	80
2255	Molecular biology from 1970 to 2000 and its future. 2000 , 26, 692-695	О
2254	Genetic engineering of plant signal transduction mechanisms. 2000 , 18, 309-318	9
2253	Functional analysis of the yeast genome. 2000 , 1, 99-113	9
2252	Creating hybrid genes by homologous recombination. 2000 , 16, 3-13	11
2252	Creating hybrid genes by homologous recombination. 2000, 16, 3-13 A chemical genomics approach toward understanding the global functions of the target of rapamycin protein (TOR). 2000, 97, 13227-32	153
	A chemical genomics approach toward understanding the global functions of the target of	
2251	A chemical genomics approach toward understanding the global functions of the target of rapamycin protein (TOR). 2000 , 97, 13227-32 The unfolded protein response represses nitrogen-starvation induced developmental	153
2251 2250	A chemical genomics approach toward understanding the global functions of the target of rapamycin protein (TOR). 2000, 97, 13227-32 The unfolded protein response represses nitrogen-starvation induced developmental differentiation in yeast. 2000, 14, 2962-75 Mdv1p is a WD repeat protein that interacts with the dynamin-related GTPase, Dnm1p, to trigger	153
2251 2250 2249	A chemical genomics approach toward understanding the global functions of the target of rapamycin protein (TOR). 2000, 97, 13227-32 The unfolded protein response represses nitrogen-starvation induced developmental differentiation in yeast. 2000, 14, 2962-75 Mdv1p is a WD repeat protein that interacts with the dynamin-related GTPase, Dnm1p, to trigger mitochondrial division. 2000, 151, 353-66 A new role for a SNARE protein as a regulator of the Ypt7/Rab-dependent stage of docking. 2000,	153 67 293
2251 2250 2249 2248	A chemical genomics approach toward understanding the global functions of the target of rapamycin protein (TOR). 2000, 97, 13227-32 The unfolded protein response represses nitrogen-starvation induced developmental differentiation in yeast. 2000, 14, 2962-75 Mdv1p is a WD repeat protein that interacts with the dynamin-related GTPase, Dnm1p, to trigger mitochondrial division. 2000, 151, 353-66 A new role for a SNARE protein as a regulator of the Ypt7/Rab-dependent stage of docking. 2000, 97, 8889-91	153 67 293 56
2251 2250 2249 2248	A chemical genomics approach toward understanding the global functions of the target of rapamycin protein (TOR). 2000, 97, 13227-32 The unfolded protein response represses nitrogen-starvation induced developmental differentiation in yeast. 2000, 14, 2962-75 Mdv1p is a WD repeat protein that interacts with the dynamin-related GTPase, Dnm1p, to trigger mitochondrial division. 2000, 151, 353-66 A new role for a SNARE protein as a regulator of the Ypt7/Rab-dependent stage of docking. 2000, 97, 8889-91 A guided tour in protein interaction space: coiled coils from the yeast proteome. 2000, 97, 12935-6	153 67 293 56

(2000-2000)

2243	Multiple actin-related proteins of Saccharomyces cerevisiae are present in the nucleus. 2000 , 128, 665-71	53
2242	Progress and potential of Drosophila protein interaction maps. 2000 , 1, 417-31	13
2241	Multiple mechanisms of suppression circumvent transcription defects in an RNA polymerase mutant. 2000 , 20, 8124-33	26
2240	Guilt by association: contextual information in genome analysis. 2000 , 10, 1074-7	125
2239	Proteasomal proteomics: identification of nucleotide-sensitive proteasome-interacting proteins by mass spectrometric analysis of affinity-purified proteasomes. 2000 , 11, 3425-39	480
2238	Gag3p, an outer membrane protein required for fission of mitochondrial tubules. 2000 , 151, 333-40	148
2237	By-passing selection: direct screening for antibody-antigen interactions using protein arrays. 2000 , 28, E72	95
2236	Dynamic localization of protein phosphatase type 1 in the mitotic cell cycle of Saccharomyces cerevisiae. 2000 , 149, 125-40	59
2235	Dnm1p GTPase-mediated mitochondrial fission is a multi-step process requiring the novel integral membrane component Fis1p. 2000 , 151, 367-80	549
2234	Proteomic databases and software on the web. 2000 , 1, 250-9	15
2234	Proteomic databases and software on the web. 2000, 1, 250-9 Distinct roles for the yeast phosphatidylinositol 4-kinases, Stt4p and Pik1p, in secretion, cell growth, and organelle membrane dynamics. 2000, 11, 2673-89	15 299
2233	Distinct roles for the yeast phosphatidylinositol 4-kinases, Stt4p and Pik1p, in secretion, cell	
2233	Distinct roles for the yeast phosphatidylinositol 4-kinases, Stt4p and Pik1p, in secretion, cell growth, and organelle membrane dynamics. 2000 , 11, 2673-89	299
2233	Distinct roles for the yeast phosphatidylinositol 4-kinases, Stt4p and Pik1p, in secretion, cell growth, and organelle membrane dynamics. 2000, 11, 2673-89 Dissection of autophagosome biogenesis into distinct nucleation and expansion steps. 2000, 151, 1025-34 Representing and analysing molecular and cellular function using the computer. 2000, 381, 921-35	299
2233 2232 2231	Distinct roles for the yeast phosphatidylinositol 4-kinases, Stt4p and Pik1p, in secretion, cell growth, and organelle membrane dynamics. 2000, 11, 2673-89 Dissection of autophagosome biogenesis into distinct nucleation and expansion steps. 2000, 151, 1025-34 Representing and analysing molecular and cellular function using the computer. 2000, 381, 921-35	29924353
2233 2232 2231 2230	Distinct roles for the yeast phosphatidylinositol 4-kinases, Stt4p and Pik1p, in secretion, cell growth, and organelle membrane dynamics. 2000, 11, 2673-89 Dissection of autophagosome biogenesis into distinct nucleation and expansion steps. 2000, 151, 1025-34 Representing and analysing molecular and cellular function using the computer. 2000, 381, 921-35 A network of yeast basic helix-loop-helix interactions. 2000, 28, 4460-6 Cdc13 cooperates with the yeast Ku proteins and Stn1 to regulate telomerase recruitment. 2000,	2992435346
2233 2232 2231 2230 2229	Distinct roles for the yeast phosphatidylinositol 4-kinases, Stt4p and Pik1p, in secretion, cell growth, and organelle membrane dynamics. 2000, 11, 2673-89 Dissection of autophagosome biogenesis into distinct nucleation and expansion steps. 2000, 151, 1025-34 Representing and analysing molecular and cellular function using the computer. 2000, 381, 921-35 A network of yeast basic helix-loop-helix interactions. 2000, 28, 4460-6 Cdc13 cooperates with the yeast Ku proteins and Stn1 to regulate telomerase recruitment. 2000, 20, 8397-408 A computationally directed screen identifying interacting coiled coils from Saccharomyces	299243534690

2225	Mass spectral analysis of a protein complex using single-chain antibodies selected on a peptide target: applications to functional genomics. 2000 , 302, 285-93	21
2224	The continued evolution of two-hybrid screening approaches in yeast: how to outwit different preys with different baits. 2000 , 250, 1-14	61
2223	Evidence that dim1 associates with proteins involved in pre-mRNA splicing, and delineation of residues essential for dim1 interactions with hnRNP F and Npw38/PQBP-1. 2000 , 257, 33-43	63
2222	Oligomerization properties of the acidic ribosomal P-proteins from Saccharomyces cerevisiae: effect of P1A protein phosphorylation on the formation of the P1A-P2B hetero-complex. 2000 , 1499, 63-73	40
2221	Genetic systems for analyzing protein-protein interactions in bacteria. 2000 , 151, 711-20	21
2220	Protein arrays for gene expression and molecular interaction screening. 2000 , 3, 298-302	159
2219	Systematic and large-scale two-hybrid screens. 2000 , 3, 303-8	118
2218	Yeast proteomics gets automated. 2000 , 8, 160	
2217	mRNA stability in eukaryotes. 2000 , 10, 193-8	240
2216	The yeast genome: on the road to the Golden Age. 2000 , 10, 617-23	21
2216 2215	The yeast genome: on the road to the Golden Age. 2000 , 10, 617-23 Gene function. 2000 , 323, 1147-53	8
	Gene function. 2000, 323, 1147-53 The yeast mitochondrial transport proteins: new sequences and consensus residues, lack of direct	
2215	Gene function. 2000, 323, 1147-53 The yeast mitochondrial transport proteins: new sequences and consensus residues, lack of direct relation between consensus residues and transmembrane helices, expression patterns of the	8
2215	Gene function. 2000, 323, 1147-53 The yeast mitochondrial transport proteins: new sequences and consensus residues, lack of direct relation between consensus residues and transmembrane helices, expression patterns of the transport protein genes, and protein-protein interactions with other proteins. 2000, 1467, 207-18	8 40
2215 2214 2213	Gene function. 2000, 323, 1147-53 The yeast mitochondrial transport proteins: new sequences and consensus residues, lack of direct relation between consensus residues and transmembrane helices, expression patterns of the transport protein genes, and protein-protein interactions with other proteins. 2000, 1467, 207-18 Proteomics: new perspectives, new biomedical opportunities. 2000, 356, 1749-56	8 40 363
2215 2214 2213 2212 2211	Gene function. 2000, 323, 1147-53 The yeast mitochondrial transport proteins: new sequences and consensus residues, lack of direct relation between consensus residues and transmembrane helices, expression patterns of the transport protein genes, and protein-protein interactions with other proteins. 2000, 1467, 207-18 Proteomics: new perspectives, new biomedical opportunities. 2000, 356, 1749-56 Genome-wide protein interaction maps using two-hybrid systems. 2000, 480, 32-6	8 40 363 106
2215 2214 2213 2212 2211	Gene function. 2000, 323, 1147-53 The yeast mitochondrial transport proteins: new sequences and consensus residues, lack of direct relation between consensus residues and transmembrane helices, expression patterns of the transport protein genes, and protein-protein interactions with other proteins. 2000, 1467, 207-18 Proteomics: new perspectives, new biomedical opportunities. 2000, 356, 1749-56 Genome-wide protein interaction maps using two-hybrid systems. 2000, 480, 32-6 Four years of post-genomic life with 6,000 yeast genes. 2000, 480, 37-41	8 40 363 106 71

(2001-2000)

2207	Signal transduction. Are there close encounters between signaling pathways?. 2000 , 290, 68-9	30
2206	Genomics. Plant biology in 2010. 2000 , 290, 2077-8	96
2205	Whither genomics?. 2000 , 1, COMMENT003	10
2204	A cultivated taste for yeast. 2000 , 1, REVIEWS103	
2203	Recent trends in protein biochip technology. 2000 , 1, 395-416	140
2202	High-throughput screening for protein-protein interactions using two-hybrid assay. 2000 , 328, 3-14	83
2201	GATEWAY recombinational cloning: application to the cloning of large numbers of open reading frames or ORFeomes. 2000 , 328, 575-92	496
2200	Neurons from stem cells: Implications for understanding nervous system development and repair. 2000 , 78, 613-628	16
2199	Structure of the VHS domain of human Tom1 (target of myb 1): insights into interactions with proteins and membranes. 2000 , 39, 11282-90	62
2198	The genetics of fatty acid metabolism in Saccharomyces cerevisiae. 2001 , 21, 97-119	76
2197	High-throughput screening for protein-protein interactions using yeast two-hybrid arrays. 2001 , Chapter 19, Unit 19.6	8
2196	Mechanism and control of meiotic recombination initiation. 2001 , 52, 1-53	501
2195	New (and used) approaches to the study of fungal pathogenicity. 2001 , 39, 337-65	27
2194	Development of an optimized interaction-mating protocol for large-scale yeast two-hybrid analyses. 2001 , 2, RESEARCH0052	34
2193	Functional associations of proteins in entire genomes by means of exhaustive detection of gene fusions. 2001 , 2, RESEARCH0034	79
2192	The cohesin complex: sequence homologies, interaction networks and shared motifs. 2001 , 2, RESEARCH0009	22
2191	Proteomics. Proteomics in genomeland. 2001 , 291, 1221-4	196
2190	BINDThe Biomolecular Interaction Network Database. 2001 , 29, 242-5	396

2189	Predicting proteinprotein interactions from primary structure. 2001 , 17, 455-60	416
2188	Mass spectrometry in proteomics. 2001 , 101, 269-95	1057
2187	Quaternary structure of the ATPase complex of human 26S proteasomes determined by chemical cross-linking. 2001 , 386, 89-94	62
2186	Hrs and hbp: possible regulators of endocytosis and exocytosis. 2001 , 281, 1065-9	36
2185	Beyond synexpression relationships: local clustering of time-shifted and inverted gene expression profiles identifies new, biologically relevant interactions. 2001 , 314, 1053-66	148
2184	Mapping protein family interactions: intramolecular and intermolecular protein family interaction repertoires in the PDB and yeast. 2001 , 307, 929-38	148
2183	Selection of ligands by panning of domain libraries displayed on phage lambda reveals new potential partners of synaptojanin 1. 2001 , 307, 1329-39	61
2182	Fast selection of antibodies without antigen purification: adaptation of the protein fragment complementation assay to select antigen-antibody pairs. 2001 , 308, 115-22	52
2181	Correlated sequence-signatures as markers of protein-protein interaction. 2001 , 311, 681-92	321
2180	UBA domains mediate protein-protein interactions between two DNA damage-inducible proteins. 2001 , 313, 955-63	97
2179	Using the yeast interaction trap and other two-hybrid-based approaches to study protein-protein interactions. 2001 , 24, 201-17	67
2178	The tandem affinity purification (TAP) method: a general procedure of protein complex purification. 2001 , 24, 218-29	1360
2177	High-throughput yeast two-hybrid assays for large-scale protein interaction mapping. 2001 , 24, 297-306	208
2176	Transcript expression in Saccharomyces cerevisiae at high salinity. 2001 , 276, 15996-6007	180
2175	Proteomicspost-genomic cartography to understand gene function. 2001 , 22, 376-84	94
2174	Proteomics of the nervous system. 2001 , 24, 259-66	121
2173	Alkaline response genes of Saccharomyces cerevisiae and their relationship to the RIM101 pathway. 2001 , 276, 1850-6	182
2172	Global analysis of protein activities using proteome chips. 2001 , 293, 2101-5	1899

(2001-2001)

2171	Self-destruction in the line of duty. 2001 , 1, 6-8	4
2170	Deletion of the SRS2 gene suppresses elevated recombination and DNA damage sensitivity in rad5 and rad18 mutants of Saccharomyces cerevisiae. 2001 , 486, 137-46	53
2169	Functional analysis of pathogenicity genes in a genomics world. 2001 , 4, 387-92	21
2168	Cell morphogenesis and division. 2001 , 4, 621-624	2
2167	Protein phosphatase 5 in signal transduction. 2001 , 12, 28-32	128
2166	Cvt19 is a receptor for the cytoplasm-to-vacuole targeting pathway. 2001 , 7, 1131-41	206
2165	The second cysteine-rich domain of Mac1p is a potent transactivator that modulates DNA binding efficiency and functionality of the protein. 2001 , 494, 38-43	9
2164	STAM/EAST/Hbp adapter proteinsintegrators of signalling pathways. 2001 , 508, 287-90	38
2163	Mining DNA microarray data using a novel approach based on graph theory. 2001 , 509, 230-4	13
2162	Serial regulation of transcriptional regulators in the yeast cell cycle. 2001 , 106, 697-708	532
2161	Mobilization of processed, membrane-tethered SPT23 transcription factor by CDC48(UFD1/NPL4), a ubiquitin-selective chaperone. 2001 , 107, 667-77	386
2160	GIMS-a data warehouse for storage and analysis of genome sequence and functional data. 2001,	13
2159	Proteomics. Making sense of genomic information for drug discovery. 2001 , 1, 29-35	5
2158	Protein array technology. Potential use in medical diagnostics. 2001 , 1, 37-43	26
2157	Identification of the gene and characterization of the activity of the trans-aconitate methyltransferase from Saccharomyces cerevisiae. 2001 , 40, 13699-709	17
2156	Oligomerization of uniquely folded mini-protein motifs: development of a homotrimeric betabetaalpha peptide. 2001 , 123, 3885-91	53
2155	The proteasomal substrate Stm1 participates in apoptosis-like cell death in yeast. 2001 , 12, 2422-32	67
2154	A link between the synthesis of nucleoporins and the biogenesis of the nuclear envelope. 2001 , 153, 709-24	118

2153	Symmetrical dimethylation of arginine residues in spliceosomal Sm protein B/B' and the Sm-like protein LSm4, and their interaction with the SMN protein. 2001 , 7, 1531-42	277
2152	. 2001,	3
2151	Application of industrial scale genomics to discovery of therapeutic targets in heart failure. 2001 , 3, 641-50	5
2150	Proteomicsstructure and function. 2001 , 31, 156-8, 160	7
2149	What is Bioinformatics? A Proposed Definition and Overview of the Field. 2001 , 40, 346-358	218
2148	Laboratory investigation of platelets. 2001 , 124-146	
2147	A conserved role of a DEAD box helicase in mRNA masking. 2001 , 7, 1728-42	113
2146	The DEAD box helicase, Dhh1p, functions in mRNA decapping and interacts with both the decapping and deadenylase complexes. 2001 , 7, 1717-27	268
2145	Redefinition of the yeast two-hybrid system in dialogue with changing priorities in biological research. 2001 , 30, 634-6, 638, 640 passim	20
2144	PAMP and PARL, two novel putative metalloproteases interacting with the COOH-terminus of Presenilin-1 and -2. 2001 , 3, 181-190	57
2143	Two-hybrid analysis of the Saccharomyces cerevisiae 26S proteasome. 2001 , 7, 27-34	61
2142	Two-hybrid selection assay to identify proteins interacting with polymerase II transcription factors and regulators. 2001 , 30, 296-8, 300, 302	11
2141	Screening for protein-protein interactions in the yeast two-hybrid system. 2002 , 185, 471-86	30
2140	Role of histone acetylation in the assembly and modulation of chromatin structures. 2000 , 9, 37-61	112
2139	Molecular dissection of yeast spindle pole bodies by two hybrid, in vitro binding, and co-purification. 2001 , 67, 71-94	10
2138	Protein Structure Prediction. 2001 , 237-313	
2137	Cloning and molecular characterization of three ubiquitin fusion degradation 1 (Ufd1) ortholog genes from Xenopus laevis, Gallus gallus and Drosophila melanogaster. 2001 , 92, 279-82	5
2136	What is bioinformatics? An introduction and overview. 2001 , 10, 83-100	34

2135 Current World Literature. **2001**, 14, 363-401

2134	Cyclin/Cdk complexes: their involvement in cell cycle progression and mitotic division. 2001 , 216, 119-42	83
2133	Transcriptional transactivation by selected short random peptides attached to lexA-GFP fusion proteins. 2001 , 2, 10	12
2132	Itt1p, a novel protein inhibiting translation termination in Saccharomyces cerevisiae. 2001 , 2, 9	31
2131	21st century molecular biology in urology. 2001 , 88, 451-7	11
2130	The search for drug target molecules from genomics. 2001 , 88 Suppl 2, 11-7; discussion 49-50	12
2129	Post genome analysis of Campylobacter jejuni. 2001 , 90, 36S-44S	10
2128	Genetic analysis of the signalling pathway activated by external amino acids in Saccharomyces cerevisiae. 2001 , 41, 489-502	53
2127	Protein biochips for differential profiling. 2001 , 12, 65-9	183
2126	Towards a truly integrative biology through the functional genomics of yeast. 2001 , 12, 87-91	63
2125	Protein interaction databases. 2001 , 12, 334-9	76
2124	Mapping protein-protein interactions with combinatorial biology methods. 2001 , 12, 340-7	23
2123	Use of protein-interaction maps to formulate biological questions. 2001 , 5, 57-62	9
2122	Genomic analysis of biochemical function. 2001 , 5, 34-9	21
2121	Protein arrays and microarrays. 2001 , 5, 40-5	331
2120	Bioinformatics in proteomics. 2001 , 18, 241-8	34
2119	Abiotic stress signal transduction in plants: Molecular and genetic perspectives. 2001 , 112, 152-166	182
2118	Nuclear localization of the Saccharomyces cerevisiae HMG protein NHP6A occurs by a Ran-independent nonclassical pathway. 2001 , 2, 449-64	14

2117	Late endosomes: sorting and partitioning in multivesicular bodies. 2001 , 2, 612-21	164
2116	Sgf1p, a new component of the Sec34p/Sec35p complex. 2001 , 2, 820-30	33
2115	Post-genomic virology: the impact of bioinformatics, microarrays and proteomics on investigating host and pathogen interactions. 2001 , 11, 313-29	34
2114	Assessment of prediction accuracy of protein function from proteinprotein interaction data. 2001 , 18, 523-31	276
2113	Yeast 14-3-3 proteins. 2001 , 18, 889-95	41
2112	Functional analysis of the Saccharomyces cerevisiae YFR021w/YGR223c/YPL100w ORF family suggests relations to mitochondrial/peroxisomal functions and amino acid signalling pathways. 2001 , 18, 1155-71	24
2111	14-3-3 Proteins are essential for regulation of RTG3-dependent transcription in Saccharomyces cerevisiae. 2001 , 18, 1479-91	28
2110	Isolation and study of KlLSM4, a Kluyveromyces lactis gene homologous to the essential gene LSM4 of Saccharomyces cerevisiae. 2001 , 18, 1249-56	23
2109	Large-scale phenotypic analysis reveals identical contributions to cell functions of known and unknown yeast genes. 2001 , 18, 1397-412	29
2108	Prediction of protein interaction sites from sequence profile and residue neighbor list. 2001 , 44, 336-43	259
	Prediction of protein interaction sites from sequence profile and residue neighbor list. 2001 , 44, 336-43 How useful will functional proteomics data be?. 2001 , 2, 301-3	259
2107		
2107	How useful will functional proteomics data be?. 2001 , 2, 301-3	2
2107 2106 2105	How useful will functional proteomics data be?. 2001 , 2, 301-3 Website review: protein-protein interactions on the web. 2001 , 2, 338-43 Can bibliographic pointers for known biological data be found automatically? Protein interactions	3
2107 2106 2105	How useful will functional proteomics data be?. 2001, 2, 301-3 Website review: protein-protein interactions on the web. 2001, 2, 338-43 Can bibliographic pointers for known biological data be found automatically? Protein interactions as a case study. 2001, 2, 196-206 The immune system and gene expression microarraysnew answers to old questions. 2001, 195, 20-30	3 37
2107 2106 2105 2104	How useful will functional proteomics data be?. 2001, 2, 301-3 Website review: protein-protein interactions on the web. 2001, 2, 338-43 Can bibliographic pointers for known biological data be found automatically? Protein interactions as a case study. 2001, 2, 196-206 The immune system and gene expression microarraysnew answers to old questions. 2001, 195, 20-30	2 3 37 24
2107 2106 2105 2104 2103	How useful will functional proteomics data be?. 2001, 2, 301-3 Website review: protein-protein interactions on the web. 2001, 2, 338-43 Can bibliographic pointers for known biological data be found automatically? Protein interactions as a case study. 2001, 2, 196-206 The immune system and gene expression microarraysnew answers to old questions. 2001, 195, 20-30 Genomics approaches to drug discovery. 2001, Suppl 37, 110-9	2 3 37 24

2099	Proteome analysis of the common human pathogen Helicobacter pylori. 2001 , 1, 473-9	45
2098	Multiresolution image registration for two-dimensional gel electrophoresis. 2001 , 1, 856-70	90
2097	In-vivo-Testsysteme fil Protein-Protein-Wechselwirkungen: eine Methode nicht nur fil Proteine. 2001 , 113, 895-899	6
2096	Von Split-Pool-Molek[bibliotheken zu rūmlich adressierbaren Mikro-Arrays und deren Einsatz in der funktionellen Proteomik. 2001 , 113, 3254-3258	23
2095	Genetische Selektion Leine Strategie zur Untersuchung und Herstellung von Enzymen. 2001 , 113, 3408-3436	50
2094	In Vivo Protein-Protein Interaction Assays: Beyond Proteins. 2001 , 40, 871-875	19
2093	From Split-Pool Libraries to Spatially Addressable Microarrays and Its Application to Functional Proteomic Profiling. 2001 , 40, 3152-3155	85
2092	Investigating and Engineering Enzymes by Genetic Selection. 2001 , 40, 3310-3335	156
2091	Recent advances in chemical approaches to the study of biological systems. 2001 , 17, 405-33	96
2090	Molecular profiling in prostate cancer. 2001 , 20, 165-71	6
2089	A protein-protein interaction map of the Caenorhabditis elegans 26S proteasome. 2001 , 2, 821-8	156
2088	Prospore membrane formation linked to the leading edge protein (LEP) coat assembly. 2001 , 20, 6946-57	52
2087	Subunit interaction maps for the regulatory particle of the 26S proteasome and the COP9 signalosome. 2001 , 20, 7096-107	190
2086	The Saccharomyces cerevisiae Set1 complex includes an Ash2 homologue and methylates histone 3 lysine 4. 2001 , 20, 7137-48	456
2085	Ten1 functions in telomere end protection and length regulation in association with Stn1 and Cdc13. 2001 , 20, 1173-83	192
2084	The tripartite motif family identifies cell compartments. 2001 , 20, 2140-51	979
2083	Multiple cellular processes affected by the absence of the Rpb4 subunit of RNA polymerase II	16
	contribute to the deficiency in the stress response of the yeast rpb4(delta) mutant. 2001 , 264, 763-72	

2081	Synthetic cell biology. 2001 , 12, 638-44		77
2080	UBA domains of DNA damage-inducible proteins interact with ubiquitin. 2001 , 8, 417-22		257
2079	The path not taken. 2001 , 19, 626-7		38
2078	Proteomics comes to the surface. 2001 , 19, 828-9		39
2077	Correlation between transcriptome and interactome mapping data from Saccharomyces cerevisiae. 2001 , 29, 482-6		517
2076	Protein interaction maps for model organisms. 2001 , 2, 55-62		118
2075	The protein-protein interaction map of Helicobacter pylori. <i>Nature</i> , 2001 , 409, 211-5	50.4	956
2074	Crystal structures of SarA, a pleiotropic regulator of virulence genes in S. aureus. <i>Nature</i> , 2001 , 409, 215	-9 0.4	59
2073	Correction: Language trees support the express-train sequence of Austronesian expansion. <i>Nature</i> , 2001 , 409, 743-743	50.4	1
2072	Correction: Warm-coding deficits and aberrant inflammatory pain in mice lacking P2X3. <i>Nature</i> , 2001 , 409, 743-743	50.4	2
2071	Erratum: The protein protein interaction map of Helicobacter pylori. <i>Nature</i> , 2001 , 409, 743-743	50.4	6
2070	Emerging technologies in yeast genomics. 2001 , 2, 302-12		82
2069	Skp1 forms multiple protein complexes, including RAVE, a regulator of V-ATPase assembly. 2001 , 3, 384	-91	210
2068	Networking skills. 2001 , 2, 326-326		
2067	Microarrays of cells expressing defined cDNAs. <i>Nature</i> , 2001 , 411, 107-10	50.4	847
2066	An aminoacyl tRNA synthetase whose sequence fits into neither of the two known classes. <i>Nature</i> , 2001 , 411, 110-4	50.4	42
2065	Lethality and centrality in protein networks. <i>Nature</i> , 2001 , 411, 41-2	50.4	3743
2064	Protein interactions. Unspinning the web. <i>Nature</i> , 2001 , 411, 30-1	50.4	31

(2001-2001)

2063	Correction: Crystal structures of SarA, a pleiotropic regulator of virulence genes in S. aureus. <i>Nature</i> , 2001 , 414, 85-85	50.4	1
2062	Correction: Biodegradation of oil in uplifted basins prevented by deep-burial sterilization. <i>Nature</i> , 2001 , 414, 85-85	50.4	2
2061	Interaction between two domains of the P. yoelii MSP-1 protein detected using the yeast two-hybrid system. 2001 , 117, 27-35		10
2060	FLEXGene repository: from sequenced genomes to gene repositories for high-throughput functional biology and proteomics. 2001 , 118, 155-65		44
2059	Positive and negative regulation of squalene synthase (ERG9), an ergosterol biosynthetic gene, in Saccharomyces cerevisiae. 2001 , 1517, 177-89		40
2058	Exploring the protein interactome using comprehensive two-hybrid projects. 2001 , 19, 23-27		52
2057	BIAMSMS: biomolecular interaction analysis for functional proteomics. 2001 , 19, 28-33		43
2056	Exploring the protein interactome using comprehensive two-hybrid projects. 2001 , 19, S23-7		54
2055	BIA-MS-MS: biomolecular interaction analysis for functional proteomics. 2001 , 19, S28-33		39
2054	Proteinprotein interaction maps: a lead towards cellular functions. 2001 , 17, 346-52		164
2053	Beyond genomics. 2001 , 17, 680-2		46
2052	Open systems: panoramic views of gene expression. 2001 , 250, 67-79		84
2051	Protein and antibody arrays and their medical applications. 2001 , 250, 81-91		252
2050	A model organism for genomic and postgenomic studies. 2001 , 20, 22-32		1
2049	Integrative data mining: the new direction in bioinformatics. 2001 , 20, 33-40		25
2048	Mitochondrial division: New partners in membrane pinching. 2001 , 11, R67-70		52
2047	Towards an understanding of complex protein networks. 2001 , 11, 102-6		141
2046	Impact of human genome sequencing for in silico target discovery. 2001 , 6, 316-323		18

2045	Rational drug discovery revisited: interfacing experimental programs with bio- and chemo-informatics. 2001 , 6, 989-995	30
2044	A genomic view of yeast membrane transporters. 2001 , 13, 389-98	79
2043	Determination of protein function, evolution and interactions by structural genomics. 2001 , 11, 354-63	111
2042	Exploring protein interactions by interaction-induced folding of proteins from complementary peptide fragments. 2001 , 11, 472-7	60
2041	FOUNTAIN: a JAVA open-source package to assist large sequencing projects. 2001 , 2, 6	6
2040	NatC Nalpha-terminal acetyltransferase of yeast contains three subunits, Mak3p, Mak10p, and Mak31p. 2001 , 276, 20154-9	70
2039	Membrane recruitment of Aut7p in the autophagy and cytoplasm to vacuole targeting pathways requires Aut1p, Aut2p, and the autophagy conjugation complex. 2001 , 152, 51-64	197
2038	The Ndc80p complex from Saccharomyces cerevisiae contains conserved centromere components and has a function in chromosome segregation. 2001 , 152, 349-60	275
2037	Interaction of the E1A oncoprotein with Yak1p, a novel regulator of yeast pseudohyphal differentiation, and related mammalian kinases. 2001 , 12, 699-710	50
2036	Division of mitochondria requires a novel DNM1-interacting protein, Net2p. 2001 , 12, 309-21	141
2036	Division of mitochondria requires a novel DNM1-interacting protein, Net2p. 2001 , 12, 309-21 Metal toxicity in yeasts and the role of oxidative stress. 2001 , 49, 111-42	141
2035		
2035	Metal toxicity in yeasts and the role of oxidative stress. 2001 , 49, 111-42	116
2035	Metal toxicity in yeasts and the role of oxidative stress. 2001 , 49, 111-42 Dribble, the Drosophila KRR1p homologue, is involved in rRNA processing. 2001 , 12, 1409-19 The C-terminal region of an Apg7p/Cvt2p is required for homodimerization and is essential for its	116
2035	Metal toxicity in yeasts and the role of oxidative stress. 2001 , 49, 111-42 Dribble, the Drosophila KRR1p homologue, is involved in rRNA processing. 2001 , 12, 1409-19 The C-terminal region of an Apg7p/Cvt2p is required for homodimerization and is essential for its E1 activity and E1-E2 complex formation. 2001 , 276, 9846-54 The S. cerevisiae SET3 complex includes two histone deacetylases, Hos2 and Hst1, and is a	116 19 70
2035 2034 2033 2032	Metal toxicity in yeasts and the role of oxidative stress. 2001, 49, 111-42 Dribble, the Drosophila KRR1p homologue, is involved in rRNA processing. 2001, 12, 1409-19 The C-terminal region of an Apg7p/Cvt2p is required for homodimerization and is essential for its E1 activity and E1-E2 complex formation. 2001, 276, 9846-54 The S. cerevisiae SET3 complex includes two histone deacetylases, Hos2 and Hst1, and is a meiotic-specific repressor of the sporulation gene program. 2001, 15, 2991-3004 Single step generation of protein arrays from DNA by cell-free expression and in situ	116 19 70 199
2035 2034 2033 2032 2031 2030	Metal toxicity in yeasts and the role of oxidative stress. 2001, 49, 111-42 Dribble, the Drosophila KRR1p homologue, is involved in rRNA processing. 2001, 12, 1409-19 The C-terminal region of an Apg7p/Cvt2p is required for homodimerization and is essential for its E1 activity and E1-E2 complex formation. 2001, 276, 9846-54 The S. cerevisiae SET3 complex includes two histone deacetylases, Hos2 and Hst1, and is a meiotic-specific repressor of the sporulation gene program. 2001, 15, 2991-3004 Single step generation of protein arrays from DNA by cell-free expression and in situ immobilisation (PISA method). 2001, 29, E73-3 A novel approach for the identification of protein-protein interaction with integral membrane	116 19 70 199 158

(2001-2001)

2027	Identification of potential interaction networks using sequence-based searches for conserved protein-protein interactions or "interologs". 2001 , 11, 2120-6	344
2026	A relationship between gene expression and protein interactions on the proteome scale: analysis of the bacteriophage T7 and the yeast Saccharomyces cerevisiae. 2001 , 29, 3513-9	170
2025	PartsList: a web-based system for dynamically ranking protein folds based on disparate attributes, including whole-genome expression and interaction information. 2001 , 29, 1750-64	37
2024	The yeast protein interaction network evolves rapidly and contains few redundant duplicate genes. 2001 , 18, 1283-92	396
2023	Cleavage/polyadenylation factor IA associates with the carboxyl-terminal domain of RNA polymerase II in Saccharomycescerevisiae. 2001 , 98, 445-450	45
2022	Yol082p, a novel CVT protein involved in the selective targeting of aminopeptidase I to the yeast vacuole. 2001 , 276, 29210-7	59
2021	Aft2p, a novel iron-regulated transcription activator that modulates, with Aft1p, intracellular iron use and resistance to oxidative stress in yeast. 2001 , 276, 34221-6	161
2020	Cell signalling - the proteomics of it all. 2001 , 2001, pe33	6
2019	Site-specific molecular design and its relevance to pharmacogenomics and chemical biology. 2001 , 1, 38-47	4
2018	Detection and visualization of protein interactions with protein fragment complementation assays. 2002 , 185, 447-59	16
2017	A comprehensive two-hybrid analysis to explore the yeast protein interactome. 2001 , 98, 4569-74	2933
2016	Exploiting big biology: integrating large-scale biological data for function inference. 2001 , 2, 363-74	27
2015	Embryonic Stem Cells. 2001 ,	1
2014	Array-based proteomics: the latest chip challenge. 2001 , 1, 145-52	29
2013	Clockless yeast and the gears of the clock: how do they mesh?. 2001 , 16, 516-22	1
2012	Interrelating different types of genomic data, from proteome to secretome: 'oming in on function. 2001 , 11, 1463-8	121
2011	Haa1, a protein homologous to the copper-regulated transcription factor Ace1, is a novel transcriptional activator. 2001 , 276, 38697-702	39
2010	Cleavage/polyadenylation factor IA associates with the carboxyl-terminal domain of RNA polymerase II in Saccharomyces cerevisiae. 2001 , 98, 445-50	124

2009	Human BIN3 complements the F-actin localization defects caused by loss of Hob3p, the fission yeast homolog of Rvs161p. 2001 , 276, 21670-7	18
2008	RNA polymerase II elongator holoenzyme is composed of two discrete subcomplexes. 2001 , 276, 32743-9	139
2007	The human homolog of Saccharomyces cerevisiae Apg7p is a Protein-activating enzyme for multiple substrates including human Apg12p, GATE-16, GABARAP, and MAP-LC3. 2001 , 276, 1701-6	254
2006	Networking proteins in yeast. 2001, 98, 4277-8	78
2005	All phox homology (PX) domains from Saccharomyces cerevisiae specifically recognize phosphatidylinositol 3-phosphate. 2001 , 276, 44179-84	158
2004	Molecular genetic dissection of TAF25, an essential yeast gene encoding a subunit shared by TFIID and SAGA multiprotein transcription factors. 2001 , 21, 6668-80	14
2003	Identification of the yeast cytidine deaminase CDD1 as an orphan C>U RNA editase. 2001 , 29, 1772-80	26
2002	Is there a bias in proteome research?. 2001 , 11, 1971-3	154
2001	ASH1 mRNA localization in three acts. 2001 , 12, 2567-77	37
2000	A large-scale overexpression screen in Saccharomyces cerevisiae identifies previously uncharacterized cell cycle genes. 2001 , 98, 3946-51	92
1999	New roles for the Snp1 and Exo84 proteins in yeast pre-mRNA splicing. 2001 , 276, 31004-15	23
1998	The crystal structures of Apo and complexed Saccharomyces cerevisiae GNA1 shed light on the catalytic mechanism of an amino-sugar N-acetyltransferase. 2001 , 276, 16328-34	65
1997	DIP: The Database of Interacting Proteins: 2001 update. 2001 , 29, 239-41	147
1996	Similarity of phylogenetic trees as indicator of protein-protein interaction. 2001 , 14, 609-14	337
1995	Five subunits are required for reconstitution of the cleavage and polyadenylation activities of Saccharomyces cerevisiae cleavage factor I. 2001 , 98, 6080-5	85
1994	Characterization of CAF4 and CAF16 reveals a functional connection between the CCR4-NOT complex and a subset of SRB proteins of the RNA polymerase II holoenzyme. 2001 , 276, 7541-8	90
1993	Rck2, a member of the calmodulin-protein kinase family, links protein synthesis to high osmolarity MAP kinase signaling in budding yeast. 2001 , 98, 5625-30	120
1992	A protein interaction map for cell polarity development. 2001 , 154, 549-71	268

1991	Visualization of biochemical networks in living cells. 2001 , 98, 7678-83	99
1990	Saccharomyces Genome Database provides tools to survey gene expression and functional analysis data. 2001 , 29, 80-1	49
1989	COMPASS: a complex of proteins associated with a trithorax-related SET domain protein. 2001 , 98, 12902-7	438
1988	In vitro selection and characterization of Bcl-X(L)-binding proteins from a mix of tissue-specific mRNA display libraries. 2001 , 276, 20898-906	74
1987	A novel multiple affinity purification tag and its use in identification of proteins associated with a cyclin-CDK complex. 2001 , 29, E24	66
1986	Protein-protein interaction map inference using interacting domain profile pairs. 2001 , 17 Suppl 1, S296-305	157
1985	Chapter 20. Bioinformatics in the drug discovery process. 2001 , 36, 201-210	1
1984	Towards a protein interaction map of potyviruses: protein interaction matrixes of two potyviruses based on the yeast two-hybrid system. 2001 , 82, 935-939	104
1983	Dad1p, third component of the Duo1p/Dam1p complex involved in kinetochore function and mitotic spindle integrity. 2001 , 12, 2601-13	54
1982	Analysis of Skp1 glycosylation and nuclear enrichment in Dictyostelium. 2001 , 11, 283-95	28
1981	The GPI transamidase complex of Saccharomyces cerevisiae contains Gaa1p, Gpi8p, and Gpi16p. 2001 , 12, 3295-306	92
1980	Applications of yeast in drug discovery. 2001 , 57, 117-62	16
1979	Antagonistic controls of autophagy and glycogen accumulation by Snf1p, the yeast homolog of AMP-activated protein kinase, and the cyclin-dependent kinase Pho85p. 2001 , 21, 5742-52	240
1978	Implications of the human genome for understanding human biology and medicine. 2001 , 286, 2296-307	93
1977	Pir1p mediates translocation of the yeast Apn1p endonuclease into the mitochondria to maintain genomic stability. 2001 , 21, 1647-55	82
1976	Uncoupling of 3'-phosphatase and 5'-kinase functions in budding yeast. Characterization of Saccharomyces cerevisiae DNA 3'-phosphatase (TPP1). 2001 , 276, 15073-81	49
1975	Knowledge representation of signal transduction pathways. 2001 , 17, 829-37	45
1974	Autophagy in yeast: mechanistic insights and physiological function. 2001 , 65, 463-79, table of contents	128

1973	Mitotic spindle integrity and kinetochore function linked by the Duo1p/Dam1p complex. 2001 , 152, 197-212	129
1972	Med9/Cse2 and Gal11 modules are required for transcriptional repression of distinct group of genes. 2001 , 276, 37020-6	38
1971	A genomic study of the bipolar bud site selection pattern in Saccharomyces cerevisiae. 2001 , 12, 2147-70	238
1970	Implication of a novel multiprotein Dam1p complex in outer kinetochore function. 2001 , 155, 1137-45	155
1969	Protein-protein interaction panel using mouse full-length cDNAs. 2001 , 11, 1758-65	89
1968	Yeast two-hybrid vectors and strains. 2001 , 177, 41-84	19
1967	SPiD: a subtilis protein interaction database. 2001 , 17, 1209-12	17
1966	From topology to dynamics in biochemical networks. 2001 , 11, 809-815	74
1965	Extracting information from cDNA arrays. 2001 , 11, 98-107	17
1964	Nuclear Pre-mRNA Splicing in Plants. 2001 , 20, 523-571	48
1963	The dynamics of karyopherin-mediated nuclear transport. 2001 , 79, 603-612	27
1962	Extracting hidden information from knowledge networks. 2001 , 87, 248701	82
1961	Carbon sequestration in Synechococcus Sp.: from molecular machines to hierarchical modeling. 2002 , 6, 305-30	8
1960	Transcriptional regulation: a genomic overview. 2002 , 1, e0085	33
1959	Proteomics. 2002,	1
1958	Analysis of MADS box protein-protein interactions in living plant cells. 2002 , 99, 2416-21	175
1957	The advantage of functional prediction based on clustering of yeast genes and its correlation with non-sequence based classifications. 2002 , 9, 193-210	12
1956	Correlated random networks. 2002 , 89, 228701	102

1955	Infinite-order percolation and giant fluctuations in a protein interaction network. 2002, 66, 055101	127
1954	Extraction of knowledge on protein-protein interaction by association rule discovery. 2002 , 18, 705-14	71
1953	Biophysical characterization of proteins in the post-genomic era of proteomics. 2002 , 1, 415-20	11
1952	Cooperative binding of the cytoplasm to vacuole targeting pathway proteins, Cvt13 and Cvt20, to phosphatidylinositol 3-phosphate at the pre-autophagosomal structure is required for selective autophagy. 2002 , 277, 30198-207	150
1951	Protein phosphatase-1 binding to scd5p is important for regulation of actin organization and endocytosis in yeast. 2002 , 277, 48002-8	31
1950	YPL.db: the Yeast Protein Localization database. 2002 , 30, 80-3	39
1949	Identification of a multifunctional binding site on Ubc9p required for Smt3p conjugation. 2002 , 277, 47938-45	105
1948	Genetic basis of mitochondrial function and morphology in Saccharomyces cerevisiae. 2002 , 13, 847-53	356
1947	Target selection for structural genomics: a single genome approach. 2002 , 6, 349-62	3
1946	Profiling protein function with small molecule microarrays. 2002 , 99, 11139-44	157
1945	Fragmin60 encodes an actin-binding protein with a C2 domain and controls actin Thr-203 phosphorylation in Physarum plasmodia and sclerotia. 2002 , 277, 39840-9	11
1944	Building protein-protein networks by two-hybrid mating strategy. 2002 , 350, 513-24	38
1943	Regulation of the Saccharomyces cerevisiae Slt2 kinase pathway by the stress-inducible Sdp1 dual specificity phosphatase. 2002 , 277, 21278-84	92
1942	Gene function: getting specific, generally speaking. 2002 , 99, 16513-5	2
1941	Gankyrin is an ankyrin-repeat oncoprotein that interacts with CDK4 kinase and the S6 ATPase of the 26 S proteasome. 2002 , 277, 10893-902	93
1940	A Los1p-independent pathway for nuclear export of intronless tRNAs in Saccharomycescerevisiae. 2002 , 99, 5412-7	58
1939	G proteins and pheromone signaling. 2002 , 64, 129-52	105
1938	Advances in proteomic technologies. 2002 , 4, 349-73	88

1937	Reverse engineering gene networks using singular value decomposition and robust regression. 2002 , 99, 6163-8	495
1936	Genomes to Life "Center for Molecular and Cellular Systems": a research program for identification and characterization of protein complexes. 2002 , 6, 287-303	6
1935	Osmotic adaptation in yeastcontrol of the yeast osmolyte system. 2002 , 215, 149-87	69
1934	The Glc7p-interacting protein Bud14p attenuates polarized growth, pheromone response, and filamentous growth in Saccharomyces cerevisiae. 2002 , 1, 884-94	22
1933	A combined experimental and computational strategy to define protein interaction networks for peptide recognition modules. 2002 , 295, 321-4	582
1932	Microimmunoassay using a protein chip: optimizing conditions for protein immobilization. 2002 , 9, 927-30	4
1931	Ctf3p, the Mis6 budding yeast homolog, interacts with Mcm22p and Mcm16p at the yeast outer kinetochore. 2002 , 16, 101-13	99
1930	High-density cell microarrays for parallel functional determinations. 2002 , 12, 482-6	13
1929	Protein-protein interactions between large proteins: two-hybrid screening using a functionally classified library composed of long cDNAs. 2002 , 12, 1773-84	80
1928	The Sec34/Sec35p complex, a Ypt1p effector required for retrograde intra-Golgi trafficking, interacts with Golgi SNAREs and COPI vesicle coat proteins. 2002 , 157, 631-43	183
1927	The yeast nuclear pore complex functionally interacts with components of the spindle assembly checkpoint. 2002 , 159, 807-19	136
1926	Analysis of protein-protein proximities using the split-ubiquitin system. 2002 , 1, 230-8	18
1925	Interaction between Not1p, a component of the Ccr4-not complex, a global regulator of transcription, and Dhh1p, a putative RNA helicase. 2002 , 277, 2835-42	77
1924	Human Apg3p/Aut1p homologue is an authentic E2 enzyme for multiple substrates, GATE-16, GABARAP, and MAP-LC3, and facilitates the conjugation of hApg12p to hApg5p. 2002 , 277, 13739-44	206
1923	Roles for the two-hybrid system in exploration of the yeast protein interactome. 2002 , 1, 561-6	87
1922	Genomic analysis of homotypic vacuole fusion. 2002 , 13, 782-94	142
1921	A trithorax-group complex purified from Saccharomyces cerevisiae is required for methylation of histone H3. 2002 , 99, 90-4	271
1920	Characterization of the fission yeast ribosomal DNA binding factor: components share homology with Upstream Activating Factor and with SWI/SNF subunits. 2002 , 30, 5347-59	7

1919	Discovering regulatory and signalling circuits in molecular interaction networks. 2002 , 18 Suppl 1, S233-40	877
1918	Kar-mediated plasmid transfer between yeast strains: alternative to traditional transformation methods. 2002 , 350, 278-89	11
1917	Anterior-posterior patterning in the Drosophila embryo. 2002 , 12, 155-204	35
1916	Proteomics analysis reveals stable multiprotein complexes in both fission and budding yeasts containing Myb-related Cdc5p/Cef1p, novel pre-mRNA splicing factors, and snRNAs. 2002 , 22, 2011-24	179
1915	Understanding cancer through proteomics. 2002 , 1, 221-30	
1914	Recognition of specific ubiquitin conjugates is important for the proteolytic functions of the ubiquitin-associated domain proteins Dsk2 and Rad23. 2002 , 277, 11691-5	158
1913	In Saccharomyces cerevisiae, the inositol polyphosphate kinase activity of Kcs1p is required for resistance to salt stress, cell wall integrity, and vacuolar morphogenesis. 2002 , 277, 23755-63	94
1912	Regulation of stress response signaling by the N-terminal dishevelled/EGL-10/pleckstrin domain of Sst2, a regulator of G protein signaling in Saccharomyces cerevisiae. 2002 , 277, 22156-67	32
1911	Inferring domain-domain interactions from protein-protein interactions. 2002 , 12, 1540-8	303
1910	Merging classical and modern genetic tools in the identification of disease genes. 2002 , 107, 1-8	
1909	Comparative genomics of the RBR family, including the Parkinson's disease-related gene parkin and the genes of the ariadne subfamily. 2002 , 19, 2039-50	85
1908	Inferring domain-domain interactions from protein-protein interactions. 2002,	17
1907	Online genomics facilities in the new millennium. 2002 , 3, 265-71	5
1906	Chemical strategies for functional proteomics. 2002 , 1, 781-90	145
1905	Genomics for applied microbiology. 2002 , 51, 201-45	13
1904	The jury is out on "guilt by association" trials. 2002 , 1, 40-52	9
1903	A duplication growth model of gene expression networks. 2002 , 18, 1486-93	144
1902	Deciphering networks of protein interactions at the nuclear pore complex. 2002 , 1, 930-46	61

1901	Deciphering protein complexes and protein interaction networks by tandem affinity purification and mass spectrometry: analytical perspective. 2002 , 1, 204-12	54
1900	Identification of Sec36p, Sec37p, and Sec38p: components of yeast complex that contains Sec34p and Sec35p. 2002 , 13, 1484-500	87
1899	Scd5p and clathrin function are important for cortical actin organization, endocytosis, and localization of sla2p in yeast. 2002 , 13, 2607-25	54
1898	Associating genes with gene ontology codes using a maximum entropy analysis of biomedical literature. 2002 , 12, 203-14	120
1897	Interrogating protein interaction networks through structural biology. 2002 , 99, 5896-901	275
1896	Interaction generality, a measurement to assess the reliability of a protein-protein interaction. 2002 , 30, 1163-8	114
1895	Application of Bayesian decomposition for analysing microarray data. 2002 , 18, 566-75	68
1894	Estimating coarse gene network structure from large-scale gene perturbation data. 2002 , 12, 309-15	68
1893	GTPase-activating proteins for Cdc42. 2002 , 1, 469-80	92
1892	FQR1, a novel primary auxin-response gene, encodes a flavin mononucleotide-binding quinone reductase. 2002 , 128, 578-90	94
1891	Karyopherins in nuclear pore biogenesis: a role for Kap121p in the assembly of Nup53p into nuclear pore complexes. 2002 , 159, 267-78	67
1890	Protein interactions: two methods for assessment of the reliability of high throughput observations. 2002 , 1, 349-56	486
1889	Using text analysis to identify functionally coherent gene groups. 2002 , 12, 1582-90	44
1888	Protồmique fonctionnelle bactfienne: De la carte d'interactions protlhe-protlhe de Helicobacter pylori la dfhonstration d'une fonction biologique. 2002 , 11, 67-83	
1887	Proteomics of the eukaryotic transcription machinery: identification of proteins associated with components of yeast TFIID by multidimensional mass spectrometry. 2002 , 22, 4723-38	271
1886	Proteomics and the kidney. 2002 , 13, 1398-408	94
1885	Novel proteins linking the actin cytoskeleton to the endocytic machinery in Saccharomyces cerevisiae. 2002 , 13, 3646-61	44
1884	Charting the protein complexome in yeast by mass spectrometry. 2002 , 1, 3-10	34

(2002-2002)

1883	High Throughput Mapping of Protein-Protein Interactions: Automation of the Yeast Two-Hybrid System. 2002 , 7, 38-40	1
1882	The Saccharomyces cerevisiae Fin1 protein forms cell cycle-specific filaments between spindle pole bodies. 2002 , 99, 5390-3	29
1881	Functional genomics: lessons from yeast. 2002 , 357, 17-23	74
1880	CAK1 promotes meiosis and spore formation in Saccharomyces cerevisiae in a CDC28-independent fashion. 2002 , 22, 57-68	38
1879	Manipulation of a nuclear NAD+ salvage pathway delays aging without altering steady-state NAD+ levels. 2002 , 277, 18881-90	234
1878	Isolation of protein subpopulations undergoing protein-protein interactions. 2002 , 1, 253-9	8
1877	Rad23 promotes the targeting of proteolytic substrates to the proteasome. 2002 , 22, 4902-13	247
1876	A cycle of Vam7p release from and PtdIns 3-P-dependent rebinding to the yeast vacuole is required for homotypic vacuole fusion. 2002 , 157, 79-89	94
1875	Unusual binding properties of the SH3 domain of the yeast actin-binding protein Abp1: structural and functional analysis. 2002 , 277, 5290-8	91
1874	Relating whole-genome expression data with protein-protein interactions. 2002 , 12, 37-46	509
1873	Predictome: a database of putative functional links between proteins. 2002, 30, 306-9	106
1872	Proteomics. Integrating interactomes. 2002 , 295, 284-7	65
1871	An ensemble method for identifying regulatory circuits with special reference to the qa gene cluster of Neurospora crassa. 2002 , 99, 16904-9	91
1870	Three yeast proteome databases: YPD, PombePD, and CalPD (MycoPathPD). 2002 , 350, 347-73	40
1869	Genomics and cancer. 2002 , 14, 79-85	19
1868	Functional mapping of Saccharomyces cerevisiae Prp45 identifies the SNW domain as essential for viability. 2002 , 132, 557-63	12
1867	The Saccharomyces cerevisiae 14-3-3 protein Bmh2 is required for regulation of the phosphorylation status of Fin1, a novel intermediate filament protein. 2002 , 365, 51-6	15
1866	Discovery of protein protein interaction using two-hybrid systems. 2002 , 33, 209-238	1

 $_{1865}$ Yeast n-Hybrid Systems for Molecular Evolution. 127-158

1864 Protein modules and protein-protein interaction. Introduction. 2002 , 61, 1-8	27
1863 Identification of transiently interacting proteins and of stable protein complexes. 2002 , 61, 99-117	7
1862 The Gene: Between Holism and Generalism. 179-189	6
1861 Genomic Analysis. 113-120	
1860 Asymmetric functional divergence of duplicate genes in yeast. 2002 , 19, 1760-8	112
Array-based methods for identifying protein-protein and protein-nucleic acid interactions. 2002 , 350, 499-512	16
Novel interactions of Saccharomyces cerevisiae type 1 protein phosphatase identified by single-step affinity purification and mass spectrometry. 2002 , 41, 2409-20	49
Quantifying the energetics of cooperativity in a ternary protein complex. 2002 , 41, 5177-84	29
1856 Basic Concepts of Gene Expression. 1-95	
DIP, the Database of Interacting Proteins: a research tool for studying cellular networks of protein interactions. 2002 , 30, 303-5	1196
A single-chain antibody/epitope system for functional analysis of protein-protein interactions. 2002 , 41, 12729-38	13
Use of MEDUSA-based data analysis and capillary HPLC-ion-trap mass spectrometry to examine complex immunoaffinity extracts of RBAp48. 2002 , 1, 253-61	17
A direct nanoflow liquid chromatography-tandem mass spectrometry system for interaction proteomics. 2002 , 74, 4725-33	181
1851 Subcellular localization of the yeast proteome. 2002 , 16, 707-19	575
1850 Evolution of networks. 2002 , 51, 1079-1187	2037
1849 Protein-protein interactions of hCsl4p with other human exosome subunits. 2002 , 315, 809-18	33
$_{ m 1848}$ Genomics Applications That Facilitate the Understanding of Drug Action and Toxicity. 83-125	2

(2002-2002)

1847	Nontargeted metabolome analysis by use of Fourier Transform Ion Cyclotron Mass Spectrometry. 2002 , 6, 217-34	380
1846	Conservation of the COP9/signalosome in budding yeast. 2002 , 3, 1	1
1845	Antibody detection in human serum using a versatile protein chip platform constructed by applying nanoscale self-assembled architectures on gold. 2002 , 1, 227-31	45
1844	Getting started with yeast. 2002 , 350, 3-41	891
1843	Evolutionary rate in the protein interaction network. 2002 , 296, 750-2	704
1842	The GRID: The General Repository for Interaction Datasets. 2002 , 3, preprint0013.1	
1841	The society of genes: networks of functional links between genes from comparative genomics. 2002 , 3, research0064	24
1840	Autoantibody profiling for the study and treatment of autoimmune disease. 2002 , 4, 290-5	76
1839	AKAP mediated signal transduction. 2002 , 42, 235-57	285
1838	Molecular Modeling and Simulation. 2002,	318
1837	Autophagy in the eukaryotic cell. 2002 , 1, 11-21	457
1836	Regulation of gene expression by ambient pH in filamentous fungi and yeasts. 2002 , 66, 426-46, table of contents	219
1835	Prediction of protein function using protein-protein interaction data.	17
1834	Mining information for functional genomics. 2002 , 17, 66-80	7
1833	Specificity and stability in topology of protein networks. 2002 , 296, 910-3	2178
1832	Target validation and drug discovery using genomic and protein-protein interaction technologies. 2002 , 6, 517-31	10
1831	Target-assisted iterative screening reveals novel interactors for PSD95, Nedd4, Src, Abl and Crk proteins. 2002 , 19, 1015-29	14
1830	Protein interaction domain mapping for the selection of validated targets and lead compounds in the anti-infectious area. 2002 , 8, 1189-98	10

1829	Molecular biologist's guide to proteomics. 2002 , 66, 39-63; table of contents	383
1828	Genetic approaches to the identification of interactions between membrane proteins in yeast. 2002 , 22, 471-81	12
1827	Yph1p, an ORC-interacting protein: potential links between cell proliferation control, DNA replication, and ribosome biogenesis. 2002 , 109, 835-48	161
1826	Protein domain analysis in the era of complete genomes. 2002 , 513, 129-34	46
1825	MINT: a Molecular INTeraction database. 2002 , 513, 135-40	561
1824	PrrC from Rhodobacter sphaeroides, a homologue of eukaryotic Sco proteins, is a copper-binding protein and may have a thiol-disulfide oxidoreductase activity. 2002 , 518, 10-6	52
1823	A metacaspase of Trypanosoma brucei causes loss of respiration competence and clonal death in the yeast Saccharomyces cerevisiae. 2002 , 517, 144-50	108
1822	YIL113w encodes a functional dual-specificity protein phosphatase which specifically interacts with and inactivates the Slt2/Mpk1p MAP kinase in S. cerevisiae. 2002 , 527, 186-92	29
1821	Potential artefacts in protein-interaction networks. 2002 , 530, 253-4	59
1820	Protein interaction networks beyond artifacts. 2002 , 530, 255-6	22
1820 1819	Protein interaction networks beyond artifacts. 2002, 530, 255-6 Mouse Apg10 as an Apg12-conjugating enzyme: analysis by the conjugation-mediated yeast two-hybrid method. 2002, 532, 450-4	42
1819	Mouse Apg10 as an Apg12-conjugating enzyme: analysis by the conjugation-mediated yeast	
1819	Mouse Apg10 as an Apg12-conjugating enzyme: analysis by the conjugation-mediated yeast two-hybrid method. 2002 , 532, 450-4	42
1819 1818 1817	Mouse Apg10 as an Apg12-conjugating enzyme: analysis by the conjugation-mediated yeast two-hybrid method. 2002, 532, 450-4 Loopy proteins appear conserved in evolution. 2002, 322, 53-64 Protein-protein interactions between human exosome components support the assembly of RNase	168
1819 1818 1817 1816	Mouse Apg10 as an Apg12-conjugating enzyme: analysis by the conjugation-mediated yeast two-hybrid method. 2002, 532, 450-4 Loopy proteins appear conserved in evolution. 2002, 322, 53-64 Protein-protein interactions between human exosome components support the assembly of RNase PH-type subunits into a six-membered PNPase-like ring. 2002, 323, 653-63	42 168 82
1819 1818 1817 1816	Mouse Apg10 as an Apg12-conjugating enzyme: analysis by the conjugation-mediated yeast two-hybrid method. 2002, 532, 450-4 Loopy proteins appear conserved in evolution. 2002, 322, 53-64 Protein-protein interactions between human exosome components support the assembly of RNase PH-type subunits into a six-membered PNPase-like ring. 2002, 323, 653-63 Prediction, assessment and validation of protein interaction maps in bacteria. 2002, 323, 763-70	42 168 82 80
1819 1818 1817 1816 1815	Mouse Apg 10 as an Apg 12-conjugating enzyme: analysis by the conjugation-mediated yeast two-hybrid method. 2002, 532, 450-4 Loopy proteins appear conserved in evolution. 2002, 322, 53-64 Protein-protein interactions between human exosome components support the assembly of RNase PH-type subunits into a six-membered PNPase-like ring. 2002, 323, 653-63 Prediction, assessment and validation of protein interaction maps in bacteria. 2002, 323, 763-70 . 2002, 90, 1848-1858 Millennium Award. Proteomics for the development of DNA tolerizing vaccines to treat	42 168 82 80 5

1811	Composition and functional characterization of the yeast spliceosomal penta-snRNP. 2002 , 9, 31-44	213
1810	Protein interaction verification and functional annotation by integrated analysis of genome-scale data. 2002 , 9, 1133-43	188
1809	Activation of the ATPase activity of hsp90 by the stress-regulated cochaperone aha1. 2002 , 10, 1307-18	431
1808	An expanded role for microbial physiology in metabolic engineering and functional genomics: moving towards systems biology. 2002 , 2, 175-181	11
1807	Towards genomic and proteomic studies of protein phosphorylation in plant-pathogen interactions. 2002 , 7, 224-30	69
1806	Transcription factors do it together: the hows and whys of studying protein-protein interactions. 2002 , 7, 531-4	30
1805	Genomic approaches to fungal pathogenicity. 2002 , 5, 372-8	33
1804	Mitochondrial effects of the pleiotropic proteasomal mutation mpr1/rpn11: uncoupling from cell cycle defects in extragenic revertants. 2002 , 286, 43-51	25
1803	Regulated expression of proteins in yeast using the MAL61-62 promoter and a mating scheme to increase dynamic range. 2002 , 285, 49-57	16
1802	Participation of yeast inosine 5'-monophosphate dehydrogenase in an in vitro complex with a fragment of the C-rich telomeric strand. 2002 , 84, 279-89	33
1801	. 2002,	8
1800	. 2002,	19
1799	Proteomic approaches for the global analysis of proteins. 2002 , 33, 1308-16	35
1798	Conclusions. 2002, 107-109	
1797	Statistical methods for analysis of time course gene expression data. 2002 , 7, a90	9
1796	Evidence for a modulation of neutral trehalase activity by Ca2+ and cAMP signaling pathways in Saccharomyces cerevisiae. 2002 , 35, 11-6	17
1795	Bioinformatics of Large-Scale Protein Interaction Networks. 2002 , 32, S16-S27	8
1794	Molecular profiling in prostate cancer. 2002 , 29-35	

1793	Protein and Peptide Array Analysis of Autoimmune Disease. 2002 , 33, S66-S69	51
1792	High Throughput Mapping of Protein-Protein Interactions: Automation of the Yeast Two-Hybrid System. 2002 , 7, 38-40	2
1791	Antibody Microarrays: Promises and Problems. 2002 , 33, S14-S23	115
1790	In vivo site-directed mutagenesis of yeast plasmids using a three-fragment homologous recombination system. 2002 , 33, 288, 290, 292 passim	16
1789	Fast forwarding pharmacogenomics. 2002 , 3, 281-5	
1788	Approaches to Analyze Protein Interactions. 2002 , 2, 93-94	
1787	Autophagy in yeast: a review of the molecular machinery. 2002 , 27, 409-20	162
1786	. 2002,	93
1785	. 2002,	32
1784	. 2002,	92
1784 1783	. 2002, The Chediak-Higashi Protein Interacts with SNARE Complex and Signal Transduction Proteins. 2002, 8, 56-64	92 95
1783	The Chediak-Higashi Protein Interacts with SNARE Complex and Signal Transduction Proteins. 2002 ,	
1783 1782	The Chediak-Higashi Protein Interacts with SNARE Complex and Signal Transduction Proteins. 2002 , 8, 56-64	95
1783 1782 1781	The Chediak-Higashi Protein Interacts with SNARE Complex and Signal Transduction Proteins. 2002, 8, 56-64 Automated modelling of signal transduction networks. 2002, 3, 34	95
1783 1782 1781	The Chediak-Higashi Protein Interacts with SNARE Complex and Signal Transduction Proteins. 2002, 8, 56-64 Automated modelling of signal transduction networks. 2002, 3, 34 FunSpec: a web-based cluster interpreter for yeast. 2002, 3, 35	95 159 315
1783 1782 1781 1780	The Chediak-Higashi Protein Interacts with SNARE Complex and Signal Transduction Proteins. 2002, 8, 56-64 Automated modelling of signal transduction networks. 2002, 3, 34 FunSpec: a web-based cluster interpreter for yeast. 2002, 3, 35 Protein therapeutics: promises and challenges for the 21st century. 2002, 20, 29-35	95 159 315
1783 1782 1781 1780	The Chediak-Higashi Protein Interacts with SNARE Complex and Signal Transduction Proteins. 2002, 8, 56-64 Automated modelling of signal transduction networks. 2002, 3, 34 FunSpec: a web-based cluster interpreter for yeast. 2002, 3, 35 Protein therapeutics: promises and challenges for the 21st century. 2002, 20, 29-35 Watching acquired resistance unfold before our eyes. 2002, 20, 47-9	95 159 315 57

(2002-2002)

1775	Designed transcription factors as tools for therapeutics and functional genomics. 2002 , 64, 919-23	35
1774	Signaling complexes: junctions on the intracellular information super highway. 2002 , 12, R32-40	96
1773	Mitochondrial dynamics and division in budding yeast. 2002 , 12, 178-84	304
1772	Analysis of membrane protein interactions using yeast-based technologies. 2002 , 27, 559-63	83
1771	The third dimension for protein interactions and complexes. 2002 , 27, 633-8	82
1770	Global high-throughput screens for cellular function. 2002 , 30, 381-7	12
1769	Bio- and chemo-informatics beyond data management: crucial challenges and future opportunities. 2002 , 7, S41-7	16
1768	Protein-interaction networks: from experiments to analysis. 2002 , 7, S48-54	14
1767	Expanding the HTS paradigm. 2002 , 7, S105-6	6
1766	Function first: a powerful approach to post-genomic drug discovery. 2002 , 7, 865-71	15
1765	High-throughput cell-based assays in yeast. 2002 , 7, S125-30	21
1764	From microarrays to networks: mining expression time series. 2002 , 7, S170-5	15
1763	"Omic" approaches for unraveling signaling networks. 2002 , 14, 173-9	60
1762	Computational methods for the prediction of protein interactions. 2002 , 12, 368-73	274
1761	The post-genomic era of interactive proteomics: facts and perspectives. 2002 , 2, 611-23	118
1760	Functional proteomics: The goalposts are moving. 2002 , 2, 1069-78	28
1759	Towards the molecular dissection of fertilization signaling: Our functional genomic/proteomic strategies. 2002 , 2, 1079-89	16
1758	Disulfide proteome in the analysis of protein function and structure. 2002 , 2, 1090-6	69

1757	Interaction and domain networks of yeast. 2002 , 2, 1715-23	72
1756	The informatics for making sense of the genome: a progress report from the BioPathways Consortium. 2002 , 3, 115-8	3
1755	Proteomics technologies for the study of autoimmune disease. 2002 , 46, 885-93	67
1754	A method for functional mapping of protein-protein binding domain by preferential amplification of the shortest amplicon using PCR. 2002 , 303, 34-41	5
1753	The large-scale structure of metabolic networks: A glimpse at life's origin?. 2002, 8, 15-19	9
1752	KNR4 is a member of the PKC1 signalling pathway and genetically interacts with BCK2, a gene involved in cell cycle progression in Saccharomyces cerevisiae. 2002 , 41, 323-32	24
1751	Role of SGS1 and SLX4 in maintaining rDNA structure in Saccharomyces cerevisiae. 2002, 41, 389-400	59
1750	Prospects for functional genomics in Schizosaccharomyces pombe. 2002 , 42, 73-84	19
1749	Development of a high-throughput yeast two-hybrid screening system to study protein-protein interactions in plants. 2002 , 267, 142-53	22
1748	The genomics of yeast responses to environmental stress and starvation. 2002 , 2, 181-92	309
1748 1747	The genomics of yeast responses to environmental stress and starvation. 2002 , 2, 181-92 Yeast and drug discovery. 2002 , 2, 199-211	309 70
1747		
1747	Yeast and drug discovery. 2002 , 2, 199-211	70
¹ 747	Yeast and drug discovery. 2002 , 2, 199-211 Yeast genomic databases and the challenge of the post-genomic era. 2002 , 2, 212-37	70
1747 1746 1745	Yeast and drug discovery. 2002, 2, 199-211 Yeast genomic databases and the challenge of the post-genomic era. 2002, 2, 212-37 Yeast genomics: past, present, and future promise. 2002, 2, 135-7	7° 15 6
1747 1746 1745	Yeast and drug discovery. 2002, 2, 199-211 Yeast genomic databases and the challenge of the post-genomic era. 2002, 2, 212-37 Yeast genomics: past, present, and future promise. 2002, 2, 135-7 Novel protein phosphatases in yeast. 2002, 269, 1072-7 Yeast mitochondrial biogenesis: a model system for humans?. 2002, 6, 106-11	70 15 6 33
1747 1746 1745 1744	Yeast and drug discovery. 2002, 2, 199-211 Yeast genomic databases and the challenge of the post-genomic era. 2002, 2, 212-37 Yeast genomics: past, present, and future promise. 2002, 2, 135-7 Novel protein phosphatases in yeast. 2002, 269, 1072-7 Yeast mitochondrial biogenesis: a model system for humans?. 2002, 6, 106-11 Two-hybrid arrays. 2002, 6, 57-62	70 15 6 33 32

1739	Analytical aspects of mass spectrometry and proteomics. 2002 , 6, 666-75	38
1738	Separation and identification of human heart proteins. 2002 , 771, 131-53	27
1737	Functional proteomics; current achievements. 2002 , 771, 89-106	70
1736	Gene function on a genomic scale. 2002 , 782, 151-63	4
1735	MAPPIT: a cytokine receptor-based two-hybrid method in mammalian cells. 2002 , 32, 1397-404	24
1734	Dynamic distribution of BIMG(PP1) in living hyphae of Aspergillus indicates a novel role in septum formation. 2002 , 45, 1219-30	28
1733	A new mutation delivery system for genome-scale approaches in Bacillus subtilis. 2002 , 46, 25-36	151
1732	Characterization of interaction sites in the Saccharomyces cerevisiae ribosomal stalk components. 2002 , 46, 719-29	36
1731	Prediction of proteinprotein interaction sites in heterocomplexes with neural networks. 2002 , 269, 1356-61	191
1730	J3DV: A Java-based 3D database visualization tool. 2002 , 32, 443-463	2
1729	SRC1: an intron-containing yeast gene involved in sister chromatid segregation. 2002 , 19, 43-54	38
1728	Involvement of Nst1p/YNL091w and Msl1p, a U2B" splicing factor, in Saccharomyces cerevisiae salt tolerance. 2002 , 19, 193-202	7
1727	Isolation and mapping of self-assembling protein domains encoded by the Saccharomyces cerevisiae genome using lambda repressor fusions. 2002 , 19, 641-50	24
1726	Functional analysis of yeast gene families involved in metabolism of vitamins B1 and B6. 2002 , 19, 1261-76	76
1725	Docking unbound proteins using shape complementarity, desolvation, and electrostatics. 2002 , 47, 281-94	296
1724	Expanding the nitrogen regulatory protein superfamily: Homology detection at below random sequence identity. 2002 , 48, 75-84	15
1723	MULTIPROSPECTOR: an algorithm for the prediction of protein-protein interactions by multimeric threading. 2002 , 49, 350-64	211
1722	Comparative assessment of large-scale data sets of protein-protein interactions. <i>Nature</i> , 2002 , 417, 399- 4 0.	1856

1721	Protein domain networking. 2002 , 20, 128-9		10
1720	Protein complexes take the bait. <i>Nature</i> , 2002 , 415, 123-4	50.4	137
1719	Bubbling under. <i>Nature</i> , 2002 , 415, 124-5	50.4	2
1718	Functional organization of the yeast proteome by systematic analysis of protein complexes. <i>Nature</i> , 2002 , 415, 141-7	50.4	4018
1717	Systematic identification of protein complexes in Saccharomyces cerevisiae by mass spectrometry. <i>Nature</i> , 2002 , 415, 180-3	50.4	3069
1716	Alternative nucleotide incision repair pathway for oxidative DNA damage. <i>Nature</i> , 2002 , 415, 183-7	50.4	246
1715	Analyzing yeast protein-protein interaction data obtained from different sources. 2002 , 20, 991-7		431
1714	The Vps27p Hse1p complex binds ubiquitin and mediates endosomal protein sorting. 2002 , 4, 534-9		289
1713	Protein microarrays and proteomics. 2002 , 32 Suppl, 526-32		744
1712	Treasures and traps in genome-wide data sets: case examples from yeast. 2002 , 3, 653-61		63
1711	Viruses and interferon: a fight for supremacy. 2002 , 2, 675-87		876
1710	Transmitting the signal of excess nitrogen in Saccharomyces cerevisiae from the Tor proteins to the GATA factors: connecting the dots. 2002 , 26, 223-38		283
1709	An expanded role for microbial physiology in metabolic engineering and functional genomics: moving towards systems biology. 2002 , 2, 175-81		52
1708	Gene expression profiling: methodological challenges, results, and prospects for addiction research. 2002 , 121, 241-56		41
1707	DNA microarrays for functional plant genomics. 2002 , 48, 99-118		124
1706	Application of the yeast two-hybrid system in molecular gerontology. 2002 , 3, 243-56		4
1705	Network genomicsa novel approach for the analysis of biological systems in the post-genomic era. 2002 , 29, 265-80		18
1704	Integration of genomic datasets to predict protein complexes in yeast. 2002 , 2, 71-81		57

1703	Analysing protein-protein interactions with the yeast two-hybrid system. 2002 , 50, 855-70	75
1702	Foreword. 2002 , 50, 819-821	
1701	Modulation of eukaryotic mRNA stability via the cap-binding translation complex eIF4F. 2002 , 318, 951-62	44
1700	A complex prediction: three-dimensional model of the yeast exosome. 2002 , 3, 628-35	84
1699	COP9 signalosome components play a role in the mating pheromone response of S. cerevisiae. 2002 , 3, 1215-21	58
1698	Four new subunits of the Dam1-Duo1 complex reveal novel functions in sister kinetochore biorientation. 2002 , 21, 181-93	133
1697	The DEAD box protein Dhh1 stimulates the decapping enzyme Dcp1. 2002 , 21, 2788-97	137
1696	Yeast vacuoles and membrane fusion pathways. 2002 , 21, 1241-7	132
1695	Dual requirement for yeast hnRNP Nab2p in mRNA poly(A) tail length control and nuclear export. 2002 , 21, 1800-10	133
1694	Insights from yeast endosomes. 2002 , 14, 454-62	68
1693	Kinetochore recruitment of two nucleolar proteins is required for homolog segregation in meiosis I. 2003 , 4, 535-48	175
1692	A protein interaction map of Drosophila melanogaster. 2003 , 302, 1727-36	1914
1691	Advances in rice breeding, genetics and genomics. 2003, 11, 337-352	28
1690	Computational approaches to protein-protein interaction. 2003 , 4, 245-55	8
1689	Retromer and the sorting nexins Snx4/41/42 mediate distinct retrieval pathways from yeast endosomes. 2003 , 22, 548-57	159
1688	Approach of the functional evolution of duplicated genes in Saccharomyces cerevisiae using a new classification method based on protein-protein interaction data. 2003 , 3, 213-224	5
1687	Analysis of correlations between protein complex and protein-protein interaction and mRNA expression. 2003 , 48, 2226-2230	1
1686	Rsf1p, a protein required for respiratory growth of Saccharomyces cerevisiae. 2003 , 43, 263-72	22

1685	Evolution, biochemistry and genetics of protein kinase C in fungi. 2003 , 43, 245-54	47
1684	Revamp a model-status and prospects of the Dictyostelium genome project. 2003 , 44, 59-72	13
1683	Automatic prediction of protein function. 2003 , 60, 2637-50	178
1682	Epitope-targeted proteome analysis: towards a large-scale automated protein-protein-interaction mapping utilizing synthetic peptide arrays. 2003 , 376, 1006-13	36
1681	Mkp1 and Mkp2, two MAPKAP-kinase homologues in Schizosaccharomyces pombe, interact with the MAP kinase Sty1. 2003 , 268, 585-97	27
1680	Integrated analysis of yeast regulatory sequences for biologically linked clusters of genes. 2003 , 3, 125-34	25
1679	Impact of genome-wide functional analyses on cell biology research. 2003, 15, 6-13	21
1678	Global approaches to protein-protein interactions. 2003 , 15, 199-205	86
1677	Function prediction and protein networks. 2003 , 15, 191-8	118
1676	Biological networks. 2003 , 13, 193-202	247
1675		
	Genome-wide studies of protein-protein interaction. 2003 , 13, 383-8	37
, ,	Genome-wide studies of protein-protein interaction. 2003 , 13, 383-8 Computational methods of analysis of protein-protein interactions. 2003 , 13, 377-82	125
1674		
1674	Computational methods of analysis of protein-protein interactions. 2003 , 13, 377-82	125
1674 1673	Computational methods of analysis of protein-protein interactions. 2003, 13, 377-82 Sequences and topology. 2003, 13, 341-3	125
1674 1673 1672 1671	Computational methods of analysis of protein-protein interactions. 2003, 13, 377-82 Sequences and topology. 2003, 13, 341-3 Functional genomics and proteomics: charting a multidimensional map of the yeast cell. 2003, 13, 344-56	125 14 102
1674 1673 1672 1671	Computational methods of analysis of protein-protein interactions. 2003, 13, 377-82 Sequences and topology. 2003, 13, 341-3 Functional genomics and proteomics: charting a multidimensional map of the yeast cell. 2003, 13, 344-56 Proteomic approaches for generating comprehensive protein interaction maps. 2003, 2, 85-92	125 14 102 5

Prospore membrane formation: how budding yeast gets shaped in meiosis. 2003 , 158, 83-90	20
1666 Convergent protein synthesis. 2003 , 13, 589-94	22
1665 TPR proteins: the versatile helix. 2003 , 28, 655-62	859
1664 Integrating 'omic' information: a bridge between genomics and systems biology. 2003 , 19, 551-60	363
Domain fusion analysis by applying relational algebra to protein sequence and domain databases. 2003 , 4, 16	11
An automated method for finding molecular complexes in large protein interaction networks. 2003 , 4, 2	3136
1661 Visualisation and graph-theoretic analysis of a large-scale protein structural interactome. 2003 , 4, 45	18
A simple dependence between protein evolution rate and the number of protein-protein interactions. 2003 , 3, 11	123
Apparent dependence of protein evolutionary rate on number of interactions is linked to biases in protein-protein interactions data sets. 2003 , 3, 21	104
In silico and in vivo analysis reveal a novel gene in Saccharomyces cerevisiae trehalose metabolism. 2003 , 4, 45	18
Systems biology in neuroscience: bridging genes to cognition. 2003 , 13, 577-82	44
1656 Model systems in drug discovery: chemical genetics meets genomics. 2003 , 99, 183-220	37
Antibodies in proteomics I: generating antibodies. 2003 , 21, 275-81	43
1654 Building with a scaffold: emerging strategies for high- to low-level cellular modeling. 2003 , 21, 255-62	158
Noninvasive imaging of protein-protein interactions in living organisms. 2003 , 21, 241-3	9
1652 Review of proteomics with applications to genetic epidemiology. 2003 , 24, 83-98	51
Dynamic visualization of expressed gene networks. 2003 , 196, 419-29	11
Delineating protein-protein interactions via biomolecular interaction analysis-mass spectrometry. 2003 , 16, 9-14	19

1649	Growing Yeast for Fun and Profit: Use of Saccharomyces Cerevisiae as a Model System in Drug Discovery. 9-39	0
1648	Understanding and predicting protein assemblies with 3D structures. 2003 , 4, 410-5	6
1647	A fusion of disciplines: chemical approaches to exploit fusion proteins for functional genomics. 2003 , 4, 803-10	42
1646	Theoretical and computational studies of the glucose signaling pathways in yeast using global gene expression data. 2003 , 84, 864-86	14
1645	Protein fragment complementation strategies for biochemical network mapping. 2003, 14, 610-7	69
1644	The biochemistry of peroxisomal beta-oxidation in the yeast Saccharomyces cerevisiae. 2003 , 27, 35-64	231
1643	Complex scale-free networks. 2003, 321, 226-237	28
1642	Protein chip technology. 2003, 7, 55-63	79 ²
1641	Protein complexes and proteome organization from yeast to man. 2003, 7, 21-7	115
1640	Genome-wide analysis of signaling domain function. 2003 , 7, 103-9	14
1639	Activity-based proteomics: enzyme chemistry redux. 2003 , 7, 78-83	38
1638	Ontologies for proteomics: towards a systematic definition of structure and function that scales to the genome level. 2003 , 7, 44-54	46
1637	Functional profiling of the proteome with affinity labels. 2003 , 7, 296-303	70
1636	Fitness-associated recombination on rugged adaptive landscapes. 2003 , 16, 862-70	37
1635	Deciphering metabolic networks. 2003 , 270, 579-88	94
1634	You probably can't afford it, but can you afford to ignore it?. 2003 , 15, 905-6	
1633	Proteome analysis of Escherichia coli K-12 by two-dimensional native-state chromatography and MALDI-MS. 2003 , 47, 383-96	26
1632	The interaction of Slt2 MAP kinase with Knr4 is necessary for signalling through the cell wall integrity pathway in Saccharomyces cerevisiae. 2003 , 49, 23-35	53

1631	A novel shape complementarity scoring function for protein-protein docking. 2003 , 51, 397-408		247
1630	CAPRI: a Critical Assessment of PRedicted Interactions. 2003 , 52, 2-9		487
1629	Assessment of blind predictions of protein-protein interactions: current status of docking methods. 2003 , 52, 51-67		300
1628	Detection of functional modules from protein interaction networks. 2004 , 54, 49-57		288
1627	In vitro protein microarrays for detecting protein-protein interactions: application of a new method for fluorescence labeling of proteins. 2003 , 3, 1236-43		68
1626	Microarrays to characterize protein interactions on a whole-proteome scale. 2003 , 3, 2190-9		140
1625	Expanding the organismal scope of proteomics: cross-species protein identification by mass spectrometry and its implications. 2003 , 3, 19-28		169
1624	Protein arrays: the current state-of-the-art. 2003 , 3, 3-18		167
1623	Improved sensitivity of biomolecular interaction analysis mass spectrometry for the identification of interacting molecules. 2003 , 3, 402-12		55
1622	GIMS: an integrated data storage and analysis environment for genomic and functional data. 2003 , 20, 1291-306		35
1621	Proteome analysis of recombinant xylose-fermenting Saccharomyces cerevisiae. 2003 , 20, 295-314		46
1620	Parallel determination of multiple protein metabolite interactions using cell extract, protein microarrays and mass spectrometric detection. 2003 , 17, 2430-8		18
1619	The yeast two-hybrid system for identifying protein-protein interactions. 2003, 199, 4-7		28
1618	Identification of novel proteins associated with hepatocellular carcinomas using protein microarrays. 2003 , 201, 238-49		110
1617	Cooperative organization in a macromolecular complex. 2003 , 10, 718-24		18
1616	Protein analysis on a proteomic scale. <i>Nature</i> , 2003 , 422, 208-15	50.4	541
1615	From words to literature in structural proteomics. <i>Nature</i> , 2003 , 422, 216-25	50.4	412
1614	Functional proteomic identification of DNA replication proteins by induced proteolysis in vivo. <i>Nature</i> , 2003 , 423, 720-4	50.4	221

1613	Global analysis of protein localization in budding yeast. <i>Nature</i> , 2003 , 425, 686-91	50.4	3330
1612	The Ark1/Prk1 family of protein kinases. Regulators of endocytosis and the actin skeleton. 2003 , 4, 246	-51	83
1611	The organization of the microbial biodegradation network from a systems-biology perspective. 2003 , 4, 994-9		56
1610	Pharmacoproteomics in drug development. 2003 , 3, 69-76		39
1609	Proteomics: where's Waldo in yeast?. <i>Nature</i> , 2003 , 425, 671-2	50.4	22
1608	Solar physics: heat exposure. <i>Nature</i> , 2003 , 425, 672-3	50.4	10
1607	Global protein function prediction from protein-protein interaction networks. 2003, 21, 697-700		494
1606	Discovery of uncharacterized cellular systems by genome-wide analysis of functional linkages. 2003 , 21, 1055-62		184
1605	Does mapping reveal correlation between gene expression and protein-protein interaction?. 2003 , 33, 15-6; author reply 16-7		14
1604	Reply to "Does mapping reveal correlation between gene expression and proteinprotein interaction?". 2003 , 33, 16-17		6
1603	The study of macromolecular complexes by quantitative proteomics. 2003 , 33, 349-55		319
1602	Proteomics: the first decade and beyond. 2003 , 33 Suppl, 311-23		558
1601	Bioinformatics in the post-sequence era. 2003 , 33 Suppl, 305-10		128
1600	Tailoring the genome: the power of genetic approaches. 2003 , 33 Suppl, 276-84		62
1599	DNA helicase gene interaction network defined using synthetic lethality analyzed by microarray. 2003 , 35, 277-86		173
1598	Classification schemes for protein structure and function. 2003 , 4, 508-19		74
1597	Is proteomics heading in the wrong direction?. 2003 , 4, 74-80		107
1596	A fuzzy mitochondrial fusion apparatus comes into focus. 2003 , 4, 468-78		115

1595	Fungal genomics beyond Saccharomyces cerevisiae?. 2003 , 14, 226-31	27
1594	Prediction of protein-protein interaction networks. 2003, Chapter 8, Unit8.2	1
1593	The CCR4-NOT complex plays diverse roles in mRNA metabolism. 2003 , 73, 221-50	122
1592	Chip-based analysis of protein-protein interactions by fluorescence detection and on-chip immunoprecipitation combined with microLC-MS/MS analysis. 2003 , 75, 6163-70	20
1591	The Structure and Function of Complex Networks. 2003 , 45, 167-256	11277
1590	Proteomics. 2003 , 72, 783-812	295
1589	Digitizing life at the level of the cell: high-performance laser-scanning microscopy and image analysis for in toto imaging of development. 2003 , 120, 1407-20	183
1588	Growing network with local rules: preferential attachment, clustering hierarchy, and degree correlations. 2003 , 67, 056104	334
1587	Genome-scale reconstruction of the Saccharomyces cerevisiae metabolic network. 2003 , 13, 244-53	775
1586	Molecular fingerprinting in human lung cancer. 2003 , 5, 113-8	23
1585	Development of a system for the study of protein-protein interactions in planta: characterization of a TATA-box binding protein complex in Oryza sativa. 2003 , 2, 514-22	13
1584	Electrochemical protein chip with arrayed immunosensors with antibodies immobilized in a plasma-polymerized film. 2003 , 75, 1116-22	153
1583	Structure, stability, and function of hDim1 investigated by NMR, circular dichroism, and mutational analysis. 2003 , 42, 9609-18	11
1582	Protein[ligand Interactions at Poly(amidoamine) Dendrimer Monolayers on Gold. 2003 , 19, 416-421	52
1581	Facile detection of protein-protein interactions by one-dimensional NMR spectroscopy. 2003 , 42, 2774-80	42
1580	Initial large-scale exploration of protein-protein interactions in human brain.	2
1579	Abundance ratio-dependent proteomic analysis by mass spectrometry. 2003 , 75, 867-74	55
1578	Topological structure analysis of the protein-protein interaction network in budding yeast. 2003 , 31, 2443-50	489

1577	Organization of mammalian cytoplasm. 2003 , 23, 9318-26	66
1576	GINS, a novel multiprotein complex required for chromosomal DNA replication in budding yeast. 2003 , 17, 1153-65	275
1575	Correlating protein-DNA and protein-protein interaction networks. 2003 , 333, 75-85	29
1574	Scale-free networks from a Hamiltonian dynamics. 2003 , 68, 047103	43
1573	Functional domains required for the Saccharomyces cerevisiae Mus81-Mms4 endonuclease complex formation and nuclear localization. 2003 , 2, 1435-47	20
1572	Identification and characterization of NIF3L1 BP1, a novel cytoplasmic interaction partner of the NIF3L1 protein. 2003 , 309, 440-8	15
1571	Identification of a five-pass transmembrane protein family localizing in the Golgi apparatus and the ER. 2003 , 312, 850-7	28
1570	Changing paradigms in dermatology: proteomics: a new approach to skin disease. 2003 , 21, 370-4	6
1569	Zipf's law in gene expression. 2003 , 90, 088102	167
1568	Analysing six types of protein-protein interfaces. 2003 , 325, 377-87	331
1568 1567	Analysing six types of protein-protein interfaces. 2003, 325, 377-87 How reliable are experimental protein-protein interaction data?. 2003, 327, 919-23	331 346
	How reliable are experimental protein-protein interaction data?. 2003 , 327, 919-23	
1567	How reliable are experimental protein-protein interaction data?. 2003 , 327, 919-23 Integration and cross-validation of high-throughput gene expression data: comparing	346
1567 1566	How reliable are experimental protein-protein interaction data?. 2003, 327, 919-23 Integration and cross-validation of high-throughput gene expression data: comparing heterogeneous data sets. 2003, 546, 98-102 New partners of acyl carrier protein detected in Escherichia coli by tandem affinity purification.	346
1567 1566 1565	How reliable are experimental protein-protein interaction data?. 2003, 327, 919-23 Integration and cross-validation of high-throughput gene expression data: comparing heterogeneous data sets. 2003, 546, 98-102 New partners of acyl carrier protein detected in Escherichia coli by tandem affinity purification. 2003, 548, 90-6	346 26 91
1567 1566 1565	How reliable are experimental protein-protein interaction data?. 2003, 327, 919-23 Integration and cross-validation of high-throughput gene expression data: comparing heterogeneous data sets. 2003, 546, 98-102 New partners of acyl carrier protein detected in Escherichia coli by tandem affinity purification. 2003, 548, 90-6 Membrane traffic fuses with cartilage development. 2003, 550, 1-4 The carboxyl terminal 17 amino acids within Apg7 are essential for Apg8 lipidation, but not for Apg12 conjugation. 2003, 551, 71-7	346 26 91
1567 1566 1565 1564 1563	How reliable are experimental protein-protein interaction data?. 2003, 327, 919-23 Integration and cross-validation of high-throughput gene expression data: comparing heterogeneous data sets. 2003, 546, 98-102 New partners of acyl carrier protein detected in Escherichia coli by tandem affinity purification. 2003, 548, 90-6 Membrane traffic fuses with cartilage development. 2003, 550, 1-4 The carboxyl terminal 17 amino acids within Apg7 are essential for Apg8 lipidation, but not for Apg12 conjugation. 2003, 551, 71-7	346 26 91 14

(2003-2003)

1559	Yeast two-hybrid screens imply involvement of Fanconi anemia proteins in transcription regulation, cell signaling, oxidative metabolism, and cellular transport. 2003 , 289, 211-21	51
1558	DExD/H-box proteins and their partners: helping RNA helicases unwind. 2003 , 312, 1-16	162
1557	Human wild-type SEDL protein functionally complements yeast Trs20p but some naturally occurring SEDL mutants do not. 2003 , 320, 137-44	30
1556	Lsm Proteins are required for normal processing and stability of ribosomal RNAs. 2003, 278, 2147-56	63
1555	Requirement of Skp1-Bub1 interaction for kinetochore-mediated activation of the spindle checkpoint. 2003 , 11, 1201-13	37
1554	Involvement of actin-related proteins in ATP-dependent chromatin remodeling. 2003, 12, 147-55	294
1553	Separate insertion and deletion subcomplexes of the Trypanosoma brucei RNA editing complex. 2003 , 12, 307-19	120
1552	The yeast G protein alpha subunit Gpa1 transmits a signal through an RNA binding effector protein Scp160. 2003 , 12, 517-24	47
1551	Assigning function to yeast proteins by integration of technologies. 2003 , 12, 1353-65	236
1550	The COP9 signalosome-like complex in S. cerevisiae and links to other PCI complexes. 2003 , 35, 706-15	45
1549	Production of Protein Microarrays. 165-194	2
1548	A Bayesian networks approach for predicting protein-protein interactions from genomic data. 2003 , 302, 449-53	1007
1547	Preparation and analysis of the INO80 complex. 2004 , 377, 401-12	33
1546	Handbook of Industrial Cell Culture. 2003 ,	1
1545	Proteomics. 351-370	
1545 1544		10
		10

1541	Probing the yeast proteome for RNA-processing factors. 2003 , 4, 229	2
1540	Poly(A)-binding proteins: multifunctional scaffolds for the post-transcriptional control of gene expression. 2003 , 4, 223	407
1539	Reinvestigation of the Saccharomyces cerevisiae genome annotation by comparison to the genome of a related fungus: Ashbya gossypii. 2003 , 4, R45	91
1538	The GRID: the General Repository for Interaction Datasets. 2003 , 4, R23	181
1537	Detecting experimental noises in protein-protein interactions with iterative sampling and model-based clustering.	1
1536	Duplication models for biological networks. 2003 , 10, 677-87	208
1535	Comprehensive identification of human bZIP interactions with coiled-coil arrays. 2003, 300, 2097-101	387
1534	Using gene ontology on genome-scale studies to find significant associations of biologically relevant terms to groups of genes.	
1533	Use of a genome-wide approach to identify new genes that control resistance of Saccharomyces cerevisiae to ionizing radiation. 2003 , 160, 14-24	57
1532	Transcriptional regulation of meiosis in budding yeast. 2003 , 224, 111-71	110
1531	Development of human protein reference database as an initial platform for approaching systems biology in humans. 2003 , 13, 2363-71	823
1530	Regulation of membrane transport by rab GTPases. 2003 , 38, 121-42	106
1529	Antibody Engineering. 2003,	1
1528	Conducting nanowires built by controlled self-assembly of amyloid fibers and selective metal deposition. 2003 , 100, 4527-32	656
1527	Towards automated derivation of biological pathways using high-throughput biological data.	
1526	Greedily building protein networks with confidence. 2003 , 19, 1869-74	49
1525	Subunit communications crucial for the functional integrity of the yeast RNA polymerase II elongator (gamma-toxin target (TOT)) complex. 2003 , 278, 956-61	36
1524	Vps20p and Vta1p interact with Vps4p and function in multivesicular body sorting and endosomal transport in Saccharomyces cerevisiae. 2003 , 116, 3957-70	85

(2003-2003)

1523	A strategy for constructing large protein interaction maps using the yeast two-hybrid system: regulated expression arrays and two-phase mating. 2003 , 13, 2691-9	47
1522	Mitotic cyclins regulate telomeric recombination in telomerase-deficient yeast cells. 2003 , 23, 9162-77	26
1521	Systems biology is taking off. 2003 , 13, 2377-80	30
1520	Genetic Improvement of Baker∄ Yeasts. 2003 , 3, 213-240	1
1519	Chl4p and iml3p are two new members of the budding yeast outer kinetochore. 2003, 14, 460-76	51
1518	Tpn1p, the plasma membrane vitamin B6 transporter of Saccharomyces cerevisiae. 2003 , 278, 18990-6	62
1517	Inventories to insights. 2003 , 161, 465-9	20
1516	Mdm30 is an F-box protein required for maintenance of fusion-competent mitochondria in yeast. 2003 , 14, 2303-13	118
1515	Membrane recognition and targeting by lipid-binding domains. 2003, 2003, re16	108
1514	Gts1p activates SNF1-dependent derepression of HSP104 and TPS1 in the stationary phase of yeast growth. 2003 , 278, 29760-8	11
1513	Multimeric threading-based prediction of protein-protein interactions on a genomic scale: application to the Saccharomyces cerevisiae proteome. 2003 , 13, 1146-54	83
1512	The roles of intersubunit interactions in exosome stability. 2003 , 278, 34943-51	76
1511	From gene networks to gene function. 2003 , 13, 2568-76	125
1510	Visualization and interpretation of protein networks in Mycobacterium tuberculosis based on hierarchical clustering of genome-wide functional linkage maps. 2003 , 31, 7099-109	46
1509	Genetics and classical genetic manipulations of industrial yeasts. 2003 , 17-55	17
1508	Analysis of recombinant yeast decapping enzyme. 2003 , 9, 231-8	135
1507	Far3 and five interacting proteins prevent premature recovery from pheromone arrest in the budding yeast Saccharomyces cerevisiae. 2003 , 23, 1750-63	84
1506	DRL1, a homolog of the yeast TOT4/KTI12 protein, has a function in meristem activity and organ growth in plants. 2003 , 15, 639-54	74

1505	Evolution of the yeast protein interaction network. 2003 , 100, 12820-4	66
1504	RNA-protein interactions promote asymmetric sorting of the ASH1 mRNA ribonucleoprotein complex. 2003 , 9, 1383-99	31
1503	Signal pathway integration in the switch from the mitotic cell cycle to meiosis in yeast. 2003, 116, 2137-47	108
1502	On the number of protein-protein interactions in the yeast proteome. 2003 , 31, 4157-61	105
1501	Exhaustive identification of interaction domains using a high-throughput method based on two-hybrid screening and PCR-convergence: molecular dissection of a kinetochore subunit Spc34p. 2003 , 31, 6953-62	10
1500	Cytoplasmic N-terminal protein acetylation is required for efficient photosynthesis in Arabidopsis. 2003 , 15, 1817-32	90
1499	How the global structure of protein interaction networks evolves. 2003 , 270, 457-66	195
1498	Differential requirements of novel A1PiZ degradation deficient (ADD) genes in ER-associated protein degradation. 2003 , 116, 2361-73	22
1497	Assessing experimentally derived interactions in a small world. 2003, 100, 4372-6	318
1496	Protein complexes and functional modules in molecular networks. 2003 , 100, 12123-8	1098
1496 1495	Protein complexes and functional modules in molecular networks. 2003, 100, 12123-8 Predicting protein functions from redundancies in large-scale protein interaction networks. 2003, 100, 12579-83	1098
1495	Predicting protein functions from redundancies in large-scale protein interaction networks. 2003 ,	
1495	Predicting protein functions from redundancies in large-scale protein interaction networks. 2003 , 100, 12579-83	230
1495 1494	Predicting protein functions from redundancies in large-scale protein interaction networks. 2003, 100, 12579-83 Pho85 phosphorylates the Glc7 protein phosphatase regulator Glc8 in vivo. 2003, 278, 147-53 Coordinate expression of NADPH-dependent flavin reductase, Fre-1, and Hint-related	230
1495 1494 1493	Predicting protein functions from redundancies in large-scale protein interaction networks. 2003, 100, 12579-83 Pho85 phosphorylates the Glc7 protein phosphatase regulator Glc8 in vivo. 2003, 278, 147-53 Coordinate expression of NADPH-dependent flavin reductase, Fre-1, and Hint-related 7meGMP-directed hydrolase, DCS-1. 2003, 278, 39051-8	230 30 30
1495 1494 1493 1492	Predicting protein functions from redundancies in large-scale protein interaction networks. 2003, 100, 12579-83 Pho85 phosphorylates the Glc7 protein phosphatase regulator Glc8 in vivo. 2003, 278, 147-53 Coordinate expression of NADPH-dependent flavin reductase, Fre-1, and Hint-related 7meGMP-directed hydrolase, DCS-1. 2003, 278, 39051-8 The PEDANT genome database. 2003, 31, 207-11 InterDom: a database of putative interacting protein domains for validating predicted protein	230 30 30 92
1495 1494 1493 1492	Predicting protein functions from redundancies in large-scale protein interaction networks. 2003, 100, 12579-83 Pho85 phosphorylates the Glc7 protein phosphatase regulator Glc8 in vivo. 2003, 278, 147-53 Coordinate expression of NADPH-dependent flavin reductase, Fre-1, and Hint-related 7meGMP-directed hydrolase, DCS-1. 2003, 278, 39051-8 The PEDANT genome database. 2003, 31, 207-11 InterDom: a database of putative interacting protein domains for validating predicted protein interactions and complexes. 2003, 31, 251-4 DePIE: Designing Primers for Protein Interaction Experiments. 2003, 31, 3755-7	230 30 30 92 115

1487	Global snapshot of a protein interaction network-a percolation based approach. 2003, 19, 2413-9	37
1486	YPXL/I is a protein interaction motif recognized by aspergillus PalA and its human homologue, AIP1/Alix. 2003 , 23, 1647-55	135
1485	Hierarchical assembly of the budding yeast kinetochore from multiple subcomplexes. 2003 , 17, 2902-21	231
1484	Sequence Evolution Function. 2003,	103
1483	A Bni4-Glc7 phosphatase complex that recruits chitin synthase to the site of bud emergence. 2003 , 14, 26-39	60
1482	RAM: a conserved signaling network that regulates Ace2p transcriptional activity and polarized morphogenesis. 2003 , 14, 3782-803	182
1481	New findings on interactions among the yeast oligosaccharyl transferase subunits using a chemical cross-linker. 2003 , 278, 33078-87	25
1480	Interaction between a Ras and a Rho GTPase couples selection of a growth site to the development of cell polarity in yeast. 2003 , 14, 4958-70	72
1479	A genomewide screen in Saccharomyces cerevisiae for genes that suppress the accumulation of mutations. 2003 , 100, 11529-34	226
1478	Involvement of nucleocytoplasmic shuttling of yeast Nap1 in mitotic progression. 2003 , 23, 6672-84	51
1477	Distance, dissimilarity index, and network community structure. 2003 , 67, 061901	173
1476	Prediction of Protein Essentiality Based on Genomic Data. 2003 , 1, 19-28	60
1475	The WD-repeats of Net2p interact with Dnm1p and Fis1p to regulate division of mitochondria. 2003 , 14, 4126-39	78
1474	Conserved pathways within bacteria and yeast as revealed by global protein network alignment. 2003 , 100, 11394-9	394
1473	Proteomics in drug discovery. 2003, 65, 309-42	5
1472	Protein Sequencing Protocols. 2003,	6
1471	Prediction of protein function using protein-protein interaction data. 2003 , 10, 947-60	234
1470	Proteomic Informatics. 345-371	1

1469	Novel functions of the phosphatidylinositol metabolic pathway discovered by a chemical genomics screen with wortmannin. 2003 , 100, 3345-50	66
1468	Localization and roles of Ski8p protein in Sordaria meiosis and delineation of three mechanistically distinct steps of meiotic homolog juxtaposition. 2003 , 100, 12865-70	109
1467	DNA damage response-mediated degradation of Ho endonuclease via the ubiquitin system involves its nuclear export. 2003 , 278, 48727-34	34
1466	Nat3p and Mdm20p are required for function of yeast NatB Nalpha-terminal acetyltransferase and of actin and tropomyosin. 2003 , 278, 30686-97	93
1465	Identification of novel ErbB3-interacting factors using the split-ubiquitin membrane yeast two-hybrid system. 2003 , 13, 1744-53	83
1464	The mammalian protein-protein interaction database and its viewing system that is linked to the main FANTOM2 viewer. 2003 , 13, 1534-41	18
1463	Structural basis and prediction of substrate specificity in protein serine/threonine kinases. 2003 , 100, 74-9	171
1462	Protein-protein interaction map for yeast TFIID. 2003 , 31, 1252-60	16
1461	Visualization and analysis of protein interactions. 2003, 19, 317-8	24
1460	Feedback inhibition on cell wall integrity signaling by Zds1 involves Gsk3 phosphorylation of a cAMP-dependent protein kinase regulatory subunit. 2003 , 278, 23460-71	38
1459	Organization and function of APT, a subcomplex of the yeast cleavage and polyadenylation factor involved in the formation of mRNA and small nucleolar RNA 3'-ends. 2003 , 278, 33000-10	144
1458	Self-association of the spindle pole body-related intermediate filament protein Fin1p and its phosphorylation-dependent interaction with 14-3-3 proteins in yeast. 2003 , 278, 15049-55	18
1457	Molecular characterization of Ypi1, a novel Saccharomyces cerevisiae type 1 protein phosphatase inhibitor. 2003 , 278, 47744-52	57
1456	Homo- and hetero-oligomerization of ammonium transporter-1 NH4 uniporters. 2003 , 278, 45603-10	135
1455	Modular organization of cellular networks. 2003 , 100, 1128-33	572
1454	High-resolution yeast phenomics resolves different physiological features in the saline response. 2003 , 100, 15724-9	178
1453	The mouse APG10 homologue, an E2-like enzyme for Apg12p conjugation, facilitates MAP-LC3 modification. 2003 , 278, 39517-26	65
1452	Modeling of Protein Interaction Networks. 2003 , 1, 38-44	298

1451	Construction of reliable protein-protein interaction networks with a new interaction generality measure. 2003 , 19, 756-63	91
1450	Handbook of Proteomic Methods. 2003,	
1449	Interactions between the evolutionarily conserved, actin-related protein, Arp11, actin, and Arp1. 2003 , 14, 2645-54	33
1448	Topology of gene expression networks as revealed by data mining and modeling. 2003 , 19, 1909-16	26
1447	Inferring strengths of protein-protein interactions from experimental data using linear programming. 2003 , 19 Suppl 2, ii58-65	17
1446	A novel Golgi membrane protein is a partner of the ARF exchange factors Gea1p and Gea2p. 2003 , 14, 2357-71	47
1445	Integrative approach for computationally inferring protein domain interactions. 2003,	5
1444	A comprehensive set of protein complexes in yeast: mining large scale protein-protein interaction screens. 2003 , 19, 1901-8	34
1443	Ady4p and Spo74p are components of the meiotic spindle pole body that promote growth of the prospore membrane in Saccharomyces cerevisiae. 2003 , 2, 431-45	40
1442	Pex10p links the ubiquitin conjugating enzyme Pex4p to the protein import machinery of the peroxisome. 2003 , 116, 3623-34	68
1441	Asymmetric sequence divergence of duplicate genes. 2003 , 13, 2052-8	175
1440	EH and UIM: endocytosis and more. 2003 , 2003, re17	73
1439	Membership scoring via independent feature subspace analysis for grouping co-expressed genes.	1
1438	Whole-proteome interaction mining. 2003 , 19, 125-34	113
1437	Integrative approach for computationally inferring protein domain interactions. 2003, 19, 923-9	137
1436	Application of Data Mining Techniques to Protein-Protein Interaction Prediction. 2003, 316-323	1
1435	Finding partners: emerging protein interaction technologies applied to signaling networks. 2003 , 2003, pe56	10
1434	Proteomics in the analysis of prostate cancer. 2003 , 81, 277-97	7

1433	Array-based technologies and their applications in proteomics. 2003 , 3, 705-24	53
1432	Towards interactive exploration of gene expression patterns. 2003 , 5, 79-90	10
1431	Two-dimensional polyacrylamide gel electrophoresis for the separation of proteins for chemical characterization. 2003 , 211, 31-9	
1430	Prospore membrane formation: How budding yeast gets shaped in meiosisResearch Award for Ph.Dstudents by the Journal Microbiological Research. 2003 , 158, 83-90	21
1429	Functional genomics and radioisotope-based imaging procedures. 2003 , 35, 370-9	9
1428	Graphical modeling based gene interaction analysis for microarray data. 2003 , 5, 91-100	3
1427	Platelet proteomics: identification of potential therapeutic targets. 2003 , 33, 481-6	11
1426	Super models. 2003 , 13, 15-24	61
1425	Antibodies in proteomics. 2004 , 248, 519-46	3
1424	Proteomic response to physiological fermentation stresses in a wild-type wine strain of Saccharomyces cerevisiae. 2003 , 370, 35-46	84
1423	An interaction map of proteasome subunits. 2003 , 31, 465-9	7
1422	Unravelling Nature's networks. 2003 , 31, 1457-61	16
1421	Integrating functional genomics data. 2003 , 31, 1484-7	9
1420	On the structure of protein-protein interaction networks. 2003 , 31, 1491-6	60
1419	Protein Chip Technology in Proteomics Analysis. 235-254	
1418	Vectors for N- or C-terminal positioning of the yeast Gal4p DNA binding or activator domains. 2003 , 35, 60-4	23
1417	. 2003,	4
1416	. 2003,	29

1415	. 2003,	6
1414	. 2003,	3
1413	. 2003,	23
1412	BioData 2002 From Innovative Biotech to Key Investment Opportunities. 2003, 1, 45-48	
1411	Simultaneous cloning of open reading frames into several different expression vectors. 2003 , 35, 520-2, 524-6	7
1410	Mechanisms of tumor cell invasion and angiogenesis in the central nervous system. 2003 , 8, e289-304	31
1409	[SPO11: an activity that promotes DNA breaks required for meiosis]. 2004, 20, 213-8	5
1408	Affinity-Based Biosensors, Microarrays and Proteomics. 2004 , 243-285	2
1407	Beyond beanbag genetics: Wright's adaptive landscape, gene interaction networks, and the evolution of new genetic systems. 2004 , 104-136	
1406	. 2004,	20
	. 2004,	10
1405	. 2004, Implications of gene networks for understanding resilience and vulnerability in the kidney	10
1405 1404	. 2004, Implications of gene networks for understanding resilience and vulnerability in the kidney branching program. 2004, 19, 339-47 "One plate/three-reporter" assay format for the detection and validation of yeast two-hybrid	10
1405 1404 1403	. 2004, Implications of gene networks for understanding resilience and vulnerability in the kidney branching program. 2004, 19, 339-47 "One plate/three-reporter" assay format for the detection and validation of yeast two-hybrid interactions. 2004, 37, 840-3 Investigating the protein-protein interactions of the yeast Hsp90 chaperone system by two-hybrid	10 27 2
1405 1404 1403 1402	. 2004, Implications of gene networks for understanding resilience and vulnerability in the kidney branching program. 2004, 19, 339-47 "One plate/three-reporter" assay format for the detection and validation of yeast two-hybrid interactions. 2004, 37, 840-3 Investigating the protein-protein interactions of the yeast Hsp90 chaperone system by two-hybrid analysis: potential uses and limitations of this approach. 2004, 9, 359-68	10 27 2 32
1405 1404 1403 1402	. 2004, Implications of gene networks for understanding resilience and vulnerability in the kidney branching program. 2004, 19, 339-47 "One plate/three-reporter" assay format for the detection and validation of yeast two-hybrid interactions. 2004, 37, 840-3 Investigating the protein-protein interactions of the yeast Hsp90 chaperone system by two-hybrid analysis: potential uses and limitations of this approach. 2004, 9, 359-68 Discovering temporal relations in molecular pathways using protein-protein interactions. 2004,	10 27 2 32 0

1397	YETI: Yeast Exploration Tool Integrator. 2004 , 20, 284-5	2
1396	3did: interacting protein domains of known three-dimensional structure. 2005 , 33, D413-7	127
1395	The phox homology (PX) domain protein interaction network in yeast. 2004 , 3, 1053-64	43
1394	Identification of protein complexes by comparative analysis of yeast and bacterial protein interaction data. 2004 ,	12
1393	Role of transporter-like sensors in glucose and amino acid signalling in yeast. 2004 , 155-178	9
1392	Structural basis of transcription: an RNA polymerase II-TFIIB cocrystal at 4.5 Angstroms. 2004 , 303, 983-8	280
1391	Physical network models. 2004 , 11, 243-62	135
1390	Scale-free network with Boolean dynamics as a function of connectivity. 2004 , 70, 066140	10
1389	Boolean networks with variable number of inputs (K). 2004 , 14, 205-16	5
1388	An integrated probabilistic model for functional prediction of proteins. 2004 , 11, 463-75	107
1387	Proteomics in the chicken: tools for understanding immune responses to avian diseases. 2004 , 83, 552-73	18
1386	K+ channel interactions detected by a genetic system optimized for systematic studies of membrane protein interactions. 2004 , 101, 12242-7	248
1385	Snf7p, a component of the ESCRT-III protein complex, is an upstream member of the RIM101 pathway in Candida albicans. 2004 , 3, 1609-18	58
1384	Hph1p and Hph2p, novel components of calcineurin-mediated stress responses in Saccharomyces cerevisiae. 2004 , 3, 695-704	64
1383	Cell cycle progression in G1 and S phases is CCR4 dependent following ionizing radiation or replication stress in Saccharomyces cerevisiae. 2004 , 3, 430-46	48
1382	Role of the cytoskeleton in signaling networks. 2004 , 117, 2769-75	67
1381	Swi1 and Swi3 are components of a replication fork protection complex in fission yeast. 2004 , 24, 8342-55	171
1380	Regulation of polarized growth initiation and termination cycles by the polarisome and Cdc42 regulators. 2004 , 164, 207-18	37

1379	Fus1p interacts with components of the Hog1p mitogen-activated protein kinase and Cdc42p morphogenesis signaling pathways to control cell fusion during yeast mating. 2004 , 166, 67-77	51
1378	A type V myosin (Myo2p) and a Rab-like G-protein (Ypt11p) are required for retention of newly inherited mitochondria in yeast cells during cell division. 2004 , 15, 3994-4002	95
1377	Conserved network motifs allow protein-protein interaction prediction. 2004 , 20, 3346-52	150
1376	Revealing modularity and organization in the yeast molecular network by integrated analysis of highly heterogeneous genomewide data. 2004 , 101, 2981-6	298
1375	Coordinated functions of WSS1, PSY2 and TOF1 in the DNA damage response. 2004 , 32, 6519-30	26
1374	Annotation transfer between genomes: protein-protein interologs and protein-DNA regulogs. 2004 , 14, 1107-18	400
1373	Global protein function annotation through mining genome-scale data in yeast Saccharomyces cerevisiae. 2004 , 32, 6414-24	87
1372	A new Saccharomyces cerevisiae strain with a mutant Smt3-deconjugating Ulp1 protein is affected in DNA replication and requires Srs2 and homologous recombination for its viability. 2004 , 24, 5130-43	34
1371	Novel regulation of mitotic exit by the Cdc42 effectors Gic1 and Gic2. 2004 , 164, 219-31	36
1370	Identification and mapping of self-assembling protein domains encoded by the Escherichia coli K-12 genome by use of lambda repressor fusions. 2004 , 186, 1311-9	13
1369	Combining different 'omics' technologies to map and validate protein-protein interactions in humans. 2004 , 2, 357-65	26
1368	The interactome as a treean attempt to visualize the protein-protein interaction network in yeast. 2004 , 32, 4804-11	36
1367	GermOnline, a cross-species community knowledgebase on germ cell differentiation. 2004, 32, D560-7	22
1366	Mapping biochemical networks with protein-fragment complementation assays. 2004 , 261, 411-26	36
1365	Evolution and topology in the yeast protein interaction network. 2004 , 14, 1310-4	107
1364	A novel proteomic screen for peptide-protein interactions. 2004 , 279, 10756-64	245
1363	Identification of the substrates and interaction proteins of aurora kinases from a protein-protein interaction model. 2004 , 3, 93-104	28
1362	Systems level insights into the stress response to UV radiation in the halophilic archaeon Halobacterium NRC-1. 2004 , 14, 1025-35	115

1361	Specific protein-protein binding in many-component mixtures of proteins. 2004 , 1, 53-60	15
1360	The FunCat, a functional annotation scheme for systematic classification of proteins from whole genomes. 2004 , 32, 5539-45	862
1359	TopNet: a tool for comparing biological sub-networks, correlating protein properties with topological statistics. 2004 , 32, 328-37	58
1358	Division of labor among the yeast Sol proteins implicated in tRNA nuclear export and carbohydrate metabolism. 2004 , 168, 117-27	29
1357	Structure-based assembly of protein complexes in yeast. 2004 , 303, 2026-9	308
1356	New protein-protein interactions identified for the regulatory and structural components and substrates of the type III Secretion system of the phytopathogen Xanthomonas axonopodis Pathovar citri. 2004 , 186, 6186-97	52
1355	The Pseudomonas aeruginosa PA01 gene collection. 2004 , 14, 2190-200	68
1354	Binding of the replication terminator protein Fob1p to the Ter sites of yeast causes polar fork arrest. 2004 , 279, 1932-41	48
1353	The Database of Interacting Proteins: 2004 update. 2004 , 32, D449-51	1532
1352	A synthetic lethal screen identifies a role for the cortical actin patch/endocytosis complex in the response to nutrient deprivation in Saccharomyces cerevisiae. 2004 , 166, 707-19	36
1351	Predicting protein complex membership using probabilistic network reliability. 2004 , 14, 1170-5	142
1350	14-3-3 proteins: a number of functions for a numbered protein. 2004 , 2004, re10	64
1349	ORFeome cloning and systems biology: standardized mass production of the parts from the parts-list. 2004 , 14, 2001-9	63
1348	Npa1p, a component of very early pre-60S ribosomal particles, associates with a subset of small nucleolar RNPs required for peptidyl transferase center modification. 2004 , 24, 6324-37	63
1347	Amino acid signaling in yeast: casein kinase I and the Ssy5 endoprotease are key determinants of endoproteolytic activation of the membrane-bound Stp1 transcription factor. 2004 , 24, 9771-85	67
1346	High-throughput screening of novel peptide inhibitors of an integrin receptor from the hexapeptide library by using a protein microarray chip. 2004 , 9, 687-94	34
1345	Recombinatorial cloning using heterologous lox sites. 2004 , 14, 1119-29	14
1344	Emergence of new regulatory mechanisms in the Benson-Calvin pathway via protein-protein interactions: a glyceraldehyde-3-phosphate dehydrogenase/CP12/phosphoribulokinase complex. 2004 , 55, 1245-54	96

1343	Network motifs in integrated cellular networks of transcription-regulation and protein-protein interaction. 2004 , 101, 5934-9	422
1342	The crystal structure of gankyrin, an oncoprotein found in complexes with cyclin-dependent kinase 4, a 19 S proteasomal ATPase regulator, and the tumor suppressors Rb and p53. 2004 , 279, 1541-5	71
1341	Interaction networks of the molecular machines that decode, replicate, and maintain the integrity of the human genome. 2004 , 3, 851-6	15
1340	Protein complex prediction via cost-based clustering. 2004 , 20, 3013-20	508
1339	Regulatory network connecting two glucose signal transduction pathways in Saccharomyces cerevisiae. 2004 , 3, 221-31	126
1338	Large-scale co-evolution analysis of protein structural interlogues using the global protein structural interactome map (PSIMAP). 2004 , 20, 1138-50	42
1337	Biochemical characterization of protein complexes from the Helicobacter pylori protein interaction map: strategies for complex formation and evidence for novel interactions within type IV secretion systems. 2004 , 3, 809-19	40
1336	Multidimensional drug profiling by automated microscopy. 2004 , 306, 1194-8	534
1335	Proteomic research: potential opportunities for clinical and physiological investigators. 2004 , 286, E863-74	32
1334	A graph-theoretic approach to testing associations between disparate sources of functional genomics data. 2004 , 20, 3353-62	39
1333	Organelle DB: a cross-species database of protein localization and function. 2005 , 33, D598-604	29
1332	The Yeast Resource Center Public Data Repository. 2005 , 33, D378-82	25
1331	Nuclear export of the yeast mRNA-binding protein Nab2 is linked to a direct interaction with Gfd1 and to Gle1 function. 2004 , 279, 35384-91	28
1330	Global network analysis of phenotypic effects: protein networks and toxicity modulation in Saccharomyces cerevisiae. 2004 , 101, 18006-11	105
1329	Whole-genome annotation by using evidence integration in functional-linkage networks. 2004 , 101, 2888-93	259
1328	Discovering protein-protein interactions. 2004 , 1, 711-41	10
1327	The small-subunit processome is a ribosome assembly intermediate. 2004 , 3, 1619-26	134
1326	The yeast split-ubiquitin membrane protein two-hybrid screen identifies BAP31 as a regulator of the turnover of endoplasmic reticulum-associated protein tyrosine phosphatase-like B. 2004 , 24, 2767-78	48

1325	Nucleolar Nek11 is a novel target of Nek2A in G1/S-arrested cells. 2004 , 279, 32716-27	33
1324	Cdc123 and checkpoint forkhead associated with RING proteins control the cell cycle by controlling eIF2gamma abundance. 2004 , 279, 44656-66	37
1323	PP2A phosphatase activity is required for stress and Tor kinase regulation of yeast stress response factor Msn2p. 2004 , 3, 1261-71	84
1322	Crystal structure of the YgfZ protein from Escherichia coli suggests a folate-dependent regulatory role in one-carbon metabolism. 2004 , 186, 7134-40	31
1321	Applicability of tandem affinity purification MudPIT to pathway proteomics in yeast. 2004, 3, 226-37	116
1320	Two-dimensional Blue native/SDS gel electrophoresis of multi-protein complexes from whole cellular lysates: a proteomics approach. 2004 , 3, 176-82	145
1319	Molecular dimension explored in evolution to promote proteomic complexity. 2004 , 101, 13460-5	49
1318	Yeast Coq5 C-methyltransferase is required for stability of other polypeptides involved in coenzyme Q biosynthesis. 2004 , 279, 10052-9	51
1317	The spindle pole body assembly component mps3p/nep98p functions in sister chromatid cohesion. 2004 , 279, 49542-50	24
1316	Identification of Edc3p as an enhancer of mRNA decapping in Saccharomyces cerevisiae. 2004 , 166, 729-39	122
1316 1315	Identification of Edc3p as an enhancer of mRNA decapping in Saccharomyces cerevisiae. 2004 , 166, 729-39 DLP, a novel Dim1 family protein implicated in pre-mRNA splicing and cell cycle progression. 2004 , 279, 32839-47	122
	DLP, a novel Dim1 family protein implicated in pre-mRNA splicing and cell cycle progression. 2004 ,	
1315	DLP, a novel Dim1 family protein implicated in pre-mRNA splicing and cell cycle progression. 2004 , 279, 32839-47 Direct physical and functional interaction of the NuA4 complex components Yaf9p and Swc4p. 2004	15
1315	DLP, a novel Dim1 family protein implicated in pre-mRNA splicing and cell cycle progression. 2004 , 279, 32839-47 Direct physical and functional interaction of the NuA4 complex components Yaf9p and Swc4p. 2004 , 3, 976-83 Npa1p is an essential trans-acting factor required for an early step in the assembly of 60S ribosomal	15
1315 1314 1313	DLP, a novel Dim1 family protein implicated in pre-mRNA splicing and cell cycle progression. 2004, 279, 32839-47 Direct physical and functional interaction of the NuA4 complex components Yaf9p and Swc4p. 2004, 3, 976-83 Npa1p is an essential trans-acting factor required for an early step in the assembly of 60S ribosomal subunits in Saccharomyces cerevisiae. 2004, 10, 1073-83	15 22 20
1315 1314 1313 1312	DLP, a novel Dim1 family protein implicated in pre-mRNA splicing and cell cycle progression. 2004, 279, 32839-47 Direct physical and functional interaction of the NuA4 complex components Yaf9p and Swc4p. 2004, 3, 976-83 Npa1p is an essential trans-acting factor required for an early step in the assembly of 60S ribosomal subunits in Saccharomyces cerevisiae. 2004, 10, 1073-83 Genetic Engineering: Principles and Methods. 2004,	15 22 20
1315 1314 1313 1312	DLP, a novel Dim1 family protein implicated in pre-mRNA splicing and cell cycle progression. 2004, 279, 32839-47 Direct physical and functional interaction of the NuA4 complex components Yaf9p and Swc4p. 2004, 3, 976-83 Npa1p is an essential trans-acting factor required for an early step in the assembly of 60S ribosomal subunits in Saccharomyces cerevisiae. 2004, 10, 1073-83 Genetic Engineering: Principles and Methods. 2004, Nitrogen Acquisition and Assimilation in Higher Plants. 2004,	15 22 20 0

1307	A high resolution protein interaction map of the yeast Mediator complex. 2004 , 32, 5379-91	172
1306	Understanding the yeast proteome: a bioinformatics perspective. 2004 , 1, 193-205	3
1305	Modeling interactome: scale-free or geometric?. 2004 , 20, 3508-15	431
1304	Recent advances in the characterization of ambient pH regulation of gene expression in filamentous fungi and yeasts. 2004 , 58, 425-51	158
1303	Integrated Molecular Analysis of the Polyamine Metabolic Pathway in Abiotic Stress Signalling. 2004 , 207-230	8
1302	Back to the biology in systems biology: what can we learn from biomolecular networks?. 2004 , 2, 279-97	85
1301	Protein interaction networks by proteome peptide scanning. 2004 , 2, E14	180
1300	Omic space: coordinate-based integration and analysis of genomic phenomic interactions. 2004 , 20, 1759-65	49
1299	Functional evolution of the yeast protein interaction network. 2004 , 21, 1171-6	56
1298	A statistical framework for combining and interpreting proteomic datasets. 2004 , 20, 689-700	48
1297	The 'scavenger' m7GpppX pyrophosphatase activity of Dcs1 modulates nutrient-induced responses in yeast. 2004 , 32, 3590-600	33
1296	PathBLAST: a tool for alignment of protein interaction networks. 2004 , 32, W83-8	293
1295	Functional diversity of protein phosphatase-1, a cellular economizer and reset button. 2004 , 84, 1-39	525
1294	Integrative analysis of the mitochondrial proteome in yeast. 2004 , 2, e160	165
1293	Protein interaction mapping on a functional shotgun sequence of Rickettsia sibirica. 2004 , 32, 1059-64	36
1292	Characterization of the products of the genes SNO1 and SNZ1 involved in pyridoxine synthesis in Saccharomyces cerevisiae. 2004 , 271, 745-52	61
1291	High-throughput protein localization in Arabidopsis using Agrobacterium-mediated transient expression of GFP-ORF fusions. 2005 , 41, 162-74	169
1290	Rck1 and Rck2 MAPKAP kinases and the HOG pathway are required for oxidative stress resistance. 2004 , 53, 1743-56	145

1289 Proteins and peptides at work. **2004**, 271, 59-125

$_{ m 1288}$ Protein-protein interactions of ESCRT complexes in the yeast Saccharomyces cerevisiae. 200	04 , 5, 194-210 1 ₅ 8
Ten thousand interactions for the molecular biologist. 2004 , 22, 1317-21	169
1286 The evolution of molecular biology into systems biology. 2004 , 22, 1249-52	392
1285 Baculovirus expression system for heterologous multiprotein complexes. 2004 , 22, 1583-7	347
Principles of transcriptional control in the metabolic network of Saccharomyces cerevisiae. 1284 22, 86-92	2004, 207
1283 Unraveling protein interaction networks with near-optimal efficiency. 2004 , 22, 98-103	72
1282 Gaining confidence in high-throughput protein interaction networks. 2004 , 22, 78-85	372
A tethered catalysis, two-hybrid system to identify protein-protein interactions requiring post-translational modifications. 2004 , 22, 888-92	53
Dynactin is involved in a checkpoint to monitor cell wall synthesis in Saccharomyces cerevisia 2004 , 6, 861-71	ae. 39
1279 A probabilistic view of gene function. 2004 , 36, 559-64	99
Rapid analysis of the DNA-binding specificities of transcription factors with DNA microarrays 36, 1331-9	s. 2004 , 294
Network biology: understanding the cell's functional organization. 2004 , 5, 101-13	5439
1276 Nbp2 targets the Ptc1-type 2C Ser/Thr phosphatase to the HOG MAPK pathway. 2004 , 23, 30	02-11 64
Genome-wide lethality screen identifies new PI4,5P2 effectors that regulate the actin cytosk 2004 , 23, 3747-57	keleton.
Proteomic analysis identifies a new complex required for nuclear pre-mRNA retention and space 2004, 23, 4847-56	plicing. 125
The yeast coexpression network has a small-world, scale-free architecture and can be explain a simple model. 2004 , 5, 280-4	ined by
1272 The enzymes and control of eukaryotic mRNA turnover. 2004 , 11, 121-7	637

(2004-2004)

Evidence for dynamically organized modularity in the yeast protein-protein interaction network. Nature, 2004 , 430, 88-93	50.4	1381
1270 PTK7/CCK-4 is a novel regulator of planar cell polarity in vertebrates. <i>Nature</i> , 2004 , 430, 93-8	50.4	383
1269 Protein interaction maps on the fly. 2004 , 22, 43-4		24
1268 Computational approaches for modeling regulatory cellular networks. 2004 , 14, 661-9		52
1267 Application of proteomics to the study of platelet regulatory mechanisms. 2004 , 14, 207-20		17
1266 Enhanced functional information from predicted protein networks. 2004 , 22, 60-2; discussion 62-3		17
1265 Protein-protein docking: is the glass half-full or half-empty?. 2004 , 22, 110-6		99
1264 Conservation of protein-protein interactions - lessons from ascomycota. 2004 , 20, 72-6		33
1263 Comparative genomics for reliable protein-function prediction from genomic data. 2004 , 20, 340-4		19
1262 Nutritional genomics in yeast models. 2004 , 20, 166-72		4
Prediction of protein-protein interactions: the CAPRI experiment, its evaluation and implications. 2004 , 14, 242-9		129
1260 A structural perspective on protein-protein interactions. 2004 , 14, 313-24		221
1259 Protein interaction networks from yeast to human. 2004 , 14, 292-9		278
1239 Trotein intersection nections from y ease to nemain 200 i, Ti, 252 5		
The exosome, a molecular machine for controlled RNA degradation in both nucleus and cytoplasm. 2004 , 83, 175-83		68
The exosome, a molecular machine for controlled RNA degradation in both nucleus and cytoplasm.		37
The exosome, a molecular machine for controlled RNA degradation in both nucleus and cytoplasm. 2004, 83, 175-83 A computational approach for ordering signal transduction pathway components from genomics		
The exosome, a molecular machine for controlled RNA degradation in both nucleus and cytoplasm. 2004, 83, 175-83 A computational approach for ordering signal transduction pathway components from genomics and proteomics Data. 2004, 5, 158 Implications for domain fusion protein-protein interactions based on structural information. 2004,		37

1253	Evolutionary rate depends on number of protein-protein interactions independently of gene expression level. 2004 , 4, 13	54
1252	Structure and evolution of protein interaction networks: a statistical model for link dynamics and gene duplications. 2004 , 4, 51	129
1251	Upstream plasticity and downstream robustness in evolution of molecular networks. 2004 , 4, 9	41
1250	Novel conserved domains in proteins with predicted roles in eukaryotic cell-cycle regulation, decapping and RNA stability. 2004 , 5, 45	66
1249	ISWI complexes in Saccharomyces cerevisiae. 2004 , 1677, 100-12	78
1248	Investigation of a protein complex network. 2004 , 41, 113-121	31
1247	Toward computational systems biology. 2004 , 40, 167-84	32
1246	Molecular genetics approaches in yeast to study amyloid diseases. 2004 , 23, 49-60	35
1245	Recent advances in gel-based proteome profiling techniques. 2004 , 28, 63-76	23
1244	Application of microarrays in high-throughput enzymatic profiling. 2004 , 28, 227-39	5
1243	Growth hormone attenuates the transcriptional activity of Runx2 by facilitating its physical association with Stat3beta. 2004 , 19, 1892-904	34
1242	Identification of proteins that interact with two regulators of appressorium development, adenylate cyclase and cAMP-dependent protein kinase A, in the rice blast fungus Magnaporthe grisea. 2004 , 270, 497-508	17
1241	Mathematical models of diffusion-constrained polymerase chain reactions: basis of high-throughput nucleic acid assays and simple self-organizing systems. 2004 , 228, 31-46	11
1240	Transcriptional coregulator SNW/SKIP: the concealed tie of dissimilar pathways. 2004 , 61, 629-40	65
1239	Autophagy: molecular mechanisms, physiological functions and relevance in human pathology. 2004 , 61, 1439-54	181
1238	Molecular evolution in large genetic networks: does connectivity equal constraint?. 2004 , 58, 203-11	121
1237	A unified representation of multiprotein complex data for modeling interaction networks. 2004 , 57, 99-108	23
1236	Functional interaction of 13 yeast SCF complexes with a set of yeast E2 enzymes in vitro. 2004 , 54, 455-67	61

Functional and topological characterization of protein interaction networks. 2004 , 4, 928-42	468
Determination of the stoichiometry of protein complexes using liquid chromatography with fluorescence and mass spectrometric detection of fluorescently labeled proteolytic peptides. 2004 , 4, 669-76	9
Prediction of protein-protein interactions based on surface patch comparison. 2004 , 4, 1727-36	6
Transcriptional profiling of extracellular amino acid sensing in Saccharomyces cerevisiae and the role of Stp1p and Stp2p. 2004 , 21, 635-48	25
Phenotypic characterization of glucose repression mutants of Saccharomyces cerevisiae using experiments with 13C-labelled glucose. 2004 , 21, 769-79	37
1230 Characterization of a gene similar to BIK1 in the yeast Kluyveromyces lactis. 2004 , 21, 1067-75	O
RNA integrity as a quality indicator during the first steps of RNP purifications : a comparison of yeast lysis methods. 2004 , 5, 14	13
Shared components of protein complexesversatile building blocks or biochemical artefacts?. 2004 , 26, 1333-43	38
1227 Genome-based proteomics. 2004 , 25, 1280-8	22
1226 Hippocampal protein-protein interactions in spatial memory. 2004 , 14, 46-57	43
Hippocampal protein-protein interactions in spatial memory. 2004 , 14, 46-57 The role of functional genomics in selecting disease targets for antibody-based therapy. 2004 , 61, 155-	
The role of functional genomics in selecting disease targets for antibody-based therapy. 2004 , 61, 155-	-171 1
The role of functional genomics in selecting disease targets for antibody-based therapy. 2004 , 61, 155- 1224 Application of expression genomics in drug development and genomic medicine. 2004 , 62, 124-133 Induction of G1 cell cycle arrest and P15INK4b expression by ECRG1 through interaction with Miz-1.	-171 1 4
The role of functional genomics in selecting disease targets for antibody-based therapy. 2004 , 61, 155- 1224 Application of expression genomics in drug development and genomic medicine. 2004 , 62, 124-133 Induction of G1 cell cycle arrest and P15INK4b expression by ECRG1 through interaction with Miz-1. 2004 , 92, 65-76	-171 1 4 21
The role of functional genomics in selecting disease targets for antibody-based therapy. 2004 , 61, 155- 1224 Application of expression genomics in drug development and genomic medicine. 2004 , 62, 124-133 Induction of G1 cell cycle arrest and P15INK4b expression by ECRG1 through interaction with Miz-1. 2004 , 92, 65-76 Advances in membrane receptor screening and analysis. 2004 , 17, 286-315	21 167
The role of functional genomics in selecting disease targets for antibody-based therapy. 2004 , 61, 155- 1224 Application of expression genomics in drug development and genomic medicine. 2004 , 62, 124-133 1223 Induction of G1 cell cycle arrest and P15INK4b expression by ECRG1 through interaction with Miz-1. 1223 2004 , 92, 65-76 1222 Advances in membrane receptor screening and analysis. 2004 , 17, 286-315 1221 Studying the interactome with the yeast two-hybrid system and mass spectrometry. 2004 , 23, 350-67	-171 1 4 21 167 51

1217 TRANSPATHa high quality database focused on signal transduction. 2004 , 5, 163-8	27
Quantitative genome-wide analysis of yeast deletion strain sensitivities to oxidative and chemica stress. 2004 , 5, 216-24	al 60
1215 A critical and integrated view of the yeast interactome. 2004 , 5, 382-402	14
1214 Finding Cinderella after the ball: a three-hybrid approach to drug target identification. 2004 , 11, 1	151-3 5
1213 Three-dimensional visualization of protein interaction networks. 2004 , 34, 127-39	3
1212 Array technology and proteomics in autoimmune diseases. 2004 , 200, 95-103	10
1211 The development and application of methods for activity-based protein profiling. 2004 , 8, 54-9	190
1210 ORFeome projects: gateway between genomics and omics. 2004 , 8, 20-5	62
1209 From large networks to small molecules. 2004 , 8, 81-90	91
Transforming a (beta/alpha)8barrel enzyme into a split-protein sensor through directed evolution 2004, 11, 681-9	on. 13
1207 Bioinformatics and cellular signaling. 2004 , 15, 78-81	29
1206 Gene duplication and hierarchical modularity in intracellular interaction networks. 2004 , 74, 51-63	2 28
1205 Functional proteomics mapping of a human signaling pathway. 2004 , 14, 1324-32	228
1204 Learning kernels from biological networks by maximizing entropy. 2004 , 20 Suppl 1, i326-33	74
1203 The Biotechnology of Wine Yeast. 2004 , 18, 63-96	36
1202 Review of uses of network and graph theory concepts within proteomics. 2004 , 1, 229-38	23
Genome-scale gene function prediction using multiple sources of high-throughput data in yeast Saccharomyces cerevisiae. 2004 , 8, 322-33	43
1200 Estimating and improving protein interaction error rates. 2004 , 216-23	24

1199 Discovering novel interacting motif pairs from large protein-protein interaction datasets.

1198	Gene co-expression network topology provides a framework for molecular characterization of cellular state. 2004 , 20, 2242-50	261
1197	Systematic assessment of high-throughput experimental data for reliable protein interactions using network topology.	3
1196	Sensors and Sensor Arrays. 2004 , 405-460	
1195	Prediction of protein-protein interactions using support vector machines.	5
1194	Genetic networks with canalyzing Boolean rules are always stable. 2004 , 101, 17102-7	229
1193	A map of the interactome network of the metazoan C. elegans. 2004 , 303, 540-3	1398
1192	Proteomics and diseasethe challenges for technology and discovery. 2004 , 3, 167-78	67
1191	A general framework for development and data analysis of competitive high-throughput screens for small-molecule inhibitors of protein-protein interactions by fluorescence polarization. 2004 , 43, 16056-66	202
1190	Correlation between ligand-receptor affinity and the transcription readout in a yeast three-hybrid system. 2004 , 43, 10353-63	32
1189	Use of logic relationships to decipher protein network organization. 2004 , 306, 2246-9	115
1188	Micro- and nanofabrication of robust reactive arrays based on the covalent coupling of dendrimers to activated monolayers. 2004 , 20, 6216-24	62
1187	Domain architecture of the p62 subunit from the human transcription/repair factor TFIIH deduced by limited proteolysis and mass spectrometry analysis. 2004 , 43, 14420-30	24
1186	High-throughput cloning of Campylobacter jejuni ORfs by in vivo recombination in Escherichia coli. 2004 , 3, 582-6	39
1185	Many paths to many clones: a comparative look at high-throughput cloning methods. 2004 , 14, 2020-8	100
1184	Yeast lacking the SRO7/SOP1-encoded tumor suppressor homologue show increased susceptibility to apoptosis-like cell death on exposure to NaCl stress. 2004 , 15, 1436-44	73
1183	A systems view of mRNP biology. 2004 , 18, 2845-60	128
1182	A primer on molecular biology for imagers. 2004 , 11, 66-76	

1181 A structural perspective on protein protein interactions. **2004**, 14, 313-313

A primer on molecular biology for imagers: VI. Proteomics: the large-scale study of proteins. 2004 , 11, 940-50	1
Yeast sphingolipid metabolism: clues and connections. 2004 , 82, 45-61	55
1178 Reverse two-hybrid techniques in the yeast Saccharomyces cerevisiae. 2004 , 261, 313-26	8
1177 Mitochondrial dynamics in mammals. 2004 , 59, 119-44	135
The eukaryotic Ccr4-not complex: a regulatory platform integrating mRNA metabolism with cellular signaling pathways?. 2004 , 77, 289-322	108
1175 Plant genomics: the third wave. 2004 , 5, 443-77	59
1174 Using the yeast two-hybrid system to identify interacting proteins. 2004 , 261, 247-62	48
1173 Proteomics. 2004 , 5, 267-93	159
1172 Meiotic recombination intermediates and mismatch repair proteins. 2004 , 107, 232-48	84
Developing photoactive affinity probes for proteomic profiling: hydroxamate-based probes for metalloproteases. 2004 , 126, 14435-46	200
1170 Chromosomes Today. 2004 ,	
Impaired PRPP-synthesizing capacity compromises cell integrity signalling in Saccharomyces cerevisiae. 2004 , 150, 3327-39	18
1168 A probabilistic functional network of yeast genes. 2004 , 306, 1555-8	563
1167 Combining biological networks to predict genetic interactions. 2004 , 101, 15682-7	190
Towards a systems biology understanding of human health: interplay between genotype, environment and nutrition. 2004 , 10, 51-84	37
1165 A Drosophila protein-interaction map centered on cell-cycle regulators. 2004 , 5, R96	148
1164 A genome annotation-driven approach to cloning the human ORFeome. 2004 , 5, R84	30

1163	Chemical genomics in yeast. 2004 , 5, 240	24
1162	Large-scale exploration of growth inhibition caused by overexpression of genomic fragments in Saccharomyces cerevisiae. 2004 , 5, R72	30
1161	A first-draft human protein-interaction map. 2004 , 5, R63	164
1160	Comprehensive de novo structure prediction in a systems-biology context for the archaea Halobacterium sp. NRC-1. 2004 , 5, R52	36
1159	Modular decomposition of protein-protein interaction networks. 2004 , 5, R57	77
1158	Predicting specificity in bZIP coiled-coil protein interactions. 2004 , 5, R11	86
1157	Protein-Protein Interactions. 2004,	12
1156	Hypertension. 2004,	
1155	Characteristics of Biological Networks. 2004 , 443-457	4
1154	Protein interaction networks from yeast to human. 2004,	2
1153	Exploration of essential gene functions via titratable promoter alleles. 2004 , 118, 31-44	475
1152	Microarray profiling of antiviral antibodies for the development of diagnostics, vaccines, and therapeutics. 2004 , 111, 196-201	26
1151	Ubc9 is required for damage-tolerance and damage-induced interchromosomal homologous recombination in S. cerevisiae. 2004 , 3, 335-41	28
1150	Network responses to DNA damaging agents. 2004 , 3, 1123-32	45
1149	Development through the eyes of functional genomics. 2004 , 14, 336-42	12
1148	Integrating a functional proteomic approach into the target discovery process. 2004 , 86, 625-32	26
1147	Bioinformatics and Systems Biology, rapidly evolving tools for interpreting plant response to global change. 2004 , 90, 117-131	10
1146	Selectivity and promiscuity in the interaction network mediated by protein recognition modules. 2004 , 567, 74-9	60

1145	ARL1 participates with ATC1/LIC4 to regulate responses of yeast cells to ions. 2004 , 315, 617-23	12
1144	SKIP modifies gene expression by affecting both transcription and splicing. 2004 , 316, 512-7	13
1143	Cellular signaling mediated by calphoglin-induced activation of IPP and PGM. 2004, 325, 203-14	12
1142	Saccharomyces cerevisiae CSM1 gene encoding a protein influencing chromosome segregation in meiosis I interacts with elements of the DNA replication complex. 2004 , 294, 592-602	12
1141	Increasing specificity in high-throughput yeast two-hybrid experiments. 2004, 32, 363-70	117
1140	A cDNA library functional screening strategy based on fluorescent protein complementation assays to identify novel components of signaling pathways. 2004 , 32, 381-8	69
1139	From genomics to post-genomics in Aspergillus. 2004 , 7, 499-504	52
1138	Protein interaction networks in bacteria. 2004 , 7, 505-12	41
1137	Analyzing protein function on a genomic scale: the importance of gold-standard positives and negatives for network prediction. 2004 , 7, 535-45	139
1136	The promise of functional genomics: completing the encyclopedia of a cell. 2004 , 7, 546-54	39
1135	Protein-protein interaction affinity plays a crucial role in controlling the Sho1p-mediated signal transduction pathway in yeast. 2004 , 14, 813-23	58
1134	Targeted proteomic study of the cyclin-Cdk module. 2004 , 14, 699-711	100
1133	Targeted mRNA degradation by deadenylation-independent decapping. 2004 , 15, 5-15	117
1132	Regulation of mRNA decay: decapping goes solo. 2004 , 15, 1-2	20
1131	Hot spots for modulating toxicity identified by genomic phenotyping and localization mapping. 2004 , 16, 117-25	82
1130	A robust toolkit for functional profiling of the yeast genome. 2004 , 16, 487-96	257
1129	DNA double-strand break repair by homologous recombination. 2004 , 566, 131-67	148
1128	A human synthetic combinatorial library of arrayable single-chain antibodies based on shuffling in vivo formed CDRs into general framework regions. 2004 , 335, 177-92	46

(2004-2004)

1127	Mining the structural genomics pipeline: identification of protein properties that affect high-throughput experimental analysis. 2004 , 336, 115-30	126
1126	Highly discriminating protein-protein interaction specificities in the context of a conserved binding energy hotspot. 2004 , 337, 743-59	62
1125	A domain interaction map based on phylogenetic profiling. 2004 , 344, 1331-46	72
1124	In silico biological function attribution: a different perspective. 2004 , 2, 30-37	1
1123	Making the most of it: pathway reconstruction and integrative simulation using the data at hand. 2004 , 2, 70-77	3
1122	Circuits of the cell. 2004 , 2, 120-126	
1121	New genetic strategies for protein discovery based on whole-genome sequences. 2004 , 3, 57-63	
1120	Moonlighting proteins: complications and implications for proteomics research. 2004 , 3, 71-78	19
1119	Quality analysis and integration of large-scale molecular data sets. 2004 , 3, 51-56	2
1118	Unraveling the human interactome: lessons from the yeast. 2004 , 3, 79-84	2
1117	Target discovery using the yeast two-hybrid system. 2004 , 3, 97-103	2
1116	Analysis of a high-throughput yeast two-hybrid system and its use to predict the function of intracellular proteins encoded within the human MHC class III region. 2004 , 83, 153-67	84
1115	Association of Mre11p with double-strand break sites during yeast meiosis. 2004 , 13, 389-401	113
1114	Antiviral protein Ski8 is a direct partner of Spo11 in meiotic DNA break formation, independent of its cytoplasmic role in RNA metabolism. 2004 , 13, 549-59	123
1113	Specificity in signal transduction: from phosphotyrosine-SH2 domain interactions to complex cellular systems. 2004 , 116, 191-203	673
1112	Recent developments in the analysis of protein complexes. 2004 , 556, 1-6	76
1111	Genomic expression pattern in Saccharomyces cerevisiae cells in response to high hydrostatic pressure. 2004 , 556, 153-60	96
1110	NMR probing of protein-protein interactions using reporter ligands and affinity tags. 2004 , 126, 1636-7	16

Functional protein microarrays for pathway mapping. 2004 , 3, 238-245	2
1108 The recombinant protein array: use in target identification and validation. 2004 , 3, 246-252	
Nuclear pre-mRNA decapping and 5' degradation in yeast require the Lsm2-8p complex. 2004 , 24, 9646-57	53
1106 Genetics, individuality, and medicine in the 21st century. 2004 , 74, 374-81	17
1105 Proteasomes: a complex story. 2004 , 5, 135-51	30
Computational analysis of membrane proteins: genomic occurrence, structure prediction and helix interactions. 2004 , 37, 121-46	55
Molecular regulation of copper excretion in the liver. 2004 , 63, 31-9	56
1102 Inosine 5'-monophosphate dehydrogenase binds nucleic acids in vitro and in vivo. 2004 , 379, 243-51	66
1101 Data collection and analysis in systems biology. 2004 ,	
1100 Analyzing networks with VisANT. 2004 , Chapter 8, Unit 8.8	9
1099 Structure and function of human Vps20 and Snf7 proteins. 2004 , 377, 693-700	57
1098 Correlation profiles and motifs in complex networks. 2004, 168-198	5
1097 Proteomic approaches in the analysis of hypertension. 2005 , 108, 275-96	1
1096 Analyzing the biology on the system level. 2004 , 2, 6-14	7
1095 Informatics (Computational Biology). 2004 ,	
1094 Strategies and Methods in Monitoring and Targeting Protein Protein Interactions. 2005, 483-557	
Novel mobilizable prokaryotic two-hybrid system vectors for high-throughput protein interaction mapping in Escherichia coli by bacterial conjugation. 2005 , 33, e18	15
Building integrated approaches for the proteomics of complex, dynamic systems: NIH programs in technology and infrastructure development. 2005 , 4, 1114-22	3

1091 Visualization of protein-protein interaction network for knowledge discovery. 2005 ,	1
1090 The Yeast Two-Hybrid System for Detecting Interacting Proteins. 2005, 653-682	1
1089 Protein Analysis and Proteomics. 2005 , 222-270	
IDENTIFYING PROTEIN COMPLEXES IN HIGH-THROUGHPUT PROTEIN INTERACTION SCREENS USING AN INFINITE LATENT FEATURE MODEL. 2005 ,	3
1087 The Biotechnology of Wine Yeast. 2005 ,	
1086 A modular systems biology analysis of cell cycle entrance into S-phase. 2005 , 325-347	5
1085 The C. elegans interactome project. 2005 ,	
1084 The yeast interactome. 2005 ,	Ο
1083 Yeast Two-hybrid Technologies. 261-272	
$_{10}8_{2}$ Hide-and-seek on complex networks. 2005 , 69, 853-859	39
Hide-and-seek on complex networks. 2005, 69, 853-859 Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a phospho-inhibitor protein CPI-17. 2005, 137, 633-41	39 10
Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a	
Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a phospho-inhibitor protein CPI-17. 2005 , 137, 633-41 Reassembled GFP: detecting protein-protein interactions and protein expression patterns. 2006 ,	10
Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a phospho-inhibitor protein CPI-17. 2005 , 137, 633-41 Reassembled GFP: detecting protein-protein interactions and protein expression patterns. 2006 , 47, 391-405	10 14
Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a phospho-inhibitor protein CPI-17. 2005 , 137, 633-41 Reassembled GFP: detecting protein-protein interactions and protein expression patterns. 2006 , 47, 391-405 Protein-Protein Docking Methods. 2005 , 115-146	10 14 11
Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a phospho-inhibitor protein CPI-17. 2005, 137, 633-41 Reassembled GFP: detecting protein-protein interactions and protein expression patterns. 2006, 47, 391-405 Protein-Protein Docking Methods. 2005, 115-146 Using proteomics to identify potential therapeutic targets in platelets. 2005, 33, 409-12 Insights into biological functions across species: examining the role of Rab proteins in YIP1 family	10 14 11 23
Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a phospho-inhibitor protein CPI-17. 2005, 137, 633-41 Reassembled GFP: detecting protein-protein interactions and protein expression patterns. 2006, 47, 391-405 Protein-Protein Docking Methods. 2005, 115-146 Using proteomics to identify potential therapeutic targets in platelets. 2005, 33, 409-12 Insights into biological functions across species: examining the role of Rab proteins in YIP1 family function. 2005, 33, 614-8	10 14 11 23

1073 Length, proteinBrotein interactions, and complexity. 2005 , 350, 52-62	11
1072 Damage, connectivity and essentiality in proteinprotein interaction networks. 2005 , 349, 675-684	10
1071 Characterization and modeling of proteinBrotein interaction networks. 2005 , 352, 1-27	56
1070 Graph theoretic analysis of protein interaction networks of eukaryotes. 2005 , 357, 501-512	10
1069 Enzyme genomics: Application of general enzymatic screens to discover new enzymes. 2005 , 29, 263-279	81
Computational simulation for interactions of nano-molecules: The phospho-pivot modeling algorithm for prediction of interactions between a phospho-protein and its receptor. 2005 , 6, 463-467	3
Identification and characterization of rns4/vps32 mutation in the RNase T1 expression-sensitive strain of Saccharomyces cerevisiae: Evidence for altered ambient response resulting in transportation of the secretory protein to vacuoles. 2005 , 5, 801-12	3
1066 Protein localization studies in the age of 'Omics'. 2005 , 9, 82-7	30
1065 Chemical biology on PINs and NeeDLes. 2005 , 9, 31-7	3
1064 The Yeast Systems Biology Network: mating communities. 2005 , 16, 356-60	18
1063 Dynamical binding of proline-rich peptides to their recognition domains. 2005 , 1754, 232-8	
	14
1062 Computational Methods for Predicting Protein-Protein Interactions. 2005 , 89-114	2
Computational Methods for Predicting Protein-Protein Interactions. 2005 , 89-114 1061 Qri2/Nse4, a component of the essential Smc5/6 DNA repair complex. 2005 , 55, 1735-50	,
	2
Qri2/Nse4, a component of the essential Smc5/6 DNA repair complex. 2005 , 55, 1735-50 Identification of DRG family regulatory proteins (DFRPs): specific regulation of DRG1 and DRG2.	32
Qri2/Nse4, a component of the essential Smc5/6 DNA repair complex. 2005 , 55, 1735-50 Identification of DRG family regulatory proteins (DFRPs): specific regulation of DRG1 and DRG2. 2005 , 10, 139-50	32
Qri2/Nse4, a component of the essential Smc5/6 DNA repair complex. 2005, 55, 1735-50 Identification of DRG family regulatory proteins (DFRPs): specific regulation of DRG1 and DRG2. 2005, 10, 139-50 Eukaryotic Lsm proteins: lessons from bacteria. 2005, 12, 1031-6 Crystal structure of bet3 reveals a novel mechanism for Golgi localization of tethering factor	2 32 40 124

1055 Systematic interpretation of genetic interactions using protein networks. 2005 , 23, 561-6	341
1054 Probabilistic model of the human protein-protein interaction network. 2005 , 23, 951-9	338
1053 Effect of sampling on topology predictions of protein-protein interaction networks. 2005 , 23, 839-44	253
MAGIC, an in vivo genetic method for the rapid construction of recombinant DNA molecules. 2005 , 37, 311-9	110
1051 Kinomics: methods for deciphering the kinome. 2005 , 2, 17-25	345
1050 Localized transfection on arrays of magnetic beads coated with PCR products. 2005 , 2, 113-8	28
1049 Miniaturization in functional genomics and proteomics. 2005 , 6, 465-76	108
1048 Lip1p: a novel subunit of acyl-CoA ceramide synthase. 2005 , 24, 730-41	120
Sec17p and HOPS, in distinct SNARE complexes, mediate SNARE complex disruption or assembly for fusion. 2005 , 24, 1775-86	93
Distinct modes of ATR activation after replication stress and DNA double-strand breaks in Caenorhabditis elegans. 2005 , 24, 4345-55	134
1045 Advances in protein complex analysis using mass spectrometry. 2005 , 563, 11-21	148
The conserved protein DCN-1/Dcn1p is required for cullin neddylation in C. elegans and S. cerevisiae. <i>Nature</i> , 2005 , 435, 1257-61	147
1043 SUMO-modified PCNA recruits Srs2 to prevent recombination during S phase. <i>Nature</i> , 2005 , 436, 428-33 50.4	487
$_{1042}$ The Plasmodium protein network diverges from those of other eukaryotes. <i>Nature</i> , 2005 , 438, 108-12 $_{50.4}$	110
1041 Global analysis of protein phosphorylation in yeast. <i>Nature</i> , 2005 , 438, 679-84 50.4	818
Towards a proteome-scale map of the human protein-protein interaction network. <i>Nature</i> , 2005 , 437, 1173-8	2287
1039 Utilizing logical relationships in genomic data to decipher cellular processes. 2005 , 272, 5110-8	32
1038 Flexible nets. The roles of intrinsic disorder in protein interaction networks. 2005 , 272, 5129-48	895

1037	Advances in functional protein microarray technology. 2005 , 272, 5400-11	141
1036	Emerging tools for real-time label-free detection of interactions on functional protein microarrays. 2005 , 272, 5412-25	140
1035	High-throughput two-hybrid analysis. The promise and the peril. 2005 , 272, 5391-9	151
1034	Oral microbiology and genomics. 2005 , 38, 63-71	10
1033	Molecular mechanism and regulation of autophagy. 2005 , 26, 1421-34	158
1032	Ndj1p-dependent epigenetic resetting of telomere size in yeast meiosis. 2005 , 15, 231-7	24
1031	Protein transport from the late Golgi to the vacuole in the yeast Saccharomyces cerevisiae. 2005 , 1744, 438-54	223
1030	Discovering reliable protein interactions from high-throughput experimental data using network topology. 2005 , 35, 37-47	31
1029	Enzyme genomics: Application of general enzymatic screens to discover new enzymes. 2005 , 29, 263-79	89
1028	Evolutionary relationships between Saccharomyces cerevisiae and other fungal species as determined from genome comparisons. 2005 , 22, 217-22	15
1028		15 41
1027	determined from genome comparisons. 2005 , 22, 217-22	
1027 1026	determined from genome comparisons. 2005 , 22, 217-22 Global properties of biological networks. 2005 , 10, 365-72	41
1027 1026	determined from genome comparisons. 2005, 22, 217-22 Global properties of biological networks. 2005, 10, 365-72 Methods to reveal domain networks. 2005, 10, 1111-7	41 26
1027 1026 1025	determined from genome comparisons. 2005, 22, 217-22 Global properties of biological networks. 2005, 10, 365-72 Methods to reveal domain networks. 2005, 10, 1111-7 Protein microarrays: catching the proteome. 2005, 126, 161-70 Structural characterization of assemblies from overall shape and subcomplex compositions. 2005,	41 26 73
1027 1026 1025	determined from genome comparisons. 2005, 22, 217-22 Global properties of biological networks. 2005, 10, 365-72 Methods to reveal domain networks. 2005, 10, 1111-7 Protein microarrays: catching the proteome. 2005, 126, 161-70 Structural characterization of assemblies from overall shape and subcomplex compositions. 2005, 13, 435-45	41 26 73 25
1027 1026 1025 1024	determined from genome comparisons. 2005, 22, 217-22 Global properties of biological networks. 2005, 10, 365-72 Methods to reveal domain networks. 2005, 10, 1111-7 Protein microarrays: catching the proteome. 2005, 126, 161-70 Structural characterization of assemblies from overall shape and subcomplex compositions. 2005, 13, 435-45 Converging on a general model of protein evolution. 2005, 23, 485-7	41 26 73 25 23

1019	features. 2005 , 6, 100	115
1018	Are scale-free networks robust to measurement errors?. 2005 , 6, 119	14
1017	AVID: an integrative framework for discovering functional relationships among proteins. 2005 , 6, 136	32
1016	Commensurate distances and similar motifs in genetic congruence and protein interaction networks in yeast. 2005 , 6, 270	18
1015	Discover protein sequence signatures from protein-protein interaction data. 2005 , 6, 277	15
1014	Genetic Interaction Motif Finding by expectation maximizationa novel statistical model for inferring gene modules from synthetic lethality. 2005 , 6, 288	10
1013	The use of edge-betweenness clustering to investigate biological function in protein interaction networks. 2005 , 6, 39	135
1012	Computational verification of protein-protein interactions by orthologous co-expression. 2005 , 6, 40	21
1011	Structural comparison of metabolic networks in selected single cell organisms. 2005 , 6, 8	62
1010	HomoMINT: an inferred human network based on orthology mapping of protein interactions discovered in model organisms. 2005 , 6 Suppl 4, S21	109
1009	Effect of dataset selection on the topological interpretation of protein interaction networks. 2005 , 6, 131	18
1008	Data mining in protein interactomics. Six computational research challenges and opportunities. 2005 , 24, 95-102	7
1007	Column chromatographic prefractionation leads to the detection of 543 different gene products in human fetal brain. 2005 , 26, 2759-78	9
1006	Detecting protein-protein interaction in live yeast by flow cytometry. 2005 , 63, 77-86	18
1005	Distributed robustness versus redundancy as causes of mutational robustness. 2005 , 27, 176-88	216
1004	Protein-interaction mapping in search of effective drug targets. 2005 , 27, 958-69	14
1003	Peptide and Protein Repertoires for Global Analysis of Modules. 2005 , 409-438	
1002	The Drug Discovery Process. 2005 , 271-294	

1001 Protein Interaction Targeted Drug Discovery. 2005, 323-345

1000	Showing your ID: intrinsic disorder as an ID for recognition, regulation and cell signaling. 2005 , 18, 343-84	660
999	Protein-detecting microarrays: current accomplishments and requirements. 2005 , 6, 782-99	155
998	Diffusion NMR spectroscopy: folding and aggregation of domains in p53. 2005 , 6, 1550-65	53
997	Molecular aptamers for real-time protein-protein interaction study. 2005 , 11, 4502-8	36
996	Use of bimolecular fluorescence complementation to demonstrate transcription factor interaction in nuclei of living cells from the filamentous fungus Acremonium chrysogenum. 2005 , 47, 132-8	59
995	The YJR127C/ZMS1 gene product is involved in glycerol-based respiratory growth of the yeast Saccharomyces cerevisiae. 2005 , 48, 235-46	17
994	Saccharomyces cerevisiaeTSC11/AVO3 participates in regulating cell integrity and functionally interacts with components of the Tor2 complex. 2005 , 47, 273-88	26
993	Genomic sources of regulatory variation in cis and in trans. 2005 , 62, 1779-83	50
992	Measuring information networks. 2005 , 64, 1121-1125	2
991	Analysis and application of large-scale protein-protein interaction data sets. 2005 , 50, 2267-2272	1
990	Toward nanoscopic medicine. 2005 , 1, 306-307	
989	A global view of CK2 function and regulation. 2005 , 274, 163-70	61
988	Overproduction, purification, crystallization and preliminary X-ray diffraction studies of the human spliceosomal protein TXNL4B. 2005 , 61, 282-4	3
987	Deciphering structure and topology of conserved COG2042 orphan proteins. 2005 , 5, 3	6
986	Untangling the web of functional and physical interactions in yeast. 2005 , 4, 5	1
985	Prediction of interface residues in protein-protein complexes by a consensus neural network method: test against NMR data. 2005 , 61, 21-35	213
984	Assessment of CAPRI predictions in rounds 3-5 shows progress in docking procedures. 2005 , 60, 150-69	281

983	Edge-count probabilities for the identification of local protein communities and their organization. 2006 , 62, 800-18	24
982	Locally defined protein phylogenetic profiles reveal previously missed protein interactions and functional relationships. 2006 , 62, 1115-24	31
981	The YIG1 (YPL201c) encoded protein is involved in regulating anaerobic glycerol metabolism in Saccharomyces cerevisiae. 2005 , 22, 1257-68	2
980	Cooperative evolution in protein complexes of yeast from comparative analyses of its interaction network. 2005 , 5, 3116-9	6
979	Correlation-associated peptide networks of human cerebrospinal fluid. 2005 , 5, 2789-98	25
978	Functional genomics in Saccharomyces cerevisiae. 2005,	
977	Connecting genes by comparative genomics. 2005,	
976	Reagent Jetting Based Deposition Technologies for Array Construction. 2005 , 63-72	
975	Fungal Genetics: A Post-Genomic Perspective. 2005 , 65-88	
974	. 2005,	36
974 973	. 2005, Functional inference from probabilistic protein interaction networks. 2005,	36
		36
973	Functional inference from probabilistic protein interaction networks. 2005,	36 9
973 972	Functional inference from probabilistic protein interaction networks. 2005, Identification of Protein-Ligand Interactions. 2005, 285-324 Molecular dissection of ARP1 regions required for nuclear migration and cell wall integrity	
973 972 971	Functional inference from probabilistic protein interaction networks. 2005, Identification of Protein-Ligand Interactions. 2005, 285-324 Molecular dissection of ARP1 regions required for nuclear migration and cell wall integrity checkpoint functions in Saccharomyces cerevisiae. 2005, 30, 57-67 Accessible Protein Interaction Data for Network Modeling. Structure of the Information and	9
973 972 971 970	Functional inference from probabilistic protein interaction networks. 2005, Identification of Protein-Ligand Interactions. 2005, 285-324 Molecular dissection of ARP1 regions required for nuclear migration and cell wall integrity checkpoint functions in Saccharomyces cerevisiae. 2005, 30, 57-67 Accessible Protein Interaction Data for Network Modeling. Structure of the Information and Available Repositories. 2005, 1-13	9
973 972 971 970 969	Functional inference from probabilistic protein interaction networks. 2005, Identification of Protein-Ligand Interactions. 2005, 285-324 Molecular dissection of ARP1 regions required for nuclear migration and cell wall integrity checkpoint functions in Saccharomyces cerevisiae. 2005, 30, 57-67 Accessible Protein Interaction Data for Network Modeling. Structure of the Information and Available Repositories. 2005, 1-13 Reverse engineering gene regulatory networks. 2005,	9

965 References. **2005**, 499-574

964	Protein interaction databases. 2005,	
963	Tools for integrative genomics: Genome-wide RNAi and expression profiling in Drosophila. 2005, 433-446	
962	Inferring gene function and biochemical networks from protein interactions. 2005,	
961	Exploring Protein Structure and Function. 2005 , 45-69	
960	Metabolic Networks. 2005 , 243-264	
959	Two-hybrid reporter vectors for gap repair cloning. 2005 , 38, 927-34	13
958	Refining protein subcellular localization. 2005 , 1, e66	68
957	Unraveling the Dopamine Receptor Signalplex by DRIPs and DRAPs. 2005 , 2, 209-223	7
956	The pleckstrin homology domain proteins Slm1 and Slm2 are required for actin cytoskeleton organization in yeast and bind phosphatidylinositol-4,5-bisphosphate and TORC2. 2005 , 16, 1883-900	109
955	Predicting protein-protein interactions using signature products. 2005 , 21, 218-26	299
954	Implementing the iHOP concept for navigation of biomedical literature. 2005 , 21 Suppl 2, ii252-8	137
953	Fast protein classification with multiple networks. 2005 , 21 Suppl 2, ii59-65	136
952	Inferring protein-protein interactions through high-throughput interaction data from diverse organisms. 2005 , 21, 3279-85	84
951	Saccharomyces cerevisiae Rab-GDI displacement factor ortholog Yip3p forms distinct complexes with the Ypt1 Rab GTPase and the reticulon Rtn1p. 2005 , 4, 1166-74	30
950	Estimating gene regulatory networks and protein-protein interactions of Saccharomyces cerevisiae from multiple genome-wide data. 2005 , 21 Suppl 2, ii206-12	26
949	The end of "naive reductionism": rise of systems biology or renaissance of physiology?. 2005 , 288, C968-74	95
948	Systematic discovery of new recognition peptides mediating protein interaction networks. 2005 , 3, e405	257

947	Predicting gene function through systematic analysis and quality assessment of high-throughput data. 2005 , 21, 1644-52	21
946	Correlation between gene expression profiles and protein-protein interactions within and across genomes. 2005 , 21, 2730-8	136
945	Analysis and application of large-scale protein-protein in-teraction data sets. 2005, 50, 2267	3
944	Computational methods for protein-protein interaction and their application. 2005 , 6, 443-9	18
943	Drug Discovery Using Yeast as a Model System: A Functional Genomic and Proteomic View. 2005 , 2, 1-13	13
942	iPfam: visualization of protein-protein interactions in PDB at domain and amino acid resolutions. 2005 , 21, 410-2	263
941	Predicting protein functions with message passing algorithms. 2005 , 21, 239-47	23
940	Constitutive signal transduction by mutant Ssy5p and Ptr3p components of the SPS amino acid sensor system in Saccharomyces cerevisiae. 2005 , 4, 1116-24	12
939	A role for Jsn1p in recruiting the Arp2/3 complex to mitochondria in budding yeast. 2005 , 16, 5094-102	42
938	Is Scale-Free A Realistic Topology For Evolving Biochemical Networks?. 2005 ,	
937	Genetical genomics analysis of a yeast segregant population for transcription network inference. 2005 , 170, 533-42	76
936	The spatial organization of lipid synthesis in the yeast Saccharomyces cerevisiae derived from large scale green fluorescent protein tagging and high resolution microscopy. 2005 , 4, 662-72	134
935	A combined yeast/bacteria two-hybrid system: development and evaluation. 2005, 4, 819-26	18
934	Experimental and bioinformatic approaches for interrogating protein-protein interactions to determine protein function. 2005 , 34, 263-80	46
933	Comprehensive interaction map of the Arabidopsis MADS Box transcription factors. 2005 , 17, 1424-33	414
932	Components of the ESCRT pathway, DFG16, and YGR122w are required for Rim101 to act as a corepressor with Nrg1 at the negative regulatory element of the DIT1 gene of Saccharomyces cerevisiae. 2005 , 25, 6772-88	67
931	The G Protein-Coupled Receptors Handbook. 2005,	3
930	Association of the GTP-binding protein Gtr1p with Rpc19p, a shared subunit of RNA polymerase I	11
	and III in yeast Saccharomyces cerevisiae. 2005 , 170, 1515-24	

929	Bioinformatic analyses implicate the collaborating meiotic crossover/chiasma proteins Zip2, Zip3, and Spo22/Zip4 in ubiquitin labeling. 2005 , 102, 17594-9	72
928	Statistical analysis of domains in interacting protein pairs. 2005 , 21, 993-1001	73
927	PIBASE: a comprehensive database of structurally defined protein interfaces. 2005 , 21, 1901-7	141
926	Gene essentiality and the topology of protein interaction networks. 2005 , 272, 1721-5	82
925	The RNA polymerase II subunit Rpb4p mediates decay of a specific class of mRNAs. 2005, 19, 3004-16	104
924	Large-scale identification of yeast integral membrane protein interactions. 2005 , 102, 12123-8	224
923	Genomes, phylogeny, and evolutionary systems biology. 2005 , 102 Suppl 1, 6630-5	46
922	Understanding protein dispensability through machine-learning analysis of high-throughput data. 2005 , 21, 575-81	76
921	Microarray Technology and Its Applications. 2005,	30
920	Local modeling of global interactome networks. 2005 , 21, 3548-57	65
920	Local modeling of global interactome networks. 2005, 21, 3548-57 Dim1p is required for efficient splicing and export of mRNA encoding lid1p, a component of the fission yeast anaphase-promoting complex. 2005, 4, 577-87	65 22
	Dim1p is required for efficient splicing and export of mRNA encoding lid1p, a component of the	Ť
919	Dim1p is required for efficient splicing and export of mRNA encoding lid1p, a component of the fission yeast anaphase-promoting complex. 2005 , 4, 577-87	22
919	Dim1p is required for efficient splicing and export of mRNA encoding lid1p, a component of the fission yeast anaphase-promoting complex. 2005 , 4, 577-87 Functional annotation from predicted protein interaction networks. 2005 , 21, 3217-26 Interactome-transcriptome analysis reveals the high centrality of genes differentially expressed in	22
919 918 917	Dim1p is required for efficient splicing and export of mRNA encoding lid1p, a component of the fission yeast anaphase-promoting complex. 2005, 4, 577-87 Functional annotation from predicted protein interaction networks. 2005, 21, 3217-26 Interactome-transcriptome analysis reveals the high centrality of genes differentially expressed in lung cancer tissues. 2005, 21, 4205-8	22 44 316
919 918 917 916	Dim1p is required for efficient splicing and export of mRNA encoding lid1p, a component of the fission yeast anaphase-promoting complex. 2005, 4, 577-87 Functional annotation from predicted protein interaction networks. 2005, 21, 3217-26 Interactome-transcriptome analysis reveals the high centrality of genes differentially expressed in lung cancer tissues. 2005, 21, 4205-8 The control of Spo11's interaction with meiotic recombination hotspots. 2005, 19, 255-69 A two-hybrid screen of the yeast proteome for Hsp90 interactors uncovers a novel Hsp90 chaperone requirement in the activity of a stress-activated mitogen-activated protein kinase, Slt2p	22 44 316 78
919 918 917 916 915	Dim1p is required for efficient splicing and export of mRNA encoding lid1p, a component of the fission yeast anaphase-promoting complex. 2005, 4, 577-87 Functional annotation from predicted protein interaction networks. 2005, 21, 3217-26 Interactome-transcriptome analysis reveals the high centrality of genes differentially expressed in lung cancer tissues. 2005, 21, 4205-8 The control of Spo11's interaction with meiotic recombination hotspots. 2005, 19, 255-69 A two-hybrid screen of the yeast proteome for Hsp90 interactors uncovers a novel Hsp90 chaperone requirement in the activity of a stress-activated mitogen-activated protein kinase, Slt2p (Mpk1p). 2005, 4, 849-60 Gpi19, the Saccharomyces cerevisiae homologue of mammalian PIG-P, is a subunit of the initial	22 44 316 78

911	Cell-free cotranslation and selection using in vitro virus for high-throughput analysis of protein-protein interactions and complexes. 2005 , 15, 710-7	35
910	Gly-103 in the N-terminal domain of Saccharomyces cerevisiae Rad51 protein is critical for DNA binding. 2005 , 280, 26303-11	18
909	The inference of protein-protein interactions by co-evolutionary analysis is improved by excluding the information about the phylogenetic relationships. 2005 , 21, 3482-9	126
908	Moving toward a systems biology approach to the study of fungal pathogenesis in the rice blast fungus Magnaporthe grisea. 2005 , 57, 177-215	15
907	Analysis and properties of the yeast YIP1 family of Ypt-interacting proteins. 2005, 403, 333-9	3
906	Analysis of ubiquitin chain-binding proteins by two-hybrid methods. 2005 , 399, 157-64	1
905	Analysis of protein-protein interaction networks using random walks. 2005,	31
904	Finding cliques in protein interaction networks via transitive closure of a weighted graph. 2005,	1
903	Rapid and efficient cDNA library screening by self-ligation of inverse PCR products (SLIP). 2005 , 33, e185	19
902	Biochemical and genetic analysis of the yeast proteome with a movable ORF collection. 2005 , 19, 2816-26	387
901	Protein microarrays as a discovery tool for studying protein-protein interactions. 2005 , 2, 13-26	20
900	Post-Genomic Design of Bioactive Molecules. 2005 , 1, 147-162	
899	Research in Computational Molecular Biology. 2005 ,	2
898	Robotic cloning and Protein Production Platform of the Northeast Structural Genomics Consortium. 2005 , 394, 210-43	110
897	Self-similar scale-free networks and disassortativity. 2005 , 72, 045105	56
896	Complex networks emerging from fluctuating random graphs: analytic formula for the hidden variable distribution. 2005 , 72, 036102	35
895	Genome-Scale Computational Approaches to Memory-Intensive Applications in Systems Biology.	9
894	Navigating networks with limited information. 2005 , 71, 066111	30

893	Characterization of degree frequency distribution in protein interaction networks. 2005, 71, 031901	4
892	INFERRING PROTEIN-PROTEIN INTERACTIONS FROM MESSENGER RNA EXPRESSION PROFILES WITH SVM. 2005 , 13, 287-298	1
891	Prediction of protein-protein interactions using distant conservation of sequence patterns and structure relationships. 2005 , 21, 3360-8	79
890	A yeast two-hybrid knockout strain to explore thioredoxin-interacting proteins in vivo. 2005 , 102, 16729-34	61
889	Reconstructing biological networks using conditional correlation analysis. 2005, 21, 765-73	87
888	Identification of new protein-protein interactions involving the products of the chromosome- and plasmid-encoded type IV secretion loci of the phytopathogen Xanthomonas axonopodis pv. citri. 2005 , 187, 2315-25	56
887	Scanning the human proteome for calmodulin-binding proteins. 2005 , 102, 5969-74	138
886	Cyclic peptides, a chemical genetics tool for biologists. 2005 , 4, 552-5	44
885	Structural and mutational analysis of the SBDS protein family. Insight into the leukemia-associated Shwachman-Diamond Syndrome. 2005 , 280, 19221-9	89
884	Gene function prediction by a combined analysis of gene expression data and protein-protein interaction data. 2005 , 3, 1371-89	13
883	Cog1p plays a central role in the organization of the yeast conserved oligomeric Golgi complex. 2005 , 280, 27613-23	71
882	Protein-protein interactions in the chemotaxis signalling pathway of Treponema denticola. 2005 , 151, 1801-1807	13
881	Detecting remotely related proteins by their interactions and sequence similarity. 2005, 102, 7151-6	23
880	Atg17 functions in cooperation with Atg1 and Atg13 in yeast autophagy. 2005 , 16, 2544-53	264
879	Prospects and challenges in proteomics. 2005 , 138, 560-2	17
878	Changing perspectives in yeast research nearly a decade after the genome sequence. 2005 , 15, 1611-9	32
877	Prp8 protein: at the heart of the spliceosome. 2005 , 11, 533-57	251
876	Histone variants: deviants?. 2005 , 19, 295-310	264

875	Interaction of the mammalian endosomal sorting complex required for transport (ESCRT) III protein hSnf7-1 with itself, membranes, and the AAA+ ATPase SKD1. 2005 , 280, 12799-809	125
874	Protein-protein interactions: organization, cooperativity and mapping in a bottom-up Systems Biology approach. 2005 , 2, S24-35	84
873	Cell cycle: proteomics gives it a spin. 2005 , 2, 615-25	6
872	Discover true association rates in multi-protein complex proteomics data sets. 2005 , 167-74	1
871	Protein Interaction Inference as a MAX-SAT Problem.	1
870	Proteomics and Protein-Protein Interactions. 2005,	10
869	Microarray-based functional protein profiling using peptide nucleic acid-encoded libraries. 2005, 2, 937-47	24
868	Identifying regulatory subnetworks for a set of genes. 2005 , 4, 683-92	53
867	Architecture of basic building blocks in protein and domain structural interaction networks. 2005 , 21, 1479-86	24
866	Ascospore formation in the yeast Saccharomyces cerevisiae. 2005 , 69, 565-84	162
865	TFIID and Spt-Ada-Gcn5-acetyltransferase functions probed by genome-wide synthetic genetic array analysis using a Saccharomyces cerevisiae taf9-ts allele. 2005 , 171, 959-73	17
864	Morphogenesis of flowersour evolving view. 2005 , 17, 330-41	40
863	Interactions of the yeast SF3b splicing factor. 2005 , 25, 10745-54	35
862	Assessing the limits of genomic data integration for predicting protein networks. 2005 , 15, 945-53	156
861	Protein complexes of the Escherichia coli cell envelope. 2005 , 280, 34409-19	171
860	Accurate extraction of functional associations between proteins based on common interaction partners and common domains. 2005 , 21, 2043-8	17
859	Defining Viral Protein Interactomes Using the Yeast Two-Hybrid Assay. 2005 , 2, 225-231	1
858	A novel, evolutionarily conserved protein phosphatase complex involved in cisplatin sensitivity. 2005 , 4, 1725-40	148

857	Yeast Two-Hybrid Protein-Protein Interaction Networks. 2005 , 19-31	4
856	Gene function prediction from congruent synthetic lethal interactions in yeast. 2005 , 1, 2005.0026	101
855	Selective integration of multiple biological data for supervised network inference. 2005 , 21, 2488-95	51
854	Conserved patterns of protein interaction in multiple species. 2005 , 102, 1974-9	586
853	Insights into TOR function and rapamycin response: chemical genomic profiling by using a high-density cell array method. 2005 , 102, 7215-20	125
852	High-dimensional and large-scale phenotyping of yeast mutants. 2005 , 102, 19015-20	223
851	Phosphotyrosine interactome of the ErbB-receptor kinase family. 2005 , 1, 2005.0008	399
850	Meiotic telomere clustering requires actin for its formation and cohesin for its resolution. 2005 , 170, 213-23	124
849	The MIPS mammalian protein-protein interaction database. 2005 , 21, 832-4	429
848	PSIbase: a database of Protein Structural Interactome map (PSIMAP). 2005 , 21, 2541-3	73
847	New genes with roles in the C. elegans embryo revealed using RNAi of ovary-enriched ORFeome clones. 2005 , 15, 250-9	52
846	Iterative cluster analysis of protein interaction data. 2005 , 21, 364-78	167
845	Utilizing the split-ubiquitin membrane yeast two-hybrid system to identify protein-protein interactions of integral membrane proteins. 2005 , 2005, pl3	64
844	Interaction of the Saccharomyces cerevisiae cortical actin patch protein Rvs167p with proteins involved in ER to Golgi vesicle trafficking. 2005 , 170, 555-68	18
843	A conserved mediator hinge revealed in the structure of the MED7.MED21 (Med7.Srb7) heterodimer. 2005 , 280, 18171-8	56
842	The opportunity for canalization and the evolution of genetic networks. 2005 , 165, 147-62	91
841	Physical and genetic interactions link the yeast protein Zds1p with mRNA nuclear export. 2005 , 280, 9691-7	12
840	Structural and functional dissection of the Abp1 ADFH actin-binding domain reveals versatile in vivo adapter functions. 2005 , 16, 3128-39	29

839	The choice of optimal distance measure in genome-wide datasets. 2005 , 21 Suppl 3, iii3-11	17
838	PRISM: protein interactions by structural matching. 2005 , 33, W331-6	167
837	MODELING AND ANALYZING THREE-DIMENSIONAL STRUCTURES OF HUMAN DISEASE PROTEINS. 2005 ,	3
836	Predicting protein-protein interactions based on protein-domain relationships.	3
835	References. 2005 , 377-422	
834	Essential latent knowledge for protein-protein interactions: analysis by an unsupervised learning approach. 2005 , 2, 119-30	7
833	The Proteomics Protocols Handbook. 2005 ,	204
832	Zinc in yeast: mechanisms involved in homeostasis. 2005 , 37-58	3
831	A protein interaction verification system based on a neural network algorithm.	
830	Genome-wide surveys for phosphorylation-dependent substrates of SCF ubiquitin ligases. 2005 , 399, 433-58	23
829	Prediction of physical protein-protein interactions. 2005 , 2, S1-16	75
828	Metabolome Analyses: Strategies for Systems Biology. 2005 ,	24
827	Connecting the dots in Huntington's disease with protein interaction networks. 2005, 6, 210	30
826	Challenges facing the development and use of protein chips to analyze the phosphoproteome. 2005 , 2, 487-97	7
825	Prediction of Protein Functions Based on Protein-Protein Interaction Networks: A Min-Cut Approach. 2005 ,	1
824	A topological measurement for weighted protein interaction network. 2005 , 268-78	16
823	Oxidative modification of proteasome: identification of an oxidation-sensitive subunit in 26 S proteasome. 2005 , 44, 13893-901	156
822	@-tides as reporters for molecular associations. 2005 , 127, 4193-8	20

821	A Two-Step Approach for Clustering Proteins based on Protein Interaction Profile. 2005 , 2005, 201-209	2
820	Online predicted human interaction database. 2005 , 21, 2076-82	500
819	Protein interactions and fluctuations in a proteomic network using an elastic network model. 2005 , 22, 381-6	16
818	Molecular aspects of meiotic chromosome synapsis and recombination. 2005 , 79, 49-132	18
817	Combining Bayesian Networks and Decision Trees to Predict Drosophila melanogaster Protein-Protein Interactions. 2005 ,	
816	Pathway proteomics: global and focused approaches. 2005 , 5, 113-22	5
815	The proteomics of neurodegeneration. 2005 , 5, 259-70	29
814	Interactome: gateway into systems biology. 2005 , 14 Spec No. 2, R171-81	285
813	Disease gene discovery through integrative genomics. 2005 , 6, 381-406	62
812	Metabolic engineering in the -omics era: elucidating and modulating regulatory networks. 2005 , 69, 197-216	89
811	Identification of protein complexes by comparative analysis of yeast and bacterial protein interaction data. 2005 , 12, 835-46	120
810	Cell wall integrity signaling in Saccharomyces cerevisiae. 2005 , 69, 262-91	852
809	Whole-proteome prediction of protein function via graph-theoretic analysis of interaction maps. 2005 , 21 Suppl 1, i302-10	357
808	Character and evolution of protein-protein interfaces. 2005 , 2, S36-43	24
807	Scale-free networks in cell biology. 2005 , 118, 4947-57	812
806	Biochemical characterization and crystal structure of a Dim1 family associated protein: Dim2. 2005 , 44, 11997-2008	6
805	Conservation of orientation and sequence in protein domaindomain interactions. 2005, 345, 1265-79	33
804	Assessing protein co-evolution in the context of the tree of life assists in the prediction of the interactome. 2005 , 352, 1002-15	115

(2016-2005)

	metabolome. 2005 , 77, 1759-66	43
802	Isolation and characterization of a thylakoid membrane module showing partial light and dark reactions. 2005 , 1669, 43-52	9
801	Identification of an evolutionary conserved SURF-6 domain in a family of nucleolar proteins extending from human to yeast. 2005 , 327, 143-9	16
800	Overexpression of Bop3 confers resistance to methylmercury in Saccharomyces cerevisiae through interaction with other proteins such as Fkh1, Rts1, and Msn2. 2005 , 330, 378-85	8
799	Navigating the chaperone network: an integrative map of physical and genetic interactions mediated by the hsp90 chaperone. 2005 , 120, 715-27	642
798	A human protein-protein interaction network: a resource for annotating the proteome. 2005 , 122, 957-68	1848
797	Exploration of the function and organization of the yeast early secretory pathway through an epistatic miniarray profile. 2005 , 123, 507-19	706
796	An efficient method for protein function annotation based on multilayer protein networks. 2016 , 10, 33	21
795	Exploring the clustering of software vulnerability disclosure notifications across software vendors. 2016 ,	2
794	A Gene Ontology based approach to protein complex detection. 2016 ,	
,,,	cana canadaga caca approxima proxima ann proxima ann ann ann ann ann ann ann ann ann a	
793	Differential variation patterns between hubs and bottlenecks in human protein-protein interaction networks. 2016 , 16, 260	11
	Differential variation patterns between hubs and bottlenecks in human protein-protein interaction	11
793	Differential variation patterns between hubs and bottlenecks in human protein-protein interaction networks. 2016 , 16, 260	
793 79 ²	Differential variation patterns between hubs and bottlenecks in human protein-protein interaction networks. 2016 , 16, 260 A method for predicting protein complex in dynamic PPI networks. 2016 , 17 Suppl 7, 229 Construction of dynamic probabilistic protein interaction networks for protein complex	22
793 792 791	Differential variation patterns between hubs and bottlenecks in human protein-protein interaction networks. 2016, 16, 260 A method for predicting protein complex in dynamic PPI networks. 2016, 17 Suppl 7, 229 Construction of dynamic probabilistic protein interaction networks for protein complex identification. 2016, 17, 186 Understanding the role of protein interaction motifs in transcriptional regulators: implications for	22
793 792 791 790	Differential variation patterns between hubs and bottlenecks in human protein-protein interaction networks. 2016, 16, 260 A method for predicting protein complex in dynamic PPI networks. 2016, 17 Suppl 7, 229 Construction of dynamic probabilistic protein interaction networks for protein complex identification. 2016, 17, 186 Understanding the role of protein interaction motifs in transcriptional regulators: implications for crop improvement. 2017, 16, 152-155	22 14 1
793 792 791 790 789	Differential variation patterns between hubs and bottlenecks in human protein-protein interaction networks. 2016, 16, 260 A method for predicting protein complex in dynamic PPI networks. 2016, 17 Suppl 7, 229 Construction of dynamic probabilistic protein interaction networks for protein complex identification. 2016, 17, 186 Understanding the role of protein interaction motifs in transcriptional regulators: implications for crop improvement. 2017, 16, 152-155 Trans-Omics: How To Reconstruct Biochemical Networks Across Multiple 'Omic' Layers. 2016, 34, 276-290 The Atg17-Atg31-Atg29 Complex Coordinates with Atg11 to Recruit the Vam7 SNARE and Mediate	14 1 162

785	Predicting physiologically relevant SH3 domain mediated protein-protein interactions in yeast. 2016 , 32, 1865-72	3
7 ⁸ 4	Fuse: multiple network alignment via data fusion. 2016 , 32, 1195-203	34
783	Wide-Ranging Effects of the Yeast Ptc1 Protein Phosphatase Acting Through the MAPK Kinase Mkk1. 2016 , 202, 141-56	15
782	Topological characteristics of target genes regulated by abiotic-stress-responsible miRNAs in a rice interactome network. 2016 , 16, 243-51	3
781	An Adaptive Hybrid Algorithm for Global Network Alignment. 2016 , 13, 483-93	8
78o	The Intrinsic Geometric Structure of Protein-Protein Interaction Networks for Protein Interaction Prediction. 2016 , 13, 76-85	8
779	Graphical Features of Functional Genes in Human Protein Interaction Network. 2016 , 10, 707-20	22
778	Building a KATalogue of acetyllysine targeting and function. 2016 , 15, 109-18	11
777	Computational analysis of protein interaction networks for infectious diseases. 2016 , 17, 517-26	29
776	Clustering and Summarizing Protein-Protein Interaction Networks: A Survey. 2016 , 28, 638-658	43
775	Dissecting Complex and Multifactorial Nature of Alzheimer's Disease Pathogenesis: a Clinical, Genomic, and Systems Biology Perspective. 2016 , 53, 4833-64	31
774	Population perspectives on functional genomic variation in yeast. 2016 , 15, 138-46	3
773	Pathogenicity Genes in Ustilaginoidea virens Revealed by a Predicted Protein-Protein Interaction Network. 2017 , 16, 1193-1206	15
772	Advancing the prediction accuracy of protein-protein interactions by utilizing evolutionary information from position-specific scoring matrix and ensemble classifier. 2017 , 418, 105-110	41
771	Human Gpn1 purified from bacteria binds guanine nucleotides and hydrolyzes GTP as a protein dimer stabilized by its C-terminal tail. 2017 , 132, 85-96	2
770	Pnc1 piggy-back import into peroxisomes relies on Gpd1 homodimerisation. 2017 , 7, 42579	12
769	Improvement of yeast tolerance to acetic acid through Haa1 transcription factor engineering: towards the underlying mechanisms. 2017 , 16, 7	51
768	An account of fungal 14-3-3 proteins. 2017 , 96, 206-217	13

767	Discovering Protein-Protein Interactions Using Nucleic Acid Programmable Protein Arrays. 2017 , 74, 15.21.1-15.21.14	8
766	Molecular Biology, Genomics, Proteomics, and Mouse Models of Human Cancer. 2017 , 1-31	
765	Summarizing Biological Networks. 2017 ,	
764	Analysis of protein complexes in Arabidopsis leaves using size exclusion chromatography and label-free protein correlation profiling. 2017 , 166, 8-18	37
763	Yeast-based assays for detecting protein-protein/drug interactions and their inhibitors. 2017, 96, 529-541	5
762	A New Method, "Reverse Yeast Two-Hybrid Array" (RYTHA), Identifies Mutants that Dissociate the Physical Interaction Between Elg1 and Slx5. 2017 , 206, 1683-1697	
761	Yeast Genetics as a Powerful Tool to Study Human Diseases. 2017 , 191-214	1
760	The Plasmodium falciparum exported protein PF3D7_0402000 binds to erythrocyte ankyrin and band 4.1. 2017 , 216, 5-13	5
759	A Type-2 fuzzy data fusion approach for building reliable weighted protein interaction networks with application in protein complex detection. 2017 , 88, 18-31	4
758	Genome Analysis and Human Health. 2017 ,	
757	A scalable double-barcode sequencing platform for characterization of dynamic protein-protein interactions. 2017 , 8, 15586	21
756	The Ser/Thr Protein Kinase Protein-Protein Interaction Map of. 2017 , 16, 1491-1506	26
755	Detection of Complexes in Biological Networks Through Diversified Dense Subgraph Mining. 2017 , 24, 923-941	6
754	Mapping, modeling, and characterization of protein-protein interactions on a proteomic scale. 2017 , 44, 201-210	40
753	Omics Data Complementarity Underlines Functional Cross-Communication in Yeast. 2017, 14,	
75 ²	Interaction entropy for protein-protein binding. 2017 , 146, 124124	65
751	Protein Kinase C Controls Binding of Igo/ENSA Proteins to Protein Phosphatase 2A in Budding Yeast. 2017 , 292, 4925-4941	11
750	Modeling and analysis of modular structure in diverse biological networks. 2017 , 422, 18-30	4

749	Proteome-Scale Human Interactomics. 2017 , 42, 342-354	95
748	Bacterial protein meta-interactomes predict cross-species interactions and protein function. 2017 , 18, 171	18
747	The BioGRID interaction database: 2017 update. 2017 , 45, D369-D379	682
746	Phosphoribosyl Diphosphate (PRPP): Biosynthesis, Enzymology, Utilization, and Metabolic Significance. 2017 , 81,	67
745	Proteome Bioinformatics. 2017 ,	3
744	Network Tools for the Analysis of Proteomic Data. 2017 , 1549, 177-197	3
743	Fungal Genetics. 2017 , 91-118	
742	Biotechnological Exploitation of Heterologous Protein Production in Fungi. 2017 , 227-250	
741	Bioinformatics analysis of microRNA and protein-protein interaction in plant host-pathogen interaction system. 2017 , 118-139	
740	Study of Protein-protein Interactions in Autophagy Research. 2017,	Ο
739	Proteins. 2017 , 59-92	
738	Community Detection and Analysis in PPI Network. 2017 ,	
737	Quantitative analysis of protein interaction network dynamics in yeast. 2017 , 13, 934	29
736	The SmAP1/2 proteins of the crenarchaeon Sulfolobus solfataricus interact with the exosome and stimulate A-rich tailing of transcripts. 2017 , 45, 7938-7949	19
735	Candida albicans Sap6 amyloid regions function in cellular aggregation and zinc binding, and contribute to zinc acquisition. 2017 , 7, 2908	15
734	Conserved Oligomeric Golgi and Neuronal Vesicular Trafficking. 2018 , 245, 227-247	9
733	Discovering overlapped protein complexes from weighted PPI networks by removing inter-module hubs. 2017 , 7, 3247	11
732	Protein social behavior makes a stronger signal for partner identification than surface geometry. 2017 , 85, 137-154	9

Effect of Protein Repetitiveness on Protein-Protein Interaction Prediction Results Using Support Vector Machines. **2017**, 24, 183-192

730	The TORC2-Dependent Signaling Network in the Yeast Saccharomyces cerevisiae. 2017, 7,	41
729	Systems Biology: Methods and Applications. 2017 , 434-480	
728	A new two-stage method for revealing missing parts of edges in protein-protein interaction networks. 2017 , 12, e0177029	1
727	Rational confederation of genes and diseases: NGS interpretation via GeneCards, MalaCards and VarElect. 2017 , 16, 72	37
726	Lack of 14-3-3 proteins in Saccharomyces cerevisiae results in cell-to-cell heterogeneity in the expression of Pho4-regulated genes SPL2 and PHO84. 2017 , 18, 701	6
725	Big Regulatory Mechanisms in the Transcriptional Regulation Control of Gene Expression Using a Stochastic System Model and Genome-Wide Experimental Data. 2017 , 87-154	1
724	Detection of protein complex from protein-protein interaction network using Markov clustering. 2017 , 835, 012001	8
723	The protein-protein interactions between Amsacta moorei entomopoxvirus (AMEV) protein kinases (PKs) and all viral proteins. 2018 , 248, 31-38	1
722	Bipartite graphs in systems biology and medicine: a survey of methods and applications. 2018, 7, 1-31	64
721	Decision Tree Based Approaches for Detecting Protein Complex in Protein Protein Interaction Network (PPI) via Link and Sequence Analysis. 2018 , 6, 22108-22120	20
720	Research on complex network layout algorithm based on grid point matching method. 2018, 6, 145-154	1
719	[3+2] Cycloaddition of ruthenium azido complex with ethyl propiolate and related reactions. 2018 , 860, 72-77	8
718	The Deformed Graph Laplacian and Its Applications to Network Centrality Analysis. 2018, 39, 310-341	13
717	Analysis of Human Nuclear Protein Complexes by Quantitative Mass Spectrometry Profiling. 2018 , 18, e1700427	15
716	ModuleDiscoverer: Identification of regulatory modules in protein-protein interaction networks. 2018 , 8, 433	37
715	Genetic Evidence for Roles of Yeast Mitotic Cyclins at Single-Stranded Gaps Created by DNA Replication. 2018 , 8, 737-752	1
714	Improving prediction of heterodimeric protein complexes using combination with pairwise kernel. 2018 , 19, 39	10

713	A homologous mapping method for three-dimensional reconstruction of protein networks reveals disease-associated mutations. 2018 , 12, 13	1
712	Application of biomolecular recognition via magnetic nanoparticle in nanobiotechnology. 2018 , 20, 1	6
711	Targeting Trafficking in Drug Development. 2018,	1
710	Fragment-based quantum mechanical calculation of protein-protein binding affinities. 2018 , 39, 1617-1628	14
709	Multi-Dimensional Scaling based grouping of known complexes and intelligent protein complex detection. 2018 , 74, 149-156	5
708	Overlapping functional modules detection in PPI network with pair-wise constrained non-negative matrix tri-factorisation. 2018 , 12, 45-54	6
707	A comprehensive catalog of predicted functional upstream open reading frames in humans. 2018 , 46, 3326-3338	40
706	Network structure from rich but noisy data. 2018 , 14, 542-545	83
705	LPRP: A Gene-Gene Interaction Network Construction Algorithm and Its Application in Breast Cancer Data Analysis. 2018 , 10, 131-142	3
704	A Global Network Alignment Method Using Discrete Particle Swarm Optimization. 2018, 15, 705-718	11
703	Identifying the Protein Interactions of the Cytosolic Iron-Sulfur Cluster Targeting Complex Essential for Its Assembly and Recognition of Apo-Targets. 2018 , 57, 2349-2358	7
702	Budding yeast CENP-A interacts with the N-terminus of Sgo1 and regulates its association with centromeric chromatin. 2018 , 17, 11-23	13
701	Network science of biological systems at different scales: A review. 2018 , 24, 118-135	204
700	Living cell synthesis of CdSe quantum dots: Manipulation based on the transformation mechanism of intracellular Se-precursors. 2018 , 11, 2498-2511	14
699	A common neighbor based technique to detect protein complexes in PPI networks. 2018 , 16, 227-238	7
698	Biosensing Techniques in Yeast: G-Protein Signaling and Protein-Protein Interaction Assays for Monitoring Ligand Stimulation and Oligomer Formation of Heterologous GPCRs. 2018 ,	1
697	An Overview of Systems Biology. 2018 , 41-66	
696	Computational and Experimental Approaches to Predict Host-Parasite Protein-Protein Interactions. 2018 , 1819, 153-173	2

695	An Iterative Global Structure-Assisted Labeled Network Aligner. 2018,	7
694	On the statistical significance of protein complex. 2018 , 6, 313-320	3
693	Strategies for the Investigation of Protein P rotein Interactions in Plants. 2018 , 55-70	
692	Shortest path counting in probabilistic biological networks. 2018 , 19, 465	3
691	From systems to biology: A computational analysis of the research articles on systems biology from 1992 to 2013. 2018 , 13, e0200929	4
690	Integrative Omics for Interactomes. 2018 , 39-49	1
689	Synthetic Biology. 2018 ,	
688	Link prediction based on local major path degree. 2018 , 32, 1850348	2
687	The budding-yeast RWD protein Csm1 scaffolds diverse protein complexes through a conserved structural mechanism. 2018 , 27, 2094-2100	1
686	Mutations (DNMs) in Autism Spectrum Disorder (ASD): Pathway and Network Analysis. 2018 , 9, 406	26
685	Perspectives on Leishmania Species and Stage-specific Adaptive Mechanisms. 2018, 34, 1068-1081	4
684	Genomic data integration systematically biases interactome mapping. 2018, 14, e1006474	20
683	Prokaryotic Systems Biology. 2018 , 67-136	
682	Introductory Chapter: Protein-Protein Interactions and Assays. 2018,	2
681	Higher-order molecular organization as a source of biological function. 2018 , 34, i944-i953	13
680	Successive Domain Rearrangements Underlie the Evolution of a Regulatory Module Controlled by a Small Interfering Peptide. 2018 , 35, 2873-2885	5
679	Thermal stability of ordered multi-particle layers of long-chain phosphonate-modified nanodiamond with superior heat-resistance. 2018 , 556, 227-238	7
678	A Mad2-Mediated Translational Regulatory Mechanism Promoting S-Phase Cyclin Synthesis Controls Origin Firing and Survival to Replication Stress. 2018 , 70, 628-638.e5	7

677	Select Harrestins control cell-surface abundance of the mammalian Kir2.1 potassium channel in a yeast model. 2018 , 293, 11006-11021	8
676	Two-Hybrid Systems. 2018 ,	
675	Analyses of Protein Interaction Networks Using Computational Tools. 2018 , 1794, 97-117	5
674	Bifunctional cross-linking approaches for mass spectrometry-based investigation of nucleic acids and protein-nucleic acid assemblies. 2018 , 144, 64-78	9
673	Gateway-Compatible Yeast One-Hybrid and Two-Hybrid Assays. 2018 , 2018,	2
672	Making the Right Choice: Critical Parameters of the Y2H Systems. 2018 , 1794, 17-28	1
671	Disruption of Protein Complexes from Weighted Complex Networks. 2020 , 17, 102-109	2
670	The Ras Recruitment System (RRS) for the Identification and Characterization of Protein-Protein Interactions. 2018 , 1794, 61-73	1
669	Characterization of the Interaction between Arginine Methyltransferase Hmt1 and Its Substrate Npl3: Use of Multiple Cross-Linkers, Mass Spectrometric Approaches, and Software Platforms. 2018 , 90, 9101-9108	12
668	An Ensemble Classifier with Random Projection for Predicting Protein Protein Interactions Using Sequence and Evolutionary Information. 2018 , 8, 89	15
667	PCLPred: A Bioinformatics Method for Predicting Protein-Protein Interactions by Combining Relevance Vector Machine Model with Low-Rank Matrix Approximation. 2018 , 19,	21
666	Strategies to Annotate and Characterize Long Noncoding RNAs: Advantages and Pitfalls. 2018, 34, 704-721	54
665	Sampling on bipartite networks: a comparative analysis of eight crawling methods. 2018, 2018, 073403	О
664	Improved flower pollination algorithm for identifying essential proteins. 2018, 12, 46	13
663	The present and the future of motif-mediated protein-protein interactions. 2018, 50, 162-170	15
662	Computational Resources for Predicting Protein-Protein Interactions. 2018 , 110, 251-275	6
661	Centromeric signaling proteins boost G1 cyclin degradation and modulate cell size in budding yeast. 2018 , 16, e2005388	1
660	ProMotE: an efficient algorithm for counting independent motifs in uncertain network topologies. 2018 , 19, 242	1

659	Role of the phosphatase Ptc1 in stress responses mediated by CWI and HOG pathways in Fusarium oxysporum. 2018 , 118, 10-20	6
658	Alignment of Protein-Protein Interaction Networks. 2019 , 997-1015	
657	Proteinprotein interactions prediction based on ensemble deep neural networks. 2019 , 324, 10-19	61
656	Protein Protein Interaction Databases. 2019, 849-855	2
655	Network-Based Analysis for Biological Discovery. 2019 , 283-291	1
654	A survey of computational methods in proteinBrotein interaction networks. 2019 , 276, 35-87	6
653	Machine-learning techniques for the prediction of proteinprotein interactions. 2019 , 44, 1	18
652	The application of degree related clustering coefficient in estimating the link predictability and predicting missing links of networks. 2019 , 29, 053135	3
651	A method for identifying protein complexes with the features of joint co-localization and joint co-expression in static PPI networks. 2019 , 111, 103333	2
650	A Ranking Based Technique to Predict Protein Complexes. 2019 ,	
649	Characteristics and Functions of the Yip1 Domain Family (YIPF), Multi-Span Transmembrane Proteins Mainly Localized to the Golgi Apparatus. 2019 , 7, 130	5
648	Protein-Protein Interactions in. 2019 , 10, 1792	5
647	Analysis of biological networks in the endothelium with biomimetic microsystem platform. 2019 , 317, L392-L401	1
646	The Methods Employed in Mass Spectrometric Analysis of Posttranslational Modifications (PTMs) and Protein-Protein Interactions (PPIs). 2019 , 1140, 169-198	12
645	Proteomics and Non-proteomics Approaches to Study Stable and Transient Protein-Protein Interactions. 2019 , 1140, 121-142	1
644	Protein interactions study through proximity-labeling. 2019 , 16, 717-726	5
643	Conceptual Evolution of Cell Signaling. 2019 , 20,	35
642	Yeast Systems Biology. 2019 ,	

641	The Mediator subunit OsMED15a is a transcriptional co-regulator of seed size/weight-modulating genes in rice. 2019 , 1862, 194432	5
640	A seed-extended algorithm for detecting protein complexes based on density and modularity with topological structure and GO annotations. 2019 , 20, 637	7
639	. 2019,	
638	PeSA: A software tool for peptide specificity analysis. 2019 , 83, 107145	5
637	The E3 ubiquitin ligase Pib1 regulates effective gluconeogenic shutdown upon glucose availability. 2019 , 294, 17209-17223	2
636	Single molecule protein patterning using hole mask colloidal lithography. 2019 , 11, 16228-16234	3
635	Protein Complex Identification and quantitative complexome by CN-PAGE. 2019 , 9, 11523	10
634	Finding Conserved Patterns in Multilayer Networks. 2019 ,	3
633	Identifying Protein Complexes from Dynamic Temporal Interval Protein-Protein Interaction Networks. 2019 , 2019, 3726721	2
632	The Dynamics of Biological Systems. 2019 ,	O
631	Bayesian dynamic modeling and monitoring of network flows. 2019 , 7, 292-318	6
630	Yeast symmetric arginine methyltransferase Hsl7 has a repressive role in transcription. 2019 , 170, 222-229	3
629	The NHR1-1 of Prs1 and the pentameric motif 284KKCPK288 of Prs3 permit multi-functionality of the PRPP synthetase in Saccharomyces cerevisiae. 2019 , 19,	O
628	Facile synthesis of 1,5-disubstituted 1,2,3-triazoles by the regiospecific alkylation of a ruthenium triazolato complex. 2019 , 48, 2028-2037	8
627	Synthesis of ruthenium triazolato complexes by the [3 + 2] cycloaddition of a ruthenium azido complex with acetylacetylenes. 2019 , 494, 232-238	4
626	Synthesis of 1,4,5-trisubstituted triazoles by [3+2] cycloaddition of a ruthenium azido complex with ynoate esters. 2019 , 896, 146-153	4
625	Chemodiversity of the Glucosinolate-Myrosinase System at the Single Cell Type Resolution. 2019 , 10, 618	25
624	Transcription Is Just the Beginning of Gene Expression Regulation: The Functional Significance of RNA-Binding Proteins to Post-transcriptional Processes in Plants. 2019 , 60, 1939-1952	12

623	Coevolution of Residues Provides Evidence of a Functional Heterodimer of 5-HTR and 5-HTR Involving Both Intracellular and Extracellular Domains. 2019 , 412, 48-59	4
622	Protein Brotein Interactions. 2019, 125-144	1
621	Role of integrative structural biology in understanding transcriptional initiation. 2019 , 159-160, 4-22	5
620	Analysis of the roles of phosphatidylinositol-4,5-phosphate and individual subunits in assembly, localization, and function of target of rapamycin complex 2. 2019 , 30, 1555-1574	7
619	Network Medicine in the Age of Biomedical Big Data. 2019 , 10, 294	65
618	Yeast centrosome components form a noncanonical LINC complex at the nuclear envelope insertion site. 2019 , 218, 1478-1490	18
617	Elucidating Genotype-to-Phenotype Relationships via Analyses of Human Tissue Interactomes. 2019 , 459-489	
616	Network-based prediction of protein interactions. 2019 , 10, 1240	156
615	iSeq 2.0: A Modular and Interchangeable Toolkit for Interaction Screening in Yeast. 2019 , 8, 338-344.e8	4
614	[New approaches for protein-protein interaction study]. 2019 , 35, 223-231	1
613	Interaction map of Arabidopsis Mediator complex expounding its topology. 2019 , 47, 3904-3920	12
612	Established and Upcoming Yeast Expression Systems. 2019 , 1923, 1-74	13
611	Can Saccharomyces cerevisiae keep up as a model system in fungal azole susceptibility research?. 2019 , 42, 22-34	9
610	DNN-PPI: A LARGE-SCALE PREDICTION OF PROTEIN B ROTEIN INTERACTIONS BASED ON DEEP NEURAL NETWORKS. 2019 , 27, 1-18	6
609	Analysis the Topological Structure of Reconstructed High-confidence Yeast PPI Network. 2019 ,	
608	A new grid- and modularity-based layout algorithm for complex biological networks. 2019 , 14, e0221620	2
607	Proteomics Research and Its Possibility of Application in Endometriosis. 2019,	1
606	Benchmarking network algorithms for contextualizing genes of interest. 2019 , 15, e1007403	4

605	Integrating network topology, gene expression data and GO annotation information for protein complex prediction. 2019 , 17, 1950001	7
604	Global analysis of protein homomerization in. 2019 , 29, 135-145	4
603	Determinants of the assembly, integrity and maintenance of the endoplasmic reticulum-peroxisome tether. 2019 , 20, 213-225	7
602	A Blueprint for Systems Biology. 2019 , 65, 342-344	3
601	The roles of cytosolic quality control proteins, SGTA and the BAG6 complex, in disease. 2019 , 114, 265-313	9
600	Protein-protein interaction network analysis of insecticide resistance molecular mechanism in Drosophila melanogaster. 2019 , 100, e21523	12
599	Septin-associated proteins Aim44 and Nis1 traffic between the bud neck and the nucleus in the yeast Saccharomyces cerevisiae. 2019 , 76, 15-32	5
598	Accurate and Efficient Calculation of Protein-Protein Binding Free Energy-Interaction Entropy with Residue Type-Specific Dielectric Constants. 2019 , 59, 272-281	18
597	An Efficient Ensemble Learning Approach for Predicting Protein-Protein Interactions by Integrating Protein Primary Sequence and Evolutionary Information. 2018 ,	20
596	Bibliography. 2019 , 497-718	1
595	Two-Dimensional Biochemical Purification for Global Proteomic Analysis of Macromolecular Protein Complexes. 2019 , 1871, 445-454	
594	Fractality of evolving self-similar networks. 2019 , 515, 211-216	10
593	A New Algorithm for Counting Independent Motifs in Probabilistic Networks. 2019 , 16, 1049-1062	3
592	Accurately Detecting Protein Complexes by Graph Embedding and Combining Functions with Interactions. 2020 , 17, 777-787	6
591	History of the Selective Autophagy Research: How Did It Begin and Where Does It Stand Today?. 2020 , 432, 3-27	55
590	Protein Complexes Identification with Family-Wise Error Rate Control. 2020 , 17, 2062-2073	5
589	A photo-cross-linking approach to monitor protein dynamics in living cells. 2020 , 1864, 129317	10
588	Identification and analysis of a principal sigma factor interacting protein SinA, essential for growth at high temperatures in a cyanobacterium Synechococcus elongatus PCC 7942. 2020 , 66, 66-72	4

(2020-2020)

587	Efficient Classification of Hot Spots and Hub Protein Interfaces by Recursive Feature Elimination and Gradient Boosting. 2020 , 17, 1525-1534	11
586	Mechanistic Insights into the Role of Atg11 in Selective Autophagy. 2020 , 432, 104-122	23
585	A comprehensive review and evaluation of computational methods for identifying protein complexes from protein-protein interaction networks. 2020 , 21, 1531-1548	22
584	Protein isoelectric point distribution in the interactomes across the domains of life. 2020 , 256, 106269	6
583	Infant Respiratory Syncytial Virus Bronchiolitis and Subsequent Risk of Pneumonia, Otitis Media, and Antibiotic Utilization. 2020 , 71, 211-214	3
582	Systematic approach to characterize the dynamics of protein adsorption on the surface of biomaterials using proteomics. 2020 , 188, 110756	13
581	Cross-linking Mass Spectrometry Analysis of the Yeast Nucleus Reveals Extensive Protein-Protein Interactions Not Detected by Systematic Two-Hybrid or Affinity Purification-Mass Spectrometry. 2020 , 92, 1874-1882	10
580	Genetics' Piece of the PI: Inferring the Origin of Complex Traits and Diseases from Proteome-Wide Protein-Protein Interaction Dynamics. 2020 , 42, e1900169	
579	Integrative Construction and Analysis of Molecular Association Network in Human Cells by Fusing Node Attribute and Behavior Information. 2020 , 19, 498-506	12
578	In silico analysis of functional linkage among arsenic induced MATE genes in rice. 2020 , 26, e00390	3
577	UniProt-Related Documents (UniReD): assisting wet lab biologists in their quest on finding novel counterparts in a protein network. 2020 , 2, lqaa005	3
576	HIF-1a regulates hypoxia-induced autophagy via translocation of ANKRD37 in colon cancer. 2020 , 395, 112175	13
575	Inference of Protein-Protein Interaction Networks from Liquid-Chromatography Mass-Spectrometry Data by Approximate Bayesian Computation-Sequential Monte Carlo Sampling. 2020 ,	
574	Distributed voting in beep model. 2020 , 177, 107732	O
573	Predicted yeast interactome and network-based interpretation of transcriptionally changed genes. 2020 , 37, 573-583	О
572	A Systems View of the Genome Guardians: Mapping the Signaling Circuitry Underlying Oligonucleotide/Oligosaccharide-Binding Fold Proteins. 2020 , 24, 518-530	2
571	SWR1-Independent Association of H2A.Z to the LINC Complex Promotes Meiotic Chromosome Motion. 2020 , 8, 594092	3
570	Identifying Important Nodes in Bio-Molecular Networks. 2020, 315-396	

569 Statistical Analysis of Functional Genes in Human PPI Networks. **2020**, 397-426

568	Modeling and Analysis of Bio-molecular Networks. 2020 ,	1
567	Reconstruction of Bio-molecular Networks. 2020 , 53-105	
566	Data-Driven Statistical Approaches for Omics Data Analysis. 2020 , 429-459	
565	Applications and advancements of FT-ICR-MS for interactome studies. 2020,	3
564	An F-Box Protein, Mdm30, Interacts with TREX Subunit Sub2 To Regulate Cellular Abundance Cotranscriptionally in Orchestrating mRNA Export Independently of Splicing and Mitochondrial Function. 2020 , 40,	3
563	Construction, comparison and evolution of networks in life sciences and other disciplines. 2020 , 17, 20190610	9
562	Protein interaction networks. 2020 , 133-166	
561	RPS28B mRNA acts as a scaffold promoting cis-translational interaction of proteins driving P-body assembly. 2020 , 48, 6265-6279	14
560	A heterodimeric SNX4SNX7 SNX-BAR autophagy complex coordinates ATG9A trafficking for efficient autophagosome assembly. 2020 , 133,	8
559	NAIGO: An Improved Method to Align PPI Networks Based on Gene Ontology and Graphlets. 2020 , 8, 547	1
558	CoRNeA: A Pipeline to Decrypt the Inter-Protein Interfaces from Amino Acid Sequence Information. 2020 , 10,	1
557	Computational Systems Analysis on Polycystic Ovarian Syndrome (PCOS). 2020,	1
556	Prediction of Protein-Protein Interactions with Local Weight-Sharing Mechanism in Deep Learning. 2020 , 2020, 5072520	2
555	PlaPPISite: a comprehensive resource for plant protein-protein interaction sites. 2020 , 20, 61	12
554	Targeted Identification of Protein Interactions in Eukaryotic mRNA Translation. 2020 , 20, e1900177	
553	The mammalian two-hybrid system as a powerful tool for high-throughput drug screening. 2020 , 25, 764-771	2
552	Orienting Conflicted Graph Edges Using Genetic Algorithms to Discover Pathways in Protein-Protein Interaction Networks. 2021 , 18, 1970-1985	6

551	CRISPR-addressable yeast strains with applications in human G protein-coupled receptor profiling and synthetic biology. 2020 , 295, 8262-8271	5
550	Pan-interactomics and its applications. 2020 , 397-435	
549	An integrated method for identifying essential proteins from multiplex network model of protein-protein interactions. 2020 , 18, 2050020	2
548	Molecular basis of SMAC-XIAP binding and the effect of electrostatic polarization. 2021 , 39, 743-752	5
547	Genome-wide interologous interactome map (TeaGPIN) of Camellia sinensis. 2021, 113, 553-564	2
546	Identification of Putative Interactors of Arabidopsis Sugar Transporters. 2021, 26, 13-22	4
545	Using Interactome Big Data to Crack Genetic Mysteries and Enhance Future Crop Breeding. 2021 , 14, 77-94	9
544	Computational Methods for Protein P rotein Interaction Network Alignment. 2021 , 45-63	
543	Prediction, Analysis, Visualization, and Storage of Protein P rotein Interactions Using Computational Approaches. 2021 , 265-346	
542	Classification and prediction of protein-protein interaction interface using machine learning algorithm. 2021 , 11, 1761	15
541	Pattern discovery in multilayer networks. 2021 , PP,	1
540	Variation in Pleiotropic Hub Gene Expression Is Associated with Interspecific Differences in Head Shape and Eye Size in Drosophila. 2021 , 38, 1924-1942	6
539	Protein-Protein Interaction Prediction Based on Spectral Radius and General Regression Neural Network. 2021 , 20, 1657-1665	3
538	Analysing the yeast complexome-the Complex Portal rising to the challenge. 2021, 49, 3156-3167	1
537	Regulation of zinc homeostatic genes by environmental pH in the filamentous fungus Aspergillus fumigatus. 2021 ,	1
536	A survey on computational models for predicting protein-protein interactions. 2021 , 22,	22
535	Computationally reconstructed interactome of Bradyrhizobium diazoefficiens USDA110 reveals novel functional modules and protein hubs for symbiotic nitrogen fixation.	
534	Binary Interactome Models of Inner- Versus Outer-Complexome Organization.	O

533	A SARS-CoV-2 (COVID-19) biological network to find targets for drug repurposing. 2021 , 11, 9378	6
532	Biogenesis of RNA Polymerases in Yeast. 2021 , 8, 669300	4
531	Fluorescence resonance energy transfer in revealing protein-protein interactions in living cells. 2021 , 5, 49-59	
530	Peptide array-based interactomics. 2021 , 413, 5561-5566	3
529	Constraint-based models for dominating protein interaction networks. 2021 , 15, 148-162	1
528	Sea Turtle Facial Recognition Using Map Graphs of Scales.	
527	Protein-fragment complementation assays for large-scale analysis of protein-protein interactions. 2021 , 49, 1337-1348	2
526	Network-based analysis of virulence factors for uncovering Aeromonas veronii pathogenesis. 2021 , 21, 188	1
525	Predicting trait phenotypes from knowledge of the topology of gene networks.	
524	Quantitative characterisation of low abundant yeast mitochondrial proteins reveals compensation for haplo-insufficiency in different environments.	
523	-Based Dual-Layered Biological Network Analysis Elucidates Fully Modulated Pathways Related to Sugarcane Resistance on Biotrophic Pathogen Infection. 2021 , 12, 707904	
522	Identification of regeneration-involved growth factors in cartilage engineering procedure promotes its reconstruction. 2021 , 16, 719-731	1
521	The PilB-PilZ-FimX regulatory complex of the Type IV pilus from Xanthomonas citri. 2021 , 17, e1009808	0
520	Leveraging Experimental Strategies to Capture Different Dimensions of Microbial Interactions. 2021 , 12, 700752	O
519	Yeast Nst1 is a novel component of P-bodies and is a specific suppressor of proteasome base assembly defects. 2021 , 32, ar6	0
518	Uncovering de novo gene birth in yeast using deep transcriptomics. 2021 , 12, 604	13
517	Mapping Myofibrillar Protein Interactions by Mutational Proteomics. 2006 , 270-283	1
516	Proteomics Today, Proteomics Tomorrow. 2004 , 1-17	3

515	THE ARCHITECTURE OF COMPLEXITY: FROM WWW TO CELLULAR METABOLISM. 2006 , 107-125	О
514	Prokaryotic Systems Biology. 2007 , 395-423	1
513	Towards an Integrated Protein-Protein Interaction Network. 2005 , 14-30	1
512	Gene Network: Model, Dynamics and Simulation. 2005 , 12-21	6
511	Finding Exact and Maximum Occurrences of Protein Complexes in Protein-Protein Interaction Graphs. 2005 , 328-339	3
510	Prediction of Protein Complexes Based on Protein Interaction Data and Functional Annotation Data Using Kernel Methods. 2006 , 514-524	1
509	Using a Stochastic AdaBoost Algorithm to Discover Interactome Motif Pairs from Sequences. 2006 , 622-630	2
508	Property-Driven Statistics of Biological Networks. 2006 , 1-15	1
507	Comparative Analysis of Classification Methods for Protein Interaction Verification System. 2006, 227-236	2
506	Yeast functional genomics and metabolic engineering: past, present and future. 2003, 331-360	2
505	Protein array technology: the tool to bridge genomics and proteomics. 2002 , 77, 103-12	8
504	Detection of topological patterns in protein networks. 2004 , 26, 33-47	5
503	Encyclopedia of Complexity and Systems Science. 2009 , 719-741	5
502	Surface Plasmon Resonance Biosensing in the Study of Ternary Systems of Interacting Proteins. 2007 , 97-141	4
501	Molecular interaction network of the Hsp90 chaperone system. 2007 , 594, 27-36	60
500	Measurements of Protein-DNA Complexes Interactions by Isothermal Titration Calorimetry (ITC) and Microscale Thermophoresis (MST). 2021 , 2247, 125-143	4
499	From protein-protein complexes to interactomics. 2007 , 43, 135-83	16
498	Predictions of Protein-Protein Interactions at the Atomic Scale. 2007 , 1-20	1

497	Analysis of E. coli Network. 2009 , 113-132	1
496	Finding Functional Modules. 2010 , 253-273	1
495	Sumoylation as a signal for polyubiquitylation and proteasomal degradation. 2010 , 54, 195-214	51
494	Molecular systems biology of Sic1 in yeast cell cycle regulation through multiscale modeling. 2012 , 736, 135-67	4
493	Topological Characteristics of Molecular Networks. 2012 , 15-48	4
492	Application of Random Matrix Theory to Analyze Biological Data. 2011 , 711-732	2
491	Mapping Metabolomic Quantitative Trait Loci (mQTL): A Link Between Metabolome-Wide Association Studies and Systems Biology. 2012 , 233-254	1
490	Computational approaches for human disease gene prediction and ranking. 2014 , 799, 69-84	13
489	Omics Approaches to Macrophage Biology. 2014 , 587-615	1
488	Mapping biochemical networks with protein fragment complementation assays. 2015 , 1278, 467-81	13
487	Protein-protein interactions: the yeast two-hybrid system. 2008 , 451, 421-39	9
486	Inferring protein-protein interactions from multiple protein domain combinations. 2009 , 541, 43-59	15
485	Prediction of protein-protein interactions: a study of the co-evolution model. 2009, 541, 61-88	6
484	Computational reconstruction of protein-protein interaction networks: algorithms and issues. 2009 , 541, 89-100	13
483	Native fractionation: isolation of native membrane-bound protein complexes from porcine rod outer segments using isopycnic density gradient centrifugation. 2008 , 484, 161-75	2
482	PRISM: protein-protein interaction prediction by structural matching. 2008 , 484, 505-21	60
481	What can we learn from highly connected beta-rich structures for structural interface design?. 2008 , 474, 235-53	2
480	High throughput screening of purified proteins for enzymatic activity. 2008 , 426, 331-41	16

	Protein Engineering. 2008 , 587-629	2
478	Discrete dynamic modeling with asynchronous update, or how to model complex systems in the absence of quantitative information. 2009 , 553, 207-25	25
477	Clone-based functional genomics. 2009 , 553, 141-77	2
476	Sequential peptide affinity purification system for the systematic isolation and identification of protein complexes from Escherichia coli. 2009 , 564, 373-400	32
475	The evolution of protein interaction networks. 2011 , 696, 273-89	3
474	High-throughput analyses and curation of protein interactions in yeast. 2011 , 759, 381-406	5
473	Contributions of Saccharomyces cerevisiae to understanding mammalian gene function and therapy. 2011 , 759, 501-23	12
472	Matrix-based yeast two-hybrid screen strategies and comparison of systems. 2012 , 812, 1-20	4
471	The integration and annotation of the human interactome in the UniHI Database. 2012 , 812, 175-88	2
470	Array-based yeast two-hybrid screens: a practical guide. 2012 , 812, 21-38	3
469	High-throughput yeast two-hybrid screening. 2012 , 812, 39-61	8
469	High-throughput yeast two-hybrid screening. 2012 , 812, 39-61 A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery. 2012 , 812, 63-87	8
. ,	A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery.	
468	A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery. 2012 , 812, 63-87	16
468	A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery. 2012 , 812, 63-87 Expanding the conformational selection paradigm in protein-ligand docking. 2012 , 819, 59-74	16 10
468 467 466	A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery. 2012, 812, 63-87 Expanding the conformational selection paradigm in protein-ligand docking. 2012, 819, 59-74 Topological and Dynamical Properties of Protein Interaction Networks. 2008, 115-137	16 10 1
468 467 466 465	A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery. 2012, 812, 63-87 Expanding the conformational selection paradigm in protein-ligand docking. 2012, 819, 59-74 Topological and Dynamical Properties of Protein Interaction Networks. 2008, 115-137 Cross-Species Analysis of Protein-protein Interaction Networks. 2008, 163-185	16 10 1

461	Identifying Spurious Interactions in the Protein-Protein Interaction Networks Using Local Similarity Preserving Embedding. 2014 , 138-148	3
460	Socio-Economic Inequalities: A Statistical Physics Perspective. 2015 , 287-324	7
459	Prediction of Implicit Protein-Protein Interaction by Optimal Associative Feature Mining. 2004, 85-91	4
458	Adaptive Neural Network-Based Clustering of Yeast Protein Protein Interactions. 2004, 49-57	3
457	A Hierarchical Clustering Strategy and Its Application to Proteomic Interaction Data. 2003 , 62-69	3
456	Improved Duplication Models for Proteome Network Evolution. 2005 , 119-137	4
455	Decomposition of Overlapping Protein Complexes: A Graph Theoretical Method for Analyzing Static and Dynamic Protein Associations. 2005 , 23-38	4
454	Toward Understanding the Structure and Function of Cellular Interaction Networks. 2008 , 239-275	1
453	Combining One-Class Classification Models Based on Diverse Biological Data for Prediction of Protein-Protein Interactions. 2008 , 177-191	1
452	Combining Molecular and Physiological Data of Complex Disorders. 2008 , 362-376	1
451	Gene Regulatory Network Modeling: A Data Driven Approach. 2007 , 247-281	2
450	Reconstructing the Topology of Protein Complexes. 2007, 32-46	4
449	Probabilistic Paths for Protein Complex Inference. 2007 , 14-28	2
448	Structure Determination of Macromolecular Complexes by Experiment and Computation. 2008, 73-96	1
447	Interactomics. 2010 , 4407-4428	2
446	Detection of Protein Complexes in Protein Interaction Networks Using n-Clubs. 2008 , 153-164	15
445	Bootstrapping the Interactome: Unsupervised Identification of Protein Complexes in Yeast. 2008, 3-16	27
444	Fast and Accurate Alignment of Multiple Protein Networks. 2008 , 246-256	28

443	Introduction to Complex Networks. 2009 , 1-11	5
442	Integrative Neural Network Approach for Protein Interaction Prediction from Heterogeneous Data. 2008 , 532-539	3
441	Prediction of Protein Functions from Protein Interaction Networks: A NaMe Bayes Approach. 2008 , 788-798	5
440	A Hybrid Rule-Induction/Likelihood-Ratio Based Approach for Predicting Protein-Protein Interactions. 2009 , 623-637	2
439	Protein Function Prediction Based on Neighborhood Profiles. 2010 , 125-134	1
438	Essential Proteins Discovery from Weighted Protein Interaction Networks. 2010 , 89-100	22
437	Metric Labeling and Semi-metric Embedding for Protein Annotation Prediction. 2011, 392-407	5
436	Prediction of E.coli Protein-Protein Interaction Sites Using Inter-Residue Distances and High-Quality-Index Features. 2012 , 837-844	1
435	Structural Pattern Discovery in Protein B rotein Interaction Networks. 2014 , 375-398	3
434	A Novel Approach to Modelling Protein-Protein Interaction Networks. 2012 , 49-57	2
433	Robust Community Detection Methods with Resolution Parameter for Complex Detection in Protein Protein Interaction Networks. 2012 , 1-13	5
432	Metabolic Dissipative Structures. 2014 , 179-211	6
431	A SVM-Based System for Predicting Protein-Protein Interactions Using a Novel Representation of Protein Sequences. 2013 , 629-637	11
430	Genetic resistance to Marek's disease. 2001 , 255, 121-41	68
429	Construction and prediction of protein-protein interaction maps. 2002 , 191-220	2
428	Graph-based analysis of metabolic networks. 2002 , 245-74	19
427	Genomics for Fungi. 2001 , 267-297	9
426	The Use of Proteinprotein Interaction Networks for Genome Wide Protein Function Comparisons and Predictions. 2004 , 103-124	3

425	Theory of Random Networks and Their Role in Communications Networks. 2004 , 69-92	1
424	The Topological Profile of a Model of Protein Network Evolution Can Direct Model Improvement. 2015 , 40-52	1
423	Mechanism of Yeast Adaptation to Weak Organic Acid Stress. 2015 , 107-121	1
422	Evolvability and Self-Replication of Genetic Information in Liposomes. 2011 , 275-287	2
421	Proteomics Defines Protein Interaction Network of Signaling Pathways. 2013 , 17-38	1
420	DNA microarrays for functional plant genomics. 2001 , 99-118	5
419	Crosstalk of promoter and terminator during RNA polymerase II transcription cycle. 2020 , 1863, 194657	6
418	MicroRNA epigenetic systems and cancer. 134-153	1
417	Big biology: The 'omes puzzle. <i>Nature</i> , 2013 , 494, 416-9	47
416	The function of KptA/Tpt1 gene - a minor review. 2020 , 47, 577-591	1
415	The Pex3-Inp1 complex tethers yeast peroxisomes to the plasma membrane. 2020 , 219,	4
414	Scale-Free Networks. 2007,	568
413	Graph structures: communities. 2007 , 34-59	1
412	Scale-invariance. 2007 , 60-83	1
411	idenPC-CAP: Identify protein complexes from weighted RNA-protein heterogeneous interaction networks using co-assemble partner relation. 2021 , 22,	4
410	A novel functional domain of Cdc15 kinase is required for its interaction with Tem1 GTPase in Saccharomyces cerevisiae. 2001 , 157, 1437-50	45
409	Novel role for a Saccharomyces cerevisiae nucleoporin, Nup170p, in chromosome segregation. 2001 , 157, 1543-53	38
408	Multiple functional interactions between components of the Lsm2-Lsm8 complex, U6 snRNA, and the yeast La protein. 2001 , 158, 187-96	57

407	Probabilistic prediction of unknown metabolic and signal-transduction networks. 2001 , 159, 1291-8	32
406	Evidence that the pre-mRNA splicing factor Clf1p plays a role in DNA replication in Saccharomyces cerevisiae. 2002 , 160, 1319-33	15
405	Ady3p links spindle pole body function to spore wall synthesis in Saccharomyces cerevisiae. 2002 , 160, 1439-50	35
404	IBD2 encodes a novel component of the Bub2p-dependent spindle checkpoint in the budding yeast Saccharomyces cerevisiae. 2002 , 161, 595-609	4
403	A novel yeast silencer. the 2mu origin of Saccharomyces cerevisiae has HST3-, MIG1- and SIR-dependent silencing activity. 2002 , 162, 59-71	26
402	A genomics-based screen for yeast mutants with an altered recombination/end-joining repair ratio. 2002 , 162, 677-88	46
401	Genetic interactions with CLF1 identify additional pre-mRNA splicing factors and a link between activators of yeast vesicular transport and splicing. 2003 , 164, 895-907	42
400	Yeast Nap1-binding protein Nbp2p is required for mitotic growth at high temperatures and for cell wall integrity. 2003 , 165, 517-29	20
399	A Synthetic Lethal Screen Identifies a Role for the Cortical Actin Patch/Endocytosis Complex in the Response to Nutrient Deprivation in Saccharomyces cerevisiae. 2004 , 166, 707-719	7
398	Identification of Edc3p as an Enhancer of mRNA Decapping in Saccharomyces cerevisiae. 2004 , 166, 729-739	17
398 397	Identification of Edc3p as an Enhancer of mRNA Decapping in Saccharomyces cerevisiae. 2004 , 166, 729-739 Functional analysis of the Saccharomyces cerevisiae DUP240 multigene family reveals membrane-associated proteins that are not essential for cell viability. 2002 , 148, 2111-2123	17
	Functional analysis of the Saccharomyces cerevisiae DUP240 multigene family reveals	, , ,
397	Functional analysis of the Saccharomyces cerevisiae DUP240 multigene family reveals membrane-associated proteins that are not essential for cell viability. 2002 , 148, 2111-2123 Dynamic sporulation gene co-expression networks for Bacillus subtilis 168 and the food-borne	13
397	Functional analysis of the Saccharomyces cerevisiae DUP240 multigene family reveals membrane-associated proteins that are not essential for cell viability. 2002 , 148, 2111-2123 Dynamic sporulation gene co-expression networks for Bacillus subtilis 168 and the food-borne isolate Bacillus amyloliquefaciens: a transcriptomic model. 2018 , 4, A heterodimeric SNX4:SNX7 SNX-BAR autophagy complex coordinates ATG9A trafficking for	13
397 396 395	Functional analysis of the Saccharomyces cerevisiae DUP240 multigene family reveals membrane-associated proteins that are not essential for cell viability. 2002 , 148, 2111-2123 Dynamic sporulation gene co-expression networks for Bacillus subtilis 168 and the food-borne isolate Bacillus amyloliquefaciens: a transcriptomic model. 2018 , 4, A heterodimeric SNX4:SNX7 SNX-BAR autophagy complex coordinates ATG9A trafficking for efficient autophagosome assembly. SWR1-independent association of H2A.Z to the LINC complex promotes meiotic chromosome	13 3 1
397 396 395 394	Functional analysis of the Saccharomyces cerevisiae DUP240 multigene family reveals membrane-associated proteins that are not essential for cell viability. 2002, 148, 2111-2123 Dynamic sporulation gene co-expression networks for Bacillus subtilis 168 and the food-borne isolate Bacillus amyloliquefaciens: a transcriptomic model. 2018, 4, A heterodimeric SNX4:SNX7 SNX-BAR autophagy complex coordinates ATG9A trafficking for efficient autophagosome assembly. SWR1-independent association of H2A.Z to the LINC complex promotes meiotic chromosome motion.	13 3 1
397 396 395 394 393	Functional analysis of the Saccharomyces cerevisiae DUP240 multigene family reveals membrane-associated proteins that are not essential for cell viability. 2002, 148, 2111-2123 Dynamic sporulation gene co-expression networks for Bacillus subtilis 168 and the food-borne isolate Bacillus amyloliquefaciens: a transcriptomic model. 2018, 4, A heterodimeric SNX4:SNX7 SNX-BAR autophagy complex coordinates ATG9A trafficking for efficient autophagosome assembly. SWR1-independent association of H2A.Z to the LINC complex promotes meiotic chromosome motion. Analysing the Yeast Complexome - The Complex Portal rising to the challenge.	13 3 1 1

389	Genomic perspective and cancer. 2003 , 68, 417-24	O
388	Harvesting the genome's bounty: integrative genomics. 2003 , 68, 431-43	8
387	Printing proteins as microarrays for high-throughput function determination. 2000 , 289, 1760-3	2033
386	Cations (Zn, Fe). 107-129	2
385	Functional Genomic Approaches to Fungal Pathogenesis, Drug Target Validation, and Antifungal Drug Discovery. 627-642	1
384	Systems biology analyses of gene expression and genome wide association study data in obstructive sleep apnea. 2011 , 14-25	21
383	Computational Prediction of Protein Complexes from Protein Interaction Networks. 2017,	11
382	Constructing Reliable Protein-Protein Interaction (PPI) Networks. 2017 , 15	1
381	Conservation of the COP9/signalosome in budding yeast. 2002 , 3, 15	57
380	Protein Biochips and Array-Based Proteomics. 2003 , 1-80	3
379	Protein Interaction Networks. 2009 , 135-145	3
378	The G(2) DNA damage checkpoint targets both Wee1 and Cdc25. 2000 , 113, 1727-1736	109
377	The interface of receptor trafficking and signalling. 2001 , 114, 3075-3081	102
376	Essential functions of Sds22p in chromosome stability and nuclear localization of PP1. 2002 , 115, 195-206	44
375	Nuclear Translocation of a Pre-mRNA Splicing Factor, p100prp1/zer1/prp6, in Mouse 1-cell Embryos 2002 , 48, 257-263	1
374	Predicting essential components of signal transduction networks: a dynamic model of guard cell abscisic acid signaling. 2006 , 4, e312	296
373	Stratus not altocumulus: a new view of the yeast protein interaction network. 2006 , 4, e317	157
372	Tuberculosis drug resistance mutation database. 2009 , 6, e2	396

371	Genome-wide analysis of nucleotide-level variation in commonly used Saccharomyces cerevisiae strains. 2007 , 2, e322	88
370	Metabolome based reaction graphs of M. tuberculosis and M. leprae: a comparative network analysis. 2007 , 2, e881	34
369	Hubs with network motifs organize modularity dynamically in the protein-protein interaction network of yeast. 2007 , 2, e1207	40
368	Non-uniform survival rate of heterodimerization links in the evolution of the yeast protein-protein interaction network. 2008 , 3, e1667	9
367	Mapping genetically compensatory pathways from synthetic lethal interactions in yeast. 2008, 3, e1922	36
366	Generation and validation of a Shewanella oneidensis MR-1 clone set for protein expression and phage display. 2008 , 3, e2983	15
365	Influence of protein abundance on high-throughput protein-protein interaction detection. 2009, 4, e5815	37
364	Large-scale assessment of the effect of popularity on the reliability of research. 2009 , 4, e5996	16
363	Accounting for redundancy when integrating gene interaction databases. 2009 , 4, e7492	4
362	Exploiting amino acid composition for predicting protein-protein interactions. 2009, 4, e7813	47
361	Novel protein-protein interactions inferred from literature context. 2009 , 4, e7894	37
360	Protein networks reveal detection bias and species consistency when analysed by information-theoretic methods. 2010 , 5, e12083	19
359	A genome-wide gene function prediction resource for Drosophila melanogaster. 2010 , 5, e12139	16
358	The metabolic core and catalytic switches are fundamental elements in the self-regulation of the systemic metabolic structure of cells. 2011 , 6, e27224	9
357	Network compression as a quality measure for protein interaction networks. 2012 , 7, e35729	13
356	AlignNemo: a local network alignment method to integrate homology and topology. 2012, 7, e38107	73
355	Simulated evolution of protein-protein interaction networks with realistic topology. 2012 , 7, e39052	13
354	An anilinoquinazoline derivative inhibits tumor growth through interaction with hCAP-G2, a subunit of condensin II. 2012 , 7, e44889	11

353	Predicting the binding patterns of hub proteins: a study using yeast protein interaction networks. 2013 , 8, e56833	8
352	Prediction of heterodimeric protein complexes from weighted protein-protein interaction networks using novel features and kernel functions. 2013 , 8, e65265	13
351	Development of ultra-high-density screening tools for microbial "omics". 2014 , 9, e85177	22
350	An in vivo photo-cross-linking approach reveals a homodimerization domain of Aha1 in S. cerevisiae. 2014 , 9, e89436	12
349	Exploring function prediction in protein interaction networks via clustering methods. 2014, 9, e99755	11
348	Parallel force assay for protein-protein interactions. 2014 , 9, e115049	6
347	Comparison of Gene Coexpression Profiles and Construction of Conserved Gene Networks to Find Functional Modules. 2015 , 10, e0132039	6
346	Multiple-Localization and Hub Proteins. 2016 , 11, e0156455	20
345	Characterization of the Drosophila BEAF-32A and BEAF-32B Insulator Proteins. 2016, 11, e0162906	5
344	Evolution of protein-protein interaction networks in yeast. 2017 , 12, e0171920	13
343	Yeast as a Heterologous Model System to Uncover Type III Effector Function. 2016 , 12, e1005360	
	reast as a frecerologous Moder System to oncover Type III Effector Function. 2010, 12, e1003300	23
342	Putting together and taking apart: assembly and disassembly of the Rad51 nucleoprotein filament in DNA repair and genome stability. 2018 , 2, 96-112	5
34 ²	Putting together and taking apart: assembly and disassembly of the Rad51 nucleoprotein filament	
	Putting together and taking apart: assembly and disassembly of the Rad51 nucleoprotein filament in DNA repair and genome stability. 2018 , 2, 96-112 Synonymous mutations in oncogenesis and apoptosis versus survival unveiled by network	5
341	Putting together and taking apart: assembly and disassembly of the Rad51 nucleoprotein filament in DNA repair and genome stability. 2018 , 2, 96-112 Synonymous mutations in oncogenesis and apoptosis versus survival unveiled by network modeling. 2016 , 7, 34599-616 Prediction of interacting proteins from homology-modeled complex structures using sequence and	9
34 ¹ 34 ⁰	Putting together and taking apart: assembly and disassembly of the Rad51 nucleoprotein filament in DNA repair and genome stability. 2018 , 2, 96-112 Synonymous mutations in oncogenesis and apoptosis versus survival unveiled by network modeling. 2016 , 7, 34599-616 Prediction of interacting proteins from homology-modeled complex structures using sequence and structure scores. 2007 , 3, 13-26	596
34 ¹ 34 ⁰ 339	Putting together and taking apart: assembly and disassembly of the Rad51 nucleoprotein filament in DNA repair and genome stability. 2018, 2, 96-112 Synonymous mutations in oncogenesis and apoptosis versus survival unveiled by network modeling. 2016, 7, 34599-616 Prediction of interacting proteins from homology-modeled complex structures using sequence and structure scores. 2007, 3, 13-26 Analysis of Protein-Protein Interaction Networks through Computational Approaches. 2020, 27, 265-278 Mapping of Protein-Protein Interactions: Web-Based Resources for Revealing Interactomes. 2019,	5 9 6

335	Decoding Protein-protein Interactions: An Overview. 2020 , 20, 855-882	5
334	Function Analysis of Human Protein Interactions Based on a Novel Minimal Loop Algorithm. 2019 , 14, 164-173	5
333	Combining Sequence Entropy and Subgraph Topology for Complex Prediction in Protein Protein Interaction (PPI) Network. 2019 , 14, 516-523	6
332	Display of E. coli Alkaline Phosphatase pIII or pVIII Fusions on Phagemid Surfaces Reveals Monovalent Decoration with Active Molecules. 2008 , 2, 38-43	1
331	Using DNA microarrays to study host-microbe interactions. 2000 , 6, 513-25	156
330	Defining an Embedded Code for Protein Ubiquitination. 2009 , 2, 316	29
329	Large Scale Chemical Cross-linking Mass Spectrometry Perspectives. 2013 , 6, 001	13
328	Protein-protein interaction networks: from interactions to networks. 2004 , 37, 45-52	35
327	From the sequence to cell modeling: comprehensive functional genomics in Escherichia coli. 2004 , 37, 83-92	26
326	Yeast as a touchstone in post-genomic research: strategies for integrative analysis in functional genomics. 2004 , 37, 93-106	46
325	Predicting conformation of protein complexes by determining statistically significant domain-domain interactions. 2009 , 26, 495-501	1
324	Identification of histone deacetylase 1 protein complexes in liver cancer cells. 2013, 14, 915-21	21
323	Molecular architecture of the yeast Mediator complex. 2015 , 4,	107
322	A computational interactome and functional annotation for the human proteome. 2016 , 5,	44
321	A large accessory protein interactome is rewired across environments. 2020 , 9,	7
320	Hub-Based Reliable Gene Expression Algorithm toClassify ER+ and ER- Breast Cancer Subtypes. 2013 , 20-26	1
319	Hsp90 interaction networks in fungi-tools and techniques. 2021 , 21,	О
318	The New Omics Era into Systems Approaches: What Is the Importance of Separation Techniques?. 2021 , 1336, 1-15	

317	Study of interaction between Papaya ringspot virus coat protein and infected Carica papaya proteins. 2021 , 16, 474-480	0
316	Structures of core eukaryotic protein complexes.	7
315	Quantitative FRET (qFRET) Technology for the Determination of Protein-Protein Interaction Affinity in Solution. 2021 , 26,	1
314	The androgen receptor depends on ligand-binding domain dimerization for transcriptional activation. 2021 , 22, e52764	4
313	InterDB, a Prediction-Oriented Protein Interaction Database for C. elegans. 2001, 135-146	
312	High Density DNA and Protein Arrays, Generation and Applications. 2001, 195-202	
311	The Berlin "protein structure factory" initiative: a technology-oriented approach to structural genomics. 2001 , 101-21	
310	Genomics/Functional Proteomics for Identi.cation of New Targets. 2001,	
309	The ATCG of Drug Discovery. 2001 ,	
308	Human genome project: past, present, future. 2002 , 1-9	1
307	A Mobile System for Extracting and Visualizing Protein-Protein Interactions. 2002, 47-56	
306	Antifungal Target Discovery and Evaluation. 2002 , 155-166	
305	Cell-Wall Beta-Glucans of Saccharomyces cerevisiae. 2002,	1
304	Industrial Strategies for the Discovery of Bioactive Compounds from Plants. 2002,	
303	Downstream Signaling Pathways: Modular Interactions. 2003 , 471-474	
302	Visualization of Protein-Protein Interaction Networks Using Force-Directed Layout. 2003 , 190-199	O
301	Functional Genomics and Proteomics: Basics, Opportunities and Challenges. 2003, 39-66	1
300	STYX/Dead-Phosphatases. 2003, 741-747	1

(2004-2003)

299	Peptide Recognition Module Networks: Combining Phage Display with Two-Hybrid Analysis to Define Protein-Protein Interactions. 2003 , 311-315	
298	Computational Genomics: Prediction of Protein Functional Linkages and Networks. 2003 , 15-19	
297	Protein Interaction Mapping by Coprecipitation and Mass Spectrometric Identification. 2003, 295-300	
296	Approach of the functional evolution of duplicated genes in Saccharomyces cerevisiae using a new classification method based on protein-protein interaction data. 2003 , 213-224	
295	Bioinformatik. 2003 , 143-212	O
294	Acquiring a New Viewpoint. 2003,	
293	Genomics of Bacterial Pathogens. 2003 , 9-25	
292	Forward and Reverse Proteomics. 2003 , 255-276	
291	Dynamic Visualization of Expressed Gene Networks. 2003 , 277-298	
290	Evolution in Saccharomyces cerevisiae: identification of mutations increasing fitness in laboratory populations. 2003 , 165, 975-83	23
289	Prediction of Protein Functions Using Protein Interaction Data. 2004, 317-324	
288	Ste24 protease. 2004 , 460-465	1
287	The path in fungal plant pathogenicity: many opportunities to outwit the intruders?. 2004 , 26, 175-223	
286	Protein Expression Library Resources for Proteome Studies. 2004 , 287-304	2
286 285	Protein Expression Library Resources for Proteome Studies. 2004, 287-304 Target discovery and validation. 2004, 19-46	2
		2
285	Target discovery and validation. 2004, 19-46 BioPubMiner: Machine Learning Component-Based Biomedical Information Analysis Platform. 2004	2

281	Structural bioinformatics in post-genomic era. 2004 , 20, 78-91
280	Growing Biochemical Networks: Identifying the Intrinsic Properties. 2005 , 864-873
279	Predictive Model for Protein Function Using Modular Neural Approach. 2005, 400-409
278	The Specificity of Topology of the Protein-Protein Interactions in Yeast and Its Biological Characteristics. 2005 , 53, 137-141
277	Proteomics. 2005 , 83-146
276	Proteomics. 2005 , 413-440
275	Application of Proteomics in Basic Biological Sciences and Cancer. 2005 , 263-288
274	Phosphatidylinositol 4-kinase, type III, alpha.
273	MICROARRAYS. 2006 , 37-82
272	Prediction of Protein Interaction with Neural Network-Based Feature Association Rule Mining. 2006, 30-39
271	Towards Detecting Protein Complexes from Protein Interaction Data. 2006 , 734-741
270	Identifying the Modular Structures in Protein Interaction Networks. 2006, 757-767
269	Genomic and Post- Genomic Tools for Studying Synapse Biology. 2006 , 279-306
268	Protein-Protein Interaction Maps.
267	Protein-Protein Interaction Reliability Enhancement System based on Feature Selection and Classification Technique. 2006 , 13B, 679-688
266	Networks Regulating Networks: The Effects of Constraints on Topological Evolution. 2007, 956-965
265	Comparison of Protein-Protein Interaction Confidence Assignment Schemes. 2007 , 39-50
264	Financial networks. 2007 , 231-250

(2008-2007)

Geophysical networks. 2007, 148-166 263 Introduction to graphs. 2007, 7-33 262 Networks in the cell. 2007, 131-147 261 Introduction. 2007, 1-4 260 Technological networks: Internet and WWW. 2007, 185-210 259 The origin of power-law functions. 2007, 84-102 258 Graph generating models. 2007, 103-128 257 Ecological networks. 2007, 167-184 256 Social and cognitive networks. 2007, 211-230 255 Interaction Networks of Proteins. 254 Integrating information from existing databases for enhanced function annotation of genes, 253 genomes and networks. 2007, 2, 132-4 High-Throughput Screening of Protein Interaction Networks in the TGFInteractome: Understanding the Signaling Mechanisms Driving Tumor Progression. 2008, 265-284 Advances in Human Protein Interactome Inference. 2008, 89-94 251 Topological Metrics in Blast Data Mining: Plasmid and Nitrogen-Fixing Proteins Case Studies. 2008, 207-220 250 Inferring ancestral protein interaction networks. 2008, 452, 417-30 249 248 Protein Protein Interactions. 1 Sequence and Genome Bioinformatics. 1812-1844 247 Analysis of Essential Proteins in Protein-Protein Interaction Networks. 2008, 8, 74-81 246

245	Encyclopedia of Complexity and Systems Science. 2009 , 3964-3985
244	Protein Interactions and Diseases. 2009 , 694-713
243	Scale-Free Networks Emerged in the Markets: Human Traders versus Zero-Intelligence Traders. 2009 , 245-254
242	Encyclopedia of Complexity and Systems Science. 2009 , 5655-5667
241	Encyclopedia of Complexity and Systems Science. 2009 , 570-589
240	Exploring Cost-Sensitive Learning in Domain Based Protein-Protein Interaction Prediction. 2009, 175-184
239	Fucntional Prediction Method for Proteins by using Modified Chi-square Measure. 2009, 9, 332-336
238	Protective Mechanism for Sensitive Data using Lightweight Process Tracking. 2009 , 9, 33-39
237	The Molecular Architecture of Protein B rotein Binding Sites. 2009 , 43-55
236	Reverse engineering a signaling network using alternative inputs. 2009 , 4, e7622
235	Computational Methods for Predicting DomainDomain Interactions. 2010 , 157-173
234	Prediction of Protein-Protein Interactions Using Subcellular and Functional Localizations. 2010 , 282-290
233	Pathway Crosstalk Network. 2010 , 491-504
232	Omics Technologies and Their Input for the Comprehension of Metabolic Systems Particularly Pertaining to Yeast Organisms. 2010 , 105-122
231	Protein-protein interaction map is a key gateway into liver regeneration. 2010 , 16, 3491-8
230	From Topology to Phenotype in ProteinBrotein Interaction Networks. 2010 , 31-49
229	Strategies and Methods in Monitoring and Targeting Protein Protein Interactions. 1
228	The Pharmacogenomics of Personalized Medicine. 1

227	Prediction of Protein-Protein Interactions. 325-347	1
226	Proteomics and Functional Proteomics. 2011 , 591-612	
225	Protein Function Prediction Using Protein Protein Interaction Networks. 2011 , 243-270	
224	Modules in Biological Networks. 2011 , 248-274	
223	Using Machine Learning Techniques and Genomic/Proteomic Information from Known Databases for PPI Prediction. 2011 , 373-380	
222	Gene Regulatory Networks Validation Framework Based in KEGG. 2011 , 279-286	O
221	Global Molecular and Cellular Measurement Technologies. 2011 , 97-126	
220	Filtering and interpreting large-scale experimental protein-protein interaction data. 2011, 781, 295-309	
219	XML-Based Approaches for the Integration of Heterogeneous Bio-Molecular Data. 2011 , 206-241	
218	Automated Systems of Plasmid-Based Functional Proteomics to Improve Microbes for Biofuel Production. 2012 , 259-277	
217	The Biotechnological Exploitation of Heterologous Protein Production in Fungi. 205-229	
216	Fungal Genetics: A Post-Genomic Perspective. 95-123	1
215	Mapping interactomes with high coverage and efficiency using the shifted transversal design. 2012 , 812, 147-59	
214	Algorithms for systematic identification of small subgraphs. 2012 , 804, 219-44	3
213	Mining Multiple Biological Data for Reconstructing Signal Transduction Networks. 2012, 163-185	
212	Cell Fate Regulatory Networks. 2012 , 15-29	
211	Phylogenetic Tree Reconstruction with Protein Linkage. 2012 , 315-327	
210	Emergence of features in protein-protein interaction networks. 2012 , 61, 010203	1

209	ProteinNET: A Protein Interaction Network Integration System. 2012, 71-76
208	References. 157-176
207	Data Mining and Meta-Analysis on DNA Microarray Data. 2012 , 1, 1-39
206	Prioritizing Disease Genes and Understanding Disease Pathways. 2012 , 3, 31-49
205	Computational Approaches for Reconstruction of Time-Varying Biological Networks from Omics Data. 2013 , 209-239
204	Using Molecular Imaging Techniques to Study Protein-Protein Interactions. 2013 , 633-659
203	Systems Biology of Population Cell Response. 2013 , 1-11
202	A study of seasonal fctors impact on climate networks. 2013 , 62, 029203
201	A Consensus Approach for Identification of Protein-Protein Interaction Sites in Homo Sapiens. 2013 , 674-679
200	A New Subgraph Sampling and Matching Algorithm for Probability Motifs Detection in PPI Networks. 2013 , 12, 1326-1333
199	Characterization of Protein Complexes. 117-144
198	Detecting Hierarchical Structure of Community Members by Link Pattern Expansion Method. 2014 , 95-104
197	Novel Ranking Methods Applied to Complex Membership Determination Problems. 2014, 89-99
196	Sparse Coding for Key Node Selection over Networks. 2014 , 337-349
195	Path Finding in Biological Networks. 2014 , 289-309
194	Global Voting Model for Protein Function Prediction from Protein-Protein Interaction Networks. 2014 , 466-477
193	Genomic Perspectives on the Fungal Kingdom. 657-666
192	Campylobacter Pathogenomics: Genomes and Beyond. 160-195

191	Genome-wide Approaches to Studying Prokaryotic Biology. 489-515	
190	Function Prediction of Proteins in Yeast Networks Based on the MCL Algorithm. 2014 , 9,	
189	Encyclopedia of Complexity and Systems Science. 2015 , 1-25	
188	Reverse two-hybrid techniques in the yeast Saccharomyces cerevisiae. 2015 , 1278, 433-46	
187	Structural Annotation of the Mycobacterium tuberculosis Proteome. 261-280	
186	Direct Cloning Protocol for Rapid Transformant Selection. 2015 , 10, 551-556	
185	Neurospora: A Gateway to Biology. 2016 , 207-226	
184	A new computational model captures fundamental architectural features of diverse biological networks.	
183	Application of the ATTRACT Coarse-Grained Docking and Atomistic Refinement for Predicting Peptide-Protein Interactions. 2017 , 1561, 49-68	
182	Firefly Clustering Method for Mining Protein Complexes. 2017 , 601-610	3
181	Introduction. 2017 , 1-8	
180	Bioinformatics Databases: Implications in Human Health. 2017 , 109-132	
179	Predicting Essential Proteins Based on Gene Expression Data, Subcellular Localization and PPI Data. 2017 , 92-105	3
178	Clustering PPI Networks. 2017 , 23-58	
177	ModuleDiscoverer: Identification of regulatory modules in protein-protein interaction networks.	
176	Two-Hybrid and Related Systems. 1-9	
175	Evaluating Protein Complex Prediction Methods. 2017 , 91	

173	Identifying Dynamic Protein Complexes. 2017 , 145	
172	Introduction to Protein Complex Prediction. 2017 , 1	
171	Open Challenges in Protein Complex Prediction. 2017 , 107	
170	Preface. 2017 , xi	
169	References. 2017 , 233	
168	Computational Methods for Protein Complex Prediction from PPI Networks. 2017 , 59	
167	Protein Complex Prediction in the Era of Systems Biology. 2017 , 185	
166	Conclusion. 2017 , 225	
165	Two-Hybrid Systems to Measure Protein Protein Interactions. 1-6	
164	Annotation of Biological Network of Fungus Saccharomyces cerevisiae Using Cytoscape in Systems Biology. 2019 , 111-129	
163	Hefen. 2019 , 63-91	
162	Modeling of Molecular Networks. 2019 , 35-62	1
161	Protein Co-Evolution Strategies Detect Predicted Functional Interaction Between the Serotonin 5-HT2A and 5-HT2C Receptors.	2
160	Domain-Based Approaches to Prediction and Analysis of Protein-Protein Interactions. 2019 , 406-427	
159	Protein-Protein Interaction Profiling in Candida albicans Revealed by Biochemical Purification-Mass Spectrometry (BP/MS). 2019 , 2049, 203-211	
158	The E3 ubiquitin ligase Pib1 regulates effective gluconeogenic shutdown inS. cerevisiae.	
157	Genome-wide interologous interactome map (TeaGPIN) of Camellia sinensis.	1
156	CoRNeA: A pipeline to decrypt the inter protein interfaces from amino acid sequence information.	

155	PeSA: A Software Tool for Peptide Specificity Analysis.	
154	A large accessory protein interactome is rewired across environments.	
153	LI Detector: a framework for sensitive colony-based screens regardless of the distribution of fitness effects.	
152	Struct2Graph: A graph attention network for structure based predictions of protein-protein interactions.	1
151	BEHIND THE SCENES OF HOST-MICROBE INTERACTIONS. 2020 , 89, 160-176	1
150	A framework combines supervised learning and dense subgraphs discovery to predict protein complexes. 2022 , 16, 1	1
149	Yeast Two-Hybrid System for Mapping Novel Dengue Protein Interactions. 2022 , 2409, 119-132	
148	Metric Labeling and Semimetric Embedding for Protein Annotation Prediction. 2021, 28, 514-525	
147	The protease web. 2022 , 229-250	
146	On the Planarity of Validated Complexes of Model Organisms in Protein-Protein Interaction Networks. 2020 , 652-666	O
145	CHAPTER 2:Protein P rotein Interaction Networks in Human Disease. 2020 , 25-48	
144	Variation in a pleiotropic hub gene drives morphological evolution: Insights from interspecific differences in head shape and eye size inDrosophila.	O
143	Computationally Reconstructed Interactome of USDA110 Reveals Novel Functional Modules and Protein Hubs for Symbiotic Nitrogen Fixation. 2021 , 22,	
142	Mining Protein Interactome Networks to Measure Interaction Reliability and Select Hub Proteins. 222-238	
141	Modules in Biological Networks. 637-663	
140	Data Mining and Meta-Analysis on DNA Microarray Data. 1196-1236	
139	Topological Analysis of Axon Guidance Network for Homo Sapiens. 93-102	
138	Graphical Analysis of Biocomplex Networks and Transport Phenomena. 2006 , 12-24	

137	Large-Scale Topological Properties of Molecular Networks. 2006 , 25-39
136	The Connectivity of Large Genetic Networks. 2006 , 40-52
135	The Drosophila Protein Interaction Network May Be neither Power-Law nor Scale-Free. 2006 , 53-64
134	Gene Regulatory Networks. 2006 , 106-122
133	Reliable and Specific Protein Function Prediction by Combining Homology with Genomic(s) Context. 2006 , 13-29
132	Structures in Molecular Networks. 2004 , 181-193
131	Functional Genomics of Seed Development in Cereals. 2004 , 447-481
130	STRUCTURE AND COMMUNICATION IN COMPLEX NETWORKS. 2006 , 1-28
129	Protein Networks. 2006 , 247-263
128	Cell Signalling - The Proteomics of It All. 2001 , 2001, pe33-pe33
127	Protein-Protein Interaction and Macromolecular Visualization. 2009 , 79-96
126	Proteases of the Rhomboid Family in the Yeast Saccharomyces Cerevisiae. 2007 , 79-88
125	Bibliography. 243-279
124	GPCR Interacting Proteins. 2005 , 199-213
123	Annotating the Human Proteome. 2008 , 211-235
122	DBRF-MEGN Method: An Algorithm for Inferring Gene Regulatory Networks from Large-Scale Gene Expression Profiles. 2007 , 435-448
121	Methods for Protein-Protein Interaction Analysis. 2007 , 160-182
120	Dynamic Properties of Cell-Cycle and Life-Cycle Networks in Budding Yeast. 2007 , 217-227

119	Understanding Protein-Protein Interactions: From Domain Level to Motif Level. 2007 , 229-247	1
118	The Stochastic Model and Metastability of the Gene Network. 2007 , 271-290	
117	Inferring Protein-Protein Interactions by Combinatorial Models. 2007 , 183-186	2
116	Klinische Proteomik. 2008 , 297-313	
115	Inference of Protein-Protein Interactions by Using Co-evolutionary Information. 2007, 322-333	
114	Pattern Matching in Protein-Protein Interaction Graphs. 2007 , 137-148	
113	Predicting Functional Protein-Protein Interactions Based on Computational Methods. 2007, 354-363	
112	Investigation of RNA metabolism through large-scale genetic interaction profiling in yeast.	
111	A novel estimator of the interaction matrix in Graphical Gaussian Model of omics data using the entropy of non-equilibrium systems. 2021 , 37, 837-844	1
110	ProCbA: Protein Function Prediction based on Clique Analysis.	
109	Discovering biological guilds through topological abstraction. 2006 , 1-5	4
109	Discovering biological guilds through topological abstraction. 2006 , 1-5 PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor (OBIF). 2002 , 13, 62-71	8
108	PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor (OBIF). 2002 , 13, 62-71	8
108	PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor (OBIF). 2002 , 13, 62-71 Systems level modeling of the cell cycle using budding yeast. 2007 , 3, 357-70	3
108	PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor (OBIF). 2002, 13, 62-71 Systems level modeling of the cell cycle using budding yeast. 2007, 3, 357-70 A rapid microwell fluorescence immunoassay for cellular protein detection. 2008, 10, 83-9	3
108 107 106	PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor (OBIF). 2002, 13, 62-71 Systems level modeling of the cell cycle using budding yeast. 2007, 3, 357-70 A rapid microwell fluorescence immunoassay for cellular protein detection. 2008, 10, 83-9 Nonlinear dynamic trans/cis regulatory circuit for gene transcription via microarray data. 2007, 1, 151-66 Computer applications for prediction of protein-protein interactions and rational drug design. 2009	3 1

101	Computed structures of core eukaryotic protein complexes. 2021 , 374, eabm4805	51
100	Protein-protein interactions: Methods, databases, and applications in virus-host study 2021 , 10, 288-300	Ο
99	Predicting direct physical interactions in multimeric proteins with deep learning.	1
98	Research on Construction Method of Protein-Protein Interaction Network Cluster Based on Hadoop. 2021 ,	
97	Interactome of Arabidopsis Thaliana 2022 , 11,	1
96	Impact of Metabolic Regulation in Understanding the Status of Human Health and Diseases: A Review. 2022 , 12, 19-31	
95	Construction of Dynamic Protein Interaction Network Based on Gene Expression Data and Quartile One Principle 2022 ,	
94	From Petri Plates to Petri Nets, a revolution in yeast biology 2022 ,	
93	Using ortholog information from multiple species to predict barley protein-protein interaction network. 2022 , 100355	
92	Dunking into the Lipid Bilayer: How Direct Membrane Binding of Nucleoporins Can Contribute to Nuclear Pore Complex Structure and Assembly 2021 , 10,	2
91	Approach of the functional evolution of duplicated genes in Saccharomyces cerevisiae using a new classification method based on protein-protein interaction data. 2003 , 3, 213-24	3
90	Machine-learning techniques for the prediction of protein-protein interactions. 2019, 44,	7
89	Protein-protein interaction prediction from primary sequences using supervised machine learning algorithm. 2022 ,	0
88	Expanding interactome analyses beyond model eukaryotes 2022,	O
87	Characterization and Interaction Analysis of the Secondary Cell Wall Synthesis-Related Transcription Factor in Lamb 2022 , 23,	
86	Structure, Oligomerization and Activity Modulation in N-Ribohydrolases 2022 , 23,	1
85	A Class of Koszul Algebra and Some Homological Invariants through Circulant Matrices and Cycles. 2022 , 2022, 1-8	
84	A straightforward edge centrality concept derived from generalizing degree and strength 2022 , 12, 4407	1

(2018-2022)

83	Supramolecular Fluorescent Probes for the Detection of Reactive Oxygen Species Discovered via High-Throughput Screening 2022 ,	1
82	Eukaryotic mRNA Decapping Activation 2022 , 13, 832547	1
81	Computational Network Inference for Bacterial Interactomics 2022, e0145621	
80	AF2Complex predicts direct physical interactions in multimeric proteins with deep learning 2022 , 13, 1744	8
79	SURF6 Nucleolar Protein: Known Properties and Possible Functions. 2021, 11, 544-558	
78	Determination of biomarkers from microarray data using graph neural network and spectral clustering 2021 , 11, 23828	1
77	A Comparative Analysis of the Membrane Binding and Remodeling Properties of Two Related Sorting Nexin Complexes Involved in Autophagy 2022 ,	О
76	An Extracytoplasmic Function Sigma Factor Required for Full Virulence in Xanthomonas citri pv. citri 2022 , e0062421	
75	Data_Sheet_1.zip. 2020 ,	
74	Data_Sheet_2.zip. 2020 ,	
73	Data_Sheet_3.zip. 2020 ,	
72	Table_1.DOCX. 2020 ,	
71	Image_1.JPEG. 2019 ,	
70	Image_2.JPEG. 2019 ,	
69	Table_1.DOCX. 2019 ,	
68	Table_2.DOCX. 2019 ,	
67	Table_3.DOCX. 2019 ,	
66	Table_1.doc. 2018 ,	

65	Data_Sheet_1.PDF. 2020 ,	
64	Table_1.XLSX. 2020 ,	
63	Video_1.MP4. 2020 ,	
62	Video_2.MP4. 2020 ,	
61	Video_3.MP4. 2020 ,	
60	Table_1.xlsx. 2019 ,	
59	Table_1.pdf. 2019 ,	
58	Integrated Deadenylase Genetic Association Network and Transcriptome Analysis in Thoracic Carcinomas. 2022 , 27, 3102	Ο
57	Profiling Yeast Deletion Strains Using Sample Multiplexing and Network-Based Analyses 2022,	0
56	Proteome-wide prediction and analysis of the Cryptosporidium parvum protein-protein interaction network through integrative methods. 2022 ,	
55	Cell Biology: Networks, Regulation and Pathways. 2009 , 449-476	
54	Turning coldspots into hotspots: targeted recruitment of axis protein Hop1 stimulates meiotic recombination in Saccharomyces cerevisiae.	Ο
53	Connections for Matters of the Heart: Network Medicine in Cardiovascular Diseases. 2022, 9,	1
52	From Isles of Kiligsberg to Islets of Langerhans: Examining the Function of the Endocrine Pancreas Through Network Science. 13,	2
51	Multi-task learning to leverage partially annotated data for PPI interface prediction. 2022, 12,	0
50	Contribution of Model Organisms to Investigating the Far-Reaching Consequences of PRPP Metabolism on Human Health and Well-Being. 2022 , 11, 1909	
49	Cascading failure in networks with dynamical behavior against multi-node removal. 2022 , 160, 112270	0
48	Topological analysis as a tool for detection of abnormalities in proteinprotein interaction data.	Ο

47	Application of K-nearest neighbors in protein-protein interaction prediction. 2, 125-131	
46	Network structure from a characterization of interactions in complex systems. 2022 , 12,	O
45	Turning coldspots into hotspots: targeted recruitment of axis protein Hop1 stimulates meiotic recombination in Saccharomyces cerevisiae.	О
44	Preface. 2007 , xi-xiv	
43	Copyright Page. 2007 , iv-iv	
42	Graph quantities. 2007 , 256-261	
41	Population dynamics. 2007 , 277-282	
40	Basic statistics. 2007 , 262-274	
39	Epigraph. 2007 , v-vi	
38	Glossary. 2007 , 253-255	
37	Matrices and eigenvectors. 2007 , 275-276	
36	Recent advances in proteomics and metabolomics in plants. 2022 , 2,	О
35	New feature extraction from phylogenetic profiles improved the performance of pathogen-host interactions. 12,	
34	Quantitative Characterisation of Low Abundant Yeast Mitochondrial Proteins Reveals Compensation for Haplo-Insufficiency in Different Environments. 2022 , 23, 8532	
33	Screening of genes encoding proteins that interact with ISG15: Probing a cDNA library from a snakehead fish cell line using a yeast two-hybrid system. 2022 , 128, 300-306	
32	PeSA 2.0: A software tool for peptide specificity analysis implementing positive and negative motifs and motif-based peptide scoring. 2022 , 101, 107753	1
31	Eukaryotic mRNA decapping factors: molecular mechanisms and activity.	0
30	Global landscape of protein complexes in postprandial-state livers from diet-induced obese and lean mice. 2022 , 629, 40-46	O

29	Predicting the cascading failure of dynamical networks based on a new dimension reduction method. 2022 , 606, 128160	0
28	Using Synthetic Genetic Interactions in Candida glabrata as a Novel Method to Detect Genes with Roles in Antifungal Drug Resistance. 2022 , 103-114	О
27	A roadmap for the functional annotation of protein families: a community perspective. 2022 , 2022,	1
26	Network Modeling of Tissues and Cell Types. 2022 ,	О
25	TOR complex 2 is a master regulator of plasma membrane homeostasis. 2022 , 479, 1917-1940	1
24	Struct2Graph: a graph attention network for structure based predictions of proteinprotein interactions. 2022 , 23,	О
23	Prioritization of new candidate genes for rare genetic diseases by a disease-aware evaluation of heterogeneous molecular networks.	O
22	Nucleotide-based genetic networks: Methods and applications. 2022 , 47,	О
21	Molecular Biology, Genetics, and Translational Models of Human Cancer. 1-34	O
20	A positive statistical benchmark to assess network agreement.	О
19	Split-Ubiquitin Two-Hybrid Screen for Proteins Interacting with slToc159-1 and slToc159-2, Two Chloroplast Preprotein Import Receptors in Tomato (Solanum lycopersicum). 2022 , 11, 2923	O
18	Identification of Putative Protein Complexes in Protein Protein Interaction Networks. 2022, 77-99	О
17	Predicting Primary Sequence-Based Protein-Protein Interactions Using a Mercer Series Representation of Nonlinear Support Vector Machine. 2022 , 10, 124345-124354	0
16	A large-scale prediction of protein-protein interactions based on random forest and matrix of sequence. 2022 , 55, 01017	o
15	Cost-based feature selection for network model choice. 1-17	0
14	Prediction of proteinprotein interactions between anti-CRISPR and CRISPR-Cas using machine learning technique.	o
13	Hexokinase 2 localizes to the nucleus in response to glucose limitation but does not regulate gene expression.	0
12	Protein complexes identification and key proteins screening based on the ClusterONE and SSF algorithms. 2022,	O

CITATION REPORT

11	On Bipartite Circulant Graph Decompositions Based on Cartesian and Tensor Products with Novel Topologies and Deadlock-Free Routing. 2023 , 16, 10	O
10	Prioritization of New Candidate Genes for Rare Genetic Diseases by a Disease-Aware Evaluation of Heterogeneous Molecular Networks. 2023 , 24, 1661	o
9	A partially shared joint clustering framework for detecting protein complexes from multiple state-specific signed interaction networks.	0
8	Kar4, the Yeast Homolog of METTL14, is Required for mRNA m6A Methylation and Meiosis.	О
7	DPPIN: A Biological Repository of Dynamic Protein-Protein Interaction Network Data. 2022,	1
6	The Biotechnology and Molecular Biology of Yeast. 2021 , 191-225	O
5	The Conserved Yeast Protein Knr4 Involved in Cell Wall Integrity Is a Multi-domain Intrinsically Disordered Protein. 2023 , 435, 168048	O
4	Machine Learning Advances in Predicting Peptide/Protein-Protein Interactions Based on Sequence Information for Lead Peptides Discovery. 2200232	О
3	Interactomics in plant defence: progress and opportunities.	O
2	Comparison of hepatic responses to glucose perturbation between healthy and obese mice based on the edge type of network structures. 2023 , 13,	O
1	A partially shared joint clustering framework for detecting protein complexes from multiple state-specific signed interaction networks. 2023 , 106936	O