

CITATION REPORT

List of articles citing

A homochiral metal-organic porous material for enantioselective separation and catalysis

DOI: 10.1038/35010088
Nature, 2000, 404, 982-6.

Source: <https://exaly.com/paper-pdf/31437695/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2352	A Three-Dimensional Polyrotaxane Network. 2000 , 112, 2811-2813		48
2351	Hybrid Coordination PolymersMetal Oxide Compounds with Chiral Structures. 2000 , 112, 4702-4705		18
2350	[HC{(CMe)(NAr)} ₂ Al[(NSiMe ₃) ₂ N ₂] (Ar=2,6-iPr ₂ C ₆ H ₃): The First Five-Membered AlN ₄ Ring System. 2000 , 112, 4705-4707		26
2349	Hybrid Coordination PolymersMetal Oxide Compounds with Chiral Structures. 2000 , 39, 4528-4531		96
2348	[HC{(CMe)(NAr)} ₂ Al[(NSiMe ₃) ₂ N ₂] (Ar=2,6-iPr ₂ C ₆ H ₃): The First Five-Membered AlN ₄ Ring System. 2000 , 39, 4531-4533		60
2347	Fitting peptides into the RNA world. 2000 , 10, 332-40		54
2346	Reactions and reactivity of Co-bpdc coordination polymers (bpdc = 4,4'-biphenyldicarboxylate). <i>Inorganic Chemistry</i> , 2000 , 39, 5333-40	5.1	107
2345	Preparation of a chiral, 2-dimensional network containing metallacrown and copper benzoate building blocks. <i>Inorganic Chemistry</i> , 2000 , 39, 3434-5	5.1	101
2344	Regulation of actin filament network formation through ARP2/3 complex: activation by a diverse array of proteins. 2001 , 70, 649-76		563
2343	Assembly of a robust, thermally stable porous cobalt(II) nicotinate framework based on a dicobalt carboxylate unit. <i>Inorganic Chemistry</i> , 2001 , 40, 6426-31	5.1	65
2342	Expanded Prussian blue analogues incorporating [Re ₆ Se ₈ (CN) ₆](3-/4-) clusters: adjusting porosity via charge balance. 2001 , 123, 8022-32		219
2341	Metalorganic supramolecular architecture containing cationic cavities: synthesis and single crystal investigation of {[Co(bpe) ₂ (H ₂ O) ₂](ClO ₄) ₂ ·(H ₂ O) ₂] _n . 2001 , 3, 50-52		7
2340	Synthesis, Characterization and Structural Transformation of A Condensed Rare Earth Metal Coordination Polymer. <i>Inorganic Chemistry</i> , 2001 , 40, 828-830	5.1	162
2339	Designing Advanced Materials As Simple As Assembling Lego Blocks!. 2001 , 78, 617		23
2338	The effect of pH on the dimensionality of coordination polymers. <i>Inorganic Chemistry</i> , 2001 , 40, 1271-83	5.1	216
2337	Defining the molecular basis of Arf and Hdm2 interactions. 2001 , 314, 263-77		112
2336	Itk/Emt: a link between T cell antigen receptor-mediated Ca ²⁺ events and cytoskeletal reorganization. 2001 , 22, 17-20		24

2335	Coordination polymers. 2001 , 5, 107-114		182
2334	[(1S,2S)-H2DACH][Ga2(1S,2S-DACH)(HPO4)-(PO4)2]: a layered chiral gallophosphate containing chiral ligand and chiral template. <i>Inorganic Chemistry</i> , 2001 , 40, 2918-21	5.1	36
2333	Correlation among crystal shape, absolute configuration, and circular dichroism spectrum of enantiomorphs of Tris[2-(((2-phenylimidazol-4-yl)methylidene)amino)ethyl]-aminemetal(II) nitrate-methanol (1/1). <i>Inorganic Chemistry</i> , 2001 , 40, 2534-40	5.1	32
2332	Anorganische Chemie 2000. 2001 , 49, 262-283		
2331	Wiskott-Aldrich syndrome. 2001 , 1, 430-7		11
2330	<i>Yersinia enterocolitica</i> invasins triggers phagocytosis via beta1 integrins, CDC42Hs and WASp in macrophages. 2001 , 3, 693-702		75
2329	Hydrothermal Synthesis, Crystal Structure, and Magnetic Property of Copper(II) Coordination Networks with Chessboard Tunnels. 2001 , 158, 315-319		33
2328	Hydrogen-Bonding and Metal-Ion-Mediated Self-Assembly of a Nanoporous Crystal Lattice. 2001 , 2001, 1523-1526		47
2327	An Anionic {[MnCo(ox)3]-}n Network with Appropriate Cavities for the Enantioselective Recognition and Resolution of the Hexacoordinated Monocation [Ru(bpy)2(ppy)]+ (bpy = bipyridine, ppy = phenylpyridine). 2001 , 2001, 1745-1751		24
2326	A Two-Dimensional Polyrotaxane with Large Cavities and Channels: A Novel Approach to Metal-Organic Open-Frameworks by Using Supramolecular Building Blocks. 2001 , 113, 413-416		29
2325	Self-Assembly of Nanometer-Scale Secondary Building Units into an Undulating Two-Dimensional Network with Two Types of Hydrophobic Cavity. 2001 , 113, 2169-2171		16
2324	Polygons and Faceted Polyhedra and Nanoporous Networks. 2001 , 113, 2171-2174		17
2323	A Rationally Designed NH4+ Receptor Based on Cation-π Interaction and Hydrogen Bonding. 2001 , 113, 2174-2177		2
2322	Modular Self-Assembly of a Microporous Solid Based upon Mercuracarborand-4 and a New Bonding Motif. 2001 , 113, 2182-2184		1
2321	Synthesis of a Nanoporous Polymer with Hexagonal Channels from Supramolecular Discotic Liquid Crystals. 2001 , 113, 2741-2743		21
2320	Enantioseparation of Racemic Organic Molecules by a Zeolite Analogue. 2001 , 113, 4554-4557		40
2319	Control of Liquid Crystallinity of Diazadibenzoperylene Dyes by Covalent and Hydrogen-Bonded Attachment of Mesogens. 2001 , 113, 4557-4560		17
2318	Crucial influence of solvent and chirality-the formation of helices and three-dimensional nets by hydrogen-bonded biimidazolate complexes. <i>Chemistry - A European Journal</i> , 2001 , 7, 4805-10	4.8	63

- 2317 A Two-Dimensional Polyrotaxane with Large Cavities and Channels: A Novel Approach to Metal-Organic Open-Frameworks by Using Supramolecular Building Blocks. **2001**, 40, 399-402 167
- 2316 Self-Assembly of Nanometer-Scale Secondary Building Units into an Undulating Two-Dimensional Network with Two Types of Hydrophobic Cavity. **2001**, 40, 2111-2113 329
- 2315 Polygons and Faceted Polyhedra and Nanoporous Networks. **2001**, 40, 2113-2116 174
- 2314 A Rationally Designed NH Receptor Based on Cation- π Interaction and Hydrogen Bonding. **2001**, 40, 2116-2119 37
- 2313 Modular Self-Assembly of a Microporous Solid Based upon Mercuracarborand-4 and a New Bonding Motif. **2001**, 40, 2124-2126 14
- 2312 Synthesis of a Nanoporous Polymer with Hexagonal Channels from Supramolecular Discotic Liquid Crystals. **2001**, 40, 2669-2671 103
- 2311 Enantioseparation of Racemic Organic Molecules by a Zeolite Analogue This work was supported by The Major State Basic Research Development Program (Grant No. G2000077500), the National Natural Science Foundation of China, the Camille Dreyfus Teacher-Scholar Program, the National Science Foundation of the USA (CHE-9994228) and the University of Tennessee. SABIE EDPE Fund.. **2001**, 40, 2672-2675 390
- 2310 Control of Liquid Crystallinity of Diazadibenzoperylene Dyes by Covalent and Hydrogen-Bonded Attachment of Mesogens We thank P. Zell for his assistance in the practical work, Frau G. Döfner and Prof. U. Thewalt (Sektion Röntgenbeugung, Universität Ulm) and Dr. B. Heise (Abteilung Experimentelle Physik, Universität Ulm) for X-ray diffraction studies. Financial support from the Deutsche Forschungsgemeinschaft (Sonderkollektivprogramm for E.M.), the Fonds der Chemischen Industrie (Leibniz-Spendium for F.W.), **2001**, 40, 4423-4428 57
- 2309 Chiral porous solids based on lamellar lanthanide phosphonates. **2001**, 123, 10395-6 430
- 2308 Adsorption dynamics of gases and vapors on the nanoporous metal organic framework material Ni₂(4,4'-bipyridine)₃(NO₃)₄: guest modification of host sorption behavior. **2001**, 123, 10001-11 275
- 2307 Molecular controls of antigen receptor clustering and autoimmunity. **2001**, 11, 212-20 51
- 2306 How is actin polymerization nucleated in vivo?. **2001**, 11, 288-93 220
- 2305 Syntheses and characterization of Co(pydc)(H₂O)₂ and Ni(pydc)(H₂O)(pydc_{3,5}-pyridinedicarboxylate). **2001**, 3, 829-835 41
- 2304 Actin filament nucleation by endosomes, lysosomes and secretory vesicles. **2001**, 13, 85-91 115
- 2303 Multiple roles for Cdc42 in cell regulation. **2001**, 13, 153-7 139
- 2302 Regulating cellular actin assembly. **2001**, 13, 158-66 93
- 2301 Solid state chemistry. Porous materials with a difference. **2002**, 298, 1723-4 12
- 2300 A Novel Noninterpenetrated Open Framework Structure with Extraordinarily Large Cavity Sizes: A New Coordination Polymer Containing a Rigid and Bent Molecular Building Block. **2002**, 31, 800-801 5

2299	A hybrid consisting of coordination polymer and noncovalent organic networks: a highly ordered 2-D phenol network assembled by edge-to-face pi-pi interactions. <i>Inorganic Chemistry</i> , 2002 , 41, 2151-7	5.1	148
2298	[Cd(II)(bpdC).H ₂ O] _n : a robust, thermally stable porous framework through a combination of a 2-D grid and a cadmium dicarboxylate cluster chain (H ₂)bpdC = 2,2'-Bipyridyl-4,4'-dicarboxylic acid). <i>Inorganic Chemistry</i> , 2002 , 41, 2592-7	5.1	141
2297	{[Cd(bpo)(SCN) ₂ ·CH ₃ CN] _n : A Novel Three-Dimensional (3D) Noninterpenetrated Channel-Like Open Framework with Porous Properties. 2002 , 2, 625-629		46
2296	Dynamic porous frameworks of coordination polymers controlled by anions. 2002 , 141, 363-370		8
2295	An Exceptionally Stable Metal-Organic Framework Constructed from the Zn ₈ (SiO ₄) Core. 2002 , 14, 3229-3231		100
2294	A three-dimensional porous metal-organic framework [Fe ₂ L ₃ (DMF) ₇ (C ₄ H ₁₀ O) _{0.5}] constructed from triple-helices {L = bis[2,4-dihydroxybenzaldehyde]hydrazone}. 2002 , 3422-3424		10
2293	Autoinhibitory domains: modular effectors of cellular regulation. 2002 , 18, 421-62		171
2292	Synthesis and X-ray Structures of Zinc and Cadmium Pyridinecarboxylate Coordination Networks. 2002 , 2, 409-414		12
2291	Framework engineering by anions and porous functionalities of Cu(II)/4,4'-bpy coordination polymers. 2002 , 124, 2568-83		620
2290	Flexible sorption and transformation behavior in a microporous metal-organic framework. 2002 , 124, 9574-81		242
2289	A metal-organic bilayer open framework with a dynamic component: single-crystal-to-single-crystal transformations. 2002 , 124, 10976-7		244
2288	Microporous Rare Earth Coordination Polymers: Effect of Lanthanide Contraction on Crystal Architecture and Porosity. 2002 , 14, 2616-2622		138
2287	Novel coordination polymer containing a mixed valence copper(I,II) phosphonate unit: Cu(I) ₂ Cu(II)(hedpH ₂)(₂)(4,4'-bpy)(₂).2H ₂ O (hedp = 1-hydroxyethylidenediphosphonate). <i>Inorganic Chemistry</i> , 2002 , 41, 4084-6	5.1	66
2286	Chiral crown ether pillared lamellar lanthanide phosphonates. 2002 , 124, 14298-9		146
2285	Syntheses and characterizations of three-dimensional channel-like polymeric lanthanide complexes constructed by 1,2,4,5-benzenetetracarboxylic acid. <i>Inorganic Chemistry</i> , 2002 , 41, 2087-94	5.1	456
2284	A novel 2-D interlinking zigzag-chain d-f mixed-metal coordination polymer generated from an organometallic ligand. 2002 , 2716-7		38
2283	Two chiral coordination polymers: preparation and X-ray structures of mono(4-sulfo-L-phenylalanine)(diaqua) zinc(II) and copper(II) complexes. <i>Inorganic Chemistry</i> , 2002 , 41, 3323-6	5.1	46
2282	The role of Rho GTPases in disease development. 2002 , 286, 155-74		190

- 2281 Guest-dependent spin crossover in a nanoporous molecular framework material. **2002**, 298, 1762-5 1339
- 2280 Synthesis and characterization of CPO-1; three-dimensional coordination polymers with 2,6-naphthalenedicarboxylate (ndc) ligands $[M(ndc)(H_2O)]$, $M=Mn(II)$, $Zn(II)$ or $Cd(II)$. **2002**, 4, 443-447 48
- 2279 Regulation of Wiskott-Aldrich syndrome protein and related molecules. **2002**, 14, 82-7 66
- 2278 Coupling of folding and binding for unstructured proteins. **2002**, 12, 54-60 1121
- 2277 The modular logic of signaling proteins: building allosteric switches from simple binding domains. **2002**, 12, 61-8 117
- 2276 Infinite Secondary Building Units and Forbidden Catenation in Metal-Organic Frameworks. **2002**, 114, 294-297 52
- 2275 Rational Design of Homochiral Solids Based on Two-Dimensional Metal Carboxylates. **2002**, 114, 1207-1210 9
- 2274 Hydrogen-Bonded Helices in Crystals with Prescribed Organization. **2002**, 114, 1800-1804 6
- 2273 Rational design of homochiral solids based on two-dimensional metal carboxylates. **2002**, 41, 1159-62 176
- 2272 Phase-sensitive supramolecular chirogenesis in bisporphyrin systems. **2002**, 41, 1378-81 39
- 2271 Hydrogen-bonded helices in crystals with prescribed organization. **2002**, 41, 1724-8 51
- 2270 Synthesis and Characterization of a Novel Modular Cadmium-Organic Framework with Biphenyl-4,4'-dicarboxylate. **2002**, 2002, 2823-2828 25
- 2269 Microporous and Mesoporous Materials. **2002**, 4, 269-279 64
- 2268 Coordination Polymers Constructed from Paddle-Wheel Building Units. **2002**, 166, 213-218 10
- 2267 Changes in actin dynamics at the T-cell/APC interface: implications for T-cell anergy?. **2002**, 189, 98-110 17
- 2266 Ordered porous materials for emerging applications. *Nature*, **2002**, 417, 813-21 50.4 4430
- 2265 A functional zeolite analogue assembled from metalloporphyrins. **2002**, 1, 118-21 412
- 2264 Synthesis, characterization and sorption properties of a porous coordination polymer: $Co_3(\text{citrate})_2(4,4'\text{-bipyridine})_4(H_2O)_2 \cdot 4(H_2O)$. **2002**, 5, 761-764 26

- 2263 A new three-dimensional coordination polymer containing trans,trans,trans-cyclobutanetetracarboxylate and edge-sharing LaO₉ polyhedral chains. **2002**, 338, 229-234 21
- 2262 Synthesis and characterization of coordination polymers with interpenetrated frameworks: M(adipate)(1,2-bis(4-pyridyl)ethane) and M(adipate)(trans-1,2-bis(4-pyridyl)ethene), M=Co, Mn. **2002**, 338, 1-6 22
- 2261 A coordination polymer of cobalt(II)-glutarate: two-dimensional interlocking structure by dicarboxylate ligands with two different conformations. *Inorganic Chemistry*, **2002**, 41, 501-6 5.1 155
- 2260 Syntheses and Characterization of Microporous Coordination Polymers with Open Frameworks. **2002**, 106, 1380-1385 287
- 2259 Cellular control of actin nucleation. **2002**, 18, 247-88 380
- 2258 Novel channeled compound based on Cr(III) trinuclear complex and polyoxometalate aimed for heterogeneous catalysis: synthesis and structure. **2002**, 28, 389-396 3
- 2257 Hybrid Inorganic/Organic Solids: An Emerging Class of Nanoporous Catalysts. **2003**, 24, 79-86 188
- 2256 Actin microfilaments et al.--the many components, effectors and regulators of epithelial cell endocytosis. **2003**, 55, 1359-83 34
- 2255 Homochiral Zn and Cd coordination polymers containing amino acid-tetrazole ligands. *Inorganic Chemistry*, **2003**, 42, 7710-2 5.1 117
- 2254 Structural insights into actin-binding, branching and bundling proteins. **2003**, 15, 14-22 47
- 2253 Ras-effector interactions: after one decade. **2003**, 13, 122-9 154
- 2252 Protein unfolding--an important process in vivo?. **2003**, 13, 98-109 131
- 2251 The formins: active scaffolds that remodel the cytoskeleton. **2003**, 13, 435-46 304
- 2250 The KIND module: a putative signalling domain evolved from the C lobe of the protein kinase fold. **2003**, 28, 349-52 37
- 2249 Novel coordination polymers based on nickel(II) and 2,6-naphthalenedicarboxylate. **2003**, 5, 303-310 30
- 2248 Crystal Engineering with Structurally Flexible 1,1'-Substituted Ferrocenes for Nonlinear Optical Materials. **2003**, 2003, 2311-2317 25
- 2247 Syntheses and Crystal Structures of Two Novel Zinc(II) Coordination Polymers. **2003**, 2003, 2678-2682 53
- 2246 Linear and Helical Chains in Hydrothermally Synthesized Coordination Polymers [Co(bpdc)(H₂O)₂] and [Ni(bpdc)(H₂O)₃]+H₂O Involving in situ Ligand Synthesis. **2003**, 2003, 2959-2964 54

- 2245 First Examples of Ternary Lanthanide 2,2'-Diphenyldicarboxylate Complexes: Hydrothermal Syntheses and Structures of Lanthanide Coordination Polymers of 2,2'-Diphenyldicarboxylic Acid and 1,10-Phenanthroline. **2003**, 2003, 3572-3582 62
- 2244 A Novel Three-Dimensional Metal-Organic Framework Constructed from Two-Dimensional Interpenetrating Layers Based on Trinuclear Cobalt Clusters: $[\text{Co}_3(\text{btec})(\text{C}_2\text{O}_4)(\text{H}_2\text{O})_2]_n$. **2003**, 2003, 2567-2571 78
- 2243 2D Chiral Uranyl(VI) Coordination Polymers with Second-Harmonic Generation Response and Ferroelectric Properties. **2003**, 2003, 3712-3715 76
- 2242 $[\text{Cu}(\text{4-oxopyrimidinate})_2 \cdot n\text{H}_2\text{O}]_n$ a robust sodalite type metal-organic framework exhibiting a rich host-guest chemistry. **2003**, 22, 3051-3057 32
- 2241 Chiral porous coordination networks: rational design and applications in enantioselective processes. **2003**, 246, 305-326 843
- 2240 Uncoordinated inorganic salt in 1D chain structure: formation of a novel supermolecule $[\text{HgBr}_2(\text{ptz})]_2 \cdot \text{HgBr}_2$ (ptz=phenothiazine). **2003**, 6, 1338-1340 10
- 2239 Structure and magnetism of coordination polymers containing dicyanamide and tricyanomethanide. **2003**, 246, 103-130 942
- 2238 Polycatenation, polythreading and polyknotting in coordination network chemistry. **2003**, 246, 247-289 1821
- 2237 Crystal structures and luminescent properties of terbium(III) carboxylates. **2003**, 346, 187-196 76
- 2236 Syntheses and structures of two photofluorescent infinite one-dimensional chains from assembly of tetradentate dipyrityl ligand with cadmium(II) and silver(I) salts. **2003**, 353, 68-74 16
- 2235 Hydrothermal synthesis, structures and properties of coordination polymers based on μ -bridging benzene-1,2,4,5-tetracarboxylate: $[\text{Co}(\text{Him})_2(\mu\text{-bta})_{1/2}]_n$ and $\{[\text{Cu}(\text{phen})(\mu\text{-bta})_{1/2}]_n \cdot 4\text{H}_2\text{O}\}_n$ (bta=benzene-1,2,4,5-tetracarboxylate, Him=imidazole, phen=1,10-phenanthroline). **2003**, 173, 32-39 60
- 2234 Synthesis and characterization of the mixed ligand coordination polymer CPO-5. **2003**, 175, 182-187 20
- 2233 Crystal structure and luminescence property of novel three-dimensional network of $\{\text{Eu}_2(\text{p-BDC})_3(\text{Phen})_2(\text{H}_2\text{O})_2\}_n$. *Journal of Molecular Structure*, **2003**, 655, 443-449 3-4 4
- 2232 Supramolecular arrays of the $[\text{Re}_6(\mu\text{-Se})_8]^{2+}$ core-containing clusters mediated by transition metal ions. **2003**, 22, 2999-3008 32
- 2231 Synthesis and X-ray structures of 2D coordination networks based on dinuclear and trinuclear vanadium oxo clusters. **2003**, 22, 3037-3042 13
- 2230 Synthesis, structure and interconversion of two Co(II) coordination polymers showing topological isomerism from 1D chain to 3D chiral network. **2003**, 22, 2953-2959 27
- 2229 All roads lead to actin: the intimate relationship between TCR signaling and the cytoskeleton. **2003**, 191, 220-36 56
- 2228 1D zigzag coordination polymer $[\text{Cu}(\text{tacn})(4,4'\text{-bipy})]_n \cdot (\text{ClO}_4)_2n$ (tacn=1,4,7-triazacyclononane): structure, spectroscopic, and magnetic properties. **2003**, 6, 513-516 8

2227	A transition metal complex containing pyrazine-2,5-dicarboxylato bridging ligands: a novel three-dimensional manganese(II) compound. 2003 , 6, 1224-1227		18
2226	Cytoskeletal remodeling in lymphocyte activation. 2003 , 15, 261-8		65
2225	Wiskott-Aldrich Syndrome: a model for defective actin reorganization, cell trafficking and synapse formation. 2003 , 15, 585-91		47
2224	Novel cadmium-organic frameworks with nitrilotriacetate. 2003 , 16, 772-782		20
2223	Reticular synthesis and the design of new materials. <i>Nature</i> , 2003 , 423, 705-14	50.4	7597
2222	Inverted metal-organic frameworks: solid-state hosts with modular functionality. 2003 , 246, 169-184		273
2221	Heterodimetallic compounds assembled from ferrocenedicarboxylato and ferrocenecarboxylato ligands. <i>Inorganic Chemistry</i> , 2003 , 42, 2519-30	5.1	78
2220	Photoluminescent metal-organic polymer constructed from trimetallic clusters and mixed carboxylates. <i>Inorganic Chemistry</i> , 2003 , 42, 944-6	5.1	625
2219	Variable Dimensionality in the $\text{UO}_2(\text{CH}_3\text{CO}_2)_2 \cdot 2\text{H}_2\text{O}/\text{HF}/\text{Isonicotinic Acid}$ System: Synthesis and Structures of Zero-, One-, and Two-Dimensional Uranium Isonicotinates. 2003 , 15, 1970-1975		47
2218	A novel bilayer cobalt(II)-organic framework with nanoscale channels accommodating large organic molecules. <i>Inorganic Chemistry</i> , 2003 , 42, 4486-8	5.1	91
2217	Unprecedented Homochiral Olefin-Copper(I) 2D Coordination Polymer Grid Based on Chiral Ammonium Salts as Building Blocks. 2003 , 22, 4396-4398		21
2216	Self-assemblies of new rigid angular ligands and metal centers toward the rational construction and modification of novel coordination polymer networks. <i>Inorganic Chemistry</i> , 2003 , 42, 8838-46	5.1	56
2215	Amphiphiles Coordinated to Block Copolymers as a Template for Mesoporous Materials. 2003 , 36, 3986-3991		53
2214	Synthesis and characterization of novel grid coordination polymer networks generated from unsymmetrically bridging ligands. <i>Inorganic Chemistry</i> , 2003 , 42, 5459-61	5.1	64
2213	Phosphoinositide regulation of the actin cytoskeleton. 2003 , 65, 761-89		567
2212	Formation of a novel 1D supramolecule $[\text{HgCl}_2(\text{ptz})]_2 \cdot \text{HgCl}_2$ (ptz = phenothiazine): a new precursor to submicrometer Hg_2Cl_2 rods. <i>Inorganic Chemistry</i> , 2003 , 42, 3734-7	5.1	26
2211	The First Highly Stable Homochiral Olefin-Copper(I) 2D Coordination Polymer Grid Based on Quinine as a Building Block. 2003 , 22, 2814-2816		44
2210	Crystal Structure and Solid-State Reactivity of a Cd(II) Polymeric Complex with Acetylenedicarboxylic Acid. 2003 , 15, 4576-4582		37

2209	Ligand-bridged oligomeric and supramolecular arrays of the hexanuclear rhenium selenide clusters—exploratory synthesis, structural characterization, and property investigation. 2003 , 36, 933-44	181
2208	Pyrazole-4-sulfonate networks of alkali and alkaline-earth metals. Effect of cation size, charge, H-bonding and aromatic interactions on the three-dimensional supramolecular architecture. 2003 , 27, 1399	42
2207	Coordination Polymers: Infinite Systems. 2003 , 231-261	37
2206	Assembly of one-dimensional $AlPO_4$ chains into three-dimensional $AlPO_4-C_2N_2H_9$ frameworks through transition metal cations ($M = Ni^{2+}$, Co^{2+} and Fe^{2+}). 2003 , 99-103	26
2205	Assembly of a manganese(II) pyridine-3,4-dicarboxylate polymeric network based on infinite MnO chains. 2003 , 28-30	62
2204	Synthesis and structural characterisation of two coordination polymers (molecular ladders) incorporating $[M(OAc)_2]_2$ secondary building units and 4,4'-bipyridine [$M = Cu(II)$, $Zn(II)$]. 2003 , 5, 454-458	54
2203	Borromean links and other non-conventional links in polycatenated coordination polymers: re-examination of some puzzling networks. 2003 , 5, 269-279	346
2202	$\{[Cu(H_2O)_3][Cu(phmal)_2]\}_n$: a new two-dimensional copper(II) complex with intralayer ferromagnetic interactions (phmal = phenylmalonate dianion). 2003 , 27, 1557-1562	49
2201	MOLECULAR NETWORKS AS NOVEL MATERIALS. 2003 , 261-290	3
2200	CRYSTALLINE MICROPOROUS AND OPEN FRAMEWORK MATERIALS. 2003 , 1-37	13
2199	A family of WASPs. 2003 , 348, 350-1	30
2198	Hydrogen Bonds in Inorganic Chemistry: Application to Crystal Design. 2003 , 1-75	20
2197	A New Open Metal-Organic Framework $[Zn_8(GeO_4)(C_8H_4O_4)_6]_n$, Constructed by Heterometallic Cluster $Zn_8(GeO_4)$ Secondary Building Units. 2003 , 32, 474-475	8
2196	A Unique Two-Dimensional Terephthalate-Bridged Structure with Alternate Tetra- and Penta-Coordinate Cobalt(II) Sites. Synthesis, Crystal Structure and Magnetic Properties of $\{[Co_3(tp)_2(OH)_2(phen)_2]\}_n$. 2003 , 76, 1179-1184	20
2195	Unique Three-dimensionally Expanded Nanoporous Structure Constructed with a Cu(I) and cis,cis-1,3,5-Triaminocyclohexane Having a 3-Fold Axial Symmetry. 2003 , 32, 106-107	2
2194	Crystal Engineering of 3D Porous Coordination Polymers through Hydrogen Bonding to Coordination from 1D Helical Chains. 2003 , 32, 588-589	7
2193	Coordination Polymers. 2004 , 1-13	
2192	Layered Supramolecular Solids and Their Intercalates. 2004 , 791-798	

2191	Theoretical Approaches to the Design of Functional Nanomaterials. 2004 , 15, 119-170		5
2190	Novel hydrogen-bonded three-dimensional network complexes containing copper-pyridine-2,6-dicarboxylic acid. 2004 , 57, 1353-1359		10
2189	Hydrothermal synthesis and characterization of a novel polyoxometallate-templated three-dimensional supramolecular network. 2004 , 57, 615-626		3
2188	Using microscopic techniques to reveal the mechanism of anion exchange in crystalline co-ordination polymers. 2004 , 214, 261-71		38
2187	Steering molecular organization and host-guest interactions using two-dimensional nanoporous coordination systems. 2004 , 3, 229-33		630
2186	Solvothermal synthesis and structural characterization of a three-dimensional metal-organic polymer [NaZn(1,2,4-BTC)] (1,2,4-BTC=1,2,4-benzenetricarboxylate). 2004 , 6, 85-90		29
2185	Yttrium coordination polymers with layered structures. 2004 , 6, 599-604		12
2184	The role of profilin complexes in cell motility and other cellular processes. 2004 , 14, 461-9		385
2183	Syntheses, structures, and photoluminescence of a novel class of d10 metal complexes constructed from pyridine-3,4-dicarboxylic acid with different coordination architectures. <i>Inorganic Chemistry</i> , 2004 , 43, 1850-6	5.1	337
2182	Construction of a microporous inorganic-organic hybrid compound with uranyl units. 2004 , 1814-5		127
2181	Solvent templated synthesis of metal-organic frameworks: structural characterisation and properties of the 3D network isomers $[[\text{Mn}(\text{dcbp})]_{1/2}\text{DMF}]_n$ and $[[\text{Mn}(\text{dcbp})] \cdot 2\text{H}_2\text{O}]_n$. 2004 , 776-7		99
2180	Crystal structure and spectroscopic study of novel two- and three-dimensional photoluminescent Eu(III)-adipate compounds. <i>Inorganic Chemistry</i> , 2004 , 43, 245-50	5.1	139
2179	Directed assembly of transition-metal-coordinated molecular loops and squares from salen-type components. Examples of metalation-controlled structural conversion. 2004 , 126, 6314-26		185
2178	Host-guest complexes of 3,5-dinitrobenzonitrile: channels and sandwich supramolecular architectures. 2004 , 60, 919-925		15
2177	Framework materials based on azamacrocyclic complexes of transition metals and carboxylates. 2004 , 40, 345-371		23
2176	X-linked immunodeficiencies. 2004 , 4, 339-48		22
2175	Functional porous coordination polymers. 2004 , 43, 2334-75		9245
2174	A robust porous material constructed of linear coordination polymer chains: reversible single-crystal to single-crystal transformations upon dehydration and rehydration. 2004 , 43, 2798-801		369

2173	A route to the synthesis of trivalent transition-metal porous carboxylates with trimeric secondary building units. 2004 , 43, 6285-9	421
2172	Hybrid organic-inorganic frameworks: routes for computational design and structure prediction. 2004 , 43, 6290-6	147
2171	Chiral metal-organic assemblies--a new approach to immobilizing homogeneous asymmetric catalysts. 2004 , 43, 5726-9	134
2170	A hybrid solid with giant pores prepared by a combination of targeted chemistry, simulation, and powder diffraction. 2004 , 43, 6296-301	723
2169	Zn ₂ [(S)-O ₃ PCH ₂ NHC ₄ H ₇ CO ₂] ₂ : a homochiral 3D zinc phosphonate with helical channels. 2004 , 43, 6482-5	143
2168	Dipeptides as microporous materials. 2004 , 43, 6308-11	131
2167	Funktionale poröse Koordinationspolymere. 2004 , 116, 2388-2430	1282
2166	A Robust Porous Material Constructed of Linear Coordination Polymer Chains: Reversible Single-Crystal to Single-Crystal Transformations upon Dehydration and Rehydration. 2004 , 116, 2858-2861	104
2165	A Route to the Synthesis of Trivalent Transition-Metal Porous Carboxylates with Trimeric Secondary Building Units. 2004 , 116, 6445-6449	68
2164	Hybrid Organic-Inorganic Frameworks: Routes for Computational Design and Structure Prediction. 2004 , 116, 6450-6456	20
2163	Chirale metall-organische Systeme – Ein Ansatz zur Immobilisierung asymmetrischer Homogenkatalysatoren. 2004 , 116, 5846-5850	38
2162	A Hybrid Solid with Giant Pores Prepared by a Combination of Targeted Chemistry, Simulation, and Powder Diffraction. 2004 , 116, 6456-6461	219
2161	Zn ₂ [(S)-O ₃ PCH ₂ NHC ₄ H ₇ CO ₂] ₂ : A Homochiral 3D Zinc Phosphonate with Helical Channels. 2004 , 116, 6644-6647	13
2160	Dipeptides as Microporous Materials. 2004 , 116, 6468-6471	26
2159	Hydrothermal Syntheses, Crystal Structures and Photoluminescent Properties of Three Metal-Cluster Based Coordination Polymers Containing Mixed Organic Ligands. 2004 , 2004, 125-133	149
2158	The Role of Spacers between Carboxylate Groups in Self-Assembly Process: Syntheses and Characterizations of Two Novel Cadmium(II) Complexes Derived from Mixed Ligands. 2004 , 2004, 37-43	57
2157	Novel Supramolecular Frameworks Self-Assembled from One-Dimensional Polymeric Coordination Chains. 2004 , 2004, 185-191	204
2156	Ferromagnetic and Antiferromagnetic Polymeric Complexes with the Macrocyclic Ligand 1,4,7-Triazacyclononane. 2004 , 2004, 2369-2378	29

2155	Metal-Directed Self-Assembly: Two New Metal-Binicotinate Grid Polymeric Networks and Their Fluorescence Emission Tuned by Ligand Configuration. 2004 , 2004, 2695-2700		45
2154	Synthesis and Characterisation of the First Three-Dimensional Mixed-Metal-Center Inorganic-Organic Hybrid Framework with N-(Phosphonomethyl)iminodiacetate. 2004 , 2004, 2759-2768		10
2153	Rational Design of Metal-Organic Frameworks Based on 5-(4-Pyridyl)tetrazolate: From 2D Grids to 3D Porous Networks. 2004 , 2004, 3662		36
2152	New Porous Lanthanide-Organic Frameworks: Synthesis, Characterization, and Properties of Lanthanide 2,6-Naphthalenedicarboxylates. 2004 , 2004, 3262-3268		106
2151	A Novel Hybrid Supramolecular Network Assembled from Perfect π -Stacking of an Anionic Inorganic Layer and a Cationic Hydronium-Ion-Mediated Organic Layer. 2004 , 2004, 4253-4258		52
2150	Synthesis, Structural Characterization and Properties of Copper(II) and Zinc(II) Coordination Polymers with a New Bridging Chelating Ligand. 2004 , 2004, 4317-4323		36
2149	Luminescent Zn and Cd Coordination Polymers. 2004 , 2004, 4669-4674		59
2148	Towards surface-supported supramolecular architectures: tailored coordination assembly of 1,4-benzenedicarboxylate and Fe on Cu(100). <i>Chemistry - A European Journal</i> , 2004 , 10, 1913-9	4.8	178
2147	Benzene-templated hydrothermal synthesis of metal-organic frameworks with selective sorption properties. <i>Chemistry - A European Journal</i> , 2004 , 10, 5535-40	4.8	152
2146	Recent developments in metal-organic framework chemistry: design, discovery, permanent porosity and flexibility. <i>Microporous and Mesoporous Materials</i> , 2004 , 73, 15-30	5.3	480
2145	Eight-connected three-dimensional lanthanide coordination networks constructed by pyrazine-dioxide (pzdo). <i>Microporous and Mesoporous Materials</i> , 2004 , 73, 89-95	5.3	48
2144	Metal-organic frameworks: a new class of porous materials. <i>Microporous and Mesoporous Materials</i> , 2004 , 73, 3-14	5.3	2204
2143	Molecular building block approaches to chiral porous zirconium phosphonates for asymmetric catalysis. 2004 , 215, 177-186		79
2142	Synthesis, structure and luminescent property of a binuclear terbium complex [Tb ₂ (Hsal) ₈ (H ₂ O) ₂][(Hphen) ₂] \cdot 2H ₂ O. <i>Journal of Molecular Structure</i> , 2004 , 691, 33-37	3.4	47
2141	Two supramolecular architectures constructed from dinuclear zinc(II) unit. <i>Journal of Molecular Structure</i> , 2004 , 698, 87-91	3.4	8
2140	A chiral supramolecular architecture [Cu ₂ (4,4'-bipyridine) ₂ (sala) ₂] \cdot n \cdot 4.5nH ₂ O (sala=N-(2-hydroxybenzyl)-l-alanine anion). <i>Journal of Molecular Structure</i> , 2004 , 707, 231-234	3.4	14
2139	Syntheses, structures and properties of three cluster-based coordination polymers: influence of the metal ions on the ligand coordination mode and crystal chirality. 2004 , 357, 1389-1396		19
2138	A novel three-dimensional metal-organic network, Zn ₂ (btec)(pipz)(H ₂ O) (btec=1,2,4,5-benzenetetracarboxylate, pipz=piperazine), with blue fluorescent emission. 2004 , 357, 3155-3161		51

2137	Synthesis and characterization of a novel three-dimensional photoluminescent coordination polymer generated from unsymmetrically bridging ligand. 2004 , 357, 3683-3688		33
2136	Non-linear optically active zinc and cadmium p-pyridinecarboxylate coordination networks. 2004 , 357, 3999-4004		19
2135	Assembled enantioselective catalysts for carbonyl-ene reactions. 2004 , 45, 2009-2012		62
2134	Synthesis and characterization of synanti carboxylate-bridged one-dimensional copper(II) complexes with bis(2-pyridylmethyl)amino acids. 2004 , 23, 903-911		53
2133	Synthesis and crystal structure of a new 3D supramolecular network based on rare earth dimer and polyoxometalate: [Y ₂ (DNBA) ₂ (OAc) ₂ (DMF) ₆][Mo ₆ O ₁₉] (DNBA=3,5-dinitrobenzoate). <i>Journal of Molecular Structure</i> , 2004 , 691, 171-180	3-4	12
2132	Hydrothermal synthesis and crystal structure of a sulfur-bridged binuclear copper(II) coordination polymer generated by a spontaneous reduction. <i>Journal of Molecular Structure</i> , 2004 , 694, 219-222	3-4	7
2131	Organically pillared layered zinc hydroxides. 2004 , 177, 1852-1857		28
2130	A novel strong fluorescent three-dimensional supramolecular coordination polymer based on bridging terephthalate. 2004 , 7, 260-263		30
2129	Syntheses and characterization of two coordination polymers: [Cd(isonicotinate) ₂ (H ₂ O)]·DMF and Cd ₃ (isonicotinate) ₄ (NO ₃) ₂ (4,4'-bipy) ₂ (H ₂ O) ₂ . 2004 , 7, 402-404		30
2128	A three-dimensional interpenetrating framework with spacious multi-channels: synthesis and characterisation of a cobalt(II) coordination polymer based on an angular dipyrindyl ligand incorporating an amide spacer. 2004 , 7, 374-377		16
2127	Hydrothermal synthesis, crystal structure and luminescent properties of 2d grid-like polymer based on 3d mixed metals. 2004 , 7, 971-973		15
2126	Synthesis, crystal structure, and magnetic property of a novel 2D polymer [Co(PDC)(4,4-bpy)](CH ₃ OH). 2004 , 7, 1037-1040		27
2125	Metal-organic framework structures of Cu(II) with pyridine-2,6-dicarboxylate and different spacers: identification of a metal bound acyclic water tetramer. 2004 , 6, 250-256		107
2124	Synthesis of novel copper compounds containing isonicotinic acid and/or 2,6-pyridinedicarboxylic acid: third-order nonlinear optical properties. 2004 , 57, 1079-1087		30
2123	Unprecedented tubular channels assemblies afforded by alkyl-substituted oxamide oxime metal complexes. 2004 , 28, 177-179		10
2122	The ligand, the metal and the 'Holey'-host: Synthesis, structural and magnetic characterisation of Co(II), Ni(II) and Mn(II) metal-organic frameworks incorporating 4,4'-dicarboxy-2,2'-bipyridine. 2004 , 3440-7		84
2121	Polymeric networks of copper(II) using succinate and aromatic N-N donor ligands: synthesis, crystal structure, magnetic behaviour and the effect of weak interactions on their crystal packing. 2004 , 1687-95		81
2120	Syntheses and crystal structures of [Mn(H ₂ O) ₄ (bpy)]L·4H ₂ O, [Mn(H ₂ O) ₄ (bpy)]L?·4H ₂ O and [Zn(H ₂ O) ₄ (bpy)]L·4H ₂ O (H ₂ L = succinic acid, H ₂ L? = fumaric acid). 2004 , 57, 459-467		5

2119	Supramolecular Grid and Layer Architectures. Hydrogen Bonds and Halogen-Halogen Interactions Influenced by Bromo-, Chloro-, and Cyano-Substituted Anilic Acids. 2004 , 4, 585-589		62
2118	Syntheses, structures, and properties of intercalation compounds of silver(I) complex with [2.2]paracyclophane. <i>Inorganic Chemistry</i> , 2004 , 43, 633-41	5.1	27
2117	Exceptionally stable, hollow tubular metal-organic architectures: synthesis, characterization, and solid-state transformation study. 2004 , 126, 3576-86		376
2116	Synthesis, Characterization, and Properties of an Open-Framework Iron(III) Dicarboxylate: MIL-85 or FeIII ₂ O{O ₂ C ₆ H ₃ } ₂ {O ₂ C ₆ H ₄ CO ₂ }·2CH ₃ OH. 2004 , 16, 2706-2711		40
2115	Design and synthesis of 3d-4f metal-based zeolite-type materials with a 3D nanotubular structure encapsulated "water" pipe. 2004 , 126, 3012-3		558
2114	Adsorption of gases and vapors on nanoporous Ni ₂ (4,4'-Bipyridine) ₃ (NO ₃) ₄ metal-organic framework materials templated with methanol and ethanol: structural effects in adsorption kinetics. 2004 , 126, 9750-9		198
2113	Mineralomimetic sodalite- and muscovite-type coordination frameworks. Dynamic crystal-to-crystal interconversion processes sensitive to ion pair recognition. 2004 , 126, 3014-5		69
2112	Synthesis and characterization of a new three-dimensional lanthanide carboxyphosphonate: Ln(4)(H ₂ O)(7)[O(2)C-C(5)H(10)N-CH(2)(-)-PO(3)](4)(H(2)O)(5). <i>Inorganic Chemistry</i> , 2004 , 43, 3159-63	5.1	126
2111	Synthesis and characterization of a tetrazolate-bridged coordination framework encapsulating D _{2h} -symmetric cyclic (H ₂ O) ₄ cluster arrays. <i>Inorganic Chemistry</i> , 2004 , 43, 6133-5	5.1	211
2110	Guest shape-responsive fitting of porous coordination polymer with shrinkable framework. 2004 , 126, 14063-70		274
2109	Isolation and characterization of a polymeric lanthanum citrate. <i>Inorganic Chemistry</i> , 2004 , 43, 6965-8	5.1	54
2108	A chain of changes: influence of noncovalent interactions on the one-dimensional structures of nickel(II) dicarboxylate coordination polymers with chelating aromatic amine ligands. <i>Inorganic Chemistry</i> , 2004 , 43, 5360-7	5.1	129
2107	Electronic and vibrational properties of a MOF-5 metal-organic framework: ZnO quantum dot behaviour. 2004 , 2300-1		381
2106	Cooperativity in Spin Crossover Systems: Memory, Magnetism and Microporosity. 195-228		179
2105	Structural Variability of Cobalt(II) Coordination Polymers: Three Polymorphs of Co ₃ (TMA) ₂ [TMA = Trimesate, C ₆ H ₃ (COO) ₃]. 2004 , 4, 599-604		61
2104	Influence of organic bases on constructing 3D photoluminescent open metal-organic polymeric frameworks. 2004 , 2202-7		67
2103	Directed assembly of metal-organic cubes from deliberately pre-designed molecular building blocks. 2004 , 2806-7		143
2102	From achiral ligands to chiral coordination polymers: spontaneous resolution, weak ferromagnetism, and topological ferrimagnetism. 2004 , 126, 1419-29		507

2101	Microporous manganese formate: a simple metal-organic porous material with high framework stability and highly selective gas sorption properties. 2004 , 126, 32-3		886
2100	Three-dimensional metal-organic framework with (3,4)-connected net, synthesized from an ionic liquid medium. 2004 , 1594-5		211
2099	Origin, control, and application of supramolecular chirogenesis in bisporphyrin-based systems. 2004 , 37, 449-59		172
2098	Zeotype ionic crystal of Cs ₅ [Cr ₃ O(OOCH) ₆ (H ₂ O) ₃][α-CoW ₁₂ O ₄₀].7.5H ₂ O with shape-selective adsorption of water. 2004 , 126, 1602-3		104
2097	Self-assembly of lanthanide helicate coordination polymers into 3D metal-organic framework structures. <i>Inorganic Chemistry</i> , 2004 , 43, 2293-8	5-1	147
2096	Rho GTPases: potential candidates for anticancer therapy. 2004 , 206, 181-91		102
2095	The mammalian verprolin homologue WIRE participates in receptor-mediated endocytosis and regulation of the actin filament system by distinct mechanisms. 2004 , 298, 485-98		26
2094	Involvement of the Wiskott-Aldrich syndrome protein and other actin regulatory adaptors in T cell activation. 2004 , 16, 395-407		33
2093	Synthesis and characterization of two one-dimensional lanthanide coordination polymers. 2004 , 381, 50-57		14
2092	A two-state allosteric model for autoinhibition rationalizes WASP signal integration and targeting. 2004 , 338, 271-85		49
2091	Heterogeneous catalysis of a coordination network: cyanosilylation of imines catalyzed by a Cd(II)-(4,4'-bipyridine) square grid complex. 2004 , 1586-7		172
2090	Crystal-to-crystal transformations of a microporous metal-organic laminated framework triggered by guest exchange, dehydration and readsorption. 2004 , 2217-23		143
2089	Chiral Synthesis on Catalysts Immobilized in Microporous and Mesoporous Materials. 2004 , 46, 419-492		313
2088	[Ni ₃ (cit) ₂ (pyz)(H ₂ O) ₄](H ₂ O) ₄ : A New Three-dimensional Porous Coordination Polymer with a Pillared Layer Structure. 2004 , 33, 1514-1515		5
2087	Chapter 7. Dynamic Microfilaments and Microtubules Regulate Endothelial Function. 2005 , 205-236		0
2086	Poren per Baukasten. 2005 , 53, 394-399		27
2085	Catalytic Synthesis of β-Hydroxy Ketones Using Organic-Inorganic Hybrid Polymer. 2005 , 34, 1590-1591		19
2084	Synthesis and structural characterization of a new open-framework zinc terephthalate Zn ₃ (OH) ₂ (bdc) ₂ ·2DEF, with infinite Zn(β-OH) ₂ Zn chains. 2005 , 178, 621-628		56

2083	Soft functional polynuclear coordination compounds containing pyrimidine bridges. 2005 , 178, 2436-2451	67
2082	Flexible microporous coordination polymers. 2005 , 178, 2420-2429	333
2081	Connecting small ligands to generate large tubular metal-organic architectures. 2005 , 178, 2511-2518	45
2080	Homochiral porous metal-organic frameworks: Why and how?. 2005 , 178, 2486-2490	235
2079	Isomer transformation and photoluminescence in novel coordination polymers constructed from 1,4-cyclohexanedicarboxylic acid and imidazole. 2005 , 178, 3152-3158	34
2078	Two-dimensional metal-organic framework constructed from 4,4'-bipyridine and 1,2,4-benzenetricarboxylate: Synthesis, structure and magnetic properties. 2005 , 178, 3359-3365	25
2077	Syntheses and characterization of the samarium(III)–copper(II) 3D coordination network constructed by iminodiacetic acid. 2005 , 178, 3729-3734	22
2076	Homochiral helical wavelike (4,4) networks constructed by divalent metal ions and S-carboxymethyl-L-cysteine. <i>Journal of Molecular Structure</i> , 2005 , 740, 61-67	3-4 31
2075	Hydrothermal synthesis and structural characterization of three helical coordination polymers constructed from V-shaped ligand. <i>Journal of Molecular Structure</i> , 2005 , 749, 138-143	3-4 31
2074	Novel supramolecular structures and theoretical calculation of Ag(I) and Zn(II) complexes based on a new dipyridylamine ligand. <i>Journal of Molecular Structure</i> , 2005 , 779, 61-67	3-4 5
2073	Synthesis and characterization of new polynuclear lanthanide coordination polymers with 4,4'-oxybis(benzoic acid). 2005 , 24, 823-830	15
2072	3D coordination polymers of [2.2]paracyclophane and in situ silver(I) perfluoro-dicarboxylates: effects of the dicarboxylate spacers and conformations on the formation of complexes. 2005 , 358, 919-926	20
2071	Syntheses and characterizations of two lanthanide(III)–copper(II) coordination polymers constructed by pyridine-2,6-dicarboxylic acid. 2005 , 358, 1298-1304	34
2070	A reusable zigzag copper(II) coordination polymer with bio-essential constituents as a facile DNA scission agent. 2005 , 358, 3236-3240	30
2069	Syntheses and structures of Ag(I) compounds containing btp ligands. 2005 , 358, 3398-3406	18
2068	Molecular double chains and 3-D supramolecular frameworks with open channels assembled from 1D copper(II) maleate coordination polymers with chelating aromatic amine ligands by noncovalent interactions. 2005 , 358, 3807-3814	17
2067	Crystal structures and catalytic activities of Zn(II) compounds containing btp ligands. 2005 , 358, 3659-3670	30
2066	Five-, seven-, and eight-coordinate Cd(II) coordination polymers built by anthranilic acid derivatives: Synthesis, structures and photoluminescence. 2005 , 358, 3905-3913	23

2065	Kinetics and mechanism of the aquation of the trinuclear cation, [B-oxo-triaqua-hexakis(acetato)tris(iron(III))]+in perchloric acid media. 2005 , 358, 3610-3616		14
2064	Advanced porous materials: New developments and emerging trends. <i>Microporous and Mesoporous Materials</i> , 2005 , 82, 227-239	5-3	68
2063	Hydrothermal synthesis and crystal structures of two zinc(II) coordination polymers with benzophenone-4,4'-dicarboxylic acid. <i>Journal of Molecular Structure</i> , 2005 , 733, 63-68	3-4	12
2062	The chiral structure induced by lone-pair electrons: syntheses and characterization of two novel chiral rare-earth selenites containing homochiral helical chains. <i>Journal of Molecular Structure</i> , 2005 , 733, 69-75	3-4	8
2061	A homochiral 3D covalent framework assembled from vertical chiral layers with achiral bridging ligands. <i>Journal of Molecular Structure</i> , 2005 , 737, 49-54	3-4	32
2060	The first example of a structure containing both \square and $\#$ octamolybdates: synthesis and structure of a new three-dimensional supramolecular network [Co(2,2'-bipy)3]4[Mo8O26]2·5H2O (2,2'-bipy=2,2'-bipyridine). <i>Journal of Molecular Structure</i> , 2005 , 741, 149-153	3-4	27
2059	Hydrothermal synthesis, crystal structures and luminescent properties of two new Ln(III) succinate (Ln=Eu, Tb) complexes exhibiting three dimensional networks. <i>Journal of Molecular Structure</i> , 2005 , 740, 187-191	3-4	53
2058	Structure and heterogeneous catalytic activity of a coordination polymer containing Cu(NO3)2 and units bridged alternatively by btp ligands (btp=2,6-bis(N?-1,2,4-triazolyl)pyridine). <i>Journal of Molecular Structure</i> , 2005 , 751, 22-28	3-4	22
2057	Structure of functionalized porous metal-organic frameworks by molecular orbital methods. 2005 , 716, 33-38		11
2056	Synthesis, structure and luminescent properties of lanthanide(III) polymeric complexes constructed by citric acid. 2005 , 8, 328-330		50
2055	pH Value controlled structures: from macrocyclic complex monomer to 2D macrocyclic sheet. 2005 , 8, 421-424		12
2054	Novel infinite hexanuclear zinc coordination polymer with a flexible bipyridyl ligand and its catalytic activity. 2005 , 8, 692-696		21
2053	A new polymeric copper(II) complex containing pyrazine-2-carboxamide (pzca): Synthesis and crystal structure of {[Cu(pzca)(CH3CN)3](ClO4)2·H2O}n. 2005 , 8, 680-683		7
2052	1D polymeric chain of copper(II) containing imidazolite and perchlorate bridging: Supramolecular synthon involving N-H...O hydrogen bonding. 2005 , 8, 1041-1044		23
2051	Template-assisted assembly of porous lanthanide coordination polymers with 2-aminoterephthalic acid. 2005 , 8, 1045-1048		24
2050	Multifunctionality in spin crossover materials. 2005 , 249, 2661-2676		312
2049	Synthesis, optical properties, crystal structures and phase behaviour of symmetric, conjugated ethynylarene-based rigid rods with terminal carboxylate groups. 2005 , 15, 690-697		37
2048	Porous lanthanide-organic framework with zeolite-like topology. 2005 , 2436-8		177

2047	Dynamic porous properties of coordination polymers inspired by hydrogen bonds. 2005 , 34, 109-19		1298
2046	Highly stable olefin-Cu(I) coordination oligomers and polymers. 2005 , 34, 208-25		144
2045	Co-existing intermolecular halogen bonding, aryl packing and hydrogen bonding in driving the self-assembly process of Keggin polyoxometalates. 2005 , 7, 380		53
2044	A homochiral porous metal-organic framework for highly enantioselective heterogeneous asymmetric catalysis. 2005 , 127, 8940-1		1745
2043	ENGINEERED POROUS CATALYTIC MATERIALS. 2005 , 35, 209-238		97
2042	A chromium terephthalate-based solid with unusually large pore volumes and surface area. 2005 , 309, 2040-2		4003
2041	Multifunctionality and crystal dynamics of a highly stable, porous metal-organic framework [Zn ₄ O(NTB) ₂]. 2005 , 127, 6374-81		474
2040	Biochemistry and biomechanics of cell motility. 2005 , 7, 105-50		199
2039	Highly controlled acetylene accommodation in a metal-organic microporous material. <i>Nature</i> , 2005 , 436, 238-41	50.4	1267
2038	Chemically tailorable colloidal particles from infinite coordination polymers. <i>Nature</i> , 2005 , 438, 651-4	50.4	580
2037	Interpenetrating and non-interpenetrating 3-dimensional coordination polymer frameworks from multiple building blocks. 2005 , 7, 1522-1532		12
2036	Syntheses and Characterizations of Multidimensional Metal-Organic Frameworks Based on Rings and 1D Chains. 2005 , 2005, 321-329		34
2035	1-D Open-Channeled 3-D Supramolecular Self-Assembled Frameworks Encapsulating Unprecedented Cyclic (H ₂ O) ₈ Clusters or Solvent Molecules. 2005 , 2005, 2678-2684		51
2034	New Cadmium(II) and Iron(II) Coordination Frameworks Incorporating a Di(4-pyridyl)isoindoline Ligand. 2005 , 2005, 2470-2475		7
2033	Multiple Regulated Assembly, Crystal Structures and Magnetic Properties of Porous Coordination Polymers with Flexible Ligands. 2005 , 2005, 4150-4159		81
2032	Synthesis and Characterization of a 3D H-Bonded Supramolecular Complex with Chiral Channels Encapsulating 1D Left-Handed Helical Water Chains. 2005 , 2005, 3214-3216		33
2031	Hydrothermal Synthesis, Crystal Structures, and Properties of a Class of 2D Coordination Polymers. 2005 , 2005, 4598-4606		23
2030	The deposition of metalloprotein-based coordination polymers on graphite substrates: effects of side-chain functional groups and local surface structure. 2005 , 44, 803-6		28

2029	Redox-active porous metal-organic framework producing silver nanoparticles from AgI ions at room temperature. 2005 , 44, 1261-5	249
2028	A metal-organic framework with the zeolite MTN topology containing large cages of volume 2.5 nm ³ . 2005 , 44, 3845-8	206
2027	Highly porous, homochiral metal-organic frameworks: solvent-exchange-induced single-crystal to single-crystal transformations. 2005 , 44, 1958-61	308
2026	Supramolecular coordination assemblies of dinuclear Fe(III) complexes. 2005 , 44, 4187-92	47
2025	Heterogenization of Shibasaki's binol/La catalyst for enantioselective epoxidation of alpha,beta-unsaturated ketones with multitopic binol ligands: the impact of bridging spacers. 2005 , 44, 6362-6	72
2024	A three-dimensional metal-organic framework with an unprecedented octahedral building unit. 2005 , 44, 6488-91	69
2023	Abscheidung von Metallopeptid-Koordinationspolymeren auf Graphitsubstraten: Einflüsse funktioneller Gruppen in den Seitenketten und der lokalen Oberflächenstruktur. 2005 , 117, 813-817	10
2022	Redox-Active Porous Metal-Organic Framework Producing Silver Nanoparticles from AgI Ions at Room Temperature. 2005 , 117, 1287-1291	70
2021	A Metal-Organic Framework with the Zeolite MTN Topology Containing Large Cages of Volume 2.5 nm ³ . 2005 , 117, 3913-3916	43
2020	Highly Porous, Homochiral Metal-Organic Frameworks: Solvent-Exchange-Induced Single-Crystal to Single-Crystal Transformations. 2005 , 117, 1994-1997	47
2019	Supramolecular Coordination Assemblies of Dinuclear FeIII Complexes. 2005 , 117, 4259-4264	8
2018	Heterogenization of Shibasaki's Binol/La Catalyst for Enantioselective Epoxidation of alpha, beta-Unsaturated Ketones with Multitopic Binol Ligands: The Impact of Bridging Spacers. 2005 , 117, 6520-6524	28
2017	A Three-Dimensional Metal-Organic Framework with an Unprecedented Octahedral Building Unit. 2005 , 117, 6646-6649	5
2016	Encapsulation of Catalysts in Supramolecular Porous Frameworks: Size- and Shape-Selective Catalytic Oxidation of Phenols. 2005 , 17, 689-692	83
2015	Supramolecular photochirogenesis in sensitizing chiral nanopore: enantiodifferentiating photoisomerization of (Z)-cyclooctene included and sensitized by POST-1. 2005 , 17 Suppl, S19-23	24
2014	Self-supported heterogeneous titanium catalysts for enantioselective carbonyl-ene and sulfoxidation reactions. <i>Chemistry - A European Journal</i> , 2005 , 11, 4078-88	4.8 89
2013	Gas sorption properties of microporous metal organic frameworks. 2005 , 178, 2527-2532	160
2012	Functional microporous materials of metal carboxylate: Gas-occlusion properties and catalytic activities. 2005 , 178, 2555-2573	72

2011	Synthesis and characterization of Cu(bpe)(ddc) [bpe = 1,2-bis(4-pyridyl)ethane, H ₂ ddc = 1,10-decanedicarboxylic acid]. 2005 , 8, 1670-1675	2
2010	Self-assembly of a Co(II) dimer through H-bonding of water molecules to a 3D open-framework structure. 2005 , 117, 23-26	6
2009	Hybrid organic-inorganic solids for heterogeneous asymmetric catalysis. 2005 , 34, 85-92	60
2008	Olefin-Copper(I) Complexes and their Properties. 2005 , 35, 43-61	46
2007	Synthesis, structure, and thermal decomposition of a novel one-dimensional chain complex of manganese(II) with 2,2-diphenic acid and 1,10-phenanthroline. 2005 , 46, 352-357	2
2006	Poly[μ -5-(3-carboxylatophenyl)-1H-tetrazolato-zinc(II)]. 2005 , 61, m984-m985	5
2005	Bis(2-aminoethylammonium- μ 2)bis(dimethylglyoximate- μ 2N,N')cobalt(III) dichloro(dimethylglyoximate- μ 2N,N')(dimethylglyoxime- μ 2N,N')cobaltate(III) dichloride 0.75-hydrate. 2005 , 61, m1185-m1187	3
2004	Synthesis and Structure Characterization of Metal-organic Frameworks with a Triple Iron Helical Complex. 2005 , 631, 769-772	2
2003	Hydrothermal Syntheses and Structural Studies of Lanthanide Coordination Polymers Involving In-Situ Decarboxylation and their Luminescence Properties. 2005 , 631, 937-942	50
2002	Directing the Assembly of Molecular Crystals. 2005 , 30, 705-712	10
2001	Three-dimensional four-connecting organic scaffolds with a twist: synthesis and self-assembly. 2005 , 70, 8568-71	36
2000	Framework variations in Mn(II) organic coordination polymers: solvent templated formation and characterisation of 1D zigzag and straight chain network isomers. 2005 , 7, 650	34
1999	Why bother with nets?. 2005 , 19-38	
1998	Flexible coordination polymers as novel porous materials. 2005 , 497-504	4
1997	A metal-organic framework functionalized with free carboxylic acid sites and its selective binding of a Cl(H ₂ O) ₄ (-) cluster. 2005 , 127, 16362-3	202
1996	Self-assembly of homochiral porous solids based on 1D cadmium(II) coordination polymers. <i>Inorganic Chemistry</i> , 2005 , 44, 1178-80	5.1 37
1995	Two new metal coordination polymers containing mixed ligands: hydrothermal synthesis and crystal structures of [Co ₂ (1,2,4,5-btc)(phen) ₂ (H ₂ O) ₆] \cdot 2H ₂ O and [Mn ₃ (1,2,4-btc) ₂ (phen) ₂ (H ₂ O) ₂] n. 2005 , 58, 1289-1297	7
1994	Pillared-layer microporous metal-organic frameworks constructed by robust hydrogen bonds. Synthesis, characterization, and magnetic and adsorption properties of 2,2'-biimidazole and carboxylate complexes. <i>Inorganic Chemistry</i> , 2005 , 44, 8836-45	5.1 140

1993	Rho GTPases in hematopoietic cells. 2005 , 7, 1440-55		9
1992	New double-layered open metal-organic frameworks with nanosized channels encapsulated removable 2,5-bis(4-pyridyl)-1,3,4-thiadiazole molecules. 2005 , 7, 96-101		22
1991	Carbonyl complexes of Rh(I) and Ir(I) and P-donor ligands as useful building blocks for the self-assembly of new organometallic polymers. 2005 , 7, 575		12
1990	Potassium-thiacalix[8]arene assembly: structure and guest sorption profiles. 2005 , 711-2		20
1989	Structural characterization of an enantiopure hydroxo-bridged binuclear iron(III) complex with empty one-dimensional helical channels. <i>Inorganic Chemistry</i> , 2005 , 44, 1302-8	5.1	42
1988	A chiral layered Co(II) coordination polymer with helical chains from achiral materials. 2005 , 1396-8		151
1987	Second ligand-directed self-assembly of lanthanide(III) coordination polymers with 1,4-naphthalenedicarboxylate. 2005 , 29, 798		109
1986	A chiral porous 3D metal-organic framework with an unprecedented 4-connected network topology. 2005 , 3673-5		38
1985	A 2D honeycomb-shaped network based on a starburst cluster: [Ag ₄ (micro ³ -Cl)(PPh ₂ (CH ₂) ₂ PPh ₂) _{1.5} {S ₂ P(OR) ₂ } ₃](R = Et, Pri). 2005 , 1983-5		51
1984	Heteroleptic pyrimidine-2-olate and 4,4[prime or minute]-bipyridine copper(II) layered metal-organic frameworks with swelling properties. 2005 , 1743-6		15
1983	Beta-sheet recognition in the non-interpenetrated and interpenetrated two-dimensional coordination networks containing cavities. 2005 , 2229-31		85
1982	Syntheses, structures and fluorescent properties of two novel coordination polymers in the U-Cu-H ₃ pdc system. 2005 , 1518-23		145
1981	Microporous chiral metal coordination polymers: hydrothermal synthesis, channel engineering and stability of lanthanide tartrates. 2005 , 5515-7		91
1980	Assembled bright green fluorescent zinc coordination polymer. 2005 , 5292-4		55
1979	X-RAY POWDER DIFFRACTION CHARACTERIZATION OF POLYMERIC METAL DIAZOLATES. 2005 , 26, 1-37		57
1978	Synthesis, structure, and stereochemistry of trinuclear metal complexes formed from the phosphorus-based achiral tripodal ligand {P(S)[N(Me)N=CHC ₆ H ₄ -o-OH]} ₃ (LH ₃): luminescent properties of L ₂ Cd ₃ x 2H ₂ O. <i>Inorganic Chemistry</i> , 2005 , 44, 4608-15	5.1	29
1977	Chiral organometallic triangles with Rh-Rh bonds. 2. Compounds prepared from enantiopure cis-Rh ₂ (C ₆ H ₄ PPh ₂) ₂ (OAc) ₂ (HOAc) ₂ and their catalytic potentials. <i>Inorganic Chemistry</i> , 2005 , 44, 8223-33 ^{5.1}		50
1976	Polymeric Frameworks Constructed from a Metal-Organic Coordination Compound, in 1-D and 2-D Systems: Synthesis, Crystal Structures, and Fluorescent Properties. 2005 , 5, 341-346		118

1975	Bottom-Up Crystal Engineering toward Nanoporosity Exemplified by a Zinc Carboxylate Coordination Polymer Adopting a Tenorite Analogue Network Topology. 2005 , 5, 403-405		39
1974	Intermolecular proton transfer in solid phase: a rare example of crystal-to-crystal transformation from hydroxo- to oxo-bridged iron(III) molecule-based magnet. 2005 , 127, 10778-9		86
1973	Structural origin of chirality and properties of a remarkable helically pillared solid. <i>Inorganic Chemistry</i> , 2005 , 44, 6509-11	5.1	31
1972	Chiral Discrimination in Low-Density Hydrogen-Bonded Frameworks. 2005 , 5, 2277-2287		41
1971	Open metal-organic framework containing cuprate chains. <i>Inorganic Chemistry</i> , 2005 , 44, 6192-6	5.1	27
1970	Dynamic formation of coordination polymers versus tetragonal prisms and unexpected magnetic superexchange coupling mediated by encapsulated anions in the cobalt(II) 1,3-bis(pyrid-4-ylthio)propan-2-one series. <i>Inorganic Chemistry</i> , 2005 , 44, 9175-84	5.1	33
1969	From diamondoid network to (4,4) net: effect of ligand topology on the supramolecular structural diversity. <i>Inorganic Chemistry</i> , 2005 , 44, 6933-5	5.1	76
1968	A New Family of Cadmium(II) Coordination Polymers from Coligands: Effect of the Coexistent Groups (R = H, NO ₂ , OH) on Crystal Structures and Properties. 2005 , 5, 1651-1656		89
1967	Characterization of segments from the central region of BRCA1: an intrinsically disordered scaffold for multiple protein-protein and protein-DNA interactions?. 2005 , 345, 275-87		141
1966	Folding pathway mediated by an intramolecular chaperone: intrinsically unstructured propeptide modulates stochastic activation of subtilisin. 2005 , 347, 367-83		37
1965	Microporous pillared paddle-wheel frameworks based on mixed-ligand coordination of zinc ions. <i>Inorganic Chemistry</i> , 2005 , 44, 4912-4	5.1	422
1964	Terminal co-ligand directed synthesis of a neutral, non-interpenetrated (10,3)-a metal-organic framework. 2005 , 2095-7		62
1963	Hydrothermal synthesis, structure and luminescent properties of one-dimensional lanthanide benzenedicarboxylates, [M(NO ₃)M ₂ (C ₁₂ H ₈ N ₂) ₂][(C ₈ H ₄ O ₄) ₄]·H ₂ O, (M = La, Pr), possessing infinite M ₂ O ₂ linkages. 2005 , 15, 4588		61
1962	An unprecedented fivefold interpenetrated lvt network containing the exceptional racemic motifs originated from nine interwoven helices. 2005 , 5450-2		143
1961	Design, chirality, and flexibility in nanoporous molecule-based materials. 2005 , 38, 273-82		1191
1960	A polynuclear complex, {[Cu(bpe) ₂](NO ₃)}, with interpenetrated diamondoid networks: synthesis, properties and catalytic behavior. 2005 , 15, 4234		37
1959	1,2-, 1,3- and 1,4-Benzenedicarboxylates of Cd and Zn of different dimensionalities: Process of formation of the three-dimensional structure. 2005 , 15, 3852		89
1958	Radical polymerisation of styrene in porous coordination polymers. 2005 , 5968-70		135

1957	Synthesis, structure and luminescent properties of rare earth coordination polymers constructed from paddle-wheel building blocks. <i>Inorganic Chemistry</i> , 2005 , 44, 3850-5	5.1	242
1956	Structural constraints in the design of silver sulfonate coordination networks: three new polysulfonate open frameworks. <i>Inorganic Chemistry</i> , 2005 , 44, 8868-75	5.1	64
1955	Controlled generation of heterochiral or homochiral coordination polymer: helical conformational polymorphs and argentophilicity-induced spontaneous resolution. 2005 , 4417-9		143
1954	Influence of the reaction temperature and pH on the coordination modes of the 1,4-benzenedicarboxylate (BDC) ligand: a case study of the Ni(II)(BDC)/2,2'-bipyridine system. <i>Inorganic Chemistry</i> , 2005 , 44, 8265-71	5.1	206
1953	Syntheses, Structures, and Photoluminescent Properties of Three Silver(I) Coordination Polymers with 2-(4-Pyridyl)benzimidazole. 2005 , 5, 1569-1574		77
1952	The great escape: when cancer cells hijack the genes for chemotaxis and motility. 2005 , 21, 695-718		291
1951	Silver(I) compounds consisting of [2.2]paracyclophane: reversible guest-driven solid-state transformation and incorporation behavior. <i>Inorganic Chemistry</i> , 2005 , 44, 1686-92	5.1	19
1950	From a 1-D Chain, 2-D Layered Network to a 3-D Supramolecular Framework Constructed from a Metal-Organic Coordination Compound. 2005 , 5, 207-213		141
1949	Syntheses and Structures of Zinc(II), Silver(I), Copper(II), and Cobalt(II) Complexes with Imidazole-Containing Ligand: 1-(1-Imidazolyl)-4-(imidazol-1-ylmethyl)benzene. 2005 , 5, 289-294		99
1948	Homochiral crystallization of helical coordination chains bridged by achiral ligands: can it be controlled by the ligand structure?. 2005 , 424-6		117
1947	Characterization of 3-D Metal-Organic Frameworks Formed through Hydrogen Bonding Interactions of 2-D Networks with Rectangular Voids by CoII- and NiII-Pyridine-2,6-dicarboxylate and 4,4'-Bipyridine or 1,2-Di(pyridyl)ethylene. 2005 , 5, 623-629		116
1946	Rational assembly of a 3D metal-organic framework for gas adsorption with predesigned cubic building blocks and 1D open channels. 2005 , 3526-8		103
1945	Electronic structure and properties of isorecticular metal-organic frameworks: the case of M-IRMOF1 (M = Zn, Cd, Be, Mg, and Ca). 2005 , 123, 124713		132
1944	A chiral, heterometallic metal-organic framework derived from a tris(chelate) coordination complex. 2005 , 5506-8		100
1943	Structures and Sorption Properties of Ionic Crystals of Macrocation-Dawson-Type Polyoxometalates with Different Charges. 2005 , 17, 1367-1375		50
1942	Microporous Metal-Organic Frameworks Built on a Ln ³ Cluster as a Six-Connecting Node. 2005 , 17, 2866-2874		93
1941	Facile synthesis of enantiopure chiral molecular rectangles exhibiting induced circular dichroism. 2006 , 8, 1701-4		32
1940	Synthesis and characterization of a 3D coordination polymer based on trinuclear triangular CuII as secondary building units. <i>Inorganic Chemistry</i> , 2006 , 45, 5799-803	5.1	117

1939	Synthesis of MIL-102, a chromium carboxylate metal-organic framework, with gas sorption analysis. 2006 , 128, 14889-96		213
1938	Rare Earth coordination polymers with zeolite topology constructed from 4-connected building units. <i>Inorganic Chemistry</i> , 2006 , 45, 4065-70	5.1	128
1937	A thermally stable Pt/Y-based metal-organic framework: Exploring the accessibility of the metal centers with spectroscopic methods using H ₂ O, CH ₃ OH, and CH ₃ CN as probes. 2006 , 110, 21509-20		93
1936	A Novel Chiral Cd(II) Coordination Polymer Based on Achiral Unsymmetrical 3-Amino-1,2,4-triazole with an Unprecedented μ -Bridging Mode. 2006 , 6, 2136-2140		111
1935	Highly stable chiral cadmium 1,2,4-benzenetricarboxylate: synthesis, structure, and NLO and fluorescence properties. <i>Inorganic Chemistry</i> , 2006 , 45, 2474-8	5.1	208
1934	Novel Low-Density Structure for Hard Rods with Adhesive End Groups. 2006 , 39, 7138-7143		11
1933	Synthesis, structure, and luminescent properties of microporous lanthanide metal-organic frameworks with inorganic rod-shaped building units. <i>Inorganic Chemistry</i> , 2006 , 45, 2581-7	5.1	177
1932	Synthesis and characterization of Prussian blue analogues incorporating the edge-bridged octahedral [Zr ₆ BCl ₁₂] ²⁺ cluster core. <i>Inorganic Chemistry</i> , 2006 , 45, 236-43	5.1	38
1931	From Helical Array to Porous Architecture: Exploring the Use of Side Chains of Amino Acids to Engineer 1D Infinite Coordination Polymeric Chain into Porous Frameworks. 2006 , 6, 989-993		33
1930	Advanced functional properties in nanoporous coordination framework materials. 2006 , 695-700		418
1929	Solvent hydrolysis leads to an unusual Cu(II) metal-organic framework. 2006 , 8, 473		46
1928	Development of efficient methods for the immobilisation of multicomponent asymmetric catalysts. 2006 , 1, 477-510		13
1927	Chiral aggregation and spontaneous resolution of thiosemicarbazone metal complexes. 2006 , 2572-8		26
1926	Synthesis, structure and fluorescent studies of novel uranium coordination polymers in the pyridinedicarboxylic acid system. 2006 , 4679-90		153
1925	Exploring conformationally flexible hydrogen-bond-functionalized ligand and counter anions in metal-organic frameworks of Cu(II). 2006 , 30, 1267-1275		44
1924	Hydrogen-bonded microporous network, helix and 1-D zigzag chains in MOFs of Zn(II): studying the effects of ligating topologies, hydrogen bonding backbone and counter-anions. 2006 , 8, 805		57
1923	Two helical coordination polymers constructed from V-shaped and chelate ligands. 2006 , 59, 1225-1232		
1922	Supramolecular framework with two different kinds of channels via self-assembly of 1D coordination polymers in a prismatic manner. <i>Inorganic Chemistry</i> , 2006 , 45, 4310-2	5.1	32

1921	Synthesis, crystal structure and magnetic properties of 2D bi-layered coordination polymer. 2006 , 59, 1641-1647		5
1920	Homochiral porous solids based on 1D coordination polymers built from 46-membered macrocycles. 2006 , 4563-9		10
1919	1, 2-, 1, 3- and 1, 4-Cyclohexanedicarboxylates of Cd and Mn with chain and layered structures. 2006 , 221-8		52
1918	Porous coordination polymers with zeolite topologies constructed from 4-connected building units. 2006 , 2399-402		157
1917	Nanoporosity of an organo-clay shown by hyperpolarized xenon and 2D NMR spectroscopy. 2006 , 1921-3		34
1916	Syntheses, Structures, and Photoluminescence of Three Novel Coordination Polymers Constructed from Dimeric d10Metal Units. 2006 , 6, 2036-2040		108
1915	Porous material for absorption and luminescent detection of aromatic molecules in water. 2006 , 1530-2		108
1914	A novel carboxylic coordination polymer of samarium(III): [Sm(H ₂ O)(4,4'-bipyridine)(CCL ₂ HCOO) ₃] _n . 2006 , 59, 681-690		12
1913	Rapid production of metal-organic frameworks via microwave-assisted solvothermal synthesis. 2006 , 128, 12394-5		529
1912	Construction of Cd/Zn(II)-1,2,4-Triazolate Coordination Complexes via Changing Substituents and Anions. 2006 , 6, 2126-2135		181
1911	A mesoporous metal-organic framework with permanent porosity. 2006 , 128, 16474-5		295
1910	Metal-organic frameworks from homometallic chains of nickel(II) and 1,4-cyclohexanedicarboxylate connectors: ferrimagnet-ferromagnet transformation. <i>Inorganic Chemistry</i> , 2006 , 45, 1627-37	5.1	117
1909	Two 2-D 36 tessellated metal-organic frameworks constructed from trimetallic clusters and dicarboxylate ditopic links. 2006 , 41, 925-933		22
1908	Anion Effect on the Structural Conformation of Tetranuclear Cadmium(II) Complexes. 2006 , 6, 1351-1360		102
1907	Microporous metal-organic frameworks incorporating 1,4-benzeneditetrazolate: syntheses, structures, and hydrogen storage properties. 2006 , 128, 8904-13		586
1906	Diversity of coordination architecture of metal 4,5-dicarboxylimidazole. <i>Inorganic Chemistry</i> , 2006 , 45, 4801-10	5.1	230
1905	A metal-organic framework material that functions as an enantioselective catalyst for olefin epoxidation. 2006 , 2563-5		869
1904	Chiral three-dimensional microporous nickel aspartate with extended Ni-O-Ni bonding. 2006 , 128, 9957-62		203

1903	Metal-organic frameworks prospective industrial applications. 2006 , 16, 626-636		1825
1902	Synthesis, structural characterization, gas sorption and guest-exchange studies of the lightweight, porous metal-organic framework alpha-[Mg3(O2CH)6]. <i>Inorganic Chemistry</i> , 2006 , 45, 5521-8	5.1	214
1901	Unusual Robust Luminescent Porous Frameworks Self-Assembled from Lanthanide Ions and 2,2'-Bipyridine-4,4'-dicarboxylate. 2006 , 6, 467-473		88
1900	One-Dimensional Chains, Two-Dimensional Corrugated Sheets Having a Cross-Linked Helix in Metal-Organic Frameworks: Exploring Hydrogen-Bond Capable Backbones and Ligating Topologies in Mixed Ligand Systems. 2006 , 6, 1903-1909		99
1899	Generation of Linear Coordination Polymers of catena-[Diaqua-(Pyrazine-2,6-dicarboxylato-N,O,O')Copper(II) via in Situ Hydro(solvo)thermal Decarboxylation of Pyrazine-2,3,5,6-tetracarboxylic Acid. 2006 , 6, 829-832		46
1898	Synthesis of Chiral Coordination Polymers by Spontaneous Resolution. 2006 , 6, 1458-1462		59
1897	Metal-Organic Framework Structures of Cd(II) Built with Two Closely Related Podands That Are Further Stabilized by Water Clusters. 2006 , 6, 433-438		19
1896	Resolution of a Racemic Small Molecular Alcohol by a Chiral Metal-Organic Coordination Polymer through Intercalation. 2006 , 6, 14-17		57
1895	Design of novel bilayer compounds of the CPO-8 type containing 1D channels. <i>Inorganic Chemistry</i> , 2006 , 45, 2424-9	5.1	57
1894	From simple monopyridine clusters [Mo6Br13(Py-R)][n-Bu4N] and hexapyridine clusters [Mo6X8(Py-R)6][OSO2CF3]4 (X = Br or I) to cluster-cored organometallic stars, dendrons, and dendrimers. <i>Inorganic Chemistry</i> , 2006 , 45, 1156-67	5.1	50
1893	Solvothermal in situ ligand synthesis through disulfide cleavage: 3D (3,4)-connected and 2D square-grid-type coordination polymers. <i>Inorganic Chemistry</i> , 2006 , 45, 5736-8	5.1	132
1892	Synthesis and crystal structures of multidimensional coordination polymers based on W/Cu/S clusters with flexible imidazole ligands. <i>Inorganic Chemistry</i> , 2006 , 45, 10155-61	5.1	57
1891	Stability and porosity enhancement through concurrent ligand extension and secondary building unit stabilization. <i>Inorganic Chemistry</i> , 2006 , 45, 7566-8	5.1	86
1890	Supramolecular Self-Assembly of Zigzag Coordination Polymer Chains: A Fascinating Three-Dimensional Polycatenated Network Featuring an Uneven Density of Catenations and a Three-Dimensional Porous Network. 2006 , 6, 2061-2065		64
1889	Rational design and synthesis of porous organic-inorganic hybrid frameworks constructed by 1,3,5-benzenetriphosphonic acid and pyridine synthons. <i>Inorganic Chemistry</i> , 2006 , 45, 977-86	5.1	113
1888	Three 3D Coordination Polymers Constructed by Cd(II) and Zn(II) with Imidazole-4,5-Dicarboxylate and 4,4'-Bipyridyl Building Blocks. 2006 , 6, 564-571		222
1887	Bis(imidazolium 2,4,6-tricarboxypyridine) Metal(II) Complexes: Molecular Building Blocks that Generate Isomorphous Hydrogen-Bonded Frameworks. 2006 , 6, 63-69		34
1886	Robust non-interpenetrating coordination frameworks from new shape-persistent building blocks. <i>Inorganic Chemistry</i> , 2006 , 45, 1442-4	5.1	72

1885	Reversible Anion Exchanges of Porous Metal-Organic Frameworks: Syntheses and Structures of Silver Complexes with Novel Rigid Tripodal Nitrogen Ligands. 2006 , 6, 1890-1896		54
1884	Combined effects of diamines and carboxylate bridges on structural and magnetic properties of a series of polynuclear copper(II) complexes with 1,1-cyclobutanedicarboxylic acid. <i>Inorganic Chemistry</i> , 2006 , 45, 8144-55	5.1	64
1883	Surface-template assembly of two-dimensional metal-organic coordination networks. 2006 , 110, 23472-7		80
1882	Increasing structure dimensionality of copper(I) complexes by varying the flexible thioether ligand geometry and counteranions. <i>Inorganic Chemistry</i> , 2006 , 45, 4035-46	5.1	124
1881	A NaCl-like Metal-Organic Framework Constructed by Unprecedented Tetrahedral Cd ₄ O ₆ and Cd ₅ O ₆ Units. 2006 , 6, 2637-2639		42
1880	1D and 2D homochiral metal-organic frameworks built from a new chiral elongated binaphthalene-derived bipyridine. <i>Inorganic Chemistry</i> , 2006 , 45, 7278-85	5.1	34
1879	Different Molecular Frameworks of Zinc(II) and Cadmium(II) Coordination Polymers Constructed by Flexible Double Betaine Ligands. 2006 , 6, 444-450		72
1878	Syntheses, Crystal Structures, and Magnetic Properties of Novel Copper(II) Complexes with the Flexible Bidentate Ligand 1-Bromo-3,5-bis(imidazol-1-ylmethyl)benzene. 2006 , 6, 2092-2102		37
1877	1D Tubular Chains and 3D Polycatenane Frameworks Constructed with Cu ₂ X ₂ Dimers (X = Br-, I-, CN-) and Flexible Dipyridyl Spacers. 2006 , 6, 2543-2550		99
1876	(10,3)-a Noninterpenetrated network built from a Piedfort ligand pair. <i>Inorganic Chemistry</i> , 2006 , 45, 1897-9	5.1	70
1875	Hydrothermal Synthesis and Structural Characterization of Novel Zn-Triazole-Benzenedicarboxylate Frameworks. 2006 , 18, 525-531		93
1874	Stepwise guest adsorption with large hysteresis in a coordination polymer {[Cu(bhnq)(THF) ₂](THF) _n } constructed from a flexible hingelike ligand. <i>Inorganic Chemistry</i> , 2006 , 45, 4322-4	5.1	39
1873	Spontaneously resolved homochiral 3D lanthanide-silver heterometallic coordination framework with extended helical Ln-O-Ag subunits. <i>Inorganic Chemistry</i> , 2006 , 45, 9257-61	5.1	136
1872	Design of Novel Three-Dimensional Coordination Polymers Based on Triangular Trinuclear Copper 1,2,4-Triazolate Units. 2006 , 6, 1393-1398		82
1871	Influence of water content on the self-assembly of metal-organic frameworks based on pyridine-3,5-dicarboxylate. <i>Inorganic Chemistry</i> , 2006 , 45, 2430-7	5.1	98
1870	Structural diversity and chemical trends in hybrid inorganic-organic framework materials. 2006 , 4780-95		945
1869	Structure, luminescence, and adsorption properties of two chiral microporous metal-organic frameworks. <i>Inorganic Chemistry</i> , 2006 , 45, 3582-7	5.1	233
1868	Investigation of acid sites in a zeotypic giant pores chromium(III) carboxylate. 2006 , 128, 3218-27		309

- 1867 A porous framework polymer based on a zinc(II) 4,4'-bipyridine-2,6,2',6'-tetracarboxylate: synthesis, structure, and "zeolite-like" behaviors. **2006**, 128, 10745-53 281
- 1866 Intrinsically disordered loops inserted into the structural domains of human proteins. **2006**, 355, 845-57 29
- 1865 A dimeric kinase assembly underlying autophosphorylation in the p21 activated kinases. **2006**, 361, 312-26 70
- 1864 Analysis of molecular recognition features (MoRFs). **2006**, 362, 1043-59 579
- 1863 Circular Dichroism of Porphyrin J-Aggregates Induced by Adsorbed D-Tartaric Acid on Mesoporous TiO₂Film. **2006**, 79, 413-420 4
- 1862 Porous Chiral Metal Organic Carboxylate Frameworks with a Double-interwoven SrSi₂Topology: M₃(TTCA)₂·6DMF·7H₂O (TTCA = triphenylenetricarboxylate; M = Zn²⁺, Cd²⁺). **2006**, 35, 1054-1055 12
- 1861 Direct Hydroxylation of Ketones Catalyzed by Organic-Inorganic Hybrid Polymer. **2006**, 35, 1094-1095 17
- 1860 Molecular Cage, One-Dimensional Tube and Two-Dimensional Polycatenane obtained from Reactions of Flexible Tripodal Ligand 1,3,5-Tris(imidazol-1-ylmethyl)-2,4,6-trimethylbenzene with Copper Salts. **2006**, 632, 1890-1896 17
- 1859 Two-dimensional metal-organic frameworks containing linear dicarboxylates. **2006**, 62, 808-14 59
- 1858 Poly[aqua-β-p-aminobenzoato-β N:O:O-η-p-aminobenzoato-η O:O-p-aminobenzoato-η O,O?-gadolinium(III)]. **2006**, 62, m1550-m1552 1
- 1857 Bis[aquachlorobis(1,10-phenanthroline)cadmium(II)] benzene-1,4-dioxydiacetate sesquihydrate. **2006**, 62, m1979-m1981 3
- 1856 catena-Poly[[[(1,10-phenanthroline-2N,N?)zinc(II)]-β,5-dinitrosalicylato-β O,O?:O??]. **2006**, 62, m3083-m3085 1
- 1855 Thermochemical Properties of the Complexes RE(HSal)₃·2H₂O (RE = La, Ce, Pr, Nd, Sm). **2006**, 24, 423-428 7
- 1854 Characterization of TccP-mediated N-WASP activation during enterohaemorrhagic Escherichia coli infection. **2006**, 8, 1444-55 40
- 1853 Design, structure and properties of a novel 3D metal-organic framework constructed from N-donor ligand supporting Cd(II)-carboxylate layer. **2006**, 9, 603-606 16
- 1852 Efficient transesterification by polymer-supported zinc complexes: Clean and recyclable catalysts. **2006**, 9, 654-657 38
- 1851 Synthesis, structure and photoluminescence of a 2-D cadmium (II) metal-organic framework: [Cd(η-NIPH)(η-OH₂)]_n (NIPH=5-nitroisophthalate). **2006**, 9, 744-747 20
- 1850 Hydrothermal synthesis, crystal structure and photoluminescent properties of a novel 3-D coordination polymer [Cd₂(pydc)₂(H₂O)]_n (pydc=pyridine-2,3-dicarboxylate). **2006**, 9, 844-847 65

1849	Synthesis, crystal structure and magnetic properties of a new three-dimensional porous framework: [Gd ₂ (BDA) ₃ (DMF) ₂ (H ₂ O) ₄] · 2DMF. 2006 , 9, 1223-1226		8
1848	Enantioselective self-assembly of chiral bimetallic oxalate-based networks. 2006 , 250, 2491-2500		152
1847	From chain to layer structure: CdII coordination polymers derived from diphenic acid. <i>Journal of Molecular Structure</i> , 2006 , 784, 1-6	3-4	19
1846	Hydrothermal synthesis and structural studies of two new copper(II) coordination polymers with V-shape ligands. <i>Journal of Molecular Structure</i> , 2006 , 782, 171-176	3-4	21
1845	Self-assembly of cinchonine quaternary salts: Effect of substituents and halogen anions on supramolecular architecture. <i>Journal of Molecular Structure</i> , 2006 , 789, 169-176	3-4	6
1844	First examples of ternary lanthanide succinate complexes: hydro-solvothermal syntheses and structures of lanthanide coordination polymers of succinic acid and 1,10-phenanthroline. <i>Journal of Molecular Structure</i> , 2006 , 794, 190-195	3-4	7
1843	Self-assembly of alternating left- and right-handed infinite Cd(II) helicates into a 2D open framework structure. <i>Journal of Molecular Structure</i> , 2006 , 796, 119-122	3-4	15
1842	Exploring hydrogen-bond capable backbone and ligating topologies: Co(II) coordination polymers derived from mixed ligand systems. <i>Journal of Molecular Structure</i> , 2006 , 796, 139-145	3-4	33
1841	Solvothermal synthesis, structure and magnetism of two novel 3D metal-organic frameworks based on infinite helical Mn(II) rod-shaped building units. <i>Journal of Molecular Structure</i> , 2006 , 796, 165-171	3-4	9
1840	Synthesis of two-dimensional metal-organic networks from 1,10-phenanthroline-chelated cadmium complex and polycarboxylate. <i>Journal of Molecular Structure</i> , 2006 , 796, 69-75	3-4	24
1839	1D and 2D metal-organic frameworks functionalized with free pyridyl groups. <i>Journal of Molecular Structure</i> , 2006 , 796, 58-62	3-4	7
1838	Formation of a supramolecular ladder using dinuclear dicyanamide bridged Cu(II) species: Synthesis, crystal structure and magnetic property. 2006 , 359, 690-694		15
1837	Zinc coordination polymers with 1-(3-aminopropyl)-imidazole as bridging bidentate unit. 2006 , 359, 327-333		15
1836	Two novel erbium (III) coordination polymers with 5-nitroisophthalic acid: Syntheses and crystal structures and thermal stabilities. 2006 , 359, 2047-2052		20
1835	Synthesis, crystal structure and magnetic properties of a chain coordination polymer {[Cu ₄ L ₂ (H ₂ O)]·H ₂ O} _n . 2006 , 359, 2053-2058		9
1834	Distinct CdII and CoII thiocyanate coordination complexes with 2,5-bis(pyrazinyl)-1,3,4-oxadiazole: Metal-directed assembly of a 1-D polymeric chain and a 3-D supramolecular network. 2006 , 359, 2575-2582		34
1833	Crystal structures and catalytic activities of Zn(II) compounds containing 1,3-bis(4-pyridyl)propane. 2006 , 359, 2534-2542		23
1832	Investigations of guest-modulated ordering temperatures in open-framework 3D porous magnets. 2006 , 385-386, 465-467		7

1831	Metal-organic frameworks of lanthanide (III) ions with a podand bearing terminal carboxylates: Identification of water clusters of different nuclearity. 2006 , 25, 1491-1497		20
1830	Coordination polymers constructed from o-phthalic acid and diamines: Syntheses and crystal structures of the phthalate-imidazole complexes $\{[\text{Cu}(\text{Pht})(\text{Im})_2] \cdot 1.5\text{H}_2\text{O}\}_n$ and $[\text{Co}(\text{Pht})(\text{Im})_2]_n$ and their application in oxidation catalysis. 2006 , 25, 1215-1222		118
1829	Supramolecular architecture constructed by p-carboxycinnamic acid and d-block metal ions. 2006 , 25, 1327-1332		4
1828	Monomers, chains, ladders, and two-dimensional sheets: Structural diversity in six new compounds of Zn(II) with 4,4'-bipyridine. 2006 , 25, 2605-2615		42
1827	Dicarboxylate anion-dependent assembly of Co(II) and Ni(II) coordination polymers with 1,2-bis(4-pyridyl)ethane. 2006 , 25, 3017-3024		19
1826	Design and synthesis of four coordination polymers generated from 2,2'-biquinoline-4,4'-dicarboxylate and aromatic bidentate ligands. 2006 , 179, 438-449		24
1825	Two novel 3-D coordination polymers based on isonicotinic acid: Syntheses, crystal structures and fluorescence. 2006 , 179, 883-890		8
1824	3-D indium(III)-btc channel frameworks and their ion-exchange properties (btc=1,3,5-benzenetricarboxylate). 2006 , 179, 1154-1160		21
1823	Strong fluorescent emission of a new fourfold-interpenetrated diamondoid metal-organic framework of zinc(II) urocanate with one-dimensional open channels. <i>Microporous and Mesoporous Materials</i> , 2006 , 91, 233-237	5-3	20
1822	Three metal-organic frameworks prepared from mixed solvents of DMF and HAc. <i>Microporous and Mesoporous Materials</i> , 2006 , 90, 145-152	5-3	90
1821	Blue luminescent complexes based on 5-aminodiacetic isophthalic ligand. <i>Journal of Molecular Structure</i> , 2006 , 789, 220-224	3-4	16
1820	Anion-driven self-assembly of tetrapyridyl ligand with a twist. <i>Journal of Molecular Structure</i> , 2006 , 796, 216-222	3-4	8
1819	Novel photocatalysts for the decomposition of organic dyes based on metal-organic framework compounds. 2006 , 110, 13759-68		266
1818	Novel 3D coordination palladium-network complex: a recyclable catalyst for Suzuki-Miyaura reaction. 2006 , 8, 4259-62		71
1817	Vapor phase inclusion of ferrocene and its derivative in a microporous metal-organic porous material and its structural characterization by single crystal X-ray diffraction. 2006 , 2759-61		74
1816	Mo(W)/Cu/S cluster-based supramolecular arrays assembled from preformed clusters $[\text{Et}_4\text{N}]_4[\text{WS}_4\text{Cu}_4\text{I}_6]$ and $[(n\text{-Bu})_4\text{N}]_2[\text{MoOS}_3\text{Cu}_3\text{X}_3]$ (X = I, SCN) with flexible ditopic ligands. <i>Inorganic Chemistry</i> , 2006 , 45, 10487-96	5-1	59
1815	Linking chiral clusters with molybdate building blocks: from homochiral helical supramolecular arrays to coordination helices. 2006 , 1, 352-7		50
1814	Polymerization in coordination nanospaces. 2006 , 1, 36-44		122

1813	Synthesis and characterization of the rare-earth complexes with salicylic acid. 2006 , 60,		2
1812	The thermodynamic properties of rare-earth metal binuclear acetates and pivalates. 2006 , 80, 323-329		6
1811	Synthesis, crystal structure and thermal stability of a novel 3D microporous coordination polymer: Na ₂ [Co(1,4-napdc) ₂ (DMF) ₂]. 2006 , 31, 874-878		3
1810	A microporous coordination polymer with 1-D channels constructed from a basic reaction system. 2006 , 36, 199-204		7
1809	Reaction of 1,2-bis(2,6-dicarboxypyridin-4-yl)ethyne with Co(II) generates coordination monomers not polymers: Crystal structure of 4-(2,6-dicarboxypyridin-4-yl)ethynylpyridine-2,6-dicarboxylatotriaqua cobalt(II) monohydrate. 2006 , 36, 371-379		2
1808	Chemical reduction method for industrial application of undoped polypyrrole electrodes in lithium-ion batteries. 2006 , 160, 585-591		36
1807	(NH ₄) ₂ (C ₄ O ₄), an anhydrous salt of acetylenedicarboxylic acid. 2006 , 8, 353-358		11
1806	Syntheses, crystal structures and thermal properties of 3D coordination polymers assembled from 1,4,5,8-naphthalenetetracarboxylic acid. 2006 , 8, 1237-1242		29
1805	Microporous metal-organic framework constructed from heptanuclear zinc carboxylate secondary building units. <i>Chemistry - A European Journal</i> , 2006 , 12, 3754-8	4.8	156
1804	Metal nuclearity modulated four-, six-, and eight-connected entangled frameworks based on mono-, bi-, and trimetallic cores as nodes. <i>Chemistry - A European Journal</i> , 2006 , 12, 2680-91	4.8	471
1803	Self-supported chiral catalysts for heterogeneous enantioselective reactions. <i>Chemistry - A European Journal</i> , 2006 , 12, 5188-97	4.8	105
1802	Microwave synthesis of hybrid inorganic-organic porous materials: phase-selective and rapid crystallization. <i>Chemistry - A European Journal</i> , 2006 , 12, 7899-905	4.8	133
1801	A microporous metal-organic framework for gas-chromatographic separation of alkanes. 2006 , 45, 1390-3		1060
1800	A homochiral metal-organic material with permanent porosity, enantioselective sorption properties, and catalytic activity. 2006 , 45, 916-20		599
1799	Hermaphroditic chirality of a D ₂ -symmetric saddle-shaped porphyrin in multicomponent spontaneous optical resolution: inclusion cocrystals with double-helical porphyrin arrays. 2006 , 45, 3786-90		17
1798	Preparation, adsorption properties, and catalytic activity of 3D porous metal-organic frameworks composed of cubic building blocks and alkali-metal ions. 2006 , 45, 2542-6		492
1797	Hydrothermal chemistry of the copper-triazolate system: A microporous metal-organic framework constructed from magnetic {Cu ₃ (μ ₃ -OH)(triazolate) ₃ } ₂ ⁺ building blocks, and related materials. 2006 , 45, 3497-500		145
1796	Asymmetric heterogeneous catalysis. 2006 , 45, 4732-62		541

1795	Nanochannel-promoted polymerization of substituted acetylenes in porous coordination polymers. 2006 , 45, 4112-6	220
1794	Engineering a polymeric chiral catalyst by using hydrogen bonding and coordination interactions. 2006 , 45, 4108-12	92
1793	Guest-induced instant and reversible crystal-to-crystal transformation of 1,4-bis(ferrocenylethynyl)anthraquinone. 2006 , 45, 5461-4	26
1792	Metastable sorption state of a metal-organic porous material determined by in situ synchrotron powder diffraction. 2006 , 45, 4932-6	101
1791	A multifunctional metal-organic open framework with a bcu topology constructed from undecanuclear clusters. 2006 , 45, 6126-30	224
1790	Metal-organic frameworks as efficient materials for drug delivery. 2006 , 45, 5974-8	1432
1789	Ion exchange as a way of controlling the chemical compositions of nano- and microparticles made from infinite coordination polymers. 2006 , 45, 5492-4	185
1788	Guest-induced conformational switching in a single crystal. 2006 , 45, 5856-9	81
1787	A family of nanoporous materials based on an amino acid backbone. 2006 , 45, 6495-9	356
1786	Self-assembly of nanometer-scale [Cu ₂₄ I ₁₀ L ₁₂] ¹⁴⁺ cages and ball-shaped Keggin clusters into a (4,12)-connected 3D framework with photoluminescent and electrochemical properties. 2006 , 45, 7411-4	371
1785	Synthesis, crystal structure and magnetic property of a two-dimensional herringbone-like network with praseodymium(III) nitrate and 1-bromo-3,5-bis(imidazol-1-ylmethyl)benzene (bib). 2006 , 20, 399-403	2
1784	Fe(Cu)-Containing Coordination Polymers: Syntheses, Crystal Structures, and Applications as Benzyl Alcohol Oxidation Catalysts. 2006 , 2006, 1594-1600	145
1783	2D and 3D Cadmium(II) Coordination Polymers from a Flexible Tripodal Ligand of 1,3,5-Tris(carboxymethoxy)benzene and Bidentate Pyridyl-Containing Ligands with Three-, Eight- and Ten-Connected Topologies. 2006 , 2006, 3041-3053	97
1782	Solvothermal Synthesis and Crystal Structure of Uranyl Complexes with 1,1-Cyclobutanedicarboxylic and (1R,3S)-(+)-Camphoric Acids [Novel Chiral Uranyl-Organic Frameworks. 2006 , 2006, 3646-3651	38
1781	Cadmium(II) and Zinc(II) Coordination Polymers with 1D Ladder and 2D Basket Weave Layer Structures Constructed from a New T-Shaped Ligand. 2006 , 2006, 4483-4488	13
1780	One-Pot Hydrothermal Synthesis of Two New Copper(II) Complexes with 4-Carboxyphenoxy Acetic Acid. 2006 , 24, 1554-1558	1
1779	A Microporous Metal-Organic Framework for Gas-Chromatographic Separation of Alkanes. 2006 , 118, 1418-1421	202
1778	A Homochiral Metal-Organic Material with Permanent Porosity, Enantioselective Sorption Properties, and Catalytic Activity. 2006 , 118, 930-934	89

1777	Hermaphroditic Chirality of a D ₂ -Symmetric Saddle-Shaped Porphyrin in Multicomponent Spontaneous Optical Resolution: Inclusion Cocrystals with Double-Helical Porphyrin Arrays. 2006 , 118, 3870-3874	3
1776	Preparation, Adsorption Properties, and Catalytic Activity of 3D Porous Metal-Organic Frameworks Composed of Cubic Building Blocks and Alkali-Metal Ions. 2006 , 118, 2604-2608	48
1775	Hydrothermal Chemistry of the Copper-Triazolate System: A Microporous Metal-Organic Framework Constructed from Magnetic {Cu ₃ (β-OH)(triazolate) ₃ } ²⁺ Building Blocks, and Related Materials. 2006 , 118, 3577-3580	19
1774	Asymmetrische heterogene Katalyse. 2006 , 118, 4850-4881	115
1773	Nanochannel-Promoted Polymerization of Substituted Acetylenes in Porous Coordination Polymers. 2006 , 118, 4218-4222	43
1772	Engineering a Polymeric Chiral Catalyst by Using Hydrogen Bonding and Coordination Interactions. 2006 , 118, 4214-4218	32
1771	Guest-Induced Instant and Reversible Crystal-to-Crystal Transformation of 1,4-Bis(ferrocenylethynyl)anthraquinone. 2006 , 118, 5587-5590	5
1770	Metastable Sorption State of a Metal-Organic Porous Material Determined by In Situ Synchrotron Powder Diffraction. 2006 , 118, 5054-5058	31
1769	A Multifunctional Metal-Organic Open Framework with a bcu Topology Constructed from Undecanuclear Clusters. 2006 , 118, 6272-6276	22
1768	Metal-Organic Frameworks as Efficient Materials for Drug Delivery. 2006 , 118, 6120-6124	469
1767	Ion Exchange as a Way of Controlling the Chemical Compositions of Nano- and Microparticles Made from Infinite Coordination Polymers. 2006 , 118, 5618-5620	43
1766	Guest-Induced Conformational Switching in a Single Crystal. 2006 , 118, 5988-5991	15
1765	A Family of Nanoporous Materials Based on an Amino Acid Backbone. 2006 , 118, 6645-6649	65
1764	Self-Assembly of Nanometer-Scale [Cu ₂₄ I ₁₀ L ₁₂] ¹⁴⁺ Cages and Ball-Shaped Keggin Clusters into a (4,12)-Connected 3D Framework with Photoluminescent and Electrochemical Properties. 2006 , 118, 7571-7574 ³²	
1763	Recent Advances in the Design of Polymerizable Lyotropic Liquid-Crystal Assemblies for Heterogeneous Catalysis and Selective Separations. 2006 , 16, 865-878	125
1762	Functional Porous Structures Based on the Pyrolysis of Cured Templates of Block Copolymer and Phenolic Resin. 2006 , 18, 201-205	134
1761	Biochemical properties and inhibitors of (N-)WASP. 2006 , 406, 281-96	15
1760	Novel Porous 3D Network Structure Formed by Self-Assembly of Tetrakis(phthalimide) Palladium(II) Complex. 2006 , 11-12, 473-476	4

1759	The solid-state architecture of a metallosupramolecular polyelectrolyte. 2006 , 103, 10202-10206	42
1758	Cubic networks and 36tilings assembled from isostructural trimeric magnesium aryldicarboxylates. 2006 , 5, 21-30	30
1757	Coordination polymer of lanthanum: synthesis, properties and crystal structure of [La(4,4?-bipyridine)(CCl ₂ HCOO) ₃ (H ₂ O)] _n . 2007 , 60, 2659-2669	11
1756	Hydrothermal synthesis, crystal structure and luminescence properties of lanthanide fumarate coordination polymers containing 2,2?-bipyridine. 2007 , 60, 2721-2729	12
1755	Characterization of the microporosity of different metal-organic frameworks using ¹²⁹ Xe NMR spectroscopy. 2007 , 2030-2036	3
1754	Self-supported chiral catalysts for heterogeneous enantioselective reactions. 2007 , 79, 1531-1540	36
1753	Magnetic properties of a noninterpenetrating chiral porous cobalt metal-organic framewok. 2007 , 101, 09E108	8
1752	Spatial and Surface Design of Porous Coordination Polymers. 2007 , 19, 75-78	27
1751	Metal-Organic Frameworks for Asymmetric Catalysis and Chiral Separations. 2007 , 32, 544-548	81
1750	Synthesis, crystal structures and luminescent properties of two new Ln(III)-dicarboxylate (Ln=Eu, Tb) complexes exhibiting three dimensional networks. 2007 , 60, 1817-1825	8
1749	Radioluminescence and radiation effects in metal organic framework materials. 2007 ,	3
1748	Chemistry and application of porous coordination polymers. 2007 , 1983-1990	13
1747	InorganicOrganic Hybrid with 3D Supramolecular Channel Assembled through C-H...O Interactions Based on the Decavanadate. 2007 , 36, 356-357	14
1746	Spontaneous Assembly of Dendrite Structure by Coordination of Al to 5,8-Dihydroxy-1,4-naphthoquinone. 2007 , 36, 600-601	
1745	Linear polymer of a copper(II) complex and its supramolecular selectivity. 2007 , 60, 2687-2694	4
1744	Gold(I) -Nickel(II)-4,4?-bpy-Phosphine Complexes: Synthesis and Multinuclear NMR Study. 2007 , 54, 1277-1286	
1743	Creation of Controlled Brønsted Acidity on a Zeotypic Mesoporous Chromium(III) Carboxylate by Grafting Water and Alcohol Molecules. 2007 , 111, 383-388	83
1742	pH-Induced formation of metalloligand: increasing structure dimensionality by tuning number of ligand functional sites. 2007 , 3479-81	47

1741	Cobalt(II), Copper(II), and Zinc(II) Framework Systems Derived from Ditopic Pyridyl-Acetylacetonate and Pyridyl-Pyrazole Ligands. 2007 , 7, 972-979		25
1740	Engineering coordination assemblies of dinuclear CuII complexes. 2007 , 5248-52		10
1739	Metal-Directed Supramolecular Architectures: From Mononuclear to 3D Frameworks Based on In Situ Tetrazole Ligand Synthesis. 2007 , 7, 1992-1998		131
1738	Construction of Lanthanide Metal-Organic Frameworks by Flexible Aliphatic Dicarboxylate Ligands Plus a Rigid m-Phthalic Acid Ligand. 2007 , 7, 1733-1737		67
1737	Solvothermal Synthesis and Structural Characterization of New ZnII-Triazole-Bisulfonophthalate Frameworks. 2007 , 7, 736-740		41
1736	Old materials with new tricks: multifunctional open-framework materials. 2007 , 36, 770-818		973
1735	Crystal Structure and Guest Uptake of a Mesoporous Metal-Organic Framework Containing Cages of 3.9 and 4.7 nm in Diameter. 2007 , 119, 8378-8381		45
1734	Materials science. There's room in the middle. 2007 , 318, 58-9		317
1733	Molecules to Crystals, Crystals to Molecules ... and Back Again?. 2007 , 7, 4-9		264
1732	A Highly Symmetric Porous Framework with Multi-intersecting Open Channels. 2007 , 7, 1712-1715		71
1731	Zeolite ionic crystals assembled through direct incorporation of polyoxometalate clusters within 3D metal-organic frameworks. <i>Inorganic Chemistry</i> , 2007 , 46, 5957-66	5.1	99
1730	Comparative Study of Homochiral and Racemic Chiral Metal-Organic Frameworks Built from Camphoric Acid. 2007 , 19, 5083-5089		158
1729	Manganese and magnesium homochiral materials: decoration of honeycomb channels with homochiral chains. 2007 , 129, 14168-9		177
1728	Metal-organic frameworks: the young child of the porous solids family. 2007 , 170, 66-84		54
1727	A Series of Two-Dimensional Metal-Organic Frameworks Based on the Assembly of Rigid and Flexible Carboxylate-Containing Mixed Ligands with Lanthanide Metal Salts. 2007 , 7, 2041-2046		63
1726	Supramolecular structural diversities in the metal-organic frameworks derived from pyridylamide ligands: studying the effects of ligating topologies, hydrogen bonding backbone of the ligands and counter anions. 2007 , 9, 548-555		28
1725	Metal-organic framework based on a trinickel secondary building unit exhibiting gas-sorption hysteresis. <i>Inorganic Chemistry</i> , 2007 , 46, 3432-4	5.1	112
1724	The modular synthesis of functional porous coordination networks. 2007 , 129, 15418-9		118

1723	A 3D chiral Zn(II) coordination polymer with triple Zn-oba-Zn helical chains (oba = 4,4'-oxybis(benzoate)). 2007 , 4107-9		126
1722	Temperature-dependent synthesis of metal-organic frameworks based on a flexible tetradentate ligand with bidirectional coordination donors. 2007 , 129, 4520-1		237
1721	Unprecedented (3,4)-connected metal-organic frameworks (MOFs) with 3-fold interpenetration and considerable solvent-accessible void space. 2007 , 3744-6		108
1720	Ultramicroporous metal-organic framework based on 9,10-anthracenedicarboxylate for selective gas adsorption. <i>Inorganic Chemistry</i> , 2007 , 46, 8499-501	5.1	128
1719	Rationally designed micropores within a metal-organic framework for selective sorption of gas molecules. <i>Inorganic Chemistry</i> , 2007 , 46, 1233-6	5.1	458
1718	Hybrid Porous Solids. 2007 , 327-374		24
1717	Hydrogen storage in metal-organic frameworks. 2007 , 9, 438-448		265
1716	Novel frustrated magnetic lattice based on triangular [Mn ₃ (micro ₃ -F)] clusters with tetrazole ligands. 2007 , 2470-2		76
1715	[Mn(2,2'-bipy)2S ₆] _n : A Homochiral Hybrid of Manganese Polysulfido Compound with a One-Dimensional Mn-S ₆ -Mn Helical Chain. 2007 , 7, 2387-2389		18
1714	A two-dimensional zinc-molybdenum(V) phosphate organic-inorganic hybrid polymer with fluorescence. 2007 , 60, 815-823		9
1713	Conformation dependent network structures in the coordination polymers derived from pyridylisonicotinamides, carboxylates and Co(II): Entrapment of (H ₂ O) ₁₄ water cluster of an unprecedented topology. 2007 , 9, 895		29
1712	Two octanuclear gallium metallamacrocycles of topologically different connectivities. 2007 , 5412-8		21
1711	Coordination chemistry of N,N',4'-tris(pyridin-2-ylmethyl)aniline: a novel flexible, multimodal ligand. 2007 , 9, 997		18
1710	Hydrothermal syntheses, crystal structures and magnetic properties of two copper(II) complexes involved in situ ligand synthesis. 2007 , 3020-4		56
1709	Self-assembly of Fe(III) complexes via hydrogen bonded water molecules into supramolecular coordination networks. 2007 , 31, 1882		12
1708	Structural diversity and properties of M(II) 4-carboxyl phenoxyacetate complexes with 0D-, 1D-, 2D- and 3D M-co ₂ framework. 2007 , 9, 653		51
1707	Twelve-connected porous metal-organic frameworks with high H ₂ adsorption. 2007 , 840-2		217
1706	Layered microporous tin(IV) bisphosphonates. 2007 , 2394-404		27

1705	Oxoanion and cation effects on the structural morphology of coordination polymers incorporating a kinked organodiimine tethering ligand. 2007 , 9, 503		14
1704	Deliberate design of a 3D homochiral Cu(II)/l-met/Ag(I) coordination network based on the distinct soft-hard recognition principle. <i>Inorganic Chemistry</i> , 2007 , 46, 1532-4	5.1	42
1703	A pillared layer MOF with anion-tunable magnetic properties and photochemical [2 + 2] cycloaddition. 2007 , 1127-9		129
1702	Cobalt(II)-(dpyo)-dicarboxylate networks: unique H-bonded assembly and rare bridging mode of dpyo in one of them [dpyo = 4,4'-dipyridyl N,N'-dioxide]. 2007 , 1383-91		61
1701	The solvent-templating effect as the driving factor that influences the formation of crystalline materials based on the stacking of metallocycles. 2007 , 31, 669-676		26
1700	Highly-thermostable metal-organic frameworks (MOFs) of zinc and cadmium 4,4'-(hexafluoroisopropylidene)diphthalates with a unique fluorite topology. 2007 , 2467-9		141
1699	A 3D chiral nanoporous coordination framework consisting of homochiral nanotubes assembled from octuple helices. 2007 , 4620-2		57
1698	Selective gas sorption property of an interdigitated 3-D metal-organic framework with 1-D channels. 2007 , 5182-4		79
1697	Novel polymer-supported ruthenium and iron complexes that catalyze the conversion of epoxides into diols or diol mono-ethers: clean and recyclable catalysts. 2007 , 31, 1579		25
1696	Mixed-Valence and Neutral Framework Inorganic/Organic Hybrid Materials: Synthesis, Characterization, and Magnetic Properties of $[[Co(N(CH_3)_4N)](V_2O_5)_2]$ and $[[Co(N(CH_3)_4N)]V_2O_6]$. 2007 , 19, 4890-4895		25
1695	Second Ligand-Directed Assembly of Photoluminescent Zn(II) Coordination Frameworks. 2007 , 7, 1508-1513		74
1694	A 3D Metal/Organic Framework with Rare 3-Fold Interpenetrating Dia-g Nets Based on Silver(I) and Novel Tetradentate Imidazolate Ligand: Synthesis, Structure, and Possible Ferroelectric Property. 2007 , 7, 2268-2271		49
1693	Thermal Treatment of Glutamic Acid-Modified Nickel Nanoclusters on Au{111} Leads to the Formation of One-Dimensional Metal/Organic Coordination Networks. 2007 , 111, 10534-10540		26
1692	Clathrate formation mechanism of supercritical hydrogen adsorption on copper(II) benzoate pyrazine. 2007 , 23, 5264-6		11
1691	$\{[Nd_4(ox)_4(NO_3)_2(OH)_2(H_2O)_2] \cdot 5H_2O\}_n$: a porous 3D lanthanide-based coordination polymer with a special luminescent property. <i>Inorganic Chemistry</i> , 2007 , 46, 622-4	5.1	76
1690	Synthesis of microporous materials using macrocycles as structure directing agents. 2007 , 5359-68		16
1689	Assembly of a homochiral, body-centered cubic network composed of vertex-shared Mg_{12} cages: use of electrospray ionization mass spectrometry to monitor metal carboxylate nucleation. 2007 , 129, 13675-82		120
1688	Construction of a Three-fold Parallel Interpenetration Network and Bilayer Structure Based on Copper(II) and Trimesic Acid. 2007 , 7, 1171-1175		78

1687	Simulations of Methane Adsorption and Diffusion within Alkoxy-Functionalized IRMOFs Exhibiting Severely Disordered Crystal Structures. 2007 , 111, 16618-16625		43
1686	A 2D coordination polymer with 4*82 topology constructed from a new T-shaped ligand: synthesis, crystal structure and photoluminescence. 2007 , 60, 2559-2566		3
1685	Coligand Modulated Six-, Eight-, and Ten-Connected Zn/Cd-1,2,4-Triazolate Frameworks Based on Mono-, Bi-, Tri-, Penta-, and Heptanuclear Cluster Units. 2007 , 7, 2332-2342		219
1684	Heteropolynuclear Metamagnet Showing Spin Canting and Single-Crystal to Single-Crystal Phase Transformation. 2007 , 19, 2162-2167		51
1683	Selective gas sorption within a dynamic metal-organic framework. <i>Inorganic Chemistry</i> , 2007 , 46, 8705-9	5.1	118
1682	Interchain-solvent-induced chirality change of 1D helical chains: from achiral to chiral crystallization. <i>Inorganic Chemistry</i> , 2007 , 46, 2637-44	5.1	74
1681	Zeolite-like copper iodide framework with new 6(6) topology. <i>Inorganic Chemistry</i> , 2007 , 46, 604-6	5.1	105
1680	Three guest-including coordination solids from a single crystallization: a discrete cage and open-channel networks from 1-d ladders and 1-d ribbons. <i>Inorganic Chemistry</i> , 2007 , 46, 1593-602	5.1	11
1679	Syntheses, Characterization, and Luminescent Properties of Three 3D Lead-Organic Frameworks with 1D Channels. 2007 , 7, 513-520		104
1678	Photoluminescent Zn(II) Metal-Organic Frameworks Built from Tetrazole Ligand: 2D Four-Connected Regular Honeycomb (4363)-net. 2007 , 7, 1227-1229		160
1677	Subtle Structural Changes in Coordination Chains: Influence of the Flexibility of the Precursor Ligands and of the Solvent. 2007 , 7, 1811-1817		27
1676	A Novel Five-Connected BN Topological Network Metal-Organic Framework Mn(II) Cluster Complex. 2007 , 7, 613-615		55
1675	Tuned triazolatesilver(I) luminescent complexes from zero- to three-dimensionality based on bi- to tetratopic bridged ligands. <i>Inorganic Chemistry</i> , 2007 , 46, 2002-10	5.1	110
1674	Bimetallic Clusters of Pyridine-Appended Ethylenediaminetetraacetic Acid (EDTA)-amides in Designing 1D and 2D Coordination Frameworks. 2007 , 7, 2376-2379		15
1673	Novel 3D Ln(III)-CuI supramolecular architecture based on 2D MOFs with (6,3) topology. <i>Inorganic Chemistry</i> , 2007 , 46, 2956-8	5.1	87
1672	A Highly Reusable Catalyst for Enantioselective Ketone Hydrogenation. Catalyst-Organic Frameworks by Alternating ROMP Assembly. 2007 , 26, 1571-1574		14
1671	Ni ₂ (R*COO) ₄ (H ₂ O)(4,4'-bipy) ₂ robust homochiral quartz-like network with large chiral channels. 2007 , 9, 27-29		52
1670	Chemical reduction of metal-organic framework materials as a method to enhance gas uptake and binding. 2007 , 129, 9604-5		566

1669 Porous Host Guest Advanced Materials. 603-666

1668 Synthesis, structure, and luminescent and magnetic properties of novel lanthanide metal-organic frameworks with zeolite-like topology. *Inorganic Chemistry*, **2007**, 46, 5174-8 5.1 140

1667 Influence of connectivity and porosity on ligand-based luminescence in zinc metal-organic frameworks. **2007**, 129, 7136-44 598

1666 Isorecticular homochiral porous metal-organic structures with tunable pore sizes. *Inorganic Chemistry*, **2007**, 46, 6843-5 5.1 146

1665 Two-dimensional metal-organic frameworks (MOFs) constructed from heterotrimeric coordination units and 4,4'-biphenyldicarboxylate ligands. **2007**, 689-96 59

1664 Metal-organic frameworks: structural, energetic, electronic, and mechanical properties. **2007**, 111, 8179-86 136

1663 Chemistry of porous coordination polymers. **2007**, 79, 2155-2177 128

1662 Anion-directed synthesis of metal-organic frameworks based on 2-picolinate CuII complexes: a ferromagnetic alternating chain and two unprecedented ferromagnetic fish backbone chains. *Inorganic Chemistry*, **2007**, 46, 10771-80 5.1 97

1661 Postsynthetic covalent modification of a neutral metal-organic framework. **2007**, 129, 12368-9 516

1660 Dynamic interconversion of amorphous microparticles and crystalline rods in salen-based homochiral infinite coordination polymers. **2007**, 129, 7480-1 154

1659 Porous metal-organic frameworks based on metal-organic polyhedra with nanosized cavities as supramolecular building blocks: two-fold interpenetrating primitive cubic networks of [Cu6L8]12+ nanocages. *Inorganic Chemistry*, **2007**, 46, 10208-13 5.1 64

1658 (6,3)-honeycomb structures of uranium(VI) benzenedicarboxylate derivatives: the use of noncovalent interactions to prevent interpenetration. *Inorganic Chemistry*, **2007**, 46, 6594-600 5.1 109

1657 Three Novel Cd(II) Metal-Organic Frameworks Constructed from Mixed Ligands of Dipyrido[3,2-d:2',1'-b]quinoxaline and Benzene-dicarboxylate: From a 1-D Ribbon, 2-D Layered Network, to a 3-D Architecture. **2007**, 7, 1086-1091 122

1656 Homochiral H-bonded proline based metal organic frameworks. **2007**, 3036-8 57

1655 A Novel Chiral Doubly Folded Interpenetrating 3D Metal-Organic Framework Based on the Flexible Zwitterionic Ligand. **2007**, 7, 1027-1030 56

1654 Syntheses and characterization of six coordination polymers of zinc(II) and cobalt(II) with 1,3,5-benzenetricarboxylate anion and bis(imidazole) ligands. *Inorganic Chemistry*, **2007**, 46, 3027-37 5.1 300

1653 Two- and Three-Dimensional Divalent Metal Isophthalate Coordination Polymers Incorporating Flexible Bispyridylmethylpiperazine Tethers: Structure Direction through Coordination Geometry Preferences, Carboxylate Binding Mode, and Ligand Conformation. **2007**, 7, 2609-2619 84

1652 Fluorous metal-organic frameworks for high-density gas adsorption. **2007**, 129, 15454-5 296

1651	Structure and Fluorescent Properties of a Chiral Cd(II) Complex: Cd(bpy)(H ₂ O)(PhCH=CHCO ₂) ₂ . 2007 , 62, 1139-1142		1
1650	. 2007 ,		216
1649	Guest-dependent flexible coordination networks with fluorinated ligands. <i>Chemistry - A European Journal</i> , 2007 , 13, 3089-105	4.8	48
1648	Selective catalysis and nanoscience: an inseparable pair. <i>Chemistry - A European Journal</i> , 2007 , 13, 2440-608	4.8	80
1647	Structural variation from 1D to 3D: effects of ligands and solvents on the construction of lead(II)-organic coordination polymers. <i>Chemistry - A European Journal</i> , 2007 , 13, 3248-61	4.8	266
1646	Lamellar and three-dimensional hybrid compounds formed by cyclohexene- and cyclohexanedicarboxylates of Pb, La, and Cd. <i>Chemistry - A European Journal</i> , 2007 , 13, 3193-201	4.8	87
1645	Two-component supramolecular helical architectures: creation of tunable dissymmetric cavities for the inclusion and chiral recognition of the third components. <i>Chemistry - A European Journal</i> , 2007 , 13, 2144-52	4.8	57
1644	Structural and magnetic modulation of a purely organic open framework by selective guest inclusion. <i>Chemistry - A European Journal</i> , 2007 , 13, 8153-63	4.8	36
1643	Rational design of MOFs constructed from modified aromatic amino acids. <i>Chemistry - A European Journal</i> , 2007 , 13, 9399-405	4.8	46
1642	Heterogeneous asymmetric catalysis with homochiral metal-organic frameworks: network-structure-dependent catalytic activity. 2007 , 46, 1075-8		453
1641	Assembly of metal-organic frameworks (MOFs) based on indium-trimer building blocks: a porous MOF with soc topology and high hydrogen storage. 2007 , 46, 3278-83		593
1640	A mesh-adjustable molecular sieve for general use in gas separation. 2007 , 46, 2458-62		339
1639	Mesoporous metal-organic framework with rare etb topology for hydrogen storage and dye assembly. 2007 , 46, 6638-42		333
1638	Chiralization of diamond nets: stretchable helices and chiral and achiral nets with nearly identical unit cells. 2007 , 46, 6115-8		131
1637	Crystal structure and guest uptake of a mesoporous metal-organic framework containing cages of 3.9 and 4.7 nm in diameter. 2007 , 46, 8230-3		295
1636	Organic cation and chiral anion templated 3D homochiral open-framework materials with unusual square-planar {M(4)(OH)} units. 2007 , 46, 8388-91		138
1635	Heterogeneous Asymmetric Catalysis with Homochiral Metal-Organic Frameworks: Network-Structure-Dependent Catalytic Activity. 2007 , 119, 1093-1096		115
1634	Assembly of Metal-Organic Frameworks (MOFs) Based on Indium-Trimer Building Blocks: A Porous MOF with soc Topology and High Hydrogen Storage. 2007 , 119, 3342-3347		69

1633	A Mesh-Adjustable Molecular Sieve for General Use in Gas Separation. 2007 , 119, 2510-2514	51
1632	Mesoporous Metal-Organic Framework with Rare etb Topology for Hydrogen Storage and Dye Assembly. 2007 , 119, 6758-6762	57
1631	Chiralization of Diamond Nets: Stretchable Helices and Chiral and Achiral Nets with Nearly Identical Unit Cells. 2007 , 119, 6227-6230	11
1630	Organic Cation and Chiral Anion Templated 3D Homochiral Open-Framework Materials with Unusual Square-Planar {M4(OH)} Units. 2007 , 119, 8540-8543	21
1629	Guest-Induced Chirality in the Ferrimagnetic Nanoporous Diamond Framework Mn ₃ (HCOO) ₆ . 2007 , 17, 577-584	75
1628	[Fe ₃ (HCOO) ₆]: A Permanent Porous Diamond Framework Displaying H ₂ /N ₂ Adsorption, Guest Inclusion, and Guest-Dependent Magnetism. 2007 , 17, 1523-1536	143
1627	Microwave Synthesis of Chromium Terephthalate MIL-101 and Its Benzene Sorption Ability. 2007 , 19, 121-124	516
1626	Luminescent Open Metal Sites within a Metal-Organic Framework for Sensing Small Molecules. 2007 , 19, 1693-1696	846
1625	Gas-Sorption Selectivity of CUK-1: A Porous Coordination Solid Made of Cobalt(II) and Pyridine-2,4-Dicarboxylic Acid. 2007 , 19, 1830-1834	195
1624	ZnO Nanoparticles From a Metal-Organic Framework Containing ZnII Metallacycles. 2007 , 2007, 524-529	43
1623	Synthesis, Crystal Structures, and Photoluminescence of a Series of Coordination Polymers with Two Homologous Functional Flexible Ligands. 2007 , 2007, 1854-1866	19
1622	Hydrothermal Syntheses and Characterizations of Three Coordination Polymers Based on Mixed Organic Ligands. 2007 , 2007, 3892-3898	41
1621	[Bis(catechol)salen]MnIII Coordination Polymers as Support-Free Heterogeneous Asymmetric Catalysts for Epoxidation. 2007 , 2007, 4863-4867	60
1620	Aqueous Reduction of [Cp* ₂ W ₂ O ₅]: Characterization of the Triangular Clusters [Cp* ₃ W ₃ O ₄ (OH) ₂] ₂ ⁺ and [Cp* ₃ W ₃ O ₆] ⁺ [Comparison with Molybdenum. 2007 , 2007, 4306-4316	6
1619	Template-Controlled Reactivity in the Organic Solid State by Principles of Coordination-Driven Self-Assembly. 2007 , 2007, 4559-4568	70
1618	Substitution, Addition, and Recombination Reactions of Precursor Complexes with Ferrocenyl Carboxylate Units. 2007 , 2007, 5234-5245	30
1617	Thermochemical properties of rare earth complexes with salicylic acid. 2007 , 463, 60-64	7
1616	Enantioselective resolution of chiral aromatic acids by biphasic recognition chiral extraction. 2007 , 18, 2399-2408	60

- 1615 Acid-functionalized dissymmetric salen ligands and their manganese(III) complexes. **2007**, 48, 2591-2595 24
- 1614 Synthesis and characterizations of a magnesium metal-organic framework with a distorted (10,3)-a-net topology. **2007**, 10, 220-222 43
- 1613 A 3D heteropolynuclear network with 4,6-connected (44⁴6²)(48⁴6⁶8) topology: Synthesis, structure, thermal and magnetic properties. **2007**, 10, 187-190 22
- 1612 Anion effect on construction of zinc(II) coordination polymer with a chelating ligand 2,2'-dipyridylamine (Hdpa): Novel heterogeneous catalytic activities. **2007**, 10, 287-291 32
- 1611 A novel Borromean (6,3) net assembled by nest-shaped clusters as knots. **2007**, 10, 358-361 24
- 1610 1D helical Zn(II) metal-organic polymers: Syntheses, structures and fluorescent properties. **2007**, 10, 376-380 31
- 1609 A new hemidirected lead(II) complex converted into holodirected by secondary Pb^{II} interactions. **2007**, 10, 475-478 17
- 1608 A self-assembled porous Zn(II) metal-organic framework based on fluorinated bis-pyridinecarboxamide derivative ligand: Synthesis, structure and properties. **2007**, 10, 451-454 7
- 1607 A novel 3D metal-organic framework with the pcu topology constructed from 1,4-diaza-bicyclo[2.2.2]octane-N,N'-dioxide. **2007**, 10, 649-651 11
- 1606 Solvothermal synthesis, crystal structure and photoluminescent property of a novel 3-D magnesium metal-organic framework Mg_{1.5}(β-btec)(H₂O)₂·[H₂N(CH₃)₂]₄·H₂O. **2007**, 10, 876-879 23
- 1605 A blue luminescent inorganic-organic hybrid with infinite [Cd₃(β-OH)₂(α-Cl)₂] connectivity. **2007**, 10, 993-996 28
- 1604 Two novel anion-directed Cu(II) double betaine coordination polymers with different open frameworks: Inorganic chains [Cu₃(β-OH)₂(α-H₂O)₂]_n as secondary building units with unusual chair-like [Cu₃O₄] cores. **2007**, 10, 1026-1030 14
- 1603 Solvothermal synthesis and crystal structure of a luminescent 2D copper(I) coordination polymer with a (3,4)-connected net. **2007**, 10, 1049-1053 22
- 1602 Hydrothermal synthesis, crystal structure and photoluminescent property of a novel 3-D [La₂(C₂O₄)₂(NO₃)(OH)(H₂O)]₃·3H₂O. **2007**, 10, 1067-1069 5
- 1601 Self-assembly of a two-dimensional cluster coordination polymer {[W₂S₈Cu₈I₄(bpe)₂(py)₂]·H₂O}_n: Crystal structure and luminescent properties. **2007**, 10, 1164-1167 7
- 1600 A new heptamolybdate-based supramolecular compound with an alternating organic and inorganic layer structure: Synthesis, crystal structure and properties of (Hapy)₄[Co(H₂O)₅Mo₇O₂₄]₉·9H₂O. **2007**, 10, 1342-1346 11
- 1599 A novel 3D 2-fold interpenetrated framework assembled via mixed bridging ligands. **2007**, 10, 1457-1460 5
- 1598 Structure and magnetic properties of a copper malonate/dipyridylamine layered coordination polymer with both syn^{anti} and anti^{anti} copper carboxylate chains. **2007**, 10, 1518-1522 23

1597	A novel 3D double helix cobalt(II) coordination polymer: Synthesis, crystal structures and third-order non-linear optical properties. 2007 , 10, 1557-1560		21
1596	Theoretical characterization of coordination space: Adsorption state and behavior of small molecules in nanochanneled metal-organic frameworks via electronic state theory, molecular mechanical and Monte Carlo simulation. 2007 , 251, 2522-2536		20
1595	Synthesis and structural characterization of adducts of silver(I) nitrate with ER ₃ (E=P, As, Sb; R=Ph, cy, o-tolyl, mes) and oligodentate aromatic bases derivative of 2,2'-bipyridyl, L, AgNO ₃ :ER ₃ :L (1:1:1). 2007 , 360, 1433-1450		45
1594	The s-triazine ring, a remarkable unit to generate supramolecular interactions. 2007 , 360, 381-404		133
1593	Supramolecular assembly driven by hydrogen-bonding and π -stacking interactions based on copper(II)-terpyridyl complexes. 2007 , 360, 588-598		69
1592	Hydrothermal synthesis, structural determination, and thermal properties of 2-D cobalt- and nickel-based coordination polymers incorporating pendant-arm 3-pyridinecarboxylate ligands. 2007 , 360, 599-606		14
1591	Succinato-bridged copper(II) supramolecular 3D framework: Synthesis, crystal structure and magnetic property. 2007 , 360, 1771-1775		23
1590	One-dimensional helical coordination polymers of cobalt(II) and iron(II) ions with 2,2'-bipyridyl-3,3'-dicarboxylate (BPDC2 ⁻). 2007 , 360, 1678-1683		14
1589	Synthesis, characterization and 1D helical chain crystal structure of [Cu(DBA) ₂ (1,10-phen)] _n and [Cd(DBA) ₂ (1,10-phen) ₂] (DBA = benzoic acid). 2007 , 360, 1819-1824		36
1588	A new organic-organic hybrid framework containing octahedral hexarhenium cluster and its transformation by ligand exchange. 2007 , 360, 1870-1874		18
1587	One-dimensional nickel and cobalt phthalate coordination polymers incorporating the kinked dipodal organodiimine 4,4'-dipyridylamine: Hydrothermal synthesis, structural characterization and thermal properties. 2007 , 360, 2353-2362		24
1586	A 2D [FeII-bistetrazole] coordination polymer exhibiting spin-crossover properties. 2007 , 360, 3787-3796		26
1585	From infinite tubular arrays to discrete molecules and back: An example of reversible ring-opening polymerization in silver(I) diphosphazane chemistry. 2007 , 360, 3462-3466		7
1584	Cation control of dimensionality in isothiocyanate coordination polymers constructed from conformationally flexible 3,3'-bipyridine tethers. 2007 , 360, 3619-3625		9
1583	Microporous metal-organic framework zinc(II) imidazole-4,5-dicarboxylate: Four-fold helical structure and strong fluorescent emission. <i>Microporous and Mesoporous Materials</i> , 2007 , 102, 122-127	5-3	33
1582	Metal-dependent assembly and structure of metal 1,4-phenylenediacetate complexes with 1,10-phenanthroline. <i>Journal of Molecular Structure</i> , 2007 , 832, 55-62	3-4	22
1581	Synthesis, structure and luminescent property of a new 3D porous metal-organic framework with rutile topology. <i>Journal of Molecular Structure</i> , 2007 , 871, 80-84	3-4	10
1580	Synthesis, structure, and thermal properties of two honeycombs like three-dimensional complexes composed by cobalt salt and asymmetric ligand. <i>Journal of Molecular Structure</i> , 2007 , 828, 68-74	3-4	8

1579	Synthesis, structure and property of metal thiophene 2,5-dicarboxylates: Novel three dimensional coordination polymers. <i>Journal of Molecular Structure</i> , 2007 , 833, 1-7	3-4	27
1578	Luminescent zinc and cadmium complexes incorporating 1,3,5-benzenetricarboxylate and a protonated kinked organodiimine: From a hydrogen-bonded layer motif to thermally robust two-dimensional coordination polymers. 2007 , 180, 1852-1862		55
1577	CuO micro plates from a 3D metallo-organic framework (MOF) of a binary copper(II) complex of N,N-bis(2-hydroxyethyl)glycine. 2007 , 26, 149-153		29
1576	Synthesis and characterization of two new coordination supramolecular structures from a versatile unsymmetric 5-(4-pyridyl)-1,3,4-oxadiazole-2-thione (Hpot) ligand. 2007 , 26, 782-790		26
1575	Hydrothermal synthesis, crystal structures, and properties of two 3-D network nickel nicotinate coordination polymers: [Ni ₄ (H ₂ O) ₂ (nicotinate) ₈ ·2H ₂ O] and [Ni ₂ (H ₂ O) ₂ (nicotinate) ₄ (4,4'-bpy)]. 2007 , 26, 1001-1011		21
1574	Synthesis and crystal structure of a novel Zn(II) 2-D coordination polymer containing 1,3-bis(4-pyridyl)propane ligand and Croconate Violet dianion. 2007 , 26, 1469-1475		14
1573	A series of metal-organic frameworks constructed with arenesulfonates and 4,4'-bipy ligands. 2007 , 26, 2647-2654		22
1572	Hetero-metallic frameworks of [Pd(CN) ₄] ₂ and Cu(II) with triamines: A rare example of a tetracyanometallate bridged 2D coordination polymer. 2007 , 26, 3189-3198		24
1571	Ring opening reactions of pyromellitic dianhydride for the synthesis of first row transition metal dicarboxylate complexes. 2007 , 26, 4479-4488		31
1570	Radius-dependent assembly of complexes with the rigid unsymmetric ligand 5-(2-pyridyl)-1,3,4-oxadiazole-2-thione: Syntheses, structures and luminescence properties. 2007 , 26, 4542-4550		32
1569	Two-dimensional supramolecular assembly of phenylmercury(II) and cadmium(II) complexes with a tridentate thiohydrazone NNS donor ligand: Synthesis, coordination behavior and crystal structure. 2007 , 26, 5061-5068		12
1568	Molecular, supramolecular structure and catalytic activity of transition metal complexes of phenoxy acetic acid derivatives. 2007 , 26, 5225-5234		28
1567	Syntheses, structures and magnetic properties of Mn(II) containing 3D polymeric networks. 2007 , 26, 5113-5119		19
1566	Catalytic applications of Cu(I)-containing MOFs based on N-heterocyclic ligand in the oxidative coupling of 2,6-dimethylphenol. 2007 , 692, 2014-2020		57
1565	Tetrakis(1H-imidazole- μ 3)zinc(II) bis(2-hydroxy-3,5-dinitrobenzoate). 2007 , 63, m388-m389		1
1564	Benzimidazolium 2,4,6-trinitrophenolate. 2007 , 63, o1385-o1386		1
1563	Poly[[tetraaquabis(5-carboxypyridine-2-carboxylato- μ N,O)bis(μ -pyridine-2,5-dicarboxylato- μ N,O:O:O:O?)dilanthanum(III) dihydrate]. 2007 , 63, m2069-m2070		1
1562	Poly[(μ -1,4-benzenedicarboxylato)aquadipyridinecopper(II) 0.25-hydrate]. 2007 , 63, m2524-m2525		2

- 1561 Divalent Nickel and Monovalent Copper Pseudohalide Coordination Polymers Incorporating the Kinked Organodiiimine 4,4'-Dipyridylamine: From a (4,4)-Type Lamellar Motif to an Unprecedented Staircase Morphology. **2007**, 633, 575-581 12
- 1560 $[\{Na(7\text{-Nitro-5-sulfonate-naphthalene-1,4-dicarboxy-acid (H}_2\text{O)}_2\}4\text{H}_2\text{O})_n]$: A Water-Soluble 2D Layer Polymeric Complex with Microporous Molecular Channels. **2007**, 633, 533-535 1
- 1559 mit MII = Fe, Co, Ni (n = 2) und MII = Cu (n = 1): Vier neue Koordinationspolymere mit dem Acetylendicarboxylat-Dianion (ADC²⁻) als verbrückendem Liganden. **2007**, 633, 1382-1390 11
- 1558 Anion and Additive Effects on the Structure of Mercury(II) Halides Complexes with Tripodal Ligand. **2007**, 633, 2695-2700 8
- 1557 A flexible interpenetrating coordination framework with a bimodal porous functionality. **2007**, 6, 142-8 701
- 1556 WASP localizes to the membrane skeleton of platelets. **2007**, 139, 98-105 11
- 1555 3D-TEM characterization of nanometric objects. **2007**, 9, 1088-1098 60
- 1554 WASP-interacting protein (WIP): working in polymerisation and much more. **2007**, 17, 555-62 77
- 1553 Extraction of europium from nitrate solutions in the presence of polyfunctional organic compounds. **2007**, 52, 635-639 6
- 1552 Synthesis and catalytic properties of MIL-100(Fe), an iron(III) carboxylate with large pores. **2007**, 2820-2 997
- 1551 Metalladiazamacrocycles: Metallamacrocycles as Potential Supramolecular Host System for Small Organic Guest Molecules and Supramolecular Building Blocks for Metal Organic Frameworks. **2007**, 19, 295-308 24
- 1550 A coordination network that catalyzes O₂-based oxidations. **2007**, 129, 15094-5 244
- 1549 Structure Variation of Mercury(II) Halide Complexes with Different Imidazole-Containing Ligands. **2007**, 7, 1125-1133 86
- 1548 Chiral induction in the ionothermal synthesis of a 3-D coordination polymer. **2007**, 129, 4880-1 386
- 1547 Regulation of actin filament assembly by Arp2/3 complex and formins. **2007**, 36, 451-77 741
- 1546 Lanthanide(III)-cobalt(II) heterometallic coordination polymers with radical adsorption properties. *Inorganic Chemistry*, **2007**, 46, 5832-4 5.1 115
- 1545 Synthesis, crystal structure and magnetic properties of a new 3D coordination polymer constructed by Co(II) with pyridine-3,4-dicarboxylate and 4,4'-bipyridine. **2007**, 32, 219-223 1
- 1544 Design of scaffold-like metal-organic coordination polymers based on dinuclear zinc(II) carboxylate complexes. **2007**, 56, 225-230 6

1543	Synthesis, structure, and magnetic properties of the cobalt(II) 1,3,5-benzenetricarboxylate layered coordination polymer. 2007 , 56, 1782-1786	5
1542	Reaction of 1,2-bis(2,6-dicarboxypyridin-4-yl)ethyne and imidazole with Cu(II) generates a discrete complex not a coordination polymer: crystal structure of [E4,4'-(1,2-ethynediyl)-bis(pyridine-2,6-dicarboxylato)-N, O, O'-EN', O'', O''']-diaqua-bis(imidazole)-dicopper(II). 2007 , 37, 299-308	2
1541	One Novel Three-dimensional Network Constructed from [Mn(4,4'-bip)2(OH2)4]2+ Cations and DBA2- Anions via Hydrogen-bonding and π Interactions. 2007 , 37, 717-720	6
1540	Hydrothermal Crystal Growth, Structures and Thermal Properties of Co(II)-4,4'-bipyridine-Based Coordination Polymeric Materials. 2007 , 17, 561-568	6
1539	Syntheses and Structural Characterization of Co(II) Coordination Polymers Supported by Bis(N-benzimidazolyl)methane and Bis(N-imidazolyl)methane. 2007 , 17, 583-588	6
1538	Molecule matters. 2007 , 12, 77-86	1
1537	Resolution of Cyclohexyl-mandelic acid enantiomers by two-phase (O/W) recognition chiral extraction. 2007 , 50, 764-769	9
1536	Chemistry of coordination space of porous coordination polymers. 2007 , 251, 2490-2509	800
1535	2D parallel interpenetration of [M2(bpp)4X4] [M, Fe(II)/Co(II); bpp, 4,4'-trimethylenedipyridine; X, SCN ⁻ /SeCN ⁻ and N3 ⁻] complexes: Pseudohalide-dependent conformation of bpp. 2008 , 181, 457-466	11
1534	Thermal decomposition kinetics of the synthetic complex Pb(1,4-BDC)2(DMF)(H2O). 2008 , 91, 189-193	20
1533	Synthesis of hybrid nanostructures composed of copper ions and poly(p-phenylenediamine) in aqueous solutions. 2008 , 10, 1271-1278	15
1532	Synthesis, structure, and photoluminescence of a zinc(II) coordination polymer with 4-(tetrazol-5-yl)benzoate. 2008 , 19, 535-539	11
1531	A new mixed ligand coordination polymer of Mn(II): structural aspect and cryomagnetic study. 2008 , 19, 553-558	6
1530	Synthesis, crystal structure, and DNA-binding studies of a one-dimensional copper(II) polymer bridged both by oxamidate and thiocyanato ligands. 2008 , 19, 819-826	4
1529	Synthesis and Crystal Structure of One-Dimensional Carboxylate-Bridged Copper(II) Complex with 2-Pyridylmethylamino-3-butyrac acid. 2008 , 38, 53-56	4
1528	Synthesis and Structure of a New Coordination Polymer [Cd(pzdc)(bpy)]n (H2pzdc = Pyrazine-2,3-dicarboxylic Acid, bpy = 2,2'-Bipyridine). 2008 , 38, 267-271	11
1527	A 3D 3d-4f Heterometallic Coordination Polymer: Synthesis, Crystal Structure and Properties. 2008 , 18, 358-363	3
1526	A Novel 3D Europium (III) Coordination Polymer Constructed from 3,5-Pyridinedicarboxylate Acid: Synthesis, Crystal Structure and Emission Spectrum. 2008 , 18, 457-462	4

- 1525 A chiral cobaltous complex with acetone S-1,1'-binaphthyl-2,2'-diimine. **2008**, 49, 1132-1136
- 1524 Molecular simulation of condensation process of Lennard-Jones fluids confined in nanospace with jungle-gym structure. **2008**, 14, 165-170 11
- 1523 Amine functionalised metal organic frameworks (MOFs) as adsorbents for carbon dioxide. **2008**, 14, 755-762 371
- 1522 A novel one-dimensional zinc coordination polymer containing 4-methylbenzoate and 4,4'-bipyridine. **2008**, 64, m271-3 5
- 1521 The MEM/Rietveld method with nano-applications - accurate charge-density studies of nano-structured materials by synchrotron-radiation powder diffraction. **2008**, 64, 232-45 51
- 1520 Hydrothermal Syntheses, Crystal Structures and Properties of Two Novel 3-D Lanthanide(III) Coordination Polymers Constructed with Mixed Heterocyclic Carboxylic Acid. **2008**, 634, 387-391 12
- 1519 Hydrothermal Synthesis, Structures and Thermal Stability of Two Novel Lanthanide Complexes: [Er4(tp)6(H2O)6], [Lu(tp)1.5(H2O)3]. **2008**, 634, 842-844 7
- 1518 Synthesis, Structure, and Luminescence Properties of Zinc(II) and Cadmium(II) Complexes containing the Flexible Ligand of 3,3'-Thiodipropionic Acid. **2008**, 634, 1221-1224 20
- 1517 Solvothermal Syntheses and Magnetic Properties of Two New Coordination Polymers with Mixed Ligands. **2008**, 634, 1759-1764 7
- 1516 A Cobalt(II)-containing Metal-Organic Framework Showing Catalytic Activity in Oxidation Reactions. **2008**, 634, 2411-2417 85
- 1515 A Series of Three-Dimensional Rare Earth Coordination Polymers with Two Binary Carboxylate as Mixed-Ligand: Syntheses, Structures, Properties of [LnIII(mal)(ox)0.5(H2O)2]·2H2O (Ln = Pr, Nd, and La). **2008**, 634, 1765-1769 9
- 1514 Assembly of Supramolecular Networks with the Inclusion of Water Chains, Cyclic Hepta and Octa Water Clusters. **2008**, 634, 2663-2669 8
- 1513 Interpenetrated three-dimensional MnII/III ferrimagnets, [Mn(4dmap)4]3[M(CN)6]2·10 H2O (M=Cr, Mn): structures, magnetic properties, and pressure-responsive magnetic modulation. *Chemistry - A European Journal*, **2008**, 14, 3481-9 4.8 37
- 1512 Organic-inorganic hybrid polymer-encapsulated magnetic nanobead catalysts. *Chemistry - A European Journal*, **2008**, 14, 882-5 4.8 52
- 1511 Selective gas adsorption and unique structural topology of a highly stable guest-free zeolite-type MOF material with N-rich chiral open channels. *Chemistry - A European Journal*, **2008**, 14, 2771-6 4.8 353
- 1510 Control of porosity geometry in amino acid derived nanoporous materials. *Chemistry - A European Journal*, **2008**, 14, 4521-32 4.8 72
- 1509 New Examples of Metal Coordination Architectures of 4,4'-Sulfonyldibenzoic Acid: Syntheses, Crystal Structure and Luminescence. **2008**, 2008, 239-250 60
- 1508 Novel (3,4)- and (4,5)-Connected Lanthanide Metal-Organic Frameworks. **2008**, 2008, 98-105 31

1507	Construction of ZnII Compounds with a Chelating 2,2'-Dipyridylamine (Hdpa) Ligand: Anion Effect and Catalytic Activities. 2008 , 2008, 408-415	47
1506	Synthesis and Characterization of a Ladder-Like Coordination Polymer Composed of Trimanganese Clusters Formed and Linked by Isophthalato Ligands. 2008 , 2008, 1865-1870	27
1505	Metal-Organic Frameworks (MOFs) Composed of (Triptycenedicarboxylato)zinc. 2008 , 2008, 2601-2609	30
1504	The Use of Liquid-Liquid Interface (Biphasic) for the Preparation of Benzenetricarboxylate Complexes of Cobalt and Nickel. 2008 , 2008, 3501-3514	20
1503	Crystal Structures and Magnetic Properties of 2D Supramolecular Architectures Assembled from Benzimidazolecarboxylato-Bridged 1D Double-Stranded Coordinating Chains Featuring Metallomacrocycles as Subunits. 2008 , 2008, 3776-3785	4
1502	Aggregation of Hexanuclear, Mixed-Valence Manganese Oxide Clusters Linked by Propionato Ligands To Form a One-Dimensional Polymer [Mn6O2(O2CEt)10(H2O)4]n. 2008 , 2008, 5274-5280	15
1501	A 2D Layered Metal-Organic Framework Constructed by Using a Hexanuclear Manganese Metallamacrocycle as a Supramolecular Building Block. 2008 , 2008, 5465-5470	21
1500	Mesostructured prussian blue analogues. 2008 , 47, 511-4	64
1499	Monitoring shape transformation from nanowires to nanocubes and size-controlled formation of coordination polymer particles. 2008 , 47, 2049-51	178
1498	Self-assembly of a homochiral nanoscale metallacycle from a metallosalen complex for enantioselective separation. 2008 , 47, 1245-9	135
1497	Amine grafting on coordinatively unsaturated metal centers of MOFs: consequences for catalysis and metal encapsulation. 2008 , 47, 4144-8	1031
1496	A coordinatively linked Yb metal-organic framework demonstrates high thermal stability and uncommon gas-adsorption selectivity. 2008 , 47, 4130-3	260
1495	Tandem modification of metal-organic frameworks by a postsynthetic approach. 2008 , 47, 4699-702	207
1494	Concomitant and controllable chiral/racemic polymorphs: from achirality to isotactic, syndiotactic, and heterotactic chirality. 2008 , 47, 6371-4	94
1493	Functionalized coordination space in metal-organic frameworks. 2008 , 47, 8164-8	83
1492	Postsynthetic covalent modification of metal-organic framework (MOF) materials. 2008 , 47, 4635-7	154
1491	Multiple functions of ionic liquids in the synthesis of three-dimensional low-connectivity homochiral and achiral frameworks. 2008 , 47, 5434-7	177
1490	Single-crystalline molecular flasks: chemical transformation with bulky reagents in the pores of porous coordination networks. 2008 , 47, 8030-2	87

1489	Comparison of chiral and racemic forms of zinc cyclohexane trans-1,2-dicarboxylate frameworks: a structural, computational, and calorimetric study. 2008 , 47, 8634-7	35
1488	Template-directed assembly of zeolite-like metal-organic frameworks (ZMOFs): a usf-ZMOF with an unprecedented zeolite topology. 2008 , 47, 8446-9	248
1487	Post-synthetic modification of tagged metal-organic frameworks. 2008 , 47, 8482-6	255
1486	Hierarchically micro- and mesoporous metal-organic frameworks with tunable porosity. 2008 , 47, 9487-91	305
1485	Fabrication of two-dimensional polymer arrays: template synthesis of polypyrrole between redox-active coordination nanoslits. 2008 , 47, 9883-6	118
1484	Amphiphilic Porphyrin Nanocrystals: Morphology Tuning and Hierarchical Assembly. 2008 , 20, 3543-3549	55
1483	Simply Modified Chiral Diphosphine: Catalyst Recycling via Non-covalent Absorption on Carbon Nanotubes. 2008 , 350, 1013-1016	49
1482	Mesostructured Prussian Blue Analogues. 2008 , 120, 521-524	15
1481	Monitoring Shape Transformation from Nanowires to Nanocubes and Size-Controlled Formation of Coordination Polymer Particles. 2008 , 120, 2079-2081	31
1480	Self-Assembly of a Homochiral Nanoscale Metallacycle from a Metallosalen Complex for Enantioselective Separation. 2008 , 120, 1265-1269	28
1479	Amine Grafting on Coordinatively Unsaturated Metal Centers of MOFs: Consequences for Catalysis and Metal Encapsulation. 2008 , 120, 4212-4216	182
1478	A Coordinatively Linked Yb Metal-Organic Framework Demonstrates High Thermal Stability and Uncommon Gas-Adsorption Selectivity. 2008 , 120, 4198-4201	37
1477	Tandem Modification of Metal-Organic Frameworks by a Postsynthetic Approach. 2008 , 120, 4777-4780	75
1476	Concomitant and Controllable Chiral/Racemic Polymorphs: From Achirality to Isotactic, Syndiotactic, and Heterotactic Chirality. 2008 , 120, 6471-6474	5
1475	Funktionalisierter Koordinationsraum in metall-organischen Gereten. 2008 , 120, 8285-8289	25
1474	Postsynthetische kovalente Modifizierung von metall-organischen Gereten (MOFs). 2008 , 120, 4713-4715	31
1473	Multiple Functions of Ionic Liquids in the Synthesis of Three-Dimensional Low-Connectivity Homochiral and Achiral Frameworks. 2008 , 120, 5514-5517	25
1472	Single-Crystalline Molecular Flasks: Chemical Transformation with Bulky Reagents in the Pores of Porous Coordination Networks. 2008 , 120, 8150-8152	28

1471	Comparison of Chiral and Racemic Forms of Zinc Cyclohexane trans-1,2-Dicarboxylate Frameworks: A Structural, Computational, and Calorimetric Study. 2008 , 120, 8762-8765	7
1470	Template-Directed Assembly of Zeolite-like MetalOrganic Frameworks (ZMOFs): A usf-ZMOF with an Unprecedented Zeolite Topology. 2008 , 120, 8574-8577	19
1469	Post-Synthetic Modification of Tagged MetalOrganic Frameworks. 2008 , 120, 8610-8614	61
1468	Hierarchically Micro- and Mesoporous MetalOrganic Frameworks with Tunable Porosity. 2008 , 120, 9629-9633	46
1467	Fabrication of Two-Dimensional Polymer Arrays: Template Synthesis of Polypyrrole between Redox-Active Coordination Nanoslits. 2008 , 120, 10031-10034	26
1466	Synthesis of CdIII ₄ ,4'-bipy coordination polymer nanorods with tunable size and shape. 2008 , 41, 101-105	2
1465	Structure and function of Rho-type molecular switches in plants. 2008 , 46, 380-93	75
1464	Syntheses and characterization of three novel W(Mo)/Cu/S cluster-based layered polymers with 1,3,4-thiadiazole-2,5-dithiolate (SSS): Intriguing coordination modes of SSS. 2008 , 27, 232-240	14
1463	One-dimensional and two-dimensional coordination polymers constructed from copper(II) nodes and polycarboxylate spacers: Synthesis, crystal structures and magnetic properties. 2008 , 27, 574-582	36
1462	Two-dimensional divalent metal/pimelate coordination polymers incorporating dipodal organodiiimines: Crystal structures, thermal properties, and magnetic studies. 2008 , 27, 821-834	8
1461	Structure modulation of metalOrganic frameworks via reaction pH: Self-assembly of a new carboxylate containing ligand N-(3-carboxyphenyl)iminodiacetic acid with cadmium(II) and cobalt(II) salts. 2008 , 27, 812-820	40
1460	Design and synthesis of coordination networks containing amide, pyridine and carboxylate functionalities. 2008 , 27, 1248-1255	15
1459	Studies on zinc(II) complexes with N-thioacylamidophosphates: X-ray crystal structure of the [Zn(RC(S)NP(O)(OiPr) ₂) ₂] (R=NH ₂ , tBuNH, c-C ₆ H ₁₁ NH). 2008 , 27, 2022-2028	21
1458	The first hybrid organicInorganic frameworks based on lanthanide(III) sulfate chains, in situ generated oxalate and organic pillars of 1,4-piperazinediacetic acid. 2008 , 27, 2119-2126	19
1457	Effect of pendant arm position and length on the structure and properties of nickel aromatic dicarboxylate coordination polymers incorporating a kinked organodiiimine. 2008 , 27, 2291-2300	29
1456	Layered metal succinate/bis(4-pyridylmethyl)piperazine coordination polymers featuring mutual inclined interpenetration. 2008 , 27, 2545-2550	13
1455	Synthesis, characterization and magnetostructural correlation studies on three binuclear copper complexes of pyrimidine derived Schiff base ligands. 2008 , 27, 2519-2528	40
1454	Three-dimensional acentric coordination polymers formed from the linkage of cobalt and nickel malonate quadratic layers through a kinked organodiiimine: Synthesis, structure, thermal properties and magnetochemistry. 2008 , 27, 2997-3003	14

- 1453 Substituent effects of pyrazine on construction of crystal structures of Zn(II)-benzoate complexes and their catalytic activities (dinuclear, trinuclear, and pentanuclear to 1-D and 2-D). **2008**, 27, 3484-3492 37
- 1452 Crystal structures, bioactivities and fluorescent properties of four diverse complexes with a new symmetric benzimidazolic ligand. **2008**, 27, 3529-3536 27
- 1451 Synthesis, structure and luminescent properties of lanthanide-organic frameworks based on pyridine-2,6-dicarboxylic acid. *Journal of Molecular Structure*, **2008**, 872, 99-104 3-4 34
- 1450 Syntheses, structures and thermal stabilities of four complexes with 4-amino-3,5-bis(3-pyridyl)-1,2,4-triazole ligand. *Journal of Molecular Structure*, **2008**, 891, 50-57 3-4 23
- 1449 Zinc(II) polymeric compounds with a chelating ligand bis(2-pyridylmethyl)amine (bispicam) directed by intermolecular C/N/OH \cdots X (X = Cl, Br, I) interactions: Catalytic activities. *Journal of Molecular Structure*, **2008**, 890, 123-129 3-4 21
- 1448 One- and two-dimensional divalent copper coordination polymers based on kinked organodiimine and long flexible aliphatic dicarboxylate ligands. *Journal of Molecular Structure*, **2008**, 891, 423-428 3-4 4
- 1447 Synthesis, structure and magnetic property of a one-dimensional Co(II)-formate helical coordination polymer. *Journal of Molecular Structure*, **2008**, 890, 112-115 3-4 11
- 1446 Syntheses, structures, and photoluminescence of three-dimensional lanthanide coordination polymers with 2,5-pyridinedicarboxylic acid. **2008**, 181, 1731-1737 40
- 1445 Resolution of Zopiclone enantiomers by biphasic recognition chiral extraction. **2008**, 62, 681-686 35
- 1444 One-dimensional copper(II) coordination polymers bridged both by μ -trans-oxamidates and phenyldicarboxylates: Synthesis, crystal structure and DNA binding studies. **2008**, 102, 1790-7 17
- 1443 Unprecedented 7-connected $36 \cdot 413 \cdot 62$ structural topology: Praseodymium-based coordination polymers built from mixed carboxylate ligands. **2008**, 11, 125-128 16
- 1442 A novel chiral 3D supramolecular framework based on organooxotin cluster. **2008**, 11, 220-224 13
- 1441 Synthesis, crystal structures and optical properties of two coordination polymers from 4-(1H-tetrazol-5-yl) benzoic acid. **2008**, 11, 372-376 23
- 1440 Chiral metal-organic and supramolecular interpenetrating 3-D frameworks constructed by one angular ligand and 4,4'-dipyridine. **2008**, 11, 377-380 7
- 1439 Ligating topology and counter anion controlled formation of discrete metallo-macrocycle and 2D corrugated sheet in coordination compounds derived from a bis-pyridyl-bis-amide ligand and Cd(II)salts. **2008**, 11, 636-642 29
- 1438 The chiral Zn(II)-Na(I) coordination polymer: Synthesis, crystal structure, thermal and optical properties. **2008**, 11, 749-753 12
- 1437 Synthesis and characterization of macrocyclic nickel(II) complexes with β -methylbenzyl groups as chiral pendants. **2008**, 11, 745-748 15
- 1436 Networking chiral coordination polymers through amide hydrogen bond interactions: Thermal stability and optical SHG investigations. **2008**, 11, 791-794 11

1435	Blue photoluminescent 3D Zn(II) metal-organic framework constructing from pyridine-2,4,6-tricarboxylate. 2008 , 11, 832-834		61
1434	Two novel 3-D chiral coordination polymers with helical chains assembled from L(D)-tartrate: [Cd2(L(D))4(H4O6)(H2O)5(SO4)] · 3H2O. 2008 , 11, 859-861		8
1433	An acentric luminescent cadmium dimethylsuccinate/bipyridine coordination polymer with an uncommon three-dimensional CdSO4 topology. 2008 , 11, 855-858		17
1432	One-dimensional (1D) helical and 2D homochiral metal-organic frameworks built from a new chiral octahydrobinaphthalene-derived dicarboxylic acid. 2008 , 11, 948-950		24
1431	Two copper(II) coordination polymers containing atza ligand [atza=5-aminotetrazole-1-acetato]. 2008 , 11, 1239-1242		27
1430	Syntheses, characterizations and topology analyses of two 3D copper-organic frameworks from Cu(pyzca)2 (pyzca = pyrazine-2-carboxylate) building block. 2008 , 11, 1136-1139		11
1429	A metal-organic framework containing meso-helical chains: Synthesis, characterization and luminescent property. 2008 , 11, 1181-1183		15
1428	Construction of three isostructural 3D microporous coordination frameworks based on mixed nicotinate and oxalate ligands. 2008 , 11, 1409-1411		17
1427	Synthesis of the hybrid porous rods and nanosheets composed of the nickel ions and poly(p-phenylenediamine) in aqueous solution. 2008 , 28, 1284-1288		8
1426	Solvothermal syntheses and structural characterization of a series of metal-hydroxycarboxylate coordination polymers. 2008 , 361, 2327-2334		23
1425	Steric effects in controlling co-ordination environment in zinc 2-nitrobenzoate complexes. 2008 , 361, 2777-2784		31
1424	One- and two-dimensional copper benzenedicarboxylate coordination polymers incorporating the flexible tethering diimine N,N'-bis(3-pyridylmethyl)piperazine: Synthesis, structure, and thermal properties. 2008 , 361, 2887-2894		18
1423	Crystal growth of AlPO-5, AlPO-15, and AlPO-21 from aluminum foil. <i>Microporous and Mesoporous Materials</i> , 2008 , 109, 478-484	5-3	7
1422	Microporous coordination polymers of cobalt(II) and manganese(II) 2,6-naphthalenedicarboxylate: preparations, structures and gas sorptive and magnetic properties. <i>Microporous and Mesoporous Materials</i> , 2008 , 111, 470-477	5-3	59
1421	Microporous rare-earth coordination polymers constructed by 1,4-cyclohexanedicarboxylate. <i>Microporous and Mesoporous Materials</i> , 2008 , 115, 522-526	5-3	9
1420	A new microporous MOF material based on Zn(II)-polycarboxylate coordination polymer synthesized with the aid of 1,6-diaminohexane as template. <i>Microporous and Mesoporous Materials</i> , 2008 , 116, 204-209	5-3	37
1419	Structural transformation and high pressure methane adsorption of Co2(1,4-bdc)2dabco. <i>Microporous and Mesoporous Materials</i> , 2008 , 116, 653-657	5-3	87
1418	Syntheses and structural characteristics of copper(II)-organic polymers based on N-heterocyclic ligands: A study on the importance of steric factors in the design of potent catalysts. 2008 , 288, 42-51		28

1417	Syntheses, structures and magnetic properties of a series of 2D and 3D lanthanide complexes constructed by citric ligand. <i>Journal of Molecular Structure</i> , 2008 , 877, 115-122	3-4	22
1416	Synergistic oxoanion and ligand conformation control of dimensionality in coordination polymers formed via 3,3'-bipyridine tethers: From 1D undulating chains to a doubly interpenetrated 3D framework. <i>Journal of Molecular Structure</i> , 2008 , 881, 107-116	3-4	3
1415	One- and two-dimensional cobalt benzenecarboxylate coordination polymers containing a kinked organodiimine: Synthesis, structure, and magnetic properties. <i>Journal of Molecular Structure</i> , 2008 , 882, 80-87	3-4	10
1414	Inorganic-organic hybrid framework materials: Synthesis and characterization of $[\text{Co}(\text{H}_2\text{O})(\text{L})_2\text{V}_4\text{O}_{12}]$ (L=pyridine, 4-methylpyridine). <i>Journal of Molecular Structure</i> , 2008 , 888, 19-24	3-4	2
1413	Synthetic, spectral and structural studies of ruthenium(II) compounds based on 2,6-diacetylpyridinemonoxime. <i>Journal of Molecular Structure</i> , 2008 , 886, 136-143	3-4	3
1412	Crystal engineering of lanthanide-transition-metal coordination polymers. <i>Journal of Molecular Structure</i> , 2008 , 887, 56-66	3-4	14
1411	Crystal structure and magnetic property of a metal-organic framework (MOF) containing double-stranded chain with metallomacrocycles and dinuclear Mn(II) subunits. <i>Journal of Molecular Structure</i> , 2008 , 891, 357-363	3-4	10
1410	A three-dimensional microporous coordination polymer with fluorescent property. <i>Journal of Molecular Structure</i> , 2008 , 891, 384-387	3-4	12
1409	Design, synthesis and characterization of a Pt-Gd metal-organic framework containing potentially catalytically active sites. 2008 , 2054-60		74
1408	Synthesis and structural characterisation of lanthanide coordination polymers featuring 4,4',6,6'-tetra-carboxy-2,2'-bipyridine and rare network topology. 2008 , 10, 1018		31
1407	Framework functionalisation triggers metal complex binding. 2008 , 2680-2		274
1406	Synthesis, structure and application of chiral copper(II) coordination polymers for asymmetric acylation. <i>Inorganic Chemistry</i> , 2008 , 47, 5093-8	5-1	30
1405	Self-encapsulation of $[\text{MII}(\text{phen})_2(\text{H}_2\text{O})_2]^{2+}$ (M=Co, Zn) in one-dimensional nanochannels of $[\text{MII}(\text{H}_2\text{O})_6(\text{BTC})_2]^{4-}$ (M=Co, Cu, Mn): a high HQ/CAT ratio catalyst for hydroxylation of phenols. <i>Inorganic Chemistry</i> , 2008 , 47, 4564-9	5-1	32
1404	Integrated molecular chirality, absolute helicity, and intrinsic chiral topology in three-dimensional open-framework materials. 2008 , 130, 17246-7		185
1403	Homochiral crystallization of microporous framework materials from achiral precursors by chiral catalysis. 2008 , 130, 12882-3		301
1402	Hybrid porous solids: past, present, future. 2008 , 37, 191-214		5029
1401	The hydrothermal syntheses, structural characterization of a novel chiral 2-D layer coordination polymer based on pyridine-2,5-dicarboxylic acid (H ₂ Pydc). 2008 , 34, 683-687		2
1400	Extraction of europium from nitrate solutions in the presence of tris(hydroxymethyl)aminomethane and characterization of the products of pyrolysis of extracts. 2008 , 53, 645-648		5

1399	How is SOS activated? Let us count the ways. 2008 , 15, 538-40	14
1398	Evil versus 'eph-ective' use of ephrin-B2. 2008 , 15, 540-2	10
1397	Synthesis of mixed-ligand coordination polymers containing 1,2,4-triazole, oxalate, and cadmium. 2008 , 10, 267-282	2
1396	Novel homochiral holodirected three-dimensional lead(II) coordination polymer, [Pb ₂ (Etpa) ₃ (NO ₃) ₂ (NO ₃) ₂] _n : Spectroscopic, thermal, fluorescence and structural studies. 2008 , 10, 854-858	18
1395	Systematic functionalization of a metal-organic framework via a postsynthetic modification approach. 2008 , 130, 8508-17	335
1394	New extended magnetic systems based on oxalate and iron(III) ions. <i>Inorganic Chemistry</i> , 2008 , 47, 3772-86	34
1393	Radical Polymerization of Vinyl Monomers in Porous Coordination Polymers: Nanochannel Size Effects on Reactivity, Molecular Weight, and Stereostructure. 2008 , 41, 87-94	180
1392	Chirality-sensing supramolecular systems. 2008 , 108, 1-73	936
1391	Enhanced Hydrogen Uptake and the Electronic Structure of Lithium-Doped Metal-Organic Frameworks. 2008 , 112, 9278-9284	69
1390	Chemoenzymatic synthesis of chiral 4,4'-bipyridyls and their metal-organic frameworks. 2008 , 5538-40	44
1389	Syntheses, structures, photoluminescence, and magnetic properties of phenanthrene-based carboxylic acid coordination polymers. <i>Inorganic Chemistry</i> , 2008 , 47, 5162-8	5.1 42
1388	Growth-controlled formation of porous coordination polymer particles. 2008 , 130, 16943-6	249
1387	Chiral Self-Threading Frameworks Based on Polyoxometalate Building Blocks Comprising Unprecedented Tri-Flexure Helix. 2008 , 8, 2093-2095	107
1386	Directing supramolecular assemblies on surfaces. 2008 , 18, 2636	36
1385	Surface interactions and quantum kinetic molecular sieving for H ₂ and D ₂ adsorption on a mixed metal-organic framework material. 2008 , 130, 6411-23	408
1384	Chemistry and application of flexible porous coordination polymers. 2008 , 9, 014108	173
1383	Generation of a solid Brønsted acid site in a chiral framework. 2008 , 1287-9	192
1382	Temperature-triggered gate opening for gas adsorption in microporous manganese formate. 2008 , 4697-9	62

1381	Syntheses, structures, photoluminescence, and magnetic properties of nanoporous 3D lanthanide coordination polymers with 4,4'-biphenyldicarboxylate ligand. 2008 , 10, 1237		65
1380	Homochiral Metal-Organic Coordination Polymers for Heterogeneous Enantioselective Catalysis: Self-Supporting Strategy. 323-355		4
1379	Competition between coordination network and halogen bond network formation: towards halogen-bond functionalised network materials using copper-iodobenzoate units. 2008 , 10, 1335		33
1378	Characterization of interfacial water in MOF-5 (Zn ₄ (O)(BDC) ₃)—a combined spectroscopic and theoretical study. 2008 , 10, 4732-9		82
1377	Two- and three-fold interpenetrated metal-organic frameworks from one-pot crystallization. <i>Inorganic Chemistry</i> , 2008 , 47, 7728-33	5.1	77
1376	Covalent surface modification of a metal-organic framework: selective surface engineering via Cu(I)-catalyzed Huisgen cycloaddition. 2008 , 5493-5		148
1375	Two microporous metal-organic frameworks with different topologies constructed from linear trinuclear M ₃ (COO) _n secondary building units. 2008 , 10, 753		55
1374	Covalent modification of a metal-organic framework with isocyanates: probing substrate scope and reactivity. 2008 , 3366-8		112
1373	Experimental and theoretical investigation of a coordination polymer [Cu(pda)(2,2'-bpy)(H ₂ O)] _n · 2nH ₂ O. 2008 , 61, 2132-2141		3
1372	Sandwich-type tetranuclear lanthanide complexes with cucurbit[6]uril: from molecular compounds to coordination polymers. <i>Inorganic Chemistry</i> , 2008 , 47, 8869-80	5.1	123
1371	Constructing porous lanthanide coordination polymers of 4,4'-bipyridine- N , N '-dioxide templated by single- and double-Keggin anions. 2008 , 61, 3800-3814		10
1370	Controlled generation of acentric and homochiral coordination compounds from a versatile asymmetric ligand 4-(1H-1,2,4-triazol-3-yl)-4H-1,2,4-triazole. 2008 , 4159-61		16
1369	Assembly of two 3-D metal-organic frameworks from Cd(II) and 4,5-imidazoledicarboxylic acid or 2-ethyl-4,5-imidazoledicarboxylic acid. 2008 , 10, 1662		104
1368	Subtle structural variation in copper metal-organic frameworks: syntheses, structures, magnetic properties and catalytic behaviour. 2008 , 6788-95		44
1367	Topology analysis and nonlinear-optical-active properties of luminescent metal-organic framework materials based on zinc/lead isophthalates. <i>Inorganic Chemistry</i> , 2008 , 47, 8286-93	5.1	128
1366	Novel luminescent metal-organic frameworks [Eu ₂ L ₃ (DMSO) ₂ (MeOH) ₂] × 2 DMSO × 3 H ₂ O and [Zn ₂ L ₂ (DMSO) ₂] × 1.6 H ₂ O (L = 4,4'-ethyne-1,2-diylidibenzoate). <i>Inorganic Chemistry</i> , 2008 , 47, 6329-35	5.1	47
1365	Structure, Hydrogen Storage, and Luminescence Properties of Three 3D Metal-Organic Frameworks with NbO and PtS Topologies. 2008 , 8, 2478-2483		139
1364	Template Effects in Porous Coordination Polymers 2008 , 20, 922-931		176

1363	Ionothermal synthesis of homochiral framework with acetate-pillared cobalt-camphorate architecture. <i>Inorganic Chemistry</i> , 2008 , 47, 5567-9	5.1	82
1362	Coordination pillared-layer type compounds having pore surface functionalization by anionic sulfonate groups. 2008 , 471-3		91
1361	A noncentrosymmetric 3D coordination polymer of metallocalix[4]arene. <i>Inorganic Chemistry</i> , 2008 , 47, 11514-8	5.1	25
1360	Trinuclear metallacycles: metallatriangles and much more. 2008 , 108, 4979-5013		234
1359	Preparation, structures, and photocatalytic properties of three new uranyl-organic assembly compounds. <i>Inorganic Chemistry</i> , 2008 , 47, 4844-53	5.1	205
1358	"Clickable" metal-organic framework. 2008 , 130, 14354-5		251
1357	Cu ₆ S ₄ cluster based twelve-connected face-centered cubic and Cu ₁₉ I ₄ S ₁₂ cluster based fourteen-connected body-centered cubic topological coordination polymers. <i>Inorganic Chemistry</i> , 2008 , 47, 8197-203	5.1	51
1356	Chiral zeolitic materials: structural insights and synthetic challenges. 2008 , 18, 4021		108
1355	The influence of pH on coordination of phthalate to copper(II). 2008 , 61, 2288-2295		6
1354	Design of two 3D homochiral Co(II) metal-organic open frameworks by layered-pillar strategy: structure and properties. 2008 , 10, 963		19
1353	Homochiral moganite-type metal-organic framework based on unusual (Ag ₂ Cl) _n skeletons. 2008 , 10, 655		18
1352	Influence of reaction conditions on the channel shape of 3d-4f heterometallic metal-organic framework. 2008 , 10, 1309		50
1351	Metal-organic framework from an anthracene derivative containing nanoscopic cages exhibiting high methane uptake. 2008 , 130, 1012-6		756
1350	The actin cytoskeleton in T cell activation. 2008 , 26, 233-59		255
1349	Growth of narrowly dispersed porphyrin nanowires and their hierarchical assembly into macroscopic columns. 2008 , 130, 9632-3		104
1348	Microwave-Assisted Solvothermal Synthesis of a Dynamic Porous Metal-Carboxylate Framework. 2008 , 8, 4559-4563		73
1347	Crystals as molecules: postsynthesis covalent functionalization of zeolitic imidazolate frameworks. 2008 , 130, 12626-7		558
1346	Rapid fabrication of metal organic framework thin films using microwave-induced thermal deposition. 2008 , 2441-3		193

1345	Silver(I) complexes with oxazoline-containing tripodal ligands: structure variation via counter anions and reaction conditions. 2008 , 204-13	55
1344	Self-assembly of organic-inorganic hybrid materials constructed from eight-connected coordination polymer hosts with nanotube channels and polyoxometalate guests as templates. <i>Inorganic Chemistry</i> , 2008 , 47, 2442-8	5.1 210
1343	Facile synthesis of nanocrystals of a microporous metal-organic framework by an ultrasonic method and selective sensing of organoamines. 2008 , 3642-4	298
1342	Controllable Congregating of Homochiral and Achiral Coordination Polymers: Cadmium(II) Pyridine-2,4,6-Tricarboxylate Species with Double-Helical Strand and Molecular Building Block Structures. 2008 , 8, 452-459	62
1341	Assembly of a Chiral Bikitaite Zeolite Metal-Organic Framework Based on the Asymmetrical Tetrahedral Building Blocks. 2008 , 8, 2986-2989	37
1340	Zn(II) coordination architectures with mixed ligands of dipyrido[3,2-d : 2',3'-f]quinoxaline/2,3-di-2-pyridylquinoxaline and benzenedicarboxylate: syntheses, crystal structures, and photoluminescence properties. 2008 , 10, 349-356	100
1339	Reversible shrinkage and expansion of a blue photofluorescent cadmium coordination polymer and in situ tetrazole ligand synthesis. 2008 , 2239-41	88
1338	Hysteretic sorption of light gases by a porous metal-organic framework containing tris(para-carboxylated) triphenylphosphine oxide. 2008 , 2891-3	45
1337	Spontaneously resolved 3D homochiral In(III) coordination polymer with extended In-OH-In helical chains. 2008 , 10, 1070	34
1336	Kagom[Type extra-large microporous solid based on a paddle-wheel Cu ²⁺ dimer. 2008 , 4436-8	33
1335	Temperature dependent charge distribution in three-dimensional homochiral cadmium camphorates. 2008 , 444-6	94
1334	Three Zn(II)-triazole-H3btc complexes regulated by mixed ligands protonation upon stepwise crystallization. 2008 , 10, 1140	45
1333	A series of intriguing metal-organic frameworks with 3,3',4,4'- benzophenonetetracarboxylic acid: structural adjustment and pH-dependence. 2008 , 10, 1583	69
1332	Synthesis, crystal structures and properties of three metal-organic supramolecular architectures based on mixed organic ligands. 2008 , 10, 1480	17
1331	Two isostructural coordination polymers built by a new bridging chelating ligand: hydrothermal synthesis, crystal structure and photoluminescence. 2008 , 61, 1645-1654	4
1330	A nanoporous chiral metal-organic framework material that exhibits reversible guest adsorption. 2008 , 6103-5	24
1329	Aromaticity in cyclic alkali clusters. 2008 , 10, 2461-74	23
1328	Synthesis, characterization and crystal structure of a chiral polymeric Cu(II) complex bridged by tartrate. 2008 , 61, 3549-3555	5

1327	Two- and three-dimensional divalent metal coordination polymers constructed from 2,2-dimethylsuccinate and dipyridylamine ligands. 2008 , 10, 846	19
1326	1D, 2D and 3D luminescent zinc(II) coordination polymers assembled from varying flexible thioether ligands. 2008 , 4711-3	65
1325	Tuning framework formation by flexible ligand elongation and second ligating spacer variation: increasing dimensionality and macrocycle size. 2008 , 10, 778	27
1324	Diversification of hydrothermal reaction products induced by temperature: syntheses, structures and properties of four La(III)-Cu(II) metal frameworks constructed from rod-shaped molecular building blocks. 2008 , 5342-9	18
1323	Manipulating the cavity of a porous material changes the photoreactivity of included guests. 2008 , 3909-11	32
1322	Structural modulation of polythreading and interpenetrating coordination networks with an elongated dipyridyl building block and various anionic co-ligands. 2008 , 10, 1855	99
1321	Synthesis, structure, and characterization of a new thorium-organic framework material, Th ₃ F ₅ [(C ₁₀ H ₁₄)(CH ₂ CO ₂) ₂] ₃ (NO ₃). 2008 , 5560-2	51
1320	Hydrothermal syntheses, structures and luminescent properties of d ¹⁰ metal-organic frameworks based on rigid 3,3',5,5'-azobenzene tetracarboxylic acid. 2008 , 10, 1395	116
1319	Spin canting in an unprecedented three-dimensional pyrophosphate- and 2,2'-bipyrimidine-bridged cobalt(II) framework. 2008 , 5152-4	39
1318	A biporous coordination framework with high H ₂ storage density. 2008 , 359-61	82
1317	Employing La ₂ - (La = Eu, Tb, Pr) or Co ₃ -Based Molecule Building Blocks To Construct 3,8-Connected Nets: Hydrothermal Synthesis, Structure, Luminescence, and Magnetic Properties. 2008 , 8, 2006-2010	83
1316	A lanthanide-based metal-organic framework with a dynamic porous property. 2008 , 4714-6	40
1315	A new enantiopure unsaturated dicarboxylate as a 4-connected unit in a flexible homochiral PtS-type framework. 2008 , 1756-8	24
1314	Complexes of the [Re(6)(μ ₃ -Se)(8)](2+) core-containing clusters with the water-soluble 1,3,5-triaza-7-phosphaadamantane (PTA) ligand: unexpected ligand protonation and related studies. 2008 , 6030-8	8
1313	An acentric parallel interpenetrated dual-ligand zinc coordination polymer from an in situ terminal-to-internal alkene rearrangement. 2008 , 10, 1305	29
1312	Hydrothermal synthesis of divalent metal pyromellitate/dipyridylamine complexes: From an unprecedented supramolecular three-dimensional topology to an anionic coordination polymer framework with large incipient cation-bearing voids. 2008 , 10, 117-124	32
1311	Two-dimensional metal-organic network with an unusual 36 topology and a cubic close packing pattern. 2008 , 10, 954	19
1310	Rational Design and Control of the Dimensions of Channels in a Series of 3D Pillared Metal-Organic Frameworks: Synthesis, Structures, Adsorption, and Luminescence Properties. 2008 , 8, 427-434	71

- 1309 Freezing phenomena of lennard-jones fluid confined in jungle-gym nanospace: a monte carlo study. **2008**, 24, 802-9 6
- 1308 Reversible anion exchange and sensing in large porous materials built from 4,4'-bipyridine via pi...pi and H-bonding interactions. *Inorganic Chemistry*, **2008**, 47, 5122-8 5.1 57
- 1307 Crystalline-state guest-exchange and gas-adsorption phenomenon for a "soft" supramolecular porous framework stacking by a rigid linear coordination polymer. *Inorganic Chemistry*, **2008**, 47, 5218-24 5.1 104
- 1306 New framework iodoargentates: M(en)3Ag2I4 (M=Zn, Ni) with tridymite topology. *Inorganic Chemistry*, **2008**, 47, 3922-4 5.1 64
- 1305 Coordination compounds of bis(5-tetrazolyl)amine with manganese(II), zinc(II) and cadmium(II): synthesis, structure and magnetic properties. **2008**, 4621-9 40
- 1304 Three-dimensional homochiral transition-metal camphorate architectures directed by a flexible auxiliary ligand. *Inorganic Chemistry*, **2008**, 47, 3495-7 5.1 104
- 1303 Phase Transitions and CO2 Adsorption Properties of Polymeric Magnesium Formate. **2008**, 8, 3302-3308 59
- 1302 TOF-2: a large 1D channel thorium organic framework. **2008**, 130, 3762-3 123
- 1301 Cubic MetalOrganic Polyhedrons of Nickel(II) Imidazoledicarboxylate Depositing Protons or Alkali Metal Ions. **2008**, 8, 2458-2463 49
- 1300 Coordination behaviour and network formation with 4,4',6,6'-tetracarboxy-2,2'-bipyridine and 4,4'-dicarboxy-2,2'-bipyridine ligands with rare and alkaline earth metals. **2008**, 10, 68-78 52
- 1299 Amine-Templated Assembly of MetalOrganic Frameworks with Attractive Topologies. **2008**, 8, 319-329 116
- 1298 Flexible and versatile anionic modules in the direction of 1-D, 2-D, and 3-D coordination frameworks by metalligand synergistic interactions. **2008**, 10, 1350 20
- 1297 Solvent Effects on the Assembly of [Cu2I2]- or [Cu4I4]-Based Coordination Polymers: Isolation, Structures, and Luminescent Properties. **2008**, 8, 3810-3816 123
- 1296 Chain, Pillar, Layer, and Different Pores: AN-[(3-Carboxyphenyl)-sulfonyl]glycine Ligand as a Versatile Building Block for the Construction of Coordination Polymers. **2008**, 8, 620-628 120
- 1295 Cooperative self-assembly of chiral L-malate and achiral succinate in the formation of a three-dimensional homochiral framework. *Inorganic Chemistry*, **2008**, 47, 8607-9 5.1 29
- 1294 Four zinc(II) helical coordination polymers and 78-membered six-node zinc metallacycle assembled from diastereopure N,N'-bis(acetylaceton)cyclohexanediimine. *Inorganic Chemistry*, **2008**, 47, 10053-61 5.1 15
- 1293 Three Interpenetrated Frameworks Assembly from a Long Multicarboxylate Ligand and Transition Metal. **2008**, 8, 665-670 58
- 1292 Hydrothermal synthesis, structures, and physical properties of four new flexible multicarboxylate ligands-based compounds. *Inorganic Chemistry*, **2008**, 47, 9528-36 5.1 112

- 1291 New insight brought by density functional theory on the chemical state of alaninol on Cu(100): energetics and interpretation of x-ray photoelectron spectroscopy data. **2008**, 128, 114709 14
- 1290 A novel Metal-Organic Framework with pcu topology constructed from cadmium and 1,4-diaza-bicyclo [2.2.2] octane-N, N-dioxide. **2008**, 435-440
- 1289 Poly[bis-(N,N-dimethyl-formamide)tris-((E)-trans-stilbene-4,4'-dicarboxyl-ato)-tricadmium(II)]: a two-dimensional network with an unusual 3 topology. **2008**, 64, m861-2 3
- 1288 Synthesis, structure and photoluminescent properties of a new coordination polymer [Cd2(pzdc)2(4,4'-bpy)(H2O)2] n (H2pzdc = pyrazine-2,3-dicarboxylic acid, 4,4'-bpy = 4,4'-bipyridine). **2008**, 61, 563-570 9
- 1287 A new ZnII two-dimensional coordination polymer, {[Zn(E)-4,4'-bipy)(1,4-ndc)(H2O)2] · (H2O)} n (4,4'-bipy= 4,4'-bipyridine and 1,4-ndc=1,4-naphthalenedicarboxylate). **2008**, 61, 3679-3686 7
- 1286 Synthesis, crystal structure and characterization of a 1D chain coordination polymer of zinc(II) with arylamide, [Zn(H2bbp)Cl2] n · CH3OH, (H2bbp = 1,2- bis (3-pyridylcarboxamide)benzene). **2008**, 61, 285-293 7
- 1285 Synthesis, Crystal Structure and Characterizations of Zn (II) Complex with pmtpo and NCS (Pmtpo = 2-(2-pyridylmethylthio)-5-(4-pyridyl)-1,3,4-oxadiazole). **2008**, 38, 716-720 2
- 1284 Immobilization of Molecular Catalysts. **2008**, 583 2
- 1283 Chemistry and Applications of Porous Metal-Organic Frameworks. **2008**, 247 1
- 1282 Hydrogen Adsorption Properties of Lantern-Type Dinuclear M(BDC)(DABCO)12. **2008**, 81, 847-856 18
- 1281 Two Novel Triazole-Based Metal - Organic Frameworks Consolidated by a Flexible Dicarboxylate Co-ligand: Hydrothermal Synthesis, Crystal Structure, and Luminescence Properties. **2008**, 61, 813 8
- 1280 . **2008**, 91
- 1279 Supramolecular Materials: Metal-Quinonoid Complexes. **2009**,
- 1278 Structure and Magnetic Properties of a Two-dimensional Metal-Organic Framework: [Cu3(bpdc)4/2(pdon)2(H2O)6] · 2ClO4. **2009**, 64, 1016-1020 2
- 1277 Synthesis, structures, and characterization of cadmium(II), cobalt(II), and copper(II) metal polymers with tetrazole-1-acetate. **2009**, 62, 2108-2117 25
- 1276 A 2D Zn(II) metal-organic framework constructed from 4,4'-(perfluoropropane-2,2-diyl)dibenzoic acid, synthesis, structure and photoluminescence. **2009**, 62, 1373-1378 14
- 1275 Hierarchical design of nanostructured materials based on polyoxometalates. **2009**, 81, 2369-2376 13
- 1274 Chiral metal-organic porous materials: synthetic strategies and applications in chiral separation and catalysis. **2010**, 293, 115-53 40

1273	Two- and three-dimensional coordination polymers of lanthanide tartrate: synthesis, crystal structures and luminescence. 2009 , 62, 2095-2107	16
1272	Controlled polymerization by incarceration of monomers in nanochannels. 2010 , 293, 155-73	11
1271	The rules of disorder or why disorder rules. 2009 , 99, 94-103	146
1270	Self-assembly of two zinc complexes with flexible building block of 4-pyridylthioethylphosphonate. 2009 , 11, 310-314	6
1269	Assembly of two novel Lindqvist polyoxoanion-templated coordination polymers with standard honeycomb cavities. 2009 , 11, 417-421	18
1268	Amino-based metal-organic frameworks as stable, highly active basic catalysts. 2009 , 261, 75-87	535
1267	Porous Chromium Terephthalate MIL-101 with Coordinatively Unsaturated Sites: Surface Functionalization, Encapsulation, Sorption and Catalysis. 2009 , 19, 1537-1552	748
1266	Colloidal Route for Preparing Optical Thin Films of Nanoporous Metal-Organic Frameworks. 2009 , 21, 1931-1935	228
1265	Morphology-Selective Formation and Morphology-Dependent Gas-Adsorption Properties of Coordination Polymer Particles. 2009 , 21, 674-677	105
1264	Exploiting the Kubas Interaction in the Design of Hydrogen Storage Materials. 2009 , 21, 1787-1800	121
1263	Functional Group Density and Recognition in Polymer Nanotubes. 2009 , 121, 116-120	5
1262	A Luminescent Metal-Organic Framework with Lewis Basic Pyridyl Sites for the Sensing of Metal Ions. 2009 , 121, 508-511	155
1261	Enantiomerically Pure Chiral {Fe ₂₈ } Wheels. 2009 , 121, 1609-1612	23
1260	Giant Pores in a Chromium 2,6-Naphthalenedicarboxylate Open-Framework Structure with MIL-101 Topology. 2009 , 121, 3849-3852	56
1259	Bidirectional Chemo-Switching of Spin State in a Microporous Framework. 2009 , 121, 4861-4865	109
1258	Metall-organische Gerate fur die Katalyse. 2009 , 121, 7638-7649	213
1257	3D coordination framework with uncommon two-fold interpenetrated {3(3)5(9)6(3)}-lcy net and coordinated anion exchange. <i>Chemistry - A European Journal</i> , 2009 , 15, 4049-56	4.8 83
1256	Synthesis and properties of (tritycenedicarboxylato)zinc coordination networks. <i>Chemistry - A European Journal</i> , 2009 , 15, 5845-53	4.8 36

1255	A porous coordination polymer with accessible metal sites and its complementary coordination action. <i>Chemistry - A European Journal</i> , 2009 , 15, 4985-9	4.8	49
1254	Enantioselective recognition and separation by a homochiral porous lamellar solid based on unsymmetrical Schiff base metal complexes. <i>Chemistry - A European Journal</i> , 2009 , 15, 6428-34	4.8	79
1253	Coordination chemistry: new routes to mesostructured materials. <i>Chemistry - A European Journal</i> , 2009 , 15, 6552-9	4.8	40
1252	Dynamic equilibria in solvent-mediated anion, cation and ligand exchange in transition-metal coordination polymers: solid-state transfer or recrystallisation?. <i>Chemistry - A European Journal</i> , 2009 , 15, 8861-73	4.8	108
1251	Development of a continuous-flow system for asymmetric hydrogenation using self-supported chiral catalysts. <i>Chemistry - A European Journal</i> , 2009 , 15, 9855-67	4.8	54
1250	Size selectivity of a copper metal-organic framework and origin of catalytic activity in epoxide alcoholysis. <i>Chemistry - A European Journal</i> , 2009 , 15, 12255-62	4.8	82
1249	Bipyridinium array-type porous polymer displaying hydrogen storage, charge-transfer-type guest inclusion, and tunable magnetic properties. <i>Chemistry - A European Journal</i> , 2009 , 15, 11890-7	4.8	75
1248	Facile purification of porous metal terephthalates with ultrasonic treatment in the presence of amides. <i>Chemistry - A European Journal</i> , 2009 , 15, 11730-6	4.8	48
1247	Biomimetic Modelling of Copper Enzymes: Synthesis, Characterization, EPR Analysis and Enantioselective Catalytic Oxidations by a New Chiral Trinuclear Copper(II) Complex. 2009 , 2009, 554-566		25
1246	Structural Flexibility and Selective Guest Accommodation in Two CuII Metal-Organic Coordination Frameworks. 2009 , 2009, 1592-1599		14
1245	A Chiral Metal-Organic Framework Based on Heptanuclear Zinc Cores. 2009 , 2009, 2599-2602		24
1244	Lanthanide Metal-Organic Frameworks as Ziegler-Natta Catalysts for the Selective Polymerization of Isoprene. 2009 , 210, 1923-1932		63
1243	Coordination-Polymeric Nanofibers and their Field-Emission Properties. 2009 , 30, 1356-61		24
1242	Size-Selective Sorption of Small Organic Molecules in One-Dimensional Channels of an Ionic Crystalline Organic-Inorganic Hybrid Compound Stabilized by π -Interactions. 2009 , 121, 6276-6280		4
1241	Engineering a Metal-Organic Framework Catalyst by Using Postsynthetic Modification. 2009 , 121, 7560-7563		66
1240	Functional group density and recognition in polymer nanotubes. 2009 , 48, 110-4		21
1239	A luminescent metal-organic framework with Lewis basic pyridyl sites for the sensing of metal ions. 2009 , 48, 500-3		980
1238	Enantiomerically pure chiral {Fe ₂₈ } wheels. 2009 , 48, 1581-4		129

1237	Giant pores in a chromium 2,6-naphthalenedicarboxylate open-framework structure with MIL-101 topology. 2009 , 48, 3791-4		175
1236	Bidirectional chemo-switching of spin state in a microporous framework. 2009 , 48, 4767-71		430
1235	Metal-organic frameworks: opportunities for catalysis. 2009 , 48, 7502-13		1612
1234	Size-selective sorption of small organic molecules in one-dimensional channels of an ionic crystalline organic-inorganic hybrid compound stabilized by pi-pi interactions. 2009 , 48, 6160-4		31
1233	Nucleotide-catalyzed conversion of racemic zeolite-type zincophosphate into enantioenriched crystals. 2009 , 48, 6049-51		49
1232	Engineering a metal-organic framework catalyst by using postsynthetic modification. 2009 , 48, 7424-7		220
1231	Solvent-dependent luminescent Cu(I) framework based on 5-(4-pyridyl)tetrazole. 2009 , 182, 2555-2559		25
1230	Counteranion and donor disposition effects on the topology of luminescent cadmium coordination polymers incorporating bis(pyridylmethyl)piperazine isomers. <i>Journal of Molecular Structure</i> , 2009 , 927, 101-110	3-4	9
1229	Solvent influence on isomer separation and conformation control of the cyclohexanedicarboxylate ligand toward La(III) coordination polymeric framework. 2009 , 44, 6576-6582		9
1228	Shape- and size-controlled synthesis of coordination polymer {[Cu(en) ₂][KFe(CN) ₆]} _n nano/micro-crystals. 2009 , 44, 6447-6450		16
1227	Copper(II) camphorates with tunable pore size in metal-organic frameworks. 2009 , 58, 2246-2249		12
1226	Coordination polymers with adamantanediacetate bridges: syntheses, structures, and magnetic properties. 2009 , 20, 877-882		5
1225	Synthesis and structures of two cobalt(II) coordination networks formed from aromatic polycarboxylates and 1,4-bis(imidazole-1-ylmethyl)benzene. 2009 , 34, 185-190		6
1224	Kinetics of oxidation of hydroquinone to p-benzoquinone catalyzed by microporous metal-organic frameworks M ₃ (BTC) ₂ [M = copper(II), cobalt(II), or nickel(II); BTC = benzene-1,3,5-tricarboxylate] using molecular oxygen. 2009 , 34, 263-268		34
1223	Synthesis and characterization of zinc(II), copper(II) and cadmium(II) coordination polymers with tetrachloroterephthalate-based ligands. 2009 , 34, 815-820		4
1222	3D Solid-State Network from Hierarchical Supramolecular Self-Assembly of Transition Metal Complexes of Pyridine Based Ligand. 2009 , 39, 416-422		6
1221	Synthesis, Structure and Luminescent Property of a Novel Lanthanide Metal-Organic Coordination Polymer Yb ₃ (BDC) _{4.5} (DMF) ₂ (H ₂ O) ₃ · (DMF) ₂ . 2009 , 39, 688-691		4
1220	Mutations of the Wiskott-Aldrich Syndrome Protein affect protein expression and dictate the clinical phenotypes. 2009 , 44, 84-8		51

1219	Synthesis, structure, and magnetic properties of two novel lanthanide-organic frameworks. 2009 , 52, 1456-1462		4
1218	Solvothermal Synthesis, Crystal Structure and Properties of the First Organic-templated Holmium Sulfate [C ₂ N ₂ H ₁₀] ₃ [Ho ₂ (SO ₄) ₆ ·2H ₂ O]. 2009 , 635, 572-576		22
1217	Two-Dimensional Divalent Metal Coordination Polymers Containing 3,4?-Dipyridylketone Tethers: Layer Topology Tuning by Anion Binding Preferences. 2009 , 635, 1549-1554		4
1216	Well-ordered thin-film nanopore arrays formed using a block-copolymer template. 2009 , 5, 1654-9		70
1215	Gas-sorption properties of cobalt(II)-carborane-based coordination polymers as a function of morphology. 2009 , 5, 1727-31		123
1214	A three-dimensional homochiral metal-organic framework constructed from manganese(II) with S-carboxymethyl-N-(p-tosyl)-L-cysteine and 4,4'-bipyridine. 2009 , 65, m56-8		2
1213	Three lanthanide complexes derived from itaconic acid and 2,2'-bipyridine. 2009 , 65, m121-7		2
1212	Poly[bis(mu-3-5'-carboxy-2,2'-bipyridine-5-carboxylato-kappa4O:N,N':O')lead(II)]. 2009 , 65, m491-3		1
1211	Controlling interpenetration in metal-organic frameworks by liquid-phase epitaxy. 2009 , 8, 481-4		460
1210	One-dimensional imidazole aggregate in aluminium porous coordination polymers with high proton conductivity. 2009 , 8, 831-6		625
1209	Synthesis of continuous MOF-5 membranes on porous alumina substrates. <i>Microporous and Mesoporous Materials</i> , 2009 , 118, 296-301	5-3	298
1208	Characterization of metal-organic frameworks by water adsorption. <i>Microporous and Mesoporous Materials</i> , 2009 , 120, 325-330	5-3	803
1207	Fabrication of MOF-5 membranes using microwave-induced rapid seeding and solvothermal secondary growth. <i>Microporous and Mesoporous Materials</i> , 2009 , 123, 100-106	5-3	262
1206	1D slide-fastener-like coordination polymers of Mn(II) derived from pyrazine-2,3,5,6-tetracarboxylic acid. <i>Journal of Molecular Structure</i> , 2009 , 918, 97-100	3-4	10
1205	Formation of bilayer structure through face-to-face interactions. <i>Journal of Molecular Structure</i> , 2009 , 920, 14-17	3-4	6
1204	Hydrothermal syntheses and structures of first examples of lanthanide 7,8,4?-tricarboxymethoxyisoflavone coordination polymers. <i>Journal of Molecular Structure</i> , 2009 , 938, 214-220	3-4	
1203	Nanoporous metal organic framework materials for hydrogen storage. 2009 , 7, 129-140		44
1202	Worm-like mesoporous carbon synthesized from metalorganic coordination polymers for supercapacitors. 2009 , 11, 1191-1194		126

1201	Three Mn(II) supramolecular coordination complexes containing carboxylate/tetrazolate ligands. 2009 , 362, 1234-1238	23
1200	One-dimensional copper(II) polymer with bridging <i>trans</i> -oxamidate and thiocyanate ligands: Synthesis, crystal structure and DNA binding studies. 2009 , 362, 1253-1259	27
1199	Three new multidimensional organic/inorganic hybrids based on polyoxometalates and copper coordination polymers with 4,4'-bipyridine ligands. 2009 , 362, 1412-1420	24
1198	Three isomorphous threefold interpenetrated 2D supramolecular frameworks: Synthesis, structure and sorption properties. 2009 , 362, 1541-1545	7
1197	Cobalt isothiocyanate coordination polymers constructed from isomeric bis(pyridylmethyl)piperazine ligands: Ribbon and chain motifs and a novel (3,4)-connected supramolecular layer. 2009 , 362, 1559-1564	9
1196	Hydrothermal synthesis of two novel three-dimensional cobalt(II) metal-organic frameworks based on polycarboxylate and benzotriazole. 2009 , 362, 1755-1760	16
1195	Exploring the effect of chain length of bridging ligands in coordination complexes and polymers derived from mixed ligand systems of pyridylnicotinamides and dicarboxylates. 2009 , 362, 1767-1771	11
1194	Two 3D noninterpenetrated chiral coordination polymers with uniform (103)-srs and (42.63.8)-sra nets. 2009 , 362, 1867-1871	12
1193	Control of topology and dimensionality by aromatic dicarboxylate pendant arm position and length in cadmium coordination polymers incorporating a hydrogen-bonding capable kinked dipyrindine ligand. 2009 , 362, 2283-2292	31
1192	Solvothermal synthesis, crystal structure and luminescence of the first organic amine templated europium sulfate. 2009 , 362, 2565-2568	20
1191	A series of metal-organic frameworks constructed with 2,2'-bipyridine-3,3'-dicarboxylate: Syntheses, structures, and physical properties. 2009 , 362, 2686-2697	20
1190	The interplay of O-H...O hydrogen bonding in the generation of three new supramolecular complexes of CuI, NiII and CoIII: Syntheses, characterization and structural aspects. 2009 , 362, 2828-2836	30
1189	Two three-dimensional metal-organic frameworks constructed by multiple building blocks of benzenetricarboxylate and bis(imidazole) ligands. 2009 , 362, 2884-2889	13
1188	Solvothermal synthesis, crystal structure and properties of a novel 1-D organic amine templated holmium sulfate. 2009 , 362, 3299-3302	18
1187	The effect of organic acid on self-assembly process: Syntheses and characterizations of six novel cadmium(II)/zinc(II) complexes derived from mixed ligands. 2009 , 362, 3475-3483	26
1186	A 3D chiral supramolecular framework of Cu(II): Synthesis, structure and magneto-structural correlations. 2009 , 362, 3745-3750	2
1185	Synthesis, structure and magnetic properties of a pair of copper dicarboxylate/dipyridylamine coordination polymers with a non-interpenetrated CdSO ₄ topology. 2009 , 362, 3684-3690	13
1184	Control of dimensionality through nitrogen donor disposition in divalent metal perchlorate bis(pyridylmethyl)piperazine coordination polymers. 2009 , 362, 3955-3962	2

1183	Construction of crystal structures of metal(II)benzoates (M = Mn, Ni, Co, Cu, Zn, and Cd) and 1,2-bis(4-pyridyl)ethane: Effects of metal coordination modes and their catalytic activities. 2009 , 362, 4119-4126		29
1182	Microwave synthesis of hybrid inorganicorganic materials including porous Cu ₃ (BTC) ₂ from Cu(II)-trimesate mixture. <i>Microporous and Mesoporous Materials</i> , 2009 , 119, 331-337	53	243
1181	Silver nitrate molecular species and coordination polymers with divergent supramolecular morphology constructed from hydrogen-bonding capable dipyridyl ligands. 2009 , 28, 291-299		17
1180	Controlling self-assembly of zinc(II)-benzoate coordination complexes with 1,4-bis(4-pyridyl)ethane by varying solvent and ligand-to-metal ratio: Their catalytic activities. 2009 , 28, 553-561		58
1179	Metalorganic frameworks (MOFs) constructed from ZnII/CdII-2,2'-bipyridines and polycarboxylic acids: Synthesis, characterization and microstructural studies. 2009 , 28, 600-608		44
1178	Divalent metal succinate/perchlorate coordination polymers incorporating a kinked hydrogen-bonding capable diimine: Chains, layers and a (5,6)-connected binodal network featuring alternating rectangular and hexagonal grids. 2009 , 28, 826-834		8
1177	Construction of metalorganic frameworks with transitional metals based on the 3,5-bis(4-pyridyl)-1H-1,2,4-triazole ligand. 2009 , 28, 679-688		37
1176	Metal-directed supramolecular assembly of metal(II) benzoates (M = Co, Ni, Cu, Zn, Mn, and Cd) with 4,4'-bipyridine: Effects of metal coordination modes and novel catalytic activities. 2009 , 28, 1241-1252		62
1175	Metal azelate coordination polymers containing a kinked dipyridyl tether: CdSO ₄ topology and ligand vacancyprimitive cubic three-dimensional networks. 2009 , 28, 1437-1446		4
1174	3D zinc(II) coordination polymers built up by triazole and benzene-polycarboxylate anions: Synthesis, crystal structure, thermal and photoluminescence characterization. 2009 , 28, 2131-2136		35
1173	Metal naphthalenedicarboxylates with diverse network architectures: Synthesis, crystal structures and properties. 2009 , 28, 3759-3768		25
1172	Synthesis, crystal structure, and magnetic properties of two-dimensional divalent metal glutarate/dipyridylamine coordination polymers, with a single crystal-to-single crystal transformation in the copper derivative. 2009 , 182, 8-17		11
1171	Synthesis, structural characterization and selectively catalytic properties of metalorganic frameworks with nano-sized channels: A modular design strategy. 2009 , 182, 502-508		25
1170	Building thiol and metal-thiolate functions into coordination nets: Clues from a simple molecule. 2009 , 182, 1821-1826		46
1169	Coordination polymers constructed from transition metal ions and organic N-containing heterocyclic ligands: Crystal structures and microporous properties. 2009 , 34, 240-279		142
1168	Aliphatic and aromatic carboxylate divalent metal coordination polymers incorporating the kinked and hydrogen-bonding capable tethering ligand 4,4'-dipyridylamine. 2009 , 253, 1759-1792		137
1167	Molecular engineering for synthesizing novel structures of metalorganic frameworks with multifunctional properties. 2009 , 253, 2891-2911		583
1166	Enantioselective separation of R,S-phenylsuccinic acid by biphasic recognition chiral extraction. 2009 , 64, 4081-4088		66

1165	Sixfold interpenetrated diamondoid network of Cu(I): Synthesis, structure, selective anion exchange and luminescence properties. 2009 , 473, 312-316	15
1164	An enantiomeric pair of sodium(I) organic/inorganic frameworks having novel two-dimensional inorganic comb-like separating layers. 2009 , 12, 4-7	8
1163	A new supramolecular compound based on Mn(III)-Schiff-base and octamolybdate. 2009 , 12, 112-115	27
1162	A 3D photoluminescent cadmium(II)-organic framework with unusual pentanuclear cluster as secondary building unit. 2009 , 12, 211-213	23
1161	A rare 2D coordination polymer of graphite-like structure extended by infinite silver-oxygen-silver bonds. 2009 , 12, 223-226	21
1160	Synthesis and structure of a cobalt dicyanamide chain coordination polymer incorporating a long-spanning hydrogen-bonding capable diimine with a novel binodal (4,6)-connected supramolecular topology. 2009 , 12, 308-311	10
1159	A new eight-connected net with CsCl-type topology built on unique $[\text{Co}_2(\beta\text{-OH})(\eta\text{-OH}_2)(\text{CO}_2)_3]_2$ building blocks. 2009 , 12, 639-641	20
1158	Two rod-based 3-D lead(II) tetrafluoroterephthalate coordination frameworks with sra topology: Syntheses, structures, and properties. 2009 , 12, 835-838	24
1157	Postsynthetic modification of metal-organic frameworks. 2009 , 38, 1315-29	1573
1156	Metal-organic framework materials as catalysts. 2009 , 38, 1450-9	6514
1155	Industrial applications of metal-organic frameworks. 2009 , 38, 1284-93	1866
1154	Anion-driven conformational polymorphism in homochiral helical coordination polymers. 2009 , 131, 10452-60	119
1153	Postsynthetic modification switches an achiral framework to catalytically active homochiral metal-organic porous materials. 2009 , 131, 7524-5	355
1152	Self-Assembly of a Series of Metal-Organic Frameworks Based on 4-Pyridyl-1,2,4-triazole and Copper(II) Ion. 2009 , 9, 2137-2145	59
1151	Enantioselective catalysis with homochiral metal-organic frameworks. 2009 , 38, 1248-56	2809
1150	Tunability of electronic band gaps from semiconducting to metallic states via tailoring Zn ions in MOFs with Co ions. 2009 , 11, 628-31	71
1149	Assessing postsynthetic modification in a series of metal-organic frameworks and the influence of framework topology on reactivity. <i>Inorganic Chemistry</i> , 2009 , 48, 296-306	5.1 213
1148	Variable Lithium Coordination Modes in Two- and Three-Dimensional Lithium Boron Imidazolate Frameworks. 2009 , 21, 3830-3837	50

1147	Metal-organic macrocycles, metal-organic polyhedra and metal-organic frameworks. 2009 , 3326-41	128
1146	Reversible Two-Dimensional/Three Dimensional Framework Transformation within a Prototype Metal/Organic Framework. 2009 , 9, 5293-5296	91
1145	Synthesis, structure, and application of self-assembled copper(II) aqua complex by H-bonding for acceleration of the nitroaldol reaction on water. 2009 , 4, 314-20	42
1144	Fluorite and mixed-metal Kagome-related topologies in metal-organic framework compounds: synthesis, structure, and properties. 2009 , 4, 936-47	14
1143	1D tubular and 2D metal-organic frameworks based on a flexible amino acid derived organic spacer. 2009 , 4, 892-903	30
1142	Selected Thoughts on Chiral Crystals, Chiral Surfaces, and Asymmetric Heterogeneous Catalysis. 2009 , 1, 223-231	37
1141	Chiral transfer in coordination complexes: towards molecular materials. 2009 , 38, 830-45	337
1140	Metathesis in single crystal: complete and reversible exchange of metal ions constituting the frameworks of metal-organic frameworks. 2009 , 131, 3814-5	300
1139	Synthesis, Single-Crystal X-ray Microdiffraction, and NMR Characterizations of the Giant Pore Metal-Organic Framework Aluminum Trimesate MIL-100. 2009 , 21, 5695-5697	255
1138	Study of the influence of the bridge on the magnetic coupling in cobalt(II) complexes. <i>Inorganic Chemistry</i> , 2009 , 48, 11342-51	5.1 77
1137	Modulating metal-organic frameworks to breathe: a postsynthetic covalent modification approach. 2009 , 131, 16675-7	199
1136	Anion-Induced Assembly of Different Mercury Coordination Complexes and DFT Calculations To Evaluate Weak Interactions between Similar Double-Helical Chains. 2009 , 9, 3789-3798	29
1135	Secondary building units, nets and bonding in the chemistry of metal-organic frameworks. 2009 , 38, 1257-83	2025
1134	Trinuclear Cobalt Based Porous Coordination Polymers Showing Unique Topological and Magnetic Variety upon Different Dicarboxylate-like Ligands. 2009 , 9, 1066-1071	126
1133	Rational designs for highly proton-conductive metal-organic frameworks. 2009 , 131, 9906-7	558
1132	Electroconductive porous coordination polymer Cu[Cu(pdt) ₂] composed of donor and acceptor building units. <i>Inorganic Chemistry</i> , 2009 , 48, 9048-50	5.1 266
1131	Postsynthetic modifications of iron-carboxylate nanoscale metal-organic frameworks for imaging and drug delivery. 2009 , 131, 14261-3	1177
1130	Temperature-Controlled Synthesis of Metal-Organic Coordination Polymers: Crystal Structure, Supramolecular Isomerism, and Porous Property. 2009 , 9, 4147-4156	134

1129	Doping of metal-organic frameworks with functional guest molecules and nanoparticles. 2010 , 293, 77-113	28
1128	Synthesis, crystal structure, and catalytic properties of a one-dimensional nickel(II) polymer. 2009 , 35, 367-372	
1127	Ionothermal syntheses of two new 2D metal-organic frameworks: (EMIM) ₂ [M(Pydc) ₂] (M = Co, Zn). 2009 , 35, 473-478	4
1126	Synthesis, molecular and crystal structure, magnetic properties, luminescence, and solid-phase thermolysis of binuclear Ln(III) pivalates with 2,2'-dipyridyl and 1,10-phenanthroline molecules. 2009 , 54, 668-685	25
1125	Synthesis, spectroscopic, XRPD and computational study of transition metal-organic frameworks (TMOFs) derived from (6R)-6-(β -phenyl-D-glycylamino) penicillanic acid. 2009 , 54, 1301-1309	1
1124	Inorganic/Organic Hybrid Materials with Novel Framework Structures: Synthesis, Structure, and Magnetic Properties of [Ni(py) ₄] ₂ V ₁₀ O ₂₉ and [Ni ₂ (py) ₅ (H ₂ O) ₃] ₄ V ₄ O ₁₂ . 2009 , 9, 2848-2852	20
1123	Supramolecular Isomerism of Metal/Organic Frameworks Derived from a Bicarboxylate Linker with Two Distinct Binding Motifs. 2009 , 9, 1505-1510	31
1122	Development of N,N'-Diaromatic Diimidazolium Cations: Arene Interactions for Highly Organized Crystalline Materials. 2009 , 9, 4784-4792	27
1121	Synthesis, crystal structure and luminescence of a 3-D coordination polymer based on 4-(1H-tetrazol-5-yl) benzoic acid. 2009 , 62, 242-248	6
1120	Generation of Three-Dimensional Networks through Aliphatic Chain Disorder in a Divalent Metal Dicarboxylate/Organodiimine Coordination Polymer System. 2009 , 9, 358-363	21
1119	Assembly of [Cu _n In]-based coordination polymers from cracking the 3D framework of bulk CuI via flexible N-heterocyclic ligands. 2009 , 8567-73	94
1118	A Series of Three-Dimensional Lanthanide Coordination Compounds with the Rutile Topology. 2009 , 9, 737-742	50
1117	Enantiopure and Racemic Sandwich-like Networks with Dehydration, Readsorption, and Selective Guest-Exchange Phase Transformations. 2009 , 9, 457-465	41
1116	Preparation and gas adsorption studies of three mesh-adjustable molecular sieves with a common structure. 2009 , 131, 6445-51	108
1115	Reliable Formation of an Unusual and Chiral Two-Dimensional Network Containing Entanglement of the Ligand in the Presence of Different Anions. 2009 , 9, 3848-3851	23
1114	Stepwise Formation of Half-Sandwich Iridium-Based Rectangles Containing 2,5-Diarylamino-1,4-benzoquinone Derivatives Linkers. 2009 , 28, 3459-3464	48
1113	A three-dimensional porous metal-organic framework constructed from two-dimensional sheets via interdigitation exhibiting dynamic features. <i>Inorganic Chemistry</i> , 2009 , 48, 4616-8	5.1 40
1112	Coordination Polymers Assembled from 3,5-Pyrazoledicarboxylic Acid and Bis(triazolyl) Ligands: Chiral and Meso-Structures Induced by Ligand Flexibility and a Six-Connected Self-Catenated Network. 2009 , 9, 4487-4496	51

1111	A 1-D ladder-like aggregate constructed from Preyssler anion and transition metal linkers. 2009 , 62, 3259-3267		
1110	Hydrothermal Synthesis, Structures, and Luminescent Properties of Seven d10 Metal-Organic Frameworks Based on 9,9-Dipropylfluorene-2,7-Dicarboxylic Acid (H2DFDA). 2009 , 9, 1394-1401		92
1109	Copper phthalate coordination polymers incorporating kinked dipyriddy ligands: an unprecedented 8-connected network and one-dimensional chiral nanobarrels with hydrophobic channels constructed from septuple helical motifs. <i>Inorganic Chemistry</i> , 2009 , 48, 4918-26	5.1	42
1108	New Interpenetrated Copper Coordination Polymer Frameworks having Porous Properties. 2009 , 21, 5860-5866		88
1107	Metal complexes of cinchonine as chiral building blocks: a strategy for the construction of nanotubular architectures and helical coordination polymers. 2009 , 131, 5393-5		90
1106	Synthesis, X-ray Structures, and Fluorescent Properties of Coordination Networks Constructed from 2-(2-Pyridinyl-benzimidazolyl) Acetic Anion. 2009 , 9, 475-482		70
1105	3,5-Diphosphonobenzoic Acid, a New Rigid Heterotrifunctional Building Block to Design Metal Organic Frameworks. Illustration with the Characterization of Cu ₅ [(O ₃ P) ₂ -C ₆ H ₃ -CO ₂] ₂ (H ₂ O) ₆ . 2009 , 9, 4262-4268		20
1104	Chiral Micelles of Achiral TPPS and Diblock Copolymer Induced by Amino Acids. 2009 , 42, 6253-6260		33
1103	Metal-Directed Assembly of Coordination Polymers with a Multifunctional Semirigid Ligand Containing Pyridyl and Benzimidazolyl Donor Groups. 2009 , 9, 2341-2353		89
1102	Macrocycles with switchable exo/endo metal binding sites. 2009 , 131, 17620-9		28
1101	Assembly of 3D Metal-Organic Frameworks Based on Different Helical Units: Chiral and Achiral Structures Constructed by Length-Modulated N-Donor Ligands. 2009 , 9, 4142-4146		48
1100	Single-Crystal-to-Single-Crystal Structural Transformation in a Flexible Porous Gadolinium-Organic Framework with Selective and Controlled Sorption Properties. 2009 , 9, 3844-3847		33
1099	A Three-Dimensional Porous and Magnetic Framework Constructed from {Cu ₄ (μ ₃ -Cl)} ₇ Clusters and 4-(1H-Tetrazol-5yl)-benzoic Acid, (Me ₂ NH ₂)[Cu ₄ Cl(tba) ₄ (H ₂ O) ₄]·2DMF. 2009 , 9, 4258-4261		22
1098	Structural Diversity in Luminescent Three-Dimensional Cadmium Aliphatic Dicarboxylate Coordination Polymers Incorporating 4,4'-Dipyridylamine: Interpenetrated, Non-Interpenetrated, and Self-Penetrated Networks. 2009 , 9, 2481-2491		43
1097	Tuning the framework topologies of Co(II)-doped Zn(II)-tetrazole-benzoate coordination polymers by ligand modifications: structures and spectral studies. <i>Inorganic Chemistry</i> , 2009 , 48, 3792-9	5.1	89
1096	Selective Gas Adsorption in One-Dimensional, Flexible CuII Coordination Polymers with Polar Units. 2009 , 21, 3346-3355		63
1095	Structural Characterization of a Nanocrystalline Inorganic-Organic Hybrid with Fiberlike Morphology and One-Dimensional Antiferromagnetic Properties. 2009 , 21, 3356-3369		33
1094	Highly Tunable Heterometallic Frameworks Constructed from Paddle-Wheel Units and Metalloporphyrins. 2009 , 9, 1960-1965		64

1093	Lithium Based Metal-Organic Framework with Exceptional Stability. 2009 , 9, 2500-2503		74
1092	A strategy for synthesis of ionic metal-organic frameworks. <i>Inorganic Chemistry</i> , 2009 , 48, 786-8	5.1	50
1091	Syntheses, structures, and luminescent properties of cadmium (II) complexes: 3D supramolecular [Cd(phen)(NO ₃)(NO ₂)(H ₂ O)] _n and Cd(phen) ₂ (NO ₃)(NO ₂) constructed by π -stacking interactions. 2009 , 159, 1106-1111		20
1090	From one to three: a serine derivate manipulated homochiral metal-organic framework. 2009 , 2396-8		102
1089	Microwave synthesis and single-crystal-to-single-crystal transformation of magnesium coordination polymers exhibiting selective gas adsorption and luminescence properties. 2009 , 11, 1462		55
1088	Metallic and bimetallic nanocatalysts incorporated into highly porous coordination polymer MIL-101. 2009 , 19, 7625		267
1087	Polymorphism and inclusion properties of three-dimensional metal-organometallic frameworks derived from a terephthalate sandwich compound. <i>Inorganic Chemistry</i> , 2009 , 48, 6860-72	5.1	23
1086	New (3,4)-connected intrinsically chiral topology observed in a homochiral coordination polymer from achiral precursors. 2009 , 11, 1526		27
1085	A new photoactive crystalline highly porous titanium(IV) dicarboxylate. 2009 , 131, 10857-9		888
1084	Synthesis, crystal structures, and photoluminescent properties of the Cu(I)/X/ α,ω -bis(benzotriazole)alkane hybrid family (X = Cl, Br, I, and CN). <i>Inorganic Chemistry</i> , 2009 , 48, 1449-68	5.1	61
1083	Heterogeneous catalyzed aryl-nitrogen bond formations using a valine derivative bridged metal-organic coordination polymer. 2009 , 6790-4		20
1082	Absolute helicity induction in three-dimensional homochiral frameworks. 2009 , 206-8		94
1081	Isomeric zinc(II) triazolate frameworks with 3-connected networks: syntheses, structures, and sorption properties. <i>Inorganic Chemistry</i> , 2009 , 48, 3882-9	5.1	87
1080	Construction of hybrid d10 metal-organic frameworks by flexible aromatic dicarboxylate and N-donor ligands: syntheses, structures and physical properties. 2009 , 11, 2784		57
1079	Structural Variation in Porphyrin Pillared Homologous Series: Influence of Distinct Coordination Centers for Pillars on Framework Topology. 2009 , 9, 3327-3332		89
1078	Three new heterothiometallic cluster polymers with fascinating topologies. <i>Inorganic Chemistry</i> , 2009 , 48, 5772-8	5.1	69
1077	A pillared-layer coordination polymer with a rotatable pillar acting as a molecular gate for guest molecules. 2009 , 131, 12792-800		274
1076	Selective binding and removal of organic molecules in a flexible polymeric material with stretchable metallosalen chains. 2009 , 2118-20		43

1075	Hydrothermal Synthesis and Structure of Coordination Polymers by Combination of Bipyrazole and Aromatic Dicarboxylate Ligands. 2009 , 9, 4613-4625		60
1074	Syntheses, crystal structures, and gas storage studies in new three-dimensional 5-aminoisophthalate praseodymium polymeric complexes. <i>Inorganic Chemistry</i> , 2009 , 48, 3976-81	5.1	62
1073	New prototype isoreticular metal-organic framework Zn(4)O(FMA)(3) for gas storage. <i>Inorganic Chemistry</i> , 2009 , 48, 4649-51	5.1	66
1072	Designing metal-organic frameworks for catalytic applications. 2010 , 293, 175-205		92
1071	In situ tetrazole ligand synthesis leading to a microporous cadmium-organic framework for selective ion sensing. 2009 , 5415-7		136
1070	Reversible uptake of HgCl ₂ in a porous coordination polymer based on the dual functions of carboxylate and thioether. 2009 , 5439-41		85
1069	MOF-5/n-Bu ₄ NBr: an efficient catalyst system for the synthesis of cyclic carbonates from epoxides and CO ₂ under mild conditions. <i>Green Chemistry</i> , 2009 , 11, 1031	10	380
1068	Design and synthesis of metal-organic frameworks using metal-organic polyhedra as supermolecular building blocks. 2009 , 38, 1400-17		1527
1067	Turning MIL-53(Al) redox-active by functionalization of the bridging OH-group with 1,1'-ferrocenediyl-dimethylsilane. 2009 , 131, 9644-5		89
1066	Porous Coordination Polymers Towards Gas Technology. 2009 , 96-106		
1065	Two 3D chiral coordination polymers with 4-connected 6(6) topological net: synthesis, structure and magnetic properties. 2009 , 9807-11		55
1064	Remarkable thermal stability of Eu(4-phosphonobenzoate): structure investigations and luminescence properties. 2009 , 10614-20		39
1063	Controlling the Structure of Arenedisulfonates toward Catalytically Active Materials. 2009 , 21, 655-661		134
1062	Design and Construction of Metal-Organic Frameworks for Hydrogen Storage and Selective Gas Adsorption. 2009 , 353-373		2
1061	Some suggested perspectives for multifunctional hybrid porous solids. 2009 , 4400-15		158
1060	Controlling the dimensionalities and structures of homochiral Zn(II) and Cd(II) compounds of N-(p-tosyl)-S-carboxymethyl-L-cysteine via tuning the connecting modes of metal ions and chiral linkers by different kinds of ancillary ligands. 2009 , 11, 318-328		44
1059	anti-Selective catalytic asymmetric nitroaldol reaction via a heterobimetallic heterogeneous catalyst. 2009 , 131, 13860-9		127
1058	The Long Story and the Brilliant Future of Crystallized Porous Solids. 2009 , 107-134		1

1057	Novel dense organic-lanthanide hybrid architectures: syntheses, structures and magnetic properties. 2009 , 2528-39		35
1056	Synthesis, crystal structures, and luminescent properties of eleven new lanthanide and yttrium complexes with fluorescent whitener and 1,10-phenanthroline. 2009 , 33, 1508		7
1055	Microporous 3-D chiral metal-organic framework with a quartzlike topology based on an achiral building unit. 2009 , 62, 2665-2674		18
1054	1D, 2D, and 3D Metal-Organic Frameworks Based on Bis(imidazole) Ligands and Polycarboxylates: Syntheses, Structures, and Photoluminescent Properties. 2009 , 9, 4660-4673		123
1053	Three-Dimensional Lanthanide-Organic Frameworks Based on Di-, Tetra-, and Hexameric Clusters. 2009 , 9, 2098-2109		70
1052	3-D lanthanide metal-organic frameworks: structure, photoluminescence, and magnetism. <i>Inorganic Chemistry</i> , 2009 , 48, 1062-8	5.1	117
1051	Immobilization of Alkali Metal Ions in a 3D Lanthanide-Organic Framework: Selective Sorption and H ₂ Storage Characteristics. 2009 , 21, 5406-5412		53
1050	Facile shape-controlled synthesis of luminescent europium benzene-1,3,5-tricarboxylate architectures at room temperature. 2009 , 11, 2622		65
1049	Synthesis of a metal-organic framework film by direct conversion technique for VOCs sensing. 2009 , 3009-13		104
1048	Coordination-assisted assembly of 1-D nanostructured light-harvesting antenna. 2009 , 131, 7210-1		91
1047	A twofold interpenetrating porous metal-organic framework with high hydrothermal stability: structure and gas sorption behavior. <i>Inorganic Chemistry</i> , 2009 , 48, 11507-9	5.1	71
1046	Three porous coordination polymers of Co ²⁺ and dpdo ligands with channels hosting polyanion chains. 2009 , 62, 1989-2002		24
1045	Two-Dimensional Layered Metal - Organic Frameworks of Lanthanum(III) Pyridine-2,6-dicarboxylate. 2009 , 62, 1667		5
1044	"Twin copper source" growth of metal-organic framework membrane: Cu ₃ (BTC) ₂ with high permeability and selectivity for recycling H ₂ . 2009 , 131, 1646-7		503
1043	Large cation-anion materials based on trinuclear ruthenium(III) salts of Keggin and Wells-Dawson anions having water-filled channels. <i>Inorganic Chemistry</i> , 2009 , 48, 1649-54	5.1	36
1042	Synthesis and Structural Characterization of Lithium-Based Metal-Organic Frameworks. 2009 , 9, 4922-4926		62
1041	A new polyoxometalate-templated Mo/V-oxide-based organic-inorganic hybrid framework with a honeycomb-like structure. 2009 , 2721-3		47
1040	Metal-organic framework assembled from T-shaped and octahedral nodes: a mixed-linker strategy to create a rare anatase TiO ₂ topology. <i>Inorganic Chemistry</i> , 2009 , 48, 9060-2	5.1	35

1039	A Zn-based, pillared paddlewheel MOF containing free carboxylic acids via covalent post-synthesis elaboration. 2009 , 3720-2		142
1038	Enhancement of CO ₂ /N ₂ selectivity in a metal-organic framework by cavity modification. 2009 , 19, 2131		346
1037	Selective bifunctional modification of a non-catenated metal-organic framework material via "click" chemistry. 2009 , 131, 13613-5		209
1036	Postsynthetic modification: a versatile approach toward multifunctional metal-organic frameworks. <i>Inorganic Chemistry</i> , 2009 , 48, 7341-9	5.1	180
1035	Protection and deprotection approach for the introduction of functional groups into metal-organic frameworks. 2009 , 131, 6312-3		132
1034	Guest inclusion and interpenetration tuning of Cd(II)/Mn(II) coordination grid networks assembled from a rigid linear diimidazole Schiff base ligand. <i>Inorganic Chemistry</i> , 2009 , 48, 287-95	5.1	53
1033	Self-Process-Programmed Structural Diversity in Supramolecular Assembly Based on Polyoxometalate Anion and Halogensubstituted Bipyridine Cation. 2009 , 9, 1225-1234		78
1032	Porous Metal Organic Frameworks. 2009 , 77-99		9
1031	Metal-organic replica of gamma-Pu: the first uninodal 10-connected coordination network based on pentanuclear cadmium clusters. 2009 , 410-2		94
1030	Unusual three-dimensional coordination networks with [WS ₄ Cu ₆] cluster nodes and EC ₃ N ₄ topology. 2009 , 11, 605-609		18
1029	Solvent Control of Supramolecular Architectures Derived from 4,4'-Bipyridyl-Bridged Copper(II) Dipicolinate Complexes. 2009 , 9, 4685-4699		47
1028	Structural, luminescent, and magnetic properties of three novel three-dimensional metal-organic frameworks based on hexadentate N,N'-bis(4-picolinoyl)hydrazine. <i>Inorganic Chemistry</i> , 2009 , 48, 7691-7 ^{5.1}		24
1027	Spontaneous resolution of racemic camphorates in the formation of three-dimensional metal-organic frameworks. <i>Inorganic Chemistry</i> , 2009 , 48, 6356-8	5.1	46
1026	Metal-organic frameworks derived from bis-pyridyl-bis-amide ligands: Effect of positional isomerism of the ligands, hydrogen bonding backbone, counter anions on the supramolecular structures and selective crystallization of the sulfate anion. 2009 , 11, 796		67
1025	A luminescent homochiral 3D Cd(II) framework with a threefold interpenetrating uniform net 8(6). 2009 , 5296-8		111
1024	A metal-organic framework based on an unprecedented nonanuclear cluster as a secondary building unit: structure and gas sorption behavior. 2009 , 2026-8		22
1023	A three-dimensional metal-organic framework based on a triazine derivative: syntheses, structure analysis, and sorption studies. 2009 , 11, 2254		11
1022	Self-assembly of a novel metal-organic coordination cage (MOCC) based on a new flexible dicarboxylate ligand: synthesis, crystal structure and magnetic property. 2009 , 11, 47-49		11

1021	Preparation and structural characterization of a series of monoacylhydrazidate-bridged coordination polymers. 2009 , 8248-56	37
1020	Modulating topologies and magnetic properties of coordination polymers using 2,2'-bipyridine and 5-aminodiacetic isophthalic acid as ligands. 2009 , 11, 1666	17
1019	Guest-dependent self-assembly of (R,R)-2,3-diphenylsuccinic acids : formation of a cyclotetrameric chiral square. 2009 , 11, 549	3
1018	Two eight-connected self-penetrating porous metal-organic frameworks: configurational isomers caused by different linking modes between terephthalate and binuclear nickel building units. 2009 , 11, 274-277	65
1017	Syntheses, structures and properties of seven H ₂ BTA coordinating 3-D metallic complexes containing 0-, 1-, 2-, and 3-D frameworks (H ₂ BTA = bis(tetrazoly)amine). 2009 , 11, 329-336	22
1016	Sulfur-tagged metal-organic frameworks and their post-synthetic oxidation. 2009 , 4218-20	92
1015	Syntheses, crystal structures, thermal stabilities and luminescence of two new zinc phosphonates. 2009 , 9440-5	23
1014	An unusual 3D polycatenane motif generated by the 2D - α D parallel - β D parallel interpenetration of (4,4) sheets. 2009 , 11, 2611	43
1013	Dehydration and rehydration behavior of a trinodal topological 3-D framework of Cd(II) benzimidazole-5,6-dicarboxylate. 2009 , 11, 2712	30
1012	Bulk homochirality of a 3-D inorganic framework: ligand control of inorganic network chirality. 2009 , 4551-3	26
1011	Copper(II) complexes of mono-anionic glutamate: anionic influence in the variations of molecular and supramolecular structures. 2009 , 5015-22	13
1010	Systematic transformation of coordination polymer particles to hollow and non-hollow In ₂ O ₃ with pre-defined morphology. 2009 , 4756-8	90
1009	A catenated imidazole-based coordination polymer exhibiting significant CO ₂ sorption at low pressure. 2009 , 6480-2	22
1008	Zinc(II) and cobalt(II) complexes of (3-carboxymethoxy-naphthalen-2-yloxy)-acetic acid: a structural study. 2009 , 11, 832	19
1007	Four 2D metal-organic networks incorporating Cd-cluster SUBs: hydrothermal synthesis, structures and photoluminescent properties. 2009 , 11, 122-129	95
1006	Cadmium dicarboxylate coordination polymers incorporating a long-spanning organodiimine: in situ alkene isomerization and an unprecedented chiral 6(5)8 two-dimensional network. 2009 , 514-20	33
1005	New Type of Porous Metal-Organic Framework Material Formed by Rigid Ligand. 2009 , 39, 533-536	3
1004	An unprecedented 9-fold [3 6] interpenetrated diamondoid network coordination polymer containing Cu(II)-based paddlewheels connecting node. 2009 , 11, 1807	14

1003	Lanthanide complexes in hybrid halometallate materials: interconversion between a novel 2D microporous framework and a 1D zigzag chain structure of iodoargentates templated by octakis-solvated terbium(III) cation. 2009 , 4954-61		41
1002	Unprecedented interweaving of single-helical chains into a chiral metal-organic framework based on a flexible ligand. 2009 , 11, 1711		28
1001	Supramolecular reactivity of naphthalene-1,4,5,8-tetracarboxylic acid towards transition metal ions: coordination polymers and discrete complexes with Cu, Ni and Co. 2009 , 11, 367-374		16
1000	Construction of copper metal-organic systems based on paddlewheel SBU through altering the substituent positions of new flexible carboxylate ligands. 2009 , 11, 2516		39
999	Assembly of nanoporous organic materials from molecular building blocks. 2009 , 19, 1781		68
998	Entangled metal-organic frameworks modulated by N-donor ligands of different conformations. 2009 , 11, 2425		47
997	Self-assembly of metal-organic coordination polymers constructed from a bent dicarboxylate ligand: diversity of coordination modes, structures, and gas adsorption. <i>Inorganic Chemistry</i> , 2009 , 48, 11067-78	5.1	74
996	A computational study of enantioselective adsorption in a homochiral metal-organic framework. 2009 , 35, 50-59		34
995	A cubic coordination framework constructed from benzobistriazolate ligands and zinc ions having selective gas sorption properties. 2009 , 6487-95		109
994	Syntheses, structures and sorption properties of two framework-isomeric porous copper-coordination polymers. 2009 , 11, 183-188		65
993	Porous 2D coordination polymeric formate built up by Mn(II) linking of Fe ₃ O units: influence of guest molecules on magnetic properties. 2009 , 3503-9		21
992	Self-supported catalysts. 2009 , 109, 322-59		494
991	Concomitant formation of N-heterocyclic carbene-copper complexes within a supramolecular network in the self-assembly of imidazolium dicarboxylate with metal ions. <i>Inorganic Chemistry</i> , 2009 , 48, 6353-5	5.1	70
990	Au@ZIF-8: CO oxidation over gold nanoparticles deposited to metal-organic framework. 2009 , 131, 11302-3		693
989	Nitric oxide chemisorption in a postsynthetically modified metal-organic framework. <i>Inorganic Chemistry</i> , 2009 , 48, 9986-8	5.1	110
988	In-Situ X-ray Diffraction Studies of Host-Guest Properties in Nanoporous Zinc-Triazolate-Based Framework Materials. 2009 , 9, 3609-3614		13
987	Molecular and Supramolecular Arrays of the [Re ₆ (β-Se) ₈] ²⁺ Core-Containing Clusters. 2009 ,		
986	Poly[[[(12)-benzene-1,4-dicarboxylato-κ ³ O,O,O)](12)-di-4-pyridyldiazene-κ ² :N)cobalt(II)] N,N-dimethyl-formamide disolvate hemihydrate]. 2009 , 65, m1035-6		

985	Ordered Microporous and Mesoporous Materials. 2009 , 243-329		1
984	Angular Dipyridyl Ligands 2,5-Bis(4-pyridyl)-1,3,4-oxadiazole and Its 3-Pyridyl Analogue as Building Blocks for Coordination Architectures: Assemblies, Structural Diversity, and Properties. 2009 , 82, 539-554		34
983	Formation of a Chiral Host with Axially Chiral Cationic 1D Coordination Polymers Composed of Achiral Building Blocks and Inclusion of Anionic Tris-Chelate Complexes in an Unbalanced μ Ratio. 2009 , 82, 1377-1385		11
982	Tuning Structures and Properties of Coordination Polymers by the Noncoordinating Backbone of Bridging Ligands. 2009 , 145-170		2
981	A 4-fold interpenetrated metal-organic diamondoid framework: synthesis, crystal structure, and properties. 2009 , 62, 2316-2323		3
980	The Fascinating Structure and the Potential of Metal-Organic Frameworks. 2010 , 73-94		1
979	Water Molecules as Binders in Transformation of 2D Coordination Polymer [Cu(4,4'-bpy) ₂ (OTf) ₂] into Parallel Aligned 3D Architectures. 2010 , 83, 276-278		9
978	Terbium extraction in the presence of polyfunctional organic compounds and the composition of the extract pyrolysis products. 2010 , 55, 1638-1643		1
977	The application of metal-organic frameworks in catalysis (Review). 2010 , 50, 167-180		93
976	Metal organic frameworks assembled from Y(III), Na(I), and chiral flexible-achiral rigid dicarboxylates. <i>Inorganic Chemistry</i> , 2010 , 49, 7917-26	5.1	34
975	Metal-organic frameworks with functional pores for recognition of small molecules. 2010 , 43, 1115-24		1797
974	Modular, active, and robust Lewis acid catalysts supported on a metal-organic framework. <i>Inorganic Chemistry</i> , 2010 , 49, 6766-74	5.1	88
973	Non-, micro-, and mesoporous metal-organic framework isomers: reversible transformation, fluorescence sensing, and large molecule separation. 2010 , 132, 5586-7		567
972	Five novel cobalt coordination polymers: effect of metal-ligand ratio and structure characteristics of flexible bis(imidazole) ligands. 2010 , 12, 3283		69
971	Hydro(solvo)thermal synthesis of homochiral metal-amphorate coordination polymers. 2010 , 12, 3909		13
970	MOFs, MILs and more: concepts, properties and applications for porous coordination networks (PCNs). 2010 , 34, 2366		934
969	Functionalization in flexible porous solids: effects on the pore opening and the host-guest interactions. 2010 , 132, 1127-36		384
968	Two robust porous metal-organic frameworks sustained by distinct catenation: selective gas sorption and single-crystal-to-single-crystal guest exchange. 2010 , 5, 2358-68		52

967	Anion-Induced Assembly of Five-Coordinated Mercury(II) Complexes and Density Functional Theory Calculations to Study Bond Dissociation Energies of Long Hg-N Bonds. 2010 , 10, 1767-1776		52
966	Anion-Controlled Assembly of Silver(I) Complexes of Multiring Heterocyclic Ligands: A Structural and Photophysical Study. 2010 , 10, 1269-1282		43
965	Four Novel Coordination Polymers Based on a Flexible Zwitterionic Ligand and Their Framework Dependent Luminescent Properties. 2010 , 10, 4590-4595		53
964	Allosteric supramolecular triple-layer catalysts. 2010 , 330, 66-9		254
963	Two Thermostable Three-Dimensional Homochiral Metal-Organic Polymers with Quartz Topology. 2010 , 10, 1307-1311		77
962	Liquid phase separations by crystalline microporous coordination polymers. 2010 , 1, 293		156
961	Metal-Organic coordination polymers based on a flexible tetrahydrofuran-2,3,4,5-tetracarboxylate ligand: syntheses, crystal structures, and magnetic/photoluminescent properties. 2010 , 12, 853-865		28
960	Hybrid materials composed of tetravanadate motifs: Synthesis, structure and magnetic properties of the open framework structure solids $[M(C_5H_5N)_4]_2[V_4O_{12}]$ (M=Cu, Co). 2010 , 363, 4307-4312		2
959	Alkyl group dependence on structure and magnetic properties in layered cobalt coordination polymers containing substituted glutarate ligands and 4,4'-bipyridine. 2010 , 183, 291-303		21
958	A series of new supramolecular structures constructed from triethylenediamine and different polyoxometalates. 2010 , 183, 2862-2868		9
957	Synthesis and characterization of ZIF-69 membranes and separation for CO ₂ /CO mixture. 2010 , 353, 36-40		214
956	Evaluation of synthetic methods for microporous metal-organic frameworks exemplified by the competitive formation of $[Cu_2(btc)_3(H_2O)_3]$ and $[Cu_2(btc)(OH)(H_2O)]$. <i>Microporous and Mesoporous Materials</i> , 2010 , 132, 121-127	5-3	187
955	A 2D Metal-Organic Framework with a Flexible Cyclohexane-1,2,5,6-tetracarboxylic Acid Ligand: Synthesis, Characterization and Photoluminescent Property. <i>Journal of Molecular Structure</i> , 2010 , 970, 14-18	3-4	13
954	Anion assisted self-assembly of a Ni(II) complex into metallo-supramolecular network involving H-bonded synthons as nodes. <i>Journal of Molecular Structure</i> , 2010 , 964, 18-26	3-4	14
953	Three novel supramolecular barium complexes with heterocyclic sulfonate ligands: Effect of ligand structure and auxiliary anions. <i>Journal of Molecular Structure</i> , 2010 , 975, 173-179	3-4	4
952	Construction of tunable supramolecular networks studied by scanning tunneling microscopy. 2010 , 53, 310-317		10
951	Organic ammonium ion-occluded flexible coordination polymers: Thermal activation, structure transformation and proton transfer. 2010 , 53, 2144-2151		15
950	Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with d ¹⁰ metal ions: Interplay of covalent and non-covalent interactions in solid-state structure. 2010 , 122, 801-806		5

949	Synthesis and Crystal Structure of Phenolato-Bridged Dinuclear Copper(II) Complex with (2-Hydroxybenzyl)(2-pyridylmethyl)amine. 2010 , 40, 1016-1020	2
948	Syntheses and Characterizations of Three Cu(II) Complexes with 2,2'-Bipyridine-3,3'-dicarboxylate and N-Donor Ancillary Ligands. 2010 , 20, 110-117	4
947	Synthesis and Structures of Two Ba(II) Metal-Organic Frameworks Based on Pyridine-2,6-Dicarboxylic Acid N-Oxide. 2010 , 20, 313-319	10
946	Synthesis, Structure and Voltammetric Studies of Copper(II) Polymer with DNA Interaction: The First 1-D Coordination Polymer Alternately Bridged by Oxalate and Oxamidate Ligands. 2010 , 20, 586-591	6
945	One-Dimensional Hydrogen-Bonded Polymer from Hexaazamacrotetracyclic Nickel(II) Complex and trans-1,4-Cyclohexanedicarboxylate Ligand. 2010 , 20, 867-872	7
944	Enantioselective extraction of fenvaleric acid enantiomers by two-phase (W/O) recognition chiral extraction. 2010 , 68, 271-275	2
943	Adsorption of RDX and TATP on IRMOF-1: an ab initio study. 2010 , 21, 391-404	10
942	Two 3D supramolecules with helices constructed by hydrogen bonds based on p-thioacetatebenzoic acid ligand. 2010 , 21, 893-899	8
941	Asymmetric Catalysis with Chiral Porous Metal-Organic Frameworks. 2010 , 53, 869-875	64
940	Some Difficult Challenges for the Synthesis of Nanoporous Materials. 2010 , 53, 1291-1296	25
939	Porous homo- and heterochiral cobalt(II) aspartates with high thermal stability of the metal-organic framework. 2010 , 59, 733-740	12
938	Mononuclear and one-dimensional manganese(II) complexes constructed by dithioethers: Effect of flexibility and positional isomerism. 2010 , 12, 367-372	3
937	Dual-ligand approach to the synthesis of new luminescent cadmium(II) coordination polymers with one- and two-dimensional homochiral structures. 2010 , 12, 1404-1408	7
936	Ag (I)-based 2D metal frameworks with helical structures decorated by the homochiral camphor-10-sulfonic acid. 2010 , 12, 2091-2095	3
935	Building MOF bottles around phosphotungstic acid ships: One-pot synthesis of bi-functional polyoxometalate-MIL-101 catalysts. 2010 , 269, 229-241	290
934	N-WASP has the ability to compensate for the loss of WASP in macrophage podosome formation and chemotaxis. 2010 , 316, 3406-16	26
933	The mammalian verprolin, WIRE induces filopodia independent of N-WASP through IRSp53. 2010 , 316, 2810-24	14
932	Synthesis, Structural Characterization and Luminescence of Lanthanide Coordination Polymers with Pyridine-2,5-dicarboxylic Acid. 2010 , 28, 11-15	5

931	Enantioselective Partitioning of Racemic Ibuprofen in a Biphasic Recognition Chiral Extraction System. 2010 , 28, 119-124		4
930	Syntheses, Structures and Thermal Stabilities of Three Novel Lanthanide Coordination Polymers with 6-Hydroxynicotinic Acid. 2010 , 28, 383-387		5
929	Synthesis, Structures, and Magnetic Properties of Two Cobalt(II) Isophthalate Coordination Polymers. 2010 , 2010, 3850-3855		19
928	Hydrogen Adsorption in Polyoxometalate Hybrid Compounds Based on Porous Metal-Organic Frameworks. 2010 , 2010, 3756-3761		38
927	A Series of Lanthanide Metal-Organic Frameworks Based on Biphenyl-3,4,5-tricarboxylate: Syntheses, Structures, Luminescence and Magnetic Properties. 2010 , 2010, 3842-3849		83
926	Construction of a 2D Rectangular Grid and 3D Diamondoid Interpenetrated Frameworks and Their Functionalities by Changing the Second Spacers. 2010 , 2010, 3762-3769		29
925	Polyoxometalate-Based Metal-Organic Frameworks as Heterogeneous Catalysts for Selective Oxidation of Ethylbenzene. 2010 , 2010, 4526-4531		32
924	Hydrogen storage in metal-organic frameworks. 2010 , 22, E117-30		305
923	Engineering homochiral metal-organic frameworks for heterogeneous asymmetric catalysis and enantioselective separation. 2010 , 22, 4112-35		743
922	Noncentrosymmetric Inorganic Oxide Materials: Synthetic Strategies and Characterisation Techniques. 2010 , 1-39		4
921	Metallorganische Gerüstverbindungen (MOFs). 2010 , 82, 1019-1023		13
920	Tuning hydrogen sorption properties of metal-organic frameworks by postsynthetic covalent modification. <i>Chemistry - A European Journal</i> , 2010 , 16, 212-7	4.8	126
919	Synthesis of a metal-organic framework material, iron terephthalate, by ultrasound, microwave, and conventional electric heating: a kinetic study. <i>Chemistry - A European Journal</i> , 2010 , 16, 1046-52	4.8	245
918	The construction of open Gd(III) metal-organic frameworks based on methanetriacetic acid: new objects with an old ligand. <i>Chemistry - A European Journal</i> , 2010 , 16, 4037-47	4.8	36
917	Metal dependence of network dimensionality in 1,2,4-diazaphospholide coordination polymers. <i>Chemistry - A European Journal</i> , 2010 , 16, 2982-5	4.8	12
916	Three point chiral recognition and resolution of amino alcohols through well-defined interaction inside a metallocavity. <i>Chemistry - A European Journal</i> , 2010 , 16, 5004-7	4.8	20
915	Cu and Au metal-organic frameworks bridge the gap between homogeneous and heterogeneous catalysts for alkene cyclopropanation reactions. <i>Chemistry - A European Journal</i> , 2010 , 16, 9789-95	4.8	102
914	Modular, homochiral, porous coordination polymers: rational design, enantioselective guest exchange sorption and ab initio calculations of host-guest interactions. <i>Chemistry - A European Journal</i> , 2010 , 16, 10348-56	4.8	59

913	A Tale of Three Carboxylates: Cooperative Asymmetric Crystallization of a Three-Dimensional Microporous Framework from Achiral Precursors. 2010 , 122, 1289-1292	16
912	Directed Orthogonal Self-Assembly of Homochiral Coordination Polymers for Heterogeneous Enantioselective Hydrogenation. 2010 , 122, 3709-3712	7
911	Regioselective Huisgen Cycloaddition within Porous Coordination Networks. 2010 , 122, 2425-2427	13
910	Micromolding of a Highly Fluorescent Reticular Coordination Polymer: Solvent-Mediated Reconfigurable Polymerization in a Soft Lithographic Mold. 2010 , 122, 3845-3849	4
909	Oriented Nanoscale Films of Metal-Organic Frameworks By Room-Temperature Gel-Layer Synthesis. 2010 , 122, 7383-7386	18
908	Molecular-Sieve Membrane with Hydrogen Permselectivity: ZIF-22 in LTA Topology Prepared with 3-Aminopropyltriethoxysilane as Covalent Linker. 2010 , 122, 5078-5081	98
907	The Reaction of Organozinc Compounds with an Aldehyde within a Crystalline Molecular Flask. 2010 , 122, 5886-5888	7
906	Control of Interpenetration for Tuning Structural Flexibility Influences Sorption Properties. 2010 , 122, 7826-7830	38
905	Metal-Organic Frameworks from Edible Natural Products. 2010 , 122, 8812-8816	55
904	Mechanistic Insights into a Gas-Solid Reaction in Molecular Crystals: The Role of Hydrogen Bonding. 2010 , 122, 9076-9080	5
903	A tale of three carboxylates: cooperative asymmetric crystallization of a three-dimensional microporous framework from achiral precursors. 2010 , 49, 1267-70	163
902	Directed orthogonal self-assembly of homochiral coordination polymers for heterogeneous enantioselective hydrogenation. 2010 , 49, 3627-30	60
901	Regioselective Huisgen cycloaddition within porous coordination networks. 2010 , 49, 2375-7	42
900	Micromolding of a highly fluorescent reticular coordination polymer: solvent-mediated reconfigurable polymerization in a soft lithographic mold. 2010 , 49, 3757-61	25
899	Oriented nanoscale films of metal-organic frameworks by room-temperature gel-layer synthesis. 2010 , 49, 7225-8	126
898	Molecular-sieve membrane with hydrogen permselectivity: ZIF-22 in LTA topology prepared with 3-aminopropyltriethoxysilane as covalent linker. 2010 , 49, 4958-61	318
897	The reaction of organozinc compounds with an aldehyde within a crystalline molecular flask. 2010 , 49, 5750-2	41
896	Control of interpenetration for tuning structural flexibility influences sorption properties. 2010 , 49, 7660-4	173

895	Metal-organic frameworks from edible natural products. 2010 , 49, 8630-4	426
894	Mechanistic insights into a gas-solid reaction in molecular crystals: the role of hydrogen bonding. 2010 , 49, 8892-6	58
893	Homochiral frameworks derived from magnesium, zinc and copper salts of l-tartaric acid. 2010 , 183, 270-276	33
892	Interactions between Eu ³⁺ ions in inorganic-organic hybrid materials. 2010 , 183, 795-802	12
891	Coordination polymers with the chiral ligand N-p-tolylsulfonyl-l-glutamic acid: Influence of metal ions and different bipyridine ligands on structural chirality. 2010 , 183, 2021-2026	15
890	Nano/micro-scaled La(1,3,5-BTC)(H ₂ O) ₆ coordination polymer: Facile morphology-controlled fabrication and color-tunable photoluminescence properties by co-doping Eu ³⁺ , Tb ³⁺ . 2010 , 183, 2309-2316	37
889	Copper benzenedicarboxylate coordination polymers incorporating a long-spanning neutral co-ligand: Effect of anion inclusion and carboxylate pendant-arm length on topology and magnetism. 2010 , 29, 303-311	45
888	Syntheses, topological networks and properties of four complexes based on 4-amino-3,5-bis(3-pyridyl)-1,2,4-triazole ligand. 2010 , 29, 1062-1068	17
887	Comparison of crystal structures and magnetic properties of two Co(II) complexes containing different dicarboxylic acid ligands. 2010 , 29, 1156-1162	14
886	Synthesis, characterization and X-ray crystallographic investigation of 2-D hybrid hydrogen bonded and rectangular grid networks in Cu(II) and Co(II) metal complexes. 2010 , 29, 1801-1809	17
885	Two- and three-dimensional aliphatic dicarboxylate copper coordination polymers with bis(3-pyridylmethyl)piperazine tethers. 2010 , 29, 2239-2249	13
884	Zinc maleate and fumarate coordination polymers containing hydrogen-bonding capable organodiimines featuring ligand dependent in situ cis-trans isomerization. 2010 , 363, 250-256	15
883	Diverse dimensionalities and structures in copper coordination polymers incorporating substituted aliphatic dicarboxylate ligands and 4,4'-bipyridine. 2010 , 363, 225-233	19
882	Effect of pendant arm length and nitrogen donor disposition on the topology of luminescent cadmium phenylenedicarboxylate coordination polymers with bis(pyridylmethyl)piperazine co-ligands. 2010 , 363, 88-96	29
881	Synthesis and structures of three d ¹⁰ metal coordination polymers constructed from flexible polycarboxylate and 1,10-phenanthroline ligands. 2010 , 363, 360-367	7
880	Syntheses, structures and magnetic properties of Mn(II), Co(II) and Ni(II) metal-organic frameworks constructed from 1,3,5-benzenetricarboxylate and formate ligands. 2010 , 363, 645-652	40
879	Monomeric, oligomeric, and polymeric copper(II) complexes of calix[4]arene-derived ligands. 2010 , 363, 1204-1211	7
878	Structural and magnetic characterization of a novel series of dinuclear Cu(II) complexes bridging by 2,5-pyrazine dicarboxylate. 2010 , 363, 1001-1007	17

- 877 Synthesis, structures and luminescent properties of novel coordination polymers constructed by lanthanide salts and benzimidazole-5,6-dicarboxylic acid. **2010**, 363, 918-924 14
- 876 3D non porous and thermally labile nickel(II) and manganese(II) complexes with hetero donor ligands: Synthesis, X-ray single crystal structure, thermal and luminescent study. **2010**, 363, 1843-1848 9
- 875 Divalent metal 1,3-phenylenediacetate coordination polymers with rigid or flexible dipyriddy l tethers: Chains, layers, and interpenetrated networks. **2010**, 363, 2233-2242 18
- 874 Combination of covalent and hydrogen bonding in the formation of 3D uranyl-carboxylate networks. **2010**, 363, 3407-3412 27
- 873 Syntheses, structures, and properties of lanthanide-organic frameworks with flexible disulfide derivative of carboxylate. **2010**, 363, 3413-3419 9
- 872 Topological diversity in copper aromatic meta-dicarboxylate coordination polymers with bis(pyridylformyl)piperazine coligands. **2010**, 363, 3865-3873 36
- 871 Chiral and achiral layered divalent metal aromatic ortho-dicarboxylate coordination polymers with bis(4-pyridylmethyl)piperazine ligands: Luminescent behavior and magnetic properties. **2010**, 363, 3951-3958 12
- 870 Pendant arm length control of dimensionality in cobalt dipyriddyamine coordination polymers containing meta-benzenedicarboxylate ligands. **2010**, 363, 3966-3972 11
- 869 Engineering of coordination polymers for shape selective alkylation of large aromatics and the role of defects. *Microporous and Mesoporous Materials*, **2010**, 129, 319-329 5:3 166
- 868 Incommensurate guest adsorption in bellows-shaped one-dimensional channels of porous coordination polymers. *Microporous and Mesoporous Materials*, **2010**, 129, 296-303 5:3 23
- 867 Vapor-phase adsorption of alkylaromatics on aluminum-trimesate MIL-96: An unusual increase of adsorption capacity with temperature. *Microporous and Mesoporous Materials*, **2010**, 129, 274-277 5:3 22
- 866 [Co(en)₃]_{1/3}[In(ox)₂]₃·3.5H₂O: A zeolitic metal-organic framework templated by Co(en)₃Cl₃. *Microporous and Mesoporous Materials*, **2010**, 132, 453-457 5:3 41
- 865 Three-dimensional hybrid organic-organic frameworks based on lanthanide(III) sulfate layers and organic pillars of 1,4-piperazinediacetic acid. *Journal of Molecular Structure*, **2010**, 979, 214-220 3:4 8
- 864 Luminescent cadmium phenylenediacetate coordination polymers with bis(pyridylformyl)piperazine tethers: Influence of pendant arm position on topology. *Journal of Molecular Structure*, **2010**, 983, 162-168 3:4 14
- 863 Polyoxometalate-based heterogeneous catalysts for liquid phase selective oxidations: Comparison of different strategies. **2010**, 157, 107-113 117
- 862 Metal-organic frameworks as potential drug carriers. **2010**, 14, 262-8 641
- 861 Boronic acid mono- and diesters of the aldopentoses. **2010**, 345, 498-502 18
- 860 A porous lanthanide metal-organic framework with luminescent property, nitrogen gas adsorption and high thermal stability. **2010**, 13, 95-97 25

859	Novel chains constructed from heterotrinnuclear units and 1,2-bis(4-pyridyl)ethane formulated as [M ₂ M'(O ₂ CPh) ₆](bpa) (M=Co, Zn, M'=Co, Cd): Their catalytic activity. 2010 , 13, 101-104	12
858	A red luminescent organic/organic hybrid network with double-stranded zigzag [Cu ₄ I ₄] _n chains. 2010 , 13, 191-194	6
857	Coordination-directed one-dimensional coordination polymers generated from a new unsymmetrical oxadiazole bridging ligand and transition metal ions. 2010 , 13, 809-813	3
856	A novel helical chainlike nickel(II) coordination polymer containing 1D trigonal channels with water molecule guests. 2010 , 13, 1476-1479	5
855	A 3D Metal-organic Framework Containing [Cd(3-CPOA)] _n (3-CPOA ²⁻ : 3-Carboxyphenoxyacetato Dianion) Expanded by 4,4'-Bipyridine. 2010 , 636, 835-839	7
854	Solvothermal Synthesis, Crystal Structure, and Properties of a New Organic-Templated Holmium Sulfate with 1D Single Ladder Chains. 2010 , 636, 882-885	13
853	Syntheses, Structures, and Photoluminescent and Magnetic Properties of Four Novel Complexes Constructed from 2,4,5-Tri(4-pyridyl)-imidazole and Benzene-1,3,5-tricarboxylic Acid. 2010 , 636, 1124-1128	8
852	Progress in the synthetic and functional aspects of chiral metal/organic frameworks. 2015 , 17, 5341-5356	49
851	Crystal-to-crystal structural transformation of hydrogen-bonding molecular crystals of (imidazolium)(3-hydroxy-2-quinoxalinecarboxylate) through H ₂ O adsorption/desorption. 2015 , 17, 5962-5969	10
850	Continuous fractional component Monte Carlo simulations of high-density adsorption in metal/organic frameworks. 2015 , 41, 1339-1347	6
849	Racemic and conglomerate 1-(4-haloaryl)ethylammonium tetrachlorocobaltate salts: formation of helical structures. 2015 , 5, 62719-62723	6
848	Synthesis, structure, and characterization of two 1-D homometallic coordination polymers based on carboxylate-functionalized salen ligands. 2015 , 68, 2682-2690	1
847	A three-dimensional cadmium(II) coordination polymer with unequal homochiral double-stranded concentric helical chains. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2015 , 71, 289-93	0.8 3
846	Towards a potential 4,4'-(1,2,4,5-tetrazine-3,6-diyl) dibenzoic spacer to construct metal/organic frameworks. 2015 , 39, 6453-6458	9
845	Novel metal-organic frameworks-based hydrogen sulfide cataluminescence sensors. 2015 , 220, 614-621	47
844	Synthesis, structures and properties of two new chiral rare earth-organic frameworks constructed by l/d-tartaric acid. 2015 , 229, 208-212	10
843	Homochiral 3D coordination polymer with unprecedented three-directional helical topology from achiral precursor: synthesis, crystal structure, and luminescence properties of uranyl succinate metal-organic framework. 2015 , 44, 13809-13	20
842	Thermo-processable covalent scaffolds with reticular hierarchical porosity and their high efficiency capture of carbon dioxide. 2015 , 3, 14871-14875	6

841	RETRACTED: The synthesis of ferrocene-based mixed-metal coordination polymer microspheres and their application in hydrogen storage. 2015 , 647, 1111-1120		4
840	Two new homometallic coordination polymers based on a carboxylate-functionalized salen ligand. 2015 , 55, 88-91		5
839	A new surfactant-introduction strategy for separating the pure single-phase of metal-organic frameworks. 2015 , 51, 9479-82		132
838	A nanoporous 3D zinc(II) metal-organic framework for selective absorption of benzaldehyde and formaldehyde. 2015 , 228, 36-41		9
837	Cobalt(II) metal-organic framework micro-nanoparticles: Molecular self-assembly from layers to micropores showing the conjunctive orientation of carboxyl groups. <i>Journal of Molecular Structure</i> , 2015 , 1093, 162-165	3-4	6
836	An easy 'Filter-and-Separate' method for enantioselective separation and chiral sensing of substrates using a biomimetic homochiral polymer. 2015 , 51, 8931-4		6
835	Construction of variable dimensional cadmium(II) coordination polymers from pyridine-2,3-dicarboxylic acid. 2015 , 17, 3619-3626		19
834	New 1D Metal-Organic Coordination Polymers: Syntheses, Crystal Structures and Properties of Cu(bipy)(DBrS) 1, Co(bipy)(H ₂ O) ₂ (DBrS) 2, with H ₂ DBrS=HOOC(CHBr) ₂ COOH. 2015 , 45, 134-141		1
833	Size and morphological control of a metal-organic framework Cu-BTC by variation of solvent and modulator. 2015 , 22, 171-178		13
832	Sorption and Separation of Optical Isomers of 2-Butanol by Chiral Porous Coordination Polymers. 2015 , 51, 45-53		5
831	Unique Chiral Interpenetrating d-f Heterometallic MOFs as Luminescent Sensors. <i>Inorganic Chemistry</i> , 2015 , 54, 5266-72	5-1	99
830	Pd nanoparticles supported on hierarchically porous carbons derived from assembled nanoparticles of a zeolitic imidazolate framework (ZIF-8) for methanol electrooxidation. 2015 , 51, 10827-30		53
829	Photoinduced postsynthetic polymerization of a metal-organic framework toward a flexible stand-alone membrane. 2015 , 54, 4259-63		191
828	Two (3,6)-connected porous metal-organic frameworks based on linear trinuclear [Co ₃ (COO) ₆] and paddlewheel dinuclear [Cu ₂ (COO) ₄] SBUs: gas adsorption, photocatalytic behaviour, and magnetic properties. 2015 , 3, 6962-6969		178
827	Photoinduced Postsynthetic Polymerization of a Metal-Organic Framework toward a Flexible Stand-Alone Membrane. 2015 , 127, 4333-4337		50
826	Single crystal to single crystal (SC-to-SC) transformation from a nonporous to porous metal-organic framework and its application potential in gas adsorption and Suzuki coupling reaction through postmodification. <i>Chemistry - A European Journal</i> , 2015 , 21, 5962-71	4.8	22
825	Fabrication of Silica Monoliths with Hierarchically Porous Structure from Freeze-Drying. 2015 , 814, 76-80		
824	Multifunctional for One-Pot Cascade Reactions: Combination of Host-Guest Cooperation and Bimetallic Synergy in Catalysis. 2015 , 5, 2062-2069		304

823	TiO ₂ embedded in carbon submicron-tablets: synthesis from a metal-organic framework precursor and application as a superior anode in lithium-ion batteries. 2015 , 51, 11370-3	51
822	Metal-organic frameworks: versatile heterogeneous catalysts for efficient catalytic organic transformations. 2015 , 44, 6804-49	1021
821	Aggregation and supramolecular chirality of 5,10,15,20-tetrakis-(4-sulfonatophenyl)-porphyrin on an achiral poly(2-(dimethylamino)ethyl methacrylate)-grafted ethylene-vinyl alcohol membrane. 2015 , 3, 3650-3658	15
820	Low temperature ionic conductor: ionic liquid incorporated within a metal-organic framework. 2015 , 6, 4306-4310	129
819	Temperature-controlled polymorphism of chiral Cu(II)-Ln(III) dinuclear complexes exhibiting slow magnetic relaxation. 2015 , 44, 11191-201	19
818	A new 3D cobalt (II) metal-organic framework nanostructure for heavy metal adsorption. 2015 , 430, 261-267	50
817	From pair quadruple- to single-stranded helices to lines in a mixed ligand system via adjusting the N-substituent of L-Glu. <i>Inorganic Chemistry</i> , 2015 , 54, 3951-7	5.1 21
816	Hydrothermal Syntheses, Crystal Structures, and Luminescence Properties of Lanthanide-Based Coordination Polymers Constructed by Sulfonate Functionalized Imidazophenanthroline Derivative Ligand. 2015 , 15, 2318-2329	32
815	Correlation of Filtration Behavior of Chiral and Racemic Mg(tartrate) Suspensions with Morphological Differences and Observation of Cross Structure in a Metal Organic Framework. 2015 , 54, 3320-3325	1
814	Physicochemical properties affect the synthesis, controlled delivery, degradation and pharmacokinetics of inorganic nanoporous materials. 2015 , 10, 3057-3075	20
813	Metal-Organic Frameworks for Catalysis. 2015 , 19, 203-222	31
812	Amide functionalized metal-organic frameworks for diastereoselective nitroaldol (Henry) reaction in aqueous medium. 2015 , 5, 87400-87410	35
811	Selective and Reusable Oxidation of Sulfides to Sulfoxides with Hydrogen Peroxide Catalyzed by Organic-Inorganic Polyoxometalate-Based Frameworks. 2015 , 145, 1984-1990	15
810	Large-scale synthesis of porous graphene through nanoscale carbothermal reduction etching. 2015 , 50, 7875-7883	10
809	Lanthanide coordination polymer constructed from 2,2'-bipyridyl-4,4'-dicarboxylic acid: Structure, catalysis and fluorescence. 2015 , 437, 81-86	9
808	Structural-Spectrochemical Correlations of Variable Dimensionality Crystalline Metal-Organic Framework Materials in Hydrothermal Reactivity Patterns of Binary-Ternary Systems of Pb(II) with (a)Cyclic (Poly)carboxylate and Aromatic Chelator Ligands. 2015 , 15, 5310-5326	13
807	Centrosymmetric and chiral porous thorium organic frameworks exhibiting uncommon thorium coordination environments. 2015 , 44, 20867-73	34
806	Heterogeneous epoxidation of alkenes with H ₂ O ₂ catalyzed by a recyclable organic-inorganic polyoxometalate-based framework catalyst. 2015 , 39, 9879-9885	16

805	Molecular Tectonics: Design of Enantiopure Luminescent Heterometallic Ir(III)-Cd(II) Coordination Network. <i>Inorganic Chemistry</i> , 2015 , 54, 10429-39	5.1	19
804	Homochiral Cluster-Organic Frameworks Constructed from Enantiopure Lactate Derivatives. 2015 , 15, 4676-4686		29
803	Ultrashort Near-Infrared Fiber-Optic Sensors for Carbon Dioxide Detection. 2015 , 15, 5327-5332		34
802	Synthesis of Zeolitic Imidazolate Framework Core-Shell Nanosheets Using Zinc-Imidazole Pseudopolymorphs. 2015 , 7, 18353-61		43
801	Fabrication of a Substituted Imidazolate Material 1 (SIM-1) membrane using post synthetic modification (PSM) for pervaporation of water/ethanol mixtures. 2015 , 22, 1275-1284		14
800	Atomistic Modeling of Water Thermodynamics and Kinetics within MIL-100(Fe). 2015 , 119, 20074-20084		15
799	DFT-based force field development for noble gas adsorption in metal organic frameworks. 2015 , 3, 23539-23548		48
798	Lithium Ion Diffusion in a Metal-Organic Framework Mediated by an Ionic Liquid. 2015 , 27, 7355-7361		124
797	Zeolite-type metal organic frameworks immobilized Eu ³⁺ for cation sensing in aqueous environment. 2015 , 459, 206-211		29
796	Nanosafety. 2015 , 367-421		
795	Synthesis and structure of new carbohydrate metal-organic frameworks and inclusion complexes. <i>Journal of Molecular Structure</i> , 2015 , 1101, 14-20	3-4	35
794	Combination effect of ionic liquid components on the structure and properties in 1,4-benzenedicarboxylate based zinc metal-organic frameworks. 2015 , 44, 17980-9		22
793	Structural Insight into Guest Binding Sites in a Porous Homochiral Metal-Organic Material. 2015 , 137, 12045-9		74
792	Robust, chiral, and porous BINAP-based metal-organic frameworks for highly enantioselective cyclization reactions. 2015 , 137, 12241-8		111
791	The first chiral diene-based metal-organic frameworks for highly enantioselective carbon-carbon bond formation reactions. 2015 , 6, 7163-7168		59
790	Template metal-organic frameworks: solvent-free synthesis, characterization and powder X-ray diffraction studies of [Cu(NO ₃) ₂ (bipy) ₂](py) ₂ . 2015 , 22, 1599-1605		8
789	Building MOF bottles (MIL-101 family as heterogeneous single-site catalysts) around Fe ₃ O ₄ ships: A highly efficient and magnetically separable catalyst for oxidation of alcohols. 2015 , 88, 1343-1350		1
788	High-Performance Energetic Characteristics and Magnetic Properties of a Three-Dimensional Cobalt(II) Metal-Organic Framework Assembled with Azido and Triazole. <i>Inorganic Chemistry</i> , 2015 , 54, 11520-5	5.1	42

787	A new bifunctional electrochemical sensor for hydrogen peroxide and nitrite based on a bimetallic metalloporphyrinic framework. 2015 , 3, 9340-9348		37
786	Synthesis of a Chiral Crystal Form of MOF-5, CMOF-5, by Chiral Induction. 2015 , 137, 15406-9		116
785	Achievement of Bulky Homochirality in Zeolitic Imidazolate-Related Frameworks. <i>Inorganic Chemistry</i> , 2015 , 54, 11064-6	5.1	29
784	Integration of rigid and flexible organic parts for the construction of a homochiral metal-organic framework with high porosity. 2015 , 51, 2565-8		52
783	Cu ²⁺ -doped zeolitic imidazolate frameworks (ZIF-8): efficient and stable catalysts for cycloadditions and condensation reactions. 2015 , 5, 1829-1839		138
782	The first one-pot synthesis of metal-organic frameworks functionalised with two transition-metal complexes. <i>Chemistry - A European Journal</i> , 2015 , 21, 861-6	4.8	27
781	Dependence of crystal size on the catalytic performance of a porous coordination polymer. 2015 , 51, 2728-30		43
780	Microporous carbon derived from Apricot shell as cathode material for lithium-sulfur battery. <i>Microporous and Mesoporous Materials</i> , 2015 , 204, 235-241	5.3	65
779	Coordinating and hydrogen bonding ability of a bifunctional 2D paddle-wheel copper(II) coordination polymer. 2015 , 87, 220-225		3
778	Structural Diversity, Thermal Studies, and Luminescent Properties of Metal Complexes of Dinitrobenzoates: A Single Crystal to Single Crystal Transformation from Dimeric to Polymeric Complex of Copper(II). 2015 , 15, 79-93		34
777	Porous coordination polymers of diverse topologies based on a twisted tetrapyrrolylbiaryl: application as nucleophilic catalysts for acetylation of phenols. <i>Chemistry - A European Journal</i> , 2015 , 21, 2241-9	4.8	28
776	Keggin type heteropoly acid, encapsulated in metal-organic framework: A heterogeneous and recyclable nanocatalyst for selective oxidation of sulfides and deep desulfurization of model fuels. 2015 , 398, 17-25		65
775	Biomimicry in metal-organic materials. 2015 , 293-294, 327-356		108
774	Studies of the gas sorption, magnetism and luminescence on two polymers constructed from 1,3,5-benzenetribenzoate ligand. 2015 , 68, 130-141		5
773	Amine-modified Mg-MOF-74/CPO-27-Mg membrane with enhanced H ₂ /CO ₂ separation. 2015 , 124, 27-36		114
772	A family of homochiral spin-crossover iron(II) imidazole Schiff-base complexes. 2015 , 51, 50-54		15
771	Synthesis, crystal structure and third-order non-linear optical properties of a two-dimensional coordination network [Cd(AcO) ₂ (L) ₂ (H ₂ O)]. <i>Journal of Molecular Structure</i> , 2015 , 1081, 69-73	3-4	4
770	Structural diversity and luminescence properties of the novel {[Cd ₃ (TBIB) ₄ (BTC) ₂ ·2C ₂ H ₅ OH·11H ₂ O] _n and {[Zn(TBIB)(HBTC)]·3H ₂ O] _n coordination polymers. 2015 , 85, 740-747		10

- 769 Crystal engineering, structure-function relationships, and the future of metal-organic frameworks. **2015**, 17, 229-246 204
- 768 Post-assembly transformations of porphyrin-containing metal-organic framework (MOF) films fabricated via automated layer-by-layer coordination. **2015**, 51, 85-8 48
- 767 Tiny Pd@Co core-shell nanoparticles confined inside a metal-organic framework for highly efficient catalysis. **2015**, 11, 71-6 187
- 766 Transport phenomena in nanoporous materials. **2015**, 16, 24-51 88
- 765 A Cu II coordination polymer based on incorporated carboxylate and sulfonate groups: Synthesis, crystal structure, and magnetic properties. *Journal of Molecular Structure*, **2015**, 1079, 163-166 3-4 12
- 764 Tunable two-color luminescence and host-guest energy transfer of fluorescent chromophores encapsulated in metal-organic frameworks. **2014**, 4, 4337 106
- 763 Thermodynamics of metal-organic frameworks. **2015**, 223, 53-58 38
- 762 Five chiral Cd(II) complexes with dual chiral components: Effect of positional isomerism, luminescence and SHG response. **2015**, 221, 85-94 18
- 761 Water interactions in metal organic frameworks. **2015**, 17, 247-260 120
- 760 Hydrothermal Synthesis, Characterization, and In Vitro Drug Adsorption Studies of Some Nano-BioMOFs. **2016**, 2016, 1-10 2
- 759 Catalytic Applications of Metal-Organic Frameworks. **2016**, 2
- 758 Syntheses, crystal structures, and characterization of two Mn(II) coordination polymers with bis(4-(1H-imidazol-1-yl)phenyl)methanone ligands. **2016**, 71, 869-874 25
- 757 The preparation of metal-organic frameworks and their biomedical application. **2016**, 11, 1187-200 66
- 756 Triple Helical Molecular Braid and Parallel Packed Wavy Chain-Based Supramolecular Organic Frameworks with Conformation- and Packing-Dependent Luminescent Properties. **2016**, 16, 4727-4735 5
- 755 Hydrogen Storage and Selective, Reversible O₂ Adsorption in a Metal-Organic Framework with Open Chromium(II) Sites. **2016**, 55, 8605-9 84
- 754 Highly Stable Mesoporous Zirconium Porphyrinic Frameworks with Distinct Flexibility. *Chemistry - A European Journal*, **2016**, 22, 6268-76 4.8 23
- 753 Novel Zn-based MOFs stationary phase with large pores for capillary electrochromatography. **2016**, 37, 2181-9 27
- 752 Acetylene adsorption on defected MIL-53. **2016**, 40, 846-852 8

751	Unusually Stable Triazine-based Organic Superstructures. 2016 , 128, 7539-7543		1
750	Hydrogen Storage and Selective, Reversible O ₂ Adsorption in a Metal-Organic Framework with Open Chromium(II) Sites. 2016 , 128, 8747-8751		18
749	Calcium Vapor Adsorption on the Metal-Organic Framework NU-1000: Structure and Energetics. 2016 , 120, 16850-16862		12
748	Interface Engineering in Two-Dimensional Heterostructures: Towards an Advanced Catalyst for Ullmann Couplings. 2016 , 55, 1704-9		50
747	Direct Fabrication of Free-Standing MOF Superstructures with Desired Shapes by Micro-Confined Interfacial Synthesis. 2016 , 55, 7116-20		31
746	Enantioselective Hydrogenation of Olefins Enhanced by Metal-Organic Framework Additives. 2016 , 8, 308-312		10
745	Helical, Axial, and Central Chirality Combined in a Single Cage: Synthesis, Absolute Configuration, and Recognition Properties. <i>Chemistry - A European Journal</i> , 2016 , 22, 8038-42	4.8	20
744	SALE-Ing a MOF-Based Ship of Theseus. Sequential Building-Block Replacement for Complete Reformulation of a Pillared-Paddlewheel Metal-Organic Framework. 2016 , 2016, 4345-4348		16
743	Reticular Chemistry of Metal-Organic Frameworks Composed of Copper and Zinc Metal Oxide Secondary Building Units as Nodes. 2016 , 41-72		4
742	Crystal structure of diaquabis(bicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate- λ O, O λ :/O??,O???)bis-(2,2'-bipyridine- λ N, N λ)dicadmium(II) hydrate. 2016 , 231, 101-103		1
741	Nanoscale zinc-based metal-organic framework with high capacity for lithium-ion batteries. 2016 , 18, 1		18
740	Chirality in Network Solids. 2016 , 190-217		
739	Chiral Cu(salen)-Based Metal-Organic Framework for Heterogeneously Catalyzed Aziridination and Amination of Olefins. <i>Inorganic Chemistry</i> , 2016 , 55, 12500-12503	5.1	35
738	SO ₃ H-functionalized metal organic frameworks: an efficient heterogeneous catalyst for the synthesis of quinoxaline and derivatives. 2016 , 6, 35135-35143		24
737	Ionothermal synthesis, structures, properties of cobalt-1,4-benzenedicarboxylate metal-organic frameworks. 2016 , 238, 217-222		20
736	Near-infrared absorption gas sensing with metal-organic framework on optical fibers. 2016 , 232, 43-51		48
735	Chiral chemistry of metal-camphorate frameworks. 2016 , 45, 3122-44		188
734	A novel photofunctional hybrid material of pyrene functionalized metal-organic framework with conformation change for fluorescence sensing of Cu ²⁺ . 2016 , 235, 541-546		51

- 733 A highly electrical conducting, 3D supermolecular Ag(I) coordination polymer material with luminescent properties. **2016**, 70, 31-34 4
- 732 Hidden Transformations of a Crystalline Sponge: Elucidating the Stability of a Highly Porous Three-Dimensional Metal-Organic Framework. **2016**, 16, 4043-4050 17
- 731 Construction of bimodal silsesquioxane-based porous materials from triphenylphosphine or triphenylphosphine oxide and their size-selective absorption for dye molecules. **2016**, 6, 37731-37739 25
- 730 Metal-Organic and supramolecular lead(II) networks assembled from isomeric nicotinoylhydrazone blocks: the effects of ligand geometry and counter-ion on topology and supramolecular assembly. **2016**, 18, 5375-5385 38
- 729 Hydrothermal Synthesis and Crystal Structure of Novel Oxovanadium Coordination Polymer: [(VIVO)₂(OH)₂(C₁₀H₆(COO)₂)₂]_n **2016**, 46, 1426-1431 3
- 728 Stereoselective Halogenation of Integral Unsaturated C-C Bonds in Chemically and Mechanically Robust Zr and Hf MOFs. *Chemistry - A European Journal*, **2016**, 22, 4870-7 4.8 57
- 727 Field-induced ferromagnetism due to magneto-striction in 1-D helical chains. **2016**, 6, 22980-22988 8
- 726 One-Step Asymmetric Growth of Continuous Metal-Organic Framework Thin Films on Two-Dimensional Colloidal Crystal Arrays: A Facile Approach toward Multifunctional Superstructures. **2016**, 16, 2700-2707 10
- 725 Synthesis and Magnetism of a Dimeric Complex. **2016**, 46, 1675-1679
- 724 Synthesis, structure, and magnetic and catalytic properties of metal frameworks with 2,2'-dinitro-4,4'-biphenyldicarboxylate and imidazole-containing tripodal ligands. **2016**, 45, 8816-23 29
- 723 Pore engineering of metal-organic frameworks: introduction of chemically accessible Lewis basic sites inside MOF channels. **2016**, 18, 3524-3550 31
- 722 Thermal shock resistance of alumina ceramics enhanced by nanostructured conformal coatings using metal-organic frameworks. **2016**, 119, 38-42 7
- 721 Microscopic Mechanism of Chiral Induction in a Metal-Organic Framework. **2016**, 138, 6131-4 31
- 720 Organic charge-transfer complexes for the selective accommodation of aromatic isomers using anthracene derivatives and TCNQ. **2016**, 40, 5277-5284 11
- 719 Tuning the properties of the metal-organic framework UiO-67-bpy via post-synthetic N-quaternization of pyridine sites. **2016**, 45, 8614-21 50
- 718 Synthesis, crystal structure, and luminescent property of two novel Zn/Co(II) coordination polymers with a linear bis-imidazole and dicarboxylate ligands. **2016**, 42, 274-277
- 717 A pair of nonporous homochiral cobalt-based coordination polymers for enantioselective recognition and electrocatalysis. **2016**, 69, 70-74 4
- 716 Novel transition bimetal-organic frameworks: recyclable catalyst for the oxidative coupling of primary amines to imines at mild conditions. **2016**, 40, 5531-5536 16

715	Dubin-Astakhov model for acetylene adsorption on metal-organic frameworks. 2016 , 377, 349-354		8
714	A new organic-inorganic hybrid based on dimeric [Mn ₂ V ₂ O ₆] ₁₀ [polyoxoanion as catalyst for oxidation of sulfides. 2016 , 69, 47-51		8
713	Superior electrocatalytic activity of mesoporous Au film templated from diblock copolymer micelles. 2016 , 9, 1752-1762		38
712	Syntheses, structures and catalytic properties of chiral Co(II) coordination polymers based on (R)-4-(4-(1-carboxyethoxy)phenoxy)benzoic acid. 2016 , 112, 61-66		9
711	Functionalization of Microporous Lanthanide-Based Metal-Organic Frameworks by Dicarboxylate Ligands with Methyl-Substituted Thieno[2,3-b]thiophene Groups: Sensing Activities and Magnetic Properties. <i>Inorganic Chemistry</i> , 2016 , 55, 5139-51	5.1	98
710	Porous dimanganese trioxide microflowers derived from microcoordinations for flexible solid-state asymmetric supercapacitors. 2016 , 8, 11689-97		28
709	Post-Synthesis Modification of the Aurivillius Phase BiSrTaO via In Situ Microwave-Assisted "Click Reaction". <i>Inorganic Chemistry</i> , 2016 , 55, 9790-9797	5.1	8
708	Homochiral 2D Porous Covalent Organic Frameworks for Heterogeneous Asymmetric Catalysis. 2016 , 138, 12332-5		336
707	Chiral and Achiral Copper(II) Carboxyphosphonates Supramolecular Structures: Synthesis, Structures, Surface Photovoltage, and Magnetic Properties. 2016 , 16, 5624-5635		22
706	Synthesis, characterization and molecular structure of a zinc(II) formate-2,2'-bipyridine mono-dimensional coordination polymer. Comparison with other 2,2'-bipyridine coordination compounds. 2016 , 453, 263-267		5
705	Unusual self-penetrating and polycatenated coordination polymers based on the semi-rigid V-shaped ligand 4-(1-(4-(2H-tetrazol-5-yl)benzyl)-1H-pyrazol-3-yl)pyridine. 2016 , 451, 123-128		4
704	Three new 3D metal-organic frameworks based on the tetrakis(imidazol-1-ylmethyl)methane and 1,4-benzenedicarboxylic acid ligands with transition metal (Zn/Cd/Co) and properties research. 2016 , 453, 292-297		7
703	The Quantitative Evaluations of the Luminescent Sensing Ability to Cu ²⁺ Based on Two Homologous Crystalline Coordination Polymers. 2016 , 1, 3946-3953		3
702	Sorption discrimination between secondary alcohol enantiomers by chiral alkyl-dicarboxylate MOFs. 2016 , 6, 93707-93714		6
701	Metal-Organic Framework [Cd(LTP) ₂] _n for Improved Enantioseparations on a Chiral Cyclodextrin Stationary Phase in GC. 2017 , 54, 1467-1474		16
700	Investigation of the size effect for photonic crystals. 2016 , 27, 405703		7
699	Synthesis and Easy Functionalization of Highly Porous Networks through Exchangeable Fluorines for Target Specific Applications. 2016 , 28, 5592-5595		15
698	Role of nanomaterials in water treatment applications: A review. 2016 , 306, 1116-1137		762

697	Tb(III) postsynthetic functional coordination polymer coatings on ZnO micronanoarrays and their application in small molecule sensing. 2016 , 4, 8466-8472	24
696	Formation of Highly Thermostable Copper-Containing Energetic Coordination Polymers Based on Oxidized Triaminoguanidine. 2016 , 8, 21674-82	19
695	Synthesis, Structures, and Magnetic Properties of Chiral One-dimensional CrIII-MnIII Heterobimetallic Complexes Based on [(Tp)Cr(CN)3]· 2016 , 642, 14-19	3
694	A 3D Homochiral MOF [Cd2(d-cam)3]·2Hdma·dma for HPLC Chromatographic Enantioseparation. 2016 , 28, 340-6	22
693	Hydrothermal Synthesis of Metal-Polyphenol Coordination Crystals and Their Derived Metal/N-doped Carbon Composites for Oxygen Electrocatalysis. 2016 , 128, 12658-12662	32
692	Hydrothermal Synthesis of Metal-Polyphenol Coordination Crystals and Their Derived Metal/N-doped Carbon Composites for Oxygen Electrocatalysis. 2016 , 55, 12470-4	140
691	One-Pot Preparation of Hierarchical Nanosheet-Constructed Fe3O4/MIL-88B(Fe) Magnetic Microspheres with High Efficiency Photocatalytic Degradation of Dye. 2016 , 8, 3510-3517	35
690	Two-Dimensional Chirality Transfer via On-Surface Reaction. 2016 , 138, 11743-8	29
689	A discrete Cu cluster and a 3D Mn-Cu framework based on assembly of MnCu clusters: synthesis, structure and magnetic properties. 2016 , 45, 15523-15531	8
688	Self assembly of three new copper coordination polymers based on N-[(3-pyridine)-sulfonyl]aspartate: Synthesis and structure. 2016 , 42, 285-291	6
687	Ruthenium Metal-Organic Frameworks with Different Defect Types: Influence on Porosity, Sorption, and Catalytic Properties. <i>Chemistry - A European Journal</i> , 2016 , 22, 14297-307	4.8 55
686	One-pot synthesis of nanoscale carbon dots-embedded metal-organic frameworks at room temperature for enhanced chemical sensing. 2016 , 4, 15880-15887	87
685	Synthesis, Structure, and Properties of a Series of Chiral Coordination Polymers Based on (R)-4-(4-(1-Carboxyethoxy)phenoxy)-3-chlorobenzoic Acid. 2016 , 16, 5669-5677	16
684	Emerging Multifunctional Metal-Organic Framework Materials. 2016 , 28, 8819-8860	955
683	Syntheses, Crystal Structures and Luminescent Properties of Two Cadmium(II) Carboxylate-Phosphinates with Various Dimeric Ring Motifs. 2016 , 46, 237-244	1
682	A Cu(II) MOF with a flexible bifunctionalised terpyridine as an efficient catalyst for the single-pot hydrocarboxylation of cyclohexane to carboxylic acid in water/ionic liquid medium. 2016 , 45, 12779-89	27
681	A series of robust metal-porphyrinic frameworks based on rare earth clusters and their application in N-H carbene insertion. 2016 , 45, 17108-17112	15
680	Rhodium-Organic Cuboctahedra as Porous Solids with Strong Binding Sites. <i>Inorganic Chemistry</i> , 2016 , 55, 10843-10846	5.1 64

679	Network diversity through two-step crystal engineering of a decorated 6-connected primary molecular building block. 2016 , 18, 8578-8581		12
678	Fabrication of zincHistidine-functionalized graphene quantum dot framework amphiphilic nanoparticles and application in the synthesis of polystyrene microspheres for adsorption of Cu ²⁺ by Pickering emulsion polymerization. 2016 , 6, 102534-102541		17
677	The formation of heterometallic molecular architectures with 3d-metal atoms linked by carboxylate bridges with alkali and alkaline-earth metal ions or with lanthanides. 2016 , 42, 621-634		23
676	MetalOrganic Framework Capillary Microreactor for Application in Click Chemistry. 2016 , 8, 1692-1698		7
675	Nanoporous Gyroid-Structured Epoxy from Block Copolymer Templates for High Protein Adsorbability. 2016 , 32, 6419-28		11
674	Coordination polymer hydrogels through Ag(I)-mediated spontaneous self-assembly of unsubstituted nucleobases and their antimicrobial activity. 2016 , 6, 62968-62973		28
673	Suprachannel as a Radical Trap: Crystal Structure of Single Carbon Radicals. 2016 , 16, 3054-3058		13
672	Metal organic frameworks mimicking natural enzymes: a structural and functional analogy. 2016 , 45, 4127-70		283
671	Towards accurate porosity descriptors based on guest-host interactions. 2016 , 66, 91-8		1
670	Emerging functional chiral microporous materials: synthetic strategies and enantioselective separations. 2016 , 19, 503-515		63
669	Structural, crystal structure, Hirshfeld surface analysis and physicochemical studies of a new chlorocadmate template by 1-(2-hydroxyethyl)piperazine. <i>Journal of Molecular Structure</i> , 2016 , 1123, 66-74	3-4	8
668	HF-free synthesis of MIL-101(Cr) and its hydrogen adsorption studies. 2016 , 35, 461-468		30
667	Anion directed structural diversity in zinc complexes with conformationally flexible quinazoline ligand: structural, spectral and theoretical studies. 2016 , 45, 12053-68		7
666	Interface Engineering in Two-Dimensional Heterostructures: Towards an Advanced Catalyst for Ullmann Couplings. 2016 , 128, 1736-1741		1
665	Direct Fabrication of Free-Standing MOF Superstructures with Desired Shapes by Micro-Confined Interfacial Synthesis. 2016 , 128, 7232-7236		10
664	Unusually Stable Triazine-based Organic Superstructures. 2016 , 55, 7413-7		4
663	Coordination Polymers Derived from Non-Steroidal Anti-Inflammatory Drugs for Cell Imaging and Drug Delivery. <i>Chemistry - A European Journal</i> , 2016 , 22, 988-98	4.8	22
662	Aluminum based metal-organic framework-polymer monolith in solid-phase microextraction of penicillins in river water and milk samples. <i>Journal of Chromatography A</i> , 2016 , 1428, 236-45	4.5	73

- 661 ZIF-8 Cooperating in TiN/Ti/Si Nanorods as Efficient Anodes in Micro-Lithium-Ion-Batteries. **2016**, 8, 3992-9 27
- 660 One dimensional coordination polymers of Cd(II) and Zn(II): Synthesis, structure, polar packing through strong inter-chain hydrogen bonding and gas adsorption studies. **2016**, 106, 163-170 15
- 659 Remarkably selective and enantiodifferentiating sensing of histidine by a fluorescent homochiral Zn-MOF based on pyrene-tetralactic acid. **2016**, 7, 3085-3091 111
- 658 Synthesis of cobalt-based layered coordination polymer nanosheets and their application in lithium-ion batteries as anode materials. **2016**, 6, 4442-4447 32
- 657 A porous metal-organic framework with a unique hendecahedron-shaped cage: structure and controlled drug release. **2016**, 45, 3694-7 17
- 656 Layered metal-organic framework [Zn₂(bpda)(chdc)₂] for aqueous encapsulation and sensitization of visible-emitting rare-earth cations. **2016**, 168, 203-206 2
- 655 Urea-Functionalized Self-Assembled Molecular Prism for Heterogeneous Catalysis in Water. **2016**, 138, 1668-76 164
- 654 Nanoporous lanthanide metal-organic frameworks as efficient heterogeneous catalysts for the Henry reaction. **2016**, 18, 1337-1349 37
- 653 Three rare Ln(III) heterometallic 3D polymers based on sulfate anion: Syntheses, structures, and luminescence properties. **2016**, 63, 16-19 10
- 652 Coating sponge with a hydrophobic porous coordination polymer containing a low-energy CF₃-decorated surface for continuous pumping recovery of an oil spill from water. **2016**, 8, e253-e253 89
- 651 Seed-Mediated Synthesis of Metal-Organic Frameworks. **2016**, 138, 5316-20 78
- 650 A pair of novel 4-connected homochiral coordination polymers based on proline-tetrazole ligand. **2016**, 67, 44-46 11
- 649 Rapid separation of non-polar and weakly polar analytes with metal-organic framework MAF-5 coated capillary column. **2016**, 152, 283-7 11
- 648 Structures and spectroscopic properties of Ni(II) and Mn(II) complexes based on 5-(3,5?-dicarboxylphenyl) picolinic acid ligand. *Journal of Molecular Structure*, **2016**, 1111, 126-131 3-4 7
- 647 Formation of heterocaryotic and homonuclear bridged dimeric complexes on surface. **2016**, 27, 602-606 6
- 646 1-D wave-like chain, twofold 2-D layer, and chiral 3-D open framework based on multidentate ligand: structural diversities, thermal properties, and photoluminescence. **2016**, 69, 1014-1025 1
- 645 Selective Formation of Conductive Network by Radical-Induced Oxidation. **2016**, 138, 1776-9 37
- 644 Synthesis, Structure, and Luminescent Property of One Zinc(II) Coordination Polymer Constructed From 1H-Benzoimidazole. **2016**, 46, 804-808 1

643	Two novel trinuclear cluster-based coordination polymers with 2,6-Di-imidazol-1-yl-pyridine: solvothermal syntheses, crystal structures, properties and Hirshfeld surface analysis. 2016 , 28, 231-238		10
642	Ultra-sensitive near-infrared fiber-optic gas sensors enhanced by metal-organic frameworks. 2016 ,		1
641	The structural diversity and properties of nine new viologen based zwitterionic metal-organic frameworks. 2016 , 18, 2189-2202		39
640	Tetrazolate bridged dinuclear photo-luminescent zinc(II) Schiff base complex prepared via 1,3-dipolar cycloaddition at ambient condition. 2016 , 69, 915-925		8
639	The new one-dimensional coordination polymer catena-poly[[diaquasodium(I)]- μ -xalato-[diaquairon(III)]- μ -xalato]. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016 , 72, 243-50	0.8	1
638	Strategies to construct homochiral metal-organic frameworks: ligands selection and practical techniques. 2016 , 18, 2792-2802		18
637	Cation-mediated optical resolution and anticancer activity of chiral polyoxometalates built from entirely achiral building blocks. 2016 , 7, 4220-4229		73
636	A New Set of Isorecticular, Homochiral Metal-Organic Frameworks with ucp Topology. 2016 , 28, 519-528		21
635	Functionalized UiO-66 by Single and Binary (OH) ₂ and NO ₂ Groups for Uptake of CO ₂ and CH ₄ . 2016 , 55, 7924-7932		40
634	Novel nano coordination polymer based synthesis of porous ZnO hexagonal nanodisk for higher gas sorption and photocatalytic activities. 2016 , 362, 265-273		27
633	2-Chloro-4-fluorobenzoate vs. 2,4-dichlorobenzoate: A comparative study of non-covalent interactions in copper(II) 2-chloro-4-fluorobenzoate and copper(II) 2,4-dichlorobenzoate complexes with nitrogen-donor ligands. 2016 , 442, 37-45		3
632	Two-dimensional flexible Ni(II)-based porous coordination polymer showing single-crystal to single-crystal transformation, selective gas adsorption and catalytic properties. 2016 , 105, 228-237		23
631	Surface Defection Reduces Cytotoxicity of Zn(2-methylimidazole) (ZIF-8) without Compromising its Drug Delivery Capacity. 2016 , 6, 4128-4135		54
630	40-Fold Enhanced Intrinsic Proton Conductivity in Coordination Polymers with the Same Proton-Conducting Pathway by Tuning Metal Cation Nodes. <i>Inorganic Chemistry</i> , 2016 , 55, 983-6	5.1	56
629	Host-Guest Chirality Interplay: A Mutually Induced Formation of a Chiral ZMOF and Its Double-Helix Polymer Guests. 2016 , 138, 786-9		93
628	[Ln ₄ @Ln ₄] matryoshka tetrahedron: a novel secondary building unit. 2016 , 18, 863-867		9
627	Some of tomorrow's catalysts for processing renewable and non-renewable feedstocks, diminishing anthropogenic carbon dioxide and increasing the production of energy. 2016 , 9, 687-708		54
626	Graphene oxides doped MIL-101(Cr) as anode materials for enhanced electrochemistry performance of lithium ion battery. 2016 , 64, 63-66		17

625	Formation of randomly dispersed pores in Ga-doped ZnO between Al ₂ O ₃ and glass via promoted atomic diffusion: Experimental and computational study. 2016 , 93, 304-310	4
624	The synthesis and chiral crystal structures of two enantiomers of a Ag helical coordination polymer based on argentophilicity. 2016 , 18, 670-673	9
623	A triple-function nanotube as a reactant reservoir, reaction platform, and byproduct scavenger for photo-cyclopropanation. 2016 , 52, 2545-8	13
622	Br ₂ induced oxidative pore modification of a porous coordination network. 2016 , 45, 489-93	21
621	Chirality at metal and helical ligand folding in optical isomers of chiral bis(naphthalaldiminato)nickel(II) complexes. 2016 , 45, 667-80	36
620	A zinc(II) amidine complex: tandem synthesis, structure, and self assembly. 2016 , 69, 112-122	2
619	Efficient Separation of Enantiomers Using Stereoregular Chiral Polymers. 2016 , 116, 1094-138	430
618	Liquid-phase epitaxial growth of a homochiral MOF thin film on poly(L-DOPA) functionalized substrate for improved enantiomer separation. 2016 , 52, 772-5	45
617	A versatile synthetic route for the preparation of titanium metal-organic frameworks. 2016 , 7, 1063-1069	87
616	Ionic liquid transported into metal-organic frameworks. 2016 , 307, 382-390	155
615	Ionic metal-organic frameworks (iMOFs): Design principles and applications. 2016 , 307, 313-341	212
614	Synthesis of porous Cu-BTC with ultrasonic treatment: Effects of ultrasonic power and solvent condition. 2016 , 29, 186-93	39
613	Eu(III) functionalized Zr-based metal-organic framework as excellent fluorescent probe for Cd ²⁺ detection in aqueous environment. 2016 , 222, 347-353	87
612	Carbon-Based Functional Materials Derived from Waste for Water Remediation and Energy Storage. 2017 , 29, 1605361	221
611	The Postsynthetic Renaissance in Porous Solids. 2017 , 139, 2855-2863	311
610	Two isostructural fluorinated metal-organic frameworks with rare rod-packing architecture: syntheses, structures and luminescent properties. 2017 , 72, 107-113	1
609	Heteroleptic 1D coordination polymers: 5-Coordinated zinc(II) polymer as an efficient transesterification catalyst. 2017 , 126, 142-149	12
608	Two new porous UiO-66-type zirconium frameworks; open aromatic N-donor sites and their post-synthetic methylation and metallation. 2017 , 5, 5612-5618	27

607	2D Conductive Iron-Quinoid Magnets Ordering up to T = 105 K via Heterogenous Redox Chemistry. 2017 , 139, 4175-4184	148
606	Facile fabrication of Cu(II)-porphyrin MOF thin films from tetrakis(4-carboxyphenyl)porphyrin and Cu(OH) ₂ nanoneedle array. 2017 , 424, 145-150	38
605	Synthetic Two-Dimensional Polymers. 2017 , 47, 361-389	45
604	A porous Ca-MOF with nano-sized {Ca ₁₁ } as building unit: Structure, drug loading and release properties. 2017 , 78, 43-47	16
603	Carbon-coated Li ₄ Ti ₅ O ₁₂ tablets derived from metal-organic frameworks as anode material for lithium-ion batteries. 2017 , 708, 6-13	15
602	Quasi-1D chains of dinickel lantern complexes and their magnetic properties. 2017 , 46, 5546-5557	10
601	Supramolecular Metal-Coordination Polymers, Nets, and Frameworks from Synthetic Coiled-Coil Peptides. 2017 , 139, 2212-2215	38
600	Construction and control of 3D porous structure based on vapor deposition on sublimation solids. 2017 , 7, 77-81	12
599	Syntheses, structures, and magnetic properties of cobalt(II) and nickel(II) coordination polymers based on a V-shaped ligand. 2017 , 250, 6-13	3
598	Reflections on the value of electron microscopy in the study of heterogeneous catalysts. 2017 , 473, 20160714	12
597	Nickel metal-organic framework nanoparticles as electrode materials for Li-ion batteries and supercapacitors. 2017 , 21, 2415-2423	44
596	Gyroid-structured nanoporous polymer monolith from PDMS-containing block copolymers for templated synthesis. 2017 , 126, 360-367	11
595	Enhanced resistance of nanocellular silica to dynamic indentation. 2017 , 693, 121-128	
594	Modification, characterization and peroxidase-mimetic properties of calcined product of a cobalt compound. 2017 , 70, 2161-2173	
593	A novel lanthanide MOF thin film: The highly performance self-calibrating luminescent sensor for detecting formaldehyde as an illegal preservative in aquatic product. 2017 , 251, 667-673	38
592	Synthesis and solvent vapor-induced transformations of crystals of 1D coordination polymers assembled with continuous void space. 2017 , 19, 3398-3406	4
591	A New Split Charge Equilibration Model and REPEAT Electrostatic Potential Fitted Charges for Periodic Frameworks with a Net Charge. 2017 , 13, 2858-2869	6
590	Recent advances in cathode materials for LiB battery: structure and performance. 2017 , 36, 365-380	19

589	Highly Selective Bifunctional Luminescent Sensor toward Nitrobenzene and Cu Ion Based on Microporous Metal-Organic Frameworks: Synthesis, Structures, and Properties. 2017 , 9, 17208-17217		78
588	The Construction of Homochiral Lanthanide Quadruple-Stranded Helicates with Multiresponsive Sensing Properties toward Fluoride Anions. <i>Chemistry - A European Journal</i> , 2017 , 23, 9804-9811	4.8	28
587	Pollen-structured hierarchically meso/macroporous silica spheres with supported gold nanoparticles for high-performance catalytic CO oxidation. 2017 , 92, 129-137		6
586	Hydrolytically Stable Luminescent Cationic Metal Organic Framework for Highly Sensitive and Selective Sensing of Chromate Anions in Natural Water Systems. 2017 , 9, 16448-16457		182
585	Molecular dynamics simulation of acetylene diffusion in MOF-508a and MOF-508b. <i>Microporous and Mesoporous Materials</i> , 2017 , 248, 246-255	5.3	7
584	Construction of a Series of Porous (3,9)-c Coordination Networks Using Dicarboxylate and Tris-pyridyl Ligands and Their Gas Storage Properties. 2017 , 17, 3475-3481		12
583	Molecular tectonics: gas adsorption and chiral uptake of (l)- and (d)-tryptophan by homochiral porous coordination polymers. 2017 , 53, 5740-5743		22
582	Synthesis and characterization of a novel dicyanamide-bridged Co(II) 1-D coordination polymer with a N 4 -donor Schiff base ligand. 2017 , 464, 65-73		7
581	Anodized Aluminum Oxide Templated Synthesis of Metal-Organic Frameworks Used as Membrane Reactors. 2017 , 56, 578-581		42
580	Metal-organic frameworks meet metal nanoparticles: synergistic effect for enhanced catalysis. 2017 , 46, 4774-4808		1137
579	Surface Modification of Two-Dimensional Metal-Organic Layers Creates Biomimetic Catalytic Microenvironments for Selective Oxidation. 2017 , 56, 9704-9709		125
578	Three dimensional porous Hofmann clathrate [MPCN] (M = Co, Ni) synthesized by using postsynthetic reductive elimination. 2017 , 53, 6512-6515		7
577	Surface Modification of Two-Dimensional Metal-Organic Layers Creates Biomimetic Catalytic Microenvironments for Selective Oxidation. 2017 , 129, 9836-9841		33
576	Homochiral Metal-Organic Frameworks with Tunable Nanoscale Channel Array and Their Enantioseparation Performance against Chiral Diols. <i>Inorganic Chemistry</i> , 2017 , 56, 6275-6280	5.1	29
575	2 p -4 f MOFs based on naphthalene-1,4,5,8-tetracarboxylate with magnetocaloric effect and slow magnetic relaxation properties. 2017 , 132, 123-129		6
574	Reversible Redox Activity in Multicomponent Metal-Organic Frameworks Constructed from Trinuclear Copper Pyrazolate Building Blocks. 2017 , 139, 7998-8007		108
573	Uniform distribution of post-synthetic linker exchange in metal-organic frameworks revealed by Rutherford backscattering spectrometry. 2017 , 53, 6516-6519		23
572	A NbO type Cu(ii) metal-organic framework showing efficient catalytic activity in the Friedländer and Henry reactions. 2017 , 46, 7782-7790		36

571	Porous Aromatic Framework as an Efficient Metal-Free Electro-catalyst for Non-enzymatic H ₂ O Sensing. <i>Chemistry - A European Journal</i> , 2017 , 23, 9467-9471	4.8	12
570	Coordination-cyclodimeric array containing both channels and cages: photoluminescence recognition of diiodomethane. 2017 , 19, 3117-3123		2
569	Molecular and supramolecular architectures of silver(I) and copper(II) complexes with a new nonplanar angular-shaped sulfide ligand. 2017 , 466, 205-211		2
568	Lanthanide metal-organic frameworks as multifunctional luminescent sensor for detecting cations, anions and organic solvent molecules in aqueous solution. 2017 , 253, 202-210		21
567	Molecular Retrofitting Adapts a Metal-Organic Framework to Extreme Pressure. 2017 , 3, 662-667		59
566	Modified Metal Organic Frameworks (MOFs)/Ionic Liquid Matrices for Efficient Charge Storage. 2017 , 164, H5169-H5174		27
565	Hydrogen-Bonded Open-Framework with Pyridyl-Decorated Channels: Straightforward Preparation and Insight into Its Affinity for Acidic Molecules in Solution. <i>Chemistry - A European Journal</i> , 2017 , 23, 11818-11826	4.8	10
564	Incorporating Copper Nanoclusters into Metal-Organic Frameworks: Confinement-Assisted Emission Enhancement and Application for Trinitrotoluene Detection. 2017 , 34, 1700029		19
563	Crystal structure, electrochemical and magnetic properties of a new binuclear copper(II) complex with benzoic acid as a ligand. 2017 , 58, 188-193		2
562	Robust MOFs of "tsg" Topology Based on Trigonal Prismatic Organic and Metal Cluster SBUs: Single Crystal to Single Crystal Postsynthetic Metal Exchange and Selective CO Capture. <i>Chemistry - A European Journal</i> , 2017 , 23, 7297-7305	4.8	23
561	A pair of Ce(III) coordination polymers based on chiral semi-rigid T-shaped tricarboxylate enantiomeric ligands: Synthesis, crystal structure and properties. 2017 , 129, 55-59		3
560	Minimal edge-transitive nets for the design and construction of metal-organic frameworks. 2017 , 201, 127-143		26
559	A stable pillared-layer Cu(II) metal-organic framework with magnetic properties for dye adsorption and separation. 2017 , 41, 3661-3666		28
558	Functional Versatility of a Series of Zr Metal-Organic Frameworks Probed by Solid-State Photoluminescence Spectroscopy. 2017 , 139, 6253-6260		58
557	Synthesis, Crystal Structure and Catalytic Property of a New Cadmium Coordination Polymer. 2017 , 28, 1955-1962		5
556	Homochiral porous coordination polymers with a rare tsk topology and two types of uniform channels for enantioseparation. 2017 , 19, 2718-2722		9
555	Thermal effects in guest-host systems: [Zn (bdc)(S-lac)(dmf)]·PhEtOH: A DSC and NMR study. 2017 , 29, 130-133		1
554	Metal-polydopamine frameworks and their transformation to hollow metal/N-doped carbon particles. 2017 , 9, 5323-5328		104

553	Enhancement of guest-responsivity by mesocrystallization of porous coordination polymers. 2017 , 5, 3706-3713	6
552	The electrochemical discrimination of pinene enantiomers by a cyclodextrin metal-organic framework. 2017 , 46, 6830-6834	24
551	Bimetallic Metal-Organic Frameworks for Gas Storage and Separation. 2017 , 17, 1450-1455	181
550	Anodized Aluminum Oxide Templated Synthesis of Metal-Organic Frameworks Used as Membrane Reactors. 2017 , 129, 593-596	15
549	Strategic Immobilization of Molecular Catalysts onto Carbon Nanotubes via Noncovalent Interaction for Catalytic Organic Transformations. 2017 , 57, 270-278	9
548	Control of bulk homochirality and proton conductivity in isostructural chiral metal-organic frameworks. 2017 , 53, 1892-1895	37
547	Dual-Surface Functionalization of Metal-Organic Frameworks for Enhancing the Catalytic Activity of Candida antarctica Lipase B in Polar Organic Media. 2017 , 7, 438-442	31
546	Tartaric acid-derived chiral phosphite-type P,N-ligands: behavioural features in Pd-catalyzed asymmetric transformations. 2017 , 28, 1633-1643	6
545	Two kinds of cobalt-based coordination polymers with excellent catalytic ability for the selective oxidation of cis-cyclooctene. 2017 , 86, 112-117	11
544	Enantioselective Recognition of Ammonium Carbamates in a Chiral Metal-Organic Framework. 2017 , 139, 16000-16012	61
543	A pair of 3D enantiotopic zinc(ii) complexes based on two asymmetric achiral ligands. 2017 , 46, 14779-14784	7
542	The studies on gas adsorption properties of MIL-53 series MOFs materials. 2017 , 7, 085009	16
541	Cu ₂ (BDC) ₂ (BPY)MOF: an efficient and reusable heterogeneous catalyst for the aerobic Chan-Lam coupling prepared via ball-milling strategy. 2017 , 7, 46022-46027	30
540	Solid-State Explosive Reaction for Nanoporous Bulk Thermoelectric Materials. 2017 , 29, 1701148	82
539	3D hollow porous carbon microspheres derived from Mn-MOFs and their electrochemical behavior for sodium storage. 2017 , 5, 23550-23558	48
538	Self-Sacrificial Template Strategy Coupled with Smart in Situ Seeding for Highly Oriented Metal-Organic Framework Layers: From Films to Membranes. 2017 , 29, 7103-7107	41
537	Spiers Memorial Lecture: Progress and prospects of reticular chemistry. 2017 , 201, 9-45	67
536	Synthesis of Homochiral Zeolitic Tetrazolate Frameworks Based on Enantiopure Porphyrin-like Subunits. 2017 , 17, 5393-5397	10

535	Tuning Two-Photon Absorption Cross Section in Metal Organic Frameworks. 2017 , 29, 7424-7430	23
534	Superficial Chiral Etching on Achiral Metal-Organic Framework for Enantioselective Sorption. 2017 , 9, 32264-32269	11
533	Porous two-dimensional materials for energy applications: Innovations and challenges. 2017 , 6, 79-95	39
532	Biologically derived metal organic frameworks. 2017 , 349, 102-128	70
531	Temperature and solvent controlled syntheses of six hydrous 5-(3-pyridylmethoxy)isophthalate Cd(II) coordination polymers. 2017 , 467, 316-324	4
530	Achiral aromatic solvent-induced assembly of 3-D homochiral porous 3d ^{mf} heterometallic-organic frameworks based on isonicotinic acid. 2017 , 19, 5956-5959	5
529	Facile synthesis of magnetic metal organic frameworks for highly efficient proteolytic digestion used in mass spectrometry-based proteomics. 2017 , 994, 19-28	26
528	A detailed study on the interaction of a novel water-soluble glycine bridged zinc(II) Schiff base coordination polymer with BSA: Synthesis, crystal structure, molecular docking and cytotoxicity effect against A549, Jurkat and Raji cell lines. 2017 , 465, 50-60	18
527	Salen(Co(iii)) imprisoned within pores of a metal-organic framework by post-synthetic modification and its asymmetric catalysis for CO fixation at room temperature. 2017 , 53, 10930-10933	45
526	β-Cyclodextrin metalorganic framework for efficient separation of chiral aromatic alcohols. 2017 , 7, 36297-36301	26
525	A 2D Coordination Network That Detects Nitro Explosives in Water, Catalyzes Baylis-Hillman Reactions, and Undergoes Unusual 2D-3D Single-Crystal to Single-Crystal Transformation. <i>Inorganic Chemistry</i> , 2017 , 56, 8847-8855	5.1 37
524	Successive stepwise evolution of host layer-stacking framework upon the intercalation of mobile vapor guests within side-chain layers. 2017 , 55, 1448-1457	2
523	Steric paper based ratio-type electrochemical biosensor with hollow-channel for sensitive detection of Zn ²⁺ . 2017 , 62, 1114-1121	20
522	Metal Organic Frameworks: A New Generation Coordination Polymers for Visible Light Photocatalysis. 2017 , 2, 6163-6177	17
521	A Chiral Metal-Organic Material that Enables Enantiomeric Identification and Purification. 2017 , 3, 281-289	65
520	Molecular Dynamics Phenomena of Water in the Metalorganic Framework MIL-100(Al), as Revealed by Pulsed Field Gradient NMR and Atomistic Simulation. 2017 , 121, 18065-18074	22
519	Combination effect of ligands and ionic liquid components on the structure and properties of manganese metalorganic frameworks. 2017 , 19, 5402-5411	8
518	Nickel Based Paddle-Wheel MetalOrganic Frameworks Towards Adsorption of O ₃ and SO ₂ Molecules: Quantum-Chemical Calculations. 2017 , 27, 1826-1834	12

- 517 High quality and high performance adsorption of Congo red using as-grown MWCNTs synthesized over a Co-MOF as a catalyst precursor via the CVD method. **2017**, 46, 17067-17073 19
- 516 Coordinative Alignment of Chiral Molecules to Control over the Chirality Transfer in Spontaneous Resolution and Asymmetric Catalysis. **2017**, 7, 15418 9
- 515 An Introduction to Chiral Nanomaterials: Origin, Construction, and Optical Application. **2017**, 1-28
- 514 Synthesis, structures and magnetic properties of two chiral mixed-valence iron(ii,iii) coordination networks. **2017**, 46, 16623-16630 5
- 513 Chiral Cadmium(II) Metal-Organic Framework from an Achiral Ligand by Spontaneous Resolution: An Efficient Heterogeneous Catalyst for the Strecker Reaction of Ketones. *Inorganic Chemistry*, **2017**, 56, 13629-13633 5.1 28
- 512 Fabricating chiroptical starfruit-like Au nanoparticles via interface modulation of chiral thiols. **2017**, 9, 11093-11102 16
- 511 Homochiral MOF as Circular Dichroism Sensor for Enantioselective Recognition on Nature and Chirality of Unmodified Amino Acids. **2017**, 9, 20991-20999 61
- 510 Synthesis, characterization and electrochemical investigations of mixed-ligand copper(II)-organic supramolecular frameworks. *Journal of Molecular Structure*, **2017**, 1147, 549-557 3-4 7
- 509 Synthesis and Characterization of New Cobalt(II)Pyrazine Coordination Polymer as Precursor for Preparation of Co(II) Oxide Nanoparticles: Surprising Coordination, DFT Calculation and Spectroscopic Studies. **2017**, 27, 124-130 1
- 508 Chiral Assemblies from an Achiral Pyridinium-Tailored Anthracene. *Chemistry - A European Journal*, **2017**, 23, 1422-1426 4.8 10
- 507 Novel 3-D interpenetrated metal-organic networks based on self-assembled Zn(II)/Cu(II) from 1,1'-ferrocenedicarboxylic acid and 4,4'-bipyridine. **2017**, 19, 758-761 12
- 506 Macroscopic chiral symmetry breaking in monolayers of achiral nonconvex platelets. **2017**, 13, 8618-8624 3
- 505 A Novel Coordination Polymer Based on Trinuclear Cobalt Building Blocks Cluster: Synthesis, Crystal Structure, and Properties. **2017**, 62, 1041-1045 3
- 504 Oxidative coupling of 2-aminophenol to 2-amino-phenoxazine-3-one catalyzed by organotin (IV)copper (I) cyanide coordination polymers as heterogeneous catalysts. **2017**, 10, S2829-S2835 6
- 503 A 2D metal-organic coordination polymer of Cu(II) based on tartrate ligands; synthesis, characterization, spectroscopic, crystal structure, solution studies and electrochemical behavior. **2017**, 10, S3167-S3175 8
- 502 Porous Coordination Polymers/Metal-Organic Frameworks. **2017**, 141-164 1
- 501 Self-Assembled Materials for Catalysis. **2017**, 329-349
- 500 Homochiral Metal-Organic Frameworks. **2017**, 373-397 1

499	Landscape of Research Areas for Zeolites and Metal-Organic Frameworks Using Computational Classification Based on Citation Networks. 2017 , 10,		13
498	Network Solids: Mixed Ligand Molecular Building Blocks. 2017 , 243-270		
497	Selective carbon dioxide sorption by a new breathing three-dimensional Zn-MOF with Lewis basic nitrogen-rich channels. 2018 , 47, 4820-4826		22
496	Green synthesis of biologically active transition metal nanoparticles containing novel Schiff base via catalyst free hydrothermal reaction: Structural, biological and morphology study. 2018 , 32, e4322		3
495	Porous coral-like NiCo ₂ O ₄ nanospheres with promising xylene gas sensing properties. 2018 , 261, 203-209		31
494	Syntheses, structures and properties of three chiral metal-organic coordination polymers based on (R)-4-(4-(1-carboxyethoxy)phenoxy)-3-nitrobenzoic acid. 2018 , 149, 117-125		8
493	Experimental and theoretical investigations on Se(IV) and Se(VI) adsorption to UiO-66-based metal-organic frameworks. 2018 , 5, 1441-1453		55
492	Chiral induction in covalent organic frameworks. 2018 , 9, 1294		105
491	A [4+2] Condensation Strategy to Imine-Linked Single-Crystalline Zeolite-Like Zinc Phosphate Frameworks. <i>Chemistry - A European Journal</i> , 2018 , 24, 6178-6190	4.8	12
490	Structural Insights into the Mechanism of Chiral Recognition and Chirality Transfer in Host-Guest Assemblies at the Liquid-Solid Interface. 2018 , 122, 8228-8235		17
489	Homochiral metal-organic frameworks as heterogeneous catalysts. 2018 , 5, 1512-1523		35
488	A Bottle-around-a-Ship Method To Generate Hollow Thin-Shelled Particles Containing Encapsulated Iron Species with Application to the Environmental Decontamination of Chlorinated Compounds. 2018 , 10, 13542-13551		5
487	Extending the Compositional Range of Nanocasting in the Oxozirconium Cluster-Based Metal-Organic Framework NU-1000: A Comparative Structural Analysis. 2018 , 30, 1301-1315		5
486	Selective fluorescent sensing and photocatalytic properties of three MOFs based on naphthalene-1,4-dicarboxylic acid and 2,4,5-tri(4-pyridyl)-imidazole. 2018 , 42, 3551-3559		5
485	Novel hybrid anode of MnO nanoparticles and ultrathin carbon sheets for high lithium storage performance. 2018 , 740, 375-381		12
484	Amplification effect of circularly polarized luminescence induced from binaphthyl-based zinc(II) chiral coordination polymers. 2018 , 2, 554-558		21
483	Synthesis and Investigations of Chiral NNO Type Copper(II) Coordination Polymers. 2018 , 3, 653-656		7
482	Hydrogen bond-assisted homochiral lattice packing between inorganic helices built from heterometallic units. 2018 , 47, 2134-2137		2

481	Facile synthesis of molecular sieve membranes following like grows like principle. 2018 , 559, 1-7		19
480	Time-Resolved In Situ Liquid-Phase Atomic Force Microscopy and Infrared Nanospectroscopy during the Formation of Metal-Organic Framework Thin Films. 2018 , 9, 1838-1844		17
479	Postsynthetic Linker Exchange in Metal-Organic Frameworks. 2018 , 143-182		2
478	Synthesis and Applications of Homochiral Metal-Organic Frameworks. 2018 , 411-439		
477	Porous materials from oppositely charged nanoparticle gel emulsions. 2018 , 544, 172-178		5
476	MOFs as Heterogeneous Catalysts in Liquid Phase Reactions. 2018 , 379-398		1
475	Hydrogen-Bonding-Driven 3D Supramolecular Assembly of Peptidomimetic Zipper. 2018 , 140, 5661-5665		39
474	Synthesis of a pair of homochiral manganese-based coordination polymers as stable catalyst for the selective oxidation of cis-cyclooctene. 2018 , 91, 81-84		2
473	Topological identification of the first uninodal 8-connected <i>lsz</i> MOF built from 2,2'-difluorobiphenyl-4,4'-dicarboxylate pillars and cadmium(II)-triazolate layers. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018 , 74, 256-262	0.8	7
472	Effect of the Structure of Pyridine Ligands and the Substituent in the Carboxylate Anion on the Geometry of Transition Metal Complexes [M ₂ (O ₂ CR) ₄ L ₂]. 2018 , 44, 91-102		8
471	Polymorphism of a porous hydrogen bond-assisted ionic organic framework. 2018 , 20, 1779-1782		2
470	Selenium-functionalized metal-organic frameworks as enzyme mimics. 2018 , 11, 5761-5768		24
469	Three enantiomeric pairs of zinc(II) homochiral coordination compounds based on -(R) and -(S)-4-Hydroxyphenylglycine: Synthesis, structures and luminescent properties. 2018 , 471, 66-75		2
468	Heterogeneous catalysts based on mesoporous metal-organic frameworks. 2018 , 373, 199-232		80
467	Synthetic strategies for chiral metal-organic frameworks. 2018 , 29, 819-822		40
466	Microscopic Insights on the Multiferroic Perovskite-Like [CH ₃ NH ₂][Co(COOH) ₃] Compound. <i>Chemistry - A European Journal</i> , 2018 , 24, 388-399	4.8	10
465	Copper and manganese complexes based on 1,4-naphthalene dicarboxylic acid ligand and its derivative: Syntheses, crystal structures, and magnetic properties. <i>Journal of Molecular Structure</i> , 2018 , 1154, 547-556	3.4	0
464	One-pot reaction of amide functionalized Re(I) based dinuclear metallacycles: Synthesis, characterization and evaluation for anticancer potential. 2018 , 139, 229-236		12

463	Metal-Organic Frameworks as Platforms for Catalytic Applications. 2018 , 30, e1703663	833
462	A mechanistic approach towards the photocatalytic organic transformations over functionalised metal organic frameworks: a review. 2018 , 8, 679-696	77
461	Nanosized FeNi ₂ -xP embedded phosphorus-doped carbon nanorods with superior lithium storage performance. 2018 , 12, 103-109	17
460	Fabrication of Supramolecular Chirality from Achiral Molecules at the Liquid/Liquid Interface Studied by Second Harmonic Generation. 2018 , 34, 139-146	7
459	1D Chains of Diruthenium Tetracarbonyl Sawhorse Complexes. 2018 , 2018, 54-61	4
458	Effective adsorption of sulfamethoxazole, bisphenol A and methyl orange on nanoporous carbon derived from metal-organic frameworks. 2018 , 63, 250-259	47
457	Crystal Structure of Two-Dimensional Coordination Polymer {[Cu(dps) ₂ (DMSO) ₂](ClO ₄) ₂] _n Derived from 4,4'-Dipyridyl Sulfide. 2018 , 483, 304-307	
456	Creation of Porous Functional Materials based on Self-organization of Multinuclear Metallomacrocycles. 2018 , 71, 39-48	
455	Crystal structure of poly[aqua(β-[2,2'-bipyridine]-3,3'-dicarboxylato-κN,N':O:O')zinc(II)] κ dimethylformamide (1/1), C ₁₅ H ₁₅ N ₃ O ₆ Zn. 2018 , 233, 449-450	
454	. 2018 ,	3
453	Synthesis of spiny metalphenolic coordination crystals as a sensing platform for sequence-specific detection of nucleic acids. 2018 , 20, 7626-7630	9
452	Color tuning and white light emission by codoping in isostructural homochiral lanthanide metal-organic frameworks.. 2018 , 8, 42100-42108	11
451	. 2018 ,	32
450	Reticular Chemistry of Multifunctional Metal-Organic Framework Materials. 2018 , 58, 949-961	16
449	Novel facile nonaqueous precipitation in-situ synthesis of mullite whisker skeleton porous materials. 2018 , 44, 22904-22910	10
448	Atomically thin monolayers of metal organic frameworks (MOFs) through implementing a Langmuir-Schaefer method. 2018 ,	1
447	Insights into Functionalization of Metal-Organic Frameworks Using In Situ NMR Spectroscopy. 2018 , 8, 17530	2
446	Controlling Reversible Expansion of Li ₂ O ₂ Formation and Decomposition by Modifying Electrolyte in Li-O ₂ Batteries. 2018 , 4, 2685-2698	31

445	A Three-Dimensional Metal-Organic Framework Displaying Guest-Dependent Spin-Crossover Behaviour. 2018 , 779, 110-114	0
444	Homochiral Metal Organic Frameworks and Their Usage for the Enantio-Purification of Racemic Drugs. 2018 , 3, 10434-10438	4
443	Titanium-Based Mesoporous Materials for Photocatalysis. 2018 , 47-73	
442	Unprecedented three-dimensional hydrogen-bonded hex topological chiral lanthanide-organic frameworks built from an achiral ligand. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018 , 74, 1403-1412	0.8 6
441	Novel Porous Metal-Organic Frameworks (MOFs) for Water Splitting. 2018 , 403-409	
440	Valorization of Green and Sustainable Advanced Materials from A Biomed Perspective [Potential Applications. 2018 , 19-47	1
439	Electrosynthesis of Well-Defined Metal-Organic Framework Films and the Carbon Nanotube Network Derived from Them toward Electrocatalytic Applications. 2018 , 10, 34494-34501	31
438	SuFEx in Metal-Organic Frameworks: Versatile Postsynthetic Modification Tool. 2018 , 10, 33785-33789	15
437	From fundamentals to applications: a toolbox for robust and multifunctional MOF materials. 2018 , 47, 8611-8638	656
436	Model Validation of a Porous Piezoelectric Energy Harvester Using Vibration Test Data. 2018 , 1, 123-137	4
435	Five transition metal coordination polymers driven by a semirigid trifunctional nicotinic acid ligand: selective adsorption and magnetic properties. 2018 , 20, 5726-5734	27
434	Chalcone scaffolds as photofunctional hybrid material of indolin-2-one-functionalized siloxy framework for optical sensing of Cu ²⁺ . 2018 , 42, 16902-16910	7
433	Metallo-macrocycles from a library of flexible linkers: 1D cobalt(II) coordination polymers and a supramolecular pipe. 2018 , 151, 394-400	
432	Chiral Recognition and Separation by Chirality-Enriched Metal-Organic Frameworks. 2018 , 57, 8629-8633	72
431	Color-Tunable and High-Efficiency Dye-Encapsulated Metal-Organic Framework Composites Used for Smart White-Light-Emitting Diodes. 2018 , 10, 18910-18917	61
430	Chiral Isocamphoric Acid: Founding a Large Family of Homochiral Porous Materials. 2018 , 130, 7219-7223	5
429	Chiral Isocamphoric Acid: Founding a Large Family of Homochiral Porous Materials. 2018 , 57, 7101-7105	22
428	Kinetic Study on the Self-Assembly of Au(I)-Thiolate Lamellar Sheets: Preassembled Precursor vs Molecular Precursor. 2018 , 122, 5089-5097	5

427	Chiral Recognition and Separation by Chirality-Enriched Metal-Organic Frameworks. 2018 , 130, 8765-8769	20
426	Metal-Organic Frameworks for Separation. 2018 , 30, e1705189	546
425	Design and synthesis of porous 3D MOFs hybrid functional materials encapsulating macrocyclic metal complexes. 2018 , 94, 114-118	2
424	Metal organic frameworks route to prepare two-dimensional porous zinc-cobalt oxide plates as anode materials for lithium-ion batteries. 2018 , 396, 659-666	22
423	Nanoscale Metal-Organic Frameworks for Therapeutic, Imaging, and Sensing Applications. 2018 , 30, e1707634	353
422	Heterogenization of homogeneous chiral polymers in metal-organic frameworks with enhanced catalytic performance for asymmetric catalysis. <i>Green Chemistry</i> , 2018 , 20, 4085-4093	10 30
421	Carboxymethylcellulose capsulated Cu-based metal-organic framework-drug nanohybrid as a pH-sensitive nanocomposite for ibuprofen oral delivery. 2018 , 119, 588-596	82
420	An alkaline metal-organic framework on white-light emission by two routes of ion-exchange with lanthanide metal ions. 2018 , 96, 43-46	2
419	Synthesis, structures, and properties of Co(II) and Zn(II) coordination polymers based on 1,3-dicarbo-hydrazine benzene. 2018 , 65, 1491-1494	
418	Structural Characterization of a Zinc(II) Bis(hexafluoroacetylacetonate) Coordination Polymer with Bis(4-(1H-Imidazol-1-yl)Phenyl)Methanone Ligands. 2018 , 59, 725-728	5
417	High-Pressure Methane Adsorption in Porous Lennard-Jones Crystals. 2018 , 9, 4275-4281	6
416	Highly efficient photocatalytic Cr(VI) reduction and organic pollutants degradation of two new bifunctional 2D Cd/Co-based MOFs. 2018 , 152, 216-224	39
415	Recent Progress in Asymmetric Catalysis and Chromatographic Separation by Chiral Metal-Organic Frameworks. 2018 , 8, 120	59
414	Thermoresponsive Amphoteric Metal-Organic Frameworks for Efficient and Reversible Adsorption of Multiple Salts from Water. 2018 , 30, e1802767	28
413	Conductive and Chiral Polymer-Modified Metal-Organic Framework for Enantioselective Adsorption and Sensing. 2018 , 10, 26365-26371	34
412	A β -oxo-centered mixed-valence triiron coordination polymer constructed by 5-bromonicotinate ligands. 2018 , 92, 121-124	2
411	New Progress of Microporous Metal-Organic Frameworks in CO ₂ Capture and Separation. 2018 , 112-179	1
410	Metal-organic frameworks, NH-MIL-88(Fe), as carriers for ophthalmic delivery of brimonidine. 2018 , 79, 344-353	30

409	Surfactant-assisted synthesis of Zn ₃ (BTC) ₂ (H ₃ BTC = 1, 3, 5-benzenetricarboxylic acid) hollow nanoparticles. 2018 , 96, 86-89		4
408	Evaluation of the BET Theory for the Characterization of Meso and Microporous MOFs. 2018 , 2, 1800173		114
407	Exposed Equatorial Positions of Metal Centers via Sequential Ligand Elimination and Installation in MOFs. 2018 , 140, 10814-10819		50
406	A multifunctional Co-based metal-organic framework: heterogeneous catalysis, chemiluminescence sensing and moisture-dependent solvatochromism. 2018 , 47, 12406-12413		3
405	Chemical Reactions at Isolated Single-Sites Inside Metal-Organic Frameworks. 2018 , 148, 2201-2222		21
404	Coordination-supported organic polymers: mesoporous inorganic-organic materials with preferred stability. 2018 , 5, 2018-2022		2
403	Homochiral porous nanosheets for enantiomer sieving. 2018 , 17, 599-604		60
402	A Naphthalenedisulfonate-Cadmium Coordination Polymer with Lewis Basic Pyridyl Sites for the Catalytic Application in Acetylation of Phenols. 2018 , 29, 1031-1037		5
401	Recent development trends for chiral stationary phases based on chitosan derivatives, cyclofructan derivatives and chiral porous materials in high performance liquid chromatography. 2019 , 42, 6-20		44
400	Recent Advances of MOFs and MOF-Derived Materials in Thermally Driven Organic Transformations. <i>Chemistry - A European Journal</i> , 2019 , 25, 2161-2178	4.8	44
399	Zirconium coordination polymers based on tartaric and malic acids as catalysts for cyanosilylation reactions. 2019 , 585, 117190		11
398	Location controlled symmetry reduction: paradigm of an open metalloporphyrin framework based on the tetracarboxy porphyrin linker. 2019 , 21, 5216-5221		1
397	Do Anionic π Molecules Aggregate in Solution? A Case Study with Multi-interactive Ligands and Network Formation. <i>Chemistry - A European Journal</i> , 2019 , 25, 15182-15188	4.8	4
396	A homochiral lead(II) double-stranded helical coordination network as luminescent sensor for iron(III). 2019 , 277, 769-772		2
395	Enantiopure Chiral Two-dimensional Sinusoidal Lanthanide(III) Coordination Polymers Based on R/S-2-Methylglutarate: Luminescence, Magnetic Entropy Change, and Magnetic Relaxation. 2019 , 19, 4731-4737		9
394	Rational Synthesis of Mixed-Metal Microporous Metal-Organic Frameworks with Controlled Composition Using Mechanochemistry. 2019 , 31, 5494-5501		49
393	Three d ¹⁰ based metal-organic frameworks constructed from 2-(3,4,5-tricarboxylphenoxy) isophthalic acid: Dual-functional luminescent sensors for Cu ²⁺ , Fe ³⁺ cations and Aspartic acid. 2019 , 277, 564-574		8
392	Energy transfer on a two-dimensional antenna enhances the photocatalytic activity of CO reduction by metal-organic layers. 2019 , 55, 9657-9660		14

391	A Controlled Synthesis Strategy To Enhance the CO ₂ Adsorption Capacity of MIL-88B Type MOF Crystallites by the Crucial Role of Narrow Micropores. 2019 , 58, 14058-14072	13
390	Design strategies and applications of charged metal organic frameworks. 2019 , 398, 113007	45
389	Molecular tectonics: enantiomerically pure chiral crystals based on trans-1,2-cyclohexanediol. 2019 , 21, 5129-5136	1
388	Interface Energy of Crystal Faces of IIIF-Type Metals at Boundaries with Nonpolar Organic Liquids, Allowing for Dispersion and Polarization Corrections. 2019 , 83, 760-763	
387	Metal-Organic Frameworks in Asymmetric Catalysis: Recent Advances. 2019 , 55, 800-817	8
386	Theoretical calculations of a porous coordination polymer formed by isonicotinylhydrazine, 1,4-benzenedicarboxylic and Co ²⁺ : electronic properties, lithium doping, and H ₂ adsorption studies. 2019 , 30, 2369-2377	2
385	Metal-organic frameworks for catalysis: State of the art, challenges, and opportunities. 2019 , 1, 100005	204
384	Enhancing catalytic performance via structure core-shell metal-organic frameworks. 2019 , 375, 371-379	15
383	Two homochiral crystals of anion-directed Cu(I) and Zn(II) helical coordination polymers. 2019 , 277, 448-453	5
382	Efficient Synthesis of Sulfonyl Diphenylsulfides Catalyzed via Cu-MOF of PCN-600. 2019 , 4, 10972-10974	9
381	Boosting Enantioselectivity of Chiral Organocatalysts with Ultrathin Two-Dimensional Metal-Organic Framework Nanosheets. 2019 , 141, 17685-17695	88
380	The effect of a novel D-camphoric acid-based MOF on chiral separation. 2019 , 98, 106032	8
379	ACr(CO)(HO) (A = Li or Na): two new coordination polymers of low dimensionality with different hydrogen-bond networks. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019 , 75, 1524-1534	0.8
378	New Nanocarbon High-Energy Materials. 2019 , 55, 402-408	8
377	Molecular design of chiral zirconium metal-organic frameworks for asymmetric transfer hydrogenation of imines. 2019 , 9, 4888-4897	2
376	Linker functionalized metal-organic frameworks. 2019 , 399, 213023	89
375	Metal-organic frameworks: A tunable platform to access single-site heterogeneous catalysts. 2019 , 586, 117214	68
374	A Highly Efficient and Durable Fluorescent Paper Produced from Bacterial Cellulose/Eu Complex and Cellulosic Fibers. 2019 , 9,	8

- 373 Optical Helicity and Optical Chirality in Free Space and in the Presence of Matter. **2019**, 11, 1113 29
- 372 Modulating the basicity of Zn-MOF-74 via cation exchange with calcium ions. **2019**, 48, 14971-14974 20
- 371 Our journey of developing multifunctional metal-organic frameworks. **2019**, 384, 21-36 86
- 370 Na and Cl immobilization by size controlled calcium silicate hydrate nanometer pores. **2019**, 202, 622-635 15
- 369 A chiral open-framework fluorinated cobalt phosphate consists of distorted F-encapsulated double 4-ring units with bulk homochirality. **2018**, 55, 226-228 7
- 368 MOF transmetalation beyond cation substitution: defective distortion of IRMOF-9 in the spotlight. **2019**, 21, 827-834 8
- 367 Assembly of the Actin Catalyst WASP by Giant SALR Cluster Formation. **2019**, 2, 1800203 1
- 366 A copper(ii)-coordination polymer based on a sulfonic-carboxylic ligand exhibits high water-facilitated proton conductivity. **2019**, 48, 11034-11044 4
- 365 3D-Printed Zeolitic Imidazolate Framework Structures for Adsorptive Separations. **2019**, 2, 4991-4999 25
- 364 Highly efficient and green approach for the synthesis of spirooxindole derivatives in the presence of novel Brønsted acidic ionic liquids incorporated in UiO-66 nanocages. **2019**, 33, e5027 14
- 363 Ion-exchange resin as a new tool for characterisation of coordination compounds and MOFs by NMR spectroscopy. **2019**, 55, 8106-8109 3
- 362 Metal- and Covalent Organic Frameworks Threaded with Chiral Polymers for Heterogeneous Asymmetric Catalysis. **2019**, 38, 3474-3479 15
- 361 Engineering Metal-Organic Frameworks for the Electrochemical Reduction of CO : A Minireview. **2019**, 14, 3452-3461 33
- 360 Synergistic effect of Zr-MOF on phosphomolybdic acid promotes efficient oxidative desulfurization. **2019**, 256, 117804 69
- 359 A Cationic Silver Pyrazine Coordination Polymer with High Capacity Anion Uptake from Water. **2019**, 53, 7663-7672 20
- 358 Construction of optical active metallo-supramolecular polymers from enantiopure bis-pybox ligands. **2019**, 75, 3809-3814 3
- 357 Understanding and controlling the metal-directed assembly of terpyridine-functionalized coiled-coil peptides. **2019**, 55, 7752-7755 5
- 356 Controllable three-dimensional ZnO hybrid nanostructures. **2019**, 6, 0850b8

355	URJC-1-MOF as New Heterogeneous Recyclable Catalyst for C-Heteroatom Coupling Reactions. 2019 , 11, 3376-3380		11
354	Interconversion of lanthanide-organic frameworks based on the anions of 2,5-dihydroxyterephthalic acid as connectors. 2019 , 495, 118937		6
353	Recent advances in amide functionalized metal organic frameworks for heterogeneous catalytic applications. 2019 , 395, 86-129		54
352	Solvent-assisted ligand exchange (SALE) for the enhancement of epoxide ring-opening reaction catalysis based on three amide-functionalized metal-organic frameworks. 2019 , 48, 8803-8814		28
351	Adsorptive performance of ship-type nano-cage polyoxometalates for U(VI) in aqueous solution. 2019 , 484, 1035-1040		36
350	Tuning 1-hexene/n-hexane adsorption on MOF-74 via constructing Co-Mg bimetallic frameworks. <i>Microporous and Mesoporous Materials</i> , 2019 , 284, 151-160	5-3	25
349	Orthogonal Halogen-Bonding-Driven 3D Supramolecular Assembly of Right-Handed Synthetic Helical Peptides. 2019 , 131, 7860-7864		6
348	Cu(II) MOFs Based on Bipyridyls: Topology, Magnetism, and Exploring Sensing Ability toward Multiple Nitroaromatic Explosives. 2019 , 4, 7738-7749		35
347	Carbon capture and conversion using metal-organic frameworks and MOF-based materials. 2019 , 48, 2783-2828		910
346	Enantiomeric Polyoxometalates Based on Malate Chirality-Inducing Tetra-Zr-Substituted Keggin Dimeric Clusters. <i>Inorganic Chemistry</i> , 2019 , 58, 4657-4664	5-1	14
345	Chirality in Porous Functional Materials. 2019 ,		
344	Template strategies with MOFs. 2019 , 387, 415-435		172
343	Synthesis, Structures and Electrochemical Properties of Lithium 1,3,5-Benzenetricarboxylate Complexes. 2019 , 11,		4
342	Synthesis, crystal structures and dye removal properties of a series of metal-organic frameworks based on N-heterocyclic carboxylic acid ligands. <i>Microporous and Mesoporous Materials</i> , 2019 , 282, 82-90 ⁵⁻³		15
341	Vacancy modification of Prussian-blue nano-thin films for high energy-density micro-supercapacitors with ultralow RC time constant. 2019 , 60, 8-16		19
340	Functional metal-organic frameworks for catalytic applications. 2019 , 388, 268-292		151
339	Atomic Scale Stability of Tungsten-Cobalt Intermetallic Nanocrystals in Reactive Environment at High Temperature. 2019 , 141, 5871-5879		20
338	Orthogonal Halogen-Bonding-Driven 3D Supramolecular Assembly of Right-Handed Synthetic Helical Peptides. 2019 , 58, 7778-7782		27

337	Synthesis and Crystal Structure of 2D Coordination Polymer $\{[\text{Cu}(\text{dps})_2(\text{DMSO})_2](\text{ClO}_4)_2\}_n$ Based on 4,4'-Dipyridyl Sulfide. 2019 , 89, 82-86		0
336	Mixed-Metal MOFs: Unique Opportunities in Metal-Organic Framework (MOF) Functionality and Design. 2019 , 131, 15330-15347		40
335	Mixed-Metal MOFs: Unique Opportunities in Metal-Organic Framework (MOF) Functionality and Design. 2019 , 58, 15188-15205		268
334	Photosensitizer-Anchored 2D MOF Nanosheets as Highly Stable and Accessible Catalysts toward Artemisinin Production. 2019 , 6, 1802059		60
333	β -Cyclodextrin-metal organic frameworks as efficient microcontainers for encapsulation of leflunomide and acceleration of its transformation into teriflunomide. 2019 , 216, 224-230		29
332	Viedma Ripening of Chiral Coordination Polymers Based on Achiral Molecules. 2019 , 19, 2537-2541		2
331	Synthesis of Chiral Labtb and Visualization of Its Enantiomeric Excess by Induced Circular Dichroism Imaging. <i>Chemistry - A European Journal</i> , 2019 , 25, 6698-6702	4.8	14
330	Ferrocene-containing coordination polymers as way for preparation of energy carriers. 2019 , 194, 571-574		2
329	Violet Luminescence from Zinc-Based Metal-Organic Frameworks Prepared by Solvothermal Synthesis. 2019 , 92, 427-434		8
328	Identification of Reaction Sites on Metal-Organic Framework-Based Asymmetric Catalysts for CarbonylEne Reactions. 2019 , 9, 3969-3977		19
327	In Situ Two-Step Crystallization: Transformation of Kinetic Crystals into Thermodynamic Crystals. 2019 , 19, 2019-2023		6
326	Design and Construction of a Chiral Cd(II)-MOF from Achiral Precursors: Synthesis, Crystal Structure and Catalytic Activity toward C-C and C-N Bond Forming Reactions. <i>Inorganic Chemistry</i> , 2019 , 58, 3219-3226	5.1	22
325	Carbonized metal-organic frameworks with trapped cobalt nanoparticles as biocompatible and efficient azo-dye adsorbent. 2019 , 31,		13
324	Computational screening of metal-organic frameworks for biogas purification. 2019 , 4, 1125-1135		10
323	Ultrathin 2D Ni-UMOF Composites for Highly-Efficient 4-Nitrophenol Hydrogenation. 2019 , 4, 14300-14308		3
322	Network topology and cavity confinement-controlled diastereoselectivity in cyclopropanation reactions catalyzed by porphyrin-based MOFs. 2019 , 9, 6452-6459		9
321	Enantioselective separation under humid conditions by chiral Hofmann clathrates: new opportunities for vintage materials. 2019 , 6, 3245-3254		1
320	Transcription of Chirality from Metal-Organic Framework to Polythiophene. 2019 , 141, 19565-19569		28

319	Synthesis, Structure, and Magnetic Properties of a Three-Dimensional Cobalt Carboxylate Metal-Organic Framework. 2019 , 4, 12608-12611		
318	A new insight for photocatalytic hydrogen production by a Cu/Ni based cyanide bridged polymer as a co-catalyst on titania support in glycerol water mixture. 2019 , 44, 2508-2518		18
317	Incorporating Cu-based metal-organic framework/drug nanohybrids into gelatin microsphere for ibuprofen oral delivery. 2019 , 96, 302-309		52
316	Selective uptake of cationic organic dyes in a series of isostructural Co ²⁺ /Cd ²⁺ metal-doped metal-organic frameworks. 2019 , 270, 180-186		4
315	Metal-organic frameworks: Structures and functional applications. 2019 , 27, 43-68		321
314	Intermediate States Directed Chiral Transfer on a Silver Surface. 2019 , 141, 168-174		25
313	Novel photo-functional material based on homo-metallic cyanide bridged nickel coordination polymer and titania for hydrogen generation. 2019 , 486, 684-693		2
312	Two chiral cadmium carboxylate framework isomers generated by spontaneous resolution: synthesis, structures and properties. 2019 , 72, 251-261		2
311	Nanostructured Mesoporous Zinc-Incorporated Copper Oxide (NMZI-CuO): An Efficient and Reusable Nanocatalyst for the Synthesis of Esters through C-H Functionalization. 2019 , 8, 356-368		5
310	A New Biscarbazole-Based Metal-Organic Framework for Efficient Host-Guest Energy Transfer. <i>Chemistry - A European Journal</i> , 2019 , 25, 1901-1905	4.8	9
309	NiCo ₂ O ₄ @Ni(BDC) Nano-Porous Metal-Organic Framework as a Novel Catalyst for the Synthesis of Spiro[indene[1,2-d]pyrimidine-ones and Investigation of Their Antimicrobial Activities. 2019 , 4, 729-736		18
308	Porous aromatic framework (PAF-1) as hyperstable platform for enantioselective organocatalysis. 2019 , 62, 194-202		14
307	Fabrication of Metal-Organic Framework Thin Films Using Programmed Layer-by-Layer Assembly Techniques. 2019 , 4, 1800413		20
306	Kinetic Control in Synthesis of Polymers Using Nanoporous Metal-Organic Frameworks. 2019 , 185-204		0
305	Nanoscale Metal-Organic Frameworks for Phototherapy of Cancer. 2019 , 379, 65-81		214
304	Goal-directed design of metal-organic frameworks for liquid-phase adsorption and separation. 2019 , 378, 310-332		63
303	Recent advances in post-synthetic modification of metal-organic frameworks: New types and tandem reactions. 2019 , 378, 500-512		300
302	Metal-organic frameworks with catalytic centers: From synthesis to catalytic application. 2019 , 378, 262-280		259

301	A metal organic framework-ultrafiltration hybrid system for removing selected pharmaceuticals and natural organic matter. 2020 , 382, 122920	29
300	Porous tube-like ZnS derived from rod-like ZIF-L for photocatalytic Cr(VI) reduction and organic pollutants degradation. 2020 , 256, 113417	39
299	Dyes encapsulated in a novel flexible metal-organic framework show tunable and stimuli-responsive phosphorescence. 2020 , 174, 108017	8
298	Nanophotonic Platforms for Chiral Sensing and Separation. 2020 , 53, 588-598	44
297	Proton-conducting layered structures based on transition metal oxo-clusters supported by Sb(III) tartrate scaffolds. 2020 , 49, 3849-3855	6
296	The synthesis and applications of chiral pyrrolidine functionalized metal-organic frameworks and covalent-organic frameworks. 2020 , 7, 1319-1333	6
295	A multifunctional metal-organic framework containing chiral centers for effectively and rapid removing anionic dye from aqueous solution. 2020 , 283, 121141	8
294	Construction of luminescent coordination polymers based on 5-(1-(carboxymethyl)-pyrazol-3-yl)isophthalic ligand for sensing Cu ²⁺ and acetone. 2020 , 177, 114314	5
293	Metal-organic frameworks for stimuli-responsive drug delivery. 2020 , 230, 119619	183
292	Tuning the interpenetration of metal-organic frameworks through changing ligand functionality: effect on gas adsorption properties. 2020 , 22, 506-514	15
291	Metal-organic frameworks: preparation and applications in highly efficient heterogeneous photocatalysis. 2020 , 4, 504-521	41
290	Lanthanide-Based Metal-Organic Frameworks Containing "V-Shaped" Tetracarboxylate Ligands: Synthesis, Crystal Structures, "Naked-Eye" Luminescent Detection, and Catalytic Properties. <i>Inorganic Chemistry</i> , 2020 , 59, 264-273	5.1 26
289	Metal-organic framework-based nanomaterials for biomedical applications. 2020 , 31, 1060-1070	47
288	Crystal structure, Hirshfeld surface analysis and physicochemical studies of two new Cu(II) complexes with the ligand 2-amino-6-methylpyrimidin-4(1H)-one. 2020 , 502, 119289	
287	Combining Ionic Liquids and Sodium Salts into Metal-Organic Framework for High-Performance Ionic Conduction. 2020 , 7, 183-190	8
286	Nanoporous materials for chiral resolution. 2020 , 425, 213481	16
285	Computational design of mixed chirality peptide macrocycles with internal symmetry. 2020 , 29, 2433-2445	9
284	Digital Reticular Chemistry. 2020 , 6, 2219-2241	31

283	New 3D metal-organic framework isomer containing trinuclear oxo-centered mixed valence iron. 2020 , 30, 589-591	1
282	Effects of Phase Purity and Pore Reinforcement on Mechanical Behavior of NU-1000 and Silica-Infiltrated NU-1000 Metal-Organic Frameworks. 2020 , 12, 49971-49981	2
281	Chiral Macroporous MOF Surfaces for Electroassisted Enantioselective Adsorption and Separation. 2020 , 12, 36548-36557	11
280	Electronic Structure Modeling of Metal-Organic Frameworks. 2020 , 120, 8641-8715	73
279	A new porous coordination polymer reveals selective sensing of Fe ³⁺ , Cr ₂ O ₇ ²⁻ /CrO ₄ ²⁻ /MnO ₄ ⁻ and nitrobenzene, and stimuli-responsive luminescence color conversions. 2020 , 8, 11786-11795	24
278	Effect of molar ration of Ti/Ligand on the synthesis of MIL-125(Ti) and its adsorption and photocatalytic properties. 2020 , 90, 166-177	10
277	Three Different Co(II) Metal-Organic Frameworks Based on 4,4'-Bis(imidazolyl)diphenyl Ether: Syntheses, Crystal Structure and Photocatalytic Properties. 2020 , 30, 5148-5156	19
276	Self-Assembled Bio-Organometallic Nanocatalysts for Highly Enantioselective Direct Aldol Reactions. 2020 , 36, 13735-13742	0
275	Synthesis of Chiral Porous Organic Polymers Through Nucleophilic Substitution for Chiral Separation. 2020 , 2, 5414-5422	5
274	Synthesis of Magnetic Metal-Organic Frame Material and Its Application in Food Sample Preparation. 2020 , 9,	7
273	N-Heterocyclic Carbene as a Surface Platform for Assembly of Homochiral Metal-Organic Framework Thin Films in Chiral Sensing. 2020 , 12, 38357-38364	11
272	Filling the Pores of the Post-Cross-Linked Polymers with Different Rigid Cross-Linking Bridges. 2020 , 5, 7941-7946	2
271	Enantiomeric MOF Crystals Using Helical Channels as Palettes with Bright White Circularly Polarized Luminescence. 2020 , 32, e2002914	65
270	Supramolecular Chirality in Azobenzene-Containing Polymer System: Traditional Postpolymerization Self-Assembly Versus In Situ Supramolecular Self-Assembly Strategy. 2020 , 21,	10
269	Synthesis of Defect-Engineered Homochiral Metal-Organic Frameworks Using L-Amino Acids: A Comprehensive Study of Chiral Catalyst Performance in CO ₂ Fixation Reaction. 2020 , 5, 10346-10354	2
268	Metal-organic frameworks as acid- and/or base-functionalized catalysts for tandem reactions. 2020 , 49, 14723-14730	18
267	Synergistically Enhanced Wound Healing of a Vapor-Constructed Porous Scaffold.. 2020 , 3, 5678-5686	6
266	On-Surface Synthesis of Nitrogen-Substituted Gold-Phosphorus Porous Network. 2020 , 32, 8561-8566	3

265	2D Porous Organic Templates via Cocrystallization of Melamine with Disulfonic Acids: Adsorption of Various Alcohols in SCSC Mode. 2020 , 20, 7027-7033		3
264	Effecting structural diversity in a series of Co(II)-organic frameworks by the interplay between rigidity of a dicarboxylate and flexibility of bis(tridentate) spanning ligands. 2020 , 49, 12298-12310		6
263	Exact and density matrix renormalization group studies of two mixed spin-(12,52,12) branched-chain models developed for a heterotrimetallic Fe-Mn-Cu coordination polymer. 2020 , 102,		4
262	Heterocyclic Azine Decorated Metal-Organic Frameworks. 2020 , 79-106		
261	Spin-Crossover Effects in Reversible O ₂ Binding on a Dinuclear Cobalt(II) Complex. 2020 , 124, 26843-26850		1
260	CFA-18: a homochiral metal-organic framework (MOF) constructed from rigid enantiopure bistriazolate linker molecules. 2020 , 49, 15758-15768		0
259	Exploring the Tunability of Trimetallic MOF Nodes for Partial Oxidation of Methane to Methanol. 2020 , 12, 28217-28231		27
258	Flexible surface-supported MOF membrane via a convenient approach for efficient iodine adsorption. 2020 , 324, 1167-1177		11
257	Metal organic frameworks for biomass conversion. 2020 , 49, 3638-3687		91
256	Pyridinium-Functionalized Ionic Metal-Organic Frameworks Designed as Bifunctional Catalysts for CO Fixation into Cyclic Carbonates. 2020 , 12, 24868-24876		47
255	The function of metal-organic frameworks in the application of MOF-based composites. 2020 , 2, 2628-2647		54
254	Proton Transport in Metal-Organic Frameworks. 2020 , 120, 8416-8467		173
253	Synthesis of Chiral MOF-74 Frameworks by Post-Synthetic Modification by Using an Amino Acid. <i>Chemistry - A European Journal</i> , 2020 , 26, 13957-13965	4.8	10
252	Zn(II)/Cd(II)-based metal-organic frameworks: crystal structures, Ln(III)-functionalized luminescence and chemical sensing of dichloroaniline as a pesticide biomarker. 2020 , 8, 9427-9439		26
251	Controlled synthesis of ZnO nanoparticles from a Zn(II) coordination polymer: Structural characterization, optical properties and photocatalytic activity. 2020 , 34, e5858		4
250	Transition metal complexes constructed by pyridine-amino acid: fluorescence sensing and catalytic properties. 2020 , 45, 423-433		7
249	Chirality and Surface Bonding Correlation in Atomically Precise Metal Nanoclusters. 2020 , 32, e1905488		53
248	Supramolecular Chiral Nanoarchitectonics. 2020 , 32, e1905657		76

247	Organometallic polymers synthesized from prochiral molecules by a surface-assisted synthesis on Ag(111). 2020 , 22, 8141-8145		2
246	Nano-spatially confined PdCu bimetals in porous N-doped carbon as an electrocatalyst for selective denitrification. 2020 , 8, 9545-9553		14
245	Postsynthetic modification of MOFs for biomedical applications. 2020 , 245-276		1
244	Investigation of spectral and structural properties of a coordination compound with phthalic acid: DFT and molecular docking studies. 2020 , 73, 671-685		1
243	Postsynthetic Modification: An Enabling Technology for the Advancement of Metal-Organic Frameworks. 2020 , 6, 1046-1057		99
242	Recent Progress in Asymmetric Catalysis with Chiral Metal-Organic Frameworks. 2020 , 984, 195-204		
241	Supramolecular inorganic chemistry leading to functional materials. 2020 , 132, 1		3
240	Enantiospecificity in achiral zeolites for asymmetric catalysis. 2020 , 22, 18757-18764		1
239	Mono- and penta-nuclear self-assembled silver(I) complexes of pyrazolyl s-triazine ligand; synthesis, structure and antimicrobial studies. 2020 , 34, e5603		4
238	Air-Flow Impacting Synthesis of Metal Organic Frameworks: A Continuous, Highly Efficient, Large-Scale Mechanochemical Synthetic Method. 2020 , 8, 4037-4043		8
237	Sequential Spin State Transition and Intermetallic Charge Transfer in PbCoO. 2020 , 142, 5731-5741		20
236	A Discrete Tetrahedral Indium Cage as an Efficient Heterogeneous Catalyst for the Fixation of CO and the Strecker Reaction of Ketones. <i>Inorganic Chemistry</i> , 2020 , 59, 1653-1659	5.1	16
235	Development of Heterogeneous Enantioselective Catalysts using Chiral Metal-Organic Frameworks (MOFs). 2020 ,		1
234	Emergence of chirality and structural complexity in single crystals at the molecular and morphological levels. 2020 , 11, 380		23
233	Topology-Based Functionalization of Robust Chiral Zr-Based Metal-Organic Frameworks for Catalytic Enantioselective Hydrogenation. 2020 , 142, 9642-9652		27
232	The research trends of metal-organic frameworks in environmental science: a review based on bibliometric analysis. 2020 , 27, 19265-19284		8
231	Pseudo-2D Porous Networks via Interpenetration of 1D Zigzag Ladder-type Coordination Polymers: Adsorption and Separation of Xylene Isomers. 2020 , 20, 3601-3604		9
230	Synthesis through 3D printing: formation of 3D coordination polymers.. 2020 , 10, 14812-14817		10

229	Atmospheric low-temperature plasma for direct post-synthetic modification of UiO-66. 2020 , 56, 5803-5806	2
228	Quantum Dot Optoelectronic Devices. 2020 ,	1
227	Metal-organic frameworks and their catalytic applications. 2020 , 24, 461-473	31
226	Reticular Chemistry 3.2: Typical Minimal Edge-Transitive and Nets for the Design and Synthesis of Metal-Organic Frameworks. 2020 , 120, 8039-8065	75
225	Synthesis, crystal structure, spectroscopic (FT-IR, UV-Vis, EPR) and Hirshfeld surface analysis studies of Zn(II)-benzoate coordination dimer. <i>Journal of Molecular Structure</i> , 2021 , 1223, 128943	3-4 2
224	Efficient removal of Co(II) from aqueous solution by flexible metal-organic framework membranes. 2021 , 324, 114718	3
223	A new metal-organic framework based on 4,4'-bibenzoic acid-2,2'-sulfone: synthesis, crystal structure and magnetic property. 2021 , 28, 481-486	0
222	Induction of Chirality in a Metal-Organic Framework Built from Achiral Precursors. 2021 , 133, 3124-3131	5
221	Recent advances in bimetallic metal-organic framework as a potential candidate for supercapacitor electrode material. 2021 , 430, 213660	35
220	Induction of Chirality in a Metal-Organic Framework Built from Achiral Precursors. 2021 , 60, 3087-3094	16
219	One-pot crystallization of two 1,4-cyclohexanedicarboxylate-based tetranuclear Cu(II) compounds and their DNA binding affinities. 2021 , 23, 1091-1098	4
218	Five lead(II) coordinated polymers assembled from asymmetric azoles carboxylate ligands: Synthesis, structures and fluorescence properties. 2021 , 514, 120035	6
217	Current Trends in the Postsynthetic Modification of Framework Materials. 2021 , 1055-1073	
216	Metal-organic framework-based functional catalytic materials for biodiesel production: a review. <i>Green Chemistry</i> , 2021 , 23, 2595-2618	10 15
215	1D Mn(III) coordination polymers exhibiting chiral symmetry breaking and weak ferromagnetism. 2021 , 50, 5428-5432	
214	Synthesis and Characterization of a Metal-Organic Framework Bridged by Long Flexible Ligand. 2021 , 11, 1-9	0
213	Homochiral metal-organic frameworks for enantioseparation. 2021 , 50, 5706-5745	33
212	Amino and triazole-containing metal-organic frameworks for highly efficient CO fixation. 2021 , 57, 10803-10806	

211	Metal-organic frameworks as chemical reaction flask. 2021 , 365-387		
210	Applications of nanoscale metal-organic frameworks as imaging agents in biology and medicine. 2021 , 9, 3423-3449		12
209	A new 2D Cu-MOF constructed from carboxylate ligands containing C-H... interactions as a recyclable responsive luminescent sensor for VOCs. 2021 , 50, 4124-4128		5
208	Solid Acid-Catalyzed Esterification of Levulinic Acid for Production of Value-Added Chemicals. 2021 , 345-382		1
207	Self-Assembly of CDs@NH ₂ -MOF(Ni)/n-Bu ₄ NBr and its Catalytic Performance for CO ₂ Fixation with Epoxides. 2021 , 74, 282		0
206	Metal-Organic Frameworks for Catalytic Applications. 2021 , 228-259		0
205	Metal-organic frameworks of linear trinuclear cluster secondary building units: structures and applications. 2021 , 50, 12692-12707		4
204	Chapter 12: Biomimetic Metal-Organic Frameworks: Construction and Catalytic Performance. 2021 , 370-395		
203	Metal-Organic Frameworks for Liquid Phase Applications. 2021 , 8, 2003143		8
202	SYNTHESIS OF COBALT AND CADMIUM COORDINATION POLYMERS COMPOSED OF DICARBOXYLATE AND BIS(4-(1H-IMIDAZOL-1-YL)PHENYL)METHANONE LIGANDS. 2021 , 62, 251-255		1
201	Design of Molecular Heterogeneous Catalysts with Metal-Organic Frameworks. 2021 , 147-160		
200	Facile design of metal ion fabricated benzene-1,3,5-tricarboxylic acid based metal organic frameworks for defluoridation of water. 2021 , 9, 104995		11
199	Coordination Geometry Changes in Amorphous Cyanide-Bridged Metal-Organic Frameworks upon Water Adsorption. <i>Inorganic Chemistry</i> , 2021 , 60, 3338-3344	5.1	3
198	Chirality communications between inorganic and organic compounds. 2021 , 2, 17-32		12
197	Design and Fabrication of the Evolved Zeolitic Imidazolate Framework-Modified Polylactic Acid Nonwoven Fabric for Efficient Oil/Water Separation. 2021 , 13, 14653-14661		9
196	Advances in Chiral Metal-Organic and Covalent Organic Frameworks for Asymmetric Catalysis. 2021 , 17, e2005686		12
195	Amino Acid-Functionalized Metal-Organic Frameworks for Asymmetric Base-Metal Catalysis. 2021 , 133, 11059-11065		0
194	Observation of novel charge ordering and spin reorientation in perovskite oxide PbFeO. 2021 , 12, 1917		3

193	Amino Acid-Functionalized Metal-Organic Frameworks for Asymmetric Base-Metal Catalysis. 2021 , 60, 10964-10970		13
192	Relationship Between Structure and Separation Property. 2021 , 881-922		
191	Catalysis in Metal-Organic Frameworks: Relationship Between Activities and Structures. 2021 , 953-993		0
190	Emerging Homochiral Porous Materials for Enantiomer Separation. 2021 , 31, 2101335		8
189	Ultrastable Zirconium-Based Cationic Metal-Organic Frameworks for Perrhenate Removal from Wastewater. <i>Inorganic Chemistry</i> , 2021 , 60, 11730-11738	5-1	4
188	Relationship Between Structure and Separation Property. 2021 , 922-952		
187	Hybridization of Emerging Crystalline Porous Materials: Synthesis Dimensionality and Electrochemical Energy Storage Application. 2100321		11
186	Molecular dynamics simulation of small gas molecule permeation through CAU-1 membrane. 2021 , 33, 104-111		2
185	Supramolecular control of MOF pore properties for the tailored guest adsorption/separation applications. 2021 , 434, 213709		39
184	Synthetic strategies towards chiral coordination polymers. 2021 , 435, 213763		9
183	Programmable Logic in Metal-Organic Frameworks for Catalysis. 2021 , 33, e2007442		22
182	Chiral Photonic Liquid Crystal Films Derived from Cellulose Nanocrystals. 2021 , 17, e2007306		15
181	Large-Area Crystalline Zeolitic Imidazolate Framework Thin Films. 2021 , 133, 14243-14249		3
180	Large-Area Crystalline Zeolitic Imidazolate Framework Thin Films. 2021 , 60, 14124-14130		6
179	Novel Self-assembly Coordination Lipid Polymers that Fold into Toroids with DNA-Delivery Potential. 2021 , 31, 4380		
178	Fabrication of a Kagomé-type MOF Membrane by Seeded Growth on Amino-functionalized Porous Al ₂ O ₃ Substrate. 2021 , 16, 2018-2021		2
177	Asymmetric catalysis using metal-organic frameworks. 2021 , 437, 213845		25
176	Solvent-Free CO ₂ Fixation Reaction Catalyzed by MOFs Composites Containing Polycarboxylic Acid Ligands. 2021 , 6, 5350-5355		0

- 175 Preparation of Superhydrophobic Metal-Organic Framework/Polymer Composites as Stable and Efficient Catalysts. **2021**, 13, 32175-32183 2
- 174 U=O activation in uranyl-organic framework through solid-liquid reaction: A powerful tool to modulate electronic and magnetic structure. **2021**, 298, 121948
- 173 Trisequential Postsynthetic Modification of a Tagged IRMOF-9 Framework. *Inorganic Chemistry*, **2021**, 60, 11711-11719 5.1
- 172 A new coordination polymer constructed from Pb(NO₃)₂ and a benzylideneisonicotinohydrazide derivative: Coordination-induced generation of a hole towards a tetrel-bonding stabilized structure. *Journal of Molecular Structure*, **2021**, 1234, 130139 3.4 4
- 171 Molecular fingerprint and machine learning to accelerate design of high-performance homochiral metal-organic frameworks. **2021**, 67, e17352 2
- 170 Der derzeitige Stand von MOF- und COF-Anwendungen. **2021**, 133, 24174 4
- 169 Linker Exchange via Migration along the Backbone in Metal-Organic Frameworks. **2021**, 143, 10541-10546 4
- 168 Tunable chiroptical application by encapsulating achiral lanthanide complexes into chiral MOF thin films. 1 5
- 167 Differentiation of Epoxide Enantiomers in the Confined Spaces of an Homochiral Cu(II) Metal-Organic Framework by Kinetic Resolution. *Chemistry - A European Journal*, **2021**, 27, 16956-16965 4.8
- 166 The Current Status of MOF and COF Applications. **2021**, 60, 23975-24001 75
- 165 Post-Synthetic Color Tuning of the Ultra-Effective and Highly Stable Surface-Confined Electrochromic Monolayer: Shades of Green for Camouflage Materials. **2021**, 13, 39573-39583 3
- 164 Postsynthetic Modification of Metal-Organic Frameworks. *Inorganic Chemistry*, **2021**, 60, 11703-11705 5.1 2
- 163 Evolution of porous materials from ancient remedies to modern frameworks. **2021**, 4, 6
- 162 Chiral Iron(II)-Catalysts within Valinol-Grafted Metal-Organic Frameworks for Enantioselective Reduction of Ketones. **2021**, 11, 10450-10459 4
- 161 Construction and investigation of chiral and photoluminescent Metal-Organic framework based on Zn(II) ions and achiral methoxy-functionalized benzimidazolate linkers. **2021**, 131, 108791 1
- 160 A Review on Mechanical Models for Cellular Media: Investigation on Material Characterization and Numerical Simulation. **2021**, 13, 1
- 159 Synthesis, structural, and DFT studies of mixed ligand copper(II) malonates. **2021**, 133, 1
- 158 Metal-Organic Frameworks as a New Platform for Enantioselective Separations. 2

157	Spontaneous resolution and absolute chiral induction of 3d ^{0f} heterometal-organic frameworks from achiral precursors. 2021 , 64, 1698		1
156	Controlled preparation of a cd(II) coordination polymer via green sonochemical synthesis: new precursors for the preparation of cadmium(II) oxide. 1-11		
155	Chiral metal-organic frameworks based on asymmetric synthetic strategies and applications. 2021 , 445, 214083		9
154	Functionalized Zr-UiO-67 metal-organic frameworks: Structural landscape and application. 2021 , 445, 214050		14
153	Metal-organic frameworks as superior porous adsorbents for radionuclide sequestration: Current status and perspectives. <i>Journal of Chromatography A</i> , 2021 , 1655, 462491	4-5	2
152	Singlet-to-Triplet Spin Transitions Facilitate Selective 1-Butene Formation during Ethylene Dimerization in Ni(II)-MFU-4l.		2
151	MOF-based membranes for pervaporation. 2022 , 278, 119233		7
150	[Diaquo{bis(p-hydroxybenzoato- η O1)}(1-methylimidazole- η N1)}copper(II)]: Synthesis, crystal structure, catalytic activity and DFT study. <i>Journal of Molecular Structure</i> , 2022 , 1247, 131323	3-4	0
149	Multiscale structural control of linked metal-organic polyhedra gel by aging-induced linkage-reorganization. 2021 , 12, 12556-12563		8
148	Metal-organic frameworks as catalytic selectivity regulators for organic transformations. 2021 , 50, 5366-5396		32
147	Synthesis of a bimetallic metal-organic framework catalyst via selective detection and adsorption of Fe ³⁺ for enhanced bio-based catalysis.		1
146	Engineered Fe triangle for the rapid and selective removal of aromatic cationic pollutants: complexity is not a necessity.. 2021 , 11, 2630-2642		9
145	Crystal engineering of coordination networks: then and now. 2021 , 17-60		
144	Fast multipoint immobilization of lipase through chiral L-proline on a MOF as a chiral bioreactor. 2021 , 50, 1866-1873		3
143	Asymmetric metal-organic frameworks with double helices for enantioselective recognition. 2021 , 23, 4748-4751		0
142	Fabrication and Functionalization Strategies of MOFs and Their Derived Materials MOF Architecture \square 2020 , 63-100		3
141	Supramolecular Chiral 2D Materials and Emerging Functions. 2020 , 32, e1905669		44
140	Segmental Isotopic Labeling: Prospects for a New Tool to Study the Structure-function Relationships in Multi-domain Proteins. 2002 , 35-51		2

139	Inducible T cell tyrosine kinase (ITK): structural requirements and actin polymerization. 2006 , 584, 29-41	4
138	Structural Analysis of Rho Protein Complexes. 2005 , 31-72	1
137	Chemical inhibition through conformational stabilization of Rho GTPase effectors. 2008 , 431-60	5
136	Porous Coordination Polymers Towards Gas Technology. 2009 , 51-86	15
135	Regulation of the actin cytoskeleton by PI(4,5)P2 and PI(3,4,5)P3. 2004 , 282, 117-63	85
134	Enantioselective Catalysis with Structurally Tunable Immobilized Catalysts. 2011 , 207-245	20
133	Metal-Organic Frameworks (MOFs) for CO2 Capture. 2014 , 79-113	1
132	CHAPTER 7: Metal-Organic Frameworks as Chemical Sensors. 2015 , 192-245	2
131	Microporous polymeric membranes inspired by adsorbent for gas separation. 2017 , 5, 13294-13319	61
130	Tris[η ^2,2'-(azinodimethylidyne)diphenolato- κ ^1,N:N',O']diiron(III) tetra-hydro-furan tetra-solvate. 2008 , 64, m1210	1
129	catena-Poly[[bis-(p-toluene-sulfonato- κ ^1)palladium(II)]bis-(η ^1,3-di-4-pyridylpropane- κ ^1,N')]. 2009 , 65, m1116	1
128	Poly[[aqua-(η ^4,4'-bipyridyl- κ ^1,N')bis-(η ^1formato- κ ^1,O')iron(II)] tetra-hydrate]. 2009 , 65, m1189-90	1
127	catena-Poly[[[bis-(2,2'-bipyridine)manganese(II)]-(η ^4)-3,3'-sulfanediyldipropionato] bis-(perchlorate)]. 2010 , 66, m380	1
126	Three Cu(II) Complexes Constructed by Flexible bis-Imidazole and Different Anions: From 0D Architecture to 2D Layer. 2019 , 64, 1055-1061	0
125	Olefin Hydrogenation with Single-Site Gold. 2014 , 125, 940-943	2
124	Hetero-Diels-Alder Reaction Catalyzed by Self-organized Polymeric Rare Earth Complexes under Solvent-free Conditions. 2005 , 66, 645	7
123	Discrete and Infinite Cyclic Dimer M(II) Complexes (M = Co, Zn) Based on Angular Dipyriddy Ligands Incorporating an Amide Spacer. 2005 , 26, 473-476	10
122	One-Dimensional Coordination Polymers of Dihydrobis(1,2,4-triazol-1-yl)borate Ruthenium(II) Complex. 2006 , 27, 1521-1522	2

121	Hydrothermal Synthesis and Crystal Structures of Monomeric and Polymeric Copper Phosphates with 4,4'-Bipyridine. 2006 , 27, 2077-2080	3
120	Solvothermal Synthesis, Crystal Structure, and Magnetic Properties of [Co ₃ (SDA) ₃ (DMF) ₂]; 2-D Layered Metal-organic Framework Derived from 4,4'-Stilbenedicarboxylic Acid (H ₂ SDA). 2006 , 27, 443-446	20
119	Solvent Effect on the Nature of the Metallamacrocycles Formed: Formation of Octanuclear and Dodecanuclear Manganese Metalladiazamacrocycles. 2007 , 28, 2009-2014	5
118	A Three-dimensional MOF Assembled by Metal-organic Tapes Comprising of Copper(II) Tetranuclear Clusters and 5-Sulfoisophthalates. 2008 , 29, 2540-2542	3
117	Self-Assembled Copper(I) Complexes of Symmetric Dithioether Ligands. 2008 , 29, 499-502	22
116	Facile Syntheses of Metal-organic Framework Cu ₃ (BTC) ₂ (H ₂ O) ₃ under Ultrasound. 2009 , 30, 2921-2926	69
115	Formation of Rosette-Shaped Cd(II) Thiolate Coordination Polymer in Aqueous Solution and Conversion to CdS by Calcination. 2010 , 31, 1091-1093	5
114	Microwave Synthesis of a Porous Metal-Organic Framework, Nickel(II) Dihydroxyterephthalate and its Catalytic Properties in Oxidation of Cyclohexene. 2010 , 31, 1489-1495	31
113	Syntheses, Crystal Structures, and Spectral Properties of Two Coordination Compounds Based on 1,2-Bis(benzimidazolyl)benzene. 2011 , 32, 1017-1021	2
112	Synthesis and Crystal Structure of 1-D Coordination Polymer: {Na[Eu(2,6-PDA) ₂ (H ₂ O) ₂] ₃ H ₂ O} _n (2,6-PDA=2,6-Pyridinedicarboxylate). 2011 , 32, 1745-1747	2
111	Effect of Diamine in Amine-Functionalized MIL-101 for Knoevenagel Condensation. 2011 , 32, 2073-2075	20
110	Synthesis and Crystal Structure of a 3D Samarium-Organic Framework Containing Vacant Chelating Sites. 2012 , 33, 1349-1352	2
109	Synthesis, Structure and Biological Properties of a Novel Copper (II) Supramolecular Compound Based on 1,2,4-Triazoles Derivatives. 2012 , 33, 2603-2608	5
108	Synthesis and Structure of a 3-D Metal-Organic Framework, [Cd ₂ (1,4-cyclohexanedicarboxylate) ₂ ·DMF], Comprising Unusual Two Different Ligand Conformations. 2012 , 33, 3111-3114	9
107	Counter Anion Directing Structure Control: An Anionic 3D Open Framework with a Diamond Network Structure Comprising of 1,4-Cyclohexanedicarboxylic Acid. 2014 , 35, 2847-2850	2
106	Hydrothermal Synthesis and Crystal Structure of [Co(phen) ₂ (CO ₃) ₂](HCO ₃) ₄ ·4H ₂ O (phen=1,10-phenanthroline). 2007 , 51, 595-599	1
105	Factors in the Synthesis of 3-D Metal-Organic Framework, [Zn(HCOO) ₃](C ₂ H ₈ N), Derived from Decomposition of Solvent. 2009 , 53, 73-78	5
104	Post-synthetically modified metal-organic frameworks for sensing and capture of water pollutants. 2021 ,	2

- 103 Quasielastic neutron scattering study on proton dynamics assisted by water and ammonia molecules confined in MIL-53. **2021**, 8, 054501 1
- 102 Syntheses, structures, luminescence and CO₂ gas adsorption properties of four three-dimensional heterobimetallic metal-organic frameworks. **2022**, 305, 122672 2
- 101 Polymerization-Induced Helicity Inversion Driven by Stacking Modes and Self-Assembly Pathway Differentiation. **2021**, 17, e2103177 4
- 100 Adsorption desalination: Advances in porous adsorbents. **2021**, 1 1
- 99 Design of MOFs with Absolute Structures: A Case Study. 0
- 98 The Chemistry of Movement. **2001**, 1089-1127
- 97 Synthesis of Cadmium(II) Organic Framework Based on Feist's Acid. **2002**, 23, 907-911
- 96 3D-nets as specific synthetic targets - Crystal Engineering. **2005**, 227-244
- 95 Theoretical Investigation for the Molecular Structures and Dimerization Energies for Complexes of H₂O-C₆H₆Dimer. **2009**, 53, 7-16
- 94 WASP and WAVE Family Protein Complexes. **2010**, 1265-1270
- 93 Structural Considerations of Small GTP-Binding Proteins. **2010**, 1849-1853
- 92 Diazido-((S)-1-phenyl-N,N-bis-[(2-pyrid-yl)methyl]ethanamine)-copper(II). **2011**, 67, m873-4 1
- 91 Building Metal Organic Frameworks with Pyridine Fuctionalised Imidazolium Salts Spacers. 199-203
- 90 Modeled Catalytic Properties of MOF-Based Compounds. **2015**, 517-551
- 89 Crystal structure of poly[di-chlorido-(E,5-di-carb-oxy-benzene-1,4-di-carboxyl-ato- μ)-bis-[(4'-(pyridin-3-yl)-4,2':6',4''-terpyridine- κ)]dizinc]. **2016**, 72, 1663-1665
- 88 Hydro/ Solvothermal Synthesis and Crystal Structure of New Ni(II) Coordination Polymer Containing Pamoic Acid and Ethylenediamine Mixed Ligands : {[Ni(μ -pam)(en)₂]+H₂O}_n. 869-876
- 87 Controlling to Expand Reversibly Li₂O₂-formation/decomposition by Modifying Electrolyte in Lithium-oxygen Batteries. *SSRN Electronic Journal*, 1
- 86 cis-Bromidobis(ethylene-1,2-diamine)(2-methylpropan-1-amine)cobalt(III) dibromide. **2018**, 3,

85	POST, post.	
84	CHAPTER 9: Metal Organic Frameworks: From Material Chemistry to Catalytic Applications. 2020 , 235-303	2
83	Five zinc supramolecular assemblies constructed from flexible bispyridinecarboxamide and a series of substituted isophthalates: Synthesis and characterization. 2022 , 305, 122660	0
82	Synthesis and Structure of the Copper Complex [CuL(4, 4?bipy)(H ₂ O) ₂](H ₂ O)(ClO ₄). 2020 , 213, 01024	
81	Quantum Dot Interfaces for Memristor. 2020 , 253-313	
80	Fine Chemical Synthesis Using Metal Organic Frameworks as Catalysts. 2020 , 177-191	
79	organic zeolites.	
78	Wiskott-Aldrich syndrome as a model of cytoskeleton defects. 2006 , 211-231	
77	SYNTHESES AND STRUCTURAL CHARACTERIZATION OF TWO ZINC COORDINATION POLYMERS COMPOSED OF POLYCARBOXYLATE AND N-DONOR LIGANDS. 2020 , 61, 1827-1831	1
76	Hierarchical self-assembly into chiral nanostructures.. 2022 , 13, 633-656	10
75	Sustainable synthesis of a new semiamorphous Ti-BDC MOF material and the photocatalytic performance of its ternary composites with Ag ₃ PO ₄ and g-C ₃ N ₄ . 2022 , 578, 151996	1
74	Encapsulation of a Volatile Biomolecule (Hexanal) in Cyclodextrin Metal Organic Frameworks for Slow Release and Its Effect on Preservation of Mangoes. 2021 , 1, 1936-1944	3
73	Inclusion Complexes of Daidzein with Cyclodextrin-Based Metal-Organic Framework-1 Enhance Its Solubility and Antioxidant Capacity. 2021 , 23, 2	2
72	Pair of chiral molecular ladders and successive hydration in single-crystal-to-single-crystal mode. 2021 , 23, 8546-8552	0
71	Enantioselective chiral sorption of 1-phenylethanol by homochiral 1D coordination polymers.	0
70	Enzymeless voltammetric sensor for simultaneous determination of parathion and paraoxon based on Nd-based metal-organic framework.. 2021 , 292, 133440	5
69	Porous Assembly of Metallo-Supramolecule and Polyoxometalate via Ionic Complexation with Vapor Sorption Properties.	0
68	Metal organic frameworks for efficient catalytic conversion of CO ₂ and CO into applied products. 2022 , 517, 112055	4

67	Preparation and Characterization of a New Chiral Metal-Organic Framework with Spiranes. <i>Journal of Molecular Structure</i> , 2022 , 132538	3-4	0
66	Synthesis of chiral nanomaterials. 2022 ,		
65	Atomic-Level Structure of Mesoporous Hexagonal Boron Nitride Determined by High-Resolution Solid-State Multinuclear Magnetic Resonance Spectroscopy and Density Functional Theory Calculations.		3
64	Metal-organic frameworks for fuel cell technologies. 2022 , 173-199		0
63	Thermoresponsive chiral plasmonic nanoparticles.. 2022 ,		0
62	Introduction to Metal-Organic Frameworks (MOFs). 2022 , 3-42		
61	The journey from Porous Materials to Metal-Organic Frameworks and Their Catalytic Applications- A review.. 2022 ,		
60	Chiral Metal-Organic Frameworks.. 2022 ,		15
59	Designing Sites in Heterogeneous Catalysis: Are We Reaching Selectivities Competitive With Those of Homogeneous Catalysts?. 2022 ,		13
58	Metal-organic frameworks enable regio- and stereo-selective functionalization of aldehydes and ketones. 2022 ,		1
57	Recyclable aqueous two-phase system formed by two temperature-responsive polymers for the chiral resolution of mandelic acid enantiomers. 2022 , 352, 118738		0
56	In situ anodic electrodeposition of two-dimensional conductive metal-organic framework@nickel foam for high-performance flexible supercapacitor. 2022 , 526, 231163		7
55	Amine-Functionalized Metal-Organic Frameworks: from Synthetic Design to Scrutiny in Application. 2022 , 459, 214445		1
54	Catalytic activity of CuI/CuII cyanide based phenanthroline-bicarbonate system for enhancing aerobic oxidation of 2,6-di-tert-butylphenol. 2022 , 26, 101466		
53	Self-assembly of 3p-Block Metal-based Metal-Organic Frameworks from Structural Perspective. 2022 , 38, 31-44		0
52	Nanostructured Mesoporous Zinc-Incorporated Copper Oxide (NMZI-CuO): An Efficient and Reusable Nanocatalyst for the Oxidant-Free Synthesis of Quinoxalines through a Tandem Oxidation Process. <i>Polycyclic Aromatic Compounds</i> , 1-13	1-3	
51	Enhanced adsorption selectivity of 1-hexene / n-hexane mixtures in Cu-BTC metal-organic framework by acid modification. <i>Microporous and Mesoporous Materials</i> , 2022 , 337, 111909	5-3	
50	CHAPTER 8. Photocatalysis: Past Achievements and Future Trends. <i>RSC Green Chemistry</i> , 227-269	0-9	

49	Chapter 12. Chiral Metal Electrodes for Enantioselective Analysis, Synthesis, and Separation. <i>RSC Green Chemistry</i> , 2022 , 274-299	0.9	
48	Drug Delivery Applications of Metal-Organic Frameworks (MOFs).		
47	A new chiral rare-earth organic framework constructed by tartaric acid: synthesis, structural, thermal investigations and optical properties.. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2022 , 78, 314-321	0.8	
46	Luminescence modulation by twisting the branches of organic building blocks in uranyl-organic frameworks. <i>Cell Reports Physical Science</i> , 2022 , 100913	6.1	1
45	Metal-Organic Frameworks as Sensors of Biomolecules. <i>ACS Symposium Series</i> , 1-31	0.4	0
44	Semi-continuous and continuous processes for enantiomeric separation. <i>Green Chemistry</i> , 2022 , 24, 4328-4362	0.4	0
43	Chiral Motifs in Highly Interpenetrated Metal-Organic Frameworks Formed from Achiral Tetrahedral Ligands. <i>Chemistry - A European Journal</i> ,	4.8	
42	Zirconium Metal Organic Framework-Based Hybrid Sensors with Chiral and Luminescent Centers Fabricated by Postsynthetic Modification for the Detection and Recognition of Tryptophan Enantiomers. <i>Inorganic Chemistry</i> ,	5.1	3
41	Facile Synthesis of Fe-Based Metal-Organic-Framework Mil88-A (Fe) Impregnated with Hybrid Ag3po4-Gcn Composite for the Effective Degradation of Diclofenac. <i>SSRN Electronic Journal</i> ,	1	
40	The progress on porous organic materials for chiral separation. <i>Journal of Chromatography A</i> , 2022 , 463341	4.1	1
39	Investigation on crystal structure, spectral FT-IR analysis, DFT and molecular docking studies of a novel complex with the N ⁺ -(pyridin-2-ylmethylene)nicotinohydrazide. <i>Journal of Molecular Structure</i> , 2022 , 133741	3.4	0
38	A review on chiral metal-organic frameworks: synthesis and asymmetric applications.		1
37	Recognition in the Domain of Molecular Chirality: From Noncovalent Interactions to Separation of Enantiomers. 2022 , 122, 13235-13400		7
36	Crystalline Metal-Peptide Networks: Structures, Applications, and Future Outlook.		0
35	Metal-organic frameworks for pharmaceutical and biomedical applications. 2022 , 221, 115026		2
34	Chiral templated synthesis of homochiral metal-organic frameworks. 2023 , 474, 214852		0
33	N-Formylation of Amines Utilizing CO ₂ by a Heterogeneous Metal-Organic Framework Supported Single-Site Cobalt Catalyst.		0
32	Template synthesis, characterization and antibacterial activity of d10 (Zn ²⁺ , Cd ²⁺ , Hg ²⁺) Schiff base complexes: A novel supramolecular Cd ²⁺ complex with two 1D helical chains, and its Hirshfeld surface analysis. 2023 , 1272, 134051		0

31	Synthesis of 5-Substituted-1H-Tetrazoles from Nitriles and Azides in a Betaine-Diol-Based Deep Eutectic Solvent. 2022 , 7,	0
30	Potential of Dual Drug Delivery Systems: MOF as Hybrid Nanocarrier for Dual Drug Delivery in Cancer Treatment. 2022 , 7,	2
29	Multi-topic Carboxylates as Versatile Building Blocks for the Design and Synthesis of Multifunctional MOFs Based on Alkaline Earth, Main Group and Transition Metals. 1-48	0
28	Fast preparation of Eu (BTB) MOFs in dielectric barrier discharge Liquid plasma for luminescent sensing of trace iron.	0
27	Two amino acid Cu (II)-MOFs via one-pot method: Exhibiting good catalytic effect on the thermal decomposition of ammonium perchlorate and hexogen. 2022 , 316, 123551	0
26	Chiral Mesostructured Inorganic Materials with Optical Chiral Response. 2205088	2
25	Metal-organic frameworks tricks in asymmetric catalysis. 2022 ,	0
24	Metal organic frameworks and their composites as effective tools for sensing environmental hazards: An up to date tale of mechanism, current trends and future prospects. 2023 , 474, 214859	2
23	Ionic Metal-Organic Frameworks (iMOFs): Progress and Prospects as Ionic Functional Materials.	1
22	Post-synthetic modification of NH ₂ -MIL88B(Fe) with sulfonic acid groups for acid-catalyzed epoxide ring-opening reaction.	0
21	Review on Metal Organic Framework Classification, Synthetic Approaches, and Influencing Factors: Applications in Energy, Drug Delivery, and Wastewater Treatment. 2022 , 7, 44507-44531	2
20	Two pillared-layer metal organic frameworks based on the pinwheel trinuclear carboxylate-clusters of Zn(ii) and Co(ii): synthesis, crystal structures, magnetic study, and Lewis acid catalysis.	0
19	Early-Stage Formation of the SIFSIX-3-Zn Metal Organic Framework: An Automated Computational Study.	0
18	Atomistic Simulation of Soft Porous Coordination Polymers.	0
17	Supramolecular Self-Assembly Based on Symmetric Tetramethyl-Substituted Cucurbit[6]uril and Small Aromatic Amines. 2023 , 106, 277	0
16	High-throughput screening of hypothetical metal-organic frameworks for thermal conductivity. 2023 , 9,	0
15	Multi-stimuli responsive Cu-MOFs@Keratin drug delivery system for chemodynamic therapy. 11,	0
14	An ultrastable La-MOF for catalytic hydrogen transfer of furfural: in situ activation of the surface. 2023 , 15, 6645-6654	0

- 13 Electrochemical deposition for metal organic Frameworks: Advanced Energy, Catalysis, sensing and separation applications. **2023**, 937, 117417 ○
- 12 Chiral metal-organic frameworks materials for racemate resolution. **2023**, 484, 215120 ○
- 11 Enhanced photocatalytic activity of MIL-88 a impregnated with Ag₃PO₄/GCN for the degradation of diclofenac sodium. **2023**, 292, 116453 ○
- 10 Recent advances in adsorption of environmental pollutants using metal-organic frameworks-based hydrogels. **2023**, 231, 123333 1
- 9 Review on sustainable synthesis of semi-amorphous Ti-BDS MOF material, activated carbon, and graphene. **2023**, ○
- 8 Coinage Metal Bis(amidinate) Complexes as Building Blocks for Self-Assembled One-Dimensional Coordination Polymers. ○
- 7 Amide Functionalized Mesoporous MOF LOCOM-1 as a Stable Highly Active Basic Catalyst for Knoevenagel Condensation Reaction. **2023**, 8, 6638-6649 ○
- 6 Enhancement of the Solubility of BS Class II Drugs with MOF and MOF/GO Composite Materials: Case Studies of Felodipine, Ketoprofen and Ibuprofen. **2023**, 16, 1554 ○
- 5 Post-Synthetic Surface Modification of Metal-Organic Frameworks and Their Potential Applications. **2023**, 7, ○
- 4 Monitoring the Activation of Open Metal Sites in [FexM₃(B-O)] Cluster-Based Metal-Organic Frameworks by Single-Crystal X-ray Diffraction. **2023**, 145, 4736-4745 ○
- 3 Dynamic Bond-Directed Synthesis of Stable Mesoporous Metal-Organic Frameworks under Room Temperature. ○
- 2 Exploring Functional Photonic Devices made from a Chiral Metal-Organic Framework Material by a Multiscale Computational Method. ○
- 1 Crystal Engineering of a Chiral Crystalline Sponge That Enables Absolute Structure Determination and Enantiomeric Separation. ○