

CITATION REPORT

List of articles citing

Neurotoxicity induces cleavage of p35 to p25 by calpain

DOI: 10.1038/35012636
Nature, 2000, 405, 360-4.

Source: <https://exaly.com/paper-pdf/31437914/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
936	Variability in gene expression patterns of Ewing tumor cell lines differing in EWS-FLI1 fusion type. 2000 , 80, 1833-44		30
935	Antisense RNA-mediated deficiency of the calpain protease, nCL-4, in NIH3T3 cells is associated with neoplastic transformation and tumorigenesis. 2000 , 275, 31093-8		31
934	Multiple mechanisms underlie neurotoxicity by different types of Alzheimer's disease mutations of amyloid precursor protein. 2000 , 275, 34541-51		55
933	Cross-talk between two cysteine protease families. Activation of caspase-12 by calpain in apoptosis. 2000 , 150, 887-94		1005
932	Cyclin-dependent kinase 5 colocalizes with phosphorylated tau in human inclusion-body myositis paired-helical filaments and may play a role in tau phosphorylation. 2000 , 293, 33-6		16
931	Cell cycle regulators in neuronal death evoked by excitotoxic stress: implications for neurodegeneration and its treatment. 2000 , 21, 771-81		131
930	A LIS1/NUDEL/cytoplasmic dynein heavy chain complex in the developing and adult nervous system. 2000 , 28, 681-96		446
929	More cables to Abl. 2000 , 26, 543-4		3
928	Neurodegenerative tauopathies. 2001 , 24, 1121-59		2089
927	Regulation of cyclin-dependent kinase 5 and casein kinase 1 by metabotropic glutamate receptors. 2001 , 98, 11062-8		104
926	The levels of cdk5 and p35 proteins and tau phosphorylation are reduced during neuronal apoptosis. 2001 , 280, 998-1002		28
925	A Cdk5-p35 stable complex is involved in the beta-amyloid-induced deregulation of Cdk5 activity in hippocampal neurons. 2001 , 264, 266-74		109
924	Coexpression of human cdk5 and its activator p35 with human protein tau in neurons in brain of triple transgenic mice. 2001 , 8, 32-44		72
923	A biochemical theory to explain the cause of bovine spongiform encephalopathy and other encephalopathies. 2001 , 56, 608-16		3
922	Involvement of cyclin dependent kinase5 activator p25 on tau phosphorylation in mouse brain. 2001 , 306, 37-40		73
921	Ethanol induced changes in cyclin-dependent kinase-5 activity and its activators, P35, P67 (Munc-18) in rat brain. 2001 , 308, 173-6		15
920	Tau and transgenic animal models. 2001 , 35, 266-86		125

919	The calpain family and human disease. 2001 , 7, 355-62	378
918	Deregulation of Cdk5 in a mouse model of ALS: toxicity alleviated by perikaryal neurofilament inclusions. 2001 , 30, 135-47	295
917	Structure and regulation of the CDK5-p25(nck5a) complex. 2001 , 8, 657-69	220
916	Calpain-mediated degradation of p35 to p25 in postmortem human and rat brains. 2001 , 489, 46-50	116
915	Calpain function in the modulation of signal transduction molecules. 2001 , 382, 743-51	78
914	Reduced cell migration and disruption of the actin cytoskeleton in calpain-deficient embryonic fibroblasts. 2001 , 276, 48382-8	197
913	Beta-amyloid induces neuronal apoptosis via a mechanism that involves the c-Jun N-terminal kinase pathway and the induction of Fas ligand. 2001 , 21, 7551-60	419
912	Alzheimer's disease: genes, proteins, and therapy. 2001 , 81, 741-66	4885
911	Insulin-like growth factor I (IGF-I) protects cells from apoptosis by Alzheimer's V642I mutant amyloid precursor protein through IGF-I receptor in an IGF-binding protein-sensitive manner. 2001 , 21, 1902-10	73
910	p35 and p39 are essential for cyclin-dependent kinase 5 function during neurodevelopment. 2001 , 21, 6758-71	329
909	Compartmentalized tau hyperphosphorylation and increased levels of kinases in transgenic mice. 2001 , 12, 2007-16	41
908	The cyclin-dependent kinases cdk2 and cdk5 act by a random, anticooperative kinetic mechanism. 2001 , 276, 48292-9	44
907	Amyloid metabolism and secretases in Alzheimer's disease. 2001 , 1, 422-7	19
906	Cytoskeletal mechanisms of neuronal degeneration. 2001 , 305, 255-65	49
905	CEP-1347/KT-7515, an inhibitor of SAPK/JNK pathway activation, promotes survival and blocks multiple events associated with Abeta-induced cortical neuron apoptosis. 2001 , 77, 849-63	144
904	The protein kinase Cdk5. 2001 , 268, 1518-1527	109
903	Cyclin-dependent protein kinase 5 (Cdk5) and the regulation of neurofilament metabolism. 2001 , 268, 1534-1546	85
902	Calpain-dependent proteolysis of merlin occurs by oxidative stress in meningiomas: a novel hypothesis of tumorigenesis. 2001 , 92, 2662-72	13

901	Knot tied around an octahedral metal centre. <i>Nature</i> , 2001 , 411, 763	50.4	71
900	p25 protein in neurodegeneration. <i>Nature</i> , 2001 , 411, 763-4; discussion 764-5	50.4	88
899	reply: Neurobiologyp25 protein in neurodegeneration. <i>Nature</i> , 2001 , 411, 764-765	50.4	34
898	Alzheimer's disease and Abeta toxicity: from top to bottom. 2001 , 2, 595-8		339
897	A decade of CDK5. 2001 , 2, 749-59		898
896	p35/cdk5 binds and phosphorylates β catenin and regulates β catenin/presenilin-1 interaction. 2001 , 13, 241-247		4
895	Different expression patterns for ubiquitous calpains and Capn3 splice variants in monkey ocular tissues. 2001 , 1519, 55-64		26
894	The molecular bases of Alzheimer's disease and other neurodegenerative disorders. 2001 , 32, 367-81		331
893	Transplanted long-term cultured pre-B1 cells expressing calpastatin are resistant to B cell receptor-induced apoptosis. 2001 , 194, 247-54		21
892	Inhibition of protein phosphatase 2A overrides tau protein kinase I/glycogen synthase kinase 3 beta and cyclin-dependent kinase 5 inhibition and results in tau hyperphosphorylation in the hippocampus of starved mouse. 2001 , 276, 34298-306		156
891	Calpain Function in the Modulation of Signal Transduction Molecules. 2001 , 382,		84
890	Alzheimer's disease: its diagnosis and pathogenesis. 2001 , 48, 167-217		15
889	Amyloid-beta induces chemotaxis and oxidant stress by acting at formylpeptide receptor 2, a G protein-coupled receptor expressed in phagocytes and brain. 2001 , 276, 23645-52		114
888	Calpain mutants with increased Ca ²⁺ sensitivity and implications for the role of the C(2)-like domain. 2001 , 276, 7404-7		43
887	Cyclin-dependent kinases and stroke. 2001 , 5, 557-567		9
886	C/EBPalpha is required for proteolytic cleavage of cyclin A by calpain 3 in myeloid precursor cells. 2002 , 277, 33848-56		23
885	Inflammation, apoptosis, and Alzheimer's disease. 2002 , 8, 276-83		50
884	The protein SET binds the neuronal Cdk5 activator p35nck5a and modulates Cdk5/p35nck5a activity. 2002 , 277, 7324-32		54

883	GC box-binding transcription factors control the neuronal specific transcription of the cyclin-dependent kinase 5 regulator p35. 2002 , 277, 4455-64	39
882	Truncation of CDK5 activator p35 induces intensive phosphorylation of Ser202/Thr205 of human tau. 2002 , 277, 44525-30	114
881	Functional recovery of cholinergic basal forebrain neurons under disease conditions: old problems, new solutions?. 2002 , 13, 95-165	37
880	Detection and Analysis of Synaptosis. 2002 , 177-203	
879	Molecular mechanisms for neuronal cell death by Alzheimer's amyloid precursor protein-relevant insults. 2002 , 11, 236-50	49
878	Neuropathobiology in transgenic mice. The case of Alzheimer's disease. 2003 , 209, 333-61	2
877	Calpain-dependent cleavage of cain/cabin1 activates calcineurin to mediate calcium-triggered cell death. 2002 , 99, 9870-5	103
876	Tau protein phosphorylation as a therapeutic target in Alzheimer's disease. 2002 , 2, 395-415	49
875	Olfactory receptor neurons prevent dissemination of neurovirulent influenza A virus into the brain by undergoing virus-induced apoptosis. 2002 , 83, 2109-2116	60
874	Calpain-mediated cleavage of the cyclin-dependent kinase-5 activator p39 to p29. 2002 , 277, 8054-60	99
873	Mapping the Progress of Alzheimer's and Parkinson's Disease. 2002 ,	2
872	Calpain activity regulates the cell surface distribution of amyloid precursor protein. Inhibition of calpains enhances endosomal generation of beta-cleaved C-terminal APP fragments. 2002 , 277, 36415-24	91
871	Klotho protein deficiency leads to overactivation of mu-calpain. 2002 , 277, 35503-8	46
870	Signaling events in amyloid beta-peptide-induced neuronal death and insulin-like growth factor I protection. 2002 , 277, 17649-56	152
869	Evidence and mechanisms of retrogenesis in Alzheimer's and other dementias: management and treatment import. 2002 , 17, 202-12	123
868	Increase of cdk5 is related to neurofibrillary pathology in progressive supranuclear palsy. 2002 , 58, 589-92	33
867	AbetaPP induces cdk5-dependent tau hyperphosphorylation in transgenic mice Tg2576. 2002 , 4, 417-30	107
866	Cyclin-dependent kinase-5/p35 phosphorylates Presenilin 1 to regulate carboxy-terminal fragment stability. 2002 , 20, 13-20	61

865	P301L tauopathy: confocal immunofluorescence study of perinuclear aggregation of the mutated protein. 2002 , 200, 85-93	20
864	Apoptosis Techniques and Protocols. 2002 ,	3
863	The Abl family kinases: mechanisms of regulation and signaling. 2002 , 85, 51-100	206
862	Transgenic Mouse. 2002 ,	4
861	A Ca(2+) switch aligns the active site of calpain. 2002 , 108, 649-60	273
860	Cleavage of the cyclin-dependent kinase 5 activator p35 to p25 does not induce tau hyperphosphorylation. 2002 , 298, 693-8	38
859	A survey of Cdk5 activator p35 and p25 levels in Alzheimer's disease brains. 2002 , 523, 58-62	133
858	Cdk5 behind the wheel: a role in trafficking and transport?. 2002 , 12, 28-36	147
857	Influence of phosphorylation of p35, an activator of cyclin-dependent kinase 5 (cdk5), on the proteolysis of p35. 2002 , 106, 50-6	19
856	In vivo role of caspases in excitotoxic neuronal death: generation and analysis of transgenic mice expressing baculoviral caspase inhibitor, p35, in postnatal neurons. 2002 , 108, 18-32	23
855	Pharmacological inhibitors of cyclin-dependent kinases. 2002 , 23, 417-25	478
854	Cdk5 sinks into ALS. 2002 , 25, 8-10	42
853	Pathways to motor neuron degeneration in transgenic mouse models. 2002 , 84, 1151-60	42
852	Mutation analysis of the calpastatin gene (CAST) in patients with Alzheimer's disease. 2002 , 320, 77-80	5
851	Chapter 4. Emerging themes in Alzheimer's disease research: Paradigm shift in drug discovery. 2002 , 37, 31-40	1
850	The role of tau in Alzheimer's disease. 2002 , 86, 615-27	50
849	The cyclin-dependent kinase 5 activators p35 and p39 interact with the alpha-subunit of Ca2+/calmodulin-dependent protein kinase II and alpha-actinin-1 in a calcium-dependent manner. 2002 , 22, 7879-91	106
848	Cdk5/p35 regulates neurotransmitter release through phosphorylation and downregulation of P/Q-type voltage-dependent calcium channel activity. 2002 , 22, 2590-7	172

847	Deregulation of cdk5, hyperphosphorylation, and cytoskeletal pathology in the Niemann-Pick type C murine model. 2002 , 22, 6515-25	165
846	A novel, extraneuronal role for cyclin-dependent protein kinase 5 (CDK5): modulation of cAMP-induced apoptosis in rat leukemia cells. 2002 , 277, 20783-93	50
845	Controversies over p25 in Alzheimer's disease. 2002 , 4, 123-6	27
844	Rapid tyrosine phosphorylation of neuronal proteins including tau and focal adhesion kinase in response to amyloid-beta peptide exposure: involvement of Src family protein kinases. 2002 , 22, 10-20	205
843	Cyclin-dependent kinases as potential targets to improve stroke outcome. 2002 , 93, 135-43	38
842	p35/Cdk5 pathway mediates soluble amyloid-beta peptide-induced tau phosphorylation in vitro. 2002 , 69, 362-72	79
841	Death and survival of neuronal cells exposed to Alzheimer's insults. 2002 , 70, 380-91	62
840	Metal ion chelation in neurodegenerative disorders. 2002 , 56, 300-309	36
839	Calpain inhibitors: a treatment for Alzheimer's disease. 2002 , 19, 135-41	47
838	Calpain immunoreactivity and morphological damage in chinchilla inner ears after carboplatin. 2002 , 3, 68-79	27
837	Neurotoxic mechanisms triggered by Alzheimer's disease-linked mutant M146L presenilin 1: involvement of NO synthase via a novel pertussis toxin target. 2002 , 80, 426-37	35
836	Potential novel targets for Alzheimer pharmacotherapy: I. Secretases. 2002 , 27, 169-83	23
835	Aspirin provides cyclin-dependent kinase 5-dependent protection against subsequent hypoxia/reoxygenation damage in culture. 2002 , 82, 329-35	32
834	Disruption of neurogenesis by amyloid beta-peptide, and perturbed neural progenitor cell homeostasis, in models of Alzheimer's disease. 2002 , 83, 1509-24	398
833	Identification of the N-terminal functional domains of Cdk5 by molecular truncation and computer modeling. 2002 , 48, 447-53	63
832	Cyclin dependent kinase 5 and its interacting proteins in cell death induced in vivo by cyclophosphamide in developing mouse embryos. 2002 , 9, 421-30	19
831	Caspase-independent photoreceptor apoptosis in vivo and differential expression of apoptotic protease activating factor-1 and caspase-3 during retinal development. 2002 , 9, 1220-31	125
830	Cycling at the interface between neurodevelopment and neurodegeneration. 2002 , 9, 1294-306	125

829	Inhibition of cyclin-dependent kinases improves CA1 neuronal survival and behavioral performance after global ischemia in the rat. 2002 , 22, 171-82		96
828	Expression of 150-kd oxygen-regulated protein in the hippocampus suppresses delayed neuronal cell death. 2002 , 22, 979-87		30
827	Cyclin-dependent kinase 5 prevents neuronal apoptosis by negative regulation of c-Jun N-terminal kinase 3. 2002 , 21, 324-33		106
826	Discovery of compounds that will prevent tau pathology. 2002 , 19, 261-6		11
825	Cdk5 as a drug target for the treatment of Alzheimer's disease. 2002 , 19, 267-73		50
824	Tau neurofibrillary pathology and microtubule stability. 2002 , 19, 289-93		51
823	Presenilins and APP in neuritic and synaptic plasticity: implications for the pathogenesis of Alzheimer's disease. 2002 , 2, 167-96		31
822	Cyclin-dependent kinase 5 (CDK5) and neuronal cell death. 2003 , 312, 1-8		63
821	Gene discovery and validation for neurodegenerative diseases. 2003 , 8, 39-46		17
820	Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?. <i>Biochemical Pharmacology</i> , 2003 , 66, 1619-25	6	43
819	Up-regulation of cDK5/p35 by oxidative stress in human neuroblastoma IMR-32 cells. 2003 , 88, 758-65		32
818	Early induction of secondary injury factors causing activation of calpain and mitochondria-mediated neuronal apoptosis following spinal cord injury in rats. 2003 , 73, 95-104		82
817	Proline-directed phosphorylation and isomerization in mitotic regulation and in Alzheimer's Disease. 2003 , 25, 174-81		69
816	Stabilization of the cyclin-dependent kinase 5 activator, p35, by paclitaxel decreases beta-amyloid toxicity in cortical neurons. 2003 , 84, 347-62		59
815	Peripherin-mediated death of motor neurons rescued by overexpression of neurofilament NF-H proteins. 2003 , 85, 248-56		46
814	Brain levels of CDK5 activator p25 are not increased in Alzheimer's or other neurodegenerative diseases with neurofibrillary tangles. 2003 , 86, 572-81		74
813	Distinct cleavage patterns of normal and pathologic forms of alpha-synuclein by calpain I in vitro. 2003 , 86, 836-47		129
812	Amyloid-beta-induced toxicity of primary neurons is dependent upon differentiation-associated increases in tau and cyclin-dependent kinase 5 expression. 2004 , 88, 554-63		66

811	Improved reversal learning and altered fear conditioning in transgenic mice with regionally restricted p25 expression. 2003 , 18, 423-31	77
810	Cdk5 activation induces hippocampal CA1 cell death by directly phosphorylating NMDA receptors. 2003 , 6, 1039-47	231
809	The regulation of cyclin-dependent kinase 5 activity through the metabolism of p35 or p39 Cdk5 activator. 2003 , 12, 221-9	81
808	The calpain system. 2003 , 83, 731-801	2232
807	Synaptic plasticity and cell cycle activation in neurons are alternative effector pathways: the 'Dr. Jekyll and Mr. Hyde concept' of Alzheimer's disease or the yin and yang of neuroplasticity. 2003 , 71, 83-248	158
806	Apoptosis-associated tyrosine kinase is a Cdk5 activator p35 binding protein. 2003 , 310, 398-404	22
805	Regulation of amyloid precursor protein (APP) phosphorylation and processing by p35/Cdk5 and p25/Cdk5. 2003 , 547, 193-6	85
804	Neuroprotective action of flavopiridol, a cyclin-dependent kinase inhibitor, in colchicine-induced apoptosis. 2003 , 45, 672-83	38
803	Poly-arginine-fused calpastatin peptide, a living cell membrane-permeable and specific inhibitor for calpain. 2003 , 47, 131-5	28
802	Calpain in the pathophysiology of spinal cord injury: neuroprotection with calpain inhibitors. 2003 , 42, 169-85	150
801	Traffic at the intersection of neurotrophic factor signaling and neurodegeneration. 2003 , 26, 73-80	120
800	Benzoylalanine-derived ketoamides carrying vinylbenzyl amino residues: discovery of potent water-soluble calpain inhibitors with oral bioavailability. 2003 , 46, 2404-12	61
799	Inhibition of CDK5 is protective in necrotic and apoptotic paradigms of neuronal cell death and prevents mitochondrial dysfunction. 2003 , 24, 489-502	86
798	Cdk5 is a key factor in tau aggregation and tangle formation in vivo. 2003 , 38, 555-65	428
797	Aberrant Cdk5 activation by p25 triggers pathological events leading to neurodegeneration and neurofibrillary tangles. 2003 , 40, 471-83	494
796	Tau phosphorylation, tangles, and neurodegeneration: the chicken or the egg?. 2003 , 40, 457-60	117
795	Calcium-dependent and aspartyl proteases in neurodegeneration and ageing in <i>C. elegans</i> . 2003 , 2, 451-71	13
794	Cyclin-dependent kinase-5 is involved in neuregulin-dependent activation of phosphatidylinositol 3-kinase and Akt activity mediating neuronal survival. 2003 , 278, 35702-9	123

793	Protein-protein interactions in Cdk5 regulation and function. 2003 , 12, 230-8	27
792	Tau phosphorylation by cyclin-dependent kinase 5/p39 during brain development reduces its affinity for microtubules. 2003 , 278, 10506-15	66
791	Upstream signaling pathways leading to the activation of double-stranded RNA-dependent serine/threonine protein kinase in beta-amyloid peptide neurotoxicity. 2003 , 278, 49819-27	74
790	Cdk5 regulates the organization of Nestin and its association with p35. 2003 , 23, 5090-106	123
789	Calpains mediate p53 activation and neuronal death evoked by DNA damage. 2003 , 278, 26031-8	70
788	The calpain domain of the maize DEK1 protein contains the conserved catalytic triad and functions as a cysteine proteinase. 2003 , 278, 34467-74	50
787	Mitotic-like tau phosphorylation by p25-Cdk5 kinase complex. 2003 , 278, 34026-34	73
786	Downregulation of neuronal cdk5/p35 in opioid addicts and opiate-treated rats: relation to neurofilament phosphorylation. 2003 , 28, 947-55	44
785	Role of cdk5 in the pathogenesis of Alzheimer's disease. 2003 , 12, 209-14	51
784	Modulation of the JNK and p38 pathways by cdk5 protein kinase in a transgenic mouse model of Alzheimer's disease. 2003 , 14, 2403-9	41
783	Chapter 12 Cytoskeletal Abnormalities in Amyotrophic Lateral Sclerosis/Motor Neuron Disease. 2003 , 315-339	1
782	Partial rescue of the p35 ^{-/-} brain phenotype by low expression of a neuronal-specific enolase p25 transgene. 2003 , 23, 2769-78	33
781	Identification of a novel, membrane-associated neuronal kinase, cyclin-dependent kinase 5/p35-regulated kinase. 2003 , 23, 4975-83	55
780	Cell cycle regulators in the neuronal death pathway of amyotrophic lateral sclerosis caused by mutant superoxide dismutase 1. 2003 , 23, 2131-40	143
779	Calpain is a major cell death effector in selective striatal degeneration induced in vivo by 3-nitropropionate: implications for Huntington's disease. 2003 , 23, 5020-30	146
778	Cdk5 in neuroskeletal dynamics. 2003 , 12, 239-51	40
777	Cyclin-dependent kinases in neural development and degeneration. 2003 , 5, 329-35	40
776	Inhibition of calpains prevents neuronal and behavioral deficits in an MPTP mouse model of Parkinson's disease. 2003 , 23, 4081-91	246

775	Insulin receptor substrate-2 deficiency impairs brain growth and promotes tau phosphorylation. 2003 , 23, 7084-92	378
774	Developmental regulation of the proteolysis of the p35 cyclin-dependent kinase 5 activator by phosphorylation. 2003 , 23, 1189-97	80
773	Cyclin-dependent kinase 5 in amyotrophic lateral sclerosis. 2003 , 12, 215-20	56
772	Recent evidence regarding a role for Cdk5 dysregulation in Alzheimer's disease. 2004 , 1, 33-8	47
771	Block of long-term potentiation by naturally secreted and synthetic amyloid beta-peptide in hippocampal slices is mediated via activation of the kinases c-Jun N-terminal kinase, cyclin-dependent kinase 5, and p38 mitogen-activated protein kinase as well as metabotropic glutamate receptor type 5. 2004 , 24, 3370-8	398
770	Calpain activation by cooperative Ca ²⁺ binding at two non-EF-hand sites. 2004 , 279, 6106-14	45
769	ORP150/HSP12A regulates Purkinje cell survival: a role for endoplasmic reticulum stress in cerebellar development. 2004 , 24, 1486-96	65
768	Critical role of calpain-mediated cleavage of calcineurin in excitotoxic neurodegeneration. 2004 , 279, 4929-40	179
767	Involvement of Cdk5/p25 in digoxin-triggered prostate cancer cell apoptosis. 2004 , 279, 29302-7	76
766	Cathepsin-dependent apoptosis triggered by supraoptimal activation of T lymphocytes: a possible mechanism of high dose tolerance. 2004 , 172, 5405-14	59
765	Calcium dyshomeostasis in beta-amyloid and tau-bearing skeletal myotubes. 2004 , 279, 53524-32	25
764	p35/cyclin-dependent kinase 5 phosphorylation of ras guanine nucleotide releasing factor 2 (RasGRF2) mediates Rac-dependent Extracellular Signal-regulated kinase 1/2 activity, altering RasGRF2 and microtubule-associated protein 1b distribution in neurons. 2004 , 24, 4421-31	52
763	Tumor necrosis factor death receptor signaling cascade is required for amyloid-beta protein-induced neuron death. 2004 , 24, 1760-71	148
762	Cdk5 regulates axonal transport and phosphorylation of neurofilaments in cultured neurons. 2004 , 117, 933-41	63
761	Capn5 is expressed in a subset of T cells and is dispensable for development. 2004 , 24, 1649-54	21
760	Protein kinase CK2 is an inhibitor of the neuronal Cdk5 kinase. 2004 , 279, 46668-73	18
759	On the sequential determinants of calpain cleavage. 2004 , 279, 20775-85	245
758	The pathogenic activation of calpain: a marker and mediator of cellular toxicity and disease states. 2000 , 81, 323-39	78

757	Cyclin-dependent kinase-5 in neurodegeneration. 2004 , 88, 1313-26	122
756	Increased MAP kinase activity in Alzheimer's and Down syndrome but not in schizophrenia human brain. 2004 , 19, 2711-9	129
755	Cyclosporin A enhances colchicine-induced apoptosis in rat cerebellar granule neurons. 2004 , 141, 661-9	4
754	Pathways towards and away from Alzheimer's disease. <i>Nature</i> , 2004 , 430, 631-9	50.4 2342
753	A Jekyll and Hyde kinase: roles for Cdk5 in brain development and disease. 2004 , 14, 390-4	144
752	Ca ²⁺ -dependent proteases in ischemic neuronal death: a conserved 'calpain-cathepsin cascade' from nematodes to primates. 2004 , 36, 285-93	180
751	The effect of cdk-5 overexpression on tau phosphorylation and spatial memory of rat. 2004 , 47, 251-7	12
750	Studies on aromatic compounds: inhibition of calpain I by biphenyl derivatives and peptide-biphenyl hybrids. 2004 , 14, 2753-7	21
749	Calpain activates caspase-3 during UV-induced neuronal death but only calpain is necessary for death. 2002 , 82, 1208-20	52
748	Mutant superoxide dismutase 1 causes motor neuron degeneration independent of cyclin-dependent kinase 5 activation by p35 or p25. 2004 , 88, 1295-304	16
747	Activation of calpain-1 in myelin and microglia in the white matter of the aged rhesus monkey. 2004 , 89, 430-41	26
746	alpha1 Integrin activation: a link between beta-amyloid deposition and neuronal death in aging hippocampal neurons. 2004 , 75, 688-97	33
745	Effects of cyclin-dependent kinase-5 activity on apoptosis and tau phosphorylation in immortalized mouse brain cortical cells. 2004 , 76, 110-20	22
744	Cyclin-dependent kinase 5 increases perikaryal neurofilament phosphorylation and inhibits neurofilament axonal transport in response to oxidative stress. 2004 , 76, 795-800	48
743	Oxidative stress-induced death in the nervous system: cell cycle dependent or independent?. 2004 , 77, 621-9	61
742	Cdk5, a therapeutic target for Alzheimer's disease?. 2004 , 1697, 137-42	80
741	Neuronal cyclin-dependent kinase 5: role in nervous system function and its specific inhibition by the Cdk5 inhibitory peptide. 2004 , 1697, 143-53	55
740	Neurons as sensors: individual and cascaded chemical sensing. 2004 , 19, 1599-610	16

739	A Jekyll and Hyde kinase: roles for Cdk5 in brain development and disease. 2004 , 14, 390-390	1
738	Klotho deficient mouse: an in vivo model for human aging. 2004 , 1, 223-227	3
737	Interleukin-6 induces Alzheimer-type phosphorylation of tau protein by deregulating the cdk5/p35 pathway. 2004 , 295, 245-57	265
736	Expression of Ca(2+)-permeable AMPA receptor channels primes cell death in transient forebrain ischemia. 2004 , 43, 43-55	171
735	Presenilin-1-deficient neurons are nitric oxide-dependently killed by hydrogen peroxide in vitro. 2004 , 125, 563-8	5
734	Cyclin-dependent kinase inhibitors attenuate protein hyperphosphorylation, cytoskeletal lesion formation, and motor defects in Niemann-Pick Type C mice. 2004 , 165, 843-53	85
733	Cdk5 deregulation in the pathogenesis of Alzheimer's disease. 2004 , 10, 452-8	205
732	CDKs: taking on a role as mediators of dopaminergic loss in Parkinson's disease. 2004 , 10, 445-51	35
731	Cdk5: mediator of neuronal death and survival. 2004 , 361, 47-51	71
730	Both N-methyl-D-aspartate (NMDA) and non-NMDA receptors mediate glutamate-induced cleavage of the cyclin-dependent kinase 5 (cdk5) activator p35 in cultured rat hippocampal neurons. 2004 , 368, 181-5	36
729	Crystal structures of calpain-E64 and -leupeptin inhibitor complexes reveal mobile loops gating the active site. 2004 , 343, 1313-26	71
728	Alpha-chimaerin exists in a functional complex with the Cdk5 kinase in brain. 2004 , 561, 177-80	29
727	Animal models of motor neuron death. 2004 , 201-218	1
726	Defining Cdk5 ligand chemical space with small molecule inhibitors of tau phosphorylation. 2005 , 12, 811-23	53
725	Role of nonfeminizing estrogens in brain protection from cerebral ischemia: an animal model of Alzheimer's disease neuropathology. 2005 , 1052, 233-42	37
724	Inhibition of multiple pathways accounts for the antiapoptotic effects of flavopiridol on potassium withdrawal-induced apoptosis in neurons. 2005 , 26, 71-84	10
723	Control of cyclin-dependent kinase 5 (Cdk5) activity by glutamatergic regulation of p35 stability. 2005 , 93, 502-12	74
722	Activation of latent cyclin-dependent kinase 5 (Cdk5)-p35 complexes by membrane dissociation. 2005 , 94, 1535-45	27

721	Sexual dimorphisms in the effect of low-level p25 expression on synaptic plasticity and memory. 2005 , 21, 3023-33		37
720	Inhibition of the cdk5/MEF2 pathway is involved in the antiapoptotic properties of calpain inhibitors in cerebellar neurons. 2005 , 145, 1103-11		24
719	A Cdk5 inhibitory peptide reduces tau hyperphosphorylation and apoptosis in neurons. 2005 , 24, 209-20		137
718	Evaluation of the neuronal apoptotic pathways involved in cytoskeletal disruption-induced apoptosis. <i>Biochemical Pharmacology</i> , 2005 , 70, 470-80	6	15
717	Proteolysis of neuronal cytoskeletal proteins by calpain contributes to rat retinal cell death induced by hypoxia. 2005 , 1050, 148-55		38
716	E2F1 induces cell death, calpain activation, and MDMX degradation in a transcription independent manner implicating a novel role for E2F1 in neuronal loss in SIV encephalitis. 2005 , 96, 728-40		20
715	Very low levels of methylmercury induce cell death of cultured rat cerebellar neurons via calpain activation. 2005 , 213, 97-106		43
714	Role of the JAKs/STATs pathway in the intracellular calcium changes induced by interleukin-6 in hippocampal neurons. 2005 , 8, 295-304		57
713	Retinoic acid isomers protect hippocampal neurons from amyloid-beta induced neurodegeneration. 2005 , 7, 243-50		34
712	The effect of cdk-5 overexpression and overactivation on tau hyperphosphorylation in cultured N2a cells. 2005 , 10, 472-476		1
711	Role of protein kinases in neurodegenerative disease: cyclin-dependent kinases in Alzheimer's disease. 2005 , 10, 143-59		32
710	Mecanismos neurobiológicos de la enfermedad de Alzheimer. 2005 , 43, 123		1
709	Calpain mediates excitotoxic DNA fragmentation via mitochondrial pathways in adult brains: evidence from calpastatin mutant mice. 2005 , 280, 16175-84		159
708	Phosphorylation of FTDP-17 mutant tau by cyclin-dependent kinase 5 complexed with p35, p25, or p39. 2005 , 280, 31522-9		33
707	p25/Cdk5-mediated retinoblastoma phosphorylation is an early event in neuronal cell death. 2005 , 118, 1291-8		85
706	Truncation and activation of calcineurin A by calpain I in Alzheimer disease brain. 2005 , 280, 37755-62		132
705	Therapeutic potential of CDK5 inhibitors to promote corneal epithelial wound healing. 2005 , 15, 875-887		4
704	Differential roles of nuclear and cytoplasmic cyclin-dependent kinase 5 in apoptotic and excitotoxic neuronal death. 2005 , 25, 8954-66		115

703	A {gamma}-secretase-independent mechanism of signal transduction by the amyloid precursor protein. 2005 , 280, 36895-904	72
702	Suppression of cyclin-dependent kinase 5 activation by amyloid precursor protein: a novel excitoprotective mechanism involving modulation of tau phosphorylation. 2005 , 25, 11542-52	71
701	Nuclear calpain regulates Ca ²⁺ -dependent signaling via proteolysis of nuclear Ca ²⁺ /calmodulin-dependent protein kinase type IV in cultured neurons. 2005 , 280, 2165-75	52
700	The generation of a 17 kDa neurotoxic fragment: an alternative mechanism by which tau mediates beta-amyloid-induced neurodegeneration. 2005 , 25, 5365-75	217
699	Cyclin-dependent kinase 5 mediates neurotoxin-induced degradation of the transcription factor myocyte enhancer factor 2. 2005 , 25, 4823-34	101
698	Increased tau phosphorylation on mitogen-activated protein kinase consensus sites and cognitive decline in transgenic models for Alzheimer's disease and FTDP-17: evidence for distinct molecular processes underlying tau abnormalities. 2005 , 25, 278-93	42
697	Distinct mechanistic roles of calpain and caspase activation in neurodegeneration as revealed in mice overexpressing their specific inhibitors. 2005 , 280, 15229-37	133
696	Lipopolysaccharide-induced inflammation exacerbates tau pathology by a cyclin-dependent kinase 5-mediated pathway in a transgenic model of Alzheimer's disease. 2005 , 25, 8843-53	514
695	Calpain I induces cleavage and release of apoptosis-inducing factor from isolated mitochondria. 2005 , 280, 6447-54	326
694	Regulation of N-methyl-D-aspartate receptors by calpain in cortical neurons. 2005 , 280, 21588-93	85
693	Calpain inhibitor inhibits p35-p25-Cdk5 activation, decreases tau hyperphosphorylation, and improves neurological function after spinal cord hemisection in rats. 2005 , 64, 15-26	40
692	Beta-amyloid-induced dynamin 1 depletion in hippocampal neurons. A potential mechanism for early cognitive decline in Alzheimer disease. 2005 , 280, 31746-53	107
691	Cleavage of alpha-synuclein by calpain: potential role in degradation of fibrillized and nitrated species of alpha-synuclein. 2005 , 44, 7818-29	94
690	Cdk5 inhibits anterograde axonal transport of neurofilaments but not that of tau by inhibition of mitogen-activated protein kinase activity. 2005 , 134, 338-44	22
689	Palmitic and stearic fatty acids induce Alzheimer-like hyperphosphorylation of tau in primary rat cortical neurons. 2005 , 384, 288-93	92
688	Tau phosphorylation: physiological and pathological consequences. 2005 , 1739, 280-97	289
687	Cleavage of the plasma membrane Na ⁺ /Ca ²⁺ exchanger in excitotoxicity. 2005 , 120, 275-85	464
686	Proteolytic mechanisms in necrotic cell death and neurodegeneration. 2005 , 579, 3287-96	102

685	Beta-Amyloid peptide25-35 depresses excitatory synaptic transmission in the rat basolateral amygdala "in vitro". 2005 , 26, 419-28	32
684	Altered p59Fyn kinase expression accompanies disease progression in Alzheimer's disease: implications for its functional role. 2005 , 26, 625-35	74
683	Association of cyclin-dependent kinase 5 and neuronal activators p35 and p39 complex in early-onset Alzheimer's disease. 2005 , 26, 1145-51	28
682	Opposing roles of transient and prolonged expression of p25 in synaptic plasticity and hippocampus-dependent memory. 2005 , 48, 825-38	232
681	Antipodal effects of p25 on synaptic plasticity, learning, and memory--too much of a good thing is bad. 2005 , 48, 711-2	6
680	Current concepts in therapeutic strategies targeting cognitive decline and disease modification in Alzheimer's disease. 2005 , 2, 612-26	72
679	Novel dimeric acetylcholinesterase inhibitor bis7-tacrine, but not donepezil, prevents glutamate-induced neuronal apoptosis by blocking N-methyl-D-aspartate receptors. 2005 , 280, 18179-88	86
678	Calpain-regulated p35/cdk5 plays a central role in dopaminergic neuron death through modulation of the transcription factor myocyte enhancer factor 2. 2006 , 26, 440-7	157
677	Alzheimer's disease and endocytic dysfunction: clues from the Down syndrome-related proteins, DSCR1 and ITSN1. 2006 , 5, 388-401	48
676	Role of CDK5 in neuroprotection from serum deprivation by mu-opioid receptor agonist. 2006 , 202, 313-23	19
675	Glutamate treatment and p25 transfection increase Cdk5 mediated tau phosphorylation in SH-SY5Y cells. 2006 , 345, 324-31	19
674	Gliotoxin induces caspase-dependent neurite degeneration and calpain-mediated general cytotoxicity in differentiated human neuroblastoma SH-SY5Y cells. 2006 , 345, 1068-74	18
673	Tributyltin-induced cell death is mediated by calpain in PC12 cells. 2006 , 27, 587-93	23
672	Elevation of cytoskeletal protein breakdown in aged Wistar rat brain. 2006 , 27, 624-32	22
671	Cyclin-dependent kinase 5, Munc18a and Munc18-interacting protein 1/X11alpha protein up-regulation in Alzheimer's disease. 2006 , 138, 511-22	31
670	Inhibition of calpain and caspase-3 prevented apoptosis and preserved electrophysiological properties of voltage-gated and ligand-gated ion channels in rat primary cortical neurons exposed to glutamate. 2006 , 139, 577-95	47
669	Pathogenesis of Alzheimer's Dementia. 2006 , 49, 717	
668	. 2006 ,	2

667	Deregulation of cdk5 in Hippocampal sclerosis. 2006 , 65, 55-66	24
666	Calpain activation in okadaic-acid-induced neurodegeneration. 2006 , 17, 689-92	13
665	Increased tau phosphorylation at the Ser396 epitope after amyloid beta-exposure in organotypic cultures. 2006 , 17, 907-11	18
664	Calpain is activated in degenerating photoreceptors in the rd1 mouse. 2006 , 96, 802-14	110
663	The radical scavenger CR-6 protects SH-SY5Y neuroblastoma cells from oxidative stress-induced apoptosis: effect on survival pathways. 2006 , 98, 735-47	25
662	Activity-dependent cleavage of brain glutamic acid decarboxylase 65 by calpain. 2006 , 98, 1688-95	13
661	Cyclin-dependent kinase 5 influences Rohon-Beard neuron survival in zebrafish. 2006 , 99, 251-9	18
660	Involvement of calpain activation in neurodegenerative processes. 2006 , 12, 135-48	97
659	Implication of calpain in neuronal apoptosis. A possible regulation of Alzheimer's disease. 2006 , 273, 3437-43	106
658	A Protease Activation Cascade in the Pathogenesis of Alzheimer's Disease. 2006 , 924, 117-131	68
657	Inhibition of the cdk5/p25 fragment formation may explain the antiapoptotic effects of melatonin in an experimental model of Parkinson's disease. 2006 , 40, 251-8	60
656	p53, Apaf-1, caspase-3, and -9 are dispensable for Cdk5 activation during cell death. 2006 , 13, 141-50	15
655	A nestin scaffold links Cdk5/p35 signaling to oxidant-induced cell death. 2006 , 25, 4808-19	132
654	Calpain and synaptic function. 2006 , 33, 215-36	117
653	Degradation of spectrin via calpains in the ventral horn after transient spinal cord ischemia in rabbits. 2006 , 31, 989-98	2
652	Calpain-induced proteolysis after transient global cerebral ischemia and ischemic tolerance in a rat model. 2006 , 31, 1433-41	13
651	An endoplasmic-reticulum-specific apoptotic pathway is involved in prion and amyloid-beta peptides neurotoxicity. 2006 , 23, 669-78	169
650	The cell cycle as a therapeutic target for Alzheimer's disease. 2006 , 111, 99-113	79

649	The modular systems biology approach to investigate the control of apoptosis in Alzheimer's disease neurodegeneration. 2006 , 7 Suppl 1, S2	36
648	Presence of calpain-induced proteolysis in retinal degeneration and dysfunction in a rat model of acute ocular hypertension. 2006 , 83, 1342-51	47
647	Enhanced activation of Ca ²⁺ /calmodulin-dependent protein kinase II upon downregulation of cyclin-dependent kinase 5-p35. 2006 , 84, 747-54	33
646	In Vitro Techniques. 2006 , 201-378	
645	Neuronal nuclear organization is controlled by cyclin-dependent kinase 5 phosphorylation of Ras Guanine nucleotide releasing factor-1. 2006 , 15, 157-73	18
644	Defective mitochondrial peroxiredoxin-3 results in sensitivity to oxidative stress in Fanconi anemia. 2006 , 175, 225-35	122
643	The role of tau phosphorylation in the pathogenesis of Alzheimer's disease. 2006 , 3, 449-63	110
642	Genetically modified mice models for Alzheimer's disease. 2006 , 6, 609-27	13
641	Molecular and biochemical features in Alzheimer's disease. 2006 , 12, 4389-408	62
640	Calpain inhibition: a therapeutic strategy targeting multiple disease states. 2006 , 12, 615-38	136
639	Neuronal cell death in Alzheimer's disease and a neuroprotective factor, humanin. 2006 , 4, 139-47	93
638	Identification of nuclear import mechanisms for the neuronal Cdk5 activator. 2006 , 281, 39014-21	43
637	Calcium-mediated transient phosphorylation of tau and amyloid precursor protein followed by intraneuronal amyloid-beta accumulation. 2006 , 281, 39907-14	85
636	Phosphorylation of actin-depolymerizing factor/cofilin by LIM-kinase mediates amyloid beta-induced degeneration: a potential mechanism of neuronal dystrophy in Alzheimer's disease. 2006 , 26, 6533-42	140
635	Cyclin-dependent kinase 5 activity regulates pain signaling. 2006 , 103, 791-6	95
634	p25/cyclin-dependent kinase 5 induces production and intraneuronal accumulation of amyloid beta in vivo. 2006 , 26, 10536-41	171
633	beta-Amyloid-induced dynamin 1 degradation is mediated by N-methyl-D-aspartate receptors in hippocampal neurons. 2006 , 281, 28079-89	198
632	Suppression of calpain-dependent cleavage of the CDK5 activator p35 to p25 by site-specific phosphorylation. 2007 , 282, 1687-94	57

631	The phosphorylation state of GluR1 subunits determines the susceptibility of AMPA receptors to calpain cleavage. 2007 , 282, 16434-40	26
630	Cdk5 regulates STAT3 activation and cell proliferation in medullary thyroid carcinoma cells. 2007 , 282, 2776-84	86
629	Development of calpain-specific inactivators by screening of positional scanning epoxide libraries. 2007 , 282, 9600-9611	33
628	Microtubule association of the neuronal p35 activator of Cdk5. 2007 , 282, 18666-70	32
627	Neuronal loss in primary long-term cortical culture involves neurodegeneration-like cell death via calpain and p35 processing, but not developmental apoptosis or aging. 2007 , 39, 14-26	28
626	Cdk5 Modulation of mitogen-activated protein kinase signaling regulates neuronal survival. 2007 , 18, 404-13	67
625	Statin therapy is associated with reduced neuropathologic changes of Alzheimer disease. 2007 , 69, 878-85	177
624	Inhibition of Pin1 reduces glutamate-induced perikaryal accumulation of phosphorylated neurofilament-H in neurons. 2007 , 18, 3645-55	46
623	Chapter 6 Animal models of motor neuron death. 2007 , 82, 121-38	
622	Tissue glucocorticoid sensitivity: beyond stochastic regulation on the diverse actions of glucocorticoids. 2007 , 39, 420-4	41
621	Cyclin-dependent kinase 5 differentially regulates the transcriptional activity of the glucocorticoid receptor through phosphorylation: clinical implications for the nervous system response to glucocorticoids and stress. 2007 , 21, 1552-68	108
620	Ischemia-induced neuronal cell death and stress response. 2007 , 9, 573-87	46
619	Regulation of s6 kinase 1 activation by phosphorylation at ser-411. 2007 , 282, 6922-8	26
618	The Cell Cycle and Oxidative Neuronal Cell Death. 2007 , 165-182	1
617	Neuronal morphogenesis is regulated by the interplay between cyclin-dependent kinase 5 and the ubiquitin ligase mind bomb 1. 2007 , 27, 9503-12	64
616	Increased immunoreactivity of cdk5 activators in hippocampal sclerosis. 2007 , 18, 511-6	10
615	Activation of cyclin-dependent kinase 5 (Cdk5) in primary sensory and dorsal horn neurons by peripheral inflammation contributes to heat hyperalgesia. 2007 , 127, 109-20	59
614	Role of Cdk5-mediated phosphorylation of Prx2 in MPTP toxicity and Parkinson's disease. 2007 , 55, 37-52	197

613	Rapsyn interaction with calpain stabilizes AChR clusters at the neuromuscular junction. 2007 , 55, 247-60	78
612	Beta-amyloid disrupted synaptic vesicle endocytosis in cultured hippocampal neurons. 2007 , 147, 60-70	69
611	Cdk5 is involved in NFT-like tauopathy induced by transient cerebral ischemia in female rats. 2007 , 1772, 473-83	110
610	Ischemia promotes calpain-mediated degradation of p120-catenin in SH-SY5Y cells. 2007 , 353, 547-52	11
609	Contribution of calpains to photoreceptor cell death in N-methyl-N-nitrosourea-treated rats. 2007 , 204, 39-48	30
608	Hyperphosphorylation of tau and neurofilaments and activation of CDK5 and ERK1/2 in PTEN-deficient cerebella. 2007 , 34, 400-8	18
607	Regulation of cyclin-dependent kinase 5 and p53 by ERK1/2 pathway in the DNA damage-induced neuronal death. 2007 , 210, 784-97	38
606	Calpain activity in retinal degeneration. 2007 , 85, 693-702	57
605	Calpain regulation of AMPA receptor channels in cortical pyramidal neurons. 2007 , 580, 241-54	35
604	Cyclin-dependent kinase 5 governs learning and synaptic plasticity via control of NMDAR degradation. 2007 , 10, 880-886	245
603	Untangling tau hyperphosphorylation in drug design for neurodegenerative diseases. 2007 , 6, 464-79	310
602	Abl deregulates Cdk5 kinase activity and subcellular localization in Drosophila neurodegeneration. 2007 , 14, 607-15	46
601	Truncations of amphiphysin I by calpain inhibit vesicle endocytosis during neural hyperexcitation. 2007 , 26, 2981-90	23
600	SIRT1 deacetylase protects against neurodegeneration in models for Alzheimer's disease and amyotrophic lateral sclerosis. 2007 , 26, 3169-79	865
599	Involvement of astroglial ceramide in palmitic acid-induced Alzheimer-like changes in primary neurons. 2007 , 26, 2131-41	87
598	Enterovirus 71 triggering of neuronal apoptosis through activation of Abl-Cdk5 signalling. 2007 , 9, 2676-88	52
597	Pathological tau tangles localize to focal cortical dysplasia in older patients. 2007 , 48, 1447-54	53
596	Glutamate receptor activation evokes calpain-mediated degradation of Sp3 and Sp4, the prominent Sp-family transcription factors in neurons. 2007 , 100, 1300-14	40

595	Hydrogen peroxide triggers the proteolytic cleavage and the inactivation of calcineurin. 2007 , 100, 1703-12	18
594	p25/cyclin-dependent kinase 5 promotes the progression of cell death in nucleus of endoplasmic reticulum-stressed neurons. 2007 , 102, 133-40	51
593	Activation of cyclin-dependent kinase 5 by calpains contributes to human immunodeficiency virus-induced neurotoxicity. 2007 , 103, 439-55	46
592	Differential regulation of the Cdk5-dependent phosphorylation sites of inhibitor-1 and DARPP-32 by depolarization. 2007 , 103, 1582-93	4
591	Neuroprotective effect of TNFalpha against the beta-amyloid neurotoxicity mediated by CDK5 kinase. 2007 , 1773, 254-63	27
590	The role of insulin and neurotrophic factor signaling in brain aging and Alzheimer's Disease. 2007 , 42, 10-21	153
589	Peptides derived from Cdk5 activator p35, specifically inhibit deregulated activity of Cdk5. 2007 , 2, 978-87	27
588	The complex p25/Cdk5 kinase in neurofibrillary degeneration and neuronal death: the missing link to cell cycle. 2007 , 2, 967-77	20
587	Cerebral ischemia, cell cycle elements and Cdk5. 2007 , 2, 958-66	28
586	Alternative roles for Cdk5 in learning and synaptic plasticity. 2007 , 2, 941-8	43
585	Dementia: The Significance of Cerebral Metabolic Disturbances in Alzheimer's Disease. Relation to Parkinson's Disease. 2007 , 189-232	
584	p35/Cyclin-dependent kinase 5 is required for protection against beta-amyloid-induced cell death but not tau phosphorylation by ceramide. 2007 , 31, 23-35	6
583	RNA and protein-dependent mechanisms in tauopathies: consequences for therapeutic strategies. <i>Cellular and Molecular Life Sciences</i> , 2007 , 64, 1701-14	10.3 31
582	Role of cyclin-dependent kinase 5 in the neurodegenerative process triggered by amyloid-Beta and prion peptides: implications for Alzheimer's disease and prion-related encephalopathies. <i>Cellular and Molecular Neurobiology</i> , 2007 , 27, 943-57	4.6 60
581	Tauopathy models and human neuropathology: similarities and differences. 2008 , 115, 39-53	35
580	An unusual member of the Cdk family: Cdk5. <i>Cellular and Molecular Neurobiology</i> , 2008 , 28, 351-69	4.6 133
579	Post-translational regulation of L-glutamic acid decarboxylase in the brain. 2008 , 33, 1459-65	51
578	The functional regulation of TRPV1 and its role in pain sensitization. 2008 , 33, 2008-12	35

577	Huperzine A provides neuroprotection against several cell death inducers using in vitro model systems of motor neuron cell death. 2008 , 13, 49-61	19
576	Packaging and functional identification of recombinant adeno-associated virus encoding cdc2-siRNA. 2008 , 28, 626-9	
575	Calpain-mediated signaling mechanisms in neuronal injury and neurodegeneration. 2008 , 38, 78-100	278
574	Cyclin-dependent kinase 5 is associated with risk for Alzheimer's disease in a Dutch population-based study. 2008 , 255, 655-62	11
573	Tau protein is hyperphosphorylated in a site-specific manner in apoptotic neuronal PC12 cells. 2000 , 75, 2346-57	39
572	N-acetylcysteine prevents beta-amyloid toxicity by a stimulatory effect on p35/cyclin-dependent kinase 5 activity in cultured cortical neurons. 2008 , 86, 2685-95	18
571	Involvement of cyclin-dependent kinase 5 in 2,5-hexanedione-induced neuropathy. 2008 , 248, 1-7	4
570	Alpha7 nicotinic acetylcholine receptor: a link between inflammation and neurodegeneration. 2008 , 32, 693-706	69
569	Tau-based treatment strategies in neurodegenerative diseases. 2008 , 5, 443-57	109
568	Transient enhanced expression of Cdk5 activator p25 after acute and chronic d-amphetamine administration. 2008 , 1139, 89-102	14
567	Cdk5 phosphorylates Cdh1 and modulates cyclin B1 stability in excitotoxicity. 2008 , 27, 2736-45	90
566	Mechanistic role of calpains in postischemic neurodegeneration. 2008 , 28, 655-73	116
565	Concomitant degradation of beta-catenin and GSK-3 beta potently contributes to glutamate-induced neurotoxicity in rat hippocampal slice cultures. 2008 , 106, 1066-77	23
564	Myristoylation of p39 and p35 is a determinant of cytoplasmic or nuclear localization of active cyclin-dependent kinase 5 complexes. 2008 , 106, 1325-36	85
563	Neuron-microglia crosstalk up-regulates neuronal FGF-2 expression which mediates neuroprotection against excitotoxicity via JNK1/2. 2008 , 107, 73-85	38
562	Deregulated Cdk5 promotes oxidative stress and mitochondrial dysfunction. 2008 , 107, 265-78	89
561	Heat shock protein 90: translation from cancer to Alzheimer's disease treatment?. 2008 , 9 Suppl 2, S7	46
560	Brain region-specificity of palmitic acid-induced abnormalities associated with Alzheimer's disease. 2008 , 1, 20	16

559	CDK5 activator p35 downregulates E-cadherin precursor independently of CDK5. 2008 , 582, 1197-202	11
558	Involvement of calpain and p25 of CDK5 pathway in ginsenoside Rb1's attenuation of beta-amyloid peptide25-35-induced tau hyperphosphorylation in cortical neurons. 2008 , 1200, 99-106	32
557	Green tea epigallocatechin-3-gallate (EGCG) reduces beta-amyloid mediated cognitive impairment and modulates tau pathology in Alzheimer transgenic mice. 2008 , 1214, 177-87	338
556	Arsenic-induced neurotoxicity in relation to toxicokinetics: effects on sciatic nerve proteins. 2008 , 176, 188-95	45
555	Negative regulation of cyclin-dependent kinase 5 targets by protein kinase C. <i>European Journal of Pharmacology</i> , 2008 , 581, 270-5	5:3 12
554	The release of calcium from the endoplasmic reticulum induced by amyloid-beta and prion peptides activates the mitochondrial apoptotic pathway. 2008 , 30, 331-342	166
553	Role of caspases, calpain and cdk5 in ammonia-induced cell death in developing brain cells. 2008 , 32, 281-92	28
552	Kynurenine diminishes the ischemia-induced histological and electrophysiological deficits in the rat hippocampus. 2008 , 32, 302-8	41
551	Lanthanide-based protease activity sensors for time-resolved fluorescence measurements. 2008 , 130, 14376-7	95
550	The novel calpain inhibitor A-705253 potently inhibits oligomeric beta-amyloid-induced dynamin 1 and tau cleavage in hippocampal neurons. 2008 , 53, 79-88	38
549	Transcriptional regulation of beta-secretase by p25/cdk5 leads to enhanced amyloidogenic processing. 2008 , 57, 680-90	162
548	Critical role of CDK5 and Polo-like kinase 2 in homeostatic synaptic plasticity during elevated activity. 2008 , 58, 571-83	181
547	Deregulation of HDAC1 by p25/Cdk5 in neurotoxicity. 2008 , 60, 803-17	233
546	A sequel to the tale of p25/Cdk5 in neurodegeneration. 2008 , 60, 731-2	12
545	Delayed administration of a potent cyclin dependent kinase and glycogen synthase kinase 3 beta inhibitor produces long-term neuroprotection in a hypoxia-ischemia model of brain injury. 2008 , 155, 864-75	18
544	Activation of the calpain/cdk5/p25 pathway in the girus cinguli in Parkinson's disease. 2008 , 14, 309-13	45
543	Multiple roles of the furrow deepening Ca ²⁺ transient during cytokinesis in zebrafish embryos. 2008 , 316, 228-48	31
542	Mechanism of arsenic-induced neurotoxicity may be explained through cleavage of p35 to p25 by calpain. 2008 , 22, 682-7	17

541	The Kinase Activity of Cdk5 and Its Regulation. 2008 , 171-190	3
540	Role of axonal transport in neurodegenerative diseases. 2008 , 31, 151-73	567
539	Kinetic studies of Cdk5/p25 kinase: phosphorylation of tau and complex inhibition by two prototype inhibitors. 2008 , 47, 8367-77	34
538	The aging brain. 2008 , 3, 41-66	425
537	Neurodegeneration and neuroinflammation in cdk5/p25-inducible mice: a model for hippocampal sclerosis and neocortical degeneration. 2008 , 172, 470-85	44
536	Neuroprotection by cell permeable TAT-mGluR1 peptide in ischemia: synergy between carrier and cargo sequences. 2008 , 14, 409-14	27
535	Nuclear localization of Cdk5 is a key determinant in the postmitotic state of neurons. 2008 , 105, 8772-7	91
534	DSCR1/RCAN1 regulates vesicle exocytosis and fusion pore kinetics: implications for Down syndrome and Alzheimer's disease. 2008 , 17, 1020-30	62
533	Combined kinase inhibition modulates parkin inactivation. 2009 , 18, 809-23	37
532	Identification of small molecule inhibitors of beta-amyloid cytotoxicity through a cell-based high-throughput screening platform. 2008 , 13, 870-8	14
531	Enhanced tau phosphorylation in the hippocampus of mice treated with 3,4-methylenedioxymethamphetamine ("Ecstasy"). 2008 , 28, 3234-45	41
530	Spatial learning impairment, enhanced CDK5/p35 activity, and downregulation of NMDA receptor expression in transgenic mice expressing tau-tubulin kinase 1. 2008 , 28, 14511-21	69
529	Identification of non-Alzheimer's disease tauopathies-related proteins by proteomic analysis. 2008 , 30, 613-22	8
528	WAVE1 controls neuronal activity-induced mitochondrial distribution in dendritic spines. 2008 , 105, 3112-6	90
527	Dopaminergic and glutamatergic signaling crosstalk in Huntington's disease neurodegeneration: the role of p25/cyclin-dependent kinase 5. 2008 , 28, 10090-101	100
526	Calmodulin binding and Cdk5 phosphorylation of p35 regulate its effect on microtubules. 2008 , 283, 13252-60	26
525	Marked calpastatin (CAST) depletion in Alzheimer's disease accelerates cytoskeleton disruption and neurodegeneration: neuroprotection by CAST overexpression. 2008 , 28, 12241-54	86
524	Cooperative roles of c-Abl and Cdk5 in regulation of p53 in response to oxidative stress. 2008 , 283, 19826-35	38

523	Casein kinase I delta/epsilon phosphorylates topoisomerase IIalpha at serine-1106 and modulates DNA cleavage activity. 2009 , 37, 382-92		29
522	Novel genetic tools reveal Cdk5's major role in Golgi fragmentation in Alzheimer's disease. 2008 , 19, 3052-69		76
521	The potential role of cyclin-dependent kinase 5 in focal cortical dysplasia. 2008 , 30, 96-104		7
520	Altered neuronal gene expression in brain regions differentially affected by Alzheimer's disease: a reference data set. 2008 , 33, 240-56		211
519	Regulation of hippocampal and behavioral excitability by cyclin-dependent kinase 5. 2009 , 4, e5808		25
518	Amyloid beta-protein toxicity and the pathogenesis of Alzheimer disease. 2009 , 284, 4755-9		153
517	Transcriptional analysis of estrogen effects in human embryonic neurons and glial cells. <i>Neuroendocrinology</i> , 2009 , 89, 171-86	5.6	11
516	Is abnormal axonal transport a cause, a contributing factor or a consequence of the neuronal pathology in Alzheimer's disease?. 2009 , 4, 761-773		30
515	Pharmacology of the intracellular pathways activated by amyloid beta protein. 2009 , 9, 724-40		16
514	Cell cycle re-entry in Alzheimer's disease: a major neuropathological characteristic?. 2009 , 6, 205-12		23
513	Molecular pathology of neuro-AIDS (CNS-HIV). 2009 , 10, 1045-63		60
512	Commitment of 1-methyl-4-phenylpyridinium ion-induced neuronal cell death by proteasome-mediated degradation of p35 cyclin-dependent kinase 5 activator. 2009 , 284, 26029-39		26
511	Direct and indirect roles of cyclin-dependent kinase 5 as an upstream regulator in the c-Jun NH2-terminal kinase cascade: relevance to neurotoxic insults in Alzheimer's disease. 2009 , 20, 4611-9		47
510	Amyloid-beta42 signals tau hyperphosphorylation and compromises neuronal viability by disrupting alkylacylglycerophosphocholine metabolism. 2009 , 106, 20936-41		57
509	Isradipine antagonizes hypobaric hypoxia induced CA1 damage and memory impairment: Complementary roles of L-type calcium channel and NMDA receptors. 2009 , 34, 230-44		36
508	Calcium in the initiation, progression and as an effector of Alzheimer's disease pathology. 2009 , 13, 2787-99		40
507	Neuronal death in Alzheimer's disease and therapeutic opportunities. 2009 , 13, 4329-48		71
506	N-(4-Hydroxyphenyl) retinamide potentiated paclitaxel for cell cycle arrest and apoptosis in glioblastoma C6 and RG2 cells. 2009 , 1268, 142-153		12

505	Advances in the development of kinase inhibitor therapeutics for Alzheimer's disease. 2009 , 70, 125-144		24
504	Calpain-mediated truncation of GSK-3 in post-mortem brain samples. 2009 , 87, 1156-61		15
503	PHF-like tau phosphorylation in mammalian hibernation is not associated with p25-formation. 2009 , 116, 345-50		15
502	Zebrafish Rohon-Beard neuron development: cdk5 in the midst. 2009 , 34, 1129-37		8
501	Targeting Cdk5 activity in neuronal degeneration and regeneration. <i>Cellular and Molecular Neurobiology</i> , 2009 , 29, 1073-80	4.6	45
500	Contribution of hypoxia to Alzheimer's disease: is HIF-1 alpha a mediator of neurodegeneration?. <i>Cellular and Molecular Life Sciences</i> , 2009 , 66, 3555-63	10.3	94
499	Calpain-truncated CRMP-3 and -4 contribute to potassium deprivation-induced apoptosis of cerebellar granule neurons. 2009 , 9, 3712-28		27
498	Phosphorylation of ATM by Cdk5 mediates DNA damage signalling and regulates neuronal death. 2009 , 11, 211-8		140
497	Inhibition of calpain increases LIS1 expression and partially rescues in vivo phenotypes in a mouse model of lissencephaly. 2009 , 15, 1202-7		57
496	Epistasis between tau phosphorylation regulating genes (CDK5R1 and GSK-3beta) and Alzheimer's disease risk. 2009 , 120, 130-3		29
495	Glucocorticoid signaling in the cell. Expanding clinical implications to complex human behavioral and somatic disorders. 2009 , 1179, 153-66		134
494	Chronic copper exposure exacerbates both amyloid and tau pathology and selectively dysregulates cdk5 in a mouse model of AD. 2009 , 108, 1550-60		114
493	Real-time visualization of cytoplasmic calpain activation and calcium deregulation in acute glutamate excitotoxicity. 2009 , 110, 990-1004		30
492	The phagosomal proteome in interferon-gamma-activated macrophages. 2009 , 30, 143-54		177
491	Identification of 3-acetyl-2-aminoquinolin-4-one as a novel, nonpeptidic scaffold for specific calpain inhibitory activity. 2009 , 52, 3093-7		23
490	Limb-girdle muscular dystrophy type 2A can result from accelerated autoproteolytic inactivation of calpain 3. 2009 , 48, 3457-67		21
489	Insulin rescues amyloid beta-induced impairment of hippocampal long-term potentiation. 2009 , 30, 377-87		69
488	Evidence of calpain/cdk5 pathway inhibition by lithium in 3-nitropropionic acid toxicity in vivo and in vitro. 2009 , 56, 422-8		32

487	Dopamine D1 receptor activation induces tau phosphorylation via cdk5 and GSK3 signaling pathways. 2009 , 57, 392-402	43
486	Cyclin-dependent kinase 5 activator p35 over-expression and amyloid beta synergism increase apoptosis in cultured neuronal cells. 2009 , 161, 978-87	26
485	Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic-urethra reflex activity in rats. 2009 , 142, 75-88	39
484	Delivery of peptide and protein drugs over the blood-brain barrier. 2009 , 87, 212-51	219
483	Calcium dysregulation in Alzheimer's disease: from mechanisms to therapeutic opportunities. 2009 , 89, 240-55	118
482	Mediators of tau phosphorylation in the pathogenesis of Alzheimer's disease. 2009 , 9, 1647-66	71
481	Calpain-mediated N-cadherin proteolytic processing in brain injury. 2009 , 29, 5974-84	43
480	Inhibition of autophagy causes tau proteolysis by activating calpain in rat brain. 2009 , 16, 39-47	29
479	Memantine inhibits calpain-mediated truncation of GSK-3 induced by NMDA: implications in Alzheimer's disease. 2009 , 18, 843-8	15
478	Expanding members and roles of the calpain superfamily and their genetically modified animals. 2010 , 59, 549-66	56
477	[Antiaging research using klotho mice]. 2010 , 130, 3-9	1
476	Non-amyloid Approaches To Alzheimer's Disease. 2010 , 405-446	
475	APP transgenic modeling of Alzheimer's disease: mechanisms of neurodegeneration and aberrant neurogenesis. 2010 , 214, 111-26	80
474	Synapse formation and remodeling. 2010 , 53, 315-321	25
473	Molecular actions and therapeutic potential of lithium in preclinical and clinical studies of CNS disorders. 2010 , 128, 281-304	166
472	Okadaic acid induces tau phosphorylation in SH-SY5Y cells in an estrogen-preventable manner. 2010 , 1345, 176-81	48
471	Identification of p10 as a neurotoxic product generated from the proteolytic cleavage of the neuronal Cdk5 activator. 2010 , 111, 1359-66	6
470	Flavonoids activate pregnane x receptor-mediated CYP3A4 gene expression by inhibiting cyclin-dependent kinases in HepG2 liver carcinoma cells. 2010 , 11, 23	54

469	Cdk5 is a major regulator of p38 cascade: relevance to neurotoxicity in Alzheimer's disease. 2010 , 113, 1221-9	52
468	Regulation and role of cyclin-dependent kinase activity in neuronal survival and death. 2010 , 115, 1309-21	90
467	The role of Cdk5-mediated apurinic/apyrimidinic endonuclease 1 phosphorylation in neuronal death. 2010 , 12, 563-71	88
466	Role of Glycogen Synthase Kinase-3 β in APP Hyperphosphorylation Induced by NMDA Stimulation in Cortical Neurons. 2010 , 3, 42-58	4
465	Cell-Penetrating Fragments of the Cdk5 Regulatory Subunit Are Protective in Models of Neurodegeneration. 2010 , 3, 1232-1240	
464	Delayed treatment with systemic (S)-roscovitine provides neuroprotection and inhibits in vivo CDK5 activity increase in animal stroke models. 2010 , 5, e12117	72
463	No difference in kinetics of tau or histone phosphorylation by CDK5/p25 versus CDK5/p35 in vitro. 2010 , 107, 2884-9	43
462	Calpain activation promotes BACE1 expression, amyloid precursor protein processing, and amyloid plaque formation in a transgenic mouse model of Alzheimer disease. 2010 , 285, 27737-44	82
461	Blockade of NR2A-containing NMDA receptors induces Tau phosphorylation in rat hippocampal slices. 2010 , 2010, 340168	16
460	Calpain inhibitor protects cells against light-induced retinal degeneration. 2010 , 335, 645-52	26
459	Molecular mechanisms of neurodegeneration in Alzheimer's disease. 2010 , 19, R12-20	434
458	S-nitrosylation of cyclin-dependent kinase 5 (cdk5) regulates its kinase activity and dendrite growth during neuronal development. 2010 , 30, 14366-70	47
457	A 24-residue peptide (p5), derived from p35, the Cdk5 neuronal activator, specifically inhibits Cdk5-p25 hyperactivity and tau hyperphosphorylation. 2010 , 285, 34202-12	66
456	Quantitative measurement of in vivo phosphorylation states of Cdk5 activator p35 by Phos-tag SDS-PAGE. 2010 , 9, 1133-43	50
455	Tau-tubulin kinase 1 enhances prefibrillar tau aggregation and motor neuron degeneration in P301L FTDP-17 tau-mutant mice. 2010 , 24, 2904-15	27
454	A novel calpain inhibitor, ((1S)-1-(((1S)-1-Benzyl-3-cyclopropylamino-2,3-di-oxopropyl)amino)carbonyl)-3-methylbutyl)carbamic acid 5-methoxy-3-oxapentyl ester (SNJ-1945), reduces murine retinal cell death in vitro and in vivo. 2010 , 332, 380-7	43
453	Protein kinase Czeta regulates Cdk5/p25 signaling during myogenesis. 2010 , 21, 1423-34	16
452	Alzheimer Abeta peptide induces chromosome mis-segregation and aneuploidy, including trisomy 21: requirement for tau and APP. 2010 , 21, 511-20	65

451	Overexpression of p35 in Min6 pancreatic beta cells induces a stressed neuron-like apoptosis. 2010 , 299, 101-7	12
450	Membrane association facilitates degradation and cleavage of the cyclin-dependent kinase 5 activators p35 and p39. 2010 , 49, 5482-93	38
449	Cdk5 nuclear localization is p27-dependent in nerve cells: implications for cell cycle suppression and caspase-3 activation. 2010 , 285, 14052-61	42
448	Puerarin attenuates glutamate-induced neurofilament axonal transport impairment. 2010 , 132, 150-6	13
447	Structural and dynamic determinants of ligand binding and regulation of cyclin-dependent kinase 5 by pathological activator p25 and inhibitory peptide CIP. 2010 , 401, 478-92	15
446	Increased expression of cdk5/p25 in N2a cells leads to hyperphosphorylation and impaired axonal transport of neurofilament proteins. 2010 , 86, 532-7	22
445	In-vivo visualization of key molecular processes involved in Alzheimer's disease pathogenesis: Insights from neuroimaging research in humans and rodent models. 2010 , 1802, 373-88	16
444	Cyclin-dependent kinase 5 modulates the transcriptional activity of the mineralocorticoid receptor and regulates expression of brain-derived neurotrophic factor. 2010 , 24, 941-52	55
443	Amyloid-independent mechanisms in Alzheimer's disease pathogenesis. 2010 , 30, 14946-54	214
442	Cyclin-dependent kinase 5 activator p25 is generated during memory formation and is reduced at an early stage in Alzheimer's disease. 2011 , 70, 159-68	30
441	Amyloid precursor protein processing and Alzheimer's disease. 2011 , 34, 185-204	1024
440	Small molecule cyclin-dependent kinase inhibitors protect against neuronal cell death in the ischemic-reperfused rat retina. 2011 , 27, 419-25	21
439	Modulation of aberrant CDK5 signaling rescues impaired neurogenesis in models of Alzheimer's disease. 2011 , 2, e120	59
438	Alzheimer's Disease and Frontotemporal Dementia. 2011 ,	3
437	Increased CDK5 expression in HIV encephalitis contributes to neurodegeneration via tau phosphorylation and is reversed with Roscovitine. 2011 , 178, 1646-61	46
436	Chronic mild stress in mice promotes cognitive impairment and CDK5-dependent tau hyperphosphorylation. 2011 , 220, 338-43	34
435	Stroke intervention pathways: NMDA receptors and beyond. 2011 , 17, 266-75	123
434	A novel mechanism of non-A β component of Alzheimer's disease amyloid (NAC) neurotoxicity. Interplay between p53 protein and cyclin-dependent kinase 5 (Cdk5). 2011 , 58, 206-14	17

433	Neuroprotective effects of MAPK/ERK1/2 and calpain inhibitors on lactacystin-induced cell damage in primary cortical neurons. 2011 , 32, 845-56	22
432	Cdk5: multitasking between physiological and pathological conditions. 2011 , 94, 49-63	90
431	Cleavage of Tau by calpain in Alzheimer's disease: the quest for the toxic 17 kD fragment. 2011 , 32, 1-14	180
430	Neurodegeneration in glaucoma: progression and calcium-dependent intracellular mechanisms. 2011 , 176, 1-11	110
429	Cyclin-dependent kinases in brain development and disease. 2011 , 27, 465-91	244
428	Calpain-mediated tau cleavage: a mechanism leading to neurodegeneration shared by multiple tauopathies. 2011 , 17, 676-85	75
427	Implicating calpain in tau-mediated toxicity in vivo. 2011 , 6, e23865	40
426	C-Abl tyrosine kinase signaling: a new player in AD tau pathology. 2011 , 8, 643-51	15
425	Addressing the complex etiology of Alzheimer's disease: the role of p25/Cdk5. 2011 , 6, 481-496	2
424	Involvement of cyclin-dependent kinase-5 in the kainic acid-mediated degeneration of glutamatergic synapses in the rat hippocampus. 2011 , 34, 1212-21	25
423	Actin interaction and regulation of cyclin-dependent kinase 5/p35 complex activity. 2011 , 116, 192-204	12
422	Calpastatin, an endogenous calpain-inhibitor protein, regulates the cleavage of the Cdk5 activator p35 to p25. 2011 , 117, 504-15	26
421	Glutathione-S-transferase P1 is a critical regulator of Cdk5 kinase activity. 2011 , 118, 902-14	56
420	Organophosphates dysregulate dopamine signaling, glutamatergic neurotransmission, and induce neuronal injury markers in striatum. 2011 , 119, 303-13	65
419	Sildenafil restores cognitive function without affecting amyloid burden in a mouse model of Alzheimer's disease. 2011 , 164, 2029-41	129
418	The involvement of Cdk5 activator p35 in social isolation-triggered onset of early Alzheimer's disease-related cognitive deficit in the transgenic mice. 2011 , 36, 1848-58	28
417	Alterations of cyclin dependent kinase 5 expression and phosphorylation in amyloid precursor protein (APP)-transfected PC12 cells. 2011 , 585, 1243-8	15
416	Twice switched at birth: cell cycle-independent roles of the "neuron-specific" cyclin-dependent kinase 5 (Cdk5) in non-neuronal cells. 2011 , 23, 1698-707	37

415	First BRET-based screening assay performed in budding yeast leads to the discovery of CDK5/p25 interaction inhibitors. 2011 , 6, 860-70	25
414	Fuzhisan, a Chinese herbal medicine, inhibits beta-amyloid-induced neurotoxicity and tau phosphorylation through calpain/Cdk5 pathway in cultured cortical neurons. 2011 , 36, 801-11	10
413	The neuronal p35 activator of Cdk5 is a novel F-actin binding and bundling protein. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 1633-43	10.3 16
412	Molecular and cellular events of dopamine D1 receptor-mediated tau phosphorylation in SK-N-MC cells. 2011 , 65, 69-76	5
411	Up-regulation of endoplasmic reticulum stress-related genes during the early phase of treatment of cultured cortical neurons by the proteasomal inhibitor lactacystin. 2011 , 226, 494-510	21
410	Elevation of p-NR2A(S1232) by Cdk5/p35 contributes to retinal ganglion cell apoptosis in a rat experimental glaucoma model. 2011 , 43, 455-64	49
409	Structural and mechanistic commonalities of amyloid- β and the prion protein. 2011 , 5, 126-37	22
408	Distinct molecular regulation of glycogen synthase kinase-3 α isozyme controlled by its N-terminal region: functional role in calcium/calpain signaling. 2011 , 286, 13470-80	33
407	Amyloid beta-mediated cell death of cultured hippocampal neurons reveals extensive Tau fragmentation without increased full-length tau phosphorylation. 2011 , 286, 20797-811	61
406	Links between electrophysiological and molecular pathology of amyotrophic lateral sclerosis. 2011 , 51, 913-25	24
405	GSK-3 as a Target for Lithium-Induced Neuroprotection Against Excitotoxicity in Neuronal Cultures and Animal Models of Ischemic Stroke. 2011 , 4, 15	116
404	Oxidative stress in neurodegeneration. 2011 , 2011, 572634	149
403	Synaptic deficits are rescued in the p25/Cdk5 model of neurodegeneration by the reduction of β -secretase (BACE1). 2011 , 31, 15751-6	27
402	Mice lacking phosphatase PP2A subunit PR61/B' delta (Ppp2r5d) develop spatially restricted tauopathy by deregulation of CDK5 and GSK3 β . 2011 , 108, 6957-62	89
401	Activity-dependent phosphorylation of neuronal Kv2.1 potassium channels by CDK5. 2011 , 286, 28738-28748	42
400	Neuroprotection against traumatic brain injury by a peptide derived from the collapsin response mediator protein 2 (CRMP2). 2011 , 286, 37778-92	72
399	Calpain activation by Wingless-type murine mammary tumor virus integration site family, member 5A (Wnt5a) promotes axonal growth. 2011 , 286, 6566-76	8
398	Tissue transglutaminase-mediated glutamine deamidation of beta-amyloid peptide increases peptide solubility, whereas enzymatic cross-linking and peptide fragmentation may serve as molecular triggers for rapid peptide aggregation. 2011 , 286, 12172-88	27

397	S-Nitrosylation activates Cdk5 and contributes to synaptic spine loss induced by beta-amyloid peptide. 2011 , 108, 14330-5	132
396	CDK5 interacts with Slo and affects its surface expression and kinetics through direct phosphorylation. 2012 , 302, C766-80	8
395	Is the amyloid hypothesis of Alzheimer's disease therapeutically relevant?. 2012 , 446, 165-77	75
394	Acupuncture improves cognitive deficits and increases neuron density of the hippocampus in middle-aged SAMP8 mice. 2012 , 30, 339-45	35
393	Increased Cdk5/p35 activity in the dentate gyrus mediates depressive-like behaviour in rats. 2012 , 15, 795-809	40
392	Excitotoxic stimulus stabilizes PFKFB3 causing pentose-phosphate pathway to glycolysis switch and neurodegeneration. 2012 , 19, 1582-9	82
391	p10, the N-terminal domain of p35, protects against CDK5/p25-induced neurotoxicity. 2012 , 109, 20041-6	30
390	Cdk5 protein inhibition and A β 2 increase BACE1 protein level in primary neurons by a post-transcriptional mechanism: implications of CDK5 as a therapeutic target for Alzheimer disease. 2012 , 287, 7224-35	48
389	Phosphorylation of HtrA2 by cyclin-dependent kinase-5 is important for mitochondrial function. 2012 , 19, 257-66	28
388	Li-Huei Tsai: I well remember. Interview by Caitlin Sedwick. 2012 , 199, 1020-1	
387	Consequences of inhibiting amyloid precursor protein processing enzymes on synaptic function and plasticity. 2012 , 2012, 272374	31
386	Extraneuronal activities and regulatory mechanisms of the atypical cyclin-dependent kinase Cdk5. <i>Biochemical Pharmacology</i> , 2012 , 84, 985-93	6 61
385	Deregulated Cdk5 activity is involved in inducing Alzheimer's disease. 2012 , 43, 655-62	112
384	Natural Compounds as Specific Inhibitors of Cyclin-Dependent Kinases [Past, Present and Future]. 2012 , 347-371	
383	Calcium-dependent neutral cysteine protease and organophosphate-induced delayed neuropathy. 2012 , 200, 114-8	10
382	Interplay between MEK-ERK signaling, cyclin D1, and cyclin-dependent kinase 5 regulates cell cycle reentry and apoptosis of neurons. 2012 , 23, 3722-30	77
381	A new concept: A β -42 generates a hyperfunctional proteolytic NCX3 fragment that delays caspase-12 activation and neuronal death. 2012 , 32, 10609-17	57
380	Cdk5 levels oscillate during the neuronal cell cycle: Cdh1 ubiquitination triggers proteasome-dependent degradation during S-phase. 2012 , 287, 25985-94	27

379	Calpastatin modulates APP processing in the brains of β amyloid depositing but not wild-type mice. 2012 , 33, 1125.e9-18		11
378	Crosstalk between cdk5 and MEK-ERK signalling upon opioid receptor stimulation leads to upregulation of activator p25 and MEK1 inhibition in rat brain. 2012 , 215, 17-30		21
377	The protective effects of tanshinone IIA on neurotoxicity induced by β amyloid protein through calpain and the p35/Cdk5 pathway in primary cortical neurons. 2012 , 61, 227-35		52
376	CDK5 and MEKK1 mediate pro-apoptotic signalling following endoplasmic reticulum stress in an autosomal dominant retinitis pigmentosa model. 2012 , 14, 409-15		65
375	S-nitrosylation of Cdk5: potential implications in amyloid- β related neurotoxicity in Alzheimer disease. 2012 , 6, 364-70		26
374	The finger of an angel: memory return with epigenetic manipulation. 2012 , 4, 295-302		2
373	A role for calpain-dependent cleavage of TDP-43 in amyotrophic lateral sclerosis pathology. <i>Nature Communications</i> , 2012 , 3, 1307	17.4	109
372	Regulation of APC/C-Cdh1 and its function in neuronal survival. 2012 , 46, 547-54		37
371	Regulation of N-type voltage-gated calcium channels and presynaptic function by cyclin-dependent kinase 5. 2012 , 75, 675-87		54
370	Epigenetics, Brain and Behavior. 2012 ,		3
369	Calpain inhibitor A-705253 mitigates Alzheimer's disease-like pathology and cognitive decline in aged 3xTgAD mice. 2012 , 181, 616-25		61
368	BACE1 is at the crossroad of a toxic vicious cycle involving cellular stress and β amyloid production in Alzheimer's disease. 2012 , 7, 52		102
367	Involvement of calpain/p35-p25/Cdk5/NMDAR signaling pathway in glutamate-induced neurotoxicity in cultured rat retinal neurons. 2012 , 7, e42318		41
366	Decreasing Levels of the cdk5 Activators, p25 and p35, Reduces Excitotoxicity in Striatal Neurons. 2012 , 1, 89-96		7
365	At the Fulcrum in Health and Disease: Cdk5 and the Balancing Acts of Neuronal Structure and Physiology. 2012 , 2012, 001		16
364	Calpain dysregulation in Alzheimer's disease. 2012 , 2012, 728571		32
363	Molecular and Electrical Abnormalities in the Mouse Model of Amyotrophic Lateral Sclerosis. 2012 ,		
362	Significance of Retinoblastoma Protein in Survival and Differentiation of Cerebellar Neurons. 2012 ,		

361	Cognitive function in health and disease: the role of epigenetic mechanisms. 2012 , 10, 191-4	7
360	Neuroprotective effect of undecylenic acid extracted from <i>Ricinus communis</i> L. through inhibition of β -calpain. 2012 , 46, 17-25	17
359	Effect of Ca^{2+} on the microtubule-severing enzyme p60-katanin. Insight into the substrate-dependent activation mechanism. 2012 , 279, 1339-52	10
358	Striatal inhibition of calpains prevents levodopa-induced neurochemical changes and abnormal involuntary movements in the hemiparkinsonian rat model. 2012 , 45, 645-55	13
357	Amelioration of social isolation-triggered onset of early Alzheimer's disease-related cognitive deficit by N-acetylcysteine in a transgenic mouse model. 2012 , 45, 1111-20	46
356	Gene and protein patterns of potential prion-related markers in the central nervous system of clinical and preclinical infected sheep. 2013 , 44, 14	8
355	X-ray irradiation promotes apoptosis of hippocampal neurons through up-regulation of Cdk5 and p25. 2013 , 13, 47	15
354	Calpain 1 induce lysosomal permeabilization by cleavage of lysosomal associated membrane protein 2. 2013 , 1833, 2244-53	59
353	Molecular dynamic simulations give insight into the mechanism of binding between 2-aminothiazole inhibitors and CDK5. 2013 , 19, 2635-45	4
352	Palmitate induces transcriptional regulation of BACE1 and presenilin by STAT3 in neurons mediated by astrocytes. 2013 , 248, 482-90	37
351	Tau hyperphosphorylation and increased BACE1 and RAGE levels in the cortex of PPAR α null mice. 2013 , 1832, 1241-8	29
350	Hypoxia-triggered m-calpain activation evokes endoplasmic reticulum stress and neuropathogenesis in a transgenic mouse model of Alzheimer's disease. 2013 , 19, 820-33	19
349	Surgical incision-induced nociception causes cognitive impairment and reduction in synaptic NMDA receptor 2B in mice. 2013 , 33, 17737-48	50
348	Exercise and the brain: a slap on the HAND. 2013 , 19, 407-9	1
347	Activation of mitochondria-mediated apoptotic pathway in tri-ortho-cresyl phosphate-induced delayed neuropathy. 2013 , 62, 965-72	19
346	[Calpain system dysregulation in rat brain at beta-amyloid-induced neurodegeneration]. 2013 , 39, 572-8	2
345	Potential neuroprotective flavonoid-based inhibitors of CDK5/p25 from <i>Rhus parviflora</i> . 2013 , 23, 5150-4	24
344	Curcumin-induced upregulation of the anti-tau cochaperone BAG2 in primary rat cortical neurons. 2013 , 554, 121-5	46

343	Hyperphosphorylation of tau protein by calpain regulation in retina of Alzheimer's disease transgenic mouse. 2013 , 551, 12-6	38
342	p25/CDK5 is partially involved in neuronal injury induced by radiofrequency electromagnetic field exposure. 2013 , 89, 976-84	5
341	Enhancement of cognitive function in models of brain disease through environmental enrichment and physical activity. 2013 , 64, 515-28	122
340	Specific inhibition of p25/Cdk5 activity by the Cdk5 inhibitory peptide reduces neurodegeneration in vivo. 2013 , 33, 334-43	63
339	Effect of conjugated linoleic acid, Calpain inhibitor, on pathogenesis of Alzheimer's disease. 2013 , 1831, 709-18	33
338	Apoptosis in Down's syndrome: lessons from studies of human and mouse models. 2013 , 18, 121-34	16
337	A truncated peptide from p35, a Cdk5 activator, prevents Alzheimer's disease phenotypes in model mice. 2013 , 27, 174-86	87
336	Mifepristone alters amyloid precursor protein processing to preclude amyloid beta and also reduces tau pathology. 2013 , 74, 357-66	73
335	Elevated NADPH oxidase activity contributes to oxidative stress and cell death in Huntington's disease. 2013 , 22, 1112-31	83
334	Clathrin adaptor CALM/PICALM is associated with neurofibrillary tangles and is cleaved in Alzheimer's brains. 2013 , 125, 861-78	88
333	Conditional disruption of calpain in the CNS alters dendrite morphology, impairs LTP, and promotes neuronal survival following injury. 2013 , 33, 5773-84	77
332	Skeletal muscle calpain acts through nitric oxide and neural miRNAs to regulate acetylcholine release in motor nerve terminals. 2013 , 33, 7308-7324	21
331	Hypoxia increases Aβ-induced tau phosphorylation by calpain and promotes behavioral consequences in AD transgenic mice. 2013 , 51, 138-47	54
330	Tau protein kinases: involvement in Alzheimer's disease. 2013 , 12, 289-309	354
329	Deleterious effects of soluble amyloid-β oligomers on multiple steps of synaptic vesicle trafficking. 2013 , 55, 129-39	40
328	Inhibition of calpain-regulated p35/cdk5 plays a central role in sildenafil-induced protection against chemical hypoxia produced by malonate. 2013 , 1832, 705-17	17
327	Structural basis for the different stability and activity between the Cdk5 complexes with p35 and p39 activators. 2013 , 288, 32433-32439	7
326	Gel-based protease proteomics for identifying the novel calpain substrates in dopaminergic neuronal cell. 2013 , 288, 36717-32	16

325	CREB regulates the expression of neuronal glucose transporter 3: a possible mechanism related to impaired brain glucose uptake in Alzheimer's disease. 2013 , 41, 3240-56		43
324	Activated cyclin-dependent kinase 5 promotes microglial phagocytosis of fibrillar β amyloid by up-regulating lipoprotein lipase expression. 2013 , 12, 2833-44		42
323	Extra-cell cycle regulatory functions of cyclin-dependent kinases (CDK) and CDK inhibitor proteins contribute to brain development and neurological disorders. <i>Genes To Cells</i> , 2013 , 18, 176-94	2-3	39
322	Isomerase Pin1 stimulates dephosphorylation of tau protein at cyclin-dependent kinase (Cdk5)-dependent Alzheimer phosphorylation sites. 2013 , 288, 7968-7977		40
321	The role of heat shock protein 70 in the protective effect of YC-1 on β amyloid-induced toxicity in differentiated PC12 cells. 2013 , 8, e69320		18
320	Long- and short-term CDK5 knockdown prevents spatial memory dysfunction and tau pathology of triple transgenic Alzheimer's mice. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 243	5-3	27
319	Physiological and pathological phosphorylation of tau by Cdk5. 2014 , 7, 65		139
318	CDK5 activator protein p25 preferentially binds and activates GSK3 β . 2014 , 111, E4887-95		48
317	Oxidative Stress in Pathogenesis. 2014 , 19-53		
316	Specific calpain inhibition by calpastatin prevents tauopathy and neurodegeneration and restores normal lifespan in tau P301L mice. 2014 , 34, 9222-34		75
315	[Calpains and their endo- and exogenous regulators in various neurodegeneration models]. 2014 , 40, 695-702		1
314	Homology modeling study of bovine β calpain inhibitor-binding domains. 2014 , 15, 7897-938		4
313	Tau protein modifications and interactions: their role in function and dysfunction. 2014 , 15, 4671-713		185
312	A functional interplay between 5-lipoxygenase and β calpain affects survival and cytokine profile of human Jurkat T lymphocyte exposed to simulated microgravity. 2014 , 2014, 782390		10
311	Axonal cap-dependent translation regulates presynaptic p35. 2014 , 74, 351-64		13
310	Overexpression of heme oxygenase 1 causes cognitive decline and affects pathways for tauopathy in mice. 2015 , 43, 519-34		25
309	Cdk5 phosphorylation of EFhd2 at S74 affects its calcium binding activity. 2014 , 23, 1197-207		11
308	Neuroprotective role of the basic leucine zipper transcription factor NFIL3 in models of amyotrophic lateral sclerosis. 2014 , 289, 1629-38		10

307	Activity-dependent p25 generation regulates synaptic plasticity and A β -induced cognitive impairment. 2014 , 157, 486-498	60
306	A β -induced Golgi fragmentation in Alzheimer's disease enhances A β -production. 2014 , 111, E1230-9	91
305	Downregulation of miR-124 in MPTP-treated mouse model of Parkinson's disease and MPP iodide-treated MN9D cells modulates the expression of the calpain/cdk5 pathway proteins. 2014 , 272, 167-79	87
304	Extrasynaptic NMDA receptor involvement in central nervous system disorders. 2014 , 82, 279-93	315
303	Cdk5 regulates multiple cellular events in neural development, function and disease. 2014 , 56, 335-48	74
302	Cdk5 activity in the brain - multiple paths of regulation. 2014 , 127, 2391-400	121
301	Excitotoxicity and stroke: identifying novel targets for neuroprotection. 2014 , 115, 157-88	634
300	Selective inhibition of caspases in skeletal muscle reverses the apoptotic synaptic degeneration in slow-channel myasthenic syndrome. 2014 , 23, 69-77	14
299	Axonal degeneration in multiple sclerosis: can we predict and prevent permanent disability?. 2014 , 2, 97	38
298	Neuroprotective effects of the anti-cancer drug sunitinib in models of HIV neurotoxicity suggests potential for the treatment of neurodegenerative disorders. 2014 , 171, 5757-73	18
297	Inhibition of aberrant cyclin-dependent kinase 5 activity attenuates isoflurane neurotoxicity in the developing brain. 2014 , 77, 90-9	34
296	Exploring structural requirements of leads for improving activity and selectivity against CDK5/p25 in Alzheimer's disease: an in silico approach. 2014 , 4, 6702-6709	20
295	Caspase-dependent degradation of MDMx/MDM4 cell cycle regulatory protein in amyloid β -induced neuronal damage. 2015 , 609, 182-8	4
294	Cyclin-dependent kinase 5 regulates degranulation in human eosinophils. 2015 , 144, 641-8	11
293	Calpain 1 inhibitor BDA-410 ameliorates β -klotho-deficiency phenotypes resembling human aging-related syndromes. 2014 , 4, 5847	19
292	Protective effect of Xingnaojia formulation on rats with brain and liver damage caused by chronic alcoholism. <i>Experimental and Therapeutic Medicine</i> , 2015 , 10, 1643-1652	2.1 2
291	Phosphorylation of a splice variant of collapsin response mediator protein 2 in the nucleus of tumour cells links cyclin dependent kinase-5 to oncogenesis. 2015 , 15, 885	20
290	Activation of Cdk5/p25 and tau phosphorylation following chronic brain hypoperfusion in rats involves microRNA-195 down-regulation. 2015 , 134, 1139-51	55

289	Mechanisms of HIV-1 Tat neurotoxicity via CDK5 translocation and hyper-activation: role in HIV-associated neurocognitive disorders. 2015 , 13, 43-54	41
288	Golgi fragmentation in Alzheimer's disease. 2015 , 9, 340	53
287	Integrating retrogenesis theory to Alzheimer's disease pathology: insight from DTI-TBSS investigation of the white matter microstructural integrity. 2015 , 2015, 291658	42
286	Rodent models of neuroinflammation for Alzheimer's disease. 2015 , 12, 74	123
285	Elk1 in Health and Diseases. 2015 , 183-198	1
284	Stress induces p38 MAPK-mediated phosphorylation and inhibition of Drosha-dependent cell survival. 2015 , 57, 721-734	47
283	Role of S-nitrosoglutathione mediated mechanisms in tau hyper-phosphorylation. 2015 , 458, 214-9	14
282	Truncation and activation of GSK-3 β by calpain I: a molecular mechanism links to tau hyperphosphorylation in Alzheimer's disease. 2015 , 5, 8187	58
281	Targeting cyclin-dependent kinases in human cancers: from small molecules to Peptide inhibitors. 2015 , 7, 179-237	196
280	Quantitative expression analysis of APP pathway and tau phosphorylation-related genes in the ICV STZ-induced non-human primate model of sporadic Alzheimer's disease. 2015 , 16, 2386-402	15
279	Detection and characterization of nonspecific, sparsely populated binding modes in the early stages of complexation. 2015 , 36, 983-95	9
278	Lovastatin suppresses the aberrant tau phosphorylation from FTDP-17 mutation and okadaic acid-induction in rat primary neurons. 2015 , 294, 14-20	11
277	Tamoxifen inhibits CDK5 kinase activity by interacting with p35/p25 and modulates the pattern of tau phosphorylation. 2015 , 22, 472-482	23
276	Non-aggregating tau phosphorylation by cyclin-dependent kinase 5 contributes to motor neuron degeneration in spinal muscular atrophy. 2015 , 35, 6038-50	26
275	Toxicity and Autophagy in Neurodegenerative Disorders. 2015 ,	1
274	Truncation and Activation of Dual Specificity Tyrosine Phosphorylation-regulated Kinase 1A by Calpain I: A MOLECULAR MECHANISM LINKED TO TAU PATHOLOGY IN ALZHEIMER DISEASE. 2015 , 290, 15219-37	36
273	Role of Endoplasmic reticulum apoptotic pathway in testicular Sertoli cells injury induced by Carbon disulfide. 2015 , 132, 70-8	7
272	Peptide TFP5/TP5 derived from Cdk5 activator P35 provides neuroprotection in the MPTP model of Parkinson's disease. 2015 , 26, 4478-91	22

271	GSK-3 β -dependent downregulation of Taxilin and NAC merge to regulate ER stress responses. 2015 , 6, e1719	15
270	Exploring the Role of Autophagy in the Pathogenesis of Rotenone-induced Toxicity. 2015 , 225-245	
269	Loss of calbindin-D28K is associated with the full range of tangle pathology within basal forebrain cholinergic neurons in Alzheimer's disease. 2015 , 36, 3163-3170	24
268	Sigma-1 receptor regulates Tau phosphorylation and axon extension by shaping p35 turnover via myristic acid. 2015 , 112, 6742-7	48
267	S-nitrosoglutathione reduces tau hyper-phosphorylation and provides neuroprotection in rat model of chronic cerebral hypoperfusion. 2015 , 1624, 359-369	10
266	Safflower yellow reduces lipid peroxidation, neuropathology, tau phosphorylation and ameliorates amyloid β -induced impairment of learning and memory in rats. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 76, 153-64	7.5 26
265	Aging Mechanisms. 2015 ,	3
264	Dysregulation of TrkB Receptors and BDNF Function by Amyloid- β Peptide is Mediated by Calpain. 2015 , 25, 3107-21	59
263	An updated patent review of calpain inhibitors (2012 - 2014). 2015 , 25, 17-31	33
262	Mesenchymal Stem Cells Loaded with p5, Derived from CDK5 Activator p35, Inhibit Calcium-Induced CDK5 Activation in Endothelial Cells. 2016 , 2016, 2165462	3
261	Early Cytoskeletal Protein Modifications Precede Overt Structural Degeneration in the DBA/2J Mouse Model of Glaucoma. 2016 , 10, 494	21
260	Aging-Related Diseases and Autophagy. 2016 ,	
259	Involvement of aberrant cyclin-dependent kinase 5/p25 activity in experimental traumatic brain injury. 2016 , 138, 317-27	16
258	Molecular Signaling Pathways Behind the Biological Effects of Salvia Species Diterpenes in Neuropharmacology and Cardiology. 2016 , 30, 878-93	18
257	Computational study of the inhibitory mechanism of the kinase CDK5 hyperactivity by peptide p5 and derivation of a pharmacophore. 2016 , 30, 513-21	7
256	Theme 4 In Vivo Experimental Models. 2016 , 17, 135-162	
255	Stress-induced nuclear translocation of CDK5 suppresses neuronal death by downregulating ERK activation via VRK3 phosphorylation. 2016 , 6, 28634	11
254	Profiling of p5, a 24 Amino Acid Inhibitory Peptide Derived from the CDK5 Activator, p35 CDKR1 Against 70 Protein Kinases. 2016 , 54, 525-33	3

253	Quantitative and combinatory determination of in situ phosphorylation of tau and its FTDP-17 mutants. 2016 , 6, 33479		15
252	Alzheimer disease: modeling an A β -centered biological network. 2016 , 21, 861-71		36
251	1-Deoxysphingolipid-induced neurotoxicity involves N-methyl-d-aspartate receptor signaling. 2016 , 110, 211-222		24
250	Alkyl Mercury-Induced Toxicity: Multiple Mechanisms of Action. 2017 , 240, 105-149		5
249	TFP5 prevents 1-methyl-4-phenyl pyridine ion-induced neurotoxicity in mouse cortical neurons. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 2594-2598	2.1	4
248	Increase of p25 associated with cortical neuronal death induced by hypoxia. 2016 , 477, 932-936		3
247	Calpain inhibition rescues troponin T3 fragmentation, increases Cav1.1, and enhances skeletal muscle force in aging sedentary mice. 2016 , 15, 488-98		19
246	Cdk5 at crossroads of protein oligomerization in neurodegenerative diseases: facts and hypotheses. 2016 , 136, 222-33		38
245	The interaction of Munc 18 (p67) with the p10 domain of p35 protects in vivo Cdk5/p35 activity from inhibition by TFP5, a peptide derived from p35. 2016 , 27, 3221-3232		9
244	p39 Is Responsible for Increasing Cdk5 Activity during Postnatal Neuron Differentiation and Governs Neuronal Network Formation and Epileptic Responses. 2016 , 36, 11283-11294		19
243	Neuroprotective strategies for NMDAR-mediated excitotoxicity in Huntington's Disease. 2016 , 11, 439-458		1
242	Prospects and Challenges for Alzheimer Therapeutics. 2016 , 605-637		0
241	Disruption of neuronal nitric oxide synthase dimerization contributes to the development of Alzheimer's disease: Involvement of cyclin-dependent kinase 5-mediated phosphorylation of neuronal nitric oxide synthase at Ser(293). 2016 , 99, 52-61		8
240	Neuroprotective effect of synthetic chalcone derivatives as competitive dual inhibitors against Calpain and cathepsin B through the downregulation of tau phosphorylation and insoluble A β peptide formation. 2016 , 121, 433-444		20
239	Role of microRNAs in the Therapeutic Effects of Curcumin in Non-Cancer Diseases. 2016 , 20, 335-45		141
238	Upregulation of calpain activity precedes tau phosphorylation and loss of synaptic proteins in Alzheimer's disease brain. 2016 , 4, 34		70
237	Olfactory Deprivation Hastens Alzheimer-Like Pathologies in a Human Tau-Overexpressed Mouse Model via Activation of cdk5. 2016 , 53, 391-401		8
236	Two Degradation Pathways of the p35 Cdk5 (Cyclin-dependent Kinase) Activation Subunit, Dependent and Independent of Ubiquitination. 2016 , 291, 4649-57		15

235	Calpain-1 and Calpain-2: The Yin and Yang of Synaptic Plasticity and Neurodegeneration. 2016 , 39, 235-245	129
234	A beacon of hope in stroke therapy-Blockade of pathologically activated cellular events in excitotoxic neuronal death as potential neuroprotective strategies. 2016 , 160, 159-79	31
233	The Role of Cdk5 in Alzheimer's Disease. 2016 , 53, 4328-42	117
232	Phosphorylation of CHIP at Ser20 by Cdk5 promotes tAIF-mediated neuronal death. 2016 , 23, 333-46	24
231	Role of the Cell Cycle Re-Initiation in DNA Damage Response of Post-Mitotic Cells and Its Implication in the Pathogenesis of Neurodegenerative Diseases. 2016 , 19, 131-9	17
230	Salvia miltiorrhiza: A source for anti-Alzheimer's disease drugs. 2016 , 54, 18-24	65
229	TFP5, a Peptide Inhibitor of Aberrant and Hyperactive Cdk5/p25, Attenuates Pathological Phenotypes and Restores Synaptic Function in CK-p25Tg Mice. 2017 , 56, 335-349	16
228	Islet amyloid polypeptide: Another key molecule in Alzheimer's pathogenesis?. 2017 , 153, 100-120	47
227	Neurobiology of axonal transport defects in motor neuron diseases: Opportunities for translational research?. 2017 , 105, 283-299	121
226	Peroxiredoxin 5 Decreases Beta-Amyloid-Mediated Cyclin-Dependent Kinase 5 Activation Through Regulation of Ca-Mediated Calpain Activation. 2017 , 27, 715-726	16
225	Cyclin I-like (CCNI2) is a cyclin-dependent kinase 5 (CDK5) activator and is involved in cell cycle regulation. 2017 , 7, 40979	19
224	Transient Receptor Potential Canonical Channels and Brain Diseases. 2017 ,	2
223	Bioprobes. 2017 ,	4
222	Calcium dysregulation and Cdk5-ATM pathway involved in a mouse model of fragile X-associated tremor/ataxia syndrome. 2017 , 26, 2649-2666	38
221	Retinoic acid increases glucocorticoid receptor phosphorylation via cyclin-dependent kinase 5. 2017 , 82, 96-104	7
220	Cyclin dependent kinase 5: A novel avenue for Alzheimer's disease. 2017 , 132, 28-38	29
219	TRPC Channels and Alzheimer's Disease. 2017 , 976, 73-83	6
218	Calpain-2/p35-p25/Cdk5 pathway is involved in the neuronal apoptosis induced by polybrominated diphenyl ether-153. 2017 , 277, 41-53	9

217	Putting a brake on synaptic vesicle endocytosis. <i>Cellular and Molecular Life Sciences</i> , 2017 , 74, 2917-2927	10.3	1
216	Cdk5 links with DNA damage response and cancer. 2017 , 16, 60		22
215	Role and regulation of p27 in neuronal apoptosis. 2017 , 140, 576-588		11
214	Curcumin Ameliorates Neuroinflammation, Neurodegeneration, and Memory Deficits in p25 Transgenic Mouse Model that Bears Hallmarks of Alzheimer's Disease. 2017 , 60, 1429-1442		44
213	Inhibition of p25/Cdk5 Attenuates Tauopathy in Mouse and iPSC Models of Frontotemporal Dementia. 2017 , 37, 9917-9924		91
212	The tyrosine phosphatase PTPN13/FAP-1 links calpain-2, TBI and tau tyrosine phosphorylation. 2017 , 7, 11771		13
211	Discovery of Novel and Highly Selective Inhibitors of Calpain for the Treatment of Alzheimer's Disease: 2-(3-Phenyl-1H-pyrazol-1-yl)-nicotinamides. 2017 , 60, 7123-7138		20
210	Calpain-Dependent Degradation of Nucleoporins Contributes to Motor Neuron Death in a Mouse Model of Chronic Excitotoxicity. 2017 , 37, 8830-8844		27
209	p35 hemizyosity activates Akt but does not improve motor function in the YAC128 mouse model of Huntington's disease. 2017 , 352, 79-87		2
208	Reviews of Environmental Contamination and Toxicology Volume 240. 2017 ,		
207	RNA-sequencing of a mouse-model of spinal muscular atrophy reveals tissue-wide changes in splicing of U12-dependent introns. 2017 , 45, 395-416		63
206	Hippocampal calpain is required for the consolidation and reconsolidation but not extinction of contextual fear memory. 2017 , 10, 61		5
205	Peptides Derived from Neuronal Cell Cycle like Kinase 5 Activator p35, in Neurodegeneration; Pathology and Therapy. 2017 , 07,		
204	Expression of Tau Pathology-Related Proteins in Different Brain Regions: A Molecular Basis of Tau Pathogenesis. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 311	5.3	24
203	Cdk5 Is Essential for Amphetamine to Increase Dendritic Spine Density in Hippocampal Pyramidal Neurons. 2017 , 11, 372		10
202	Physiological Concentrations of Amyloid Beta Regulate Recycling of Synaptic Vesicles via Alpha7 Acetylcholine Receptor and CDK5/Calcineurin Signaling. 2017 , 10, 221		43
201	Stress-induced Cdk5 activity enhances cytoprotective basal autophagy in by phosphorylating acinus at serine. 2017 , 6,		13
200	Tau secretion is correlated to an increase of Golgi dynamics. 2017 , 12, e0178288		30

199	Chronic diabetic states worsen Alzheimer neuropathology and cognitive deficits accompanying disruption of calcium signaling in leptin-deficient APP/PS1 mice. 2017 , 8, 43617-43634	18
198	Synaptic vesicle cycle and amyloid β "Biting the hand that feeds." 2018 , 14, 502-513	30
197	Calpastatin ablation aggravates the molecular phenotype in cell and animal models of Huntington disease. 2018 , 133, 94-106	10
196	CDK5RAP2 gene and tau pathophysiology in late-onset sporadic Alzheimer's disease. 2018 , 14, 787-796	9
195	The role of Cdk5-mediated Drp1 phosphorylation in A β -induced mitochondrial fission and neuronal apoptosis. 2018 , 119, 4815-4825	22
194	CDK5-mediated tau accumulation triggers methamphetamine-induced neuronal apoptosis via endoplasmic reticulum-associated degradation pathway. 2018 , 292, 97-107	20
193	Preclinical, phase I, and phase II investigational clinical trials for treatment of progressive supranuclear palsy. 2018 , 27, 349-361	14
192	Tale of the Good and the Bad Cdk5: Remodeling of the Actin Cytoskeleton in the Brain. 2018 , 55, 3426-3438	44
191	Characterization of the CDK5 gene in <i>Apis cerana cerana</i> (AccCDK5) and a preliminary identification of its activator gene, AccCDK5r1. 2018 , 23, 13-28	9
190	Cyclin-dependent kinase 5-mediated phosphorylation of CHIP promotes the tAIF-dependent death pathway in rotenone-treated cortical neurons. 2018 , 662, 295-301	6
189	Calpain-mediated tau fragmentation is altered in Alzheimer's disease progression. 2018 , 8, 16725	21
188	Inactivation of Cyclin-Dependent Kinase 5 in Hair Cells Causes Hearing Loss in Mice. 2018 , 11, 461	4
187	Cyclin-dependent kinase 5-mediated phosphorylation of chloride intracellular channel 4 promotes oxidative stress-induced neuronal death. 2018 , 9, 951	9
186	Identification and characterization of a novel phosphoregulatory site on cyclin-dependent kinase 5. 2018 , 504, 753-758	1
185	The acetylation of cyclin-dependent kinase 5 at lysine 33 regulates kinase activity and neurite length in hippocampal neurons. 2018 , 8, 13676	11
184	Apelin, a promising target for Alzheimer disease prevention and treatment. 2018 , 70, 76-86	40
183	Cell cycle checkpoint control: The cyclin G1/Mdm2/p53 axis emerges as a strategic target for broad-spectrum cancer gene therapy - A review of molecular mechanisms for oncologists. 2018 , 9, 115-134	35
182	Neonatal Neurodegeneration in Alzheimer's Disease Transgenic Mouse Model. 2018 , 2, 79-91	5

181	Analyzing the Behavior of Neuronal Pathways in Alzheimer's Disease Using Petri Net Modeling Approach. 2018 , 12, 26	9
180	Melatonin Mitigates Kainic Acid-Induced Neuronal Tau Hyperphosphorylation and Memory Deficits through Alleviating ER Stress. 2018 , 11, 5	18
179	βAmyloid Induces Pathology-Related Patterns of Tau Hyperphosphorylation at Synaptic Terminals. 2018 , 77, 814-826	30
178	Inhibition of cyclin-dependent kinase 5 affects early neuroinflammatory signalling in murine model of amyloid beta toxicity. 2018 , 15, 1	86
177	Biological function of Lemur tyrosine kinase 2 (LMTK2): implications in neurodegeneration. 2018 , 11, 20	19
176	MiR-137-3p rescue motoneuron death by targeting calpain-2. 2018 , 74, 74-85	11
175	A role for proteolytic regulation of Eatenin in remodeling a subpopulation of dendritic spines in the rodent brain. 2018 , 293, 11625-11638	3
174	CB1R regulates CDK5 signaling and epigenetically controls Rac1 expression contributing to neurobehavioral abnormalities in mice postnatally exposed to ethanol. 2019 , 44, 514-525	12
173	Quantum capacitance-limited MoS biosensors enable remote label-free enzyme measurements. 2019 , 11, 15622-15632	10
172	Restoration of Cdk5, TrkB and Soluble N-ethylmaleimide-Sensitive Factor Attachment Protein Receptor Proteins after Chronic Methylphenidate Treatment in Spontaneous Hypertensive Rats, a Model for Attention-Deficit Hyperactivity Disorder. 2019 , 16, 558-564	1
171	AAV9-Mediated Cdk5 Inhibitory Peptide Reduces Hyperphosphorylated Tau and Inflammation and Ameliorates Behavioral Changes Caused by Overexpression of p25 in the Brain. 2019 , 70, 573-585	7
170	CDK5: Key Regulator of Apoptosis and Cell Survival. 2019 , 7,	23
169	p35 Hemizygous Deletion in 5xFAD Mice Increases Aβ Plaque Load in Males but Not in Females. 2019 , 417, 45-56	2
168	Down-regulation of cyclin-dependent kinase 5 attenuates p53-dependent apoptosis of hippocampal CA1 pyramidal neurons following transient cerebral ischemia. 2019 , 9, 13032	7
167	Fluorescence Lifetime Imaging of p-tau Protein in Single Neuron with a Highly Selective Fluorescent Probe. 2019 , 91, 3294-3301	15
166	Calcium-Activated Calpain Specifically Cleaves Glutamate Receptor IIA But Not IIB at the Neuromuscular Junction. 2019 , 39, 2776-2791	8
165	Overexpression of the Cdk5 inhibitory peptide in motor neurons rescue of amyotrophic lateral sclerosis phenotype in a mouse model. 2019 , 28, 3175-3187	4
164	The effects of bioactive components from the rhizome of (Danshen) on the characteristics of Alzheimer's disease. 2019 , 14, 19	14

163	Calcium Ions Stimulate the Hyperphosphorylation of Tau by Activating Microsomal Prostaglandin E Synthase 1. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 108	5.3	12
162	Inhibition of DYRK1A proteolysis modifies its kinase specificity and rescues Alzheimer phenotype in APP/PS1 mice. 2019 , 7, 46		19
161	Quantitative proteomic analyses of dynamic signalling events in cortical neurons undergoing excitotoxic cell death. 2019 , 10, 213		9
160	CDK5: A Unique CDK and Its Multiple Roles in the Nervous System. 2019 , 68, 843-855		22
159	Neuropathological characterization of Lemur tyrosine kinase 2 (LMTK2) in Alzheimer's disease and neocortical Lewy body disease. 2019 , 9, 17222		6
158	Brain targeting of 9c,11t-Conjugated Linoleic Acid, a natural calpain inhibitor, preserves memory and reduces A β and P25 accumulation in 5XFAD mice. 2019 , 9, 18437		10
157	Dietary salt promotes cognitive impairment through tau phosphorylation. <i>Nature</i> , 2019 , 574, 686-690	50.4	68
156	Involvement of calpain in the neuropathogenesis of Alzheimer's disease. 2019 , 39, 608-630		31
155	A multiomic approach to characterize the temporal sequence in Alzheimer's disease-related pathology. 2019 , 124, 454-468		23
154	Amyloid- β promotes neurotoxicity by Cdk5-induced p53 stabilization. 2019 , 146, 19-27		25
153	Transient receptor potential melastatin 2 governs stress-induced depressive-like behaviors. 2019 , 116, 1770-1775		16
152	Picalm reduction exacerbates tau pathology in a murine tauopathy model. 2020 , 139, 773-789		15
151	Roles of Id1/HIF-1 and CDK5/HIF-1 in cell cycle reentry induced by amyloid-beta peptide in post-mitotic cortical neuron. 2020 , 1867, 118628		4
150	Glucocorticoid receptors signaling impairment potentiates amyloid- β oligomers-induced pathology in an acute model of Alzheimer's disease. 2020 , 34, 1150-1168		7
149	Activity-dependent cleavage of dyskinesia-related proline-rich transmembrane protein 2 (PRRT2) by calpain in mouse primary cortical neurons. 2020 , 34, 180-191		1
148	Phosphoprotein-based biomarkers as predictors for cancer therapy. 2020 , 117, 18401-18411		10
147	The role of cyclin-dependent kinase 5 in neuropathic pain. 2020 , 161, 2674-2689		8
146	Modeling neurodegenerative diseases with cerebral organoids and other three-dimensional culture systems: focus on Alzheimer's disease. 2020 , 1		9

145	Role of tau protein in Alzheimer's disease: The prime pathological player. 2020 , 163, 1599-1617	29
144	Emerging Roles of Inhibitor of Differentiation-1 in Alzheimer's Disease: Cell Cycle Reentry and Beyond. 2020 , 9,	5
143	A Coordinated Approach by Public Domain Bioinformatics Resources to Aid the Fight Against Alzheimer's Disease Through Expert Curation of Key Protein Targets. 2020 , 77, 257-273	2
142	Potential Role of Extracellular CIRP in Alcohol-Induced Alzheimer's Disease. 2020 , 57, 5000-5010	4
141	Tau Pathology Triggered by Spinal Cord Injury Can Play a Critical Role in the Neurotrauma Development. 2020 , 57, 4845-4855	4
140	Pseudoginsenoside-F11 attenuates cognitive dysfunction and tau phosphorylation in sporadic Alzheimer's disease rat model. 2021 , 42, 1401-1408	3
139	Core cell cycle machinery is crucially involved in both life and death of post-mitotic neurons. <i>Cellular and Molecular Life Sciences</i> , 2020 , 77, 4553-4571	10.3 10
138	The lipid phosphatase Synaptojanin 1 undergoes a significant alteration in expression and solubility and is associated with brain lesions in Alzheimer's disease. 2020 , 8, 79	6
137	Metformin Ameliorates Synaptic Defects in a Mouse Model of AD by Inhibiting Cdk5 Activity. 2020 , 14, 170	19
136	Calpain-1 ablation partially rescues disease-associated hallmarks in models of Machado-Joseph disease. 2020 , 29, 892-906	10
135	Modulators of calpain activity: inhibitors and activators as potential drugs. 2020 , 15, 471-486	6
134	Lemur Tyrosine Kinase 2 (LMTK2) Level Inversely Correlates with Phospho-Tau in Neuropathological Stages of Alzheimer's Disease. 2020 , 10,	2
133	Rapid, quantitative therapeutic screening for Alzheimer's enzymes enabled by optimal signal transduction with transistors. 2020 , 145, 2925-2936	2
132	p5 Peptide-Loaded Human Adipose-Derived Mesenchymal Stem Cells Promote Neurological Recovery After Focal Cerebral Ischemia in a Rat Model. 2021 , 12, 125-135	8
131	Update on the association between alpha-synuclein and tau with mitochondrial dysfunction: Implications for Parkinson's disease. 2021 , 53, 2946-2959	10
130	βsynuclein abnormalities trigger focal tau pathology, spreading to various brain areas in Parkinson disease. 2021 , 157, 727-751	1
129	Phosphorylation of STAT3 by axonal Cdk5 promotes axonal regeneration by modulating mitochondrial activity. 2021 , 335, 113511	3
128	Ttm50 facilitates calpain activation by anchoring it to calcium stores and increasing its sensitivity to calcium. 2021 , 31, 433-449	6

127 Amyloid Beta. **2021**, 1-17

126 The Synaptic Dysregulation in Adolescent Rats Exposed to Maternal Immune Activation. **2020**, 13, 555290 5

125 Network propagation of rare variants in Alzheimer's disease reveals tissue-specific hub genes and communities. **2021**, 17, e1008517

124 Somatostatin Ameliorates β Amyloid-Induced Cytotoxicity via the Regulation of CRMP2 Phosphorylation and Calcium Homeostasis in SH-SY5Y Cells. **2021**, 9, 1

123 A Fundamental Role for Oxidants and Intracellular Calcium Signals in Alzheimer's Pathogenesis-And How a Comprehensive Antioxidant Strategy May Aid Prevention of This Disorder. **2021**, 22, 5

122 Extracellular CIRP Activates the IL-6R α /STAT3/Cdk5 Pathway in Neurons. **2021**, 58, 3628-3640 0

121 When Good Kinases Go Rogue: GSK3, p38 MAPK and CDKs as Therapeutic Targets for Alzheimer's and Huntington's Disease. **2021**, 22, 8

120 A Tau-Driven Adverse Outcome Pathway Blueprint Toward Memory Loss in Sporadic (Late-Onset) Alzheimer's Disease with Plausible Molecular Initiating Event Plug-Ins for Environmental Neurotoxicants. **2021**, 81, 459-485 3

119 Proteolytic β Synuclein Cleavage in Health and Disease. **2021**, 22, 3

118 Cdk5 drives formation of heterogeneous pancreatic neuroendocrine tumors. 1

117 Quinolimide-based peptide biosensor for probing p25 in vitro and in living cells. **2021**, 339, 129929 1

116 Neuropathological Effects of Chemotherapeutic Drugs. **2021**, 12, 3038-3048 1

115 Differential regulation of excitatory synaptic transmission in the hippocampus and anterior temporal lobe by cyclin dependent kinase 5 (Cdk5) in mesial temporal lobe epilepsy with hippocampal sclerosis (MTLE-HS). **2021**, 761, 136096 1

114 Phosphorylation of p53 by Cdk5 contributes to benzo[a]pyrene-induced neuronal apoptosis. **2022**, 37, 17-27 2

113 The calcium-dependent protease calpain in neuronal remodeling and neurodegeneration. **2021**, 44, 741-752 4

112 Hibiscus sabdariffa extract protects HT-22 cells from glutamate-induced neurodegeneration by upregulating glutamate transporters and exerts lifespan extension in *C. elegans* via DAF-16 mediated pathway. **2021**, 1-19 2

111 Small-molecule suppression of calpastatin degradation reduces neuropathology in models of Huntington's disease. *Nature Communications*, **2021**, 12, 5305 17.4 5

110 Calcium channel TRPV6 promotes breast cancer metastasis by NFATC2IP. **2021**, 519, 150-160 3

109	Cyclin-Dependent Kinase 5 (Cdk5): Linking Synaptic Plasticity and Neurodegeneration. 2008 , 261-282	1
108	Cdk5 as a Drug Target for Alzheimer's Disease. 2008 , 283-299	1
107	Cyclin-Dependent Kinase 5: A Critical Regulator of Neurotransmitter Release. 2008 , 35-50	3
106	Deregulation of Cytoskeletal Protein Phosphorylation and Neurodegeneration. 2011 , 297-324	2
105	Calpain and photoreceptor apoptosis. 2012 , 723, 547-52	7
104	Mitochondrial Calpains: Who, What, Where, When and Why?. 2013 , 21-32	1
103	Phosphorylation by cyclin-dependent protein kinase 5 of the regulatory subunit (Pgamma) of retinal cgmp phosphodiesterase (PDE6): its implications in phototransduction. 2002 , 514, 131-53	16
102	Altoxicity in primary cultured neurons. 2011 , 670, 141-53	10
101	Protein phosphorylation networks in motor neuron death. 2002 , 59, 71-109	5
100	General aspects of neurodegeneration. 2003 , 101-44	80
99	Dendrobium nobile Lindl alkaloid and metformin ameliorate cognitive dysfunction in senescence-accelerated mice via suppression of endoplasmic reticulum stress. 2020 , 1741, 146871	13
98	A decade of CDK5.	1
97	p35/cdk5 binds and phosphorylates beta-catenin and regulates beta-catenin/presenilin-1 interaction. 2001 , 13, 241-247	17
96	Neuroprotective strategies for NMDAR-mediated excitotoxicity in Huntington's Disease.	1
95	A cyclin-dependent kinase 5-derived peptide inhibits Cdk5/p25 activity and improves neurodegenerative phenotypes.	1
94	Dietary salt promotes cognitive impairment through tau phosphorylation.	1
93	Network propagation of rare mutations in Alzheimer's disease reveals tissue-specific hub genes and communities.	0
92	Cyclin-dependent kinase 5--a neuronal killer?. 2003 , 2003, pe36	5

91	When good Cdk5 turns bad. 2006 , 2006, pe5	9
90	Expression of the endoplasmic reticulum molecular chaperone (ORP150) rescues hippocampal neurons from glutamate toxicity. 2001 , 108, 1439-50	104
89	Inhibition of calpains improves memory and synaptic transmission in a mouse model of Alzheimer disease. 2008 , 118, 2796-807	160
88	Inhibition of TRPC6 degradation suppresses ischemic brain damage in rats. 2010 , 120, 3480-92	91
87	Gene expression profiling and association with prion-related lesions in the medulla oblongata of symptomatic natural scrapie animals. 2011 , 6, e19909	18
86	Prenatal stress induces long-term effects in cell turnover in the hippocampus-hypothalamus-pituitary axis in adult male rats. 2011 , 6, e27549	22
85	Specific silencing of the REST target genes in insulin-secreting cells uncovers their participation in beta cell survival. 2012 , 7, e45844	14
84	Cdk5 inhibitory peptide (CIP) inhibits Cdk5/p25 activity induced by high glucose in pancreatic beta cells and recovers insulin secretion from p25 damage. 2013 , 8, e63332	7
83	Effects of p35 Mutations Associated with Mental Retardation on the Cellular Function of p35-CDK5. 2015 , 10, e0140821	2
82	Neuronal Cell Death and Degeneration through Increased Nitroxidative Stress and Tau Phosphorylation in HIV-1 Transgenic Rats. 2017 , 12, e0169945	31
81	Myristic acid hitchhiking on sigma-1 receptor to fend off neurodegeneration. 2016 , 3,	3
80	Phosphoproteomics identifies microglial Siglec-F inflammatory response during neurodegeneration. 2020 , 16, e9819	3
79	Transient enhancement of proliferation of neural progenitors and impairment of their long-term survival in p25 transgenic mice. 2016 , 7, 39148-39161	3
78	Involvement of cyclin-dependent kinase 5/p35(nck5a) in the synaptic reorganization of rat hippocampus during kindling progression. 2000 , 50, 525-32	5
77	Neuroprotective Mechanisms Mediated by CDK5 Inhibition. 2016 , 22, 527-34	35
76	Neuroprotective action of lithium in disorders of the central nervous system. 2011 , 36, 461-76	25
75	Houttuynia cordata Improves Cognitive Deficits in Cholinergic Dysfunction Alzheimer's Disease-Like Models. 2014 , 22, 176-83	15
74	Aberrant phosphorylation in the pathogenesis of Alzheimer's disease. 2009 , 42, 467-74	57

73	Calpain-2 as a Treatment Target in Prenatal Stress-induced Epileptic Spasms in Infant Rats. 2019 , 28, 529-536	5
72	The sheddase ADAM10 is a potent modulator of prion disease. 2015 , 4,	50
71	Neuroscience. A kinase to dampen the effects of cocaine?. 2001 , 292, 236-7	2
70	Biochemical Analysis of Tau and Synuclein in Neurodegenerative Diseases. 2002 , 537-541	
69	Limiting Apoptosis as a Strategy for CNS Neuroprotection. 2002 , 37-63	
68	Molecular Mechanisms of Remodeling in Human Atrial Fibrillation. 2002 , 199-212	
67	Alloptosis. 2005 , 1, 3-17	1
66	Calpain as a Target for Prevention of Neuronal Death in Injuries and Diseases of the Central Nervous System. 2007 , 445-467	1
65	Regulation of Protein Metabolism. 2007 , 1-33	
64	Cdk5 May Be an Atypical Kinase, but Not in the Way You Think. 2008 , 119-137	
63	Protein-Protein Interactions Involving the N-Terminus of p35. 2008 , 159-170	
62	Cdk5 and Neuregulin-1 Signaling. 2008 , 139-144	
61	Cyclin-Dependent Kinase 5. 2009 , 185-201	
60	Neurofilament Transport. 2011 , 249-260	
59	Cyclin-Dependent Kinase 5 (Cdk5): Preparation and Measurement of Kinase Activity. 2012 , 87-103	1
58	Epigenetic Mechanisms Regulating Memory Formation in Health and Disease. 2012 , 97-104	
57	Special Issue on "Cdk5 and Brain Disorders": Prologue. 2012 , Suppl 1,	
56	Caspase-Independent Stroke Targets. 2012 , 145-174	

55	The Amyloid β -Protein and Alzheimer's Disease. 2012 , 1-85	
54	Contribution of Insulin Resistance in Pathogenesis of Alzheimer Disease. 51-73	
53	Apoptosis and Autophagy. 2017 , 75-113	1
52	Amyloid- β promotes neurotoxicity by Cdk5-induced p53 stabilization.	
51	Amyloid Beta. 2019 , 235-251	1
50	Phosphoprotein-based Biomarkers as Predictors for Cancer Therapy.	
49	Membrane proximal F-actin restricts local membrane protrusions and directs cell migration.	1
48	Emerging Perspectives on DNA Double-strand Breaks in Neurodegenerative Diseases. 2019 , 17, 1146-1157	3
47	Probing the functions of microglial cyclin-dependent kinase 5 under physiological and pathological conditions.	
46	Phosphoproteomics identifies microglial Siglec-F inflammatory response during neurodegeneration.	0
45	Protocols for Characterization of Cdk5 Kinase Activity. 2021 , 1, e276	
44	Not Just for Muscle Anymore: Activity and Calcium Regulation of MEF2-Dependent Transcription in Neuronal Survival and Differentiation. 2008 , 229-250	1
43	Mitochondrial collapse links PFKFB3-promoted glycolysis with CLN7/MFSD8 neuronal ceroid lipofuscinosis pathogenesis.	
42	The role of tau kinases in Alzheimer's disease. 2010 , 13, 595-603	83
41	Age-Induced Alterations in Hippocampal Function and Metabolism. 2011 , 2, 196-218	10
40	Beneficial effects of polydatin on learning and memory in rats with chronic ethanol exposure. 2015 , 8, 11116-23	9
39	Three decades of Cdk5. <i>Journal of Biomedical Science</i> , 2021 , 28, 79	13.3 3
38	Cdk5 drives formation of heterogeneous pancreatic neuroendocrine tumors. <i>Oncogenesis</i> , 2021 , 10, 83 6.6	3

37	Chronic glucocorticoids consumption triggers and worsens experimental Alzheimer's disease-like pathology by detrimental immune-modulations.. <i>Neuroendocrinology</i> , 2021 ,	5.6	1
36	Preservation of Retinal Function Through Synaptic Stabilization in Alzheimer's Disease Model Mouse Retina by Lycium Barbarum Extracts.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 788798	5.3	2
35	The Reduction of Tau Hyperphosphorylation by Cornel Iridoid Glycosides Is Mediated by Their Influence on Calpain Activity.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 9213046	2.2	0
34	Aberrant upregulation of the glycolytic enzyme PFKFB3 in CLN7 neuronal ceroid lipofuscinosis.. <i>Nature Communications</i> , 2022 , 13, 536	17.4	0
33	Phyto-Carbazole Alkaloids from the Rutaceae Family as Potential Protective Agents against Neurodegenerative Diseases.. <i>Antioxidants</i> , 2022 , 11,	7.1	2
32	Therapeutic strategies for tauopathies and drug repurposing as a potential approach.. <i>Biochemical Pharmacology</i> , 2022 , 198, 114979	6	1
31	Dendritic distribution of CDK5 mRNA and p35 mRNA, and a glutamate-responsive increase of CDK5/p25 complex contribute to tau hyperphosphorylation.. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2022 , 130135	4	0
30	Role of cyclin-dependent kinase 5 in early brain injury following experimental subarachnoid hemorrhage.. <i>Experimental and Therapeutic Medicine</i> , 2022 , 23, 147	2.1	0
29	MST1 mediates the N-methyl-D-aspartate-induced excitotoxicity in mouse cortical neurons.. <i>Cellular and Molecular Life Sciences</i> , 2021 , 79, 15	10.3	0
28	In vivo analysis of the phosphorylation of tau and the tau protein kinases Cdk5-p35 and GSK3 β using Phos-tag SDS-PAGE.. <i>Journal of Proteomics</i> , 2022 , 104591	3.9	2
27	Data_Sheet_1.PDF. 2018 ,		
26	Data_Sheet_1.docx. 2019 ,		
25	Data_Sheet_1.docx. 2018 ,		
24	Data_Sheet_1.pdf. 2018 ,		
23	Calpains as novel players in the molecular pathogenesis of spinocerebellar ataxia type 17.. <i>Cellular and Molecular Life Sciences</i> , 2022 , 79, 262	10.3	0
22	Systemic Administration of a Brain Permeable Cdk5 Inhibitor Alters Neurobehavior. <i>Frontiers in Pharmacology</i> , 2022 , 13,	5.6	0
21	Glutamate excitotoxicity: Potential therapeutic target for ischemic stroke. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 151, 113125	7.5	0
20	Progressive Degeneration and Adaptive Excitability in Dopamine D1 and D2 Receptor-Expressing Striatal Neurons Exposed to HIV-1 Tat and Morphine. <i>Cellular and Molecular Neurobiology</i> ,	4.6	1

19	Genetic inhibition of collapsin response mediator protein-2 phosphorylation ameliorates retinal ganglion cell death in normal-tension glaucoma models. <i>Genes To Cells</i> ,	2-3	
18	Model scenarios for cell cycle re-entry in Alzheimer's disease. <i>IScience</i> , 2022 , 25, 104543	6.1	o
17	Computational Study of the Allosteric Effects of p5 on CDK5 β 25 Hyperactivity as Alternative Inhibitory Mechanisms in Neurodegeneration. <i>Journal of Physical Chemistry B</i> , 2022 , 126, 5033-5044	3-4	
16	Cyclin-dependent kinase 5 inhibitor attenuates lipopolysaccharide-induced neuroinflammation through metabolic reprogramming. <i>European Journal of Pharmacology</i> , 2022 , 929, 175118	5-3	1
15	Characterization and Preclinical Treatment of Rotational Force-Induced Brain Injury.		
14	Cdk5-p25 as a key element linking amyloid and tau pathologies in Alzheimer's disease: Mechanisms and possible therapeutic interventions. 2022 , 308, 120986		o
13	The neuroprotective effects of glucagon-like peptide 1 in Alzheimer's and Parkinson's disease: An in-depth review. 16,		2
12	TRPC6 mediates high glucose-induced mitochondrial fission through activation of CDK5 in cultured human podocytes. 13,		o
11	Selective Calpain Inhibition Improves Functional and Histopathological Outcomes in a Canine Spinal Cord Injury Model. 2022 , 23, 11772		1
10	Focusing on cyclin-dependent kinases 5: A potential target for neurological disorders. 15,		o
9	Sulforaphene, a CDK5 Inhibitor, attenuates cognitive deficits in a transgenic mouse model of Alzheimer's disease via reducing A β Deposition, tau hyperphosphorylation and synaptic dysfunction. 2023 , 114, 109504		o
8	Physiological Roles of β amyloid in Regulating Synaptic Function: Implications for AD Pathophysiology.		1
7	APPs β rescues CDK5 and GSK3 β dysregulation and restores normal spine density in Tau transgenic mice. 17,		o
6	Extracellular CIRP Induces Calpain Activation in Neurons via PLC-IP3-Dependent Calcium Pathway.		o
5	Cdk5 mediates rotational force-induced brain injury. 2023 , 13,		o
4	Research Progress on the Etiology and Pathogenesis of Alzheimer's Disease from the Perspective of Chronic Stress. 2022 , 0		o
3	Calpain activity is negatively regulated by a KCTD7 β ullin-3 complex via non-degradative ubiquitination. 2023 , 9,		o
2	Neuronal Exosomes as a New Signaling System. 2023 , 88, 457-465		o

- 1 Identification of Novel Compounds Inhibiting the Kinase Activity of the CDK5/p25 Complex via Direct Binding to p25.

o