

On a class of quadratic convergence iteration formulae

Applied Mathematics and Computation

107, 77-80

DOI: [10.1016/s0096-3003\(98\)10009-7](https://doi.org/10.1016/s0096-3003(98)10009-7)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A new continuation Newton-like method and its deformation. Applied Mathematics and Computation, 2000, 112, 75-78.	1.4	55
2	New high-order convergence iteration methods without employing derivatives for solving nonlinear equations. Computers and Mathematics With Applications, 2001, 41, 489-495.	1.4	43
3	On a class of quadratically convergent iteration formulae. Applied Mathematics and Computation, 2005, 166, 633-637.	1.4	42
4	Parametric iterative methods of second-order for solving nonlinear equation. Applied Mathematics and Computation, 2006, 173, 1060-1067.	1.4	4
5	Efficient continuation Newton-like method for solving systems of non-linear equations. Applied Mathematics and Computation, 2006, 174, 846-853.	1.4	18
6	An improved regula-falsi method for enclosing simple zeros of nonlinear equations. Applied Mathematics and Computation, 2006, 177, 769-776.	1.4	8
7	On a family of second-derivative-free variants of Chebyshev's method. Applied Mathematics and Computation, 2006, 181, 982-987.	1.4	8
8	Fourth-order convergent iterative method for nonlinear equation. Applied Mathematics and Computation, 2006, 182, 1149-1153.	1.4	21
9	On Newton-like methods for solving nonlinear equations. Geo-Spatial Information Science, 2006, 9, 76-78.	2.4	0
10	An improved exponential regula falsi methods with quadratic convergence of both diameter and point for solving nonlinear equations. Applied Numerical Mathematics, 2007, 57, 80-88.	1.2	8
11	New modified regula falsi method for nonlinear equations. Applied Mathematics and Computation, 2007, 184, 965-971.	1.4	17
12	A one-parameter family of second-order iteration methods. Applied Mathematics and Computation, 2007, 186, 1402-1406.	1.4	4
13	High order iterative methods without derivatives for solving nonlinear equations. Applied Mathematics and Computation, 2007, 186, 1617-1623.	1.4	23
14	A cubic convergent iterative method for enclosing simple roots of nonlinear equations. Applied Mathematics and Computation, 2007, 187, 1544-1551.	1.4	9
15	Newton-like method with some remarks. Applied Mathematics and Computation, 2007, 188, 433-439.	1.4	2
16	A one-parameter family of quadratically convergent iteration formulae. Applied Mathematics and Computation, 2007, 189, 55-58.	1.4	3
17	Note on the improvement of Newton's method for system of nonlinear equations. Applied Mathematics and Computation, 2007, 189, 1476-1479.	1.4	11
18	Modified families of Newton, Halley and Chebyshev methods. Applied Mathematics and Computation, 2007, 192, 20-26.	1.4	26

#	ARTICLE	IF	CITATIONS
19	On a new class parametrized Newton-like method for semismooth equations. Applied Mathematics and Computation, 2007, 193, 430-437.	1.4	5
20	Simple geometric constructions of quadratically and cubically convergent iterative functions to solve nonlinear equations. Numerical Algorithms, 2008, 47, 95-107.	1.1	13
21	A semi-local convergence theorem for a robust revised Newton's method. Computers and Mathematics With Applications, 2009, 58, 1320-1327.	1.4	2
22	An improved class of regula falsi methods of third order for solving nonlinear equations in R. Journal of Applied Mathematics and Computing, 2010, 33, 35-45.	1.2	2
23	A novel cubically convergent iterative method for computing complex roots of nonlinear equations. Applied Mathematics and Computation, 2010, 217, 2608-2618.	1.4	4
24	SIMPLE YET EFFICIENT ALGORITHM FOR SOLVING NONLINEAR EQUATIONS. International Journal of Modeling, Simulation, and Scientific Computing, 2010, 01, 509-522.	0.9	1
25	A cubically convergent iteration method for multiple roots of $f(x)=0$. International Journal of Computer Mathematics, 2010, 87, 877-884.	1.0	1
26	New optimal class of higher-order methods for multiple roots, permitting $f \in C^2(x_n)=0$. Applied Mathematics and Computation, 2013, 222, 564-574.	1.4	17
27	Bisection and Interpolation Methods. Studies in Computational Mathematics, 2013, 16, 1-138.	0.2	3
28	A correction method of time-base-error for non-uniformly sampled signals. , 2013, , .		0
29	An improved bisection Newton-like method for enclosing simple zeros of nonlinear equations. SeMA Journal, 2015, 72, 83-92.	1.0	0
30	A fourth order regula-falsi Newton-like method for enclosing simple zeros of nonlinear equations. International Journal of Applied Nonlinear Science, 2016, 2, 258.	0.2	0
31	Quadratically convergent algorithm for computing real root of non-linear transcendental equations. BMC Research Notes, 2018, 11, 909.	0.6	4
32	A New Trigonometrical Algorithm for Computing Real Root of Non-linear Transcendental Equations. International Journal of Applied and Computational Mathematics, 2019, 5, 1.	0.9	7