

CITATION REPORT

List of articles citing

Production and Properties of Spray-dried Amaranthus Betacyanin Pigments

DOI: 10.1111/j.1365-2621.2000.tb10273.x
Journal of Food Science, 2000, 65, 1248-1252.

Source: <https://exaly.com/paper-pdf/31465664/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
642	Chemical stability and colorant properties of betaxanthin pigments from <i>Celosia argentea</i> . 2001 , 49, 4429-35		68
641	Anthocyanins and Betalains. 2002 ,		1
640	Starch based spherical aggregates: reconfirmation of the role of amylose on the stability of a model flavouring compound, vanillin. 2002 , 50, 279-282		15
639	Starch-based spherical aggregates: stability of a model flavouring compound, vanillin entrapped therein. 2002 , 50, 417-421		20
638	Recent advances in betalain research. 2003 , 62, 247-69		537
637	AMARANTH. 2004 , 1-10		7
636	Betaxanthin formation and free amino acids in hairy roots of <i>Beta vulgaris</i> var. <i>lutea</i> depending on nutrient medium and glutamate or glutamine feeding. 2004 , 65, 1361-8		21
635	Physical properties of powdered pineapple (<i>Ananas comosus</i>) juice Effect of malt dextrin concentration and atomization speed. 2004 , 64, 285-287		137
634	The use of gum arabic and modified starch in the microencapsulation of a food flavoring agent. 2005 , 62, 309-315		156
633	Prediction of Final Product Properties After Cocurrent Spray Drying. 2005 , 23, 1653-1665		36
632	Spray-Drying of α -Amylase The Effect of Process Variables on the Enzyme Inactivation. 2005 , 23, 941-953		52
631	Characterization and application of betalain pigments from plants of the Amaranthaceae. 2005 , 16, 370-376		160
630	Spray-Drying of Cactus Pear Juice (<i>Opuntia streptacantha</i>): Effect on the Physicochemical Properties of Powder and Reconstituted Product. 2005 , 23, 955-973		143
629	Evaluation of different methods for the production of juice concentrates and fruit powders from cactus pear. 2006 , 7, 275-287		75
628	Betalain Stability and Degradation Structural and Chromatic Aspects. <i>Journal of Food Science</i> , 2006 , 71, R41-R50	3.4	326
627	Microencapsulation of black pepper oleoresin. <i>Food Chemistry</i> , 2006 , 94, 105-110	8.5	131
626	Antioxidant capacity and secondary metabolites in four species of Andean tuber crops: native potato (<i>Solanum</i> sp.), mashua (<i>Tropaeolum tuberosum</i> Ruiz & Pav \bar{a}), Oca (<i>Oxalis tuberosa</i> Molina) and ulluco (<i>Ullucus tuberosus</i> Caldas). 2006 , 86, 1481-1488		65

625	Spray Drying and Agglomeration of Instant Bayberry Powder. 2007 , 26, 116-121		89
624	The physicochemical properties of spray-dried watermelon powders. 2007 , 46, 386-392		443
623	Microencapsulation of anthocyanin pigments of black carrot (<i>Daucus carota</i> L.) by spray drier. 2007 , 80, 805-812		366
622	Influence of process conditions on the physicochemical properties of aβi (<i>Euterpe oleraceae</i> Mart.) powder produced by spray drying. 2008 , 88, 411-418		543
621	Storage stability of microencapsulated cloudberry (<i>Rubus chamaemorus</i>) phenolics. 2008 , 56, 11251-61		117
620	Spray-dried tomato powder: reconstitution properties and colour. 2008 , 51, 607-614		30
619	Water sorption and glass transition temperature of spray dried aβi (<i>Euterpe oleracea</i> Mart.) juice. 2009 , 94, 215-221		172
618	Betalains: properties, sources, applications, and stability – a review. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 2365-2376	3.8	350
617	Physicochemical and morphological characterisation of aβi (<i>Euterpe oleraceae</i> Mart.) powder produced with different carrier agents. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 1950-1958	3.8	174
616	The influence of powder morphology on the effect of rosemary aroma microencapsulation during spray drying. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 2438-2444	3.8	25
615	Microencapsulation by spray drying of bioactive compounds from cactus pear (<i>Opuntia ficus-indica</i>). <i>Food Chemistry</i> , 2009 , 114, 616-622	8.5	325
614	Production of a red-purple food colorant from <i>Opuntia stricta</i> fruits by spray drying and its application in food model systems. 2009 , 90, 471-479		220
613	Effect of carrier agents on the physicochemical properties of a spray dried chicken meat protein hydrolysate. 2009 , 94, 326-333		71
612	Efficacy of pullulan in emulsification of turmeric oleoresin and its subsequent microencapsulation. <i>Food Chemistry</i> , 2009 , 113, 1139-1145	8.5	46
611	Microencapsulation of casein hydrolysate by complex coacervation with SPI/pectin. 2009 , 42, 1099-1104		139
610	Production and properties of casein hydrolysate microencapsulated by spray drying with soybean protein isolate. <i>LWT - Food Science and Technology</i> , 2009 , 42, 919-923	5.4	79
609	Influence of Spray Drying Conditions on Physicochemical Properties of Chicken Meat Powder. 2009 , 27, 1248-1257		56
608	Microcapsules of a Casein Hydrolysate: Production, Characterization, and Application in Protein Bars. 2009 , 15, 407-413		47

607	. 2009,		3
606	Spray-drying of passion fruit juice using lactose-maltodextrin blends as the support material. 2009, 52, 1011-1018		34
605	Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (<i>Momordica cochinchinensis</i>) fruit aril powder. 2010, 98, 385-392		326
604	Encapsulation of herbal aqueous extract through absorption with ca-alginate hydrogel beads. 2010, 88, 195-201		68
603	Antioxidative activity of microcapsules with beetroot juice using gum Arabic as wall material. 2010, 88, 253-258		101
602	The use of spray drying technology to reduce bitter taste of casein hydrolysate. 2010, 24, 336-340		164
601	Impact of alpha-amylase and maltodextrin on physicochemical, functional and antioxidant capacity of spray-dried purple sweet potato flour. 2010, 90, 494-502		48
600	Spray drying of nopal mucilage (<i>Opuntia ficus-indica</i>): Effects on powder properties and characterization. 2010, 81, 864-870		101
599	ASCORBIC ACID AND ANTHOCYANIN RETENTION DURING SPRAY DRYING OF ACEROLA POMACE EXTRACT. 2010, 34, 915-925		14
598	Encapsulation of polyphenols and anthocyanins from pomegranate (<i>Punica granatum</i>) by spray drying. <i>International Journal of Food Science and Technology</i> , 2010, 45, 1386-1394	3.8	267
597	Moisture sorption characteristics and glass transition temperature of apple puree powder. <i>International Journal of Food Science and Technology</i> , 2010, 45, 2515-2523	3.8	34
596	Effect of Selected Additives on Microencapsulation of Anthocyanin by Spray Drying. 2010, 28, 1396-1404		93
595	Encapsulation by spray drying of bioactive components, physicochemical and morphological properties from purple sweet potato. <i>LWT - Food Science and Technology</i> , 2010, 43, 1307-1312	5.4	119
594	Anthocyanin stability and antioxidant activity of spray-dried aabi (<i>Euterpe oleracea</i> Mart.) juice produced with different carrier agents. 2010, 43, 907-914		340
593	Liposomes incorporating essential oil of Brazilian cherry (<i>Eugenia uniflora</i> L.): characterization of aqueous dispersions and lyophilized formulations. 2010, 27, 416-25		42
592	Empirical modeling and control for spray drying of orange juice powder. 2011,		
591	Spray Drying of Chicken Meat Protein Hydrolysate: Influence of Process Conditions on Powder Property and Dryer Performance. 2011, 29, 163-173		29
590	Empirical modeling for spray drying process of sticky and non-sticky products. 2011, 1, 690-697		32

589	Influence of emulsion composition and inlet air temperature on the microencapsulation of flaxseed oil by spray drying. 2011 , 44, 282-289		356
588	Non-thermal stabilization mechanisms of anthocyanins in model and food systems—An overview. 2011 , 44, 499-509		333
587	Microencapsulation of propolis extract by complex coacervation. <i>LWT - Food Science and Technology</i> , 2011 , 44, 429-435	5.4	143
586	Assessment of production efficiency, physicochemical properties and storage stability of spray-dried chlorophyllide, a natural food colourant, using gum Arabic, maltodextrin and soy protein isolate-based carrier systems. <i>International Journal of Food Science and Technology</i> , 2011 , 46, 1259-1265	3.8	52
585	SPRAY DRYING OF AÇAÍ (EUTERPE OLERACEAE MART.) JUICE: EFFECT OF INLET AIR TEMPERATURE AND TYPE OF CARRIER AGENT. 2011 , 35, 691-700		83
584	Black currant polyphenols: Their storage stability and microencapsulation. 2011 , 34, 1301-1309		218
583	Betalainic and nutritional profiles of pigment-enriched red beet root (<i>Beta vulgaris</i> L.) dried extracts. <i>Food Chemistry</i> , 2011 , 127, 42-53	8.5	180
582	Improvement of the production of a red pigment in <i>Penicillium</i> sp. HSD07B synthesized during co-culture with <i>Candida tropicalis</i> . 2011 , 102, 6082-7		40
581	Eco-friendly and protective natural dye from red prickly pear (<i>Opuntia Lasiantha</i> Pfeiffer) plant. 2011 , 15, 257-261		47
580	Low-Temperature Vacuum Drying of Natural Gardenia Yellow Pigment. 2011 , 29, 1132-1139		18
579	Water Sorption and Glass Transition Temperature of Spray-Dried Mussel Meat Protein Hydrolysate. 2012 , 30, 175-184		12
578	Effects of Formulation on Stability of Spray-Dried Egg. 2012 , 30, 63-71		8
577	Effect of process conditions on the microencapsulation of coffee oil by spray drying. 2012 , 90, 413-424		251
576	Effect of spray drying conditions and feed composition on the physical properties of black mulberry juice powder. 2012 , 90, 667-675		272
575	Microencapsulation of bifidobacteria by spray drying in the presence of prebiotics. 2012 , 45, 306-312		210
574	Evaluation of spray drying conditions on properties of microencapsulated oregano essential oil. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 2289-2296	3.8	90
573	Effects of Enzymatic Liquefaction, Maltodextrin Concentration, and Spray-Dryer Air Inlet Temperature on Pumpkin Powder Characteristics. <i>Food and Bioprocess Technology</i> , 2012 , 5, 2837-2847	5.1	16
572	Effects of Spray-Drying Conditions on the Physicochemical Properties of Blackberry Powder. 2012 , 30, 154-163		140

571	Secagem por atomizaçã de polpa de amora-preta usando maltodextrina como agente carreador. 2012 , 15, 157-165		21
570	Influence of Carrier Agents on the Physicochemical Properties of Mussel Protein Hydrolysate Powder. 2012 , 30, 653-663		15
569	Microparticulated Hydrochlorothiazide Solid Dispersion: Enhancing Dissolution Properties via Spray Drying. 2012 , 30, 959-967		20
568	The improving effect of spray-drying encapsulation process on the bitter taste and stability of whey protein hydrolysate. 2012 , 235, 91-97		59
567	Physicochemical and nutritional properties of spray-dried pitaya fruit powder as natural colorant. 2012 , 21, 675-682		85
566	Optimisation of pomegranate (<i>Punica Granatum L.</i>) juice spray-drying as affected by temperature and maltodextrin content. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 167-176	3.8	52
565	Microencapsulation of β -carotene using native pinhã starch, modified pinhã starch and gelatin by freeze-drying. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 186-194	3.8	35
564	MICROENCAPSULATED LYCOPENE FOR PRE-EXTRUSION COLORING OF FOODS. 2012 , 35, 91-103		8
563	MICROENCAPSULATION OF LYCOPENE BY GELATIN-BLECTIN COMPLEX COACERVATION. 2012 , 36, 185-190		82
562	Effect of moisture content on selected physicochemical properties of two commercial hen egg white powders. <i>Food Chemistry</i> , 2012 , 132, 373-84	8.5	55
561	Optimization of emulsification procedure for mutual maximizing the encapsulation and exergy efficiencies of fish oil microencapsulation. 2012 , 225, 107-117		70
560	Characterization of spray-dried soy sauce powders using maltodextrins as carrier. 2012 , 109, 399-405		40
559	Effect of drying methods on the physical properties and microstructures of mango (Philippine Carabao var.) powder. 2012 , 111, 135-148		336
558	Encapsulation of thyme (<i>Thymus serpyllum L.</i>) aqueous extract in calcium alginate beads. 2012 , 92, 685-96		105
557	Factors affecting phytochemical stability. 2013 , 332-374		4
556	Organic solution versus aqueous dispersion of Eudragit RS in preparation of sustained release microparticles of theophylline using spray drying. 2013 , 108, 374-9		16
555	Storage Stability of Spray-Dried Blackberry Powder Produced with Maltodextrin or Gum Arabic. 2013 , 31, 470-478		101
554	Influence of Process Conditions on the Physicochemical Properties of Pequi Powder Produced by Spray Drying. 2013 , 31, 825-836		55

553	Vacuum-Belt Drying of Rabbiteye Blueberry (<i>Vaccinium ashei</i>) Slurries: Influence of Drying Conditions on Physical and Quality Properties of Blueberry Powder. <i>Food and Bioprocess Technology</i> , 2013 , 6, 3227-3237	5.1	11
552	Binary Mixtures of Modified Starch, Maltodextrin and Chitosan as Efficient Encapsulating Agents of Fennel Oleoresin. <i>Food and Bioprocess Technology</i> , 2013 , 6, 3238-3246	5.1	17
551	Spray-Drying Optimization for Red Pitaya Peel (<i>Hylocereus polyrhizus</i>). <i>Food and Bioprocess Technology</i> , 2013 , 6, 1332-1342	5.1	38
550	Microencapsulation of Rosemary Essential Oil: Characterization of Particles. 2013 , 31, 1245-1254		65
549	Spray drying of red (<i>Hylocereus polyrhizus</i>) and white (<i>Hylocereus undatus</i>) dragon fruit juices: physicochemical and antioxidant properties of the powder. <i>International Journal of Food Science and Technology</i> , 2013 , 48, n/a-n/a	3.8	7
548	Encapsulation Systems in the Food Industry. 2013 , 229-253		15
547	Advances in Food Process Engineering Research and Applications. 2013 ,		5
546	Effect of cyclodextrins on the thermodynamic and kinetic properties of cyanidin-3-O-glucoside. 2013 , 51, 748-755		37
545	Double emulsion stage prior to complex coacervation process for microencapsulation of sweetener sucralose. 2013 , 119, 28-32		60
544	Assessment of production efficiency, physicochemical properties and storage stability of spray-dried propolis, a natural food additive, using gum Arabic and OSA starch-based carrier systems. 2013 , 91, 28-36		99
543	Process development for spray drying a value-added extract from aflatoxin-contaminated peanut meal. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 58-66	3.8	4
542	Liposomes encapsulating beta-carotene produced by the proliposomes method: characterisation and shelf life of powders and phospholipid vesicles. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 274-282	3.8	61
541	Microencapsulation of aspartame by double emulsion followed by complex coacervation to provide protection and prolong sweetness. <i>Food Chemistry</i> , 2013 , 139, 72-8	8.5	93
540	Physicochemical properties and antioxidant capacity of oak (<i>Quercus resinosa</i>) leaf infusions encapsulated by spray-drying. 2013 , 2, 31-38		15
539	Microencapsulation of ascorbic acid by complex coacervation: Protection and controlled release. 2013 , 52, 373-379		147
538	Parameter optimization for spray-drying microencapsulation of jaboticaba (<i>Myrciaria jaboticaba</i>) peel extracts using simultaneous analysis of responses. 2013 , 117, 538-544		154
537	Stabilization of anthocyanin extract from jaboticaba skins by encapsulation using supercritical CO ₂ as solvent. 2013 , 50, 617-624		109
536	Microencapsulation by spray drying of gallic acid with nopal mucilage (<i>Opuntia ficus indica</i>). <i>LWT - Food Science and Technology</i> , 2013 , 50, 642-650	5.4	74

535	Effect of green tea extract microencapsulation on hypertriglyceridemia and cardiovascular tissues in high fructose-fed rats. 2013 , 7, 366-72	22
534	Estabilidade da polpa de morango atomizada utilizando diferentes agentes carreadores. 2013 , 16, 310-318	15
533	Microencapsulation of pequi pulp by spray drying: use of modified starches as encapsulating agent. 2014 , 34, 980-991	19
532	Microencapsulaci3n de Antocianinas de Berenjena (<i>Solanum melongena</i> L.) mediante Secado por Aspersi3n y Evaluaci3n de la Estabilidad de su Color y Capacidad Antioxidante: Anthocyanins Microencapsulation of Eggplant (<i>Solanum melongena</i> L.) and Evaluation of Color Stability and Antioxidant Capacity. 2014 , 25, 31-42	10
531	Effects of tetraethyl orthosilicate (TEOS) on the light and temperature stability of a pigment from <i>Beta vulgaris</i> and its potential food industry applications. 2014 , 19, 17985-8002	23
530	Estudo da adi3o de albumina e da temperatura de secagem nas caracter3sticas de polpa de tomate em p3. 2014 , 35, 1267	5
529	Evaluation of Modified Amaranth Starch as Shell Material for Encapsulation of Probiotics. 2014 , 91, 300-308	12
528	Effects of Spray Drying Conditions of Microencapsulation of <i>Amaranthus gangeticus</i> Extract on Drying Behaviour. 2014 , 2, 33-42	8
527	Microencapsulation of <i>Lactobacillus casei</i> by spray drying. 2014 , 31, 759-67	6
526	Influence of Operating Parameters on Physicochemical Properties of Fruit Juice Powders Produced by Spray Drying. 2014 , 941-944, 1196-1200	
525	Spray Drying of Blue Shark Skin Protein Hydrolysate: Physical, Morphological, and Antioxidant Properties. 2014 , 32, 1986-1996	11
524	Spray Drying of Karkade (<i>Hibiscus sabdariffa</i> L.) Calyces and Evaluation of the Product. 2014 , 10, 157-165	3
523	Characteristics of spray dried dahi powder with maltodextrin as an adjunct. 2014 , 7, 849	3
522	Microencapsulation of Garcinia fruit extract by spray drying and its effect on bread quality. 2014 , 94, 1116-23	45
521	Application of maltodextrin in green corn extract powder production. 2014 , 263, 89-95	15
520	Influence of wall matrix systems on the properties of spray-dried microparticles containing fish oil. 2014 , 62, 344-352	114
519	Characterization of starch nanoparticles obtained from <i>Araucaria angustifolia</i> seeds by acid hydrolysis and ultrasound. <i>LWT - Food Science and Technology</i> , 2014 , 58, 21-27	5-4 53
518	Arabic Gum Mixtures as Encapsulating Agents of Freeze-Dried Fennel Oleoresin Products. <i>Food and Bioprocess Technology</i> , 2014 , 7, 1057-1065	5-1 32

517	Effect of spray drying on the sensory and physical properties of hydrolysed casein using gum arabic as the carrier. 2014 , 51, 2014-21		39
516	Multi-objective Optimization of Spray Drying of Jujube (<i>Zizyphus jujuba</i> Miller) Powder Using Response Surface Methodology. <i>Food and Bioprocess Technology</i> , 2014 , 7, 1807-1818	5.1	20
515	Storage and Baking Stability of Encapsulated Sour Cherry Phenolic Compounds Prepared from Micro- and Nano-Suspensions. <i>Food and Bioprocess Technology</i> , 2014 , 7, 204-211	5.1	33
514	Optimization of Short- and Medium-Wave Infrared Drying and Quality Evaluation of Jujube Powder. <i>Food and Bioprocess Technology</i> , 2014 , 7, 2375-2387	5.1	27
513	Spray Drying of Goat Milk Protein Hydrolysates with Angiotensin Converting Enzyme Inhibitory Activity. <i>Food and Bioprocess Technology</i> , 2014 , 7, 2388-2396	5.1	5
512	Microencapsulation of pulp and ultrafiltered cactus pear (<i>Opuntia ficus-indica</i>) extracts and betanin stability during storage. <i>Food Chemistry</i> , 2014 , 157, 246-51	8.5	61
511	The effects of spray drying process parameters on the characteristic process indices and rheological powder properties of microencapsulated plant (<i>Gypsophila</i>) extract powder. 2014 , 253, 474-480		35
510	Optimization of spray drying conditions for lulo (<i>Solanum quitoense</i> L.) pulp. 2014 , 256, 233-238		58
509	Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (<i>Emblca officinalis</i>) juice powder. 2014 , 92, 252-258		126
508	Maltodextrin as a carrier of health benefit compounds in <i>Satureja montana</i> dry powder extract obtained by spray drying technique. 2014 , 258, 209-215		67
507	Effect of solids content and oil load on the microencapsulation process of rosemary essential oil. 2014 , 58, 173-181		84
506	Use of the jabuticaba (<i>Myrciaria cauliflora</i>) depulping residue to produce a natural pigment powder with functional properties. <i>LWT - Food Science and Technology</i> , 2014 , 55, 203-209	5.4	56
505	Stability and encapsulation efficiency of sulforaphane microencapsulated by spray drying. 2014 , 102, 497-503		51
504	A critical review on the spray drying of fruit extract: effect of additives on physicochemical properties. 2014 , 54, 449-73		43
503	Gum arabic/starch/maltodextrin/inulin as wall materials on the microencapsulation of rosemary essential oil. 2014 , 101, 524-32		319
502	Trans-Free Nondairy Creamer Prepared from Enzymatic Interesterification of Soybean Oil and Fully Hydrogenated Soybean Oil. 2014 , 37, 339-348		2
501	Spray Drying of Green Corn Pulp. 2014 , 32, 861-868		10
500	Physical and chemical properties of encapsulated rosemary essential oil by spray drying using whey protein/inulin blends as carriers. <i>International Journal of Food Science and Technology</i> , 2014 , 49, 1522-1529	3.8	68

499	Effect of soluble fiber on the physicochemical properties of cactus pear (<i>Opuntia ficus indica</i>) encapsulated using spray drying. 2014 , 23, 755-763		25
498	Effect of carrier agents on physical and microstructural properties of spray dried tamarind pulp powder. 2014 , 266, 354-364		131
497	Spray Drying of Mosambi Juice in Lab. 2014 , 95, 55-59		
496	Physical properties and fatty acid composition of pomegranate seed oil microcapsules prepared by using starch derivatives/whey protein blends. 2014 , 116, n/a-n/a		21
495	Influence of Processing Conditions on the Physicochemical Properties and Shelf-Life of Spray-Dried Palm Sugar (<i>Arenga pinnata</i>) Powder. 2014 , 32, 398-407		6
494	Understanding the molecular mechanism of anthocyanin binding to pectin. 2014 , 30, 8516-27		83
493	Effect of spray drying and freeze drying on the immunomodulatory activity, bitter taste and hygroscopicity of hydrolysate derived from whey protein concentrate. <i>LWT - Food Science and Technology</i> , 2014 , 56, 296-302	5-4	52
492	Optimization of Wall Material Concentration in Preparation of Flaxseed Oil Powder Using Response Surface Methodology. 2014 , 38, 889-895		9
491	Structural characterisation and cell viability of a spray dried probiotic yoghurt produced with goats' milk and <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> (BI-07). 2014 , 39, 71-77		21
490	Microencapsulated beetroot juice as a potential source of betalain. 2014 , 264, 190-196		74
489	Microencapsulation of Gac oil: Optimisation of spray drying conditions using response surface methodology. 2014 , 264, 298-309		74
488	Effects of different encapsulation agents and drying process on stability of betalains extract. 2014 , 51, 2216-21		89
487	Supercritical Fluid Extraction. 2014 , 310-341		
486	The physicochemical properties of microwave-assisted encapsulated anthocyanins from <i>Ipomoea batatas</i> as affected by different wall materials. 2015 , 3, 91-9		25
485	Optimisation of process parameters to develop nutritionally rich spray-dried honey powder with vitamin C content and antioxidant properties. <i>International Journal of Food Science and Technology</i> , 2015 , 50, 1771-1777	3.8	34
484	PHYSICOCHEMICAL AND SENSORY EVALUATION OF YELLOW MOMBIN (<i>Spondias mombin</i> L.) ATOMIZED POWDER. 2015 , 28, 244-252		7
483	Influence of Maltodextrin and Spray Drying Process Conditions on Sugarcane Juice Powder Quality. 2015 , 68, 7509-7520		28
482	Encapsulation of Hydrophilic and Hydrophobic Flavors by Spray Drying. 2015 , 16, 37-52		19

481	Effects of processing conditions on powder properties of black glutinous rice (<i>Oryza sativa</i> L.) bran anthocyanins produced by spray drying and freeze drying. <i>LWT - Food Science and Technology</i> , 2015 , 64, 405-411	5.4	77
480	Physical and Structural Properties of Spray Dried Tamarind (<i>Tamarindus indica</i> L.) Pulp Extract Powder with Encapsulating Hydrocolloids. 2015 , 18, 1793-1800		18
479	Sorption isotherms, thermodynamic properties and glass transition temperature of mucilage extracted from chia seeds (<i>Salvia hispanica</i> L.). 2015 , 121, 411-9		64
478	Developing spray-dried powders containing anthocyanins of black raspberry juice encapsulated based on fenugreek gum. 2015 , 26, 462-469		23
477	The stability and degradation kinetics of Sulforaphene in microcapsules based on several biopolymers via spray drying. 2015 , 122, 5-10		18
476	Microencapsulation of Swiss cheese bioaroma by spray-drying: Process optimization and characterization of particles. 2015 , 274, 296-304		33
475	Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder. 2015 , 274, 37-43		153
474	Water Stress in Biological, Chemical, Pharmaceutical and Food Systems. 2015 ,		3
473	Consumer acceptance and stability of spray dried betanin in model juices. <i>Food Chemistry</i> , 2015 , 187, 398-406	8.5	32
472	Encapsulation of colour from peels of eggplant in calcium alginate matrix. 2015 , 14, 87-96		10
471	Saffron and beetroot extracts encapsulated in maltodextrin, gum Arabic, modified starch and chitosan: Incorporation in a chewing gum system. 2015 , 127, 252-63		87
470	Resistant maltodextrin as a shell material for encapsulation of naringin: Production and physicochemical characterization. 2015 , 161, 68-74		38
469	Microencapsulation of betalains obtained from cactus fruit (<i>Opuntia ficus-indica</i>) by spray drying using cactus cladode mucilage and maltodextrin as encapsulating agents. <i>Food Chemistry</i> , 2015 , 187, 174-81	8.5	118
468	Effect of spray-drying process on physical properties of sodium chloride/maltodextrin complexes. 2015 , 277, 141-146		17
467	Spray drying of violet pigment from <i>Chromobacterium violaceum</i> UTM 5 and its application in food model systems. 2015 , 102, 324-329		14
466	Thermodynamic sorption of red cabbage extract (<i>Brassica oleracea</i> L. var. capitata L. f. rubra) encapsulated by spray drying. 2015 , 52, 8180-7		6
465	Fruit-Milk Powder: A Review of Spray Drying Technology. 2015 , 1113, 328-333		1
464	Effect of Spray Drying of Four Fruit Juices on Physicochemical, Phytochemical and Antioxidant Properties. 2015 , 39, 1656-1664		26

463	Microencapsulation of freeze concentrated Ilex paraguariensis extract by spray drying. 2015 , 151, 60-68	40
462	Microencapsulation of Juñra (Euterpe edulis M.) Pulp by Spray Drying Using Different Carriers and Drying Temperatures. 2015 , 33, 153-161	54
461	Encapsulation of black carrot juice using spray and freeze drying. 2015 , 21, 604-12	43
460	Potential use of whey concentrate and prebiotics as carrier agents to protect Bifidobacterium-BB-12 microencapsulated by spray drying. 2015 , 67, 400-408	55
459	A way to prepare a liposoluble natural pink colourant. 2015 , 17, 1510-1518	11
458	Acetylation of normal and waxy maize starches as encapsulating agents for maize anthocyanins microencapsulation. 2015 , 94, 717-726	30
457	Effect of spray drying on the physicochemical properties and color stability of the powdered pigment obtained from vinification byproducts of the Bordo grape (Vitis labrusca). 2015 , 93, 39-50	115
456	Spray drying of fruit and vegetable juices--a review. 2015 , 55, 701-19	47
455	The encapsulation of purple cactus pear (Opuntia ficus-indica) pulp by using polysaccharide-proteins as encapsulating agents. <i>LWT - Food Science and Technology</i> , 2015 , 60, 1039-1045	49
454	Process Standardization for Development of Spray-Dried Lemon Juice Powder and Optimization of Amla-Lemon Based RTS (Ready-to-Serve) Drink Using Response Surface Methodology. 2015 , 39, 1216-1228	11
453	Optimization of spray drying conditions for production of Bidens pilosa L. dried extract. 2015 , 93, 366-376	40
452	Characterisation of spray dried soy sauce powders made by adding crystalline carbohydrates to drying carrier. <i>Food Chemistry</i> , 2015 , 168, 417-22	8.5 21
451	Optimisation of phenolic extraction from Averrhoa carambola pomace by response surface methodology and its microencapsulation by spray and freeze drying. <i>Food Chemistry</i> , 2015 , 171, 144-52	8.5 144
450	Microencapsulaci3n mediante secado por aspersi3n de aceite de mora (Rubus glaucus) extraido con CO2 supercr3tico. 2016 , 45, 39	2
449	Encapsulaci3n de Alimentos Probi3ticos mediante Liofilizaci3n en Presencia de Prebi3ticos. 2016 , 27, 135-144	4
448	Amaranth: Overview. 2016 , 287-296	3
447	Optimization of Sour Cherry Juice Spray Drying as Affected by Carrier Material and Temperature. 2016 , 54, 441-449	11
446	. 2016 ,	

445	Spray Drying of Pequi Pulp: Process Performance and Physicochemical and Nutritional Properties of the Powdered Pulp. 2016 , 59,		8
444	Amaranth: Overview. 2016 ,		0
443	Green Tea Leaves Extract: Microencapsulation, Physicochemical and Storage Stability Study. 2016 , 21,		34
442	Health-promoting bioactivities of betalains from red dragon fruit (<i>Hylocereus polyrhizus</i> (Weber) Britton and Rose) peels as affected by carbohydrate encapsulation. 2016 , 96, 4679-4689		39
441	Spray Drying and Process Optimization of Carrot-Celery Juice. 2016 , 40, 212-225		31
440	Influence of an ultrasonic nozzle in spray-drying and storage on the properties of blueberry powder and microcapsules. 2016 , 96, 4062-76		22
439	Stability of Betacyanin Pigments and Antioxidants in Ayrampo (<i>Opuntia soehrensii</i> Britton and Rose) Seed Extracts and as a Yogurt Natural Colorant. 2016 , 40, 541-549		20
438	Effect of storage temperature on the stability of microencapsulated essential oil from cinnamon (<i>Cinnamomum burmanii</i>). 2016 ,		4
437	Storage stability of encapsulated barberry's anthocyanin and its application in jelly formulation. 2016 , 181, 59-66		90
436	Optimization for spray drying process parameters of nutritionally rich honey powder using response surface methodology. 2016 , 2,		10
435	Evaluation of Extracts Prepared from Olive Oil By-Products Using Microwave-Assisted Enzymatic Extraction: Effect of Encapsulation on the Stability of Final Products. <i>Waste and Biomass Valorization</i> , 2016 , 7, 831-842	3.2	40
434	Anthocyanins and Human Health: Biomolecular and therapeutic aspects. 2016 ,		20
433	Biosynthesis and Stability of Anthocyanins. 2016 , 71-86		4
432	Development and characterization of alginate microcapsules containing Bifidobacterium BB-12 produced by emulsification/internal gelation followed by freeze drying. <i>LWT - Food Science and Technology</i> , 2016 , 71, 302-308	5.4	54
431	Physical properties and morphology of spray dried microparticles containing anthocyanins of jussara (<i>Euterpe edulis</i> Martius) extract. 2016 , 294, 421-428		56
430	Encapsulation of an astaxanthin-containing lipid extract from shrimp waste by complex coacervation using a novel gelatin-cashew gum complex. 2016 , 61, 155-162		78
429	Optimization of spray drying process of <i>Sargassum muticum</i> color extract. 2016 , 34, 1735-1744		11
428	Influence of Spray-Drying Conditions on Physical and Morphological Characteristics of Microencapsulated Benzoic Acid. <i>Food and Bioprocess Technology</i> , 2016 , 9, 1969-1978	5.1	2

427	Dehydrated Basella alba Fruit Juice as a Novel Natural Colorant: Pigment Stability, In Vivo Food Safety Evaluation and Anti-Inflammatory Mechanism Characterization. 2016 , 71, 322-9		4
426	Novel approaches in nanoencapsulation of aromas and flavors. 2016 , 363-419		2
425	Optimization of spray drying parameters for pink guava powder using RSM. 2016 , 25, 461-468		40
424	Recycling of filter tea industry by-products: Production of A. millefolium powder using spray drying technique. 2016 , 80, 197-206		21
423	Stabilization of betalains: A review. <i>Food Chemistry</i> , 2016 , 197 Pt B, 1280-5	8.5	80
422	Stress tolerance and physicochemical properties of encapsulation processes for in pomegranate (L.) fruit juice. 2016 , 25, 125-129		9
421	Microencapsulation of flexirubin-type pigment by spray drying: Characterization and antioxidant activity. 2016 , 113, 350-356		23
420	Characterization of physicochemical properties of fermented soybean curd residue by Morchella esculenta. 2016 , 109, 113-118		17
419	Effect of whey protein concentrate as drying aid and drying parameters on physicochemical and functional properties of spray dried beetroot juice concentrate. 2016 , 14, 21-27		57
418	An overview of encapsulation of active compounds used in food products by drying technology. 2016 , 13, 76-83		208
417	Microencapsulation optimization of natural anthocyanins with maltodextrin, gum Arabic and gelatin. 2016 , 85, 379-85		268
416	Effect of spray drying conditions on the physical properties of Cagaita (<i>Eugenia dysenterica</i> DC.) fruit extracts. 2016 , 97, 20-29		83
415	Effect of vacuum spray drying on the physicochemical properties, water sorption and glass transition phenomenon of orange juice powder. 2016 , 169, 131-140		56
414	Encapsulation of Purple Maize Anthocyanins in Phosphorylated Starch by Spray Drying. 2016 , 93, 130-137		22
413	Comparison of spray, freeze and oven drying as a means of reducing bitter aftertaste of steviol glycosides (derived from <i>Stevia rebaudiana</i> Bertoni plant)--Evaluation of the final products. <i>Food Chemistry</i> , 2016 , 190, 1151-1158	8.5	44
412	Spray drying of babassu coconut milk using different carrier agents. 2017 , 35, 76-87		20
411	Optimizing spray drying conditions of sour cherry juice based on physicochemical properties, using response surface methodology (RSM). 2017 , 54, 174-184		18
410	Stability of spray-dried microencapsulated anthocyanins extracted from culinary banana bract. 2017 , 20, 3135-3148		18

409	The effect of pigment matrix, temperature and amount of carrier on the yield and final color properties of spray dried purple corn (<i>Zea mays</i> L.) cob anthocyanin powders. <i>Food Chemistry</i> , 2017 , 227, 376-382	8.5	31
408	Combining various wall materials for encapsulation of blueberry anthocyanin extracts: Optimization by artificial neural network and genetic algorithm and a comprehensive analysis of anthocyanin powder properties. 2017 , 311, 77-87		41
407	Chemical and Antioxidant Properties of Betalains. 2017 , 65, 675-689		114
406	Microencapsulation of fish oil using supercritical antisolvent process. 2017 , 25, 654-666		28
405	Physicochemical, functionality and storage stability of hog plum () juice powder produced by spray drying. 2017 , 54, 1052-1061		15
404	Production of spray-dried honey jackfruit () powder from enzymatic liquefied puree. 2017 , 54, 564-571		11
403	Comparative analysis of bio-polymers addition on structural and physical properties of spray dried beetroot juice concentrate. 2017 , 41, e13232		7
402	Characterisation of curcumin-loaded proliposomes produced by coating of micronised sucrose and hydration of phospholipid powders to obtain multilamellar liposomes. <i>International Journal of Food Science and Technology</i> , 2017 , 52, 772-780	3.8	16
401	Sensory acceptance evaluation of a new food flavoring produced by microencapsulation of a mussel (<i>Perna perna</i>) protein hydrolysate. <i>LWT - Food Science and Technology</i> , 2017 , 83, 141-149	5.4	22
400	Retention of polyphenols in encapsulated sour cherry juice in dependence of drying temperature and wall material. <i>LWT - Food Science and Technology</i> , 2017 , 83, 110-117	5.4	17
399	In vitro tumor suppression properties of blueberry extracts in liquid and encapsulated forms. 2017 , 243, 1057-1063		5
398	Encapsulation of quercetin in liposomes by ethanol injection and physicochemical characterization of dispersions and lyophilized vesicles. 2017 , 19, 17-25		37
397	Trends of spray drying: A critical review on drying of fruit and vegetable juices. 2017 , 65, 49-67		176
396	Volatile composition and physicochemical characteristics of mussel (<i>Perna perna</i>) protein hydrolysate microencapsulated with maltodextrin and n-OSA modified starch. 2017 , 105, 12-25		13
395	Morphological characterization of pequi extract microencapsulated through spray drying. 2017 , 1-8		5
394	Spray-dried chitosan/acid/NaCl microparticles enhance saltiness perception. 2017 , 172, 246-254		14
393	Use of experimental design to investigate the coating process of sodium bicarbonate in a conical fluidized bed. 2017 , 319, 210-220		0
392	Stability of betanin in pitaya powder and confection as affected by resistant maltodextrin. <i>LWT - Food Science and Technology</i> , 2017 , 84, 129-134	5.4	27

391	Effect of carrier types and compositions on the production yield, microstructure and physical characteristics of spray dried sour cherry juice concentrate. 2017 , 11, 1602-1612		25
390	Effect of microencapsulation by spray drying on cocoa aroma compounds and physicochemical characterisation of microencapsulates. 2017 , 318, 110-119		26
389	Microencapsulation of Corn Wastewater (Nejayote) Phytochemicals by Spray Drying and Their Release Under Simulated Gastrointestinal Digestion. <i>Journal of Food Science</i> , 2017 , 82, 1726-1734	3-4	11
388	Design of flavonoid microparticles with channel forming properties to improve oxidative stability of sunflower oil. 2017 , 119, 1700041		3
387	Evaluation of chitosan as a wall material for microencapsulation of squalene by spray drying: Characterization and oxidative stability studies. 2017 , 104, 1986-1995		45
386	Effects of inlet air temperature and concentration of carrier agents on physicochemical properties, sensory evaluation of spray-dried mandarin (Citrus unshiu) beverage powder. 2017 , 60, 33-40		7
385	Maltodextrin, pectin and soy protein isolate as carrier agents in the encapsulation of anthocyanins-rich extract from jaboticaba pomace. 2017 , 102, 186-194		53
384	Impact of liposomal encapsulation on degradation of anthocyanins of black carrot extract by adding ascorbic acid. 2017 , 8, 1085-1093		33
383	Production of Cornstarch Granules Enriched with Quercetin Liposomes by Aggregation of Particulate Binary Mixtures Using High Shear Process. <i>Journal of Food Science</i> , 2017 , 82, 2626-2633	3-4	3
382	Thermodynamic and kinetics study of phenolics degradation and color of yacon () microparticles under accelerated storage conditions. 2017 , 54, 4197-4204		13
381	Properties of spray-dried fish oil with different carbohydrates as carriers. 2017 , 54, 4181-4188		12
380	Process analysis and global optimization for the microencapsulation of phytosterols by spray drying. 2017 , 321, 55-65		16
379	Characterization of antioxidant and antimicrobial properties of spray-dried extracts from peanut skins. 2017 , 105, 215-223		21
378	Characterization of Spray-Dried Hydrolyzed Proteins from Pink Perch Meat Added with Maltodextrin and Gum Arabic. 2017 , 26, 913-928		7
377	Spray drying of sisal liquids extracts (Furcraea spp.): Overall performance of the drying process. 2017 , 321, 163-172		7
376	Comparison of four pretreatments on the drying behavior and quality of taro (<i>Colocasia esculenta</i> L. Schott) slices during intermittent microwave vacuum-assisted drying. 2017 , 35, 1347-1357		11
375	Design of a polyherbal mix by supercritical carbon dioxide extraction and its encapsulation by spray drying: Phytochemical properties and shelf-life study of the encapsulate. 2017 , 40, e12505		4
374	Effects of micro wet milling and vacuum spray drying on the physicochemical and antioxidant properties of orange (<i>Citrus unshiu</i>) juice with pulp powder. 2017 , 101, 132-144		34

373	Spray-drying of curcumin-loaded octenylsuccinated corn dextrin micelles stabilized with maltodextrin. 2017 , 307, 56-62		16
372	Production of mango powder by spray drying and cast-tape drying. 2017 , 305, 447-454		63
371	Gelatin hydrolysate powder from the scales of spotted golden goatfish: Effect of drying conditions and juice fortification. 2017 , 35, 1195-1203		16
370	Physicochemical and Thermal Stability of Microcapsules of Cinnamon Essential Oil by Spray Drying. 2017 , 41, e12919		24
369	Effect of Spray Drying of Agave Fructans, Nopal Mucilage and Aloe Vera Juice. 2017 , 41, e13027		7
368	Microencapsulation of Black Glutinous Rice Anthocyanins Using Maltodextrins Produced from Broken Rice Fraction as Wall Material by Spray Drying and Freeze Drying. 2017 , 41, e12877		21
367	Physical properties of spray dried <i>Stenocereus griseus</i> pitaya juice powder. 2017 , 40, e12470		9
366	Microencapsulation of enzyme-assisted supercritical carbon dioxide extract of small cardamom by spray drying. 2017 , 11, 310-319		7
365	Effect of dextrose equivalency of maltodextrin together with Arabic gum on properties of encapsulated beetroot juice. 2017 , 11, 156-163		13
364	Influence of DE-value of maltodextrin on the physicochemical properties, antioxidant activity, and storage stability of spray dried concentrated mate (<i>Ilex paraguariensis</i> A. St. Hil.). <i>LWT - Food Science and Technology</i> , 2017 , 79, 561-567	5-4	27
363	Characterization of low cost orally disintegrating film (ODF). 2017 , 27, 48-54		14
362	Microencapsulation by spray drying of a lycopene-rich tomato concentrate: Characterization and stability. <i>LWT - Food Science and Technology</i> , 2018 , 91, 286-292	5-4	61
361	Chemo-profiling of anthocyanins and fatty acids present in pomegranate aril and seed grown in Indian condition and its bioaccessibility study. 2018 , 55, 2488-2496		6
360	Development and characterization of microcapsules containing spray dried powder obtained from Brazilian brown, green and red propolis. 2018 , 109, 278-287		30
359	Effect of maltodextrin reduction and native agave fructans addition on the physicochemical properties of spray-dried mango and pineapple juices. 2018 , 24, 519-532		16
358	Production and characterization of enzyme-treated spray-dried soursop (<i>Annona muricata</i> L.) powder. 2018 , 41, e12688		15
357	Microencapsulation of Phytosterols by Spray Drying. 2018 , 56, 437-468		1
356	Stability and bioaccessibility of anthocyanins from maqui (<i>Aristotelia chilensis</i> [Mol.] Stuntz) juice microparticles. <i>LWT - Food Science and Technology</i> , 2018 , 91, 549-556	5-4	33

355	Impact of wall material physicochemical characteristics on the stability of encapsulated phytochemicals: A review. 2018 , 107, 227-247		58
354	Characterisation of Nanostructured Potato Starch Powders with Blackberry (<i>Rubus fruticosus</i> Var. Brazos) Juice. 2018 , 95, 144-156		1
353	Influence of solvent and lecithin in microencapsulation of fish oil by spray-drying. 2018 , 8, 4172-4181		2
352	Microencapsulation of extracts of bioactive compounds obtained from acerola (<i>Malpighia emarginata</i> DC) pulp and residue by spray and freeze drying: Chemical, morphological and chemometric characterization. <i>Food Chemistry</i> , 2018 , 254, 281-291	8.5	98
351	Effect of wall materials on the spray drying efficiency, powder properties and stability of bioactive compounds in tamarillo juice microencapsulation. 2018 , 328, 406-414		51
350	Influence of process variables on the drum drying of mango pulp. 2018 , 36, 1488-1500		10
349	Production of spray-dried proanthocyanidin-rich cinnamon (<i>Cinnamomum zeylanicum</i>) extract as a potential functional ingredient: Improvement of stability, sensory aspects and technological properties. 2018 , 79, 343-351		25
348	Spray dried powder of lutein-rich supercritical carbon dioxide extract of gamma-irradiated marigold flowers: Process optimization, characterization and food application. 2018 , 327, 512-523		15
347	Maltodextrin: A consummate carrier for spray-drying of xylooligosaccharides. 2018 , 106, 383-393		34
346	Optimization of a spray-drying process for the production of maximally viable microencapsulated <i>Lactobacillus pentosus</i> using a mixture of starch-pulque as wall material. <i>LWT - Food Science and Technology</i> , 2018 , 95, 216-222	5.4	14
345	Preparation and characterization of octenyl succinylated normal and waxy starches of maize as encapsulating agents for anthocyanins by spray-drying. 2018 , 55, 2279-2287		8
344	Encapsulation and pigmenting potential of betalains of pitaya () fruit. 2018 , 55, 2436-2445		20
343	Utility of Blended Polymeric Formulations Containing Cellulose Nanofibrils for Encapsulation and Controlled Release of Sweet Orange Essential Oil. <i>Food and Bioprocess Technology</i> , 2018 , 11, 1188-1198 ^{5.1}		27
342	Co-precipitation of anthocyanins of the extract obtained from blackberry residues by pressurized antisolvent process. 2018 , 137, 81-92		21
341	Native and modified Sorghum starches as wall materials in microencapsulation of nutmeg oleoresin. 2018 , 114, 700-709		13
340	Microencapsulation using starch as wall material: A review. 2018 , 34, 148-161		43
339	Optimization of spray drying parameters for beetroot juice powder using response surface methodology (RSM). 2018 , 17, 408-415		24
338	Performance of different process additives on the properties of mango powder obtained by drum drying. 2018 , 36, 355-365		21

337	Use of gelatin and gum Arabic for encapsulation of black raspberry anthocyanins by complex coacervation. 2018 , 107, 1800-1810		100
336	Development and Characterization of Phytosterol-Enriched Oil Microcapsules for Foodstuff Application. <i>Food and Bioprocess Technology</i> , 2018 , 11, 152-163	5.1	13
335	Spray drying encapsulation of red wine: Stability of total monomeric anthocyanins and structural alterations upon storage. 2018 , 42, e13457		7
334	Processing of raw coconut milk for its value addition using spray and freeze drying techniques. 2018 , 41, e12602		3
333	Development of beetroot (<i>Beta vulgaris</i>) powder using foam mat drying. <i>LWT - Food Science and Technology</i> , 2018 , 88, 80-86	5.4	46
332	Effect of enzymatic processing, inlet temperature, and maltodextrin concentration on the rheological and physicochemical properties of spray-dried banana (<i>Musa acuminata</i>) powder. 2018 , 42, e13451		7
331	Encapsulation and stabilization of β -carotene by amylose inclusion complexes. 2018 , 105, 446-452		55
330	Double emulsion followed by complex coacervation as a promising method for protection of black raspberry anthocyanins. 2018 , 77, 803-816		53
329	Natural Food Pigments and Colorants. 2018 , 1-35		3
328	Characteristics of synbiotic spray dried powder of litchi juice with <i>Lactobacillus plantarum</i> and different carrier materials. <i>LWT - Food Science and Technology</i> , 2018 , 87, 351-360	5.4	24
327	Biological and textural properties of underutilized exudate gums of Jammu and Kashmir, India. 2018 , 109, 847-854		4
326	Valorization of Olive Leaves: Spray Drying of Olive Leaf Extract. <i>Waste and Biomass Valorization</i> , 2018 , 9, 619-633	3.2	27
325	Application of the Response Surface Methodology to Obtain Pumpkin (<i>Cucurbita moschata</i>) Powder through Spray Drying. 2018 , 16, 280-286		
324	Soy extract and maltodextrin as microencapsulating agents for <i>Lactobacillus acidophilus</i> : a model approach. 2018 , 35, 705-719		13
323	Effects of Spray-Drying Temperatures and Ratios of Gum Arabic to Microcrystalline Cellulose on Antioxidant and Physical Properties of Mulberry Juice Powder. 2018 , 4, 101		5
322	Effect of carrier type and concentration on the properties, anthocyanins and antioxidant activity of freeze-dried mao [<i>Antidesma bunius</i> (L.) Spreng] powders. 2018 , 52, 354-360		6
321	Betalains: Biomolecular Aspects. 2018 ,		6
320	Bioavailability of Betalains. 2018 , 165-183		

319	Physicochemical properties of vanilla and raspberry aromas microencapsulated in the industrial conditions by spray drying. 2018 , 41, e12872	8
318	Microencapsulation of blackberry pulp with arrowroot starch and gum arabic mixture by spray drying. 2018 , 35, 482-493	6
317	The Characterization of Mango (<i>Mangifera indica</i> L) Powder of Various Drying Temperature. 2018 , 1095, 012035	
316	Microencapsulated ascorbic acid: Development, characterization, and release profile in simulated gastrointestinal fluids. 2018 , 41, e12922	1
315	Storage stability, color kinetics and morphology of spray-dried soursop (<i>Annona muricata</i> L.) powder: effect of anticaking agents. 2018 , 21, 1937-1954	11
314	Valorization of grape pomace: Encapsulation and storage stability of its phenolic extract. 2018 , 340, 194-207	54
313	Microencapsulated betacyanin from colored organic quinoa (<i>Chenopodium quinoa</i> Willd.): optimization, physicochemical characterization and accelerated storage stability. 2018 , 98, 5873-5883	13
312	Encapsulation of cactus (<i>Opuntia megacantha</i>) betaxanthins by ionic gelation and spray drying: A comparative study. 2018 , 111, 423-430	22
311	Microencapsulation of refined kenaf (<i>Hibiscus cannabinus</i> L.) seed oil by spray drying using β -cyclodextrin/gum arabic/sodium caseinate. 2018 , 237, 78-85	55
310	Microencapsulation of casein hydrolysates: Physicochemical, antioxidant and microstructure properties. 2018 , 237, 86-95	59
309	Development and characterization of maltodextrin microparticles to encapsulate heme and non-heme iron. <i>LWT - Food Science and Technology</i> , 2018 , 96, 568-575	5-4 16
308	Impact of chitosan and oregano extract on the physicochemical properties of microencapsulated fish oil stored at different temperature. 2018 , 21, 943-956	11
307	Technological aspects and stability of polyphenols. 2018 , 295-323	9
306	Optimization of the microencapsulation of synthetic strawberry flavour with different blends of encapsulating agents using spray drying. 2018 , 338, 591-598	20
305	Effect of the Extraction Process on the Biological Activity of Lyophilized Apricot Extracts Recovered from Apricot Pomace. 2018 , 7,	14
304	The Microencapsulation of Maqui ((<i>Mol.</i>) Stuntz) Juice by Spray-Drying and Freeze-Drying Produces Powders with Similar Anthocyanin Stability and Bioaccessibility. 2018 , 23,	29
303	Effect of spray-drying with organic solvents on the encapsulation, release and stability of fish oil. <i>Food Chemistry</i> , 2018 , 263, 283-291	8.5 18
302	Development and physico-chemical characterization of microencapsulated bifidobacteria in passion fruit juice: A functional non-dairy product for probiotic delivery. 2018 , 24, 26-36	57

301	Physico-Chemical Properties, Stability, and Potential Food Applications of Shrimp Lipid Extract Encapsulated by Complex Coacervation. <i>Food and Bioprocess Technology</i> , 2018 , 11, 1596-1604	5.1	15
300	Effect of different carriers on microstructure and physical characteristics of spray dried apple juice concentrate. 2018 , 55, 3098-3109		26
299	Spray drying microencapsulation of betalain rich extracts from <i>Escontria chiotilla</i> and <i>Stenocereus queretaroensis</i> fruits using cactus mucilage. <i>Food Chemistry</i> , 2019 , 272, 715-722	8.5	32
298	Betalains. 2019 , 35-39		3
297	Influence of modified starches as wall materials on the properties of spray-dried lemongrass oil. 2019 , 56, 4972-4981		6
296	Chemical composition, functional, powder, and sensory properties of tarhana enriched with wheat germ. 2019 , 56, 5204-5213		5
295	Improvement of the characteristics of fish gelatin - gum arabic through the formation of the polyelectrolyte complex. 2019 , 223, 115068		9
294	Effect of Agave Fructans as Carrier on the Encapsulation of Blue Corn Anthocyanins by Spray Drying. 2019 , 8,		5
293	Microencapsulated β -carotene preparation using different drying treatments. 2019 , 20, 901-909		9
292	Clarification and encapsulation of <i>Stevia rebaudiana</i> Bertoni water extract. 2019 , 1307, 012016		
291	Microencapsulation of pink pepper essential oil: Properties of spray-dried pectin/SPI double-layer versus SPI single-layer stabilized emulsions. 2019 , 581, 123806		11
290	Vacuum Belt Dehydration of Chopped Beetroot (<i>Beta vulgaris</i>) and Optimization of Powder Production Based on Physical and Chemical Properties. <i>Food and Bioprocess Technology</i> , 2019 , 12, 2036-2049	5.1	1
289	Influence of the Physical State of Spray-Dried Flavonoid-Inulin Microparticles on Oxidative Stability of Lipid Matrices. 2019 , 8,		3
288	Spray Drying of a Subcritical Extract Using as a Method of Choice for Obtaining High Quality Powder. 2019 , 11,		8
287	Application of gum Arabic, β -cyclodextrin, and hydroxypropyl- β -cyclodextrin to microencapsulation by molecular inclusion of grape skin extract (<i>Vitis labrusca</i> var. Isabel). 2019 , 43, e13874		1
286	Active Edible Films Based on Arrowroot Starch with Microparticles of Blackberry Pulp Obtained by Freeze-Drying for Food Packaging. 2019 , 11,		14
285	Microstructure and flow properties of lyophilized mango pulp with maltodextrin. 2019 , 23, 133-137		2
284	Echium oil with oxidative stability increased by emulsion preparation in the presence of the phenolic compound sinapic acid followed by dehydration by spray and freeze drying processes. 2019 , 56, 1155-1164		8

283	Development of dehydrated products from peach palm-tucupi blends with edible film characteristics using refractive window. 2019 , 56, 560-570		10
282	Development and characterization of soybean oil microcapsules employing kafirin and sodium caseinate as wall materials. <i>LWT - Food Science and Technology</i> , 2019 , 111, 235-241	5-4	18
281	Microencapsulation of <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> with guar gum: Preliminary approach using spray drying. 2019 , 302, 32-41		7
280	A potential technological application of probiotic microcapsules in lactose-free Greek-style yoghurt. 2019 , 97, 131-138		11
279	Quality Assurance of Herbal Drugs and Stability Testing. 2019 , 685-705		2
278	Spray-dried xylooligosaccharides carried by gum Arabic. 2019 , 135, 330-343		13
277	Physical characterization of Arabica ground coffee with different roasting degrees. 2019 , 91, e20180191		6
276	Resveratrol-loaded microparticles: Assessing Maillard conjugates as encapsulating matrices. 2019 , 353, 247-256		8
275	Tuna red meat hydrolysate as core and wall polymer for fish oil encapsulation: a comparative analysis. 2019 , 56, 2134-2146		12
274	Optimization of spray drying conditions for the production of quality ber (<i>Zizyphus mauritiana</i> Lamk.) fruit powder. 2019 , 49, 1088-1098		1
273	Microencapsulation of leaf extracts with vegetable protein as wall materials. 2019 , 25, 533-543		8
272	Myofibrillar protein with κ -carrageenans as novel shell materials for microencapsulation of tuna oil through complex coacervation. 2019 , 96, 43-53		25
271	Microencapsulation of Gh1 with Gum Arabic and via Spray Drying for Potential Inclusion in Functional Yogurt. 2019 , 24,		17
270	Evaluation of lethality temperature and use of different wall materials in the microencapsulation process of <i>Trichoderma asperellum</i> conidias by spray drying. 2019 , 347, 199-206		4
269	Effects of pretreatment and spray drying on the physicochemical properties and probiotics viability of Moringa (<i>Moringa oleifera</i> Lam) leaf juice powder. 2019 , 43, e13915		17
268	Effect of spray drying at 150, 160, and 170 °C on the physical and chemical properties of maqui extract (<i>Aristotelia chilensis</i> (Molina) Stuntz). 2019 , 79, 144-152		2
267	Production and Storage Properties of Spray-Dried Red Beet Extract Using Polysaccharide-Based Carrier Systems. 2019 , 15,		7
266	Effect of traditional thermal and high-pressure processing (HPP) methods on the color stability and antioxidant capacities of Djulis (<i>Chenopodium formosanum</i> Koidz.). <i>LWT - Food Science and Technology</i> , 2019 , 109, 342-349	5-4	10

265	Natural Food Pigments and Colorants. 2019 , 867-901		20
264	Ultrasound-assisted microencapsulation of jackfruit extract in eco-friendly powder particles: characterization and antiproliferative activity. 2019 , 40, 1507-1515		8
263	Influence of polysaccharide as co-encapsulant on powder characteristics, survival and viability of microencapsulated <i>Lactobacillus paracasei</i> Lpc-37 by spray drying. 2019 , 252, 10-17		25
262	Encapsulation of pomegranate peel extract with a new carrier material from orange juice by-products. 2019 , 253, 1-13		28
261	Encapsulation of polyphenols from fermented wastewater of Miang processing by freeze drying using a maltodextrin/gum Arabic mixture as coating material. 2019 , 43, e13908		5
260	Microencapsulation of Garlic Extract by Complex Coacervation Using Whey Protein Isolate/Chitosan and Gum Arabic/Chitosan as Wall Materials: Influence of Anionic Biopolymers on the Physicochemical and Structural Properties of Microparticles. <i>Food and Bioprocess Technology</i> , 2019 , 10, 2000-2100	5.1	18
259	Obtaining functional powder tea from Brazilian ginseng roots: Effects of freeze and spray drying processes on chemical and nutritional quality, morphological and redispersion properties. 2019 , 116, 932-941		18
258	Curcumin encapsulation by spray drying using Aloe vera mucilage as encapsulating agent. 2019 , 42, e12972		13
257	Microencapsulation and antimicrobial activity of carvacrol in a pectin-alginate matrix. 2019 , 92, 69-73		40
256	Physicochemical properties and antioxidant stability of microencapsulated marjoram extract prepared by co-crystallization method. 2019 , 42, e12949		9
255	Encapsulation of garlic extract using complex coacervation with whey protein isolate and chitosan as wall materials followed by spray drying. 2019 , 89, 360-369		67
254	Physicochemical and Phytochemical Characterization and Storage Stability of Freeze-dried Encapsulated Pomegranate Peel Anthocyanin and In Vitro Evaluation of Its Antioxidant Activity. <i>Food and Bioprocess Technology</i> , 2019 , 12, 199-210	5.1	17
253	Optimization of the spray drying process conditions for acerola and seriguela juice mix. 2019 , 39, 48-55		6
252	Stability studies of enzyme aided anthocyanin extracts from <i>Prunus nepalensis</i> L. <i>LWT - Food Science and Technology</i> , 2019 , 102, 181-189	5.4	11
251	Astaxanthin from <i>Haematococcus pluvialis</i> Microencapsulated by Spray Drying: Characterization and Antioxidant Activity. 2019 , 96, 93-102		10
250	Evolution of the phenolic compounds profile of olive leaf extract encapsulated by spray-drying during in vitro gastrointestinal digestion. <i>Food Chemistry</i> , 2019 , 279, 40-48	8.5	47
249	Preparation and characterization of microencapsulated phytosterols for the formulation of functional foods: Scale up from laboratory to semi-technical production. 2019 , 116, 1274-1281		10
248	Effects of ultrasonication on the characteristics of emulsions and microparticles containing Indian clove essential oil. 2019 , 37, 1162-1172		3

247	Effect of incorporation of blackberry particles on the physicochemical properties of edible films of arrowroot starch. 2019 , 37, 448-457		22
246	Optimisation of a carambola pomace fibre fortified mix fruit beverage powder, its characterization and in vivo study. 2020 , 19, 14-21		2
245	Chemical and physical properties of vacuum-dried red beetroot (<i>Beta vulgaris</i>) powders compared to other drying methods. 2020 , 38, 1165-1174		9
244	Spray drying of juāra pulp aiming to obtain a pure powdered pulp without using carrier agents. 2020 , 38, 1175-1185		12
243	Effect of different microencapsulating materials and relative humidities on storage stability of microencapsulated grape pomace extract. <i>Food Chemistry</i> , 2020 , 302, 125347	8.5	22
242	Multilayer perceptron neural networking for prediction of quality attributes of spray-dried vegetable oil powder. 2020 , 24, 9821-9833		6
241	Emerging techniques applied to by-products for food fortification. 2020 , 57, 905-914		2
240	Encapsulation of beetroot juice: a study on the application of pumpkin oil cake protein as new carrier agent. 2020 , 37, 121-133		16
239	Manufacturing strategies to develop amorphous solid dispersions: An overview. 2020 , 55,		30
238	Polyphenols from olive stones: extraction with a pilot scale pressurized water extractor, microencapsulation by spray-dryer and storage stability evaluation. 2020 , 14, 849-861		1
237	Encapsulation of Pomegranate Seed Oil by Emulsification Followed by Spray Drying: Evaluation of Different Biopolymers and Their Effect on Particle Properties. <i>Food and Bioprocess Technology</i> , 2020 , 13, 53-66	5.1	28
236	Water free incorporation of shark liver oil into starch microparticles by supercritical CO ₂ impregnation at low temperature. 2020 , 43, e13541		1
235	A novel approach to develop spray-dried encapsulated curcumin powder from oil-in-water emulsions stabilized by combined surfactants and chitosan. <i>Journal of Food Science</i> , 2020 , 85, 3874-3884 ^{3,4}		1
234	Evaluation of the Use of Industrial Wastes on the Encapsulation of Betalains Extracted from Red Pitaya Pulp (<i>Hylocereus polyrhizus</i>) by Spray Drying: Powder Stability and Application. <i>Food and Bioprocess Technology</i> , 2020 , 13, 1940-1953	5.1	13
233	Optimization of process parameters for foam mat drying of black rice bran anthocyanin and comparison with spray- and freeze-dried powders. 2020 , 1-14		5
232	Potential of solid lipid microparticles covered by the protein-polysaccharide complex for protection of probiotics and proanthocyanidin-rich cinnamon extract. 2020 , 136, 109520		11
231	Effect of foaming agents on process conditions, characteristics, and stability of foam-mat freeze-dried pandan (<i>Pandanus amaryllifolius</i>) powder. 2020 , 44, e14690		2
230	Encapsulation of hot air-dried asian pear powders using rice bran dietary fiber. 2020 , 38, 100742		2

229	Encapsulation of <i>Momordica Charantia</i> Linn. (bitter gourd) juice by spray drying technique. 2020 , 14, 3529-3541	3
228	Production and characterization of pineapple-mint juice by spray drying. 2020 , 375, 409-419	3
227	Umami Ingredient: Flavor enhancer from shiitake (<i>Lentinula edodes</i>) byproducts. 2020 , 137, 109540	10
226	Optimization of spray-drying parameters for the production of "Empedak" (<i>Artocarpus integer</i>) fruit powder. 2020 , 14, 3238-3249	8
225	Improvement of Health-Promoting Functionality of Rye Bread by Fortification with Free and Microencapsulated Powders from Nutt. 2020 , 9,	5
224	Unpurified soybean lecithins impact on the chemistry of proliposomes and liposome dispersions encapsulating vitamin D3. 2020 , 37, 100700	7
223	Physicochemical, reconstitution, and morphological properties of red pepper juice (<i>L.</i>) powder. 2021 , 58, 4011-4023	1
222	Astaxanthin-loaded zein/calcium alginate composite microparticles: Characterization, molecular interaction and release kinetics in fatty food simulant system. <i>LWT - Food Science and Technology</i> , 2020 , 134, 110146	5-4 9
221	Application of the agglomeration process on spinach juice powders obtained using spray drying method. 2020 , 39, 19-34	4
220	Sources, stability, encapsulation and application of natural pigments in foods. 2020 , 1-56	16
219	Stickiness and agglomeration of blackberry and raspberry spray dried juices using agave fructans and maltodextrin as carrier agents. 2020 , 38, 229-236	3
218	Microencapsulation by spray drying of a functional product with mixed juice of acerola and ciriguela fruits containing three probiotic lactobacilli. 2020 , 1-11	3
217	Characterization of Beet Root Extract () Encapsulated with Maltodextrin and Inulin. 2020 , 25,	10
216	Influence of the Location of Ascorbic Acid in Walnut Oil Spray-Dried Microparticles with Outer Layer on the Physical Characteristics and Oxidative Stability. 2020 , 9,	0
215	Effect of modified starches and gum arabic on the stability of carotenoids in paprika oleoresin microparticles. 2020 , 1-14	2
214	Spray-Drying Microencapsulation of Carotenoids Produced by <i>Phaffia rhodozyma</i> . 2020 , 16, 300-308	
213	Spray-Drying Microencapsulation of Bioactive Compounds from Lemon Verbena Green Extract. 2020 , 9,	6
212	Optimization of the spray drying process for developing cupuassu powder. 2020 , 57, 4501-4513	2

211	Microwave-assisted extraction of bioactive compounds from Araucaria angustifolia bracts followed by encapsulation. 2020 , 44, e14484	0
210	Influence of microalgae addition in formulation on colour, texture, and extrusion parameters of corn snacks. 2020 , 26, 685-695	5
209	Utilization of grape pomaces and brewery waste <i>Saccharomyces cerevisiae</i> for the production of bio-based microencapsulated pigments. 2020 , 136, 109470	14
208	Microencapsulation of <i>Mentha spicata</i> essential oil by spray drying: Optimization, characterization, release kinetics of essential oil from microcapsules in food models. 2020 , 154, 112694	24
207	Effect of <i>Acheta domesticus</i> (house cricket) addition on protein content, colour, texture, and extrusion parameters of extruded products. 2020 , 282, 110032	15
206	Encapsulation of Ginger Essential Oil Using Complex Coacervation Method: Coacervate Formation, Rheological Property, and Physicochemical Characterization. <i>Food and Bioprocess Technology</i> , 2020 , 13, 1405-1420	5.1 22
205	Characterization of Powdered Lulo () Bagasse as a Functional Food Ingredient. 2020 , 9,	5
204	Optimization of Red Mombin Juice Spray Drying: Physicochemical and Sensory Analyses of Powders. 2020 , 43, 1832-1840	2
203	Maillard conjugates from spent brewer's yeast by-product as an innovative encapsulating material. 2020 , 136, 109365	20
202	Reducing the stickiness of dragon fruit skin extract powder as food colorant by addition of maltodextrin during freeze drying. 2020 ,	0
201	New insights into red plant pigments: more than just natural colorants.. 2020 , 10, 24669-24682	28
200	Effect of microwave treatment on preparation of stable PUFA enriched vegetable oil powder and its influence on quality parameters. 2020 , 44, e14374	4
199	Optimisation of umbu juice spray drying, and physicochemical, microbiological and sensory evaluation of atomised powder. 2020 , 37, 230-241	2
198	Process optimization for the production of blood fruit powder by spray drying technique and its quality evaluation. 2020 , 57, 2269-2282	7
197	Microencapsulation of Fish Oil Using Fish Protein Hydrolysate, Maltodextrin, and Gum Arabic: Effect on Structural and Oxidative Stability. 2020 , 29, 293-306	5
196	Microencapsulation of Anthocyanin Extracted from Purple Flesh Cultivated Potatoes by Spray Drying and Its Effects on In Vitro Gastrointestinal Digestion. 2020 , 25,	10
195	Qualitative properties of spray-dried blood fruit (<i>Haematocarpus validus</i>) powder and its sorption isotherms. 2020 , 43, e13373	8
194	Ultrasound-assisted extracted dietary fibre from culinary banana bract as matrices for anthocyanin: its preparation, characterization and storage stability. 2020 , 57, 2354-2363	2

193	Application of soy protein isolate and cassava starch based film solutions as matrix for ionic encapsulation of carrot powders. 2020 , 57, 4171-4181		2
192	Chia seed mucilage as a potential encapsulating agent of a natural food dye. 2020 , 285, 110101		18
191	Spray drying and storage of probiotic-enriched almond milk: probiotic survival and physicochemical properties. 2020 , 100, 3697-3708		27
190	The Impact of Maltodextrin and Inulin on the Protection of Natural Antioxidants in Powders Made of Saskatoon Berry Fruit, Juice, and Pomace as Functional Food Ingredients. 2020 , 25,		6
189	Comparative study on efficiency of nutmeg microencapsulation (freeze-drying method) using native and OSA sorghum starch as wall materials in combination with gum arabic. 2020 , 97, 589-600		5
188	Spray drying encapsulation of a native plant extract rich in phenolic compounds with combinations of maltodextrin and non-conventional wall materials. 2020 , 57, 4111-4122		15
187	Production and characterization of Hibiscus sabdariffa by spray dryer using different sprinkler nozzles and carrier agents. 2020 , 44, e14493		1
186	Microencapsulation and controlled release of bioactive compounds from grape pomace. 2021 , 39, 1018-1032		7
185	Rheological, Physico-chemical and Sensorial Properties of Ice Cream Made with Powdered Form with Low Energetic Value and High Content of Prebiotic Fibers. 2021 , 19, 331-351		0
184	Microencapsulation of the Extract from Euterpe edulis Co-product: An Alternative to Add Value to Fruit Agro-Chain. <i>Waste and Biomass Valorization</i> , 2021 , 12, 1803-1814	3.2	
183	Optimization of spray drying operating conditions for production of functional milk powder encapsulating bee pollen. 2021 , 39, 777-790		6
182	Production and application of freeze dried biocomposite coating powders from sunflower oil and soy protein or whey protein isolates. <i>Food Chemistry</i> , 2021 , 339, 127976	8.5	12
181	Model infant formulas: Influence of types of whey proteins and oil composition on emulsion and powder properties. 2021 , 292, 110256		4
180	Antioxidant Peptides from Dark Meat of Yellowfin Tuna (<i>Thunnus albacares</i>): Process Optimization and Characterization. <i>Waste and Biomass Valorization</i> , 2021 , 12, 1845-1860	3.2	5
179	Characterization of the physicochemical, structural and thermodynamic properties of encapsulated garlic extract in multilayer wall materials. 2021 , 378, 388-399		4
178	Drying soy phosphatidylcholine liposomal suspensions in alginate matrix: Effect of drying methods on physico-chemical properties and stability. 2021 , 111, 106357		3
177	Encapsulation of fish oil by carrageenan and gum tragacanth as wall materials and its application to the enrichment of chicken nuggets. <i>LWT - Food Science and Technology</i> , 2021 , 137, 110334	5.4	14
176	Stabilisation of betalains and phenolic compounds extracted from red cactus pear () by spray and freeze-drying using oca () starch as drying aid. 2021 , 27, 456-469		3

175	Microparticles of yellow-orange cactus pear pulp (<i>Opuntia ficus-indica</i>) with cladode mucilage and maltodextrin as a food coloring in yogurt. <i>LWT - Food Science and Technology</i> , 2021 , 138, 110672	5.4	12
174	Hydroxypropyl-inulin as a novel encapsulating agent of fish oil by conventional and water-free spray drying. 2021 , 113, 106518		1
173	Encapsulation of betacyanins from the peel of red dragon fruit (<i>Hylocereus polyrhizus</i> L.) in alginate microbeads. 2021 , 113, 106535		17
172	<i>Azadirachta indica</i> A. Juss (Meliaceae) microencapsulated bioinsecticide: Spray drying technique optimization, characterization, in vitro release, and degradation kinetics. 2021 , 382, 144-161		2
171	Food Powders Properties and Characterization. 2021 ,		2
170	Spray drying and rehydration of macadamia oil-in-water emulsions: Impact of macadamia protein isolate to chitosan hydrochloride ratio. <i>Food Chemistry</i> , 2021 , 342, 128380	8.5	4
169	Coated alginate-chitosan particles to improve the stability of probiotic yeast. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 2122-2131	3.8	10
168	Monitoring two different drying methods of Kakadu plum puree by combining infrared and chemometrics analysis. 2021 , 19, 183-189		2
167	Development and Characterization of a Nutritionally Rich Spray-Dried Honey Powder. 2021 , 10,		4
166	Alterations of natural pigments. 2021 , 265-327		2
165	Saffron as a natural food colorant and its applications. 2021 , 221-239		3
164	Effects of drying methods on the physicochemical properties and antioxidant capacity of Kuini powder. 24,		2
163	Spray-dried thyme essential oil microparticles using different polymeric matrices. 2021 , 39, 1883-1894		3
162	Reactions and interactions of some food additives. 2021 , 579-635		
161	The Influence of Flaxseed Oil Cake Extract on Oxidative Stability of Microencapsulated Flaxseed Oil in Spray-Dried Powders. 2021 , 10,		7
160	Resistant maltodextrin effect on the physicochemical and structure properties of spray dried orange juice powders. 2021 , 247, 1125-1132		2
159	Optimization of process parameters for spray drying of ginger oleoresin powder using response surface methodology. 2021 , 45, e15190		4
158	Production of vitex (<i>Vitex agnus-castus</i> L.) extract in powder form using spray-drying: Potential for the production of functional foods. 2021 , 45, e15333		

157	Spray-Dried Honey Powder as a Sweetener: Sensory Characterization. 1-6	
156	Two-Steps of Gelation System Enhanced the Stability of Syzygium cumini Anthocyanins by Encapsulation with Sodium Alginate, Maltodextrin, Chitosan and Gum Arabic. 2021 , 29, 3679-3692	3
155	Effect of Addition on Physicochemical, Nutritional and Functional Characteristics of Corn Extrudates. 2021 , 10,	6
154	PŞKRTMEL° KURUTMA VE DONDURARAK KURUTMA YNTEMLER°N°N TEMELLER° VE BU YNTEMLER °LE GIDA ATIKLARINDAN TOZ BNLER°N RET°M°. 583-607	1
153	Biological Properties and Applications of Betalains. 2021 , 26,	20
152	Characterization and antimicrobial activity of microencapsulated citral with dextrin by spray drying. 2021 , 7, e06737	9
151	Characteristics of the Encapsulated Unsaturated Fatty Acid Concentrate of Catfish Oil (Pangasius sp.). 2021 , 750, 012049	0
150	Spray-dried polymeric microparticles fabrication for improvement of Homnil rice extract stability. 2021 , 98, 946-957	
149	Effect of spray drying conditions on the physical characteristics, amino acid profile, and bioactivity of blood fruit (Haematocarpus validus Bakh.F. Ex Forman) seed protein isolate. 2021 , 45, e15568	2
148	Fabrication and characterization of gum arabic- and maltodextrin-based microcapsules containing polyunsaturated oils. 2021 , 101, 6384-6394	1
147	Extraction, Microencapsulation, Color Properties, and Experimental Design of Natural Pigments Obtained by Spray Drying. 1	3
146	Effect of the spray drying conditions on the physicochemical and structural characteristics and the stability of chia oil microparticles. 2021 , 138, 51015	2
145	Nutritional, Physico-Chemical and Mechanical Characterization of Vegetable Fibers to Develop Fiber-Based Gel Foods. 2021 , 10,	1
144	Refractance Window™-Drying vs. other drying methods and effect of different process parameters on quality of foods: A comprehensive review of trends and technological developments. 2021 , 3, 100024	3
143	Control of mango decay using antifungal sachets containing of thyme oil/modified starch/agave fructans microcapsules. 2021 , 3, 100008	10
142	Spray Drying as a Method of Choice for Obtaining High Quality Products from Food WastesIA Review. 1-33	0
141	Anchovy powder enrichment in brown rice-based instant cereal: a process optimization study using Response Surface Methodology (RSM). 2021 , 9, 4484-4496	0
140	Encapsulation of citrulline extract from watermelon (Citrullus lanatus) by-product using spray drying. 2021 , 385, 455-465	2

139	Microencapsulation of <i>Acidithiobacillus thiooxidans</i> by spray drying using biopolymers as wall materials: A potential alternative for its application in the mining industry. 2021 , 166, 106882	2
138	Effect of the house cricket (<i>Acheta domesticus</i>) inclusion and process temperature on extrudate snack properties. 1-14	0
137	Albedo flour of Tahiti lime (<i>Citrus latifolia</i> Tanaka) as a strategy to control bone fragility in ovariectomized rats. 2021 , 37, 12-24	1
136	Effect of incorporating extracts from natural pigments in alginate/starch films. 2021 , 13, 2239-2250	5
135	Encapsulation of bioactive compounds from byproducts of two species of passionflowers: evaluation of the physicochemical properties and controlled release in a gastrointestinal model. 2021 , 7, e07627	0
134	Characterization and storage stability of spray dried soy-rape seed lecithin/trehalose liposomes loaded with a tilapia viscera hydrolysate. 2021 , 71, 102708	5
133	Beetroot Microencapsulation with Pea Protein Using Spray Drying: Physicochemical, Structural and Functional Properties. 2021 , 11, 6658	1
132	Ternary solid dispersions: classification and formulation considerations. 2021 , 1-18	3
131	The Global Amylase Research Trend in Food Science Technology: A Data-Driven Analysis. 1-15	1
130	Red beetroot: Health benefits, production techniques, and quality maintaining for food industry. 2021 , 45, e15781	3
129	Microencapsulation of <i>Spirulina</i> sp. LEB-18 and its incorporation in chocolate milk: Properties and functional potential. <i>LWT - Food Science and Technology</i> , 2021 , 148, 111674	5-4 1
128	Status of beetroot processing and processed products: Thermal and emerging technologies intervention. 2021 , 114, 443-458	6
127	Optimization of foaming process: drying behaviour, physicochemical, and powder properties of hot air-assisted foam-mat dried nectarine. 2021 ,	0
126	Comparison of biopreservatives obtained from a starter culture of <i>Pediococcus acidilactici</i> by different techniques. 2021 , 42, 101114	2
125	All-around characterization of brewers spent grain. 1	2
124	Characterization of physicochemical, packing and microstructural properties of beet, blueberry, carrot and cranberry powders: The effect of drying methods. 2021 , 395, 290-290	2
123	Enhanced Functionality and Food Application of Encapsulated in a Whey Protein Isolate and (-)-Epigallocatechin-3-Gallate Conjugate. 2021 , 69, 11074-11084	1
122	Microencapsulation of organosulfur compounds from garlic oil using β -cyclodextrin and complex of soy protein isolate and chitosan as wall materials: A comparative study. 2021 , 390, 103-111	11

121	Effects of different wall materials on stability and umami release of microcapsules of Maillard reaction products derived from Aloudidae aloudi. <i>International Journal of Food Science and Technology</i> ,	3.8	0
120	Functional Characteristics and Physical Properties of Spray Dried Starch Inclusion Complexes with Drugs. 2100176		0
119	Influence of phospholipid saturation on the physicochemical characteristics of curcumin/vitamin D3 co-loaded proliposomes obtained by the micronized sucrose coating process. e16006		
118	Spray drying of <i>Gentiana asclepiadea</i> L. root extract: Successful encapsulation into powders with preserved stability of bioactive compounds. 2021 , 172, 114044		1
117	Impact of trehalose on physicochemical stability of β -carotene high loaded microcapsules fabricated by wet-milling coupled with spray drying. 2021 , 121, 106977		5
116	Characterization, stability, and in vivo effects in <i>Caenorhabditis elegans</i> of microencapsulated protein hydrolysates from stripped weakfish (<i>Cynoscion guatucupa</i>) industrial byproducts. <i>Food Chemistry</i> , 2021 , 364, 130380	8.5	4
115	Developing psyllium fibre gel-based foods: Physicochemical, nutritional, optical and mechanical properties. 2022 , 122, 107108		3
114	Foam drying of aquafaba: Optimization with mixture design. 2021 , 45, e15185		4
113	Use of insects and pea powder as alternative protein and mineral sources in extruded snacks. 2020 , 246, 703-712		24
112	Optimization of spray drying process parameters for tucupi powder using the response surface methodology. 2017 , 54, 3459-3472		12
111	Microencapsulation of bioactive compounds and enzymes for therapeutic applications. 2020 , 381-404		6
110	Astaxanthin encapsulation in multilayer emulsions stabilized by complex coacervates of whey protein isolate and Persian gum and its use as a natural colorant in a model beverage. 2020 , 137, 109689		14
109	Spray drying of mono- and double-layer emulsions of PUFA-rich vegetable oil homogenized by ultrasound. 2021 , 39, 868-881		11
108	Physicochemical properties of mango (<i>Amropali</i> cultivar) powder and its reconstituted product as affected by drying methods. 2020 , 23, 2201-2216		3
107	Microencapsulation of <i>Lactobacillus plantarum</i> by spray drying with mixtures of Aloe vera mucilage and agave fructans as wall materials. 2020 , 43, e13436		9
106	Microencapsulation of microbial antioxidants from <i>Mucor circinelloides</i> , their physico-chemical characterization, in vitro digestion and releasing behaviors in food. 2020 , 63,		5
105	THE EFFECTS OF DRYING AGENTS ON PROPERTIES OF FREEZE DRIED CHERRY LAUREL POWDERS. 461-475		2
104	Drying of citrus grandis (pomelo) fruit juice using block freeze concentration and spray drying. 2020 , 49, 295-306		3

103	Drum drying process of jaboticaba pulp using corn starch as an additive. 23,	4
102	Production of spray-dried enzyme-liquefied papaya (<i>Carica papaya</i> L.) powder. 23,	9
101	Development of a dehydrated product with edible film characteristics from mammee apple (<i>Mammea americana</i> L.) using Refractance Window drying. 2020 , 40, 245-249	2
100	Thermal Stability of Betalains in By-Products of the Blanching and Cutting of <i>Beta vulgaris</i> L. var <i>conditiva</i> . 2020 , 70, 15-24	11
99	Release Kinetics of Encapsulated Herbal Antioxidants during Gelation Process. 2010 , 10, 2668-2672	4
98	Effects of Spray Drying at Different Inlet Air Temperatures on Antioxidative Activity and Some Properties of Homnil Rice Bran Extract Powder. 2017 , 16, 782-788	2
97	Microencapsulation of Banana Passion Fruit (<i>Passiflora tripartita Var. Mollissima</i>): A New Alternative as a Natural Additive as Antioxidant. 2014 , 05, 671-682	11
96	Physical properties of complementary food powder obtained from upcycling of Greek yogurt acid whey with kodo and proso millets. 2021 , 44, e13878	2
95	Enzyme-modified cheese powder production: Influence of spray drying conditions on the physical properties, free fatty acid content and volatile compounds. 2022 , 125, 105241	1
94	Optimal encapsulation of maroon bush (<i>Scaevola spinescens</i> R. Br.) extract enriched with bioactive compounds. 2021 , 1, 100009	
93	Effect on Nutritional and Functional Characteristics by Encapsulating Powder in Enriched Corn Extrudates. 2021 , 10,	5
92	Effects of Enzymatic Liquefaction, Drying Techniques, and Wall Materials on the Physicochemical Properties, Bioactivities, and Morphologies of Zinc-Amaranth (L.) Powders. 2021 , 2021, 1819104	0
91	Encapsulation of Cochleates Derived from <i>Infantis</i> with Biopolymers to Develop a Potential Oral Poultry Vaccine. 2021 , 13,	0
90	Defining High and Low Spray Drying Temperatures for Aloe vera Gel. 2015 , 319-327	
89	Quality characteristics of spray dried powder from unripe fig extract. 2016 , 23, 355-360	4
88	P&Etilde;kmeli Kurutucu ile Nane (<i>Mentha piperita</i> ve <i>Mentha spicata</i>) Esansiyel Yağ Mikroenkaps&Etilde;asyonu. 2017 , 21, 24-34	
87	Novel polymer systems and additives to protect bioactive substances applied in spray-drying. 97-119	
86	Yaban Mersini (<i>Vaccinium corymbosum</i> L.) Suyu Konsantresinin P&Etilde;kmeli Kurutucuda Kurutulma&Etilde; Tepki Y&Etilde;ney Y&Etilde;ntemiyle Optimizasyon. 139-148	1

85	THE PROPERTIES OF CINNAMON, CAROB AND GINGER ENRICHED GOAT MILK POWDER ENRICHED GOAT MILK POWDER. 716-732	2
84	Kıymı Pancardan Renk Maddesi İetimi ve Stabilitesinin Sađanması-439-449	1
83	Optimization of the infeed formula for spent coffee ground extract encapsulation using the response surface methodology. 2019 , 23, 108-112	
82	Secagem da polpa de jabolı (Syzygium cumini) em secador de leite de jorro: efeito da clara de ovo como agente carreador de secagem na qualidade do produto. 23,	0
81	KURUTMA YNTEMİLE KURUTULMUUYUMURTA BEYAZI TOZLARININ KARAKTERİZASYONU. 150-160	0
80	Organik İlek İetimi pıktımelı kurutulması-2020, 24, 126-139	0
79	Microencapsulation of hydrosoluble extract of babassu nut press cake. 2117-2128	
78	5-caffeoylquinic acid retention in spray drying of cocona, an Amazonian fruit, using hydrolyzed collagen and maltodextrin as encapsulating agents. 2021 , 39, 1854-1868	0
77	Microencapsulation of propolis by spray drying: A review. 1-20	5
76	Effects of maltodextrin concentration and inlet temperature on the physicochemical properties of spray-dried kuini powder. 117-131	1
75	Maltodextrin on the flow properties of green coconut (Cocos nucifera L.) pulp powder. 44,	0
74	Effect of Maltodextrin Concentration and Inlet Air Temperature on Properties of Spray Dried Powder from Reverse Osmosis Concentrated Sweet Orange Juice. 63,	0
73	Assessing the use of arabic gum as a drying adjuvant for powdered shrimp obtained using a spray dryer. 21,	
72	Physicochemical and Functional Characterization of Newly Designed Biopolymeric-Based Encapsulates with Probiotic Culture and Charantin. 2021 , 10,	0
71	Food Powders Bulk Properties. 2021 , 1-36	0
70	Anti-caking Agent Effects on the Properties of Spray-dried İempedakİ Fruit Powder. 2020 , 43,	2
69	Characterization of Oregano Essential Oil (L. subsp.) Particles Produced by the Novel Nano Spray Drying Technique.. 2021 , 10,	2
68	Valorization of Rose Hip () Puree Co-Product in Enriched Corn Extrudates. 2021 , 10,	2

67	Characterization of oleoresin microparticles and evaluation of short-term capsaicin intake.. 2022 , 13, 100179		1
66	Microencapsulation of Olive Leaf Extract by Spray Drying. 2020 , 49, 475-482		0
65	Effect of carrier type on the spray-dried willowherb (<i>Epilobium angustifolium</i> L.) leaves extract, powder properties and bioactive compounds encapsulation. 2021 , 41-45		0
64	Emerging drying techniques for food safety and quality: A review.. 2022 ,		2
63	Microencapsulation of natural blue dye from butterfly pea (<i>Clitoria ternatea</i> L.) flowers: the application of different carriers.		1
62	Microencapsulation of Phycocyanin By Spray Drying Method: Effect of Process Parameters and Wall Materials.		0
61	Anti-migraine activity of freeze-dried latex obtained from <i>Calotropis gigantea</i> Linn.. 2022 , 29, 27460		
60	Influence of the particle size of encapsulated chia oil on the oil release and bioaccessibility during gastrointestinal digestion.. 2022 ,		1
59	Effects of Processing and Storage Conditions on Functional Properties of Powdered Blueberry Pomace. 2022 , 14, 1839		0
58	Characterization of spray dried diosgenin from fenugreek using binary blend of carrier agents. 2022 , 2, 100054		0
57	Optimization of microencapsulation of yellow mombin juice by spray drying using a central composite rotatable design and powder physicochemical properties. 42,		
56	Valorization of Persimmon (<i>Diospyros kaki</i>) Wastes to Be Used as Functional Ingredients. 2022 , 739-764		
55	Encapsulation of protein hydrolysates by spray drying: feasibility of using buffalo whey proteins. <i>International Journal of Food Science and Technology</i> ,	3.8	0
54	In Vitro Bioaccessibility of Bioactive Compounds from Rosehip-Enriched Corn Extrudates.. 2022 , 27,		0
53	Spray-Dried Powder Containing Chitinase and α -1,3-Glucanase with Insecticidal Activity against <i>Ceratitis capitata</i> (Diptera: Tephritidae). 2022 , 10, 587		1
52	Optimization of Spray Drying Encapsulation of Bioactive Compounds from Organic Blueberry Extract. 1-11		
51	Investigation of Storage Stability, Baking Stability, and Characteristics of Freeze-Dried Cranberrybush (<i>Viburnum opulus</i> L.) Fruit Microcapsules. <i>Food and Bioprocess Technology</i> , 1	5.1	0
50	Development of encapsulated sage extract powder: Inter-comparison with commercially available powder for physical properties and metabolites composition. 2022 , 184, 105571		0

49	Effect of drying temperature on nutritional, functional and pasting properties and storage stability of beef lung powder, a prospective protein ingredient for food supplements. <i>LWT - Food Science and Technology</i> , 2022 , 161, 113315	5.4	1
48	Replacing synthetic antioxidants in food emulsions with microparticles from green acerola (). 2022 , 5, 100130		1
47	Propiedades físicas de productos cocristalizados de jugo de maracuy y pulpa de guayaba y su cinética de cocristalización. 2021 , 24, e2113		
46	Development of chitosan based microencapsulated spray dried powder of tuna fish oil: oil load impact and oxidative stability. 2021 , 84, e254010		
45	Storage stability of freeze-dried powder of jambolan (<i>Syzygium cumini</i> (L.)) fruits at different degrees of maturity and packages. 25,		1
44	Functional Properties of Physically Pretreated Kidney Bean and Mung Bean Flours and Their Performance in Microencapsulation of a Carotenoid-Rich Oil. 2022 , 6,		
43	Impact of <i>Urtica dioica</i> on phenols, antioxidant capacity, color, texture and extrusion parameters of extruded corn products. 2022 , ahead-of-print,		1
42	Improving encapsulating efficiency, stability, and antioxidant activity of catechin nanoemulsion using foam mat freeze-drying: The effect of wall material types and concentrations. <i>LWT - Food Science and Technology</i> , 2022 , 162, 113478	5.4	0
41	Effect of Maltodextrin and Soy Protein Isolate on the Physicochemical and Flow Properties of Button Mushroom Powder. <i>Frontiers in Nutrition</i> , 2022 , 9,	6.2	1
40	Effects of spray-drying parameters on physicochemical properties of powdered fruits. <i>Foods and Raw Materials</i> , 2022 , 235-251	1.3	1
39	Physical properties and prebiotic activity of white dragon fruit (<i>Hylocereus undatus</i>) powders produced using different wall materials. 2022 , 29, 357-368		
38	Physicochemical properties of spray-dried cantaloupe powder and rheological behaviour of cake icing. 2022 , 29, 385-396		
37	Microencapsulation of Dragon Fruit Peel Extract by Freeze-Drying Using Hydrocolloids: Optimization by Hybrid Artificial Neural Network and Genetic Algorithm. <i>Food and Bioprocess Technology</i> ,	5.1	0
36	Sodium caseinate and OSA -modified starch as carriers for the encapsulation of lutein using spray-drying to improve its water solubility and stability. <i>International Journal of Food Science and Technology</i> ,	3.8	0
35	Production and Microencapsulation of Protein Hydrolysate of Pink Perch (<i>Nemipterus japonicus</i>) By-Products Obtained from Surimi Industry for Its Sustainable Utilization. <i>Waste and Biomass Valorization</i> ,	3.2	1
34	Incorporation of hydroxytyrosol alkyl esters of different chain length as antioxidant strategy in walnut oil spray-dried microparticles with a sodium alginate outer layer. <i>Food Chemistry</i> , 2022 , 395, 133595	8.5	
33	Effect of ancient wheat flours and fermentation types on tarhana properties. 2022 , 101982		0
32	Encapsulation of anthocyanin-rich extract from black chokeberry (<i>Aronia melanocarpa</i>) pomace by spray drying using different coating materials.		0

- 31 Characterization, stability and application in yogurt of a coloring food from *Opuntia robusta* fruits. **2022**, 395-400 ○
- 30 Effect of different roasting methods on the proximate by composition, flow properties, amino acid compositions, colour, texture, and sensory profile of the chickpeas. ○
- 29 Formulation Strategies to Improve the Stability and Handling of Oral Solid Dosage Forms of Highly Hygroscopic Pharmaceuticals and Nutraceuticals. **2022**, 14, 2015 ○
- 28 Quinoa protein isolate-gum Arabic coacervates cross-linked with sodium tripolyphosphate: Characterization, environmental stability, and Sichuan pepper essential oil microencapsulation. **2022**, 134536 ○
- 27 Sugarcane Juice Powder Produced from Spray Drying Technology: A Review of Properties and Operating Parameters. ○
- 26 Green Coffee Extract Microencapsulated: Physicochemical Characteristics, Stability, Bioaccessibility, and Sensory Acceptability through Dairy Beverage Consumption. **2022**, 19, 13221 ○
- 25 Impact of Disruption and Drying Conditions on Physicochemical, Functional and Antioxidant Properties of Powdered Ingredients Obtained from Brassica Vegetable By-Products. **2022**, 11, 3663 1
- 24 Microencapsulated phenolic-rich extract from juice processing grape pomace (*Vitis labrusca*. Isabella Var): Effects on oxidative stability of raw and pre-cooked bovine burger. **2022**, 50, 102212 ○
- 23 Co-encapsulation of paprika and cinnamon oleoresin by spray drying using whey protein isolate and maltodextrin as wall material: Development, characterization and storage stability. **2022**, 112164 1
- 22 Effect of Thermal and Non-Thermal Processing on Nutritional, Functional, Safety Characteristics and Sensory Quality of White Cabbage Powder. **2022**, 11, 3802 ○
- 21 Evaluation of freeze-dried phenolic extract from cashew apple by-product: Physical properties, in vitro gastric digestion and chemometric analysis of the powders. **2022**, 5, 100149 ○
- 20 Encapsulation of Formosa Papaya (*Carica papaya* L.) Seed Extract: Physicochemical Characteristics of Particles, and Study of Stability and Release of Encapsulated Phenolic Compounds. **2023**, 11, 27 ○
- 19 Valorization of Beetroot By-Products for Producing Value-Added Third Generation Snacks. **2023**, 12, 176 ○
- 18 Effectiveness of *Opuntia ficus-indica* mucilage as a carrier agent in microencapsulation of bioactive compounds of *Amaranthus hypochondriacus* var. Nutrisol. **2023**, 102368 ○
- 17 Use of maltodextrin, sweet potato flour, pectin and gelatin as wall material for microencapsulating *Lactiplantibacillus plantarum* by spray drying: Thermal resistance, in vitro release behavior, storage stability and physicochemical properties. **2023**, 164, 112367 1
- 16 Whey protein concentrate/pullulan gel as a novel microencapsulated wall material for astaxanthin with improving stability and bioaccessibility. **2023**, 138, 108467 ○
- 15 Effect of Maltodextrin, Arabic Gum, and Beetroot Juice Concentration on the Powder Properties of Spray-Dried Beetroot-Skim Milk Mixtures. **2022**, 26, 209-224 ○
- 14 Influence of Anticaking Agents and Storage Conditions on Quality Characteristics of Spray Dried Apricot Powder: Shelf Life Prediction Studies Using Guggenheim-Anderson-de Boer (GAB) Model. **2023**, 12, 171 ○

- 13 Canola meal phenolic compounds electrosprayed into capsules to increase the oxidative stability of canola oil. **2023**, 10, ○
- 12 Optimization of spray-drying parameter for production of better quality orange fleshed sweet potato (*Ipomoea batatas* L.) powder: Selected physicochemical, morphological, and structural properties. **2023**, 9, e13078 ○
- 11 Influence of Dehydration Temperature on Obtaining Chia and Okra Powder Mucilage. **2023**, 12, 569 1
- 10 Effect of spray-drying conditions on the physical and antioxidant properties of a hydrolysate from red tilapia (*Oreochromis spp.*) viscera. 43, ○
- 9 Microencapsulation of β -carotene using barley residue proteins from beer waste as coating material. **2023**, 40, 171-185 ○
- 8 Evaluation of physicochemical properties of honey powder using rice and pea proteins as carriers. **2023**, 167, 112692 ○
- 7 Influence of mango pulp and sucrose contents on the technological properties of solid preparations (freeze-dried) for yoghurt. **2023**, 3, 100295 ○
- 6 Encapsulated diosgenin powder production using binary carrier: Process optimization and powder characterization. **2023**, 3, 100134 ○
- 5 Honey powder produced by spray drying as an ingredient: A new perspective using a plant-based protein as a carrier. 1-12 ○
- 4 Effect of gelatin and acacia gum on anthocyanin coacervated microcapsules using double emulsion and its characterization. **2023**, 235, 123896 ○
- 3 Effect of Different Drying Techniques on Total Bioactive Compounds and Individual Phenolic Composition in Goji Berries. **2023**, 11, 754 ○
- 2 Aloe Vera and Nopal mucilage on the reduction of agglomeration during spray drying and storage of blackberry and raspberry extracts. 108201322311612 ○
- 1 Influence of Carrier Agents Concentrations and Inlet Temperature on the Physical Quality of Tomato Powder Produced by Spray Drying. **2023**, 31, 1379-1411 ○