

CITATION REPORT

List of articles citing

The effect of laser power and traverse speed on microstructure, porosity, and build height in laser-deposited Ti-6Al-4V

DOI: 10.1016/s1359-6462(00)00408-5
Scripta Materialia, 2000, 43, 299-305.

Source: <https://exaly.com/paper-pdf/31481232/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
295	The role of process variables in laser-based direct metal solid freeform fabrication. <i>Jom</i> , 2001 , 53, 36-39	2.1	109
294	The laser additive manufacture of Ti-6Al-4V. <i>Jom</i> , 2001 , 53, 40-42	2.1	186
293	Challenges to developing and producing MMCs for space applications. <i>Jom</i> , 2001 , 53, 22-25	2.1	40
292	Manufacturing of Dies and Molds. 2001 , 50, 404-422		136
291	A verified model of the behaviour of the axial powder stream concentration from a coaxial laser cladding nozzle. 2002 ,		16
290	In-situ reactive processing of nickel aluminides by laser-engineered net shaping. 2003 , 34, 2633-2641		49
289	Fabrication of functionally graded TiC/Ti composites by Laser Engineered Net Shaping. <i>Scripta Materialia</i> , 2003 , 48, 1337-1342	5.6	250
288	Rapid prototyping using direct laser deposition—the effect of powder atomization type and flowrate. 2003 , 217, 741-752		21
287	Optimization of laser powder deposition for 316L stainless steel. 2003 ,		2
286	3D simulation of laser additive manufacturing. 2004 ,		
285	Modelling Powder Concentration Distribution From a Coaxial Deposition Nozzle for Laser-Based Rapid Tooling. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2004 , 126, 33-41	3.3	96
284	Microstructures of laser-deposited Ti6Al4V. 2004 , 25, 137-144		308
283	Fabrication of carbide-particle-reinforced titanium aluminide-matrix composites by laser-engineered net shaping. 2004 , 35, 1133-1140		7
282	Microstructural evolution in laser-deposited multilayer Ti-6Al-4V builds: Part I. Microstructural characterization. 2004 , 35, 1861-1867		272
281	Microstructural evolution in laser-deposited multilayer Ti-6Al-4V builds: Part II. Thermal modeling. 2004 , 35, 1869-1879		192
280	Fabrication of carbide-particle-reinforced titanium aluminide-matrix composites by laser-engineered net shaping. 2004 , 35, 1133-1140		55
279	Effects of melt-pool geometry on crystal growth and microstructure development in laser surface-melted superalloy single crystals. <i>Acta Materialia</i> , 2004 , 52, 4833-4847	8.4	24

278	Effects of melt-pool geometry on crystal growth and microstructure development in laser surface-melted superalloy single crystals: Mathematical modeling of single-crystal growth in a melt pool (part I). <i>Acta Materialia</i> , 2004 , 52, 4833-4847	8.4	86
277	Functionally graded mold inserts by laser-based flexible fabrication: processing modeling, structural analysis, and performance evaluation. 2005 , 166, 286-293		16
276	Direct laser fabrication of nickel alloy samples. 2005 , 45, 1288-1294		68
275	A comparative study of wire feeding and powder feeding in direct diode laser deposition for rapid prototyping. 2005 , 247, 268-276		125
274	Direct laser deposition of a single-crystal Ni3Al-based IC221W alloy. 2005 , 36, 3397-3406		27
273	A microstructure model for laser processing of Ti-6Al-4V. 2005 ,		3
272	Direct manufacturing of aeronautical components by laser metal deposition of Ti-6Al-4V. 2006 ,		3
271	Thermal process maps for predicting solidification microstructure in laser fabrication of thin-wall structures. 2006 , 178, 135-142		139
270	An analytical model of beam attenuation and powder heating during coaxial laser direct metal deposition. 2007 , 40, 7323-7334		74
269	Friction and wear behaviour of rapid prototype parts by direct metal laser sintering. 2007 , 1, 73-79		6
268	Research on the processing experiments of laser metal deposition shaping. <i>Optics and Laser Technology</i> , 2007 , 39, 549-557	4.2	145
267	Deposition of Ti6Al4V using a high power diode laser and wire, Part I: Investigation on the process characteristics. <i>Surface and Coatings Technology</i> , 2008 , 202, 3933-3939	4.4	120
266	Fabrication of Ti-6Al-4V Scaffolds by Direct Metal Deposition. 2008 , 39, 2914-2922		170
265	Study on microstructure and mechanical properties of laser rapid forming Inconel 718. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 478, 119-124	5.3	250
264	Microstructure formation in Waspaloy multilayer builds following direct metal deposition with laser and wire. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 260-269	5.3	36
263	Laser powder microdeposition of CP2 Titanium. 2008 , 29, 353-361		13
262	Deposition of Ti6Al4V using a high power diode laser and wire, Part II: Investigation on the mechanical properties. <i>Surface and Coatings Technology</i> , 2008 , 202, 4613-4619	4.4	69
261	Numerical simulation of thermal behavior during laser metal deposition shaping. 2008 , 18, 691-699		34

260	Component repair using laser direct metal deposition. 2008 , 222, 827-836		105
259	Fibre laser metal deposition with wire: parameters study and temperature monitoring system. 2008 , ,		7
258	An investigation on porosity in laser metal deposition. 2008 ,		1
257	Study on Scanning Pattern during Laser Metal Deposition Shaping. 2009 ,		2
256	Pore Formation in Laser-Assisted Powder Deposition Process. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2009 , 131,	3-3	19
255	Advanced metal powder based manufacturing of complex components by electron beam melting. 2009 , 24, 180-190		123
254	Investigation on microstructure, surface properties and anti-wear performance of HVOF sprayed WC ₁₂ Co ₁₂ Ni coatings modified by laser heat treatment. 2009 , 162, 127-134		37
253	Heat-treated microstructure and mechanical properties of laser solid forming Ti-6Al-4V alloy. 2009 , 28, 537-544		46
252	Porosity formation and gas bubble retention in laser metal deposition. 2009 , 97, 641-649		111
251	Microstructure and Mechanical Properties of Laser Solid Formed Ti-6Al-4V from Blended Elemental Powders. 2009 , 38, 574-578		24
250	Effects of process variables and size-scale on solidification microstructure in beam-based fabrication of bulky 3D structures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 513-514, 311-318	5-3	119
249	Effect of TiC content on Ni/TiC composites by direct laser fabrication. 2009 , 30, 1409-1412		40
248	Crystallographic texture and microstructure of pulsed diode laser-deposited Waspaloy. <i>Acta Materialia</i> , 2009 , 57, 1220-1229	8.4	60
247	Laser powder deposition. <i>Rapid Prototyping Journal</i> , 2009 , 15, 264-279	3.8	88
246	A study on powder mixing for high fracture toughness and wear resistance of WC ₁₂ Co ₁₂ Cr coatings sprayed by HVOF. <i>Surface and Coatings Technology</i> , 2010 , 204, 2223-2229	4.4	74
245	Microstructure and mechanical properties of laser melting deposited 1Cr12Ni2WMoVNb steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4804-4809	5-3	32
244	Microstructure and wear properties of laser deposited WC ₁₂ Co ₁₂ composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6677-6682	5-3	62
243	Influence of CO ₂ laser heat treatment on surface properties, electrochemical and tribological performance of HVOF sprayed WC ₁₂ Co ₁₂ Cr ₃ Cr ₃ Cr ₃ Ni coating. 2010 , 119, 458-464		46

242	Creep rupture behaviors of a laser melting deposited TiC/TA15 in situ titanium matrix composite. 2010 , 31, 3127-3133		25
241	Process optimization of TiNb alloy coatings on a Ti6Al4V plate using a fiber laser and blended elemental powders. 2010 , 210, 2081-2087		38
240	Effect of heat treatment on microstructure and mechanical properties of laser melting deposited 1Cr12Ni2WMoVNb steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 528, 474-479	5.3	21
239	Dendrite growth simulation during solidification in the LENS process. <i>Acta Materialia</i> , 2010 , 58, 1455-1465	6.4	131
238	Optimization of Laser Processing Parameters and Their Effect on Penetration Depth and Surface Roughness of Biomimetic Units on the Surface of 3Cr2W8V Steel. 2010 , 7, S67-S76		16
237	Effect of thermal fatigue loading on tensile behavior of H13 die steel with biomimetic surface. 2010 , 7, 390-396		17
236	X-ray analysis of pore formation in direct metal deposition and its causes. 2010 ,		
235	Laser direct metal deposition: theory and applications in manufacturing and maintenance. 2010 , 461-491		22
234	THE PREDICTION OF LASER CLAD PARAMETERS BASED ON NEURAL NETWORK. 2011 ,		1
233	Multiscale Modeling of Transport Phenomena and Dendritic Growth in Laser Cladding Processes. 2011 , 42, 1306-1318		35
232	Laser Cladding of Ti-6Al-4V Powder on Ti-6Al-4V Substrate: Effect of Laser Cladding Parameters on Microstructure. 2011 , 12, 323-329		32
231	Microcomputed tomography analysis of intralayer porosity generation in laser direct metal deposition and its causes. <i>Journal of Laser Applications</i> , 2011 , 23, 022009	2.1	43
230	Research of Metallic Part Fabrication by Selective Laser Melting. 2011 , 120, 284-287		
229	Numerical Simulation of Temperature Field of Direct Laser Metal Deposition Shaping Process of Titanium Alloys. <i>Advanced Materials Research</i> , 2011 , 295-297, 2112-2119	0.5	1
228	Effect of Energy Density of Incident Beam on Mechanical Property of Titanium Alloy Products Fabricated by Electron Beam Melting (EBM) Method. 2012 , 706-709, 488-491		5
227	Prediction of laser clad parameters based on neural network. 2012 , 27, 11-14		5
226	Material Properties of Ti6Al4V Parts Produced by Laser Metal Deposition. 2012 , 39, 416-424		105
225	Effect of Wall Thickness Transitions on Texture and Grain Structure in Additive Layer Manufacture (ALM) of Ti-6Al-4V. 2012 , 706-709, 205-210		19

224	Improvement on HVOF sprayed Diamalloy coatings by laser irradiation. 2012 , 108, 201-209		3
223	Effect of Hot Isostatic Pressing on Fatigue Properties of Laser Melting Deposited AerMet100 Steel. 2013 , 20, 79-84		11
222	Microstructural characterization of laser melting deposited Ti ₆ Al ₄ V-5Mo-0.5Cr-0.3Fe near β titanium alloy. <i>Journal of Alloys and Compounds</i> , 2013 , 572, 17-24	5-7	111
221	Analysis of the stress raising action of flaws in laser clad deposits. 2013 , 46, 328-337		22
220	Scanning velocity influence on microstructure, microhardness and wear resistance performance of laser deposited Ti6Al4V/TiC composite. 2013 , 50, 656-666		137
219	Electron Beam Additive Manufacturing of Titanium Components: Properties and Performance. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2013 , 135,	3-3	245
218	Effects of Parameters on Surface Roughness of Metal Parts by Selective Laser Melting. <i>Advanced Materials Research</i> , 2013 , 834-836, 872-875	0-5	4
217	High-Value SLM Aerospace Components: From Design to Manufacture. <i>Advanced Materials Research</i> , 2013 , 633, 135-147	0-5	75
216	Sub-millimetric titanium parts generated by rapid prototyping based on laser cladding. 2014 ,		
215	Finite Element Modeling of Microstructure in Laser-Deposited Multiple Layer Inconel 718 Parts. 2014 , 29, 1245-1252		18
214	Characterization of microstructure and strain response in Ti ₆ Al ₄ V plasma welding deposited material by combined EBSD and in-situ tensile test. 2014 , 24, 3929-3943		12
213	Microstructure Evolution of Laser Direct Deposited Ti-5Al-2Sn-2Zr-4Mo-4Cr Titanium Alloy. 2014 , 789, 436-442		2
212	Characterization of microstructure and mechanical properties of laser melting deposited Ti ₆ .5Al ₃ .5Mo _{0.5} Zr _{0.3} Si titanium alloy. 2014 , 56, 445-453		111
211	Fatigue performance evaluation of selective laser melted Ti ₆ Al ₄ V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 598, 327-337	5-3	476
210	Laser Powder Deposition. 2014 , 163-216		28
209	Microstructure evolution and layer bands of laser melting deposition Ti ₆ .5Al ₃ .5Mo _{0.5} Zr _{0.3} Si titanium alloy. <i>Journal of Alloys and Compounds</i> , 2014 , 616, 468-474	5-7	89
208	Mechanical properties of alloy Ti ₆ Al ₄ V and of stainless steel 316L processed by selective laser melting: influence of out-of-equilibrium microstructures. 2014 , 57, 184-189		102
207	Integrated control of solidification microstructure and melt pool dimensions in electron beam wire feed additive manufacturing of Ti-6Al-4V. <i>Additive Manufacturing</i> , 2014 , 1-4, 119-126	6-1	85

206	Microstructure and mechanical properties of hybrid fabricated Ti _{0.5} Al _{0.5} Mo _{0.5} Zr _{0.3} Si titanium alloy by laser additive manufacturing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 607, 427-434	5.3	82
205	Microstructural Observations of 316L Stainless Steel Laser Powder Depositions. 2014 , 229-238		
204	Printed and Hybrid Electronics Enabled by Digital Additive Manufacturing Technologies. 2015 , 147-170		
203	Experimental study of effects of main process parameters on porosity, track geometry, deposition rate, and powder efficiency for high deposition rate laser metal deposition. <i>Journal of Laser Applications</i> , 2015 , 27, 042003	2.1	38
202	Microstructure and Mechanical Properties of Ti-6Al-4V Parts Fabricated by Laser Engineered Net Shaping. 2015 ,		4
201	Effect of build direction on the fracture toughness and fatigue crack growth in selective laser melted Ti-6Al-4 V. 2015 , 38, 1228-1236		88
200	The deposition morphology evolution of laser solid forming on the fluctuant surface. 2015 ,		
199	A review on selective laser sintering/melting (SLS/SLM) of aluminium alloy powders: Processing, microstructure, and properties. 2015 , 74, 401-477		896
198	Texture and microstructure characterization in laser additive manufactured Ti _{0.5} Al _{0.5} Zr _{0.5} Sn _{0.5} Mo _{0.5} Cr _{0.5} Nb titanium alloy. <i>Materials and Design</i> , 2015 , 88, 550-557	8.1	40
197	Fabrication of large Ti _{0.5} Al _{0.5} V structures by direct laser deposition. <i>Journal of Alloys and Compounds</i> , 2015 , 629, 351-361	5.7	188
196	The anisotropy of laser melting deposition additive manufacturing Ti _{0.5} Al _{0.5} Mo _{0.5} Zr _{0.3} Si titanium alloy. 2015 , 67, 538-542		93
195	Grain morphology evolution behavior of titanium alloy components during laser melting deposition additive manufacturing. <i>Journal of Alloys and Compounds</i> , 2015 , 632, 505-513	5.7	275
194	Anisotropic tensile behavior of Ti _{0.5} Al _{0.5} V components fabricated with directed energy deposition additive manufacturing. <i>Acta Materialia</i> , 2015 , 87, 309-320	8.4	730
193	Manipulation and Characterization of a Novel Titanium Powder Precursor for Additive Manufacturing Applications. <i>Jom</i> , 2015 , 67, 564-572	2.1	44
192	Microstructural control during direct laser deposition of a titanium alloy. 2015 , 81, 21-30		57
191	Laser cladding as repair technology for Ti _{0.5} Al _{0.5} V alloy: Influence of building strategy on microstructure and hardness. <i>Materials and Design</i> , 2015 , 85, 497-510	8.1	111
190	Microstructural evolution and mechanical properties of laser melting deposited Ti _{0.5} Al _{0.5} Mo _{0.5} Zr _{0.3} Si titanium alloy. 2015 , 25, 1856-1864		24
189	Experimental study of porosity reduction in high deposition-rate Laser Material Deposition. <i>Optics and Laser Technology</i> , 2015 , 75, 87-92	4.2	48

188	In situ study of phase transformations during laser-beam welding of a TiAl alloy for grain refinement and mechanical property optimization. 2015 , 62, 27-35		21
187	Controlling the microstructure and properties of wire arc additive manufactured Ti ₆ Al ₄ V with trace boron additions. <i>Acta Materialia</i> , 2015 , 91, 289-303	8.4	198
186	XCT analysis of the influence of melt strategies on defect population in Ti ₆ Al ₄ V components manufactured by Selective Electron Beam Melting. <i>Materials Characterization</i> , 2015 , 102, 47-61	3.9	347
185	Microstructure and mechanical properties of Ti-6Al-4V components fabricated by laser micro cladding deposition. 2015 , 34, 445-451		15
184	Integrated melt pool and microstructure control for Ti ₆ Al ₄ V thin wall additive manufacturing. 2015 , 31, 912-916		33
183	Semi-empirical model of deposit size and porosity in 420 stainless steel and 4140 steel using laser engineered net shaping. <i>Journal of Manufacturing Processes</i> , 2015 , 19, 163-170	5	21
182	Rapid prototyping based on laser cladding of cp-Ti. 2016 ,		
181	Application of Nonlinear Thermal Expansion Model for Casted Aluminium Silicon Carbide. 2016 ,		
180	Microstructure and Antiwear Property of Laser Cladding Ni-Co Duplex Coating on Copper. <i>Materials</i> , 2016 , 9,	3.5	13
179	On the Laser Cladding of Ti Alloy Ti-6Al-4V With Low Laser Power. 2016 , 1299-1304		
178	Microstructure and Texture of Ti-6Al-4V Direct Laser Deposits. 2016 , 1379-1388		
177	The Effect of Lack-of-Fusion Porosity on Fatigue Behavior of Additive Manufactured Titanium Alloy. 2016 , 723, 44-50		1
176	Influence of Cycle Temperature on the Wear Resistance of Vermicular Iron Derivatized with Bionic Surfaces. 2016 , 47, 5534-5547		4
175	Process parameter interaction effect on the evolving properties of laser metal deposited titanium for biomedical applications. 2016 , 620, 94-102		8
174	Multi-scale damage mechanics method for fatigue life prediction of additive manufacture structures of Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 669, 269-278	5.3	19
173	Role of geometry on properties of additively manufactured Ti-6Al-4V structures fabricated using laser based directed energy deposition. <i>Materials and Design</i> , 2016 , 106, 482-494	8.1	81
172	A fractographic study exploring the relationship between the low cycle fatigue and metallurgical properties of laser metal wire deposited Ti ₆ Al ₄ V. <i>International Journal of Fatigue</i> , 2016 , 87, 245-256	5	23
171	Microstructure and porosity evaluation in laser-cladding deposited Ni-based coatings. <i>Surface and Coatings Technology</i> , 2016 , 294, 122-130	4.4	57

170	Defect-dominated fatigue behavior in type 630 stainless steel fabricated by selective laser melting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 666, 19-26	5.3	43
169	Effects of heat treatment on microstructure and tensile properties of laser melting deposited AISI 431 martensitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 666, 27-33	5.3	36
168	Metal Additive Manufacturing: A Review of Mechanical Properties. 2016 , 46, 151-186		827
167	Shaped metal deposition technique in additive manufacturing: A review. 2016 , 230, 1781-1798		52
166	Microstructure evolution and mechanical properties of laser additive manufactured Ti6Al4Sn2Zr4Mo4Cr alloy. 2016 , 26, 2058-2066		28
165	Influence of microstructure on mechanical properties of laser metal wire-deposited Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 674, 428-437	5.3	94
164	A Closed-Form Solution for the Effect of Free Edges on Melt Pool Geometry and Solidification Microstructure in Additive Manufacturing of Thin-Wall Geometries. 2016 , 47, 1400-1408		14
163	Understanding the Microstructure Formation of Ti-6Al-4V During Direct Laser Deposition via In-Situ Thermal Monitoring. <i>Jom</i> , 2016 , 68, 778-790	2.1	48
162	The metallurgy and processing science of metal additive manufacturing. 2016 , 61, 315-360		1185
161	Solidification Microstructure of Laser Additive Manufactured Ti6Al2Zr2Sn3Mo1.5Cr2Nb Titanium Alloy. <i>Journal of Materials Science and Technology</i> , 2016 , 32, 381-386	9.1	24
160	Review of Mechanical Properties of Ti-6Al-4V Made by Laser-Based Additive Manufacturing Using Powder Feedstock. <i>Jom</i> , 2016 , 68, 724-734	2.1	174
159	Spatially dependent properties in a laser additive manufactured Ti6Al4V component. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 654, 39-52	5.3	58
158	Hybrid additive and subtractive machine tools [Research and industrial developments. 2016 , 101, 79-101		225
157	Defect distribution and microstructure heterogeneity effects on fracture resistance and fatigue behavior of EBM Ti6Al4V. <i>International Journal of Fatigue</i> , 2017 , 94, 263-287	5	139
156	Treatment of ferrous melts for the improvement of the sphericity of water atomized powders. <i>Materials and Design</i> , 2017 , 116, 644-655	8.1	10
155	Effect of directed energy deposition processing parameters on laser deposited Inconel 718: External morphology. <i>Journal of Laser Applications</i> , 2017 , 29, 022001	2.1	39
154	Effect of directed energy deposition processing parameters on laser deposited Inconel 718: Microstructure, fusion zone morphology, and hardness. <i>Journal of Laser Applications</i> , 2017 , 29, 022005	2.1	31
153	Microstructure and deformation behavior of Ti-6Al-4V alloy by high-power laser solid forming. <i>Acta Materialia</i> , 2017 , 132, 82-95	8.4	147

152	Laser Power and Powder flow rate influence on the metallurgy and microhardness of Laser metal Deposited Titanium alloy.. 2017 , 4, 3678-3684		1
151	Development of strength-hardness relationships in additively manufactured titanium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 693, 214-224	5.3	44
150	An investigation on selective laser melting of Al-Cu-Fe-Cr quasicrystal: From single layer to multilayers. 2017 , 86, 51-58		22
149	Fatigue crack growth behaviour in laser melting deposited Ti-6.5Al-3.5Mo-1.5Zr-0.3Si alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 690, 378-386	5.3	19
148	Microstructural characterisation of a nickel alloy processed via blown powder direct laser deposition (DLD). <i>Materials and Design</i> , 2017 , 117, 47-57	8.1	20
147	Study of the Structure and Properties of Materials Based on Titanium Alloys Prepared by Direct Laser Deposition. 2017 , 61, 424-428		
146	Scanning Speed Influence on the Microstructure and Micro hardness Properties of Titanium Alloy Produced by Laser Metal Deposition Process. 2017 , 4, 5206-5214		18
145	Microstructure and Mechanical Properties of Laser Solid Formed Ti-6Al-4V Alloy Under Dynamic Shear Loading. 2017 , 26, 3121-3132		4
144	Microstructural morphology and evolution of austenite stainless steel deposited using pulsed laser and wire. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 93, 3357-3370	3.2	11
143	Laser sintering of metallic medical materials – review. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 93, 2723-2752	3.2	9
142	Electrochemical Machining Properties of the Laser Rapid Formed Inconel 718 Alloy in NaNO ₃ Solution. 2017 , 164, E548-E559		21
141	Automated Defect Recognition as a Critical Element of a Three Dimensional X-ray Computed Tomography Imaging-Based Smart Non-Destructive Testing Technique in Additive Manufacturing of Near Net-Shape Parts. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 1156	2.6	4
140	A study on spectral characterization and quality detection of direct metal deposition process based on spectral diagnosis. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 96, 4231-4241	3.2	7
139	Effects of processing defects on the dynamic tensile mechanical behavior of laser-solid-formed Ti-6Al-4 V. <i>Materials Characterization</i> , 2018 , 140, 15-29	3.9	19
138	Properties of as-deposited and heat-treated Ni-Mn-Ga magnetic shape memory alloy processed by directed energy deposition. <i>Journal of Alloys and Compounds</i> , 2018 , 752, 455-463	5.7	20
137	A critical review of powder-based additive manufacturing of ferrous alloys: Process parameters, microstructure and mechanical properties. <i>Materials and Design</i> , 2018 , 144, 98-128	8.1	268
136	Metal Alloys for Fusion-Based Additive Manufacturing. 2018 , 20, 1700952		80
135	A STUDY ON SCAN SPEED RELATIONSHIP WITH MICROSTRUCTURAL EVOLUTION, PHASE COMPOSITION AND MICROHARDNESS OF Ni-CONTAINING INTERMETALLIC COATINGS ON Ti6Al4V USING LASER CLADDING TECHNIQUE. 2018 , 25, 1950035		3

134	Effects of thickness and orientation on the small scale fracture behaviour of additively manufactured Ti-6Al-4V. <i>Materials Characterization</i> , 2018 , 143, 94-109	3.9	44
133	Effect of travel speed and stress relief on thin Ti-6Al-4V laser wire deposits. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 724, 335-347	5.3	10
132	Additive manufacturing of metallic components [Process, structure and properties. 2018 , 92, 112-224		2682
131	Laser Metal Deposition Process, Solidification Mechanism and Microstructure Formation. <i>Engineering Materials and Processes</i> , 2018 , 37-59		
130	Anisotropy of fatigue crack growth in wire arc additive manufactured Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 709, 265-269	5.3	43
129	In-situ investigation of the anisotropic mechanical properties of laser direct metal deposition Ti6Al4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 199-205	5.3	44
128	About Fluence and Process Parameters on Maraging Steel Processed by Selective Laser Melting: Do They Convey the Same Information?. 2018 , 19, 1873-1884		11
127	Literature review of metal additive manufacturing defects. 2018 ,		24
126	Predictive model for porosity in powder-bed fusion additive manufacturing at high beam energy regime. <i>Additive Manufacturing</i> , 2018 , 22, 817-822	6.1	41
125	A Processing Route for Achieving Isotropic Tensile Properties in Laser Solid Formed β -Titanium Alloy. 2018 , 49, 3651-3662		15
124	Microstructure and properties of heat treated 1Cr17Ni4MoB steel fabricated by laser melting deposition. <i>Optics and Laser Technology</i> , 2018 , 108, 59-68	4.2	13
123	Production of Single Tracks of Ti-6Al-4V by Directed Energy Deposition to Determine the Layer Thickness for Multilayer Deposition. 2018 ,		10
122	Real-time acoustic emission monitoring of powder mass flow rate for directed energy deposition. <i>Additive Manufacturing</i> , 2018 , 23,	6.1	18
121	Distortion in Metal Additive Manufactured Parts. 2019 , 281-295		2
120	Process optimization of laser cladding Ni60A alloy coating in remanufacturing. <i>Optics and Laser Technology</i> , 2019 , 120, 105718	4.2	20
119	On the evolution of microstructure and defect control in 316L SS components fabricated via directed energy deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 764, 138243	5.3	36
118	Effect of layer band and heterogeneity of microstructure on electrochemical dissolution of laser solid formed Ti-6Al-4V alloy. <i>Journal of Laser Applications</i> , 2019 , 31, 022312	2.1	3
117	State of the Art in Directed Energy Deposition: From Additive Manufacturing to Materials Design. 2019 , 9, 418		156

116	Effect of processing parameters on solidification defects behavior of laser deposited AlSi10Mg alloy. 2019 , 167, 471-478		8
115	Application of Ultrasonic Array Method for the Inspection of TC18 Additive Manufacturing Titanium Alloy. 2019 , 19,		3
114	Microstructure and mechanical properties of as-deposited and heat treated Ti-6Al-4V alloy fabricated by laser melting deposition. <i>Journal of Alloys and Compounds</i> , 2019 , 810, 151792	5.7	18
113	Comparison of the Microstructure and Biocorrosion Properties of Additively Manufactured and Conventionally Fabricated near Ti-25Nb-3Zr-3Mo-2Sn Alloy. 2019 , 5, 5844-5856		9
112	Experimental study on characteristics of laser metal deposited AlSi10Mg/Ti-6Al-4V composite coatings. 2019 , 6, 046552		10
111	The effect of internal pressure in gas pores containing materials on their mechanical stability under shear. 2019 , 98, 37-41		6
110	Low cycle fatigue properties of Ti-6Al-4V alloy fabricated by high-power laser directed energy deposition: Experimental and prediction. <i>International Journal of Fatigue</i> , 2019 , 127, 58-73	5	21
109	Microstructure and properties of Ti-6Al-4V fabricated by low-power pulsed laser directed energy deposition. <i>Journal of Materials Science and Technology</i> , 2019 , 35, 2027-2037	9.1	26
108	Effects of deposition strategies on macro/microstructure and mechanical properties of wire and arc additive manufactured Ti 6Al 4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 754, 735-749	5.3	41
107	Effect of doping SiC particles on cracks and pores of Al ₂ O ₃ /TiO ₂ eutectic ceramics fabricated by directed laser deposition. <i>Journal of Materials Science</i> , 2019 , 54, 9321-9330	4.3	10
106	An experimental study of residual stress and direction-dependence of fatigue crack growth behaviour in as-built and stress-relieved selective-laser-melted Ti6Al4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 755, 246-257	5.3	55
105	WNbMoTa Refractory High-Entropy Alloys Fabricated by Laser Cladding Deposition. <i>Materials</i> , 2019 , 12,	3.5	22
104	On the role of composition and processing parameters on the microstructure evolution of Ti-xMo alloys. 2019 , 13, 5		4
103	SLM-built titanium materials: great potential of developing microstructure and properties for biomedical applications: a review. 2019 , 6, 122006		6
102	An Overview: Different Manufacturing Techniques used for Fabricating Functionally Graded Material. 2019 , 18, 2942-2951		8
101	Linking Thermal History to Mechanical Behavior in Directed Energy Deposited Materials. 2019 , 97-98		
100	A review of selective laser melting of aluminum alloys: Processing, microstructure, property and developing trends. <i>Journal of Materials Science and Technology</i> , 2019 , 35, 270-284	9.1	400
99	Effect of processing conditions on the microstructure, porosity, and mechanical properties of Ti-6Al-4V repair fabricated by directed energy deposition. 2019 , 264, 172-181		68

98	Additive manufacturing of Ti6Al4V alloy: A review. <i>Materials and Design</i> , 2019 , 164, 107552	8.1	750
97	Joining of elements fabricated by a robotized laser/wire directed energy deposition process by using an autogenous laser welding. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 100, 2971-2980	3.2	7
96	Mechanical and corrosion properties of CoCrFeNiTi-based high-entropy alloy additive manufactured using selective laser melting. <i>Additive Manufacturing</i> , 2019 , 25, 412-420	6.1	42
95	Solidification behavior and grain morphology of laser additive manufacturing titanium alloys. <i>Journal of Alloys and Compounds</i> , 2019 , 777, 712-716	5.7	49
94	An acoustic emission study of anisotropy in additively manufactured Ti-6Al-4V. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 100, 1731-1740	3.2	6
93	Influence of Island Scanning Strategy on Microstructures and Mechanical Properties of Direct Laser-Deposited Ti6Al4V Structures. <i>Acta Metallurgica Sinica (English Letters)</i> , 2019 , 32, 1173-1180	2.5	8
92	Self-Sufficient Modeling of Single Track Deposition of Ti6Al4V With the Prediction of Capture Efficiency. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2019 , 141,	3.3	20
91	Influence of deposition strategy on the microstructure and fatigue properties of laser metal deposited Ti-6Al-4V powder on Ti-6Al-4V substrate. <i>International Journal of Fatigue</i> , 2020 , 130, 105236	5	25
90	Microstructure and fatigue behavior of a laser additive manufactured 12CrNi2 low alloy steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 772, 138685	5.3	37
89	Solidification-driven orientation gradients in additively manufactured stainless steel. <i>Acta Materialia</i> , 2020 , 183, 249-260	8.4	40
88	Deformation mechanisms and fracture of electron beam melted Ti6Al4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 771, 138652	5.3	20
87	Fabrication and Characterization of High-Purity Alumina Ceramics Doped with Zirconia via Laser Direct Deposition. <i>Jom</i> , 2020 , 72, 1299-1306	2.1	4
86	Microstructure evolution and surface quality of laser-sintered maraging steel parts produced on different building platform positions. <i>Optik</i> , 2020 , 202, 163568	2.5	3
85	Elucidation of bubble evolution and defect formation in directed energy deposition based on direct observation. <i>Additive Manufacturing</i> , 2020 , 32, 101026	6.1	7
84	A review of laser engineered net shaping (LENS) build and process parameters of metallic parts. <i>Rapid Prototyping Journal</i> , 2020 , 26, 1059-1078	3.8	25
83	Laser powder bed fusion of AlSi10Mg: Influence of energy intensities on spatter and porosity evolution, microstructure and mechanical properties. <i>Journal of Alloys and Compounds</i> , 2020 , 849, 156300	5.7	18
82	Relationship between ductility and the porosity of additively manufactured AlSi10Mg. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 795, 139922	5.3	12
81	Electrochemical behaviour of additively manufactured titanium for biomedical applications. 2020 ,		

80	Investigation of the Effect of Artificial Internal Defects on the Tensile Behavior of Laser Powder Bed Fusion 17 β Stainless Steel Samples: Simultaneous Tensile Testing and X-Ray Computed Tomography. <i>Experimental Mechanics</i> , 2020 , 60, 987-1004	2.6	11
79	Development of metal matrix composites by laser-assisted additive manufacturing technologies: a review. <i>Journal of Materials Science</i> , 2020 , 55, 9883-9917	4.3	27
78	Fabricated shape estimation for additive manufacturing processes with uncertainty. <i>CAD Computer Aided Design</i> , 2020 , 127, 102852	2.9	3
77	Microstructure and stress distribution of TC4 titanium alloy joint using laser-multi-pass-narrow-gap welding. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 108, 3725-3735	3.2	5
76	An Innovative Approach on Directed Energy Deposition Optimization: A Study of the Process Environment's Influence on the Quality of Ti-6Al-4V Samples. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 4212	2.6	6
75	Influence of Effective Laser Energy on the Structure and Mechanical Properties of Laser Melting Deposited Ti6Al4V Alloy. <i>Materials</i> , 2020 , 13,	3.5	6
74	Effect of boron on the microstructure and mechanical properties of Ti-6Al-4V produced by laser directed energy deposition after heat treatment. <i>Journal of Laser Applications</i> , 2020 , 32, 012007	2.1	5
73	Effects of Cooling Rate on the Microstructure and Tensile Properties of Wire-Arc Additive Manufactured Ti6Al4V Alloy. <i>Metals and Materials International</i> , 2020 , 26, 1235-1246	2.4	15
72	Effects of zirconia doping on additively manufactured alumina ceramics by laser direct deposition. <i>Materials and Design</i> , 2020 , 192, 108711	8.1	19
71	Additive friction stir deposition: a deformation processing route to metal additive manufacturing. <i>Materials Research Letters</i> , 2021 , 9, 71-83	7.4	21
70	Control of Microstructure in Ti-6Al-4V Porous Structure Fabricated by Electron Beam Powder Bed Fusion. <i>Journal of Smart Processing</i> , 2021 , 10, 246-250	0.2	
69	Laser metal deposited steel alloys with uniform microstructures and improved properties prepared by addition of small amounts of dispersed Y2O3 nanoparticles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 806, 140827	5.3	7
68	Influence of Machine Parameters on Ti-6Al-4V Small Sized Specimens Made by Laser Metal Powder Deposition. <i>Advanced Materials Research</i> , 1161, 113-119	0.5	1
67	Integration of Additive Manufacturing in Casting: Advances, Challenges, and Prospects. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 1	3.8	5
66	A Review on Additive Manufacturing of Titanium Alloys for Aerospace Applications: Directed Energy Deposition and Beyond Ti-6Al-4V. <i>Jom</i> , 2021 , 73, 1804-1818	2.1	19
65	Optimization of process parameters for direct energy deposited Ti-6Al-4V alloy using neural networks. <i>International Journal of Advanced Manufacturing Technology</i> , 2021 , 114, 3269-3283	3.2	1
64	Peridynamic investigation of the effect of porosity on fatigue nucleation for additively manufactured titanium alloy Ti6Al4V. <i>Theoretical and Applied Fracture Mechanics</i> , 2021 , 112, 102925	3.7	10
63	Synchrotron X-ray imaging of directed energy deposition additive manufacturing of titanium alloy Ti-6242. <i>Additive Manufacturing</i> , 2021 , 41, 101969	6.1	5

62	Influence of Direct Energy Deposition Parameters on Ti6Al4V Component's Structure-Property Homogeneity. <i>Metals</i> , 2021 , 11, 887	2.3	0
61	Columnar to equiaxed grain transition of laser deposited Ti6Al4V using nano-sized B4C particles. <i>Composites Part B: Engineering</i> , 2021 , 212, 108667	10	8
60	Titanium alloy components fabrication by laser depositing TA15 powders on TC17 forged plate: Microstructure and mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 818, 141382	5.3	3
59	Artificial neural network (ANN) based prediction of process parameters in additive manufacturing. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021 , 1136, 012026	0.4	0
58	Directed energy deposition (DED) additive manufacturing: Physical characteristics, defects, challenges and applications. <i>Materials Today</i> , 2021 , 49, 271-271	21.8	49
57	Geometry and surface characteristics of H13 hot-work tool steel manufactured using laser-directed energy deposition. <i>International Journal of Advanced Manufacturing Technology</i> , 2021 , 116, 699-718	3.2	3
56	Bead geometry prediction using multiple linear regression analysis. <i>International Journal of Advanced Manufacturing Technology</i> , 2021 , 117, 607	3.2	2
55	Thermocapillary dewetting-based dynamic spatial light modulator. <i>Optics Letters</i> , 2021 , 46, 3721-3724	3	0
54	Dimension effect of Y2O3 nanomaterial on microstructure and tensile properties of laser metal deposited stainless steel coatings. <i>Surface and Coatings Technology</i> , 2021 , 419, 127259	4.4	2
53	Role of changes in heat input on additively manufactured Ti6Al4V fabricated by directed energy deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 822, 141541	5.3	1
52	Recognition and classification of single melt tracks using deep neural network: A fast and effective method to determine process windows in selective laser melting. <i>Journal of Manufacturing Processes</i> , 2021 , 68, 1746-1757	5	4
51	Controlling microstructural and mechanical properties of direct laser deposited Inconel 718 via laser power. <i>Journal of Alloys and Compounds</i> , 2021 , 872, 159588	5.7	7
50	Hierarchical grain refinement during the laser additive manufacturing of Ti-6Al-4V alloys by the addition of micron-sized refractory particles. <i>Additive Manufacturing</i> , 2021 , 45, 102045	6.1	1
49	Simulation-informed laser metal powder deposition of Ti-6Al-4V with ultrafine lamellar structures for desired tensile properties. <i>Additive Manufacturing</i> , 2021 , 46, 102139	6.1	3
48	Effect of discrete deposition and segregated heat-treatment on the macro- and microstructure, and tensile properties of large-scale titanium alloy components by laser melting deposition. <i>Journal of Manufacturing Processes</i> , 2021 , 70, 427-437	5	0
47	Fracture and fatigue in additively manufactured metals. <i>Acta Materialia</i> , 2021 , 219, 117240	8.4	20
46	On the influence of laser cladding parameters and number of deposited layers on as-built and machined AISI H13 tool steel multilayered claddings. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2021 , 35, 361-370	3.4	1
45	Overcoming the limitation of in-situ microstructural control in laser additive manufactured Ti6Al4V alloy to enhanced mechanical performance by integration of synchronous induction heating. <i>Journal of Materials Science and Technology</i> , 2021 , 94, 32-46	9.1	4

44	Single Scans of Ti-6Al-4V by Directed Energy Deposition: A Cost and Time Effective Methodology to Assess the Proper Process Window. <i>Metals and Materials International</i> , 2021 , 27, 3590-3602	2.4	7
43	Laser Metal Deposition of Metals and Alloys. <i>Engineering Materials and Processes</i> , 2018 , 93-118		4
42	HybridCAM: Tool Path Generation Software for Hybrid Manufacturing. <i>Lecture Notes in Computer Science</i> , 2017 , 877-889	0.9	2
41	Laser Metal Deposition of Titanium Parts with Increased Productivity. 2019 , 297-311		5
40	Dynamic phase transformations in additively manufactured Ti-6Al-4V during thermo-mechanical gyrations. <i>Materialia</i> , 2020 , 14, 100883	3.2	3
39	Laser Metal Deposition of Ti6Al4V: A Brief Review. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 764	2.6	14
38	Laser Additive Manufacturing. <i>Advances in Civil and Industrial Engineering Book Series</i> , 2016 , 1-23	0.5	2
37	Laser Metal Deposition Process. <i>Advances in Civil and Industrial Engineering Book Series</i> , 2016 , 46-59	0.5	2
36	Effect of Process Parameters on the Formation of Lack of Fusion in Directed Energy Deposition of Ti-6Al-4V Alloy. <i>Journal of Welding and Joining</i> , 2019 , 37, 579-584	1.1	3
35	Effect of specimen geometry and orientation on tensile properties of Ti-6Al-4V manufactured by electron beam powder bed fusion. <i>Additive Manufacturing</i> , 2021 , 48, 102366	6.1	2
34	The effects of laser processing conditions on the microstructure of Ti6Al4V alloy. 2001 ,		
33	Microscopic analysis of the segregation in direct laser fabrication (DLF) of alloys. 2002 ,		2
32	Microstructure and Mechanical Properties of Ti-6Al-4V for Biomedical and Related Applications Involving Rapid-Layer Powder Manufacturing. <i>Ceramic Transactions</i> , 71-82	0.1	1
31	Laser Additive Manufacturing. 2017 , 154-171		1
30	Laser Metal Deposition Process. 2017 , 172-182		1
29	A Comprehensive Study of the Anisotropic Tensile Properties of Laser Additive Manufactured Ni-based Superalloy after Heat Treatment.. <i>International Journal of Plasticity</i> , 2021 , 148, 103147	7.6	2
28	Lack of fusion mitigation in directed energy deposition with laser (DED-L) additive manufacturing through laser remelting. <i>Journal of Manufacturing Processes</i> , 2022 , 73, 67-77	5	1
27	The Orientation Effect of the Solid-Tracks on the Mechanical Properties of Ti-6al-4v Alloy Manufactured by Directed Energy Deposition. <i>SSRN Electronic Journal</i> ,	1	

26	Prediction of High-Cycle Fatigue Strength of Ti-6Al-4V Manufactured by the DED Process, Sensitivity to Surface Roughness and Ultimate Tensile Strength. <i>SSRN Electronic Journal</i> ,	1	
25	Defects and anomalies in powder bed fusion metal additive manufacturing. <i>Current Opinion in Solid State and Materials Science</i> , 2022 , 26, 100974	12	16
24	Effect of thermal behavior on the grain morphology and dimension of 80-mm-thick Ti6Al4V plates joined by laser melting deposition. <i>International Journal of Advanced Manufacturing Technology</i> , 2022 , 120, 2671	3.2	
23	The applying of layer-by-layer laser remelting in the technology of laser metal deposition. <i>Journal of Physics: Conference Series</i> , 2021 , 2144, 012026	0.3	
22	A Review on Additive/Subtractive Hybrid Manufacturing of Directed Energy Deposition (DED) Process. 2022 , 100054		6
21	Multi-response optimization of laser cladding for TiC particle reinforced Fe matrix composite based on Taguchi method and grey relational analysis. <i>Optics and Laser Technology</i> , 2022 , 153, 108259	4.2	2
20	Influence of Y2O3 addition on the microstructure of TiC reinforced Ti-based composite coating prepared by laser cladding. <i>Materials Characterization</i> , 2022 , 111962	3.9	6
19	Simulation and experiment of ultrasonic phased array for additive manufacturing titanium alloy with columnar crystal structure. <i>Insight: Non-Destructive Testing and Condition Monitoring</i> , 2022 , 64, 262-269		1.2
18	Effect of Solution Temperature on Microstructure and Properties of Ti6Al4V by Laser-Directed Energy Deposition.		
17	Laser powder bed fusion: a state-of-the-art review of the technology, materials, properties & defects, and numerical modelling. 2022 , 20, 2109-2172		3
16	Microstructure Prediction Map and Microstructural Evolution in the Micro-Molten Pool of TiAl Intermetallic Produced by Dual-Wire Electron Beam Freeform Fabrication.		0
15	Role of porosity defects in metal 3D printing: Formation mechanisms, impacts on properties and mitigation strategies. 2022 ,		2
14	Integrity of Additively Manufactured Alloys and Component to Environmental Degradation.		0
13	Fatigue Performance of Titanium-Aluminum-Vanadium Alloy Fabricated by Laser-Wire-Based Directed Energy Deposition Forming Dot-Shaped Beads. 2023 , 64, 296-302		0
12	Characterization of the Anisotropy in the Microstructure and Mechanical Properties of Laser Powder Bed Fusion Ti 6 Al 4 V Alloys. 2201156		0
11	Effect of laser dwell time on pore elimination in powder bed fusion of metal matrix composites: experimentally validated modeling. 2022 , 21, 4994-5003		0
10	One-step additive manufacturing of TiCp reinforced Al2O3-ZrO2 eutectic ceramics composites by laser directed energy deposition. 2022 ,		1
9	Influence of trace silicon addition on microstructure and properties of Ti6Al4V fabricated by wire arc additive manufacturing. 2023 ,		0

- 8 High-velocity impact fragmentation of additively-manufactured metallic tubes. **2023**, 174, 105248 ○
- 7 Experimental evaluation of the metal powder particle flow on the melt pool during directed energy deposition. **2023**, 35, 022008 ○
- 6 Microstructure and Mechanical Properties of an Ultrahigh-strength Titanium alloy Ti-4.5Al-5Mo-5V-6Cr-1Nb Prepared Using Laser Directed Energy Deposition and Forging: A Comparative Study. **2023**, 2, 100064 ○
- 5 Bonding Interface Evolution Characteristics of Laser Depositing Ti₂AlNb Intermetallic Compound on the Near-β Titanium Alloy Plate. ○
- 4 The State of the Art in Machining Additively Manufactured Titanium Alloy Ti-6Al-4V. **2023**, 16, 2583 ○
- 3 Tool wear assessment when drilling AISI H13 tool steel multilayered claddings. **2023**, 204853 ○
- 2 Effect of Copper Content on Grain Structure Evolution in Additively Manufactured Ti-6Al-4V Alloy. **2023**, 26, 107-125 ○
- 1 Synergistic and competitive mechanisms of plastic anisotropy in high-efficiency laser melting deposited TC11 alloy. **2023**, 145067 ○