

CITATION REPORT

List of articles citing

Protein folding mechanisms: new methods and emerging ideas

DOI: 10.1016/s0959-440x(99)00043-3

Current Opinion in Structural Biology, 2000, 10, 16-25.

Source: <https://exaly.com/paper-pdf/31494276/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
118	Protein folding: progress made and promises ahead. 2000 , 25, 611-8		163
117	Mechanical design of proteins studied by single-molecule force spectroscopy and protein engineering. 2000 , 74, 63-91		366
116	Book Review. 2000 , 17, 185-186		
115	Multiple folding pathways for the P4-P6 RNA domain. 2000 , 39, 12465-75		85
114	Computational protein folding: From lattice to all-atom. 2001 , 40, 297-309		36
113	Kinetic study of folding and misfolding of diacylglycerol kinase in model membranes. 2001 , 40, 8971-80		57
112	Ratiometric single-molecule studies of freely diffusing biomolecules. 2001 , 52, 233-53		186
111	Snapshots of protein folding. A study on the multiple transition state pathway of cytochrome c(551) from <i>Pseudomonas aeruginosa</i> . 2001 , 309, 1177-87		29
110	Denatured state thermodynamics: residual structure, chain stiffness and scaling factors. 2001 , 311, 1091-104		62
109	Multiple unfolding intermediates of human placental alkaline phosphatase in equilibrium urea denaturation. 2001 , 81, 3456-71		35
108	New views on structure-function relationships in milk proteins. 2001 , 12, 339-346		30
107	NMR identification of local structural preferences in HIV-1 protease tethered heterodimer in 6 M guanidine hydrochloride. 2001 , 509, 218-24		22
106	Direct detection of heat and cold denaturation for partial unfolding of a protein. 2001 , 123, 7453-4		18
105	Energetics of coiled coil folding: the nature of the transition states. 2001 , 40, 3544-52		43
104	NMR-detected order in core residues of denatured bovine pancreatic trypsin inhibitor. 2001 , 40, 9734-42		19
103	Parameters affecting in vitro oxidation/folding of maurotoxin, a four-disulphide-bridged scorpion toxin. 2001 , 358, 681-692		20
102	Parameters affecting in vitro oxidation/folding of maurotoxin, a four-disulphide-bridged scorpion toxin. 2001 , 358, 681-92		14

101	Fast Initiation of Peptide and Protein Folding Processes. 2001 , 2001, 2605-2621		29
100	Der Schlüssel zum Verständnis des Proteinfaltungsproblems liegt in der richtigen Beschreibung des denaturierten Zustandes. <i>Angewandte Chemie</i> , 2001 , 113, 363-367	3.6	16
99	The Key to Solving the Protein-Folding Problem Lies in an Accurate Description of the Denatured State. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 351-355	16.4	106
98	Electronic Insight into an Antithrombotic Agent by High-Resolution X-Ray Crystallography. <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 355-359	16.4	22
97	Protein design based on folding models. <i>Current Opinion in Structural Biology</i> , 2001 , 11, 101-6	8.1	38
96	Keeping it in the family: folding studies of related proteins. <i>Current Opinion in Structural Biology</i> , 2001 , 11, 83-93	8.1	106
95	Conformational intermediate of the amyloidogenic protein beta 2-microglobulin at neutral pH. 2001 , 276, 32657-62		44
94	Foldability and the funnel of HP-36 protein sequence: Use of hydrophathy scale in protein folding. 2002 , 116, 8579		22
93	One-dimensional potential barrier model of protein folding with intermediates. 2002 , 116, 418		11
92	Exploring the folding landscape of a structured RNA. 2002 , 99, 155-60		206
91	Evolution of maurotoxin conformation and blocking efficacy towards Shaker B channels during the course of folding and oxidation in vitro. 2002 , 361, 409-16		2
90	Evolution of maurotoxin conformation and blocking efficacy towards Shaker B channels during the course of folding and oxidation in vitro. 2002 , 361, 409-416		12
89	Forced unfolding of single proteins. 2002 , 68, 311-35		1
88	Guanidine hydrochloride induced equilibrium unfolding studies of colicin B and its channel-forming fragment. 2002 , 41, 5340-7		9
87	Conformational propensities of protein folding intermediates: distribution of species in the 1S, 2S, and 3S ensembles of the [C40A,C95A] mutant of bovine pancreatic ribonuclease A. 2002 , 41, 1483-91		20
86	Folding kinetics of the protein pectate lyase C reveal fast-forming intermediates and slow proline isomerization. 2002 , 41, 4713-23		26
85	Molten-globule and other conformational forms of zinc cytochrome C. Effect of partial and complete unfolding of the protein on its electron-transfer reactivity. 2002 , 41, 3291-301		21
84	Lattice polymers with hydrogen bondlike interactions. 2002 , 117, 10360-10369		13

83	The characterization of biomolecular secondary structures by surface plasmon resonance. 2002 , 127, 1589-95	24
82	Mechanism of fast protein folding. 2002 , 71, 783-815	106
81	Application of the diffusion-collision model to the folding of three-helix bundle proteins. 2002 , 318, 199-215	88
80	Dynamic transition associated with the thermal denaturation of a small Beta protein. 2002 , 83, 2792-800	42
79	Capillary electrophoresis investigation of a partially unfolded conformation of beta(2)-microglobulin. 2002 , 23, 918-25	51
78	Center for Synchrotron Biosciences' U2B beamline: an international resource for biological infrared spectroscopy. 2002 , 9, 189-97	70
77	The refolding of type II shikimate kinase from <i>Erwinia chrysanthemi</i> after denaturation in urea. 2002 , 269, 2124-32	3
76	Nonatomic solvent-driven Voronoi tessellation of proteins: an open tool to analyze protein folds. 2002 , 49, 446-56	38
75	The Ac-RGD-NH2 peptide as a probe of slow conformational exchange of short linear peptides in DMSO. 2003 , 69, 72-86	10
74	Role of local sequence in the folding of cellular retinoic abinding protein I: structural propensities of reverse turns. 2003 , 42, 7976-85	30
73	Stabilization of beta-hairpin peptides by salt bridges: role of preorganization in the energetic contribution of weak interactions. 2003 , 125, 9038-47	89
72	Stability and folding kinetics of a ubiquitin mutant with a strong propensity for nonnative beta-hairpin conformation in the unfolded state. 2003 , 42, 13762-71	32
71	Interplay among tertiary contacts, secondary structure formation and side-chain packing in the protein folding mechanism: all-atom representation study of protein L. 2003 , 326, 933-54	153
70	Effects of domain dissection on the folding and stability of the 43 kDa protein PGK probed by NMR. 2003 , 330, 1189-201	36
69	Rapid sample-mixing technique for transient NMR and photo-CIDNP spectroscopy: applications to real-time protein folding. 2003 , 125, 12484-92	87
68	Chain length dependence of apomyoglobin folding: structural evolution from misfolded sheets to native helices. 2003 , 42, 7090-9	64
67	Exploring the cytochrome c folding mechanism: cytochrome c552 from <i>thermus thermophilus</i> folds through an on-pathway intermediate. 2003 , 278, 41136-40	35
66	Single-sweep detection of relaxation kinetics by submicrosecond midinfrared spectroscopy. 2004 , 75, 486-491	14

65	The role of sequence and structure in protein folding kinetics; the diffusion-collision model applied to proteins L and G. 2004 , 12, 1833-45	16
64	Insights into stabilizing weak interactions in designed peptide beta-hairpins. 2004 , 76, 185-95	42
63	Sampling protein conformations and pathways. 2004 , 25, 1133-48	52
62	Scrutinizing the squeezed exponential kinetics observed in the folding simulation of an off-lattice Go-like protein model. 2004 , 307, 259-267	16
61	Unusually slow denaturation and refolding processes of pyrrolidone carboxyl peptidase from a hyperthermophile are highly cooperative: real-time NMR studies. 2004 , 43, 11906-15	13
60	Insights into partially folded or unfolded States of metalloproteins from nuclear magnetic resonance. 2004 , 43, 7945-52	4
59	The early steps in the unfolding of azurin. 2004 , 43, 15604-9	23
58	Quantifying the roughness on the free energy landscape: entropic bottlenecks and protein folding rates. 2004 , 126, 8426-32	194
57	Unfolded proteins and protein folding studied by NMR. 2004 , 104, 3607-22	541
56	Photo-CIDNP NMR methods for studying protein folding. 2004 , 34, 75-87	69
55	Destabilization of the Escherichia coli RNase H kinetic intermediate: switching between a two-state and three-state folding mechanism. 2004 , 335, 609-18	59
54	Optimal combination of theory and experiment for the characterization of the protein folding landscape of S6: how far can a minimalist model go?. 2004 , 343, 235-48	57
53	Conformational properties of the iso-1-cytochrome C denatured state: dependence on guanidine hydrochloride concentration. 2004 , 339, 185-97	26
52	Design and Stability of Peptide β sheets. 314-342	3
51	Thermosensitive poly(N-isopropylacrylamide) hydrogel for refolding of recombinant bovine prethrombin-2 from E. coli inclusion bodies. 2005 , 96, 1734-1740	9
50	The "first in-last out" hypothesis on protein folding revisited. 2005 , 60, 584-90	7
49	Repliement des protéines: exemple de l'albumine. 2005 , 130, 209-228	1
48	Unfolding dynamics of the protein ubiquitin: insight from simulation. 2005 , 72, 051928	22

47	Characterization of the folding landscape of monomeric lactose repressor: quantitative comparison of theory and experiment. 2005 , 102, 14569-74		45
46	A computational pathway for bracketing native-like structures fo small alpha helical globular proteins. 2005 , 7, 2364-75		50
45	Structural and dynamic characterization of the acid-unfolded state of hUBF HMG box 1 provides clues for the early events in protein folding. 2005 , 44, 8117-25		20
44	Elucidation of the protein folding landscape by NMR. 2005 , 394, 299-321		80
43	The unfolded state of NTL9 is compact in the absence of denaturant. 2006 , 45, 10110-6		33
42	Advances in Probe Design for Protein NMR. 2006 , 1-50		17
41	Physico-chemical properties of molten dimer ascorbate oxidase. 2006 , 273, 5194-204		9
40	Theoretical investigation of the photoinitiated folding of HP-36. 2006 , 15, 2290-9		4
39	Hierarchical mechanochemical switches in angiostatin. 2006 , 7, 1774-82		12
38	Shape-persistent macrocycles: structures and synthetic approaches from arylene and ethynylene building blocks. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 4416-39	16.4	464
37	Formtreue Makrocyclen: Strukturen und Synthesen aus Arylen- und Ethynylen-Bausteinen. <i>Angewandte Chemie</i> , 2006 , 118, 4524-4548	3.6	121
36	Snapshots of protein folding problem: implications of folding and misfolding studies. <i>Protein and Peptide Letters</i> , 2006 , 13, 883-8	1.9	2
35	Protein structure evaluation using an all-atom energy based empirical scoring function. 2006 , 23, 385-406		26
34	Structure and dynamics of a ribosome-bound nascent chain by NMR spectroscopy. 2007 , 104, 16516-21		106
33	Pockets of short-range transient order and restricted topological heterogeneity in the guanidine-denatured state ensemble of GED of dynamin. 2007 , 46, 11819-32		20
32	Synthetic molecular motors and mechanical machines. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 72-191	16.4	2241
31	Synthetische molekulare Motoren und mechanische Maschinen. <i>Angewandte Chemie</i> , 2007 , 119, 72-196	3.6	583
30	Studies of the molten globule state of ferredoxin: structural characterization and implications on protein folding and iron-sulfur center assembly. 2007 , 68, 606-16		27

29	Application of high pressure laser flash photolysis in studies on selected hemoprotein reactions. 2008 , 1784, 1481-92		13
28	Equilibrium refolding transitions driven by trifluoroethanol and by guanidine hydrochloride dilution are similar in GTPase effector domain: implications to sequence-self-association paradigm. 2008 , 47, 12945-53		2
27	Evaluation of the Stability of Folding Nucleus upon Mutation. 2008 , 54-65		
26	Protein folding simulations: from coarse-grained model to all-atom model. 2009 , 61, 627-43		45
25	Mechanism of formation of the C-terminal beta-hairpin of the B3 domain of the immunoglobulin binding protein G from Streptococcus. I. Importance of hydrophobic interactions in stabilization of beta-hairpin structure. 2009 , 75, 931-53		22
24	Mechanism of formation of the C-terminal beta-hairpin of the B3 domain of the immunoglobulin binding protein G from Streptococcus. II. Interplay of local backbone conformational dynamics and long-range hydrophobic interactions in hairpin formation. 2009 , 76, 637-54		17
23	Detecting equilibrium cytochrome c folding intermediates by electrospray ionisation mass spectrometry: two partially folded forms populate the molten-globule state. 2002 , 11, 453-8		61
22	Protein unfolding with a steric trap. 2009 , 131, 13914-5		22
21	Protein folding at the exit tunnel. 2011 , 40, 337-59		75
20	Analysis of infrared spectra of hairpin peptides as derived from molecular dynamics simulations. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 11872-8	3.4	10
19	Dynamics of protein folding: probing the kinetic network of folding-unfolding transitions with experiment and theory. 2011 , 1814, 1001-20		49
18	Residual structure and dynamics in DMSO-d ₆ denatured dynein light chain protein. <i>Biochimie</i> , 2012 , 94, 231-41	4.6	6
17	Deceleration of arginine kinase refolding by induced helical structures. <i>Protein Journal</i> , 2012 , 31, 267-74	3.9	2
16	Photo-CIDNP NMR spectroscopy of amino acids and proteins. <i>Topics in Current Chemistry</i> , 2013 , 338, 229-300		22
15	Analysis of protein aggregation in neurodegenerative disease. <i>Analytical Chemistry</i> , 2013 , 85, 4215-27	7.8	64
14	Protein molecular surface mapped at different geometrical resolutions. <i>PLoS ONE</i> , 2013 , 8, e58896	3.7	4
13	Reactive molecular dynamics study of the pH-dependent dynamic structure of β helix. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 13498-504	3.4	6
12	Kontrollierte Faltungs-, Bewegungs- und konstitutionelle Dynamik in polyheterocyclischen molekularen Strängen. <i>Angewandte Chemie</i> , 2016 , 128, 4200-4225	3.6	23

11	Controlled Folding, Motional, and Constitutional Dynamic Processes of Polyheterocyclic Molecular Strands. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 4130-54	16.4	61
10	Impact of Turn Propensity on the Folding Rates of Z34C Protein: Implications for the Folding of Helix-Turn-Helix Motif. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 1268-1283	3.4	1
9	A Review on Computational Approaches for Analyzing Hydrogen- Deuterium (H/D) Exchange of Proteins. <i>Protein and Peptide Letters</i> , 2021 , 28, 372-381	1.9	0
8	TopDomain: Exhaustive Protein Domain Boundary Metaprediction Combining Multisource Information and Deep Learning. <i>Journal of Chemical Theory and Computation</i> , 2021 , 17, 4599-4613	6.4	1
7	Mechanical design of proteins studied by single-molecule force spectroscopy and protein engineering. 2001 , 63-91		3
6	Mapping hydrophobicity on the protein molecular surface at atom-level resolution. <i>PLoS ONE</i> , 2014 , 9, e114042	3.7	15
5	Dynamical properties and energy landscape of simple globular proteins. <i>Uspekhi Fizicheskikh Nauk</i> , 2002 , 172, 1247	0.5	8
4	Design and Stability of Peptide Sheets. 314		
3	Hydrolases: The most Diverse Class of Enzymes. <i>Biochemistry</i> ,		0
2	The ribosome stabilizes partially folded intermediates of a nascent multi-domain protein.		0
1	Dry Molten Globule-Like Intermediates in Protein Folding, Function, and Disease. 2022 , 126, 8614-8622		1