

CITATION REPORT

List of articles citing

The myths of laparoscopic surgery

DOI: 10.1067/mob.2000.106053

American Journal of Obstetrics and Gynecology, 2000,
183, 1-5.

Source: <https://exaly.com/paper-pdf/31499321/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1267	The role of maternal serum beta-HCG and PAPP-A levels at gestational weeks 10 to 14 in the prediction of pre-eclampsia. 2014 , 30, 568-73		7
1266	Women's health Literature Watch. 2000 , 9, 929-32		
1265	Treating hypertension in women of child-bearing age and during pregnancy. 2001 , 24, 457-74		45
1264	Systemic vascular reactivity in an aortic coarctation model of preeclampsia in the rat. 2001 , 8, 133-140		7
1263	Bibliography of journal articles (July to December 2000). 2001 , 29, 359-73		
1262	Spontaneous pregnancy-induced hypertension and intrauterine growth restriction in rats. 2001 , 14, 1058-66		28
1261	Management of hypertensive crises: the scientific basis for treatment decisions. 2001 , 14, 1154-67		68
1260	Antihypertensive medications in pregnant women with chronic hypertension. 2001 , 8, 175-177		
1259	Pulse pressure and risk of preeclampsia: a prospective study. 2001 , 97, 515-20		31
1258	ACOG Practice Bulletin. Chronic hypertension in pregnancy. ACOG Committee on Practice Bulletins. 2001 , 98, suppl 177-85		37
1257	Plasma placenta growth factor levels in midtrimester pregnancies. 2001 , 98, 600-7		57
1256	Blood-pressure measurement and classification in pregnancy. 2001 , 357, 131-5		135
1255	Management of hypertension in pregnancy. 2001 , 1, 253-62		10
1254	Anesthesia for operative endoscopy. 2001 , 13, 371-6		8
1253	Current World Literature. 2001 , 13, 437-447		
1252	The missense Glu298Asp variant of the endothelial nitric oxide synthase gene is strongly associated with placental abruption. 2001 , 108, 181-3		37
1251	The new American guidelines on the hypertensive disorders of pregnancy. <i>Journal of Human Hypertension</i> , 2001 , 15, 583-5	2.6	5

1250	Moral leadership no excuse for invective. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 184, 1582-1583	1
1249	Severely reduced presence of tissue macrophages in the basal plate of pre-eclamptic placentae. <i>Placenta</i> , 2001 , 22, 309-16	3.4 51
1248	Correlation of quantitative protein measurements in 8-, 12-, and 24-hour urine samples for the diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 804-7	6.4 37
1247	Altered expression of TCR-CD3zeta induced by sera from women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 812-8	6.4 10
1246	Drugs in pregnancy. Antihypertensives. 2001 , 15, 827-45	41
1245	Recent References. 2001 , 17, 75-82	
1244	ALTERED ABUNDANCE OF MESSENGER RNA TRANSCRIPTS WHOSE PRODUCTS HAVE MEMBRANE ATTACHMENT SITES IN PREGNANCY-INDUCED HYPERTENSION. 2002 , 10, 447-461	5
1243	Laparoscopic surgery is not inherently dangerous for patients presenting with benign gynaecologic pathology. Results of a meta-analysis. 2002 , 17, 1334-42	145
1242	Predictive value of hormone measurements in maternal and fetal complications of pregnancy. 2002 , 23, 230-57	76
1241	Impact of preeclampsia and gestational hypertension on birth weight by gestational age. 2002 , 155, 203-9	193
1240	Contemporary concepts of the pathogenesis and management of preeclampsia. 2002 , 287, 3183-6	290
1239	Fall in mean arterial pressure and fetal growth restriction in pregnancy hypertension: an updated meta-regression analysis. 2002 , 24, 941-5	87
1238	Human placental vascular development: vasculogenic and angiogenic (branching and nonbranching) transformation is regulated by vascular endothelial growth factor-A, angiopoietin-1, and angiopoietin-2. 2002 , 87, 4213-24	187
1237	ACOG practice bulletin. Diagnosis and management of preeclampsia and eclampsia. Number 33, January 2002. 2002 , 99, 159-67	1272
1236	Cervicovaginal fetal fibronectin levels in women with preeclampsia. 2002 , 100, 266-70	
1235	Fibrinogen and factor VII promoter polymorphisms in women with preeclampsia. 2002 , 100, 317-20	4
1234	Chronic hypertension in pregnancy. 2002 , 100, 369-77	174
1233	[Criteria of pregnancy termination in women with preeclampsia]. 2002 , 30, 467-73	1

1232	[Pregnancy-related hypertension]. 2002 , 23, 927-38		2
1231	Preconception care by the nonobstetrical provider. 2002 , 77, 469-73		21
1230	Anemia and the liver. Hepatobiliary manifestations of anemia. 2002 , 6, 891-907, viii		26
1229	Adverse perinatal outcomes are significantly higher in severe gestational hypertension than in mild preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 66-71	6.4	242
1228	Review of pregnancy labeling of prescription drugs: is the current system adequate to inform of risks?. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 333-9	6.4	76
1227	History of abortion, preterm, term birth, and risk of preeclampsia: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 1013-8	6.4	35
1226	Efficacy and safety of nifedipine tablets for the acute treatment of severe hypertension in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 1046-50	6.4	46
1225	Posttraumatic stress disorder after pre-eclampsia: an exploratory study. 2002 , 24, 260-4		83
1224	Newborn birth weight correlates with placental zinc, umbilical insulin-like growth factor I, and leptin levels in preeclampsia. 2002 , 33, 40-7		44
1223	Hysterectomy: a personal audit of an evolving practice. 2002 , 11, 267-275		2
1222	Current laparoscopic practice patterns in urology: results of a survey among urologists in Germany and Switzerland. 2002 , 42, 441-6		27
1221	Association between fetal nuchal translucency thickness in first trimester and subsequent gestational hypertension and preeclampsia. 2002 , 22, 747-51		18
1220	Two exonic single nucleotide polymorphisms in the microsomal epoxide hydrolase gene are jointly associated with preeclampsia. 2002 , 10, 569-73		31
1219	Hypertension in pregnancy: do consensus statements make a difference?. 2002 , 42, 369-73		3
1218	Clinical uses of mifepristone: an update for women's health practitioners. 2002 , 47, 451-60		5
1217	A longitudinal study of biochemical markers of bone turnover during normal pregnancy and pregnancies complicated by pre-eclampsia. 2002 , 109, 708-13		17
1216	Is there an increased maternal-infant prevalence of Factor V Leiden in association with severe pre-eclampsia?. 2002 , 109, 191-6		5
1215	Inflationary oscillometry provides accurate measurement of blood pressure in pre-eclampsia. 2002 , 109, 1143-7		26

1214	Polymorphism in the tumor necrosis factor-alpha gene in women with preeclampsia. 2002 , 19, 220-3		28
1213	The addition of activin A and inhibin A measurement to uterine artery Doppler velocimetry to improve the early prediction of pre-eclampsia. 2003 , 21, 165-9		44
1212	Cerebrovascular Disease in Pregnancy. 2003 , 5, 391-407		22
1211	Management of hypertension emergencies. 2003 , 5, 486-92		13
1210	Pathophysiology of pre-eclampsia: update on the role of nitric oxide. 2003 , 5, 493-7		3
1209	Psychobiologische Faktoren von Schwangerschaft und Geburt. 2003 , 36, 1052-1057		3
1208	Levels of antibodies against cytomegalovirus and are increased in early onset pre-eclampsia. 2003 , 110, 725-730		
1207	Pre-eclampsia: fluids, drugs, and anesthetic management. 2003 , 21, 145-63		16
1206	Weight at birth and subsequent risk of preeclampsia as an adult. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 494-500	6.4	43
1205	Tertiary care improves the chance for vaginal delivery in women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 824-9	6.4	4
1204	Neurokinin B peptide serum levels are higher in normotensive pregnant women than in preeclamptic pregnant women. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 1418-22	6.4	14
1203	Hepatic infarctions during pregnancy are associated with the antiphospholipid syndrome and in addition with complete or incomplete HELLP syndrome. 2003 , 1, 1758-63		35
1202	Serum cystatin C reflects glomerular endotheliosis in normal, hypertensive and pre-eclamptic pregnancies. 2003 , 110, 825-830		55
1201	Levels of antibodies against cytomegalovirus and Chlamydomphila pneumoniae are increased in early onset pre-eclampsia. 2003 , 110, 725-730		11
1200	Low plasma volume following pregnancy complicated by pre-eclampsia predisposes for hypertensive disease in a next pregnancy. 2003 , 110, 1001-1006		43
1199	Microsatellite marker association at chromosome region 2p13 in Finnish patients with preeclampsia and obstetric cholestasis suggests a common risk locus. 2003 , 11, 232-6		24
1198	Flow-mediated dilation in brachial artery in the second half of pregnancy and prediction of pre-eclampsia. <i>Journal of Human Hypertension</i> , 2003 , 17, 697-704	2.6	46
1197	Trophoblastic remodeling in normal and preeclamptic pregnancies: implication of cytokines. 2003 , 36, 323-31		74

1196	Prenatal screening, epidemiology, diagnosis, and management of preeclampsia. 2003 , 23, 413-42		16
1195	Summary of the NHLBI Working Group on Research on Hypertension During Pregnancy. <i>Hypertension</i> , 2003 , 41, 437-45	8.5	500
1194	Expert consensus document on management of cardiovascular diseases during pregnancy. 2003 , 24, 761-81		253
1193	Autoimmune hepatitis: diagnosis after preeclampsia-induced elevated liver enzymes failed to normalize postpartum. 2003 , 101, 1118-20		3
1192	Second-trimester maternal serum placental growth factor and vascular endothelial growth factor for predicting severe, early-onset preeclampsia. 2003 , 101, 1266-74		110
1191	Diagnosis and management of gestational hypertension and preeclampsia. 2003 , 102, 181-92		439
1190	Late postpartum eclampsia: a common presentation of an uncommon diagnosis. 2003 , 25, 387-90		16
1189	Severe maternal morbidity associated with hypertensive disorders in pregnancy in the United States. <i>Hypertension in Pregnancy</i> , 2003 , 22, 203-12	2	216
1188	Subclassification of preeclampsia. <i>Hypertension in Pregnancy</i> , 2003 , 22, 143-8	2	559
1187	Prediction of gestational hypertension or intrauterine fetal growth restriction by mid-trimester 24-h ambulatory blood pressure monitoring. <i>International Journal of Gynecology and Obstetrics</i> , 2003 ,	4	
1186	The relationship between insulin and insulin-like growth factor binding protein-1 is modified by pre-eclampsia. 2003 , 17, 471-6		0
1185	Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. <i>Hypertension</i> , 2003 , 42, 1206-52	8.5	10207
1184	French multicentric survey of outcome of pregnancy in women with pregestational diabetes. 2003 , 26, 2990-3		194
1183	Endothelial Nitric Oxide Synthase Polymorphism in Preeclampsia. 2003 , 10, 154-157		13
1182	Influence of pre-eclampsia on fetal growth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2003 , 13, 157-62	2	75
1181	Adrenomedullin is decreased in preeclampsia because of failed response to epidermal growth factor and impaired syncytialization. <i>Hypertension</i> , 2003 , 42, 895-900	8.5	27
1180	Leptin: a potential marker of placental insufficiency. 2003 , 55, 151-5		47
1179	Nitroglycerin-aggravated pre-eclamptic posterior reversible encephalopathy syndrome (PRES). 2003 , 61, 715-6		39

1178	Increase in systolic blood pressure of ≥ 30 mm Hg and/or diastolic blood pressure of ≥ 15 mm Hg during pregnancy: is it pathologic?. <i>Hypertension in Pregnancy</i> , 2003 , 22, 275-85	2	10
1177	Summary of the NHLBI Working Group on Research on Hypertension During Pregnancy. <i>Hypertension in Pregnancy</i> , 2003 , 22, 109-27	2	183
1176	Plasminogen activator inhibitor-1 polymorphism in women with pre-eclampsia. 2003 , 7, 265-8		10
1175	Post Magpie: how should we be managing severe preeclampsia?. 2003 , 15, 489-95		13
1174	Factors associated with preterm delivery in women with type 1 diabetes: a cohort study. 2004 , 27, 2824-8		67
1173	Markers for presymptomatic prediction of preeclampsia and intrauterine growth restriction. <i>Hypertension in Pregnancy</i> , 2004 , 23, 171-89	2	49
1172	Cellular-free magnesium depletion in brain and muscle of normal and preeclamptic pregnancy: a nuclear magnetic resonance spectroscopic study. <i>Hypertension</i> , 2004 , 44, 322-6	8.5	23
1171	THE PRACTICALITIES OF MANAGING SEIZURES IN PREGNANCY: A REVIEW. 2004 , 15, 181-204		
1170	Insulin resistance and alterations in angiogenesis: additive insults that may lead to preeclampsia. <i>Hypertension</i> , 2004 , 43, 988-92	8.5	84
1169	Expert consensus document on beta-adrenergic receptor blockers. 2004 , 25, 1341-62		365
1168	The measurement of maternal plasma corticotropin-releasing factor (CRF) and CRF-binding protein improves the early prediction of preeclampsia. 2004 , 89, 4673-7		31
1167	Determination of thiopurine methyltransferase activity in isolated human erythrocytes does not reflect putative in vivo enzyme inhibition by sulfasalazine. 2004 , 50, 438-41		17
1166	Hyperhomocyst(e)inemia and elevated soluble vascular cell adhesion molecule-1 concentrations are associated with an increased risk of preeclampsia. 2004 , 58, 133-9		13
1165	A survey of Canadian practitioners regarding the management of the hypertensive disorders of pregnancy. <i>Hypertension in Pregnancy</i> , 2004 , 23, 61-74	2	17
1164	A survey of canadian practitioners regarding diagnosis and evaluation of the hypertensive disorders of pregnancy. <i>Hypertension in Pregnancy</i> , 2004 , 23, 197-209	2	15
1163	C825T polymorphism in the human G protein beta 3 subunit gene and preeclampsia; a case control study. <i>Hypertension in Pregnancy</i> , 2004 , 23, 211-8	2	8
1162	Serum S100B in pregnancy-related hypertensive disorders: a case-control study. 2004 , 50, 435-8		25
1161	Strategies to prevent and treat preeclampsia: Evidence from randomized controlled trials. 2004 , 24, 607-615		33

1160	Endothelial NO synthase genotype and risk of preeclampsia: a multicenter case-control study. <i>Hypertension</i> , 2004 , 44, 702-7	8.5	112
1159	Implication of an AGT haplotype in a multigene association study with pregnancy hypertension. <i>Hypertension</i> , 2004 , 43, 71-8	8.5	59
1158	Relationship of maternal plasma leptin and risk of pre-eclampsia: a prospective study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2004 , 15, 186-92	2	35
1157	Anesthetic and Obstetric Management of High-Risk Pregnancy. 2004 ,		3
1156	Antihypertensive therapy in pregnancy. 2004 , 24, 616-625		19
1155	Preeclampsia and future cardiovascular disease: potential role of altered angiogenesis and insulin resistance. 2004 , 89, 6239-43		165
1154	Paternity change and the recurrence risk in familial hypertensive disorder in pregnancy. <i>Hypertension in Pregnancy</i> , 2004 , 23, 219-25	2	16
1153	Neutrophil apoptosis in preeclampsia, do steroids confound the relationship?. 2004 , 30, 342-8		7
1152	Impact of pregnancy-induced hypertension on birthweight by gestational age. 2004 , 18, 186-91		47
1151	Pregnancy-induced sympathetic overactivity: a precursor of preeclampsia. 2004 , 34, 443-8		81
1150	Preeclampsia and its interaction with common variants in thrombophilia genes. 2004 , 2, 1588-93		50
1149	Reduced amount of cytochrome c oxidase subunit I messenger RNA in placentas from pregnancies complicated by preeclampsia. 2004 , 83, 144-8		14
1148	Pregnancy outcomes in unselected singleton pregnant women with an increased risk of first-trimester Down syndrome. 2004 , 83, 1130-4		11
1147	Susceptibility to pre-eclampsia in Finnish women is associated with R485K polymorphism in the factor V gene, not with Leiden mutation. 2004 , 12, 187-91		14
1146	Analysis of blood pressure waveform: a new method for the classification of hypertensive pregnancy disorders. <i>Journal of Human Hypertension</i> , 2004 , 18, 135-7	2.6	6
1145	Guidelines for management of hypertension: report of the fourth working party of the British Hypertension Society, 2004-BHS IV. <i>Journal of Human Hypertension</i> , 2004 , 18, 139-85	2.6	868
1144	Baroreflex sensitivity, heart rate, and blood pressure variability in hypertensive pregnancy disorders. <i>Journal of Human Hypertension</i> , 2004 , 18, 707-12	2.6	51
1143	Decreased placental GCM1 (glial cells missing) gene expression in pre-eclampsia. <i>Placenta</i> , 2004 , 25, 413-21	3.4	94

1142	L-Arginine erythrocyte transport in normal pregnant and preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 468-71	6.4	12
1141	Cerebral infarction in eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 714-20	6.4	140
1140	L-arginine erythrocyte transport increases during pregnancy and immediately postpartum. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 572-5	6.4	3
1139	Angiotensin-converting enzyme gene polymorphism in preeclampsia and normal pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 821-4	6.4	27
1138	Delayed postpartum preeclampsia: an experience of 151 cases. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 1464-6	6.4	152
1137	International Classification of Diseases-9th revision coding for preeclampsia: how accurate is it?. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 1629-33; discussion 1633-4	6.4	86
1136	Discussion. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 1633-1634	6.4	17
1135	The association between preeclampsia and the severity of gestational diabetes: the impact of glycemic control. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1655-60	6.4	185
1134	Increased cerebral blood flow in preeclampsia with magnetic resonance imaging. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1425-9	6.4	52
1133	Do maternal cerebral vascular changes assessed by transcranial Doppler antedate pre-eclampsia?. 2004 , 23, 254-6		3
1132	Clinical outcome and complications of laparoscopic surgery compared with traditional surgery in women with endometrial cancer. 2004 , 270, 25-30		59
1131	Altered cell kinetics in cultured placental villous explants in pregnancies complicated by pre-eclampsia and intrauterine growth restriction. 2004 , 204, 11-8		64
1130	Proteome analysis reveals elevated serum levels of clusterin in patients with preeclampsia. 2004 , 4, 537-43		69
1129	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. 2004 , 111, 191; author reply 193-5; discussion 195		5
1128	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. 2004 , 111, 191-2; author reply 193-5; discussion 195		9
1127	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. 2004 , 111, 192; author reply 193-5; discussion 195		4
1126	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. 2004 , 111, 192-3; author reply 193-5; discussion 195		
1125	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. 2004 , 111, 193; author reply 193-5; discussion 195		4

1124	Author's Reply. 2004 , 111, 193-195		1
1123	Editorial note. 2004 , 111, 195-195		2
1122	Maternal plasma concentrations of insulinlike growth factor-1 and insulinlike growth factor-binding protein-1 in early pregnancy and subsequent risk of preeclampsia. 2004 , 37, 968-73		22
1121	Renal cell carcinoma presenting as hypertension in pregnancy. 2004 , 24, 821-2		9
1120	Insulin resistance and pre-eclampsia: a role for tumor necrosis factor-alpha?. 2004 , 18, 117-23		12
1119	Spectrum of hypertensive emergencies in pregnancy. 2004 , 20, 697-712, ix		17
1118	Biochemistry and clinical role of human cystatin C. 2004 , 41, 467-550		173
1117	First trimester placental growth factor and soluble fms-like tyrosine kinase 1 and risk for preeclampsia. 2004 , 89, 770-5		353
1116	Toxicidad fetal de los fármacos antihipertensivos. 2004 , 21, 455-465		
1115	Neurologic aspects of eclampsia. 2004 , 22, 841-61		10
1114	Prediction of gestational hypertension or intrauterine fetal growth restriction by mid-trimester 24-h ambulatory blood pressure monitoring. <i>International Journal of Gynecology and Obstetrics</i> , 2004 , 85, 126-31	4	12
1113	Longitudinal changes in maternal serum 1,25-dihydroxyvitamin D and insulin like growth factor I levels in pregnant women who developed preeclampsia: comparison with normotensive pregnant women. 2004 , 89-90, 553-6		30
1112	A prospective study of maternal serum C-reactive protein concentrations and risk of preeclampsia. 2004 , 17, 154-60		91
1111	Transforming growth factor-beta1 (TGF-beta1) in plasma is associated with preeclampsia risk in Peruvian women with systemic inflammation. 2004 , 17, 334-8		27
1110	Maternal plasma lipid concentrations in early pregnancy and risk of preeclampsia. 2004 , 17, 574-81		120
1109	Performance of a novel test to quantify activated protein C resistance in women with a history of pre-eclampsia. 2004 , 113, 26-30		2
1108	Guidelines for Vaginal Birth after Previous Caesarean Birth. 2004 , 26, 660-670		9
1107	Maternal nonpregnant vascular function correlates with subsequent fetal growth. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 504-12	6.4	17

1106	Should we offer expectant management in cases of severe preterm preeclampsia with fetal growth restriction?. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1119-25	6.4	55
1105	Maternal serum soluble fms-like tyrosine kinase 1 concentrations are not increased in early pregnancy and decrease more slowly postpartum in women who develop preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 185-91	6.4	103
1104	Therapy with both magnesium sulfate and nifedipine does not increase the risk of serious magnesium-related maternal side effects in women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 153-63	6.4	118
1103	An elevated maternal plasma, but not amniotic fluid, soluble fms-like tyrosine kinase-1 (sFlt-1) at the time of mid-trimester genetic amniocentesis is a risk factor for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 984-9	6.4	73
1102	A randomised controlled trial of biopsy forceps and cannula aspiration for transcervical chorionic villus sampling. 2005 , 112, 559-66		12
1101	The vitamin E debate: implications for ongoing trials of pre-eclampsia prevention. 2005 , 112, 684-8		18
1100	Fecundity and pregnancy outcome in a cohort with sickle cell-haemoglobin C disease followed from birth. 2005 , 112, 1308-14		38
1099	Routine investigations might be useful in pre-eclampsia, but not in gestational hypertension. 2005 , 45, 144-7		7
1098	Screening for pre-eclampsia by using maternal serum inhibin A, activin A, human chorionic gonadotropin, unconjugated estriol, and alpha-fetoprotein levels and uterine artery Doppler in the second trimester of pregnancy. 2005 , 45, 283-8		31
1097	The kidney in preeclampsia. 2005 , 67, 1194-203		20
1096	Functional variants of the lipoprotein lipase gene and the risk of preeclampsia among non-Hispanic Caucasian women. 2006 , 69, 33-9		15
1095	Calprotectin plasma level is elevated in preeclampsia. 2005 , 84, 151-4		13
1094	Mode of delivery in pregnant women with hypertensive disorders and unfavorable cervix following induction of labor with vaginal application of prostaglandin E. 2005 , 84, 665-71		6
1093	Association of angiotensin-converting enzyme gene polymorphism with pregnancy-induced hypertension. 2005 , 84, 929-33		20
1092	Tumor suppressor and growth regulatory genes are overexpressed in severe early-onset preeclampsia--an array study on case-specific human preeclamptic placental tissue. 2005 , 84, 679-89		35
1091	Gene expression of the constant region of the heavy chain of immunoglobulin G (IgG CRHC) is down-regulated in human decidua in association with preeclampsia. 2005 , 68, 105-20		3
1090	Pregnancy-induced hypertension and infant growth at 28 and 42 days postpartum. <i>BMC Pregnancy and Childbirth</i> , 2005 , 5, 10	3.2	7
1089	Effects of magnesium sulfate on lipid peroxidation and blood pressure regulators in preeclampsia. 2005 , 38, 128-33		34

1088	Placental insulin and insulin-like growth factor I receptors in normal and preeclamptic pregnancies. 2005 , 38, 243-7		15
1087	Maternal and perinatal outcome in pregnancies complicated with hypertensive disorder of pregnancy: a seven year experience of a tertiary care center. 2005 , 273, 43-9		119
1086	Hypertension in pregnancy. 2005 , 7, 348-54		14
1085	Clinical risk factors for preeclampsia. 2005 , 1, 36-50		4
1084	Preeclampsia and androgen receptor gene CAG repeat length: results from both children and women. 2005 , 22, 269-75		6
1083	Chinese herbal medicine for the treatment of pre-eclampsia. 2005 ,		
1082	Warning! Dangerous curve ahead: the learning curve. 2005 , 12, 101-3		12
1081	Pre-pregnant prediction of recurrent preeclampsia in normotensive thrombophilic formerly preeclamptic women receiving prophylactic antithrombotic medication. 2005 , 12, 112-7		7
1080	A case-control study of oxidized low density lipoproteins and preeclampsia risk. 2005 , 21, 193-9		21
1079	Risk of preeclampsia in relation to maternal history of migraine headaches. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 18, 167-72	2	41
1078	Preeclampsia: recent insights. <i>Hypertension</i> , 2005 , 46, 1243-9	8.5	512
1077	Uric acid is as important as proteinuria in identifying fetal risk in women with gestational hypertension. <i>Hypertension</i> , 2005 , 46, 1263-9	8.5	183
1076	Formerly preeclamptic women with a subnormal plasma volume are unable to maintain a rise in stroke volume during moderate exercise. 2005 , 12, 599-603		16
1075	Altered dietary salt for preventing pre-eclampsia, and its complications. <i>The Cochrane Library</i> , 2005 , CD005548	53	
1074	Pre-eclampsia. 2005 , 365, 785-99		1473
1073	Cociente proteíñas/creatinina en muestra de orina para la estimaci3n de proteinuria en gestantes con sospecha de preeclampsia. 2005 , 48, 333-337		2
1072	Hypertension in Pregnancy. 2005 , 596-602		
1071	Hypertension in special populations. 2005 , 25, 210-4		2

1070	Changes in health status experienced by women with gestational diabetes and pregnancy-induced hypertensive disorders. <i>Journal of Women's Health</i> , 2005 , 14, 729-36	3	53
1069	Hepatic lipase gene polymorphism, pre-pregnancy overweight status and risk of preeclampsia among Peruvian women. 2005 , 21, 211-7		4
1068	A rat model of preeclampsia. 2005 , 27, 605-17		43
1067	Insulin resistance and preeclampsia in gestational diabetes mellitus. 2005 , 28, 1995-2000		29
1066	The effect of magnesium sulfate on large cerebral artery blood flow in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 17, 187-92	2	16
1065	Inflammation and triglycerides partially mediate the effect of prepregnancy body mass index on the risk of preeclampsia. 2005 , 162, 1198-206		100
1064	Postpartum focal neurologic deficits: posterior leukoencephalopathy syndrome. 2005 , 29, 163-6		18
1063	Pregnancy and the cardiovascular system. 2005 , 98, 179-89		124
1062	Calcium plus linoleic acid therapy for pregnancy-induced hypertension. <i>International Journal of Gynecology and Obstetrics</i> , 2005 , 91, 221-7	4	31
1061	Independent association between leptin and blood pressure during third trimester in normal and gestational diabetic pregnancies. 2005 , 119, 180-4		4
1060	Increased plasma levels of Urotensin-II in preeclampsia-eclampsia: a new mediator in pathogenesis?. 2005 , 120, 33-8		22
1059	Measure of hemodynamic patterns by thoracic electrical bioimpedance in normal pregnancy and in preeclampsia. 2005 , 121, 149-53		13
1058	The relationship between headache and preeclampsia: a case-control study. 2005 , 121, 143-8		53
1057	Placental localization and expression of the cell death factors BNip3 and Nix in preeclampsia, intrauterine growth retardation and HELLP syndrome. 2005 , 122, 172-6		13
1056	Hyperhomocysteinemia in pregnant rats: effects on arterial pressure, kidneys and fetal growth. 2005 , 122, 177-81		8
1055	Evaluation of natural coagulation inhibitor levels in various hypertensive states of pregnancy. 2005 , 123, 183-7		6
1054	Progesterone increases blood pressure in spontaneous gestational hypertension in rats. 2005 , 18, 36-43		5
1053	Circulating matrix metalloproteinase-9 and tissue inhibitors of metalloproteinases-1 and -2 levels in gestational hypertension. 2005 , 18, 325-9		42

1052	The risk of preeclampsia rises with increasing prepregnancy body mass index. 2005 , 15, 475-82		253
1051	[Treatment of severe hypertension during pregnancy]. 2005 , 124, 634-5		
1050	[Expert Consensus document on beta-adrenergic receptor blockers]. 2005 , 58, 65-90		14
1049	Longitudinal analysis of heart rate variability in chronic hypertensive pregnancy. <i>Hypertension Research</i> , 2005 , 28, 113-8	4-7	35
1048	Trp64Arg polymorphism of the beta3-adrenergic receptor gene, pre-pregnancy obesity and risk of pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 17, 19-28	2	3
1047	MMP-2 levels are elevated in the plasma of women who subsequently develop preeclampsia. <i>Hypertension in Pregnancy</i> , 2005 , 24, 103-15	2	80
1046	Hypertensive urgencies and emergencies. 2006 , 33, 613-23, v		7
1045	Hypertension in pregnancy. 2006 , 35, 157-71, vii		34
1044	Insulin resistance in human preeclamptic placenta is mediated by serine phosphorylation of insulin receptor substrate-1 and -2. 2006 , 91, 709-17		68
1043	Agonistic antibodies directed at the angiotensin II, AT1 receptor in preeclampsia. 2006 , 13, 79-86		64
1042	Trastornos hipertensivos del embarazo (2004). 2006 , 49, 105-113		
1041	Hipertensi3 arterial y embarazo. 2006 , 23, 222-231		1
1040	Pharmacological management of severe pre-eclampsia. 2006 , 2, 9-17		
1039	Tratamiento de la preeclampsia. 2006 , 42, 1-15		
1038	Common problems and emergencies in the obstetric patient. 2006 , 33, 727-50		1
1037	Fertility in polycystic ovary syndrome. 2006 , 35, 137-55, vii		29
1036	Hipertensi3 arterial durante el embarazo: aspectos fisiopatol3gicos y pron3stico a largo plazo. 2006 , 42, 1-14		
1035	Hipertensi3 arterial y embarazo. 2006 , 23, 222-231		

1034	Patient selection and surgical technique may reduce major complications of laparoscopic-assisted vaginal hysterectomy. 2006 , 13, 306-10		14
1033	Autonomic cardiovascular control in pregnancies with abnormal uterine perfusion. 2006 , 19, 306-12		18
1032	Antihypertensive therapy in patients with pre-eclampsia: A prospective randomised multicentre study comparing dihydralazine with urapidil. 2006 , 127, 160-5		48
1031	Risk factors of preterm delivery at less than 35 weeks in patients with renal transplant. 2006 , 128, 64-8		10
1030	Polymorphisms of interleukin-6, hepatic lipase and calpain-10 genes, and preeclampsia. 2006 , 128, 175-9		16
1029	Severe hypertension in pregnancy: hydralazine or labetalol. A randomized clinical trial. 2006 , 128, 157-62		80
1028	A population-based study of 518 very preterm neonates from high-risk pregnancies: prognostic value of umbilical and cerebral artery Doppler velocimetry for mortality before discharge and severe neurological morbidity. 2006 , 128, 69-76		4
1027	Placental tissue cyclo-oxygenase 1 and 2 in pre-eclamptic and normal pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 95, 127-31	4	11
1026	Effect of blood pressure instrument and cuff side on blood pressure reading in pregnant women in the lateral recumbent position. 2006 , 15, 290-3		13
1025	Determinants of physician unwillingness to offer medical abortion using mifepristone. 2006 , 16, 14-21		4
1024	Impaired vascular dilatation in women with a history of pre-eclampsia. 2006 , 24, 751-6		96
1023	A combined technique for predicting pre-eclampsia: concurrent measurement of uterine perfusion and analysis of heart rate and blood pressure variability. 2006 , 24, 747-50		25
1022	Intrapartum late deceleration develops more frequently in pre-eclamptic women with severe proteinuria. 2006 , 32, 68-73		9
1021	Relationship between high consumption of marine fatty acids in early pregnancy and hypertensive disorders in pregnancy. 2006 , 113, 301-9		40
1020	Current diagnosis and management of hypertensive emergency. 2006 , 19, 502-12		32
1019	Migraine headaches and preeclampsia: an epidemiologic review. 2006 , 46, 794-803		69
1018	Proteinuria in hypertensive pregnancy diseases is associated with a longer persistence of hypertension postpartum. <i>Journal of Human Hypertension</i> , 2006 , 20, 125-8	2.6	10
1017	Association of elevated serum heat-shock protein 70 concentration with transient hypertension of pregnancy, preeclampsia and superimposed preeclampsia: a case-control study. <i>Journal of Human Hypertension</i> , 2006 , 20, 780-6	2.6	58

1016	Renal and vascular function in women with previous preeclampsia: a comparison of low- and high-degree proteinuria. 2006 , 70, 1818-22		25
1015	Plasma granulysin concentrations and preeclampsia risk. 2006 , 39, 1016-21		7
1014	Low-molecular-weight heparin improves the performance of uterine artery Doppler velocimetry to predict preeclampsia and small-for-gestational age infant in women with gestational hypertension. 2006 , 32, 1431-5		17
1013	Fetal gender and gestational-age-related incidence of pre-eclampsia. 2006 , 85, 1285-91		62
1012	Uric acid concentrations in early pregnancy among preeclamptic women with gestational hyperuricemia at delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 160	6.4	90
1011	Understanding and managing HELLP syndrome: the integral role of aggressive glucocorticoids for mother and child. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 914-34	6.4	182
1010	Subclinical signs of vascular damage relate to enhanced platelet responsiveness among nonpregnant formerly preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 855-60	6.4	6
1009	Recurrence of hypertensive disorder in second pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 916-20	6.4	50
1008	Prolylcarboxypeptidase gene, chronic hypertension, and risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 162-71	6.4	54
1007	Are in vitro fertilization pregnancies with early spontaneous reduction high risk?. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 814-7	6.4	26
1006	Preeclampsia and subsequent risk of cancer in Utah. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 691-9	6.4	40
1005	Serious foetal growth restriction is associated with reduced proportions of natural killer cells in decidua basalis. 2006 , 448, 269-76		51
1004	Pathophysiology and medical management of systemic hypertension in preeclampsia. 2006 , 8, 502-11		11
1003	Increased insulin levels independent of gestational overweight in women with preeclampsia. 2006 , 37, 749-54		13
1002	Hidden Markov models based on symbolic dynamics for statistical modeling of cardiovascular control in hypertensive pregnancy disorders. 2006 , 53, 140-3		9
1001	Association study of IL-10 and IFN-gamma gene polymorphisms in Iranian women with preeclampsia. 2006 , 72, 118-26		45
1000	Umbilical cord serum activin A levels are increased in pre-eclampsia with impaired blood flow in the uteroplacental and fetal circulation. <i>Placenta</i> , 2006 , 27, 432-7	3.4	11
999	Marinobufagenin impairs first trimester cytotrophoblast differentiation. <i>Placenta</i> , 2006 , 27, 984-8	3.4	33

998	Prediction of pre-eclampsia: a protocol for systematic reviews of test accuracy. <i>BMC Pregnancy and Childbirth</i> , 2006 , 6, 29	3.2	18
997	Stimulation of the ADRB3 adrenergic receptor induces relaxation of human placental arteries: influence of preeclampsia. 2006 , 74, 209-16		14
996	Periconceptual multivitamin use reduces the risk of preeclampsia. 2006 , 164, 470-7		124
995	Three mechanisms in the pathogenesis of pre-eclampsia suggested by over-represented transcription factor-binding sites detected with comparative promoter analysis. 2006 , 12, 31-4		8
994	Cost-savings analysis of an outpatient management program for women with pregnancy-related hypertensive conditions. 2006 , 9, 236-41		23
993	Study of association between hypertensive disorders of pregnancy and the human coagulation factor XI gene. <i>Hypertension in Pregnancy</i> , 2006 , 25, 21-31	2	7
992	Management of pre-eclampsia. 2006 , 332, 463-8		102
991	Placental apoptosis and adhesion molecules expression in the placenta and the maternal placental bed of pregnancies complicated by fetal growth restriction with and without pre-eclampsia. 2006 , 26, 5-10		16
990	Pregnancy as the prodrome to vascular dysfunction and cardiovascular risk. 2006 , 3, 596-603		29
989	Hypertensive disorders of pregnancy: preventative-, immediate- and long-term management. 2006 , 6, 541-54		5
988	Association between a functional dopamine D4 receptor promoter region polymorphism (-C521T) and pre-eclampsia: a family-based study. 2006 , 12, 85-8		3
987	Preeclampsia: Diagnosis and management of the atypical presentation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 381-6	2	37
986	Low plasma volume coincides with sympathetic hyperactivity and reduced baroreflex sensitivity in formerly preeclamptic patients. 2006 , 13, 48-52		31
985	Effect of L-arginine on blood pressure in pregnancy-induced hypertension: a randomized placebo-controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 277-81	2	18
984	Maternal vitamin D deficiency increases the risk of preeclampsia. 2007 , 92, 3517-22		603
983	Previous hypertensive disease of pregnancy is associated with alterations of markers of insulin resistance. <i>Hypertension</i> , 2007 , 49, 1056-62	8.5	78
982	Very low birth weight increases risk for sleep-disordered breathing in young adulthood: the Helsinki Study of Very Low Birth Weight Adults. 2007 , 120, 778-84		85
981	IFN-gamma promotes apoptosis of the uterus and placenta in pregnant rat and human cytotrophoblast cells. 2007 , 27, 567-78		18

980	Endothelium-dependent vasodilatation in formerly preeclamptic women correlates inversely with body mass index and varies independently of plasma volume. 2007 , 14, 765-70		8
979	Women's views of their experiences in the CHIPS (Control of Hypertension in Pregnancy Study) Pilot Trial. <i>Hypertension in Pregnancy</i> , 2007 , 26, 371-87	2	25
978	Maternal plasma concentrations of soluble endoglin in pregnancies with intrauterine growth restriction. 2007 , 92, 2831-4		67
977	The metabolic syndrome in women. 2007 , 3, 696-704		65
976	Investigation of endothelin-1 type A receptor gene polymorphism (-231 G > A) in preeclampsia susceptibility. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 145-9	2	4
975	Association of fewer hours of sleep at 6 months postpartum with substantial weight retention at 1 year postpartum. 2008 , 167, 178-87		102
974	Increased cystatin C expression in the pre-eclamptic placenta. 2007 , 13, 189-95		31
973	Smoking and risk of preeclampsia: a systematic review. 2007 , 12, 2471-83		143
972	Expressional and epigenetic alterations of placental serine protease inhibitors: SERPINA3 is a potential marker of preeclampsia. <i>Hypertension</i> , 2007 , 49, 76-83	8.5	104
971	Validity of preeclampsia-related diagnoses recorded in a national hospital registry and in a postpartum interview of the women. 2007 , 166, 117-24		170
970	Blood Pressure Monitoring in Cardiovascular Medicine and Therapeutics. 2007 ,		8
969	The mechanisms of low birth weight in infants of mothers with homozygous sickle cell disease. 2007 , 120, e686-93		24
968	Neurokinin B levels in maternal and umbilical cord blood in preeclamptic and normal pregnancies. 2007 , 35, 200-2		13
967	Predictive value of maternal angiogenic factors in second trimester pregnancies with abnormal uterine perfusion. <i>Hypertension</i> , 2007 , 49, 818-24	8.5	186
966	Pre-eclampsia: clinical manifestations and molecular mechanisms. 2007 , 106, c72-81		146
965	Raised C-reactive protein and impaired flow-mediated vasodilation precede the development of preeclampsia. 2007 , 20, 98-103		67
964	Determination of insulin resistance using the homeostatic model assessment (HOMA) and its relation with the risk of developing pregnancy-induced hypertension. 2007 , 20, 437-42		45
963	First-trimester mean arterial pressure and risk of preeclampsia. 2007 , 20, 573-8		16

962	Diet during pregnancy and risk of preeclampsia or gestational hypertension. 2007 , 17, 663-8		98
961	Accuracy of fibronectin tests for the prediction of pre-eclampsia: a systematic review. 2007 , 133, 12-9		17
960	Thrombin activatable fibrinolysis inhibitor (TAFI): a role in pre-eclampsia?. 2007 , 378, 1-6		6
959	Morphometric study of placental villi and vessels in women with mild hyperglycemia or gestational or overt diabetes. 2007 , 78, 65-71		62
958	Decreased fractional urinary calcium excretion and serum 1,25-dihydroxyvitamin D and IGF-I levels in preeclampsia. 2007 , 103, 803-6		36
957	Temporizing treatment for the respiratory-compromised gravida: an observational study of maternal and neonatal outcome. 2007 , 16, 261-4		17
956	Plasmapheresis and pregnancy outcome in patients with antiphospholipid syndrome. <i>International Journal of Gynecology and Obstetrics</i> , 2007 , 99, 236-41	4	42
955	[New insights in the pathophysiology of preeclampsia and potential therapeutic implications]. 2007 , 3, 437-48		15
954	Trastornos hipertensivos del embarazo. 2007 , 50, 446-455		4
953	Fractal analysis of the maternal surface of the placenta: preliminary report. 2007 , 63, 229-33		7
952	Current CHS and NHBPEP criteria for severe preeclampsia do not uniformly predict adverse maternal or perinatal outcomes. <i>Hypertension in Pregnancy</i> , 2007 , 26, 447-62	2	76
951	Mean platelet volume: association with adverse neonatal outcome. 2007 , 18, 284-8		27
950	Familial occurrence of gestational hypertensive disorders in a Brazilian population. <i>Hypertension in Pregnancy</i> , 2007 , 26, 357-62	2	4
949	Analysis of C-850T and G-308A polymorphisms of the tumor necrosis factor-alpha gene in Maya-Mestizo women with preeclampsia. <i>Hypertension in Pregnancy</i> , 2007 , 26, 283-91	2	19
948	Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 867-78 ²		30
947	CXCL10/IP-10: a missing link between inflammation and anti-angiogenesis in preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 777-92	2	85
946	Evidence of periopathogenic microorganisms in placentas of women with preeclampsia. 2007 , 78, 670-6		146
945	Intrauterine growth restriction, low birth weight, and preterm birth: adverse pregnancy outcomes and their association with maternal periodontitis. 2007 , 78, 2266-76		63

944	Prepregnancy cardiovascular risk factors as predictors of pre-eclampsia: population based cohort study. 2007 , 335, 978		244
943	Preeclampsia--a pressing problem: an executive summary of a National Institute of Child Health and Human Development workshop. 2007 , 14, 508-23		92
942	Management of severe hypertension in the postpartum period with intravenous hydralazine or labetalol: a randomized clinical trial. <i>Hypertension in Pregnancy</i> , 2007 , 26, 163-71	2	29
941	Hypertension in pregnancy. 2007 , 14, 178-90		55
940	De la toxémie gravidique à l'éclampsie: physiopathologie. 2007 , 16, 380-385		0
939	Uncoupled endothelial nitric oxide synthase and oxidative stress in a rat model of pregnancy-induced hypertension. 2007 , 20, 1297-304		43
938	Hypertensive crises: challenges and management. 2007 , 131, 1949-62		208
937	Association study of protease activated receptor 1 gene polymorphisms and adverse pregnancy outcomes: results of a pilot study in Israel. 2007 , 143A, 2557-63		14
936	Effects of magnesium sulphate on placental expression of endothelin 1 and its receptors in preeclampsia. 2007 , 40, 976-80		2
935	Associations of depression and depressive symptoms with preeclampsia: results from a Peruvian case-control study. 2007 , 7, 15		72
934	Specific peptides identified by mass spectrometry in placental tissue from pregnancies complicated by early onset preeclampsia attained by laser capture dissection. 2007 , 1, 325-35		9
933	Evaluation of STOX1 as a preeclampsia candidate gene in a population-wide sample. 2007 , 15, 494-7		38
932	Association of microsomal epoxide hydrolase gene polymorphism and pre-eclampsia in Turkish women. 2007 , 33, 32-7		16
931	Reduced maternal corticosteroid-binding globulin and cortisol levels in pre-eclampsia and gamete recipient pregnancies. 2007 , 66, 869-77		61
930	Trimester-specific blood pressure levels in relation to maternal pre-pregnancy body mass index. 2007 , 21, 487-94		27
929	The association between customised small for gestational age infants and pre-eclampsia or gestational hypertension varies with gestation at delivery. 2007 , 114, 478-84		35
928	The Control of Hypertension In Pregnancy Study pilot trial. 2007 , 114, 770, e13-20		54
927	Overproduction of the follistatin-related gene protein in the placenta and maternal serum of women with pre-eclampsia. 2007 , 114, 1128-37		19

926	Accuracy of body mass index in predicting pre-eclampsia: bivariate meta-analysis. 2007 , 114, 1477-85		39
925	Periodontal disease increases the risk of severe pre-eclampsia among pregnant women. 2007 , 34, 639-45		46
924	Systemic hypertension. 2007 , 32, 201-59		54
923	Growth and neurodevelopment outcome of very low birth weight infants delivered by preeclamptic mothers. 2007 , 96, 1738-42		35
922	Paradoxical discrepancy between the serum level and the placental intensity of PP5/TFPI-2 in preeclampsia and/or intrauterine growth restriction: possible interaction and correlation with glypican-3 hold the key. <i>Placenta</i> , 2007 , 28, 224-32	3-4	33
921	The placenta in pre-eclampsia and intrauterine growth restriction: studies on exchange surface areas, diffusion distances and villous membrane diffusive conductances. <i>Placenta</i> , 2007 , 28, 233-8	3-4	95
920	Microarray analysis of differentially expressed fetal genes in placental tissue derived from early and late onset severe pre-eclampsia. <i>Placenta</i> , 2007 , 28, 487-97	3-4	127
919	Evidence for a role of TGF-beta1 in the expression and regulation of alpha-SMA in fetal growth restricted placentae. <i>Placenta</i> , 2007 , 28, 1123-32	3-4	13
918	The Benefits of Exercise in Pregnancy. 2007 , 3, 333-339		6
917	Fetal growth restriction is associated with reduced FasL expression by decidual cells. 2007 , 74, 7-14		20
916	Systemic Hypertension [Newer Guidelines. 2007 , 4, 189-196		
915	Screening for pre-eclampsia and fetal growth restriction by uterine artery Doppler and PAPP-A at 11-14 weeks gestation. 2007 , 29, 135-40		137
914	Why much of the pathophysiology of preeclampsia-eclampsia must be of an autoimmune nature. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 5.e1-7	6.4	40
913	Racial/ethnic differences in the monthly variation of preeclampsia incidence. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 324.e1-5	6.4	44
912	Urinary podocyte excretion as a marker for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 320.e1-7	6.4	143
911	Diagnostic utility of soluble fms-like tyrosine kinase 1 and soluble endoglin in hypertensive diseases of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 28.e1-6	6.4	97
910	Biomarker for hypertension-preeclampsia: are we close yet?. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 1-2	6.4	567
909	Prepregnancy body mass index, hypertensive disorders of pregnancy, and long-term maternal mortality. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 490.e1-6	6.4	43

908	Level of glycemic control and pregnancy outcome in type 1 diabetes: a comparison between multiple daily insulin injections and continuous subcutaneous insulin infusions. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 404.e1-5	6.4	41
907	Vascular endothelial growth factor gene +936 C/T polymorphism is associated with preeclampsia in Korean women. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 271.e1-4	6.4	37
906	Differential expression of nestin in normal and pre-eclamptic human placentas. 2007 , 86, 909-14		11
905	Altered plasma neurokinin B levels in patients with pre-eclampsia. 2007 , 276, 151-7		5
904	The combination of ApoCIII, hepatic lipase and hormone sensitive lipase gene polymorphisms suggests an association with susceptibility to gestational hypertension. 2007 , 52, 244-254		19
903	Schwangerschaftshochdruck und Präeklampsie. 2007 , 2, 432-440		
902	[Hypertensive diseases in pregnancy]. 2008 , 49, 811-6		
901	Thrombin activatable fibrinolysis inhibitor in preeclampsia and gestational hypertension throughout the gestation. 2008 , 28, 140-3		3
900	Arterial stiffness and dipper/nondipper blood pressure status in women with preeclampsia. 2008 , 25, 925-34		5
899	Hypertension in women. 2008 , 2, 239-244		
898	The genetic aspects of pre-eclampsia: achievements and limitations. 2008 , 46, 451-79		25
897	[Heart diseases in pregnancy]. 2008 , 97, 630-65		31
896	Spontaneous and indicated preterm delivery in pregestational diabetes mellitus: etiology and risk factors. 2008 , 278, 129-34		27
895	Dinucleotide repeat polymorphism in Fms-like tyrosine kinase-1 (Flt-1) gene is not associated with preeclampsia. 2008 , 9, 68		9
894	Non-synonymous sequence variants within the oxygen-dependent degradation domain of the HIF1A gene are not associated with pre-eclampsia in the Finnish population. 2008 , 9, 96		5
893	Pre-eclampsia is associated with dendritic cell recruitment into the uterine decidua. 2008 , 214, 328-36		89
892	Outpatient use of cardiovascular drugs during pregnancy. 2008 , 17, 240-7		44
891	Maternal hypertension, antihypertensive medication use, and the risk of severe hypospadias. 2008 , 82, 34-40		37

890	Hypertension in pregnancy. 2008 , 51, S16-7		4
889	Comparative assessment of matrix metalloproteinase (MMP)-2 and MMP-9, and their inhibitors, tissue inhibitors of metalloproteinase (TIMP)-1 and TIMP-2 in preeclampsia and gestational hypertension. 2008 , 41, 875-80		84
888	Genetic association of preeclampsia to the inflammatory response gene SEPS1. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 336.e1-5	6.4	53
887	Preeclampsia as a risk factor for cardiovascular disease later in life: validation of a preeclampsia questionnaire. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, e11-3	6.4	56
886	Diet-treated gestational diabetes mellitus: comparison of early vs routine diagnosis. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 287.e1-6	6.4	25
885	Increased senescence and reduced functional ability of fetal endothelial progenitor cells in pregnancies complicated by preeclampsia without intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 259.e1-7	6.4	17
884	Expectant management of severe preeclampsia remote from term: hope for the best, but expect the worst. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 209-12	6.4	6
883	Association of tumor necrosis factor-alpha and interleukin-10 gene polymorphisms in Iranian patients with pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 179-85	3.8	24
882	A role for mannose-binding lectin, a component of the innate immune system in pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 333-45	3.8	39
881	High blood pressure in pregnancy. 2008 , 12, 410-21; quiz 422		6
880	Soluble Flt-1 as a diagnostic marker of pre-eclampsia. 2008 , 48, 64-70		35
879	Serum levels of the adipokine visfatin are increased in pre-eclampsia. 2008 , 69, 69-73		74
878	The HLA-G 14bp gene polymorphism and decidual HLA-G 14bp gene expression in pre-eclamptic and normal pregnancies. 2008 , 78, 158-65		49
877	Cellular localization of placenta-specific human endogenous retrovirus (HERV) transcripts and their possible implication in pregnancy-induced hypertension. <i>Placenta</i> , 2008 , 29, 282-9	3.4	44
876	Expression of extracellular signal-regulated kinase1/2 and p38 mitogen-activated protein kinase in the invasive trophoblasts at the human placental bed. <i>Placenta</i> , 2008 , 29, 391-5	3.4	18
875	PKC delta in preeclamptic placentas promotes Bax dissociation from 14-3-3 zeta through 14-3-3 zeta phosphorylation. <i>Placenta</i> , 2008 , 29, 584-92	3.4	11
874	Placental system A amino acid transport is reduced in pregnancies with small for gestational age (SGA) infants but not in preeclampsia with SGA infants. <i>Placenta</i> , 2008 , 29, 879-82	3.4	44
873	Preeclampsia. 2008 , 155-160		

872	eNOS haplotypes associated with gestational hypertension or preeclampsia. 2008 , 9, 1467-73		75
871	Use of uterine artery Doppler ultrasonography to predict pre-eclampsia and intrauterine growth restriction: a systematic review and bivariable meta-analysis. 2008 , 178, 701-11		480
870	Eclampsia: a neurological perspective. 2008 , 271, 158-67		47
869	Eclampsia following cesarean section with HELLP syndrome and multiple organ failure. 2008 , 46, 46-8		4
868	Prevençã de la preeclampsia con Aspirina . 2008 , 25, 43-46		
867	Headaches and migraines are associated with an increased risk of preeclampsia in Peruvian women. 2008 , 21, 360-4		40
866	Ophthalmic artery Doppler as a measure of severe pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2008 , 100, 216-20	4	42
865	Risk factors for pre-eclampsia in pregnant Chinese women with abnormal glucose metabolism. <i>International Journal of Gynecology and Obstetrics</i> , 2008 , 101, 74-6	4	15
864	[Latest developments: management and treatment of preeclampsia]. 2008 , 37, 5-15		13
863	A multicenter Italian study on pregnancy outcome in women with diabetes. 2008 , 18, 291-7		63
862	Increased plasma levels of inflammatory markers and upper airway resistance during sleep in pre-eclampsia. 2008 , 9, 667-74		8
861	Intimate partner violence (IPV) and preeclampsia among Peruvian women. 2008 , 137, 50-5		23
860	Development of a nomogram to predict occurrence of preeclampsia. 2008 , 137, 146-51		9
859	[Management of the HELLP syndrome]. 2008 , 36, 1175-90		10
858	Hypertension in pregnancy. 2008 , 2, 484-94		100
857	Prevençã de la preeclampsia con Aspirina . 2008 , 25, 43-46		
856	Update on the use of antihypertensive drugs in pregnancy. <i>Hypertension</i> , 2008 , 51, 960-9	8.5	127
855	Maternal complications and perinatal outcomes associated with gestational hypertension and severe preeclampsia in Taiwanese women. 2008 , 107, 129-38		33

854	État des connaissances : prise en charge thérapeutique de la prééclampsie. 2008 , 7, 27-37		
853	Medical issues from preconception through delivery: a roadmap for the internist. 2008 , 92, 1193-225, xi		6
852	Preeclampsia: What's New?. 2008 , 26, 103-119		1
851	The accuracy of reporting of the hypertensive disorders of pregnancy in population health data. <i>Hypertension in Pregnancy</i> , 2008 , 27, 285-97	2	136
850	Identifying risk factors for premature rupture of membranes in small for gestational age neonates: a population-based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 816-20	2	5
849	Severe preeclampsia is characterized by increased placental expression of galectin-1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 429-42	2	54
848	Secular trends in the rates of preeclampsia, eclampsia, and gestational hypertension, United States, 1987-2004. 2008 , 21, 521-6		411
847	Whole-genome microarray and targeted analysis of angiogenesis-regulating gene expression (ENG, FLT1, VEGF, PlGF) in placentas from pre-eclamptic and small-for-gestational-age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 267-73	2	45
846	Placental origins of preeclampsia: challenging the current hypothesis. <i>Hypertension</i> , 2008 , 51, 970-5	8.5	685
845	Toll-like receptor 4 gene polymorphisms and preeclampsia: lack of association in a Caucasian population. <i>Hypertension Research</i> , 2008 , 31, 859-64	4.7	26
844	Maternal periodontitis as a potential risk variable for preeclampsia: a case-control study. 2008 , 79, 207-15		45
843	The change in concentrations of angiogenic and anti-angiogenic factors in maternal plasma between the first and second trimesters in risk assessment for the subsequent development of preeclampsia and small-for-gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 270-77	2	221
842	Diagnostic accuracy of urinary spot protein:creatinine ratio for proteinuria in hypertensive pregnant women: systematic review. 2008 , 336, 1003-6		145
841	Hypertension in Pregnancy. 2008 , 479-485		1
840	Renal Physiology and Disease in Pregnancy. 2008 , 2339-2398		10
839	Functional characterization of the human placental fusogenic membrane protein syncytin 2. 2008 , 79, 815-23		80
838	Maternal iron intake and iron status during pregnancy and child blood pressure at age 3 years. 2008 , 37, 301-8		24
837	CTLA-4 polymorphism 49A-G is associated with placental abruption and preeclampsia in Finnish women. 2008 , 46, 169-73		15

836	Beta-adrenoceptor subtype expression in human placenta and umbilical arteries in normal and preeclamptic pregnancies. <i>Hypertension in Pregnancy</i> , 2008 , 27, 169-81	2	5
835	Maternal serum Chlamydia pneumoniae antibodies and CRP levels in women with preeclampsia and gestational hypertension. <i>Hypertension in Pregnancy</i> , 2008 , 27, 143-58	2	20
834	What is the role of out-of-office BP measurement in hypertensive pregnancy?. <i>Hypertension in Pregnancy</i> , 2008 , 27, 95-101	2	11
833	Evidence of endothelial dysfunction in preeclampsia and risk of adverse pregnancy outcome. 2008 , 15, 374-381		34
832	Preeclamptic sera directly induce slit-diaphragm protein redistribution and alter podocyte barrier-forming capacity. 2008 , 110, e73-81		25
831	A randomized trial of tight vs. less tight control of mild essential and gestational hypertension in pregnancy. 2008 , 36, 413-8		11
830	Preeclampsia and future cardiovascular risk: formal risk factor or failed stress test?. 2008 , 2, 249-59		127
829	Expression levels of mRNA for Rho A/Rho kinase and its role in isoprostane-induced vasoconstriction of human placental and maternal vessels. 2008 , 15, 179-88		8
828	Multifractal description of the maternal surface of the placenta. 2008 , 66, 127-33		6
827	Serum Beta-2-microglobulin levels in intrauterine growth-restricted and normal pregnancies. 2008 , 24, 220-4		
826	Vascular endothelial growth factor genotypes and haplotypes are associated with pre-eclampsia but not with gestational hypertension. 2009 , 15, 115-20		53
825	Gamma 2 actin gene (enteric type) polymorphism is not associated with obstetric cholestasis or preeclampsia. 2008 , 23, 36-40		5
824	Nocturnal hypertension is associated with an exacerbation of the endothelial damage in preeclampsia. 2008 , 28, 424-30		15
823	Methylenetetrahydrofolate reductase C677T and glutathione S-transferase P1 A313G are associated with a reduced risk of preeclampsia in Maya-Mestizo women. <i>Hypertension Research</i> , 2008 , 31, 1015-9	4.7	51
822	Urinary prolactin as a reliable marker for preeclampsia, its severity, and the occurrence of adverse pregnancy outcomes. 2008 , 93, 2492-9		60
821	Impact of high maternal hemoglobin at first antenatal visit on pregnancy outcomes: a cohort study. 2008 , 36, 115-9		21
820	Handbook of Nutrition and Pregnancy. 2008 ,		2
819	A relationship between insulin sensitivity and vasodilation in women with a history of preeclamptic pregnancy. <i>Hypertension</i> , 2008 , 52, 394-401	8.5	27

818	Cardiac adaptation to pregnancy in women with a history of preeclampsia and a subnormal plasma volume. 2008 , 15, 1059-65		13
817	Serum levels of the adipokine adipocyte fatty acid-binding protein are increased in preeclampsia. 2008 , 21, 582-6		44
816	Nitric oxide formation is inversely related to serum levels of antiangiogenic factors soluble fms-like tyrosine kinase-1 and soluble endogline in preeclampsia. <i>Hypertension</i> , 2008 , 52, 402-7	8.5	128
815	Identification of proteomic biomarkers of preeclampsia in amniotic fluid using SELDI-TOF mass spectrometry. 2008 , 15, 457-68		43
814	Young adults with very low birth weight: leaving the parental home and sexual relationships--Helsinki Study of Very Low Birth Weight Adults. 2008 , 122, e62-72		53
813	A comparison of circulating TNF-alpha in obese and lean women with and without preeclampsia. <i>Hypertension in Pregnancy</i> , 2008 , 27, 39-48	2	30
812	Dietary fiber intake in early pregnancy and risk of subsequent preeclampsia. 2008 , 21, 903-9		83
811	Seizures in pregnancy: diagnosis and management. 2008 , 83, 259-71		17
810	Third trimester plasma neurokinin B levels in women with and without preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 95-100	2	2
809	Renal interlobar vein impedance index: a potential new Doppler parameter in the prediction of preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1219-21	2	12
808	Hypertension during pregnancy is associated with coronary artery calcium independent of renal function. <i>Journal of Women's Health</i> , 2009 , 18, 1709-16	3	18
807	Prediction and prevention of preeclampsia. <i>Hypertension in Pregnancy</i> , 2009 , 28, 138-55	2	25
806	The changes of plasma malondialdehyde, nitric oxide, and adrenomedullin levels in patients with preeclampsia. <i>Hypertension in Pregnancy</i> , 2009 , 28, 383-9	2	20
805	Adiponectin induced placental cell apoptosis could be mediated via the ADIPOR1-receptor in pre-eclampsia with IUGR. 2009 , 37, 257-62		17
804	Contemporary management of hypertension--how to optimize therapy. 2009 , 9, 181-92		1
803	A longitudinal study of the maternal cardiovascular adaptation to spontaneous and assisted conception pregnancies. <i>Hypertension in Pregnancy</i> , 2009 , 28, 273-89	2	13
802	The magnitude of hemoconcentration with eclampsia. <i>Hypertension in Pregnancy</i> , 2009 , 28, 127-37	2	24
801	Analysis of the association of preeclampsia with polymorphisms of the INS, INSR and IRS1 genes in Mexican women. 2009 , 67, 14-9		2

800	Acute and transient podocyte loss and proteinuria in preeclampsia. 2009 , 112, c65-70		47
799	Cytokine gene polymorphisms in preeclampsia and eclampsia. <i>Hypertension Research</i> , 2009 , 32, 565-9	4.7	50
798	Antihypertensive medication use during pregnancy and the risk of cardiovascular malformations. <i>Hypertension</i> , 2009 , 54, 63-70	8.5	96
797	The detrimental role of angiotensin receptor agonistic autoantibodies in intrauterine growth restriction seen in preeclampsia. 2009 , 206, 2809-22		63
796	Preeclampsia risk in relation to maternal mood and anxiety disorders diagnosed before or during early pregnancy. 2009 , 22, 397-402		90
795	Mice overexpressing both human angiotensinogen and human renin as a model of superimposed preeclampsia on chronic hypertension. <i>Hypertension</i> , 2009 , 54, 1401-7	8.5	30
794	Preliminary report: Serum levels of retinol-binding protein 4 in preeclampsia. 2009 , 58, 275-7		20
793	Altered global gene expression in first trimester placentas of women destined to develop preeclampsia. <i>Placenta</i> , 2009 , 30, 15-24	3.4	197
792	Placental dysferlin expression is reduced in severe preeclampsia. <i>Placenta</i> , 2009 , 30, 711-8	3.4	15
791	The HELLP syndrome: clinical issues and management. A Review. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 8	3.2	313
790	ASH position paper: hypertension in pregnancy. 2009 , 11, 214-25		81
789	Brain lesions several years after eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 504.e1-5	6.4	54
788	Discontinuation of antihypertensive drug use during the first trimester of pregnancy and the risk of preeclampsia and eclampsia among women with chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 201, 180.e1-8	6.4	11
787	Plasma level of soluble c-Met is tightly associated with the clinical risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 201, 618.e1-7	6.4	13
786	Epidemiología de los estados hipertensivos del embarazo. 2009 , 36, 132-139		1
785	Dietary quality during pregnancy varies by maternal characteristics in Project Viva: a US cohort. 2009 , 109, 1004-11		212
784	The management of severe hypertension. 2009 , 33, 138-42		22
783	Predicting adverse outcomes in women with severe pre-eclampsia. 2009 , 33, 152-7		42

782	The global impact of pre-eclampsia and eclampsia. 2009 , 33, 130-7		1566
781	<i>Helicobacter pylori</i> seropositivity and its relationship with serum malondialdehyde and lipid profile in preeclampsia. 2009 , 23, 219-22		19
780	Overlapping features of eclampsia and postpartum angiopathy. 2009 , 11, 199-209		33
779	Hypertension in women. 2009 , 11, 23-8		9
778	Modelling the association of blood pressure during pregnancy with gestational age and body mass index. 2009 , 23, 254-63		22
777	Chorangiomas and placental oxygenation. 2009 , 49, 71-6		22
776	Pregnancy-associated plasma protein-A and C-reactive protein levels in pre-eclamptic and normotensive pregnant women at third trimester. 2009 , 35, 94-8		24
775	Third S. S. Ratnam memorial lecture 2007. Ovarian cancer: Is there hope for women?. 2009 , 35, 393-404		2
774	Perinatal outcome of recurrent pre-eclampsia versus pre-eclampsia in nulliparas. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 1042-6	1.9	5
773	Clinical features of fetal growth restriction complicated later by preeclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 882-7	1.9	28
772	Antithrombin plasma levels decrease is associated with preeclampsia worsening. 2009 , 31, 227-32		13
771	Role of nutrition in the risk of preeclampsia. 2009 , 67, 639-57		50
770	Modified myocardial performance index for evaluation of fetal cardiac function in pre-eclampsia. 2009 , 33, 51-7		39
769	Does pre-eclampsia influence fetal cardiovascular function in early-onset intrauterine growth restriction?. 2009 , 34, 660-5		22
768	Plasma vasopressin, oxytocin, estradiol, and progesterone related to water and sodium excretion in normal pregnancy and gestational hypertension. 2009 , 88, 639-46		21
767	Are tests for predicting pre-eclampsia good enough to make screening viable? A review of reviews and critical appraisal. 2009 , 88, 758-65		57
766	Influence of glycemic control on fetal lung maturity in gestations affected by diabetes or mild hyperglycemia. 2009 , 88, 1036-40		17
765	Diagnosis and management of atypical preeclampsia-eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 481.e1-7	6.4	181

764	Inherited thrombophilia and preeclampsia within a multicenter cohort: the Montreal Preeclampsia Study. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 151.e1-9; discussion e1-5	6.4	69
763	O-glycoside biomarker of apolipoprotein C3: responsiveness to obesity, bariatric surgery, and therapy with metformin, to chronic or severe liver disease and to mortality in severe sepsis and graft vs host disease. 2009 , 8, 603-12		32
762	Gestational diabetes mellitus in Italy: a multicenter study. 2009 , 145, 149-53		38
761	Aldosterone synthase gene polymorphism is not associated with gestational hypertension or preeclampsia. 2009 , 400, 139-41		10
760	Blood group AB and factor V Leiden as risk factors for pre-eclampsia: a population-based nested case-control study. 2009 , 124, 167-73		45
759	Higher de novo synthesized fatty acids and lower omega3- and omega6-long-chain polyunsaturated fatty acids in umbilical vessels of women with preeclampsia and high fish intakes. 2009 , 80, 101-6		9
758	Calcium supplementation for the prevention of pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 104, 32-6	4	54
757	Genotype of the CYBA promoter -930A/G, polymorphism C677T of the MTHFR and APOE genotype in patients with hypertensive disorders of pregnancy: an observational study. 2009 , 133, 657-61		22
756	Mechanisms of convulsions in eclampsia. 2009 , 72, 49-51		11
755	Hypertension in pregnancy and women of childbearing age. 2009 , 122, 890-5		95
754	The pathophysiology of pre-eclampsia: current clinical concepts. 2009 , 29, 576-82		82
753	Preeclampsia. 2009 , 341-357		
752	Serum amyloid a protein and C-reactive protein in normal pregnancy and preeclampsia. 2009 , 67, 275-80		18
751	Effect of pregnancy on the pharmacokinetics of antihypertensive drugs. 2009 , 48, 159-68		33
750	Introduction, History, Controversies, and Definitions. 2009 , 1-23		11
749	The Clinical Spectrum of Preeclampsia. 2009 , 25-35		2
748	Chronic Hypertension and Pregnancy. 2009 , 353-368		3
747	Antihypertensive Treatment. 2009 , 369-387		2

746	Management. 2009 , 389-414		1
745	Obesity in pregnancy. 2009 , 36, 341-56		29
744	Cognitive function after pre-eclampsia: an explorative study. 2009 , 30, 58-64		40
743	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1021-38	2	209
742	Correlation of 2-hour and 4-hour urinary proteins with 24-hours proteinuria in hospitalized patients with preeclampsia. <i>Hypertension in Pregnancy</i> , 2009 , 28, 109-18	2	2
741	Doppler measurement of renal interlobar vein impedance index in uncomplicated and preeclamptic pregnancies. <i>Hypertension in Pregnancy</i> , 2009 , 28, 23-33	2	34
740	Serum sFlt1:PlGF ratio, PlGF, and soluble endoglin levels in gestational proteinuria. <i>Hypertension in Pregnancy</i> , 2009 , 28, 95-108	2	24
739	Migraine during pregnancy: is it more than a headache?. 2009 , 5, 449-56		30
738	Induction of labour versus expectant monitoring for gestational hypertension or mild pre-eclampsia after 36 weeks of gestation (HYPITAT): a multicentre, open-label randomised controlled trial. 2009 , 374, 979-988		509
737	Valores de proteinuria y da vascular en gestantes sanas, preeclpticas y con hipertensi no proteinica, evaluados por ultrasonograf vascular. 2009 , 52, 4-13		3
736	Displasia fibromuscular de arterias renales y gestaci. 2009 , 52, 45-50		
735	Efecto de la terapia temprana con L-arginina en el crecimiento intrauterino restringido en la preclampsia. Estudio aleatorizado en mujeres latinoamericanas. 2009 , 52, 89-98		3
734	Comparison between essential hypertension and pregnancy-induced hypertension: a genetic perspective. 2009 , 56, 921-34		10
733	New evidence for the fetal insulin hypothesis: fetal angiotensinogen M235T polymorphism is associated with birth weight and elevated fetal total glycated hemoglobin at birth. 2010 , 28, 732-9		11
732	Nicardipine for the treatment of severe hypertension in pregnancy: a review of the literature. 2010 , 65, 341-7		17
731	The relation between delivery type and cord blood levels of chitotriosidase and Troponin T. 2010 , 5, 693-697		
730	Persistence of increased uterine artery resistance in the third trimester and pregnancy outcome. 2010 , 36, 577-81		34
729	Periodontal disease in pregnancy is a risk factor for preeclampsia. 2010 , 89, 718-21		29

728	Pancreatic beta-cell function and fetal growth in gestational impaired glucose tolerance. 2010 , 89, 769-75		12
727	Hormonal and metabolic characteristics of premenopausal women with a history of preeclamptic pregnancy. 2010 , 89, 1331-7		1
726	Plasma visfatin levels in preeclamptic and normal pregnancies. 2010 , 281, 995-8		24
725	Pregnancy outcome in morbidly obese women before and after laparoscopic gastric banding. 2010 , 20, 1251-7		67
724	Ambulatory blood pressure in young adults with very low birth weight. 2010 , 156, 54-59.e1		73
723	Sepsis and neutropenia in very low birth weight infants delivered of mothers with preeclampsia. 2010 , 157, 434-8, 438.e1		22
722	Adults born at very low birth weight exercise less than their peers born at term. 2010 , 157, 610-6, 616.e1		69
721	Matrix metalloproteinase 1 in pre-eclampsia and fetal growth restriction: reduced gene expression in decidual tissue and protein expression in extravillous trophoblasts. <i>Placenta</i> , 2010 , 31, 615-20	3-4	38
720	Volumes and numbers of intervillous pores and villous domains in placentas associated with intrauterine growth restriction and/or pre-eclampsia. <i>Placenta</i> , 2010 , 31, 602-6	3-4	17
719	Automated assays for sVEGF R1 and PlGF as an aid in the diagnosis of preterm preeclampsia: a prospective clinical study. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 40.e1-7	6.4	96
718	Clinical differences between early-onset HELLP syndrome and early-onset preeclampsia during pregnancy and at least 6 months postpartum. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 271.e1-5	6.4	18
717	Placental vascular lesion differences in pregnancy-induced hypertension and normotensive fetal growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 561.e1-5	6.4	61
716	An international trial of antioxidants in the prevention of preeclampsia (INTAPP). <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 239.e1-239.e10	6.4	104
715	Preeclampsia is associated with increased cytotoxic T-cell capacity to paternal antigens. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 496.e1-6	6.4	29
714	Breastfeeding is not associated with left cardiac structures and blood pressure during the first two years of life. The Generation R Study. 2010 , 86, 463-8		13
713	Increased circulating cell-free hemoglobin levels reduce nitric oxide bioavailability in preeclampsia. 2010 , 49, 493-500		41
712	Estados hipertensivos del embarazo: resultados perinatales. 2010 , 37, 56-62		1
711	Risk of pregnancy-related hypertension within 5 years of exposure to drinking water contaminated with <i>Escherichia coli</i> O157:H7. 2010 , 12, 613-20		7

710	Hypertension in Diabetes in Pregnancy. 2010 , 146-152		
709	Multifactorial analysis of affinity-mass spectrometry data from serum protein samples: a strategy to distinguish patients with preeclampsia from matching control individuals. 2010 , 21, 1699-711		29
708	Is chorionic villus sampling associated with hypertensive disorders of pregnancy?. 2010 , 30, 9-13		27
707	Depressive symptoms in adulthood and intrauterine exposure to pre-eclampsia: the Helsinki Birth Cohort Study. 2010 , 117, 1236-42		50
706	An economic analysis of induction of labour and expectant monitoring in women with gestational hypertension or pre-eclampsia at term (HYPITAT trial). 2010 , 117, 1577-85		31
705	Physical activity and hypertensive complications during pregnancy: findings from 2004 to 2006 North Carolina Pregnancy Risk Assessment Monitoring System. 2010 , 37, 202-10		25
704	Contribution of interferon-gamma receptor 1 gene polymorphisms to pre-eclampsia in China. <i>American Journal of Reproductive Immunology</i> , 2010 , 63, 331-8	3.8	1
703	The effects of kisspeptin-54 on blood pressure in humans and plasma kisspeptin concentrations in hypertensive diseases of pregnancy. 2010 , 70, 674-81		22
702	T cell activation in abnormal perinatal events. 2010 , 54, 38-45		10
701	A prospective study of maternal carboxyhaemoglobin and pre-eclampsia risk. 2010 , 24, 35-44		5
700	Association between mannose-binding lectin gene polymorphisms and pre-eclampsia in Brazilian women. <i>American Journal of Reproductive Immunology</i> , 2010 , 64, 359-74	3.8	8
699	The relation between delivery type and tau protein levels in cord blood. 2010 , 52, 872-5		2
698	Tumor necrosis factor alpha, interleukin-6 and interleukin-10 polymorphisms in preeclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 64-71	1.9	51
697	Marked gestational edema as a clinical sign of life-threatening condition. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 861-5	1.9	10
696	Role of proteinuria in defining pre-eclampsia: clinical outcomes for women and babies. 2010 , 37, 466-70		41
695	CORIOAMNIONITIS HISTOLÓGICA Y MORBIMORTALIDAD NEONATAL: APROXIMACIÓN AL SÍNDROME DE RESPUESTA INFLAMATORIA FETAL. 2010 , 75,		0
694	Fetal growth restriction results in remodeled and less efficient hearts in children. 2010 , 121, 2427-36		289
693	CEREBROVASCULAR DISEASE AND PREGNANCY. 2010 , 21, 114-162		2

692	Options and decision-making: hypertensive disorders of pregnancy. 2010 , 6, 535-46		1
691	Ophthalmic artery-resistive index and evidence of overperfusion-related encephalopathy in severe preeclampsia. <i>Hypertension</i> , 2010 , 55, 189-93	8.5	27
690	Autoantibody-mediated angiotensin receptor activation contributes to preeclampsia through tumor necrosis factor-alpha signaling. <i>Hypertension</i> , 2010 , 55, 1246-53	8.5	76
689	The impact of insulin resistance on woman's health and potential treatment options. 2010 , 1205, 156-65		1
688	Anti-angiogenic assay assists fetal extraction decision in a case of pre-eclampsia suspicion?. 2010 , 3, 427-8		
687	Postpartum course of gestational hypertension and preeclampsia. <i>Hypertension in Pregnancy</i> , 2010 , 29, 294-300	2	67
686	Urinary inositol phosphoglycan P-type as a marker for prediction of preeclampsia and novel implications for the pathophysiology of this disorder. <i>Hypertension in Pregnancy</i> , 2010 , 29, 375-84	2	18
685	Bioimpedance in pregnant women with preeclampsia. <i>Hypertension in Pregnancy</i> , 2010 , 29, 357-65	2	15
684	Weight retention within the puerperium in adolescents: a risk factor for obesity?. 2010 , 13, 283-8		9
683	GCM1 regulation of the expression of syncytin 2 and its cognate receptor MFSD2A in human placenta. 2010 , 83, 387-95		74
682	Diabetes in Women. 2010 ,		1
681	Prognostic role of uterine artery Doppler in patients with preeclampsia. 2010 , 27, 8-13		24
680	Hypertension in pregnancy: a comprehensive update. 2010 , 18, 178-89		51
679	Angiotensin receptor agonistic autoantibody is highly prevalent in preeclampsia: correlation with disease severity. <i>Hypertension</i> , 2010 , 55, 386-93	8.5	140
678	Maternal and fetal thrombophilia in intrauterine growth restriction in the presence or absence of maternal hypertensive disease. 2010 , 17, 844-8		6
677	Effect of the loading dose of magnesium sulfate (MgSO ₄) on the parameters of Doppler flow velocity in the uterine, umbilical and middle cerebral arteries in severe preeclampsia. <i>Hypertension in Pregnancy</i> , 2010 , 29, 123-34	2	12
676	Respiratory parameters and exercise functional capacity in preeclampsia. <i>Hypertension in Pregnancy</i> , 2010 , 29, 301-9	2	6
675	Risk factors for postpartum antihypertensive medication requirement in severe preeclampsia. <i>Hypertension in Pregnancy</i> , 2010 , 29, 350-6	2	11

674	Increased maternal serum and cord blood fibronectin concentrations in preeclampsia are associated with higher placental hyaluronic acid and hydroxyproline content. <i>Hypertension in Pregnancy</i> , 2010 , 29, 153-62	2	9
673	Differences in the prevalence of metabolic syndrome and levels of C-reactive protein after puerperium in women with hypertensive disorders during pregnancy. <i>Hypertension Research</i> , 2010 , 33, 1012-7	4.7	5
672	Slower reaction times and impaired learning in young adults with birth weight . 2010 , 125, e74-82		44
671	Increased risk of pre-eclampsia (PE) among women with the history of migraine. 2010 , 32, 159-65		19
670	Altered interactions of heart rate and blood pressure during normal and abnormal pregnancy. 2010 , 2010, 1695-8		7
669	Increased placental telomerase mRNA in hypertensive disorders of pregnancy. <i>Hypertension in Pregnancy</i> , 2010 , 29, 434-45	2	6
668	Prediction tests for recurrent hypertensive disease in pregnancy, a systematic review. <i>Hypertension in Pregnancy</i> , 2010 , 29, 206-30	2	17
667	Intracranial vertebrobasilar artery dissection associated with postpartum angiopathy. 2010 , 2010,		10
666	Neurocognitive functioning in women with a history of eclampsia: executive functioning and sustained attention. 2010 , 27, 685-90		13
665	Elevated blood pressure in offspring born premature to hypertensive pregnancy: is endothelial dysfunction the underlying vascular mechanism?. <i>Hypertension</i> , 2010 , 56, 159-65	8.5	136
664	STOX2 but not STOX1 is differentially expressed in decidua from pre-eclamptic women: data from the Second Nord-Trondelag Health Study. 2010 , 16, 960-8		22
663	Optimal laboratory panel for predicting preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 96-102	2	28
662	Abnormal placentation, angiogenic factors, and the pathogenesis of preeclampsia. 2010 , 37, 239-53		133
661	Glomerular disturbances in preeclampsia: disruption between glomerular endothelium and podocyte symbiosis. <i>Hypertension in Pregnancy</i> , 2010 , 29, 10-20	2	26
660	Comprehensive maternal serum proteomic profiles of preclinical and clinical preeclampsia. 2010 , 9, 4274-81		47
659	Hypertension in special populations: chronic kidney disease, organ transplant recipients, pregnancy, autonomic dysfunction, racial and ethnic populations. <i>Cardiology Clinics</i> , 2010 , 28, 623-38	2.5	4
658	Family history of hypertension as an important risk factor for the development of severe preeclampsia. 2010 , 89, 612-7		31
657	Combining biochemical and ultrasonographic markers in predicting preeclampsia: a systematic review. 2010 , 56, 361-75		107

656	Prospective study of placental angiogenic factors and maternal vascular function before and after preeclampsia and gestational hypertension. 2010 , 122, 478-87		259
655	Medical record validation of maternally reported history of preeclampsia. 2010 , 63, 932-7		117
654	Prepregnancy BMI influences maternal and fetal outcomes in women with isolated gestational hyperglycaemia: a multicentre study. 2010 , 36, 265-70		9
653	Association between urotensin II gene polymorphism and pre-eclampsia. 2010 , 151, 140-2		3
652	Unilaterally increased uterine artery resistance, placental location and pregnancy outcome. 2010 , 153, 143-7		13
651	Hypertension in diabetic pregnancy: impact and long-term outlook. 2010 , 24, 635-51		26
650	Is the use of donor sperm associated with a higher incidence of preeclampsia in women who achieve pregnancy after intrauterine insemination?. 2010 , 93, 1124-7		43
649	Matrix metalloproteinase (MMP)-9 genotypes and haplotypes in preeclampsia and gestational hypertension. 2010 , 411, 874-7		35
648	Interethnic differences in ADMA concentrations and negative association with nitric oxide formation in preeclampsia. 2010 , 411, 1457-60		28
647	Primary atherothrombotic occlusive vascular events in premenopausal women with history of adverse pregnancy outcome. 2010 , 125, 124-7		17
646	Changes of plasma and placental tissue factor pathway inhibitor-2 in women with preeclampsia and normal pregnancy. 2010 , 125, e317-22		14
645	The efficacy of antihypertensive treatment in pregnant women with chronic and gestational hypertension: a population-based study. <i>Hypertension Research</i> , 2010 , 33, 460-6	4-7	22
644	[Prehospital management of severe preeclampsia]. 2010 , 29, e69-73		
643	[Early postpartum management of patients with severe preeclampsia]. 2010 , 29, e149-54		1
642	The risk of placental abruption when using prostaglandins for cervical ripening in women with preeclampsia: comparing misoprostol versus dinoprostone. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 988-93	2	3
641	Hypertension in pregnancy. 2010 , 4, 68-78		95
640	[Pregnancy hypertension]. 2010 , 6, 200-14		4
639	The implication of aberrant GM-CSF expression in decidual cells in the pathogenesis of preeclampsia. 2010 , 177, 2472-82		39

638	Handbook of Evidence-Based Critical Care. 2010 ,		10
637	Uterine artery Doppler in the third trimester of pregnancy and postnatal outcome of patients with severe preeclampsia. <i>Hypertension in Pregnancy</i> , 2010 , 29, 135-47	2	9
636	Hypertensive Emergencies. 2010 , 355-367		
635	Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: the need for standardization in clinical practice. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 820-7	2	19
634	Neonatal outcomes of premature infants born to preeclamptic mothers. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 425-430	2	26
633	Is preeclampsia associated with an increased risk of cesarean delivery if labor is induced?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 383-8	2	24
632	Early-onset preeclampsia and neonatal outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 389-392	2	32
631	Maternal overweight and pregnancy outcome in women with Type-1 diabetes mellitus and different degrees of nephropathy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 999-1003	2	13
630	Why is the treatment of hypertension in pregnancy still so difficult?. 2011 , 9, 647-9		10
629	Maternal serum inhibin-A for predicting preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 595-9	2	6
628	Relationship of aldosterone synthase gene (C-344T) and mineralocorticoid receptor (S810L) polymorphisms with gestational hypertension. <i>Journal of Human Hypertension</i> , 2011 , 25, 320-6	2.6	11
627	Contribution of the addition of anti- β_2 -glycoprotein to the classification of antiphospholipid syndrome in predicting adverse pregnancy outcome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 606-9	2	5
626	Glucose variability in diabetic pregnancy. 2011 , 13, 853-9		48
625	Immunoregulatory gene polymorphisms in women with preeclampsia. <i>Hypertension Research</i> , 2011 , 34, 384-8	4.7	11
624	Seizures in pregnancy/eclampsia. 2011 , 29, 109-16		12
623	Comparative study of transabdominal and transvaginal uterine artery Doppler pulsatility indices at 11-13 + 6 weeks. <i>Hypertension in Pregnancy</i> , 2011 , 30, 414-20	2	26
622	Early-pregnancy changes in maternal lipid profile in women with recurrent preeclampsia and previously preeclamptic women with normal next pregnancy. 2011 , 18, 998-1004		5
621	Prise en charge de la grossesse au cours du diabète de type 1: Référentiel de la Société Francophone du Diabète (SFD) 2010. 2011 , 5, 91-103		1

620	Prise en charge de la grossesse au cours du diabète de type 1: Référentiel de la Société Francophone du Diabète (SFD) 2010. 2011 , 5, 7-19		
619	Doppler de artérias uterinas y marcadores angiogénicos (sFlt-1/PlGF): futuras implicaciones para la predicción y el diagnóstico de la preeclampsia. 2011 , 22, 32-40		3
618	Update on pregnancy in chronic kidney disease. 2011 , 34, 253-60		5
617	Are insulin resistance index, IGF-1 and metabolic syndrome components correlates with severe preeclampsia?. <i>Hypertension in Pregnancy</i> , 2011 , 30, 302-10	2	7
616	Is there evidence of separate inflammatory or metabolic forms of preeclampsia?. <i>Hypertension in Pregnancy</i> , 2011 , 30, 1-10	2	12
615	Trophoblast differentiation, fetal growth restriction and preeclampsia. <i>Pregnancy Hypertension</i> , 2011 , 1, 79-86	2.6	27
614	Angiogenin and apoptosis in hypertension in pregnancy. <i>Pregnancy Hypertension</i> , 2011 , 1, 191-6	2.6	5
613	Long-term complications of preeclampsia. 2011 , 31, 111-22		90
612	Thrombocytopenia in pregnancy. 2011 , 25, 293-310, vii-viii		7
611	Hypertension and kidney disease in pregnancy: introduction. 2011 , 31, 1-3		
610	Hypertension in pregnancy. 2011 , 40, 847-63		6
609	ADAMTS13, FVIII, von Willebrand factor, ABO blood group assessment in preeclampsia. 2011 , 412, 2162-6		25
608	Chemokines plasma levels in preterm newborns of preeclamptic mothers. <i>Cytokine</i> , 2011 , 56, 515-9	4	
607	Maternal circulating osteoprotegerin and soluble RANKL in pre-eclamptic women. 2011 , 154, 141-5		11
606	An analysis of the meanings of pre-eclampsia for pregnant and postpartum women and health professionals in Rio Grande do Norte, Brazil. 2011 , 27, e182-7		9
605	Placental expression of vascular endothelial growth factor receptor-1/soluble vascular endothelial growth factor receptor-1 correlates with severity of clinical preeclampsia and villous hypermaturity. 2011 , 42, 1283-8		33
604	Pregnancy and safety outcomes in women vaccinated with an AS03-adjuvanted split virion H1N1 (2009) pandemic influenza vaccine during pregnancy: a prospective cohort study. 2011 , 29, 6358-65		60
603	Evaluación del índice proteína-creatinina en orina aislada para la predicción de proteinuria significativa durante la gestación. 2011 , 54, 225-230		1

602	Folic acid is positively associated with uteroplacental vascular resistance: the Generation R study. 2011 , 21, 54-61		43
601	[Secondary cardiovascular risk and pre-eclampsia]. 2011 , 32 Suppl 1, S36-40		2
600	Chronic hypertension with related drug treatment of pregnant women and congenital abnormalities in their offspring: a population-based study. <i>Hypertension Research</i> , 2011 , 34, 257-63	4.7	24
599	Hypotension in pregnant women: a population-based case-control study of pregnancy complications and birth outcomes. <i>Hypertension Research</i> , 2011 , 34, 55-61	4.7	5
598	Antihypertensive drugs in pregnancy. 2011 , 31, 70-85		47
597	Histopathology and histomorphometry of umbilical cord blood vessels. Findings in normal and high risk pregnancies?. 2011 , 5, 50		11
596	Circulating levels of copeptin, a novel biomarker in pre-eclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1198-202	1.9	45
595	Levels of soluble endothelial selectin in umbilical cord serum are influenced by gestational age and histological chorioamnionitis, but not by pre-eclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1818-23	1.9	2
594	Fibroblast growth factor receptor 4 Gly388 Arg polymorphism is not associated with pre-eclampsia in Turkish women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1824-7	1.9	
593	Risk of preterm delivery and hypertensive disorders of pregnancy in relation to maternal co-morbid mood and migraine disorders during pregnancy. 2011 , 25, 116-23		51
592	How to manage hypertension in pregnancy effectively. 2011 , 72, 394-401		96
591	Left ventricular function many years after recovery from pre-eclampsia. 2011 , 118, 76-83		33
590	Early-pregnancy changes in cardiac diastolic function in women with recurrent pre-eclampsia and in previously pre-eclamptic women without recurrent disease. 2011 , 118, 1112-9		17
589	Obstetric outcome in women with epilepsy: a hospital-based, retrospective study. 2011 , 118, 956-65		63
588	Trimester-specific blood pressure levels and hypertensive disorders among pregnant migraineurs. 2011 , 51, 1468-82		17
587	Correlation between periodontal disease, inflammatory alterations and pre-eclampsia. 2011 , 46, 505-11		19
586	Immunologic characteristics of preeclampsia, a comprehensive review. <i>American Journal of Reproductive Immunology</i> , 2011 , 65, 377-94	3.8	79
585	Increased reactive oxygen species and tumor necrosis factor-alpha production by monocytes are associated with elevated levels of uric acid in pre-eclamptic women. <i>American Journal of Reproductive Immunology</i> , 2011 , 66, 460-7	3.8	41

584	Urotensin-II 143 G/A polymorphism is not associated with the risk of preeclampsia in Korean women. <i>American Journal of Reproductive Immunology</i> , 2011 , 66, 423-7	3.8	1
583	Disparities in women's cardiovascular health. 2011 , 40, 362-71		7
582	Identification of ACOX2 as a shared genetic risk factor for preeclampsia and cardiovascular disease. 2011 , 19, 796-800		26
581	Hypertension complicating diabetic pregnancies: pathophysiology, management, and controversies. 2011 , 13, 275-84		22
580	Evaluation of standard and modified severity of illness scores in the obstetric patient. 2011 , 26, 535.e1-535.e7		31
579	Maternal preeclampsia protects preterm infants against severe retinopathy of prematurity. 2011 , 158, 372-6		34
578	Inositol phosphoglycans and preeclampsia: from bench to bedside. 2011 , 89, 173-7		10
577	Serum levels of the adipokine chemerin are increased in preeclampsia during and 6 months after pregnancy. 2011 , 168, 69-72		53
576	Pregenesys pre-eclampsia markers consensus meeting: What do we require from markers, risk assessment and model systems to tailor preventive strategies?. <i>Placenta</i> , 2011 , 32 Suppl, S4-16	3.4	62
575	Placental volume and vascular flow assessed by 3D power Doppler and adverse pregnancy outcomes. <i>Placenta</i> , 2011 , 32, 230-4	3.4	75
574	First-trimester serum analytes, biophysical tests and the association with pathological morphometry in the placenta of pregnancies with preeclampsia and fetal growth restriction. <i>Placenta</i> , 2011 , 32, 333-8	3.4	49
573	First-trimester placental protein 13, PAPP-A, uterine artery Doppler and maternal characteristics in the prediction of pre-eclampsia. <i>Placenta</i> , 2011 , 32, 598-602	3.4	100
572	Increased endoplasmic reticulum stress in decidual tissue from pregnancies complicated by fetal growth restriction with and without pre-eclampsia. <i>Placenta</i> , 2011 , 32, 823-9	3.4	69
571	Neonatal outcome in hypertensive disorders of pregnancy. 2011 , 87, 445-9		58
570	A transcriptional profile of the decidua in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 84.e1-27	6.4	73
569	Gestational hypertension: a neglected cardiovascular disease risk marker. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 336.e1-9	6.4	17
568	Obstetrical and perinatal outcomes among women with gestational hypertension, mild preeclampsia, and mild chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 205, 260.e1-9	6.4	35
567	Epidemiology of pre-eclampsia and the other hypertensive disorders of pregnancy. 2011 , 25, 391-403		558

566	Pre-eclampsia: Risk factors and causal models. 2011 , 25, 329-42	87
565	Pre-eclampsia: fetal assessment and neonatal outcomes. 2011 , 25, 491-507	55
564	Prediction and primary prevention of pre-eclampsia. 2011 , 25, 419-33	40
563	Sequence of changes in myocardial performance index in relation to aortic isthmus and ductus venosus Doppler in fetuses with early-onset intrauterine growth restriction. 2011 , 38, 179-84	56
562	Maternal cardiac function in normal twin pregnancy: a longitudinal study. 2011 , 38, 575-80	38
561	Increased uterine artery pulsatility index at 34 weeks and outcome of pregnancy. 2011 , 38, 395-9	12
560	Partial correlation network analyses to detect altered gene interactions in human disease: using preeclampsia as a model. 2011 , 129, 25-34	17
559	Endothelial dysfunction in hypertension in pregnancy: associations between circulating endothelial cells, circulating progenitor cells and plasma von Willebrand factor. 2011 , 100, 531-7	23
558	Predictive value of middle cerebral artery to uterine artery pulsatility index ratio in preeclampsia. 2011 , 284, 307-11	16
557	The association between inherited thrombophilias and pregnancy-related hypertension recurrence. 2011 , 284, 837-41	9
556	Evaluation of oxidative stress markers in first trimester for assessment of preeclampsia risk. 2011 , 284, 1367-73	49
555	Mechanisms and management of hypertension in pregnant women. 2011 , 13, 338-46	39
554	Fetal ERAP2 variation is associated with preeclampsia in African Americans in a case-control study. 2011 , 12, 64	44
553	Analysis of perinatal outcome by combination of first trimester maternal plasma homocysteine with uterine artery Doppler velocimetry. 2011 , 31, 1246-50	9
552	Differential proteomic analysis of highly purified placental cytotrophoblasts in pre-eclampsia demonstrates a state of increased oxidative stress and reduced cytotrophoblast antioxidant defense. 2011 , 11, 4077-84	25
551	Quantitative peptidomic analysis by a newly developed one-step direct transfer technology without depletion of major blood proteins: its potential utility for monitoring of pathophysiological status in pregnancy-induced hypertension. 2011 , 11, 2727-37	27
550	Changes in fetal and maternal Doppler parameters observed during acute severe hypertension treatment with hydralazine or labetalol: a randomized controlled trial. 2011 , 37, 53-8	29
549	Prepregnancy body mass index as an independent risk factor for pregnancy-induced hypertension. <i>Journal of Women's Health</i> , 2011 , 20, 67-72	3 37

548	A low COMT activity haplotype is associated with recurrent preeclampsia in a Norwegian population cohort (HUNT2). 2011 , 17, 439-46		43
547	Preeclampsia: pathophysiology and implications for care. 2011 , 25, 245-52		7
546	A risk reduction model for late-onset preeclampsia: a theory for using low-intensity exercises to enhance cardiac homeostasis in nursing research and practice. 2011 , 34, 78-88		1
545	Preeclampsia is associated with persistent postpartum cardiovascular impairment. <i>Hypertension</i> , 2011 , 58, 709-15	8.5	245
544	Health-related quality of life after induction of labor versus expectant monitoring in gestational hypertension or preeclampsia at term. <i>Hypertension in Pregnancy</i> , 2011 , 30, 260-74	2	15
543	Birth outcomes of newborns after folic Acid supplementation in pregnant women with early and late pre-eclampsia: a population-based study. 2011 , 2011, 127369		8
542	Candidates for the determination of antithrombin activity in pregnant women. 2011 , 39, 369-74		11
541	Maternal preeclampsia is associated with an increased risk of retinopathy of prematurity. 2011 , 39, 523-7		31
540	Characterization of discriminatory urinary proteomic biomarkers for severe preeclampsia using SELDI-TOF mass spectrometry. 2011 , 39, 391-6		14
539	Digibind reverses inhibition of cellular rb+ uptake caused by endogenous sodium pump inhibitors present in serum and placenta of women with preeclampsia. 2011 , 18, 190-9		8
538	Headache in Pregnancy. 2011 , 13-54		2
537	Biomarkers in Preeclampsia. 2011 , 385-426		2
536	High-resolution imaging diagnosis of human fetal membrane by three-dimensional optical coherence tomography. 2011 , 16, 116006		3
535	MUC1 expression is elevated in severe preeclamptic placentas and suppresses trophoblast cell invasion via α -integrin signaling. 2011 , 96, 3759-67		20
534	Optimal glycemic control, pre-eclampsia, and gestational hypertension in women with type 1 diabetes in the diabetes and pre-eclampsia intervention trial. 2011 , 34, 1683-8		113
533	Additive value of standard ECG for the risk prediction of hypertensive disorders during pregnancy. <i>Hypertension Research</i> , 2011 , 34, 707-13	4.7	11
532	Cerebellar growth in very low birth weight infants. 2011 , 31, 757-9		5
531	Gestational hypertension as a subclinical preeclampsia in view of serum levels of angiogenesis-related factors. <i>Hypertension Research</i> , 2011 , 34, 212-7	4.7	26

530	Inflammatory mediators gene polymorphisms in preeclampsia. <i>Hypertension in Pregnancy</i> , 2011 , 30, 338-46		16
529	Amino-terminal pro-brain natriuretic peptide levels in hypertensive disorders complicating pregnancy. <i>Hypertension in Pregnancy</i> , 2011 , 30, 287-94	2	14
528	Association of angiotensin-converting enzyme intron 16 insertion/deletion and angiotensin II type 1 receptor A1166C gene polymorphisms with preeclampsia in South East of Iran. 2011 , 2011, 941515		26
527	Increased incidence of bronchopulmonary dysplasia in preterm infants exposed to preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2681-5	2	35
526	Lower circulation levels and activity of α 1 antitrypsin in pregnant women with severe preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2667-70	2	21
525	Neurology and Pregnancy. <i>Series in Maternal-fetal Medicine</i> , 2012 ,		
524	Obstetric and perinatal outcome in women with twin pregnancy and gestational diabetes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1084-9	2	30
523	[Preeclampsia - a life-time risk for the mother]. 2012 , 101, 531-7		
522	Hypertensive disorders in pregnancy and cognitive decline in the offspring up to old age. 2012 , 79, 1578-82		39
521	Angiogenic imbalance and plasma lipid alterations in women with preeclampsia from a developing country. 2012 , 30, 158-66		12
520	Ambulatory management of chronic hypertension in pregnancy. 2012 , 55, 744-55		6
519	Expression of angiotensin II receptor-like 1 in the placentas of pregnancy-induced hypertension. 2012 , 31, 227-35		18
518	Severe pre-eclampsia is associated with abnormal trace elements concentrations in maternal and fetal blood. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1127-30	2	18
517	Effect of preeclampsia serum on human uterine spiral artery smooth muscle cell apoptosis in a coculture model with cytotrophoblasts. 2012 , 73, 201-10		5
516	Effect of a physical exercise program during pregnancy on uteroplacental and fetal blood flow and fetal growth: a randomized controlled trial. 2012 , 120, 302-10		62
515	Toll-like receptor 9 activation: a novel mechanism linking placenta-derived mitochondrial DNA and vascular dysfunction in pre-eclampsia. 2012 , 123, 429-35		77
514	Proteomic biomarkers in second trimester amniotic fluid that identify women who are destined to develop preeclampsia. 2012 , 19, 694-703		5
513	AGT M235T polymorphism contributes to risk of preeclampsia: evidence from a meta-analysis. 2012 , 13, 379-86		23

512	Daily serial hemodynamic data during pregnancy and seasonal variation: the BOSHI study. 2012 , 34, 290-6		22
511	Twenty-four-hour ambulatory blood pressure monitor heart rate: a potential marker for gestational hypertension in at-risk women. 2012 , 29, 339-46		4
510	Carotid-radial pulse wave velocity as an alternative tool for the evaluation of endothelial function during pregnancy: potential role in identifying hypertensive disorders of pregnancy. 2012 , 2012, 5603-6		8
509	Maternal and fetal cord blood lipids in intrauterine growth restriction. 2012 , 40, 287-96		55
508	Inositol phosphoglycan P-type in infants of preeclamptic mothers. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 193-5	2	6
507	Fetal sex-related dysregulation in testosterone production and their receptor expression in the human placenta with preeclampsia. 2012 , 32, 328-35		45
506	Meta-analysis of the methylenetetrahydrofolate reductase C677T polymorphism and susceptibility to pre-eclampsia. <i>Hypertension Research</i> , 2012 , 35, 1129-34	4.7	24
505	Oral nifedipine versus intravenous labetalol in hypertensive urgencies and emergencies of pregnancy: a randomized clinical trial. 2012 , 5, 171-175		10
504	Low placental growth factor across pregnancy identifies a subset of women with preterm preeclampsia: type 1 versus type 2 preeclampsia?. <i>Hypertension</i> , 2012 , 60, 239-46	8.5	70
503	Patterns of outpatient antihypertensive medication use during pregnancy in a Medicaid population. <i>Hypertension</i> , 2012 , 60, 913-20	8.5	41
502	Preeclampsia. 2012 , 13, e532-e541		11
501	Blood pressure change in normotensive, gestational hypertensive, preeclamptic, and essential hypertensive pregnancies. <i>Hypertension</i> , 2012 , 59, 1241-8	8.5	94
500	Chronic hypertension and pregnancy at a tertiary-care and university hospital. <i>Hypertension in Pregnancy</i> , 2012 , 31, 350-6	2	7
499	The effect of cigarette smoke extract on trophoblast cell viability and migration: the role of adrenomedullin. 2012 , 19, 526-33		13
498	Risk for recurrence of preeclampsia and outcome of subsequent pregnancy in women with preeclampsia in their first pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2248-51		19
497	Comparison of interleukin-6 levels in maternal and umbilical cord blood in early- and late-onset preeclampsia. 2012 , 28, 640-3		6
496	Aberrant expression of corticotropin-releasing hormone in pre-eclampsia induces expression of FasL in maternal macrophages and extravillous trophoblast apoptosis. 2012 , 18, 535-45		24
495	Increased protein-coding mutations in the mitochondrial genome of African American women with preeclampsia. 2012 , 19, 1343-51		11

494	Subclinical left ventricular dysfunction in preeclamptic women with preserved left ventricular ejection fraction: a 2D speckle-tracking imaging study. 2012 , 5, 734-9		80
493	The role of angiogenic factors in the prediction and diagnosis of preeclampsia superimposed on chronic hypertension. <i>Hypertension</i> , 2012 , 59, 555-7	8.5	15
492	The Fetal Safety of Angiotensin Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers. 2012 , 2012, 658310		48
491	The predictive value of leukocyte parameters for hypertensive disorders of pregnancy in south China. <i>Hypertension in Pregnancy</i> , 2012 , 31, 11-21	2	2
490	Maternal cerebral blood flow and glucose metabolism in pregnancies complicated by severe preeclampsia. <i>Hypertension in Pregnancy</i> , 2012 , 31, 177-88	2	9
489	Impedance cardiography facilitates differentiation of severe and superimposed preeclampsia from other hypertensive disorders. <i>Hypertension in Pregnancy</i> , 2012 , 31, 327-40	2	11
488	Perinatal outcomes associated with maternal hypertensive disorders of pregnancy in a developing country. <i>Hypertension in Pregnancy</i> , 2012 , 31, 120-30	2	26
487	The evaluation of the oxidative state of low-density lipoproteins in intrauterine growth restriction and preeclampsia. <i>Hypertension in Pregnancy</i> , 2012 , 31, 156-65	2	34
486	A mass spectrometric multicenter study supports classification of preeclampsia as heterogeneous disorder. <i>Hypertension in Pregnancy</i> , 2012 , 31, 278-91	2	10
485	Types of maternal hypertensive disease and their association with pathologic lesions and clinical factors. 2012 , 31, 319-23		27
484	Preeclampsia, hypoxia, thrombosis, and inflammation. <i>Journal of Pregnancy</i> , 2012 , 2012, 374047	2.5	48
483	Migraine-asthma comorbidity and risk of hypertensive disorders of pregnancy. <i>Journal of Pregnancy</i> , 2012 , 2012, 858097	2.5	11
482	Comparative Study of Endothelial Function and Uterine Artery Doppler Velocimetry between Pregnant Women with or without Preeclampsia Development. <i>Journal of Pregnancy</i> , 2012 , 2012, 909315 ^{2.5}		5
481	Kidney and pregnancy. 2012 , 2, 15		1
480	Prevention of preeclampsia. <i>Journal of Pregnancy</i> , 2012 , 2012, 435090	2.5	34
479	GRK2 levels in umbilical arteries of pregnancies complicated by gestational hypertension and preeclampsia. 2012 , 25, 366-71		6
478	Cardiac structure and function in normal pregnancy. 2012 , 24, 413-21		78
477	Candidate biochemical markers for screening of pre-eclampsia in early pregnancy. 2012 , 50, 973-84		24

476	Trophoblastic progranulin expression is upregulated in cases of fetal growth restriction and preeclampsia. 2012 , 40, 475-81		14
475	Hypertension in Pregnancy: Clinical Manifestations and Treatment. 2012 , 8, 121-126		
474	Oxidative Stress, Preeclampsia and Cardiovascular Disease. 2012 , 8, 130-135		3
473	Factors associated with and causes of perinatal mortality in northeastern Tanzania. 2012 , 91, 1061-8		43
472	Hypertensive disorders in pregnancy and fetal death at different gestational lengths: a population study of 2 121 371 pregnancies. 2012 , 119, 1521-8		52
471	Pharmacological management of hypertensive emergencies and urgencies: focus on newer agents. 2012 , 21, 1089-106		18
470	Cardiovascular drugs in pregnancy. <i>Cardiology Clinics</i> , 2012 , 30, 463-91	2.5	25
469	D-dimer in preeclampsia: systematic review and meta-analysis. 2012 , 414, 166-70		24
468	Altered decidual DC-SIGN+ antigen-presenting cells and impaired regulatory T-cell induction in preeclampsia. 2012 , 181, 2149-60		121
467	Periodontitis as a risk factor for preeclampsia. 2012 , 83, 1388-96		25
466	Periodontal disease is not associated with preeclampsia in Canadian pregnant women. 2012 , 83, 871-7		16
465	Hypertension and pregnancy. 2012 , 30, 903-17		7
464	[Contribution of angioplasty of a fibromuscular angiodyplastic renal artery during early-onset gestational hypertension]. 2012 , 37, 26-9		1
463	Clinical pearls in women's health. 2012 , 87, 89-93		1
462	Preconception counseling. 2012 , 39, 1-16		5
461	Maternal iNOS genetic polymorphisms and hypertensive disorders of pregnancy. <i>Journal of Human Hypertension</i> , 2012 , 26, 547-52	2.6	17
460	Matrix metalloproteinase-9 polymorphisms affect plasma MMP-9 levels and antihypertensive therapy responsiveness in hypertensive disorders of pregnancy. 2012 , 12, 489-98		38
459	Low-risk pregnancy at 41 weeks: when should we induce labor?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 728-31	2	4

458	Hypertension in pregnancy: The current state of the art. 2012 , 31, 425-432		3
457	Circulating levels of thrombospondin-1 are decreased in HELLP syndrome. 2012 , 129, 470-3		7
456	Should cervical favourability play a role in the decision for labour induction in gestational hypertension or mild pre-eclampsia at term? An exploratory analysis of the HYPITAT trial. 2012 , 119, 1123-30		29
455	Long-term cerebral imaging after pre-eclampsia. 2012 , 119, 1117-22		76
454	Endothelial microparticles and the antiangiogenic state in preeclampsia and the postpartum period. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 140.e20-6	6.4	42
453	Increased CXCL12 expression in the placentae of women with pre-eclampsia. 2012 , 160, 137-41		17
452	Severely decreased activity of placental dimethylarginine dimethylaminohydrolase in pre-eclampsia. 2012 , 161, 152-6		17
451	Fetal tissue Doppler imaging in pregnancies complicated with preeclampsia with or without intrauterine growth restriction. 2012 , 32, 1021-8		9
450	Early pregnancy screening for hypertensive disorders in women without a-priori high risk. 2012 , 40, 398-405		15
449	The effects of oxidative stress on female reproduction: a review. 2012 , 10, 49		712
448	Hypertension in women. <i>Hypertension Research</i> , 2012 , 35, 148-52	4.7	54
447	Potential effects of chocolate on human pregnancy: a randomized controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1860-7	2	20
446	Epistasis among eNOS, MMP-9 and VEGF maternal genotypes in hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2012 , 35, 917-21	4.7	25
445	Hypertension crisis in the emergency department. <i>Cardiology Clinics</i> , 2012 , 30, 533-43	2.5	37
444	Oxidative stress in pathological pregnancies. 2012 , 32, 124-7		25
443	Changes in maternal serum thioredoxin (TRX) levels after delivery in preeclamptic and normotensive pregnant women. <i>Hypertension in Pregnancy</i> , 2012 , 31, 140-6	2	
442	What is the optimal time for delivery in women with gestational hypertension?. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 214.e1-6	6.4	22
441	Comparison of 12-hour urine protein and protein:creatinine ratio with 24-hour urine protein for the diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 233.e1-8	6.4	8

440	Maternal preeclampsia is associated with increased risk of necrotizing enterocolitis in preterm infants. 2012 , 88, 893-8		34
439	Micro RNA: New aspect in pathobiology of preeclampsia?. 2012 , 13, 127-131		4
438	Association of pre-eclampsia with or without superimposed chronic hypertension in pregnant women with the risk of congenital abnormalities in their offspring: a population-based case-control study. 2012 , 163, 17-21		14
437	First-trimester maternal serum metastatin, placental growth factor and chitotriosidase levels in pre-eclampsia. 2012 , 164, 146-9		14
436	Interleukin-1 β gene is not associated with preeclampsia in Taiwanese. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012 , 51, 240-4	1.6	13
435	Serum levels of zinc, calcium, and iron are associated with the risk of preeclampsia in pregnant women. 2012 , 32, 764-9		34
434	A single rapid point-of-care placental growth factor determination as an aid in the diagnosis of preeclampsia. <i>Pregnancy Hypertension</i> , 2012 , 2, 8-15	2.6	42
433	Plasma soluble corin and N-terminal pro-atrial natriuretic peptide levels in pregnancy induced hypertension. <i>Pregnancy Hypertension</i> , 2012 , 2, 48-52	2.6	30
432	Calcium-to-creatinine ratio in pregnancy-induced hypertension. <i>Pregnancy Hypertension</i> , 2012 , 2, 59-64	2.6	
431	Serum S100B in pregnancy complicated by preeclampsia: A case-control study. <i>Pregnancy Hypertension</i> , 2012 , 2, 101-5	2.6	8
430	Plasma levels of S100B during pregnancy in women developing pre-eclampsia. <i>Pregnancy Hypertension</i> , 2012 , 2, 398-402	2.6	14
429	[A 28-years old pregnant woman with systemic lupus erythematosus, proteinuria and arterial hypertension]. 2012 , 139, 489-97		0
428	Pre-eclampsia-eclampsia admitted to critical care unit. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2051-4	2	7
427	Hypertension in pregnancy. <i>Cardiology Clinics</i> , 2012 , 30, 407-23	2.5	32
426	Hypertensive Disorders. 2012 , 99-110		4
425	Exercise-training reduced blood pressure and improve placental vascularization in pregnant spontaneously hypertensive rats--pilot study. 2012 , 31, 423-31		6
424	Preeclampsia is associated with alterations in DNA methylation of genes involved in collagen metabolism. 2012 , 181, 1455-63		24
423	[Hypertension in pregnancy: the current state of the art]. 2012 , 31, 425-32		4

422	Influence of inflammatory infiltrate and alterations of the blood flow in the etiopathogenesis of the basement membrane of the amniotic epithelium (BMAE) thickening in patients with hypertensive syndromes in pregnancy. 2012 , 286, 1117-21		2
421	Nifedipine versus labetalol in the treatment of hypertensive disorders of pregnancy. 2012 , 286, 637-42		26
420	A cohort evaluation on arterial stiffness and hypertensive disorders in pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 160	3.2	14
419	Breastfeeding in women with severe preeclampsia. 2012 , 7, 457-63		37
418	Replacing 24-h Albumin Excretion with a Shorter Collection Period in Preeclampsia. 2012 , 62, 424-8		1
417	Preeclampsia: mediadores moleculares del dañ placentario. 2012 , 77, 72-78		1
416	Visfatin serum levels are increased in women with preeclampsia: a case-control study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1668-73	2	11
415	Metabolic syndrome as a risk factor for hypertension after preeclampsia. 2012 , 120, 311-7		16
414	A proteome signature for intrauterine growth restriction derived from multifactorial analysis of mass spectrometry-based cord blood serum profiling. 2012 , 33, 1881-93		21
413	Preeclampsia and hypertensive disease in pregnancy: their contributions to cardiovascular risk. 2012 , 35, 160-5		54
412	Preeclampsia: the role of tissue factor and tissue factor pathway inhibitor. 2012 , 34, 1-6		15
411	Role of antihypertensive therapy in mild to moderate pregnancy-induced hypertension: a prospective randomized study comparing labetalol with alpha methyl dopa. 2012 , 285, 1553-62		39
410	Bone turnover in preeclampsia-complicated pregnancy in North Indian women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 172-9	1.9	7
409	Correlation of magnesium levels in cord blood and maternal serum among pre-eclamptic pregnant women treated with magnesium sulfate. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 247-52 ⁹		6
408	Neonatal side effects of maternal labetalol treatment in severe preeclampsia. 2012 , 88, 503-7		36
407	Microparticles of pregnant women and preeclamptic patients activate endothelial cells in the presence of monocytes. <i>American Journal of Reproductive Immunology</i> , 2012 , 67, 206-15	3.8	12
406	Effects of matrix metalloproteinase (MMP)-2 polymorphisms on responsiveness to antihypertensive therapy of women with hypertensive disorders of pregnancy. 2012 , 111, 262-7		16
405	Maternal left ventricular and endothelial functions in preeclampsia. 2012 , 91, 566-73		34

404	Electrocardiographic findings in women with a recent history of pre-eclampsia. 2012 , 91, 372-8		5
403	Risk of placenta-mediated pregnancy complications or pregnancy-related VTE in VTE-asymptomatic families of probands with VTE and heterozygosity for factor V Leiden or G20210 prothrombin mutation. 2012 , 89, 250-5		4
402	Myeloperoxidase in the plasma and placenta of normal pregnant women and women with pregnancies complicated by preeclampsia and intrauterine growth restriction. <i>Placenta</i> , 2012 , 33, 294-303	3.4	17
401	Nutritional status among women with pre-eclampsia and healthy pregnant and non-pregnant women in a Latin American country. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 498-504	1.9	15
400	Calciuria and preeclampsia: a case-control study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 674-80	1.9	3
399	Comparison of placental pathology between severe preeclampsia and HELLP syndrome. 2012 , 285, 175-81		4
398	Lack of relationship between endothelial nitric oxide synthase gene 4b/a and T-786C polymorphisms with preeclampsia in southeast of Iran. 2012 , 285, 405-9		10
397	Matrix metalloproteinases and their tissue inhibitors in hypertension-related pregnancy complications. <i>Journal of Human Hypertension</i> , 2013 , 27, 72-8	2.6	27
396	Mass spectrometry as a novel method for detection of podocyturia in pre-eclampsia. 2013 , 28, 1555-61		26
395	Presymptomatic prediction of preeclampsia with angiogenic factors, in high risk pregnant women. <i>Hypertension in Pregnancy</i> , 2013 , 32, 312-20	2	13
394	Placental growth factor: as an early second trimester predictive marker for preeclampsia in normal and high-risk pregnancies in a Turkish population. 2013 , 63, 158-63		6
393	Sex-specific risk of cardiovascular disease and cognitive decline: pregnancy and menopause. 2013 , 4, 6		36
392	Insuffisance rénale aiguë et prééclampsie. 2013 , 22, 373-381		
391	Preeclampsia and ABO blood groups: a systematic review and meta-analysis. 2013 , 40, 2253-61		30
390	Relationship between adiponectin and nitrite in healthy and preeclampsia pregnancies. 2013 , 423, 112-5		21
389	Increase of placental sensitivity to melatonin and the alteration to its local synthesis in hypertensive syndromes in pregnancy. <i>Hypertension in Pregnancy</i> , 2013 , 32, 120-8	2	3
388	Differentially expressed microRNAs and affected biological pathways revealed by modulated modularity clustering (MMC) analysis of human preeclamptic and IUGR placentas. <i>Placenta</i> , 2013 , 34, 599-605	3.4	54
387	First trimester PAPP-A levels correlate with sFlt-1 levels longitudinally in pregnant women with and without preeclampsia. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 85	3.2	12

386	Variation in endoglin pathway genes is associated with preeclampsia: a case-control candidate gene association study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 82	3.2	23
385	Maternal preeclampsia and bone mineral density of the adult offspring. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 443.e1-443.e10	6.4	8
384	Magnesium supplementation to prevent high blood pressure in pregnancy: a randomised placebo control trial. 2013 , 288, 1269-74		24
383	Trace elements and oxidative stress in hypertensive disorders of pregnancy. 2013 , 287, 19-24		29
382	Preeclampsia. 2013 , 1-14		
381	Maternal and fetal outcome in Swedish women with erythropoietic protoporphyria. 2013 , 168, 1311-5		2
380	Prediction of fetal acidemia in placental abruption. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 156	3.2	10
379	Maternal recall of hypertensive disorders in pregnancy: a systematic review. <i>Journal of Women's Health</i> , 2013 , 22, 37-47	3	65
378	Metabolic syndrome and the risk for recurrent pre-eclampsia: a retrospective cohort study. 2013 , 120, 979-86		22
377	Fetal growth in women with homozygous sickle cell disease: an observational study. 2013 , 170, 62-6		10
376	Patent ductus arteriosus, low platelets, cyclooxygenase inhibitors, and intraventricular hemorrhage in very low birth weight preterm infants. 2013 , 163, 23-8		25
375	Evaluation of a rapid and simple placental growth factor test in hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2013 , 36, 457-62	4.7	10
374	Hemodynamic adaptation to pregnancy in women with structural heart disease. 2013 , 168, 825-31		34
373	Assessment of L-arginine asymmetric 1 dimethyl (ADMA) in early-onset and late-onset (severe) preeclampsia. 2013 , 33, 81-2		31
372	Combined biomarkers evaluation for diagnosing kidney injury in preeclampsia. <i>Hypertension in Pregnancy</i> , 2013 , 32, 439-49	2	27
371	Neurological disorders. 2013 , 27, 867-75		10
370	Global and regional estimates of preeclampsia and eclampsia: a systematic review. 2013 , 170, 1-7		579
369	Gestational angiogenic biomarker patterns in high risk preeclampsia groups. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 53.e1-9	6.4	37

368	Antiphospholipid antibodies internalised by human syncytiotrophoblast cause aberrant cell death and the release of necrotic trophoblast debris. 2013 , 47, 45-57		49
367	Increased serum concentrations of circulating glycocalyx components in HELLP syndrome compared to healthy pregnancy: an observational study. 2013 , 20, 318-25		42
366	Placental syncytiotrophoblast maintains a specific type of glycocalyx at the fetomaternal border: the glycocalyx at the fetomaternal interface in healthy women and patients with HELLP syndrome. 2013 , 20, 1237-45		17
365	The treatment of hypertension during pregnancy: when should blood pressure medications be started?. 2013 , 15, 412		20
364	Clonidine versus captopril for treatment of postpartum very high blood pressure: study protocol for a randomized controlled trial (CLONCAP). 2013 , 10, 37		1
363	Comparison of placental growth factor and fetal flow Doppler ultrasonography to identify fetal adverse outcomes in women with hypertensive disorders of pregnancy: an observational study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 161	3.2	17
362	Interbirth interval and history of previous preeclampsia: a case-control study among multiparous women. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 244	3.2	6
361	Proteinuria in preeclampsia from a podocyte injury perspective. 2013 , 15, 600-5		21
360	Survey of calcium supplementation to prevent preeclampsia: the gap between evidence and practice in Brazil. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 206	3.2	12
359	Hypertension in pregnancy is a risk factor for microalbuminuria later in life. 2013 , 15, 617-23		26
358	Associations between insulin-like growth factor I, vascular endothelial growth factor and its soluble receptor 1 in umbilical serum and endothelial cells obtained from normotensive and preeclamptic pregnancies. 2013 , 31, 123-9		11
357	High levels of heat shock protein 70 are associated with pro-inflammatory cytokines and may differentiate early- from late-onset preeclampsia. 2013 , 100, 129-34		49
356	Second-trimester uterine artery Doppler, PlGF, sFlt-1, sEndoglin, and lipid-related markers for predicting preeclampsia in a high-risk population. 2013 , 33, 1070-4		18
355	Serum levels of the adipokine fibroblast growth factor-21 are increased in preeclampsia. <i>Cytokine</i> , 2013 , 62, 322-6	4	30
354	Hypertensive crisis during pregnancy and postpartum period. 2013 , 37, 280-7		27
353	Haptoglobin polymorphism affects nitric oxide bioavailability in preeclampsia. <i>Journal of Human Hypertension</i> , 2013 , 27, 349-54	2.6	14
352	Differentiating between gestational and chronic hypertension; an explorative study. 2013 , 92, 312-7		5
351	Validity of the diagnosis of pre-eclampsia in the Medical Birth Registry of Norway. 2013 , 92, 943-50		72

350	VEGF, PlGF and HIF-1 α in placentas of early- and late-onset pre-eclamptic patients. 2013 , 29, 797-800		19
349	The relationship between amniotic and newborn gastric fluid inflammatory mediators. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1069-75	2	4
348	Pharmacologic Management of Hypertension. 2013 , 474-489		3
347	Elevated blood pressure in pregnancy and subsequent chronic disease risk. 2013 , 127, 681-90		209
346	Serum levels of growth arrest specific protein 6 are increased in preeclampsia. 2013 , 182, 7-11		13
345	Early-pregnancy asymmetric dimethylarginine (ADMA) levels in women prone to develop recurrent hypertension. <i>Pregnancy Hypertension</i> , 2013 , 3, 118-23	2.6	6
344	Associations between ambient air pollution and Hypertensive Disorders of Pregnancy. <i>Environmental Research</i> , 2013 , 123, 9-16	7.9	47
343	Expression of DJ-1 proteins in placentas from women with severe preeclampsia. 2013 , 168, 40-4		4
342	Influencing factors for late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1299-302	2	10
341	Oxidative stress and immunological alteration in women with preeclampsia. <i>Hypertension in Pregnancy</i> , 2013 , 32, 304-11	2	12
340	External funding of obstetrical publications: citation significance and trends over 2 decades. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 150.e1-6	6.4	
339	Analysis of patents on preeclampsia detection and diagnosis: a perspective. <i>Placenta</i> , 2013 , 34, 2-8	3.4	13
338	Women, kidney disease, and pregnancy. 2013 , 20, 402-10		75
337	Effect of maternal chronic disease on obstetric complications in twin pregnancies in a United States cohort. 2013 , 100, 142-9.e1-2		13
336	Preeclampsia and Sleep-Disordered Breathing: A Case-Control Study. <i>Pregnancy Hypertension</i> , 2013 , 3, 133-139	2.6	19
335	A new method for measurement of placental elasticity: acoustic radiation force impulse imaging. <i>Placenta</i> , 2013 , 34, 1009-13	3.4	57
334	Maternal hypertensive disorders in pregnancy and self-reported cognitive impairment of the offspring 70 years later: the Helsinki Birth Cohort Study. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 200.e1-9	6.4	39
333	Determination of placental growth factor (PlGF) levels in healthy pregnant women without signs or symptoms of preeclampsia. <i>Pregnancy Hypertension</i> , 2013 , 3, 124-32	2.6	48

332	Utility of B-type natriuretic peptides in preeclampsia: a systematic review. 2013 , 22, 96-103		34
331	Cerebral oxygen saturation evaluated by near-infrared time-resolved spectroscopy (TRS) in pregnant women during caesarean section - a promising new method of maternal monitoring. 2013 , 33, 109-16		13
330	Exogenous vascular endothelial growth factor supplementation can restore the podocyte barrier-forming capacity disrupted by sera of preeclamptic women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 46-52	1.9	10
329	Association of maternal periodontal health with adverse pregnancy outcome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 40-5	1.9	39
328	Laminin-1 (LM-111) in preeclampsia and systemic lupus erythematosus. 2013 , 46, 14-20		6
327	Aspirin in the prevention of pre-eclampsia in high-risk women: a randomised placebo-controlled PREDO Trial and a meta-analysis of randomised trials. 2013 , 120, 64-74		113
326	Renal Physiology and Disease in Pregnancy. 2013 , 2689-2761		4
325	Mid-gestational maternal cardiovascular profile in preterm and term pre-eclampsia: a prospective study. 2013 , 120, 496-504		101
324	Postpartum management of hypertension. 2013 , 346, f894		38
323	The adaptation of the cerebral circulation to pregnancy: mechanisms and consequences. 2013 , 33, 465-78		44
322	Pathophysiology of hypertension in pre-eclampsia: a lesson in integrative physiology. 2013 , 208, 224-33		130
321	Pregnancy and kidney disease: crossroads no more. 2013 , 20, 203-5		
320	The management of hypertension in pregnancy. 2013 , 20, 229-39		64
319	Cardiovascular imaging of the pregnant patient. 2013 , 200, 515-21		69
318	Pregnancy-associated retinal diseases and their management. 2013 , 58, 127-42		79
317	Preeclampsia: an obstetrician's perspective. 2013 , 20, 287-96		30
316	New developments in the pathogenesis of preeclampsia. 2013 , 20, 265-70		72
315	Severe preeclampsia and maternal self-report of oral health, hygiene, and dental care. 2013 , 84, 143-51		15

314	Pregnancy risk factors for very premature delivery: what role do hypertension, obesity and diabetes play?. 2013 , 288, 57-64		16
313	Analysis of polymorphisms and haplotypes in genes associated with vascular tone, hypertension and oxidative stress in Mexican-Mestizo women with severe preeclampsia. 2013 , 46, 627-32		19
312	Neonatal outcome in infants of chronically hypertensive mothers. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 1142-6	1.9	9
311	Poincaré Plot Methods for Heart Rate Variability Analysis. 2013 ,		45
310	Preeclampsia: are platelet count and indices useful for its prognostic?. 2013 , 18, 360-4		40
309	Successful use of air-Q intubating laryngeal airway after failed rapid sequence intubation in a child with Rubinstein-Taybi syndrome. 2013 , 57, 203-4		5
308	Subclinical hypothyroidism after vascular complicated pregnancy. <i>Hypertension in Pregnancy</i> , 2013 , 32, 1-10	2	1
307	Cerebro vascular reactivity (CVR) of middle cerebral artery in response to CO ₂ 5% inhalation in preeclamptic women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1020-3	2	8
306	Nutritional status of women with gestational hypertension compared with normal pregnant women. <i>Hypertension in Pregnancy</i> , 2013 , 32, 146-56	2	17
305	Insulin growth factor-1 in pre-eclampsia. 2013 , 3, 102-106		
304	The expression and concentration of CD40 ligand in normal pregnancy, preeclampsia, and hemolytic anemia, elevated liver enzymes and low platelet count (HELLP) syndrome. 2013 , 24, 71-5		5
303	Hypertensive disease of pregnancy and maternal mortality. 2013 , 25, 124-32		223
302	Oral nifedipine or intravenous labetalol for hypertensive emergency in pregnancy: a randomized controlled trial. 2013 , 122, 1057-1063		45
301	Podocyturia predates proteinuria and clinical features of preeclampsia: longitudinal prospective study. <i>Hypertension</i> , 2013 , 61, 1289-96	8.5	90
300	Efficiency of first-trimester uterine artery Doppler, α-disintegrin and metalloprotease 12, pregnancy-associated plasma protein a, and maternal characteristics in the prediction of preeclampsia. 2013 , 32, 1593-600		22
299	Is the atherosclerotic phenotype of preeclamptic placentas due to altered lipoprotein concentrations and placental lipoprotein receptors? Role of a small-for-gestational-age phenotype. 2013 , 54, 2658-64		19
298	Elevated serum angiopoietin-like protein 6 in women with subsequent pregnancy-induced hypertension: a preliminary study. <i>Hypertension in Pregnancy</i> , 2013 , 32, 203-13	2	10
297	Cellular fetal microchimerism in preeclampsia. <i>Hypertension</i> , 2013 , 62, 1062-7	8.5	32

296	Metabolic pathways involved in 2-methoxyestradiol synthesis and their role in preeclampsia. 2013 , 20, 1020-9		25
295	The course of angiogenic factors in early- vs. late-onset preeclampsia and HELLP syndrome. 2013 , 41, 511-6		47
294	Hypertension in Pregnancy. 2013 , 521-528		
293	Correlation of biochemical parameters and neonatal outcome in patients with gestational hypertension. 2013 , 35, 6-10		2
292	Pregnancy: Pre-eclampsia and Diet. 2013 , 75-80		1
291	Effects of angiogenic factors, antagonists, and podocyte injury on development of proteinuria in preeclampsia. 2013 , 20, 579-88		15
290	Differences and similarities in the transcriptional profile of peripheral whole blood in early and late-onset preeclampsia: insights into the molecular basis of the phenotype of preeclampsia. 2013 , 41, 485-504		27
289	Circulating lymphangiogenic factors in preeclampsia. <i>Hypertension in Pregnancy</i> , 2013 , 32, 42-9	2	15
288	Strip of the Month: January 2013. 2013 , 14, e38-e48		
287	Contribution of dysfunction of maternal hemodynamics to renal impairment in preeclampsia. 2013 , 76, 95-9		9
286	Genetic admixture and risk of hypertensive disorders of pregnancy among Latinas in Los Angeles County. <i>Epidemiology</i> , 2013 , 24, 285-94	3.1	8
285	Management of gestational hypertension - the impact of HYPITATa. 2013 , 41, 415-20		7
284	Immediate Perinatal Outcome of Neonates with Maternal Hypertensive Disorders in Pregnancy. 2013 , 33, 190-195		
283	Early pregnancy circulatory adaptation and recurrent hypertensive disease: an explorative study. 2013 , 20, 1069-74		13
282	A Novel Haplotype Structure in a Chilean Population: Implications for ERAP2 Protein Expression and Preeclampsia Risk. 2013 , 1, 98-107		29
281	Epidemiology of preeclampsia: impact of obesity. 2013 , 71 Suppl 1, S18-25		194
280	Circulating angiogenic factors and urinary prolactin as predictors of adverse outcomes in women with preeclampsia. <i>Hypertension</i> , 2013 , 61, 1118-25	8.5	42
279	Hypertensive pregnancy disorders as a risk factor for future cardiovascular and metabolic disorders (Tehran Lipid and Glucose Study). <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 891-7	1.9	14

278	First-trimester hyperglycosylated human chorionic gonadotropin and development of hypertension. 2013 , 33, 1075-9		11
277	Endothelial dysfunction in gestational hypertension induced by catechol-O-methyltransferase inhibition. 2013 , 98, 856-66		14
276	Adenosine deaminase activity in normal pregnancy and pregnancy associated disorders. 2013 , 119, 88-91		15
275	Automated measurement of sFlt1, PlGF and sFlt1/PlGF ratio in differential diagnosis of hypertensive pregnancy disorders. <i>Hypertension in Pregnancy</i> , 2013 , 32, 459-73	2	24
274	Abnormal analyte preeclampsia: do the second-trimester maternal serum analytes help differentiate preeclampsia subtypes?. 2013 , 33, 754-8		1
273	Hypertension after preeclampsia is preceded by changes in cardiac structure and function. <i>Hypertension</i> , 2013 , 62, 382-90	8.5	49
272	Low Birth Weight in Sidi Bel Abbes Region (West of Algeria): Retrospective Study of 10008 Deliveries. 2014 , 05,		
271	Prognostic role of maternal neutrophil gelatinase-associated lipocalin in women with severe early-onset preeclampsia. 2014 , 35, 127-32		10
270	Association between CRP gene polymorphisms and the risk of preeclampsia in Han Chinese women. 2014 , 18, 775-80		5
269	Maternal serum soluble HLA-G in complicated pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 381-4	2	7
268	Arginine supplementation for improving maternal and neonatal outcomes in hypertensive disorder of pregnancy: a systematic review. 2014 , 15, 88-96		29
267	Alteration in methylation level at 11 β hydroxysteroid dehydrogenase type 2 gene promoter in infants born to preeclamptic women. 2014 , 15, 96		13
266	Cigarette smoke-induced placental adrenomedullin expression and trophoblast cell invasion. 2014 , 21, 63-71		12
265	Timely assessment of cardiovascular risk after preeclampsia. 2014 , 10, 557-9		5
264	Mid-aortic syndrome in pregnancy. <i>Journal of Human Hypertension</i> , 2014 , 28, 140-1	2.6	
263	Polymorphisms of the adiponectin gene in gestational hypertension and pre-eclampsia. <i>Journal of Human Hypertension</i> , 2014 , 28, 128-32	2.6	11
262	Preeclampsia is an independent risk factor for spontaneous intestinal perforation in very preterm infants. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 1248-51	2	1
261	Innate immune system and preeclampsia. 2014 , 5, 244		79

260	Quantifying proteinuria in hypertensive disorders of pregnancy. 2014 , 2014, 941408		6
259	Comparison of different cardiac risk scores for coronary artery disease in symptomatic women: do female-specific risk factors matter?. 2014 , 21, 1443-50		12
258	Neuroimaging features and predictors of outcome in eclamptic encephalopathy: a prospective observational study. 2014 , 35, 1728-34		42
257	Cost-effectiveness analysis of cardiovascular risk factor screening in women who experienced hypertensive pregnancy disorders at term. <i>Pregnancy Hypertension</i> , 2014 , 4, 264-70	2.6	6
256	Post-partum recovery course in patients with gestational hypertension and pre-eclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 919-25	1.9	11
255	Maternal hypertensive pregnancy disorders and cognitive functioning of the offspring: a systematic review. 2014 , 8, 832-47.e1		48
254	Maternal outcomes of hypertensive disorders in pregnancy at Korle Bu Teaching Hospital, Ghana. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 127, 238-42	4	21
253	Guidelines for the prevention of stroke in women: a statement for healthcare professionals from the American Heart Association/American Stroke Association. 2014 , 45, 1545-88		560
252	Usefulness of fetal urine production measurement for prediction of perinatal outcomes in uteroplacental insufficiency. 2014 , 33, 2165-71		7
251	Seasonal variation in the prevalence of pregnancy-induced hypertension in Japanese women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 926-31	1.9	18
250	Combination of plasma-soluble fms-like tyrosine kinase 1 and uterine artery Doppler for the prediction of preeclampsia in cases of elderly gravida. <i>Hypertension Research</i> , 2014 , 37, 538-42	4.7	14
249	Preeclampsia is associated with lower production of vascular endothelial growth factor by peripheral blood mononuclear cells. 2014 , 45, 561-9		12
248	Expansion of CD4(+) HLA-G(+) T Cell in human pregnancy is impaired in pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2014 , 71, 217-28	3.8	37
247	Differences in preeclampsia rates between African American and Caucasian women: trends from the National Hospital Discharge Survey. <i>Journal of Women's Health</i> , 2014 , 23, 886-93	3	50
246	The relationship of angiogenic factors to maternal and neonatal manifestations of early-onset and late-onset preeclampsia. 2014 , 34, 1084-92		32
245	Histologic differences in placentas of preeclamptic/eclamptic gestations by birthweight, placental weight, and time of onset. 2014 , 17, 181-9		22
244	Screening models using multiple markers for early detection of late-onset preeclampsia in low-risk pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 35	3.2	30
243	Modulation of blood pressure response to exercise by physical activity and relationship with resting blood pressure during pregnancy. 2014 , 32, 1450-7; discussion 1457		7

242	Perfluoroalkyl substances during pregnancy and validated preeclampsia among nulliparous women in the Norwegian Mother and Child Cohort Study. 2014 , 179, 824-33		40
241	Metabolomics in hypertension. 2014 , 32, 1159-69		49
240	Physical activity and the risk of preeclampsia: a systematic review and meta-analysis. <i>Epidemiology</i> , 2014 , 25, 331-43	3.1	137
239	Intrapartum magnesium sulfate and the potential for cardiopulmonary drug-drug interactions. 2014 , 36, 544-8		3
238	Regional distribution of cerebral white matter lesions years after preeclampsia and eclampsia. 2014 , 123, 790-5		41
237	Hypertension, snoring, and obstructive sleep apnoea during pregnancy: a cohort study. 2014 , 121, 1685-93		53
236	Characterization of the soluble fms-like tyrosine kinase-1 to placental growth factor ratio in pregnancies complicated by fetal growth restriction. 2014 , 124, 265-273		63
235	Maternal vitamin D status and the risk of mild and severe preeclampsia. <i>Epidemiology</i> , 2014 , 25, 207-14	3.1	103
234	The prevalence of retinal and optical coherence tomography findings in preeclamptic women. 2014 , 34, 1376-83		16
233	Laboratory abnormalities in pregnancy-associated hypertension: frequency and association with pregnancy outcomes. 2014 , 124, 933-940		11
232	Sleep-disordered breathing during pregnancy: future implications for cardiovascular health. 2014 , 69, 164-76		18
231	Angiogenic biomarkers for prediction of early preeclampsia onset in high-risk women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 1038-48	2	33
230	Customized growth curves for identification of large-for-gestational age neonates in pre-eclamptic women. 2014 , 43, 165-9		4
229	Clinical differences between early- and late-onset severe preeclampsia and analysis of predictors for perinatal outcome. 2014 , 42, 617-27		17
228	New gestational phase-specific cutoff values for the use of the soluble fms-like tyrosine kinase-1/placental growth factor ratio as a diagnostic test for preeclampsia. <i>Hypertension</i> , 2014 , 63, 346-52	8.5	199
227	Evaluation of plasma endothelial microparticles in pre-eclampsia. 2014 , 42, 42-51		7
226	LPL Ser447Ter and Asn291Ser variants in Romanians: associations with preeclampsia - implications on lipid profile and prognosis. <i>Hypertension in Pregnancy</i> , 2014 , 33, 15-30	2	4
225	Hypoproteinemia in the second trimester among patients with preeclampsia prior to the onset of clinical symptoms. <i>Hypertension in Pregnancy</i> , 2014 , 33, 55-60	2	5

224	Community pharmacist surveillance of hypertension in pregnancy: Are we ready for prime time?. 2014 , 147, 307-15		2
223	Prediction of preeclampsia and induced delivery at . <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 292	3.2	23
222	TNF G308A gene polymorphism has an impact on renal function, microvascular permeability, organ involvement and severity of preeclampsia. 2014 , 78, 150-61		14
221	Correlations between circulating levels of adipokines and anti-angiogenic factors in women with BMI . <i>Hypertension in Pregnancy</i> , 2014 , 33, 72-80	2	11
220	Risk of adverse pregnancy outcomes in women with mild chronic hypertension before 20 weeks of gestation. 2014 , 123, 966-972		39
219	Cumulative exposure to paternal seminal fluid prior to conception and subsequent risk of preeclampsia. 2014 , 101-102, 104-110		64
218	Increased plasma norepinephrine levels in previously pre-eclamptic women. <i>Journal of Human Hypertension</i> , 2014 , 28, 269-73	2.6	16
217	Hyperglycemia impairs cytotrophoblast function via stress signaling. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 541.e1-8	6.4	30
216	Racial differences in gestational weight gain and pregnancy-related hypertension. 2014 , 24, 441-7		38
215	Association of COMT G675A and MTHFR C677T polymorphisms with hypertensive disorders of pregnancy in Mexican mestizo population. <i>Pregnancy Hypertension</i> , 2014 , 4, 59-64	2.6	8
214	Mass spectrometric profiling of cord blood serum proteomes to distinguish infants with intrauterine growth restriction from those who are small for gestational age and from control individuals. 2014 , 164, 57-69		17
213	Vitamin D status and hypertensive disorders in pregnancy. 2014 , 24, 399-403.e1		41
212	Agreement of label information of cardiovascular drugs in pregnancy among Korea, the USA, the UK, and Japan. 2014 , 68, 363-9		6
211	Effect of age, parity, and race on the incidence of pregnancy associated hypertension and eclampsia in the United States. <i>Pregnancy Hypertension</i> , 2014 , 4, 46-53	2.6	11
210	Blood pressure in pregnancy and magnesium sensitive genes. <i>Pregnancy Hypertension</i> , 2014 , 4, 41-5	2.6	8
209	Safety of influenza vaccination during pregnancy: a review of subsequent maternal obstetric events and findings from two recent cohort studies. 2014 , 32, 3122-7		44
208	Maternal-fetal HLA sharing and preeclampsia: variation in effects by seminal fluid exposure in a case-control study of nulliparous women in Iowa. 2014 , 101-102, 111-119		26
207	The importance of repeated measurements of the sFlt-1/PlGF ratio for the prediction of preeclampsia and intrauterine growth restriction. 2014 , 42, 61-8		48

206	Statistical regression model of standard and new laboratory markers and its usefulness in prediction of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 388-92	2	5
205	Glomerular Disease in Pregnancy. 2014 , 315-328		
204	Influence of gestational age and body weight on the pharmacokinetics of labetalol in pregnancy. 2014 , 53, 373-83		36
203	Significance of the platelet distribution width as a severity marker for the development of preeclampsia. 2014 , 175, 107-11		51
202	Variations of microRNAs in human placentas and plasma from preeclamptic pregnancy. <i>Hypertension</i> , 2014 , 63, 1276-84	8.5	158
201	Biomarkers of endothelial dysfunction in preeclampsia and neonatal morbidity: a case-control study. 2014 , 175, 119-23		33
200	Hypertension in pregnancy. 2014 , 16, 395		79
199	Albumin to creatinine ratio in a random urine sample: Correlation with severity of preeclampsiaPeer review under responsibility of Alexandria University Faculty of Medicine.View all notesAvailable online 31 January 2014View all notes. 2014 , 50, 139-142		1
198	Drug treatment of hypertension in pregnancy. 2014 , 74, 283-96		57
197	Preeclampsia-eclampsia. 2014 , 64, 4-13		25
196	Utilization of primary and obstetric care after medically complicated pregnancies: an analysis of medical claims data. 2014 , 29, 636-45		95
195	Maternal near miss and death among women with severe hypertensive disorders: a Brazilian multicenter surveillance study. 2014 , 11, 4		46
194	Advances in the pathophysiology of pre-eclampsia and related podocyte injury. 2014 , 86, 275-85		85
193	Is there any relationship between ABO/Rh blood group and patients with pre-eclampsia?. <i>Pregnancy Hypertension</i> , 2014 , 4, 170-3	2.6	7
192	Magnesium in pregnancy blood pressure and pre-eclampsia - A review. <i>Pregnancy Hypertension</i> , 2014 , 4, 146-9	2.6	10
191	Pregnancy and Diabetic Nephropathy. 2014 , 163-173		2
190	Vascular pool of releasable soluble VEGF receptor-1 (sFLT1) in women with previous preeclampsia and uncomplicated pregnancy. 2014 , 99, 978-87		12
189	Abbreviated (12-hour) versus traditional (24-hour) postpartum magnesium sulfate therapy in severe pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 126, 260-4	4	10

188	Polycystic Ovary Syndrome. 2014,		1
187	A comparison of prophylactic intramuscular ergometrine and oxytocin for women in the third stage of labor. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 124, 67-71	4	10
186	A polypeptide drug carrier for maternal delivery and prevention of fetal exposure. 2014 , 22, 935-47		21
185	Angiotensin Converting Enzyme 90 kDa isoform: Biomarker for diagnosis of preeclampsia?. 2014 , 83, 526-9		1
184	Electrocardiographic changes in hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2014 , 37, 973-5	4-7	5
183	Falling insulin requirements are associated with adverse obstetric outcomes in women with preexisting diabetes. 2014 , 37, 2685-92		22
182	The predictive value of the first-trimester maternal serum chemerin level for pre-eclampsia. 2014 , 62, 150-4		13
181	Risk factors differ between recurrent and incident preeclampsia: a hospital-based cohort study. 2014 , 24, 871-7e3		22
180	Could mean platelet volume in late first trimester of pregnancy predict intrauterine growth restriction and pre-eclampsia?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1840-5	1.9	31
179	Urinary protein selectivity in nephrotic syndrome and pregnancy: resurrection of a biomarker when renal biopsy is contraindicated. 2014 , 7, 595-8		8
178	Maternal NT-proBNP in chronic hypertensive pregnancies and superimposed preeclampsia. 2014 , 176, 1227-9		13
177	Cardiovascular implications in preeclampsia: an overview. 2014 , 130, 703-14		180
176	Expression of placenta growth factor, soluble fms-like tyrosine kinase-1, metal-responsive transcription factor-1, heme oxygenase 1 and hypoxia inducible factor-1 β mRNAs in pre-eclampsia placenta and the effect of pre-eclampsia sera on their expression of choriocarcinoma cells. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 2095-103	1.9	9
175	Treatment of preeclampsia: current approach and future perspectives. 2014 , 16, 473		24
174	Placental pathology, first-trimester biomarkers and adverse pregnancy outcomes. 2014 , 34, 186-91		51
173	Predictive value of ophthalmic artery Doppler velocimetry in relation to development of pre-eclampsia. 2014 , 44, 419-26		12
172	Endocrine Diseases of Pregnancy. 2014 , 604-650.e18		1
171	Validity of pre-eclampsia registration in the medical birth registry of norway for women participating in the norwegian mother and child cohort study, 1999-2010. 2014 , 28, 362-71		46

170	An association study of interleukin-4 gene and preeclampsia in Taiwan. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014 , 53, 215-9	1.6	6
169	Evaluation of the macula, retinal nerve fiber layer and choroid in preeclampsia, healthy pregnant and healthy non-pregnant women using spectral-domain optical coherence tomography. <i>Hypertension in Pregnancy</i> , 2014 , 33, 299-310	2	29
168	Is there a correlation between maternal venous hemodynamic dysfunction and proteinuria of preeclampsia?. 2014 , 181, 246-50		10
167	Evaluation of glycosaminoglycans and heparanase in placentas of women with preeclampsia. 2014 , 437, 155-60		9
166	Chronic hypertension during pregnancy. 2014 , 348, g2655		3
165	Maternal venous hemodynamics in gestational hypertension and preeclampsia. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 212	3.2	25
164	The effects of spinal anaesthesia for elective caesarean section on uterine and umbilical arterial pulsatility indexes in normotensive and chronic hypertensive pregnant women: a prospective, longitudinal study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 291	3.2	8
163	Pregnancy outcome after ICSI with thawed testicular sperm from men with non-obstructive azoospermia compared to ICSI with ejaculated sperm from men with severe oligoasthenoteratozoospermia and IVF with normal ejaculated sperm. 2014 , 30, 103-6		9
162	When necessary, use a proven and safe agent to treat hypertension in pregnancy. 2014 , 30, 356-360		
161	Management of hypertensive disorders in pregnancy. 2014 , 10, 385-404		49
160	Pre-eclampsia, eclampsia and adverse maternal and perinatal outcomes: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. 2014 , 121 Suppl 1, 14-24		266
159	Methylenetetrahydrofolate reductase gene C677T, A1298C polymorphisms and pre-eclampsia risk: a meta-analysis. 2014 , 41, 5435-48		8
158	Postsystolic shortening by myocardial deformation imaging as a sign of cardiac adaptation to pressure overload in fetal growth restriction. 2014 , 7, 781-7		53
157	Estrogen-related receptor β serves a role in blood pressure homeostasis during pregnancy. 2014 , 28, 965-75		16
156	Pre-eclampsia: evidence of altered ventricular repolarization by standard ECG parameters and QT dispersion. <i>Hypertension Research</i> , 2014 , 37, 984-8	4.7	10
155	Prepregnancy body mass index and risk of preterm birth: association heterogeneity by preterm subgroups. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 153	3.2	29
154	Melatonin secretion is impaired in women with preeclampsia and an abnormal circadian blood pressure rhythm. 2014 , 36, 1001-7		25
153	MicroRNA-210 contributes to preeclampsia by downregulating potassium channel modulatory factor 1. <i>Hypertension</i> , 2014 , 64, 839-45	8.5	83

152	Obstetric and neonatal outcomes of maternal vitamin D supplementation: results of an open-label, randomized controlled trial of antenatal vitamin D supplementation in Pakistani women. 2014 , 99, 2448-55		90
151	Maternal obesity and excess of fetal growth in pre-eclampsia. 2014 , 121, 1351-7		25
150	Polymorphisms in endothelial nitric oxide synthase gene in early and late severe preeclampsia. 2014 , 42, 19-23		21
149	Tissue inhibitor of matrix metalloproteinase-1 polymorphism, plasma TIMP-1 levels, and antihypertensive therapy responsiveness in hypertensive disorders of pregnancy. 2014 , 14, 535-41		26
148	Association of functional polymorphisms in FAS and FAS Ligand genes promoter with pre-eclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1167-73	1.9	14
147	Placental calcitriol synthesis and IGF-I levels in normal and preeclamptic pregnancies. 2014 , 144 Pt A, 44-9		17
146	Reduced circulating miR-196b levels is associated with preeclampsia. <i>Pregnancy Hypertension</i> , 2014 , 4, 11-3	2.6	7
145	End-stage renal disease after hypertensive disorders in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 147.e1-8	6.4	38
144	The association of maternal adult weight trajectory with preeclampsia and gestational diabetes mellitus. 2014 , 28, 287-96		15
143	Clinical features and prenatal risk factors for hypertensive disorders in twin pregnancies. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1584-91	1.9	13
142	Preeclampsia: integrated network model of platelet biomarkers interaction as a tool to evaluate the hemostatic/immunological interface. 2014 , 436, 193-201		9
141	Plasma antithrombin levels correlate with albumin and total protein in gestational hypertension and preeclampsia. <i>Pregnancy Hypertension</i> , 2014 , 4, 174-7	2.6	7
140	Placental pathology suggesting that preeclampsia is more than one disease. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 66.e1-7	6.4	94
139	Epidemiologic profile, survival, and maternal prognosis factors among women at an obstetric intensive care unit. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 124, 63-6	4	11
138	The effects of adipocytokines on the endocrino-metabolic features and obstetric outcome in pregnant obese women with polycystic ovary syndrome. 2014 , 19, 293-302		8
137	Serum ischemia-modified albumin and oxidized LDL in cord blood and serum of neonates born to pre-eclamptic mothers. 2015 , 57, 422-6		7
136	The Proteomic Analysis of Human Placenta with Pre-eclampsia and Normal Pregnancy. 2015 , 30, 770-8		17
135	Is the imbalance between pro-angiogenic and anti-angiogenic factors associated with preeclampsia?. 2015 , 447, 34-8		42

134	Serum tumor necrosis factor- α level and uterine artery Doppler indices at 11-13 weeks gestation for preeclampsia screening in low-risk pregnancies: a prospective observational study. 2015 , 109, 31-5		13
133	Effects of NAMPT polymorphisms and haplotypes on circulating visfatin/NAMPT levels in hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2015 , 38, 361-6	4-7	18
132	Association between magnesium status, oxidative stress and inflammation in preeclampsia: A case-control study. 2015 , 34, 1166-71		17
131	Diet and Pre-eclampsia: A Prospective Multicentre Case-Control Study in Ethiopia. 2015 , 31, 617-24		22
130	Factors associated with vaginal delivery in hypertensive and normotensive pregnant women submitted to labor induction with misoprostol: a cohort study. <i>Hypertension in Pregnancy</i> , 2015 , 34, 153-70		1
129	Does preeclampsia involve the pancreas? A report of original research. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 836-8	2	3
128	The effect of placental abruption on the outcome of extremely premature infants. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 705-8	2	7
127	Outcomes of expectant management after betamethasone for hypertensive disorders of pregnancy. <i>Hypertension in Pregnancy</i> , 2015 , 34, 50-64	2	2
126	Obesity and Fertility. 2015 ,		1
125	Mechanisms and therapeutic potential of microRNAs in hypertension. 2015 , 20, 1188-204		41
124	Comparison of intrathecal magnesium and fentanyl as adjuvants to hyperbaric bupivacaine in preeclamptic parturients undergoing elective cesarean sections. 2015 , 5, 9		5
123	First-trimester 3-dimensional power Doppler placental vascularization indices from the whole placenta versus the placental bed to predict preeclampsia: does pregnancy-associated plasma protein a or uterine artery Doppler sonography help?. 2015 , 34, 965-70		6
122	Emergency Room Utilization After Medically Complicated Pregnancies: A Medicaid Claims Analysis. <i>Journal of Women's Health</i> , 2015 , 24, 745-54	3	21
121	The defect of both angiogenesis and lymphangiogenesis is involved in preeclampsia. <i>Placenta</i> , 2015 , 36, 279-86	3-4	20
120	Incidence of eclampsia with HELLP syndrome and associated mortality in Latin America. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 129, 219-22	4	18
119	Insulin sensitivity and secretory response in adults born preterm: the Helsinki Study of Very Low Birth Weight Adults. 2015 , 100, 244-50		53
118	First-trimester screening for pre-eclampsia: moving from personalized risk prediction to prevention. 2015 , 45, 119-29		36
117	Pregnancy Related Disorders. 2015 , 759-772		

116	Bioelectrical impedance analysis in the assessment of pre-eclampsia. 2015 , 291, 31-8		7
115	Fetal sex and race modify the predictors of fetal growth. 2015 , 19, 798-810		2
114	Antihypertensive therapy in preeclampsia is not modulated by VEGF polymorphisms. 2015 , 291, 799-803		5
113	Free protein s reference ranges in gravidas without hereditary and acquired thrombophilia. 2015 , 31, 286-91		6
112	Influence of gestational diabetes on the stereoselective pharmacokinetics and placental distribution of metoprolol and its metabolites in parturients. 2015 , 79, 605-16		10
111	Advances in understanding and treating liver diseases during pregnancy: A review. 2015 , 21, 5183-90		22
110	Association between pre-pregnancy depression/anxiety symptoms and hypertensive disorders of pregnancy. <i>Journal of Women's Health</i> , 2015 , 24, 228-36	3	32
109	The prevalence of pre-eclampsia in migrant relative to native Norwegian women: a population-based study. 2015 , 122, 859-865		28
108	Growth of preterm low birth weight infants until 24 months corrected age: effect of maternal hypertension. 2015 , 91, 256-62		11
107	Newborn APOE genotype influences maternal lipid profile and the severity of high-risk pregnancy - preeclampsia: Interaction with maternal genotypes as a modulating risk factor in preeclampsia. <i>Hypertension in Pregnancy</i> , 2015 , 34, 271-83	2	9
106	There is no difference in nitric oxide metabolites and neonatal outcome between premature infants born to pre-eclamptic and those born to normotensive women. 2015 , 35, 47-52		1
105	Pre-eclampsia during pregnancy and cardiovascular disease later in life: the case for a risk group. 2015 , 292, 519-21		7
104	Maternal venous Doppler characteristics are abnormal in pre-eclampsia but not in gestational hypertension. 2015 , 45, 421-6		28
103	Quality of first trimester risk prediction models for pre-eclampsia: a systematic review. 2015 , 122, 904-14		38
102	Prior cesarean section is associated with increased preeclampsia risk in a subsequent pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 24	3.2	14
101	Maternal and fetal outcome of pregnancy related hypertension in Mettu Karl Referral Hospital, Ethiopia. 2015 , 8, 10		54
100	Spinal NF- κ B and chemokine ligand 5 expression during spinal glial cell activation in a neuropathic pain model. <i>PLoS ONE</i> , 2015 , 10, e0115120	3.7	26
99	Immediate delivery versus expectant monitoring for hypertensive disorders of pregnancy between 34 and 37 weeks of gestation (HYPITAT-II): an open-label, randomised controlled trial. 2015 , 385, 2492-501		93

98	Left ventricular remodeling and diastolic function in chronic hypertensive pregnant women. <i>Pregnancy Hypertension</i> , 2015 , 5, 187-92	2.6	5
97	Blood pressure changes during the first stage of labor and for the prediction of early postpartum preeclampsia: a prospective study. 2015 , 184, 103-7		21
96	Disentangling the effects of climate, topography, soil and vegetation on stand-scale species richness in temperate forests. 2015 , 349, 36-44		39
95	Folate metabolism gene polymorphisms MTHFR C677T and A1298C and risk for preeclampsia: a meta-analysis. 2015 , 32, 797-805		29
94	The complement system and adverse pregnancy outcomes. 2015 , 67, 56-70		98
93	Maternal subclinical vascular changes in fetal growth restriction with and without pre-eclampsia. 2015 , 46, 706-12		12
92	Endocan-1 concentrations in maternal and fetal plasma and placentae in pre-eclampsia in the third trimester of pregnancy. <i>Cytokine</i> , 2015 , 74, 152-6	4	16
91	Risk of hypertensive disorders in pregnancies following assisted reproductive technology: a cohort study from the CoNARTaS group. 2015 , 30, 1724-31		110
90	Preconception care and reproductive planning in primary care. 2015 , 99, 663-82		16
89	Hypertension in pregnancy: natural history and treatment options. 2015 , 17, 36		67
88	Musculoskeletal Health in Pregnancy and Postpartum. 2015 ,		2
87	Maternal hypertensive disorders, antihypertensive medication use, and the risk of birth defects: a case-control study. 2015 , 122, 1002-9		35
86	Correlations among antiangiogenic factors and trace elements in hypertensive disorders of pregnancy. 2015 , 29, 130-5		12
85	Maternal outcomes according to mode of delivery in women with severe preeclampsia: a cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 654-60	2	14
84	Introduction, History, Controversies, and Definitions. 2015 , 1-24		2
83	Antihypertensive Treatment. 2015 , 419-438		
82	[How to manage a patient with chronic arterial hypertension during pregnancy and the postpartum period]. 2015 , 36, 191-7		
81	Chronic perfusion changes and reduction in preeclampsia incidence in pregnant smokers: an ophthalmic artery Doppler study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 2074-9	2	5

80	Pre-eclampsia has an adverse impact on maternal and fetal health. 2015 , 165, 449-63		36
79	Diastolic blood pressure increase is a risk indicator for pre-eclampsia. 2015 , 291, 819-23		4
78	Hypertensive disease of pregnancy in the ICU: a multicenter study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1989-95	2	4
77	Early-pregnancy percent body fat in relation to preeclampsia risk in obese women. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 84.e1-7	6.4	29
76	The prognostic role of various indices and ratios of Doppler velocimetry in patients with pre-eclampsia. 2015 , 37, 57-62		1
75	Clinical Management. 2015 , 439-464		
74	The Clinical Spectrum of Preeclampsia. 2015 , 25-36		4
73	Comparison of the Hemodynamic Alterations in Normotensive and Preeclamptic Pregnant Woman Posted for Cesarean Section Under Subarachnoid Block. 2016 , 04,		
72	Impacto de los trastornos hipertensivos, la diabetes y la obesidad materna sobre el peso, la edad gestacional al nacer y la mortalidad neonatal. 2016 , 81, 480-488		2
71	The effect of social class on the amount of salt intake in patients with hypertension. 2016 , 25, 360-363		15
70	Neutrophil gelatinase-associated lipocalin as a diagnostic marker of acute kidney injury in pre-eclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 1483-1488	1.9	7
69	Pulmonary Arterial Hypertension after Ibuprofen Treatment for Patent Ductus Arteriosus in Very Low Birth Weight Infants. 2016 , 179, 49-53.e1		11
68	Risk assessment of hypertensive disorders in pregnancy with maternal characteristics in early gestation: A single-center cohort study. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016 , 55, 341-5	1.6	8
67	Association of serum concentrations of persistent organic pollutants (POPs) and risk of pre-eclampsia: a case-control study. <i>Journal of Environmental Health Science & Engineering</i> , 2016 , 14, 17	2.9	15
66	Changes in adipose tissue distribution during pregnancy estimated by ultrasonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 2131-7	2	10
65	Tenascin C levels in patients with mild and severe preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 270-3	2	4
64	A novel protocol for postpartum magnesium sulphate in severe pre-eclampsia: a randomized controlled pilot trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 154-8	2	7
63	The effects of maternal weight and age on pre-eclampsia and eclampsia in Haiti. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 602-6	2	5

62	Blood pressure percentiles by age and height for children and adolescents in Tehran, Iran. <i>Journal of Human Hypertension</i> , 2016 , 30, 268-77	2.6	12
61	Ozone and hypertensive disorders of pregnancy in Florida: Identifying critical windows of exposure. <i>Environmental Research</i> , 2017 , 153, 120-125	7.9	20
60	Myeloperoxidase in Hypertensive Disorders of Pregnancy and Its Relation With Nitric Oxide. <i>Hypertension</i> , 2017 , 69, 1173-1180	8.5	13
59	Hypertension and patterns of induced labor at term. <i>Pregnancy Hypertension</i> , 2017 , 10, 57-63	2.6	7
58	Preeclampsia and Care of the Newborn. <i>Neonatal Network: NN</i> , 2017 , 36, 50-52	0.8	2
57	SDF-1/CXCL12 and CXCR4 gene variants, and elevated serum SDF-1 levels are associated with preeclampsia. <i>Hypertension in Pregnancy</i> , 2017 , 36, 124-130	2	6
56	Does antenatal betamethasone have negative effects on fetal activities and hemodynamics in cases of preeclampsia without severe features? A prospective, placebo-controlled, randomized study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 2671-2678	2	5
55	Association between the soluble epoxide hydrolase gene and preeclampsia. <i>Hypertension in Pregnancy</i> , 2017 , 36, 315-325	2	6
54	Gene markers of normal villous maturation and their expression in placentas with maturational pathology. <i>Placenta</i> , 2017 , 58, 52-59	3.4	13
53	Evaluation of maternal liver elasticity by acoustic radiation force impulse elastosonography in hypertensive disorders of pregnancy: a preliminary descriptive study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 2281-2286	2	1
52	Prevalence of chronic kidney disease after preeclampsia. <i>Journal of Nephrology</i> , 2017 , 30, 403-409	4.8	22
51	Is there any role of prolidase enzyme activity in the etiology of preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 1108-1113	2	2
50	Echocardiographic Techniques of Deformation Imaging in the Evaluation of Maternal Cardiovascular System in Patients with Complicated Pregnancies. <i>BioMed Research International</i> , 2017 , 2017, 4139635	3	7
49	The role of cystatin c in the prediction of outcome in hypertensive disorders of pregnancy. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2017 , 6, 1825	0.1	1
48	Efficacy of methyldopa versus nifedipine in mild and severe pregnancy induced hypertension. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2017 , 6, 4544	0.1	
47	Significance of obstetric Doppler studies in prediction of perinatal outcome in pregnancy induced hypertension. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2017 , 6, 2354	0.1	1
46	Safety of a physical therapy protocol for women with preeclampsia: a randomized controlled feasibility trial. <i>Hypertension in Pregnancy</i> , 2018 , 37, 59-67	2	1
45	Induction of systemic inflammation by hyaluronan and hsp70 in women with pre-eclampsia. <i>Cytokine</i> , 2018 , 105, 23-31	4	21

44	Association of angiotensin receptor 2 gene polymorphisms with pregnancy induced hypertension risk. <i>Hypertension in Pregnancy</i> , 2018 , 37, 87-92	2	4
43	Maternal hemodynamics: a method to classify hypertensive disorders of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 124.e1-124.e11	6.4	56
42	Hydralazine HCl rapidly disintegrating sublingual tablets: simple dosage form of higher bioavailability and enhanced clinical efficacy for potential rapid control on hypertensive preeclampsia. <i>Drug Design, Development and Therapy</i> , 2018 , 12, 3753-3766	4.4	3
41	Biochemical parameter and feto-maternal outcome in preeclampsia: a hospital based observational study. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2018 , 7, 4668	0.1	
40	Obstetric Anesthesia for Co-morbid Conditions. 2018 ,		1
39	Zeta potential as a novel diagnostic tool for preeclampsia. <i>Pregnancy Hypertension</i> , 2018 , 13, 187-197	2.6	10
38	Factors associated with emergency cesarean delivery during induction of labor in nulliparous women aged 35 years or older at term. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1747-1751	1.0	1
37	Gestational Weight Gain and Pregnancy Complications in a High-Risk, Racially and Ethnically Diverse Population. <i>Journal of Women's Health</i> , 2019 , 28, 375-383	3	5
36	Gestational hypertension and pre-eclampsia and risk of spontaneous premature rupture of membranes: A population-based cohort study. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 147, 195-201	4	2
35	Hypertensive Disorders of Pregnancy. <i>Cardiology Clinics</i> , 2019 , 37, 345-354	2.5	24
34	A mathematical model to study the population dynamics of hypertensive disorders during pregnancy. <i>Journal of Interdisciplinary Mathematics</i> , 2019 , 22, 433-450	1.2	1
33	Hypertension During Pregnancy. 2019 , 339-348		1
32	Anti-Qa2 Animal Models for Preeclampsia Preclinical Studies: A Pathological Elevation of Blood Pressure and Proteinuria. <i>Folia Biologica</i> , 2019 , 67, 69-78	0.7	
31	Adolescence and Preeclampsia. 2019 ,		
30	Effect of high blood pressure on thyroid and lipid profile of pregnant women. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2019 , 8, 3699	0.1	
29	Association between quality and quantity of dietary carbohydrate and pregnancy-induced hypertension: A case-control study. <i>Clinical Nutrition ESPEN</i> , 2019 , 33, 158-163	1.3	6
28	Formulation, Optimization, and In vivo Evaluation of Gastroretentive Drug Delivery System of Nifedipine for the Treatment of Preeclampsia. <i>AAPS PharmSciTech</i> , 2019 , 20, 200	3.9	6
27	Assisted reproductive technology and the risk of preeclampsia: an updated systematic review and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 149	3.2	23

26	Maternal Venous Hemodynamic Dysfunction in Proteinuric Gestational Hypertension: Evidence and Implications. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	10
25	Antiplatelet agents for preventing pre-eclampsia and its complications. <i>The Cochrane Library</i> , 2019 , 2019,	5.2	37
24	Knowledge of preeclampsia and its associated factors among pregnant women: a possible link to reduce related adverse outcomes. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 456	3.2	18
23	Adverse Effects of Exposure to Fine Particulate Matters and Ozone on Gestational Hypertension. <i>Current Medical Science</i> , 2019 , 39, 1019-1028	2.8	1
22	Toll-like receptors signaling network in pre-eclampsia: An updated review. <i>Journal of Cellular Physiology</i> , 2019 , 234, 2229-2240	7	24
21	In-situ gel of nifedipine for preeclampsia: Optimization, in-vitro and in-vivo evaluation. <i>Journal of Drug Delivery Science and Technology</i> , 2019 , 50, 78-89	4.5	5
20	Obstetric and Gynecologic Nephrology. 2020 ,		
19	Associations of systolic blood pressure trajectories during pregnancy and risk of adverse perinatal outcomes. <i>Hypertension Research</i> , 2020 , 43, 227-234	4.7	5
18	Effect of pregnancy induced hypertension on adverse perinatal outcomes in Tigray regional state, Ethiopia: a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2019 , 20, 7	3.2	15
17	Differences in Placental Imprinted Gene Expression across Preeclamptic and Non-Preeclamptic Pregnancies. <i>Genes</i> , 2020 , 11,	4.2	0
16	Incidence and Predictors of Pre-Eclampsia Among Pregnant Women Attending Antenatal Care at Debre Markos Referral Hospital, North West Ethiopia: Prospective Cohort Study. <i>International Journal of Women's Health</i> , 2020 , 12, 1013-1021	2.8	1
15	Blood pressure trajectories during pregnancy and associations with adverse birth outcomes among HIV-infected and HIV-uninfected women in South Africa: a group-based trajectory modelling approach. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 742	3.2	1
14	Prospective Association Between Manganese in Early Pregnancy and the Risk of Preeclampsia. <i>Epidemiology</i> , 2020 , 31, 677-680	3.1	7
13	Prenatal Exposure to Preeclampsia and Long-Term Ophthalmic Morbidity of the Offspring. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
12	Early Pregnancy Serum Metabolite Profiles Associated with Hypertensive Disorders of Pregnancy in African American Women: A Pilot Study. <i>Journal of Pregnancy</i> , 2020 , 2020, 1515321	2.5	4
11	Perindopril in Breast Milk and Determination of Breastfed Infant Exposure: A Prospective Observational Study. <i>Drug Design, Development and Therapy</i> , 2020 , 14, 961-967	4.4	1
10	Early and late onset pre-eclampsia and small for gestational age risk in subsequent pregnancies. <i>PLoS ONE</i> , 2020 , 15, e0230483	3.7	3
9	Association of serum uric acid and serum lipid profile in pre- eclampsia- A hospital based case-control study. <i>Birat Journal of Health Sciences</i> , 2020 , 4, 831-834	0.1	1

8	Efficacy of n-3 fatty acids supplementation on the prevention of pregnancy induced-hypertension or preeclampsia: A systematic review and meta-analysis. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020 , 59, 8-15	1.6	16
7	The role of CXCL chemokine ligand 16 in physiological and pathological pregnancies. <i>American Journal of Reproductive Immunology</i> , 2020 , 83, e13223	3.8	8
6	Role of obstetric colour doppler studies in predicting perinatal outcome in pregnancy induced hypertension. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2020 , 9, 1073	0.1	
5	Pentraxin-3 is a candidate biomarker on the spectrum of severity from pre-eclampsia to HELLP syndrome: GenPE study. <i>Hypertension Research</i> , 2020 , 43, 884-891	4.7	3
4	Information on dysregulation of microRNA in placenta linked to preeclampsia. <i>Bioinformatics</i> , 2021 , 17, 240-248	1.1	1
3	Neurological Problems of Pregnancy. 2008 , 2473-2488		
2	Hypertensive disorders of pregnancy include chronic hypertension, gestational hypertension, preeclampsia, HELLP syndrome, and eclampsia.. <i>Series in Maternal-fetal Medicine</i> , 2011 , 1-19		
1	Pre-eclampsia/eclampsia and peri-partum convulsions. <i>Series in Maternal-fetal Medicine</i> , 2012 , 82-88		