

# CITATION REPORT

List of articles citing

Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy

DOI: 10.1067/mob.2000.107928

American Journal of Obstetrics and Gynecology, 2000, 183, s1-s22.

**Source:** <https://exaly.com/paper-pdf/31499474/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1911	Management of severe preeclampsia. 125-140		
1910	Systemic vascular reactivity in an aortic coarctation model of preeclampsia in the rat. <b>2001</b> , 8, 133-140		7
1909	Antihypertensive medications in pregnant women with chronic hypertension. <b>2001</b> , 8, 175-177		
1908	Management of severe pre-eclampsia. <b>2001</b> , 369-379		
1907	The differential diagnosis of pre-eclampsia and eclampsia. <b>2001</b> , 380-405		
1906	The PFA-100 system for the assessment of platelet function in normotensive and hypertensive pregnancies. <b>2001</b> , 23, 131-4		9
1905	The new American guidelines on the hypertensive disorders of pregnancy. <b>2001</b> , 15, 583-5		5
1904	Severely reduced presence of tissue macrophages in the basal plate of pre-eclamptic placentae. <b>2001</b> , 22, 309-16		51
1903	Effects of pregnancy on specific diseases. <b>2001</b> , 25, 139-44		1
1902	Antihypertensive drugs during pregnancy. <b>2001</b> , 25, 159-64		18
1901	Fatal fetal outcome with the combined use of valsartan and atenolol. <b>2001</b> , 35, 859-61		42
1900	Hypertensive Disease in Twin Pregnancies: A Review. <b>2002</b> , 5, 8-14		39
1899	Bed rest with or without hospitalisation for hypertension during pregnancy. <b>2002</b> ,		2
1898	Preeclampsia. Part 1: clinical and pathophysiologic considerations. <b>2002</b> , 57, 598-618		79
1897	Fall in mean arterial pressure and fetal growth restriction in pregnancy hypertension: an updated metaregression analysis. <b>2002</b> , 24, 941-5		87
1896	Preconception Care by the Nonobstetrical Provider. <b>2002</b> , 77, 469-473		16
1895	Postpartum blindness. <b>2002</b> , 359, 890-1		

1894	[Criteria of pregnancy termination in women with preeclampsia]. <b>2002</b> , 30, 467-73		1
1893	Preconception care by the nonobstetrical provider. <b>2002</b> , 77, 469-73		21
1892	Anemia and the liver. Hepatobiliary manifestations of anemia. <b>2002</b> , 6, 891-907, viii		26
1891	Adverse perinatal outcomes are significantly higher in severe gestational hypertension than in mild preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2002</b> , 186, 66-71	6.4	242
1890	Review of pregnancy labeling of prescription drugs: is the current system adequate to inform of risks?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2002</b> , 187, 333-9	6.4	76
1889	Posttraumatic stress disorder after pre-eclampsia: an exploratory study. <b>2002</b> , 24, 260-4		83
1888	Newborn birth weight correlates with placental zinc, umbilical insulin-like growth factor I, and leptin levels in preeclampsia. <b>2002</b> , 33, 40-7		44
1887	Two exonic single nucleotide polymorphisms in the microsomal epoxide hydrolase gene are jointly associated with preeclampsia. <b>2002</b> , 10, 569-73		31
1886	Hypertension in pregnancy: do consensus statements make a difference?. <b>2002</b> , 42, 369-73		3
1885	A longitudinal study of biochemical markers of bone turnover during normal pregnancy and pregnancies complicated by pre-eclampsia. <b>2002</b> , 109, 708-13		17
1884	The addition of activin A and inhibin A measurement to uterine artery Doppler velocimetry to improve the early prediction of pre-eclampsia. <b>2003</b> , 21, 165-9		44
1883	Cerebrovascular Disease in Pregnancy. <b>2003</b> , 5, 391-407		22
1882	Management of hypertension emergencies. <b>2003</b> , 5, 486-92		13
1881	Pathophysiology of pre-eclampsia: update on the role of nitric oxide. <b>2003</b> , 5, 493-7		3
1880	Weight at birth and subsequent risk of preeclampsia as an adult. <i>American Journal of Obstetrics and Gynecology</i> , <b>2003</b> , 189, 494-500	6.4	43
1879	Neurokinin B peptide serum levels are higher in normotensive pregnant women than in preeclamptic pregnant women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2003</b> , 189, 1418-22	6.4	14
1878	Elevated C-reactive protein levels during first trimester of pregnancy are indicative of preeclampsia and intrauterine growth restriction. <b>2003</b> , 59, 29-37		146
1877	Polymorphism in the interleukin 1 receptor antagonist gene in women with preeclampsia. <b>2003</b> , 60, 61-70		21

1876	Hepatic infarctions during pregnancy are associated with the antiphospholipid syndrome and in addition with complete or incomplete HELLP syndrome. <b>2003</b> , 1, 1758-63	35
1875	Levels of antibodies against cytomegalovirus and Chlamydomphila pneumoniae are increased in early onset pre-eclampsia. <b>2003</b> , 110, 725-730	11
1874	Low plasma volume following pregnancy complicated by pre-eclampsia predisposes for hypertensive disease in a next pregnancy. <b>2003</b> , 110, 1001-1006	43
1873	Microsatellite marker association at chromosome region 2p13 in Finnish patients with preeclampsia and obstetric cholestasis suggests a common risk locus. <b>2003</b> , 11, 232-6	24
1872	Flow-mediated dilation in brachial artery in the second half of pregnancy and prediction of pre-eclampsia. <b>2003</b> , 17, 697-704	46
1871	Trophoblastic remodeling in normal and preeclamptic pregnancies: implication of cytokines. <b>2003</b> , 36, 323-31	74
1870	Prenatal screening, epidemiology, diagnosis, and management of preeclampsia. <b>2003</b> , 23, 413-42	16
1869	Summary of the NHLBI Working Group on Research on Hypertension During Pregnancy. <b>2003</b> , 41, 437-45	500
1868	Late postpartum eclampsia: a common presentation of an uncommon diagnosis. <b>2003</b> , 25, 387-90	16
1867	Oral beta-blockers for mild to moderate hypertension during pregnancy. <b>2003</b> ,	52
1866	Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. <b>2003</b> , 42, 1206-52	10207
1865	French multicentric survey of outcome of pregnancy in women with pregestational diabetes. <b>2003</b> , 26, 2990-3	194
1864	Adrenomedullin is decreased in preeclampsia because of failed response to epidermal growth factor and impaired syncytialization. <b>2003</b> , 42, 895-900	27
1863	Summary of the NHLBI Working Group on Research on Hypertension During Pregnancy. <b>2003</b> , 22, 109-27	183
1862	Maternal Body Mass Index and the Risk of Preeclampsia: A Systematic Overview. <b>2003</b> , 14, 368-374	449
1861	Serious perinatal complications of non-proteinuric hypertension: an international, multicentre, retrospective cohort study. <b>2003</b> , 25, 372-82	41
1860	Genetics of preeclampsia: what are the challenges?. <b>2003</b> , 25, 578-85	14
1859	Diuretics for preventing pre-eclampsia. <b>2003</b> ,	3

1858	Prevention and treatment of postpartum hypertension. <b>2003,</b>	2
1857	Nutritional interventions during pregnancy for the prevention or treatment of maternal morbidity and preterm delivery: an overview of randomized controlled trials. <b>2003,</b> 133, 1606S-1625S	134
1856	PRE-ECLAMPSIA—STILL A DISEASE OF THEORIES. <b>2003,</b> 49, 69-115	21
1855	Nutrient involvement in preeclampsia. <b>2003,</b> 133, 1684S-1692S	105
1854	Hematologic Disease. <b>2004,</b> 309-332	0
1853	Random urinary protein-to-creatinine ratio for prediction of significant proteinuria in women with preeclampsia. <b>2004,</b> 16, 275-279	31
1852	Factors associated with preterm delivery in women with type 1 diabetes: a cohort study. <b>2004,</b> 27, 2824-8	67
1851	Markers for presymptomatic prediction of preeclampsia and intrauterine growth restriction. <b>2004,</b> 23, 171-89	49
1850	Cellular-free magnesium depletion in brain and muscle of normal and preeclamptic pregnancy: a nuclear magnetic resonance spectroscopic study. <b>2004,</b> 44, 322-6	23
1849	Insulin resistance and alterations in angiogenesis: additive insults that may lead to preeclampsia. <b>2004,</b> 43, 988-92	84
1848	Neurokinin B levels in maternal circulation during early pregnancy. <b>2004,</b> 42, 611-3	3
1847	Hyperhomocyst(e)inemia and elevated soluble vascular cell adhesion molecule-1 concentrations are associated with an increased risk of preeclampsia. <b>2004,</b> 58, 133-9	13
1846	Comparison between HELLP syndrome, chronic hypertension, and superimposed preeclampsia on chronic hypertension without HELLP syndrome. <b>2004,</b> 32, 481-5	18
1845	A prospective study of the impact of automated dipstick urinalysis on the diagnosis of preeclampsia. <b>2004,</b> 23, 135-42	45
1844	Angiotensin II sensitivity in nonpregnant formerly preeclamptic women and healthy parous controls. <b>2004,</b> 11, 416-22	14
1843	Strategies to prevent and treat preeclampsia: Evidence from randomized controlled trials. <b>2004,</b> 24, 607-615	33
1842	Endothelial NO synthase genotype and risk of preeclampsia: a multicenter case-control study. <b>2004,</b> 44, 702-7	112
1841	Implication of an AGT haplotype in a multigene association study with pregnancy hypertension. <b>2004,</b> 43, 71-8	59

1840	Relationship of maternal plasma leptin and risk of pre-eclampsia: a prospective study. <b>2004</b> , 15, 186-92		35
1839	Antihypertensive therapy in pregnancy. <b>2004</b> , 24, 616-625		19
1838	Do commonly used oral antihypertensives alter fetal or neonatal heart rate characteristics? A systematic review. <b>2004</b> , 23, 155-69		42
1837	Hypertensive Disorders of Pregnancy: Relevance for the Neonatologist. <b>2004</b> , 5, e240-e246		1
1836	Preeclampsia and its interaction with common variants in thrombophilia genes. <b>2004</b> , 2, 1588-93		50
1835	Reduced amount of cytochrome c oxidase subunit I messenger RNA in placentas from pregnancies complicated by preeclampsia. <b>2004</b> , 83, 144-8		14
1834	Pregnancy outcomes in unselected singleton pregnant women with an increased risk of first-trimester Down's syndrome. <b>2004</b> , 83, 1130-4		11
1833	Susceptibility to pre-eclampsia in Finnish women is associated with R485K polymorphism in the factor V gene, not with Leiden mutation. <b>2004</b> , 12, 187-91		14
1832	Analysis of blood pressure waveform: a new method for the classification of hypertensive pregnancy disorders. <b>2004</b> , 18, 135-7		6
1831	Guidelines for management of hypertension: report of the fourth working party of the British Hypertension Society, 2004-BHS IV. <b>2004</b> , 18, 139-85		868
1830	Baroreflex sensitivity, heart rate, and blood pressure variability in hypertensive pregnancy disorders. <b>2004</b> , 18, 707-12		51
1829	Decreased placental GCM1 (glial cells missing) gene expression in pre-eclampsia. <b>2004</b> , 25, 413-21		94
1828	L-Arginine erythrocyte transport in normal pregnant and preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 190, 468-71	6.4	12
1827	Cerebral infarction in eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 190, 714-20	6.4	140
1826	L-arginine erythrocyte transport increases during pregnancy and immediately postpartum. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 191, 572-5	6.4	3
1825	Delayed postpartum preeclampsia: an experience of 151 cases. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 190, 1464-6	6.4	152
1824	The association between preeclampsia and the severity of gestational diabetes: the impact of glycemic control. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 191, 1655-60	6.4	185
1823	Do maternal cerebral vascular changes assessed by transcranial Doppler antedate pre-eclampsia?. <b>2004</b> , 23, 254-6		3

1822	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. <b>2004</b> , 111, 192-3; author reply 193-5; discussion 195	
1821	Maternal plasma concentrations of insulinlike growth factor-1 and insulinlike growth factor-binding protein-1 in early pregnancy and subsequent risk of preeclampsia. <b>2004</b> , 37, 968-73	22
1820	Spectrum of hypertensive emergencies in pregnancy. <b>2004</b> , 20, 697-712, ix	17
1819	Toxicidad fetal de los fármacos antihipertensivos. <b>2004</b> , 21, 455-465	
1818	Neurologic aspects of eclampsia. <b>2004</b> , 22, 841-61	10
1817	Hypertensive disorders in Japanese women with gestational glucose intolerance. <b>2004</b> , 64, 201-5	16
1816	Prediction of gestational hypertension or intrauterine fetal growth restriction by mid-trimester 24-h ambulatory blood pressure monitoring. <b>2004</b> , 85, 126-31	12
1815	Longitudinal changes in maternal serum 1,25-dihydroxyvitamin D and insulin like growth factor I levels in pregnant women who developed preeclampsia: comparison with normotensive pregnant women. <b>2004</b> , 89-90, 553-6	30
1814	Performance of a novel test to quantify activated protein C resistance in women with a history of pre-eclampsia. <b>2004</b> , 113, 26-30	2
1813	Cardiovascular pharmacotherapeutic considerations during pregnancy and lactation. <b>2004</b> , 12, 240-61	41
1812	Evaluation of placental angiotensin type 1 receptors in women with hypertension during pregnancy. <b>2004</b> , 16, 223-229	2
1811	Body mass index and preeclampsia. <b>2004</b> , 15, 252-3	3
1810	Impact of genes related to immune tolerance and inflammation (tumour necrosis factor-alpha, interleukin-6) on blood pressure, protein excretion and oedema in pregnancy. <b>2005</b> , 23, 2187-91	18
1809	Pathophysiology and medical management of systemic hypertension in pregnancy. <b>2005</b> , 13, 274-84	15
1808	Perceived exertion during prepregnancy physical activity and preeclampsia risk. <b>2005</b> , 37, 1836-41	54
1807	Increased uterine arterial pressure and contractility of perfused swine uterus after treatment with serum from pre-eclamptic women and endothelin-1. <b>2005</b> , 109, 209-15	15
1806	Altered endothelial function in isolated human myometrial vessels induced by plasma from women with pre-eclampsia is not reproducible in isolated mouse vessels. <b>2005</b> , 108, 457-62	5
1805	Bed rest with or without hospitalisation for hypertension during pregnancy. <b>2005</b> , CD003514	29

1804	Antioxidants for preventing pre-eclampsia. <b>2005</b> , CD004227		22
1803	Maternal nonpregnant vascular function correlates with subsequent fetal growth. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 192, 504-12	6.4	17
1802	Should we offer expectant management in cases of severe preterm preeclampsia with fetal growth restriction?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 192, 1119-25	6.4	55
1801	Maternal serum soluble fms-like tyrosine kinase 1 concentrations are not increased in early pregnancy and decrease more slowly postpartum in women who develop preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 193, 185-91	6.4	103
1800	Therapy with both magnesium sulfate and nifedipine does not increase the risk of serious magnesium-related maternal side effects in women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 193, 153-63	6.4	118
1799	An elevated maternal plasma, but not amniotic fluid, soluble fms-like tyrosine kinase-1 (sFlt-1) at the time of mid-trimester genetic amniocentesis is a risk factor for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2005</b> , 193, 984-9	6.4	73
1798	A randomised controlled trial of biopsy forceps and cannula aspiration for transcervical chorionic villus sampling. <b>2005</b> , 112, 559-66		12
1797	The vitamin E debate: implications for ongoing trials of pre-eclampsia prevention. <b>2005</b> , 112, 684-8		18
1796	Fecundity and pregnancy outcome in a cohort with sickle cell-haemoglobin C disease followed from birth. <b>2005</b> , 112, 1308-14		38
1795	Screening for pre-eclampsia by using maternal serum inhibin A, activin A, human chorionic gonadotropin, unconjugated estriol, and alpha-fetoprotein levels and uterine artery Doppler in the second trimester of pregnancy. <b>2005</b> , 45, 283-8		31
1794	The kidney in preeclampsia. <b>2005</b> , 67, 1194-203		20
1793	Functional variants of the lipoprotein lipase gene and the risk of preeclampsia among non-Hispanic Caucasian women. <b>2006</b> , 69, 33-9		15
1792	Calprotectin plasma level is elevated in preeclampsia. <b>2005</b> , 84, 151-4		13
1791	Mode of delivery in pregnant women with hypertensive disorders and unfavorable cervix following induction of labor with vaginal application of prostaglandin E. <b>2005</b> , 84, 665-71		6
1790	Association of angiotensin-converting enzyme gene polymorphism with pregnancy-induced hypertension. <b>2005</b> , 84, 929-33		20
1789	Tumor suppressor and growth regulatory genes are overexpressed in severe early-onset preeclampsia—an array study on case-specific human preeclamptic placental tissue. <b>2005</b> , 84, 679-89		35
1788	Gene expression of the constant region of the heavy chain of immunoglobulin G (IgG CRHC) is down-regulated in human decidua in association with preeclampsia. <b>2005</b> , 68, 105-20		3
1787	Effects of magnesium sulfate on lipid peroxidation and blood pressure regulators in preeclampsia. <b>2005</b> , 38, 128-33		34



1786	Placental insulin and insulin-like growth factor I receptors in normal and preeclamptic pregnancies. <b>2005</b> , 38, 243-7	15
1785	Maternal and perinatal outcome in pregnancies complicated with hypertensive disorder of pregnancy: a seven year experience of a tertiary care center. <b>2005</b> , 273, 43-9	119
1784	Hypertension in pregnancy. <b>2005</b> , 7, 348-54	14
1783	Clinical risk factors for preeclampsia. <b>2005</b> , 1, 36-50	4
1782	Preeclampsia and androgen receptor gene CAG repeat length: results from both children and women. <b>2005</b> , 22, 269-75	6
1781	Hypertensive disorders in pregnancy: a population-based study. <b>2005</b> , 182, 332-5	134
1780	Chinese herbal medicine for the treatment of pre-eclampsia. <b>2005</b> ,	
1779	Detection of CAG repeats in pre-eclampsia/eclampsia using the repeat expansion detection method. <b>2005</b> , 11, 481-7	3
1778	Hypertension during pregnancy: a disorder begging for pathophysiological support. <b>2005</b> , 46, 1250-1	25
1777	Tumour necrosis factor-alpha gene haplotype is associated with pre-eclampsia. <b>2005</b> , 11, 437-40	35
1776	PL74, a novel member of the transforming growth factor-beta superfamily, is overexpressed in preeclampsia and causes apoptosis in trophoblast cells. <b>2005</b> , 90, 3045-53	17
1775	Risk of preeclampsia in relation to maternal history of migraine headaches. <b>2005</b> , 18, 167-72	41
1774	Preeclampsia: recent insights. <b>2005</b> , 46, 1243-9	512
1773	Haplotypic association of DDAH1 with susceptibility to pre-eclampsia. <b>2005</b> , 11, 73-7	29
1772	Uric acid is as important as proteinuria in identifying fetal risk in women with gestational hypertension. <b>2005</b> , 46, 1263-9	183
1771	Outcome of pregnancies complicated by severe ovarian hyperstimulation syndrome (OHSS): a follow-up beyond the second trimester. <b>2005</b> , 20, 910-4	40
1770	Pre-eclampsia. <b>2005</b> , 365, 785-99	1473
1769	Cociente proteíñas/creatinina en muestra de orina para la estimaci3n de proteinuria en gestantes con sospecha de preeclampsia. <b>2005</b> , 48, 333-337	2

1768 Hypertension in Pregnancy. **2005**, 596-602

1767 Hypertension in special populations. **2005**, 25, 210-4

2

1766 Insulin resistance and preeclampsia in gestational diabetes mellitus. **2005**, 28, 1995-2000

29

1765 Prevention and treatment of postpartum hypertension. **2005**, CD004351

12

1764 Inflammation and triglycerides partially mediate the effect of prepregnancy body mass index on the risk of preeclampsia. **2005**, 162, 1198-206

100

1763 Postpartum focal neurologic deficits: posterior leukoencephalopathy syndrome. **2005**, 29, 163-6

18

1762 Pregnancy and the cardiovascular system. **2005**, 98, 179-89

124

1761 Calcium plus linoleic acid therapy for pregnancy-induced hypertension. **2005**, 91, 221-7

31

1760 Independent association between leptin and blood pressure during third trimester in normal and gestational diabetic pregnancies. **2005**, 119, 180-4

4

1759 Increased plasma levels of Urotensin-II in preeclampsia-eclampsia: a new mediator in pathogenesis?. **2005**, 120, 33-8

22

1758 Measure of hemodynamic patterns by thoracic electrical bioimpedance in normal pregnancy and in preeclampsia. **2005**, 121, 149-53

13

1757 The relationship between headache and preeclampsia: a case-control study. **2005**, 121, 143-8

53

1756 Placental localization and expression of the cell death factors BNip3 and Nix in preeclampsia, intrauterine growth retardation and HELLP syndrome. **2005**, 122, 172-6

13

1755 Hyperhomocysteinemia in pregnant rats: effects on arterial pressure, kidneys and fetal growth. **2005**, 122, 177-81

8

1754 Evaluation of natural coagulation inhibitor levels in various hypertensive states of pregnancy. **2005**, 123, 183-7

6

1753 The risk of preeclampsia rises with increasing prepregnancy body mass index. **2005**, 15, 475-82

253

1752 [Treatment of severe hypertension during pregnancy]. **2005**, 124, 634-5

1751 [Expert Consensus document on beta-adrenergic receptor blockers]. **2005**, 58, 65-90

14

1750	Mechanisms of disease: Pre-eclampsia. <b>2005</b> , 1, 98-114; quiz 120	217
1749	Hypertensive urgencies and emergencies. <b>2006</b> , 33, 613-23, v	7
1748	Hypertension in pregnancy. <b>2006</b> , 35, 157-71, vii	34
1747	Pregnancy in recipients of solid organs--effects on mother and child. <b>2006</b> , 354, 1281-93	309
1746	Insulin resistance in human preeclamptic placenta is mediated by serine phosphorylation of insulin receptor substrate-1 and -2. <b>2006</b> , 91, 709-17	68
1745	Trastornos hipertensivos del embarazo (2004). <b>2006</b> , 49, 105-113	
1744	Hipertensi3n arterial y embarazo. <b>2006</b> , 23, 222-231	1
1743	Common problems and emergencies in the obstetric patient. <b>2006</b> , 33, 727-50	1
1742	Hipertensi3n arterial durante el embarazo: aspectos fisiopatol3gicos y pron3stico a largo plazo. <b>2006</b> , 42, 1-14	
1741	Hipertensi3n arterial y embarazo. <b>2006</b> , 23, 222-231	
1740	Increased human placental growth hormone at midtrimester pregnancies may be an index of intrauterine growth retardation related to preeclampsia. <b>2006</b> , 16, 290-6	18
1739	Antihypertensive therapy in patients with pre-eclampsia: A prospective randomised multicentre study comparing dihydralazine with urapidil. <b>2006</b> , 127, 160-5	48
1738	Risk factors of preterm delivery at less than 35 weeks in patients with renal transplant. <b>2006</b> , 128, 64-8	10
1737	Polymorphisms of interleukin-6, hepatic lipase and calpain-10 genes, and preeclampsia. <b>2006</b> , 128, 175-9	16
1736	Severe hypertension in pregnancy: hydralazine or labetalol. A randomized clinical trial. <b>2006</b> , 128, 157-62	80
1735	Managing chronic severe hypertension in pregnancy. <b>2006</b> , 8, 738-43	2
1734	Effect of blood pressure instrument and cuff side on blood pressure reading in pregnant women in the lateral recumbent position. <b>2006</b> , 15, 290-3	13
1733	Pregnancy after liver transplantation: Symposium on Liver & Pregnancy. <b>2006</b> , 5, 212-215	6

1732	Chinese herbal medicine for the treatment of pre-eclampsia. <b>2006</b> , CD005126	8
1731	Hypertension artfielle pendant la grossesse : aspects physiopathologiques et pronostic ^ long terme. <b>2006</b> , 1, 1-13	1
1730	Adult weight change, weight cycling, and prepregnancy obesity in relation to risk of preeclampsia. <b>2006</b> , 17, 428-34	71
1729	Angiotensinogen G(â¸)A Polymorphism Is Associated With the Elevation of Blood Pressure in the Hypertensive Disorders of Pregnancy. <b>2006</b> , 9, 76-80	3
1728	Cardiovascular disease following pre-eclampsia: understanding the mechanisms. <b>2006</b> , 24, 639-41	12
1727	Impaired vascular dilatation in women with a history of pre-eclampsia. <b>2006</b> , 24, 751-6	96
1726	A combined technique for predicting pre-eclampsia: concurrent measurement of uterine perfusion and analysis of heart rate and blood pressure variability. <b>2006</b> , 24, 747-50	25
1725	High maternal and fetal plasma urocortin levels in pregnancies complicated by hypertension. <b>2006</b> , 24, 1831-40	21
1724	Intrapartum late deceleration develops more frequently in pre-eclamptic women with severe proteinuria. <b>2006</b> , 32, 68-73	9
1723	Altered placental syncytin and its receptor ASCT2 expression in placental development and pre-eclampsia. <b>2006</b> , 113, 152-8	65
1722	Relationship between high consumption of marine fatty acids in early pregnancy and hypertensive disorders in pregnancy. <b>2006</b> , 113, 301-9	40
1721	Current diagnosis and management of hypertensive emergency. <b>2006</b> , 19, 502-12	32
1720	Proteinuria in hypertensive pregnancy diseases is associated with a longer persistence of hypertension postpartum. <b>2006</b> , 20, 125-8	10
1719	Association of elevated serum heat-shock protein 70 concentration with transient hypertension of pregnancy, preeclampsia and superimposed preeclampsia: a case-control study. <b>2006</b> , 20, 780-6	58
1718	Renal and vascular function in women with previous preeclampsia: a comparison of low- and high-degree proteinuria. <b>2006</b> , 70, 1818-22	25
1717	Plasma granulysin concentrations and preeclampsia risk. <b>2006</b> , 39, 1016-21	7
1716	Low-molecular-weight heparin improves the performance of uterine artery Doppler velocimetry to predict preeclampsia and small-for-gestational age infant in women with gestational hypertension. <b>2006</b> , 32, 1431-5	17
1715	Uric acid concentrations in early pregnancy among preeclamptic women with gestational hyperuricemia at delivery. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 194, 160	6.4 90

1714	Understanding and managing HELLP syndrome: the integral role of aggressive glucocorticoids for mother and child. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 195, 914-34	6.4	182
1713	Subclinical signs of vascular damage relate to enhanced platelet responsiveness among nonpregnant formerly preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 194, 855-60	6.4	6
1712	Recurrence of hypertensive disorder in second pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 194, 916-20	6.4	50
1711	Prolylcarboxypeptidase gene, chronic hypertension, and risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 195, 162-71	6.4	54
1710	Are in vitro fertilization pregnancies with early spontaneous reduction high risk?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 195, 814-7	6.4	26
1709	Preeclampsia and subsequent risk of cancer in Utah. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 195, 691-9	6.4	40
1708	Oral health in women with pregnancy and delivery complications. <b>2006</b> , 10, 96-101		26
1707	Serious foetal growth restriction is associated with reduced proportions of natural killer cells in decidua basalis. <b>2006</b> , 448, 269-76		51
1706	Pathophysiology and medical management of systemic hypertension in preeclampsia. <b>2006</b> , 8, 502-11		11
1705	Increased insulin levels independent of gestational overweight in women with preeclampsia. <b>2006</b> , 37, 749-54		13
1704	Preeclampsia as a cause of preterm and late preterm (near-term) births. <b>2006</b> , 30, 16-9		152
1703	Hidden Markov models based on symbolic dynamics for statistical modeling of cardiovascular control in hypertensive pregnancy disorders. <b>2006</b> , 53, 140-3		9
1702	Association study of IL-10 and IFN-gamma gene polymorphisms in Iranian women with preeclampsia. <b>2006</b> , 72, 118-26		45
1701	Umbilical cord serum activin A levels are increased in pre-eclampsia with impaired blood flow in the uteroplacental and fetal circulation. <b>2006</b> , 27, 432-7		11
1700	Marinobufagenin impairs first trimester cytotrophoblast differentiation. <b>2006</b> , 27, 984-8		33
1699	Prediction of pre-eclampsia: a protocol for systematic reviews of test accuracy. <b>2006</b> , 6, 29		18
1698	Decreased ovarian reserve relates to pre-eclampsia in IVF/ICSI pregnancies. <b>2006</b> , 21, 2948-54		34
1697	Stimulation of the ADRB3 adrenergic receptor induces relaxation of human placental arteries: influence of preeclampsia. <b>2006</b> , 74, 209-16		14

1696	Periconceptual multivitamin use reduces the risk of preeclampsia. <b>2006</b> , 164, 470-7	124
1695	Vitamins C and E and the risks of preeclampsia and perinatal complications. <b>2006</b> , 354, 1796-806	346
1694	Three mechanisms in the pathogenesis of pre-eclampsia suggested by over-represented transcription factor-binding sites detected with comparative promoter analysis. <b>2006</b> , 12, 31-4	8
1693	Pregnancy as the prodrome to vascular dysfunction and cardiovascular risk. <b>2006</b> , 3, 596-603	29
1692	Association between a functional dopamine D4 receptor promoter region polymorphism (-C521T) and pre-eclampsia: a family-based study. <b>2006</b> , 12, 85-8	3
1691	Previous hypertensive disease of pregnancy is associated with alterations of markers of insulin resistance. <b>2007</b> , 49, 1056-62	78
1690	Very low birth weight increases risk for sleep-disordered breathing in young adulthood: the Helsinki Study of Very Low Birth Weight Adults. <b>2007</b> , 120, 778-84	85
1689	Orthostatic stress response during the menstrual cycle is unaltered in formerly preeclamptic women with low plasma volume. <b>2007</b> , 14, 66-72	1
1688	Endothelium-dependent vasodilatation in formerly preeclamptic women correlates inversely with body mass index and varies independently of plasma volume. <b>2007</b> , 14, 765-70	8
1687	Women's views of their experiences in the CHIPS (Control of Hypertension in Pregnancy Study) Pilot Trial. <b>2007</b> , 26, 371-87	25
1686	Inositol phosphoglycan P-type in preeclampsia: a novel marker?. <b>2007</b> , 49, 84-9	34
1685	Prepregnancy body mass index and the occurrence of severe hypertensive disorders of pregnancy. <b>2007</b> , 18, 234-9	185
1684	Perinatal and maternal outcomes in women with sickle or hemoglobin C trait. <b>2007</b> , 110, 1113-9	15
1683	Glucose regulation in young adults with very low birth weight. <b>2007</b> , 357, 616; author reply 617	4
1682	Association between estrogen receptor alpha (ESR1) gene polymorphisms and severe preeclampsia. <b>2007</b> , 30, 205-11	60
1681	Increased cystatin C expression in the pre-eclamptic placenta. <b>2007</b> , 13, 189-95	31
1680	Expressional and epigenetic alterations of placental serine protease inhibitors: SERPINA3 is a potential marker of preeclampsia. <b>2007</b> , 49, 76-83	104
1679	Validity of preeclampsia-related diagnoses recorded in a national hospital registry and in a postpartum interview of the women. <b>2007</b> , 166, 117-24	170

1678	The mechanisms of low birth weight in infants of mothers with homozygous sickle cell disease. <b>2007</b> , 120, e686-93	24
1677	Neurokinin B levels in maternal and umbilical cord blood in preeclamptic and normal pregnancies. <b>2007</b> , 35, 200-2	13
1676	Predictive value of maternal angiogenic factors in second trimester pregnancies with abnormal uterine perfusion. <b>2007</b> , 49, 818-24	186
1675	A novel pathway for the management of hypertension for hospitalized patients. <b>2007</b> , 6, 150-60	13
1674	Female reproductive issues following bariatric surgery. <b>2007</b> , 62, 595-604	44
1673	Impact of maternal angiotensinogen M235T polymorphism and angiotensin-converting enzyme insertion/deletion polymorphism on blood pressure, protein excretion and fetal outcome in pregnancy. <b>2007</b> , 25, 1255-61	15
1672	Instituting surveillance guidelines and adverse outcomes in preeclampsia. <b>2007</b> , 110, 121-7	62
1671	Hypertensive pregnancy disorders: current concepts. <b>2007</b> , 9, 560-6	68
1670	Diet during pregnancy and risk of preeclampsia or gestational hypertension. <b>2007</b> , 17, 663-8	98
1669	Inherited thrombophilias and pre-eclampsia in Brazilian women. <b>2007</b> , 134, 20-3	16
1668	Accuracy of fibronectin tests for the prediction of pre-eclampsia: a systematic review. <b>2007</b> , 133, 12-9	17
1667	Thrombin activatable fibrinolysis inhibitor (TAFI): a role in pre-eclampsia?. <b>2007</b> , 378, 1-6	6
1666	Morphometric study of placental villi and vessels in women with mild hyperglycemia or gestational or overt diabetes. <b>2007</b> , 78, 65-71	62
1665	Decreased fractional urinary calcium excretion and serum 1,25-dihydroxyvitamin D and IGF-I levels in preeclampsia. <b>2007</b> , 103, 803-6	36
1664	Temporizing treatment for the respiratory-compromised gravida: an observational study of maternal and neonatal outcome. <b>2007</b> , 16, 261-4	17
1663	Immunogenetics of pregnancy: role of a 14-bp deletion in the maternal HLA-G gene in primiparous pre-eclamptic Brazilian women. <b>2007</b> , 68, 668-74	46
1662	[New insights in the pathophysiology of preeclampsia and potential therapeutic implications]. <b>2007</b> , 3, 437-48	15
1661	Trastornos hipertensivos del embarazo. <b>2007</b> , 50, 446-455	4

1660	Fractal analysis of the maternal surface of the placenta: preliminary report. <b>2007</b> , 63, 229-33	7
1659	Nitric oxide for preventing pre-eclampsia and its complications. <b>2007</b> , CD006490	47
1658	Analysis of cardiovascular oscillations: a new approach to the early prediction of pre-eclampsia. <b>2007</b> , 17, 015113	25
1657	Mean platelet volume: association with adverse neonatal outcome. <b>2007</b> , 18, 284-8	27
1656	Familial occurrence of gestational hypertensive disorders in a Brazilian population. <b>2007</b> , 26, 357-62	4
1655	Glucose regulation in young adults with very low birth weight. <b>2007</b> , 356, 2053-63	380
1654	Preeclampsia--a pressing problem: an executive summary of a National Institute of Child Health and Human Development workshop. <b>2007</b> , 14, 508-23	92
1653	Hypertension in pregnancy. <b>2007</b> , 14, 178-90	55
1652	Hypertensive crises: challenges and management. <b>2007</b> , 131, 1949-62	208
1651	Hypertensive Urgencies and Emergencies. <b>2007</b> , 761-774	1
1650	Gynecological and Obstetric Emergencies. <b>2007</b> , 497-554	
1649	Reduced plasma levels of angiotensin-(1-7) and renin activity in preeclamptic patients are associated with the angiotensin I- converting enzyme deletion/deletion genotype. <b>2007</b> , 40, 583-90	51
1648	Effects of magnesium sulphate on placental expression of endothelin 1 and its receptors in preeclampsia. <b>2007</b> , 40, 976-80	2
1647	Associations of depression and depressive symptoms with preeclampsia: results from a Peruvian case-control study. <b>2007</b> , 7, 15	72
1646	Color Doppler ultrasound of spiral artery blood flow for prediction of hypertensive disorders and intra uterine growth restriction: a longitudinal study. <b>2007</b> , 27, 1011-6	12
1645	Association of microsomal epoxide hydrolase gene polymorphism and pre-eclampsia in Turkish women. <b>2007</b> , 33, 32-7	16
1644	The association between customised small for gestational age infants and pre-eclampsia or gestational hypertension varies with gestation at delivery. <b>2007</b> , 114, 478-84	35
1643	The Control of Hypertension In Pregnancy Study pilot trial. <b>2007</b> , 114, 770, e13-20	54



1642	Overproduction of the follistatin-related gene protein in the placenta and maternal serum of women with pre-eclampsia. <b>2007</b> , 114, 1128-37		19
1641	Accuracy of body mass index in predicting pre-eclampsia: bivariate meta-analysis. <b>2007</b> , 114, 1477-85		39
1640	Stress, symptoms, self-monitoring confidence, well-being, and social support in the progression of preeclampsia/gestational hypertension. <b>2007</b> , 36, 419-29		32
1639	Systemic hypertension. <b>2007</b> , 32, 201-59		54
1638	Changing incidence and outcome of infants with respiratory distress syndrome in the 1990s: a population-based survey. <b>2007</b> , 93, 177-184		18
1637	Growth and neurodevelopment outcome of very low birth weight infants delivered by preeclamptic mothers. <b>2007</b> , 96, 1738-42		35
1636	Paradoxical discrepancy between the serum level and the placental intensity of PP5/TFPI-2 in preeclampsia and/or intrauterine growth restriction: possible interaction and correlation with glypican-3 hold the key. <b>2007</b> , 28, 224-32		33
1635	The placenta in pre-eclampsia and intrauterine growth restriction: studies on exchange surface areas, diffusion distances and villous membrane diffusive conductances. <b>2007</b> , 28, 233-8		95
1634	Microarray analysis of differentially expressed fetal genes in placental tissue derived from early and late onset severe pre-eclampsia. <b>2007</b> , 28, 487-97		127
1633	Evidence for a role of TGF-beta1 in the expression and regulation of alpha-SMA in fetal growth restricted placentae. <b>2007</b> , 28, 1123-32		13
1632	A review and rationale for studying the cardiovascular effects of drinking water arsenic in women of reproductive age. <b>2007</b> , 222, 344-50		15
1631	Association of increased serum heat shock protein 70 and C-reactive protein concentrations and decreased serum alpha(2)-HS glycoprotein concentration with the syndrome of hemolysis, elevated liver enzymes, and low platelet count. <b>2007</b> , 73, 172-179		43
1630	Fetal growth restriction is associated with reduced FasL expression by decidual cells. <b>2007</b> , 74, 7-14		20
1629	Systemic Hypertension âNewer Guidelines. <b>2007</b> , 4, 189-196		
1628	Why much of the pathophysiology of preeclampsia-eclampsia must be of an autoimmune nature. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 196, 5.e1-7	6.4	40
1627	Are perinatal and maternal outcomes different during expectant management of severe preeclampsia in the presence of intrauterine growth restriction?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 196, 237.e1-5	6.4	26
1626	Hypertensive disorders of pregnancy and the small for gestational age neonate: not a simple relationship. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 196, 335.e1-5	6.4	17
1625	Racial/ethnic differences in the monthly variation of preeclampsia incidence. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 196, 324.e1-5	6.4	44

1624	Expectant management of severe preeclampsia remote from term: patient selection, treatment, and delivery indications. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 196, 514.e1-9	6.4	130
1623	Chorionic villus sampling and risk for hypertensive disorders of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 196, 591.e1-7; discussion 591.e7	6.4	20
1622	Diagnostic utility of soluble fms-like tyrosine kinase 1 and soluble endoglin in hypertensive diseases of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 28.e1-6	6.4	97
1621	Biomarker for hypertension-preeclampsia: are we close yet?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 1-2	6.4	567
1620	Prepregnancy body mass index, hypertensive disorders of pregnancy, and long-term maternal mortality. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 490.e1-6	6.4	43
1619	Level of glycemic control and pregnancy outcome in type 1 diabetes: a comparison between multiple daily insulin injections and continuous subcutaneous insulin infusions. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 404.e1-5	6.4	41
1618	Vascular endothelial growth factor gene +936 C/T polymorphism is associated with preeclampsia in Korean women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 271.e1-4	6.4	37
1617	Neonatal outcomes in pregnancies with preeclampsia or gestational hypertension and in normotensive pregnancies that delivered at 35, 36, or 37 weeks of gestation. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, 406.e1-7	6.4	63
1616	Pre-eclampsia but not pregnancy-induced hypertension is a risk factor for diabetic nephropathy in type 1 diabetic women. <b>2007</b> , 50, 516-22		44
1615	Altered plasma neurokinin B levels in patients with pre-eclampsia. <b>2007</b> , 276, 151-7		5
1614	The combination of ApoCIII, hepatic lipase and hormone sensitive lipase gene polymorphisms suggests an association with susceptibility to gestational hypertension. <b>2007</b> , 52, 244-254		19
1613	Schwangerschaftshochdruck und Präeklampsie. <b>2007</b> , 2, 432-440		
1612	[Anesthetic management of parturients with pre-eclampsia and eclampsia]. <b>2008</b> , 57, 87-102		6
1611	[Hypertensive diseases in pregnancy]. <b>2008</b> , 49, 811-6		
1610	Thrombin activatable fibrinolysis inhibitor in preeclampsia and gestational hypertension throughout the gestation. <b>2008</b> , 28, 140-3		3
1609	Arterial stiffness and dipper/nondipper blood pressure status in women with preeclampsia. <b>2008</b> , 25, 925-34		5
1608	Hypertension in women. <b>2008</b> , 2, 239-244		
1607	[Heart diseases in pregnancy]. <b>2008</b> , 97, 630-65		31

1606	Placental morphometrical and histopathology changes in the different clinical presentations of hypertensive syndromes in pregnancy. <b>2008</b> , 277, 201-6		46
1605	The safety of a trial of labor after cesarean section in a grandmultiparous population. <b>2008</b> , 277, 339-44		15
1604	Spontaneous and indicated preterm delivery in pregestational diabetes mellitus: etiology and risk factors. <b>2008</b> , 278, 129-34		27
1603	Dinucleotide repeat polymorphism in Fms-like tyrosine kinase-1 (Flt-1) gene is not associated with preeclampsia. <b>2008</b> , 9, 68		9
1602	Non-synonymous sequence variants within the oxygen-dependent degradation domain of the HIF1A gene are not associated with pre-eclampsia in the Finnish population. <b>2008</b> , 9, 96		5
1601	Pre-eclampsia is associated with dendritic cell recruitment into the uterine decidua. <b>2008</b> , 214, 328-36		89
1600	Hypertension in pregnancy. <b>2008</b> , 51, S16-7		4
1599	Comparative assessment of matrix metalloproteinase (MMP)-2 and MMP-9, and their inhibitors, tissue inhibitors of metalloproteinase (TIMP)-1 and TIMP-2 in preeclampsia and gestational hypertension. <b>2008</b> , 41, 875-80		84
1598	Circulatory soluble endoglin and its predictive value for preeclampsia in second-trimester pregnancies with abnormal uterine perfusion. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 175.e1-6	6.4	102
1597	Genetic association of preeclampsia to the inflammatory response gene SEPS1. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 336.e1-5	6.4	53
1596	Diet-treated gestational diabetes mellitus: comparison of early vs routine diagnosis. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 287.e1-6	6.4	25
1595	First-trimester maternal serum PP13 in the risk assessment for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, 122.e1-122.e11	6.4	111
1594	Twin-to-twin transfusion syndrome: an antiangiogenic state?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 382.e1-8	6.4	45
1593	Increased senescence and reduced functional ability of fetal endothelial progenitor cells in pregnancies complicated by preeclampsia without intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, 259.e1-7	6.4	17
1592	The clinical content of preconception care: women with chronic medical conditions. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, S310-27	6.4	66
1591	Studies on the compatibility of HLA-Class II alleles in patient couples with severe pre-eclampsia using PCR-RFLP methods. <b>2008</b> , 60, 75-84		9
1590	Association of tumor necrosis factor-alpha and interleukin-10 gene polymorphisms in Iranian patients with pre-eclampsia. <b>2008</b> , 60, 179-85		24
1589	A role for mannose-binding lectin, a component of the innate immune system in pre-eclampsia. <b>2008</b> , 60, 333-45		39

1588	Impaired placental neovascularization in mice with pregnancy-associated hypertension. <b>2008</b> , 88, 416-29	28
1587	High blood pressure in pregnancy. <b>2008</b> , 12, 410-21; quiz 422	6
1586	Soluble Flt-1 as a diagnostic marker of pre-eclampsia. <b>2008</b> , 48, 64-70	35
1585	Serum levels of the adipokine visfatin are increased in pre-eclampsia. <b>2008</b> , 69, 69-73	74
1584	Hypertension in women: part I. <b>2008</b> , 10, 406-10	31
1583	The HLA-G 14bp gene polymorphism and decidua HLA-G 14bp gene expression in pre-eclamptic and normal pregnancies. <b>2008</b> , 78, 158-65	49
1582	Expression of extracellular signal-regulated kinase1/2 and p38 mitogen-activated protein kinase in the invasive trophoblasts at the human placental bed. <b>2008</b> , 29, 391-5	18
1581	PKC delta in preeclamptic placentas promotes Bax dissociation from 14-3-3 zeta through 14-3-3 zeta phosphorylation. <b>2008</b> , 29, 584-92	11
1580	Placental system A amino acid transport is reduced in pregnancies with small for gestational age (SGA) infants but not in preeclampsia with SGA infants. <b>2008</b> , 29, 879-82	44
1579	Eclampsia: a neurological perspective. <b>2008</b> , 271, 158-67	47
1578	Eclampsia following cesarean section with HELLP syndrome and multiple organ failure. <b>2008</b> , 46, 46-8	4
1577	Prevençã de la preeclampsia con Aspirina . <b>2008</b> , 25, 43-46	
1576	Headaches and migraines are associated with an increased risk of preeclampsia in Peruvian women. <b>2008</b> , 21, 360-4	40
1575	Ophthalmic artery Doppler as a measure of severe pre-eclampsia. <b>2008</b> , 100, 216-20	42
1574	Risk factors for pre-eclampsia in pregnant Chinese women with abnormal glucose metabolism. <b>2008</b> , 101, 74-6	15
1573	Genetic and epigenetic factors contribute to the onset of preeclampsia. <b>2008</b> , 282, 120-9	90
1572	[Latest developments: management and treatment of preeclampsia]. <b>2008</b> , 37, 5-15	13
1571	Increased plasma levels of inflammatory markers and upper airway resistance during sleep in pre-eclampsia. <b>2008</b> , 9, 667-74	8

1570	Intimate partner violence (IPV) and preeclampsia among Peruvian women. <b>2008</b> , 137, 50-5	23
1569	Development of a nomogram to predict occurrence of preeclampsia. <b>2008</b> , 137, 146-51	9
1568	[Management of the HELLP syndrome]. <b>2008</b> , 36, 1175-90	10
1567	Hypertension in pregnancy. <b>2008</b> , 2, 484-94	100
1566	Prevençã de la preeclampsia con Aspirina . <b>2008</b> , 25, 43-46	
1565	Update on the use of antihypertensive drugs in pregnancy. <b>2008</b> , 51, 960-9	127
1564	Maternal complications and perinatal outcomes associated with gestational hypertension and severe preeclampsia in Taiwanese women. <b>2008</b> , 107, 129-38	33
1563	État des connaissances : prise en charge thfapeutique de la prêclampsie. <b>2008</b> , 7, 27-37	
1562	Medical issues from preconception through delivery: a roadmap for the internist. <b>2008</b> , 92, 1193-225, xi	6
1561	Preeclampsia: What's New?. <b>2008</b> , 26, 103-119	1
1560	Secular trends in the rates of preeclampsia, eclampsia, and gestational hypertension, United States, 1987-2004. <b>2008</b> , 21, 521-6	411
1559	Placental origins of preeclampsia: challenging the current hypothesis. <b>2008</b> , 51, 970-5	685
1558	Toll-like receptor 4 gene polymorphisms and preeclampsia: lack of association in a Caucasian population. <b>2008</b> , 31, 859-64	26
1557	Maternal periodontitis as a potential risk variable for preeclampsia: a case-control study. <b>2008</b> , 79, 207-15	45
1556	Hypertension in Pregnancy. <b>2008</b> , 479-485	1
1555	Renal Physiology and Disease in Pregnancy. <b>2008</b> , 2339-2398	10
1554	Maternal iron intake and iron status during pregnancy and child blood pressure at age 3 years. <b>2008</b> , 37, 301-8	24
1553	CTLA-4 polymorphism 49A-G is associated with placental abruption and preeclampsia in Finnish women. <b>2008</b> , 46, 169-73	15

1552	Evidence of endothelial dysfunction in preeclampsia and risk of adverse pregnancy outcome. <b>2008</b> , 15, 374-381	34
1551	A randomized trial of tight vs. less tight control of mild essential and gestational hypertension in pregnancy. <b>2008</b> , 36, 413-8	11
1550	Preeclampsia and future cardiovascular risk: formal risk factor or failed stress test?. <b>2008</b> , 2, 249-59	127
1549	Expression levels of mRNA for Rho A/Rho kinase and its role in isoprostane-induced vasoconstriction of human placental and maternal vessels. <b>2008</b> , 15, 179-88	8
1548	Multifractal description of the maternal surface of the placenta. <b>2008</b> , 66, 127-33	6
1547	Vascular endothelial growth factor genotypes and haplotypes are associated with pre-eclampsia but not with gestational hypertension. <b>2009</b> , 15, 115-20	53
1546	Gamma 2 actin gene (enteric type) polymorphism is not associated with obstetric cholestasis or preeclampsia. <b>2008</b> , 23, 36-40	5
1545	No association of the genetic polymorphisms of endothelial nitric oxide synthase, dimethylarginine dimethylaminohydrolase, and vascular endothelial growth factor with preeclampsia in Korean populations. <b>2008</b> , 11, 77-83	31
1544	Correlation of catheterized and clean catch urine protein/creatinine ratios in preeclampsia evaluation. <b>2008</b> , 112, 606-10	7
1543	Nocturnal hypertension is associated with an exacerbation of the endothelial damage in preeclampsia. <b>2008</b> , 28, 424-30	15
1542	Methylenetetrahydrofolate reductase C677T and glutathione S-transferase P1 A313G are associated with a reduced risk of preeclampsia in Maya-Mestizo women. <b>2008</b> , 31, 1015-9	51
1541	Impact of high maternal hemoglobin at first antenatal visit on pregnancy outcomes: a cohort study. <b>2008</b> , 36, 115-9	21
1540	Pregnancy outcome of women who developed proteinuria in the absence of hypertension after mid-gestation. <b>2008</b> , 36, 419-24	41
1539	Maternal heart rate variability and fetal behavior in hypertensive and normotensive pregnancies. <b>2008</b> , 10, 134-44	14
1538	A relationship between insulin sensitivity and vasodilation in women with a history of preeclamptic pregnancy. <b>2008</b> , 52, 394-401	27
1537	Cardiac adaptation to pregnancy in women with a history of preeclampsia and a subnormal plasma volume. <b>2008</b> , 15, 1059-65	13
1536	Serum levels of the adipokine adipocyte fatty acid-binding protein are increased in preeclampsia. <b>2008</b> , 21, 582-6	44
1535	Nitric oxide formation is inversely related to serum levels of antiangiogenic factors soluble fms-like tyrosine kinase-1 and soluble endogline in preeclampsia. <b>2008</b> , 52, 402-7	128

1534	Identification of proteomic biomarkers of preeclampsia in amniotic fluid using SELDI-TOF mass spectrometry. <b>2008</b> , 15, 457-68	43
1533	Young adults with very low birth weight: leaving the parental home and sexual relationships--Helsinki Study of Very Low Birth Weight Adults. <b>2008</b> , 122, e62-72	53
1532	The M235T variant of the angiotensinogen gene is related to development of self-reported hypertension during pregnancy: the Prospect-EPIC cohort study. <b>2008</b> , 31, 1299-305	19
1531	Angiotensin type 1 receptor blockade prevents cardiac remodeling in mice with pregnancy-associated hypertension. <b>2008</b> , 31, 2165-75	12
1530	A comparison of circulating TNF-alpha in obese and lean women with and without preeclampsia. <b>2008</b> , 27, 39-48	30
1529	Dietary fiber intake in early pregnancy and risk of subsequent preeclampsia. <b>2008</b> , 21, 903-9	83
1528	Seizures in pregnancy: diagnosis and management. <b>2008</b> , 83, 259-71	17
1527	Hypertensions de la grossesse. <b>2008</b> , 3, 1-19	
1526	Reference. <b>2008</b> , 30, S38-S48	
1525	Antioxidants for preventing pre-eclampsia. <b>2008</b> , CD004227	123
1524	Non-proteinuric pre-eclampsia: a novel risk indicator in women with gestational hypertension. <b>2008</b> , 26, 295-302	82
1523	Chocolate consumption in pregnancy and reduced likelihood of preeclampsia. <b>2008</b> , 19, 459-64	37
1522	The angiotensinogen gene M235T polymorphism and development of preeclampsia/eclampsia: a meta-analysis and meta-regression of observational studies. <b>2008</b> , 26, 1726-34	15
1521	Protein/creatinine ratio in preeclampsia: a systematic review. <b>2008</b> , 112, 135-44	55
1520	Prediction and prevention of recurrent preeclampsia. <b>2008</b> , 112, 359-72	207
1519	A prospective analysis of recreational physical activity and preeclampsia risk. <b>2008</b> , 40, 1581-8	52
1518	Critical Care Medicine in Pregnancy. <b>2008</b> , 1697-1708	
1517	Hypertensive disorders of pregnancy. 127-133	1

1516	Adiponectin induced placental cell apoptosis could be mediated via the ADIPOR1-receptor in pre-eclampsia with IUGR. <b>2009</b> , 37, 257-62	17
1515	A longitudinal study of the maternal cardiovascular adaptation to spontaneous and assisted conception pregnancies. <b>2009</b> , 28, 273-89	13
1514	Remote hemodynamics and renal function in formerly preeclamptic women. <b>2009</b> , 113, 853-859	26
1513	Early-onset preeclampsia and the prevalence of postpartum metabolic syndrome. <b>2009</b> , 114, 1076-1084	78
1512	Preeclampsia is associated with decreased serum alpha(2)-HS glycoprotein (fetuin-A) concentration. <b>2009</b> , 32, 665-9	34
1511	Maternal blood lead levels and the risk of pregnancy-induced hypertension: the EDEN cohort study. <b>2009</b> , 117, 1526-30	64
1510	Serum levels of angiopoietin-related growth factor are increased in preeclampsia. <b>2009</b> , 22, 314-8	17
1509	Hospitalized late preterm mild preeclamptic patients with mature lung testing: what are the risks of delivery?. <b>2009</b> , 29, 413-5	10
1508	Risk of pregnancy-related hypertension within five years of exposure to bacteria-contaminated drinking water. <b>2009</b> , S47-9	7
1507	Cytokine gene polymorphisms in preeclampsia and eclampsia. <b>2009</b> , 32, 565-9	50
1506	Pre-eclampsia is associated with increased risk of stroke in the adult offspring: the Helsinki birth cohort study. <b>2009</b> , 40, 1176-80	326
1505	Antihypertensive medication use during pregnancy and the risk of cardiovascular malformations. <b>2009</b> , 54, 63-70	96
1504	The detrimental role of angiotensin receptor agonistic autoantibodies in intrauterine growth restriction seen in preeclampsia. <b>2009</b> , 206, 2809-22	63
1503	Preeclampsia risk in relation to maternal mood and anxiety disorders diagnosed before or during early pregnancy. <b>2009</b> , 22, 397-402	90
1502	Mice overexpressing both human angiotensinogen and human renin as a model of superimposed preeclampsia on chronic hypertension. <b>2009</b> , 54, 1401-7	30
1501	Preliminary report: Serum levels of retinol-binding protein 4 in preeclampsia. <b>2009</b> , 58, 275-7	20
1500	Behavioral inhibition and behavioral approach in young adults with very low birth weight â The Helsinki study of very low birth weight adults. <b>2009</b> , 46, 106-110	20
1499	Altered global gene expression in first trimester placentas of women destined to develop preeclampsia. <b>2009</b> , 30, 15-24	197



1498	Placental dysferlin expression is reduced in severe preeclampsia. <b>2009</b> , 30, 711-8		15
1497	Novel approaches for mechanistic understanding and predicting preeclampsia. <b>2009</b> , 83, 134-8		19
1496	Dysregulation of anti-angiogenic agents (sFlt-1, PLGF, and sEndoglin) in preeclampsia--a step forward but not the definitive answer. <b>2009</b> , 82, 106-11		92
1495	The HELLP syndrome: clinical issues and management. A Review. <b>2009</b> , 9, 8		313
1494	ASH position paper: hypertension in pregnancy. <b>2009</b> , 11, 214-25		81
1493	Thromboprophylaxis and pregnancy outcomes in asymptomatic women with inherited thrombophilias. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 281.e1-5	6.4	21
1492	Brain lesions several years after eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 504.e1-5	6.4	54
1491	The prognostic role of uterine artery Doppler studies in patients with late-onset preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, 36.e1-5	6.4	26
1490	Discontinuation of antihypertensive drug use during the first trimester of pregnancy and the risk of preeclampsia and eclampsia among women with chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, 180.e1-8	6.4	11
1489	Maternal and fetal variants in the TGF-beta3 gene and risk of pregnancy-induced hypertension in a predominantly Latino population. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, 295.e1-5	6.4	10
1488	Health of children born to mothers who had preeclampsia: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, 269.e1-269.e10	6.4	131
1487	Plasma level of soluble c-Met is tightly associated with the clinical risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, 618.e1-7	6.4	13
1486	Epidemiología de los estados hipertensivos del embarazo. <b>2009</b> , 36, 132-139		1
1485	Dietary quality during pregnancy varies by maternal characteristics in Project Viva: a US cohort. <b>2009</b> , 109, 1004-11		212
1484	The management of severe hypertension. <b>2009</b> , 33, 138-42		22
1483	Predicting adverse outcomes in women with severe pre-eclampsia. <b>2009</b> , 33, 152-7		42
1482	The global impact of pre-eclampsia and eclampsia. <b>2009</b> , 33, 130-7		1566
1481	Helicobacter pylori seropositivity and its relationship with serum malondialdehyde and lipid profile in preeclampsia. <b>2009</b> , 23, 219-22		19

1480	The ERAP2 gene is associated with preeclampsia in Australian and Norwegian populations. <b>2009</b> , 126, 655-66	77
1479	Overlapping features of eclampsia and postpartum angiopathy. <b>2009</b> , 11, 199-209	33
1478	Hypertension in women. <b>2009</b> , 11, 23-8	9
1477	Control of hypertension in pregnancy. <b>2009</b> , 11, 429-36	27
1476	Maternal health conditions during pregnancy and acute leukemia in children with Down syndrome: A Children's Oncology Group study. <b>2009</b> , 52, 602-8	14
1475	Modelling the association of blood pressure during pregnancy with gestational age and body mass index. <b>2009</b> , 23, 254-63	22
1474	Chorangiomas and placental oxygenation. <b>2009</b> , 49, 71-6	22
1473	Pregnancy-associated plasma protein-A and C-reactive protein levels in pre-eclamptic and normotensive pregnant women at third trimester. <b>2009</b> , 35, 94-8	24
1472	Perinatal outcome of recurrent pre-eclampsia versus pre-eclampsia in nulliparas. <b>2009</b> , 35, 1042-6	5
1471	Clinical features of fetal growth restriction complicated later by preeclampsia. <b>2009</b> , 35, 882-7	28
1470	Antithrombin plasma levels decrease is associated with preeclampsia worsening. <b>2009</b> , 31, 227-32	13
1469	Role of nutrition in the risk of preeclampsia. <b>2009</b> , 67, 639-57	50
1468	Characterisation of peripartum cardiomyopathy by cardiac magnetic resonance imaging. <b>2009</b> , 19, 1324-5; author reply 1326-7	11
1467	Modified myocardial performance index for evaluation of fetal cardiac function in pre-eclampsia. <b>2009</b> , 33, 51-7	39
1466	Does pre-eclampsia influence fetal cardiovascular function in early-onset intrauterine growth restriction?. <b>2009</b> , 34, 660-5	22
1465	Diagnosis and management of atypical preeclampsia-eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 481.e1-7	6.4 181
1464	Prepregnancy body mass index, gestational weight gain, and risk of hypertensive pregnancy among Latina women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 167.e1-7	6.4 72
1463	Inherited thrombophilia and preeclampsia within a multicenter cohort: the Montreal Preeclampsia Study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 200, 151.e1-9; discussion e1-5	6.4 69

1462	O-glycoside biomarker of apolipoprotein C3: responsiveness to obesity, bariatric surgery, and therapy with metformin, to chronic or severe liver disease and to mortality in severe sepsis and graft vs host disease. <b>2009</b> , 8, 603-12	32
1461	Elevated circulating soluble thrombomodulin activity, tissue factor activity and circulating procoagulant phospholipids: new and useful markers for pre-eclampsia?. <b>2009</b> , 146, 46-9	52
1460	Aldosterone synthase gene polymorphism is not associated with gestational hypertension or preeclampsia. <b>2009</b> , 400, 139-41	10
1459	Blood group AB and factor V Leiden as risk factors for pre-eclampsia: a population-based nested case-control study. <b>2009</b> , 124, 167-73	45
1458	Higher de novo synthesized fatty acids and lower omega3- and omega6-long-chain polyunsaturated fatty acids in umbilical vessels of women with preeclampsia and high fish intakes. <b>2009</b> , 80, 101-6	9
1457	Genotype of the CYBA promoter -930A/G, polymorphism C677T of the MTHFR and APOE genotype in patients with hypertensive disorders of pregnancy: an observational study. <b>2009</b> , 133, 657-61	22
1456	Mechanisms of convulsions in eclampsia. <b>2009</b> , 72, 49-51	11
1455	Hypertension in pregnancy and women of childbearing age. <b>2009</b> , 122, 890-5	95
1454	Introduction, History, Controversies, and Definitions. <b>2009</b> , 1-23	11
1453	Antihypertensive Treatment. <b>2009</b> , 369-387	2
1452	Management. <b>2009</b> , 389-414	1
1451	Endocrine Diseases of Pregnancy. <b>2009</b> , 615-658	1
1450	Obesity in pregnancy. <b>2009</b> , 36, 341-56	29
1449	Doppler measurement of renal interlobar vein impedance index in uncomplicated and preeclamptic pregnancies. <b>2009</b> , 28, 23-33	34
1448	Migraine during pregnancy: is it more than a headache?. <b>2009</b> , 5, 449-56	30
1447	Induced labour for pre-eclampsia and gestational hypertension. <b>2009</b> , 374, 951-952	3
1446	Hypertensive Schwangerschaftserkrankungen. <b>2009</b> , 42, 121-132	1
1445	Resolution of hypertension and proteinuria after preeclampsia. <b>2009</b> , 114, 1307-1314	101

1444	Hypertensive disorders and severe obstetric morbidity in the United States. <b>2009</b> , 113, 1299-1306	404
1443	A current landscape of provincial perinatal data collection in Canada. <b>2009</b> , 31, 236-246	2
1442	Interventions for treating pre-eclampsia and its consequences: generic protocol. <b>2009</b> ,	22
1441	Comparison between essential hypertension and pregnancy-induced hypertension: a genetic perspective. <b>2009</b> , 56, 921-34	10
1440	Quitting smoking during early versus late pregnancy: the risk of preeclampsia and adverse birth outcomes. <b>2009</b> , 31, 702-707	7
1439	Antenatal testing-a reevaluation: executive summary of a Eunice Kennedy Shriver National Institute of Child Health and Human Development workshop. <b>2009</b> , 113, 687-701	96
1438	Magnesium sulphate versus lytic cocktail for eclampsia. <b>2010</b> , CD002960	35
1437	Nicardipine for the treatment of severe hypertension in pregnancy: a review of the literature. <b>2010</b> , 65, 341-7	17
1436	Antihypertensive Medication Use During Pregnancy and the Risk of Cardiovascular Malformations. <b>2010</b> , 2010, 389-390	
1435	Antihypertensive Medication Use During Pregnancy and the Risk of Cardiovascular Malformations. <b>2010</b> , 2010, 35-37	
1434	Association of anticardiolipin antibodies with preeclampsia: a systematic review and meta-analysis. <b>2010</b> , 116, 1433-1443	77
1433	Hypertension in pregnancy as a risk factor for cardiovascular disease later in life. <b>2010</b> , 28, 826-33	123
1432	Pulmonary artery flow catheters for directing management in pre-eclampsia. <b>2010</b> ,	
1431	The relation between delivery type and cord blood levels of chitotriosidase and Troponin T. <b>2010</b> , 5, 693-697	
1430	Persistence of increased uterine artery resistance in the third trimester and pregnancy outcome. <b>2010</b> , 36, 577-81	34
1429	Pregnancy outcome in morbidly obese women before and after laparoscopic gastric banding. <b>2010</b> , 20, 1251-7	67
1428	The significance of genetic polymorphisms of factor V Leiden and prothrombin in the preeclamptic Polish women. <b>2010</b> , 30, 97-104	11
1427	Ambulatory blood pressure in young adults with very low birth weight. <b>2010</b> , 156, 54-59.e1	73

1426	Sepsis and neutropenia in very low birth weight infants delivered of mothers with preeclampsia. <b>2010</b> , 157, 434-8, 438.e1		22
1425	Adults born at very low birth weight exercise less than their peers born at term. <b>2010</b> , 157, 610-6, 616.e1		69
1424	Preliminary report: circulating levels of the adipokine vaspin in gestational diabetes mellitus and preeclampsia. <b>2010</b> , 59, 1054-6		27
1423	Matrix metalloproteinase 1 in pre-eclampsia and fetal growth restriction: reduced gene expression in decidual tissue and protein expression in extravillous trophoblasts. <b>2010</b> , 31, 615-20		38
1422	Volumes and numbers of intervillous pores and villous domains in placentas associated with intrauterine growth restriction and/or pre-eclampsia. <b>2010</b> , 31, 602-6		17
1421	Automated assays for sVEGF R1 and PlGF as an aid in the diagnosis of preterm preeclampsia: a prospective clinical study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 202, 40.e1-7	6.4	96
1420	An automated method for the determination of the sFlt-1/PlGF ratio in the assessment of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 202, 161.e1-161.e11	6.4	277
1419	Clinical differences between early-onset HELLP syndrome and early-onset preeclampsia during pregnancy and at least 6 months postpartum. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 202, 271.e1-5	6.4	18
1418	Placental vascular lesion differences in pregnancy-induced hypertension and normotensive fetal growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 202, 561.e1-5	6.4	61
1417	The prognostic role of uterine artery Doppler investigation in patients with severe early-onset preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 202, 559.e1-4	6.4	19
1416	Effects of magnesium on central arterial compliance in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 202, 448.e1-8	6.4	11
1415	Preeclampsia is associated with increased cytotoxic T-cell capacity to paternal antigens. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 203, 496.e1-6	6.4	29
1414	Breastfeeding is not associated with left cardiac structures and blood pressure during the first two years of life. The Generation R Study. <b>2010</b> , 86, 463-8		13
1413	Increased circulating cell-free hemoglobin levels reduce nitric oxide bioavailability in preeclampsia. <b>2010</b> , 49, 493-500		41
1412	Estados hipertensivos del embarazo: resultados perinatales. <b>2010</b> , 37, 56-62		1
1411	Risk of pregnancy-related hypertension within 5 years of exposure to drinking water contaminated with <i>Escherichia coli</i> O157:H7. <b>2010</b> , 12, 613-20		7
1410	Hypertension in Diabetes in Pregnancy. <b>2010</b> , 146-152		
1409	Multifactorial analysis of affinity-mass spectrometry data from serum protein samples: a strategy to distinguish patients with preeclampsia from matching control individuals. <b>2010</b> , 21, 1699-711		29

1408	Is chorionic villus sampling associated with hypertensive disorders of pregnancy?. <b>2010</b> , 30, 9-13	27
1407	Depressive symptoms in adulthood and intrauterine exposure to pre-eclampsia: the Helsinki Birth Cohort Study. <b>2010</b> , 117, 1236-42	50
1406	An economic analysis of induction of labour and expectant monitoring in women with gestational hypertension or pre-eclampsia at term (HYPITAT trial). <b>2010</b> , 117, 1577-85	31
1405	Physical activity and hypertensive complications during pregnancy: findings from 2004 to 2006 North Carolina Pregnancy Risk Assessment Monitoring System. <b>2010</b> , 37, 202-10	25
1404	Prenatal stretching exercise and autonomic responses: preliminary data and a model for reducing preeclampsia. <b>2010</b> , 42, 113-21	16
1403	Contribution of interferon-gamma receptor 1 gene polymorphisms to pre-eclampsia in China. <b>2010</b> , 63, 331-8	1
1402	A historical overview of preeclampsia-eclampsia. <b>2010</b> , 39, 510-8	133
1401	The effects of kisspeptin-54 on blood pressure in humans and plasma kisspeptin concentrations in hypertensive diseases of pregnancy. <b>2010</b> , 70, 674-81	22
1400	A prospective study of maternal carboxyhaemoglobin and pre-eclampsia risk. <b>2010</b> , 24, 35-44	5
1399	Association between mannose-binding lectin gene polymorphisms and pre-eclampsia in Brazilian women. <b>2010</b> , 64, 359-74	8
1398	The relation between delivery type and tau protein levels in cord blood. <b>2010</b> , 52, 872-5	2
1397	Tumor necrosis factor alpha, interleukin-6 and interleukin-10 polymorphisms in preeclampsia. <b>2010</b> , 36, 64-71	51
1396	Marked gestational edema as a clinical sign of life-threatening condition. <b>2010</b> , 36, 861-5	10
1395	Associations of early pregnancy sleep duration with trimester-specific blood pressures and hypertensive disorders in pregnancy. <b>2010</b> , 33, 1363-71	97
1394	Stroke in Pregnancy. 333-344	2
1393	Risk factors for cardiovascular disease ten years after preeclampsia. <b>2010</b> , 128, 10-3	16
1392	Approach to Hypertensive Emergencies in Pregnancy. <b>2010</b> , 695-699	
1391	Complications and Management of Chronic Kidney Disease. <b>2010</b> , 145-163	1

1390	Ophthalmic artery-resistive index and evidence of overperfusion-related encephalopathy in severe preeclampsia. <b>2010</b> , 55, 189-93	27
1389	Autoantibody-mediated angiotensin receptor activation contributes to preeclampsia through tumor necrosis factor-alpha signaling. <b>2010</b> , 55, 1246-53	76
1388	The impact of insulin resistance on woman's health and potential treatment options. <b>2010</b> , 1205, 156-65	1
1387	Anti-angiogenic assay assists fetal extraction decision in a case of pre-eclampsia suspicion?. <b>2010</b> , 3, 427-8	
1386	Postpartum course of gestational hypertension and preeclampsia. <b>2010</b> , 29, 294-300	67
1385	Weight retention within the puerperium in adolescents: a risk factor for obesity?. <b>2010</b> , 13, 283-8	9
1384	Hypertension in pregnancy: a comprehensive update. <b>2010</b> , 18, 178-89	51
1383	Angiotensin receptor agonistic autoantibody is highly prevalent in preeclampsia: correlation with disease severity. <b>2010</b> , 55, 386-93	140
1382	Maternal and fetal thrombophilia in intrauterine growth restriction in the presence or absence of maternal hypertensive disease. <b>2010</b> , 17, 844-8	6
1381	. <b>2010</b> ,	1
1380	Differences in the prevalence of metabolic syndrome and levels of C-reactive protein after puerperium in women with hypertensive disorders during pregnancy. <b>2010</b> , 33, 1012-7	5
1379	Slower reaction times and impaired learning in young adults with birth weight . <b>2010</b> , 125, e74-82	44
1378	Magnesium sulphate versus diazepam for eclampsia. <b>2010</b> , CD000127	60
1377	Magnesium sulphate versus phenytoin for eclampsia. <b>2010</b> , CD000128	34
1376	. <b>2010</b> ,	3
1375	Altered interactions of heart rate and blood pressure during normal and abnormal pregnancy. <b>2010</b> , 2010, 1695-8	7
1374	Magnesium sulfate normalizes placental interleukin-6 secretion in preeclampsia. <b>2010</b> , 30, 683-90	20
1373	Intracranial vertebrobasilar artery dissection associated with postpartum angiopathy. <b>2010</b> , 2010,	10

1372	Effects of eNOS polymorphisms on nitric oxide formation in healthy pregnancy and in pre-eclampsia. <b>2010</b> , 16, 506-10	51
1371	Elevated blood pressure in offspring born premature to hypertensive pregnancy: is endothelial dysfunction the underlying vascular mechanism?. <b>2010</b> , 56, 159-65	136
1370	Increased sensitivity to angiotensin II is present postpartum in women with a history of hypertensive pregnancy. <b>2010</b> , 55, 1239-45	83
1369	Causes and mechanisms of intrauterine hypoxia and its impact on the fetal cardiovascular system: a review. <b>2010</b> , 2010, 401323	153
1368	Cardiac diastolic dysfunction and metabolic syndrome in young women after placental syndrome. <b>2010</b> , 115, 101-108	19
1367	Abnormal placentation, angiogenic factors, and the pathogenesis of preeclampsia. <b>2010</b> , 37, 239-53	133
1366	Hypertension artfielle et grossesse. <b>2010</b> , 2010, 8-14	
1365	Comprehensive maternal serum proteomic profiles of preclinical and clinical preeclampsia. <b>2010</b> , 9, 4274-81	47
1364	Hypertension in special populations: chronic kidney disease, organ transplant recipients, pregnancy, autonomic dysfunction, racial and ethnic populations. <b>2010</b> , 28, 623-38	4
1363	Prospective study of placental angiogenic factors and maternal vascular function before and after preeclampsia and gestational hypertension. <b>2010</b> , 122, 478-87	259
1362	Insulin resistance relates to microvascular reactivity 23 years after preeclampsia. <b>2010</b> , 80, 417-21	21
1361	Medical record validation of maternally reported history of preeclampsia. <b>2010</b> , 63, 932-7	117
1360	Prepregnancy BMI influences maternal and fetal outcomes in women with isolated gestational hyperglycaemia: a multicentre study. <b>2010</b> , 36, 265-70	9
1359	Association between urotensin II gene polymorphism and pre-eclampsia. <b>2010</b> , 151, 140-2	3
1358	Unilaterally increased uterine artery resistance, placental location and pregnancy outcome. <b>2010</b> , 153, 143-7	13
1357	Hypertension in diabetic pregnancy: impact and long-term outlook. <b>2010</b> , 24, 635-51	26
1356	Is the use of donor sperm associated with a higher incidence of preeclampsia in women who achieve pregnancy after intrauterine insemination?. <b>2010</b> , 93, 1124-7	43
1355	Matrix metalloproteinase (MMP)-9 genotypes and haplotypes in preeclampsia and gestational hypertension. <b>2010</b> , 411, 874-7	35



1354	Interethnic differences in ADMA concentrations and negative association with nitric oxide formation in preeclampsia. <b>2010</b> , 411, 1457-60	28
1353	Primary atherothrombotic occlusive vascular events in premenopausal women with history of adverse pregnancy outcome. <b>2010</b> , 125, 124-7	17
1352	Changes of plasma and placental tissue factor pathway inhibitor-2 in women with preeclampsia and normal pregnancy. <b>2010</b> , 125, e317-22	14
1351	[Early postpartum management of patients with severe preeclampsia]. <b>2010</b> , 29, e149-54	1
1350	Hypertension in pregnancy. <b>2010</b> , 4, 68-78	95
1349	[Pregnancy hypertension]. <b>2010</b> , 6, 200-14	4
1348	The implication of aberrant GM-CSF expression in decidual cells in the pathogenesis of preeclampsia. <b>2010</b> , 177, 2472-82	39
1347	Hypertensive Emergencies. <b>2010</b> , 355-367	
1346	Glucose variability in diabetic pregnancy. <b>2011</b> , 13, 853-9	48
1345	Seizures in pregnancy/eclampsia. <b>2011</b> , 29, 109-16	12
1344	Early-pregnancy changes in maternal lipid profile in women with recurrent preeclampsia and previously preeclamptic women with normal next pregnancy. <b>2011</b> , 18, 998-1004	5
1343	Posterior reversible encephalopathy syndrome and eclampsia: pressing the case for more aggressive blood pressure control. <b>2011</b> , 86, 851-6	81
1342	Doppler de arterias uterinas y marcadores angiogénicos (sFlt-1/PlGF): futuras implicaciones para la predicción y el diagnóstico de la preeclampsia. <b>2011</b> , 22, 32-40	3
1341	Effects of pregnancy on the onset and progression of diabetic nephropathy and of diabetic nephropathy on pregnancy outcomes. <b>2011</b> , 5, 137-42	25
1340	Update on pregnancy in chronic kidney disease. <b>2011</b> , 34, 253-60	5
1339	Are insulin resistance index, IGF-1 and metabolic syndrome components correlates with severe preeclampsia?. <b>2011</b> , 30, 302-10	7
1338	Is there evidence of separate inflammatory or metabolic forms of preeclampsia?. <b>2011</b> , 30, 1-10	12
1337	Trophoblast differentiation, fetal growth restriction and preeclampsia. <b>2011</b> , 1, 79-86	27

1336	Long-term complications of preeclampsia. <b>2011</b> , 31, 111-22	90
1335	Thrombocytopenia in pregnancy. <b>2011</b> , 25, 293-310, vii-viii	7
1334	Hypertension and kidney disease in pregnancy: introduction. <b>2011</b> , 31, 1-3	
1333	Hypertension in pregnancy. <b>2011</b> , 40, 847-63	6
1332	ADAMTS13, FVIII, von Willebrand factor, ABO blood group assessment in preeclampsia. <b>2011</b> , 412, 2162-6	25
1331	Chemokines plasma levels in preterm newborns of preeclamptic mothers. <b>2011</b> , 56, 515-9	
1330	Maternal circulating osteoprotegerin and soluble RANKL in pre-eclamptic women. <b>2011</b> , 154, 141-5	11
1329	An analysis of the meanings of pre-eclampsia for pregnant and postpartum women and health professionals in Rio Grande do Norte, Brazil. <b>2011</b> , 27, e182-7	9
1328	Placental expression of vascular endothelial growth factor receptor-1/soluble vascular endothelial growth factor receptor-1 correlates with severity of clinical preeclampsia and villous hypermaturity. <b>2011</b> , 42, 1283-8	33
1327	Evaluaci3n del 3ndice prote3na-creatinina en orina aislada para la predicci3n de proteinuria significativa durante la gestaci3n. <b>2011</b> , 54, 225-230	1
1326	[Secondary cardiovascular risk and pre-eclampsia]. <b>2011</b> , 32 Suppl 1, S36-40	2
1325	Antihypertensive drugs in pregnancy. <b>2011</b> , 31, 70-85	47
1324	Histopathology and histomorphometry of umbilical cord blood vessels. Findings in normal and high risk pregnancies?. <b>2011</b> , 5, 50	11
1323	Age at menarche, menstrual characteristics, and risk of preeclampsia. <b>2011</b> , 2011, 472083	17
1322	Is the perinatal outcome of placental abruption modified by clinical presentation?. <b>2011</b> , 2011, 659615	9
1321	An obesity-related FTO variant and the risk of preeclampsia in a Finnish study population. <b>2011</b> , 2011, 251470	4
1320	Preeclampsia and Stroke: Risks during and after Pregnancy. <b>2011</b> , 2011, 858134	54
1319	Pregnancy-induced hypertension, but not gestational diabetes mellitus, is a risk factor for venous thromboembolism in pregnancy. <b>2011</b> , 41, 23-7	18

1318	Epistasis between COMT and MTHFR in maternal-fetal dyads increases risk for preeclampsia. <b>2011</b> , 6, e16681	46
1317	Chronic hypertension in pregnancy. <b>2011</b> , 23, 76-81	19
1316	The oldest gravidas: a review of pregnancy risks in women over 45. <b>2011</b> , 66, 580-90	7
1315	Physical activity and hypertensive disorders of pregnancy among Hispanic women. <b>2011</b> , 43, 639-46	23
1314	Lipid abnormalities in pre-eclampsia: implications for vascular health. <b>2011</b> , 6, 71-78	10
1313	Planned caesarean section versus planned vaginal delivery for severe preeclampsia. <b>2011</b> ,	4
1312	Sex-specific impact of maternal-fetal risk factors on depression and cardiovascular risk 40 years later. <b>2011</b> , 2, 353-64	29
1311	Biological indicators of the in-utero environment and their association with birth weight for gestational age. <b>2011</b> , 2, 280-90	7
1310	Cord blood immune biomarkers in small for gestational age births. <b>2011</b> , 2, 89-98	4
1309	Impact of gestational hypertension on left ventricular function and geometric pattern. <b>2011</b> , 75, 1170-6	20
1308	Different characteristics of peripartum cardiomyopathy between patients complicated with and without hypertensive disorders. -Results from the Japanese Nationwide survey of peripartum cardiomyopathy-. <b>2011</b> , 75, 1975-81	117
1307	Levels of soluble endothelial selectin in umbilical cord serum are influenced by gestational age and histological chorioamnionitis, but not by pre-eclampsia. <b>2011</b> , 37, 1818-23	2
1306	Fibroblast growth factor receptor 4 Gly388 Arg polymorphism is not associated with pre-eclampsia in Turkish women. <b>2011</b> , 37, 1824-7	
1305	Risk of preterm delivery and hypertensive disorders of pregnancy in relation to maternal co-morbid mood and migraine disorders during pregnancy. <b>2011</b> , 25, 116-23	51
1304	How to manage hypertension in pregnancy effectively. <b>2011</b> , 72, 394-401	96
1303	Left ventricular function many years after recovery from pre-eclampsia. <b>2011</b> , 118, 76-83	33
1302	Early-pregnancy changes in cardiac diastolic function in women with recurrent pre-eclampsia and in previously pre-eclamptic women without recurrent disease. <b>2011</b> , 118, 1112-9	17
1301	Obstetric outcome in women with epilepsy: a hospital-based, retrospective study. <b>2011</b> , 118, 956-65	63

1300	Trimester-specific blood pressure levels and hypertensive disorders among pregnant migraineurs. <b>2011</b> , 51, 1468-82	17
1299	Correlation between periodontal disease, inflammatory alterations and pre-eclampsia. <b>2011</b> , 46, 505-11	19
1298	Immunologic characteristics of preeclampsia, a comprehensive review. <b>2011</b> , 65, 377-94	79
1297	Increased reactive oxygen species and tumor necrosis factor-alpha production by monocytes are associated with elevated levels of uric acid in pre-eclamptic women. <b>2011</b> , 66, 460-7	41
1296	Urotensin-II 143 G/A polymorphism is not associated with the risk of preeclampsia in Korean women. <b>2011</b> , 66, 423-7	1
1295	Disparities in women's cardiovascular health. <b>2011</b> , 40, 362-71	7
1294	Histomorphometry of umbilical cord blood vessels in preeclampsia. <b>2011</b> , 13, 30-4	20
1293	Hypertension complicating diabetic pregnancies: pathophysiology, management, and controversies. <b>2011</b> , 13, 275-84	22
1292	Evaluation of standard and modified severity of illness scores in the obstetric patient. <b>2011</b> , 26, 535.e1-535.e7	31
1291	Maternal preeclampsia protects preterm infants against severe retinopathy of prematurity. <b>2011</b> , 158, 372-6	34
1290	Inositol phosphoglycans and preeclampsia: from bench to bedside. <b>2011</b> , 89, 173-7	10
1289	Serum levels of the adipokine chemerin are increased in preeclampsia during and 6 months after pregnancy. <b>2011</b> , 168, 69-72	53
1288	Pregenesys pre-eclampsia markers consensus meeting: What do we require from markers, risk assessment and model systems to tailor preventive strategies?. <b>2011</b> , 32 Suppl, S4-16	62
1287	First-trimester serum analytes, biophysical tests and the association with pathological morphometry in the placenta of pregnancies with preeclampsia and fetal growth restriction. <b>2011</b> , 32, 333-8	49
1286	First-trimester placental protein 13, PAPP-A, uterine artery Doppler and maternal characteristics in the prediction of pre-eclampsia. <b>2011</b> , 32, 598-602	100
1285	Neonatal outcome in hypertensive disorders of pregnancy. <b>2011</b> , 87, 445-9	58
1284	A transcriptional profile of the decidua in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 84.e1-27	6.4 73
1283	Diseases in children born to mothers with preeclampsia: a population-based sibling cohort study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 157.e1-5	6.4 16

1282	Circulating angiogenic and antiangiogenic factors in women with eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 152.e1-9	6.4	63
1281	Placental microRNA expression in pregnancies complicated by preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 178.e12-21	6.4	171
1280	Perinatal outcomes in women with preeclampsia and superimposed preeclampsia: do they differ?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 508.e1-7	6.4	24
1279	Major dietary patterns and blood pressure patterns during pregnancy: the Generation R Study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 205, 337.e1-12	6.4	49
1278	Obstetrical and perinatal outcomes among women with gestational hypertension, mild preeclampsia, and mild chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 205, 260.e1-9	6.4	35
1277	Evaluation and management of severe preeclampsia before 34 weeks' gestation. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 205, 191-8	6.4	174
1276	Epidemiology of pre-eclampsia and the other hypertensive disorders of pregnancy. <b>2011</b> , 25, 391-403		558
1275	Pre-eclampsia: Risk factors and causal models. <b>2011</b> , 25, 329-42		87
1274	Prediction and primary prevention of pre-eclampsia. <b>2011</b> , 25, 419-33		40
1273	Clinical practice. Chronic hypertension in pregnancy. <b>2011</b> , 365, 439-46		94
1272	Distribution of Notch family proteins in intrauterine growth restriction and hypertension complicated human term placentas. <b>2011</b> , 113, 270-6		27
1271	Sequence of changes in myocardial performance index in relation to aortic isthmus and ductus venosus Doppler in fetuses with early-onset intrauterine growth restriction. <b>2011</b> , 38, 179-84		56
1270	Maternal cardiac function in normal twin pregnancy: a longitudinal study. <b>2011</b> , 38, 575-80		38
1269	Increased uterine artery pulsatility index at 34 weeks and outcome of pregnancy. <b>2011</b> , 38, 395-9		12
1268	Partial correlation network analyses to detect altered gene interactions in human disease: using preeclampsia as a model. <b>2011</b> , 129, 25-34		17
1267	Endothelial dysfunction in hypertension in pregnancy: associations between circulating endothelial cells, circulating progenitor cells and plasma von Willebrand factor. <b>2011</b> , 100, 531-7		23
1266	Predictive value of middle cerebral artery to uterine artery pulsatility index ratio in preeclampsia. <b>2011</b> , 284, 307-11		16
1265	Iron status parameters in preeclamptic women. <b>2011</b> , 284, 587-91		28

1264	The association between inherited thrombophilias and pregnancy-related hypertension recurrence. <b>2011</b> , 284, 837-41	9
1263	Evaluation of oxidative stress markers in first trimester for assessment of preeclampsia risk. <b>2011</b> , 284, 1367-73	49
1262	Influence of gestational diabetes mellitus on the stereoselective kinetic disposition and metabolism of labetalol in hypertensive patients. <b>2011</b> , 67, 55-61	15
1261	Mechanisms and management of hypertension in pregnant women. <b>2011</b> , 13, 338-46	39
1260	Fetal ERAP2 variation is associated with preeclampsia in African Americans in a case-control study. <b>2011</b> , 12, 64	44
1259	Levels, timing, and etiology of stillbirths in Sylhet district of Bangladesh. <b>2011</b> , 11, 25	15
1258	Analysis of perinatal outcome by combination of first trimester maternal plasma homocysteine with uterine artery Doppler velocimetry. <b>2011</b> , 31, 1246-50	9
1257	Urinary proteomics analysis for renal injury in hypertensive disorders of pregnancy with iTRAQ labeling and LC-MS/MS. <b>2011</b> , 5, 300-10	42
1256	Quantitative peptidomic analysis by a newly developed one-step direct transfer technology without depletion of major blood proteins: its potential utility for monitoring of pathophysiological status in pregnancy-induced hypertension. <b>2011</b> , 11, 2727-37	27
1255	Changes in fetal and maternal Doppler parameters observed during acute severe hypertension treatment with hydralazine or labetalol: a randomized controlled trial. <b>2011</b> , 37, 53-8	29
1254	A low COMT activity haplotype is associated with recurrent preeclampsia in a Norwegian population cohort (HUNT2). <b>2011</b> , 17, 439-46	43
1253	Preeclampsia: Effect on the Fetus and Newborn. <b>2011</b> , 12, e198-e206	27
1252	Preeclampsia is associated with persistent postpartum cardiovascular impairment. <b>2011</b> , 58, 709-15	245
1251	Early left ventricular diastolic dysfunction in premature infants born to preeclamptic mothers. <b>2011</b> , 39, 89-95	4
1250	Health-related quality of life after induction of labor versus expectant monitoring in gestational hypertension or preeclampsia at term. <b>2011</b> , 30, 260-74	15
1249	Birth outcomes of newborns after folic Acid supplementation in pregnant women with early and late pre-eclampsia: a population-based study. <b>2011</b> , 2011, 127369	8
1248	Candidates for the determination of antithrombin activity in pregnant women. <b>2011</b> , 39, 369-74	11
1247	Advanced Poincaré plot analysis differentiates between hypertensive pregnancy disorders. <b>2011</b> , 32, 1611-22	13

1246	Maternal preeclampsia is associated with an increased risk of retinopathy of prematurity. <b>2011</b> , 39, 523-7	31
1245	Characterization of discriminatory urinary proteomic biomarkers for severe preeclampsia using SELDI-TOF mass spectrometry. <b>2011</b> , 39, 391-6	14
1244	Digibind reverses inhibition of cellular rb+ uptake caused by endogenous sodium pump inhibitors present in serum and placenta of women with preeclampsia. <b>2011</b> , 18, 190-9	8
1243	Biomarkers in Preeclampsia. <b>2011</b> , 385-426	2
1242	Pregnancy outcome after oocyte donation in patients with Turner's syndrome and partial X monosomy. <b>2011</b> , 26, 2061-8	37
1241	Promoter hypomethylation of COMT in human placenta is not associated with the development of pre-eclampsia. <b>2011</b> , 17, 199-206	15
1240	Optimal glycemic control, pre-eclampsia, and gestational hypertension in women with type 1 diabetes in the diabetes and pre-eclampsia intervention trial. <b>2011</b> , 34, 1683-8	113
1239	Additive value of standard ECG for the risk prediction of hypertensive disorders during pregnancy. <b>2011</b> , 34, 707-13	11
1238	Cerebellar growth in very low birth weight infants. <b>2011</b> , 31, 757-9	5
1237	Association of angiotensin-converting enzyme intron 16 insertion/deletion and angiotensin II type 1 receptor A1166C gene polymorphisms with preeclampsia in South East of Iran. <b>2011</b> , 2011, 941515	26
1236	Maternal cardiac dysfunction and remodeling in women with preeclampsia at term. <b>2011</b> , 57, 85-93	189
1235	Offspring sex determines the impact of the maternal ACE I/D polymorphism on maternal glycaemic control during the last weeks of pregnancy. <b>2011</b> , 12, 254-61	12
1234	Transcriptionally active syncytial aggregates in the maternal circulation may contribute to circulating soluble fms-like tyrosine kinase 1 in preeclampsia. <b>2012</b> , 59, 256-64	127
1233	No association between body size at birth and leucocyte telomere length in adult life--evidence from three cohort studies. <b>2012</b> , 41, 1400-8	35
1232	Hypertensive Complications of Pregnancy. <b>2012</b> , 105-110	
1231	Effect of preeclampsia serum on human uterine spiral artery smooth muscle cell apoptosis in a coculture model with cytotrophoblasts. <b>2012</b> , 73, 201-10	5
1230	Risk factors for preeclampsia in women from Colombia: a case-control study. <b>2012</b> , 7, e41622	22
1229	Toll-like receptor 9 activation: a novel mechanism linking placenta-derived mitochondrial DNA and vascular dysfunction in pre-eclampsia. <b>2012</b> , 123, 429-35	77

1228	Proteomic biomarkers in second trimester amniotic fluid that identify women who are destined to develop preeclampsia. <b>2012</b> , 19, 694-703	5
1227	Fetal sex-related dysregulation in testosterone production and their receptor expression in the human placenta with preeclampsia. <b>2012</b> , 32, 328-35	45
1226	Meta-analysis of the methylenetetrahydrofolate reductase C677T polymorphism and susceptibility to pre-eclampsia. <b>2012</b> , 35, 1129-34	24
1225	Oral nifedipine versus intravenous labetalol in hypertensive urgencies and emergencies of pregnancy: a randomized clinical trial. <b>2012</b> , 5, 171-175	10
1224	Patterns of outpatient antihypertensive medication use during pregnancy in a Medicaid population. <b>2012</b> , 60, 913-20	41
1223	Blood pressure change in normotensive, gestational hypertensive, preeclamptic, and essential hypertensive pregnancies. <b>2012</b> , 59, 1241-8	94
1222	Chronic hypertension and pregnancy at a tertiary-care and university hospital. <b>2012</b> , 31, 350-6	7
1221	The effect of cigarette smoke extract on trophoblast cell viability and migration: the role of adrenomedullin. <b>2012</b> , 19, 526-33	13
1220	Aberrant expression of corticotropin-releasing hormone in pre-eclampsia induces expression of FasL in maternal macrophages and extravillous trophoblast apoptosis. <b>2012</b> , 18, 535-45	24
1219	Increased protein-coding mutations in the mitochondrial genome of African American women with preeclampsia. <b>2012</b> , 19, 1343-51	11
1218	Subclinical left ventricular dysfunction in preeclamptic women with preserved left ventricular ejection fraction: a 2D speckle-tracking imaging study. <b>2012</b> , 5, 734-9	80
1217	The role of angiogenic factors in the prediction and diagnosis of preeclampsia superimposed on chronic hypertension. <b>2012</b> , 59, 555-7	15
1216	The Fetal Safety of Angiotensin Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers. <b>2012</b> , 2012, 658310	48
1215	A comprehensive review of hypertension in pregnancy. <b>2012</b> , 2012, 105918	117
1214	Preeclampsia, hypoxia, thrombosis, and inflammation. <b>2012</b> , 2012, 374047	48
1213	Migraine-asthma comorbidity and risk of hypertensive disorders of pregnancy. <b>2012</b> , 2012, 858097	11
1212	Comparative Study of Endothelial Function and Uterine Artery Doppler Velocimetry between Pregnant Women with or without Preeclampsia Development. <b>2012</b> , 2012, 909315	5
1211	Prevention of preeclampsia. <b>2012</b> , 2012, 435090	34



1210	GRK2 levels in umbilical arteries of pregnancies complicated by gestational hypertension and preeclampsia. <b>2012</b> , 25, 366-71	6
1209	Changes in circulating concentrations of soluble fms-like tyrosine kinase-1 and placental growth factor measured by automated electrochemiluminescence immunoassays methods are predictors of preeclampsia. <b>2012</b> , 30, 2173-81	37
1208	Hypertension in pregnancy: is it time for a new approach to treatment?. <b>2012</b> , 30, 1092-100	33
1207	Ophthalmic artery Doppler velocimetric values in pregnant women at risk for preeclampsia. <b>2012</b> , 31, 1659-64	10
1206	Epidural therapy for the treatment of severe pre-eclampsia in non labouring women. <b>2012</b> ,	2
1205	Genetic polymorphism of microsomal epoxide hydrolase enzyme gene in preeclamptic females. <b>2012</b> , 343, 291-4	9
1204	Pulmonary artery flow catheters for directing management in pre-eclampsia. <b>2012</b> , CD008882	7
1203	Outcome of pregnancy and effects on the right heart in women with repaired tetralogy of fallot. <b>2012</b> , 76, 957-63	42
1202	Factors associated with and causes of perinatal mortality in northeastern Tanzania. <b>2012</b> , 91, 1061-8	43
1201	Hypertensive disorders in pregnancy and fetal death at different gestational lengths: a population study of 2 121 371 pregnancies. <b>2012</b> , 119, 1521-8	52
1200	Cardiovascular drugs in pregnancy. <b>2012</b> , 30, 463-91	25
1199	D-dimer in preeclampsia: systematic review and meta-analysis. <b>2012</b> , 414, 166-70	24
1198	Altered decidual DC-SIGN+ antigen-presenting cells and impaired regulatory T-cell induction in preeclampsia. <b>2012</b> , 181, 2149-60	121
1197	Periodontitis as a risk factor for preeclampsia. <b>2012</b> , 83, 1388-96	25
1196	Periodontal disease is not associated with preeclampsia in Canadian pregnant women. <b>2012</b> , 83, 871-7	16
1195	Hypertension and pregnancy. <b>2012</b> , 30, 903-17	7
1194	[Contribution of angioplasty of a fibromuscular angiodyplastic renal artery during early-onset gestational hypertension]. <b>2012</b> , 37, 26-9	1
1193	Clinical pearls in women's health. <b>2012</b> , 87, 89-93	1

1192	Preconception counseling. <b>2012</b> , 39, 1-16		5
1191	Third-trimester pregnancy complications. <b>2012</b> , 39, 95-113		4
1190	Maternal iNOS genetic polymorphisms and hypertensive disorders of pregnancy. <b>2012</b> , 26, 547-52		17
1189	Matrix metalloproteinase-9 polymorphisms affect plasma MMP-9 levels and antihypertensive therapy responsiveness in hypertensive disorders of pregnancy. <b>2012</b> , 12, 489-98		38
1188	Hypertension in pregnancy: The current state of the art. <b>2012</b> , 31, 425-432		3
1187	Circulating levels of thrombospondin-1 are decreased in HELLP syndrome. <b>2012</b> , 129, 470-3		7
1186	Should cervical favourability play a role in the decision for labour induction in gestational hypertension or mild pre-eclampsia at term? An exploratory analysis of the HYPITAT trial. <b>2012</b> , 119, 1123-30		29
1185	Long-term cerebral imaging after pre-eclampsia. <b>2012</b> , 119, 1117-22		76
1184	Endothelial microparticles and the antiangiogenic state in preeclampsia and the postpartum period. <i>American Journal of Obstetrics and Gynecology</i> , <b>2012</b> , 207, 140.e20-6	6.4	42
1183	Increased CXCL12 expression in the placentae of women with pre-eclampsia. <b>2012</b> , 160, 137-41		17
1182	Severely decreased activity of placental dimethylarginine dimethylaminohydrolase in pre-eclampsia. <b>2012</b> , 161, 152-6		17
1181	Abnormal levels of antioxidant defenses in a large sample of patients with hypertensive disorders of pregnancy. <b>2012</b> , 35, 274-8		12
1180	Fetal tissue Doppler imaging in pregnancies complicated with preeclampsia with or without intrauterine growth restriction. <b>2012</b> , 32, 1021-8		9
1179	Early pregnancy screening for hypertensive disorders in women without a-priori high risk. <b>2012</b> , 40, 398-405		15
1178	Hypertension crisis in the emergency department. <b>2012</b> , 30, 533-43		37
1177	Abnormal second-trimester serum analytes are more predictive of preterm preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2012</b> , 207, 228.e1-7	6.4	36
1176	What is the optimal time for delivery in women with gestational hypertension?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2012</b> , 207, 214.e1-6	6.4	22
1175	Comparison of 12-hour urine protein and protein:creatinine ratio with 24-hour urine protein for the diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2012</b> , 207, 233.e1-8	6.4	8

1174	Management of pregnancy in women with type 1 diabetes mellitus: guidelines of the French-Speaking Diabetes Society (Soci�t� francophone du diab�te [SFD]). <b>2012</b> , 38, 205-16	23
1173	Maternal preeclampsia is associated with increased risk of necrotizing enterocolitis in preterm infants. <b>2012</b> , 88, 893-8	34
1172	Micro RNA: New aspect in pathobiology of preeclampsia?. <b>2012</b> , 13, 127-131	4
1171	Association of pre-eclampsia with or without superimposed chronic hypertension in pregnant women with the risk of congenital abnormalities in their offspring: a population-based case-control study. <b>2012</b> , 163, 17-21	14
1170	First-trimester maternal serum metastin, placental growth factor and chitotriosidase levels in pre-eclampsia. <b>2012</b> , 164, 146-9	14
1169	Newborns of preeclamptic women show evidence of sex-specific disparity in fetal growth. <b>2012</b> , 9, 424-35	13
1168	Interleukin-1� gene is not associated with preeclampsia in Taiwanese. <b>2012</b> , 51, 240-4	13
1167	Serum levels of zinc, calcium, and iron are associated with the risk of preeclampsia in pregnant women. <b>2012</b> , 32, 764-9	34
1166	A single rapid point-of-care placental growth factor determination as an aid in the diagnosis of preeclampsia. <b>2012</b> , 2, 8-15	42
1165	Plasma soluble corin and N-terminal pro-atrial natriuretic peptide levels in pregnancy induced hypertension. <b>2012</b> , 2, 48-52	30
1164	Calcium-to-creatinine ratio in pregnancy-induced hypertension. <b>2012</b> , 2, 59-64	
1163	Serum S100B in pregnancy complicated by preeclampsia: A case-control study. <b>2012</b> , 2, 101-5	8
1162	Plasma levels of S100B during pregnancy in women developing pre-eclampsia. <b>2012</b> , 2, 398-402	14
1161	[A 28-years old pregnant woman with systemic lupus erythematosus, proteinuria and arterial hypertension]. <b>2012</b> , 139, 489-97	0
1160	Hypertension in pregnancy. <b>2012</b> , 30, 407-23	32
1159	Hypertensive Disorders. <b>2012</b> , 99-110	4
1158	Early-Onset Preeclampsia and HELLP Syndrome: An Overview. <b>2012</b> , 1867-1891	8
1157	Preeclampsia is associated with alterations in DNA methylation of genes involved in collagen metabolism. <b>2012</b> , 181, 1455-63	24

1156	[Hypertension in pregnancy: the current state of the art]. <b>2012</b> , 31, 425-32		4
1155	Nifedipine versus labetalol in the treatment of hypertensive disorders of pregnancy. <b>2012</b> , 286, 637-42		26
1154	A cohort evaluation on arterial stiffness and hypertensive disorders in pregnancy. <b>2012</b> , 12, 160		14
1153	Replacing 24-h Albumin Excretion with a Shorter Collection Period in Preeclampsia. <b>2012</b> , 62, 424-8		1
1152	Genome-wide association scan identifies a risk locus for preeclampsia on 2q14, near the inhibin, beta B gene. <b>2012</b> , 7, e33666		70
1151	Increased autophagy in placentas of intrauterine growth-restricted pregnancies. <b>2012</b> , 7, e40957		97
1150	Doppler velocimetry of the orbital vessels in pregnancies complicated by preeclampsia. <b>2012</b> , 40, 576-85		7
1149	A proteome signature for intrauterine growth restriction derived from multifactorial analysis of mass spectrometry-based cord blood serum profiling. <b>2012</b> , 33, 1881-93		21
1148	Preeclampsia and hypertensive disease in pregnancy: their contributions to cardiovascular risk. <b>2012</b> , 35, 160-5		54
1147	Treatment of Neurocritical Care Emergencies in Pregnancy. <b>2012</b> , 14, 197		3
1146	Bone turnover in preeclampsia-complicated pregnancy in North Indian women. <b>2012</b> , 38, 172-9		7
1145	Correlation of magnesium levels in cord blood and maternal serum among pre-eclamptic pregnant women treated with magnesium sulfate. <b>2012</b> , 38, 247-52		6
1144	The sFlt-1/PlGF ratio in different types of hypertensive pregnancy disorders and its prognostic potential in preeclamptic patients. <i>American Journal of Obstetrics and Gynecology</i> , <b>2012</b> , 206, 58.e1-8	6.4	251
1143	Etiology and management of postpartum hypertension-preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2012</b> , 206, 470-5	6.4	197
1142	Neonatal side effects of maternal labetalol treatment in severe preeclampsia. <b>2012</b> , 88, 503-7		36
1141	Placental melatonin production and melatonin receptor expression are altered in preeclampsia: new insights into the role of this hormone in pregnancy. <b>2012</b> , 53, 417-25		98
1140	Microparticles of pregnant women and preeclamptic patients activate endothelial cells in the presence of monocytes. <b>2012</b> , 67, 206-15		12
1139	Effects of matrix metalloproteinase (MMP)-2 polymorphisms on responsiveness to antihypertensive therapy of women with hypertensive disorders of pregnancy. <b>2012</b> , 111, 262-7		16

1138	Maternal left ventricular and endothelial functions in preeclampsia. <b>2012</b> , 91, 566-73	34
1137	Electrocardiographic findings in women with a recent history of pre-eclampsia. <b>2012</b> , 91, 372-8	5
1136	Risk of placenta-mediated pregnancy complications or pregnancy-related VTE in VTE-asymptomatic families of probands with VTE and heterozygosity for factor V Leiden or G20210 prothrombin mutation. <b>2012</b> , 89, 250-5	4
1135	Hypertensive disorders in pregnancy and risk of severe mental disorders in the offspring in adulthood: the Helsinki Birth Cohort Study. <b>2012</b> , 46, 303-10	48
1134	Stability of reference proteins in human placenta: general protein stains are the benchmark. <b>2012</b> , 33, 151-6	55
1133	Myeloperoxidase in the plasma and placenta of normal pregnant women and women with pregnancies complicated by preeclampsia and intrauterine growth restriction. <b>2012</b> , 33, 294-303	17
1132	Association between matrix metalloproteinase (MMP)-2 polymorphisms and MMP-2 levels in hypertensive disorders of pregnancy. <b>2012</b> , 92, 217-21	48
1131	Nutritional status among women with pre-eclampsia and healthy pregnant and non-pregnant women in a Latin American country. <b>2012</b> , 38, 498-504	15
1130	Calciuria and preeclampsia: a case-control study. <b>2012</b> , 38, 674-80	3
1129	Comparison of placental pathology between severe preeclampsia and HELLP syndrome. <b>2012</b> , 285, 175-81	4
1128	Lack of relationship between endothelial nitric oxide synthase gene 4b/a and T-786C polymorphisms with preeclampsia in southeast of Iran. <b>2012</b> , 285, 405-9	10
1127	Matrix metalloproteinases and their tissue inhibitors in hypertension-related pregnancy complications. <b>2013</b> , 27, 72-8	27
1126	Mass spectrometry as a novel method for detection of podocyturia in pre-eclampsia. <b>2013</b> , 28, 1555-61	26
1125	COHELLP: collaborative randomized controlled trial on corticosteroids in HELLP syndrome. <b>2013</b> , 10, 28	15
1124	Placental growth factor: as an early second trimester predictive marker for preeclampsia in normal and high-risk pregnancies in a Turkish population. <b>2013</b> , 63, 158-63	6
1123	Sex-specific risk of cardiovascular disease and cognitive decline: pregnancy and menopause. <b>2013</b> , 4, 6	36
1122	Relationship between adiponectin and nitrite in healthy and preeclampsia pregnancies. <b>2013</b> , 423, 112-5	21
1121	A prospective study of selenium concentration and risk of preeclampsia in pregnant Iranian women: a nested case-control study. <b>2013</b> , 152, 174-9	33

1120	Differentially expressed microRNAs and affected biological pathways revealed by modulated modularity clustering (MMC) analysis of human preeclamptic and IUGR placentas. <b>2013</b> , 34, 599-605	54
1119	First trimester PAPP-A levels correlate with sFlt-1 levels longitudinally in pregnant women with and without preeclampsia. <b>2013</b> , 13, 85	12
1118	Maternal preeclampsia and bone mineral density of the adult offspring. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 209, 443.e1-443.e10	6.4 8
1117	Magnesium supplementation to prevent high blood pressure in pregnancy: a randomised placebo control trial. <b>2013</b> , 288, 1269-74	24
1116	Fathers with PTSD and depression in pregnancies complicated by preterm preeclampsia or PPROM. <b>2013</b> , 287, 653-61	24
1115	Trace elements and oxidative stress in hypertensive disorders of pregnancy. <b>2013</b> , 287, 19-24	29
1114	Preeclampsia. <b>2013</b> , 1-14	
1113	Maternal and fetal outcome in Swedish women with erythropoietic protoporphyria. <b>2013</b> , 168, 1311-5	2
1112	The role of angiogenic and antiangiogenic factors in the second trimester in the prediction of preeclampsia in pregnant women with type 1 diabetes. <b>2013</b> , 36, 3671-7	25
1111	Pre-eclampsia and pregnancy-induced hypertension are associated with severe diabetic retinopathy in type 1 diabetes later in life. <b>2013</b> , 50, 781-7	28
1110	Metabolic syndrome and the risk for recurrent pre-eclampsia: a retrospective cohort study. <b>2013</b> , 120, 979-86	22
1109	Fetal growth in women with homozygous sickle cell disease: an observational study. <b>2013</b> , 170, 62-6	10
1108	Patent ductus arteriosus, low platelets, cyclooxygenase inhibitors, and intraventricular hemorrhage in very low birth weight preterm infants. <b>2013</b> , 163, 23-8	25
1107	Hemodynamic adaptation to pregnancy in women with structural heart disease. <b>2013</b> , 168, 825-31	34
1106	Assessment of L-arginine asymmetric dimethyl (ADMA) in early-onset and late-onset (severe) preeclampsia. <b>2013</b> , 33, 81-2	31
1105	Neurological disorders. <b>2013</b> , 27, 867-75	10
1104	Global and regional estimates of preeclampsia and eclampsia: a systematic review. <b>2013</b> , 170, 1-7	579
1103	Gestational angiogenic biomarker patterns in high risk preeclampsia groups. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 209, 53.e1-9	6.4 37

1102	Antiphospholipid antibodies internalised by human syncytiotrophoblast cause aberrant cell death and the release of necrotic trophoblast debris. <b>2013</b> , 47, 45-57		49
1101	Increased serum concentrations of circulating glyocalyx components in HELLP syndrome compared to healthy pregnancy: an observational study. <b>2013</b> , 20, 318-25		42
1100	The combined association of psychosocial stress and chronic hypertension with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 209, 438.e1-438.e12	6.4	44
1099	Placental syncytiotrophoblast maintains a specific type of glyocalyx at the fetomaternal border: the glyocalyx at the fetomaternal interface in healthy women and patients with HELLP syndrome. <b>2013</b> , 20, 1237-45		17
1098	Clonidine versus captopril for treatment of postpartum very high blood pressure: study protocol for a randomized controlled trial (CLONCAP). <b>2013</b> , 10, 37		1
1097	Survey of calcium supplementation to prevent preeclampsia: the gap between evidence and practice in Brazil. <b>2013</b> , 13, 206		12
1096	Hypertension in pregnancy is a risk factor for microalbuminuria later in life. <b>2013</b> , 15, 617-23		26
1095	High levels of heat shock protein 70 are associated with pro-inflammatory cytokines and may differentiate early- from late-onset preeclampsia. <b>2013</b> , 100, 129-34		49
1094	Second-trimester uterine artery Doppler, PlGF, sFlt-1, sEndoglin, and lipid-related markers for predicting preeclampsia in a high-risk population. <b>2013</b> , 33, 1070-4		18
1093	Serum levels of the adipokine fibroblast growth factor-21 are increased in preeclampsia. <b>2013</b> , 62, 322-6		30
1092	Haptoglobin polymorphism affects nitric oxide bioavailability in preeclampsia. <b>2013</b> , 27, 349-54		14
1091	Differentiating between gestational and chronic hypertension; an explorative study. <b>2013</b> , 92, 312-7		5
1090	Validity of the diagnosis of pre-eclampsia in the Medical Birth Registry of Norway. <b>2013</b> , 92, 943-50		72
1089	Pharmacologic Management of Hypertension. <b>2013</b> , 474-489		3
1088	Elevated blood pressure in pregnancy and subsequent chronic disease risk. <b>2013</b> , 127, 681-90		209
1087	Serum levels of growth arrest specific protein 6 are increased in preeclampsia. <b>2013</b> , 182, 7-11		13
1086	Early-pregnancy asymmetric dimethylarginine (ADMA) levels in women prone to develop recurrent hypertension. <b>2013</b> , 3, 118-23		6
1085	Hypertension in pregnancy is a risk factor for peripheral arterial disease decades after pregnancy. <b>2013</b> , 229, 212-6		33

1084	External funding of obstetrical publications: citation significance and trends over 2 decades. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 209, 150.e1-6	6.4
1083	Pregnancy-induced hypertension is associated with maternal history and a risk of cardiovascular disease in later life: Japanese cross-sectional study. <b>2013</b> , 75, 227-31	23
1082	Analysis of patents on preeclampsia detection and diagnosis: a perspective. <b>2013</b> , 34, 2-8	13
1081	Women, kidney disease, and pregnancy. <b>2013</b> , 20, 402-10	75
1080	Effect of maternal chronic disease on obstetric complications in twin pregnancies in a United States cohort. <b>2013</b> , 100, 142-9.e1-2	13
1079	Patterns of maternal vascular remodeling and responsiveness in early- versus late-onset preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 209, 558.e1-558.e14	6.4 40
1078	Preeclampsia and Sleep-Disordered Breathing: A Case-Control Study. <b>2013</b> , 3, 133-139	19
1077	A new method for measurement of placental elasticity: acoustic radiation force impulse imaging. <b>2013</b> , 34, 1009-13	57
1076	Utility of B-type natriuretic peptides in preeclampsia: a systematic review. <b>2013</b> , 22, 96-103	34
1075	Cerebral oxygen saturation evaluated by near-infrared time-resolved spectroscopy (TRS) in pregnant women during caesarean section - a promising new method of maternal monitoring. <b>2013</b> , 33, 109-16	13
1074	Exogenous vascular endothelial growth factor supplementation can restore the podocyte barrier-forming capacity disrupted by sera of preeclamptic women. <b>2013</b> , 39, 46-52	10
1073	Association of maternal periodontal health with adverse pregnancy outcome. <b>2013</b> , 39, 40-5	39
1072	Aspirin in the prevention of pre-eclampsia in high-risk women: a randomised placebo-controlled PREDO Trial and a meta-analysis of randomised trials. <b>2013</b> , 120, 64-74	113
1071	Renal Physiology and Disease in Pregnancy. <b>2013</b> , 2689-2761	4
1070	Mid-gestational maternal cardiovascular profile in preterm and term pre-eclampsia: a prospective study. <b>2013</b> , 120, 496-504	101
1069	The adaptation of the cerebral circulation to pregnancy: mechanisms and consequences. <b>2013</b> , 33, 465-78	44
1068	Pathophysiology of hypertension in pre-eclampsia: a lesson in integrative physiology. <b>2013</b> , 208, 224-33	130
1067	Pregnancy and kidney disease: crossroads no more. <b>2013</b> , 20, 203-5	



1066	The management of hypertension in pregnancy. <b>2013</b> , 20, 229-39		64
1065	Preeclampsia and the future risk of hypertension: the pregnant evidence. <b>2013</b> , 15, 114-21		65
1064	Preeclampsia: an obstetrician's perspective. <b>2013</b> , 20, 287-96		30
1063	New developments in the pathogenesis of preeclampsia. <b>2013</b> , 20, 265-70		72
1062	Pregnancy risk factors for very premature delivery: what role do hypertension, obesity and diabetes play?. <b>2013</b> , 288, 57-64		16
1061	Analysis of polymorphisms and haplotypes in genes associated with vascular tone, hypertension and oxidative stress in Mexican-Mestizo women with severe preeclampsia. <b>2013</b> , 46, 627-32		19
1060	Hypertension in pregnancy is associated with elevated homocysteine levels later in life. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 209, 454.e1-7	6.4	12
1059	Prevention and treatment of postpartum hypertension. <b>2013</b> , CD004351		30
1058	Neonatal outcome in infants of chronically hypertensive mothers. <b>2013</b> , 39, 1142-6		9
1057	Preeclampsia: are platelet count and indices useful for its prognostic?. <b>2013</b> , 18, 360-4		40
1056	A complicated role for the renin-angiotensin system during pregnancy: highlighting the importance of drug discovery. <b>2013</b> , 12, 857-64		3
1055	The maternal HLA-G 1597T null mutation is associated with increased risk of pre-eclampsia and reduced HLA-G expression during pregnancy in African-American women. <b>2013</b> , 19, 144-52		28
1054	Microvascular remodelling in preeclampsia: quantifying capillary rarefaction accurately and independently predicts preeclampsia. <b>2013</b> , 26, 1162-9		14
1053	The loss of sustained Ca(2+) signaling underlies suppressed endothelial nitric oxide production in preeclamptic pregnancies: implications for new therapy. <b>2013</b> , 305, H969-79		23
1052	Preeclampsia as a risk factor for diabetes: a population-based cohort study. <b>2013</b> , 10, e1001425		81
1051	Innate immunity, decidual cells, and preeclampsia. <b>2013</b> , 20, 339-53		41
1050	Subclinical hypothyroidism after vascular complicated pregnancy. <b>2013</b> , 32, 1-10		1
1049	Comparison of Insulin Lispro Protamine Suspension with NPH Insulin in Pregnant Women with Type 2 and Gestational Diabetes Mellitus: Maternal and Perinatal Outcomes. <b>2013</b> , 2013, 151975		8

1048	Regional anesthesia in patients with pregnancy induced hypertension. <b>2013</b> , 29, 435-44	17
1047	Oral nifedipine or intravenous labetalol for hypertensive emergency in pregnancy: a randomized controlled trial. <b>2013</b> , 122, 1057-1063	45
1046	Podocyturia predates proteinuria and clinical features of preeclampsia: longitudinal prospective study. <b>2013</b> , 61, 1289-96	90
1045	Efficiency of first-trimester uterine artery Doppler, a-disintegrin and metalloprotease 12, pregnancy-associated plasma protein a, and maternal characteristics in the prediction of preeclampsia. <b>2013</b> , 32, 1593-600	22
1044	Is the atherosclerotic phenotype of preeclamptic placentas due to altered lipoprotein concentrations and placental lipoprotein receptors? Role of a small-for-gestational-age phenotype. <b>2013</b> , 54, 2658-64	19
1043	Cellular fetal microchimerism in preeclampsia. <b>2013</b> , 62, 1062-7	32
1042	A systematic review of endoglin gene expression in preeclampsia. <b>2013</b> , 15, 129-36	3
1041	Metabolic pathways involved in 2-methoxyestradiol synthesis and their role in preeclampsia. <b>2013</b> , 20, 1020-9	25
1040	Hypertension in Pregnancy. <b>2013</b> , 521-528	
1039	Pregnancy: Pre-eclampsia and Diet. <b>2013</b> , 75-80	1
1038	Genetic dissection of the pre-eclampsia susceptibility locus on chromosome 2q22 reveals shared novel risk factors for cardiovascular disease. <b>2013</b> , 19, 423-37	27
1037	Effects of angiogenic factors, antagonists, and podocyte injury on development of proteinuria in preeclampsia. <b>2013</b> , 20, 579-88	15
1036	Circulating lymphangiogenic factors in preeclampsia. <b>2013</b> , 32, 42-9	15
1035	Strip of the Month: January 2013. <b>2013</b> , 14, e38-e48	
1034	Contribution of dysfunction of maternal hemodynamics to renal impairment in preeclampsia. <b>2013</b> , 76, 95-9	9
1033	Similar adverse pregnancy outcome in native and nonnative dutch women with pregestational type 2 diabetes: a multicentre retrospective study. <b>2013</b> , 2013, 361435	10
1032	Early pregnancy circulatory adaptation and recurrent hypertensive disease: an explorative study. <b>2013</b> , 20, 1069-74	13
1031	A Novel Haplotype Structure in a Chilean Population: Implications for ERAP2 Protein Expression and Preeclampsia Risk. <b>2013</b> , 1, 98-107	29

1030	Epidemiology of preeclampsia: impact of obesity. <b>2013</b> , 71 Suppl 1, S18-25	194
1029	Fetal isolated short femur in the second trimester and adverse pregnancy outcomes. <b>2013</b> , 33, 1063-9	10
1028	Circulating angiogenic factors and urinary prolactin as predictors of adverse outcomes in women with preeclampsia. <b>2013</b> , 61, 1118-25	42
1027	Hypertensive pregnancy disorders as a risk factor for future cardiovascular and metabolic disorders (Tehran Lipid and Glucose Study). <b>2013</b> , 39, 891-7	14
1026	First-trimester hyperglycosylated human chorionic gonadotropin and development of hypertension. <b>2013</b> , 33, 1075-9	11
1025	Endothelial dysfunction in gestational hypertension induced by catechol-O-methyltransferase inhibition. <b>2013</b> , 98, 856-66	14
1024	Outpatient calcium-channel blockers and the risk of postpartum haemorrhage: a cohort study. <b>2013</b> , 120, 1668-76; discussion 1676-7	13
1023	Hypertension after preeclampsia is preceded by changes in cardiac structure and function. <b>2013</b> , 62, 382-90	49
1022	The importance of interdepartmental collaboration and safe triage for pregnant women in the emergency department. <b>2013</b> , 42, 595-605; quiz E82-3	5
1021	Preeclampsia is associated with increased maternal body weight in a northeastern Brazilian population. <b>2013</b> , 13, 159	13
1020	Effect of maternal body mass index on serum magnesium levels given for seizure prophylaxis. <b>2013</b> , 121, 314-320	20
1019	Changes in ophthalmic artery Doppler indices in hypertensive disorders during pregnancy. <b>2013</b> , 32, 609-16	26
1018	Outline of Definition and Classification of Pregnancy induced Hypertension (PIH) <b>2013</b> , 1, 3-4	87
1017	Características maternas em gestações com risco de prematuridade tardia. <b>2013</b> , 13, 161-166	1
1016	Macrophages: are they involved in endometriosis, abortion and preeclampsia and how?. <b>2013</b> , 80, 97-103	22
1015	The common variant rs11646213 is associated with preeclampsia in Han Chinese women. <b>2013</b> , 8, e71202	8
1014	Two variants of the C-reactive protein gene are associated with risk of pre-eclampsia in an American Indian population. <b>2013</b> , 8, e71231	14
1013	Pregnancy Complications and Future Maternal Health. <b>2013</b> , 321-331	

1012	Hypertension in Women. <b>2013</b> , 1069-1079	1
1011	Doppler flowmetry of ophthalmic arteries for prediction of pre-eclampsia. <b>2014</b> , 60, 538-41	3
1010	Hypertensive disorders of pregnancy: a systematic review of international clinical practice guidelines. <b>2014</b> , 9, e113715	129
1009	Persistent urinary podocyte loss following preeclampsia may reflect subclinical renal injury. <b>2014</b> , 9, e92693	31
1008	Association between thrombophilia gene polymorphisms and preeclampsia: a meta-analysis. <b>2014</b> , 9, e100789	17
1007	Comprehensive analysis of preeclampsia-associated DNA methylation in the placenta. <b>2014</b> , 9, e107318	62
1006	Three-Dimensional Segmented Poincaré Plot Analyses SPPA3 Investigates Cardiovascular and Cardiorespiratory Couplings in Hypertensive Pregnancy Disorders. <b>2014</b> , 2, 51	5
1005	Preeclampsia. <b>2014</b> ,	
1004	Hypertension, pregnancy and weather: is seasonality involved?. <b>2014</b> , 60, 105-10	6
1003	Prediction of early and late preeclampsia by flow-mediated dilation of the brachial artery. <b>2014</b> , 47, 206-9	4
1002	Postpartum glucose tolerance status 6 to 12 weeks after gestational diabetes mellitus: a Brazilian cohort. <b>2014</b> , 58, 197-204	20
1001	Prediction of preeclampsia by means of Doppler flowmetry of uterine artery and flow-mediated dilation of brachial artery. <b>2014</b> , 47, 14-17	3
1000	Blood Pressure Regulation during Mouse Pregnancy. <b>2014</b> , 341-351	
999	Prognostic role of maternal neutrophil gelatinase-associated lipocalin in women with severe early-onset preeclampsia. <b>2014</b> , 35, 127-32	10
998	Arginine supplementation for improving maternal and neonatal outcomes in hypertensive disorder of pregnancy: a systematic review. <b>2014</b> , 15, 88-96	29
997	Alteration in methylation level at 11 $\beta$ hydroxysteroid dehydrogenase type 2 gene promoter in infants born to preeclamptic women. <b>2014</b> , 15, 96	13
996	Cigarette smoke-induced placental adrenomedullin expression and trophoblast cell invasion. <b>2014</b> , 21, 63-71	12
995	Timely assessment of cardiovascular risk after preeclampsia. <b>2014</b> , 10, 557-9	5

994	Mid-aortic syndrome in pregnancy. <b>2014</b> , 28, 140-1	
993	Polymorphisms of the adiponectin gene in gestational hypertension and pre-eclampsia. <b>2014</b> , 28, 128-32	11
992	The use of pulse wave velocity in predicting pre-eclampsia in high-risk women. <b>2014</b> , 37, 733-40	22
991	Innate immune system and preeclampsia. <b>2014</b> , 5, 244	79
990	Quantifying proteinuria in hypertensive disorders of pregnancy. <b>2014</b> , 2014, 941408	6
989	The role of the podocyte in preeclampsia. <b>2014</b> , 9, 1337-40	22
988	Three-dimensional segmented poincare plot analysis - A new approach of cardiovascular and cardiorespiratory regulation analysis. <b>2014</b> , 2014, 6012-5	
987	Neuroimaging features and predictors of outcome in eclamptic encephalopathy: a prospective observational study. <b>2014</b> , 35, 1728-34	42
986	Cost-effectiveness analysis of cardiovascular risk factor screening in women who experienced hypertensive pregnancy disorders at term. <b>2014</b> , 4, 264-70	6
985	Post-partum recovery course in patients with gestational hypertension and pre-eclampsia. <b>2014</b> , 40, 919-25	11
984	Maternal hypertensive pregnancy disorders and cognitive functioning of the offspring: a systematic review. <b>2014</b> , 8, 832-47.e1	48
983	Guidelines for the prevention of stroke in women: a statement for healthcare professionals from the American Heart Association/American Stroke Association. <b>2014</b> , 45, 1545-88	560
982	Usefulness of fetal urine production measurement for prediction of perinatal outcomes in uteroplacental insufficiency. <b>2014</b> , 33, 2165-71	7
981	Seasonal variation in the prevalence of pregnancy-induced hypertension in Japanese women. <b>2014</b> , 40, 926-31	18
980	Combination of plasma-soluble fms-like tyrosine kinase 1 and uterine artery Doppler for the prediction of preeclampsia in cases of elderly gravida. <b>2014</b> , 37, 538-42	14
979	Preeclampsia is associated with lower production of vascular endothelial growth factor by peripheral blood mononuclear cells. <b>2014</b> , 45, 561-9	12
978	Expansion of CD4(+) HLA-G(+) T Cell in human pregnancy is impaired in pre-eclampsia. <b>2014</b> , 71, 217-28	37
977	The relationship of angiogenic factors to maternal and neonatal manifestations of early-onset and late-onset preeclampsia. <b>2014</b> , 34, 1084-92	32

976	Monocytes from pregnant women with pre-eclampsia are polarized to a M1 phenotype. <b>2014</b> , 72, 5-13	39
975	Histologic differences in placentas of preeclamptic/eclamptic gestations by birthweight, placental weight, and time of onset. <b>2014</b> , 17, 181-9	22
974	Screening models using multiple markers for early detection of late-onset preeclampsia in low-risk pregnancy. <b>2014</b> , 14, 35	30
973	Perfluoroalkyl substances during pregnancy and validated preeclampsia among nulliparous women in the Norwegian Mother and Child Cohort Study. <b>2014</b> , 179, 824-33	40
972	Hypertension, snoring, and obstructive sleep apnoea during pregnancy: a cohort study. <b>2014</b> , 121, 1685-93	53
971	The prevalence of retinal and optical coherence tomography findings in preeclamptic women. <b>2014</b> , 34, 1376-83	16
970	Customized growth curves for identification of large-for-gestational age neonates in pre-eclamptic women. <b>2014</b> , 43, 165-9	4
969	New gestational phase-specific cutoff values for the use of the soluble fms-like tyrosine kinase-1/placental growth factor ratio as a diagnostic test for preeclampsia. <b>2014</b> , 63, 346-52	199
968	Fetomaternal outcome in severe preeclamptic women undergoing emergency cesarean section under either general or spinal anesthesia. <b>2014</b> , 2014, 325098	18
967	Community pharmacist surveillance of hypertension in pregnancy: Are we ready for prime time?. <b>2014</b> , 147, 307-15	2
966	Prediction of preeclampsia and induced delivery at . <b>2014</b> , 14, 292	23
965	TNF $\epsilon$ 308A gene polymorphism has an impact on renal function, microvascular permeability, organ involvement and severity of preeclampsia. <b>2014</b> , 78, 150-61	14
964	Cumulative exposure to paternal seminal fluid prior to conception and subsequent risk of preeclampsia. <b>2014</b> , 101-102, 104-110	64
963	Hyperglycemia impairs cytotrophoblast function via stress signaling. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 211, 541.e1-8	6.4 30
962	Racial differences in gestational weight gain and pregnancy-related hypertension. <b>2014</b> , 24, 441-7	38
961	Association of COMT G675A and MTHFR C677T polymorphisms with hypertensive disorders of pregnancy in Mexican mestizo population. <b>2014</b> , 4, 59-64	8
960	Mass spectrometric profiling of cord blood serum proteomes to distinguish infants with intrauterine growth restriction from those who are small for gestational age and from control individuals. <b>2014</b> , 164, 57-69	17
959	Vitamin D status and hypertensive disorders in pregnancy. <b>2014</b> , 24, 399-403.e1	41

958	Agreement of label information of cardiovascular drugs in pregnancy among Korea, the USA, the UK, and Japan. <b>2014</b> , 68, 363-9	6
957	Effect of age, parity, and race on the incidence of pregnancy associated hypertension and eclampsia in the United States. <b>2014</b> , 4, 46-53	11
956	Blood pressure in pregnancy and magnesium sensitive genes. <b>2014</b> , 4, 41-5	8
955	Safety of influenza vaccination during pregnancy: a review of subsequent maternal obstetric events and findings from two recent cohort studies. <b>2014</b> , 32, 3122-7	44
954	Maternal-fetal HLA sharing and preeclampsia: variation in effects by seminal fluid exposure in a case-control study of nulliparous women in Iowa. <b>2014</b> , 101-102, 111-119	26
953	Glomerular Disease in Pregnancy. <b>2014</b> , 315-328	
952	The mode of delivery in patients with preeclampsia at term subject to elective or emergency Cesarean section. <b>2014</b> , 289, 263-7	11
951	Influence of gestational age and body weight on the pharmacokinetics of labetalol in pregnancy. <b>2014</b> , 53, 373-83	36
950	Significance of the platelet distribution width as a severity marker for the development of preeclampsia. <b>2014</b> , 175, 107-11	51
949	Biomarkers of endothelial dysfunction in preeclampsia and neonatal morbidity: a case-control study. <b>2014</b> , 175, 119-23	33
948	Hypertension in pregnancy. <b>2014</b> , 16, 395	79
947	Albumin to creatinine ratio in a random urine sample: Correlation with severity of preeclampsiaPeer review under responsibility of Alexandria University Faculty of Medicine.View all notesAvailable online 31 January 2014View all notes. <b>2014</b> , 50, 139-142	1
946	Drug treatment of hypertension in pregnancy. <b>2014</b> , 74, 283-96	57
945	Preeclampsia-eclampsia. <b>2014</b> , 64, 4-13	25
944	Utilization of primary and obstetric care after medically complicated pregnancies: an analysis of medical claims data. <b>2014</b> , 29, 636-45	95
943	Angiogenic factors and uterine Doppler velocimetry in early- and late-onset preeclampsia. <b>2014</b> , 93, 469-76	21
942	Hypertensive disorders of pregnancy and gestational diabetes mellitus among French Caribbean women chronically exposed to chlordecone. <b>2014</b> , 68, 171-6	24
941	Advances in the pathophysiology of pre-eclampsia and related podocyte injury. <b>2014</b> , 86, 275-85	85

940	Is there any relationship between ABO/Rh blood group and patients with pre-eclampsia?. <b>2014</b> , 4, 170-3	7
939	Magnesium in pregnancy blood pressure and pre-eclampsia - A review. <b>2014</b> , 4, 146-9	10
938	Pregnancy and Diabetic Nephropathy. <b>2014</b> , 163-173	2
937	Vascular pool of releasable soluble VEGF receptor-1 (sFLT1) in women with previous preeclampsia and uncomplicated pregnancy. <b>2014</b> , 99, 978-87	12
936	The Kidney in Pregnancy. <b>2014</b> , 427-436	
935	Angiotensin Converting Enzyme 90 kDa isoform: Biomarker for diagnosis of preeclampsia?. <b>2014</b> , 83, 526-9	1
934	Falling insulin requirements are associated with adverse obstetric outcomes in women with preexisting diabetes. <b>2014</b> , 37, 2685-92	22
933	The predictive value of the first-trimester maternal serum chemerin level for pre-eclampsia. <b>2014</b> , 62, 150-4	13
932	Risk factors differ between recurrent and incident preeclampsia: a hospital-based cohort study. <b>2014</b> , 24, 871-7e3	22
931	Could mean platelet volume in late first trimester of pregnancy predict intrauterine growth restriction and pre-eclampsia?. <b>2014</b> , 40, 1840-5	31
930	Urinary protein selectivity in nephrotic syndrome and pregnancy: resurrection of a biomarker when renal biopsy is contraindicated. <b>2014</b> , 7, 595-8	8
929	Maternal NT-proBNP in chronic hypertensive pregnancies and superimposed preeclampsia. <b>2014</b> , 176, 1227-9	13
928	Cardiovascular implications in preeclampsia: an overview. <b>2014</b> , 130, 703-14	180
927	Expression of placenta growth factor, soluble fms-like tyrosine kinase-1, metal-responsive transcription factor-1, heme oxygenase 1 and hypoxia inducible factor-1mRNAs in pre-eclampsia placenta and the effect of pre-eclampsia sera on their expression of choriocarcinoma cells. <b>2014</b> , 40, 2095-103	9
926	Treatment of preeclampsia: current approach and future perspectives. <b>2014</b> , 16, 473	24
925	Predictive value of ophthalmic artery Doppler velocimetry in relation to development of pre-eclampsia. <b>2014</b> , 44, 419-26	12
924	Endocrine Diseases of Pregnancy. <b>2014</b> , 604-650.e18	1
923	Validity of pre-eclampsia registration in the medical birth registry of norway for women participating in the norwegian mother and child cohort study, 1999-2010. <b>2014</b> , 28, 362-71	46



922	An association study of interleukin-4 gene and preeclampsia in Taiwan. <b>2014</b> , 53, 215-9	6
921	Is there a correlation between maternal venous hemodynamic dysfunction and proteinuria of preeclampsia?. <b>2014</b> , 181, 246-50	10
920	Evaluation of glycosaminoglycans and heparanase in placentas of women with preeclampsia. <b>2014</b> , 437, 155-60	9
919	Maternal venous hemodynamics in gestational hypertension and preeclampsia. <b>2014</b> , 14, 212	25
918	The effects of spinal anaesthesia for elective caesarean section on uterine and umbilical arterial pulsatility indexes in normotensive and chronic hypertensive pregnant women: a prospective, longitudinal study. <b>2014</b> , 14, 291	8
917	When necessary, use a proven and safe agent to treat hypertension in pregnancy. <b>2014</b> , 30, 356-360	
916	Management of hypertensive disorders in pregnancy. <b>2014</b> , 10, 385-404	49
915	Pre-eclampsia, eclampsia and adverse maternal and perinatal outcomes: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. <b>2014</b> , 121 Suppl 1, 14-24	266
914	Methylenetetrahydrofolate reductase gene C677T, A1298C polymorphisms and pre-eclampsia risk: a meta-analysis. <b>2014</b> , 41, 5435-48	8
913	Estrogen-related receptor $\beta$ serves a role in blood pressure homeostasis during pregnancy. <b>2014</b> , 28, 965-75	16
912	Prepregnancy body mass index and risk of preterm birth: association heterogeneity by preterm subgroups. <b>2014</b> , 14, 153	29
911	Differential levels of amino acid transporters System L and ASCT2, and the mTOR protein in placenta of preeclampsia and IUGR. <b>2014</b> , 14, 181	27
910	Obstetric and neonatal outcomes of maternal vitamin D supplementation: results of an open-label, randomized controlled trial of antenatal vitamin D supplementation in Pakistani women. <b>2014</b> , 99, 2448-55	90
909	Maternal obesity and excess of fetal growth in pre-eclampsia. <b>2014</b> , 121, 1351-7	25
908	Polymorphisms in endothelial nitric oxide synthase gene in early and late severe preeclampsia. <b>2014</b> , 42, 19-23	21
907	Tissue inhibitor of matrix metalloproteinase-1 polymorphism, plasma TIMP-1 levels, and antihypertensive therapy responsiveness in hypertensive disorders of pregnancy. <b>2014</b> , 14, 535-41	26
906	Association of functional polymorphisms in FAS and FAS Ligand genes promoter with pre-eclampsia. <b>2014</b> , 40, 1167-73	14
905	Placental calcitriol synthesis and IGF-I levels in normal and preeclamptic pregnancies. <b>2014</b> , 144 Pt A, 44-9	17

904	Reduced circulating miR-196b levels is associated with preeclampsia. <b>2014</b> , 4, 11-3		7
903	End-stage renal disease after hypertensive disorders in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 210, 147.e1-8	6.4	38
902	Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems. <b>2014</b> , CD001059		169
901	The association of maternal adult weight trajectory with preeclampsia and gestational diabetes mellitus. <b>2014</b> , 28, 287-96		15
900	Clinical features and prenatal risk factors for hypertensive disorders in twin pregnancies. <b>2014</b> , 40, 1584-91		13
899	Preeclampsia: integrated network model of platelet biomarkers interaction as a tool to evaluate the hemostatic/immunological interface. <b>2014</b> , 436, 193-201		9
898	Difference of endothelial function during pregnancies as a method to predict preeclampsia. <b>2014</b> , 290, 471-7		22
897	Plasma antithrombin levels correlate with albumin and total protein in gestational hypertension and preeclampsia. <b>2014</b> , 4, 174-7		7
896	Placental pathology suggesting that preeclampsia is more than one disease. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 210, 66.e1-7	6.4	94
895	The effects of adipocytokines on the endocrino-metabolic features and obstetric outcome in pregnant obese women with polycystic ovary syndrome. <b>2014</b> , 19, 293-302		8
894	Guided imagery for treating hypertension in pregnancy. <b>2014</b> ,		2
893	Focal Segmental Glomerulosclerosis Secondary to Juxtaglomerular Cell Tumor during Pregnancy: A Case Report. <b>2014</b> , 4, 88-94		3
892	Gestational hypertension and preeclampsia: are they the same disease?. <b>2014</b> , 36, 642-647		37
891	Author's reply: Maternal hypertension and infant growth. <b>2015</b> , 91, 604-5		
890	Author's reply: Maternal hypertension and infant growth. <b>2015</b> , 91, 604-605		
889	Reproductive and obstetric outcomes in mosaic Turner's Syndrome: a cross-sectional study and review of the literature. <b>2015</b> , 13, 59		26
888	Independent Determinants of Maternal and Fetal Outcomes in a Sample of Pregnant Outpatients With Normal Blood Pressure, Chronic Hypertension, Gestational Hypertension, and Preeclampsia. <b>2015</b> , 17, 777-82		11
887	Subsequent risk of metabolic syndrome in women with a history of preeclampsia: data from the Health Examinees Study. <b>2015</b> , 25, 281-8		15

886	Pregnancy-related Acute Kidney Injury and a Review of the Literature in China. <b>2015</b> , 54, 1695-703	32
885	Maternal cerebral centralization of blood flow in pregnant women with specific gestational hypertension. <b>2015</b> , 30, 19-24	
884	Growth of preterm low birth weight infants until 24 months corrected age: effect of maternal hypertension. <b>2015</b> , 91, 256-262	
883	Effect of Sildenafil on Pre-Eclampsia-Like Mouse Model Induced By L-Name. <b>2015</b> , 50, 611-6	40
882	CD14++ CD16+ HLA-DR+ Monocytes in Peripheral Blood are Quantitatively Correlated with the Severity of Pre-eclampsia. <b>2015</b> , 74, 116-22	12
881	SOMANZ guidelines for the management of hypertensive disorders of pregnancy 2014. <b>2015</b> , 55, e1-29	122
880	Metabolic syndrome after pregnancies complicated by pre-eclampsia or small-for-gestational-age: a retrospective cohort. <b>2015</b> , 122, 1818-23	25
879	Maternal factors in the origin of isolated oesophageal atresia: A population-based case-control study. <b>2015</b> , 103, 804-13	7
878	Serum ischemia-modified albumin and oxidized LDL in cord blood and serum of neonates born to pre-eclamptic mothers. <b>2015</b> , 57, 422-6	7
877	Type-specific orthostatic hemodynamic response of hypertensive diseases in pregnancy. <b>2015</b> , 42, 1036-44	3
876	Recurrent pre-eclampsia in women with metabolic syndrome and low plasma volume: a retrospective cohort study. <b>2015</b> , 122, 1773-80	9
875	Novel Electrocardiographic Patterns for the Prediction of Hypertensive Disorders of Pregnancy--From Pathophysiology to Practical Implications. <b>2015</b> , 16, 18454-73	11
874	Vitamin D and Inflammatory Cytokines in Healthy and Preeclamptic Pregnancies. <b>2015</b> , 7, 6465-90	50
873	Full-length human placental sFlt-1-e15a isoform induces distinct maternal phenotypes of preeclampsia in mice. <b>2015</b> , 10, e0119547	28
872	Polymorphisms of Vascular Endothelial Growth Factor and Retinopathy of Prematurity. <b>2015</b> , 52, 245-53	14
871	Predictive value of middle cerebral artery to uterine artery pulsatility index ratio in hypertensive disorders of pregnancy. <b>2015</b> , 2015, 614747	3
870	Perinatal Outcome in Women with Hypertensive Disorders of Pregnancy: A Retrospective Cohort Study. <b>2015</b> , 2015, 208043	29
869	Is the imbalance between pro-angiogenic and anti-angiogenic factors associated with preeclampsia?. <b>2015</b> , 447, 34-8	42

868	Serum tumor necrosis factor- $\alpha$ level and uterine artery Doppler indices at 11-13 weeks' gestation for preeclampsia screening in low-risk pregnancies: a prospective observational study. <b>2015</b> , 109, 31-5	13
867	Effects of NAMPT polymorphisms and haplotypes on circulating visfatin/NAMPT levels in hypertensive disorders of pregnancy. <b>2015</b> , 38, 361-6	18
866	Association between magnesium status, oxidative stress and inflammation in preeclampsia: A case-control study. <b>2015</b> , 34, 1166-71	17
865	Mechanisms and therapeutic potential of microRNAs in hypertension. <b>2015</b> , 20, 1188-204	41
864	First-trimester 3-dimensional power Doppler placental vascularization indices from the whole placenta versus the placental bed to predict preeclampsia: does pregnancy-associated plasma protein a or uterine artery Doppler sonography help?. <b>2015</b> , 34, 965-70	6
863	Dietary Inflammatory Potential during Pregnancy Is Associated with Lower Fetal Growth and Breastfeeding Failure: Results from Project Viva. <b>2016</b> , 146, 728-36	56
862	Perinatal outcomes after hypertensive disorders in pregnancy in a low resource setting. <b>2015</b> , 20, 1778-86	27
861	Effects of selective reduced uterine perfusion pressure in pregnant rats. <b>2015</b> , 36, 1450-4	8
860	Risk factors of hypertensive disorders among Chinese pregnant women. <b>2015</b> , 35, 801-807	9
859	Maternal cardiac evaluation during uncomplicated twin pregnancy with emphasis on the diastolic function. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 213, 376.e1-8	6.4 15
858	The defect of both angiogenesis and lymphangiogenesis is involved in preeclampsia. <b>2015</b> , 36, 279-86	20
857	Incidence of eclampsia with HELLP syndrome and associated mortality in Latin America. <b>2015</b> , 129, 219-22	18
856	Bioelectrical impedance analysis in the assessment of pre-eclampsia. <b>2015</b> , 291, 31-8	7
855	Fetal sex and race modify the predictors of fetal growth. <b>2015</b> , 19, 798-810	2
854	Free protein s reference ranges in gravidas without hereditary and acquired thrombophilia. <b>2015</b> , 31, 286-91	6
853	Influence of gestational diabetes on the stereoselective pharmacokinetics and placental distribution of metoprolol and its metabolites in parturients. <b>2015</b> , 79, 605-16	10
852	Advances in understanding and treating liver diseases during pregnancy: A review. <b>2015</b> , 21, 5183-90	22
851	The adipokine preadipocyte factor-1 is downregulated in preeclampsia and expressed in placenta. <b>2015</b> , 75, 338-43	9

850	The prevalence of pre-eclampsia in migrant relative to native Norwegian women: a population-based study. <b>2015</b> , 122, 859-865		28
849	Third-trimester uterine artery Doppler measurement and maternal postpartum outcome among patients with severe pre-eclampsia. <b>2015</b> , 131, 49-53		12
848	Circulating endothelial cell number and markers of endothelial dysfunction in previously preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 213, 533.e1-7	6.4	36
847	Relationship between insulin resistance and circulating endothelial cells in pre-eclampsia. <b>2015</b> , 31, 788-91		5
846	Protocolo diagnóstico y tratamiento de la enfermedad renal asociada al embarazo. <b>2015</b> , 11, 4827-4830		
845	Interferon- $\beta$ and angiogenic dysregulation in pregnant lupus patients who develop preeclampsia. <b>2015</b> , 67, 977-87		42
844	Growth of preterm low birth weight infants until 24 months corrected age: effect of maternal hypertension. <b>2015</b> , 91, 256-62		11
843	Three-dimensional power Doppler indices at 18-22 weeks' gestation for prediction of fetal growth restriction or pregnancy-induced hypertension. <b>2015</b> , 292, 75-9		12
842	Pre-eclampsia during pregnancy and cardiovascular disease later in life: the case for a risk group. <b>2015</b> , 292, 519-21		7
841	Placental C4d deposition is a feature of defective placentation: observations in cases of preeclampsia and miscarriage. <b>2015</b> , 466, 717-25		17
840	Maternal venous Doppler characteristics are abnormal in pre-eclampsia but not in gestational hypertension. <b>2015</b> , 45, 421-6		28
839	Quality of first trimester risk prediction models for pre-eclampsia: a systematic review. <b>2015</b> , 122, 904-14		38
838	Prior cesarean section is associated with increased preeclampsia risk in a subsequent pregnancy. <b>2015</b> , 15, 24		14
837	Maternal and fetal outcome of pregnancy related hypertension in Mettu Karl Referral Hospital, Ethiopia. <b>2015</b> , 8, 10		54
836	[Spot urinary protein to creatinine ratio: Which role in preeclampsia diagnosis?]. <b>2015</b> , 44, 795-801		0
835	Left ventricular remodeling and diastolic function in chronic hypertensive pregnant women. <b>2015</b> , 5, 187-92		5
834	Blood pressure changes during the first stage of labor and for the prediction of early postpartum preeclampsia: a prospective study. <b>2015</b> , 184, 103-7		21
833	Folate metabolism gene polymorphisms MTHFR C677T and A1298C and risk for preeclampsia: a meta-analysis. <b>2015</b> , 32, 797-805		29

832	The complement system and adverse pregnancy outcomes. <b>2015</b> , 67, 56-70	98
831	Endocan-1 concentrations in maternal and fetal plasma and placentae in pre-eclampsia in the third trimester of pregnancy. <b>2015</b> , 74, 152-6	16
830	Risk of hypertensive disorders in pregnancies following assisted reproductive technology: a cohort study from the CoNARTaS group. <b>2015</b> , 30, 1724-31	110
829	Preconception care and reproductive planning in primary care. <b>2015</b> , 99, 663-82	16
828	Hypertension in pregnancy: natural history and treatment options. <b>2015</b> , 17, 36	67
827	Lung Function in Very Low Birth Weight Adults. <b>2015</b> , 136, 642-50	48
826	Maternal serum copeptin concentrations in early- and late-onset pre-eclampsia. <b>2015</b> , 54, 350-4	12
825	Obstetric complications in carriers of the m.3243A>G mutation, a retrospective cohort study on maternal and fetal outcome. <b>2015</b> , 25, 98-103	25
824	NLRP1 L155H Polymorphism is a Risk Factor for Preeclampsia Development. <b>2015</b> , 73, 577-81	25
823	Risk of ultrasound-detected neonatal brain abnormalities in intrauterine growth-restricted fetuses born between 28 and 34 weeks' gestation: relationship with gestational age at birth and fetal Doppler parameters. <b>2015</b> , 46, 452-9	17
822	Uric Acid: A Missing Link Between Hypertensive Pregnancy Disorders and Future Cardiovascular Disease?. <b>2015</b> , 90, 1207-16	12
821	Maternal and Neonatal Outcomes in 89 Patients with Takayasu Arteritis (TA): Comparison Before and After the TA Diagnosis. <b>2015</b> , 42, 1861-4	31
820	Is preeclampsia an independent predictor of diastolic dysfunction? A retrospective cohort study. <b>2015</b> , 5, 359-61	12
819	Late Postpartum Eclampsia with Postpartum Angiopathy: An Uncommon Diagnosis in the Emergency Department. <b>2015</b> , 49, e187-91	3
818	Alteration of Delta-like ligand 1 and Notch 1 receptor in various placental disorders with special reference to early onset preeclampsia. <b>2015</b> , 46, 1129-37	6
817	Perinatal risk factors and mode of delivery associated with mortality in very low birth weight infants. <b>2015</b> , 28, 1318-1323	4
816	Maternal hypertensive disorders, antihypertensive medication use, and the risk of birth defects: a case-control study. <b>2015</b> , 122, 1002-9	35
815	The early-onset preeclampsia is associated with MTHFR and FVL polymorphisms. <b>2015</b> , 291, 1303-12	24

814	Correlations among antiangiogenic factors and trace elements in hypertensive disorders of pregnancy. <b>2015</b> , 29, 130-5		12
813	Assessing the information in the Summaries of Product Characteristics for the use of medicines in pregnancy and lactation. <b>2015</b> , 79, 537-44		18
812	Introduction, History, Controversies, and Definitions. <b>2015</b> , 1-24		2
811	Chronic Hypertension and Pregnancy. <b>2015</b> , 397-417		
810	Antihypertensive Treatment. <b>2015</b> , 419-438		
809	[How to manage a patient with chronic arterial hypertension during pregnancy and the postpartum period]. <b>2015</b> , 36, 191-7		
808	Chronic perfusion changes and reduction in preeclampsia incidence in pregnant smokers: an ophthalmic artery Doppler study. <b>2015</b> , 28, 2074-9		5
807	Pre-eclampsia has an adverse impact on maternal and fetal health. <b>2015</b> , 165, 449-63		36
806	Diastolic blood pressure increase is a risk indicator for pre-eclampsia. <b>2015</b> , 291, 819-23		4
805	Maternal serum glycosylated fibronectin as a point-of-care biomarker for assessment of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 212, 82.e1-9	6.4	28
804	The prognostic role of various indices and ratios of Doppler velocimetry in patients with pre-eclampsia. <b>2015</b> , 37, 57-62		1
803	Clinical Management. <b>2015</b> , 439-464		
802	The Clinical Spectrum of Preeclampsia. <b>2015</b> , 25-36		4
801	Cardiovascular disease risk is only elevated in hypertensive, formerly preeclamptic women. <b>2015</b> , 122, 1092-100		37
800	Effects of dietary interventions on pregnancy outcomes: a systematic review and meta-analysis. <b>2016</b> , 12, 5-23		43
799	Inflammatory and oxidative stress airway markers in premature newborns of hypertensive mothers. <b>2016</b> , 49, e5160		4
798	Impact of pregnancy-induced hypertension on fetal growth. <b>2016</b> , 25, 104-11		2
797	Placental biomarkers and angiogenic factors in oral fluids of patients with preeclampsia. <b>2016</b> , 36, 476-82		19

796	Maternal cardiac adaptation to subsequent pregnancy in formerly pre-eclamptic women according to recurrence of pre-eclampsia. <b>2016</b> , 47, 96-103	21
795	Evidence for central hypercortisolism and elevated blood pressure in adolescent offspring of mothers with pre-eclampsia. <b>2016</b> , 85, 583-9	11
794	Identifying immune mechanisms mediating the hypertension during preeclampsia. <b>2016</b> , 311, R1-9	60
793	Enoxaparin and Aspirin Compared With Aspirin Alone to Prevent Placenta-Mediated Pregnancy Complications: A Randomized Controlled Trial. <b>2016</b> , 128, 1053-1063	50
792	Polymorphisms of the IL27 gene in a Chinese Han population complicated with pre-eclampsia. <b>2016</b> , 6, 23029	10
791	Diet quality before or during pregnancy and the relationship with pregnancy and birth outcomes: the Australian Longitudinal Study on Women's Health. <b>2016</b> , 19, 2975-2983	35
790	Association of Baseline Proteinuria and Adverse Outcomes in Pregnant Women With Treated Chronic Hypertension. <b>2016</b> , 128, 270-276	14
789	Periconceptional seafood intake and pregnancy complications. <b>2016</b> , 19, 1795-803	9
788	A comparison of the diagnostic utility of the sFlt-1/PlGF ratio versus PlGF alone for the detection of preeclampsia/HELLP syndrome. <b>2016</b> , 35, 295-305	32
787	Proteoform profiling of peripheral blood serum proteins from pregnant women provides a molecular IUGR signature. <b>2016</b> , 149, 44-52	17
786	Induction, labor length and mode of delivery: the impact on preeclampsia-related adverse maternal outcomes. <b>2016</b> , 36, 713-7	9
785	Comparison of indications of pregnancy termination and prognosis of mothers and neonates in early- and late-onset preeclampsia. <b>2016</b> , 35, 315-22	11
784	Preeclampsia: Updates in Pathogenesis, Definitions, and Guidelines. <b>2016</b> , 11, 1102-13	269
783	The Regulation of Fatty Acid Oxidation in Human Preeclampsia. <b>2016</b> , 23, 1422-33	6
782	Assessment of right heart function in preeclampsia by echocardiography. <b>2016</b> , 6, 89-94	15
781	Serum levels of leptin, adiponectin and resistin in relation to clinical characteristics in normal pregnancy and preeclampsia. <b>2016</b> , 458, 133-7	29
780	Associations of Maternal Urinary Cadmium with Trimester-Specific Blood Pressure in Pregnancy: Role of Dietary Intake of Micronutrients. <b>2016</b> , 174, 71-81	15
779	Hypertensive disorders of pregnancy and outcomes of preterm infants of 24 to 28 weeks' gestation. <b>2016</b> , 36, 1067-1072	30



778	Neutrophil gelatinase-associated lipocalin as a diagnostic marker of acute kidney injury in pre-eclampsia. <b>2016</b> , 42, 1483-1488	7
777	Echocardiographic Structure and Function in Hypertensive Disorders of Pregnancy: A Systematic Review. <b>2016</b> , 9,	50
776	Obesity in young age is a risk factor for preeclampsia: a facility based case-control study, northwest Ethiopia. <b>2016</b> , 16, 237	11
775	Effect of nebivolol treatment during pregnancy on the intrauterine fetal growth, mortality and pup postnatal development in the l-NAME-induced hypertensive rats. <b>2016</b> , 791, 465-472	2
774	Pulmonary Arterial Hypertension after Ibuprofen Treatment for Patent Ductus Arteriosus in Very Low Birth Weight Infants. <b>2016</b> , 179, 49-53.e1	11
773	Hipertensi arterial y embarazo. <b>2016</b> , 52, 1-15	
772	Chronic Hypertension and Pregnancy. <b>2017</b> , 956, 395-407	11
771	Risk assessment of hypertensive disorders in pregnancy with maternal characteristics in early gestation: A single-center cohort study. <b>2016</b> , 55, 341-5	8
770	Fetal sex-specific differences in gestational age at delivery in pre-eclampsia: a meta-analysis. <b>2017</b> , 46, 632-642	34
769	Fetal outcome and recommendations of pregnancies in lupus nephritis in the 21st century. A prospective multicenter study. <b>2016</b> , 74, 6-12	69
768	Maternal body fluid composition in uncomplicated pregnancies and preeclampsia: a bioelectrical impedance analysis. <b>2016</b> , 204, 69-73	24
767	Preeclampsia: Prevalence and perinatal repercussions in a University Hospital in Rio de Janeiro, Brazil. <b>2016</b> , 6, 253-255	13
766	Peripartum Cardiomyopathy From a Genetic Perspective. <b>2016</b> , 80, 1684-8	14
765	Serum Fatty Acid Binding Protein 4 (FABP4) Predicts Pre-eclampsia in Women With Type 1 Diabetes. <b>2016</b> , 39, 1827-9	16
764	Evaluation of maternal early obstetric warning system (MEOWS chart) as a predictor of obstetric morbidity: a prospective observational study. <b>2016</b> , 207, 11-17	21
763	Increased tissue factor and thrombomodulin expression and histopathological changes in placentas of pregnancies with preeclampsia. <b>2016</b> , 9, 31-9	6
762	Umbilical cord and preeclampsia. <b>2016</b> , 9, 49-57	9
761	Preconception evaluation. 105-117	

760	The performance of risk prediction models for pre-eclampsia using routinely collected maternal characteristics and comparison with models that include specialised tests and with clinical guideline decision rules: a systematic review. <b>2016</b> , 123, 1441-52	54
759	Childhood Risk Factors and Pregnancy-Induced Hypertension: The Bogalusa Heart Study. <b>2016</b> , 29, 1206-11	7
758	Acute-phase proteins in prediction of preeclampsia in patients with abnormal midtrimester uterine Doppler velocimetry. <b>2016</b> , 294, 1151-1160	9
757	The unexpected beneficial role of smoking in preeclampsia. <b>2016</b> , 459, 105-108	10
756	Placental microRNA expression in pregnancies complicated by superimposed pre-eclampsia on chronic hypertension. <b>2016</b> , 14, 22-32	38
755	Circular RNA in blood corpuscles combined with plasma protein factor for early prediction of pre-eclampsia. <b>2016</b> , 123, 2113-2118	74
754	Tenascin C levels in patients with mild and severe preeclampsia. <b>2016</b> , 29, 270-3	4
753	The effects of maternal weight and age on pre-eclampsia and eclampsia in Haiti. <b>2016</b> , 29, 602-6	5
752	Direct Vasodilators and Sympatholytic Agents. <b>2016</b> , 21, 3-19	22
751	Blood pressure percentiles by age and height for children and adolescents in Tehran, Iran. <b>2016</b> , 30, 268-77	12
750	Increased incidence of gestational hypertension and preeclampsia after assisted reproductive technology treatment. <b>2016</b> , 105, 920-926.e2	36
749	[Up-to-date on the HELLP syndrome (Hemolysis, Elevated Liver enzymes and Low Platelets)]. <b>2016</b> , 37, 406-11	3
748	Clinical Characteristics and Long-term Predictors of Persistent Left Ventricular Systolic Dysfunction in Peripartum Cardiomyopathy. <b>2016</b> , 32, 362-8	36
747	Immature platelet fraction in hypertensive pregnancy. <b>2016</b> , 27, 333-7	19
746	Risk perception of future cardiovascular disease in women diagnosed with a hypertensive disorder of pregnancy. <b>2016</b> , 29, 2067-72	10
745	Pregnancy Reveals Evolving Risk for Cardiometabolic Disease in Women. <b>2016</b> , 45, 413-25	11
744	Oral nifedipine versus intravenous labetalol for severe hypertension during pregnancy: a systematic review and meta-analysis. <b>2016</b> , 123, 40-7	45
743	Serum nitrate and NOx levels in preeclampsia are higher than in normal pregnancy. <b>2016</b> , 35, 226-33	10

742	Persistent organic pollutants and pregnancy complications. <b>2016</b> , 551-552, 285-91	41
741	Incidence of posterior reversible encephalopathy syndrome in eclamptic and patients with preeclampsia with neurologic symptoms. <i>American Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 215, 239-245	59
740	Clinical features and antenatal risk factors for postpartum-onset hypertensive disorders. <b>2016</b> , 35, 22-31	10
739	Persistent Maternal Cardiac Dysfunction After Preeclampsia Identifies Patients at Risk for Recurrent Preeclampsia. <b>2016</b> , 67, 748-53	38
738	TPRV-1 expression in human preeclamptic placenta. <b>2016</b> , 40, 25-8	11
737	Plasma levels of increased miR-195-5p correlates with the sFLT-1 levels in preeclampsia. <b>2016</b> , 35, 150-8	12
736	Preeclampsia and superimposed preeclampsia: The same disease? The role of angiogenic biomarkers. <b>2016</b> , 35, 139-49	22
735	Prospective study of the hemodynamic behavior of ophthalmic arteries in postpartum preeclamptic women: A doppler evaluation. <b>2016</b> , 35, 100-11	6
734	Attenuation of hyperglycemia-induced apoptotic signaling and anti-angiogenic milieu in cultured cytotrophoblast cells. <b>2016</b> , 35, 159-69	8
733	Aspirin for the Prevention of Preeclampsia and Intrauterine Growth Restriction. <b>2016</b> , 36, 319-29	29
732	Maternal Cardiovascular Function in Normal Pregnancy: Evidence of Maladaptation to Chronic Volume Overload. <b>2016</b> , 67, 754-62	128
731	Hypertension in Pregnancy and Future Cardiovascular Event Risk in Siblings. <b>2016</b> , 27, 894-902	8
730	Elevated levels of neuropeptide Y in preeclampsia: A pilot study implicating a role for stress in pathogenesis of the disease. <b>2016</b> , 55, 127-35	12
729	Pre-eclampsia and preterm birth in Reunion Island: a 13 years cohort-based study. Comparison with international data. <b>2016</b> , 29, 3035-40	17
728	Hypertensive disorders of pregnancy and adult offspring cardiometabolic outcomes: a systematic review of the literature and meta-analysis. <b>2016</b> , 70, 414-22	40
727	Stroke in pregnancy: a case-oriented review. <b>2016</b> , 16, 23-34	9
726	Plasma markers of endothelial dysfunction in patients with hypertensive disorders of pregnancy: a pilot study in a South Indian population. <b>2016</b> , 29, 2077-82	8
725	Increased Levels of sENG and sVCAM-1 and Decreased Levels of VEGF in Severe Preeclampsia. <b>2016</b> , 29, 1307-1310	21

7 <sup>24</sup>	Assessment of angiogenesis modulators in pregnant women with pre-eclampsia: a case-control study. <b>2016</b> , 293, 369-75	15
7 <sup>23</sup>	Simple quantitation for potential serum disease biomarker peptides, primarily identified by a peptidomics approach in the serum with hypertensive disorders of pregnancy. <b>2016</b> , 53, 85-96	6
7 <sup>22</sup>	Construcción y validación de una escala de factores de riesgo para complicaciones de preeclampsia. <b>2016</b> , 43, 110-121	
7 <sup>21</sup>	Gene-gene interactions in the NAMPT pathway, plasma visfatin/NAMPT levels, and antihypertensive therapy responsiveness in hypertensive disorders of pregnancy. <b>2017</b> , 17, 427-434	18
7 <sup>20</sup>	Moderately elevated blood pressure during pregnancy and odds of hypertension later in life: the POUCHmoms longitudinal study. <b>2017</b> , 124, 1606-1613	22
7 <sup>19</sup>	Ozone and hypertensive disorders of pregnancy in Florida: Identifying critical windows of exposure. <b>2017</b> , 153, 120-125	20
7 <sup>18</sup>	Is use of multiple antihypertensive agents to achieve blood pressure control associated with adverse pregnancy outcomes?. <b>2017</b> , 37, 340-344	7
7 <sup>17</sup>	Pre-eclampsia: an important risk factor for asymptomatic heart failure. <b>2017</b> , 49, 143-149	56
7 <sup>16</sup>	Circulating endothelial cells, circulating endothelial progenitor cells, and von Willebrand factor in pregnancies complicated by hypertensive disorders. <b>2017</b> , 77, e12625	13
7 <sup>15</sup>	Development and validation of prediction models for risk of adverse outcomes in women with early-onset pre-eclampsia: protocol of the prospective cohort PREP study. <b>2017</b> , 1, 6	2
7 <sup>14</sup>	Hypertensive Disorders of Pregnancy. <b>2017</b> , 19, 15	24
7 <sup>13</sup>	Reduced aldehyde dehydrogenase expression in preeclamptic decidual mesenchymal stem/stromal cells is restored by aldehyde dehydrogenase agonists. <b>2017</b> , 7, 42397	14
7 <sup>12</sup>	Incident Coronary Heart Disease After Preeclampsia: Role of Reduced Fetal Growth, Preterm Delivery, and Parity. <b>2017</b> , 6,	56
7 <sup>11</sup>	Diagnosis of preeclampsia and fetal growth restriction with the sFlt-1/PlGF ratio: Diagnostic accuracy of the automated immunoassay Kryptor <sup>®</sup> . <b>2017</b> , 8, 31-36	12
7 <sup>10</sup>	Physiological adaptation of endothelial function to pregnancy: systematic review and meta-analysis. <b>2017</b> , 50, 697-708	19
7 <sup>09</sup>	Influence of non-dipping pattern of blood pressure in gestational hypertension on maternal cardiac function, hemodynamics and intrauterine growth restriction. <b>2017</b> , 10, 34-41	5
7 <sup>08</sup>	Association between cytokine profile and transcription factors produced by T-cell subsets in early- and late-onset pre-eclampsia. <b>2017</b> , 152, 163-173	47
7 <sup>07</sup>	Longitudinal characterization of renal proximal tubular markers in normotensive and preeclamptic pregnancies. <b>2017</b> , 312, R773-R778	11

706	Combined Vitamin B-12 and Balanced Protein-Energy Supplementation Affect Homocysteine Remethylation in the Methionine Cycle in Pregnant South Indian Women of Low Vitamin B-12 Status. <b>2017</b> , 147, 1094-1103	8
705	Myeloperoxidase in Hypertensive Disorders of Pregnancy and Its Relation With Nitric Oxide. <b>2017</b> , 69, 1173-1180	13
704	Ambient Air Pollution and Risk of Gestational Hypertension. <b>2017</b> , 186, 334-343	19
703	Hypertension and patterns of induced labor at term. <b>2017</b> , 10, 57-63	7
702	Recurrent Placenta-Mediated Complications in Women With Three Consecutive Deliveries. <b>2017</b> , 129, 416-421	11
701	Time course of angiotensin II dependent vascular and metabolic effects of preeclampsia. <b>2017</b> , 10, 51-56	1
700	Controversies Regarding Diagnosis and Treatment of Severe Hypertension in Pregnancy. <b>2017</b> , 60, 198-205	4
699	Joint effect of maternal plasma homocysteine and prepregnancy obesity on child blood pressure: a prospective birth cohort study. <b>2017</b> , 41, 1447-1453	3
698	Impaired neurovascular reactivity in the microvasculature of pregnant women with preeclampsia. <b>2017</b> , 24,	2
697	Clinical study on the association between pregnancy-induced hypertension and insulin resistance. <b>2017</b> , 13, 2065-2070	6
696	Blood pressure in adolescent patients with pre-eclampsia and eclampsia. <b>2017</b> , 138, 335-339	6
695	Association of Maternal Plasma Folate and Cardiometabolic Risk Factors in Pregnancy with Elevated Blood Pressure of Offspring in Childhood. <b>2017</b> , 30, 532-540	14
694	Maternal Antihypertensive Medication Use and Congenital Heart Defects: Updated Results From the National Birth Defects Prevention Study. <b>2017</b> , 69, 798-805	40
693	Aptitud clínica del médico familiar sobre preeclampsia-eclampsia en la unidad de medicina familiar no. 94 del imss. <b>2017</b> , 24, 27-31	
692	Committee Opinion No. 692: Emergent Therapy for Acute-Onset, Severe Hypertension During Pregnancy and the Postpartum Period. <b>2017</b> , 129, e90-e95	59
691	Pharmacogenetics in the treatment of pre-eclampsia: current findings, challenges and perspectives. <b>2017</b> , 18, 571-583	15
690	Maternal vascular malperfusion of the placental bed associated with hypertensive disorders in the Boston Birth Cohort. <b>2017</b> , 52, 106-113	47
689	Preeclampsia and Care of the Newborn. <b>2017</b> , 36, 50-52	2

688	Screening for pre-eclampsia in the first trimester: role of maternal hemodynamics and bioimpedance in non-obese patients. <b>2017</b> , 50, 584-588	17
687	SDF-1/CXCL12 and CXCR4 gene variants, and elevated serum SDF-1 levels are associated with preeclampsia. <b>2017</b> , 36, 124-130	6
686	Pre-eclampsia and risk of subsequent hypertension: in an American Indian population. <b>2017</b> , 36, 131-137	10
685	Biomarkers in Preeclampsia. <b>2017</b> , 555-594	2
684	Does antenatal betamethasone have negative effects on fetal activities and hemodynamics in cases of preeclampsia without severe features? A prospective, placebo-controlled, randomized study. <b>2017</b> , 30, 2671-2678	5
683	Postpartum Hemorrhage. <b>2017</b> , 252-261	
682	Association between the soluble epoxide hydrolase gene and preeclampsia. <b>2017</b> , 36, 315-325	6
681	Vascular Dysfunction in Mother and Offspring During Preeclampsia: Contributions from Latin-American Countries. <b>2017</b> , 19, 83	21
680	Impact of maternal serum uric acid on perinatal outcome in women with hypertensive disorders of pregnancy: A prospective study. <b>2017</b> , 10, 220-225	8
679	Planned caesarean section versus planned vaginal birth for severe pre-eclampsia. <b>2017</b> , 10, CD009430	10
678	Comparison of risk factors and perinatal outcomes in early onset and late onset preeclampsia: A cohort based study in Reunion Island. <b>2017</b> , 123, 12-16	24
677	Home blood pressure measurement in women with pregnancy-related hypertensive disorders. <b>2017</b> , 10, 213-219	3
676	Increased expression of NLRP3 inflammasome in placentas from pregnant women with severe preeclampsia. <b>2017</b> , 123, 40-47	60
675	FVIIa-antithrombin levels in early and late preeclampsia. <b>2017</b> , 474, 67-69	2
674	Gene markers of normal villous maturation and their expression in placentas with maturational pathology. <b>2017</b> , 58, 52-59	13
673	Longitudinal evaluation of uterine perfusion, endothelial function and central blood flow in early onset pre-eclampsia. <b>2017</b> , 10, 161-164	5
672	The relationship between hypertensive disorders in pregnancy and placental maternal and fetal vascular circulation. <b>2017</b> , 11, 724-729	17
671	The impact of ovulation induction and ovarian stimulation on the risk of pregnancy-induced hypertension and on neonatal outcomes: A case/control study. <b>2017</b> , 217, 137-143	5

670	Vitamin D deficiency prevalence and risk factors among pregnant Chinese women. <b>2017</b> , 20, 1746-1754	27
669	Antihypertensive drugs. <b>2017</b> , 124, 116-125	104
668	Is There Any Association Between Use of Antidepressants and Preeclampsia or Gestational Hypertension?: A Systematic Review of Current Studies. <b>2017</b> , 37, 72-77	21
667	Clinical and radiological features of posterior reversible encephalopathy syndrome in patients with pre-eclampsia and eclampsia. <b>2017</b> , 72, 887-895	7
666	Phosphodiesterases and preeclampsia. <b>2017</b> , 108, 94-100	3
665	Vaginal Birth after Cesarean. <b>2017</b> , 80-85	
664	Shoulder Dystocia. <b>2017</b> , 86-98	
663	Perineal Trauma after Vaginal Delivery: Third and Fourth Degree Lacerations and Hematomas. <b>2017</b> , 99-104	
662	Obstetric Anesthesia. <b>2017</b> , 105-115	
661	Intrapartum Fetal Monitoring. <b>2017</b> , 116-125	
660	Obstetric Ultrasound for the Generalist Obstetrician. <b>2017</b> , 126-142	
659	Prenatal Diagnosis. <b>2017</b> , 143-149	
658	Genetics. <b>2017</b> , 150-160	
657	Abnormal Fetal Growth. <b>2017</b> , 161-168	
656	Alloimmunization and Non-immune Hydrops Fetalis. <b>2017</b> , 169-178	
655	Fetal Anomalies. <b>2017</b> , 179-187	
654	Malpresentation. <b>2017</b> , 188-196	
653	Intraamniotic Infection. <b>2017</b> , 197-203	

652 Multifetal Pregnancy. **2017**, 204-212

651 Premature Rupture of Fetal Membranes Preterm and at Term. **2017**, 213-219

650 Preterm Delivery. **2017**, 220-228

649 Second Trimester Pregnancy Loss. **2017**, 229-235

1

648 Third Trimester Fetal Loss. **2017**, 236-244

647 Antepartum Hemorrhage. **2017**, 245-251

646 Postpartum Infection. **2017**, 262-268

645 The Obstetric Patient with Trauma. **2017**, 269-278

644 Post-term Pregnancy. **2017**, 279-285

643 Musculoskeletal Disorders. **2017**, 286-295

642 Obesity in Pregnancy. **2017**, 296-307

641 Hypertension in Pregnancy. **2017**, 315-323

640 Cardiovascular Disease in Pregnancy. **2017**, 324-331

639 Pulmonary Disease in Pregnancy. **2017**, 332-343

638 Neurological Disease Complicating Pregnancy. **2017**, 344-354

637 Renal Diseases in Pregnancy. **2017**, 355-365

636 Hematologic Diseases Complicating Pregnancy. **2017**, 366-374

635 Gastrointestinal Disorders in Pregnancy. **2017**, 375-386



634 Selected Endocrine Disorders in Pregnancy. **2017**, 387-398

633 Diabetes Mellitus in Pregnancy. **2017**, 399-410

632 Connective Tissue Disorders and Pregnancy. **2017**, 411-423

631 Dermatologic Disorders and Pregnancy. **2017**, 424-431

630 Selected Infectious Diseases. **2017**, 432-441

629 Human Immunodeficiency Virus Infection and Pregnancy. **2017**, 442-453

628 Psychiatric Diseases in Pregnancy and the Postpartum Period. **2017**, 454-464

627 Substance Use in Women and Pregnancy. **2017**, 465-478

626 Cancer in Pregnancy. **2017**, 479-484

625 Thromboembolic Complications of Pregnancy. **2017**, 485-490

624 Disability in Pregnancy. **2017**, 491-497

623 The History of Obstetrics. **2017**, 498-510

622 Complement 5a-mediated trophoblasts dysfunction is involved in the development of pre-eclampsia. **2018**, 22, 1034-1046 21

621 Epidural therapy for the treatment of severe pre-eclampsia in non labouring women. **2017**, 11, CD009540 3

620 Abnormal Labor. **2017**, 13-22

619 Nausea and Vomiting of Pregnancy and Hyperemesis Gravidarum. **2017**, 308-314

618 The placental vascular endothelial growth factor polymorphisms and preeclampsia/preeclampsia severity. **2017**, 39, 606-611 11

617 Low-Molecular-Weight Heparin for the Prevention of Placenta-mediated Pregnancy Complications. **2017**, 60, 153-160 3

616	Evaluation of maternal liver elasticity by acoustic radiation force impulse elastosonography in hypertensive disorders of pregnancy: a preliminary descriptive study. <b>2017</b> , 30, 2281-2286	1
615	Prevalence of chronic kidney disease after preeclampsia. <b>2017</b> , 30, 403-409	22
614	Prediction and prevention of hypertensive disorders of pregnancy. <b>2017</b> , 40, 5-14	23
613	Examination of Prepregnancy and Pregnancy Urinary Protein Levels in Healthy Nulliparous Women. <b>2017</b> , 24, 407-412	8
612	Genetic predisposition to elevated levels of C-reactive protein is associated with a decreased risk for preeclampsia. <b>2017</b> , 36, 30-35	3
611	Preeclampsia and ESRD: The Role of Shared Risk Factors. <b>2017</b> , 69, 498-505	39
610	Epidemiology of hypertensive disorders in pregnancy: prevalence, risk factors, predictors and prognosis. <b>2017</b> , 40, 213-220	180
609	Maternal and perinatal outcomes in women with and without hypertensive syndromes submitted to induction of labor with misoprostol. <b>2017</b> , 36, 1-7	3
608	Risk factors for recurrence of hypertensive disorders of pregnancy, a population-based cohort study. <b>2017</b> , 96, 243-250	20
607	sFlt-1/PlGF for prediction of early-onset pre-eclampsia: STEPS (Study of Early Pre-eclampsia in Spain). <b>2017</b> , 50, 373-382	36
606	Preface. <b>2017</b> , xiii-xiv	
605	Prevalence and Complications of Pregestational and Gestational Diabetes in Saudi Women: Analysis from Riyadh Mother and Baby Cohort Study (RAHMA). <b>2017</b> , 2017, 6878263	52
604	Maternal Vitamin D Status in the Late Second Trimester and the Risk of Severe Preeclampsia in Southeastern China. <b>2017</b> , 9,	39
603	Neonatal Nutrition Predicts Energy Balance in Young Adults Born Preterm at Very Low Birth Weight. <b>2017</b> , 9,	2
602	Cluster analysis to estimate the risk of preeclampsia in the high-risk Prediction and Prevention of Preeclampsia and Intrauterine Growth Restriction (PREDO) study. <b>2017</b> , 12, e0174399	16
601	Impaired functional capacity of fetal endothelial cells in preeclampsia. <b>2017</b> , 12, e0178340	13
600	Nutrition after preterm birth and adult neurocognitive outcomes. <b>2017</b> , 12, e0185632	23
599	Clonidine versus Captopril for Severe Postpartum Hypertension: A Randomized Controlled Trial. <b>2017</b> , 12, e0168124	7

598	Perinatal outcomes of hypertensive disorders in pregnancy at a tertiary hospital in Ghana. <b>2017</b> , 17, 388	23
597	Prediction of uncomplicated pregnancies in obese women: a prospective multicentre study. <b>2017</b> , 15, 194	11
596	Safety of a physical therapy protocol for women with preeclampsia: a randomized controlled feasibility trial. <b>2018</b> , 37, 59-67	1
595	Usefulness of blood pressure monitoring in patients with gestational diabetes mellitus. <b>2018</b> , 65, 394-401	2
594	Nanomedicine as a potential approach to empower the new strategies for the treatment of preeclampsia. <b>2018</b> , 23, 1099-1107	21
593	Induction of systemic inflammation by hyaluronan and hsp70 in women with pre-eclampsia. <b>2018</b> , 105, 23-31	21
592	Left ventricular function of patients with pregnancy-induced hypertension evaluated using velocity vector imaging echocardiography and N-terminal pro-brain natriuretic peptide. <b>2018</b> , 35, 459-466	12
591	Hypertensive Disorders of Pregnancy and Offspring Cardiometabolic Health at Midchildhood: Project Viva Findings. <b>2018</b> , 7,	17
590	Association between hypertensive disorders of pregnancy and the development of offspring mental and behavioural problems: A systematic review and meta-analysis. <b>2018</b> , 260, 458-467	24
589	Oxidative Stress, Antioxidant Status and Neurodevelopmental Outcome in Neonates Born to Pre-eclamptic Mothers. <b>2018</b> , 85, 351-357	18
588	Sleep/Wake Behaviors in Mice During Pregnancy and Pregnancy-Associated Hypertensive Mice. <b>2018</b> , 41,	6
587	Associations of hypertensive disorders of pregnancy and outcomes of labor induction with prostaglandin vaginal inserts. <b>2018</b> , 37, 51-57	3
586	Apparent systemic 11 $\beta$ -dehydroxysteroid dehydrogenase 2 activity is increased in preeclampsia but not in intrauterine growth restriction. <b>2018</b> , 11, 7-11	6
585	Improved prediction of gestational hypertension by inclusion of placental growth factor and pregnancy associated plasma protein-a in a sample of Ghanaian women. <b>2018</b> , 15, 56	4
584	Association of angiotensin receptor 2 gene polymorphisms with pregnancy induced hypertension risk. <b>2018</b> , 37, 87-92	4
583	Pregnancy Achieved Using Donor Eggs in Cancer Survivors with Treatment-Induced Ovarian Failure: Obstetric and Perinatal Outcome. <b>2018</b> , 27, 939-945	7
582	From Delivery to Dialysis: Does Preeclampsia Count?. <b>2018</b> , 71, 601-604	3
581	Comparing standard office-based follow-up with text-based remote monitoring in the management of postpartum hypertension: a randomised clinical trial. <b>2018</b> , 27, 871-877	48

580	Arachidonic acid metabolites of CYP4A and CYP4F are altered in women with preeclampsia. <b>2018</b> , 136, 15-22	14
579	Vitamin D deficiency and pre-eclampsia in Colombia: PREVitD study. <b>2018</b> , 14, 240-244	14
578	Evolving Trends in the Epidemiology, Risk Factors, and Prevention of Type 2 Diabetes: A Review. <b>2018</b> , 34, 552-564	51
577	Pregnancy outcomes in women with polycystic ovary syndrome in two Latin American populations. <b>2018</b> , 38, 750-755	5
576	Dislipidemia y embarazo: prevalencia y evidencia actual. <b>2018</b> , 45, 109-113	
575	Oxidative stress in preeclamptic mother - newborn dyads and its correlation with early neonatal outcome - a case control study. <b>2018</b> , 31, 1548-1553	21
574	Maternal/fetal eNOS-Glu298Asp genotypes and their influence on the severity, prognosis, and lipid profile of preeclampsia. <b>2018</b> , 31, 1681-1688	3
573	CASPASE-8 gene polymorphisms (rs13416436 and rs2037815) are not associated with preeclampsia development in Brazilian women. <b>2018</b> , 31, 289-293	4
572	Assessment of novel cardiovascular biomarkers in women with a history of recurrent miscarriage. <b>2018</b> , 11, 129-135	8
571	A case-control study between the STIM1 gene and hypertensive disorders of pregnancy. <b>2018</b> , 41, 39-44	4
570	Maternal hemodynamics: a method to classify hypertensive disorders of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2018</b> , 218, 124.e1-124.e11	6.4 56
569	Maternal Characteristics for the Prediction of Preeclampsia in Nulliparous Women: The Great Obstetrical Syndromes (GOS) Study. <b>2018</b> , 40, 572-578	12
568	Reperfusion of the choriocapillaris observed using optical coherence tomography angiography in hypertensive choroidopathy. <b>2018</b> , 38, 2205-2210	12
567	Hypertensive complications of pregnancy: A clinical overview. <b>2018</b> , 86, 102-111	37
566	Difference between mean gestational sac diameter and crown-rump length as a marker of first-trimester pregnancy loss after in vitro fertilization. <b>2018</b> , 109, 130-136	6
565	Pregnancy as an early stress test for cardiovascular and kidney disease diagnosis. <b>2018</b> , 12, 169-173	12
564	Indications for delivery in pre-eclampsia. <b>2018</b> , 11, 12-17	12
563	Accuracy of Blood Pressure Measurement Devices in Pregnancy: A Systematic Review of Validation Studies. <b>2018</b> , 71, 326-335	45

562	Isolation and Characterization of Mesenchymal Stem/Stromal Cells Derived from Human Third Trimester Placental Chorionic Villi and Decidua Basalis. <b>2018</b> , 1710, 247-266	9
561	Rate of intrapartum cesarean section and related factors in older nulliparous women at term. <b>2018</b> , 44, 217-222	9
560	Should 24-Hour Ambulatory Blood Pressure Monitoring Become Part of Regular Checkup in Women With Previous Preeclampsia?. <b>2018</b> , 71, 59-60	2
559	Prediction of adverse maternal outcomes from pre-eclampsia and other hypertensive disorders of pregnancy: A systematic review. <b>2018</b> , 11, 115-123	53
558	Endothelial and kidney function in women with a history of preeclampsia and healthy parous controls: A case control study. <b>2018</b> , 116, 71-76	6
557	Preconception care. <b>2018</b> , 199-211	
556	Low maternal serum pregnancy-associated plasma protein-A as a risk factor of preeclampsia. <b>2018</b> , 59, 55-59	11
555	The clinical heterogeneity of preeclampsia is related to both placental gene expression and placental histopathology. <i>American Journal of Obstetrics and Gynecology</i> , <b>2018</b> , 219, 604.e1-604.e25	6.4 39
554	Contribution of regulatory T cells to immune tolerance and association of microRNA-210 and Foxp3 in preeclampsia. <b>2019</b> , 19, 1150-1158	18
553	Electronic Algorithm Is Superior to Hospital Discharge Codes for Diagnoses of Hypertensive Disorders of Pregnancy in Historical Cohorts. <b>2018</b> , 93, 1707-1719	5
552	The Human Embryo and Its Environment: In Utero Challenges and Physiological Outcomes. <b>2018</b> , 403-420	
551	Serum Beta-human Chorionic Gonadotropin and Lipid Profile in Early Second Trimester as Predictor of Pregnancy-induced Hypertension. <b>2018</b> , 10, 33-39	
550	Preterm and term preeclampsia: differences in biochemical parameter and pregnancy outcomes. <b>2018</b> , 130, 703-707	4
549	Effect of Lactation on Maternal Hypertension: A Systematic Review. <b>2018</b> , 13, 578-588	15
548	Complications of Preeclampsia. <b>2018</b> , 837-872	
547	Interleukin-6 contributes to myocardial damage in pregnant rats with reduced uterine perfusion pressure. <b>2018</b> , 51, e6921	3
546	Updated American Heart Association/American College of Cardiology; European Society of Hypertension/European Society of Cardiology Guidelines. <b>2018</b> , 459-468	1
545	Usefulness of blood pressure monitoring in patients with gestational diabetes mellitus. <b>2018</b> , 65, 394-401	1

544	Assessment of NICE and USPSTF guidelines for identifying women at high risk of pre-eclampsia for tailoring aspirin prophylaxis in pregnancy: An individual participant data meta-analysis. <b>2018</b> , 229, 159-166	12
543	Effects of perinatal blood pressure on maternal brain functional connectivity. <b>2018</b> , 13, e0203067	3
542	Neuroimaging findings in women who develop neurologic symptoms in severe preeclampsia with or without eclampsia. <b>2018</b> , 41, 598-604	5
541	Impact of a History of Hypertension in Pregnancy on Later Diagnosis of Atrial Fibrillation. <b>2018</b> , 7,	17
540	Association Between Gestational Hypertension and Risk of Cardiovascular Disease Among 617'589 Norwegian Women. <b>2018</b> , 7,	61
539	A tag SNP in syncytin-2 3-UTR significantly correlates with the risk of severe preeclampsia. <b>2018</b> , 483, 265-270	8
538	[Preeclampsia: A challenge also for cardiologists]. <b>2018</b> , 67, 280-287	1
537	Maternal Exposure to Ambient Particulate Matter $\geq 2.5 \mu\text{m}$ During Pregnancy and the Risk for High Blood Pressure in Childhood. <b>2018</b> , 72, 194-201	38
536	Prenatal exposure to preeclampsia as an independent risk factor for long-term cardiovascular morbidity of the offspring. <b>2018</b> , 13, 181-186	43
535	Renin-Angiotensin-Aldosterone Profiles in Pregnant Women With Chronic Hypertension. <b>2018</b> , 72, 417-424	20
534	The Joint Association of Small for Gestational Age and Nighttime Sleep with Blood Pressure in Childhood. <b>2018</b> , 8, 9632	3
533	Racial/Ethnic, Nativity, and Sociodemographic Disparities in Maternal Hypertension in the United States, 2014-2015. <b>2018</b> , 2018, 7897189	26
532	Zeta potential as a novel diagnostic tool for preeclampsia. <b>2018</b> , 13, 187-197	10
531	Association between HLA-G 14bp Gene Polymorphism and Serum sHLA-G Protein Concentrations in Preeclamptic Patients and Normal Pregnant Women. <b>2018</b> , 47, 558-568	17
530	Clinical Presentation of Preeclampsia and the Diagnostic Value of Proteins and Their Methylation Products as Biomarkers in Pregnant Women with Preeclampsia and Their Newborns. <b>2018</b> , 2018, 2632637	15
529	Short term sequelae of preeclampsia: a single center cohort study. <b>2018</b> , 18, 177	3
528	Clinical implementation of the sFlt-1/PlGF ratio to identify preeclampsia and fetal growth restriction: A prospective cohort study. <b>2018</b> , 13, 279-285	23
527	Effects of Klotho polymorphisms on Preeclampsia risk in a case-control study. <b>2018</b> , 13, 95-99	3

526	Cardiac maladaptation in term pregnancies with preeclampsia. <b>2018</b> , 13, 198-203	20
525	Hypertension in Pregnancy. <b>2018</b> , 361-373	2
524	Magnesium Supplementation and Blood Pressure in Pregnancy: A Double-Blind Randomized Multicenter Study. <b>2018</b> , 2018, 4843159	8
523	Factors associated with emergency cesarean delivery during induction of labor in nulliparous women aged 35 years or older at term. <b>2018</b> , 44, 1747-1751	1
522	Gestational diabetes modifies the association between PlGF in early pregnancy and preeclampsia in women with obesity. <b>2018</b> , 13, 267-272	13
521	Takayasu arteritis a cause of hypertensive disorder of pregnancy: a case report. <b>2018</b> , 12, 12	2
520	Hypertensive Disorders in Pregnancy. <b>2018</b> , 45, 333-347	51
519	The association of the placental CASPASE-3 gene polymorphisms and preeclampsia susceptibility and in-silico analysis. <b>2018</b> , 119, 6756-6764	6
518	Pro-angiogenic therapeutics for preeclampsia. <b>2018</b> , 9, 36	24
517	Increased cardiovascular disease risk in women with a history of recurrent miscarriage. <b>2018</b> , 97, 1192-1199	7
516	Gestational Weight Gain and Pregnancy Complications in a High-Risk, Racially and Ethnically Diverse Population. <b>2019</b> , 28, 375-383	5
515	Predictors of excess birth weight in Brazil: a systematic review. <b>2019</b> , 95, 128-154	6
514	Endocrine Diseases of Pregnancy. <b>2019</b> , 662-708.e17	
513	Gestational hypertension and pre-eclampsia and risk of spontaneous premature rupture of membranes: A population-based cohort study. <b>2019</b> , 147, 195-201	2
512	THE ASSOCIATION OF GESTATIONAL WEIGHT GAIN AND ADVERSE PREGNANCY OUTCOMES IN WOMEN WITH GESTATIONAL DIABETES MELLITUS. <b>2019</b> , 25, 1137-1150	4
511	Hypertensive disorders of pregnancy associated with adverse pregnant outcomes in patients with systemic lupus erythematosus: a multicenter retrospective study. <b>2019</b> , 38, 3501-3509	12
510	Multiple Pregnancy in Women of Advanced Reproductive Age. <b>2019</b> ,	
509	Evaluation of the optic nerve using strain and shear-wave elastography in pre-eclampsia. <b>2019</b> , 74, 813.e1-813.e9	69

508	Maternal preeclampsia and the risk of pediatric gastrointestinal diseases of the offspring: A population-based cohort study. <b>2019</b> , 17, 144-147	8
507	Hypertension and Pregnancy: Management and Future Risks. <b>2019</b> , 26, 137-145	11
506	Hypertensive Disorders of Pregnancy. <b>2019</b> , 37, 345-354	24
505	Hypertension During Pregnancy. <b>2019</b> , 339-348	1
504	Deep learning predicts extreme preterm birth from electronic health records. <b>2019</b> , 100, 103334	23
503	Guided imagery for treating hypertension in pregnancy. <b>2019</b> , 4, CD011337	3
502	Cardiovascular Imaging in the Pregnant Patient. <b>2019</b> , 32-39	
501	Postpartum Health Care Use After Gestational Diabetes and Hypertensive Disorders of Pregnancy. <b>2019</b> , 28, 1116-1123	3
500	Autonomic Dysfunction in Preeclampsia: A Systematic Review. <b>2019</b> , 10, 816	8
499	Soluble Endoglin As a Marker for Preeclampsia, Its Severity, and the Occurrence of Adverse Outcomes. <b>2019</b> , 74, 991-997	34
498	Renin-angiotensin system gene variants and risk of early- and late-onset preeclampsia: A single center case-control study. <b>2019</b> , 18, 1-8	11
497	Targeting senescence improves angiogenic potential of adipose-derived mesenchymal stem cells in patients with preeclampsia. <b>2019</b> , 10, 49	28
496	Adolescence and Preeclampsia. <b>2019</b> ,	
495	Usefulness of uterine artery Doppler velocimetry as a predictor for hypertensive disorders in pregnancy in women with prehypertension before 20 weeks gestation. <b>2019</b> , 14, e0210566	2
494	Paternal Determinants in Preeclampsia. <b>2018</b> , 9, 1870	17
493	Long-term neuropsychiatric morbidity in children exposed prenatally to preeclampsia. <b>2019</b> , 130, 96-100	25
492	Relationship between antithrombin activity and interval from diagnosis to delivery among pregnant women with early-onset pre-eclampsia. <b>2019</b> , 145, 62-69	3
491	Increased proteinuria and uric acid levels are associated with eclamptic crisis. <b>2019</b> , 15, 93-97	6



490	Hypertensive Disorders of Pregnancy. <b>2019</b> , 37, 301-316	30
489	Association between quality and quantity of dietary carbohydrate and pregnancy-induced hypertension: A case-control study. <b>2019</b> , 33, 158-163	6
488	The Prediction of Gestational Hypertension, Preeclampsia and Fetal Growth Restriction via the First Trimester Screening of Plasma Exosomal C19MC microRNAs. <b>2019</b> , 20,	41
487	Hypertensive Disorders of Pregnancy and DNA Methylation in Newborns. <b>2019</b> , 74, 375-383	40
486	Predictors of excess birth weight in Brazil: a systematic review. <b>2019</b> , 95, 128-154	
485	Liver enzyme patterns in maternal deaths due to eclampsia: A South African cohort. <b>2019</b> , 17, 15-19	2
484	Formulation, Optimization, and In vivo Evaluation of Gastroretentive Drug Delivery System of Nifedipine for the Treatment of Preeclampsia. <b>2019</b> , 20, 200	6
483	Obstetric History and Cardiovascular Disease (CVD) Risk. <b>2019</b> , 149-160	
482	Changes over-time in blood pressure of women with preeclampsia compared to those with normotensive pregnancies: A 15 year population-based cohort study. <b>2019</b> , 17, 94-99	6
481	Assisted reproductive technology and the risk of preeclampsia: an updated systematic review and meta-analysis. <b>2019</b> , 19, 149	23
480	Antepartum and postpartum uterine artery impedance in women with pre-eclampsia: a case control study. <b>2019</b> , 39, 633-638	2
479	Caracterizaci3n de mujeres embarazadas con lupus eritematoso sist3mico y resultados materno-fetales en el noroeste de Colombia. Estudio descriptivo. <b>2019</b> , 32, 266-275	0
478	Association of hypertensive disorders of pregnancy risk and factor V Leiden mutation: A meta-analysis. <b>2019</b> , 45, 1303-1310	1
477	Association among ACE, ESR1 polymorphisms and preeclampsia in Brazilian pregnant women. <b>2019</b> , 45, 43-47	5
476	Hypertensive disorder of pregnancy prevalence and associated factors among pregnant women attending ante natal care at Gondar town health Institutions, North West Ethiopia 2017. <b>2019</b> , 16, 79-84	10
475	Association of Foxp3 and TGF-β Polymorphisms with Pre-Eclampsia Risk in Chinese Women. <b>2019</b> , 23, 180-187	6
474	Migraine during pregnancy and in the puerperium. <b>2019</b> , 40, 81-91	14
473	Velocity vector imaging echocardiography and NT-proBNP study of fetal cardiac function in pregnancy-induced maternal hypertension. <b>2019</b> , 47, 285-291	6

472	Circulating HO-1 levels are not associated with plasma sFLT-1 and GT HMOX1 polymorphism in preeclampsia. <b>2019</b> , 38, 73-77	3
471	Maternal serum uric acid and calcium as predictors of hypertensive disorder of pregnancy: A case control study. <b>2019</b> , 58, 244-250	6
470	The burden of hypertensive disorders of pregnancy in Africa: A systematic review and meta-analysis. <b>2019</b> , 21, 479-488	24
469	Maternal Venous Hemodynamic Dysfunction in Proteinuric Gestational Hypertension: Evidence and Implications. <b>2019</b> , 8,	10
468	Pharmacotherapy for hypertension in pregnant patients: special considerations. <b>2019</b> , 20, 963-982	4
467	A successful pregnancy in a patient with secondary hypertension caused by adrenal adenoma: a case report. <b>2019</b> , 19, 116	6
466	L-arginine supplementation lowers blood pressure, protein excretion and plasma lipid profile in experimental salt-induced hypertension in pregnancy: Relevance to preeclampsia. <b>2019</b> , 26, 191-197	7
465	Expectant or outpatient management of preeclampsia before 34 weeks: safe for mother but associated with increased stillbirth risk. <b>2019</b> , 33, 664-670	2
464	T lymphocytes in the third trimester decidua in preeclampsia. <b>2019</b> , 38, 52-57	7
463	Role of pregnancy hormones and hormonal interaction on the maternal cardiovascular system: a literature review. <b>2019</b> , 108, 831-846	18
462	The potential role of pregnancy-associated plasma protein-A2 in angiogenesis and development of preeclampsia. <b>2019</b> , 42, 970-980	8
461	ACOG Committee Opinion No. 767: Emergent Therapy for Acute-Onset, Severe Hypertension During Pregnancy and the Postpartum Period. <b>2019</b> , 133, e174-e180	31
460	Dietary patterns before and during pregnancy and maternal outcomes: a systematic review. <b>2019</b> , 109, 705S-728S	40
459	Ambulatory Blood Pressure Trajectory and Perceived Stress in Relation to Birth Outcomes in Healthy Pregnant Adolescents. <b>2019</b> , 81, 464-476	1
458	Adverse Effects of Exposure to Fine Particulate Matters and Ozone on Gestational Hypertension. <b>2019</b> , 39, 1019-1028	1
457	Systolic Hypertension, Preeclampsia-Related Mortality, and Stroke in California. <b>2019</b> , 133, 1151-1159	23
456	Toll-like receptors signaling network in pre-eclampsia: An updated review. <b>2019</b> , 234, 2229-2240	24
455	ACOG Practice Bulletin No. 202: Gestational Hypertension and Preeclampsia. <b>2019</b> , 133, 1	383

454	ACOG Practice Bulletin No. 203: Chronic Hypertension in Pregnancy. <b>2019</b> , 133, e26-e50		214
453	Decreased Ang-(1-7) and Downregulated Intrarenal RAS May Contribute to the Direct Podocyte Injury With Proteinuria in Preeclampsia. <b>2019</b> , 26, 1146-1157		3
452	Effects of metoprolol, methyldopa, and nifedipine on endothelial progenitor cells in patients with gestational hypertension and preeclampsia. <b>2019</b> , 46, 302-312		1
451	In-situ gel of nifedipine for preeclampsia: Optimization, in-vitro and in-vivo evaluation. <b>2019</b> , 50, 78-89		5
450	Top-cited articles in the Journal: a bibliometric analysis. <i>American Journal of Obstetrics and Gynecology</i> , <b>2019</b> , 220, 12-25	6.4	12
449	Cardiac maladaptation in obese pregnant women at term. <b>2019</b> , 54, 344-349		13
448	First-Trimester Placental Growth Factor for the Prediction of Preeclampsia in Nulliparous Women: The Great Obstetrical Syndromes Cohort Study. <b>2019</b> , 45, 69-75		7
447	Labor Induction in Late-Onset Fetal Growth Restriction: Foley Balloon versus Vaginal Dinoprostone. <b>2019</b> , 46, 67-74		11
446	Validation of Fetal Medicine Foundation algorithm for prediction of pre-eclampsia in the first trimester in an unselected Brazilian population. <b>2019</b> , 32, 286-292		16
445	The agonistic autoantibodies to the angiotensin II type 1 receptor in pregnancies complicated by hypertensive disorders. <b>2019</b> , 32, 1219-1223		1
444	Nitric Oxide in the Prevention of Pre-eclampsia (NOPE): A Double-Blind Randomized Placebo-Controlled Trial Assessing the Efficacy of Isosorbide Mononitrate in the Prevention of Pre-eclampsia in High-Risk Women. <b>2019</b> , 69, 103-110		5
443	Effect of preeclampsia on human milk cytokine levels. <b>2019</b> , 32, 2209-2213		7
442	To study the changes in fetal hemodynamics with intravenous labetalol or nifedipine in acute severe hypertension. <b>2019</b> , 15, 12-15		5
441	A retrospective review of on-admission factors on attainment of therapeutic serum concentrations of magnesium sulfate in women treated for a diagnosis of preeclampsia. <b>2020</b> , 33, 258-266		5
440	Differential processing of high-molecular-weight kininogen during normal pregnancy. <b>2020</b> , 34 Suppl 1, e8552		
439	Study of platelet indices in pregnancy-induced hypertension. <b>2020</b> , 76, 161-165		2
438	Correlation of elevated levels of lipoprotein(a), high-density lipoprotein and low-density lipoprotein with severity of preeclampsia: a prospective longitudinal study. <b>2020</b> , 40, 53-58		8
437	Association of Interleukin-10 -1082G > A Polymorphism with Susceptibility to Preeclampsia: A Systematic Review and Meta-Analysis Based on 21 Studies. <b>2020</b> , 39, 518-532		7

436	Family history of pre-eclampsia and cardiovascular disease as risk factors for pre-eclampsia: the GenPE case-control study. <b>2020</b> , 39, 56-63	8
435	Prediction of pre-eclampsia in nulliparous women using routinely collected maternal characteristics: a model development and validation study. <b>2020</b> , 20, 23	5
434	sFlt-1/PlGF ratio and timing of delivery in early-onset fetal growth restriction with antegrade umbilical artery flow. <b>2020</b> , 56, 549-556	7
433	Meta-analysis of gene expression profiles in preeclampsia. <b>2020</b> , 19, 52-60	3
432	Plasma concentrations of tissue kallikrein in normal and preeclamptic pregnancies. <b>2020</b> , 39, 64-69	
431	Effect of pregnancy induced hypertension on adverse perinatal outcomes in Tigray regional state, Ethiopia: a prospective cohort study. <b>2019</b> , 20, 7	15
430	Prognostic Factors of Successful Cervical Ripening and Labor Induction in Late-Onset Fetal Growth Restriction. <b>2020</b> , 47, 536-544	2
429	Low serum testosterone levels and the incidence of chronic kidney disease among male adults: A prospective population-based study. <b>2020</b> , 8, 575-582	5
428	Feature of trajectory of blood pressure among pregnant women with gestational hypertension. <b>2020</b> , 38, 127-132	2
427	Peripartum management of hypertension: a position paper of the ESC Council on Hypertension and the European Society of Hypertension. <b>2020</b> , 6, 384-393	8
426	Enabling Factors Associated with Receipt of Interconception Health Care. <b>2020</b> , 24, 275-282	5
425	Disparities in the use of antenatal corticosteroids among women with hypertension in North Carolina. <b>2020</b> , 40, 456-462	0
424	Hypertensive disorders of pregnancy and emotional and behavioural problems in children: a longitudinal population-based study. <b>2020</b> , 29, 1339-1348	4
423	Impact of gestational diabetes mellitus on maternal cardiac adaptation to pregnancy. <b>2020</b> , 56, 240-246	4
422	Doppler Velocimetry of the Ophthalmic Artery Behavior in Twin Pregnancy. <b>2020</b> , 36, 263-267	
421	Differences in Placental Imprinted Gene Expression across Preeclamptic and Non-Preeclamptic Pregnancies. <b>2020</b> , 11,	0
420	The diagnostic value of angiogenic and antiangiogenic factors in differential diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> ,	6.4 12
419	Maternal hypertensive disorders and subtypes of hypospadias: A Dutch case-control study. <b>2020</b> , 34, 687-695	2

418	Hypertensive Disorders of Pregnancy and Medication Use in the 2015 Pelotas (Brazil) Birth Cohort Study. <b>2020</b> , 17,	4
417	Incidence and Predictors of Pre-Eclampsia Among Pregnant Women Attending Antenatal Care at Debre Markos Referral Hospital, North West Ethiopia: Prospective Cohort Study. <b>2020</b> , 12, 1013-1021	1
416	Evaluation of Angiogenic Factors (PlGF and sFlt-1) in Pre-eclampsia Diagnosis. <b>2020</b> , 42, 697-704	1
415	Blood pressure trajectories during pregnancy and associations with adverse birth outcomes among HIV-infected and HIV-uninfected women in South Africa: a group-based trajectory modelling approach. <b>2020</b> , 20, 742	1
414	Neurocritical care of the pregnant patient. <b>2020</b> , 171, 205-213	3
413	Dietary patterns and gestational hypertension in nulliparous pregnant Chinese women: A CONSORT report. <b>2020</b> , 99, e20186	1
412	sFlt-1/PlGF ratio for the prediction of delivery within 48 hours and adverse outcomes in expectantly managed early-onset preeclampsia. <b>2020</b> , 22, 17-23	6
411	Neuro-obstetrics: A multidisciplinary approach to care of women with neurologic disease. <b>2020</b> , 171, 143-160	1
410	Prospective Association Between Manganese in Early Pregnancy and the Risk of Preeclampsia. <b>2020</b> , 31, 677-680	7
409	Usefulness of the sFlt-1/PlGF (Soluble fms-Like Tyrosine Kinase-1/Placental Growth Factor) Ratio in Diagnosis or Misdiagnosis in Women With Clinical Diagnosis of Preeclampsia. <b>2020</b> , 76, 892-900	10
408	Placenta-mediated complications: Nucleosomes and free DNA concentrations differ depending on subtypes. <b>2020</b> , 18, 3371-3380	5
407	Usage of Tacrolimus and Mycophenolic Acid During Conception, Pregnancy, and Lactation, and Its Implications for Therapeutic Drug Monitoring: A Systematic Critical Review. <b>2020</b> , 42, 518-531	12
406	Intrauterine Growth Restriction and Risk of Diverse Forms of Kidney Disease during the First 50 Years of Life. <b>2020</b> , 15, 1413-1423	14
405	Low Birth Weight and Prematurity Are Associated with Hypertensive Disorder of Pregnancy in Later Life: A Cross-Sectional Study in Japan. <b>2021</b> , 38, 1096-1102	
404	Maternal Cardiovascular Function following a Pregnancy Complicated by Preeclampsia. <b>2020</b> ,	1
403	Enfermedad de Fabry y embarazo. Situación actual y revisión de la evidencia. <b>2020</b> , 100646	
402	Prenatal Exposure to Preeclampsia and Long-Term Ophthalmic Morbidity of the Offspring. <b>2020</b> , 9,	2
401	Maternal Hypertensive Pregnancy Disorders and Mental Disorders in Children. <b>2020</b> , 75, 1429-1438	20

400	Data From Web-Based Questionnaires Were Valid for Gestational Diabetes and Preeclampsia, but Not Gestational Hypertension. <b>2020</b> , 125, 84-90	3
399	The role of serum interleukin-37 levels, inflammation and blood pressure in patients with preeclampsia. <b>2020</b> , 42, 669-674	1
398	C-reactive protein, interleukin-6 and pre-eclampsia: large-scale evidence from the GenPE case-control study. <b>2020</b> , 80, 381-387	1
397	Urinary placental growth factor determined in the first trimester of pregnancy as a predictor of preeclampsia. <b>2020</b> , 21, 63-67	1
396	The risk of pregnancy-associated hypertension in women with nonalcoholic fatty liver disease. <b>2020</b> , 40, 2417-2426	4
395	Periodontal status of women with excessive gestational weight gain and the association with their newborns' health. <b>2020</b> , 70, 396-404	6
394	Early Pregnancy Serum Metabolite Profiles Associated with Hypertensive Disorders of Pregnancy in African American Women: A Pilot Study. <b>2020</b> , 2020, 1515321	4
393	Correlation of Kryptor and Elecsys <sup>®</sup> immunoassay sFlt-1/PlGF ratio on early diagnosis of preeclampsia and fetal growth restriction: A case-control study. <b>2020</b> , 20, 44-49	5
392	Perindopril in Breast Milk and Determination of Breastfed Infant Exposure: A Prospective Observational Study. <b>2020</b> , 14, 961-967	1
391	Soluble fms-like tyrosine kinase 1 and placental growth factor ratio for predicting preeclampsia in elderly gravida. <b>2020</b> , 39, 139-144	1
390	Early and late onset pre-eclampsia and small for gestational age risk in subsequent pregnancies. <b>2020</b> , 15, e0230483	3
389	Pregnancy complications in chronic hypertensive patients are linked to pre-pregnancy maternal cardiac function and structure. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 223, 425.e1-425.e13 <sup>6-4</sup>	7
388	To study the changes in maternal hemodynamics with intravenous labetalol or nifedipine in acute severe hypertension. <b>2020</b> , 21, 180-183	1
387	Systematic review supports the role of DNA methylation in the pathophysiology of preeclampsia: a call for analytical and methodological standardization. <b>2020</b> , 11, 36	5
386	Efficacy of n-3 fatty acids supplementation on the prevention of pregnancy induced-hypertension or preeclampsia: A systematic review and meta-analysis. <b>2020</b> , 59, 8-15	16
385	Systemic conditions and oral health-related quality of life of pregnant women of normal weight and who are overweight. <b>2020</b> , 70, 287-295	13
384	Perinatal outcomes in pregnancies complicated by type 1 diabetes mellitus. <b>2020</b> , 36, 879-884	2
383	Speckle Tracking Echocardiography: New Ways of Translational Approaches in Preeclampsia to Detect Cardiovascular Dysfunction. <b>2020</b> , 21,	0

382	Angiogenesis biomarkers for the prediction of severe adverse outcomes in late-preterm preeclampsia. <b>2020</b> , 19, 74-80		2
381	Evaluation of Vascular Endothelial Function in Young and Middle-Aged Women with Respect to a History of Pregnancy, Pregnancy-Related Complications, Classical Cardiovascular Risk Factors, and Epigenetics. <b>2020</b> , 21,		12
380	The role of CXC chemokine ligand 16 in physiological and pathological pregnancies. <b>2020</b> , 83, e13223		8
379	Hypertensive disorders of pregnancy: Strategy to develop clinical peptide biomarkers for more accurate evaluation of the pathophysiological status of this syndrome. <b>2020</b> , 94, 1-30		2
378	In utero exposure to pre-eclampsia as an independent risk factor for long-term respiratory disease. <b>2020</b> , 55, 723-728		2
377	Pentraxin-3 is a candidate biomarker on the spectrum of severity from pre-eclampsia to HELLP syndrome: GenPE study. <b>2020</b> , 43, 884-891		3
376	Long noncoding RNA MALAT1 contributes to pregnancy-induced hypertension development by enhancing oxidative stress and inflammation through the regulation of the miR-150-5p/ET-1 axis. <b>2020</b> , 34, 6070-6085		19
375	The 2020 Italian Society of Arterial Hypertension (SIIA) practical guidelines for the management of primary aldosteronism. <b>2020</b> , 5, 100029		24
374	Syncytiotrophoblast extracellular microvesicle profiles in maternal circulation for noninvasive diagnosis of preeclampsia. <b>2020</b> , 10, 6398		15
373	Preeclampsia and the Ten-Year Risk of Incident Chronic Kidney Disease. <b>2020</b> , 10, 188-197		1
372	Maternal and Perinatal Outcomes Associated With Extremely High Values for the sFlt-1 (Soluble fms-Like Tyrosine Kinase 1)/PLGF (Placental Growth Factor) Ratio. <b>2020</b> , 9, e015548		7
371	Hypoxaemia during tracheal intubation in patients with hypertensive disorders of pregnancy: analysis of data from an obstetric airway management registry. <b>2021</b> , 45, 41-48		3
370	Impact of new definitions of preeclampsia at term on identification of adverse maternal and perinatal outcomes. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> , 224, 518.e1-518.e11	6.4	12
369	Blood Pressure Changes in Adolescents with Preeclampsia: A Multicentre, Case-Control Study in Latin American Hospitals. <b>2021</b> , 43, 50-57		2
368	Maternal hypertensive disorders during pregnancy and the trajectories of offspring emotional and behavioral problems: the ALSPAC birth cohort study. <b>2021</b> , 53, 63-68.e1		3
367	Maternal risk of hypertension 7-15 years after pregnancy: clues from the placenta. <b>2021</b> , 128, 827-836		3
366	The impact of pre-eclampsia definitions on the identification of adverse outcome risk in hypertensive pregnancy - analyses from the CHIPS trial (Control of Hypertension in Pregnancy Study). <b>2021</b> , 128, 1373-1382		1
365	The association between menstrual symptoms and hypertension among young women: A prospective longitudinal study. <b>2021</b> , 143, 17-24		0

364	Multiple Gestations and Hypertensive Disorders of Pregnancy: What Do We Know?. <b>2020</b> , 23, 1	9
363	Preeclampsia has two phenotypes which require different treatment strategies. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> ,	6.4 4
362	A bibliometric analysis of obstetrics and gynecology articles with highest relative citation ratios, 1980 to 2019. <b>2021</b> , 3, 100293	6
361	Prediction of Preeclampsia-Related Adverse Outcomes With the sFlt-1 (Soluble fms-Like Tyrosine Kinase 1)/PlGF (Placental Growth Factor)-Ratio in the Clinical Routine: A Real-World Study. <b>2021</b> , 77, 461-471	22
360	The effect of early-onset preeclampsia on the intestinal blood flow of preterm infants. <b>2021</b> , 34, 2235-2239	1
359	Survival analysis of a cohort of extremely preterm infants born in Finland during 2005-2013. <b>2021</b> , 34, 2506-2512	6
358	Effects of slow and deep breathing on reducing obstetric intervention in women with pregnancy-induced hypertension: a feasibility study protocol. <b>2021</b> , 40, 81-87	
357	Congo red test for identification of preeclampsia: Results of a prospective diagnostic case-control study in Bangladesh and Mexico. <b>2021</b> , 31, 100678	2
356	The Puerperium. <b>2021</b> , 257-262	
355	Comparison of three definitions of metabolic syndrome and relation to risk of recurrent preeclampsia. <b>2021</b> , 40, 97-108	1
354	Circulating Total Cell-Free DNA Levels Are Increased in Hypertensive Disorders of Pregnancy and Associated with Prohypertensive Factors and Adverse Clinical Outcomes. <b>2021</b> , 22,	2
353	Cognitive Functions in Pregnant Women. <b>2021</b> , 15, 203-214	
352	Risk of type 2 diabetes mellitus in women with prior hypertensive disorders of pregnancy: a systematic review and meta-analysis. <b>2021</b> , 64, 491-503	5
351	Sildenafil plus Low Dose Aspirin for Prevention of Preeclampsia: A Randomized Controlled Trial. <b>2021</b> , 11, 189-209	
350	Relationship of Preeclampsia With Maternal Place of Birth and Duration of Residence Among Non-Hispanic Black Women in the United States. <b>2021</b> , 14, e007546	4
349	Unactivated leukocyte expression of C-reactive protein is minimal and not dependent on rs1205 genotype. <b>2021</b> , 11, 5691	
348	Predictors of posterior reversible encephalopathy syndrome in women with hypertension in pregnancy: A prospective observational study. <b>2021</b> , 23, 191-195	2
347	The possibility of clinical use for the oxidative stress marker in correlation with blood flow parameters in pregnancy-induced hypertension. <b>2021</b> , 29, 143-151	



346	Unraveling the role of oxidative stress and lipid status parameters in the onset of preeclampsia. <b>2021</b> , 40, 162-170	1
345	Stimulation of $\alpha 7$ Nicotinic Acetylcholine Receptor by Nicotine Suppresses Decidual M1 Macrophage Polarization Against Inflammation in Lipopolysaccharide-Induced Preeclampsia-Like Mouse Model. <b>2021</b> , 12, 642071	5
344	Impact of COVID-19 Mitigation Policy in South Korea on the Reduction of Preterm or Low Birth Weight Birth Rate: A Single Center Experience. <b>2021</b> , 8,	2
343	Maternal Prepregnancy Weight and Pregnancy Outcomes in Saudi Women: Subgroup Analysis from Riyadh Mother and Baby Cohort Study (RAHMA). <b>2021</b> , 2021, 6655942	2
342	Severe Preeclampsia is Associated with Functional and Structural Cardiac Alterations: A Case-control Study. <b>2021</b> ,	0
341	Dysfunction of Decidual Macrophages Is a Potential Risk Factor in the Occurrence of Preeclampsia. <b>2021</b> , 12, 655655	3
340	The Role of Oxidative Stress in Hypertensive Disorders of Pregnancy (Preeclampsia, Gestational Hypertension) and Metabolic Disorder of Pregnancy (Gestational Diabetes Mellitus). <b>2021</b> , 2021, 5581570	13
339	Adverse pregnancy outcomes among mothers with hypertensive disorders in pregnancy: A meta-analysis of cohort studies. <b>2021</b> , 24, 107-117	4
338	Diagnosis and treatment of hypertensive disorders of pregnancy: a narrative review. <b>2021</b> , 27, 146-169	1
337	The Korean Pregnancy Outcome Study (KPOS): Study Design and Participants. <b>2021</b> , 31, 392-400	0
336	Joint Associations of Maternal-Fetal APOL1 Genotypes and Maternal Country of Origin With Preeclampsia Risk. <b>2021</b> , 77, 879-888.e1	6
335	Clustering Longitudinal Blood Pressure Trajectories to Examine Heterogeneity in Outcomes Among Preeclampsia Cases and Controls. <b>2021</b> , 77, 2034-2044	2
334	Early ADAMTS13 testing associates with pre-eclampsia occurrence in antiphospholipid syndrome. <b>2021</b> , 203, 101-109	1
333	Disrupted PGR-B and ESR1 signaling underlies preconceptional defective decidualization linked to severe preeclampsia.	
332	Risk factors and maternal-fetal outcomes of pregnancies complicated by pre-eclampsia, following cesarean section after a trial vaginal birth. <b>2021</b> , 134, 2249-2251	0
331	Perinatal outcomes of women with hypertensive disorders of pregnancy in Jimma Medical Center, southwest Ethiopia: Retrospective cohort study. <b>2021</b> , 16, e0256520	1
330	iTRAQ-based quantitative proteomic analysis of thoracic aortas from adult rats born to preeclamptic dams. <b>2021</b> , 18, 22	1
329	Impact of TLR7 and TLR9 polymorphisms on susceptibility to placental infections and pregnancy complications. <b>2021</b> , 146, 103342	3

328	Early-onset preeclampsia - The impact of antiphospholipid antibodies on disease severity. <b>2021</b> , 263, 79-84	2
327	Risk of Early Childhood Obesity in Offspring of Women with Preeclampsia: A Population-Based Study. <b>2021</b> , 10,	1
326	Risk factors for needing postpartum antihypertensive medications with hypertensive disorders: Timing of diagnosis, presence of proteinuria, and severity of disease. <b>2021</b> , 25, 175-178	0
325	Preeclampsia Across Pregnancies and Associated Risk Factors: Findings From a High-Risk US Birth Cohort. <b>2021</b> , 10, e019612	2
324	Impact of pre-pregnancy body mass index and gestational weight gain on the risk of maternal and infant pregnancy complications in Korean women. <b>2021</b> ,	1
323	Planned delivery to improve postpartum cardiac function in women with preterm pre-eclampsia: the PHOEBE mechanisms of action study within the PHOENIX RCT. <b>2021</b> , 8, 1-28	1
322	The effects of insulin therapy on maternal blood pressure and weight in women with gestational diabetes mellitus. <b>2021</b> , 21, 657	0
321	Middle Cerebral Artery-to-Uterine Artery Pulsatility Index Ratio and Cerebroplacental Ratio Independently Predict Adverse Perinatal Outcomes in Pregnancies at Term. <b>2021</b> , 47, 2903-2909	1
320	Systemic Condition, Periodontal Status, and Quality of Life in Obese Women During Pregnancy and After Delivery. <b>2021</b> , 71, 420-428	5
319	Perioperative Protection of the Pregnant Woman. <b>2022</b> , 459-474	
318	Psychological factors and coping strategies in pregnancies complicated by hypertension: A cluster-analytic approach. <b>2022</b> , 296, 89-94	0
317	Hypertension in Pregnancy. <b>2021</b> , 289-298	1
316	Evaluation of Management of Pre-Eclamptic Cases Admitted to Elshatby Maternity University Hospital. <b>2021</b> , 11, 689-700	
315	Magnesium sulphate versus phenytoin for eclampsia.	1
314	Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems. <b>2018</b> , 10, CD001059	68
313	Considerations and Challenges for Pregnancy in Polycystic Ovary Syndrome. <b>2014</b> , 265-274	1
312	Hypertensive Disorders in Pregnancy. <b>2020</b> , 11-23	1
311	Hypertension. <b>2007</b> , 863-912	2

310	Anesthesia for Obstetrics. <b>2010</b> , 2203-2240	16
309	The National High Blood Pressure Education Program The National High Blood Pressure Education Program by Edward J. Roccella, Ph.D., is in the Public Domain.. <b>2005</b> , 7-15	3
308	Pregnancy-Related Hypertension. <b>2009</b> , 651-688	6
307	Obstetrics. <b>2012</b> , 359-401	2
306	Hypertension. <b>2012</b> , 779-824	53
305	Executive Summary and Call to Action: Maternal Mortality Summit at National Medical Association Meeting, July 28, 2019 in Honolulu, Hawaii Obstetrics and Gynecology Section of the National Medical Association. <b>2020</b> , 112, 402-410	1
304	Pregnancy and Heart Disease. <b>2009</b> , 1239-1266	2
303	Preeclampsia and eclampsia revisited. <b>2003</b> , 96, 891-9	16
302	Gestational Hypertension and Preeclampsia: ACOG Practice Bulletin, Number 222. <b>2020</b> , 135, e237-e260	322
301	sFlt-1 (sVEGFR1) induces placental endoplasmic reticulum stress in trophoblast cell: implications for the complications in preeclampsia- an in vitro study.	1
300	The intensity of IUGR-induced transcriptome deregulations is inversely correlated with the onset of organ function in a rat model. <b>2011</b> , 6, e21222	32
299	PP13, maternal ABO blood groups and the risk assessment of pregnancy complications. <b>2011</b> , 6, e21564	39
298	Pregnancy, microchimerism, and the maternal grandmother. <b>2011</b> , 6, e24101	20
297	Differential gene expression at the maternal-fetal interface in preeclampsia is influenced by gestational age. <b>2013</b> , 8, e69848	12
296	Acute maternal infection and risk of pre-eclampsia: a population-based case-control study. <b>2013</b> , 8, e73047	39
295	Vitamin D antagonizes negative effects of preeclampsia on fetal endothelial colony forming cell number and function. <b>2014</b> , 9, e98990	26
294	Endogenous and Uric Acid-Induced Activation of NLRP3 Inflammasome in Pregnant Women with Preeclampsia. <b>2015</b> , 10, e0129095	70
293	Role of IL-17 Variants in Preeclampsia in Chinese Han Women. <b>2015</b> , 10, e0140118	16

292	Effect of Placenta Previa on Preeclampsia. <b>2016</b> , 11, e0146126	10
291	Riyadh Mother and Baby Multicenter Cohort Study: The Cohort Profile. <b>2016</b> , 11, e0150297	23
290	The Perinatal Risk Index: Early Risks Experienced by Domestic Adoptees in the United States. <b>2016</b> , 11, e0150486	25
289	Body Mass Index, Smoking and Hypertensive Disorders during Pregnancy: A Population Based Case-Control Study. <b>2016</b> , 11, e0152187	11
288	Low Soluble Syndecan-1 Precedes Preeclampsia. <b>2016</b> , 11, e0157608	31
287	Plasma Level of Placenta-Derived Macrophage-Stimulating Protein -Chain in Preeclampsia before 20 Weeks of Pregnancy. <b>2016</b> , 11, e0161626	7
286	Association of maternal hypertensive disorders with retinopathy of prematurity: A systematic review and meta-analysis. <b>2017</b> , 12, e0175374	10
285	Prevalence, placenta development, and perinatal outcomes of women with hypertensive disorders of pregnancy at Komfo Anokye Teaching Hospital. <b>2020</b> , 15, e0233817	3
284	Validation of the gestational week division border for subclassification of pregnancy induced hypertension. <b>2013</b> , 1, 23-30	4
283	PREVALENCE OF HYPERTENSIVE DISORDERS IN PREGNANCY AT KORLE-BU TEACHING HOSPITAL IN GHANA. <b>2017</b> , 3, 1-6	6
282	EVALUATION OF AN INTERRELATION OF TARGET BLOOD PRESSURE ACHIEVEMENT AND COMPLICATIONS AND OUTCOMES OF PREGNANCY IN ARTERIAL HYPERTENSION. <b>2014</b> , 13, 23-27	2
281	Association between excessive maternal weight, periodontitis during the third trimester of pregnancy, and infants' health at birth. <b>2020</b> , 28, e20190351	9
280	[The hypothesis of common pole between pre-eclampsia and gestational diabetes]. <b>2008</b> , 52, 929-30	0
279	Dopplerfluxometria de artérias oftálmicas e avaliação da função endotelial nas formas precoce e tardia da pré-eclampsia. <b>2012</b> , 45, 20-23	10
278	ANALYSIS OF SERUM URIC ACID LEVELS IN EARLY SECOND TRIMESTER AS AN EARLY PREDICTOR FOR PREECLAMPSIA. <b>2017</b> , 4, 115-118	2
277	Mobile Health Solutions for Hypertensive Disorders in Pregnancy: Scoping Literature Review. <b>2018</b> , 6, e130	19
276	[Hypertension, pre-eclampsia and eclampsia--monitoring and outcome of pregnancy]. <b>2006</b> , 59, 556-9	3
275	Cystatin C as a novel predictor of preterm labor in severe preeclampsia. <b>2018</b> , 37, 338-346	8

274	HELLP syndrome in a pregnant patient with Gitelman syndrome. <b>2017</b> , 36, 95-99	6
273	Development and validation of Prediction models for Risks of complications in Early-onset Pre-eclampsia (PREP): a prospective cohort study. <b>2017</b> , 21, 1-100	18
272	Regulation of calcitriol biosynthesis and activity: focus on gestational vitamin D deficiency and adverse pregnancy outcomes. <b>2015</b> , 7, 443-80	57
271	Brazilian Cardiology Society Statement for Management of Pregnancy and Family Planning in Women with Heart Disease - 2020. <b>2020</b> , 114, 849-942	2
270	Dysregulated circulating miRNAs in preeclampsia. <b>2016</b> , 5, 686-692	36
269	Serum copeptin and pregnancy outcome in preeclampsia. <b>2015</b> , 56, 362-8	8
268	Dietary Calcium Intake, Serum Calcium Level, and their Association with Preeclampsia in Rural North India. <b>2016</b> , 41, 223-7	7
267	Pregnancy in patients with chronic kidney disease: Maternal and fetal outcomes. <b>2015</b> , 25, 194-9	10
266	Pattern of fetal arterial blood flow in selected vessels in patients with pregnancy induced hypertension in Aminu Kano Teaching Hospital Kano, Nigeria. <b>2013</b> , 20, 9	2
265	Microalbuminuria - A better marker in hypertensive disorders of pregnancy. <b>2015</b> , 26, 941-6	4
264	Correlation of serum neutrophil gelatinase associated lipocalin with disease severity in hypertensive disorders of pregnancy. <b>2014</b> , 3, 223	7
263	Ocular fundus changes in pre-eclampsia and eclampsia in a rural set-up. <b>2015</b> , 3, 139	5
262	Hypertensive disorders in pregnancy. <b>2018</b> , 62, 675-681	12
261	Number of decidual natural killer cells & macrophages in pre-eclampsia. <b>2016</b> , 144, 823-830	20
260	Neutrophil/lymphocyte ratio, platelet/lymphocyte ratio, and c-reactive protein as markers for severity of pre-eclampsia. <b>2019</b> , 6, 1	2
259	Effect of Maternal Nutrition and Dietary Habits on Preeclampsia: A Case-Control Study. <b>2014</b> , 05, 1405-1416	11
258	Spot urine protein/creatinine ratioâ€”A quick and accurate method for diagnosis of pre-eclampsia. <b>2013</b> , 03, 609-612	2
257	Maternal and Perinatal Complications of Severe Preeclampsia in Three Referral Hospitals in Yaound&#233;, Cameroon. <b>2015</b> , 05, 723-730	4

256	Study of the Prevalence of Hypertension and Complications of Hypertensive Disorders in Pregnancy. <b>2014</b> , 04, 860-867	7
255	HIV Infection in Pregnancy and the Risk of Gestational Hypertension and Preeclampsia. <b>2014</b> , 04, 257-267	13
254	Labor Analgesia: An Unmet Right of Laboring Women in India. <b>2013</b> , 5, 26-32	5
253	Prediction of Pregnancy-induced Hypertension by Maternal Serum Beta Human Chorionic Gonadotropin Levels in Early Second Trimester of Pregnancy. <b>2018</b> , 10, 104-109	1
252	Correlation of the Protein to Creatinine Ratio with the 24-hour Urine Protein Level in Pregnancy Complicated by Hypertension. <b>2019</b> , 11, 235-238	1
251	Association of genital Mycoplasma infection in women who had preterm delivery and outcomes in premature infants. <b>2012</b> , 55, 158	2
250	Reproductive Assessment: Findings from 20 Years of the Tehran Lipid and Glucose Study. <b>2018</b> , 16, e84786	6
249	The Association of Family Support After Childbirth With Posttraumatic Stress Disorder in Women With Preeclampsia. <b>2015</b> , 17, e17865	9
248	Effects of SARS-COV-2 on Blood. <b>2021</b> , 89-100	
247	Circulating heat shock protein 27 (HSPB1) levels in prediction of pre-eclampsia: A pilot study. <b>2021</b> ,	0
246	Long non-coding RNA myocardial infarction associated transcript expression and clinical significance in patients with hypertension during pregnancy. <b>2021</b> , 1	
245	Soluble Endoglin and Uterine Artery Flow Doppler Ultrasonography as Markers of Progression to Preeclampsia in Women with Gestational Hypertension. <b>2021</b> , 86, 445-453	0
244	A One-Year Cross Sectional Analysis of Emergency Medical Services Utilization and Its Association with Hypertension in Pregnancy. <b>2021</b> , 1-10	
243	Chronic Kidney Disease and Pregnancy. <b>2022</b> , 321-331	
242	Role of Doppler Waveforms in Pregnancy-Induced Hypertension and Its Correlation With Perinatal Outcome. <b>2021</b> , 13, e18888	
241	Antenatal Surveillance in Preeclampsia and Chronic Hypertension. <b>2002</b> , 235-262	
240	The Differential Diagnosis of Preeclampsia and Eclampsia. <b>2002</b> , 57-84	2
239	Diagnosis and Classification of Preeclampsia and Other Hypertensive Disorders of Pregnancy. <b>2002</b> , 1-16	

238 Hypertensive Disorders in Pregnancy. **2004**, 43-67

237 Gender and Its Impact on Risk Factors for Cardiovascular Disease. **2004**, 193-214

1

236 Encyclopedia of Women's Health. **2004**, 616-618

235 PREGNANCY | Pre-eclampsia and Diet. **2005**, 27-35

234 Hypertensive Complications of Pregnancy. **2005**, 99-105

233 Integrative Strategies During Pregnancy. **2005**, 90-117

232 Maternale Erkrankungen in der Schwangerschaft. **2006**, 395-702

231 Vasoactive factors in the preeclampsia pathogenesis. **2006**, 12, 22-31

230 Arterial hypertension in the pregnancy period. **2006**, 12, 16-21

229 Hypertension in Pregnancy. **2007**, 429-439

228 Selected Medical Problems Encountered During Pregnancy. **2007**, 444-491

227 Preeclampsia. **2007**, 1-4

226 Antithrombin plasma levels decrease is associated with pre-eclampsia worsening. **2007**, 071115151007002-???

225 Intrapartum Complications. **2008**, 454-499

224 Pregnancy-Related Complications. **2008**, 676-682

223 Diuretics and Blockers. **2008**, 591-600

222 Chronic Medical Conditions in Pregnancy. **2008**, 202-257

221 HYPERTENSION DURING PREGNANCY. **2009**, 112-116

- 220 Survey of Physicians, Obstetricians and Gynecologists Regarding Prescription of Calcium Blockers during Pregnancy. **2009**, 35, 267-280 0
- 219 Prise en charge pr<sup>é</sup> et interhospitali<sup>è</sup>re des formes graves de pr<sup>é</sup>éclampsie. **2009**, 133-140
- 218 Devenir <sup>à</sup> court terme des patientes ayant d<sup>é</sup>velopp<sup>é</sup> une pr<sup>é</sup>éclampsie s<sup>é</sup>v<sup>è</sup>re. **2009**, 259-269
- 217 Hypertensive Disorders. **2009**, 975-1007 2
- 216 Acute Kidney Failure During Pregnancy and Postpartum. **2010**, 445-458 2
- 215 Chronic Medical Illness during Pregnancy. **2010**, 2298-2312
- 214 Drug Therapy in Pregnancy. **2010**, 2313-2326
- 213 Cardiovascular Disease in Pregnancy. **2010**, 489-498
- 212 Hypertension in Pregnancy. 160-164
- 211 Renal Disease. 216-222
- 210 Preeclampsia. 414-423
- 209 Fatores de risco maternos associados <sup>à</sup> acidose fetal. **2010**, 10, 341-347
- 208 Hypertension. **2011**, 121-140
- 207 Hypertension. **2011**, 599-626.e8 1
- 206 The Role of Extracellular Matrix in the Aetiology of Gestational Hypertension and Preeclampsia: A Preliminary Study. **2011**, 3, 14-24
- 205 Clinical usefulness of soluble fms-like tyrosine kinase 1, soluble endoglin and placental growth factor in Korean women with preeclampsia. **2011**, 54, 229 1
- 204 Obstetrics. **2011**, 514-545
- 203 Management of Hypertensive Crisis Including Stroke. **2011**, 101-113



202 Hypertensive Disorders in Pregnancy. **2011**, 1181-1186

201 Reproductive Function and Pregnancy. **2011**, 402-416

200 Complications of Pre-eclampsia. 438-465

199 Pregnancy-Related Stroke. 235-255

198 Genetics of Pre-eclampsia. **2011**, 8, 17-27

2

197 Pregnancy and Heart Disease. **2012**, 1770-1783

196 Chronic Hypertension. 204-208

195 Gestational Hypertension, Preeclampsia, and Eclampsia. 280-288

194 Neurological Problems of Pregnancy. **2012**, 2128-2146

193 Maternale Erkrankungen in der Schwangerschaft. **2012**, 369-674

192 Hypertension and Kidney Disease in Pregnancy. **2012**, 1792-1823

191 Diabète. **2012**, 215-223

190 Renal Disease. 151-159

189 Lifestyle, Nutrition, and Hypertensive Disorders during Pregnancy. **2012**, 207-236

1

188 The Pregnant Surgical Patient. 251-266

187 Preeclampsia: The Compromised Fetus, the Compromised Mother. 303-314

186 Segmented Poincaré Plot Analysis and Lagged Segmented Poincaré Plot Analysis. **2013**, 93-129

185 Resistant postpartum atypical preeclampsia. **2013**, 3, 50

184 Hypertension in Pregnancy. **2013**, 327-335

183 Umbilical cord blood concentrations of labetalol hydrochloride administered to patients with pregnancy induced hypertension, and subsequent neonatal findings. **2013**, 1, 88-92 ○

182 Hypertension in the Pregnant Teenager. **2013**, 435-452

181 Pregnancy and Oxidative Stress. **2013**, 25, 191-196

180 EFFECTS OF PREGNANCY INDUCED HYPERTENSION ON HUMAN PLACENTA. **2013**, 2, 6275-6282 ○

179 Pregnancy and Contraception in ACHD Patients. **2014**, 2669-2693

178 COMPARATIVE STUDY OF CHANGES IN PLATELET COUNT IN WOMAN WITH HYPERTENSIVE DISORDERS IN PREGNANCY (HDP) AND NORMAL PREGNANT WOMAN IN THIRD TRIMESTER. **2014**, 3, 2213-2219

177 CRANIAL MR IMAGING IN ECLAMPSIA AND SEVERE PREECLAMPSIA: A PROSPECTIVE STUDY. **2014**, 3, 3250-3259

176 Umbilical artery Doppler velocimetry study on prediction of adverse pregnancy outcomes among pregnant women with hypertensive disorders in Kano, Nigeria. **2015**, 12, 95 2

175 Diagnostic Value of Noninvasive Cardiac Function Measurement for Hypertensive Disorders in Pregnancy. **2015**, 05, 181-184

174 Nierenerkrankungen in der Schwangerschaft. **2015**, 1-8

173 Obesity in Pregnancy. **2015**, 113-132

172 Exercise in Pregnancy and Postpartum. **2015**, 243-273 ○

171 Study on comparison of serum levels of calcium, magnesium, and uric acid in mild preeclampsics, severe preeclampsics, and normal pregnant women in Ilorin, Nigeria. **2015**, 3, 71

170 Obstetric anesthesia. 416-468

169 Maternal disorders affecting labor and delivery. 283-347

168 STUDY ON RELATION BETWEEN PLACENTAL LATERALITY IN SECOND TRIMESTER ULTRASOUND AND DEVELOPMENT OF PREECLAMPSIA AT TERM. **2015**, 4, 16926-16928 2

167 Circulating levels of plasma lipids and cardiovascular risk in Nigerian women with severe preeclampsia. **2016**, 13, 72

- 166 The Role of Risk Assessment at Antenatal Care Clinics in the Prediction of Pre-Eclampsia in a High Altitude Area. **2016**, 07, 10-15
- 165 HYPERTENSION IN PREGNANCY: A STUDY IN A TEACHING HOSPITAL. **2016**, 3, 1881-1884
- 164 EFFICACY AND SAFETY OF LABETALOL IN THE MANAGEMENT OF MODERATE GESTATION HYPERTENSION - A PROSPECTIVE OBSERVATIONAL STUDY. **2016**, 5, 2531-2534
- 163 Features of parameters of peripheral, central blood pressure and indicators of vessels rigidity in pregnant women with hypertensive disorders. **2016**, 15, 51-59 1
- 162 Cord Blood Butyrylcholinesterase Activities in Normal Pregnant and Preeclamptic Women. **2016**, 4,
- 161 OUTCOME OF HYPERTENSIVE DISORDERS IN PREGNANCY. **2016**, 5, 6176-6181
- 160 Eclampsia: An Overview Clinical Presentation, Diagnosis and Management. **2016**, 3, 0
- 159 Diagnostic accuracy of spot albumin creatinine ratio and its association with fetomaternal outcome in preeclampsia and eclampsia. **2017**, 58, 58-62 1
- 158 Prediction of Preeclampsia: Role of Antiangiogenic and Proangiogenic Biomarkers. **2017**, 9, 47-52
- 157 Outcomes in mothers with rheumatic diseases and their offspring workshop. **2017**, 4, e000204 78
- 156 Maternal & Perinatal outcome in Hypertensive Disorders of Pregnancy in a Tertiary Care Hospital in Northern India. **2017**, 6, 1
- 155 MATERNAL AND FOETAL OUTCOMES IN GESTATIONAL HYPERTENSION. **2017**, 4, 4041-4045
- 154 Cesarean Delivery Complications and Cesarean Hysterectomy. **2017**, 72-79
- 153 Cesarean Section. **2017**, 64-71
- 152 Normal Labor. **2017**, 1-12
- 151 Historical Development of HRV Analysis. **2017**, 13-74
- 150 Complications in Pregnancy. 257-268
- 149 Management of Obstetric Umbilical Cord Complications. **2017**, 42-49

- 148 Obstetric Care. **2017**,
- 147 Placental Abnormalities. **2017**, 32-41
- 146 Evaluation of Single Nucleotide Polymorphisms of Angiotensin II Type 2 Receptor (AGTR2) Gene and Interleukin 4 (IL-4) gene for the Contribution to the Risk of Preeclampsia in Turkish Population. 1-1
- 145 Operative Vaginal Delivery. **2017**, 50-63
- 144 Induction and Augmentation of Labor. **2017**, 23-31
- 143 COMPARATIVE EVALUATION OF LIVER FUNCTIONS IN PRE-ECLAMPTIC AND NORMAL PREGNANT FEMALES. **2017**, 4, 5192-5195
- 142 MATERNAL AND PERINATAL OUTCOME IN PREECLAMPSIA AT A TERTIARY CARE CENTRE VIJAYAWADA, ANDHRA PRADESH, INDIA. **2017**, 6, 6598-6601
- 141 Maternal Cardiovascular Hemodynamics in Preeclampsia: Echocardiographic Assessment and Evaluation of Subclinical Left Ventricular Dysfunction. **2018**, 10, 400-404
- 140 Preeclampsia. **2018**, 221-229 ○
- 139 Improved Outcomes in ART Pregnancies Complicated by Thrombophilia, Treated with Low Molecular Weight Heparin in Comparison to Spontaneously Conceived Low-Risk, Untreated Pregnancies: A Case Control Study. **2018**, 9, ○
- 138 Hypertensive disorders of in-vitro fertilization pregnancies: A study from Kosovo. **2018**, 16, 77-82
- 137 OPHTHALMOSCOPIC CHANGES IN PREGNANCY INDUCED HYPERTENSION. **2018**, 7, 1281-1283,
- 136 A PROSPECTIVE OBSERVATIONAL STUDY ON PREDICTION OF PREECLAMPSIA IN EARLY PREGNANCY BY SPOT URINE PROTEIN-CREATININE RATIO. **2018**, 7, 2702-2708
- 135 Diabète et grossesse. **2019**, 261-269
- 134 Role of serum leptin as a marker of severity of pre-eclampsia. **2019**, 32, 470
- 133 Retrospective analysis of anesthesia for hypertensive disorders in pregnancy at University of Ilorin Teaching Hospital, Kwara State. **2019**, 6, 86
- 132 Vitamin D supplemental therapy can explore the interplay circuit between hypovitaminosis D, high serum IL-6 and pregnancy-associated morbidities. **2019**, 10,
- 131 STUDY OF PREVALENCE OF HYPERTENSIVE DISORDERS OF PREGNANCY AND THEIR MATERNAL AND PERINATAL OUTCOME AT GOVERNMENT VICTORIA HOSPITAL, VISAKHAPATNAM. **2019**, 6, 2097-2100

- 130 Preeclampsia and Renal Disease in Pregnancy: Obstetric Perspective. **2020**, 25-41
- 129 HFE Gene Polymorphism and Iron Status in Preeclampsia. **2019**, 6, 3285-3290 1
- 128 Hypertension and maternal urinary tract infection and the metabolic conditions of preterm infants. **2019**, 72, 3-8
- 127 A Study of Different Biochemical and Sonological Parameters as Predictors of Preeclampsia. **2019**, 8, 3825-3829
- 126 NEONATAL OUTCOMES OF ECLAMPTIC MOTHERS IN A TERTIARY GOVERNMENT RURAL TEACHING HOSPITAL OF EASTERN INDIA. **2019**, 06, 665-668
- 125 Noncommunicable diseases and maternal health in face of the coronavirus disease 2019 response. **2020**, 5, 96
- 124 THROMBOCYTE INDICES RELATION WITH GESTATIONAL HYPERTENSIVE DISORDERS. **2020**, 5, 121-130
- 123 HSPA1L rs1061581 polymorphism is associated with the risk of preeclampsia in Han Chinese women. **2020**, 40,
- 122 Prevalence, Placenta Development, and Perinatal Outcomes of Women with Hypertensive Disorders of Pregnancy at Komfo Anokye Teaching Hospital.
- 121 A comparative study of the accuracy of the spot Protein-Creatinine Ratio (PCR) vs 24 hours urine collection for detection of proteinuria in pre- eclamptic patients and its effect maternal and fetal outcomes. **2020**, 7, 16-22
- 120 The Role of Measuring Placental Volume for the Prediction of Preeclampsia and Intrauterine Growth Restriction (IUGR)\*.
- 119 The effect of preexisting medical comorbidities on the preeclamptic phenotype: a retrospective cohort study. **2021**, 40, 336-345
- 118 STUDY OF THE EFFECT OF GENERAL AND REGIONAL ANESTHESIA ON FOETOMATERNAL OUTCOME IN WOMEN UNDERGOING CAESAREAN SECTION FOR SEVERE PREECLAMPSIA. **2021**, 77-79
- 117 Information needs and experiences from pregnancies complicated by hypertensive disorders: a qualitative analysis of narrative responses. **2021**, 21, 743 1
- 116 Validez diagn stica del ratio sFlt-1/PlGF en la identificaci n de la preeclampsia: una revisi n sistem tica. **2020**, 47, 30-37
- 115 Perinatal outcome of fertilization pregnancies in women with polycystic ovary syndrome by pregravid BMI. **2021**, 49, 514-519 1
- 114 Preeclampsia. **2022**, 217-234
- 113 High Blood Pressure and Pregnancy in a Hospital Environment in Lom s; Prognostic and Clinical Epidemiological Aspects. **2020**, 10, 96-101

- 112 The Profile of Glycated Hemoglobin in Non-Diabetic Pregnant Women with Preeclampsia: A Case-Control Study in Kinshasa, the Democratic Republic of Congo. **2020**, 10, 365-389 1
- 111 Obstetric Emergency Critical Care. **2020**, 503-532
- 110 Physiologic Changes in the Airway and the Respiratory System Affecting Management in Pregnancy. **2020**, 271-283
- 109 Feto-Maternal Outcomes Of Hypertensive Disorders Of Pregnancy In Yekatit-12 Teaching Hospital, Addis Ababa, Ethiopia: A Retrospective Study.
- 108 Association of Maternal C-Reactive Protein in Severe Pre-Eclampsia. **2020**, 9, 2002-2006
- 107 Ambulatory Blood Pressure During Pregnancy. **2007**, 369-387 0
- 106 Hypertensive Retinopathies. **2007**, 688-699 1
- 105 Thromboembolische Komplikationen in Schwangerschaft und Wochenbett. **2006**, 335-348
- 104 Prediction of Pre-Eclampsia in Second Trimester by Estimating the Spot Urinary Protein Creatinine Ratio. **2020**, 9, 3427-3433
- 103 Age at natural menopause in women with a history of chronic diseases-A population-based cohort study.. **2022**, 158, 16-24 0
- 102 Impact of Lockdown Measures during COVID-19 Pandemic on Pregnancy and Preterm Birth. **2021**, 0
- 101 Associations of COVID-19 lockdown with gestational length and preterm birth in China. **2021**, 21, 795 0
- 100 Effect of grade 3 placenta 2021,
- 99 Ultrasound estimated subcutaneous and visceral adipose tissue thicknesses and risk of pre-eclampsia. **2021**, 11, 22740 1
- 98 Determinants of Preeclampsia Among Pregnant Women in Chiro Referral Hospital, Oromia Regional State, Ethiopia: Unmatched Case-Control Study. **2021**, 14, 163-172
- 97 Arterial stiffness measurements in pregnancy as a predictive tool for hypertensive disorders of pregnancy and preeclampsia: Protocol for a systematic review and meta-analysis.. **2022**, 13, 100141 0
- 96 Obstetric Complications During Pregnancy. **2022**, 163-175
- 95 Quantitative urine proteomics in pregnant women for the identification of predictive biomarkers for preeclampsia. **2022**, 7, 0

94	Distinct trajectories of perinatal depression in Chinese women: application of latent growth mixture modelling.. <b>2022</b> , 22, 24		0
93	Clinical Management and Antihypertensive Treatment of Hypertensive Disorders of Pregnancy. <b>2022</b> , 375-403		0
92	Understanding the Preterm Human Heart: What do We Know So Far?. <b>2022</b> ,		3
91	Quantifying the Additional Maternal Morbidity in Women with Preeclampsia with Severe Features in whom Immediate Delivery is Recommended.. <b>2022</b> , 100565		
90	Superimposed Versus De-Novo Preeclampsia: Is There a Difference?. <b>2022</b> ,		0
89	Independent effect of gestational weight gain and prepregnancy obesity on pregnancy outcomes among Saudi women: A sub-cohort analysis from Riyadh mother and baby cohort study (RAHMA).. <b>2022</b> , 17, e0262437		1
88	Racial and ethnic disparities in maternal and neonatal outcomes among women with chronic hypertension.. <b>2022</b> ,		0
87	Pre-eclampsia diagnosis and management. <b>2022</b> ,		0
86	The Mediation Effect of Coping Strategies between Personality and Blood Pressure in Pregnancy Complicated by Hypertension.. <b>2022</b> , 10,		0
85	Increasing risk of gestational diabetes and preeclampsia associated with long-term exposure effects of air pollution. 1		0
84	Pregnancy Complications Lead to Subclinical Maternal Heart Dysfunction-The Importance and Benefits of Follow-Up Using Speckle Tracking Echocardiography.. <b>2022</b> , 58,		2
83	Hemodynamic pathways of gestational hypertension and preeclampsia.. <i>American Journal of Obstetrics and Gynecology</i> , <b>2022</b> , 226, S988-S1005	6.4	0
82	Prevalence and outcomes of hypertension in pregnancy in non-metropolitan and metropolitan communities.. <b>2022</b> , 1-7		0
81	The evolution of the diagnostic criteria of preeclampsia-eclampsia.. <i>American Journal of Obstetrics and Gynecology</i> , <b>2022</b> , 226, S835-S843	6.4	2
80	Perinatal Complications in Individuals in California With or Without SARS-CoV-2 Infection During Pregnancy.. <b>2022</b> ,		4
79	Contemporary test performance of the random urine protein-to-creatinine ratio.. <b>2022</b> ,		
78	Changes in adverse pregnancy outcomes in women with advanced maternal age (AMA) after the enactment of China's universal two-child policy.. <b>2022</b> , 12, 5048		2
77	Role of Salivary Uric Acid Versus Serum Uric Acid in Predicting Maternal Complications of Pre-Eclampsia in a Rural Hospital in Central India: A Two-Year, Cross-Sectional Study.. <b>2022</b> , 14, e23360		

- 76 AEPreeklampsiyi ilgilmede hemogram inflamatuvar belirtelerin illemi. **2022**, 13, 86-96
- 75 Association between gestational weight gain and pregnancy outcomes in a Singaporean population: A prospective cohort study.. **2022**, 272, 160-165 1
- 74 Longitudinal changes in angiogenesis biomarkers within 72 h of diagnosis and time-to-delivery in early-onset preeclampsia.. **2022**, 28, 139-145
- 73 Association between serum placental growth factor and vascular endothelial function in hypertensive disorders complicating pregnancy.. **2021**, 15353702211063833 0
- 72 The Role of Dietary Fats in the Development and Prevention of Necrotizing Enterocolitis.. **2021**, 14, 1 1
- 71 Nativity-Related Disparities in Preeclampsia and Cardiovascular Disease Risk Among a Racially Diverse Cohort of US Women.. **2021**, 4, e2139564 1
- 70 Effects of Modes and Timings of Delivery on Feto-Maternal Outcomes in Women with Severe Preeclampsia: A Multi-Center Survey in Mainland China.. **2021**, 14, 9681-9687
- 69 Associations between residential proximity to oil and gas extraction and hypertensive conditions during pregnancy: a difference-in-differences analysis in Texas, 1996-2009.. **2021**, 1 1
- 68 Maternal Phthalates Exposure and Blood Pressure during and after Pregnancy in the PROGRESS Study.. **2021**, 129, 127007 2
- 67 Considerations and Challenges for Pregnancy in Polycystic Ovary Syndrome. **2022**, 329-343
- 66 Association of Maternal Hypertensive Disorders During Pregnancy With Severe Bronchopulmonary Dysplasia: A Systematic Review and Meta-Analysis.. **2022**, 37, e127
- 65 Prediction of pregnancy-related hypertensive disorders using metabolomics: a systematic review.. **2022**, 12, e054697 0
- 64 Hypertensive Disorders in Pregnancy. **2022**, 257-270
- 63 Is the lack of prior exposure to sperm antigens associated with worse neonatal and maternal outcomes? A 10 years single-center experience comparing ICSI-TESE pregnancies to ICSI pregnancies.. **2022**,
- 62 Vitamin D: Before, during and after Pregnancy: Effect on Neonates and Children.. **2022**, 14, 2 2
- 61 The impact of preeclampsia in lupus nephritis.. **2022**, 1 1
- 60 Sleep Deficiency in Pregnancy. **2022**, 43, 261-272
- 59 Association of Polycystic Ovary Syndrome Phenotypes With Adverse Pregnancy Outcomes After In-Vitro Fertilization/Intracytoplasmic Sperm Injection. **2022**, 13, 0



58	Maternal HPV Infection and the Estimated Risks for Adverse Pregnancy OutcomesâA Systematic Review. <b>2022</b> , 12, 1471	0
57	The trend in delayed childbearing and its potential consequences on pregnancy outcomes: a single center 9-years retrospective cohort study in Hubei, China. <b>2022</b> , 22,	2
56	Trimethylamine N-oxide and its precursors are associated with gestational diabetes mellitus and pre-eclampsia in the Boston Birth Cohort.	0
55	Early-pregnancy plasma per- and polyfluoroalkyl substance (PFAS) concentrations and hypertensive disorders of pregnancy in the Project Viva cohort. <b>2022</b> , 165, 107335	1
54	Effect of Compound Danshen Injection Combined with Magnesium Sulfate on Oxidative Stress, TNF- $\beta$ NO, and Therapeutic Efficacy in Severe Preeclampsia. <b>2022</b> , 2022, 1-7	
53	Determinants of pre-eclampsia among women attending delivery services in public health institutions of Debre Tabor Town: a caseâcontrol study. <b>2022</b> , 19,	0
52	Prediction of Delivery Within 7 Days After Diagnosis of Early Onset Preeclampsia Using Machine-Learning Models. 9,	1
51	Second-Trimester Constituents of the Metabolic Syndrome and Pregnancy Outcome: An Observational Cohort Study. <b>2022</b> , 14, 2933	
50	ARG2 single-nucleotide polymorphism rs3742879 affects plasma arginase 2 levels, nitric oxide formation and antihypertensive therapy response in preeclampsia.	1
49	Evaluation of serum uric acid and liver function tests among pregnant women with and without preeclampsia at the University of Gondar Comprehensive Specialized Hospital, Northwest Ethiopia. <b>2022</b> , 17, e0272165	0
48	Treatment of Chronic Hypertension in Pregnancy: Is It Time for a Change?. <b>2022</b> , 146, 433-434	
47	Remote multimodality monitoring of maternal physiology from the first trimester to postpartum period: study results. Publish Ahead of Print,	
46	Toward a new taxonomy of obstetrical disease: improved performance of maternal blood biomarkers for the great obstetrical syndromes when classified according to placental pathology. <b>2022</b> , 227, 615.e1-615.e25	3
45	Insufficient weight management in pregnant women with gestational diabetes mellitus. <b>2022</b> , 13, 242-251	0
44	Preterm, early term, and post-term infants from Riyadh mother and baby multicenter cohort study: The cohort profile. 10,	0
43	Obstetrics and Gynecology Emergency Department Activity during Lockdown in a Teaching Hospital, Hub Center, for COVID-19. <b>2022</b> , 2022, 1-13	0
42	Postpartum management of the hypertensive disorders of pregnancy (0925). <b>2022</b> , 2022,	0
41	Use of antihistamines before or during pregnancy and risk of early-onset pre-eclampsia in allergic women: a population-based cohort study. <b>2022</b> , 12, e061837	0

- 40 Renal Dysfunction in Pre-eclampsia: Etiology, Pathogenesis, Diagnosis and Perioperative Management: A Narrative Review. **2022**, 4, 11-19 ○
- 39 Cystatin-c, beta-2-microglobulin, and other determinants of renal function in preeclampsia. **2022**, 10, 47 ○
- 38 PREDICTIVE VALUE OF PLATELET INDICES IN DEVELOPMENT OF PREECLAMPSIA. **2022**, 43-45 ○
- 37 Practical self-management system for women with postnatal hypertension. ○
- 36 Association of neutrophil gelatinase associated lipocalin, ischemia modified albumin with uric acid in the etiopathogenesis of preeclampsia. **2022**, ○
- 35 Associations of Dietary Patterns during Pregnancy with Gestational Hypertension: The âBorn in Shenyangâ Cohort Study. **2022**, 14, 4342 ○
- 34 Preeclampsia, gestational hypertension and incident dementia: A systematic review and meta-analysis of published evidence. **2022**, 30, 192-197 ○
- 33 Hypertension Across a Womanâ Life Cycle. 1
- 32 Perinatal survival counseling of early-onset fetal growth restriction with placental growth factor. ○
- 31 Tight Versus Liberal Control of Mild Postpartum Hypertension: A Randomized Controlled Trial. **2022**, 100818 ○
- 30 Echinochrome A Reverses Kidney Abnormality and Reduces Blood Pressure in a Rat Model of Preeclampsia. **2022**, 20, 722 1
- 29 Obstetric Emergencies. **2023**, 46, 66-81 ○
- 28 Association between thyroid disorders with high blood pressure in pregnant women from Karbala City-Iraq. **2022**, ○
- 27 Comparison of Intravenous Anti-hypertensives for Preoperative Blood Pressure Control in Hypertensive Disorders of Pregnancy and Effect of Oral Labetalol. **2022**, ○
- 26 Significance of placental CD200 expression in patients with preeclampsia: Comparison between early- and late-onset patients. **2022**, 27, ○
- 25 Influence of Excessive Weight Gain on Maternal and Perinatal Morbidity and Mortality in a University Hospital Environment in Cotonou. **2022**, 12, 251-265 ○
- 24 Feasibility, acceptability, and preliminary effects of mindfulness training on antenatal blood pressure. **2023**, 165, 111146 ○
- 23 Spot Urinary Albuminâcreatinine Ratio in Prediction of Pre-eclampsia: A Prospective Study. **2023**, 14, 676-680 ○

- 22 Prediction of hypertensive disorders of pregnancy using metabolomics: there is a long way to go. **2023**, 100865
- 21 Persistent hypertension at three months postpartum among women with hypertensive disorders of pregnancy at a tertiary hospital in southwestern Uganda.. **2023**, 100163
- 20 Timely Recognition and Treatment of Hypertension in Pregnancy. **2023**, 37, 5-7
- 19 Prevalence of hypertensive disorders of pregnancy, associated factors and pregnancy complications in a primigravida population. **2023**,
- 18 ARE THE ALL BBLOCKERS SIMILAR IN TREATMENT ARTERIAL HYPERTENSION IN PREGNANCY?. **2008**, 7-12
- 17 Predictors of late complications in pregnant women with arterial hypertension. **2023**, 71, 71-82
- 16 Hypertensive Disorders of Pregnancy. **2023**, 41, 269-280
- 15 A bibliometric review of 35 years of studies about preeclampsia. 14,
- 14 Assessment of pre-eclampsia and eclampsia health commoditiesâsupply chains in selected hospitals of Lagos State during COVID-19 pandemic.
- 13 Maternal hypertensive disorders during pregnancy and the risk of offspring diabetes mellitus in childhood, adolescence, and early adulthood: a nationwide population-based cohort study. **2023**, 21,
- 12 The association between circulating 25-hydroxyvitamin D levels and preeclampsia: a systematic review and dose-response meta-analysis of epidemiologic studies with GRADE assessment.
- 11 Cardiovascular risk factors in Sub-Saharan African women.
- 10 Impact of hypertensive disorders of pregnancy on neonatal outcomes among infants born at 24+0â1+6 weeksâgestation in China: A multicenter cohort study. 11,
- 9 CORRELATION OF DOPPLER INDICES WITH FOETAL AND MATERNAL OUTCOME IN PREGNANCY INDUCED HYPERTENSION. **2023**, 144-148
- 8 Oxidative Stress Marker Malondialdehyde and Glutathione Antioxidant in Hypertensive Patients. **2023**, 2, 31-36
- 7 A clinical study of perinatal and maternal morbidity and mortality in gestational hypertension, preeclampsia and eclampsia. **2023**, 10-22
- 6 Is there any association between early trimester Triglycerideâglucose index and incidence of hypertensive disorder of pregnancy and adverse pregnancy outcomes?. 14,
- 5 Hypertensive Disorders of Pregnancy and the Cardiovascular System: Causes, Consequences, Therapy, and Prevention.

- 4 Optic nerve sheath diameter measurements using ultrasonography to diagnose raised intracranial pressure in preeclampsia: an observational study. **2023**, 24, 5-11
- 3 Hypertensive disorders of pregnancy and risk of cardiovascular disease: A Mendelian Randomisation study in the UK Biobank.
- 2 Inflammation, Gestational Hypertension, and Preeclampsia â Dangerous Association. **2023**, 9, 1-8
- 1 Effect of magnesium sulfate treatment on mediators of endothelial dysfunction and electrolytes in mild and severe preeclampsia: A case-control study. **2023**, 6,