CITATION REPORT List of articles citing

Usefulness of the modified 0-10 Borg scale in assessing the degree of dyspnea in patients with COPD and asthma

DOI: 10.1016/s0099-1767(00)90093-x Journal of Emergency Nursing, 2000, 26, 216-22.

Source: https://exaly.com/paper-pdf/31506164/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
233	Perceived effort of funtional activities after a period of mechanical ventilation. 2002, 58, 33	2
232	Guiding principles at triage: advice for new triage nurses. <i>Journal of Emergency Nursing</i> , 2002 , 28, 24-33 1.3	18
231	COPD in VA hospitals. 2003 , 5, 37-44	7
230	Acute dyspnea as perceived by patients with chronic obstructive pulmonary disease. 2003, 12, 85-101	27
229	Relief of dyspnoea by beta2-agonists after methacholine-induced bronchoconstriction. 2004 , 98, 816-20	25
228	Appraisal of tools to enhance evidence-based clinical practice. 2004 , 18, 186-91; quiz 192-3	1
227	Research opportunities in the management of acute exacerbations of chronic obstructive pulmonary disease. 2005 , 12, 742-50	4
226	Curtailing: handling the complexity of body care in people hospitalized with severe COPD. 2005 , 19, 148-56	19
225	Body care experienced by people hospitalized with severe respiratory disease. 2005 , 50, 262-71	39
224	Avalia B do uso da Escala Modificada de Borg na crise asm E ica. 2005 , 18, 39-45	10
223	Football equipment design affects face mask removal efficiency. 2005 , 33, 1210-9	33
222	[Cardiorespiratory effects of heliox using a model of upper airway obstruction]. 2005, 50, 126-31	3
221	Onset of relief of dyspnoea with budesonide/formoterol or salbutamol following methacholine-induced severe bronchoconstriction in adults with asthma: a double-blind, placebo-controlled study. 2006 , 7, 141	12
220	A randomised-controlled trail examining the effects of reflexology of patients with chronic obstructive pulmonary disease (COPD). 2006 , 12, 141-7	12
219	Effects of long-acting bronchodilators and placebo on histamine-induced asthma symptoms and mild bronchusobstruction. 2006 , 100, 348-53	10
218	Promoting quality of life for patients with moderate to severe COPD. 2006 , 11, 278-84	8
217	Palliative care benchmarks from academic medical centers. 2007 , 10, 86-98	79

The moved to evidenced-based practice from a clinical nursing question. **2007**, 23, 293-7

215	The role of intrinsic efficacy in determining response to a beta2-agonist in acute severe asthma. 2007 , 101, 1007-14	23
214	Evaluation of respiratory function during Reeves stretcher use. 2007 , 11, 210-2	2
213	Fast onset of effect of budesonide/formoterol versus salmeterol/fluticasone and salbutamol in patients with chronic obstructive pulmonary disease and reversible airway obstruction. 2007 , 12, 732-9	37
212	Review of dyspnoea quantification in the emergency department: is a rating scale for breathlessness suitable for use as an admission prediction tool?. 2007 , 19, 394-404	5
211	Validation of a verbal dyspnoea rating scale in the emergency department. 2008 , 20, 475-81	9
210	Commentary on Barnett M (2005) Chronic obstructive pulmonary disease: a phenomenological study of patients' experiences. Journal of Clinical Nursing. 2008 , 17, 838-9	1
209	Achieving therapeutic clarity in assisted personal body care: professional challenges in interactions with severely ill COPD patients. 2008 , 17, 2155-63	17
208	Validation of a verbal rating scale for breathlessness amongst patients referred for cardiac stress tests. 2008 , 17, 305-12	2
207	Evaluation of exhaled nitric oxide measurements in the emergency department for patients with acute asthma. 2008 , 100, 415-9	4
206	Exhaled nitric oxide measurements in hospitalized children with asthma. 2008, 45, 670-4	8
205	Phonatory effects of airway dehydration: preliminary evidence for impaired compensation to oral breathing in individuals with a history of vocal fatigue. 2008 , 51, 1494-506	54
204	Exhaled nitric oxide levels during treatment in patients hospitalized with asthma. 2008 , 29, 171-6	7
203	Estudio de la disnea segfi la escala de Borg en un grupo de pacientes diagnosticados de asma bronquial que han seguido y recibido entrenamiento de fisioterapia respiratoria. 2009 , 31, 12-16	
202	Pathophysiology and diagnosis of dyspnea in patients with advanced cancer. 2009 , 159, 571-6	6
201	Pediatric Dyspnea Scale for use in hospitalized patients with asthma. 2009 , 123, 660-4	19
200	Six minute walking distance in kyphoscoliosis patients with chronic respiratory failure. Multidisciplinary Respiratory Medicine, 2010, 5, 244-9	7
199	Diminution de la perception de dyspnè chez le sujet ট্রី: 2010 , 2, 85-91	

198	Community care assessment of exacerbations of chronic obstructive pulmonary disease. 2010 , 66, 2490-9	3
197	Effects of aquajogging in obese adults: a pilot study. 2010 , 2010,	12
196	Efficacy of guided imagery with theta music for advanced cancer patients with dyspnea: a pilot study. 2010 , 12, 188-97	23
195	Application of a theoretical model to evaluate COPD disease management. 2010 , 10, 81	12
194	Individual breathlessness trajectories do not match summary trajectories in advanced cancer and chronic obstructive pulmonary disease: results from a longitudinal study. 2010 , 24, 777-86	58
193	What is the evidence for the use of high flow nasal cannula oxygen in adult patients admitted to critical care units? A systematic review. 2010 , 23, 53-70	64
192	Dyspnea review for the palliative care professional: assessment, burdens, and etiologies. 2011 , 14, 1167-72	32
191	Relationship between anxiety and dyspnea on exertion in patients with chronic obstructive pulmonary disease. 2011 , 24, 439-49	29
190	Influence of family caregiver caring behavior on COPD patients' self-care behavior in Taiwan. 2012 , 57, 263-72	17
189	Randomized placebo controlled trial of furosemide on subjective perception of dyspnoea in patients with pulmonary oedema because of hypertensive crisis. 2011 , 41, 627-34	13
188	Achieving competences in patient-centred care: an evaluation study of a training programme in assisted personal body care for respiratory patients. 2011 , 3, 265-274	1
187	Management of dyspnea within a rapid learning healthcare model. 2011 , 5, 101-10	10
186	Response to: 'Plasma IL-6 levels during arm exercise in persons with spinal cord injury'. 2012 , 50, 643; author reply 644	1
185	Regional pulmonary response to a methacholine challenge using hyperpolarized (3)He magnetic resonance imaging. 2012 , 17, 1237-46	49
184	Postural balance and physical activity in daily life (PADL) in physically independent older adults with different levels of aerobic exercise capacity. 2012 , 55, 480-5	18
183	Test-retest reliability of multidimensional dyspnea profile recall ratings in the emergency department: a prospective, longitudinal study. 2012 , 12, 6	26
182	Proposing a standardized method for evaluating patient report of the intensity of dyspnea during exercise testing in COPD. 2012 , 7, 345-55	33
181	Six-minute walk test-normal values of school children aged 7-12 y in India: a cross-sectional study. 2012 , 79, 597-601	15

(2015-2013)

180	Exercise training with negative pressure ventilation improves exercise capacity in patients with severe restrictive lung disease: a prospective controlled study. 2013 , 14, 22	5
179	Evaluation of a multi-modal grounded theory approach to explore patientsâldaily coping with breathlessness due to chronic obstructive pulmonary disease. 2013 , 18, 423-440	6
178	High-flow oxygen and bilevel positive airway pressure for persistent dyspnea in patients with advanced cancer: a phase II randomized trial. 2013 , 46, 463-73	77
177	Benefits of pulmonary rehabilitation in patients with COPD and normal exercise capacity. 2013 , 58, 1482-8	27
176	Four types of coping with COPD-induced breathlessness in daily living: a grounded theory study. 2013 , 18, 520-541	8
175	A patient-centred approach to assisted personal body care for patients hospitalised with chronic obstructive pulmonary disease. 2013 , 22, 1005-15	11
174	High Dose Vitamin D3 Improves Exercise Tolerance in Elderly Patients with Chronic Obstructive Pulmonary Disease. 2013 , 02,	1
173	Pilot study of a protocol to administer inhaled nitric oxide to treat severe acute submassive pulmonary embolism. 2014 , 31, 459-62	20
172	Chinese herbal medicine (weijing decoction) combined with pharmacotherapy for the treatment of acute exacerbations of chronic obstructive pulmonary disease. 2014 , 2014, 257012	13
171	Pulmonary rehabilitation improves heart rate variability at peak exercise, exercise capacity and health-related quality of life in chronic obstructive pulmonary disease. <i>Heart and Lung: Journal of 2.6 Acute and Critical Care</i> , 2014 , 43, 249-55	36
170	Palliative care understanding and end-of-life decisions in chronic obstructive pulmonary disease. 2014 , 8, 312-20	7
169	Repeated dyspnea score and percent FEV1 are modest predictors of hospitalization/relapse in patients with acute asthma exacerbation. 2014 , 108, 1284-91	6
168	A comparative study of two nebulizers in the emergency department: breath-actuated nebulizer and handheld nebulizer. <i>Journal of Emergency Nursing</i> , 2014 , 40, 131-7	3
167	Effect of high-frequency chest wall oscillation versus chest physiotherapy on lung function after lung transplant. 2014 , 27, 59-66	6
166	Inspiratory muscle training improves exercise tolerance in recreational soccer players without concomitant gain in soccer-specific fitness. 2014 , 28, 483-91	14
165	Coping with breathlessness among people with COPD: distinct physiological and behavioural indicators. 2014 , 19, 345-363	5
164	Albuterol administration is commonly associated with increases in serum lactate in patients with asthma treated for acute exacerbation of asthma. 2014 , 145, 53-59	35
163	Randomised control trial of humidified high flow nasal cannulae versus standard oxygen in the emergency department. 2015 , 27, 537-541	53

162	Inspiratory muscle training in pulmonary arterial hypertension. 2015 , 35, 198-206	3	34
161	Hospitalist attitudes toward the assessment and management of dyspnea in patients with acute cardiopulmonary diseases. 2015 , 10, 724-30	6	5
160	Effects of 12 weeks of aerobic training on autonomic modulation, mucociliary clearance, and aerobic parameters in patients with COPD. 2015 , 10, 2549-57	1	11
159	Can functional exercise capacity discriminate older individuals with poor postural control?. 2015 , 21, 250-255		
158	Acute effect of aerobic exercise in different intensities in mucociliary clearance of patients with COPD. 2015 , 48, 523		
157	Effects of Pulmonary Rehabilitation on Exercise Tolerance in Patients with COPD. 2015 , 9, 65-71		
156	Experience-oriented tobacco-use prevention lecture using a COPD-simulation mask for junior high school students. <i>Respiratory Physiology and Neurobiology</i> , 2015 , 209, 28-32	3 1	[
155	Assessment of dyspnoea in the emergency department by numeric and visual scales: A pilot study. 2015 , 34, 95-9	5	5
154	Ventilator Settings Can Substantially Impact Patients' Comfort. 2015 , 30, 286-91	1	Ĺ
153	Multidimensional Dyspnea Profile: an instrument for clinical and laboratory research. 2015 , 45, 1681-91	1	148
153 152	Multidimensional Dyspnea Profile: an instrument for clinical and laboratory research. 2015 , 45, 1681-91 Bolus intravenous 0.9% saline, but not 4% albumin or 5% glucose, causes interstitial pulmonary edema in healthy subjects. 2015 , 119, 783-92		148
	Bolus intravenous 0.9% saline, but not 4% albumin or 5% glucose, causes interstitial pulmonary		18
152	Bolus intravenous 0.9% saline, but not 4% albumin or 5% glucose, causes interstitial pulmonary edema in healthy subjects. 2015 , 119, 783-92 Efficacy of a new intravenous 2 -adrenergic agonist (bedoradrine, MN-221) for patients with an	1	18
152 151	Bolus intravenous 0.9% saline, but not 4% albumin or 5% glucose, causes interstitial pulmonary edema in healthy subjects. 2015 , 119, 783-92 Efficacy of a new intravenous \(\mathbb{2}\)-adrenergic agonist (bedoradrine, MN-221) for patients with an acute exacerbation of asthma. 2015 , 109, 1268-73	4	18
152 151 150	Bolus intravenous 0.9% saline, but not 4% albumin or 5% glucose, causes interstitial pulmonary edema in healthy subjects. 2015, 119, 783-92 Efficacy of a new intravenous 2-adrenergic agonist (bedoradrine, MN-221) for patients with an acute exacerbation of asthma. 2015, 109, 1268-73 Oronasal mask versus helmet in acute hypercapnic respiratory failure. 2015, 45, 691-9 Does a Nintendo Wii exercise program provide similar exercise demands as a traditional pulmonary	4	18 4 38
152 151 150	Bolus intravenous 0.9% saline, but not 4% albumin or 5% glucose, causes interstitial pulmonary edema in healthy subjects. 2015, 119, 783-92 Efficacy of a new intravenous 2-adrenergic agonist (bedoradrine, MN-221) for patients with an acute exacerbation of asthma. 2015, 109, 1268-73 Oronasal mask versus helmet in acute hypercapnic respiratory failure. 2015, 45, 691-9 Does a Nintendo Wii exercise program provide similar exercise demands as a traditional pulmonary rehabilitation program in adults with COPD?. 2016, 10, 303-10 The effect of positioning and diaphragmatic breathing exercises on respiratory muscle activity in	3	18 4 38
152 151 150 149 148	Bolus intravenous 0.9% saline, but not 4% albumin or 5% glucose, causes interstitial pulmonary edema in healthy subjects. 2015, 119, 783-92 Efficacy of a new intravenous \(\textit{2}\)-adrenergic agonist (bedoradrine, MN-221) for patients with an acute exacerbation of asthma. 2015, 109, 1268-73 Oronasal mask versus helmet in acute hypercapnic respiratory failure. 2015, 45, 691-9 Does a Nintendo Wii exercise program provide similar exercise demands as a traditional pulmonary rehabilitation program in adults with COPD?. 2016, 10, 303-10 The effect of positioning and diaphragmatic breathing exercises on respiratory muscle activity in people with chronic obstructive pulmonary disease. 2016, 72, 315 Practical Recommendations for Diagnosis and Management of Respiratory Muscle Weakness in	3	18 4 38 19

(2018-2016)

144	Safety and Efficacy of an Early Home-Based Walking Program After Receipt of an Initial Implantable Cardioverter-Defibrillator. 2016 , 97, 1228-36	4
143	Estimation of the severity of breathlessness in the emergency department: a dyspnea score. 2017 , 17, 13	6
142	Stem Cell Factor and Interleukin-31 Expression: Association with IgE among Egyptian Patients with Atopic and Nonatopic Bronchial Asthma. 2016 , 45, 87-106	5
141	Evaluation of Pain, Dyspnea, and Goals of Care Among Adults With Cystic Fibrosis: A Comprehensive Palliative Care Survey. 2017 , 34, 347-352	16
140	Preliminary validation and reliability of the Short Form Chronic Respiratory Disease Questionnaire in a lung cancer population. 2017 , 26, e12418	1
139	Non-invasive Ventilation as Airway Clearance Technique in Cystic Fibrosis. 2017 , 22, e1667	15
138	The effect of group-based cardiac rehabilitation models on the quality of life and exercise capacity of patients with chronic heart failure. 2017 , 58, 432-435	9
137	Effects of Pressure Support Ventilation May Be Lost at High Exercise Intensities in People with COPD. 2017 , 14, 284-292	1
136	Short-term Effects of Supplemental Oxygen on 6-Min Walk Test Outcomes in Patients With COPD: A Randomized, Placebo-Controlled, Single-blind, Crossover Trial. 2017 , 151, 795-803	15
135	Extrafine compared to non-extrafine particle inhaled corticosteroids in smokers and ex-smokers with asthma. 2017 , 130, 35-42	6
134	Assessment of Exercise Capacity and Oxygen Consumption Using a 6 min Stepper Test in Older Adults. 2017 , 8, 408	10
133	Changes in the heart rate recovery to endurance effort after high intensity interval, strength, and concurrent exercise training in patients with insulin resistance. 2017 , 57, 1533-1540	2
132	Physiotherapy in Patients with Chronic Obstructive Pulmonary Disease. 2017 , 5, 720-723	2
131	Palliative Care in Heart Failure. 2018 , 20, 43	7
130	A feasibility study on using tablet personal computers for self-reported symptom assessment in newly diagnosed lung cancer patients. 2018 , 24, e12658	3
129	Test-retest reliability of the unsupported upper-limb exercise test (UULEX) and 6-min peg board ring test (6PBRT) in healthy adult individuals. 2018 , 34, 806-812	13
128	Outcome Measures Used in Pulmonary Rehabilitation in Patients With Acute Exacerbation of Chronic Obstructive Pulmonary Disease: A Systematic Review. 2018 , 98, 191-204	8
127	Subjective responses to sprint interval exercise in adults with and without Exercise-induced bronchoconstriction. 2018 , 55, 1059-1067	7

126	Postoperative Rehabilitation of Elderly Patients. 2018, 469-475	2
125	Metabolic effects of resistance or high-intensity interval training among glycemic control-nonresponsive children with insulin resistance. 2018 , 42, 79-87	16
124	Effects of whole body vibration exercises on functional parameters of individuals with chronic obstructive pulmonary disease. 2018 , 16,	
123	Physiological predictors Of peak inspiRatory flow using Observed lung function resultS (POROS): evaluation at discharge among patients hospitalized for a COPD exacerbation. 2018 , 13, 3937-3946	8
122	[Exercise Testing in Respiratory Medicine - DGP Recommendations]. 2018 , 72, 687-731	6
121	Analysis of Autonomic Modulation in Response to a Session of Aerobic Exercise at Different Intensities in Patients With Moderate and Severe COPD. 2018 , 15, 245-253	
120	Inspiratory pre-motor potentials during quiet breathing in ageing and chronic obstructive pulmonary disease. 2018 , 596, 6173-6189	11
119	Reference values and prediction equation for the 6-minute walk test in healthy children aged 6â112 years old. 2019 , 49, 1126-1131	3
118	A Multidimensional Profile of Dyspnea in Hospitalized Patients. 2019 , 156, 507-517	24
117	Janitor ergonomics and injuries in the safe workload ergonomic exposure project (SWEEP) study. 2019 , 81, 102874	9
116	High-flow nasal therapy versus noninvasive ventilation in COPD patients with mild-to-moderate hypercapnic acute respiratory failure: study protocol for a noninferiority randomized clinical trial. 2019 , 20, 450	24
115	Comparison of surf and hike therapy for active duty service members with major depressive disorder: Study protocol for a randomized controlled trial of novel interventions in a naturalistic setting. 2019 , 16, 100435	1
114	Investigation of physical and functional impairments experienced by people with active tuberculosis infection: A feasibility pilot study. 2019 , 8, 515	2
113	Molecular Pathways and Respiratory Involvement in Lysosomal Storage Diseases. 2019 , 20,	17
112	Sarcopenia Associated with Chronic Obstructive Pulmonary Disease. 2019 , 26, 65-74	21
111	Left lateral intercostal region versus subxiphoid position for pleural drain during elective coronary artery bypass graft surgery: randomized clinical trial. <i>Sao Paulo Medical Journal</i> , 2019 , 137, 66-74	O
110	Understanding the benefits of early high-flow nasal cannula therapy for adults with acute hypoxemic respiratory failure in the ED. 2019 , 37, 1592-1593	
109	Handgrip strength measurement in patients with chronic obstructive pulmonary disease: Possible predictor of exercise capacity. 2019 , 57, 499-505	5

(2020-2019)

108	Efficacy and safety of 20% albumin fluid loading in healthy subjects: a comparison of four resuscitation fluids. 2019 , 126, 1646-1660	11
107	Exercise Training in Patients With Non-Small Cell Lung Cancer During In-Hospital Chemotherapy Treatment: A RANDOMIZED CONTROLLED TRIAL. 2019 , 39, 127-133	14
106	Associations of AMP and adenosine induced dyspnea sensation to large and small airways dysfunction in asthma. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 23	3
105	A pilot study comparing The Borg CR Scale[] (centiMax[]) and the Beck Depression Inventory for scaling depressive symptoms. 2019 , 71, 164-176	1
104	ERS statement on standardisation of cardiopulmonary exercise testing in chronic lung diseases. 2019 , 28,	68
103	Randomized feasibility study of twice a day functional electrostimulation in patients with severe chronic obstructive pulmonary disease hospitalized for acute exacerbation. 2021 , 37, 1360-1367	2
102	The authors reply. 2019 , 47, e847-e848	
101	High Flow Versus Standard Oxygen Therapy After Noninvasive Ventilation Withdrawal. 2019 , 47, e846-e847	1
100	Acupoint transcutaneous electrical nerve stimulation in hospitalized COPD patients with severe dyspnoea: study protocol for a randomized controlled trial. 2019 , 20, 707	
99	Intercostal muscle oxygenation during expiratory load breathing at rest. <i>Respiratory Physiology and Neurobiology</i> , 2019 , 261, 24-30	2
98	Comparison of the effect of beclometasone/formoterol in asthma patients after methacholine-induced bronchoconstriction: A noninferiority study using metered dose vs. dry powder inhaler. 2019 , 85, 729-736	4
97	Effects of a community-based pulmonary rehabilitation programme during acute exacerbations of chronic obstructive pulmonary disease - A quasi-experimental pilot study. 2020 , 26, 27-38	3
96	Identification and Assessment of Breathlessness in Clinical Practice: A Systematic Review and Narrative Synthesis. 2020 , 59, 724-733.e19	7
95	The Impact of Urban Zen Integrative Therapy on Symptoms and Health-Related Quality of Life for Patients with Pulmonary Hypertension. 2020 , 23, 703-711	3
94	Predicting outcome for ambulance patients with dyspnea: a prospective cohort study. 2020 , 1, 163-172	О
93	Delivering Telerehabilitation to COVID-19 Inpatients:A Retrospective Chart Review Suggests It Is a Viable Option. 2020 , 1-7	7
92	Test-Retest Reliability of Handgrip Strength in Patients with Chronic Obstructive Pulmonary Disease. 2020 , 17, 568-574	7
91	High flow nasal therapy versus noninvasive ventilation as initial ventilatory strategy in COPD exacerbation: a multicenter non-inferiority randomized trial. 2020 , 24, 692	24

90	Nasal high-flow oxygen noninvasive ventilation in acute exacerbation of COPD: protocol for a randomised noninferiority clinical trial. 2020 , 6,	1
89	Low volume high intensity interval training leads to improved asthma control in adults. 2021 , 58, 1256-1260	4
88	Impact of long-term exposure wildfire smog on respiratory health outcomes. 2020 , 14, 527-531	4
87	Rhythmic auditory stimulation increases 6-Minute walk distance in individuals with COPD: A repeated measures study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020 , 49, 324-328	4
86	Effects of comprehensive and intensive pulmonary rehabilitation and nutritional support on quality of life and functional status in patients with chronic obstructive pulmonary disease. 2020 , 48, 3000605209195	564
85	Patient experience of severe acute dyspnoea and relief during treatment in ambulances: a prospective observational study. 2020 , 28, 24	2
84	Normative Values for the Unsupported Upper Limb Exercise Test and 6-Minute Pegboard and Ring Test in Healthy Canadian Adults 2020 , 72, 330-336	3
83	The relaxation response: Influence on psychological and physiological responses in patients with COPD. 2021 , 57, 151351	2
82	Evaluation of the Preventive Effect of Photobiomodulation on Orofacial Discomfort in Dental Procedures: A Randomized-Controlled, Crossover Study and Clinical Trial. 2021 , 39, 38-45	1
81	Which are the factors influencing NIV adaptation and tolerance in ALS patients?. 2021 , 42, 1023-1029	4
80	Implementation of High-Flow Nasal Cannula Therapy Outside the Intensive Care Setting. 2021, 66, 357-365	3
79	Development of Passive Hip-Exoskeleton to Prevent Back Pain during Lifting Work with Cam Mechanism. 2021 , 38, 19-27	
78	The impact of COVID-19 on rehabilitation and proposal for a new organization: A report from Lombardy, Italy. 2021 , 4, 1	
77	Symptom Assessment and Management. 2021 , 41-66	
76	Short-Term Effects of a Resistance Training Program Using Elastic Tubing in Patients with Heart Disease. 2021 ,	
75	Assessment of Stress, Depressive and Anxiety Symptoms in Patients with COPD during In-Hospital Pulmonary Rehabilitation: An Observational Cohort Study. 2021 , 57,	2
74	Reliability and Accuracy of 2-Minute Step Test in Active and Sedentary Lean Adults. 2021 , 44, 120-127	2
73	Validity of the Modified Dyspnea Index for the French-Canadian Population. 2021 , 29, 121-139	

72	Physical function after lung transplantation for late-onset noninfectious pulmonary complications after allogeneic hematopoietic stem cell transplantation. 2021 , 29, 5447-5454	1
71	Virtual Reality-Based High-Intensity Interval Training For Pulmonary Rehabilitation: A Feasibility and Acceptability Study. 2021 ,	2
70	Evaluation of physical activity level and exercise capacity in patients with varicose veins and chronic venous insufficiency. 2021 , 36, 636-643	1
69	Physical Therapy Management of an Individual With Post-COVID Syndrome: A Case Report. 2021 , 101,	3
68	Left ventricular diastolic dysfunction and diseases severity contribute to impaired exercise capacity in systemic lupus erythematosus. 2021 , 30, 1154-1162	1
67	Review of aerosol delivery in the emergency department. 2021 , 9, 591	2
66	Evaluation of rheumatoid arthritis and connective tissue disease-related interstitial lung disease with pulmonary physiologic test, HRCT, and patient-based measures of dyspnea and functional disability. 2021 , 40, 3797-3805	O
65	Short Duration Catheter-directed Thrombolysis for Acute Pulmonary Embolism Rapidly Improves Acute Cardiac Function. 2021 , 72, 373-382	
64	Mobile application for monitoring patients under home oxygen therapy: a protocol for a randomized controlled trial. 2021 , 22, 104	2
63	RespiraConNosotros: A Viable Home-Based Telerehabilitation System for Respiratory Patients. 2021 , 21,	8
62	Effect of Strength Versus Strength and Endurance Upper Limb Exercise Training in Patients With Chronic Obstructive Pulmonary Disease: A RANDOMIZED CLINICAL TRIAL. 2021 , 41, 426-431	2
61	Management of respiratory distress following prehospital implementation of noninvasive ventilation in a physician-staffed emergency medical service: a single-center retrospective study. 2021 , 29, 85	1
60	How to Assess Breathlessness in Chronic Obstructive Pulmonary Disease. 2021 , 16, 1581-1598	6
59	DNR orders in SARS-CoV-2 patients: a retrospective validation study in a Swiss COVID-19 Center.	
58	Symptom severity is associated with signs of central sensitization in patients with asthma. 2021 , 15, 12	19-1226 o
57	Role of rehabilitation amidst the COVID-19 pandemic: a review. 2021 , 19, 376	O
56	An Exploration of Lung Volume Effects on Swallowing in Chronic Obstructive Pulmonary Disease. 2021 , 30, 2155-2168	0
55	How Breathing Exercises Influence on Respiratory Muscles and Quality of Life among Patients with COPD? A Systematic Review and Meta-Analysis. 2021 , 2021, 1904231	5

54	Inborn Error of Immunity: A Journey Through Novel Genes and Clinical Presentation. 2021,		1
53	Bilan kinŝithfapique de Mr P., patient ĝ'fragile de 93 ans prŝentant un syndrome de dtresse respiratoire aigutŝuite ^une infection au COVID-19. 2020 , 20, 19-25		1
52	Hypnosis for the Management of Anxiety and Dyspnea in COPD: A Randomized, Sham-Controlled Crossover Trial. 2020 , 15, 2609-2620		4
51	An mHealth Management Platform for Patients with Chronic Obstructive Pulmonary Disease (efil breath): Randomized Controlled Trial. 2018 , 6, e10502		17
50	Teleexercise for Persons With Spinal Cord Injury: A Mixed-Methods Feasibility Case Series. 2016 , 3, e8		26
49	Are the group-based interventions improving the functional exercise capacity and quality of life of frail subjects with chronic heart failure?. 2020 , 5, 102-108		4
48	Group-based cardiac rehabilitation interventions. A challenge for physical and rehabilitation medicine physicians: a randomized controlled trial. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2020 , 56, 479-488	4.4	6
47	Does branched-chain amino acid supplementation improve pulmonary rehabilitation effect in COPD?. 2021 , 189, 106642		O
46	Airway Clearance Dysfunction. 2007 , 642-668		
45	Pulmonary Rehabilitation. 85-111		
45	Pulmonary Rehabilitation. 85-111 What Can Be Done for Patients With Crisis Dyspnea?. 2013, 402-406		
44	What Can Be Done for Patients With Crisis Dyspnea?. 2013 , 402-406 Exploiting the Relation Between Environmental Factors and Diseases: A Case Study on Chronic		4
44	What Can Be Done for Patients With Crisis Dyspnea?. 2013, 402-406 Exploiting the Relation Between Environmental Factors and Diseases: A Case Study on Chronic Obstructive Pulmonary Disease. 2014, 160-173 Effect of Surgical Curve Correction on Exercise Tolerance and Physical Capacities in Patients of		4
44 43 42	What Can Be Done for Patients With Crisis Dyspnea?. 2013, 402-406 Exploiting the Relation Between Environmental Factors and Diseases: A Case Study on Chronic Obstructive Pulmonary Disease. 2014, 160-173 Effect of Surgical Curve Correction on Exercise Tolerance and Physical Capacities in Patients of Severe Spinal Deformity. 2016, 10, RC05-RC08 Lack of efficacy of pre bronchoscopy inhaled salbutamol on symptoms and lung functions in		
44 43 42 41	What Can Be Done for Patients With Crisis Dyspnea?. 2013, 402-406 Exploiting the Relation Between Environmental Factors and Diseases: A Case Study on Chronic Obstructive Pulmonary Disease. 2014, 160-173 Effect of Surgical Curve Correction on Exercise Tolerance and Physical Capacities in Patients of Severe Spinal Deformity. 2016, 10, RC05-RC08 Lack of efficacy of pre bronchoscopy inhaled salbutamol on symptoms and lung functions in patients with pre-existing airway obstruction. 2016, 33, 362-6 Comparison between the effect of heated and humidified high-flow nasal oxygen and conventional		
44 43 42 41 40	What Can Be Done for Patients With Crisis Dyspnea?. 2013, 402-406 Exploiting the Relation Between Environmental Factors and Diseases: A Case Study on Chronic Obstructive Pulmonary Disease. 2014, 160-173 Effect of Surgical Curve Correction on Exercise Tolerance and Physical Capacities in Patients of Severe Spinal Deformity. 2016, 10, RC05-RC08 Lack of efficacy of pre bronchoscopy inhaled salbutamol on symptoms and lung functions in patients with pre-existing airway obstruction. 2016, 33, 362-6 Comparison between the effect of heated and humidified high-flow nasal oxygen and conventional oxygen during acute hypoxemic respiratory failure. 2017, 11, 224-230 Use of a small bore pleural catheter in the managemen of patients with malignant pleural effusion.		

36	Inpatient Step Counts, Symptom Severity, and Perceived Health Status After Lung Resection Surgery. 2021 , 44, 361-368		О
35	Cas dâline patiente de grand ĝe en hospitalisation aigulpour une atteinte svie de COVID-19 : aspects moteurs. 2020 , 20, 26-31		
34	The 6-min walk test as a new outcome measure in Amyotrophic lateral sclerosis. 2020, 10, 15580		О
33	Effect of expiratory loaded breathing during moderate exercise on intercostal muscle oxygenation. <i>Multidisciplinary Respiratory Medicine</i> , 2020 , 15, 702	3	1
32	A modified nebulization modality versus classical ultrasonic nebulization and oxygen-driven nebulization in facilitating airway clearance in patients with acute exacerbation of chronic obstructive pulmonary disease: a randomized controlled trial. <i>Journal of Thoracic Disease</i> , 2015 , 7, 1130	2.6 -41	3
31	Analysis of the clinical effect of noninvasive mechanical ventilation in AIDS patients complicated with pneumonia. <i>American Journal of Translational Research (discontinued)</i> , 2021 , 13, 3794-3799	3	
30	A Case Report on Sojaganggi-tang Treatment for a Patient with Asthma. <i>The Journal of Internal Korean Medicine</i> , 2021 , 42, 1109-1117	0.3	
29	Tailored patient self-management and supervised, home-based, pulmonary rehabilitation for mild and moderate chronic obstructive pulmonary disease <i>Journal of Physical Therapy Science</i> , 2022 , 34, 49-	5 ¹ 9	O
28	Does group-based high-intensity aerobic interval training improve the inflammatory status in patients with chronic heart failure? A randomized controlled trial. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021 ,	4.4	1
27	Nebulized fentanyl for respiratory symptoms in patients with COVID-19 (ventanyl trial) <i>Medicine</i> (<i>United States</i>), 2022 , 101, e28637	1.8	
26	Impact of tele rehabilitation on clinical outcomes in patients recovering from COVID-19: a preliminary investigation. <i>Comparative Exercise Physiology</i> , 1-8	0.7	
25	Effect of neuromuscular electrical stimulation on exercise capacity in patients with severe chronic obstructive pulmonary disease: A randomised controlled trial <i>Clinical Rehabilitation</i> , 2022 , 269215522	10918	02
24	Mixed-dust pneumoconiosis in a dental technician: a multidisciplinary diagnosis case report <i>BMC Pulmonary Medicine</i> , 2022 , 22, 161	3.5	
23	A randomized clinical trial on inhaled ciclesonide for managing acute asthma in the emergency room Sao Paulo Medical Journal, 2022, 140, 430-438	1.6	
22	Convergent Validity and Test-Retest Reliability of the Unsupported Upper Limb Exercise Test in Patients with Chronic Neck Pain <i>Perceptual and Motor Skills</i> , 2022 , 315125221096400	2.2	
21	Exercise capacity assessed with the one-minute sit-to-stand test (1-min STST) and echocardiographic findings in patients with heart failure with preserved ejection fraction (HFpEF) Heart and Lung: Journal of Acute and Critical Care, 2022, 55, 134-139	2.6	O
20	Effect of a Telerehabilitation program in sarcoidosis <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2022 , 39, e2022003	1.1	
19	Intercostal muscle oxygenation and expiratory loaded breathing at rest: respiratory pattern effect. <i>Respiratory Physiology and Neurobiology</i> , 2022 , 103925	2.8	1

18	Increased airway resistance can be related to the decrease in the functional capacity in obese women. <i>PLoS ONE</i> , 2022 , 17, e0267546	0
17	Single dose of budesonide/formoterol turbuhaler compared to salbutamol pMDI for speed of bronchodilator onset in asthma: a randomised cross-over trial. <i>Thorax</i> , thoraxjnl-2022-219052	O
16	A tele-health primary care rehabilitation program improves self-perceived exertion in COVID-19 survivors experiencing Post-COVID fatigue and dyspnea: A quasi-experimental study. 2022 , 17, e0271802	1
15	Tools for assessing complex breathlessness. 2022 , 39-60	
14	A randomised controlled trial of high-flow nasal oxygen versus non-rebreathing oxygen face mask therapy in acute hypoxaemic respiratory failure. 2022 , 66, 644	O
13	The relationship between pre- and postprostatectomy measures of pelvic floor muscle function and development of early incontinence after surgery.	O
12	Multicomponent Exercise Program to Improve the Immediate Sequelae of COVID-19: A Prospective Study with a Brief Report of 2-Year Follow-Up. 2022 , 19, 12396	1
11	Is the six-minute step test able to reflect the severity and symptoms based on cat score?. 2023 , 58, 28-33	O
10	Short-Term Health Outcomes of a Structured Pulmonary Rehabilitation Program Implemented within Rural Canadian Sites Compared with an Established Urban Site: A Pre-Post Intervention Observational Study. 2022 ,	О
9	The effects of normobaric and hypobaric hypoxia on cognitive performance and physiological responses: A crossover study. 2022 , 17, e0277364	O
8	Evaluation and Management of Dyspnea in Hypermobile Ehlers-Danlos Syndrome and Generalized Hypermobility Spectrum Disorder: Protocol for a Pilot and Feasibility Randomized Control Trial (Preprint).	O
7	The effects of cloth face masks on cardiorespiratory responses and VO2 during maximal incremental running protocol among apparently healthy men. 2022 , 12,	O
6	Le rle du kinŝithfapeute dans lâllaluation et la gestion de la dyspne. 2023 ,	0
5	Assessment of dyspnea in acute heart failure patients with three scales in the emergency department.	O
4	Evaluation and Management of Dyspnea in Hypermobile Ehlers-Danlos Syndrome and Generalized Hypermobility Spectrum Disorder: Protocol for a Pilot and Feasibility Randomized Controlled Trial. 12, e44832	0
3	Effectiveness of nordic walking in patients with asthma: A study protocol of a randomized controlled trial. 2023 , 18, e0281007	O
2	The Role of Rehabilitation in Arterial Function Properties of Convalescent COVID-19 Patients. 2023 , 12, 2233	О
1	Distinct contributions of muscle mass and strength stratified by nutritional status to physical activity in patients with chronic obstructive pulmonary disease. 2023 , 61, 389-397	O