

A Marine Biotic Index to Establish the Ecological Quality European Estuarine and Coastal Environments

Marine Pollution Bulletin

40, 1100-1114

DOI: 10.1016/s0025-326x(00)00061-8

Citation Report

#	ARTICLE	IF	CITATIONS
1	Sewage. , 1964, , 35-53.		0
2	Annelid assemblages in soft bottoms subjected to human impact in the UrÃas estuary (Sinaloa, Mexico). Oceanologica Acta: European Journal of Oceanology - Revue Europeene De Oceanologie, 2002, 25, 139-147.	0.7	35
3	The sessile benthic community patterns on hard bottoms in response to continental vs. marine influence in northern Adriatic lagoons. Oceanologica Acta: European Journal of Oceanology - Revue Europeene De Oceanologie, 2003, 26, 47-56.	0.7	21
4	The ecofunctional quality index (EQI): a new tool for assessing lagoonal ecosystem impairment. Estuarine, Coastal and Shelf Science, 2003, 56, 709-716.	2.1	59
5	The application of a Marine Biotic Index to different impact sources affecting soft-bottom benthic communities along European coasts. Marine Pollution Bulletin, 2003, 46, 835-845.	5.0	313
6	Patterns in benthic populations in the Milford Haven waterway following the â€Sea Empressâ€™ oil spill with special reference to amphipods. Marine Pollution Bulletin, 2003, 46, 1125-1141.	5.0	47
7	A Functional Analysis of the Benthic Macrofauna of the Sao Sebastiao Channel (Southeastern Brazil). Marine Ecology, 2004, 25, 249-263.	1.1	31
8	Effects of industrial and urban pollution on the benthic macrofauna in the Bay of Muggia (industrial) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 3	8.0	68
9	Bentix Index vs. Biotic Index in monitoring: an answer to. Marine Pollution Bulletin, 2004, 48, 403-404.	5.0	32
10	The biotic indices and the Water Framework Directive: the required consensus in the new benthic monitoring tools. Marine Pollution Bulletin, 2004, 48, 405-408.	5.0	110
11	Implementation of the European water framework directive from the Basque country (northern) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	5.0	330
12	Marine quality assessment by use of benthic species-abundance distributions: a proposed new protocol within the European Union Water Framework Directive. Marine Pollution Bulletin, 2004, 49, 728-739.	5.0	378
13	Use of low-budget monitoring of macroalgae to implement the European Water Framework Directive. Journal of Applied Phycology, 2004, 16, 49-59.	2.8	77
14	Polychaete assemblages and sediment pollution in a harbour with two opposing entrances. Helgoland Marine Research, 2004, 58, 183-191.	1.3	34
15	A review of approaches for classifying benthic habitats and evaluating habitat quality. Journal of Environmental Management, 2004, 73, 165-181.	7.8	473
16	Quality assessment of transitional waters using a benthic biotic index: the case study of the Pialassa Baiona (northern Adriatic Sea). Aquatic Conservation: Marine and Freshwater Ecosystems, 2004, 14, S31-S41.	2.0	31
17	Chemical and ecotoxicological guidelines for managing disposal of dredged material. TrAC - Trends in Analytical Chemistry, 2004, 23, 819-828.	11.4	98
18	Marine environmental quality: a Canadian history and options for the future. Ocean and Coastal Management, 2004, 47, 243-256.	4.4	11

#	ARTICLE	IF	CITATIONS
19	Evaluation of the applicability of a marine biotic index to characterize the status of estuarine ecosystems: the case of Mondego estuary (Portugal). <i>Ecological Indicators</i> , 2004, 4, 215-225.	6.3	109
20	Microbiological quality. Elsevier Oceanography Series, 2004, 70, 253-270.	0.1	2
21	Contaminants in sediments. Elsevier Oceanography Series, 2004, 70, 283-315.	0.1	18
22	Recovery of benthic communities in polluted systems. Elsevier Oceanography Series, 2004, 70, 549-578.	0.1	14
23	Overall assessment - human impacts and quality status. Elsevier Oceanography Series, 2004, 70, 581-597.	0.1	7
24	Expertise in coastal zone environmental impact assessments. <i>Marine Pollution Bulletin</i> , 2005, 50, 107-110.	5.0	34
25	Establishing the ecological quality status of soft-bottom mining-impacted coastal water bodies in the scope of the Water Framework Directive. <i>Marine Pollution Bulletin</i> , 2005, 50, 374-387.	5.0	81
26	Testing the applicability of a Marine Biotic Index (AMBI) to assessing the ecological quality of soft-bottom benthic communities, in the South America Atlantic region. <i>Marine Pollution Bulletin</i> , 2005, 50, 624-637.	5.0	131
27	Guidelines for the use of AMBI (AZTI's Marine Biotic Index) in the assessment of the benthic ecological quality. <i>Marine Pollution Bulletin</i> , 2005, 50, 787-789.	5.0	234
28	Seasonal variability of benthic indices: An approach to test the applicability of different indices for ecosystem quality assessment. <i>Marine Pollution Bulletin</i> , 2005, 50, 1490-1499.	5.0	150
29	Assessing reference conditions and physico-chemical status according to the European Water Framework Directive: A case-study from the Basque Country (Northern Spain). <i>Marine Pollution Bulletin</i> , 2005, 50, 1508-1522.	5.0	155
30	Use of the aquatic protozoa to formulate a community biotic index for an urban water system. <i>Science of the Total Environment</i> , 2005, 346, 99-111.	8.0	28
31	Detecting Anthropogenic Stress in an Ecosystem: 3. Mesoscale Variability and Biotic Indices. <i>Environmental Forensics</i> , 2005, 6, 371-384.	2.6	8
32	Determination of metal and organometal trophic bioaccumulation in the benthic macrofauna of the Adour estuary coastal zone (SW France, Bay of Biscay). <i>Journal of Environmental Monitoring</i> , 2005, 7, 693.	2.1	26
33	ASSESSING AND MONITORING ECOLOGICAL COMMUNITY HEALTH IN MARINE SYSTEMS. , 2005, 15, 942-953.		80
34	Impact of the Aegean Sea oil spill on the subtidal fine sand macrobenthic community of the Ares-Betanzos Ría (Northwest Spain). <i>Marine Environmental Research</i> , 2005, 60, 289-316.	2.5	67
35	Benthic biotope index for classifying habitats in the sado estuary: Portugal. <i>Marine Environmental Research</i> , 2005, 60, 570-593.	2.5	27
37	The European water framework directive: A challenge for nearshore, coastal and continental shelf research. <i>Continental Shelf Research</i> , 2005, 25, 1768-1783.	1.8	211

#	ARTICLE	IF	CITATIONS
38	The suitability of the marine biotic index (AMBI) to new impact sources along European coasts. Ecological Indicators, 2005, 5, 19-31.	6.3	228
39	Monitoring transitional waters using reduced benthic assemblages. Environment International, 2005, 31, 1089-1093.	10.0	0
40	Seasonal and spatial patterns of distribution of subtidal benthic invertebrate communities in the Mondego River, Portugal – a poikilohaline estuary. , 2006, , 59-74.		11
41	Structure and dynamics of a benthic invertebrate community in an intertidal area of the tagus estuary, western portugal: a six year data series. , 2006, , 115-128.		8
42	Effects of mussel farming on macrobenthic community structure in Southeastern Brazil. Aquaculture, 2006, 258, 655-663.	3.5	41
43	Review of recent carrying capacity models for bivalve culture and recommendations for research and management. Aquaculture, 2006, 261, 451-462.	3.5	226
44	Methods for describing ecological functioning of marine benthic assemblages using biological traits analysis (BTA). Ecological Indicators, 2006, 6, 609-622.	6.3	265
45	Development of a new biotic index to assess freshwater pollution. Environmental Pollution, 2006, 139, 306-317.	7.5	34
46	Benthic recovery during open sea fish farming abatement in Western Mediterranean, Spain. Marine Environmental Research, 2006, 62, 374-387.	2.5	45
47	Role of benthic indicators in regulating human activities at sea. Environmental Science and Policy, 2006, 9, 496-508.	4.9	21
48	User-friendly guide for using benthic ecological indicators in coastal and marine quality assessment. Ocean and Coastal Management, 2006, 49, 308-331.	4.4	140
49	Structure and Dynamics of a Benthic Invertebrate Community in an Intertidal Area of the Tagus Estuary, Western Portugal: A Six Year Data Series. Hydrobiologia, 2006, 555, 115-128.	2.0	41
50	Seasonal and Spatial Patterns of Distribution of Subtidal Benthic Invertebrate Communities in the Mondego River, Portugal – A Poikilohaline Estuary. Hydrobiologia, 2006, 555, 59-74.	2.0	64
51	The European Water Framework Directive and the DPSIR, a methodological approach to assess the risk of failing to achieve good ecological status. Estuarine, Coastal and Shelf Science, 2006, 66, 84-96.	2.1	329
52	A fuzzy logic model to recognise ecological sectors in the lagoon of Venice based on the benthic community. Ecological Modelling, 2006, 193, 105-118.	2.5	25
53	Characterization of the ecological quality of the coastal Gulf of Lions (NW Mediterranean). A comparative approach based on three biotic indices. Marine Pollution Bulletin, 2006, 52, 34-47.	5.0	122
54	Are taxonomic distinctness measures compliant to other ecological indicators in assessing ecological status?. Marine Pollution Bulletin, 2006, 52, 162-174.	5.0	27
55	Effects of industrial outfalls on tropical macrobenthic sediment communities in Reunion Island (Southwest Indian Ocean). Marine Pollution Bulletin, 2006, 52, 865-880.	5.0	39

#	ARTICLE	IF	CITATIONS
56	Ecological quality status of coastal benthic ecosystems in the Sea of Marmara. Marine Pollution Bulletin, 2006, 52, 790-799.	5.0	43
57	The use of the marine biotic index AMBI in the assessment of the ecological status of the Alentejo lagoon (Portugal). Marine Pollution Bulletin, 2006, 52, 1414-1424.	5.0	88
58	Are Taxonomic Distinctness measures compliant to other ecological indicators in assessing ecological status?. Marine Pollution Bulletin, 2006, 52, 817-829.	5.0	35
59	Distribution patterns of macrobenthic species in relation to organic enrichment within aquaculture earthen ponds. Marine Pollution Bulletin, 2006, 52, 1573-1584.	5.0	36
60	The derivation, performance and role of univariate and multivariate indicators of benthic change: Case studies at differing spatial scales. Journal of Experimental Marine Biology and Ecology, 2006, 330, 368-382.	1.5	132
61	Matching biological traits to environmental conditions in marine benthic ecosystems. Journal of Marine Systems, 2006, 60, 302-316.	2.1	170
62	Alternatives to taxonomic-based approaches to assess changes in transitional water communities. Aquatic Conservation: Marine and Freshwater Ecosystems, 2006, 16, 469-482.	2.0	160
63	Indicadores sint�ticos de calidad ambiental: un modelo general para grandes zonas urbanas. Eure, 2006, 32, 73.	0.3	35
64	Rapid Quality Index (R-MaQI), based mainly on macrophyte associations, to assess the ecological status of Mediterranean transitional environments. Chemistry and Ecology, 2007, 23, 493-503.	1.6	46
65	Daphne: a new multimetric benthic index for the quality assessment of marine coastal environment in the Northern Adriatic Sea. Chemistry and Ecology, 2007, 23, 427-442.	1.6	10
66	Benthos Sediment Quality Assessments. Sustainable Management of Sediment Resources, 2007, , 215-261.	0.5	2
67	Spatial variability and dynamics of macrobenthos in a Mediterranean delta front area: The role of physical processes. Journal of Sea Research, 2007, 57, 47-64.	1.6	27
68	Comparison between some procedures for monitoring offshore cage culture in western Mediterranean Sea: Sampling methods and impact indicators in soft substrata. Aquaculture, 2007, 271, 357-370.	3.5	46
69	The use of a biotic index (Bentix) in assessing long-term effects of dumping coarse metalliferous waste on soft bottom benthic communities. Ecological Indicators, 2007, 7, 164-180.	6.3	47
70	Quantifying disturbances in benthic communities��comparison of the community disturbance index (CDI) to other multivariate methods. Ecological Indicators, 2007, 7, 254-276.	6.3	18
71	A comparative approach of assessing ecological status in two coastal areas of Eastern Mediterranean. Ecological Indicators, 2007, 7, 455-468.	6.3	57
72	Distribution of polycyclic aromatic hydrocarbons (PAHs) and tributyltin (TBT) in Barcelona harbour sediments and their impact on benthic communities. Environmental Pollution, 2007, 149, 104-113.	7.5	97
73	Evaluation of the applicability of a fuzzy index of ecosystem integrity (FINE) to characterize the status of Tyrrhenian lagoons. Marine Environmental Research, 2007, 64, 629-638.	2.5	25

#	ARTICLE	IF	CITATIONS
75	Zoobenthos as Indicators of Ecological Status in Coastal Brackish Waters: A Comparative Study from the Baltic Sea. <i>Ambio</i> , 2007, 36, 250-256.	5.5	43
76	Response of a Fuzzy INdex of Ecosystem integrity (FINE) to water and sedimentary chemical data in two northern Adriatic lagoons. <i>Chemistry and Ecology</i> , 2007, 23, 443-454.	1.6	5
77	TWIN: a TWo-stage INdex to evaluate ecological quality status in lagoon environments by means of hard bottom zoobenthos. <i>Chemistry and Ecology</i> , 2007, 23, 455-469.	1.6	3
78	Effect Directed Analysis and Toxicity Identification Evaluation. Sustainable Management of Sediment Resources, 2007, , 163-214.	0.5	2
79	Environmental impact of capture-based bluefin tuna aquaculture on benthic communities in the western Mediterranean. <i>Aquaculture Research</i> , 2007, 38, 331-339.	1.8	34
80	Effects of fish farming on nutrients and benthic community structure in the Eastern Aegean (Turkey). <i>Aquaculture Research</i> , 2007, 38, 256-267.	1.8	58
81	The ecological quality status of the Bay of Seine and the Seine estuary: Use of biotic indices. <i>Marine Pollution Bulletin</i> , 2007, 55, 241-257.	5.0	143
82	Using historical data, expert judgement and multivariate analysis in assessing reference conditions and benthic ecological status, according to the European Water Framework Directive. <i>Marine Pollution Bulletin</i> , 2007, 55, 16-29.	5.0	554
83	The use of time-series data in the assessment of macrobenthic community change after the cessation of sewage-sludge disposal in Liverpool Bay (UK). <i>Marine Pollution Bulletin</i> , 2007, 54, 32-41.	5.0	14
84	Paradox of estuarine quality: Benthic indicators and indices, consensus or debate for the future. <i>Marine Pollution Bulletin</i> , 2007, 55, 271-281.	5.0	279
85	An approach to the intercalibration of benthic ecological status assessment in the North Atlantic ecoregion, according to the European Water Framework Directive. <i>Marine Pollution Bulletin</i> , 2007, 55, 42-52.	5.0	238
86	Benthic biodiversity indices versus salinity gradient in the southern Baltic Sea. <i>Marine Pollution Bulletin</i> , 2007, 55, 258-270.	5.0	139
87	Defining and detecting undesirable disturbance in the context of marine eutrophication. <i>Marine Pollution Bulletin</i> , 2007, 55, 282-297.	5.0	137
88	A multivariate index based on the seagrass <i>Posidonia oceanica</i> (POMI) to assess ecological status of coastal waters under the water framework directive (WFD). <i>Marine Pollution Bulletin</i> , 2007, 55, 196-204.	5.0	153
89	A new methodology based on littoral community cartography dominated by macroalgae for the implementation of the European Water Framework Directive. <i>Marine Pollution Bulletin</i> , 2007, 55, 172-180.	5.0	268
90	Polychaete/amphipod ratio revisited. <i>Marine Pollution Bulletin</i> , 2007, 55, 215-224.	5.0	242
91	The Estuarine Quality Paradox, Environmental Homeostasis and the difficulty of detecting anthropogenic stress in naturally stressed areas. <i>Marine Pollution Bulletin</i> , 2007, 54, 640-645.	5.0	732
92	Influence of seasonal variability in benthic invertebrate community structure on the use of biotic indices to assess the ecological status of a Portuguese estuary. <i>Marine Pollution Bulletin</i> , 2007, 54, 1586-1597.	5.0	92

#	ARTICLE	IF	CITATIONS
93	Application of biotic indices and relationship with structural and functional features of macrobenthic community in the lagoon of Venice: an example over a long time series of data. Marine Pollution Bulletin, 2007, 54, 1607-1618.	5.0	43
94	Performance comparison of two biotic indices measuring the ecological status of water bodies in the Southern Baltic and Gulf of Lions. Marine Pollution Bulletin, 2007, 54, 1598-1606.	5.0	36
95	Benthic indicators: Analysis of the threshold values of ecological quality classifications for transitional waters. Marine Pollution Bulletin, 2007, 54, 1707-1714.	5.0	55
96	Minimal sampling requirements for a precise assessment of soft-bottom macrobenthic communities, using AMBI. Journal of Experimental Marine Biology and Ecology, 2007, 349, 323-333.	1.5	23
97	Monitoring of coastal and transitional waters under the E.U. Water Framework Directive. Environmental Monitoring and Assessment, 2007, 135, 195-216.	2.7	90
98	Index of size distribution (ISD): a method of quality assessment for coastal lagoons. Hydrobiologia, 2007, 577, 141-149.	2.0	53
99	Biodiversity and distribution of polychaetes and molluscs along the Dese estuary (Lagoon of Venice, Italy). Estuarine, Coastal and Shelf Science, 2007, 70, 107-114.	2.0	24
100	Taxonomic sufficiency as a useful tool for typology in a poikilohaline estuary. Hydrobiologia, 2007, 587, 63-78.	2.0	22
101	Applicability of ecological evaluation tools in estuarine ecosystems: the case of the lower Mondego estuary (Portugal). Hydrobiologia, 2007, 587, 101-112.	2.0	27
102	Impacts of Pollution from Different Sources on Ecological Quality of a Multiple-use Coast. Water, Air, and Soil Pollution, 2008, 193, 25-35.	2.4	3
103	Ecological quality boundary-setting procedures: the Gulf of Riga case study. Environmental Monitoring and Assessment, 2008, 138, 313-326.	2.7	6
104	Subtidal macrozoobenthic assemblages along the River Minho estuarine gradient (north-west Iberian Peninsula). Estuarine, Coastal and Shelf Science, 2008, 79, 107-114.	2.0	81
105	Influence of halophytes and metal contamination on salt marsh macro-benthic communities. Estuarine, Coastal and Shelf Science, 2008, 76, 715-722.	2.1	21
106	Macrofaunal density, biomass and composition of estuarine sediments and their relationship to the river plume of the Rhone River (NW Mediterranean). Estuarine, Coastal and Shelf Science, 2008, 79, 367-376.	2.1	41
107	Ecological indices tracking distinct impacts along disturbance-recovery gradients in a temperate NE Atlantic Estuary – Guidance on reference values. Estuarine, Coastal and Shelf Science, 2008, 80, 130-140.	2.1	41
108	Ecological quality of some Tunisian coast and lagoon locations, by using benthic community parameters and biotic indices. Estuarine, Coastal and Shelf Science, 2008, 80, 269-280.	2.1	102
109	Geochemical and microfaunal proxies to assess environmental quality conditions during the recovery process of a heavily polluted estuary: The Bilbao estuary case (N. Spain). Science of the Total Environment, 2008, 396, 12-27.	8.0	62
110	The performance of benthic indicators of ecological change in Adriatic coastal lagoons: Throwing the baby with the water?. Marine Pollution Bulletin, 2008, 56, 95-105.	5.0	59

#	ARTICLE	IF	CITATIONS
111	An intercalibration of classification metrics of benthic macroinvertebrates in coastal and transitional ecosystems of the Eastern Mediterranean ecoregion (Greece). Marine Pollution Bulletin, 2008, 56, 116-126.	5.0	76
112	A report card and quality indicators for the Seine estuary: From scientific approach to operational tool. Marine Pollution Bulletin, 2008, 57, 187-201.	5.0	28
113	Spatio-temporal changes of marine macrobenthic community in sub-tropical waters upon recovery from eutrophication. II. Life-history traits and feeding guilds of polychaete community. Marine Pollution Bulletin, 2008, 56, 297-307.	5.0	41
114	BITS: A SMART indicator for soft-bottom, non-tidal lagoons. Marine Pollution Bulletin, 2008, 56, 587-599.	5.0	56
115	Using M-AMBI in assessing benthic quality within the Water Framework Directive: Some remarks and recommendations. Marine Pollution Bulletin, 2008, 56, 1377-1379.	5.0	41
116	Distribution and ecological relevance of fine sediments in organic-enriched lagoons: The case study of the Cabras lagoon (Sardinia, Italy). Marine Pollution Bulletin, 2008, 56, 549-564.	5.0	69
117	Assessment of the ecological quality status of soft-bottoms in Reunion Island (tropical Southwest) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	5.0	63
118	Use of multimetric indices to classify estuaries with different hydromorphological characteristics and different levels of human pressure. Marine Pollution Bulletin, 2008, 56, 1128-1137.	5.0	50
119	Functions and ecological status of eight Italian lagoons examined using biological traits analysis (BTA). Marine Pollution Bulletin, 2008, 56, 1076-1085.	5.0	75
120	Evaluating ecological quality in the north-eastern Black Sea coastal zone. Marine Pollution Bulletin, 2008, 57, 202-207.	5.0	13
121	Effects of offshore platforms on soft-bottom macro-benthic assemblages: A case study in a Mediterranean gas field. Marine Pollution Bulletin, 2008, 56, 1303-1309.	5.0	56
122	Ecological status assessment in the lower Eo estuary (Spain). The challenge of habitat heterogeneity integration: A benthic perspective. Marine Pollution Bulletin, 2008, 56, 1275-1283.	5.0	40
123	Threshold response of benthic macrofauna integrity to metal contamination in West Greenland. Marine Pollution Bulletin, 2008, 56, 1265-1274.	5.0	67
124	Overview of integrative tools and methods in assessing ecological integrity in estuarine and coastal systems worldwide. Marine Pollution Bulletin, 2008, 56, 1519-1537.	5.0	425
125	Efficacy of adapted estuarine fish-based multimetric indices as tools for evaluating ecological status of the marine environment. Marine Pollution Bulletin, 2008, 56, 1696-1713.	5.0	24
126	Influence of oyster culture practices and environmental conditions on the ecological status of intertidal mudflats in the Pertuis Charentais (SW France): A multi-index approach. Marine Pollution Bulletin, 2008, 56, 1898-1912.	5.0	60
127	Is it possible to assess the ecological status of highly stressed natural estuarine environments using macroinvertebrates indices?. Marine Pollution Bulletin, 2008, 56, 1880-1889.	5.0	53
128	Assessing estuarine environmental quality using fish-based indices: Performance evaluation under climatic instability. Marine Pollution Bulletin, 2008, 56, 1834-1843.	5.0	47

#	ARTICLE	IF	CITATIONS
129	Assessment of ecosystem function following marine aggregate dredging. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 366, 82-91.	1.5	66
130	Assessment of environmental stress with a biological index based on opportunistic species. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 366, 169-174.	1.5	29
131	Testing biotic indices for marine zoobenthos quality assessment in the Polish sector of the Baltic Sea. <i>Journal of Marine Systems</i> , 2008, 74, S124-S132.	2.1	10
133	Response of intertidal macrobenthic communities to long term human induced changes in the Eo estuary (Asturias, Spain): Implications for environmental management. <i>Marine Environmental Research</i> , 2008, 66, 288-299.	2.5	31
134	Evaluation of indicators used to detect mussel farm influence on the benthos: Two case studies in the Magdalen Islands, Eastern Canada. <i>Aquaculture</i> , 2008, 278, 77-88.	3.5	79
135	A benthic perspective in assessing the ecological status of estuaries: The case of the Mondego estuary (Portugal). <i>Ecological Indicators</i> , 2008, 8, 404-416.	6.3	74
136	The level of agreement among experts applying best professional judgment to assess the condition of benthic infaunal communities. <i>Ecological Indicators</i> , 2008, 8, 389-394.	6.3	70
137	Ecological assessment of soft bottom benthic communities in northern Spanish estuaries. <i>Ecological Indicators</i> , 2008, 8, 373-388.	6.3	44
138	Use of biotic indices in semi-enclosed coastal ecosystems and transitional waters habitatsâ€”Implications for the implementation of the European Water Framework Directive. <i>Ecological Indicators</i> , 2008, 8, 360-372.	6.3	169
139	Signals from the benthos: Development and evaluation of a benthic index for the nearshore Gulf of Maine. <i>Ecological Indicators</i> , 2008, 8, 338-350.	6.3	43
140	Assessing estuarine benthic quality conditions in Chesapeake Bay: A comparison of three indices. <i>Ecological Indicators</i> , 2008, 8, 395-403.	6.3	145
141	Assessing the environmental quality status in estuarine and coastal systems: Comparing methodologies and indices. <i>Ecological Indicators</i> , 2008, 8, 331-337.	6.3	287
142	Wastewater treatment plants (WWTPs) as a source of sediment contamination by toxic organic pollutants and fecal sterols in a semi-enclosed bay in Korea. <i>Chemosphere</i> , 2008, 73, 880-889.	8.2	85
143	Habitat suitability modelling as a mapping tool for macrobenthic communities: An example from the Belgian part of the North Sea. <i>Continental Shelf Research</i> , 2008, 28, 369-379.	1.8	114
144	Quality assessment of Mediterranean and Black Sea transitional waters: comparing responses of benthic biotic indices. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2008, 18, S62-S75.	2.0	33
145	Investigative monitoring within the European Water Framework Directive: a coastal blast furnace slag disposal, as an example. <i>Journal of Environmental Monitoring</i> , 2008, 10, 453.	2.1	42
146	Average functional distinctness as a measure of the composition of assemblages. <i>ICES Journal of Marine Science</i> , 2008, 65, 1462-1468.	2.5	92
147	Spatio-temporal variability of zoobenthic communities in a tectonic lagoon (Lake Vouliagmeni, Attika,) TJ ETQq1 1 0.784314 ggBT /Overl	0.8	

#	ARTICLE	IF	CITATION
148	Organism responses to habitat fragmentation in two shallow-water brackish environments: the Goro Lagoon (Adriatic Sea) and the Padrongiano Delta (Tyrrhenian Sea). Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 1309-1317.	0.8	5
149	Coastal Lagoons in the Context of Water Management in Spain and Europe. NATO Security Through Science Series C: Environmental Security, 2008, , 299-321.	0.1	6
150	Seasonal Trends of Soft Bottom Crustaceans of Izmir Bay (Aegean Sea). Crustaceana, 2008, 81, 781-795.	0.3	5
151	Development of a multistep indicator-based approach (MIBA) for the assessment of environmental quality of harbours. ICES Journal of Marine Science, 2008, 65, 1436-1441.	2.5	37
152	Water Framework Directive: Defining the Ecological Quality Status in Transitional and Coastal Waters. NATO Security Through Science Series C: Environmental Security, 2008, , 323-335.	0.1	6
153	The use of meiofauna diversity as an indicator of pollution in harbours. ICES Journal of Marine Science, 2008, 65, 1428-1435.	2.5	71
154	Trophic organization of the macro-zoobenthic assemblages within coastal areas subjected to anthropogenic activities. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 663-674.	0.8	25
155	Using Past Experience to Optimize Environmental Monitoring in the North Sea. , 2008, , .		1
156	Polychaetes/Amphipode Index. , 2008, , 2868-2872.		0
157	<p class="HeadingRunIn">Redescription of Capitella capitata (Fabricius) from West Greenland and designation of a neotype (Polychaeta,) Tj ETQq1 1 0.784314 rgBT /Overlock 103f 50 333 Td (C		
158	Assessment of the ecological status of coastal areas and estuaries in France, using multiple fish-based indicators: a comparative analysis on the Vilaine estuary. Aquatic Living Resources, 2009, 22, 559-572.	1.2	11
159	The European lancelet<i>Branchiostoma lanceolatum</i> (Pallas) as an indicator of environmental quality of Tuscan Archipelago (Western Mediterranean Sea). Chemistry and Ecology, 2009, 25, 61-69.	1.6	16
160	An adjustment of benthic ecological quality assessment to effects of salinity. Marine Pollution Bulletin, 2009, 58, 351-357.	5.0	24
161	Testing BOPA index in sewage affected soft-bottom communities in the north-western Mediterranean. Marine Pollution Bulletin, 2009, 58, 332-340.	5.0	40
162	Assessing ecological integrity in marine waters, using multiple indices and ecosystem components: Challenges for the future. Marine Pollution Bulletin, 2009, 59, 1-4.	5.0	134
163	Calibration and evaluation of five indicators of benthic community condition in two California bay and estuary habitats. Marine Pollution Bulletin, 2009, 59, 5-13.	5.0	45
164	The estuarine quality paradox: Is it possible to define an ecological quality status for specific modified and naturally stressed estuarine ecosystems?. Marine Pollution Bulletin, 2009, 59, 38-47.	5.0	174
165	Using multiple ecosystem components, in assessing ecological status in Spanish (Basque Country) Atlantic marine waters. Marine Pollution Bulletin, 2009, 59, 54-64.	5.0	107

#	ARTICLE	IF	CITATIONS
166	Evaluation of the health status of a coastal ecosystem in southeast Mexico: Assessment of water quality, phytoplankton and submerged aquatic vegetation. <i>Marine Pollution Bulletin</i> , 2009, 59, 72-86.	5.0	124
167	Development and evaluation of a spatially-explicit index of Chesapeake Bay health. <i>Marine Pollution Bulletin</i> , 2009, 59, 14-25.	5.0	69
168	Effects of mariculture on macrobenthic assemblages in a western mediterranean site. <i>Marine Pollution Bulletin</i> , 2009, 58, 533-541.	5.0	61
169	Medium-term assessment of the effects of the Prestige oil spill on estuarine benthic communities in Cantabria (Northern Spain, Bay of Biscay). <i>Marine Pollution Bulletin</i> , 2009, 58, 487-495.	5.0	19
170	Theoretical and practical aspects on benthic quality assessment according to the EU-Water Framework Directive “ Examples from Swedish waters. <i>Marine Pollution Bulletin</i> , 2009, 58, 1286-1296.	5.0	55
171	Assessment of marine benthic quality change in gradients of disturbance: Comparison of different Scandinavian multi-metric indices. <i>Marine Pollution Bulletin</i> , 2009, 58, 1263-1277.	5.0	58
172	Responses of benthic macrofauna and biogeochemical fluxes to various levels of mussel biodeposition: An in situ “benthocosm” experiment. <i>Marine Pollution Bulletin</i> , 2009, 58, 1544-1553.	5.0	69
173	Quality assessment of benthic macroinvertebrates under the scope of WFD using BAT, the Benthic Assessment Tool. <i>Marine Pollution Bulletin</i> , 2009, 58, 1477-1486.	5.0	66
174	Development of a multimetric approach to assess perturbation of benthic macrofauna in <i>Zostera noltii</i> beds. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 368, 101-112.	1.5	42
175	Description and sensitivity analysis for the LESV model: Water quality variables and the balance of organisms in a fjordic region of restricted exchange. <i>Ecological Modelling</i> , 2009, 220, 2187-2205.	2.5	12
176	Polychaetes and oligochaetes associated with intertidal rocky shores in a semi-enclosed industrial and urban embayment, with the description of two new species. <i>Helgoland Marine Research</i> , 2009, 63, 293-308.	1.3	11
177	Validation of the Macrophyte Quality Index (MaQI) set up to assess the ecological status of Italian marine transitional environments. <i>Hydrobiologia</i> , 2009, 617, 117-141.	2.0	76
178	Application of an angiosperm-based classification system (BiPo) to Mediterranean coastal waters: using spatial analysis and data on metal contamination of plants in identifying sources of pressure. <i>Hydrobiologia</i> , 2009, 633, 169-179.	2.0	20
179	Current status of macroinvertebrate methods used for assessing the quality of European marine waters: implementing the Water Framework Directive. <i>Hydrobiologia</i> , 2009, 633, 181-196.	2.0	148
180	Developing a scuba trail vulnerability index (STVI): a case study from a Mediterranean MPA. <i>Biodiversity and Conservation</i> , 2009, 18, 1201-1217.	2.6	18
181	Changes of Heavy Metal and PCB Contents in Surficial Sediments of the Barcelona Harbour after the Opening of a New Entrance. <i>Water, Air, and Soil Pollution</i> , 2009, 204, 271-284.	2.4	13
182	Paradigmatic responses of marine benthic communities to different anthropogenic pressures, using M-AMBI, within the European Water Framework Directive. <i>Marine Ecology</i> , 2009, 30, 214-227.	1.1	94
183	Benthic indicators and index approaches in the three main estuaries along the French Atlantic coast (Seine, Loire and Gironde). <i>Marine Ecology</i> , 2009, 30, 228-240.	1.1	22

#	ARTICLE	IF	CITATIONS
184	Assessing the ecological status of the North-western Adriatic Sea within the European Water Framework Directive: a comparison of Bentix, AMBI and M-AMBI methods. <i>Marine Ecology</i> , 2009, 30, 241-254.	1.1	28
185	Response of BITS (a benthic index based on taxonomic sufficiency) to water and sedimentary variables and comparison with other indices in three Adriatic lagoons. <i>Marine Ecology</i> , 2009, 30, 255-268.	1.1	24
186	The Mediterranean intercalibration exercise on soft-bottom benthic invertebrates with special emphasis on the Italian situation. <i>Marine Ecology</i> , 2009, 30, 495-504.	1.1	24
187	Effects of dredged material disposal on benthic macrofauna near Itajaí-Harbour (Santa Catarina, Brazil). <i>Estuaries and Coasts</i> , 2009, 32, 1073-1083.	3.6	18
188	Modeling bio-geomorphological influences for offshore sandwaves. <i>Continental Shelf Research</i> , 2009, 29, 1289-1301.	1.8	37
189	Integrated sediment quality assessment in Paranaguá Estuarine System, Southern Brazil. <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 1824-1831.	6.0	65
190	Review and evaluation of estuarine biotic indices to assess benthic condition. <i>Ecological Indicators</i> , 2009, 9, 1-25.	6.3	243
191	Benthic indices and ecological quality of shallow Algeria fine sand community. <i>Ecological Indicators</i> , 2009, 9, 395-408.	6.3	41
192	Application of biotic and taxonomic distinctness indices in assessing the Ecological Quality Status of two coastal lakes: Caprolace and Fogliano lakes (Central Italy). <i>Ecological Indicators</i> , 2009, 9, 568-583.	6.3	58
193	Performance of selected indicators in evaluating the consequences of dredged material relocation and marine aggregate extraction. <i>Ecological Indicators</i> , 2009, 9, 704-718.	6.3	20
194	An angiosperm quality index (AQI) for Cantabrian estuaries. <i>Ecological Indicators</i> , 2009, 9, 856-865.	6.3	14
195	Feeding diversity in macroinvertebrate communities: A contribution to estimate the ecological status in shallow waters. <i>Ecological Indicators</i> , 2009, 9, 1009-1019.	6.3	47
196	A multicriteria-based methodology for site prioritisation in sediment management. <i>Environment International</i> , 2009, 35, 920-930.	10.0	53
197	Modelling the spatial distribution of plaice (<i>Pleuronectes platessa</i>), sole (<i>Solea solea</i>) and thornback ray (<i>Raja clavata</i>) in UK waters for marine management and planning. <i>Journal of Sea Research</i> , 2009, 61, 258-267.	1.6	82
198	The robustness of ecological indicators to detect long-term changes in the macrobenthos of estuarine systems. <i>Marine Environmental Research</i> , 2009, 68, 25-36.	2.5	78
199	Shellfish-DEPOMOD: Modelling the biodeposition from suspended shellfish aquaculture and assessing benthic effects. <i>Aquaculture</i> , 2009, 288, 239-253.	3.5	110
200	Assessing the suitability of a range of benthic indices in the evaluation of environmental impact of fin and shellfish aquaculture located in sites across Europe. <i>Aquaculture</i> , 2009, 293, 231-240.	3.5	158
201	The benthic impacts of a large cod farm – Are there indicators for environmental sustainability?. <i>Aquaculture</i> , 2009, 295, 226-237.	3.5	15

#	ARTICLE	IF	CITATIONS
202	Structure of benthic macroinvertebrates and dynamics in the northern lagoon of Tunis. Journal of the Marine Biological Association of the United Kingdom, 2009, 89, 1305-1318.	0.8	6
204	Seasonal and Spatial Variability of the Community and Trophic Structure of the Benthic Macrofauna within Tunisian Lagoonal and Marine Coastal Areas (Southwestern Mediterranean). Journal of Coastal Research, 2009, 256, 1198-1209.	0.3	15
205	Do Toxicity Identification and Evaluation Laboratory-Based Methods Reflect Causes of Field Impairment?. Environmental Science & Technology, 2009, 43, 6857-6863.	10.0	9
206	Macrofaunal community responses to marina-related pollution on the south coast of England and west coast of France. Journal of the Marine Biological Association of the United Kingdom, 2009, 89, 19-29.	0.8	19
207	Empirical relationships describing benthic impacts of salmon aquaculture. Aquaculture Environment Interactions, 2010, 1, 33-46.	1.8	84
208	The genus <i>Boccardia</i> (Polychaeta: Spionidae) associated with mollusc shells on the south coast of South Africa. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 585-598.	0.8	38
209	A seasonal stable isotope survey of the food web associated to a peri-urban rocky shore. Marine Biology, 2010, 157, 283-294.	1.5	26
210	The Decline and Restoration of a Coastal Lagoon (Lake Veere) in the Dutch Delta. Estuaries and Coasts, 2010, 33, 1261-1278.	2.2	14
211	Long-Term Trends in Intertidal and Subtidal Benthic Communities in Response to Water Quality Improvement Measures. Estuaries and Coasts, 2010, 33, 1314-1326.	2.2	19
212	The Response of Estuarine Macrobenthic Communities to Natural- and Human-Induced Changes: Dynamics and Ecological Quality. Estuaries and Coasts, 2010, 33, 1327-1339.	2.2	60
213	Medium- and Long-term Recovery of Estuarine and Coastal Ecosystems: Patterns, Rates and Restoration Effectiveness. Estuaries and Coasts, 2010, 33, 1249-1260.	2.2	342
214	Benthic habitat quality change as measured by macroinfauna community in a tidal flat on the west coast of Korea. Journal of Oceanography, 2010, 66, 307-317.	1.7	16
215	Environmental quality of Korean coasts as determined by modified Shannon-Wiener evenness proportion. Environmental Monitoring and Assessment, 2010, 170, 141-157.	2.7	20
216	Effects of sedimentation from water-based drill cuttings and natural sediment on benthic macrofaunal community structure and ecosystem processes. Journal of Experimental Marine Biology and Ecology, 2010, 383, 111-121.	1.5	72
217	Influence of macrofauna long-term natural variability on benthic indices used in ecological quality assessment. Marine Pollution Bulletin, 2010, 60, 58-68.	5.0	89
218	Assessing coastal benthic macrofauna community condition using best professional judgement – Developing consensus across North America and Europe. Marine Pollution Bulletin, 2010, 60, 589-600.	5.0	80
219	Exploring the marine biotic index (AMBI): variations on a theme by Ángel Borja. Marine Pollution Bulletin, 2010, 60, 554-559.	5.0	33
220	An insight into the performance of benthic classification indices tested in Eastern Mediterranean coastal waters. Marine Pollution Bulletin, 2010, 60, 701-709.	5.0	52

#	ARTICLE	IF	CITATIONS
221	Towards the application of the Water Framework Directive in Italy: Assessing the potential of benthic tools in Adriatic coastal transitional ecosystems. <i>Marine Pollution Bulletin</i> , 2010, 60, 1040-1050.	5.0	45
222	Ecological quality assessment of the lower Lima Estuary. <i>Marine Pollution Bulletin</i> , 2010, 61, 234-239.	5.0	23
223	Effective methods for assessing ecological quality in intertidal soft-sediment habitats. <i>Marine Pollution Bulletin</i> , 2010, 60, 1726-1733.	5.0	31
224	Assessment of the ecological status of transitional waters in Sicily (Italy): First characterisation and classification according to a multiparametric approach. <i>Marine Pollution Bulletin</i> , 2010, 60, 1682-1690.	5.0	30
225	Ecological Quality Status of the soft-bottom communities on the algerian coast: General patterns and diagnosis. <i>Marine Pollution Bulletin</i> , 2010, 60, 1969-1977.	5.0	27
226	The use of benthic indicators in Europe: From the Water Framework Directive to the Marine Strategy Framework Directive. <i>Marine Pollution Bulletin</i> , 2010, 60, 2187-2196.	5.0	159
227	Marine management – Towards an integrated implementation of the European Marine Strategy Framework and the Water Framework Directives. <i>Marine Pollution Bulletin</i> , 2010, 60, 2175-2186.	5.0	412
228	The use of biotopes in assessing the environmental quality of tidal estuaries in Europe. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 86, 317-321.	2.1	15
229	Fish under influence: A macroecological analysis of relations between fish species richness and environmental gradients among European tidal estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 86, 137-147.	2.1	77
230	Ecological classification of European transitional waters in the North-East Atlantic eco-region. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 87, 442-450.	2.1	36
231	Performance of some biotic indices in the real variable world: A case study at different spatial scales in North-Western Mediterranean Sea. <i>Environmental Pollution</i> , 2010, 158, 26-34.	7.5	34
232	Aquatic science and the water framework directive: a still open challenge towards ecogovernance of aquatic ecosystems. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 245-249.	2.0	20
233	Detecting ecological effects of pollutants in the aquatic environment. , 0, , 147-161.		1
234	Mesoscale effects of aquaculture installations on benthic and epibenthic communities in four Scottish sea lochs. <i>Aquatic Living Resources</i> , 2010, 23, 267-276.	1.2	4
235	Effects of marine cage aquaculture on macrofauna assemblages associated with <i>Posidonia oceanica</i> meadows. <i>Italian Journal of Zoology</i> , 2010, 77, 362-371.	0.6	11
236	Structure and diversity of polychaetous annelids population along the eastern coast of the Cap Bon Peninsula (north-east coast of Tunisia, western Mediterranean). <i>Marine Biodiversity Records</i> , 2010, 3, .	1.2	3
237	The ecological status of Karavasta Lagoon (Albania): Closing the stable door before the horse has bolted?. <i>Marine Environmental Research</i> , 2010, 69, 10-17.	2.5	16
238	Sensitivity of tanaid <i>Apseudes latreillei</i> (Milne-Edwards) populations to sewage pollution. <i>Marine Environmental Research</i> , 2010, 69, 309-317.	2.5	24

#	ARTICLE	IF	CITATIONS
239	Spatial redistribution of <i>Ditrupa arietina</i> (soft bottom Mediterranean epifauna) during a moderate swell event. <i>Continental Shelf Research</i> , 2010, 30, 239-251.	1.8	8
240	A method to identify estuarine macroinvertebrate pollution indicator species in the Virginian Biogeographic Province. <i>Ecological Indicators</i> , 2010, 10, 1037-1048.	6.3	36
241	The influence of mesh size in environmental quality assessment of estuarine macrobenthic communities. <i>Ecological Indicators</i> , 2010, 10, 1162-1173.	6.3	29
242	Biotic indices for assessing the status of coastal waters: a review of strengths and weaknesses. <i>Journal of Environmental Monitoring</i> , 2010, 12, 1013.	2.1	67
243	Distribution and structure of the upper sublittoral macrobenthic communities of Trã³ia sand beaches (Setãbal, Portugal) and their relationship with environmental factors. <i>Journal of Environmental Monitoring</i> , 2010, 12, 964.	2.1	7
244	Trade-off between conservation and exploitation of the transitional water ecosystems of the northern Adriatic Sea. <i>Chemistry and Ecology</i> , 2010, 26, 105-119.	1.6	26
245	A polychaete-dominated community in the NW Mediterranean Sea, 20 years after cessation of sewage discharges. <i>Italian Journal of Zoology</i> , 2011, 78, 333-346.	0.6	4
246	Biotic indexes reveal the impact of harbour enlargement on benthic fauna. <i>Chemistry and Ecology</i> , 2011, 27, 311-326.	1.6	21
248	Assessing benthic health in stressed subtropical estuaries, eastern Florida, USA using AMBI and M-AMBI. <i>Ecological Indicators</i> , 2011, 11, 295-303.	6.3	129
249	The use of nematodes in assessing ecological quality status in the Mediterranean coastal ecosystems. <i>Ecological Indicators</i> , 2011, 11, 328-336.	6.3	174
250	The seagrass <i>Posidonia oceanica</i> as indicator of coastal water quality: Experimental intercalibration of classification systems. <i>Ecological Indicators</i> , 2011, 11, 557-563.	6.3	52
251	Evaluating the influence of off-shore cage aquaculture on the benthic ecosystem in Alghero Bay (Sardinia, Italy) using AMBI and M-AMBI. <i>Ecological Indicators</i> , 2011, 11, 1112-1122.	6.3	53
252	Can biotic indices detect mild organic enrichment of the seafloor?. <i>Ecological Indicators</i> , 2011, 11, 1235-1244.	6.3	16
253	Coastal marine eutrophication assessment: A review on data analysis. <i>Environment International</i> , 2011, 37, 778-801.	10.0	135
254	Ecosystem health of Montevideo coastal zone: A multi approach using some different benthic indicators to improve a ten-year-ago assessment. <i>Journal of Sea Research</i> , 2011, 65, 38-50.	1.6	48
255	Differential response of benthic macrofauna to the formation of novel oyster reefs (<i>Crassostrea</i>) Tj ETQq1 1 0.784314 rgBT /Overlock <i>Sea Research</i> , 2011, 65, 84-93.	1.6	70
256	Macrofauna associated with an introduced oyster, <i>Pinctada radiata</i> : Spatial scale implications of community differences. <i>Journal of Sea Research</i> , 2011, 65, 161-169.	1.6	8
257	Classifying Ecological Quality and Integrity of Estuaries. , 2011, , 125-162.		30

#	ARTICLE	IF	CITATIONS
258	A general framework for indicator design and use with application to the assessment of coastal water quality and marine protected area management. <i>Ocean and Coastal Management</i> , 2011, 54, 84-92.	4.4	29
259	Low sensitiveness of taxonomic distinctness indices to human impacts: Evidences across marine benthic organisms and habitat types. <i>Ecological Indicators</i> , 2011, 11, 448-455.	6.3	39
260	The use of sediment profile imaging (SPI) for environmental impact assessments and monitoring studies. <i>Oceanography and Marine Biology</i> , 2011, , .	1.0	10
261	Zoobenthos as an environmental quality element: the ecological significance of sampling design and functional traits. <i>Marine Ecology</i> , 2011, 32, 58-71.	1.1	32
262	Relationship between sedimentation rates and benthic impact on Maërl beds derived from fish farming in the Mediterranean. <i>Marine Environmental Research</i> , 2011, 71, 22-30.	2.5	72
263	Ecological evaluation of an experimental beneficial use scheme for dredged sediment disposal in shallow tidal waters. <i>Marine Pollution Bulletin</i> , 2011, 62, 99-108.	5.0	22
264	Response of single benthic metrics and multi-metric methods to anthropogenic pressure gradients, in five distinct European coastal and transitional ecosystems. <i>Marine Pollution Bulletin</i> , 2011, 62, 499-513.	5.0	139
265	Implementation of the European Marine Strategy Framework Directive: A methodological approach for the assessment of environmental status, from the Basque Country (Bay of Biscay). <i>Marine Pollution Bulletin</i> , 2011, 62, 889-904.	5.0	140
266	Long-term trends in benthic habitat quality as determined by Multivariate AMBI and Infaunal Quality Index in relation to natural variability: A case study in Kinsale Harbour, south coast of Ireland. <i>Marine Pollution Bulletin</i> , 2011, 62, 1427-1436.	5.0	25
267	Critical appraisal on the identification of Reference Conditions for the evaluation of ecological quality status along the Emilia-Romagna coast (Italy) using M-AMBI. <i>Marine Pollution Bulletin</i> , 2011, 62, 1725-1735.	5.0	18
268	Can patterns in benthic communities be explained by an environmental pressure index?. <i>Marine Pollution Bulletin</i> , 2011, 62, 2181-2189.	5.0	11
269	Rapid macrofaunal colonization of water-based drill cuttings on different sediments. <i>Marine Pollution Bulletin</i> , 2011, 62, 2145-2156.	5.0	16
270	Polychaete/amphipod ratio as an indicator of environmental impact related to offshore oil and gas production along the Norwegian continental shelf. <i>Marine Pollution Bulletin</i> , 2011, 62, 2836-2844.	5.0	23
271	Effects of wild fish and motile epibenthic invertebrates on the benthos below an open water fish farm. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 91, 216-223.	2.1	7
272	Benthic biodiversity patterns in Ria de Aveiro, Western Portugal: Environmental-biological relationships. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 95, 338-348.	2.1	72
273	The leaf-bag and the sediment sample: Two sides of the same ecological quality story?. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 95, 326-337.	2.1	17
274	Seagrass colonization: Knock-on effects on zoobenthic community, populations and individual health. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 95, 458-469.	2.1	21
275	The impact of heavy metal pollution gradients in sediments on benthic macrofauna at population and community levels. <i>Environmental Pollution</i> , 2011, 159, 2622-2629.	7.5	86

#	ARTICLE	IF	CITATIONS
276	Response to oxygen deficiency (depletion): Bivalve assemblages as an indicator of ecosystem instability in the northern Adriatic Sea. <i>Biologia (Poland)</i> , 2011, 66, 1114-1126.	1.5	29
277	Associations between macrofauna and sediment hydrocarbons from treated ballast water effluent at a marine oil terminal in Port Valdez, Alaska. <i>Environmental Monitoring and Assessment</i> , 2011, 178, 461-476.	2.7	14
278	On the quantitative distribution and community structure of the meio and macrofaunal communities in the coastal area of the Central Adriatic Sea (Italy). <i>Environmental Monitoring and Assessment</i> , 2011, 180, 325-344.	2.7	40
279	Searching for undesirable disturbance: an application of the OSPAR eutrophication assessment method to marine waters of England and Wales. <i>Biogeochemistry</i> , 2011, 106, 157-175.	3.5	41
280	Coastal lagoons: “transitional ecosystems” between transitional and coastal waters. <i>Journal of Coastal Conservation</i> , 2011, 15, 369-392.	1.6	157
281	Development of benthic monitoring methods using photoquadrats and scuba on heterogeneous hard substrata: a boulder slope community case study. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2011, 21, 676-689.	2.0	16
282	Portuguese Magelona (Annelida: Magelonidae) with a description of a new species, a re-description of <i>Magelona wilsoni</i> Glămarec, 1966 and a key to adult Magelonidae from European waters. <i>Italian Journal of Zoology</i> , 2011, 78, 124-139.	0.6	13
283	Microhabitat selection in a local syllid assemblage with the first record of <i>Syllis hyllebergi</i> (Syllinae) in the central Mediterranean. <i>Italian Journal of Zoology</i> , 2011, 78, 267-279.	0.6	7
284	Small-scale spatial variability of zoobenthic communities in a commercial Mediterranean port. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 77-89.	0.8	10
285	Regional patterns of continental shelf polychaete diversity: examples for the North Sea, English Channel, Irish Sea and Outer Bristol Channel areas. <i>Italian Journal of Zoology</i> , 2011, 78, 324-332.	0.6	8
286	Is <i>Corophium Multisetosum</i> Stock, 1952 an Exotic Invasive Species in Europe? Distribution, Habitat, and Recent Observations in the Netherlands. <i>Crustaceana</i> , 2011, 84, 975-1011.	0.3	1
287	Coastal Monitoring Programs. , 2011, , 175-206.		6
288	Introduction “ Overview. , 2011, , 1-15.		3
289	Spatio-temporal distributions of zoobenthos in soft substratum of Izmir Bay (Aegean Sea, eastern) <i>Tj ETQq1 1 0.784314 rgBT /Overlook</i> <i>Marine Biological Association of the United Kingdom</i> , 2012, 92, 1457-1477.	0.8	35
290	Rapid Assessment of Intertidal Wetland Sediments. <i>Soil and Sediment Contamination</i> , 2012, 21, 574-585.	1.9	0
291	Evaluation and Comparison of Innovative Environmental Monitoring Methods for the Offshore Oil and Gas Industry. , 2012, , .		1
292	Development of low-cost image mosaics of hard-bottom sessile communities using SCUBA: comparisons of optical media and of proxy measures of community structure. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 49-62.	0.8	13
293	Assessment of anthropogenic disturbance on soft-bottom macroinvertebrate assemblages across different spatial scales. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 439-448.	0.8	1

#	ARTICLE	IF	CITATIONS
294	An invertebrate multimetric index to classify the ecological status of small coastal lagoons in the Mediterranean ecoregion (MIBIIN). <i>Marine and Freshwater Research</i> , 2012, 63, 801.	1.3	13
295	Seagrass burial by dredged sediments: Benthic community alteration, secondary production loss, biotic index reaction and recovery possibility. <i>Marine Pollution Bulletin</i> , 2012, 64, 2340-2350.	5.0	15
296	Environmental quality assessment combining sediment metal levels, biomarkers and macrobenthic communities: application to the Alentejo coastal lagoon (Portugal). <i>Environmental Monitoring and Assessment</i> , 2012, 184, 7141-7151.	2.7	13
297	An empirical approach to the determination of metal regional Sediment Quality Guidelines, in marine waters, within the European Water Framework Directive. <i>Chemistry and Ecology</i> , 2012, 28, 205-220.	1.6	27
298	Angola Biodiversity of Bathyal Sea Bottoms. , 2012, , .		0
299	Spatial variation of benthic infaunal communities in baie de Gasp�� (eastern Canada) – Influence of mussel aquaculture. <i>Aquaculture</i> , 2012, 356-357, 48-54.	3.5	11
300	Macrobenthic community for assessment of estuarine health in tropical areas (Northeast, Brazil): Review of macrofauna classification in ecological groups and application of AZTI Marine Biotic Index. <i>Marine Pollution Bulletin</i> , 2012, 64, 1809-1820.	5.0	39
301	Spatial distribution of intertidal sandy beach polychaeta along an estuarine and morphodynamic gradient in an eutrophic tropical bay. <i>Marine Pollution Bulletin</i> , 2012, 64, 1861-1873.	5.0	36
302	Impacts of physical disturbance on the recovery of a macrofaunal community: A comparative analysis using traditional and novel approaches. <i>Ecological Indicators</i> , 2012, 12, 37-45.	6.3	54
303	Response of different benthic indices to diverse human pressures. <i>Ecological Indicators</i> , 2012, 12, 143-153.	6.3	60
304	Indicators for Sea-floor Integrity under the European Marine Strategy Framework Directive. <i>Ecological Indicators</i> , 2012, 12, 174-184.	6.3	141
305	Combining best professional judgement and quantile regression splines to improve characterisation of macrofaunal responses to enrichment. <i>Ecological Indicators</i> , 2012, 12, 154-166.	6.3	40
306	Comparison of ecological quality indices based on benthic macrofauna and sediment profile images: A case study along an organic enrichment gradient off the Rh��ne River. <i>Ecological Indicators</i> , 2012, 12, 133-142.	6.3	21
307	Assessing proposed modifications to the AZTI marine biotic index (AMBI), using biomass and production. <i>Ecological Indicators</i> , 2012, 12, 96-104.	6.3	21
308	Development of a new index for the assessment of hydromorphological alterations of the Mediterranean rocky shore. <i>Ecological Indicators</i> , 2012, 12, 26-36.	6.3	12
309	Calibration and validation of the AZTI's Marine Biotic Index (AMBI) for Southern California marine bays. <i>Ecological Indicators</i> , 2012, 12, 84-95.	6.3	41
310	A benthic macroinvertebrate size spectra index for implementing the Water Framework Directive in coastal lagoons in Mediterranean and Black Sea ecoregions. <i>Ecological Indicators</i> , 2012, 12, 72-83.	6.3	62
311	Ability of benthic indicators to assess ecological quality in estuaries following management. <i>Ecological Indicators</i> , 2012, 19, 130-143.	6.3	29

#	ARTICLE	IF	CITATIONS
312	The importance of setting targets and reference conditions in assessing marine ecosystem quality. Ecological Indicators, 2012, 12, 1-7.	6.3	251
313	Response of different biotic indices to gradients of organic enrichment in Mediterranean coastal waters: Implications of non-monotonic responses of diversity measures. Ecological Indicators, 2012, 19, 106-117.	6.3	37
314	Performance of biotic indices in naturally stressed estuarine environments on the Southwestern Atlantic coast (Uruguay): A multiple scale approach. Ecological Indicators, 2012, 19, 89-97.	6.3	30
315	Testing MEDOCC and BOPA indices in shallow soft-bottom communities in the Spanish Mediterranean coastal waters. Ecological Indicators, 2012, 19, 98-105.	6.3	15
316	Feeding diversity index as complementary information in the assessment of ecological quality status. Ecological Indicators, 2012, 19, 73-78.	6.3	23
317	The importance of habitat-type for defining the reference conditions and the ecological quality status based on benthic invertebrates: The Ria Formosa coastal lagoon (Southern Portugal) case study. Ecological Indicators, 2012, 19, 61-72.	6.3	12
318	The ecological quality status of the Elbe estuary. A comparative approach on different benthic biotic indices applied to a highly modified estuary. Ecological Indicators, 2012, 19, 118-129.	6.3	43
319	Benthic condition in low salinity areas of the Mira estuary (Portugal): Lessons learnt from freshwater and marine assessment tools. Ecological Indicators, 2012, 19, 79-88.	6.3	33
320	Meta-analysis of a large data set with Water Framework Directive indicators and calibration of a Benthic Quality Index at the family level. Ecological Indicators, 2012, 20, 101-107.	6.3	35
321	A preliminary study toward an index based on coralligenous assemblages for the ecological status assessment of Mediterranean French coastal waters. Ecological Indicators, 2012, 20, 345-352.	6.3	55
322	A methodology for applying Taxonomic Sufficiency and benthic biotic indices in two Mediterranean areas. Ecological Indicators, 2012, 23, 232-241.	6.3	29
323	Exploiting salmon farm benthic enrichment gradients to evaluate the regional performance of biotic indices and environmental indicators. Ecological Indicators, 2012, 23, 453-466.	6.3	65
324	The Biotic Indices. , 2012, , 219-247.		1
325	Indices of Biological Integrity or the Multi-metric Indices. , 2012, , 249-335.		1
326	Inter-annual variations of macrobenthic communities over three decades in a land-locked coastal lagoon (Santo André, SW Portugal). Estuarine, Coastal and Shelf Science, 2012, 110, 168-175.	2.1	20
327	Alterations in macroinvertebrate spatial patterns in coastal lagoons: Ábidos (NW coast of Portugal) 1984 versus 2002. Estuarine, Coastal and Shelf Science, 2012, 110, 176-189.	2.1	7
328	Indices, multispecies and synthesis descriptors in benthic assessments: Intertidal organic enrichment from oyster farming. Estuarine, Coastal and Shelf Science, 2012, 110, 190-201.	2.1	10
329	Integrating ecological, economic and social aspects to generate useful management information under the EU Directives' â€ecosystem approachâ€™. Ocean and Coastal Management, 2012, 68, 169-188.	4.4	134

#	ARTICLE	IF	CITATIONS
330	Performance of Two Southern California Benthic Community Condition Indices Using Species Abundance and Presence-Only Data: Relevance to DNA Barcoding. <i>PLoS ONE</i> , 2012, 7, e40875.	2.5	23
331	Diversity of macrofungal community in Bifeng Gorge: the core giant panda habitat in China. <i>African Journal of Biotechnology</i> , 2012, 11, 1970-1976.	0.6	6
332	Combined effects of inorganic nutrients and organic enrichment on intertidal benthic macrofauna: an experimental approach. <i>Marine Ecology - Progress Series</i> , 2012, 461, 59-70.	1.9	16
333	Saprobity: a unified view of benthic succession models for coastal lagoons. <i>Hydrobiologia</i> , 2012, 686, 15-28.	2.0	51
334	Eutrophication Assessment in Basque Estuaries: Comparing a North American and a European Method. <i>Estuaries and Coasts</i> , 2012, 35, 991-1006.	2.2	41
335	Structural changes in macrozoobenthic communities due to summer hypoxia in Gamak Bay, Korea. <i>Ocean Science Journal</i> , 2012, 47, 27-40.	1.3	18
336	Sensitivity of amphipods to sewage pollution. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 96, 129-138.	2.1	69
337	Functional structure of marine benthic assemblages using Biological Traits Analysis (BTA): A study along the Emilia-Romagna coastline (Italy, North-West Adriatic Sea). <i>Estuarine, Coastal and Shelf Science</i> , 2012, 96, 245-256.	2.1	122
338	Macro- and meiofaunal community features in the critical environmental system of a tourist harbour (Rapallo, Ligurian Sea, NW Mediterranean). <i>Marine Environmental Research</i> , 2012, 74, 64-72.	2.5	8
339	The FOBIMO (FORaminiferal Bio-Monitoring) initiative – Towards a standardised protocol for soft-bottom benthic foraminiferal monitoring studies. <i>Marine Micropaleontology</i> , 2012, 94-95, 1-13.	1.2	371
340	Comparison of granulometric methods and sampling strategies used in marine habitat classification and Ecological Status assessment. <i>Marine Pollution Bulletin</i> , 2012, 64, 1018-1028.	5.0	12
341	The use of benthic macroinvertebrates to establish a benchmark for evaluating the environmental quality of microtidal, temperate southern hemisphere estuaries. <i>Marine Pollution Bulletin</i> , 2012, 64, 1210-1221.	5.0	43
342	Ecological quality assessment of small estuaries from the Portuguese coast based on benthic macroinvertebrate assemblages indices. <i>Marine Pollution Bulletin</i> , 2012, 64, 1136-1142.	5.0	10
343	Taxonomic distinctness in Mediterranean marine nematodes and its relevance for environmental impact assessment. <i>Marine Pollution Bulletin</i> , 2012, 64, 1409-1416.	5.0	25
344	Development of tools for ecological quality assessment in the Polish marine areas according to the Water Framework Directive. Part IV – preliminary assessment. <i>Oceanological and Hydrobiological Studies</i> , 2012, 41, 1-10.	0.7	6
345	Influence of sample size on ecological status assessment using marine benthic invertebrate-based indices. <i>Marine Ecology</i> , 2013, 34, 72-79.	1.1	9
346	Is the distribution of the lancelet <i>Branchiostoma caribaeum</i> affected by sewage discharges? An analysis at multiple scales of variability. <i>Marine Pollution Bulletin</i> , 2013, 69, 178-188.	5.0	16
347	Macrobenthos and multi-molecular markers as indicators of environmental contamination in a South American port (Mar del Plata, Southwest Atlantic). <i>Marine Pollution Bulletin</i> , 2013, 73, 102-114.	5.0	45

#	ARTICLE	IF	CITATIONS
348	The Influence of Hydromorphological Stressors on Estuarine Vegetation Indicators. <i>Estuaries and Coasts</i> , 2013, 36, 997-1005.	2.2	7
349	Assessing the benthic ecological status in the stressed coastal waters of Yantai, Yellow Sea, using AMBI and M-AMBI. <i>Marine Pollution Bulletin</i> , 2013, 75, 53-61.	5.0	27
350	Preliminary results of biological monitoring using benthic macroinfauna of the discharge areas of Lisbon drainage basins in Tagus estuary after new developments in sanitation infrastructures. <i>Journal of Sea Research</i> , 2013, 83, 163-172.	1.6	5
352	Assessing benthic ecological status in stressed Liaodong Bay (China) with AMBI and M-AMBI. <i>Chinese Journal of Oceanology and Limnology</i> , 2013, 31, 482-492.	0.7	15
353	Integrated ecotoxicological assessment of marine sediments affected by land-based marine fish farm effluents: physicochemical, acute toxicity and benthic community analyses. <i>Ecotoxicology</i> , 2013, 22, 996-1011.	2.4	12
354	M-AMBI derived from taxonomic levels higher than species allows Ecological Status assessments of benthic habitats in new geographical areas. <i>Ecological Indicators</i> , 2013, 34, 411-419.	6.3	24
355	Pollution Acclimation, Adaptation, Resistance, and Tolerance in <i>Ecotoxicology</i> . , 2013, , 883-892.		9
356	Pulse Exposure in <i>Ecotoxicology</i> . , 2013, , 917-926.		4
357	Setting the maximum ecological potential of benthic communities, to assess ecological status, in heavily morphologically-modified estuarine water bodies. <i>Marine Pollution Bulletin</i> , 2013, 71, 199-208.	5.0	15
358	Risk assessment in submarine outfall projects: The case of Portugal. <i>Journal of Environmental Management</i> , 2013, 116, 186-195.	7.8	11
359	Macroinvertebrates communities associated with the decomposition of <i>Phragmites australis</i> and <i>Fucus vesiculosus</i> in transitional systems. <i>Journal of Sea Research</i> , 2013, 83, 72-82.	1.6	5
360	Multivariate methods and artificial neural networks in the assessment of the response of infaunal assemblages to sediment metal contamination and organic enrichment. <i>Science of the Total Environment</i> , 2013, 450-451, 289-300.	8.0	34
361	Development of an integrated chemical, biological and ecological approach for impact assessment of Mediterranean offshore gas platforms. <i>Chemistry and Ecology</i> , 2013, 29, 620-634.	1.6	14
362	M-AMBI revisited: looking inside a widely-used benthic index. <i>Hydrobiologia</i> , 2013, 717, 41-50.	2.0	37
363	Tracking environmental stress gradients using three biotic integrity indices: Advantages of a locally-developed traits-based approach. <i>Ecological Indicators</i> , 2013, 34, 560-570.	6.3	35
364	Parasites and <i>Ecotoxicology</i> : Fish and Amphibians. , 2013, , 815-826.		3
365	Polychaetes in <i>Ecotoxicology</i> . , 2013, , 893-908.		4
366	Application of Systematic Data Mining for Prediction of Biological Quality Indices. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
367	Towards the implementation of the Water Framework Directive in Mediterranean transitional waters: the use of macroinvertebrates as biological quality elements. <i>Advances in Oceanography and Limnology</i> , 2013, 4, 212-240.	0.6	4
368	An ecological quality status assessment procedure for soft-sediment benthic habitats: Weighing alternative approaches. <i>Ecological Indicators</i> , 2013, 25, 266-278.	6.3	35
369	Relocation of dredged material in estuaries under the aspect of the Water Framework Directive – A comparison of benthic quality indicators at dumping areas in the Elbe estuary. <i>Ecological Indicators</i> , 2013, 34, 323-331.	6.3	18
370	Environmental variation and macrofauna response in a coastal area influenced by land runoff. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 132, 34-44.	2.1	18
371	A pragmatic approach to define the ecological potential of water bodies heavily modified by the presence of ports. <i>Environmental Science and Policy</i> , 2013, 33, 320-331.	4.9	25
372	A process-driven sedimentary habitat modelling approach, explaining seafloor integrity and biodiversity assessment within the European Marine Strategy Framework Directive. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 131, 194-205.	2.1	18
373	Novel observations of benthic enrichment in contrasting flow regimes with implications for marine farm monitoring and management. <i>Marine Pollution Bulletin</i> , 2013, 66, 105-116.	5.0	49
374	Semi-automatic analysis and interpretation of sediment profile images. <i>Environmental Modelling and Software</i> , 2013, 47, 42-54.	4.5	17
375	Dose-dependent response of a benthic system to biodeposition from suspended blue mussel (<i>Mytilus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T	5.0	26
376	The usefulness of large body-size macroinvertebrates in the rapid ecological assessment of Mediterranean lagoons. <i>Ecological Indicators</i> , 2013, 29, 48-61.	6.3	29
377	Comparison of vertical mobile hydroacoustic survey strategies for monitoring fish distributions in the Gironde estuary (France). <i>Estuarine, Coastal and Shelf Science</i> , 2013, 134, 174-180.	2.1	6
378	Methodological considerations on the coastal and transitional benthic indicators proposed for the Water Framework Directive. <i>Ecological Indicators</i> , 2013, 29, 26-33.	6.3	32
379	Classification of the ecological quality of the Aysen and Baker Fjords (Patagonia, Chile) using biotic indices. <i>Marine Pollution Bulletin</i> , 2013, 68, 117-126.	5.0	20
380	A hierarchical Bayesian model for the ecological status classification of lagoons. <i>Ecological Modelling</i> , 2013, 263, 187-195.	2.5	3
381	Bioindicators in marine waters: Benthic diatoms as a tool to assess water quality from eutrophic to oligotrophic coastal ecosystems. <i>Ecological Indicators</i> , 2013, 32, 25-34.	6.3	74
382	Towards a DPSIR driven integration of ecological value, water uses and ecosystem services for estuarine systems. <i>Ocean and Coastal Management</i> , 2013, 72, 64-79.	4.4	92
383	Limited Consequences of Seagrass Decline on Benthic Macrofauna and Associated Biotic Indicators. <i>Estuaries and Coasts</i> , 2013, 36, 795-807.	2.2	11
384	Bivalve condition index as an indicator of aquaculture intensity: A meta-analysis. <i>Ecological Indicators</i> , 2013, 25, 215-229.	6.3	70

#	ARTICLE	IF	CITATIONS
385	Assessment of estuarine macrobenthic assemblages and ecological quality status at a dredging site in a southern Europe estuary. <i>Ocean and Coastal Management</i> , 2013, 72, 80-92.	4.4	25
386	An illustrated key to the soft-bottom caprellids (Crustacea: Amphipoda) of the Iberian Peninsula and remarks to their ecological distribution along the Andalusian coast. <i>Helgoland Marine Research</i> , 2013, 67, 321-336.	1.3	16
387	Geometric morphometry supports a taxonomic revision of the Mediterranean <i>Bathyporeia guilliamsoniana</i> (Spence-Bate, 1857) (Amphipoda, Bathyporeiidae). <i>Crustaceana</i> , 2013, 86, 820-828.	0.3	9
388	Effects of sediment management on the amphipod community off the Latium coasts (Tyrrhenian Sea) and preliminary DNA barcoding data on <i>Ampelisca</i> (Amphipoda). <i>Crustaceana</i> , 2013, 86, 871-889.	0.3	5
389	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2013, 14, .	0.9	0
390	The use of benthic metabolic processes as indicators for environmental quality assessment in coastal lagoons. <i>Advances in Oceanography and Limnology</i> , 2013, 4, 194-211.	0.6	2
391	<i>Climate Change and Marine Zooplankton</i> . , 2013, , 99-128.		0
392	<i>Monitoring the Environmental Impact of Offshore E&P Discharges Through Innovative Techniques</i> . , 2013, , .		0
393	Converse effect of flooding on intertidal macrobenthic assemblages in the Guadiana estuary. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1431-1440.	0.8	2
394	Effects of organic enrichment on macrofauna community structure: an experimental approach. <i>Brazilian Journal of Oceanography</i> , 2013, 61, 223-229.	0.6	8
395	<i>Polychaetes/Amphipode Index</i> . , 2013, , 444-450.		0
396	On the Myths of Indicator Species: Issues and Further Consideration in the Use of Static Concepts for Ecological Applications. <i>PLoS ONE</i> , 2013, 8, e78219.	2.5	68
397	Environmental Status Assessment Using DNA Metabarcoding: Towards a Genetics Based Marine Biotic Index (gAMBI). <i>PLoS ONE</i> , 2014, 9, e90529.	2.5	147
398	Revealing the regime of shallow coral reefs at patch scale by continuous spatial modeling. <i>Frontiers in Marine Science</i> , 2014, 1, .	2.5	5
399	Factors Affecting the Distribution Patterns of Benthic Invertebrates at a Major Shorebird Staging Site in the Yellow Sea, China. <i>Wetlands</i> , 2014, 34, 1085-1096.	1.5	30
400	Fine-scale population genetics analysis of <i>Platynereis dumerilii</i> (Polychaeta, Nereididae) in the Black Sea: How Do Local Marine Currents Drive Geographical Differentiation?. <i>Journal of Experimental Zoology</i> , 2014, 321, 41-47.	1.2	3
401	Macrofauna in Mediterranean and Black Sea transitional aquatic ecosystems: A comparative study of the benthic populations sampled by box corer and leaf bags. <i>Ecological Indicators</i> , 2014, 38, 159-169.	6.3	14
402	Evaluation of the ecological status with benthic indices in the coastal system: the case of Bohai Bay (China). <i>Frontiers of Environmental Science and Engineering</i> , 2014, 8, 737-746.	6.0	8

#	ARTICLE	IF	CITATIONS
403	A review of strategies to monitor water and sediment quality for a sustainability assessment of marine environment. <i>Environmental Science and Pollution Research</i> , 2014, 21, 813-833.	5.3	77
404	Mind the Data Gap: Identifying and Assessing Drivers of Changing Eutrophication Condition. <i>Estuaries and Coasts</i> , 2014, 37, 198-221.	2.2	16
405	Assessing benthic ecological status in coastal area near Changjiang River estuary using AMBI and M-AMBI. <i>Chinese Journal of Oceanology and Limnology</i> , 2014, 32, 290-305.	0.7	14
406	Effects of an artificial oyster shell reef on macrobenthic communities in Rongcheng Bay, East China. <i>Chinese Journal of Oceanology and Limnology</i> , 2014, 32, 99-110.	0.7	13
407	Offshore platforms: Comparison of five benthic indicators for assessing the macrozoobenthic stress levels. <i>Marine Pollution Bulletin</i> , 2014, 82, 55-65.	5.0	28
408	Family-level AMBI is valid for use in the north-eastern Atlantic but not for assessing the health of microtidal Australian estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 141, 85-96.	2.1	38
409	Using phytoplankton and macrophytes to assess the trophic and ecological status of some Italian transitional systems. <i>Continental Shelf Research</i> , 2014, 81, 88-98.	1.8	15
410	Structural and functional indices show similar performance in marine ecosystem quality assessment. <i>Ecological Indicators</i> , 2014, 43, 271-280.	6.3	25
411	Artificial structures in sediment-dominated estuaries and their possible influences on the ecosystem. <i>Marine Environmental Research</i> , 2014, 99, 125-135.	2.5	26
412	Distribution and seasonal abundance of <i>Polygordius</i> spp. (Class: Polychaeta; Family: Polygordiidae) exo- and endolarvae in the southern Mid-Atlantic Bight, USA. <i>Marine Biology</i> , 2014, 161, 1565-1581.	1.5	3
413	Impact of total organic carbon (in sediments) and dissolved organic carbon (in overlying water) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34 <i>Pollution Bulletin</i> , 2014, 79, 342-347.	5.0	55
414	Assessing benthic health under multiple human pressures in <sc>B</sc>ohai <sc>B</sc>ay (<sc>C</sc>hina), using density and biomass in calculating <sc>AMBI</sc> and <sc>M</sc>â€<sc>AMBI</sc>. <i>Marine Ecology</i> , 2014, 35, 180-192.	1.1	37
415	Influence of sampling effort on ecological descriptors and indicators in perturbed and unperturbed conditions: A study case using benthic macroinvertebrates in Mediterranean transitional waters. <i>Ecological Indicators</i> , 2014, 37, 27-39.	6.3	16
416	Effects of sewage pollution on the structure of rocky shore macroinvertebrate assemblages. <i>Hydrobiologia</i> , 2014, 726, 271-283.	2.0	19
417	Response of benthic opportunistic polychaetes and amphipods index to different perturbations in coastal oligotrophic areas (<sc>C</sc>anary archipelago, <sc>N</sc>orth <sc>E</sc>ast) Tj ETQq0 0 0 rgBT. /Overlock 10 Tf 50 34	5.0	55
418	Linking biodiversity indicators, ecosystem functioning, provision of services and human well-being in estuarine systems: Application of a conceptual framework. <i>Ecological Indicators</i> , 2014, 36, 644-655.	6.3	85
419	Biodiversity of transitional waters: species composition and comparative analysis of hard bottom communities from the south-eastern Italian coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 25-34.	0.8	21
420	Macroinfaunal recovery on the beach most severely affected by the â€Prestigeâ€™ oil spill (O Rostro,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 34 94, 17-24.	0.8	8

#	ARTICLE	IF	CITATIONS
421	A new <i>Ophryotrocha</i> species (Polychaeta: Dorvilleidae) from circalittoral seabeds of the Cantabrian Sea (north-east Atlantic Ocean). Journal of the Marine Biological Association of the United Kingdom, 2014, 94, 115-119.	0.8	2
422	Live benthic foraminiferal faunas from the French Mediterranean Coast: Towards a new biotic index of environmental quality. Ecological Indicators, 2014, 36, 719-743.	6.3	91
423	Description of a Multimetric Phytoplankton Index (MPI) for the assessment of transitional waters. Marine Pollution Bulletin, 2014, 79, 145-154.	5.0	22
424	Development of a quality index to evaluate the structure of macroalgal communities. Estuarine, Coastal and Shelf Science, 2014, 139, 99-109.	2.1	21
425	Towards a suitable ecological status assessment of highly stratified mediterranean estuaries: A comparison of benthic invertebrate fauna indices. Ecological Indicators, 2014, 46, 177-187.	6.3	17
426	Threshold value of Benthic Pollution Index (BPI) for a muddy healthy benthic faunal community and its application to Jinhae Bay in the southern coast of Korea. Ocean Science Journal, 2014, 49, 313-328.	1.3	14
427	Assessing the benthic habitat quality in the Huanghe (Yellow River) Estuary and its adjacent areas using AMBI and M-AMBI. Acta Oceanologica Sinica, 2014, 33, 117-124.	1.0	11
428	The Quality of Rocky Bottoms index (CFR): A validated method for the assessment of macroalgae according to the European Water Framework Directive. Marine Environmental Research, 2014, 102, 3-10.	2.5	15
429	Development of a new biotic index for ecological status assessment of Italian coastal waters based on coralligenous macroalgal assemblages. European Journal of Phycology, 2014, 49, 298-312.	2.0	43
430	Sensitivity assessment as a tool for spatial and temporal gear-based fisheries management. Ocean and Coastal Management, 2014, 102, 149-160.	4.4	8
431	Response of multi-metric indices to anthropogenic pressures in distinct marine habitats: The need for recalibration to allow wider applicability. Marine Pollution Bulletin, 2014, 87, 220-229.	5.0	6
432	Cyclically-arranged, storm-controlled, prograding lithosomes in Messinian terrigenous shelves (Bajo) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 100	2.1	18
433	Assessing benthic ecological status of urban sandy beaches (Northeast Atlantic, Morocco) using M-AMBI. Ecological Indicators, 2014, 46, 586-595.	6.3	17
434	Benthic Recovery after the Cessation of a Gilt-head Seabream, <i>Sparus aurata</i> , Farm in the Mediterranean Sea. Journal of the World Aquaculture Society, 2014, 45, 380-391.	2.4	4
435	ALien Biotic IndEX (ALEX) – A new index for assessing impacts of alien species on benthic communities. Marine Pollution Bulletin, 2014, 87, 171-179.	5.0	32
436	Distribution patterns of macrobenthic fauna communities in Deukryang Bay, one of the environment conservation areas of Korea. Ocean Science Journal, 2014, 49, 97-113.	1.3	6
437	Benthic molluscan macrofauna structure in heavily trawled sediments (Thermaikos Gulf, North) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 100	2.1	9
438	Can different biological indicators detect similar trends of marine ecosystem degradation?. Ecological Indicators, 2014, 37, 105-118.	6.3	13

#	ARTICLE	IF	CITATIONS
439	Impact of sewage pollution on the structure and functioning of a rocky shore benthic community. Marine and Freshwater Research, 2014, 65, 750.	1.3	5
440	The macrofaunal communities in the shallow subtidal areas for the first 3years after the Hebei Spirit oil spill. Marine Pollution Bulletin, 2014, 82, 208-220.	5.0	23
441	Influence of tuna penning activities on soft bottom macrobenthic assemblages. Marine Pollution Bulletin, 2014, 79, 164-174.	5.0	9
442	Effect of increasing temperature in the differential activity of oxidative stress biomarkers in various tissues of the Rock goby, <i>Gobius paganellus</i> . Marine Environmental Research, 2014, 97, 10-14.	2.5	72
443	Response of benthic macrofauna to an oil pollution: Lessons from the "Prestige" oil spill on the rocky shore of GuÃ©thary (south of the Bay of Biscay, France). Deep-Sea Research Part II: Topical Studies in Oceanography, 2014, 106, 192-197.	1.4	16
444	Physiological indices as indicators of ecosystem status in shellfish aquaculture sites. Ecological Indicators, 2014, 39, 134-143.	6.3	35
445	Linking the toxic metals to benthic community alteration: A case study of ecological status in the Bohai Bay. Marine Pollution Bulletin, 2014, 83, 116-126.	5.0	13
446	Transitional and freshwater bioassessments: One site, two perspectives?. Marine Pollution Bulletin, 2014, 78, 153-164.	5.0	8
447	Spatial and temporal dynamics in macrobenthos during recovery from salmon farm induced organic enrichment: When is recovery complete?. Marine Pollution Bulletin, 2014, 80, 250-262.	5.0	44
448	Effect of temperature in multiple biomarkers of oxidative stress in coastal shrimp. Journal of Thermal Biology, 2014, 41, 38-42.	2.5	40
449	Predictive modeling of marine benthic macrofauna and its use to inform spatial monitoring design. , 2014, 24, 862-876.		12
450	Is there a significant relationship between the benthic status of an area, determined by two broadly-used indices, and best professional judgment?. Ecological Indicators, 2014, 45, 308-312.	6.3	11
451	AMBI and M-AMBI indices as a robust tool for assessing the effluent stressed ecosystem in Nandgaon Coastal waters, Maharashtra, India. Estuarine, Coastal and Shelf Science, 2014, 146, 60-67.	2.1	30
452	Metals in benthic macrofauna and biogeochemical factors affecting their trophic transfer to wild fish around fish farm cages. Science of the Total Environment, 2014, 470-471, 742-753.	8.0	20
453	Macrozoobenthic assemblages around a marine terminal for re-gasifying liquefied natural gas (LNG) in the north Adriatic Sea (Italy). Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 1541-1553.	0.8	2
454	Impact of deep-water fish farms on benthic macrofauna communities under different hydrodynamic conditions. Marine Pollution Bulletin, 2015, 101, 776-783.	5.0	32
455	Biological indicators for transitional water. , 2015, , 1457-1460.		0
456	High-throughput sequencing and morphology perform equally well for benthic monitoring of marine ecosystems. Scientific Reports, 2015, 5, 13932.	3.3	160

#	ARTICLE	IF	CITATIONS
457	Using MEDOCC (MEDiterranean OCCidental) Index to Evaluate the Ecological Status of Catalan Coastal Waters (Northwestern Mediterranean Sea) Over Time and Depths. Handbook of Environmental Chemistry, 2015, , 201-225.	0.4	2
459	Spatio-temporal variability of benthic macrofauna in a coastal lagoon assessed by ecological interaction networks. Community Ecology, 2015, 16, 10-22.	0.9	6
460	Assessing the Environmental Quality in Heavily Modified Transitional Waters: The Application of MEDOCC (MEDiterranean OCCidental) Index in Ebre Delta Bays. Handbook of Environmental Chemistry, 2015, , 227-247.	0.4	0
461	Performance comparison of biotic indices measuring the ecological status base on soft-bottom macroinvertebrates: a study along the shallow Gomishan lagoon (Southeast Caspian Sea). Brazilian Journal of Oceanography, 2015, 63, 363-378.	0.6	4
462	Bottom-Up Control of Macrobenthic Communities in a Guanotrophic Coastal System. PLoS ONE, 2015, 10, e0117544.	2.5	20
463	Lipid Classes and Fatty Acids in Ophryotrocha cyclops, a Dorvilleid from Newfoundland Aquaculture Sites. PLoS ONE, 2015, 10, e0136772.	2.5	22
464	One Step forward: Benthic Pelagic Coupling and Indicators for Environmental Status. PLoS ONE, 2015, 10, e0141071.	2.5	25
465	Onuphis and Aponuphis (Annelida: Onuphidae) from southwestern Europe, with the description of a new species. Zootaxa, 2015, 3949, 345.	0.5	9
466	Temporal changes of the meiofaunal assemblage as a tool for the assessment of the ecological quality status. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 247-254.	0.8	33
467	On the relationship between the diversity and structure of benthic macroinvertebrate communities and sediment enrichment with heavy metals in Gabes Gulf, Tunisia. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 233-245.	0.8	49
468	Assessing the conservation status of marine habitats: thoughts from a sandflat on the Isles of Scilly. Journal of Sea Research, 2015, 98, 109-119.	1.6	7
469	Impact of sub-seabed CO ₂ leakage on macrobenthic community structure and diversity. International Journal of Greenhouse Gas Control, 2015, 38, 182-192.	4.6	32
470	Application of the Benthic Ecosystem Quality Index 2 to benthos in Dutch transitional and coastal waters. Journal of Sea Research, 2015, 103, 1-13.	1.6	17
471	Effects of proximity to offshore fish farms over soft-bottom macrofauna. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 255-263.	0.8	6
472	Molluscan live and dead assemblages in an anthropogenically stressed shallow-shelf: Levantine margin of Israel. Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 433, 49-59.	2.3	24
473	Ecological quality assessment based on macrobenthic assemblages indices along West Port, Malaysia coast. Environmental Earth Sciences, 2015, 74, 1331-1341.	2.7	26
474	Environmental quality assessment of Grand Harbour (Valletta, Maltese Islands): a case study of a busy harbour in the Central Mediterranean Sea. Environmental Monitoring and Assessment, 2015, 187, 747.	2.7	57
475	Biological Indicators to Assess the Ecological Status of River-Dominated Estuaries: The Case of Benthic Indicators in the Ebro River Estuary. Handbook of Environmental Chemistry, 2015, , 149-170.	0.4	1

#	ARTICLE	IF	CITATIONS
476	Accurate assessment of the impact of salmon farming on benthic sediment enrichment using foraminiferal metabarcoding. <i>Marine Pollution Bulletin</i> , 2015, 100, 370-382.	5.0	91
477	A fish-based index for assessing the ecological status of Polish transitional and coastal waters. <i>Marine Pollution Bulletin</i> , 2015, 101, 497-506.	5.0	6
478	Assessment of Arctic Community Wastewater Impacts on Marine Benthic Invertebrates.. <i>Environmental Science & Technology</i> , 2015, 49, 760-766.	10.0	23
479	Coralligenous reefs state along anthropized coasts: Application and validation of the COARSE index, based on a rapid visual assessment (RVA) approach. <i>Ecological Indicators</i> , 2015, 52, 567-576.	6.3	59
480	Invasive ecosystem engineers and biotic indices: Giving a wrong impression of water quality improvement?. <i>Ecological Indicators</i> , 2015, 52, 292-299.	6.3	16
481	Assessing the ecological quality status of a temperate urban estuary by means of benthic biotic indices. <i>Marine Pollution Bulletin</i> , 2015, 91, 441-453.	5.0	34
482	Benthic fluxes of oxygen and nutrients in sublittoral fine sands in a north-western Mediterranean coastal area. <i>Continental Shelf Research</i> , 2015, 97, 32-42.	1.8	6
483	Assessment of Finfish Aquaculture Effect on Newfoundland Epibenthic Communities through Video Monitoring. <i>North American Journal of Aquaculture</i> , 2015, 77, 117-127.	1.4	30
485	Endobenthic Invertebrates as Reference Species. , 2015, , 229-252.		1
486	Quality Standard Setting and Environmental Monitoring. , 2015, , 51-76.		0
487	Biological Responses at Supraindividual Levels. , 2015, , 333-353.		0
488	Indicadores bióticos y fracción de tamaños en la definición de la macrofauna. <i>Latin American Journal of Aquatic Research</i> , 2015, , 329-336.	0.6	4
489	Assessing the effects of salmon farming seabed enrichment using bacterial community diversity and high-throughput sequencing. <i>FEMS Microbiology Ecology</i> , 2015, 91, fiv089.	2.7	77
490	Impact of intertidal oyster trestle cultivation on the Ecological Status of benthic habitats. <i>Marine Pollution Bulletin</i> , 2015, 95, 223-233.	5.0	15
491	Taxonomic diversity and structure of the molluscan fauna in Oualidia lagoon (Moroccan Atlantic) <i>Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 1</i>	2.7	18
492	Calculation of species sensitivity values and their precision in marine benthic faunal quality indices. <i>Marine Pollution Bulletin</i> , 2015, 93, 94-102.	5.0	25
493	Setting reference conditions for mesohaline and oligohaline macroinvertebrate communities sensu WFD: Helping to define achievable scenarios in basin management plans. <i>Ecological Indicators</i> , 2015, 56, 171-183.	6.3	6
494	Handling the "environmental knowledge paradox"™ in estuarine and coastal policy making. <i>Ocean and Coastal Management</i> , 2015, 108, 3-12.	4.4	13

#	ARTICLE	IF	CITATIONS
495	Small-scale spatial variation of soft-bottom polychaete biomass in an Antarctic glacial fjord (Ezcurra) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Research, 2015, 69, 113-121.	1.3	11
496	Meiobenthos and free-living nematodes as tools for biomonitoring environments affected by riverine impact. Environmental Monitoring and Assessment, 2015, 187, 251.	2.7	50
497	How to value biodiversity in environmental management?. Ecological Indicators, 2015, 55, 1-11.	6.3	142
498	Variations in macrobenthic community structures in relation to environmental variables in the Seto Inland Sea, Japan. Marine Pollution Bulletin, 2015, 92, 90-98.	5.0	16
499	A review of macroinvertebrate- and fish-based stream health indices. Ecohydrology and Hydrobiology, 2015, 15, 53-67.	2.3	81
500	A critical analysis on the response of macroinvertebrate communities along disturbance gradients: description of MEDOCC (MEDiterranean OCCidental) index. Marine Ecology, 2015, 36, 141-154.	1.1	21
501	Status of macrobenthic communities in the hypersaline waters of the Gulf of Salwa, Arabian Gulf. Journal of Sea Research, 2015, 99, 34-46.	1.6	32
502	Trophic and functional organization of the benthic macrofauna in the lagoon of Boughrara â€“ Tunisia (SW Mediterranean Sea). Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 647-659.	0.8	22
503	Can biotic indicators distinguish between natural and anthropogenic environmental stress in estuaries?. Journal of Sea Research, 2015, 102, 10-21.	1.6	42
504	Assessing the benthic quality status of the Bohai Bay (China) with proposed modifications of M-AMBI. Acta Oceanologica Sinica, 2015, 34, 111-121.	1.0	10
505	Mussel farming in Maliakos Gulf and quality indicators of the marine environment: Good benthic below poor pelagic ecological status. Marine Pollution Bulletin, 2015, 101, 784-793.	5.0	13
506	Habitat heterogeneity affects ecological functions of macrobenthic communities in a mangrove: Implication for the impact of restoration and afforestation. Global Ecology and Conservation, 2015, 4, 423-433.	2.1	44
507	Quantifying uncertainty in environmental indices: an application to an estuarine health index. Marine and Freshwater Research, 2015, 66, 95.	1.3	8
508	Effects of organic pollution and physical stress on benthic macroinvertebrate communities from two intermittently closed and open coastal lagoons (ICOLLs). Estuarine, Coastal and Shelf Science, 2015, 167, 276-285.	2.1	15
509	AMBI indices and multivariate approach to assess the ecological health of Vellarâ€“Coleroon estuarine system undergoing various human activities. Marine Pollution Bulletin, 2015, 100, 334-343.	5.0	41
510	Application of a new integrated sediment quality assessment method to Huelva estuary and its littoral of influence (Southwestern Spain). Marine Pollution Bulletin, 2015, 98, 106-114.	5.0	25
511	Macrobenthicâ€“mud relations strengthen the foundation for benthic index development: A case study from shallow, temperate New Zealand estuaries. Ecological Indicators, 2015, 58, 161-174.	6.3	37
512	An approach for quantifying the efficacy of ecological classification schemes as management tools. Continental Shelf Research, 2015, 109, 55-66.	1.8	7

#	ARTICLE	IF	CITATIONS
513	Assessing ecological community health in coastal estuarine systems impacted by multiple stressors. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015, 473, 176-187.	1.5	33
514	The performance of biomass-based AMBI in lagoonal ecosystems. <i>Marine Pollution Bulletin</i> , 2015, 99, 126-137.	5.0	6
515	Local and temporal variations in near-shore macrobenthic communities associated with submarine groundwater discharges. <i>Marine Ecology</i> , 2015, 36, 926-941.	1.1	19
516	A management approach for the ecological integrity of NE Atlantic estuaries. <i>Ecological Indicators</i> , 2015, 52, 105-115.	6.3	4
517	Spatial variability of three benthic indices for marine quality assessment in a subtropical estuary of Southern Brazil. <i>Marine Pollution Bulletin</i> , 2015, 91, 454-460.	5.0	39
518	Application of "taxocene surrogation" and "taxonomic sufficiency" concepts to fish farming environmental monitoring. Comparison of BOPA index versus polychaete assemblage structure. <i>Marine Environmental Research</i> , 2015, 103, 27-35.	2.5	21
519	Effect of ecological group classification schemes on performance of the AMBI benthic index in US coastal waters. <i>Ecological Indicators</i> , 2015, 50, 99-107.	6.3	56
520	Benthic recovery and re-impact responses from salmon farm enrichment: Implications for farm management. <i>Aquaculture</i> , 2015, 435, 412-423.	3.5	23
521	Comparison of the spatial and temporal variability of macroinvertebrate and periphyton-based metrics in a macrophyte-dominated shallow lake. <i>Frontiers of Earth Science</i> , 2015, 9, 137-151.	2.1	2
522	Bayesian analysis of three indices for lagoons ecological status evaluation. <i>Stochastic Environmental Research and Risk Assessment</i> , 2015, 29, 477-485.	4.0	4
523	Benthic estuarine communities in Brazil: moving forward to long term studies to assess climate change impacts. <i>Brazilian Journal of Oceanography</i> , 2016, 64, 81-96.	0.6	28
524	The Relationship between Mollusks and Oxygen Concentrations in Todos Santos Bay, Baja California, Mexico. <i>Journal of Marine Biology</i> , 2016, 2016, 1-10.	1.0	7
525	Benchmarking DNA Metabarcoding for Biodiversity-Based Monitoring and Assessment. <i>Frontiers in Marine Science</i> , 2016, 3, .	2.5	157
526	Evaluation of Alternative High-Throughput Sequencing Methodologies for the Monitoring of Marine Picoplanktonic Biodiversity Based on rRNA Gene Amplicons. <i>Frontiers in Marine Science</i> , 2016, 3, .	2.5	17
527	Predicting the Composition of Polychaete Assemblages in the Aegean Coast of Turkey. <i>Frontiers in Marine Science</i> , 2016, 3, .	2.5	8
528	Mollusk Assemblages As Records of Past and Present Ecological Status. <i>Frontiers in Marine Science</i> , 2016, 3, .	2.5	21
529	Biodiversity in Marine Ecosystems"European Developments toward Robust Assessments. <i>Frontiers in Marine Science</i> , 2016, 3, .	2.5	28
530	Marine Sediment Sample Pre-processing for Macroinvertebrates Metabarcoding: Mechanical Enrichment and Homogenization. <i>Frontiers in Marine Science</i> , 2016, 3, .	2.5	25

#	ARTICLE	IF	CITATIONS
531	Global Environmental Baseline & Monitoring Survey GEMS - Over a Decade of Results Oriented, Monitoring and Assessing the Oil Industry Impacts on the Deep Offshore Environment Case study: Block 17- Girassol field. , 2016, , .		1
532	Amphipoda assemblages in a disturbed area (Alicante, Spain, Western Mediterranean). Marine Ecology, 2016, 37, 503-517.	1.1	16
533	Does increased connectivity with the Mediterranean Sea improve the ecological status of the macroinvertebrates in the lagoon of Boughrara (SW Mediterranean)?. Community Ecology, 2016, 17, 156-166.	0.9	6
534	The polychaete feeding guild composition in the Sishili Bay, the northern Yellow Sea, China. Journal of the Marine Biological Association of the United Kingdom, 2016, 96, 1083-1092.	0.8	5
535	Baseline trace elements in the seagrass <i>Halodule wrightii</i> Aschers (Cymodoceaceae) from Todos os Santos Bay, Bahia, Brazil. Marine Pollution Bulletin, 2016, 104, 335-342.	5.0	12
536	Evaluating ecological states of rocky intertidal communities: A Best Professional Judgment exercise. Ecological Indicators, 2016, 60, 802-814.	6.3	12
537	Application of signal detection theory approach for setting thresholds in benthic quality assessments. Ecological Indicators, 2016, 60, 420-427.	6.3	10
538	Palaeo-ecological quality status based on foraminifera of Boulogne-sur-Mer harbour (Pas-de-Calais, France). Journal of Environmental Management, 2016, 162, 108-114.	2.5	39
539	Ecological assessment of a heavily human-stressed area in the Gulf of Milazzo, Central Mediterranean Sea: an integrated study of biological, physical and chemical indicators. Marine Pollution Bulletin, 2016, 106, 260-273.	5.0	26
540	Classification efficiency of the B-IBI comparing water body size classes in Chesapeake Bay. Ecological Indicators, 2016, 63, 144-153.	6.3	7
541	Assessment of the ecological quality (EcoQ) of the Venice lagoon using the structure and biodiversity of the meiofaunal assemblages. Ecological Indicators, 2016, 67, 451-457.	6.3	36
542	“The past is the future of the present”™: Learning from long-time series of marine monitoring. Science of the Total Environment, 2016, 566-567, 698-711.	8.0	50
543	Effect of activities associated with coastal reclamation on the macrobenthos community in coastal wetlands of the Yellow River Delta, China: A literature review and systematic assessment. Ocean and Coastal Management, 2016, 129, 1-9.	4.4	29
544	Integrated approach for the assessment of the benthic ecosystem functioning at a coastal site in the northern Adriatic Sea. Continental Shelf Research, 2016, 121, 35-47.	1.8	13
545	Polychaete distribution on the southwestern Atlantic continental shelf. Marine Biology Research, 2016, 12, 239-254.	0.7	7
546	Benthic quality assessment in a naturally- and human-stressed tropical estuary. Ecological Indicators, 2016, 67, 380-390.	6.3	46
547	Testing the efficiency of temperate benthic biotic indices in assessing the ecological status of a tropical ecosystem. Marine Pollution Bulletin, 2016, 106, 62-76.	5.0	32
548	Temporal variation on environmental variables and pollution indicators in marine sediments under sea Salmon farming cages in protected and exposed zones in the Chilean inland Southern Sea. Science of the Total Environment, 2016, 573, 841-853.	8.0	28

#	ARTICLE	IF	CITATIONS
549	Impact of prolonged storm activity on the Ecological Status of intertidal benthic habitats within oyster (<i>Crassostrea gigas</i>) trestle cultivation sites. <i>Marine Pollution Bulletin</i> , 2016, 110, 460-469.	5.0	7
550	Is polychaete family-level sufficient to assess impact on tropical estuarine gradients?. <i>Acta Oecologica</i> , 2016, 77, 50-58.	1.1	9
551	Spatial and temporal response of multiple trait-based indices to natural- and anthropogenic seafloor disturbance (effluents). <i>Ecological Indicators</i> , 2016, 69, 617-628.	6.3	35
552	Sewage discharges in oceanic islands: effects and recovery of eulittoral macrofauna assemblages. <i>Journal of Coastal Conservation</i> , 2016, 20, 307-314.	1.6	8
553	Analysis of Illumina MiSeq Metabarcoding Data: Application to Benthic Indices for Environmental Monitoring. <i>Methods in Molecular Biology</i> , 2016, 1452, 237-249.	0.9	12
554	Concept and evaluation of bay health: the role of numerical model in the Yueqing Bay, China. <i>Acta Oceanologica Sinica</i> , 2016, 35, 3-15.	1.0	2
555	How functional traits of estuarine macrobenthic assemblages respond to metal contamination?. <i>Ecological Indicators</i> , 2016, 71, 645-659.	6.3	59
556	Suitable sediment fraction for paleoenvironmental reconstruction and assessment of contaminated coastal areas based on benthic foraminifera: A case study from Augusta Harbour (Eastern Sicily, Italy). <i>Ecological Indicators</i> , 2016, 71, 66-78.	6.3	7
557	Macrobenthic community status in highly polluted area: a case study from Bagnoli, Naples Bay, Italy. <i>Rendiconti Lincei</i> , 2016, 27, 229-239.	2.2	13
558	Spatial variability of soft-bottom macrobenthic communities in northern Sicily (Western) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 113-125.	2.5	16
559	Growth performances and natural diet of European eel (<i>Anguilla anguilla</i> L.) reared in muddy and sandy ponds. <i>Aquatic Living Resources</i> , 2016, 29, 105.	1.2	9
560	Postglacial floodings of the Marmara Sea: molluscs and sediments tell the story. <i>Geo-Marine Letters</i> , 2016, 36, 307-321.	1.1	12
561	Optimising a widely-used coastal health index through quantitative ecological group classifications and associated thresholds. <i>Ecological Indicators</i> , 2016, 69, 595-605.	6.3	27
562	Interactions of cage aquaculture in Nile Delta lakes: Insights from field data and models. <i>Regional Studies in Marine Science</i> , 2016, 7, 129-135.	0.7	4
563	Bacterial and macrofaunal communities in the sediments of the West Gironde Mud Patch, Bay of Biscay (France). <i>Estuarine, Coastal and Shelf Science</i> , 2016, 179, 189-200.	2.1	8
564	Ecological quality assessment in the Eastern Mediterranean combining live and dead molluscan assemblages. <i>Marine Pollution Bulletin</i> , 2016, 104, 246-256.	5.0	16
565	A comparison of the applicability of the Shannon-Wiener index, AMBI and M-AMBI indices for assessing benthic habitat health in the Huanghe (Yellow River) Estuary and adjacent areas. <i>Acta Oceanologica Sinica</i> , 2016, 35, 50-58.	1.0	18
566	Ability of invertebrate indices to assess ecological condition on intertidal rocky shores. <i>Ecological Indicators</i> , 2016, 70, 255-268.	6.3	15

#	ARTICLE	IF	CITATIONS
567	GIS-based ecological risk assessment for contaminated sites by fish farm effluents using a multicriteria weight of evidence approach. <i>Aquaculture Research</i> , 2016, 47, 524-539.	1.8	4
568	Spatial distribution of crustaceans associated with shallow soft-bottom habitats in a coral reef lagoon. <i>Marine Ecology</i> , 2016, 37, 77-87.	1.1	8
569	Response of macroalgae and macroinvertebrates to anthropogenic disturbance gradients in rocky shores. <i>Ecological Indicators</i> , 2016, 61, 850-864.	6.3	17
570	Measuring biological responses at different levels of organisation to assess the effects of diffuse contamination derived from harbour and industrial activities in estuarine areas. <i>Marine Pollution Bulletin</i> , 2016, 103, 301-312.	5.0	20
571	Long-term (1998–2010) large-scale comparison of the ecological quality status of gulf of lions (NW) Tj ETQq0 0 0 rgBT /Overlock 10 T	3.6	6
572	A new ecological index for the status of mesophotic megabenthic assemblages in the mediterranean based on ROV photography and video footage. <i>Continental Shelf Research</i> , 2016, 121, 13-20.	1.8	52
573	Validation and limitations of a cumulative impact model for an estuary. <i>Ocean and Coastal Management</i> , 2016, 120, 88-98.	4.4	34
574	Applying the Ocean Health Index framework to the city level: A case study of Xiamen, China. <i>Ecological Indicators</i> , 2016, 66, 281-290.	6.3	15
575	Sediment characteristics and benthic ecological status in contrasting marine environments of subtropical Hong Kong. <i>Marine Pollution Bulletin</i> , 2016, 103, 360-370.	5.0	18
576	Functional diversity of macrobenthic assemblages decreases in response to sewage discharges. <i>Ecological Indicators</i> , 2016, 66, 65-75.	6.3	96
577	Assessing the suitability of five benthic indices for environmental health assessment in a large subtropical South American estuary. <i>Ecological Indicators</i> , 2016, 64, 258-265.	6.3	30
578	Polychaete/amphipod ratios: An approach to validating simple benthic indicators. <i>Ecological Indicators</i> , 2016, 63, 89-99.	6.3	68
580	Experiences from Ground, Coastal and Transitional Water Quality Monitoring. <i>Handbook of Environmental Chemistry</i> , 2016, , .	0.4	3
581	Foram-AMBI: A sensitivity index based on benthic foraminiferal faunas from North-East Atlantic and Arctic fjords, continental shelves and slopes. <i>Marine Micropaleontology</i> , 2016, 122, 1-12.	1.2	123
582	Performance evaluation and validation of ecological indices toward site-specific application for varying benthic conditions in Korean coasts. <i>Science of the Total Environment</i> , 2016, 541, 1161-1171.	8.0	17
583	Benthic community response to sediment organic enrichment by Mediterranean fish farms: Case studies. <i>Aquaculture</i> , 2016, 450, 262-272.	3.5	48
584	On the use of predator traits and distribution in environmental impact assessment: the trophic/dispersal sufficiency concept. <i>Marine Biodiversity</i> , 2016, 46, 603-613.	1.0	0
585	The hypoxia that developed in a microtidal estuary following an extreme storm produced dramatic changes in the benthos. <i>Marine and Freshwater Research</i> , 2016, 67, 327.	1.3	49

#	ARTICLE	IF	CITATIONS
586	Harvesting effects on functional structure and composition of tropical invertebrate assemblages. ICES Journal of Marine Science, 2016, 73, 420-428.	2.5	12
587	Using species traits to assess human impacts on near shore benthic ecosystems in the Canadian Arctic. Ecological Indicators, 2016, 60, 495-502.	6.3	18
588	Genetic diversity and connectivity patterns of harvested and aquacultured molluscs in estuaries from Asturias (northern Spain). Implications for management strategies. Aquaculture Research, 2016, 47, 2937-2950.	1.8	15
589	Persistent impacts to the deep soft-bottom benthos one year after the Deepwater Horizon event. Integrated Environmental Assessment and Management, 2017, 13, 342-351.	2.9	27
590	Can benthic quality assessment be impaired by uncertain species sensitivities?. Marine Pollution Bulletin, 2017, 116, 332-339.	5.0	1
591	The EU Water Framework Directive: From great expectations to problems with implementation. Science of the Total Environment, 2017, 575, 358-366.	8.0	407
592	The well sorted fine sand community from the western Mediterranean Sea: A resistant and resilient marine habitat under diverse human pressures. Environmental Pollution, 2017, 224, 336-351.	7.5	16
593	The two facets of species sensitivity: Stress and disturbance on coralligenous assemblages in space and time. Marine Pollution Bulletin, 2017, 117, 229-238.	5.0	38
594	Site-occupancy modelling: A new approach to assess sensitivity of indicator species. Ecological Indicators, 2017, 79, 191-195.	6.3	5
595	Comparative efficacy of benthic biotic indices in assessing the Ecological Quality Status (EcoQS) of the stressed Ullas estuary, India. Marine Pollution Bulletin, 2017, 120, 192-202.	5.0	34
596	Long-term dynamics in a soft-bottom amphipod community and the influence of the pelagic environment. Marine Environmental Research, 2017, 129, 133-146.	2.5	12
597	Plant protein-based feeds and commercial feed enable isotopic tracking of aquaculture emissions into marine macrozoobenthic bioindicator species. Isotopes in Environmental and Health Studies, 2017, 53, 261-273.	1.0	4
598	Addressing a gap in the Water Framework Directive implementation: Rocky shores assessment based on benthic macroinvertebrates. Ecological Indicators, 2017, 78, 489-501.	6.3	3
599	Can ecosystem functional recovery be traced to decomposition and nitrogen dynamics in estuaries of the Lower Laguna Madre, Texas?. Restoration Ecology, 2017, 25, 618-628.	2.9	6
600	Monitoring chemical and biological recovery at a confined aquatic disposal site, Oslofjord, Norway. Environmental Toxicology and Chemistry, 2017, 36, 2552-2559.	4.3	3
601	What's in an index? Comparing the ecological information provided by two indices to assess the status of coralligenous reefs in the NW Mediterranean Sea. Aquatic Conservation: Marine and Freshwater Ecosystems, 2017, 27, 1091-1100.	2.0	19
602	Assessment of the impact of salvaging the Costa Concordia wreck on the deep coralligenous habitats. Ecological Indicators, 2017, 80, 124-134.	6.3	28
603	An integrated method to evaluate and monitor the conservation state of coralligenous habitats: The INDEX-COR approach. Marine Pollution Bulletin, 2017, 120, 222-231.	5.0	30

#	ARTICLE	IF	CITATIONS
604	Assessment of benthic biological indicators for evaluating the environmental impact of tuna farming. <i>Aquaculture Research</i> , 2017, 48, 5797-5811.	1.8	8
605	Intensity of catchment land use influences biological traits of benthic invertebrates along a freshwaterâ€marine continuum. <i>Limnology and Oceanography</i> , 2017, 62, S292.	3.1	8
606	Benthic habitat quality assessment based on biological indices in Xiaoqing River estuary and its adjacent sea of Laizhou Bay, China. <i>Journal of Ocean University of China</i> , 2017, 16, 537-546.	1.2	15
607	Analysis of macrobenthic assemblages and ecological health of Yellow River Delta, China, using AMBI & M-AMBI assessment method. <i>Marine Pollution Bulletin</i> , 2017, 119, 23-32.	5.0	25
608	Integration of community structure data reveals observable effects below sediment guideline thresholds in a large estuary. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 1134-1141.	3.5	4
609	Does the hydrodynamic, morphometric and sedimentary environment explain the structure of soft-bottom benthic assemblages in the Eastern Bay of Seine (English Channel)? <i>Estuarine, Coastal and Shelf Science</i> , 2017, 189, 156-172.	2.1	17
610	Do structural and functional attributes show concordant responses to disturbance? Evidence from rocky shore macroinvertebrate communities. <i>Ecological Indicators</i> , 2017, 75, 57-72.	6.3	15
611	An approach based on M-AMBI for assessing benthic ecological status of a broad intertidal zone: A case study in the Jiangsu intertidal zone, China. <i>Marine Pollution Bulletin</i> , 2017, 116, 87-94.	5.0	14
612	Assessing environmental health using ecological indices for soft bottom in sewage-affected rocky shores: The case of the largest seaside resort of SW Atlantic. <i>Marine Pollution Bulletin</i> , 2017, 115, 233-239.	5.0	20
613	BENFES, a new biotic index for assessing ecological status of soft-bottom communities. Towards a lower taxonomic complexity, greater reliability and less effort. <i>Marine Environmental Research</i> , 2017, 132, 41-50.	2.5	16
614	Benthic ecological status of Algerian harbours. <i>Marine Pollution Bulletin</i> , 2017, 125, 378-388.	5.0	24
615	An estimate of the percentage of non-predatory dead variability in coastal zooplankton of the southern Humboldt Current System. <i>Marine Environmental Research</i> , 2017, 132, 103-116.	2.5	9
616	Role of habitats and sampling techniques on macroinvertebrate descriptors and ecological indicators: An experiment in a protected Mediterranean lagoon. <i>Ecological Indicators</i> , 2017, 83, 495-503.	6.3	14
617	Hydrodynamic conditioning of diversity and functional traits in subtidal estuarine macrozoobenthic communities. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 197, 80-92.	2.1	28
618	Lost in translation? Multi-metric macrobenthos indicators and bottom trawling. <i>Ecological Indicators</i> , 2017, 82, 260-270.	6.3	23
619	A comparison of acoustic and observed sediment classifications as predictor variables for modelling biotope distributions in Galway Bay, Ireland. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 197, 258-270.	2.1	5
620	Comparison of three potential methods for accelerating seabed recovery beneath salmon farms. <i>Aquaculture</i> , 2017, 479, 652-666.	3.5	6
621	Impact of kelp cultivation on the Ecological Status of benthic habitats and <i>Zostera marina</i> seagrass biomass. <i>Marine Pollution Bulletin</i> , 2017, 123, 19-27.	5.0	24

#	ARTICLE	IF	CITATIONS
622	An approach for the identification of exemplar sites for scaling up targeted field observations of benthic biogeochemistry in heterogeneous environments. <i>Biogeochemistry</i> , 2017, 135, 1-34.	3.5	30
623	Can the leaf-bag technique detect benthic macrofauna responses to sediment contamination by metals and metalloids in estuaries?. <i>Marine Pollution Bulletin</i> , 2017, 124, 171-180.	5.0	5
624	Seasonal variations in the community structures of macrobenthic fauna and their health status in an estuarine bay, Gwangyang Bay in Korea. <i>Ocean Science Journal</i> , 2017, 52, 367-385.	1.3	5
625	Biomonitoring of coastal pollution in the Gulf of Gabes (SE, Tunisia): use of <i>Posidonia oceanica</i> seagrass as a bioindicator and its mat as an archive of coastal metallic contamination. <i>Environmental Science and Pollution Research</i> , 2017, 24, 22214-22225.	5.3	52
626	Assessing the ecological quality of the Port Blair coast (South Andaman, India) using different suites of benthic biotic indices. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 1007-1021.	0.8	16
627	MACAROMOD: A tool to model particulate waste dispersion and benthic impact from offshore sea-cage aquaculture in the Macaronesian region. <i>Ecological Modelling</i> , 2017, 361, 122-134.	2.5	17
628	DNA metabarcoding for high-throughput monitoring of estuarine macrobenthic communities. <i>Scientific Reports</i> , 2017, 7, 15618.	3.3	65
629	The occurrence of two morphologically similar <i>Chaetozone</i> (Annelida: Polychaeta: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 503 <i>C. carpenteri</i> McIntosh, 1911. , 2017, 84, 541-553.		
630	Tidal Energy: The benthic effects of an operational tidal stream turbine. <i>Marine Environmental Research</i> , 2017, 129, 277-290.	2.5	8
631	Influence of Organic Enrichment and <i>Spisula subtruncata</i> (da Costa, 1778) on Oxygen and Nutrient Fluxes in Fine Sand Sediments. <i>Estuaries and Coasts</i> , 2017, 40, 726-740.	2.2	7
632	Optimizing coastal and marine spatial planning through the use of high-resolution benthic sensitivity models. <i>Ecological Indicators</i> , 2017, 82, 23-31.	6.3	14
633	Predicting the Ecological Quality Status of Marine Environments from eDNA Metabarcoding Data Using Supervised Machine Learning. <i>Environmental Science & Technology</i> , 2017, 51, 9118-9126.	10.0	153
634	Identifying relevant scales of variability for monitoring epifaunal reef communities at a tidal energy extraction site. <i>Ecological Indicators</i> , 2017, 73, 388-397.	6.3	7
635	A bacterial community-based index to assess the ecological status of estuarine and coastal environments. <i>Marine Pollution Bulletin</i> , 2017, 114, 679-688.	5.0	120
636	Structuring factors of the spatio-temporal variability of macrozoobenthos assemblages in a southern Mediterranean lagoon: How useful for bioindication is a multi-biotic indices approach?. <i>Marine Pollution Bulletin</i> , 2017, 114, 515-527.	5.0	30
637	Long-term temporal and spatial trends in eutrophication status of the Baltic Sea. <i>Biological Reviews</i> , 2017, 92, 135-149.	10.4	259
638	Effects of harbor activities on sediment quality in a semi-arid region in Brazil. <i>Ecotoxicology and Environmental Safety</i> , 2017, 135, 137-151.	6.0	31
639	Assessing benthic ecological impacts of bottom aquaculture using macrofaunal assemblages. <i>Marine Pollution Bulletin</i> , 2017, 114, 258-268.	5.0	34

#	ARTICLE	IF	CITATIONS
640	Diagnosis of potential stressors adversely affecting benthic invertebrate communities in Greenwich Bay, Rhode Island, USA. <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 449-462.	4.3	6
641	First records of <i>Lacydonia eliasoni</i> Hartmann-Schröder, 1996 (Polychaeta: Phyllodocida) in the European Arctic. <i>Polish Polar Research</i> , 2017, 38, 175-185.	0.9	3
642	Effects of mechanical disturbance and salinity stress on bioenergetics and burrowing behavior of the soft shell clam <i>Mya arenaria</i> . <i>Journal of Experimental Biology</i> , 2018, 221, .	1.7	38
643	Macrobenthic Community Structure in the Northwestern Arabian Gulf, Twelve Years after the 1991 Oil Spill. <i>Frontiers in Marine Science</i> , 2017, 4, .	2.5	14
644	Response of Benthic Macrofauna to Eutrophication in a Mesocosm Experiment: Ecosystem Resilience Prevents Hypoxic Conditions. <i>Frontiers in Marine Science</i> , 2017, 4, .	2.5	8
645	A multi-scale framework for the automated surveying of the Whangateau estuary using off-the-shelf equipment. , 2017, , .		0
646	Determining Ecological Status of Two Coastal Waters in Western Java using Macrozoobenthic Community: A Comparison between North Part and South Part. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017, 54, 012071.	0.3	2
647	Protection alone may not promote natural recovery of biogenic habitats of high biodiversity damaged by mobile fishing gears. <i>Marine Environmental Research</i> , 2018, 135, 18-28.	2.5	24
648	Can benthic foraminifera serve as proxies for changes in benthic macrofaunal community structure? Implications for the definition of reference conditions. <i>Marine Environmental Research</i> , 2018, 137, 24-36.	2.5	25
649	Adaptation and application of multivariate AMBI (M-AMBI) in US coastal waters. <i>Ecological Indicators</i> , 2018, 89, 818-827.	6.3	32
650	Impacts of a novel shellfishing gear on macrobenthos in a marine protected area: pump-scoop dredging in Poole Harbour, UK. <i>Aquatic Living Resources</i> , 2018, 31, 5.	1.2	8
651	Long-term variability of macrobenthic community in a shallow coastal lagoon (Valli di Comacchio), Tj ETQq1 1 0.784314 rgBT /Overlook 137, 73-87.	2.5	19
652	Effects of submarine mine tailings on macrobenthic community structure and ecosystem processes. <i>Science of the Total Environment</i> , 2018, 630, 189-202.	8.0	23
653	Decapod assemblages associated with shallow macroalgal communities in the northwestern Alboran Sea: Microhabitat use and temporal variability. <i>Journal of Sea Research</i> , 2018, 135, 84-94.	1.6	6
654	Review of the Fisheries Indicators for Monitoring the Impacts of Fishing on Fish Communities. <i>Reviews in Fisheries Science and Aquaculture</i> , 2018, 26, 460-478.	9.1	8
655	Identifying benthic macrofaunal assemblages and indicator taxa of intertidal boulder fields in the south of the Bay of Biscay (northern Basque coast). A framework for future monitoring. <i>Regional Studies in Marine Science</i> , 2018, 20, 13-22.	0.7	5
656	Sedimentary dynamics and benthic macrofauna distribution: Insights from the shoreface in southern Portugal. <i>Journal of Sea Research</i> , 2018, 137, 9-25.	1.6	7
657	What are the most suitable indices to detect the structural and functional changes of benthic community after a local and short-term disturbance?. <i>Ecological Indicators</i> , 2018, 91, 232-240.	6.3	18

#	ARTICLE	IF	CITATIONS
658	Planktonic foraminiferal abnormalities in coastal and open marine eastern Mediterranean environments: A natural stress monitoring approach in recent and early Holocene marine systems. <i>Journal of Marine Systems</i> , 2018, 181, 63-78.	2.1	26
659	Assessing the ecological health status using macrobenthic communities of tropical coastal water. <i>Human and Ecological Risk Assessment (HERA)</i> , 2018, 24, 1761-1785.	3.4	2
660	Integrating benthic habitat indicators: Working towards an ecosystem approach. <i>Marine Policy</i> , 2018, 90, 88-94.	3.2	18
661	Relationships between biotic indices, multiple stressors and natural variability in New Zealand estuaries. <i>Ecological Indicators</i> , 2018, 85, 634-643.	6.3	18
662	Assessing benthic ecological status in subtropical islands, China using AMBI and Bentix indices. <i>Estuarine, Coastal and Shelf Science</i> , 2018, 207, 345-350.	2.1	8
663	Unraveling the performance of the benthic index AMBI in a subtropical bay: The effects of data transformations and exclusion of low-reliability sites. <i>Marine Pollution Bulletin</i> , 2018, 126, 438-448.	5.0	17
664	The application of two benthic indices to investigate the effects of land-based fish farms in coastal transitional ecosystems: two case studies in Tuscany region (Italy). <i>Aquaculture International</i> , 2018, 26, 543-555.	2.2	2
665	Developing Foram-AMBI for biomonitoring in the Mediterranean: Species assignments to ecological categories. <i>Marine Micropaleontology</i> , 2018, 140, 33-45.	1.2	112
666	Assessing the effectiveness of surrogates for species over time: Evidence from decadal monitoring of a Mediterranean transitional water ecosystem. <i>Marine Pollution Bulletin</i> , 2018, 131, 507-514.	5.0	8
667	Assessing benthic ecological status under impoverished faunal situations: A case study from the southern Gulf of Mexico. <i>Ecological Indicators</i> , 2018, 91, 679-688.	6.3	9
668	A regional benthic fauna assessment method for the Southern North Sea using Margalef diversity and reference value modelling. <i>Ecological Indicators</i> , 2018, 89, 667-679.	6.3	21
669	Assessing the ecological status of Italian lagoons using a biomass-based index. <i>Marine Pollution Bulletin</i> , 2018, 126, 600-605.	5.0	16
670	Detection of terrigenous and marine organic matter flow into a eutrophic semi-enclosed bay by $\delta^{13}C$ and $\delta^{15}N$ of intertidal macrobenthos and basal food sources. <i>Science of the Total Environment</i> , 2018, 613-614, 847-860.	8.0	18
671	The need for validation of ecological indices. <i>Ecological Indicators</i> , 2018, 84, 546-552.	6.3	28
672	Benthic foraminifera to assess Ecological Quality Statuses in Italian transitional waters. <i>Ecological Indicators</i> , 2018, 84, 130-139.	6.3	56
673	Comparison of benthic indices for the evaluation of ecological status of three Slovenian transitional water bodies (northern Adriatic). <i>Marine Pollution Bulletin</i> , 2018, 129, 813-821.	5.0	6
674	Testing the efficiency of a bacterial community-based index (microgAMBI) to assess distinct impact sources in six locations around the world. <i>Ecological Indicators</i> , 2018, 85, 594-602.	6.3	39
675	Environmental DNA metabarcoding of benthic bacterial communities indicates the benthic footprint of salmon aquaculture. <i>Marine Pollution Bulletin</i> , 2018, 127, 139-149.	5.0	74

#	ARTICLE	IF	CITATIONS
676	Development and preliminary validation of a multi-trophic metabarcoding biotic index for monitoring benthic organic enrichment. <i>Ecological Indicators</i> , 2018, 85, 1044-1057.	6.3	101
677	An approach based on nematode descriptors for the classification of ecological quality (EcoQ) of the Malaysian coasts. <i>Marine Biodiversity</i> , 2018, 48, 117-126.	1.0	16
678	Metabarcoding of benthic ciliate communities shows high potential for environmental monitoring in salmon aquaculture. <i>Ecological Indicators</i> , 2018, 85, 153-164.	6.3	70
679	Assessing functional diversity of macrobenthic assemblages in sewage-affected intertidal shores. <i>International Aquatic Research</i> , 2018, 10, 333-347.	1.5	13
680	Impact of the 2004 tsunami on the macrofauna of the continental slope of the southeast coast of India. <i>Marine Ecology</i> , 2018, 39, e12527.	1.1	3
681	Linking the presence of visual indicators of aquaculture deposition to changes in epibenthic richness at finfish sites installed over hard bottom substrates. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 750.	2.7	6
682	Impact of Natural and Anthropogenic Disturbances on the Benthic Ecological Quality of the Coastal Waters of Kochi, Southwest Coast of India. <i>International Journal of Environmental Research</i> , 2018, 12, 861-875.	2.3	10
683	Using Historic Land Cover Data to Predict Estuarine Macrobenthos Characteristics in South Africa. <i>Journal of Coastal Research</i> , 2018, 34, 1116.	0.3	2
684	Assessment of the benthic ecological status in the adjacent waters of Yangtze River Estuary using marine biotic indices. <i>Marine Pollution Bulletin</i> , 2018, 137, 104-112.	5.0	26
685	Evaluation of estuarine biotic indices to assess macro-benthic structure and functioning following nutrient remediation actions: A case study on the Eden estuary Scotland. <i>Regional Studies in Marine Science</i> , 2018, 24, 379-391.	0.7	3
686	Limited congruence exhibited across microbial, meiofaunal and macrofaunal benthic assemblages in a heterogeneous coastal environment. <i>Scientific Reports</i> , 2018, 8, 15500.	3.3	6
687	Heavy metals, OCPs, PAHs, and PCDD/Fs contamination in surface sediments of a coastal lagoon (Valli) Tj ETQq1 1 0.784314 rgBT /Over <i>Marine Pollution Bulletin</i> , 2018, 135, 1221-1229.	5.0	10
688	Links between ecological and human wealth in drainage ponds in a fast-expanding city, and proposals for design and management. <i>Landscape and Urban Planning</i> , 2018, 180, 93-102.	7.5	16
689	Plankton community assessment in anthropogenic-impacted oligotrophic coastal regions. <i>Environmental Science and Pollution Research</i> , 2018, 25, 31017-31030.	5.3	9
690	Soft bottom benthos and responses to climate variation and eutrophication in Skagerrak. <i>Journal of Sea Research</i> , 2018, 141, 83-98.	1.6	11
691	Advantages and Limitations of Environmental DNA/RNA Tools for Marine Biosecurity: Management and Surveillance of Non-indigenous Species. <i>Frontiers in Marine Science</i> , 2018, 5, .	2.5	94
692	Molluscan indicator species and their potential use in ecological status assessment using species distribution modeling. <i>Marine Environmental Research</i> , 2018, 140, 10-17.	2.5	24
693	The future of biotic indices in the ecogenomic era: Integrating (e)DNA metabarcoding in biological assessment of aquatic ecosystems. <i>Science of the Total Environment</i> , 2018, 637-638, 1295-1310.	8.0	377

#	ARTICLE	IF	CITATIONS
694	Impact of dredged-material disposal on soft-bottom communities in a recurrent marine dumping area near to Guadalquivir estuary, Spain. <i>Marine Environmental Research</i> , 2018, 139, 64-78.	2.5	13
695	Macrobenthic assemblage characteristics under stressed waters and ecological health assessment using AMBI and M-AMBI: a case study at the Xinâ€™an River Estuary, Yantai, China. <i>Acta Oceanologica Sinica</i> , 2018, 37, 77-86.	1.0	17
696	Twenty years of application of Polychaete/Amphipod ratios to assess diverse human pressures in estuarine and coastal marine environments: A review. <i>Ecological Indicators</i> , 2018, 95, 427-435.	6.3	29
697	Molluscan benthic communities at Brijuni Islands (northern Adriatic Sea) shaped by Holocene sea-level rise and recent human eutrophication and pollution. <i>Holocene</i> , 2018, 28, 1801-1817.	1.7	10
698	Effects of erosion-accretion processes on a community dominated by <i>Brachidontes rodriguezii</i> (Mollusca: Mytilidae) on a rocky outcrop of the South Atlantic coast. <i>Journal of Marine Systems</i> , 2018, 187, 146-155.	2.1	3
699	Adapting metabarcoding-based benthic biomonitoring into routine marine ecological status assessment networks. <i>Ecological Indicators</i> , 2018, 95, 194-202.	6.3	103
700	Effects of Pollution on Populations, Communities, and Ecosystems. , 2018, , 247-261.		0
701	What role do environmental and anthropogenic factors play in the variability of benthic macrofauna in the northern lagoon of Tunis?. <i>Community Ecology</i> , 2018, 19, 21-34.	0.9	1
702	Supervised machine learning outperforms taxonomyâ€‘based environmental <scp>DNA</scp> metabarcoding applied to biomonitoring. <i>Molecular Ecology Resources</i> , 2018, 18, 1381-1391.	4.8	116
703	Can intensive fish farming for 20Â‘years induce changes in benthic ecosystems on a scale of waterbody? An assessment from Cephalonia bay (Ionian Sea). <i>Environmental Monitoring and Assessment</i> , 2018, 190, 469.	2.7	4
704	Benthic Estuarine Assemblages from the Southern Brazilian Marine Ecoregion. <i>Brazilian Marine Biodiversity</i> , 2018, , 177-212.	0.4	12
705	Brazilian Estuaries. <i>Brazilian Marine Biodiversity</i> , 2018, , .	0.4	16
706	Macrobenthic community characteristics and ecological health of a constructed intertidal oyster reef in the Yangtze Estuary, China. <i>Marine Pollution Bulletin</i> , 2018, 135, 95-104.	5.0	11
707	Testing performances of marine benthic biotic indices under the strong seasonality in the tropical intertidal habitats, South Andaman, India. <i>Marine Pollution Bulletin</i> , 2018, 135, 266-282.	5.0	22
708	Impact of unusual monsoonal rainfall in structuring meiobenthic assemblages at Sundarban estuarine system, India. <i>Ecological Indicators</i> , 2018, 94, 139-150.	6.3	11
709	Microtidal estuaries warrant special management measures that recognise their critical vulnerability to pollution and climate change. <i>Marine Pollution Bulletin</i> , 2018, 135, 41-46.	5.0	61
710	Environmental status assessment using biological traits analyses and functional diversity indices of benthic ciliate communities. <i>Marine Pollution Bulletin</i> , 2018, 131, 646-654.	5.0	27
711	Assessing the ecological quality status of transplanted mangrove wetland in the Oujiang estuary, China. <i>Marine Pollution Bulletin</i> , 2018, 133, 1-8.	5.0	17

#	ARTICLE	IF	CITATIONS
712	Temporal and spatial changes of macrobenthos community in the regions frequently occurring black water aggregation in Lake Taihu. Scientific Reports, 2018, 8, 5712.	3.3	14
713	20th century increase in body size of a hypoxia-tolerant bivalve documented by sediment cores from the northern Adriatic Sea (Gulf of Trieste). Marine Pollution Bulletin, 2018, 135, 361-375.	5.0	14
714	Thyasira tokunagai as an ecological indicator for the quality of sediment and benthic communities in the East Sea-Byeong, Korea. Marine Pollution Bulletin, 2018, 135, 873-879.	5.0	9
715	Relationships between plastic litter and chemical pollutants on benthic biodiversity. Environmental Pollution, 2018, 242, 1546-1556.	7.5	30
716	Correlation between macrobenthic structure (biotic) and water-sediment characteristics (abiotic) adjacent aquaculture areas at Tembelas Island, Indonesia. Journal of Physics: Conference Series, 2018, 1025, 012081.	0.4	0
717	Ecological quality status evaluation of a monsoonal tropical estuary using benthic indices: comparison via a seasonal approach. Environmental Science and Pollution Research, 2018, 25, 22672-22688.	5.3	15
718	Deployment characterization of a floatable tidal energy converter on a tidal channel, Ria Formosa, Portugal. Energy, 2018, 158, 89-104.	8.8	6
719	Benthic meiofaunal community response to the cascading effects of herbivory within an algal halo system of the Great Barrier Reef. PLoS ONE, 2018, 13, e0193932.	2.5	16
720	A Comparison of Different Ciliate Metabarcoding Genes as Bioindicators for Environmental Impact Assessments of Salmon Aquaculture. Journal of Eukaryotic Microbiology, 2019, 66, 294-308.	1.7	32
721	Meiofaunal communities in four Adriatic ports: Baseline data for risk assessment in ballast water management. Marine Pollution Bulletin, 2019, 147, 171-184.	5.0	15
722	Vertical Distribution of Macrobenthos in Hypoxia-Affected Sediments of the Northern Gulf of Mexico: Applying Functional Metrics. Estuaries and Coasts, 2019, 42, 250-263.	2.2	3
723	Spatial and temporal variability in distribution, diversity, and structure of the polychaete assemblages from Dakhla Bay (Atlantic coast of South Morocco). Marine Biodiversity, 2019, 49, 1271-1281.	1.0	6
724	Summer Variations of Macrobenthic Community Structures in Gwangyang Bay, Korea. Ocean Science Journal, 2019, 54, 393-406.	1.3	1
725	The role of competitor, stress-tolerant and opportunist species in the development of indexes based on rocky shore assemblages for the assessment of ecological status. Ecological Indicators, 2019, 107, 105556.	6.3	6
726	Changes in infaunal assemblage structure influence nutrient fluxes in sediment enriched by mussel biodeposition. Science of the Total Environment, 2019, 692, 39-48.	8.0	20
727	Application of a Weight of Evidence Approach for Monitoring Complex Environmental Scenarios: the Case-Study of Off-Shore Platforms. Frontiers in Marine Science, 2019, 6, .	2.5	38
728	A systematic survey of bar-built estuaries along the California coast. Estuarine, Coastal and Shelf Science, 2019, 226, 106285.	2.1	24
729	Response of benthic macrofauna to multiple anthropogenic pressures in the shallow coastal zone south of Sfax (Tunisia, central Mediterranean Sea). Environmental Pollution, 2019, 253, 474-487.	7.5	33

#	ARTICLE	IF	CITATIONS
730	Macrobenthos functional trait responses to heavy metal pollution gradients in a temperate lagoon. <i>Environmental Pollution</i> , 2019, 253, 1107-1116.	7.5	36
731	Effects of sampling site, season, and substrate on foraminiferal assemblages grown from propagule banks from lagoon sediments of Corfu Island (Greece, Ionian Sea). <i>PLoS ONE</i> , 2019, 14, e0219015.	2.5	6
732	Response of a marine benthic invertebrate community and biotic indices to organic enrichment from sewage disposal. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1721-1734.	0.8	15
733	Deriving water quality criteria for China for the organophosphorus pesticides dichlorvos and malathion. <i>Environmental Science and Pollution Research</i> , 2019, 26, 34622-34632.	5.3	25
734	Tracing pollution in estuarine benthic organisms and its impacts on food webs of the Vitoria Bay estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 229, 106410.	2.1	9
735	Natural factors and chemical contamination control the structure of macrobenthic communities in the Santos Estuarine System (SP, Brazil). <i>Community Ecology</i> , 2019, 20, 121-137.	0.9	12
736	A multimetric approach to evaluate offshore mussel aquaculture effects on the taxonomical and functional diversity of macrobenthic communities. <i>Marine Environmental Research</i> , 2019, 151, 104774.	2.5	18
737	Molecular characterization and phylogenetics of Indian polychaete fauna: scope for implementation in ecological monitoring. <i>Aquatic Ecology</i> , 2019, 53, 665-677.	1.5	5
738	Quantitatively characterizing benthic community-habitat relationships in soft-sediment, nearshore environments to yield useful results for management. <i>Journal of Environmental Management</i> , 2019, 249, 109361.	7.8	3
739	Forever young: The successful story of a marine biotic index. <i>Advances in Marine Biology</i> , 2019, 82, 93-127.	1.4	43
740	Macrofaunal spatial distribution and community structure in a lagoon without a river discharge (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.1	7
741	Anthropogenic impact of oyster farming on macrofauna biodiversity in an eelgrass (<i>Zostera marina</i>) ecosystem of the English Channel. <i>Ecological Indicators</i> , 2019, 106, 105480.	6.3	3
742	Microbial assemblages and bioindicators as proxies for ecosystem health status: potential and limitations. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 6407-6421.	3.6	45
743	Stable but fragile: long-term dynamics of arctic benthic macrofauna in Baydaratskaya Bay (the Kara) Tj ETQq1 1 0.784314 rgBT /Overlock 14	1.2	14
744	Assessing the ecological health of the Chongming Dongtan Nature Reserve, China, using different benthic biotic indices. <i>Marine Pollution Bulletin</i> , 2019, 146, 76-84.	5.0	23
745	Relationship between mild seasonal oxygen deficiency and seasonal variations of macrozoobenthic community: A case study in the Yangtze River estuary and its adjacent area, China. <i>Marine Pollution Bulletin</i> , 2019, 144, 11-19.	5.0	2
746	Impact of wastewater treatment plant discharges on macroalgae and macrofauna assemblages of the intertidal rocky shore in the southeastern Bay of Biscay. <i>Continental Shelf Research</i> , 2019, 181, 34-49.	1.8	2
747	Benthic quality assessment using M-AMBI in the Seto Inland Sea, Japan. <i>Marine Environmental Research</i> , 2019, 148, 67-74.	2.5	7

#	ARTICLE	IF	CITATIONS
748	The effect of <i>Cystoseira</i> canopy on the value of midlittoral habitats in NW Mediterranean, an emergy assessment. <i>Ecological Modelling</i> , 2019, 404, 1-11.	2.5	24
749	DNA barcode reference libraries for the monitoring of aquatic biota in Europe: Gap-analysis and recommendations for future work. <i>Science of the Total Environment</i> , 2019, 678, 499-524.	8.0	336
750	Long-distance influence of the Rhône River plume on the marine benthic ecosystem: Integrating descriptive ecology and predictive modelling. <i>Science of the Total Environment</i> , 2019, 673, 790-809.	8.0	4
751	Structure of the benthic macrofauna of an anthropogenic influenced area: Skhira Bay (Gulf of Gabès), Tj ETQq1 1 0.784314 rgBT /Overl	5.3	18
752	Water chemistry and substrate type as major determinants of molluscan feeding habit and life mode in lagoon sediments. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 220, 120-130.	2.1	25
753	Lessons from photo analyses of Autonomous Reef Monitoring Structures as tools to detect (bio-)geographical, spatial, and environmental effects. <i>Marine Pollution Bulletin</i> , 2019, 141, 420-429.	5.0	32
754	When the levee breaks: Effects of flood on offshore water contamination and benthic community in the Mediterranean (Ionian Sea). <i>Marine Pollution Bulletin</i> , 2019, 140, 588-596.	5.0	5
755	Multi-marker eDNA metabarcoding survey to assess the environmental impact of three offshore gas platforms in the North Adriatic Sea (Italy). <i>Marine Environmental Research</i> , 2019, 146, 24-34.	2.5	59
756	Benthic ecological quality assessment of the Bohai Sea, China using marine biotic indices. <i>Marine Pollution Bulletin</i> , 2019, 142, 457-464.	5.0	29
757	Benthic community status and mobilization of Ni, Cu and Co at abandoned sea deposits for mine tailings in SW Norway. <i>Marine Pollution Bulletin</i> , 2019, 141, 318-331.	5.0	17
758	Recovery of benthic communities following the Toarcian oceanic anoxic event in the Cleveland Basin, UK. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 521, 114-126.	2.3	17
759	Assessment of Effluent Stressed Ecosystem of Cuddalore Coastal Waters – a Bio-Indicator Approach. <i>Thalassas</i> , 2019, 35, 437-449.	0.5	7
760	Modelling the effects of climate change on the distribution of benthic indicator species in the Eastern Mediterranean Sea. <i>Science of the Total Environment</i> , 2019, 667, 16-24.	8.0	38
761	Community structure of benthic amphipods in four estuaries of northwest India. <i>Regional Studies in Marine Science</i> , 2019, 27, 100532.	0.7	12
762	Explicit Characterization of Spatial Heterogeneity Based on Water Quality, Sediment Contamination, and Ichthyofauna in a Riverine-to-Coastal Zone. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 409.	2.6	7
763	Biotic and abiotic factors affecting seasonal and spatial distribution of meiofauna and macrophytobenthos in transitional coastal waters. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 219, 328-340.	2.1	14
764	An ecological status indicator for all time: Are AMBI and M-AMBI effective indicators of change in deep time?. <i>Marine Pollution Bulletin</i> , 2019, 140, 472-484.	5.0	6
765	Macrozoobenthos in the Adriatic Sea ports: Soft-bottom communities with an overview of non-indigenous species. <i>Marine Pollution Bulletin</i> , 2019, 147, 159-170.	5.0	10

#	ARTICLE	IF	CITATIONS
766	Long-term Assessment of the Environmental Conditions of Lake Nakaumi (Japan) Using Multivariate AZTI Marine Biotic Index (M-AMBI). Journal of Water and Environment Technology, 2019, 17, 407-419.	0.7	1
767	Seasonal and spatial alterations in macrofaunal communities and in <i>Nephtys cirrosa</i> (Polychaeta) oxidative stress under a salinity gradient: A comparative field monitoring approach. Ecological Indicators, 2019, 96, 192-201.	6.3	5
768	Intercalibration of benthic foraminiferal and macrofaunal biotic indices: An example from the Norwegian Skagerrak coast (NE North Sea). Ecological Indicators, 2019, 96, 107-115.	6.3	33
769	Marinas: An overlooked habitat for exploring the relation among polychaete assemblages and environmental factors. Marine Pollution Bulletin, 2019, 138, 584-597.	5.0	13
770	Embracing Environmental Genomics and Machine Learning for Routine Biomonitoring. Trends in Microbiology, 2019, 27, 387-397.	7.7	116
771	Recovery of benthic communities from small-scale shrimp trawling: Evidence from using ecological indices over a short temporal scale. Ecological Indicators, 2019, 99, 299-309.	6.3	7
772	Functionally similar but taxonomically different: Benthic communities in 1889 and 2006 in an industrialized estuary. Estuarine, Coastal and Shelf Science, 2019, 217, 292-300.	2.1	18
773	Long-term changes in the structure of benthic communities: Revisiting a sampling transect in Crete after 24 years. Marine Environmental Research, 2019, 144, 9-19.	2.5	3
774	Distribution of macrozoobenthos in an Arctic estuary (Pechora Bay, SE Barents Sea) during the spring flood period. Polar Biology, 2019, 42, 1667-1684.	1.2	9
775	Sediment quality assessment as potential tool for the management of tropical estuarine protected areas in SW Atlantic, Brazil. Ecological Indicators, 2019, 101, 238-248.	6.3	22
776	Distribution of soft bottom macrobenthic communities in tropical marinas of Singapore. Urban Ecosystems, 2019, 22, 443-453.	2.4	7
777	Application of a new protocol to evaluate the benthic impacts of aquaculture: Colonization of experimental units for monitoring by polychaeta. Ecological Indicators, 2019, 101, 50-61.	6.3	5
778	Evaluation of macrobenthic community responses to dredging through a multimetric approach: Effective or apparent recovery?. Ecological Indicators, 2019, 96, 656-668.	6.3	18
779	Macrobenthic functional feeding groups in a microtidal monsoonal estuary (Kodungallur "Azhikode") Tj ETQq1 1 0.784314 rgBT /Over	0.7	9
780	The Estuarine Quality Paradox Concept. , 2019, , 78-85.		10
781	DNA barcoding of macrofauna act as a tool for assessing marine ecosystem. Marine Pollution Bulletin, 2020, 152, 107891.	5.0	5
782	Mixed-habitat assimilation of organic waste in coastal environments "It's all about synergy!". Science of the Total Environment, 2020, 699, 134281.	8.0	14
783	New Zealand estuary benthic health indicators summarised nationally and by estuary type. New Zealand Journal of Marine and Freshwater Research, 2020, 54, 24-44.	2.0	7

#	ARTICLE	IF	CITATIONS
784	Influence of dike-induced morphologic and sedimentologic changes on the benthic ecosystem in the sheltered tidal flats, Saemangeum area, west coast of Korea. <i>Environmental Pollution</i> , 2020, 257, 113507.	7.5	13
785	Macrozoobenthos monitoring in relation to dredged sediment disposal: The case of the Marano and Grado Lagoon (northern Adriatic Sea, Italy). <i>Regional Studies in Marine Science</i> , 2020, 33, 100916.	0.7	6
786	Environmental quality assessment of the fish farms' impact in the Monastir Bay (eastern of Tunisia), <i>Tj ETQq0 0 0 rgBT /Overlock 10 Research</i> , 2020, 27, 9059-9074.	5.3	16
787	Meiobenthic nematodes in the assessment of the relative impact of human activities on coastal marine ecosystem. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 81.	2.7	11
788	Foraminiferal-based biotic indices to assess the ecological quality status of the Gulf of Gabes (Tunisia): Present limitations and future perspectives. <i>Ecological Indicators</i> , 2020, 111, 105962.	6.3	33
789	The development of a national approach to monitoring estuarine health based on multivariate analysis. <i>Marine Pollution Bulletin</i> , 2020, 150, 110602.	5.0	9
790	Diversity and geographical distribution of soft-bottom macrobenthos in the bay of Bou Ismail (Algeria, Mediterranean Sea). <i>Regional Studies in Marine Science</i> , 2020, 33, 100938.	0.7	5
791	Macrofaunal colonization of mine tailings impacted sediments. <i>Science of the Total Environment</i> , 2020, 708, 134866.	8.0	9
792	Effects of a salmon fish farm on benthic habitats in a high-energy hydrodynamic system: The case of the Rade de Cherbourg (English Channel). <i>Aquaculture</i> , 2020, 518, 734832.	3.5	8
793	Setting reference conditions to assess the ecological status of the sublittoral and bathyal benthic communities of the southern Gulf of Mexico. <i>Ecological Indicators</i> , 2020, 111, 105964.	6.3	13
794	Benthic monitoring of oil and gas offshore platforms in the North Sea using environmental DNA metabarcoding. <i>Molecular Ecology</i> , 2021, 30, 3007-3022.	3.9	21
795	Environmental DNA metabarcoding reveals estuarine benthic community response to nutrient enrichment " Evidence from an in-situ experiment. <i>Environmental Pollution</i> , 2020, 267, 115472.	7.5	25
796	Benthic macrofauna as an indicator of Ecological Integrity at an ocean beach with touristic purpose; Playa El Rivero, Punta Del Diablo, Rocha, Uruguay. <i>Regional Studies in Marine Science</i> , 2020, 39, 101441.	0.7	1
797	Macro-zoobenthic biodiversity of northern Adriatic hard substrates: Ecological insights from a bibliographic survey. <i>Journal of Sea Research</i> , 2020, 160-161, 101903.	1.6	4
798	Irregular recruitment of the echinoid <i>Echinocyamus pusillus</i> and its implications for biological traits analysis. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020, 100, 1123-1127.	0.8	0
799	European aquatic ecological assessment methods: A critical review of their sensitivity to key pressures. <i>Science of the Total Environment</i> , 2020, 740, 140075.	8.0	71
800	Biases in bulk: DNA metabarcoding of marine communities and the methodology involved. <i>Molecular Ecology</i> , 2021, 30, 3270-3288.	3.9	97
801	Can the ecological status of three differentially impacted monsoonal tropical estuaries in NW India, be adequately assessed by a common estuarine benthic index?. <i>Ecological Indicators</i> , 2020, 119, 106807.	6.3	17

#	ARTICLE	IF	CITATIONS
802	Evaluating the performance and management of artificial reefs using artificial reef multimetric index (ARMI). <i>Ocean and Coastal Management</i> , 2020, 198, 105350.	4.4	14
803	Sandy Beach Macrofauna of Yucatán State (Mexico) and Oil Industry Development in the Gulf of Mexico: First Approach for Detecting Environmental Impacts. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	12
804	Reconstruction of the palaeo-ecological quality status in an impacted estuary using benthic foraminifera: The Santos Estuary (São Paulo state, SE Brazil). <i>Marine Environmental Research</i> , 2020, 162, 105121.	2.5	15
805	Ecological regime shift preserved in the Anthropocene stratigraphic record. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200695.	2.6	23
806	Biodiversity and Habitat Assessment of Coastal Benthic Communities in a Sub-Arctic Industrial Harbor Area. <i>Water (Switzerland)</i> , 2020, 12, 2424.	2.7	8
807	Assessment of benthic macroinvertebrate response to anthropogenic and natural disturbances in the Kodungallur-Azhikode estuary, southwest coast of India. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 626.	2.7	11
808	Global Environmental Baseline & Monitoring Survey GEMS - Over a Decade of Results Oriented, Monitoring and Assessing the Oil Industry Impacts on the Deep Offshore Environment Case Study: Block 17- Girassol field. , 2020, , .		0
809	Assessment of Romanian circalittoral soft bottom benthic habitats under Danube River influence. <i>Regional Studies in Marine Science</i> , 2020, 40, 101523.	0.7	5
810	Ecological Quality Status (EcoQs) of Chabahar sub-tropical bay based on multimetric macrobenthos-indexes approach: Response of bio-indexes to sediment structural/pollutant variables. <i>Regional Studies in Marine Science</i> , 2020, 40, 101524.	0.7	5
811	Long-term changes of marine subtidal benthic communities in North East Asia (Yellow and Japan seas) in a global change context: A review. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 1451-1475.	2.0	6
812	Ecosystems monitoring powered by environmental genomics: A review of current strategies with an implementation roadmap. <i>Molecular Ecology</i> , 2021, 30, 2937-2958.	3.9	149
813	A microbial <i>mandala</i> for environmental monitoring: Predicting multiple impacts on estuarine prokaryote communities of the Bay of Biscay. <i>Molecular Ecology</i> , 2021, 30, 2969-2987.	3.9	26
814	Spatial-temporal variations of a SW Atlantic macrobenthic community affected by a chronic anthropogenic disturbance. <i>Marine Pollution Bulletin</i> , 2020, 156, 111189.	5.0	7
815	Assessing large-scale macrobenthic community shifts in the Aegean Sea using novel beta diversity modelling methods. Ramifications on environmental assessment. <i>Science of the Total Environment</i> , 2020, 734, 139504.	8.0	4
816	Comparing structural and functional approaches to distinguish benthic communities from eutrophic and non-eutrophic estuaries. <i>Marine Pollution Bulletin</i> , 2020, 157, 111290.	5.0	8
817	Distribution and accumulation ability of heavy metals in bivalve shells and associated sediment from Red Sea coast, Egypt. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 353.	2.7	27
818	Detect coastal disturbances and climate change effects in coralligenous community through sentinel stations. <i>PLoS ONE</i> , 2020, 15, e0231641.	2.5	12
819	Multiannual Trend of Micro-Pollutants in Sediments and Benthic Community Response in a Mediterranean Lagoon (Sacca di Goro, Italy). <i>Water (Switzerland)</i> , 2020, 12, 1074.	2.7	7

#	ARTICLE	IF	CITATIONS
820	Trace metal contamination in sediment in the Mhlathuze Estuary, northern KwaZulu-Natal, South Africa: effects on the macrobenthic community. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 401.	2.7	10
821	Relationships between invertebrate benthos, environmental drivers and pollutants at a subcontinental scale. <i>Marine Pollution Bulletin</i> , 2020, 157, 111316.	5.0	8
822	Functional diversity in the intertidal macrobenthic community at sewage-affected shores from Southwestern Atlantic. <i>Marine Pollution Bulletin</i> , 2020, 157, 111365.	5.0	19
823	Main Anthropogenic Impacts on Benthic Macrofauna of Sandy Beaches: A Review. <i>Journal of Marine Science and Engineering</i> , 2020, 8, 405.	2.6	17
824	Multidisciplinary study to monitor consequences of pollution on intertidal benthic ecosystems (Hauts de France, English Channel, France): Comparison with natural areas. <i>Marine Environmental Research</i> , 2020, 160, 105034.	2.5	27
825	Environmental DNA from plastic and textile marine litter detects exotic and nuisance species nearby ports. <i>PLoS ONE</i> , 2020, 15, e0228811.	2.5	32
826	A revised classification system describing the ecological quality status of organically enriched marine sediments based on total dissolved sulfides. <i>Marine Pollution Bulletin</i> , 2020, 154, 111088.	5.0	13
827	Functional diversity patterns of macrofauna in the adjacent waters of the Yangtze River Estuary. <i>Marine Pollution Bulletin</i> , 2020, 154, 111032.	5.0	25
828	The Status of Coastal Benthic Ecosystems in the Mediterranean Sea: Evidence From Ecological Indicators. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	25
829	Spatiotemporal variations of benthic macrofaunal community in the Xiamen Amphioxus Nature Reserve, eastern South China Sea. <i>Acta Oceanologica Sinica</i> , 2020, 39, 10-18.	1.0	2
830	Benthic foraminifera to assess ecological quality statuses: The case of salmon fish farming. <i>Ecological Indicators</i> , 2020, 117, 106607.	6.3	18
831	Detecting adverse effect on seabed integrity. Part 1: Generic sensitivity indices to measure the effect of trawling on benthic mega-epifauna. <i>Ecological Indicators</i> , 2020, 117, 106631.	6.3	8
832	Translational Molecular Ecology in practice: Linking DNA-based methods to actionable marine environmental management. <i>Science of the Total Environment</i> , 2020, 744, 140780.	8.0	24
833	Investigating changes in estuarine ecosystem functioning under future scenarios. <i>Ecological Applications</i> , 2020, 30, e02090.	3.8	14
834	Macrofaunal communities in the Gioia Canyon (Southern Tyrrhenian Sea, Italy). , 2020, 87, 122-130.		1
835	Biodiversityâ€Ecosystem Functioning (BEF) approach to further understanding aquacultureâ€environment interactions with application to bivalve culture and benthic ecosystems. <i>Reviews in Aquaculture</i> , 2020, 12, 2027-2041.	9.0	19
836	Ecological status assessment based on benthic macrofauna of three Mediterranean ports: Comparisons across seasons, activities and regions. <i>Marine Pollution Bulletin</i> , 2020, 153, 110997.	5.0	16
837	Seafloor biodiversity of Canada's three oceans: Patterns, hotspots and potential drivers. <i>Diversity and Distributions</i> , 2020, 26, 226-241.	4.1	13

#	ARTICLE	IF	CITATIONS
838	Assessing benthic habitat quality using biotic indices in the Laizhou Bay, China. <i>Acta Oceanologica Sinica</i> , 2020, 39, 49-58.	1.0	10
839	Assessment of the benthic ecological status in adjacent areas of the Yangtze River Estuary, China, using AMBI, M-AMBI and BOPA biotic indices. <i>Marine Pollution Bulletin</i> , 2020, 153, 111020.	5.0	14
840	Common patterns of functional and biotic indices in response to multiple stressors in marine harbours ecosystems. <i>Environmental Pollution</i> , 2020, 259, 113959.	7.5	25
841	The Dredge Disposal Sediment Index (D2SI): A new specific multicriteria index to assess the impact of harbour sediment dumping. <i>Ecological Indicators</i> , 2020, 112, 106109.	6.3	6
842	Is the benthic index AMBI impervious to seasonality and data transformations while evaluating the ecological status of an anthropized monsoonal estuary?. <i>Ocean and Coastal Management</i> , 2020, 186, 105080.	4.4	13
843	Bacterial communities' taxonomic and functional turnovers both accurately predict marine benthic ecological quality status. <i>Environmental DNA</i> , 2020, 2, 175-183.	5.8	22
844	From sessile to vagile: Understanding the importance of epifauna to assess the environmental impacts of coastal defence structures. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 235, 106616.	2.1	22
845	Supporting the essential - Recommendations for the development of accessible and interoperable marine biological data products. <i>Marine Policy</i> , 2020, 117, 103958.	3.2	5
846	Gap-analysis and annotated reference library for supporting macroinvertebrate metabarcoding in Atlantic Iberia. <i>Regional Studies in Marine Science</i> , 2020, 36, 101307.	0.7	24
847	Do plankton reflect the environmental quality status? The case of a post-industrial Mediterranean Bay. <i>Marine Environmental Research</i> , 2020, 160, 104980.	2.5	24
848	Opportunities and challenges in incorporating benthic foraminifera in marine and coastal environmental biomonitoring of soft sediments: from science to regulation and practice. <i>Journal of Sedimentary Environments</i> , 2020, 5, 257-265.	1.5	13
849	Ecosystem functioning and functional approaches on marine macrobenthic fauna: A research synthesis towards a global consensus. <i>Ecological Indicators</i> , 2020, 115, 106379.	6.3	40
850	Relationships in ecological health between connected stream and estuary ecosystems. <i>Ecological Indicators</i> , 2020, 115, 106374.	6.3	5
851	Hydrodynamic Conditions Effects on Soft-Bottom Subtidal Nearshore Benthic Community Structure and Distribution. <i>Journal of Marine Sciences</i> , 2020, 2020, 1-16.	0.0	3
852	Evaluating ecosystem functioning of a long-term dumping site in the Bay of Seine (English Channel). <i>Ecological Indicators</i> , 2020, 115, 106381.	6.3	5
853	Supervised machine learning is superior to indicator value inference in monitoring the environmental impacts of salmon aquaculture using eDNA metabarcodes. <i>Molecular Ecology</i> , 2021, 30, 2988-3006.	3.9	47
854	Structure and composition of the macrobenthic community associated to shallow mangrove-seagrass habitat along the southern Red Sea coast, Saudi Arabia. <i>Egyptian Journal of Aquatic Research</i> , 2021, 47, 61-66.	2.2	12
855	Community Structure and Spatial Patterns of Soft-Bottom Macrozoobenthos in Oualidia Lagoon, Moroccan Atlantic. <i>Thalassas</i> , 2021, 37, 119-129.	0.5	9

#	ARTICLE	IF	CITATIONS
856	Development of a benthic foraminifera based marine biotic index (Foram-AMBI) for the Gulf of Mexico: A decision support tool. <i>Ecological Indicators</i> , 2021, 120, 106916.	6.3	6
857	Monitoring environmental impacts of fish farms: Comparing reference conditions of sediment geochemistry and benthic foraminifera with the present. <i>Ecological Indicators</i> , 2021, 120, 106818.	6.3	8
858	Responses of functional traits of macrobenthic communities on the presence of Polycyclic Aromatic Hydrocarbons contamination in three tropical estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 250, 107105.	2.1	8
859	Assessing marine ecosystem condition: A review to support indicator choice and framework development. <i>Ecological Indicators</i> , 2021, 121, 107148.	6.3	26
860	Macrobenthic communities in the tidal channels around the Gulf of GabÃ's, Tunisia. <i>Marine Pollution Bulletin</i> , 2021, 162, 111846.	5.0	8
861	Wide coverage but few quantitative data: Coarse sediments in the English Channel. <i>Ecological Indicators</i> , 2021, 121, 107010.	6.3	4
862	Assessment of benthic ecological status in semi-enclosed Daya Bay (China) in regions exposed to human disturbances based on multiple biotic indices. <i>Regional Studies in Marine Science</i> , 2021, 41, 101464.	0.7	3
863	The Relationship between Salinity and Benthic Fauna Diversity and Abundance at Songkhla Port, Thailand. <i>Journal of Coastal Research</i> , 0, , .	0.3	0
864	Spatial response of hard- and mixed-bottom benthic epifauna to organic enrichment from salmon aquaculture in northern Norway. <i>Aquaculture Environment Interactions</i> , 0, , .	1.8	2
865	From an economic crisis to a pandemic crisis: The need for accurate marine monitoring data to take informed management decisions. <i>Advances in Marine Biology</i> , 2021, 89, 79-114.	1.4	13
866	Gap analysis of DNA barcoding in ERMS reference libraries for ascidians and cnidarians. <i>Environmental Sciences Europe</i> , 2021, 33, .	5.5	12
867	Characterizing Community Structure of Benthic Infauna From the Continental Slope of the Southern California Bight. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	3
868	Ocean and coastal remote sensing. , 2021, , 17-29.		1
869	Salmon Farming: Is It Possible to Relate Its Impact to the Waste Remediation Ecosystem Service?. <i>Natural and Social Sciences of Patagonia</i> , 2021, , 249-269.	0.4	0
870	Environmental stressors, complex interactions and marine benthic communitiesâ€™ responses. <i>Scientific Reports</i> , 2021, 11, 4194.	3.3	41
871	Recovery of tropical marine benthos after a trawl ban demonstrates linkage between abiotic and biotic changes. <i>Communications Biology</i> , 2021, 4, 212.	4.4	16
872	Sensitivity of foraminiferal-based indices to evaluate the ecological quality status of marine coastal benthic systems: A case study of the Gulf of Manfredonia (southern Adriatic Sea). <i>Marine Pollution Bulletin</i> , 2021, 163, 111933.	5.0	12
873	The Seagrass Holobiont: What We Know and What We Still Need to Disclose for Its Possible Use as an Ecological Indicator. <i>Water (Switzerland)</i> , 2021, 13, 406.	2.7	24

#	ARTICLE	IF	CITATIONS
874	Determining the Ecological Status of Benthic Coastal Communities: A Case in an Anthropized Sub-Arctic Area. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	15
875	MedSens index: The bridge between marine citizen science and coastal management. <i>Ecological Indicators</i> , 2021, 122, 107296.	6.3	16
876	On the Diversity of Phyllodocida (Annelida: Errantia), with a Focus on Glyceridae, Goniadidae, Nephtyidae, Polynoidae, Sphaerodoridae, Syllidae, and the Holoplanktonic Families. <i>Diversity</i> , 2021, 13, 131.	1.7	16
878	Comparative Tissue Responses of Marine Mollusks on Seasonal Changes in the Northern Adriatic Sea. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 2874.	2.5	3
879	Still Digging: Advances and Perspectives in the Study of the Diversity of Several Sedentarian Annelid Families. <i>Diversity</i> , 2021, 13, 132.	1.7	4
880	“œlf You Know the Enemy and Know Yourself”: Addressing the Problem of Biological Invasions in Ports Through a New NIS Invasion Threat Score, Routine Monitoring, and Preventive Action Plans. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	20
881	Indicative value of benthic foraminifera for biomonitoring: Assignment to ecological groups of sensitivity to total organic carbon of species from European intertidal areas and transitional waters. <i>Marine Pollution Bulletin</i> , 2021, 164, 112071.	5.0	31
882	A baseline quantitative assessment of deep-sea benthic fauna of the Gulf of Aqaba (Northern Saudi) Tj ETQq1 1 0.784314 rgBT /Overl	5.0	3
883	Assessment of ecological health of Swarnamukhi river estuary, southeast coast of India, through AMBI indices and multivariate tools. <i>Marine Pollution Bulletin</i> , 2021, 164, 112031.	5.0	20
884	Potential Use of the Benthic Foraminifers <i>Bulimina denudata</i> and <i>Eggerelloides advenus</i> in Marine Sediment Toxicity Testing. <i>Water (Switzerland)</i> , 2021, 13, 775.	2.7	4
885	Polycyclic Aromatic Hydrocarbons Have Adverse Effects on Benthic Communities in the Baltic Sea: Implications for Environmental Status Assessment. <i>Frontiers in Environmental Science</i> , 2021, 9, .	3.3	7
886	A step towards the validation of bacteria biotic indices using DNA metabarcoding for benthic monitoring. <i>Molecular Ecology Resources</i> , 2021, 21, 1889-1903.	4.8	15
887	Taphonomy of mass mollusc shell accumulation at Amvrakikos Gulf lagoon complex sandy barriers (NW Greece). <i>Oceanologia</i> , 2021, 63, 179-193.	2.2	3
888	A Substrate-Independent Benthic Sampler (SIBS) for Hard and Mixed-Bottom Marine Habitats: A Proof-of-Concept Study. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	10
889	Relative abundances of benthic foraminifera in response to total organic carbon in sediments: Data from European intertidal areas and transitional waters. <i>Data in Brief</i> , 2021, 35, 106920.	1.0	3
890	Influence of land-derived stressors and environmental variability on compositional turnover and diversity of estuarine benthic communities. <i>Marine Ecology - Progress Series</i> , 2021, 666, 1-18.	1.9	7
891	Seasonal implications of the benthic ecological status assessment in a protected Mediterranean coastal lagoon: Stagno Longu of Posada (Sardinia, Italy). <i>Regional Studies in Marine Science</i> , 2021, 44, 101759.	0.7	2
892	Changes in benthic macrofauna in oyster parks during an OsHV-1 1¼Var oyster spat mortality outbreak. <i>Marine Pollution Bulletin</i> , 2021, 166, 112239.	5.0	1

#	ARTICLE	IF	CITATIONS
893	Ecological quality assesement of marinas: An integrative approach combining biological and environmental data. <i>Journal of Environmental Management</i> , 2021, 286, 112237.	7.8	21
895	Testing foraminiferal environmental quality indices along a well-defined organic matter gradient in the Eastern Mediterranean. <i>Ecological Indicators</i> , 2021, 125, 107498.	6.3	11
896	Water quality criteria and ecological risk assessment for ammonia in the Shaying River Basin, China. <i>Ecotoxicology and Environmental Safety</i> , 2021, 215, 112141.	6.0	23
897	Utilizing benthic foraminifera to explore the environmental condition of the Laizhou Bay (Bohai Sea,) Tj ETQq1 1 0.784314 rgBT /Overlo	5.0	5
898	The importance of a functional approach on benthic communities for aquaculture environmental assessment: Trophic groups â€“ A polychaete view. <i>Marine Pollution Bulletin</i> , 2021, 167, 112309.	5.0	6
899	Temporal change in the molluscan assemblages (bivalves and gastropods) of Frobisher Bay, Nunavut, Canada, over 50 years. <i>Arctic Science</i> , 2022, 8, 200-227.	2.3	2
900	Grab what you canâ€”an evaluation of spatial replication to decrease heterogeneity in sediment eDNA metabarcoding. <i>PeerJ</i> , 2021, 9, e11619.	2.0	10
901	Response of macrobenthic communities to heavy metal pollution in Laoshan Bay, China: A trait-based method. <i>Marine Pollution Bulletin</i> , 2021, 167, 112292.	5.0	20
902	A General-Purpose Biotic Index to Measure Changes in Benthic Habitat Quality across Several Pressure Gradients. <i>Journal of Marine Science and Engineering</i> , 2021, 9, 654.	2.6	4
903	Does the invasive macro-algae <i>Sargassum muticum</i> (Yendo) Fensholt, 1955 offer an appropriate temporary habitat for mobile fauna including non indigenous species?. <i>Ecological Indicators</i> , 2021, 126, 107624.	6.3	4
904	Building on gAMBI in ports for a challenging biological invasions scenario: Blue-gNIS as a proof of concept. <i>Marine Environmental Research</i> , 2021, 169, 105340.	2.5	4
905	Long-term response of marine benthic fauna to thin-layer capping with powdered activated carbon in the Grenland fjords, Norway. <i>Science of the Total Environment</i> , 2021, 776, 145971.	8.0	6
906	Benthic Foraminiferal Indices and Environmental Quality Assessment of Transitional Waters: A Review of Current Challenges and Future Research Perspectives. <i>Water (Switzerland)</i> , 2021, 13, 1898.	2.7	19
908	Effects of reclamation methods and habitats on macrobenthic communities and ecological health in estuarine coastal wetlands. <i>Marine Pollution Bulletin</i> , 2021, 168, 112420.	5.0	16
909	Suitability of Free-Living Marine Nematodes as Bioindicators: Status and Future Considerations. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	34
910	Ecological status assessment and non-indigenous species in industrial and fishing harbours of the Gulf of GabÃ’s (central Mediterranean Sea). <i>Environmental Science and Pollution Research</i> , 2021, 28, 65278-65299.	5.3	3
911	Current state of macrobenthos in the southwestern Kara Sea. <i>Continental Shelf Research</i> , 2021, 224, 104452.	1.8	4
912	Effects of Ecological Restoration Using Non-Native Mangrove <i>Kandelia obovata</i> to Replace Invasive <i>Spartina alterniflora</i> on Intertidal Macrobenthos Community in Maoyan Island (Zhejiang, China). <i>Journal of Marine Science and Engineering</i> , 2021, 9, 788.	2.6	11

#	ARTICLE	IF	CITATIONS
913	Influence of oil and gas exploration activities on the macrobenthic community structure of the Krishna-Godavari basin (Ravva coast), Western Bay of Bengal. Continental Shelf Research, 2021, 224, 104463.	1.8	5
914	Macrobenthos community response to the seasonal hypoxia associated with coastal upwelling off Kochi, along the Southwest coast of India. Continental Shelf Research, 2021, 224, 104450.	1.8	5
915	An Integrated Traits Resilience Assessment of Mediterranean fisheries landings. Journal of Animal Ecology, 2021, 90, 2122-2134.	2.8	10
916	Macrobenthic Community and Benthic Health Assessment of Central Area in Asan Bay. Journal of Fisheries and Marine Sciences Education, 2021, 33, 903-917.	0.2	0
917	Assessment of Anthropogenically Stressed Ecosystem of Port Waters Using Macrobenthic Community-Biotic Indices. Turkish Journal of Fisheries and Aquatic Sciences, 2021, 22, .	0.9	1
918	Basin-wide infaunalisation of benthic soft-bottom communities driven by anthropogenic habitat degradation in the northern Adriatic Sea. Marine Ecology - Progress Series, 2021, 671, 45-65.	1.9	10
919	Macrofaunal assemblage in the intertidal area of Saudi Arabian Gulf Coast. Regional Studies in Marine Science, 2021, 47, 101954.	0.7	4
920	Taxonomic and Functional Patterns of Benthic Communities in Southern Temperate Tidal Flats. Frontiers in Marine Science, 2021, 8, .	2.5	12
921	Sustainability situations for the southern Gulf of Mexico seafloor, based on environmental, benthic, and socioeconomic indicators. Science of the Total Environment, 2021, 787, 147726.	8.0	1
922	Variable Effects on Benthic Community From Diking to Eradicate Invasive Plants in the Yangtze Estuary Salt Marsh. Frontiers in Marine Science, 2021, 8, .	2.5	1
923	Distribution pattern of macrobenthic composition, diversity and secondary production in Hangzhou Bay, northern East China Sea. Regional Studies in Marine Science, 2021, 47, 101956.	0.7	3
924	Plastic contamination of a Galapagos Island (Ecuador) and the relative risks to native marine species. Science of the Total Environment, 2021, 789, 147704.	8.0	40
925	Assessing the ecological quality status of the highly polluted Bagnoli area (Tyrrhenian Sea, Italy) using foraminiferal eDNA metabarcoding. Science of the Total Environment, 2021, 790, 147871.	8.0	23
926	Coastal armouring affects intertidal biodiversity across the Alboran Sea (Western Mediterranean) Tj ETQq1 1 0.784314 rgBT /Overloc	2.5	7
927	Responses of the macrobenthic community to the Dalian Bay oil spill based on co-occurrence patterns and interaction networks. Marine Pollution Bulletin, 2021, 171, 112662.	5.0	4
928	Using molluscs to assess ecological quality status of soft-bottom habitats along the Atlantic coastline of the United States. Ecological Indicators, 2021, 129, 107910.	6.3	11
929	Assessing benthic habitat ecological quality using four benthic indices in the coastal waters of Sanshandao, Laizhou Bay, China. Ecological Indicators, 2021, 129, 107980.	6.3	8
930	Are non-indigenous species hitchhiking offshore farmed mussels? A biogeographic and functional approach. Marine Pollution Bulletin, 2021, 171, 112776.	5.0	2

#	ARTICLE	IF	CITATIONS
931	Benthic community responses to organic enrichment during an ENSO event (2009–2010), in the north coast of Rio de la Plata estuary. <i>Journal of Marine Systems</i> , 2021, 222, 103597.	2.1	4
932	Patterns of species and functional diversity of macrofaunal assemblages and the bioassessment of benthic ecological quality status in the southern Yellow Sea. <i>Marine Pollution Bulletin</i> , 2021, 171, 112784.	5.0	11
933	Microbiological assessment of ecological status in the Pearl River Estuary, China. <i>Ecological Indicators</i> , 2021, 130, 108084.	6.3	8
934	Benthic eDNA metabarcoding provides accurate assessments of impact from oil extraction, and ecological insights. <i>Ecological Indicators</i> , 2021, 130, 108064.	6.3	15
935	The Fucles Index: A new tool for monitoring subtidal rocky habitats, and its application to an Atlantic bay subjected to nuclear power plant's effluents. <i>Marine Pollution Bulletin</i> , 2021, 172, 112804.	5.0	4
936	RESQUE: A novel comprehensive approach to compare the performance of different indices in evaluating seagrass health. <i>Ecological Indicators</i> , 2021, 131, 108118.	6.3	6
937	Macrofauna community patterns in a Chiloe Island channel used intensely for aquaculture: the ecological status of its benthic environment. <i>Revista Chilena De Historia Natural</i> , 2021, 94, .	1.2	6
938	The Early Branching Group of Orbiniida Ssensu Struck et al., 2015: Parergodrilidae and Orbiniidae. <i>Diversity</i> , 2021, 13, 29.	1.7	4
939	Integration of DNA-Based Approaches in Aquatic Ecological Assessment Using Benthic Macroinvertebrates. <i>Water (Switzerland)</i> , 2021, 13, 331.	2.7	25
940	Benthic Animals. , 2016, , 347-372.		3
942	First simultaneous assessment of macro- and meiobenthic community response to juvenile shellfish culture in a Mediterranean coastal lagoon (Thau, France). <i>Ecological Indicators</i> , 2020, 115, 106462.	6.3	11
943	Integrated characterization and risk management of marine sediments: The case study of the industrialized Bagnoli area (Naples, Italy). <i>Marine Environmental Research</i> , 2020, 160, 104984.	2.5	38
944	Increasing the salience of marine live–dead data in the Anthropocene. <i>Paleobiology</i> , 2020, 46, 279-287.	2.0	14
945	Biodiversity, trait composition and ecological functioning: impacts of coastal urbanisation on subtropical mudflats. <i>Marine and Freshwater Research</i> , 2020, 71, 1043.	1.3	4
947	Inter- and Intraspecific Variability of Tolerance. <i>Environmental and Ecological Risk Assessment</i> , 2011, , 49-84.	0.1	5
948	Tolerance to Contaminants. , 2011, , 43-66.		2
949	Subtropical Karstic Coastal Lagoon Assessment, Southeast Mexico. <i>Marine Science</i> , 2010, , 307-333.	0.5	18
950	Distribution of Meiobenthic Arthropod Communities in the Hyporheic Zone of Nakdonggang. <i>Journal of Species Research</i> , 2016, 5, 157-165.	0.1	4

[illegible]

#	ARTICLE	IF	CITATIONS
972	Individual and combined effects of heavy metals on estuarine infaunal communities. <i>Marine Ecology - Progress Series</i> , 2010, 402, 123-136.	1.9	13
973	Seagrass amphipod assemblages in a Mediterranean marine protected area: a multiscale approach. <i>Marine Ecology - Progress Series</i> , 2014, 506, 175-192.	1.9	9
974	Impact and distribution of bottom trawl fishing on mud-bottom communities in the Kattegat. <i>Marine Ecology - Progress Series</i> , 2016, 548, 47-60.	1.9	21
975	Variability of bioturbation in various sediment types and on different spatial scales in the southwestern Baltic Sea. <i>Marine Ecology - Progress Series</i> , 2016, 557, 31-49.	1.9	25
976	Unrecognized loss of seagrass communities based on molluscan death assemblages: historic baseline shift in tropical Gulf of Aqaba, Red Sea. <i>Marine Ecology - Progress Series</i> , 2018, 589, 73-83.	1.9	16
977	Assessing environmental quality: a novel approach. <i>Marine Ecology - Progress Series</i> , 2004, 267, 1-8.	1.9	78
978	Long-term recovery of soft-bottom benthos following urban and industrial sewage treatment in the Nervión estuary (southern Bay of Biscay). <i>Marine Ecology - Progress Series</i> , 2006, 313, 43-55.	1.9	113
979	Polytraits: A database on biological traits of marine polychaetes. <i>Biodiversity Data Journal</i> , 2014, 2, e1024.	0.8	85
980	BBi: an R package for the computation of Benthic Biotic Indices from composition data. <i>Metabarcoding and Metagenomics</i> , 0, 2, e25649.	0.0	7
981	Taxonomic Diversity and Structure of Benthic Macroinvertebrates in Aby Lagoon (Ivory Coast, West) Tj ETQq1 1 0.784314 rgBT /Overl	0.5	23
982	Molluscan diversity along a Mediterranean soft bottom sublittoral ecotone. <i>Scientia Marina</i> , 2006, 70, 573-583.	0.6	39
983	Stressors affecting the macrobenthic community in Rapallo Harbour (Ligurian Sea, Italy). <i>Scientia Marina</i> , 2007, 71, 705-714.	0.6	23
984	Effects of organic pollution in the distribution of annelid communities in the Estero de Urías coastal lagoon, Mexico. <i>Scientia Marina</i> , 2010, 75, 351-358.	0.6	16
985	The use of benthic metabolic processes as indicators for environmental quality assessment in coastal lagoons. <i>Advances in Oceanography and Limnology</i> , 2013, 4, 194.	0.6	4
986	Application of Biotic Indices to Assess the Health Condition of Benthic Community in Masan Bay, Korea. <i>Ocean and Polar Research</i> , 2007, 29, 339-348.	0.3	23
987	Meiofauna Community from Sandy Sediments Near Tae'an in the Yellow Sea, Korea. <i>Ocean and Polar Research</i> , 2009, 31, 199-212.	0.3	10
988	Review and Proposition of Biological Indicators for a New Ecological Grading System of Tidal Flats in Korea. <i>Ocean and Polar Research</i> , 2011, 33, 85-97.	0.3	3
989	The Future of Benthic Indicators: Moving up to the Intertidal. <i>Open Journal of Marine Science</i> , 2013, 03, 76-86.	0.5	11

#	ARTICLE	IF	CITATIONS
990	The Community Structure of Macrozoobenthos and Its Temporal Change on the Gapo Artificial Tidal Flat in Masan Bay, Korea. Open Journal of Marine Science, 2013, 03, 190-200.	0.5	3
991	Spatial and Temporal Structures of the Macrozoobenthos from the Intertidal Zone of the Kneiss Islands (Central Mediterranean Sea). Open Journal of Marine Science, 2016, 06, 223-237.	0.5	13
992	The Arctic Traits Database “a repository of Arctic benthic invertebrate traits. Earth System Science Data, 2019, 11, 301-322.	9.9	46
993	System simulation of the eco-environment effects on the coastal zone of Bohai Bay, China. , 2021, , .		0
994	Distribution Patterns of Benthic Foraminifera in Fish Farming Areas (Corsica, France): Implications for the Implementation of Biotic Indices in Biomonitoring Studies. Water (Switzerland), 2021, 13, 2821.	2.7	4
995	Detection of Ecological Thresholds and Selection of Indicator Taxa for Epibenthic Communities Exposed to Multiple Pressures. Frontiers in Marine Science, 2021, 8, .	2.5	4
996	Testing the Influence of Incomplete DNA Barcode Libraries on Ecological Status Assessment of Mediterranean Transitional Waters. Biology, 2021, 10, 1092.	2.8	4
997	New fossils shed light on the Late Cretaceous terrestrial community in the Caribbean and the First American Biotic Interchange. Cretaceous Research, 2022, 130, 105067.	1.4	6
998	Assessing the sewage discharge effects on soft-bottom macrofauna through traits-based approach. Marine Pollution Bulletin, 2021, 173, 113003.	5.0	7
999	Habitat heterogeneity: A confounding factor for the effect of pollutants on macrobenthic community in coastal waters. Marine Environmental Research, 2021, 172, 105499.	2.5	4
1000	Geochemical characteristics and benthic faunal facies in the sediments around the Oenaro Island, southern part of Korea. Journal of Environmental Science International, 2002, 11, 215-225.	0.2	1
1001	State of the Environment Report 2005. International Journal of Sustainability in Higher Education, 2005, 6, .	3.1	17
1002	Application of Indicators for the Assessment of Ecosystem Health. Applied Ecology and Environmental Management, 2010, , 9-76.	0.1	6
1003	Indicators for the Management of Coastal Lagoons. Applied Ecology and Environmental Management, 2010, , 357-390.	0.1	0
1004	Application of Ecological Indicators for the Assessment of Ecosystem Health in Estuaries and Coastal Zones. Applied Ecology and Environmental Management, 2010, , 211-262.	0.1	0
1005	Development Needs and Direction of an Ecological Grading System of Korean Tidal Flats. Ocean and Polar Research, 2010, 32, 137-144.	0.3	2
1006	Application of Biotic Indices in Assessing the Ecological Quality Status of Bahrekan Estuary (Persian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	5
1007	9Chapter Stress Proteins and the Acquisition of Tolerance. , 2011, , 227-246.		0

#	ARTICLE	IF	CITATIONS
1008	Uruguay: Environmental Conditions in the Coast of Montevideo: Historical Aspects, Present Status and Perspectives of Habitat Degradation and Uses. , 2011, , 590-601.		0
1009	Ãvaluation environnementale du littoral mÃ©diterranÃ©en marocain entre Nador et El Hoceima : approche pluridisciplinaire pour lâ€™Ãvaluation de l'Ã©tat du milieu. , 2011, , .		0
1010	Impact of Pollutants on Coastal and Benthic Marine Communities. , 2011, , 165-186.		8
1011	Structure Change of Macrozoobenthic Community After 10 years in Youngsan River Estuarine Bay, Southwest Coast of Korea. Pada (Han'guk Haeyang Hakhoe), 2011, 16, 254-267.	0.3	2
1012	Ecological Health Status of the Fosu Lagoon, Southern Ghana I: Biotic Assessment. Journal of Ecosystem & Ecology, 2012, 02, .	0.2	1
1013	The Oceans and Their Challenge to Conserve Marine Biodiversity. , 2013, , 143-194.		2
1014	Characterization of macro-benthic fauna for ecological health status of the Fosu and Benya lagoons in coastal Ghana. Journal of Ecology and Environment, 2012, 35, 279-289.	1.6	2
1015	Benthic Community and Climate Change. , 2013, , 129-147.		0
1016	A Study on the Ecological Indices for the Assessment of the Function and Maturity of Artificial Reefs. Pada (Han'guk Haeyang Hakhoe), 2014, 19, 8-34.	0.3	2
1017	Spatio-temporal Distribution of Benthic Polychaetous Communities and Their Health Conditions in Carolim Bay, West Coast of Korea. Pada (Han'guk Haeyang Hakhoe), 2014, 19, 256-264.	0.3	1
1019	Ãndice M-AMBI como ferramenta para diagnosticar a integridade ambiental costeira, aplicado a Baixada Santista- SP. Revista Intertox De Toxicologia Risco Ambiental E Sociedade, 2015, 6, .	0.1	1
1020	Spatial and temporal variation of Branchiostoma lanceolatum larvae (Cephalochordata) in a hypoxic bay. Biologia (Poland), 2015, 70, 1234-1244.	1.5	0
1021	AplicaÃ§Ã£o do Ãndice AMBI adaptado aos dados de levantamento da avifauna de Holambra para a determinaÃ§Ã£o da integridade ambiental. Revista Intertox De Toxicologia Risco Ambiental E Sociedade, 2016, 9, .	0.1	0
1022	Seasonal Fluctuation of Meiobenthic Fauna Community at Keunso Tidal Flat in Taeon, Korea. Pada (Han'guk Haeyang Hakhoe), 2016, 21, 144-157.	0.3	3
1024	The effect of seasonal and human pressure on macrobenthic fauna in the Caroni Swamp Ramsar Site, Trinidad and Tobago. Revista De Biologia Tropical, 2018, 66, 1101.	0.4	6
1025	The Assessment of Aquatic Ecosystem Health, Based on Phytoplankton Indicators and Quality Parameters, in the Seawater Zone of Geum River Estuary. Journal of the Korean Society for Marine Environment & Energy, 2018, 21, 228-241.	0.2	1
1026	Biodiversity, Coastal Protection, Promotion and Applicability Investigation of the Ocean Health Index for Turkish Seas. International Journal of Environment and Geoinformatics, 2018, 5, 353-367.	0.8	12
1027	Distribution Patterns of Macrobenthos during Recent Summer Seasons at the Bongam Sand Tidal Flat of Masan Bay, Korea. Hangug Hwangyeong Saengmul Haghoeji, 2018, 36, 626-637.	0.4	0

#	ARTICLE	IF	CITATIONS
1028	Environmental Conditions in the Estuarine Coast of Montevideo (Uruguay): Historical Aspects and Present Status: An Update. , 2019, , 408-418.		1
1029	The Benthic Community used as Bioindicator for Assessment of the Quality of a Moroccan Coastal Ecosystem: Moulay Bousselham Lagoon. International Journal of Engineering Research & Technology, 2019, V8, .	0.2	0
1030	Brittle stars (Echinodermata: Ophiuroidea) of coastal lagoons from the northern Yucatán Peninsula, Mexico. Revista Mexicana De Biodiversidad, 2019, 90, .	0.4	1
1031	Seasonal fluctuation of the meiobenthic fauna community in the intertidal zone sediments of coastal areas in Jeju Island, Korea. Hanguk Hwangyeong Saengmul Haghoeji, 2019, 37, 406-425.	0.4	2
1032	Taxonomy Matters in Monitoring and EIA Studies: An Urgent Need to Revive Systematic and Taxonomy Research in India. Journal of Coastal Research, 2020, 89, 71.	0.3	1
1033	Biomonitoring application using macrozoobenthic assemblages at coastal area of Menjangan Besar Island, Kepulauan Karimunjawa, Indonesia. Malaysian Journal of Fundamental and Applied Sciences, 2020, 16, 292-296.	0.8	1
1034	Bathymetrical and temporal variations in soft-bottom molluscan assemblages in the coastal area facing the Sarno River mouth (Mediterranean Sea, Gulf of Naples). Ecological Questions, 2020, 31, 1.	0.3	1
1035	Infaunal Community Responses to the Gradient of Heavy-metals in Langstone Harbour, UK. Turkish Journal of Water Science and Management, 2020, 4, 193-227.	0.2	0
1036	Los poliquetos como indicadores biológicos en Latinoamérica y el Caribe. Marine and Fishery Sciences, 2020, 34, .	0.5	3
1037	Responses of the benthic environment to reduction in anthropogenic nutrient loading in the Seto Inland Sea (Japan), based on M-AMBI assessment. Marine Environmental Research, 2022, 173, 105509.	2.5	6
1038	The Bay of Seine: A Resilient Socio-Eco-System Under Cumulative Pressures. , 2020, , 95-109.		0
1039	Assessment of the Ecological Status of Rongjiang Estuary (China) Under Human Pressure, Using Biotic Indices Based on Benthic Macroinvertebrates. Frontiers in Environmental Science, 2021, 9, .	3.3	2
1040	Lessons Learned from 30 Years of Assessing U.S. Coastal Water. , 0, , .		3
1042	Land-Based Sources, Water Quality and Management. NATO Security Through Science Series C: Environmental Security, 2008, , 483-512.	0.1	0
1045	Comparison of Four Foraminiferal Biotic Indices Assessing the Environmental Quality of Coastal Mediterranean Soft Bottoms. Water (Switzerland), 2021, 13, 3193.	2.7	4
1046	Pyrite-lined shells as indicators of inefficient bioirrigation in the Holocene–Anthropocene stratigraphic record. Biogeosciences, 2021, 18, 5929-5965.	3.3	6
1047	Application of a Multidisciplinary Weight of Evidence Approach as a Tool for Monitoring the Ecological Risk of Dredging Activities. Frontiers in Marine Science, 2021, 8, .	2.5	5
1048	Shifts in Estuarine Macroinvertebrate Communities Associated With Water Quality and Climate Change. Frontiers in Marine Science, 2021, 8, .	2.5	3

#	ARTICLE	IF	CITATIONS
1049	Biological Abundance and Diversity in Organic-Rich Sediments From a Florida Barrier Island Lagoon. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	6
1050	Small- and large-scale processes including anthropogenic pressures as drivers of gastropod communities in the NE Atlantic coast: A citizen science based approach. <i>Science of the Total Environment</i> , 2021, , 151600.	8.0	2
1051	Comparing sediment preservation methods for genomic biomonitoring of coastal marine ecosystems. <i>Marine Pollution Bulletin</i> , 2021, 173, 113129.	5.0	3
1052	A bacterial index to estimate lake trophic level: National scale validation. <i>Science of the Total Environment</i> , 2022, 812, 152385.	8.0	7
1053	VARIACIÓ“N ESPACIO-TEMPORAL DE TRES ESPECIES DE TANAIDÁCEOS (CRUSTACEA: PERACARIDA) EN EL SISTEMA LAGUNAR DE MANDINGA, VERACRUZ, MÉXICO EN EL PERIODO 2008-2015. <i>BIOCYT Biología y Tecnología</i> , 0, 13, .	0.1	0
1054	Into the Benthos and Back: What have Infauna Taught Us. <i>International Oil Spill Conference Proceedings</i> , 2021, 2021, .	0.1	0
1055	Temporal and spatial variation of the molluscan community structure in Oualidia Lagoon, Moroccan Atlantic coast. <i>African Journal of Marine Science</i> , 2021, 43, 471-481.	1.1	2
1056	Makrozoobentos sebagai bioindikator kualitas perairan di Desa Pengujan Kabupaten Bintan. <i>Habitus Aquatica</i> , 2021, 2, .	0.2	0
1057	Seascape of Soft Bottom Benthic Communities in the Aegean Sea. <i>Handbook of Environmental Chemistry</i> , 2022, , 1.	0.4	2
1058	Îhe Marine Ecosystem and the Anthropogenic Impacts in the South Evvoikos Gulf: Central Aegean Sea. <i>Handbook of Environmental Chemistry</i> , 2022, , 1.	0.4	0
1059	Spatiotemporal assessment of the environmental quality of bottom waters through the study of benthic foraminifera in a semi-enclosed gulf. <i>Marine Pollution Bulletin</i> , 2022, 174, 113260.	5.0	0
1060	Seasonal carbonate system vis-À-vis pH and Salinity in selected tropical estuaries: Implications on polychaete diversity and composition towards predicting ecological health. <i>Oceanologia</i> , 2022, 64, 346-362.	2.2	10
1061	Meta-analysis shows both congruence and complementarity of DNA and eDNA metabarcoding to traditional methods for biological community assessment. <i>Molecular Ecology</i> , 2022, 31, 1820-1835.	3.9	76
1062	Effect of multiple stressors on the functional traits of sub-tidal macrobenthic fauna: A case study of the southeast coast of India. <i>Marine Pollution Bulletin</i> , 2022, 175, 113355.	5.0	16
1063	Holistic environmental monitoring in ports as an opportunity to advance sustainable development, marine science, and social inclusiveness. <i>Elementa</i> , 2022, 10, .	3.2	3
1064	Benthic organisms as an ecological tool for monitoring coastal and marine ecosystem health. , 2022, , 337-362.		3
1065	Anthropogenic impacts on the benthic habitat morphology. , 2022, , 135-207.		0
1066	Foraminiferal Distribution in Two Estuarine Intertidal Mudflats of the French Atlantic Coast: Testing the Marine Influence Index. <i>Water (Switzerland)</i> , 2022, 14, 645.	2.7	7

#	ARTICLE	IF	CITATIONS
1067	Ecological habitat quality assessment of a tropical estuary using macrobenthic functional characteristics and biotic indices. <i>Environmental Science and Pollution Research</i> , 2022, 29, 47629-47646.	5.3	5
1068	The Marine Influence Index (MII): A Tool to Assess Estuarine Intertidal Mudflat Environments for the Purpose of Foraminiferal Biomonitoring. <i>Water (Switzerland)</i> , 2022, 14, 676.	2.7	7
1069	Evaluating eDNA for Use within Marine Environmental Impact Assessments. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 375.	2.6	15
1070	Habitat and Macrozoobenthic Diversity in Marine Protected Areas of the Southern Romanian Black Sea Coast. <i>Frontiers in Marine Science</i> , 2022, 9, .	2.5	3
1071	Benthic biodiversity near brine discharge sites in the Port of Rotterdam. <i>Water Resources and Industry</i> , 2022, 27, 100173.	3.9	4
1072	Ecological quality status assessment of tropical estuaries with benthic indices using differently derived reference conditions. <i>Marine Pollution Bulletin</i> , 2022, 177, 113457.	5.0	2
1073	Improved benthic fauna community parameters after large-scale eelgrass (<i>Zostera marina</i>) restoration in Horsens Fjord, Denmark. <i>Marine Ecology - Progress Series</i> , 2022, 687, 65-77.	1.9	4
1074	Analysis of the structural characteristics and spatial organization of macrobenthic fauna in Oualidia lagoon, Morocco. <i>Applied Water Science</i> , 2022, 12, 1.	5.6	3
1075	A review of methods and indicators used to evaluate the ecological modifications generated by artificial structures on marine ecosystems. <i>Journal of Environmental Management</i> , 2022, 310, 114646.	7.8	8
1076	ESTRUCTURA FUNCIONAL DE LA MACROFAUNA BENTÁ“NICA EN SISTEMAS ESTUARINOS URUGUAYOS. <i>Boletín De La Sociedad Zoológica Del Uruguay</i> , 2021, 30, .	0.1	0
1077	Revision and annotation of DNA barcode records for marine invertebrates: report of the 8th iBOL conference hackathon. <i>Metabarcoding and Metagenomics</i> , 0, 5, .	0.0	14
1078	Macrobenthic community responses to multiple environmental stressors in a subtropical estuary. <i>PeerJ</i> , 2021, 9, e12427.	2.0	3
1079	An Integrated Monitoring Approach to the Evaluation of the Environmental Impact of an Inshore Mariculture Plant (Mar Grande of Taranto, Ionian Sea). <i>Biology</i> , 2022, 11, 617.	2.8	5
1080	Changes in Macrozoobenthos Community after Aquatic Plant Restoration in the Northern Venice Lagoon (IT). <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4838.	2.6	3
1091	Benthic impact assessment of a dredge sediment disposal in a dynamic resilient environment. <i>Marine Pollution Bulletin</i> , 2022, 179, 113668.	5.0	2
1092	Recolonisation and Recovery of an Arctic Benthic Community Subject to Mine-Tailings Deposits. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1093	Multivariate approaches to assess the drivers of benthic macroinvertebrate communities and biotic indices in a highly urbanized fluvial-estuarine system. <i>Ecological Indicators</i> , 2022, 139, 108956.	6.3	5
1094	Assessment of the Habitat Quality of Offshore Area in Tongzhou Bay, China: Using Benthic Habitat Suitability and the InVEST Model. <i>Water (Switzerland)</i> , 2022, 14, 1574.	2.7	8

#	ARTICLE	IF	CITATIONS
1095	Response of marine amphipods to sediment variables (Chabahar Bay- Iran): A step toward localizing amphipod-based bioindices. <i>Marine Environmental Research</i> , 2022, , 105648.	2.5	1
1096	The Fundão dam failure: Iron ore tailing impact on marine benthic macrofauna. <i>Science of the Total Environment</i> , 2022, 838, 156205.	8.0	10
1097	Benthic–Pelagic Coupling in the Oligotrophic Eastern Mediterranean: A Synthesis of the HYPOXIA Project Results. <i>Frontiers in Marine Science</i> , 2022, 9, .	2.5	1
1099	Assessing the benthic quality status of three fine sand tropical beaches from the Andaman Islands through the application of marine biotic indices. <i>Environmental Monitoring and Assessment</i> , 2022, 194, .	2.7	3
1100	Predicting and Scoring Estuary Ecological Health Using a Bayesian Belief Network. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	1
1101	Sentinels of Seabed (SoS) indicator: Assessing benthic habitats condition using typical and sensitive species. <i>Ecological Indicators</i> , 2022, 140, 108979.	6.3	6
1102	Description and Spatial Modelling of Benthic Communities Distribution in the Canadian Arctic Archipelago. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	0
1103	Natural stress vs. anthropogenic pressure. How do they affect benthic communities?. <i>Marine Pollution Bulletin</i> , 2022, 181, 113935.	5.0	4
1104	Assessing ecological health in areas with limited data by using biological traits. <i>Marine Pollution Bulletin</i> , 2022, 181, 113900.	5.0	1
1105	Distribution of marine benthic diatoms on the coasts of the sea of Marmara and their responses to environmental variables. <i>Journal of Marine Systems</i> , 2022, 234, 103780.	2.1	5
1106	Response of different benthic biotic indices to eutrophication and sediment heavy metal pollution, in fujian coastal water, East China sea. <i>Chemosphere</i> , 2022, 307, 135653.	8.2	8
1108	Fine-scale differences in eukaryotic communities inside and outside salmon aquaculture cages revealed by eDNA metabarcoding. <i>Frontiers in Genetics</i> , 0, 13, .	2.3	6
1109	Assessment of ecological quality status using macrobenthic faunal diversity as tools in anthropogenically disturbed Ennore estuary, Tamil Nadu, India. <i>Regional Studies in Marine Science</i> , 2022, 56, 102629.	0.7	1
1110	Microbial community metabolic alterations and resistance to metals and antibiotics driven by chronic exposition to multiple pollutants in a highly impacted tropical coastal bay. <i>Chemosphere</i> , 2022, 307, 135928.	8.2	4
1112	Establishing biologically relevant sediment organic matter thresholds for estuaries and embayments of the Southern California Bight, USA. <i>Ecological Indicators</i> , 2022, 143, 109404.	6.3	1
1113	Evaluation of benthic quality status and ecosystem functioning of soft bottom macrobenthos in the intertidal region with reference to Gulf of Khambhat, India. <i>Journal of Sea Research</i> , 2022, 189, 102273.	1.6	2
1114	Pollution has negative effects on macrozoobenthic trait diversity in a large subtropical estuary. <i>Marine Pollution Bulletin</i> , 2022, 184, 114101.	5.0	5
1115	Benthic quality assessment of a hypersaline lake along the southeast coast of India. <i>Regional Studies in Marine Science</i> , 2022, 56, 102653.	0.7	1

#	ARTICLE	IF	CITATIONS
1116	Community structure and ecological quality assessment of macrobenthos in the coastal sea areas of Northern Yantai, China. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	3
1117	Ecosystem servicesâ€™ capacity and flow in the Venice Lagoon and the relationship with ecological status. <i>One Ecosystem</i> , 0, 7, .	0.0	6
1118	First Application of the AMBI Index to the Macrobenthic Soft-Bottom Community of Terra Nova Bay (Ross Sea, Southern Ocean). <i>Water (Switzerland)</i> , 2022, 14, 2994.	2.7	1
1120	The efficacy of benthic indices to evaluate the ecological quality and urbanization effects on sandy beach ecosystems. <i>Science of the Total Environment</i> , 2022, , 159190.	8.0	5
1121	Macrobenthic community of an anthropogenically influenced mangrove associated estuary on the East coast of India: An approach for ecological assessment. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	4
1122	Distribution and classification of macrozoobenthos in Peter the Great Bay of Japan Sea in relation to contamination of bottom sediments. <i>Izvestiya Tinro</i> , 2022, 202, 623-639.	0.7	4
1123	Benthic community resilience in two differently impacted tropical estuaries: Taxonomic vs functional approaches. <i>Journal of Environmental Management</i> , 2022, 324, 116264.	7.8	5
1124	Amphipod assemblages associated with native habitat-forming seaweeds of the Alboran Sea: influence by environmental protection and biogeographical patterns. <i>Marine and Freshwater Research</i> , 2023, 74, 50-64.	1.3	3
1125	Assessment of ecosystem health status using benthic diversity as tools in coastal sediments off the South West Coast, India. <i>Watershed Ecology and the Environment</i> , 2022, 4, 135-147.	1.8	0
1126	Assessing the utility of death assemblages as reference conditions in a common benthic index (M-AMBI) with simulations. <i>Geological Society Special Publication</i> , 2023, 529, .	1.3	0
1127	Spatial dissimilarity of zooplankton and hydrodynamic conditions in a Patagonian channel used intensely by aquaculture: the influence of a geomorphological constriction. <i>Revista Chilena De Historia Natural</i> , 2022, 95, .	1.2	1
1128	Ecological Risk Assessment of Heavy Metals and Environmental Quality of Tunisian Harbours. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 1625.	2.6	6
1129	Functional diversity of macrofaunal assemblages as indicators to assess heavy metal pollution in the Bohai Sea, China. <i>Marine Pollution Bulletin</i> , 2022, 185, 114265.	5.0	6
1130	Assessment of macrobenthic community function and ecological quality after reclamation in the Changjiang (Yangtze) River Estuary wetland. <i>Acta Oceanologica Sinica</i> , 2022, 41, 96-107.	1.0	5
1131	Impact of applying imazapyr on the control of <i>Spartina alterniflora</i> and its eco-environments in the Yellow River Delta, China. <i>Watershed Ecology and the Environment</i> , 2022, 4, 211-218.	1.8	2
1132	Ecotoxicological tools in support of the aims of the European Water Framework Directive: A step towards a more holistic ecosystem-based approach. <i>Ecological Indicators</i> , 2022, 145, 109645.	6.3	4
1133	Ecological status of macrobenthic communities in the Saudi waters of the western Arabian Gulf. <i>Regional Studies in Marine Science</i> , 2023, 57, 102751.	0.7	1
1134	Ecological status of the highly impacted Guanabara Bay assessed using macrofaunal indicators. <i>Regional Studies in Marine Science</i> , 2023, 57, 102745.	0.7	1

#	ARTICLE	IF	CITATIONS
1135	Assessing the relative importance of stressors to the benthic index, M-AMBI: An example from U.S. estuaries. <i>Marine Pollution Bulletin</i> , 2023, 186, 114456.	5.0	1
1136	Diversity of Macrozoobentos as Bioindicator of Lentic Waters in The Jombor Swamp Area Klaten Central Java. , 2022, 1, 01-09.		0
1137	Observations on benthic assemblages impacted by hydraulic dredges in the Southern Adriatic Sea (Central Mediterranean Sea). , 2022, , .		3
1138	Assessment of trace element pollution in Meyqan wetland sediments. <i>Arabian Journal of Geosciences</i> , 2022, 15, .	1.3	0
1139	Assessing shellfish farming-mediated benthic impacts based on organic carbon flux simulation and composition of macrofaunal community. <i>Science of the Total Environment</i> , 2022, , 160598.	8.0	2
1140	Benthic Habitat Quality Assessment in Estuarine Intertidal Flats Based on Long-Term Data with Focus on Responses to Eco-Restoration Activity. <i>Water (Switzerland)</i> , 2022, 14, 3846.	2.7	1
1141	Persistent organic pollutants influence the marine benthic macroinvertebrate assemblages in surface sediments of Nayband National Park and Bay, Northern Persian Gulf, Iran. <i>Environmental Science and Pollution Research</i> , 0, , .	5.3	1
1142	Application and Validation of an Ecological Quality Index, ISEP, in the Yellow Sea. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 1908.	2.6	2
1143	New insights into the benthic macrofauna composition and structure in a southern-west Mediterranean coastal lagoon after restoration actions: Spatial and Seasonal patterns. <i>Regional Studies in Marine Science</i> , 2023, , 102820.	0.7	0
1144	Macrobenthic functional group analysis of ecological health of the intertidal artificial oyster reefs in the Yangtze Estuary, China. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	1
1145	eDNA Biomonitoring of Macroinvertebrate Communities for the Bioassessment of a River's Ecological Status. <i>Water (Switzerland)</i> , 2023, 15, 308.	2.7	3
1146	Inferring the ecological quality status based on living benthic foraminiferal indices in transitional areas of the Guanabara bay (SE Brazil). <i>Environmental Pollution</i> , 2023, 320, 121003.	7.5	4
1147	Encapsulated in sediments: eDNA deciphers the ecosystem history of one of the most polluted European marine sites. <i>Environment International</i> , 2023, 172, 107738.	10.0	11
1148	Recolonization and recovery of an Arctic benthic community subject to mine-tailings deposits. <i>Journal of Sea Research</i> , 2023, 191, 102327.	1.6	1
1149	Are genomic indices effective alternatives to morphology based benthic indices in biomonitoring studies? Perspectives from a major harbour and marine protected area. <i>Marine Pollution Bulletin</i> , 2023, 187, 114586.	5.0	1
1150	Macrozoobenthos monitoring in Portuguese transitional waters in the scope of the water framework directive using morphology and DNA metabarcoding. <i>Estuarine, Coastal and Shelf Science</i> , 2023, 281, 108207.	2.1	8
1151	Implications of benthic ecological quality in structuring macrobenthos community in a tropical monsoon influenced port, New Mangalore, India. <i>Marine Pollution Bulletin</i> , 2023, 187, 114532.	5.0	0
1152	Assessing the ecological quality status of macrobenthic communities in a marine terminal of liquefied natural gas in Peru. <i>Marine Environmental Research</i> , 2023, 185, 105879.	2.5	0

#	ARTICLE	IF	CITATIONS
1153	A method for assessing chemical contamination of bottom sediments using bioassay approach. Izvestiya Tinro, 2023, 202, 861-879.	0.7	3
1154	A Comparative Approach to Detect Macrobenthic Response to the Conversion of an Inshore Mariculture Plant into an IMTA System in the Mar Grande of Taranto (Mediterranean Sea, Italy). Water (Switzerland), 2023, 15, 68.	2.7	5
1155	A preliminary study of soft bottom benthic communities in an area affected by intense maritime traffic (Slovenian Sea, Northern Adriatic). Marine Pollution Bulletin, 2023, 188, 114672.	5.0	0
1156	Bioassessment of environmental quality based on taxonomic and functional traits of marine nematodes in the Bohai Sea, China. Marine Pollution Bulletin, 2023, 190, 114884.	5.0	0
1157	European coastal monitoring programmes may fail to identify impacts on benthic macrofauna caused by bottom trawling. Journal of Environmental Management, 2023, 334, 117510.	7.8	4
1158	Assessment of macrobenthos community and ecological status of the Jiaozhou Bay, China. Regional Studies in Marine Science, 2023, 62, 102926.	0.7	0
1159	Joint use of biological traits, diversity and biotic indices to assess the ecological quality status of a Mediterranean transitional system. Ecological Indicators, 2023, 147, 109939.	6.3	7
1160	<i>NUMBER</i>: A biotic index for assessing the ecological quality of mesophotic biogenic reefs in the northern Adriatic Sea. Aquatic Conservation: Marine and Freshwater Ecosystems, 2023, 33, 298-311.	2.0	2
1161	Benthic foraminifera for the ecological status assessment of tourist marinas. Ecological Indicators, 2023, 147, 110006.	6.3	2
1162	Assessing the large-scale and long-term changes in the southern Gulf of Mexico benthic ecological status under natural and human-induced disturbances. Estuarine, Coastal and Shelf Science, 2023, 283, 108282.	2.1	1
1163	Hard-Bottom Polychaetes Exposed to Multiple Human Pressure along the Mediterranean Coast of Egypt. Water (Switzerland), 2023, 15, 997.	2.7	0
1164	Evaluation of the Effects of Electrical Stimulation: A Pilot Experiment on the Marine Benthic Foraminiferal Species Amphistegina lessonii. Life, 2023, 13, 862.	2.4	0
1165	Through the e<sc>DNA</sc> looking glass: Responses of fjord benthic foraminiferal communities to contrasting environmental conditions. Journal of Eukaryotic Microbiology, 2023, 70, .	1.7	4
1166	Ecosystem-based assessment of a widespread Mediterranean marine habitat: The Coastal Detrital Bottoms, with a special focus on epibenthic assemblages. Frontiers in Marine Science, 0, 10, .	2.5	1
1167	Temporal scales, sampling designs and age distributions in marine conservation palaeobiology. Geological Society Special Publication, 2023, 529, 1-39.	1.3	2
1169	Benthic infauna are resistant and resilient to hurricane disturbance. Marine Ecology - Progress Series, 2023, 707, 1-13.	1.9	1
1170	Low-impact rearing of a commercially valuable shellfish: sea-based container culture of European lobster Homarus gammarus in the United Kingdom. Aquaculture Environment Interactions, 2023, 15, 215-230.	1.8	0
1171	Mosaic of Submerged Habitats in the Venice Lagoon Shows Signs of Marinization. SSRN Electronic Journal, 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
1172	Faunistic and Structural Changes in Shallow Coastal Benthic Communities of the Ebre Delta (NW) Tj ETQq0 0 0 rgBT./Overlock 10 Tf 50	1.7	1
1173	Integrating multiple indices based on heavy metals and macrobenthos to evaluate the benthic ecological quality status of Laoshan Bay, Shandong Peninsula, China. Ecological Indicators, 2023, 153, 110367.	6.3	2
1174	Assessment of metal pollution in sediment and its impact on the macrobenthic community of Richards Bay Harbour, South Africa. African Journal of Aquatic Science, 2023, 48, 123-137.	1.1	1
1175	Colonization in Artificial Seaweed Substrates: Two Locations, One Year. Diversity, 2023, 15, 733.	1.7	0
1176	Assessment of the benthic ecological quality status (EcoQs) of Laizhou Bay (China) with an integrated AMBI, Mâ'AMBI, BENTIX, BO2A and feeding evenness index. Ecological Indicators, 2023, 153, 110456.	6.3	3
1177	Comparing quantile regression spline analyses and supervised machine learning for environmental quality assessment at coastal marine aquaculture installations. PeerJ, 0, 11, e15425.	2.0	0
1178	Temporal and Spatial Trends in Benthic Infauna and Potential Drivers, in a Highly Tidal Estuary in Atlantic Canada. Estuaries and Coasts, 2023, 46, 1612-1631.	2.2	1
1179	An Assessment of Potential Beam Trawling Impact on North-Western Black Sea Benthic Habitats Aiming at a Sustainable Fisheries Management. Water (Switzerland), 2023, 15, 2241.	2.7	0
1180	Mesozooplankton Dynamics in The Romanian Black Sea Waters During 2020-2021. , 2023, 12, 29-41.		0
1181	The potential of trait data to increase the availability of bioindicators: A case study using plant conservatism values. Ecological Applications, 2023, 33, .	3.8	0
1182	Environmental quality improvement of a mariculture plant after its conversion into a multi-trophic system. Science of the Total Environment, 2023, 884, 163846.	8.0	2
1183	Taphonomy and dissolution rates of the razor clam Ensis magnus shells: Current status and projected acidification scenarios. Estuarine, Coastal and Shelf Science, 2023, 289, 108372.	2.1	0
1184	CHALLENGES OF CONSERVATION PALEOBIOLOGY: FROM BASELINES TO NOVEL COMMUNITIES TO THE NECESSITY FOR GRANTING RIGHTS TO NATURE. Palaios, 2023, 38, 259-263.	1.3	1
1185	Evaluating the effectiveness of M-AMBI with other biotic indexes in a temperate estuary. Marine Pollution Bulletin, 2023, 193, 115194.	5.0	0
1186	Multi-benthic size approach to unveil different environmental conditions in a Mediterranean harbor area (Ancona, Adriatic Sea, Italy). PeerJ, 0, 11, e15541.	2.0	0
1187	Water and Sediment Quality Changes in Mangrove Systems with Shrimp Farms in the Northern Ecuadorean Coast. Applied Sciences (Switzerland), 2023, 13, 7749.	2.5	0
1188	Submarine outfall effect on subtidal macrobenthic communities in a southwestern Atlantic coastal city. Heliyon, 2023, 9, e18258.	3.2	1
1189	Mixing apples and oranges: Assessing ecological status and its confidence from multiple and diverse indicators. Journal of Environmental Management, 2023, 344, 118625.	7.8	1

#	ARTICLE	IF	CITATIONS
1190	Positive effects of two decades of passive ecological restoration in a historically polluted marine site. <i>Frontiers in Marine Science</i> , 0, 10, .	2.5	2
1191	Spatial Variation Ecological Quality Assessment of Live and Dead Molluscan Assemblages in the Aegean Sea. <i>Ocean Science Journal</i> , 2023, 58, .	1.3	0
1193	The Ecological Quality Status Assessment of Marine and Transitional Ecosystems: New Methods and Perspectives for the Future. <i>Water (Switzerland)</i> , 2023, 15, 2864.	2.7	0
1194	Spatial distribution of meiofaunal and macrofaunal assemblages in the tidal flats of the southern Korean coast in relation to natural and anthropogenic impacts. <i>Marine Pollution Bulletin</i> , 2023, 194, 115377.	5.0	1
1195	Benthic fauna in the south-eastern part of the Pechora-sea: Current state and analysis of ecological quality. <i>Marine Environmental Research</i> , 2023, 191, 106151.	2.5	0
1196	Deciphering benthic ecosystem functioning and resilience in a major port and marine protected area via the multi-trait approach. <i>Environmental Research</i> , 2023, 237, 116988.	7.5	0
1197	Testing the applicability of marine biotic indices for ecological quality in the northern East China Sea. <i>Journal of Sea Research</i> , 2023, , 102441.	1.6	1
1198	Impact of submarine karst sulfur springs on benthic foraminiferal assemblage in sediment of northern Adriatic Sea. <i>Journal of Soils and Sediments</i> , 0, , .	3.0	1
1199	Linking environmental monitoring data and the predicted effects of climate change for urban coastal management: A case study of Dublin Bay. <i>Journal of Sea Research</i> , 2023, , 102442.	1.6	0
1200	Assessment of macrobenthic communities of rocky intertidal zone from Zhejiang offshore islands with AZTI marine biotic index. <i>Ecological Indicators</i> , 2023, 154, 110923.	6.3	0
1201	Sediment characteristics and ecological quality evaluation of a brackish creek using AZTI's Marine Biotic and Bentix Indices. <i>Aquatic Sciences</i> , 2023, 85, .	1.5	0
1202	Review of the indexes to assess the ecological quality of coralligenous reefs: towards a unified approach. <i>Frontiers in Marine Science</i> , 0, 10, .	2.5	1
1203	Habitat mapping of Portugal's north-western continental shelf and its application to implement the European Marine Strategy Framework Directive. <i>Marine Policy</i> , 2023, 155, 105765.	3.2	0
1204	Ecological status of benthic communities associated to mussel farms in South of Chile: Can it be predicted using AMBI?. <i>Regional Studies in Marine Science</i> , 2023, 66, 103132.	0.7	1
1205	Changes in Composition of Mollusks within <i>Corallina officinalis</i> Turfs in South Istria, Adriatic Sea, as a Response to Anthropogenic Impact. <i>Diversity</i> , 2023, 15, 939.	1.7	1
1207	Multiple human activities in coastal benthic ecosystems: Introducing a metric of cumulative exposure. <i>Elementa</i> , 2023, 11, .	3.2	0
1208	THE UTILITY OF METAGENOMIC DATA FOR THE BLACK SEA ECOLOGICAL STATUS ASSESSMENT. <i>Biological Systems Theory and Innovation</i> , 2023, 14, .	0.1	0
1209	Trawling for evidence: An ecosystem-based multi-method trawling impact assessment. <i>Fisheries Research</i> , 2023, 268, 106858.	1.7	1

#	ARTICLE	IF	CITATIONS
1210	Mosaic of submerged habitats in the Venice lagoon shows signs of marinization. <i>Regional Studies in Marine Science</i> , 2023, 67, 103204.	0.7	1
1211	Detecting sediment recovery below an offshore longline mussel farm: A macrobenthic Biological Trait Analysis (BTA). <i>Marine Pollution Bulletin</i> , 2023, 195, 115556.	5.0	2
1212	Macroinvertebrate structure and trophic-functional organization in relation to environmental conditions in Dakhla Bay (southeast Morocco). , 0, , .		0
1213	Mineralogical and chemical composition of Arctic gastropods shells. <i>Progress in Oceanography</i> , 2023, 218, 103134.	3.2	0
1214	Classifying Ecological Quality and Integrity of Estuaries. , 2023, , .		0
1215	Spatio-temporal distribution of macrobenthos and benthic ecological health status in the Bohai Sea and the northern Yellow Sea, China. <i>Marine Pollution Bulletin</i> , 2023, 196, 115671.	5.0	2
1216	Scientometrics of the assessment of biotic integrity in estuaries. <i>Ecological Indicators</i> , 2023, 156, 111112.	6.3	0
1217	Scale-dependent influence of multiple environmental drivers on estuarine macrobenthic crustaceans. <i>Frontiers in Marine Science</i> , 0, 10, .	2.5	1
1218	Understanding the impact of sand extraction on benthic ecosystem functioning: a combination of functional indices and biological trait analysis. <i>Frontiers in Marine Science</i> , 0, 10, .	2.5	1
1219	Structural and functional diversity patterns of macrofaunal communities from a semi-enclosed inlet of Northeast Atlantic: The influence of environmental conditions. <i>Estuarine, Coastal and Shelf Science</i> , 2024, 296, 108575.	2.1	1
1221	Taxonomic and functional diversity of nematode fauna: two sides of the same coin in the ecological quality assessment of transitional environments. <i>Estuarine, Coastal and Shelf Science</i> , 2023, 295, 108550.	2.1	0
1222	Key Issues in the Estuarine Ecosystem Health Assessment of Yangtze River. <i>Advances in Environmental Protection</i> , 2023, 13, 1247-1253.	0.1	0
1223	Genome-Wide Identification and Characterization of the Hsp70/110 Genes in Two Polychaetes, <i>Capitella teleta</i> and <i>Owenia fusiformis</i> . <i>Russian Journal of Genetics</i> , 2023, 59, 28-35.	0.6	0
1224	A new method for bioassessment of ecosystems with complex communities and environmental gradients. <i>Ecological Indicators</i> , 2024, 158, 111413.	6.3	0
1225	Spatial patterns of sediment contamination and their influence on benthic infaunal communities in a highly tidal and industrial estuary in Atlantic Canada. <i>Marine Pollution Bulletin</i> , 2024, 198, 115872.	5.0	0
1226	Ecological quality assessment: A framework to report ecosystems quality and their dynamics from reference conditions. <i>Ecosphere</i> , 2023, 14, .	2.2	0
1229	Variability of general characteristics of the bottom population and their effectiveness for monitoring the quality of the marine environment. <i>Izvestiya Tinro</i> , 2023, 203, 925-943.	0.7	0
1230	Submarine outfall and new sewage treatment plant modulate the response of intertidal benthic communities in a SW Atlantic area. <i>Marine Pollution Bulletin</i> , 2024, 199, 115946.	5.0	0

#	ARTICLE	IF	CITATIONS
1231	Effects of Ecological Restoration of Mangrove Wetlands Using Native Mangrove Species to Replace <i>Spartina alterniflora</i> : A Case Study in Southern China. <i>Open Journal of Ecology</i> , 2023, 13, 956-976.	1.0	0
1232	Assessment of the ecological quality status of the Sepetiba Bay (SE Brazil): When metabarcoding meets morphology on foraminifera. <i>Marine Environmental Research</i> , 2024, 195, 106340.	2.5	0
1233	Seasonal implications for taxonomic sufficiency to simplify M-AMBI methodology in the coastal area adjacent to a eutrophic estuary. <i>Acta Oceanologica Sinica</i> , 2023, 42, 108-116.	1.0	0
1234	Assessing the Benthic Ecological Quality in the Intertidal Zone of Cheonsu Bay, Korea, Using Multiple Biotic Indices. <i>Water (Switzerland)</i> , 2024, 16, 272.	2.7	2
1235	Environmental impact assessment and conservation planning of a Middle-Eastern River basin using a fish-based tolerance index. <i>River Research and Applications</i> , 2024, 40, 411-424.	1.7	0
1236	Bacterial communities and interactions between macrobenthos and microorganisms after <i>Spartina alterniflora</i> invasion and <i>Kandelia obovata</i> plantation in Yueqing Bay, China. <i>Ecohydrology and Hydrobiology</i> , 2024, 24, 154-168.	2.3	0
1238	Assessment of Ecological Quality Status of Western Nigeria Offshore Waters (Gulf of Guinea) Using Macrobenthic Assemblage. <i>Thalassas</i> , 2024, 40, 639-651.	0.5	0
1239	Towards harmonized standards for freshwater biodiversity monitoring and biological assessment using benthic macroinvertebrates. <i>Science of the Total Environment</i> , 2024, 918, 170360.	8.0	0
1240	The application of the Weight-Of-Evidence approach for an integrated ecological risk assessment of marine protected sites. <i>Ecological Indicators</i> , 2024, 159, 111676.	6.3	0
1241	First Report on Three Lesser-Known <i>Magelona</i> Species from Korean Waters: Details of All Thoracic Chaetigers and Methyl Green Staining Patterns. <i>Diversity</i> , 2024, 16, 112.	1.7	0
1242	Good-Moderate boundary setting for the environmental status assessment of the macrozoobenthos communities with the Benthic Quality Index (BQI) in the south-western Baltic Sea. <i>Marine Pollution Bulletin</i> , 2024, 201, 116150.	5.0	0
1243	Introduction to the Benthic Health Index Used in Fisheries Environment Assessment. <i>Journal of the Korean Society of Marine Environment and Safety</i> , 2023, 29, 779-793.	0.3	0
1244	Nature-based solutions for coastal protection in sheltered and exposed coastal waters: integrated monitoring program for baseline ecological structure and functioning assessment. <i>Environmental Monitoring and Assessment</i> , 2024, 196, .	2.7	0
1245	Using the Heavy Metal Indices and Benthic Indices to Assess the Ecological Quality in the Tidal Flats of Carolim Bay, South Korea. <i>Water (Switzerland)</i> , 2024, 16, 736.	2.7	0
1246	Developing a bioassessment framework to inform tidal stream management along a hydrologically variable coast. <i>Ecological Indicators</i> , 2024, 160, 111804.	6.3	0
1248	Niche appropriation by a widespread nereidid polychaete within estuarine-like modern coastal stromatolite pools. <i>Estuarine, Coastal and Shelf Science</i> , 2024, 300, 108708.	2.1	0
1250	Using Benthic Indices to Assess the Ecological Quality of Sandy Beaches and the Impact of Urbanisation on Sandy Beach Ecosystems. <i>Journal of Marine Science and Engineering</i> , 2024, 12, 487.	2.6	0
1252	Assessing benthic ecological status of Kaduvaiyar estuary, southeast coast of India – Biotic indices approach. , 2024, 10, 200097.		0

#	ARTICLE	IF	CITATIONS
1253	Assessment of polychaete diversity in selected tropical Islands and estuaries on the Southeast coast of India. Regional Studies in Marine Science, 2024, 73, 103482.	0.7	0
1254	Hindcasting estuary ecological states using sediment cores, modelled historic nutrient loads, and a Bayesian network. Frontiers in Marine Science, 0, 11, .	2.5	0
1255	Climatic, oceanic, freshwater, and local environmental drivers of New Zealand estuarine macroinvertebrates. Marine Environmental Research, 2024, 197, 106472.	2.5	0
1256	A Synthesis of Anthropogenic Impacts and Solutions in Estuarine and Coastal Environments. , 2024, , 1-56.		0
1257	Ecological and environmental characteristics of a seagrass-dominated hypersaline coastal Mediterranean lagoon: a multidisciplinary approach. Aquatic Sciences, 2024, 86, .	1.5	0