

Origin of Polycyclic Aromatic Hydrocarbons (PAHs) in Cotonou (Benin) and Aquitaine (France) Areas

Marine Pollution Bulletin

40, 387-396

DOI: [10.1016/S0025-326X\(99\)00200-3](https://doi.org/10.1016/S0025-326X(99)00200-3)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Contamination of polycyclic aromatic hydrocarbons in surface sediments of mangrove swamps. <i>Environmental Pollution</i> , 2001, 114, 255-263.	3.7	267
2	Polyaromatic hydrocarbon concentrations and patterns in sediments and surface water of the Mansfeld region, Saxony-Anhalt, Germany. <i>Journal of Environmental Monitoring</i> , 2001, 3, 602-609.	2.1	36
3	Sources and Geochemical Constraints of Polycyclic Aromatic Hydrocarbons (PAHs) in Sediments and Mussels of two Northern Irish Sea-loughs. <i>Marine Pollution Bulletin</i> , 2001, 42, 1073-1081.	2.3	94
4	Urban Runoff Contribution to Surface Sediment Accumulation for Polycyclic Aromatic Hydrocarbons in the Cotonou Lagoon, Benin. <i>Polycyclic Aromatic Compounds</i> , 2002, 22, 111-128.	1.4	12
5	PAHs in the Fraser River basin: a critical appraisal of PAH ratios as indicators of PAH source and composition. <i>Organic Geochemistry</i> , 2002, 33, 489-515.	0.9	3,412
6	Distribution of polycyclic aromatic hydrocarbons in the sediments of the Adriatic Sea. <i>Environmental Pollution</i> , 2002, 119, 91-98.	3.7	254
7	Petroleum and PAH contamination of the Black Sea. <i>Marine Pollution Bulletin</i> , 2002, 44, 48-62.	2.3	453
8	Fate of polycyclic aromatic hydrocarbon (PAH) contamination in a mangrove swamp in Hong Kong following an oil spill. <i>Marine Pollution Bulletin</i> , 2002, 45, 339-347.	2.3	93
9	Occurrence and transport of polycyclic aromatic hydrocarbons in the water bodies of the Baltic Sea. <i>Marine Chemistry</i> , 2002, 79, 49-66.	0.9	122
10	Polycyclic aromatic hydrocarbon contamination and LUMISTox ^Â solvent extract toxicity of marine sediments in the North Aegean Sea, Greece. <i>Environmental Toxicology</i> , 2002, 17, 556-566.	2.1	26
11	Persistent Organic Pollutants in Singapore's Coastal Marine Environment: Part II, Sediments. <i>Water, Air, and Soil Pollution</i> , 2003, 149, 315-325.	1.1	29
12	Composition, distribution and sources of polycyclic aromatic hydrocarbons in sediments of the western harbour of alexandria, egypt. <i>Journal of Soils and Sediments</i> , 2003, 3, 173-179.	1.5	37
13	Transfer of organic contaminants to the Baltic in the Odra Estuary. <i>Marine Pollution Bulletin</i> , 2003, 46, 703-718.	2.3	29
14	Distribution and source recognition of polycyclic aromatic hydrocarbons in the sediments of Hsin-ta Harbour and adjacent coastal areas, Taiwan. <i>Marine Pollution Bulletin</i> , 2003, 46, 941-953.	2.3	87
15	Polycyclic aromatic hydrocarbons in surficial coastal sediments of the Ligurian Sea. <i>Marine Pollution Bulletin</i> , 2003, 46, 907-913.	2.3	51
16	The Sources, Transport, and Fate of PAHs in the Marine Environment. , 0, , 7-33.		63
17	Characterization of the benthic environment of a coastal area adjacent to an oil refinery, Todos os Santos Bay (NE-Brazil). <i>Brazilian Journal of Oceanography</i> , 2004, 52, 123-134.	0.6	34
18	Contribution of different sources to the hydrocarbon pollution during a rain event at the scale of an experimental catchment in Paris centre. <i>Urban Water Journal</i> , 2004, 1, 263-273.	1.0	1

#	ARTICLE	IF	CITATIONS
19	HPLC determination of polycyclic aromatic hydrocarbons (PAHs) in the littoral urban sewage area of cortiou (Marseille, France). <i>International Journal of Environmental Studies</i> , 2004, 61, 413-425.	0.7	11
20	The impact of petroleum hydrocarbons (diesel) on periphyton in an impacted tropical estuary based on in situ microcosms. <i>Journal of Experimental Marine Biology and Ecology</i> , 2004, 302, 213-232.	0.7	18
21	Hydrocarbons and heavy metals in the different sewer deposits in the "Le Marais" catchment (Paris, France). <i>Water, Air, and Soil Pollution</i> , 2004, 159, 67-86.	3.9	105
22	Polycyclic aromatic hydrocarbons (PAHs) and organochlorine pesticides in water columns from the Pearl River and the Macao harbor in the Pearl River Delta in South China. <i>Marine Pollution Bulletin</i> , 2004, 48, 1102-1115.	2.3	207
23	Distribution and sources of polynuclear aromatic hydrocarbons in Mangrove surficial sediments of Deep Bay, China. <i>Marine Pollution Bulletin</i> , 2004, 49, 479-486.	2.3	124
24	Atmospheric concentrations and dry deposition rates of polycyclic aromatic hydrocarbons (PAHs) for Tampa Bay, Florida, USA. <i>Atmospheric Environment</i> , 2004, 38, 6005-6015.	1.9	68
25	Hydrocarbons and Metals in Atmospheric Deposition and Roof Runoff in Central Paris. <i>Water, Air, and Soil Pollution</i> , 2004, 159, 67-86.	1.1	57
26	Sediment Contamination, by Habitat, in the Tampa Bay Estuarine System (1993-1999): PAHs, Pesticides and PCBs. <i>Environmental Monitoring and Assessment</i> , 2004, 91, 105-144.	1.3	9
27	Polycyclic aromatic hydrocarbons assessment in the sediments of the Porto Torres Harbor (Northern Sardinia, Italy). <i>Marine Pollution Bulletin</i> , 2004, 49, 147-157.	0.9	147
28	Polycyclic Aromatic Hydrocarbons in Sediments of Marine Coastal Lagoons in Messina, Italy: Extraction and GC/MS Analysis, Distribution and Sources. <i>Polycyclic Aromatic Compounds</i> , 2004, 24, 135-149.	1.4	46
29	Evaluation of PAH bioaccumulation and DNA damage in mussels (<i>Mytilus galloprovincialis</i>) exposed to spilled Prestige crude oil. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2004, 138, 453-460.	1.3	64
30	Hydrocarbon pollution fixed to combined sewer sediment: a case study in Paris. <i>Chemosphere</i> , 2004, 54, 795-804.	4.2	24
31	Characterization and distribution of polycyclic aromatic hydrocarbon contaminations in surface sediment and water from Gao-ping River, Taiwan. <i>Water Research</i> , 2004, 38, 1733-1744.	5.3	272
32	Polycyclic aromatic hydrocarbon analysis in different matrices of the marine environment. <i>Analytica Chimica Acta</i> , 2005, 547, 243-254.	2.6	94
33	Polycyclic aromatic hydrocarbons in superficial coastal sediments from Bizerte Lagoon, Tunisia. <i>Marine Pollution Bulletin</i> , 2005, 50, 344-348.	2.3	110
34	Nature, distribution and origin of polycyclic aromatic hydrocarbons (PAHs) in the sediments of Olbia harbor (Northern Sardinia, Italy). <i>Marine Pollution Bulletin</i> , 2005, 50, 1223-1232.	2.3	124
35	Sources, distribution and variability of hydrocarbons and metals in atmospheric deposition in an urban area (Paris, France). <i>Science of the Total Environment</i> , 2005, 337, 223-239.	3.9	147
36	Chemical and ecotoxicological assessment of polycyclic aromatic hydrocarbon-contaminated sediments of the Niger Delta, Southern Nigeria. <i>Science of the Total Environment</i> , 2005, 340, 123-136.	3.9	104

#	ARTICLE	IF	CITATIONS
37	The Consequences of the Oder Flood in 1997 on the Distribution of Polycyclic Aromatic Hydrocarbons in the Oder River. <i>Clean - Soil, Air, Water</i> , 2005, 33, 301-314.	0.8	4
38	Environmental Impacts of Diesel Fuel on Bacteria and Phytoplankton in a Tropical Estuary Assessed Using In Situ Mesocosms. <i>Ecotoxicology</i> , 2005, 14, 397-412.	1.1	36
39	Aliphatic and polycyclic aromatic hydrocarbons in sediments of Kaohsiung Harbour and adjacent coast, Taiwan. <i>Environmental Monitoring and Assessment</i> , 2005, 100, 217-234.	1.3	25
40	Hydrocarbons and heavy metals fixed to the lift station sediment of the Paris combined sewer network. <i>Water Science and Technology</i> , 2005, 52, 119-127.	1.2	4
41	A Review of the Formation, Environmental Fate, and Forensic Methods for PAHs from Aluminum Smelting Processes. <i>Environmental Forensics</i> , 2005, 6, 133-142.	1.3	20
42	HYDROCARBON LOADS FROM STREET CLEANING PRACTICES: COMPARISON WITH DRY AND WET WEATHER FLOWS IN A PARISIAN COMBINED SEWER SYSTEM. <i>Polycyclic Aromatic Compounds</i> , 2005, 25, 169-181.	1.4	10
43	Contents and sources of polycyclic aromatic hydrocarbons and organochlorine pesticides in vegetable soils of Guangzhou, China. <i>Chemosphere</i> , 2005, 60, 879-890.	4.2	174
44	Degradation of polycyclic aromatic hydrocarbons by a bacterial consortium enriched from mangrove sediments. <i>Environment International</i> , 2005, 31, 149-154.	4.8	153
45	Lysosomal responses as a diagnostic tool for the detection of chronic petroleum pollution at Todos os Santos Bay, Brazil. <i>Environmental Research</i> , 2005, 99, 387-396.	3.7	25
46	Molecular and isotopic identification of PAH sources in a highly industrialized urban estuary. <i>Organic Geochemistry</i> , 2005, 36, 619-632.	0.9	72
47	Polychlorobiphenyls and polycyclic aromatic hydrocarbons in the sea-surface micro-layer and the water column at Gerlache Inlet, Antarctica. <i>Journal of Environmental Monitoring</i> , 2005, 7, 1313.	2.1	36
48	Determination of Polycyclic Aromatic Hydrocarbons (PAHs) in Marine, Brackish, and River Sediments by HPLC, Following Ultrasonic Extraction. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2006, 29, 69-85.	0.5	27
49	Occurrence of persistent organic pollutants in sediments collected near fish farm sites. <i>Aquaculture</i> , 2006, 254, 234-247.	1.7	28
50	Distribution and sources of polycyclic aromatic hydrocarbons in the middle and lower reaches of the Yellow River, China. <i>Environmental Pollution</i> , 2006, 144, 985-993.	3.7	250
51	Distribution and sources of hydrocarbons in surface sediments of Gemlik Bay (Marmara Sea, Turkey). <i>Chemosphere</i> , 2006, 64, 764-777.	4.2	94
52	Distribution and loadings of polycyclic aromatic hydrocarbons in the Xijiang River in Guangdong, South China. <i>Chemosphere</i> , 2006, 64, 1401-1411.	4.2	87
53	Distribution of polycyclic aromatic hydrocarbons in soils at Guiyu area of China, affected by recycling of electronic waste using primitive technologies. <i>Chemosphere</i> , 2006, 65, 1500-1509.	4.2	212
54	Composition, sources, and potential toxicological significance of PAHs in the surface sediments of the Meiliang Bay, Taihu Lake, China. <i>Environment International</i> , 2006, 32, 28-33.	4.8	357

#	ARTICLE	IF	CITATIONS
55	Assessment of marine pollution in Izmir Bay: Nutrient, heavy metal and total hydrocarbon concentrations. <i>Environment International</i> , 2006, 32, 41-51.	4.8	149
56	Polycyclic aromatic hydrocarbon contamination in coastal sediments of the Izmit Bay (Marmara Sea): Case studies before and after the Izmit Earthquake. <i>Environment International</i> , 2006, 32, 758-765.	4.8	53
57	Polyaromatic hydrocarbons (PAHs) levels from two industrial zones (Sihwa and Banwal) located in An-san city of the Korean peninsula and their influence on lake. <i>Journal of Applied Sciences and Environmental Management</i> , 2006, 9, 63.	0.1	0
58	Analysis of alkyl and 6-ringed polycyclic aromatic hydrocarbons by isotope dilution gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1113, 220-230.	1.8	26
59	Biotreatability of polycyclic aromatic hydrocarbons in brackish sediments: Preliminary studies of an integrated monitoring. <i>International Biodeterioration and Biodegradation</i> , 2006, 57, 214-221.	1.9	9
60	The PAH composition of surface sediments from Stagnone coastal lagoon, Marsala (Italy). <i>Marine Chemistry</i> , 2006, 99, 117-127.	0.9	90
61	Aliphatic and polyaromatic hydrocarbons in bottom sediments of offshore mouth area of the Volga. <i>Water Resources</i> , 2006, 33, 274-284.	0.3	10
62	PAHs Contamination in Bank Sediment of the Yamuna River, Delhi, India. <i>Environmental Monitoring and Assessment</i> , 2006, 123, 151-166.	1.3	81
63	Application of multivariate spatial analysis in scale-based distribution and source study of PAHs in the topsoil: an example from Tianjin, China. <i>Environmental Geology</i> , 2006, 49, 1208-1216.	1.2	14
64	Sources of heavy metals and polycyclic aromatic hydrocarbons in urban stormwater runoff. <i>Science of the Total Environment</i> , 2006, 359, 145-155.	3.9	361
65	Sources and distribution of aliphatic and polyaromatic hydrocarbons in sediments of Jiaozhou Bay, Qingdao, China. <i>Marine Pollution Bulletin</i> , 2006, 52, 129-138.	2.3	199
66	Spatial and temporal distribution of dissolved/dispersed aromatic hydrocarbons in seawater in the area affected by the Prestige oil spill. <i>Marine Pollution Bulletin</i> , 2006, 53, 250-259.	2.3	164
67	Distribution and Occurrence of Polycyclic Aromatic Hydrocarbons (PAHs) in Sediments from the Mar Grande and Gulf of Taranto (Ionian Sea, Southern Italy). <i>Annali Di Chimica</i> , 2006, 96, 51-64.	0.6	16
68	Organic and inorganic pollutants in marine sediments from northern and southern continental shelf of the Gulf of Mexico. <i>International Journal of Environment and Pollution</i> , 2006, 26, 295.	0.2	19
69	Pollution assessment, distribution and sources of PAHs in agricultural soils of Pearl River Delta—The biggest manufacturing Base in China. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007, 42, 1979-1987.	0.9	21
70	Concentrations of heavy metals and hydrocarbons in groundwater near petrol stations and mechanic workshops in Calabar metropolis, southeastern Nigeria. <i>Environmental Geosciences</i> , 2007, 14, 15-29.	0.6	25
71	POLYCYCLIC AROMATIC HYDROCARBONS (PAH) IN VULCANO ISLAND (AEOLIAN ARCHIPELAGO) MUD UTILIZED FOR THERAPEUTIC PURPOSE. <i>Polycyclic Aromatic Compounds</i> , 2007, 27, 281-294.	1.4	12
72	Distribution of polycyclic aromatic hydrocarbons in thirty typical soil profiles in the Yangtze River Delta region, east China. <i>Environmental Pollution</i> , 2007, 147, 358-365.	3.7	173

#	ARTICLE	IF	CITATIONS
73	Export of toxic chemicals – A review of the case of uncontrolled electronic-waste recycling. <i>Environmental Pollution</i> , 2007, 149, 131-140.	3.7	657
74	Estimating the gasoline components and formulations toxicity to microalgae (<i>Tetraselmis chuii</i>) and oyster (<i>Crassostrea rhizophorae</i>) embryos: An approach to minimize environmental pollution risk. <i>Environmental Research</i> , 2007, 103, 365-374.	3.7	37
75	PCDD/F, PAH and heavy metals in the sewage sludge from six wastewater treatment plants in Beijing, China. <i>Chemosphere</i> , 2007, 66, 353-361.	4.2	180
76	Monitoring of polychlorinated dibenzo-p-dioxins and dibenzofurans, dioxin-like PCBs and polycyclic aromatic hydrocarbons in food and feed samples from Ismailia city, Egypt. <i>Chemosphere</i> , 2007, 66, 1962-1970.	4.2	59
77	Heavy metals, polycyclic aromatic hydrocarbons and polychlorinated biphenyls in surface sediments of the Naples harbour (southern Italy). <i>Chemosphere</i> , 2007, 67, 998-1009.	4.2	290
78	DNA adducts and polycyclic aromatic hydrocarbon (PAH) tissue levels in blue mussels (<i>Mytilus</i> spp.) from Nordic coastal sites. <i>Marine Environmental Research</i> , 2007, 64, 479-491.	1.1	28
79	Contamination of PAHs in Sludge Samples from the Yangtze River Delta Area. <i>Pedosphere</i> , 2007, 17, 373-382.	2.1	19
80	Chapter 15 Persistent Organic Pollutants in Singapore's Marine Environment. <i>Developments in Environmental Science</i> , 2007, 7, 657-720.	0.5	2
81	Influence of Lignite Mining and Utilization on Organic Matter Budget in the Alfeios River Plain, Peloponnese (South Greece). <i>Energy & Fuels</i> , 2007, 21, 2698-2709.	2.5	10
82	Soil pollution by PAHs in urban soils: a comparison of three European cities. <i>Journal of Environmental Monitoring</i> , 2007, 9, 1001.	2.1	208
83	Characterization, identification of road dust PAHs in central Shanghai areas, China. <i>Atmospheric Environment</i> , 2007, 41, 8785-8795.	1.9	190
84	Evaluation of the mussel <i>Perna perna</i> as a biomonitor of polycyclic aromatic hydrocarbon (PAH) exposure and effects. <i>Marine Pollution Bulletin</i> , 2007, 54, 329-338.	2.3	46
85	Polycyclic aromatic hydrocarbons (PAHs), organic matter quality and meiofauna in Galician sandy beaches, 6 months after the Prestige oil-spill. <i>Marine Pollution Bulletin</i> , 2007, 54, 1046-1052.	2.3	13
86	Sources and distribution of polycyclic aromatic hydrocarbons in the sediments of Kaoping river and submarine canyon system, Taiwan. <i>Marine Pollution Bulletin</i> , 2007, 54, 1179-1189.	2.3	88
87	Sediment pollution pathways of trace metals and petroleum hydrocarbons in a small industrialized estuary: Bayou Chico, Pensacola, FL. <i>Marine Pollution Bulletin</i> , 2007, 54, 1529-1539.	2.3	7
88	Distribution and origin of hydrocarbons in surficial sediments from the eastern Aegean Sea (Izmir Tj ETQq1 1 0.784314 rgBT/Overlook 2.3 20	2.3	20
89	Polycyclic aromatic hydrocarbon in inter-tidal mussel <i>Perna perna</i> : Space-time observations, source investigation and genotoxicity. <i>Science of the Total Environment</i> , 2007, 372, 515-531.	3.9	61
90	Characterization and distribution of polycyclic aromatic hydrocarbon in sediments of Haihe River, Tianjin, China. <i>Journal of Environmental Sciences</i> , 2007, 19, 306-311.	3.2	73

#	ARTICLE	IF	CITATIONS
91	Chemical characteristics and pollution sources of petroleum hydrocarbons and PAHs in sediments from the Beiluohe River, Northern China. <i>Environmental Geology</i> , 2007, 53, 307-315.	1.2	12
92	Characterization and Sources of PAHs and Potentially Toxic Metals in Urban Environments of Sevilla (Southern Spain). <i>Water, Air, and Soil Pollution</i> , 2007, 187, 41-51.	1.1	91
93	The Distribution and Sources of Polycyclic Aromatic Hydrocarbons in Surface Sediments Along the Egyptian Mediterranean Coast. <i>Environmental Monitoring and Assessment</i> , 2007, 124, 343-359.	1.3	63
94	Distribution of PAHs in Surface Soils from Petroleum Handling Facilities in Calabar. <i>Environmental Monitoring and Assessment</i> , 2007, 130, 27-34.	1.3	32
95	Distribution and sources of polycyclic aromatic hydrocarbons in Wuhan section of the Yangtze River, China. <i>Environmental Monitoring and Assessment</i> , 2007, 133, 447-458.	1.3	127
96	Polycyclic Aromatic Hydrocarbons (PAH) in Water and Sediment from Gully Pots. <i>Water, Air, and Soil Pollution</i> , 2008, 188, 271-282.	1.1	50
97	Measurement of particulate phase polycyclic aromatic hydrocarbon (PAHs) around a petroleum refinery. <i>Environmental Monitoring and Assessment</i> , 2008, 137, 387-392.	1.3	28
98	The concentrations, distribution and sources of PAHs in agricultural soils and vegetables from Shunde, Guangdong, China. <i>Environmental Monitoring and Assessment</i> , 2008, 139, 61-76.	1.3	89
99	Vertical distribution of polycyclic aromatic hydrocarbons (PAHs) in Hunpu wastewater-irrigated area in northeast China under different land use patterns. <i>Environmental Monitoring and Assessment</i> , 2008, 142, 23-34.	1.3	30
100	Polycyclic aromatic hydrocarbons from rural household biomass burning in a typical Chinese village. <i>Science in China Series D: Earth Sciences</i> , 2008, 51, 1013-1020.	0.9	18
101	Evaluation of the genotoxicity of river sediments from industrialized and unaffected areas using a battery of short-term bioassays. <i>Environmental and Molecular Mutagenesis</i> , 2008, 49, 283-299.	0.9	27
102	Assessment of PAHs in soil around the International Airport in Delhi, India. <i>Journal of Hazardous Materials</i> , 2008, 156, 9-16.	6.5	110
103	Source analysis for polycyclic aromatic hydrocarbon in road dust and urban runoff using marker compounds. <i>Desalination</i> , 2008, 226, 151-159.	4.0	35
104	Mercury, Trace Elements and Organic Constituents in Atmospheric Fine Particulate Matter, Shenandoah National Park, Virginia, USA: A Combined Approach to Sampling and Analysis. <i>Geostandards and Geoanalytical Research</i> , 2008, 32, 279-293.	1.7	18
105	Novel aromatic ring-hydroxylating dioxygenase genes from coastal marine sediments of Patagonia. <i>BMC Microbiology</i> , 2008, 8, 50.	1.3	54
106	Petroleum contamination impact on macrobenthic communities under the influence of an oil refinery: Integrating chemical and biological multivariate data. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 78, 457-467.	0.9	54
107	Characterization and distribution of petroleum hydrocarbons and heavy metals in groundwater from three Italian tank farms. <i>Science of the Total Environment</i> , 2008, 393, 50-63.	3.9	44
108	Priority pollutants in wastewater and combined sewer overflow. <i>Science of the Total Environment</i> , 2008, 407, 263-272.	3.9	178

#	ARTICLE	IF	CITATIONS
109	Contamination and potential biodegradation of polycyclic aromatic hydrocarbons in mangrove sediments of Xiamen, China. <i>Marine Pollution Bulletin</i> , 2008, 56, 1184-1191.	2.3	44
110	Comparative petroleum hydrocarbons levels and biochemical responses in mussels from hydrothermal vents (<i>Bathymodiolus azoricus</i>) and coastal environments (<i>Mytilus galloprovincialis</i>). <i>Marine Pollution Bulletin</i> , 2008, 57, 529-537.	2.3	24
111	PAHs contamination and bacterial communities in mangrove surface sediments of the Jiulong River Estuary, China. <i>Marine Pollution Bulletin</i> , 2008, 57, 707-715.	2.3	113
112	Presence and origin of polycyclic aromatic hydrocarbon in sediments of nine coastal lagoons in central Vietnam. <i>Marine Pollution Bulletin</i> , 2008, 56, 1504-1512.	2.3	40
113	Survey of PAH in low density residential stormwater ponds in coastal South Carolina: False dark mussels (<i>Mytilopsis leucophaeata</i>) as potential biomonitors. <i>Marine Pollution Bulletin</i> , 2008, 56, 1598-1608.	2.3	12
114	Source diagnostics of polycyclic aromatic hydrocarbons in urban road runoff, dust, rain and canopy throughfall. <i>Environmental Pollution</i> , 2008, 153, 594-601.	3.7	257
115	Distribution and sources of polycyclic aromatic hydrocarbons in surface sediments of rivers and an estuary in Shanghai, China. <i>Environmental Pollution</i> , 2008, 154, 298-305.	3.7	184
116	Evaluation of pollutant exposure by chemical and biological markers in a Mediterranean French urban stream: A step for in situ calibration of multixenobiotic resistance transporter expression as biomarker in Chironomidae larvae. <i>Environmental Research</i> , 2008, 107, 351-361.	3.7	10
117	The influence of <i>Sarcocornia fruticosa</i> on retention of PAHs in salt marsh sediments (Sado estuary, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	4.2	46
118	Distribution and bioaccumulation of PAHs in the UNESCO protected natural reserve of Urdaibai, Bay of Biscay. <i>Chemosphere</i> , 2008, 72, 1467-1474.	4.2	80
119	Polycyclic aromatic hydrocarbons in soils in the vicinity of Nanjing, China. <i>Chemosphere</i> , 2008, 73, 389-394.	4.2	87
120	Quantification and source identification of polycyclic aromatic hydrocarbons in sediment, soil, and water spinach from Hanoi, Vietnam. <i>Journal of Environmental Monitoring</i> , 2008, 10, 261-269.	2.1	46
121	BIOTA ACCUMULATION OF POLYCYCLIC AROMATIC HYDROCARBONS IN BENIN COASTAL WATERS. <i>Polycyclic Aromatic Compounds</i> , 2008, 28, 112-127.	1.4	42
122	Sources and Wet Deposition Fluxes of Polycyclic Aromatic Hydrocarbons (PAHs) in an Urban Site 1000 Meters High in Central Anatolia (Turkey). <i>Environmental Forensics</i> , 2009, 10, 286-298.	1.3	26
123	Forensic Characterization of Polycyclic Aromatic Hydrocarbons and Hopanes in Aerosols from Peninsular Malaysia. <i>Environmental Forensics</i> , 2009, 10, 240-252.	1.3	20
124	Level and Source of Polycyclic Aromatic Hydrocarbons in River Water and Runoff from Danjiangkou Reservoir Area, China. , 2009, , .		1
125	Source apportionment of polycyclic aromatic hydrocarbons (PAHs) in surface sediments of the Huangpu River, Shanghai, China. <i>Science of the Total Environment</i> , 2009, 407, 2931-2938.	3.9	291
126	Polycyclic aromatic hydrocarbons in coastal sediments of southwest Taiwan: An appraisal of diagnostic ratios in source recognition. <i>Marine Pollution Bulletin</i> , 2009, 58, 752-760.	2.3	85

#	ARTICLE	IF	CITATIONS
127	Distribution and characteristics of polycyclic aromatic hydrocarbons (PAHs) in sediments of Hadhramout coastal area, Gulf of Aden, Yemen. <i>Journal of Marine Systems</i> , 2009, 78, 1-8.	0.9	96
128	Polycyclic aromatic hydrocarbons in water, mussels (<i>Brachidontes</i> sp., <i>Tagelus</i> sp.) and fish (<i>Odontesthes</i> sp.) from Bah�a Blanca Estuary, Argentina. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 85, 67-81.	0.9	81
129	Spatial and temporal distribution of polycyclic aromatic hydrocarbons (PAHs) in sediments from Daya Bay, South China. <i>Environmental Pollution</i> , 2009, 157, 1823-1830.	3.7	170
130	Distribution and deposition of polycyclic aromatic hydrocarbons in precipitation in Guangzhou, South China. <i>Journal of Environmental Sciences</i> , 2009, 21, 654-660.	3.2	25
131	Characterization of Granulometric and Chemical Composition of Sediments of Barigui River Samples and their Capacity to Retain Polycyclic Aromatic Hydrocarbons. <i>Water, Air, and Soil Pollution</i> , 2009, 203, 381-389.	1.1	11
132	Concentration Levels and Potential Ecological Risks of Polycyclic Aromatic Hydrocarbons in Chinese Rivers. <i>Water Quality, Exposure, and Health</i> , 2009, 1, 105-113.	1.5	12
133	Contamination and Ecotoxicology risks of Polycyclic Aromatic Hydrocarbons in Shantou Coastal Waters, China. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2009, 82, 172-178.	1.3	16
134	Distribution, Sources and Characterization of Polycyclic Aromatic Hydrocarbons in the Sediment of the River Gomti, Lucknow, India. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2009, 83, 449-454.	1.3	25
135	Polycyclic Aromatic Hydrocarbons in Bottom Sediments from Three Water Reservoirs, Slovakia. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2009, 83, 444-448.	1.3	9
136	Polycyclic Aromatic Hydrocarbons in Urban Street Dust and Surface Soil: Comparisons of Concentration, Profile, and Source. <i>Archives of Environmental Contamination and Toxicology</i> , 2009, 56, 173-180.	2.1	117
137	Polycyclic Aromatic Hydrocarbon Composition of Sediments in the R�a de Vigo (NW Spain). <i>Archives of Environmental Contamination and Toxicology</i> , 2009, 57, 42-49.	2.1	27
138	Polycyclic Aromatic Hydrocarbon Contamination in South Carolina Salt Marsh-Tidal Creek Systems: Relationships Among Sediments, Biota, and Watershed Land Use. <i>Archives of Environmental Contamination and Toxicology</i> , 2009, 57, 103-115.	2.1	11
139	Persistent organic pollutants (POPs) at Ross Sea (Antarctica). <i>Microchemical Journal</i> , 2009, 92, 44-48.	2.3	57
140	Source characterization and the environmental impact of urban street dusts from Egypt based on hydrocarbon distributions. <i>Fuel</i> , 2009, 88, 95-104.	3.4	54
141	Determination of inorganic and organic priority pollutants in biosolids from meat processing industry. <i>Waste Management</i> , 2009, 29, 2574-2581.	3.7	7
142	Risk assessment of polycyclic aromatic hydrocarbons in a Mediterranean semi-enclosed basin affected by human activities (Abu Qir Bay, Egypt). <i>Journal of Hazardous Materials</i> , 2009, 170, 389-397.	6.5	112
143	Polycyclic aromatic hydrocarbons and effects on marine organisms in the Istanbul Strait. <i>Environment International</i> , 2009, 35, 599-606.	4.8	79
144	Polycyclic aromatic hydrocarbon (PAH) contamination of surface sediments and oysters from the inter-tidal areas of Dar es Salaam, Tanzania. <i>Environmental Pollution</i> , 2009, 157, 24-34.	3.7	94

#	ARTICLE	IF	CITATIONS
145	Vertical distribution and source identification of polycyclic aromatic hydrocarbons in anoxic sediment cores of Chini Lake, Malaysia: Perylene as indicator of land plant-derived hydrocarbons. <i>Applied Geochemistry</i> , 2009, 24, 1777-1787.	1.4	89
146	Remediation of pyrene-contaminated soil by synthesized nanoscale zero-valent iron particles. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2009, 44, 576-582.	0.9	47
147	Salinity and Persistent Toxic Substances in Soils from Shanghai, China. <i>Pedosphere</i> , 2009, 19, 779-789.	2.1	9
148	Distribution of PAHs in the water column, sediments and biota of Potter Cove, South Shetland Islands, Antarctica. <i>Antarctic Science</i> , 2009, 21, 329.	0.5	47
149	A Preliminary Assessment of Polycyclic Aromatic Hydrocarbon Distribution in the Kenting Coral Reef Waters of Southern Taiwan. <i>Archives of Environmental Contamination and Toxicology</i> , 2010, 58, 489-498.	2.1	25
150	Polycyclic aromatic hydrocarbons in water, sediment, soil, and plants of the Aojiang River waterway in Wenzhou, China. <i>Journal of Hazardous Materials</i> , 2010, 173, 75-81.	6.5	122
151	Distribution of polycyclic aromatic hydrocarbons in different size fractions of soil from a coke oven plant and its relationship to organic carbon content. <i>Journal of Hazardous Materials</i> , 2010, 176, 729-734.	6.5	82
152	Contamination from polycyclic aromatic hydrocarbons (PAHs) in the soil of a botanic garden localized next to a former manufacturing gas plant in Palermo (Italy). <i>Journal of Hazardous Materials</i> , 2010, 180, 590-601.	6.5	61
153	How building an underwater pipeline connecting Libya to Sicilian coast is affecting environment: polycyclic aromatic hydrocarbons (PAHs) in sediments; monitoring the evolution of the shore approach area of the Gulf of Gela (Italy). <i>Journal of Hazardous Materials</i> , 2010, 181, 647-658.	6.5	37
154	Evaluation of tools to identify hydrocarbon sources in recent and historical sediments of a tropical bay. <i>Marine Chemistry</i> , 2010, 121, 67-79.	0.9	62
155	Effects of crude oil on marine microbial communities in short term outdoor microcosms. <i>Journal of Microbiology</i> , 2010, 48, 594-600.	1.3	41
156	Paleofire indicated by polycyclic aromatic hydrocarbons in soil of Jinluojia archaeological site, Hubei, China. <i>Journal of Earth Science (Wuhan, China)</i> , 2010, 21, 247-256.	1.1	14
157	Presence, distribution, and origins of polycyclic aromatic hydrocarbons (PAHs) in sediments from Bah�a Blanca estuary, Argentina. <i>Environmental Monitoring and Assessment</i> , 2010, 160, 301-314.	1.3	99
158	Distribution of polycyclic aromatic hydrocarbons in marine sediments and their potential toxic effects. <i>Environmental Monitoring and Assessment</i> , 2010, 168, 205-213.	1.3	22
159	Assessment of polycyclic aromatic hydrocarbon influx and sediment contamination in an urbanized estuary. <i>Environmental Monitoring and Assessment</i> , 2010, 168, 269-276.	1.3	29
160	Origin and analysis of aliphatic and cyclic hydrocarbons in northeast United Kingdom coastal marine sediments. <i>Marine Pollution Bulletin</i> , 2010, 60, 1136-1141.	2.3	12
161	Sources and distribution of polycyclic aromatic hydrocarbons in sediments from the Spanish northern continental shelf. Assessment of spatial and temporal trends. <i>Environmental Pollution</i> , 2010, 158, 1551-1560.	3.7	66
162	A novel approach for characterization of polycyclic aromatic hydrocarbon (PAH) pollution patterns in sediments from Guanabara Bay, Rio de Janeiro, Brazil. <i>Environmental Pollution</i> , 2010, 158, 3290-3297.	3.7	44

#	ARTICLE	IF	CITATIONS
163	Enrichment of polycyclic aromatic hydrocarbons (PAHs) in mariculture sediments of Hong Kong. <i>Environmental Pollution</i> , 2010, 158, 3298-3308.	3.7	50
164	Characterization of polycyclic aromatic hydrocarbons deposition in PM _{2.5} and cloud/fog water at Mount Taishan (China). <i>Atmospheric Environment</i> , 2010, 44, 1996-2003.	1.9	59
165	Analytical method, pattern and sources of polycyclic aromatic hydrocarbons (PAHs) in the stone of the Temples of Agrigento (Italy). <i>Journal of Hazardous Materials</i> , 2010, 176, 339-347.	6.5	36
166	Evaluation of the influence of black carbon on the distribution of PAHs in sediments from along the entire Swedish continental shelf. <i>Marine Chemistry</i> , 2010, 119, 44-51.	0.9	62
167	Distribution of polycyclic aromatic hydrocarbons in drinking water in Egypt. <i>Desalination</i> , 2010, 251, 34-40.	4.0	57
168	Quantification and Distribution of Polynuclear Aromatic Hydrocarbons (PNAs) in Surface Waters in the Vicinity of Kokori Oil Field, Nigeria. <i>Journal of Applied Sciences and Environmental Management</i> , 2010, 13, .	0.1	1
169	Sequential Accelerated Solvent Extraction of Polycyclic Aromatic Hydrocarbons with Different Solvents: Performance and Implication. <i>Journal of Environmental Quality</i> , 2010, 39, 2072-2079.	1.0	8
170	Polycyclic Aromatic Hydrocarbons (PAHs) in Soils Sampled from an Oilfield: Analytical Method by GC-MS, Distribution, Profile, Sources and Impacts. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering</i> , 2010, .	0.0	0
171	Evaluation of Holding Time for Polycyclic Aromatic Hydrocarbon (PAH) Analysis in Saline Water Samples. <i>Environmental Forensics</i> , 2010, 11, 309-314.	1.3	4
172	Concentration and Spatial Distribution of Polycyclic Aromatic Hydrocarbons in Surface Roadside Soils, Shanghai. , 2010, , .		1
173	Polycyclic Aromatic Hydrocarbons (PAHs) in Austin Sediments After a Ban on Pavement Sealers. <i>Environmental Forensics</i> , 2010, 11, 372-382.	1.3	24
174	Polycyclic aromatic hydrocarbons (PAHs) in different indoor dusts and their potential cytotoxicity based on two human cell lines. <i>Environment International</i> , 2010, 36, 542-547.	4.8	85
175	PAHs distribution in precipitation at Mount Taishan. <i>Atmospheric Research</i> , 2010, 95, 1-7.	1.8	55
176	Distribution and Sources of Polycyclic Aromatic Hydrocarbons Around a Petroleum Refinery Rejection Area in Jarzouna-Bizerte (Coastal Tunisia). <i>Soil and Sediment Contamination</i> , 2010, 19, 292-306.	1.1	21
177	Influence of traffic conditions on polycyclic aromatic hydrocarbon abundance in street dust. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2010, 45, 339-347.	0.9	18
178	PAHs and n-alkanes in Mediterranean coastal marine sediments: aquaculture as a significant point source. <i>Journal of Environmental Monitoring</i> , 2010, 12, 958.	2.1	29
179	Assessment on the distribution and partitioning characteristics of polycyclic aromatic hydrocarbons (PAHs) in Lake Baiyangdian, a shallow freshwater lake in China. <i>Journal of Environmental Monitoring</i> , 2011, 13, 681.	2.1	18
180	Polycyclic aromatic hydrocarbons and trace metal contamination of coastal sediment and biota from Togo. <i>Journal of Environmental Monitoring</i> , 2011, 13, 2033.	2.1	25

#	ARTICLE	IF	CITATIONS
181	Effects of in vivo chronic hydrocarbons pollution on sanitary status and immune system in sea bass (<i>Dicentrarchus labrax</i> L.). <i>Aquatic Toxicology</i> , 2011, 105, 300-311.	1.9	52
182	Polycyclic Aromatic Hydrocarbons and Hopane in Malacca Coastal Water: 130 Years of Evidence for Their Land-Based Sources. <i>Environmental Forensics</i> , 2011, 12, 63-78.	1.3	9
183	Impact of Oil Field-Produced Water Discharges on Sediments: A Case Study of Sabkhat Boujemal, Sfax, Tunisia. <i>Environmental Forensics</i> , 2011, 12, 290-299.	1.3	12
184	Atmospheric wet and dry deposition of polycyclic aromatic hydrocarbons (PAHs) determined using a modified sampler. <i>Atmospheric Research</i> , 2011, 101, 341-353.	1.8	89
185	Distribution and sources of aliphatic and polycyclic aromatic hydrocarbons in suspended particulate matter in water from two Brazilian estuarine systems. <i>Continental Shelf Research</i> , 2011, 31, 1116-1127.	0.9	55
186	The use of limpets as monitor of PAHs pollution in the Cantabrian coast. <i>Continental Shelf Research</i> , 2011, 31, 1818-1826.	0.9	5
187	Impact of forest fires on PAH level and distribution in soils. <i>Environmental Research</i> , 2011, 111, 193-198.	3.7	95
188	Evaluation de la bioaccumulation du plomb dans les espèces animales marines et identification des sources de contamination métallique par une analyse multielementaire en métaux (Al, Cd, Cr, Cu, Pb) dans les eaux côtières du Bénin. <i>International Journal of Biological and Chemical Sciences</i> , 2011, 5, .	0.1	1
189	Geochemical behavior of heavy metals in different environments in Rodrigo de Freitas lagoon - RJ/Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 457-469.	0.3	11
190	Trace element distribution and ²³⁵ U/ ²³⁸ U ratios in Euphrates waters and in soils and tree barks of Dhi Qar province (southern Iraq). <i>Science of the Total Environment</i> , 2011, 409, 3829-3838.	3.9	6
191	Distribution and mass inventory of polycyclic aromatic hydrocarbons in the sediments of the south Bohai Sea, China. <i>Marine Pollution Bulletin</i> , 2011, 62, 371-376.	2.3	59
192	Levels and spatial distribution of polycyclic aromatic hydrocarbons (PAHs) in superficial sediment from 15 Italian marine protected areas (MPA). <i>Marine Pollution Bulletin</i> , 2011, 62, 874-877.	2.3	54
193	Polycyclic aromatic hydrocarbons in marine sediments from the Rijeka Bay area, Northern Adriatic, Croatia, 1998-2006. <i>Marine Pollution Bulletin</i> , 2011, 62, 863-869.	2.3	43
194	Polycyclic aromatic hydrocarbons in surface sediments of the East China Sea and their relationship with carbonaceous materials. <i>Marine Pollution Bulletin</i> , 2011, 63, 464-470.	2.3	40
195	The relationship between the concentrations and distribution of organic pollutants and black carbon content in benthic sediments in the Gulf of Gdansk, Baltic Sea. <i>Marine Pollution Bulletin</i> , 2011, 62, 1464-1475.	2.3	27
196	Distribution, origin, and potential toxicological significance of polycyclic aromatic hydrocarbons (PAHs) in sediments of Kaohsiung Harbor, Taiwan. <i>Marine Pollution Bulletin</i> , 2011, 63, 417-423.	2.3	172
197	Integrated use of biomarkers in the mussel <i>Mytilus galloprovincialis</i> for assessing off-shore gas platforms in the Adriatic Sea: Results of a two-year biomonitoring program. <i>Marine Pollution Bulletin</i> , 2011, 62, 2483-2495.	2.3	28
198	Environmental quality of mussel farms in the Vigo estuary: Pollution by PAHs, origin and effects on reproduction. <i>Environmental Pollution</i> , 2011, 159, 250-265.	3.7	70

#	ARTICLE	IF	CITATIONS
199	Occurrence of polycyclic aromatic hydrocarbons in surface sediments of a highly urbanized river system with special reference to energy consumption patterns. <i>Environmental Pollution</i> , 2011, 159, 1510-1515.	3.7	41
200	Biomonitoring of PAHs by using <i>Quercus ilex</i> leaves: Source diagnostic and toxicity assessment. <i>Atmospheric Environment</i> , 2011, 45, 1428-1433.	1.9	67
201	Validation of a GC-MS/MS method for simultaneous determination of 86 persistent organic pollutants in marine sediments by pressurized liquid extraction followed by stir bar sorptive extraction. <i>Chemosphere</i> , 2011, 84, 869-881.	4.2	68
202	Polycyclic aromatic hydrocarbons in urban soils (Moscow, Eastern District). <i>Eurasian Soil Science</i> , 2011, 44, 1018-1030.	0.5	19
203	Concentrations, distributions, and sources of polychlorinated biphenyls and polycyclic aromatic hydrocarbons in bed sediments of the water reservoirs in Slovakia. <i>Environmental Monitoring and Assessment</i> , 2011, 173, 883-897.	1.3	32
204	Polycyclic aromatic hydrocarbons and polychlorinated biphenyls in the harbour of Naples (Southern) Tj ETQq1 1 0.784314 rgBT /Over 445-459.	1.3	16
205	Distribution and ecotoxicological significance of polycyclic aromatic hydrocarbons in sediments from Iko River estuary mangrove ecosystem. <i>Environmental Monitoring and Assessment</i> , 2011, 176, 99-107.	1.3	26
206	Use of three bivalve species for biomonitoring a polluted estuarine environment. <i>Environmental Monitoring and Assessment</i> , 2011, 177, 289-300.	1.3	41
207	Spatial Distribution and Temporal Trends of Polycyclic Aromatic Hydrocarbons (PAHs) in Sediments from Lake Maryut, Alexandria, Egypt. <i>Water, Air, and Soil Pollution</i> , 2011, 218, 63-80.	1.1	40
208	Seasonal and Spatial Variations of Air Concentrations of Polycyclic Aromatic Hydrocarbons in Northeastern Chinese Urban Region. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2011, 86, 43-49.	1.3	16
209	Polycyclic Aromatic Hydrocarbons Profile of Kitchen Dusts. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2011, 86, 298-301.	1.3	10
210	Concentrations, Sources and Risk Assessment of Polycyclic Aromatic Hydrocarbons (PAHs) in Soils of Liaohe Estuarine Wetland. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2011, 87, 463-468.	1.3	15
211	The Zoning of Semi-Enclosed Bodies of Water According to the Sediment Pollution: The Bay of Algeiras as a Case Example. <i>Estuaries and Coasts</i> , 2011, 34, 1129-1139.	1.0	3
212	Source Apportionment of PAHs Using Two Mathematical Models for Mangrove Sediments in Shantou Coastal Zone, China. <i>Estuaries and Coasts</i> , 2011, 34, 950-960.	1.0	45
213	Polycyclic aromatic hydrocarbons in surface sediments of Laizhou Bay, Bohai Sea, China. <i>Environmental Earth Sciences</i> , 2011, 63, 121-133.	1.3	39
214	Polynuclear Aromatic Hydrocarbons (PAH) and Heavy Metals in Dry and Wet Sludge from As-Samra Wastewater Treatment Plant, Jordan. <i>Soil and Sediment Contamination</i> , 2011, 20, 535-549.	1.1	7
215	Comparison Between Two Bivalve Species as Tools for the Assessment of Pollution Levels in an Estuarine Environment. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2011, 74, 1020-1029.	1.1	16
216	Distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in surface sediments of some Italian lagoons exploited for aquaculture and fishing activities. <i>International Journal of Environmental Analytical Chemistry</i> , 2011, 91, 367-386.	1.8	26

#	ARTICLE	IF	CITATIONS
217	Priority substances in combined sewer overflows: case study of the Paris sewer network. <i>Water Science and Technology</i> , 2011, 63, 853-858.	1.2	9
218	Integrating Field Analyses with Laboratory Exposures to Assess Ecosystems Health. <i>Polycyclic Aromatic Compounds</i> , 2012, 32, 97-132.	1.4	3
219	Distribution and Source of Polycyclic Aromatic Hydrocarbons in Surface Sediments of Jen-Gen River Mouth, Taiwan. <i>Applied Mechanics and Materials</i> , 2012, 178-181, 992-995.	0.2	0
220	Photocatalytic Decomposition of Atmospheric Toxic Substances on the TiO ₂ -loaded Glasses Set on the Roadside of a Highway. <i>Journal of Water and Environment Technology</i> , 2012, 10, 399-408.	0.3	0
221	Indices of PAH Origin—A Case Study of the Gulf of Gdańsk (SE Baltic) Sediments. <i>Polycyclic Aromatic Compounds</i> , 2012, 32, 335-363.	1.4	20
222	Natural Biofilms in Freshwater Ecosystem: Indicators of the Presence of Polycyclic Aromatic Hydrocarbons. <i>Water, Air, and Soil Pollution</i> , 2012, 223, 3965-3973.	1.1	12
223	Characterization, sources, and potential risk assessment of PAHs in surface sediments from nearshore and farther shore zones of the Yangtze estuary, China. <i>Environmental Science and Pollution Research</i> , 2012, 19, 4148-4158.	2.7	38
224	Multiparametric approach for assessing environmental quality variations in West African aquatic ecosystems using the black-chinned tilapia (<i>Sarotherodon melanotheron</i>) as a sentinel species. <i>Environmental Science and Pollution Research</i> , 2012, 19, 4133-4147.	2.7	6
225	Vertical distributions of PAHs in the sediments of four lakes in Japan. <i>Journal of Soils and Sediments</i> , 2012, 12, 1530-1540.	1.5	10
226	Priority pollutants in urban stormwater: Part 2 — Case of combined sewers. <i>Water Research</i> , 2012, 46, 6693-6703.	5.3	125
227	Polycyclic aromatic hydrocarbons in surface water and soil in the vicinity of fuel-oil spillage from a tank farm distribution facility, Esuk Utan, Calabar Municipality, Nigeria. <i>Environmental Earth Sciences</i> , 2012, 67, 81-90.	1.3	21
228	Reconstruction of hydrocarbons accumulation in sediments affected by the oil refinery industry: the case of Tehuantepec Gulf (Mexico). <i>Environmental Earth Sciences</i> , 2012, 67, 727-742.	1.3	8
229	Evaluation of comprehensive two-dimensional gas chromatography—time-of-flight-mass spectrometry for the analysis of polycyclic aromatic hydrocarbons in sediments. <i>Journal of Chromatography A</i> , 2012, 1256, 222-231.	1.8	20
230	Risk assessment and sources of polycyclic aromatic hydrocarbons in agricultural soils of Huanghuai plain, China. <i>Ecotoxicology and Environmental Safety</i> , 2012, 84, 304-310.	2.9	90
231	Distribution and Source of Polycyclic Aromatic Hydrocarbons in Surface Sediments of Salt River Mouth. , 2012, , .		0
232	Contamination, source, and input route of polycyclic aromatic hydrocarbons in historic wastewater-irrigated agricultural soils. <i>Journal of Environmental Monitoring</i> , 2012, 14, 3076.	2.1	16
233	Composition and source apportionment of PAHs in sediments at river mouths and channel in Kaohsiung Harbor, Taiwan. <i>Journal of Environmental Monitoring</i> , 2012, 14, 105-115.	2.1	77
234	Sources and Fate of PAHs and PCBs in the Marine Environment. <i>Critical Reviews in Environmental Science and Technology</i> , 2012, 42, 1172-1189.	6.6	98

#	ARTICLE	IF	CITATIONS
235	The Distribution of n-alkanes and polycyclic aromatic hydrocarbons in Water of Taihu Lake. <i>Procedia Environmental Sciences</i> , 2012, 12, 258-264.	1.3	14
236	Distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in sediments from Zhanjiang Bay and Leizhou Bay, South China. <i>Marine Pollution Bulletin</i> , 2012, 64, 1962-1969.	2.3	110
237	Artificial neural network modeling of biomarkers to infer characteristics of contaminant exposure in <i>Clarias gariepinus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2012, 77, 28-34.	2.9	4
238	Navigation Activities Assessment on the Variations of Polynuclear Aromatic Hydrocarbons, River Nile, Egypt. <i>Energy Procedia</i> , 2012, 18, 1005-1012.	1.8	2
239	^{210}Pb -derived history of PAH and PCB accumulation in sediments of a tropical inner lagoon (Las Matas, Tj ETQq0 0 0 rgBT /Overlock 45	1.6	45
240	Aliphatic and polycyclic aromatic hydrocarbons in sediments of the Slovenian coastal area (Gulf of Tj ETQq1 1 0.784314 rgBT /Overlock 23	1.3	23
241	Contamination and source assessment of metals, polychlorinated biphenyls, and polycyclic aromatic hydrocarbons in urban soils from Addis Ababa, Ethiopia. <i>Toxicological and Environmental Chemistry</i> , 2012, 94, 1954-1979.	0.6	26
242	Occurrence and profiles of polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs) and organochlorine pesticides (OCPs) in soils from a typical e-waste recycling area in Southeast China. <i>International Journal of Environmental Health Research</i> , 2012, 22, 317-330.	1.3	28
243	Sandhopper <i>Talitrus saltator</i> (Montagu) as a Bioindicator of Contamination by Polycyclic Aromatic Hydrocarbons. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2012, 89, 1272-1276.	1.3	9
244	Seasonal variation and source apportionment of PAHs in TSP in the atmosphere of Guiyang, Southwest China. <i>Atmospheric Research</i> , 2012, 118, 271-279.	1.8	42
245	Anthropogenic PAHs in Sediment-Dwelling Biota from Mangrove Areas of the Calabar River, SE Niger Delta, Nigeria. <i>Environment and Natural Resources Research</i> , 2012, 2, .	0.1	1
246	Impact of coal tar pavement on polycyclic hydrocarbon distribution in lacustrine sediments from non-traditional sources. <i>International Journal of Environmental Science and Technology</i> , 2012, 9, 327-332.	1.8	11
247	Estimation of bioavailability of polycyclic aromatic hydrocarbons in river sediments. <i>International Journal of Environmental Science and Technology</i> , 2012, 9, 409-416.	1.8	10
248	Distribution and Source Apportionment of Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Soils from Five Different Locations in Klang Valley, Malaysia. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2012, 88, 741-746.	1.3	13
249	Distribution and sources of polycyclic aromatic hydrocarbons in sediments of the Mai Po Inner Deep Bay Ramsar Site in Hong Kong. <i>Ecotoxicology</i> , 2012, 21, 1743-1752.	1.1	41
250	Environmental assessment of polycyclic aromatic hydrocarbons in the surface sediments of a remote region on the eastern coast, Taiwan. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 2967-2979.	1.3	9
251	Multivariate analysis of mixed contaminants (PAHs and heavy metals) at manufactured gas plant site soils. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 3875-3885.	1.3	74
252	Distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in sediment from the upper reach of Huaihe River, East China. <i>Environmental Science and Pollution Research</i> , 2012, 19, 1097-1106.	2.7	39

#	ARTICLE	IF	CITATIONS
253	Exploring the relationship between polycyclic aromatic hydrocarbons and sedimentary organic carbon in three Chinese lakes. <i>Journal of Soils and Sediments</i> , 2012, 12, 774-783.	1.5	35
254	Distribution of PAHs in tissues of wetland plants and the surrounding sediments in the Chongming wetland, Shanghai, China. <i>Chemosphere</i> , 2012, 89, 221-227.	4.2	65
255	Levels and distribution of dissolved hydrophobic organic contaminants in the Morava river in Zlín district, Czech Republic as derived from their accumulation in silicone rubber passive samplers. <i>Environmental Pollution</i> , 2012, 166, 157-166.	3.7	39
256	Sources and distribution of aliphatic and polyaromatic hydrocarbons in coastal sediments from the Ushuaia Bay (Tierra del Fuego, Patagonia, Argentina). <i>Marine Environmental Research</i> , 2012, 74, 20-31.	1.1	104
257	Photochemical degradation of phenanthrene as a function of natural water variables modeling freshwater to marine environments. <i>Marine Pollution Bulletin</i> , 2012, 64, 532-538.	2.3	42
258	Polycyclic aromatic and aliphatic hydrocarbons pollution at the coast of Aliağva (Turkey) ship recycling zone. <i>Marine Pollution Bulletin</i> , 2012, 64, 1055-1059.	2.3	45
259	Natural attenuation of contaminated marine sediments from an old floating dock – Part I: Spatial and temporal changes of organic and inorganic pollutants. <i>Science of the Total Environment</i> , 2012, 420, 90-99.	3.9	8
260	Polycyclic aromatic hydrocarbons (PAHs) in burning and non-burning coal waste piles. <i>Journal of Hazardous Materials</i> , 2012, 199-200, 105-110.	6.5	96
261	Temporal and spatial changes of PAH concentrations in <i>Mytilus galloprovincialis</i> from Ria de Vigo (NW Spain). <i>Environmental Science and Pollution Research</i> , 2012, 19, 529-539.	2.7	17
262	Polycyclic aromatic hydrocarbons (PAHs) in marine sediments of the Hellenic coastal zone, eastern Mediterranean: levels, sources and toxicological significance. <i>Journal of Soils and Sediments</i> , 2012, 12, 265-277.	1.5	43
263	Polycyclic Aromatic Hydrocarbons, Polychlorinated Biphenyls and Trace Metals in Sediments from a Coastal Lagoon (Northern Adriatic, Italy). <i>Water, Air, and Soil Pollution</i> , 2012, 223, 85-98.	1.1	22
264	DNA damage in cichlids from an oil production facility in Guatemala. <i>Ecotoxicology</i> , 2012, 21, 496-511.	1.1	6
265	Oil Contamination in Ogoniland, Niger Delta. <i>Ambio</i> , 2013, 42, 685-701.	2.8	102
266	Polycyclic aromatic hydrocarbons (PAHs) in surface sediments of Monastir Bay (Tunisia, Central) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> <i>Analytical Chemistry</i> , 2013, 93, 1470-1483.	1.8	14
267	Distribution of polycyclic aromatic hydrocarbons in surface water and sediment near a drinking water reservoir in Northeastern China. <i>Environmental Science and Pollution Research</i> , 2013, 20, 2535-2545.	2.7	29
268	Effects of pollution sources and soil properties on distribution of polycyclic aromatic hydrocarbons and risk assessment. <i>Science of the Total Environment</i> , 2013, 463-464, 1-10.	3.9	35
269	Use of biomarkers indices in a sediment core to evaluate potential pollution sources in a subtropical reservoir in Brazil. <i>Chemie Der Erde</i> , 2013, 73, 555-563.	0.8	7
270	Evaluation of organic contamination in urban groundwater surrounding a municipal landfill, Zhoukou, China. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 3413-3444.	1.3	52

#	ARTICLE	IF	CITATIONS
271	Identification of hydrocarbon sources in contaminated soils of three industrial areas. <i>Science of the Total Environment</i> , 2013, 450-451, 13-21.	3.9	42
272	Source apportionment of polycyclic aromatic hydrocarbons in surface sediment of mud areas in the East China Sea using diagnostic ratios and factor analysis. <i>Marine Pollution Bulletin</i> , 2013, 70, 266-273.	2.3	84
273	Revisiting hydrocarbons source appraisal in sediments exposed to multiple inputs. <i>Marine Pollution Bulletin</i> , 2013, 73, 345-354.	2.3	20
274	Copper complexation in wet precipitation: Impact of different ligand sources. <i>Atmospheric Environment</i> , 2013, 80, 13-19.	1.9	9
275	Buildings as repositories of hazardous pollutants of anthropogenic origin. <i>Journal of Hazardous Materials</i> , 2013, 248-249, 451-460.	6.5	47
276	Interspecific comparison of polycyclic aromatic hydrocarbons and persistent organochlorines bioaccumulation in bivalves from a Mediterranean coastal lagoon. <i>Science of the Total Environment</i> , 2013, 463-464, 975-987.	3.9	47
277	Anthropogenic PAHs in mangrove sediments of the Calabar River, SE Niger Delta, Nigeria. <i>Applied Geochemistry</i> , 2013, 28, 212-219.	1.4	29
278	Comparison of different methods for extraction of polycyclic aromatic hydrocarbons (PAHs) from Sicilian (Italy) coastal area sediments. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 5551-5562.	1.3	21
279	Contamination levels and spatial distributions of heavy metals and PAHs in surface sediment of Imam Khomeini Port, Persian Gulf, Iran. <i>Marine Pollution Bulletin</i> , 2013, 71, 336-345.	2.3	94
280	Sources and distribution of polycyclic aromatic hydrocarbons in street dust from the Chang-Zhu-Tan Region, Hunan, China. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 1377-1390.	1.3	28
281	Distribution of polycyclic aromatic hydrocarbons (PAHs) and sterols in termite nest, soil, and sediment from Great Kwa River, SE Nigeria. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 1413-1426.	1.3	3
282	Distribution characteristics of polycyclic aromatic hydrocarbons in sediments and biota from the Zha Long Wetland, China. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 3163-3171.	1.3	16
283	Polystyrene Plastic: A Source and Sink for Polycyclic Aromatic Hydrocarbons in the Marine Environment. <i>Environmental Science & Technology</i> , 2013, 47, 13976-13984.	4.6	288
284	Concentration and composition of polycyclic aromatic hydrocarbons (PAHs) in plastic pellets: Implications for small-scale diagnostic and environmental monitoring. <i>Marine Pollution Bulletin</i> , 2013, 76, 349-354.	2.3	82
285	Chemical contaminants in the Wadden Sea: Sources, transport, fate and effects. <i>Journal of Sea Research</i> , 2013, 82, 10-53.	0.6	39
286	Assessment of toxicity of polycyclic aromatic hydrocarbons in sediments of Kaohsiung Harbor, Taiwan. <i>Science of the Total Environment</i> , 2013, 463-464, 1174-1181.	3.9	85
287	Marine sponges as bioindicators of oil and combustion derived PAH in coastal waters. <i>Marine Environmental Research</i> , 2013, 92, 234-243.	1.1	26
288	Spatial distribution and temporal trends of polycyclic aromatic hydrocarbons in <i>Mytilus galloprovincialis</i> from the Iberian Mediterranean coast. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 1055-1070.	1.3	24

#	ARTICLE	IF	CITATIONS
289	Polycyclic aromatic hydrocarbons in river sediments from the western and southern catchments of the Bohai Sea, China: toxicity assessment and source identification. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 4291-4303.	1.3	19
290	Investigation on the Levels of Heavy Metals, Polycyclic Aromatic Hydrocarbons, and Polychlorinated Biphenyls in Sewage Sludge Samples and Ecotoxicological Testing. <i>Clean - Soil, Air, Water</i> , 2013, 41, 411-418.	0.7	35
291	Sources, transport and fate of PAHs in sediments and superficial water of a chronically polluted semi-enclosed body of seawater: linking of compartments. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 986.	1.7	14
292	Polycyclic aromatic hydrocarbons in the sediments of Xiangjiang River in south-central China: occurrence and sources. <i>Environmental Earth Sciences</i> , 2013, 69, 119-125.	1.3	18
293	An ecotoxicological analysis of the sediment quality in a European Atlantic harbor emphasizes the current limitations of the Water Framework Directive. <i>Marine Pollution Bulletin</i> , 2013, 72, 197-204.	2.3	19
294	PAH depositional history and sources in recent sediment core from Ukwa Ibom Lake, S. E. Nigeria. <i>Environmental Geochemistry and Health</i> , 2013, 35, 185-199.	1.8	10
295	Source apportionment of polycyclic aromatic hydrocarbons in the Dahuofang Reservoir, Northeast China. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 945-953.	1.3	29
296	Risk assessment of the presence of polycyclic aromatic hydrocarbons (PAHs) in coastal areas of Thailand affected by the 2004 tsunami. <i>Marine Pollution Bulletin</i> , 2013, 76, 370-378.	2.3	56
297	Petroleum pollution in mangrove forests sediments from Qeshm Island and Khamir Portâ€”Persian Gulf, Iran. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 4019-4032.	1.3	21
298	Measurement of polycyclic aromatic hydrocarbons (PAHs) in a Chinese brownfield redevelopment site: The case of Shenyang. <i>Ecological Engineering</i> , 2013, 53, 115-119.	1.6	39
299	Assessment of Polycyclic Aromatic Hydrocarbons Contaminations in Sediments of Love River Mouth, Taiwan. <i>Applied Mechanics and Materials</i> , 2013, 328, 323-327.	0.2	0
300	Concentrations and Sources of Polycyclic Aromatic Hydrocarbons in the Seawater around Langkawi Island, Malaysia. <i>Journal of Chemistry</i> , 2013, 2013, 1-10.	0.9	41
301	Source apportionment of polycyclic aromatic hydrocarbons in sediments from polluted rivers. <i>Pure and Applied Chemistry</i> , 2013, 85, 2175-2196.	0.9	28
302	Discussion on the Sediment Internal Pollution and its Countermeasures of Nansi Lake. <i>Advanced Materials Research</i> , 0, 664, 288-292.	0.3	0
303	Assessment on the Health Risk of Low-Molecular-Weight Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Water of Lake Baiyangdian. <i>Advanced Materials Research</i> , 2013, 864-867, 840-843.	0.3	0
304	Diagnostic Ratios and Positive Matrix Factorization to Identify Potential Sources of PAHs in Sediments of the Rizhao Offshore, China. <i>Polycyclic Aromatic Compounds</i> , 2013, 33, 161-172.	1.4	20
305	Polycyclic Aromatic Hydrocarbons in Surface Soils of Kunming, China: Concentrations, Distribution, Sources, and Potential Risk. <i>Soil and Sediment Contamination</i> , 2013, 22, 753-766.	1.1	20
306	An interval dynamic multimedia fugacity (IDMF) model for environmental fate of PAHs and their source apportionment in a typical oilfield, China. <i>Chemistry and Ecology</i> , 2013, 29, 476-488.	0.6	18

#	ARTICLE	IF	CITATIONS
307	Deposition fluxes and fate of polycyclic aromatic hydrocarbons in the Yangtze River estuarine inner shelf in the East China Sea. <i>Global Biogeochemical Cycles</i> , 2013, 27, 77-87.	1.9	81
308	LOADING AND REMOVAL OF PAHS IN A SEWAGE TREATMENT PLANT IN A SEPARATE SEWER AREA. <i>Journal of Japan Society of Civil Engineers Ser G (Environmental Research)</i> , 2013, 69, 25-36.	0.1	0
309	Assessing the Ecological Risk of Polycyclic Aromatic Hydrocarbons in Sediments at Langkawi Island, Malaysia. <i>Scientific World Journal, The</i> , 2013, 2013, 1-13.	0.8	39
310	Source Apportionment and distribution of Polycyclic Aromatic Hydrocarbons in Imo River Sediments near Afam Power Station, S.E. Nigeria: Molecular index and Multi-Variate Approaches. <i>Global Journal of Pure and Applied Sciences</i> , 2013, 18, .	0.1	1
311	Application of Binary Diagnostic Ratios of Polycyclic Aromatic Hydrocarbons for Identification of Tsunami 2004 Backwash Sediments in Khao Lak, Thailand. <i>Scientific World Journal, The</i> , 2014, 2014, 1-14.	0.8	14
312	The monitoring and risk assessment of aliphatic and aromatic hydrocarbons in sediments of the Red Sea, Egypt. <i>Egyptian Journal of Aquatic Research</i> , 2014, 40, 333-348.	1.0	55
313	Composition, Distribution, and Sources of Polycyclic Aromatic Hydrocarbons in Sediments of the Gulf of Milazzo (Mediterranean Sea, Italy). <i>Polycyclic Aromatic Compounds</i> , 2014, 34, 397-424.	1.4	27
314	Using Urban Streams as Drinking Water: The Potential Risk in Respect to Polycyclic Aromatic Hydrocarbons (PAHs) Content in Sediments. <i>Polycyclic Aromatic Compounds</i> , 2014, 34, 518-531.	1.4	3
315	Distribution patterns and risks posed of polycyclic aromatic hydrocarbons contaminated in the surface sediment of the Red Sea coast (Egypt). <i>Desalination and Water Treatment</i> , 2014, 52, 7964-7982.	1.0	17
316	Pristine Arctic: Background mapping of PAHs, PAH metabolites and inorganic trace elements in the North-Atlantic Arctic and sub-Arctic coastal environment. <i>Science of the Total Environment</i> , 2014, 493, 719-728.	3.9	36
317	Sources and spatial distribution of polycyclic aromatic hydrocarbons in coastal sediments of the Basque Country (Bay of Biscay). <i>Chemistry and Ecology</i> , 2014, 30, 701-718.	0.6	14
318	Residues of Aliphatic and Polycyclic Aromatic Hydrocarbons in Some Fish Species of Lake Tamsah, Ismailia, Egypt: An Analytical Search for Hydrocarbon Sources and Exposure Bioindicators. <i>Human and Ecological Risk Assessment (HERA)</i> , 2014, 20, 1659-1669.	1.7	6
319	PCB contamination in fish community from the Gironde Estuary (France): Blast from the past. <i>Chemosphere</i> , 2014, 98, 66-72.	4.2	39
320	In-situ partitioning and bioconcentration of polycyclic aromatic hydrocarbons among water, suspended particulate matter, and fish in the Dongjiang and Pearl Rivers and the Pearl River Estuary, China. <i>Marine Pollution Bulletin</i> , 2014, 83, 306-316.	2.3	36
321	Distribution, sources and ecological risk assessment of PAHs in surface sediments from Guan River Estuary, China. <i>Marine Pollution Bulletin</i> , 2014, 80, 52-58.	2.3	121
322	Mass balance and decontamination times of Polycyclic Aromatic Hydrocarbons in rural nested catchments of an early industrialized region (Seine River basin, France). <i>Science of the Total Environment</i> , 2014, 470-471, 608-617.	3.9	42
323	Polycyclic aromatic hydrocarbons and organochlorine pesticides in rice hull from a typical e-waste recycling area in southeast China: temporal trend, source, and exposure assessment. <i>Environmental Geochemistry and Health</i> , 2014, 36, 65-77.	1.8	14
324	Profiles, sources, and transport of polycyclic aromatic hydrocarbons in soils affected by electronic waste recycling in Longtang, south China. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 3351-3364.	1.3	22

#	ARTICLE	IF	CITATIONS
325	Multivariate assessment of polycyclic aromatic hydrocarbons in surface sediments of the Beijiang, a tributary of the Pearl River in Southern China. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 907-918.	1.3	9
326	Dioxin-like activity in sediments from Tai Lake, China determined by use of the H4IIE-luc bioassay and quantification of individual AhR agonists. <i>Environmental Science and Pollution Research</i> , 2014, 21, 1480-1488.	2.7	16
327	PAHs in organic film on glass window surfaces from central Shanghai, China: distribution, sources and risk assessment. <i>Environmental Geochemistry and Health</i> , 2014, 36, 665-675.	1.8	19
328	Micropollutants in urban stormwater: occurrence, concentrations, and atmospheric contributions for a wide range of contaminants in three French catchments. <i>Environmental Science and Pollution Research</i> , 2014, 21, 5267-5281.	2.7	145
329	Sedimentary record of PAHs in the Barigui River and its relation to the socioeconomic development of Curitiba, Brazil. <i>Science of the Total Environment</i> , 2014, 482-483, 42-52.	3.9	36
330	Distribution, sources, and ecological risk assessment of SVOCs in surface sediments from Guan River Estuary, China. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 4001-4012.	1.3	13
331	Biostimulation as an attractive technique to reduce phenanthrene toxicity for meiofauna and bacteria in lagoon sediment. <i>Environmental Science and Pollution Research</i> , 2014, 21, 3670-3679.	2.7	28
332	Temporal trends of polycyclic aromatic hydrocarbons (PAHs) in <i>Dreissena polymorpha</i> specimens from Lake Maggiore (Northern Italy). <i>Environmental Science and Pollution Research</i> , 2014, 21, 7006-7023.	2.7	5
333	Sources and transports of polycyclic aromatic hydrocarbons in the Nanshan Underground River, China. <i>Environmental Earth Sciences</i> , 2014, 71, 1967-1976.	1.3	16
334	Contamination of polycyclic aromatic hydrocarbons (PAHs) in surface sediments and plants of mangrove swamps in Shenzhen, China. <i>Marine Pollution Bulletin</i> , 2014, 85, 590-596.	2.3	71
335	Contamination of caches by PAHs from storage containers. <i>Food Chemistry</i> , 2014, 146, 65-70.	4.2	18
336	Combining measurements and modelling to quantify the contribution of atmospheric fallout, local industry and road traffic to PAH stocks in contrasting catchments. <i>Environmental Pollution</i> , 2014, 189, 152-160.	3.7	19
337	Polycyclic aromatic hydrocarbons in road-deposited sediments, water sediments, and soils in Sydney, Australia: Comparisons of concentration distribution, sources and potential toxicity. <i>Ecotoxicology and Environmental Safety</i> , 2014, 104, 339-348.	2.9	119
338	Polycyclic aromatic hydrocarbons (PAHs) in surface sediments from the Bizerte Lagoon, Tunisia: levels, sources, and toxicological significance. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 2653-2669.	1.3	63
339	Halophyte plant colonization as a driver of the composition of bacterial communities in salt marshes chronically exposed to oil hydrocarbons. <i>FEMS Microbiology Ecology</i> , 2014, 90, 647-662.	1.3	23
340	Heterogeneous distribution of polycyclic aromatic hydrocarbons in surface sediments and red mullet along the Spanish Mediterranean coast. <i>Marine Pollution Bulletin</i> , 2014, 87, 352-363.	2.3	24
341	Origin, distribution and environmental significance of perylene in Okinawa Trough since last glaciation maximum. <i>Organic Geochemistry</i> , 2014, 76, 288-294.	0.9	22
342	Ecological risks of polycyclic aromatic hydrocarbons found in coastal sediments along the northern shores of the Bohai Sea (China). <i>Chemistry and Ecology</i> , 2014, 30, 501-512.	0.6	5

#	ARTICLE	IF	CITATIONS
343	Occurrence and distribution of polycyclic aromatic hydrocarbons in surface water and sediments of the Danube River and its tributaries, Hungary. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2014, 49, 1134-1141.	0.9	22
344	Occurrence, sources, and potential human health risks of polycyclic aromatic hydrocarbons in agricultural soils of the coal production area surrounding Xinzhou, China. <i>Ecotoxicology and Environmental Safety</i> , 2014, 108, 120-128.	2.9	76
345	Distribution and Sources of Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Sediments from the Northern Part of the Persian Gulf (Hormuzgan Province). <i>Polycyclic Aromatic Compounds</i> , 2014, 34, 343-355.	1.4	5
346	Use of passive samplers in pollution monitoring: A numerical approach for marinas. <i>Environment International</i> , 2014, 73, 85-93.	4.8	15
347	Source identification of polycyclic aromatic hydrocarbons (PAHs) in sediment samples from the northern part of the Persian Gulf, Iran. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 7387-7398.	1.3	26
348	Polycyclic aromatic hydrocarbons (PAHs) in starfish body and bottom sediments in Mohang Harbor (Taeon), South Korea. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 4343-4356.	1.3	10
349	Target and screening analysis of 940 micro-pollutants in sediments in Tokyo Bay, Japan. <i>Chemosphere</i> , 2014, 99, 109-116.	4.2	31
350	Potential source apportionment of polycyclic aromatic hydrocarbons in surface sediments from the middle and lower reaches of the Yellow River, China. <i>Environmental Science and Pollution Research</i> , 2014, 21, 11447-11456.	2.7	27
351	Polycyclic aromatic hydrocarbons in surface sediments of Binacional Itaipu Lake, Brazil: characteristics, sources and toxicity evaluation. <i>Environmental Earth Sciences</i> , 2014, 72, 4473-4481.	1.3	12
352	Concentrations and sources of polycyclic aromatic hydrocarbons in surface coastal sediments of the northern Gulf of Mexico. <i>Geochemical Transactions</i> , 2014, 15, 2.	1.8	86
353	Microwave Assisted Extraction of Polycyclic Aromatic Hydrocarbons and their Determination by Gas Chromatography-Mass Spectrometry: Validation of the Method and Application to Marine Sediments. <i>Analytical Letters</i> , 2014, 47, 531-542.	1.0	6
354	Appraisal of polycyclic aromatic hydrocarbons (PAHs) in environmental matrices by analytical pyrolysis (Py-GC/MS). <i>Journal of Analytical and Applied Pyrolysis</i> , 2014, 109, 1-8.	2.6	68
355	Increased zooplankton PAH concentrations across hydrographic fronts in the East China Sea. <i>Marine Pollution Bulletin</i> , 2014, 83, 248-257.	2.3	14
356	The PAH level, distribution and composition in surface sediments from a Mediterranean Lagoon: The Marano and Grado Lagoon (Northern Adriatic Sea, Italy). <i>Marine Pollution Bulletin</i> , 2014, 81, 234-241.	2.3	49
357	Seasonal patterns of polycyclic aromatic hydrocarbons in digestive gland and arm of octopus (<i>Octopus vulgaris</i>) from the Northwest Atlantic. <i>Science of the Total Environment</i> , 2014, 481, 488-497.	3.9	17
358	Evaluation of Environmental Impacts of the Figueira Coal-Fired Power Plant, Paran�j, Brazil. <i>Energy Exploration and Exploitation</i> , 2014, 32, 423-469.	1.1	9
359	Polycyclic aromatic hydrocarbons (PAHs) in soils from a multi-industrial city, South Korea. <i>Science of the Total Environment</i> , 2014, 470-471, 1494-1501.	3.9	209
360	Distribution and Source Apportionment of Polycyclic Aromatic Hydrocarbons in Soils and Leaves from High-Altitude Mountains in Southwestern China. <i>Journal of Environmental Quality</i> , 2014, 43, 1942-1952.	1.0	8

#	ARTICLE	IF	CITATIONS
361	Identification of Sources of Environmental Pollution at the Sites of Production, Storage and Transportation of Oil Using the PAH Indicator Ratios. , 2014, , .		3
362	Identification of Sources of Environmental Pollution at the Sites of Production, Storage and Transportation of Oil Using the PAH Indicator Ratios (Russian). , 2014, , .		0
363	Storage and source of polycyclic aromatic hydrocarbons in sediments downstream of a major coal district in France. Environmental Pollution, 2015, 207, 329-340.	3.7	36
365	Rapid quick, easy, cheap, effective, rugged, and safe extraction with novel phospholipid cleanup: A streamlined ultra high performance liquid chromatography with ultraviolet detection approach for screening polycyclic aromatic hydrocarbons in avian blood cells and plasma. Journal of Separation Science, 2015, 38, 2677-2683.	1.3	7
366	AhR-mediated activities and compounds in sediments of Meiliang Bay, Taihu Lake, China determined by in vitro bioassay and instrumental analysis. RSC Advances, 2015, 5, 55746-55755.	1.7	6
367	Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) in a tropical coastal lagoon (Grand-Lahou) Tj ETQq1 1 0.784314 rgBJ /Overlo	0.1	3
368	The Influence of Sandstorms and Long-Range Transport on Polycyclic Aromatic Hydrocarbons (PAHs) in PM2.5 in the High-Altitude Atmosphere of Southern China. Atmosphere, 2015, 6, 1633-1651.	1.0	12
369	Assessment of environmental soil quality around Sonepur Bazari mine of Raniganj coalfield, India. Solid Earth, 2015, 6, 811-821.	1.2	68
370	Origin and Distribution of PAHs in Ambient Particulate Samples at High Mountain Region in Southern China. Advances in Meteorology, 2015, 2015, 1-8.	0.6	9
371	Chemical fingerprinting of hydrocarbon-contamination in soil. Environmental Sciences: Processes and Impacts, 2015, 17, 606-618.	1.7	16
372	Source Characterization of Polycyclic Aromatic Hydrocarbons by Using Their Molecular Indices: An Overview of Possibilities. Reviews of Environmental Contamination and Toxicology, 2015, 234, 49-133.	0.7	285
373	PAHs in the RÃa de Arousa (NW Spain): A consideration of PAHs sources and abundance. Marine Pollution Bulletin, 2015, 95, 155-165.	2.3	51
374	Toxic Pollutants in China. SpringerBriefs in Environmental Science, 2015, , .	0.3	3
375	Study of Species Sensitivity Distribution for Pollutants. SpringerBriefs in Environmental Science, 2015, , 69-127.	0.3	0
376	<i>In vitro</i> screening for endocrine disruptive activity in selected South African harbours and river mouths. African Journal of Marine Science, 2015, 37, 567-574.	0.4	8
377	Polycyclic aromatic hydrocarbons in sediments of China Sea. Environmental Science and Pollution Research, 2015, 22, 15432-15442.	2.7	45
378	Ostracoda as bioindicators of anthropogenic impact in salt lakes, saltpans, and a lagoon: A case study from the Gulf of Saros coast (NE Aegean Sea), Turkey. Revue De Micropaleontologie, 2015, 58, 351-367.	0.8	11
379	Source characterisation and mid-term spatial and temporal distribution of polycyclic aromatic hydrocarbons in molluscs along the Basque coast (northern Spain). Chemistry and Ecology, 2015, 31, 416-431.	0.6	4

#	ARTICLE	IF	CITATIONS
380	Evaluation of the boundary condition influence on PAH concentrations in the water column during the sediment dredging of a port. <i>Marine Pollution Bulletin</i> , 2015, 101, 583-593.	2.3	10
381	Characterization and sources analysis of polycyclic aromatic hydrocarbons in surface sediments in the Yangtze River Estuary. <i>Environmental Earth Sciences</i> , 2015, 73, 2453-2462.	1.3	24
382	Sources of polycyclic aromatic hydrocarbons (PAHs) to northwestern Saskatchewan lakes east of the Athabasca oil sands. <i>Organic Geochemistry</i> , 2015, 80, 35-45.	0.9	67
383	Spatial and temporal distribution and risk assessment of polycyclic aromatic hydrocarbons in surface seawater from the Haikou Bay, China. <i>Marine Pollution Bulletin</i> , 2015, 92, 244-251.	2.3	45
384	Distribution and Source Apportionment of Polycyclic Aromatic Hydrocarbons in Bank Soils and River Sediments From the Middle Reaches of the Huaihe River, China. <i>Clean - Soil, Air, Water</i> , 2015, 43, 1207-1214.	0.7	10
385	Polychlorinated biphenyls, polychlorinated dibenzo-p-dioxins and dibenzofurans, and polycyclic aromatic hydrocarbons around a thermal desorption plant in China. <i>Environmental Science and Pollution Research</i> , 2015, 22, 3926-3935.	2.7	5
386	Responses of a free-living benthic marine nematode community to bioremediation of a PAH mixture. <i>Environmental Science and Pollution Research</i> , 2015, 22, 15307-15318.	2.7	16
387	PAH Contamination in Soils Adjacent to a Coal-Transporting Facility in Tapin District, South Kalimantan, Indonesia. <i>Archives of Environmental Contamination and Toxicology</i> , 2015, 69, 62-68.	2.1	13
388	Use of multiple cell and tissue-level biomarkers in mussels collected along two gas fields in the northern Adriatic Sea as a tool for long term environmental monitoring. <i>Marine Pollution Bulletin</i> , 2015, 93, 228-244.	2.3	23
389	Atmospheric particulate matter in proximity to mountaintop coal mines: sources and potential environmental and human health impacts. <i>Environmental Geochemistry and Health</i> , 2015, 37, 529-544.	1.8	49
390	Distribution and sources of the polycyclic aromatic hydrocarbons in the sediments of the Pearl River estuary, China. <i>Ecotoxicology</i> , 2015, 24, 1643-1649.	1.1	34
391	Distribution of persistent organic pollutants (PAHs, Me-PAHs, PCBs) in dissolved, particulate and sedimentary phases in freshwater systems. <i>Environmental Pollution</i> , 2015, 206, 38-48.	3.7	78
392	Source Type Evaluation of Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Sediments from the Muar River and Pulau Merambong, Peninsular Malaysia. <i>Environmental Forensics</i> , 2015, 16, 135-142.	1.3	29
393	Distribution of polycyclic aromatic hydrocarbons in sediments of Akaki River, Lake Awassa, and Lake Ziway, Ethiopia. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 474.	1.3	10
394	Spatial variation and sources of polycyclic aromatic hydrocarbons (PAHs) in surface sediments from the Yangtze Estuary, China. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 1340-1347.	1.7	22
395	Monitoring of polycyclic aromatic hydrocarbons on agricultural lands surrounding Tehran oil refinery. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 451.	1.3	18
396	Distribution of polycyclic aromatic hydrocarbons in surface sediments of lower reaches of the Don River (Russia) and their ecotoxicologic assessment by bacterial lux-biosensors. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 277.	1.3	9
397	PAHs in baby food: assessment of three different processing techniques for the preparation of reference materials. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3069-3081.	1.9	11

#	ARTICLE	IF	CITATIONS
398	Distribution and Photochemistry of Polycyclic Aromatic Hydrocarbons in the Baotou Section of the Yellow River During Winter. Archives of Environmental Contamination and Toxicology, 2015, 69, 133-142.	2.1	6
400	Chemometric Analysis for Pollution Source Assessment of Harbour Sediments in Arctic Locations. Water, Air, and Soil Pollution, 2015, 226, 1.	1.1	17
401	Source of polycyclic aromatic hydrocarbon in roadway and stormwater system maintenance residues. Environmental Earth Sciences, 2015, 74, 3029-3039.	1.3	9
402	Derivation of water quality criteria of phenanthrene using interspecies correlation estimation models for aquatic life in China. Environmental Science and Pollution Research, 2015, 22, 9457-9463.	2.7	14
403	Improved PAHs removal performance by a defined bacterial consortium of indigenous Pseudomonas and actinobacteria from Patagonia, Argentina. International Biodeterioration and Biodegradation, 2015, 101, 23-31.	1.9	90
404	Chemical and toxicological characterization of sediments along a Colombian shoreline impacted by coal export terminals. Chemosphere, 2015, 138, 837-846.	4.2	29
405	Source Apportionment and Risk Assessment of Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Sediments from Upper Reach of Huaihe River, China. Polycyclic Aromatic Compounds, 2015, 35, 416-427.	1.4	3
406	Polycyclic aromatic hydrocarbons in caribou, moose, and wolf scat samples from three areas of the Alberta oil sands. Environmental Pollution, 2015, 206, 527-534.	3.7	31
407	Studies on polycyclic aromatic hydrocarbons in surface sediments of Mithi River near Mumbai, India: Assessment of sources, toxicity risk and biological impact. Marine Pollution Bulletin, 2015, 101, 232-242.	2.3	35
408	Identification of two isoforms of CYP4 in Marsupenaeus japonicus and their mRNA expression profile response to benzo[a]pyrene. Marine Environmental Research, 2015, 112, 96-103.	1.1	6
409	Baseline for PAHs and metals in NW Gulf of Mexico related to the Deepwater Horizon oil spill. Estuarine, Coastal and Shelf Science, 2015, 156, 124-133.	0.9	45
410	Spatial and temporal distribution and sources of polycyclic aromatic hydrocarbons in sediments of Taihu Lake, eastern China. Environmental Science and Pollution Research, 2015, 22, 5350-5358.	2.7	27
412	Indoor/outdoor relationships and diurnal/nocturnal variations in water-soluble ion and PAH concentrations in the atmospheric PM _{2.5} of a business office area in Jinan, a heavily polluted city in China. Atmospheric Research, 2015, 153, 276-285.	1.8	61
413	Lagdo Dam Flood Disaster of 2012: An Assessment of the Concentrations, Sources, and Risks of PAHs in Floodplain Soils of the Lower Reaches of River Niger, Nigeria. Journal of Environmental Quality, 2016, 45, 305-314.	1.0	26
414	Polycyclic aromatic hydrocarbons (PAHs) in coastal sediments from urban and industrial areas of Asaluyeh Harbor, Iran: distribution, potential source and ecological risk assessment. Water Science and Technology, 2016, 74, 957-973.	1.2	57
415	Polycyclic aromatic hydrocarbon concentrations, compositions, sources, and associated carcinogenic risks to humans in farmland soils and riverine sediments from Guiyu, China. Journal of Environmental Sciences, 2016, 48, 102-111.	3.2	21
416	Distributions and accumulation rates of polycyclic aromatic hydrocarbons in the northern Gulf of Mexico sediments. Environmental Pollution, 2016, 212, 413-423.	3.7	74
417	Carcinogenic and endocrine-disrupting PAHs in the aquatic ecosystem of India. Environmental Monitoring and Assessment, 2016, 188, 599.	1.3	17

#	ARTICLE	IF	CITATIONS
418	Identification and determination of the contribution of iron-steel manufacturing industry to sediment-associated polycyclic aromatic hydrocarbons (PAHs) in a large shallow lake of eastern China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 22037-22046.	2.7	8
419	Basin-Scale Study on the Multiphase Distribution, Source Apportionment and Risk Assessment of PAHs in the Hai River Water System. <i>Archives of Environmental Contamination and Toxicology</i> , 2016, 71, 365-376.	2.1	3
420	Soil Polycyclic Aromatic Hydrocarbons Across Urban Density Zones in Shenzhen, China: Occurrences, Source Apportionments, and Spatial Risk Assessment. <i>Pedosphere</i> , 2016, 26, 676-686.	2.1	23
421	Organic and heavy metal pollution in shipbreaking yards. <i>Ocean Engineering</i> , 2016, 123, 452-457.	1.9	26
422	Polycyclic aromatic hydrocarbons in three commercially available fish species from the Bonny and Cross River estuaries in the Niger Delta, Nigeria. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 508.	1.3	21
423	Over 100-year sedimentary record of polycyclic aromatic hydrocarbons (PAHs) and organochlorine compounds (OCs) in the continental shelf of the East China Sea. <i>Environmental Pollution</i> , 2016, 219, 774-784.	3.7	34
424	Assessment of forest soil contamination in Krakow surroundings in relation to the type of stand. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	35
425	Inferring sources of polycyclic aromatic hydrocarbons (PAHs) in sediments from the western Taiwan Strait through end-member mixing analysis. <i>Marine Pollution Bulletin</i> , 2016, 112, 166-176.	2.3	13
426	Polycyclic aromatic hydrocarbon contamination in a highly vulnerable underground river system in Chongqing, Southwest China. <i>Journal of Geochemical Exploration</i> , 2016, 168, 65-71.	1.5	25
427	Polycyclic aromatic hydrocarbons (PAHs) in seawater and sediments from the northern Liaodong Bay, China. <i>Marine Pollution Bulletin</i> , 2016, 113, 592-599.	2.3	85
428	The response of thyroid hormones, biochemical and enzymological biomarkers to pyrene exposure in common carp (<i>Cyprinus carpio</i>). <i>Ecotoxicology and Environmental Safety</i> , 2016, 130, 207-213.	2.9	23
429	Biodegradation of Polycyclic Aromatic Hydrocarbons by Microbial Consortium: A Distinctive Approach for Decontamination of Soil. <i>Soil and Sediment Contamination</i> , 2016, 25, 597-623.	1.1	27
430	Occurrence of polycyclic aromatic hydrocarbons (PAHs) in mussel (<i>Mytilus galloprovincialis</i>) and eel (<i>Anguilla anguilla</i>) from Bizerte lagoon, Tunisia, and associated human health risk assessment. <i>Continental Shelf Research</i> , 2016, 124, 104-116.	0.9	73
431	Polycyclic aromatic hydrocarbons in surface sediments from the Coast of Weihai, China: Spatial distribution, sources and ecotoxicological risks. <i>Marine Pollution Bulletin</i> , 2016, 109, 643-649.	2.3	14
432	The relative abundance and seasonal distribution correspond with the sources of polycyclic aromatic hydrocarbons (PAHs) in the surface sediments of Chenab River, Pakistan. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 378.	1.3	8
433	Polycyclic aromatic hydrocarbons in <i>Haliotis tuberculata</i> (Linnaeus, 1758) (Mollusca, Gastropoda): Considerations on food safety and source investigation.. <i>Food and Chemical Toxicology</i> , 2016, 94, 57-63.	1.8	46
434	Degradation of oil products in a soil from a Russian Barents hot-spot during electro-dialytic remediation. <i>SpringerPlus</i> , 2016, 5, 168.	1.2	8
435	A Review on the Abundance, Distribution and Eco-Biological Risks of PAHs in the Key Environmental Matrices of South Asia. <i>Reviews of Environmental Contamination and Toxicology</i> , 2016, 240, 1-30.	0.7	3

#	ARTICLE	IF	CITATIONS
436	Products of biotransformation of polycyclic aromatic hydrocarbons in fishes of the Athabasca/Slave river system, Canada. <i>Environmental Geochemistry and Health</i> , 2016, 38, 577-591.	1.8	22
437	Distribution, sources and ecological risk assessment of PAHs in surface sediments from the Luan River Estuary, China. <i>Marine Pollution Bulletin</i> , 2016, 102, 223-229.	2.3	60
438	Source of polynuclear aromatic hydrocarbons found in sediment in a region of expanding sugarcane cultivation of São Paulo State, Brazil. <i>Journal of Soils and Sediments</i> , 2016, 16, 1599-1611.	1.5	2
439	Monitoring of pollution in sediments of the coasts in Egyptian Red Sea. <i>Egyptian Journal of Petroleum</i> , 2016, 25, 133-151.	1.2	14
440	Assessment of PAHs levels in some fish and seafood from different coastal waters in the Niger Delta. <i>Toxicology Reports</i> , 2016, 3, 167-172.	1.6	70
441	Bilateral asymmetry in certain morphological characters of <i>Sarotherodon melanotheron</i> (Peters 1852) and <i>Coptodon guineensis</i> (Günther 1862) collected from Lake Ahémé and Porto-Novo Lagoon, Benin, West Africa. <i>Marine Pollution Bulletin</i> , 2016, 103, 39-44.	2.3	5
442	Distribution and Sources of Petroleum Hydrocarbons in Recent Sediments of the Imo River, SE Nigeria. <i>Archives of Environmental Contamination and Toxicology</i> , 2016, 70, 372-382.	2.1	15
443	Hydrocarbons and trace metals in mussels in the Macaé coast: Preliminary assessment for a coastal zone under influence of offshore oil field exploration in southeastern Brazil. <i>Marine Pollution Bulletin</i> , 2016, 103, 349-353.	2.3	10
444	Atmospheric polycyclic aromatic hydrocarbons in the urban environment: Occurrence, toxicity and source apportionment. <i>Environmental Pollution</i> , 2016, 208, 110-117.	3.7	61
445	Coexisting sea-based and land-based sources of contamination by PAHs in the continental shelf sediments of Coatzacoalcos River discharge area (Gulf of Mexico). <i>Chemosphere</i> , 2016, 144, 591-598.	4.2	33
446	Environmental carcinogenic polycyclic aromatic hydrocarbons in soil from Himalayas, India: Implications for spatial distribution, sources apportionment and risk assessment. <i>Chemosphere</i> , 2016, 144, 493-502.	4.2	75
447	Impact of flash flood events on the distribution of organic pollutants in surface sediments from a Mediterranean coastal lagoon (Mar Menor, SE Spain). <i>Environmental Science and Pollution Research</i> , 2017, 24, 4284-4300.	2.7	39
448	Assessment of polycyclic aromatic hydrocarbons in indoor dust from varying categories of rooms in Changchun city, northeast China. <i>Environmental Geochemistry and Health</i> , 2017, 39, 15-27.	1.8	28
449	Temporal occurrence and sources of persistent organic pollutants in suspended particulate matter from the most heavily polluted river mouth of Lake Chaohu, China. <i>Chemosphere</i> , 2017, 174, 39-45.	4.2	39
450	Quantitative ecological risk assessment of inhabitants exposed to polycyclic aromatic hydrocarbons in terrestrial soils of King George Island, Antarctica. <i>Polar Science</i> , 2017, 11, 19-29.	0.5	30
451	Pollutants and biomarker responses in two reef fish species (<i>Haemulon aurolineatum</i> and <i>Ocyurus</i>) from the Great Barrier Reef. <i>Environmental Pollution</i> , 2017, 224, 195-223.	2.3	24
452	Sources and spatial distribution of particulate polycyclic aromatic hydrocarbons in Shanghai, China. <i>Science of the Total Environment</i> , 2017, 584-585, 307-317.	3.9	73
453	Spatial distribution and composition of aliphatic hydrocarbons, polycyclic aromatic hydrocarbons and hopanes in superficial sediments of the coral reefs of the Persian Gulf, Iran. <i>Environmental Pollution</i> , 2017, 224, 195-223.	3.7	69

#	ARTICLE	IF	CITATIONS
454	Vertical distribution, composition profiles, sources and toxicity assessment of PAH residues in the reclaimed mudflat sediments from the adjacent Thane Creek of Mumbai. <i>Marine Pollution Bulletin</i> , 2017, 118, 112-124.	2.3	30
455	Polycyclic aromatic hydrocarbons in traditional Chinese medicines: an analytical method based on different medicinal parts, levels, distribution, and sources. <i>RSC Advances</i> , 2017, 7, 4671-4680.	1.7	14
456	Concentrations and sources apportionment of polycyclic aromatic hydrocarbons in sediments from the Uganda side of Lake Victoria. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 570-577.	1.7	8
457	The use of rockfish <i>Sebastes marmoratus</i> as a sentinel species to assess petroleum hydrocarbons pollution: A case study in Quanzhou Bay, China. <i>Marine Pollution Bulletin</i> , 2017, 124, 984-992.	2.3	12
458	Origin and distribution of hydrocarbons and organic matter in the surficial sediments of the Sfax-Kerkennah channel (Tunisia, Southern Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2017, 117, 414-428.	2.3	35
459	Distribution, characterization, and human health risk assessment of polycyclic aromatic hydrocarbons (PAHs) in Ovia River, Southern Nigeria. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 247.	1.3	42
460	Assessing PAHs pollution in Shandong coastal area (China) by combination of chemical analysis and responses of reproductive toxicity in crab <i>Portunus trituberculatus</i> . <i>Environmental Science and Pollution Research</i> , 2017, 24, 14291-14303.	2.7	16
461	Polycyclic aromatic hydrocarbons (PAHs) at the Gulf of Kutch, Gujarat, India: Occurrence, source apportionment, and toxicity of PAHs as an emerging issue. <i>Marine Pollution Bulletin</i> , 2017, 119, 231-238.	2.3	60
462	Characterization, source apportionment, and risk assessment of polycyclic aromatic hydrocarbons in urban soil of Nanjing, China. <i>Journal of Soils and Sediments</i> , 2017, 17, 1116-1125.	1.5	33
463	Spatial distribution of heavy hydrocarbons, PAHs and metals in polluted areas. The case of "Galicia", Spain. <i>Marine Pollution Bulletin</i> , 2017, 121, 230-237.	2.3	21
464	<i>Ricinus communis</i> : An Ecological Engineer and a Biofuel Resource. , 2017, , 139-167.		1
465	Association of polycyclic aromatic hydrocarbons of the outdoor air in Ahvaz, southwest Iran during warm-cold season. <i>Toxin Reviews</i> , 2017, 36, 282-289.	1.5	38
466	Phytoremediation Potential of Bioenergy Plants. , 2017, , .		23
467	Geochemical markers based on concentration ratios of PAH in oils and oil-polluted areas. <i>Geochemistry International</i> , 2017, 55, 98-107.	0.2	36
468	Spatial-temporal and multi-media variations of polycyclic aromatic hydrocarbons in a highly urbanized river from South China. <i>Science of the Total Environment</i> , 2017, 581-582, 621-628.	3.9	48
469	Spatial distribution and biological effects of trace metals (Cu, Zn, Pb, Cd) and organic micropollutants (PCBs, PAHs) in mussels <i>Mytilus galloprovincialis</i> along the Algerian west coast. <i>Marine Pollution Bulletin</i> , 2017, 115, 539-550.	2.3	52
470	Characteristics and Source Identification of Polycyclic Aromatic Hydrocarbons (PAHs) in Urban Soils: A Review. <i>Pedosphere</i> , 2017, 27, 17-26.	2.1	130
471	Levels, distribution and characterization of Polycyclic Aromatic Hydrocarbons (PAHs) in Ovia river, Southern Nigeria. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 504-512.	3.3	54

#	ARTICLE	IF	CITATIONS
472	Distribution and mass inventory of mercury in sediment from the Yangtze River estuarine-inner shelf of the East China Sea. <i>Continental Shelf Research</i> , 2017, 132, 29-37.	0.9	27
473	Congener profiles, distribution, sources and ecological risk of parent and alkyl-PAHs in surface sediments of Southern Yellow Sea, China. <i>Science of the Total Environment</i> , 2017, 580, 1309-1317.	3.9	28
474	Seasonal Distribution, Source Identification, and Toxicological Risk Assessment of Polycyclic Aromatic Hydrocarbons (PAHs) in Sediments from Wadi El Bey Watershed in Tunisia. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 73, 488-510.	2.1	16
475	Distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in laminated Santa Barbara Basin sediments. <i>Organic Geochemistry</i> , 2017, 113, 303-314.	0.9	13
476	A tropical bay as a reference area defined by multiple lines of evidences. <i>Marine Pollution Bulletin</i> , 2017, 123, 291-303.	2.3	9
477	Degradation of toxic PAHs in water and soil using potassium zinc hexacyanoferrate nanocubes. <i>Journal of Environmental Management</i> , 2017, 204, 337-348.	3.8	72
478	Green synthesis of iron hexacyanoferrate nanoparticles: Potential candidate for the degradation of toxic PAHs. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 4108-4120.	3.3	104
479	Characterization and ecological risk of polycyclic aromatic hydrocarbons (PAHs) and n -alkanes in sediments of Shadegan international wetland, the Persian Gulf. <i>Marine Pollution Bulletin</i> , 2017, 124, 155-170.	2.3	27
480	PAHs in polystyrene food contact materials: An unintended consequence. <i>Science of the Total Environment</i> , 2017, 609, 1126-1131.	3.9	37
481	The Influence of Surface Pavement on the Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) in Urban Watershed. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	1.1	10
482	Characterization and source apportionment of polycyclic aromatic hydrocarbons (pahs) in the sediments of gulf of Pozzuoli (Campania, Italy). <i>Marine Pollution Bulletin</i> , 2017, 124, 480-487.	2.3	68
483	Assessment of PAH contaminated land: Implementing a risk-based approach. <i>Environmental Technology and Innovation</i> , 2017, 8, 84-95.	3.0	11
484	Appraisalment, source apportionment and health risk of polycyclic aromatic hydrocarbons (PAHs) in vehicle-wash wastewater, Pakistan. <i>Science of the Total Environment</i> , 2017, 605-606, 106-113.	3.9	29
485	Assessment and source identification of pollution risk for touristic ports: Heavy metals and polycyclic aromatic hydrocarbons in sediments of 4 marinas of the Apulia region (Italy). <i>Marine Pollution Bulletin</i> , 2017, 114, 768-777.	2.3	44
486	Worldwide distribution of polycyclic aromatic hydrocarbons in urban road dust. <i>International Journal of Environmental Science and Technology</i> , 2017, 14, 397-420.	1.8	25
487	Occurrence and distribution of polycyclic aromatic hydrocarbons in surface sediments of San Diego Bay marinas. <i>Marine Pollution Bulletin</i> , 2017, 114, 466-479.	2.3	39
488	Photocatalytic efficiency of iron oxide nanoparticles for the degradation of priority pollutant anthracene. <i>Geosystem Engineering</i> , 2017, 20, 21-27.	0.7	36
489	Characterization, sources and ecological risk assessment of polycyclic aromatic hydrocarbons in surface sediments from the mangroves of China. <i>Wetlands Ecology and Management</i> , 2017, 25, 105-117.	0.7	9

#	ARTICLE	IF	CITATIONS
490	Combined effects of land reclamation, channel dredging upon the bioavailable concentration of polycyclic aromatic hydrocarbons (PAHs) in Victoria Harbour sediment, Hong Kong. <i>Marine Pollution Bulletin</i> , 2017, 114, 587-591.	2.3	24
491	Distribution, sources, and ecological risk assessment of polycyclic aromatic hydrocarbons in surface sediments from the Nantong Coast, China. <i>Marine Pollution Bulletin</i> , 2017, 114, 571-576.	2.3	27
492	Distribution, potential sources and ecological risks of two persistent organic pollutants in the intertidal sediment at the Shuangtaizi Estuary, Bohai Sea of China. <i>Marine Pollution Bulletin</i> , 2017, 114, 419-427.	2.3	36
493	Indicator Ratios of Polycyclic Aromatic Hydrocarbons for Geoenvironmental Studies of Natural and Technogenic Objects. <i>Water Resources</i> , 2017, 44, 903-913.	0.3	4
494	Concentrations and origin of polycyclic aromatic hydrocarbons in sediments of the Middle Adriatic Sea. <i>Acta Adriatica</i> , 2017, 58, 3-24.	0.2	12
495	Distribution Characteristics and Risk Assessment of Polycyclic Aromatic Hydrocarbons in the Momoge Wetland, China. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 85.	1.2	22
496	Distributions and Sources of Polycyclic Aromatic Hydrocarbons (PAHs) in Soils around a Chemical Plant in Shanxi, China. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1198.	1.2	71
497	PAHs diagnostic ratios for the distinction of petrogenic and pirogenic sources: applicability in the Upper Iguassu Watershed - Parana, Brazil. <i>Revista Brasileira De Recursos Hidricos</i> , 2017, 22, .	0.5	19
498	Polycyclic Aromatic Hydrocarbons in Water, Soils and Surface Sediments of the Msunduzi River. <i>Journal of Environmental Analytical Chemistry</i> , 2017, 04, .	0.3	8
499	Polycyclic aromatic hydrocarbons (PAHs) associated with PM2.5 within boundary layer: Cloud/fog and regional transport. <i>Science of the Total Environment</i> , 2018, 627, 613-621.	3.9	17
500	Detection of polycyclic aromatic hydrocarbons along Alexandria's coastal water, Egyptian Mediterranean Sea. <i>Egyptian Journal of Aquatic Research</i> , 2018, 44, 9-14.	1.0	19
501	Seasonal occurrence, source evaluation and ecological risk assessment of polycyclic aromatic hydrocarbons in industrial and agricultural effluents discharged in Wadi El Bey (Tunisia). <i>Environmental Geochemistry and Health</i> , 2018, 40, 1609-1627.	1.8	16
502	Profiles of environmental contaminants in hawksbill turtle egg yolks reflect local to distant pollution sources among nesting beaches in the Yucatán Peninsula, Mexico. <i>Marine Environmental Research</i> , 2018, 135, 43-54.	1.1	11
503	Presence of polycyclic aromatic hydrocarbons in sediments and surface water from Shadegan wetland "Iran: A focus on source apportionment, human and ecological risk assessment and Sediment-Water Exchange. <i>Ecotoxicology and Environmental Safety</i> , 2018, 148, 1054-1066.	2.9	77
504	Polycyclic aromatic hydrocarbons (PAH) in superficial water from a tropical estuarine system: Distribution, seasonal variations, sources and ecological risk assessment. <i>Marine Pollution Bulletin</i> , 2018, 127, 352-358.	2.3	39
505	Comparative study of PM10/PM2.5-bound PAHs in downtown Beijing, China: Concentrations, sources, and health risks. <i>Journal of Cleaner Production</i> , 2018, 177, 674-683.	4.6	75
506	Sources and distribution of aromatic hydrocarbons in a tropical marine protected area estuary under influence of sugarcane cultivation. <i>Science of the Total Environment</i> , 2018, 624, 935-944.	3.9	48
507	Organic Pollutants in the Geosphere. <i>Fundamentals in Organic Geochemistry</i> , 2018, , .	0.2	5

#	ARTICLE	IF	CITATIONS
508	Studies on polycyclic aromatic hydrocarbons in two sediment cores from the huaxi reservoir, china: Assessment of levels, sources, and ecological risk. <i>Environmental Forensics</i> , 2018, 19, 50-58.	1.3	2
509	Influence of anthropogenic activities on polycyclic aromatic hydrocarbons in sediments from mangrove wetland at Dongzhai Harbor, China: distribution, sources, probability risk, and temporal trend. <i>Wetlands Ecology and Management</i> , 2018, 26, 613-625.	0.7	2
510	Polycyclic aromatic hydrocarbons in surface waters and riverine sediments of the Hooghly and Brahmaputra Rivers in the Eastern and Northeastern India. <i>Science of the Total Environment</i> , 2018, 636, 751-760.	3.9	59
511	Groundwater contamination by polycyclic aromatic hydrocarbon due to diesel spill from a telecom base station in a Nigerian City: assessment of human health risk exposure. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 249.	1.3	31
512	Greener approaches to the measurement of polyaromatic hydrocarbons (PAHs) in unused and used crankcase motor oils from Malaysia. <i>Environmental Science and Pollution Research</i> , 2018, 25, 7206-7211.	2.7	4
513	Contamination of soils by metals and organic micropollutants: case study of the Parisian conurbation. <i>Environmental Science and Pollution Research</i> , 2018, 25, 23559-23573.	2.7	27
514	Urban Stream Vulnerability Toward PAHs and n-Alkanes and Their Source Identification. <i>Polycyclic Aromatic Compounds</i> , 2018, 38, 294-309.	1.4	3
515	Chemical contamination assessment in mangrove-lined Caribbean coastal systems using the oyster <i>Crassostrea rhizophorae</i> as biomonitor species. <i>Environmental Science and Pollution Research</i> , 2018, 25, 13396-13415.	2.7	28
516	Concentrations, input prediction and probabilistic biological risk assessment of polycyclic aromatic hydrocarbons (PAHs) along Gujarat coastline. <i>Environmental Geochemistry and Health</i> , 2018, 40, 653-665.	1.8	19
517	A sediment extraction and cleanup method for wide-scope multitarget screening by liquid chromatography–high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 177-188.	1.9	24
518	The Wharf Roach, <i>Ligia</i> sp., A Novel Indicator of Polycyclic Aromatic Hydrocarbon Contamination in Coastal Areas. <i>International Journal of Environmental Research</i> , 2018, 12, 1-11.	1.1	15
519	Chemical characterization of polycyclic aromatic hydrocarbons (PAHs) in 2013 Rayong oil spill-affected coastal areas of Thailand. <i>Environmental Pollution</i> , 2018, 233, 992-1002.	3.7	46
520	Baseline concentrations and distributions of Polycyclic Aromatic Hydrocarbons in surface sediments from the Qatar marine environment. <i>Marine Pollution Bulletin</i> , 2018, 126, 58-62.	2.3	30
521	Sediment-associated polycyclic aromatic hydrocarbons and potential eco-hazards in Chabahar Bay, Iran. <i>Marine Pollution Bulletin</i> , 2018, 129, 875-883.	2.3	13
522	Combining stable carbon isotope analysis and petroleum-fingerprinting to evaluate petroleum contamination in the Yanchang oilfield located on loess plateau in China. <i>Environmental Science and Pollution Research</i> , 2018, 25, 2830-2841.	2.7	43
523	Applications of Geochemistry to Medical Geology. , 2018, , 435-465.		7
524	Polycyclic aromatic hydrocarbon (PAH) accumulation in different common sole (<i>Solea solea</i>) tissues from the North Adriatic Sea peculiar impacted area. <i>Marine Pollution Bulletin</i> , 2018, 137, 61-68.	2.3	45
525	Predation Risk Potentiates Toxicity of a Common Metal Contaminant in a Coastal Copepod. <i>Environmental Science & Technology</i> , 2018, 52, 13535-13542.	4.6	13

#	ARTICLE	IF	CITATIONS
526	Influence of anthropogenic activities on the temporal and spatial variation of polycyclic aromatic hydrocarbons in the sediments of Jiangsu coastal zone, China. <i>Continental Shelf Research</i> , 2018, 170, 11-20.	0.9	14
527	Comparison and origins of polycyclic aromatic hydrocarbons (PAHs) in the entrance and the exit of the Turkish Straits System (TSS). <i>Marine Pollution Bulletin</i> , 2018, 136, 33-37.	2.3	18
528	Seasonal variability of anthropogenic indices of PAHs in sediment from the Kuala Selangor River, west coast Peninsular Malaysia. <i>Environmental Geochemistry and Health</i> , 2018, 40, 2551-2572.	1.8	16
529	Occurrence of parent and substituted polycyclic aromatic hydrocarbons in typical wastewater treatment plants and effluent receiving rivers of Beijing, and risk assessment. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018, 53, 992-999.	0.9	13
530	Fingerprinting of Petroleum Hydrocarbons in Malaysia Using Environmental Forensic Techniques. , 2018, , 345-372.		6
531	Different Forensic Approaches for Hydrocarbons Sources Identification in an Urban Cluster Environment. , 2018, , 563-591.		1
532	Highly efficient photocatalytic degradation of naphthalene by Co ₃ O ₄ /Bi ₂ O ₂ CO ₃ under visible light: A novel p-n heterojunction nanocomposite with nanocrystals/lotus-leaf-like nanosheets structure. <i>Applied Catalysis B: Environmental</i> , 2018, 237, 273-287.	10.8	95
533	Impact of particle size on distribution, bioaccessibility, and cytotoxicity of polycyclic aromatic hydrocarbons in indoor dust. <i>Journal of Hazardous Materials</i> , 2018, 357, 341-347.	6.5	42
534	PAHs in Water, Sediment and Biota in an Area with Port Activities. <i>Archives of Environmental Contamination and Toxicology</i> , 2018, 75, 236-246.	2.1	33
535	Effects of Reclamation on Soil Carbon and Nitrogen in Coastal Wetlands of Liaohe River Delta, China. <i>Chinese Geographical Science</i> , 2018, 28, 443-455.	1.2	14
536	Vertical Profile of PAHs and Dredging Depth of River Sediments. <i>Soil and Sediment Contamination</i> , 2018, 27, 513-523.	1.1	1
537	Remediation of Polycyclic Aromatic Hydrocarbons Using Nanomaterials. <i>Environmental Chemistry for A Sustainable World</i> , 2018, , 343-387.	0.3	6
538	Association between cancer risk and polycyclic aromatic hydrocarbons TM exposure in the ambient air of Ahvaz, southwest of Iran. <i>International Journal of Biometeorology</i> , 2018, 62, 1461-1470.	1.3	46
539	PAH and PCB contamination in the sediments of the Venice Lagoon (Italy) before the installation of the MOSE flood defence works. <i>Environmental Science and Pollution Research</i> , 2018, 25, 24951-24964.	2.7	18
540	Improving rigor in polycyclic aromatic hydrocarbon source fingerprinting. <i>Environmental Forensics</i> , 2018, 19, 172-184.	1.3	18
541	Polycyclic aromatic hydrocarbons in sediments of the Amazon River Estuary (AmapÃj, Northern Brazil): Distribution, sources and potential ecological risk. <i>Marine Pollution Bulletin</i> , 2018, 135, 769-775.	2.3	32
542	Spatio-temporal variability, distribution and sources of n-alkanes and polycyclic aromatic hydrocarbons in reef surface sediments of Kharg and Lark coral reefs, Persian Gulf, Iran. <i>Ecotoxicology and Environmental Safety</i> , 2018, 163, 307-322.	2.9	35
543	Distribution, Behavior, and Sources of Polycyclic Aromatic Hydrocarbon in the Water Column, Sediments and Biota of the Rufiji Estuary, Tanzania. <i>Frontiers in Earth Science</i> , 2018, 6, .	0.8	18

#	ARTICLE	IF	CITATIONS
544	Embryo toxicity assay in the fish species <i>Rhamdia quelen</i> (Teleostei, Heptaridae) to assess water quality in the Upper Iguaçu basin (Parana, Brazil). <i>Chemosphere</i> , 2018, 208, 207-218.	4.2	21
545	Levels, spatial variations, and possible sources of polycyclic aromatic hydrocarbons in sediment from Songhua River, China. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	0.6	3
546	Polycyclic aromatic hydrocarbons in the sediments of the Gulfs of Naples and Salerno, Southern Italy: Status, sources and ecological risk. <i>Ecotoxicology and Environmental Safety</i> , 2018, 161, 156-163.	2.9	31
547	Source patterns and contamination level of polycyclic aromatic hydrocarbons (PAHs) in urban and rural areas of Southern Italian soils. <i>Environmental Geochemistry and Health</i> , 2019, 41, 507-528.	1.8	41
548	Pollution Assessment and Source Apportionment of Trace Metals in Urban Topsoil of Xi'an City in Northwest China. <i>Archives of Environmental Contamination and Toxicology</i> , 2019, 77, 575-586.	2.1	39
549	Quantitative evaluation of n-alkanes, PAHs, and petroleum biomarker accumulation in beach-stranded tar balls and coastal surface sediments in the Bushehr Province, Persian Gulf (Iran). <i>Marine Pollution Bulletin</i> , 2019, 146, 801-815.	2.3	27
550	Effects of Phenanthrene on the key processes and functional genes of denitrification in sediments of Jiaozhou Bay. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 310, 052052.	0.2	0
551	Monitoring of organic pollutants in <i>Choromytilus meridionalis</i> and <i>Mytilus galloprovincialis</i> from aquaculture facilities in Saldanha Bay, South Africa. <i>Marine Pollution Bulletin</i> , 2019, 149, 110637.	2.3	9
552	Polycyclic aromatic hydrocarbons in fresh snow in the city of Harbin in northeast China. <i>Atmospheric Environment</i> , 2019, 215, 116915.	1.9	20
553	Sources and Compositional Pattern of Polycyclic Aromatic Hydrocarbons in Water of Tigris River throughout Passing Baghdad Governorate. <i>Journal of Physics: Conference Series</i> , 2019, 1234, 012063.	0.3	1
554	Distribution, Sources, and Risk Assessment of Polycyclic Aromatic Hydrocarbons in the Estuary of Hongze Lake, China. <i>Environments - MDPI</i> , 2019, 6, 92.	1.5	6
555	Benthic Prokaryotic Community Response to Polycyclic Aromatic Hydrocarbon Chronic Exposure: Importance of Emission Sources in Mediterranean Ports. <i>Frontiers in Marine Science</i> , 2019, 6, .	1.2	22
556	Contaminant Concentrations in Sediments, Aquatic Invertebrates, and Fish in Proximity to Rail Tracks Used for Coal Transport in the Pacific Northwest (USA): A Baseline Assessment. <i>Archives of Environmental Contamination and Toxicology</i> , 2019, 77, 549-574.	2.1	2
557	Assessment of native and alkylated polycyclic aromatic hydrocarbons (PAHs) in sediments and mussels (<i>Mytilus</i> spp.) in the southern Baltic Sea. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 514-527.	1.7	3
558	Impact of traffic volumes on levels, patterns, and toxicity of polycyclic aromatic hydrocarbons in roadside soils. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 174-182.	1.7	24
559	Enhanced PAHs removal using pyrolysis-assisted potassium hydroxide induced palm shell activated carbon: Batch and column investigation. <i>Journal of Molecular Liquids</i> , 2019, 279, 77-87.	2.3	51
560	Distribution and Characteristic of PAHs in snow of the Urban and Reserve Areas of Southern Far East Russia. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2019, 102, 160-167.	1.3	12
561	Health risks from PAHs and potentially toxic elements in street dust of a coal mining area in India. <i>Environmental Geochemistry and Health</i> , 2019, 41, 1923-1937.	1.8	34

#	ARTICLE	IF	CITATIONS
564	Seasonal characteristics and health risks of PM _{2.5} -bound organic pollutants in industrial and urban areas of a China megacity. <i>Journal of Environmental Management</i> , 2019, 245, 273-281.	3.8	20
565	A critical review on organic micropollutants contamination in wastewater and removal through carbon nanotubes. <i>Journal of Environmental Management</i> , 2019, 246, 214-228.	3.8	97
566	Distribution, source, and ecological risk assessment of PAHs among size and density fractions in contaminated sediments from the Yellow River of Henan section. <i>Environmental Forensics</i> , 2019, 20, 171-181.	1.3	4
567	Spatial distribution of polycyclic aromatic hydrocarbon contamination in urban soil of China. <i>Chemosphere</i> , 2019, 230, 498-509.	4.2	63
568	Spatiotemporal distribution, source apportionment and ecological risk assessment of PBDEs and PAHs in the Guanlan River from rapidly urbanizing areas of Shenzhen, China. <i>Environmental Pollution</i> , 2019, 250, 695-707.	3.7	63
569	Distribution and source apportionment of hydrocarbons in sediments of oil-producing continental margin: a fuzzy logic approach. <i>Environmental Science and Pollution Research</i> , 2019, 26, 17032-17044.	2.7	8
570	Polycyclic aromatic hydrocarbons (PAHs) in water and sediment of Hoor Al-Azim wetland, Iran: a focus on source apportionment, environmental risk assessment, and sediment-water partitioning. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 233.	1.3	39
571	Innovative combination of tracing methods to differentiate between legacy and contemporary PAH sources in the atmosphere-soil-river continuum in an urban catchment (Orge River, France). <i>Science of the Total Environment</i> , 2019, 669, 448-458.	3.9	16
572	Distributions and Sources of PAHs and OCPs in Surficial Sediments of Edremit Bay (Aegean Sea). <i>Archives of Environmental Contamination and Toxicology</i> , 2019, 77, 237-248.	2.1	20
573	Distribution, sources and risk of exposure to polycyclic aromatic hydrocarbons in indoor dusts from electronic repair workshops in southern Nigeria. <i>Emerging Contaminants</i> , 2019, 5, 23-30.	2.2	31
574	Levels, temporal/spatial variations and sources of PAHs and PCBs in soil of a highly industrialized area. <i>Atmospheric Pollution Research</i> , 2019, 10, 1227-1238.	1.8	30
575	Baseline data for distribution of contaminants by natural disasters: results from a residential Houston neighborhood during Hurricane Harvey flooding. <i>Heliyon</i> , 2019, 5, e02860.	1.4	22
576	Effects of power station and abattoir on PAH input into sediments of Oji River: ecological and human health exposure risks. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 775.	1.3	2
577	Petroleum contamination evaluation and bacterial community distribution in a historic oilfield located in loess plateau in China. <i>Applied Soil Ecology</i> , 2019, 136, 30-42.	2.1	58
578	Quantitative analysis of genetic associations in the biodegradative pathway of PAHs in wetland sediments of the Bohai coast region. <i>Chemosphere</i> , 2019, 218, 282-291.	4.2	21
579	State of the art and future challenges for polycyclic aromatic hydrocarbons in sediments: sources, fate, bioavailability and remediation techniques. <i>Journal of Hazardous Materials</i> , 2019, 365, 467-482.	6.5	159
580	Quantifying the bioaccumulation of nanoplastics and PAHs in the clamworm <i>Perinereis aibuhitensis</i> . <i>Science of the Total Environment</i> , 2019, 655, 591-597.	3.9	39
581	Target screening analysis of 970 semi-volatile organic compounds adsorbed on atmospheric particulate matter in Hanoi, Vietnam. <i>Chemosphere</i> , 2019, 219, 784-795.	4.2	26

#	ARTICLE	IF	CITATIONS
582	Influence of smear matrix types on detection behaviors and efficiencies of polycyclic aromatic hydrocarbons using ion mobility spectrometry. <i>Chemosphere</i> , 2019, 218, 368-375.	4.2	4
583	Occurrence, distribution and ecological risk of trace metals and organic pollutants in surface sediments from a Southeastern European river (SomeÅŸu Mic River, Romania). <i>Science of the Total Environment</i> , 2019, 660, 660-676.	3.9	76
584	Emerging and traditional organic markers: Baseline study showing the influence of untraditional anthropogenic activities on coastal zones with multiple activities (CearÃ¡ coast, Northeast Brazil). <i>Marine Pollution Bulletin</i> , 2019, 139, 256-262.	2.3	10
585	Distribution of polycyclic aromatic hydrocarbons (PAHs) in commonly consumed seafood from coastal areas of Bangladesh and associated human health implications. <i>Environmental Geochemistry and Health</i> , 2019, 41, 1105-1121.	1.8	37
586	Atmospheric PM2.5-Bound Polycyclic Aromatic Hydrocarbons (PAHs) in Guiyang City, Southwest China: Concentration, Seasonal Variation, Sources and Health Risk Assessment. <i>Archives of Environmental Contamination and Toxicology</i> , 2019, 76, 102-113.	2.1	24
587	Mangrove Oyster (<i>Crassostrea belcheri</i>) as a Biomonitor Species for Bioavailability of Polycyclic Aromatic Hydrocarbons (PAHs) from Sediment of the West Coast of Peninsular Malaysia. <i>Polycyclic Aromatic Compounds</i> , 2019, 39, 470-485.	1.4	23
588	Health risk assessment and source study of PAHs from roadside soil dust of a heavy mining area in India. <i>Archives of Environmental and Occupational Health</i> , 2019, 74, 252-262.	0.7	37
589	Source and Toxicological Assessment of Polycyclic Aromatic Hydrocarbons in Sediments from Imo River, Southeastern Nigeria. <i>Polycyclic Aromatic Compounds</i> , 2019, 39, 191-206.	1.4	6
590	Effects of Flooding on the Sources, Spatiotemporal Characteristics and Human Health Risks of Polycyclic Aromatic Hydrocarbons in Floodplain Soils of the Lower Parts of the River Niger, Nigeria. <i>Polycyclic Aromatic Compounds</i> , 2020, 40, 228-244.	1.4	20
591	Determination of polycyclic aromatic hydrocarbons in the soil, atmospheric deposition and biomonitor samples in the Meric-Ergene River Basin, Turkey. <i>Environment, Development and Sustainability</i> , 2020, 22, 3389-3406.	2.7	10
592	Impact of the Great East Japan Earthquake on Polycyclic Aromatic Hydrocarbons in Sediments on the Coast of Matsushima Bay, Northern Japan. <i>Polycyclic Aromatic Compounds</i> , 2020, 40, 1291-1301.	1.4	2
593	Distribution of residual agricultural pesticides and their impact assessment on the survival of an endangered species. <i>Journal of Hazardous Materials</i> , 2020, 389, 121871.	6.5	23
594	Removal of polycyclic aromatic hydrocarbons during anaerobic biostimulation of marine sediments. <i>Science of the Total Environment</i> , 2020, 709, 136141.	3.9	57
595	PAHs in road dust of Nanjing Chemical Industry Park, China: chemical composition, sources, and risk assessment. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2020, 55, 33-43.	0.9	8
596	One century of historical deposition and flux of hydrocarbons in a sediment core from a South Atlantic RAMSAR subtropical estuary. <i>Science of the Total Environment</i> , 2020, 706, 136017.	3.9	14
597	PAHs in the atmospheric aerosols and seawater in the North-West Pacific ocean and sea of Japan. <i>Atmospheric Environment</i> , 2020, 222, 117117.	1.9	10
598	Polycyclic aromatic hydrocarbons in soils and sediments in Southwest Nigeria. <i>Environmental Pollution</i> , 2020, 259, 113732.	3.7	25
599	Source apportionment of polycyclic aromatic hydrocarbons in continental shelf of the East China Sea with dual compound-specific isotopes ($\delta^{13}C$ and δ^2H). <i>Science of the Total Environment</i> , 2020, 704, 135459.	3.9	17

#	ARTICLE	IF	CITATIONS
600	Spatial and vertical distribution, composition profiles, sources, and ecological risk assessment of polycyclic aromatic hydrocarbon residues in the sediments of an urban tributary: A case study of the Songgang River, Shenzhen, China. <i>Environmental Pollution</i> , 2020, 266, 115360.	3.7	20
601	Human health risks from fish consumption following a catastrophic gas oil spill in the Chiquito River, Veracruz, Mexico. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 783.	1.3	2
602	Fingerprinting characterization of sedimentary PAHs and black carbon in the East China Sea using carbon and hydrogen isotopes. <i>Environmental Pollution</i> , 2020, 267, 115415.	3.7	12
603	Measurement, Source-Profiling and Potential Toxicity of Polycyclic Aromatic Hydrocarbons in an Agrarian Soil. <i>Environmental Processes</i> , 2020, 7, 827-844.	1.7	4
604	Application of microbial consortia in degradation and detoxification of industrial pollutants. , 2020, , 401-418.		6
605	Contamination characteristics of polycyclic aromatic hydrocarbons in river and coastal sediments collected from the multi-industrial city of Ulsan, South Korea. <i>Marine Pollution Bulletin</i> , 2020, 160, 111666.	2.3	9
606	Distribution of Polycyclic Aromatic Hydrocarbons in Coal Gangue with Different Metamorphic Degrees. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 514, 022056.	0.2	1
607	Source Apportionment Assessment of Marine Sediment Contamination in a Post-Industrial Area (Bagnoli, Naples). <i>Water (Switzerland)</i> , 2020, 12, 2181.	1.2	17
608	Persistent and Emerging Organic Pollutants in the Marine Coastal Environment of the Gulf of Milazzo (Southern Italy): Human Health Risk Assessment. <i>Frontiers in Environmental Science</i> , 2020, 8, .	1.5	16
609	Polycyclic aromatic hydrocarbons (PAHs) and esophageal carcinoma in Handan-Xingtai district, North China: a preliminary study based on cancer risk assessment. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 596.	1.3	10
610	Biological responses and toxicopathic effects elicited in <i>Solea senegalensis</i> juveniles on exposure to contaminated sediments under laboratory conditions. <i>Science of the Total Environment</i> , 2020, 731, 138849.	3.9	6
611	Concentration assessment and source evaluation of 16 priority polycyclic aromatic hydrocarbons in soils from selected vehicle-parks in southern Nigeria. <i>Scientific African</i> , 2020, 7, e00296.	0.7	27
612	Desorption and bioaccessibility of high-molecular-weight PAHs in aged field soil and humin-like fraction from a coke plant. <i>Environmental Earth Sciences</i> , 2020, 79, 1.	1.3	6
613	Organochlorine pesticides and polycyclic aromatic hydrocarbons in marine sediments and polychaete worms from the west coast of Unguja island, Tanzania. <i>Regional Studies in Marine Science</i> , 2020, 36, 101287.	0.4	4
614	Coking wastewater treatment plant as a sources of polycyclic aromatic hydrocarbons (PAHs) in sediments and ecological risk assessment. <i>Scientific Reports</i> , 2020, 10, 7833.	1.6	1
615	Distribution, sources and ecological risk of trace elements and polycyclic aromatic hydrocarbons in sediments from a polluted urban river in central Bangladesh. <i>Environmental Nanotechnology, Monitoring and Management</i> , 2020, 14, 100318.	1.7	42
616	PAH Profiles in Suspended Particulate Matter from an Urbanized River Within the Brazilian Amazon. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2020, 105, 86-94.	1.3	6
617	Polycyclic aromatic hydrocarbon source fingerprints in the environmental samples of Anzaliâ€”South of Caspian Sea. <i>Environmental Science and Pollution Research</i> , 2020, 27, 32719-32731.	2.7	6

#	ARTICLE	IF	CITATIONS
618	Grain size and organic carbon controls polyaromatic hydrocarbons (PAH), mercury (Hg) and toxicity of surface sediments in the River Conwy Estuary, Wales, UK. <i>Marine Pollution Bulletin</i> , 2020, 158, 111412.	2.3	19
619	Source identification and eco-risk assessment of polycyclic aromatic hydrocarbons in the sediments of seawaters facing the former steel plant ILVA, Naples, Italy. <i>Regional Studies in Marine Science</i> , 2020, 35, 101097.	0.4	6
620	Occurrence, Sources and Exposure Risk of Polycyclic Aromatic Hydrocarbons (PAHs) in Street Dusts from the Nigerian Megacity, Lagos. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 49-69.	1.4	26
621	Background levels of polycyclic aromatic hydrocarbons and legacy organochlorine pesticides in wheat sampled in 2017 and 2018 in Poland. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 142.	1.3	19
622	Potential source contributions and risk assessment of PAHs in sediments from the tail-reaches of the Yellow River Estuary, China: PCA model, PMF model, and mean ERM quotient analysis. <i>Environmental Science and Pollution Research</i> , 2020, 27, 9780-9789.	2.7	16
623	Lack of evidence for the role of gut microbiota in PAH biodegradation by the polychaete <i>Capitella teleta</i> . <i>Science of the Total Environment</i> , 2020, 725, 138356.	3.9	4
624	Influencing factors and health risk assessment of polycyclic aromatic hydrocarbons in groundwater in China. <i>Journal of Hazardous Materials</i> , 2021, 402, 123419.	6.5	42
625	Source Determination and Seasonal Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) in Urban Soil of the Megacity Istanbul. <i>Polycyclic Aromatic Compounds</i> , 2021, 41, 626-634.	1.4	10
626	Levels of PAHs, PCBs, and toxic metals in <i>Ruditapes philippinarum</i> and <i>Donax trunculus</i> in Marmara Sea, Turkey. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 1167-1173.	1.7	3
627	Polycyclic aromatic hydrocarbons in surface waters from the seven main river basins of China: Spatial distribution, source apportionment, and potential risk assessment. <i>Science of the Total Environment</i> , 2021, 752, 141764.	3.9	52
628	PAH and PCB body-burdens in epibenthic deep-sea invertebrates from the northern Gulf of Mexico. <i>Marine Pollution Bulletin</i> , 2021, 162, 111825.	2.3	12
629	Sediment contamination by PAHs in Northern Aegean Sea, Gökçeada: Seasonal variations, source determination, and ecological risks. <i>Environmental Forensics</i> , 2021, 22, 120-129.	1.3	3
630	Nitrated and parent PAHs in the surface water of Lake Taihu, China: Occurrence, distribution, source, and human health risk assessment. <i>Journal of Environmental Sciences</i> , 2021, 102, 159-169.	3.2	36
631	Quantification, sources, and associated risks of 16-priority polycyclic aromatic hydrocarbons from selected land-use impacted soils. <i>Analele Universit�ii Ovidius Constan�a: Seria Chimie</i> , 2021, 32, 53-62.	0.2	4
632	Anthropogenic and natural inputs of polycyclic aromatic hydrocarbons in the sediment of three coastal systems of the Brazilian Amazon. <i>Environmental Science and Pollution Research</i> , 2021, 28, 19485-19496.	2.7	11
633	Correlation between Polycyclic Aromatic Hydrocarbons in Wharf Roach (<i>Ligia spp.</i>) and Environmental Components of the Intertidal and Supralittoral Zone along the Japanese Coast. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 630.	1.2	4
634	Anthropogenic influence on the environmental health along Montenegro coast based on the bacterial and chemical characterization. <i>Environmental Pollution</i> , 2021, 271, 116383.	3.7	12
635	Polycyclic aromatic hydrocarbon contamination in water, sediments and aquatic life of Nigerian inland and coastal waters. , 2021, 1, 01-012.		0

#	ARTICLE	IF	CITATIONS
636	Polycyclic aromatic hydrocarbons, antibiotic resistance genes, toxicity in the exposed to anthropogenic pressure soils of the Southern Russia. <i>Environmental Research</i> , 2021, 194, 110715.	3.7	22
637	Concentrations, origin, and human health risk of polycyclic aromatic hydrocarbons in anthropogenic impacted soils of the Niger Delta, Nigeria. <i>Environmental Forensics</i> , 2022, 23, 127-140.	1.3	8
638	Polycyclic Aromatic Hydrocarbons and Potentially Toxic Elements in Soils of the Vicinity of the Bulgarian Antarctic Station "St. Kliment Ohridski" (Antarctic Peninsula). <i>Frontiers in Environmental Science</i> , 2021, 9, .	1.5	9
639	Evaluation of Polycyclic Aromatic Hydrocarbon Pollution From the HMS Royal Oak Shipwreck and Effects on Sediment Microbial Community Structure. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	4
640	A Study on PAHs in the surface soil of the region around Qinghai Lake in the Tibet plateau: evaluation of distribution characteristics, sources and ecological risks. <i>Environmental Research Communications</i> , 2021, 3, 041005.	0.9	4
641	Concentrations, sources and risks of PAHs in dissolved and suspended material particulate fractions from the Northwest Atlantic Coast of the Iberian Peninsula. <i>Marine Pollution Bulletin</i> , 2021, 165, 112143.	2.3	5
642	An ecotoxicological approach to microplastics on terrestrial and aquatic organisms: A systematic review in assessment, monitoring and biological impact. <i>Environmental Toxicology and Pharmacology</i> , 2021, 84, 103615.	2.0	44
643	Concentration, sources, and inhalation-based risk assessment of PM2.5-bound PAHs and trace elements in ambient air of areas with low and high traffic density in Tehran. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	7
644	Temporal Variations and Source Identification of Polycyclic Aromatic Hydrocarbons (PAHs) in Rainwater Collected in a Semi-Urban Area within an Industrial Area in Turkey. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 4965-4983.	1.4	9
645	INCIDENCES OF POLYCYCLIC AROMATIC HYDROCARBONS IN ROASTED PLANTAINS OBTAINED WITHIN OSOGBO METROPOLIS, NIGERIA. <i>Journal of Science and Arts</i> , 2021, 21, 539-546.	0.1	2
646	Polyarene analysis-based identification of natural and technogenic processes in underground hydrosphere. <i>Earth Sciences and Subsoil Use</i> , 2021, 44, 167-173.	0.1	0
647	Distribution, fate and sources of polycyclic aromatic hydrocarbons (PAHs) in atmosphere and surface water of multiple coral reef regions from the South China Sea: A case study in spring-summer. <i>Journal of Hazardous Materials</i> , 2021, 412, 125214.	6.5	50
648	Impact of Land-Use Types on the Distribution and Exposure Risk of Polycyclic Aromatic Hydrocarbons in Dusts from Benin City, Nigeria. <i>Archives of Environmental Contamination and Toxicology</i> , 2021, 81, 210-226.	2.1	4
649	Source apportionment of polycyclic aromatic hydrocarbons and black carbon at the western coastal areas of the Yellow Sea based on isotopic signatures. <i>Ecological Indicators</i> , 2021, 127, 107725.	2.6	5
650	Distribution and fate of PAHs contaminants deposited in the sediments of North-Western Creeks adjoining the Arabian sea of Mumbai, India: Implications for monitoring. <i>Environmental Forensics</i> , 2023, 24, 146-163.	1.3	1
651	Analysis of Factors Influencing Plant-Microbe Combined Remediation of Soil Contaminated by Polycyclic Aromatic Hydrocarbons. <i>Sustainability</i> , 2021, 13, 10695.	1.6	11
652	Validation of an analytical technique, distribution, and risk assessment of aliphatic and polycyclic aromatic hydrocarbons in surface sediments of the coastal and selected estuaries of Sarawak. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	7
653	Polycyclic aromatic hydrocarbons in the snow cover of the northern city agglomeration. <i>Scientific Reports</i> , 2021, 11, 19074.	1.6	9

#	ARTICLE	IF	CITATIONS
654	Organochlorines and Polycyclic Aromatic Hydrocarbons as fingerprint of exposure pathways from marine sediments to biota. <i>Marine Pollution Bulletin</i> , 2021, 170, 112676.	2.3	14
655	Exploration of polycyclic aromatic hydrocarbon distribution in the sediments of marine environment by hydrodynamic simulation model. <i>Marine Pollution Bulletin</i> , 2021, 171, 112697.	2.3	6
656	A case study of PAH contamination using blue mussels as a bioindicator in a small Greenlandic fishing harbor. <i>Marine Pollution Bulletin</i> , 2021, 171, 112688.	2.3	6
657	Temporal and spatial characteristics of PAHs in oysters from the Pearl River Estuary, China during 2015-2020. <i>Science of the Total Environment</i> , 2021, 793, 148495.	3.9	8
658	The Water Quality of Izmir Bay: A Case Study. <i>Reviews of Environmental Contamination and Toxicology</i> , 2011, 211, 1-24.	0.7	6
659	Organic Pollutants. <i>Fundamentals in Organic Geochemistry</i> , 2018, , 55-156.	0.2	2
660	Contamination des eaux pluviales par les micropolluants: avancées du projet INOGEV. <i>Techniques - Sciences - Methodes</i> , 2017, , 51-70.	0.0	5
663	Levels, Distribution and Sources of Polycyclic Aromatic Hydrocarbons in Surface Water in the Lower Reach of Qua Iboe River Estuary, Nigeria. <i>American Journal of Environmental Protection</i> , 2015, 4, 334.	0.0	2
665	Assessment of Polycyclic Aromatic Hydrocarbons Contamination in Water, Sediment and Fish of Tensah Lake, Suez Canal, Egypt. <i>Current World Environment Journal</i> , 2006, 1, 11-22.	0.2	8
666	Concentrations, Source and Risk Assessment of Polycyclic Aromatic Hydrocarbons in Soils from Midway Atoll, North Pacific Ocean. <i>PLoS ONE</i> , 2014, 9, e86441.	1.1	53
668	Contamination of Red Sea Shrimp (<i>Palaemon serratus</i>) with Polycyclic Aromatic Hydrocarbons: a Health Risk Assessment Study. <i>Polish Journal of Environmental Studies</i> , 2016, 25, 615-620.	0.6	19
669	Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Sediments of Two Polluted Lagoons in Saudi Arabia. <i>Polish Journal of Environmental Studies</i> , 2018, 27, 275-285.	0.6	16
670	HIDROCARBONETOS POLICÍCLICOS AROMÁTICOS ATMOSFÉRICOS DE FONTES AUTOMOTIVAS: UMA BREVE REVISÃO. <i>Holos</i> , 0, 1, 102-114.	0.0	1
671	DISTRIBUTION AND SOURCES APPORTIONMENT OF POLYCYCLIC AROMATIC HYDROCARBONS IN THE EDIBLE BIVALVES AND SIPUNCULIDA FROM COASTAL AREAS OF BEIBU GULF, CHINA. <i>Applied Ecology and Environmental Research</i> , 2017, 15, 1211-1225.	0.2	4
672	Preliminary assessment of Miramar Petrochemical Harbor as PAH source to Guajarã bay (Belém-PA-Brazil) surface sediments. <i>REM: International Engineering Journal</i> , 2017, 70, 415-420.	0.2	5
673	Distributions, sources and ecological risk assessment of polycyclic aromatic hydrocarbons in sediments from Xidayang Reservoir, Hebei Province. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2011, 23, 701-707.	0.3	1
674	Distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in surface sediment in Lake Chaohu. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2012, 24, 891-898.	0.3	3
675	Use of sewage sludge in agricultural soils: Useful or harmful. <i>Eurasian Journal of Soil Science</i> , 2020, 9, 126-139.	0.2	20

#	ARTICLE	IF	CITATIONS
676	Quantification and cancer risk evaluation of polycyclic aromatic hydrocarbons in soil around selected telecom masts in Delta state Nigeria. <i>Egyptian Journal of Chemistry</i> , 2020, 63, 433-448.	0.1	13
677	Origin and Distribution of Polycyclic Aromatic Hydrocarbons in Lagoon Ecosystems of Morocco. <i>The Open Environmental Pollution & Toxicology Journal</i> , 2012, 3, 37-46.	0.1	11
679	DEPOSITION FLUXES OF POLYCYCLIC AROMATIC HYDROCARBONS IN THE BOTTOM SEDIMENTS OF LAKE PIHKVA. <i>Oil Shale</i> , 2013, 30, 550.	0.5	3
680	Identification of a small HSP gene from hard clam <i>Meretrix meretrix</i> and its potential as an environmental stress biomarker. <i>Aquatic Biology</i> , 2013, 18, 243-252.	0.5	12
681	Chemicals used for maintenance of wood rafts in mussel farms: evaluation of their potential toxic risk to mussel culture. <i>Aquaculture Environment Interactions</i> , 2014, 6, 55-66.	0.7	5
682	Petroleum Hydrocarbons Accumulation Potential of Shellfishes from Littoral Waters of the Bight of Bonny, Niger Delta, Nigeria. <i>Research Journal of Environmental Sciences</i> , 2007, 1, 11-19.	0.5	13
683	Biodegradation of PAHs in $\frac{1}{2}$ Pristine $\frac{1}{2}$ Soils from Different Climatic Regions. <i>Journal of Bioremediation & Biodegradation</i> , 0, s1, .	0.5	41
684	Autumn and Wintertime Polycyclic Aromatic Hydrocarbons in PM _{2.5} and PM _{2.5-10} from Urumqi, China. <i>Aerosol and Air Quality Research</i> , 2013, 13, 407-414.	0.9	26
685	PAHs in Sediments along the Semi-Closed Areas of Alexandria, Egypt. <i>Journal of Environmental Protection</i> , 2011, 02, 700-709.	0.3	14
686	ANTARCTIC FISH METABOLIC RESPONSES AS POTENTIAL BIOMARKERS OF ENVIRONMENTAL IMPACT. <i>Oecologia Australis</i> , 2011, 15, 124-149.	0.1	10
687	Contemporary organic contamination levels in digested sewage sludge from treatment plants in Korea: (2) Non-alkylated Polycyclic Aromatic Hydrocarbons. <i>Journal of Environmental Science International</i> , 2005, 14, 413-425.	0.0	1
688	Accumulation and Characterization of Polycyclic Aromatic Hydrocarbons in Seafood from the Coastal Areas of Korea. <i>Journal of Fisheries Science and Technology</i> , 2002, 5, 127-135.	0.2	3
689	Distribution and fate of polycyclic aromatic hydrocarbons (PAHs) in recent sediments from the Gulf of Gdańsk (SE Baltic). <i>Oceanologia</i> , 2010, 52, 669-703.	1.1	34
690	Characteristic Fingerprints of Polycyclic Aromatic Hydrocarbons and Total Petroleum Hydrocarbons Pollution in Petrochemical Areas. <i>International Journal of Environmental Pollution and Solutions</i> , 0, , .	1.0	1
691	OIL CONTAMINATION IN THE NIGER DELTA. <i>International Oil Spill Conference Proceedings</i> , 2014, 2014, 1706-1718.	0.1	2
692	Evidence of Organic Contamination in Urban Soils of Cotonou Town (Benin). <i>British Journal of Environment and Climate Change</i> , 2012, 2, 99-112.	0.3	5
693	Quantification and Distribution Characteristics of Polycyclic Aromatic Hydrocarbons in Soil Profiles of Western Delta, Nigeria.. <i>IOSR Journal of Environmental Science, Toxicology and Food Technology</i> , 2014, 8, 31-39.	0.1	1
694	Polycyclic aromatic hydrocarbons in sediments of the Venice Lagoon. , 2003, , 283-290.		3

#	ARTICLE	IF	CITATIONS
696	Distribution and Origin of Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Sediments Inside Hallim Harbor of Jeju Island, Korea. <i>Journal of Environmental Science International</i> , 2003, 12, 1145-1157.	0.0	1
697	Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) in Surface Sediments inside Songsanpo and Seogwipo Harbors of Jeju Island, Korea. <i>Journal of Environmental Science International</i> , 2005, 14, 105-119.	0.0	0
698	Distribution, sources and ecological risk assessment of polycyclic aromatic hydrocarbons in sediments from Wangkuai Reservoir, Hebei Province. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2009, 21, 647-653.	0.3	0
699	Substances prioritaires dans les rejets urbains de temps de pluie : cas du d'Ã©versoir de Clichy. <i>Techniques - Sciences - Methodes</i> , 2012, , 30-43.	0.0	0
700	Distributions and Sources of Polycyclic Aromatic Hydrocarbons in the Tidal Flat Sediments from Incheon Coastal Area. <i>Journal of Wetlands Research</i> , 2013, 15, 441-451.	0.2	2
701	Occurrence of polycyclic aromatic hydrocarbons (PAHs) in beached plastic pellets from Mumbai coast, India. <i>Journal of Tropical Forestry and Environment</i> , 2014, 4, .	0.1	0
702	Variability in Polycyclic Aromatic Hydrocarbons (PAHs) Isomer Pair Ratio: Source Identification Concern. <i>International Journal of Environmental Monitoring and Analysis</i> , 2015, 3, 111.	0.2	0
703	Distribution of polycyclic aromatic hydrocarbons in sediments from the Changjiang River. , 0, , .		0
704	Biomarkers and Ultra Structural Evaluation of Marine Pollution by Polycyclic Aromatic Hydrocarbons. <i>Journal of Environmental Protection</i> , 2016, 07, 1283-1304.	0.3	2
705	Phytoremediation of Polycyclic Aromatic Hydrocarbons (PAHs) in Urban Atmospheric Deposition Using Bio-retention Systems. , 2016, , 91-115.		0
707	A Study on Characteristics of Micro Toxic Pollutants contained in Highway Dusts. <i>Journal of Japan Society of Civil Engineers Ser G (Environmental Research)</i> , 2018, 74, III_517-III_526.	0.1	0
708	Ä°stanbulâ€™un Kent TopraklarÄ±nda Polisiklik Aromatik HidrokarbonlarÄ±n (PAHs) Birikimi ve KÃ¶kleri Ä°zerine Bir Ä–n AraÅ™t±rma. GÃ¼mÅ¼hane Ä°niversitesi Fen Bilimleri EnstitÃ¼sÃ¼ Dergisi, 0, , .	0.0	0
709	Evaluation of Polycyclic Aromatic Hydrocarbons and Total Petroleum Hydrocarbons Profiles in Some Nigerian Crude Oils. <i>Journal of Scientific Research and Reports</i> , 0, , 1-14.	0.2	0
710	Ecological Risk Assessment for Sediment and Water of Oil Terminal Operation in Sidi Kreir Coastal Area, Alexandria, Egypt. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 283-296.	0.5	0
711	Seasonal and Temporal Influence on Polycyclic Aromatic Hydrocarbons in the Red Sea Coastal Water, Egypt. <i>Sustainability</i> , 2021, 13, 11906.	1.6	7
712	Polycyclic aromatic hydrocarbons and organochlorine pesticides in floodplain soils: A case study of Onuku River in Okitipupa, Nigeria. <i>Environmental Challenges</i> , 2021, 5, 100351.	2.0	5
713	Distribution and Source of Polycyclic Aromatic Hydrocarbons in Water and Sediments from Egbe Dam in Southwestern Nigeria. , 2020, 11, .		2
714	Assessment of Polycyclic Aromatic Hydrocarbons Content in Marine Organisms of Commercial Interest from the Romanian Black Sea Coast. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 7595-7606.	1.4	3

#	ARTICLE	IF	CITATIONS
715	Application of a Multidisciplinary Weight of Evidence Approach as a Tool for Monitoring the Ecological Risk of Dredging Activities. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	5
716	Sources, Toxicity, Health and Ecological Risks of Polycyclic Aromatic Hydrocarbons (PAHs) in the Sediment of an Osogbo Tourist River. <i>Soil and Sediment Contamination</i> , 2022, 31, 669-691.	1.1	2
717	Distribution, sources, and ecological risk assessment of polycyclic aromatic hydrocarbons (PAHs) in the tidal creek water of coastal tidal flats in the Yellow River Delta, China. <i>Marine Pollution Bulletin</i> , 2021, 173, 113110.	2.3	31
718	Polycyclic Aromatic Hydrocarbons in Soil and Human Health Risk Levels for Various Land-Use Areas in Ulsan, South Korea. <i>Frontiers in Environmental Science</i> , 2022, 9, .	1.5	3
719	Cryoconites as biogeochemical markers of anthropogenic impact in high mountain regions: analysis of polyaromatic pollutants in soil-like bodies. <i>One Ecosystem</i> , 0, 7, .	0.0	6
720	Biogenic and anthropogenic sources of sedimentary organic matter in marine coastal areas: A multi-proxy approach based on bulk and molecular markers. <i>Marine Chemistry</i> , 2022, 239, 104069.	0.9	8
721	Distributions and potential sources of traditional and emerging polycyclic aromatic hydrocarbons in sediments from the lower reach of the Yangtze River, China. <i>Science of the Total Environment</i> , 2022, 815, 152831.	3.9	10
722	Change of Diagnostic Ratios in Residual Extracts and Expelled Oils During Semi-Open Pyrolysis Experiments of an Organic-Rich Shale. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
723	Novel nanomaterials for nanobioremediation of polyaromatic hydrocarbons. , 2022, , 643-667.		3
724	Characterization of the organic matter in sediments of the Great War Island (Belgrade, Serbia). <i>Journal of Soils and Sediments</i> , 2022, 22, 640-655.	1.5	1
725	A multivariate approach to polycyclic aromatic hydrocarbon source apportionment in Connecticut, USA using compound-specific isotopic compositions. <i>Environmental Earth Sciences</i> , 2022, 81, 1.	1.3	1
726	Inorganic and organic pollutants in the snow cover of the northern city. <i>International Journal of Environmental Analytical Chemistry</i> , 0, , 1-15.	1.8	2
727	Sources, pollution, and ecological risk assessment of polycyclic aromatic hydrocarbons (PAHs) in Porto-Novo Lagoon, Benin Republic. <i>Environmental Geochemistry and Health</i> , 2023, 45, 825-841.	1.8	4
728	Multivariate tools to investigate the spatial contaminant distribution in a highly anthropized area (Gulf of Naples, Italy). <i>Environmental Science and Pollution Research</i> , 2022, 29, 62281-62298.	2.7	8
729	Polycyclic aromatic hydrocarbons in selected rivers in southwestern Nigeria: Seasonal distribution, source apportionment and potential risk assessment. <i>Regional Studies in Marine Science</i> , 2022, 52, 102318.	0.4	4
730	Change in diagnostic ratios in expelled oils and residual extracts during semi-open pyrolysis experiments of an organic-rich shale. <i>Environmental Pollution</i> , 2022, 302, 119058.	3.7	5
731	Legacy and emerging persistent organic pollutants in the marginal seas of China: Occurrence and phase partitioning. <i>Science of the Total Environment</i> , 2022, 827, 154274.	3.9	10
733	TPH and PAHs in an oil-rich metropolis in SW Iran: Implication for source apportionment and human health. <i>Human and Ecological Risk Assessment (HERA)</i> , 0, , 1-21.	1.7	0

#	ARTICLE	IF	CITATIONS
735	Polycyclic aromatic hydrocarbons (PAHs) in Greater Cairo water supply systems. <i>Journal of Water and Health</i> , 2022, 20, 680-691.	1.1	7
743	Polycyclic aromatic hydrocarbons in giant African snails <i>Archachatina marginata</i> (Swainson, 1821) (Gastropoda: Pulmonata Achatinidae) from southern Nigeria. <i>Journal of Food Composition and Analysis</i> , 2022, 111, 104592.	1.9	0
744	Polycyclic aromatic hydrocarbons in the Siberian Arctic seas sediments. <i>Marine Pollution Bulletin</i> , 2022, 180, 113741.	2.3	8
745	Occurrence, origin and potential ecological risk of dissolved polycyclic aromatic hydrocarbons and organochlorines in surface waters of the Gulf of Gabon's (Tunisia, Southern Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2022, 180, 113737.	2.3	13
746	Direct Thermal Desorption-Gas Chromatography-Tandem Mass Spectrometry Versus Microwave Assisted Extraction and GC-MS for the Simultaneous Analysis of Polyaromatic Hydrocarbons (PAHs), Tj ETQq0 0 0 r0BT /Overlock 10 Tf 5		
747	Polycyclic aromatic hydrocarbons in the Upper Cretaceous lacustrine deposits from the Songliao Basin (NE China): Implications for wildfires and paleoclimate. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 600, 111083.	1.0	2
748	Usage of Needle and Branches in the Applications of Biomonitoring, Source Apportionment and Risk Assessment. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
749	Application of the Response Surface Methodology (RSM) in the Optimization of Acenaphthene (ACN) Removal from Wastewater by Activated Carbon. <i>Sustainability</i> , 2022, 14, 8581.	1.6	3
750	Exploiting urban roadside snowbanks as passive samplers of organic micropollutants and metals generated by traffic. <i>Environmental Pollution</i> , 2022, 308, 119723.	3.7	7
751	Legacy PAHs in effluent receiving river sediments near a large petroleum products depot in Enugu, Nigeria: Human health risks and economic cost of pollution. <i>Environmental Pollution</i> , 2022, 309, 119731.	3.7	3
752	Direct thermal desorption-gas chromatography-tandem mass spectrometry versus microwave assisted extraction and GC-MS for the simultaneous analysis of polyaromatic hydrocarbons (PAHs, PCBs) from sediments. <i>Talanta</i> , 2022, 250, 123735.	2.9	11
753	A systematic assessment of research trends on polycyclic aromatic hydrocarbons in different environmental compartments using bibliometric parameters. <i>Environmental Geochemistry and Health</i> , 0, , .	1.8	2
754	Assessment of Polycyclic Aromatic Hydrocarbons in Water and Fish and the Associated Human Health Risk at Porto-Novo Lagoon, Benin Republic. <i>Water, Air, and Soil Pollution</i> , 2022, 233, .	1.1	1
755	ContaminaÃ§Ã£o quÃªmica. , 2009, , 244-297.		3
756	Community diversity of soil meso-fauna indicates the impacts of oil exploitation on wetlands. <i>Ecological Indicators</i> , 2022, 144, 109451.	2.6	2
757	An insightful overview of the distribution pattern of polycyclic aromatic hydrocarbon in the marine sediments of the Red Sea. <i>Open Chemistry</i> , 2022, 20, 777-784.	1.0	0
758	Effect of petroleum products depot on Nwaenebo-Emene river sediments, Enugu, Nigeria: contamination by PAHs and associated exposure risks to both humans and aquatic biota. <i>International Journal of Environmental Analytical Chemistry</i> , 0, , 1-19.	1.8	0
760	Bioaccessible PAH influence on distribution of antibiotic resistance genes and soil toxicity of different types of land use. <i>Environmental Science and Pollution Research</i> , 2023, 30, 12695-12713.	2.7	3

#	ARTICLE	IF	CITATIONS
761	Assessment of the impact of reforestation on soil, riparian sediment and river water quality based on polycyclic aromatic hydrocarbon pollutants. <i>Journal of Environmental Management</i> , 2022, 324, 116331.	3.8	1
762	Hydrocarbons in the water and bottom sediments of Sivash Bay (the Azov Sea) during its salinization. <i>Environmental Science and Pollution Research</i> , 0, .	2.7	0
763	PAHs and trace metals in marine surficial sediments from the Porcupine Bank (NE Atlantic): A contribution to establishing background concentrations. <i>Science of the Total Environment</i> , 2023, 856, 159189.	3.9	2
764	Ecotoxicity of chrysene and phenanthrene on meiobenthic nematodes with a case study of <i>Terschellingia longicaudata</i> : Taxonomics, toxicokinetics, and molecular interactions modelling. <i>Environmental Pollution</i> , 2023, 316, 120459.	3.7	5
765	Improved identification of pollution source attribution by using PAH ratios combined with multivariate statistics. <i>Scientific Reports</i> , 2022, 12, .	1.6	5
766	A multi-criteria approach to investigate spatial distribution, sources, and the potential toxicological effect of polycyclic aromatic hydrocarbons (PAHs) in sediments of urban retention tanks. <i>Environmental Science and Pollution Research</i> , 0, .	2.7	0
767	Sedimentary spatial variation, source identification and ecological risk assessment of parent, nitrated and oxygenated polycyclic aromatic hydrocarbons in a large shallow lake in China. <i>Science of the Total Environment</i> , 2023, 863, 160926.	3.9	7
768	Polycyclic Aromatic Hydrocarbons in the Snow Cover in the City of Tyumen (Western Siberia, Russia). <i>Toxics</i> , 2022, 10, 743.	1.6	4
769	Usage of Needle and Branches in the Applications of Bioindicator, Source Apportionment and Risk Assessment of PAHs. <i>Atmosphere</i> , 2022, 13, 1938.	1.0	0
770	A Snapshot on the Occurrence and Risk Assessment of Organic Pollutants in an Urban River. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 146.	1.3	4
771	Macrocharcoal Signals in Histosols Reveal Wildfire History of Vast Western Siberian Forest-Peatland Complexes. <i>Plants</i> , 2022, 11, 3478.	1.6	1
772	Polycyclic Aromatic Hydrocarbons in Sea Bottom Sediments of the Balaklava Bay (Black Sea). <i>Springer Geology</i> , 2023, , 145-155.	0.2	0
773	Synthetic Nanoparticle-Based Remediation of Soils Contaminated with Polycyclic Aromatic Hydrocarbons. , 2023, , 1-22.		1
774	Polycyclic aromatic hydrocarbons in the surface water and sediment along Euphrates River system: Occurrence, sources, ecological and health risk assessment. <i>Marine Pollution Bulletin</i> , 2023, 187, 114568.	2.3	13
775	Trace Metals and Polycyclic Aromatic Hydrocarbons in the Snow Cover of the City of Nizhnevartovsk (Western Siberia, Russia). <i>Archives of Environmental Contamination and Toxicology</i> , 2023, 84, 101-118.	2.1	6
776	Dissolved/dispersed polycyclic aromatic hydrocarbon spatial and temporal changes in the Western Gulf of Mexico. <i>Frontiers in Marine Science</i> , 0, 9, .	1.2	2
777	Distribution of 26 Metals in the Waters of the Aquatic Ecosystems of the Cotonou Channel and Lake Nokoué, Benin. <i>Journal of Materials Science and Chemical Engineering</i> , 2023, 11, 13-28.	0.2	0
778	Occurrence and health risks assessment of polycyclic aromatic hydrocarbons (PAHs) in road dust and soil samples at Dhaka city, Bangladesh. <i>Case Studies in Chemical and Environmental Engineering</i> , 2023, 7, 100304.	2.9	2

#	ARTICLE	IF	CITATIONS
779	Distribution and ecological risk of polycyclic aromatic hydrocarbons in wastewater treatment plant sludge and sewer sediment from cities in Middle and Lower Yangtze River. <i>Science of the Total Environment</i> , 2023, 881, 163212.	3.9	6
780	Polycyclic aromatic hydrocarbons in mullet (<i>Chelon auratus</i>) from two lagoons of great ecological and economic importance in Tunisia: Levels, sources and human health risk implications. <i>Journal of Sea Research</i> , 2023, 192, 102325.	0.6	4
781	Coupling of Anammox Activity and PAH Biodegradation: Current Insights and Future Directions. <i>Processes</i> , 2023, 11, 458.	1.3	0
782	Sources identification and distribution of aliphatic and aromatic hydrocarbons in coastal sediments of Arica Bay " Chile. <i>International Journal of Environmental Analytical Chemistry</i> , 0, , 1-14.	1.8	0
783	Hydrocarbons occurrence and transcriptomic response of oyster <i>Crassostrea virginica</i> from lagoons of the Southern Gulf of Mexico. <i>Frontiers in Marine Science</i> , 0, 10, .	1.2	0
784	Plant Leave as an Indicator for Pollution by Hydrocarbons and Heavy Metals in Al-Zubair City, Southern Iraq. <i>Economic and Environmental Geology</i> , 2023, 56, 75-85.	0.2	0
785	Determination of carbonyls and size-segregated polycyclic aromatic hydrocarbons, and their nitro and alkyl analogs in emissions from diesel"biodiesel-ethanol blends. <i>Environmental Science and Pollution Research</i> , 0, , .	2.7	1
787	Synthetic Nanoparticle-Based Remediation of Soils Contaminated with Polycyclic Aromatic Hydrocarbons. , 2023, , 467-488.		0
805	Pattern Recognition for Spatial Distribution of Heavy Metals and Hydrocarbons in a Polluted Marine Basin. , 2023, , .		0
806	Perspective Chapter: Health and Safety in Oyster Aquaculture. , 0, , .		0
809	Forensic Fingerprinting of Biomarkers for the Geochemical Characterization of Oil Spills and Soil Contamination in the Coastal Area of Bizerte, Tunisia. <i>Advances in Science, Technology and Innovation</i> , 2023, , 155-159.	0.2	0
819	Applications of geochemistry to medical geology. , 2024, , 619-656.		0