

CITATION REPORT

List of articles citing

A model to predict poor survival in patients undergoing transjugular intrahepatic portosystemic shunts

DOI: 10.1053/he.2000.5852
Hepatology, 2000, 31, 864-71.

Source: <https://exaly.com/paper-pdf/31566634/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2270	Studies on avian erythrocyte metabolism--I. Procedure for separation and quantitation of the major phosphorylated metabolic intermediates by anion exchange chromatography. 1976 , 53, 95-9		32
2269	Transjugular intrahepatic portosystemic shunt vs. small-diameter prosthetic H-graft portacaval shunt: extended follow-up of an expanded randomized prospective trial. 2000 , 4, 589-97		87
2268	Cost-effectiveness of hepatitis A vaccination in patients with chronic hepatitis C. <i>Hepatology</i> , 2000 , 32, 873-873	11.2	4
2267	Acute hepatitis after starting zinc therapy in a patient with presymptomatic Wilson's disease. <i>Hepatology</i> , 2000 , 32, 877	11.2	8
2266	Difficulties in conducting controlled trials in radical therapies for nonadvanced hepatocellular carcinoma. <i>Hepatology</i> , 2000 , 32, 877-80	11.2	12
2265	Comprehensive allelotype study of hepatocellular carcinoma. <i>Hepatology</i> , 2000 , 32, 876-876	11.2	4
2264	Normalizing the prothrombin time. <i>Hepatology</i> , 2000 , 32, 881	11.2	1
2263	Normalizing the prothrombin time. <i>Hepatology</i> , 2000 , 32, 881a-881a	11.2	2
2262	Cost-effectiveness of hepatitis A vaccination in patients with chronic hepatitis C. <i>Hepatology</i> , 2000 , 32, 874-875	11.2	1
2261	Cost-effectiveness of hepatitis A vaccination in patients with chronic hepatitis C. <i>Hepatology</i> , 2000 , 32, 873-4; author reply 874-5	11.2	8
2260	Salvage transjugular intrahepatic portosystemic shunt for uncontrolled variceal bleeding in patients with decompensated cirrhosis. 2001 , 35, 590-7		142
2259	Management of ascites. 2001 , 5, 541-68, viii		22
2258	The Role of the Interventional Radiologist: Transjugular Procedures. 2001 , 11, 131-161		9
2257	Liver transplantation: evolving patient selection criteria. 2001 , 15, 729-38		21
2256	PREDICTING SURVIVAL IN END-STAGE LIVER DISEASE. 2001 , 2, 94-95		
2255	Portal hypertension. 2001 , 17, 281-90		8
2254	Models predicting the natural history of cirrhosis and need for liver transplantation. 2001 , 6, 107-113		3

2253	Liver transplantation. 2001 , 17, 299-303		1
2252	[Transjugular portosystemic stent shunt (TIPSS) as intervention in clinical complications of portal hypertension]. 2001 , 41, 877-83		
2251	Ascites. 2001 , 4, 527-537		8
2250	A model to predict survival in patients with end-stage liver disease. <i>Hepatology</i> , 2001 , 33, 464-70	11.2	3267
2249	Predicting the prognosis of chronic liver disease: an evolution from child to MELD. Mayo End-stage Liver Disease. <i>Hepatology</i> , 2001 , 33, 473-5	11.2	140
2248	Expanding the use of transjugular intrahepatic portosystemic shunts for veno-occlusive disease. 2001 , 7, 154-7		19
2247	MELD and PELD: application of survival models to liver allocation. 2001 , 7, 567-80		653
2246	Feature subset selection by genetic algorithms and estimation of distribution algorithms. A case study in the survival of cirrhotic patients treated with TIPS. 2001 , 23, 187-205		38
2245	Clinical liver transplantation. 2001 , 1, 18-20		2
2244	Current management and novel therapeutic strategies for refractory ascites and hepatorenal syndrome. 2001 , 94, 293-300		13
2243	Prognostic value of hepatocyte proliferative activity after transjugular intrahepatic portosystemic shunt. 2001 , 96, 1866-71		3
2242	Artificial Intelligence in Medicine. 2001 ,		8
2241	Development of a pediatric end-stage liver disease score to predict poor outcome in children awaiting liver transplantation. 2002 , 74, 173-81		272
2240	Prospective evaluation of a clinical score for 60-day mortality after transjugular intrahepatic portosystemic stent-shunt: Bonn TIPSS early mortality analysis. 2002 , 14, 723-31		34
2239	Transjugular intrahepatic portosystemic stent-shunt and liver transplantation--how safe is the bridge?. 2002 , 14, 821-2		7
2238	The 1-year and 3-month prognostic utility of the AST/ALT ratio and model for end-stage liver disease score in patients with viral liver cirrhosis. 2002 , 97, 2855-60		47
2237	MELD score is better than Child-Pugh score in predicting 3-month survival of patients undergoing transjugular intrahepatic portosystemic shunt. 2002 , 36, 494-500		212
2236	Determinants of early mortality in patients with decompensated chronic hepatitis B treated with antiviral therapy. 2002 , 123, 719-27		220

2235	TIPS in the Transplant Patient. 2002 , 13, P64-P67		
2234	Prediction of survival outcome of ICU patients awaiting orthotopic liver transplantation. 2002 , 34, 1223-5		2
2233	Evaluation of a model to predict poor survival in patients undergoing elective TIPS procedures. 2002 , 13, 1103-8		31
2232	Serum bilirubin and early mortality after transjugular intrahepatic portosystemic shunts: results of a multivariate analysis. 2002 , 13, 155-61		66
2231	Derivaci3n portosist3mica percut3nea intrahep3tica como tratamiento del hidrot3rax hep3tico refractario. 2002 , 25, 143-147		3
2230	Chronic hepatitis B: current and future treatment options. 2002 , 22, 721-37		17
2229	Out came copious water. <i>Hepatology</i> , 2002 , 36, 261-4	11.2	6
2228	Spontaneous Bacterial Peritonitis. 2002 , 5, 479-489		1
2227	[Indicators for longterm survival after the transjugular portosystemic intrahepatic shunt procedure]. 2002 , 42, 745-52		1
2226	Transjugular intrahepatic portosystemic shunt (TIPS): current status and future possibilities. 2002 , 25, 251-69		44
2225	New liver allocation policies and their potential effect on pediatric patients awaiting liver transplantation. 2002 , 6, 180-6		11
2224	Experiences with MARS liver support therapy in liver failure: analysis of 176 patients of the International MARS Registry. 2002 , 22 Suppl 2, 20-5		48
2223	Scoring severity of chronic liver disease. 2002 , 17 Suppl 3, S298-9		2
2222	Hepatorenal syndrome in patients with cirrhosis. 2002 , 17, 739-47		42
2221	Child comes of age. <i>Hepatology</i> , 2002 , 35, 244-5	11.2	20
2220	Treatment of ribavirin/interferon-induced anemia with erythropoietin in patients with hepatitis C. <i>Hepatology</i> , 2002 , 35, 1281-2	11.2	30
2219	Model for end-stage liver disease (MELD) for predicting mortality in patients with acute variceal bleeding. <i>Hepatology</i> , 2002 , 35, 1282-4	11.2	84
2218	The SJL/J mouse is not a model for PBC. <i>Hepatology</i> , 2002 , 35, 1284-6	11.2	11

2217	Model for end-stage liver disease and Child-Turcotte-Pugh score as predictors of pretransplantation disease severity, posttransplantation outcome, and resource utilization in United Network for Organ Sharing status 2A patients. 2002 , 8, 278-84	164
2216	Predictors of mortality and stenosis after transjugular intrahepatic portosystemic shunt. 2002 , 8, 271-7	34
2215	Predicting the probability of progression-free survival in patients with small hepatocellular carcinoma. 2002 , 8, 323-8	57
2214	Prioritization of patients with liver cancer within the MELD system. 2002 , 8, 329-30	9
2213	Effect of lamivudine treatment on survival of 309 North American patients awaiting liver transplantation for chronic hepatitis B. 2002 , 8, 433-9	102
2212	Is MELD really the definitive score for liver allocation?. 2002 , 8, 795-8	27
2211	An examination of factors predicting prioritization for liver transplantation. 2002 , 8, 957-61	3
2210	The new liver allocation system: moving toward evidence-based transplantation policy. 2002 , 8, 851-8	530
2209	Longitudinal assessment of mortality risk among candidates for liver transplantation. 2003 , 9, 12-8	151
2208	A correlation between the pretransplantation MELD score and mortality in the first two years after liver transplantation. 2003 , 9, 117-23	155
2207	Is the change in MELD score a better indicator of mortality than baseline MELD score?. 2003 , 9, 19-21	28
2206	Transjugular intrahepatic portosystemic shunts: an update. 2003 , 9, 207-17	48
2205	MELD score predicts 1-year patient survival post-orthotopic liver transplantation. 2003 , 9, 473-6	164
2204	Model for End-Stage Liver Disease score does not predict patient or graft survival in living donor liver transplant recipients. 2003 , 9, 737-40	84
2203	Liver transplantation for primary sclerosing cholangitis in the Nordic countries: outcome after acceptance to the waiting list. 2003 , 9, 961-9	49
2202	The sickest first? Disparities with model for end-stage liver disease-based organ allocation: one region's experience. 2003 , 9, 1211-5	36
2201	Living donor liver transplantation for hepatitis B cirrhosis. 2003 , 9, 1181-4	11
2200	TIPS for management of refractory ascites: response and survival are both unpredictable. 2003 , 48, 542-50	28

2199	Treatment of Ascites. 2003 , 6, 481-491		9
2198	Current use of transjugular intrahepatic portosystemic shunts. 2003 , 5, 31-8		4
2197	Pretransplant MELD score as a predictor of outcome after liver transplantation for chronic hepatitis C. 2003 , 3, 626-30		59
2196	Liver and intestine transplantation. 2003 , 3 Suppl 4, 78-90		21
2195	Survival in patients undergoing transjugular intrahepatic portosystemic shunt: ePTFE-covered stentgrafts versus bare stents. <i>Hepatology</i> , 2003 , 38, 1043-1050	11.2	132
2194	TIPS in the Transplant Patient. 2003 , 14, P310-P315		
2193	Effect of minimal listing criteria on waiting list registration for liver transplantation: a process-outcome analysis. 2003 , 78, 431-5		5
2192	[Prognostic models of liver cirrhosis. The Model of End-Stage Liver Disease (MELD)]. 2003 , 26, 257-9		0
2191	Transjugular intrahepatic portosystemic shunts through hepatic neoplasms. 2003 , 14, 501-7		21
2190	Gastrointestinal hemorrhage: is the surgeon obsolete?. 2003 , 21, 1017-56		5
2189	Recent advances in liver transplantation. 2003 , 78, 197-210		69
2188	Hepatic perfusion as a predictor of mortality after transjugular intrahepatic portosystemic shunt creation in patients with refractory ascites. 2003 , 14, 1251-7		19
2187	To transplant or not to transplant recurrent hepatitis C and liver failure. 2003 , 7, 615-29		23
2186	Transjugular intrahepatic portosystemic shunt: current status. 2003 , 124, 1700-10		120
2185	Utility of the MELD score for assessing 3-month survival in patients with liver cirrhosis: one more positive answer. 2003 , 125, 993-4; author reply 994-5		16
2184	Reply. 2003 , 125, 994-995		6
2183	Prognostic significance of the hepatopulmonary syndrome in patients with cirrhosis. 2003 , 125, 1042-52		277
2182	Model for end-stage liver disease (MELD) and allocation of donor livers. 2003 , 124, 91-6		1859

2181	Biliary lipid secretion, membrane pumps, and the metabolic response to fasting: distinct PPAR-ts of a common regulatory pathway. 2003 , 124, 254-7	
2180	MELD: the answer or just more questions?. 2003 , 124, 251-4	28
2179	The North American Study for the Treatment of Refractory Ascites. 2003 , 124, 634-41	334
2178	MELD/PELD: one year later. 2003 , 35, 2425-7	18
2177	Is MELD useful in evaluating the surgical risk in liver transplantation candidates?. 2003 , 35, 705-6	6
2176	Left liver grafts for patients with MELD score of less than 15. 2003 , 35, 1433-4	5
2175	Improvement of prognostic power of the Child-Pugh classification of liver cirrhosis by hyaluronan. 2003 , 39, 947-53	24
2174	Hepatorenal syndrome. 2003 , 362, 1819-27	446
2173	MR imaging features of primary sclerosing cholangitis: patterns of cirrhosis in relationship to clinical severity of disease. 2003 , 226, 675-85	69
2172	The MELD System for Liver Allocation. 2003 , 11, 551-556	
2171	MELD scoring system is useful for predicting prognosis in patients with liver cirrhosis and is correlated with residual liver function: a European study. 2003 , 52, 134-9	232
2170	Child-Pugh versus MELD score in predicting survival in patients undergoing transjugular intrahepatic portosystemic shunt. 2003 , 52, 879-85	210
2169	Prognostic impact of renal impairment and sodium imbalance in patients undergoing transjugular intrahepatic portosystemic shunting for the prevention of variceal rebleeding. 2003 , 67, 146-53	14
2168	A 50-year-old man with hepatitis C and cirrhosis needing liver transplantation. 2003 , 290, 3238-46	1
2167	Relationship of the model for end-stage liver disease (MELD) scale to hepatic encephalopathy, as defined by electroencephalography and neuropsychometric testing, and ascites. 2003 , 98, 1395-9	64
2166	Transjugular intrahepatic portosystemic shunt for refractory ascites: an analysis of the literature on efficacy, morbidity, and mortality. 2003 , 98, 2521-7	59
2165	Hepatitis C virus in human immunodeficiency virus-infected individuals: an emerging comorbidity with significant implications. 2003 , 23, 149-66	22
2164	Comparison of MELD, Child-Pugh, and Emory model for the prediction of survival in patients undergoing transjugular intrahepatic portosystemic shunting. 2003 , 98, 1167-74	134

2163	Advances in critical care hepatology. 2003 , 168, 1421-6	30
2162	Geographic differences in access to transplantation in the United States. 2003 , 76, 1389-94	54
2161	Liver transplantation. 2003 , 19, 259-63	
2160	Predicting Mortality in Patients With Sarcoidosis Awaiting Lung Transplantation. 2003 , 124, 922-928	159
2159	Effects of middle hepatic vein reconstruction on right liver graft regeneration. 2003 , 76, 832-7	76
2158	Survival gain after liver transplantation for patients with alcoholic liver disease: a comparison across models and centers. 2003 , 76, 1479-86	3
2157	Critical analysis of the allocation policy for liver transplantation in Brazil. 2003 , 58, 179-84	2
2156	Invited Commentary. 2004 , 24, 36-37	8
2155	Ascites. 2004 , 114-119	1
2154	Survival after elective transjugular intrahepatic portosystemic shunt creation: prediction with model for end-stage liver disease score. 2004 , 231, 231-6	129
2153	Neuropsychiatric impact of hepatitis C on advanced HIV. 2004 , 62, 957-62	146
2152	Transjugular intrahepatic portosystemic shunts: long-term patency and clinical results in a patient cohort observed for 3-9 years. 2004 , 231, 537-45	48
2151	The Optimal Timing of Living-Donor Liver Transplantation. 2004 , 50, 1420-1430	130
2150	Stent-graft for TIPS in a hepatocellular carcinoma patient with main portal vein invasion. 2004 , 182, 1301-4	7
2149	A pilot study of the safety and tolerability of etanercept in patients with alcoholic hepatitis. 2004 , 99, 255-60	95
2148	TIPS versus transcatheter sclerotherapy for gastric varices. 2004 , 183, 369-76	101
2147	The value of the PRISM scores in comparing pediatric liver transplant outcomes. 2004 , 8, 208-9	1
2146	Aminopyrine breath test compared to the MELD and Child-Pugh scores for predicting mortality among cirrhotic patients awaiting liver transplantation. 2004 , 17, 31-38	20

2145	Which patients benefit from hemodialysis therapy in hepatorenal syndrome?. 2004 , 19, 1369-73		58
2144	Many staging systems for hepatocellular carcinoma: evolution from Child-Pugh, Okuda to SLiDe. 2004 , 19, 1227-32		11
2143	Review article: hepatic hydrothorax. 2004 , 20, 271-9		89
2142	Liver transplantation in the era of model for end-stage liver disease. 2004 , 24, 1-8		31
2141	Can inclusion of serum creatinine values improve the Child-Turcotte-Pugh score and challenge the prognostic yield of the model for end-stage liver disease score in the short-term prognostic assessment of cirrhotic patients?. 2004 , 24, 465-70		25
2140	Improving liver allocation: MELD and PELD. 2004 , 4 Suppl 9, 114-31		188
2139	Comparative analysis of outcome following liver transplantation in US veterans. 2004 , 4, 788-95		17
2138	Predicting survival among patients listed for liver transplantation: an assessment of serial MELD measurements. 2004 , 4, 1798-804		91
2137	Preoperative delta-MELD score does not independently predict mortality after liver transplantation. 2004 , 4, 1643-9		25
2136	[Gastrointestinal hemorrhage. What can be done if drug and endoscopic treatments fail?]. 2004 , 28 Spec No 2, B104-17		
2135	[Treatment of refractory ascites]. 2004 , 28 Spec No 2, B123-9		
2134	New horizons in kidney transplantation. 2004 , 23, 42-51		
2133	Influence of portal hypertension and its early decompression by TIPS placement on the outcome of variceal bleeding. <i>Hepatology</i> , 2004 , 40, 793-801	11.2	24
2132	Persistent ascites and low serum sodium identify patients with cirrhosis and low MELD scores who are at high risk for early death. <i>Hepatology</i> , 2004 , 40, 802-810	11.2	344
2131	Management of adult patients with ascites due to cirrhosis. <i>Hepatology</i> , 2004 , 39, 841-56	11.2	301
2130	MELD score as a predictor of pretransplant and posttransplant survival in OPTN/UNOS status 1 patients. <i>Hepatology</i> , 2004 , 39, 764-9	11.2	171
2129	Persistent ascites and low serum sodium identify patients with cirrhosis and low MELD scores who are at high risk for early death. <i>Hepatology</i> , 2004 , 40, 802-10	11.2	346
2128	Transjugular intrahepatic portosystemic shunts: experience in the oncology setting. 2004 , 101, 337-45		18

2127	Liver transplantation for hepatocellular carcinoma: the MELD impact. 2004 , 10, 36-41	205
2126	Results of the first year of the new liver allocation plan. 2004 , 10, 7-15	529
2125	A comparison of disease severity and survival rates after liver transplantation in the United Kingdom, Canada, and the United States. 2004 , 10, 898-902	32
2124	Pretransplant MELD score and post liver transplantation survival in the UK and Ireland. 2004 , 10, 903-7	106
2123	Overview of the MELD/PELD system of liver allocation indications for liver transplantation in the MELD era: evidence-based patient selection. 2004 , 10, S2-3	22
2122	Does MELD work for relisted candidates?. 2004 , 10, S10-6	26
2121	Expanded criteria donor grafts for deceased donor liver transplantation under the MELD system: a decision analysis. 2004 , 10, 1468-75	92
2120	Adult-adult living donor liver transplantation. 2004 , 8, 303-12	10
2119	TIPS: an update. 2004 , 18, 99-123	26
2118	Clinical value of increased serum creatinine concentration as predictor of short-term outcome in decompensated cirrhosis. 2004 , 39, 1149-53	11
2117	Polytetrafluoroethylene-covered stent grafts for TIPS procedure: 1-year patency and clinical results. 2004 , 99, 280-5	61
2116	Comparison of MELD and Child-Pugh scores to predict survival after chemoembolization for hepatocellular carcinoma. 2004 , 15, 1209-18	69
2115	Predicting outcome after cardiac surgery in patients with cirrhosis: a comparison of Child-Pugh and MELD scores. 2004 , 2, 719-23	199
2114	[Consensus document on the treatment of ascites, dilutional hyponatremia and hepatorenal syndrome in liver cirrhosis]. 2004 , 27, 535-44	3
2113	[Estimation of survival with the MELD prognostic model]. 2004 , 27, 41-2	
2112	Utility of preoperative scores for predicting morbidity after cholecystectomy in patients with cirrhosis. 2004 , 2, 1123-8	77
2111	[Postoperative complications of liver transplantation: relationship with mortality]. 2004 , 123, 321-7	4
2110	A pathophysiologic, gastroenterologic, and radiologic approach to the management of gastric varices. 2004 , 126, 1175-89	251

2109	Recurrent variceal bleeding despite endoscopic and medical therapy. 2004 , 127, 621-9	20
2108	Liver transplantation for hepatocellular cancer: the impact of the MELD allocation policy. 2004 , 127, S261-7	220
2107	Hepatocellular Carcinoma. 2004 , 3, 349-368	
2106	Elective TIPS: Use the MEID Score. 2004 , 15, P227-P229	
2105	Ascites and spontaneous bacterial peritonitis. 2004 , 149-163	
2104	Potential predictive value of the MELD score for short-term mortality after liver transplantation. 2004 , 36, 533-4	12
2103	Impact of pretransplant MELD score on posttransplant outcome in living donor liver transplantation. 2004 , 36, 1442-4	24
2102	Effects of treatment of hepatorenal syndrome before transplantation on posttransplantation outcome. A case-control study. 2004 , 40, 140-6	155
2101	Inappropriately low angiotensin II generation: a factor determining reduced kidney function and survival in patients with decompensated cirrhosis. 2004 , 40, 417-23	12
2100	Prognostic models including the Child-Pugh, MELD and Mayo risk scores--where are we and where should we go?. 2004 , 41, 344-50	110
2099	Child-Turcotte-Pugh versus MELD score as a predictor of outcome after elective and emergent surgery in cirrhotic patients. 2004 , 188, 580-3	220
2098	TIPS versus peritoneovenous shunt in the treatment of medically intractable ascites: a prospective randomized trial. 2004 , 239, 883-9; discussion 889-91	49
2097	Setting limits on selection of adults for liver transplantation. 2004 , 77, 19-21	1
2096	Predicting outcome after liver transplantation: utility of the model for end-stage liver disease and a newly derived discrimination function. 2004 , 77, 99-106	205
2095	TIPS versus paracentesis for cirrhotic patients with refractory ascites. 2004 , CD004889	27
2094	The transjugular intrahepatic portosystemic shunt in the treatment of portal hypertension. 2004 , 16, 1-4	33
2093	Application of the model for end-stage liver disease score for transjugular intrahepatic portosystemic shunt in cirrhotic patients with refractory ascites and renal impairment. 2004 , 16, 607-12	17
2092	Cardiopulmonary consequences of transjugular intrahepatic portosystemic shunts: role of increased pulmonary artery pressure. 2004 , 38, 590-4	24

2091	Hepatic hydrothorax: pathophysiology, diagnosis, and management. 2004 , 38, 52-8	54
2090	Longitudinal modifications of the MELD score have prognostic meaning in patients with liver cirrhosis. 2005 , 39, 912-4	9
2089	Pro/Con debate: lung allocation should be based on medical urgency and transplant survival and not on waiting time. 2005 , 128, 407-15	69
2088	Liver transplantation outcomes under the model for end-stage liver disease and pediatric end-stage liver disease. 2005 , 10, 90-94	4
2087	A comparison of transfusion requirements between living donation and cadaveric donation liver transplantation: relationship to model of end-stage liver disease score and baseline coagulation status. 2005 , 101, 30-7, table of contents	80
2086	WOULD THE ADDITION OF SERUM SODIUM TO THE MELD SCORE INCREASE ITS ACCURACY IN PREDICTING MORTALITY OF CIRRHOTIC PATIENTS?. 2005 , 6, 56-58	1
2085	H-graft portacaval shunts versus TIPS: ten-year follow-up of a randomized trial with comparison to predicted survivals. 2005 , 241, 238-46	62
2084	Unintended consequences of a quality improvement program designed to improve treatment of alcohol withdrawal in hospitalized patients. 2005 , 31, 148-57	10
2083	Impact of MELD on short-term and long-term outcome following liver transplantation: a European perspective. 2005 , 17, 849-56	39
2082	Hepatic resection of hepatocellular carcinoma in patients with cirrhosis: Model of End-Stage Liver Disease (MELD) score predicts perioperative mortality. 2005 , 9, 1207-15; discussion 1215	188
2081	Hemosiderosis is associated with accelerated decompensation and decreased survival in patients with cirrhosis. 2005 , 25, 41-8	20
2080	Transjugular intrahepatic portosystemic shunt in refractory ascites: a meta-analysis. 2005 , 25, 349-56	96
2079	MELD score versus conventional UNOS status in predicting short-term mortality after liver transplantation. 2005 , 18, 65-72	17
2078	Predictors of death on the waiting list for liver transplantation characterized by a long waiting time. 2005 , 18, 572-6	17
2077	Assignment of steatotic livers by the Mayo model for end-stage liver disease. 2005 , 18, 577-83	50
2076	Living donor liver transplantation for primary biliary cirrhosis: retrospective analysis of 50 patients in a single center. 2005 , 18, 794-9	12
2075	Differences in long-term survival after transjugular intrahepatic portosystemic shunt for refractory ascites and variceal bleed. 2005 , 20, 474-81	31
2074	Budd-Chiari syndrome: long-term effect on outcome with transjugular intrahepatic portosystemic shunt. 2005 , 20, 1494-502	41

2073	Systematic review: The model for end-stage liver disease--should it replace Child-Pugh's classification for assessing prognosis in cirrhosis?. 2005 , 22, 1079-89		287
2072	Feature selection in Bayesian classifiers for the prognosis of survival of cirrhotic patients treated with TIPS. 2005 , 38, 376-88		60
2071	The survival benefit of liver transplantation. 2005 , 5, 307-13		598
2070	Tailoring the type of donor hepatectomy for adult living donor liver transplantation. 2005 , 5, 1694-703		126
2069	Regional variation and use of exception letters for cadaveric liver allocation in children with chronic liver disease. 2005 , 5, 1868-74		31
2068	Regional variations in peer reviewed liver allocation under the MELD system. 2005 , 5, 2244-7		36
2067	The current status of living donor liver transplantation. 2005 , 42, 144-83		10
2066	MELD accurately predicts mortality in patients with alcoholic hepatitis. <i>Hepatology</i> , 2005 , 41, 353-8	11.2	353
2065	Serum sodium predicts mortality in patients listed for liver transplantation. <i>Hepatology</i> , 2005 , 41, 32-9	11.2	309
2064	The role of transjugular intrahepatic portosystemic shunt in the management of portal hypertension. <i>Hepatology</i> , 2005 , 41, 386-400	11.2	345
2063	AASLD practice guidelines: Evaluation of the patient for liver transplantation. <i>Hepatology</i> , 2005 , 41, 1407-32	11.2	575
2062	Antiretroviral therapy and liver fibrosis in HIV-infected patients with chronic hepatitis C. <i>Hepatology</i> , 2005 , 42, 498; author reply 498-9	11.2	
2061	Reply:. <i>Hepatology</i> , 2005 , 42, 498-499	11.2	0
2060	Grading alcoholic hepatitis. <i>Hepatology</i> , 2005 , 42, 495; author reply 495-6	11.2	2
2059	HIV coinfection shortens the survival of patients with hepatitis C virus-related decompensated cirrhosis. <i>Hepatology</i> , 2005 , 42, 496-7; author reply 497	11.2	2
2058	Reply:. <i>Hepatology</i> , 2005 , 42, 497-497	11.2	
2057	Reply:. <i>Hepatology</i> , 2005 , 42, 495-496	11.2	1
2056	LPS-induced tyrosine nitration of hepatic glutamine synthetase. <i>Hepatology</i> , 2005 , 42, 499	11.2	10

2055	Influence of hepatic venous pressure gradient on the prediction of survival of patients with cirrhosis in the MELD Era. <i>Hepatology</i> , 2005 , 42, 793-801	11.2	178
2054	MELD and the quality of life. 2005 , 11, 134-6		7
2053	MELD fails to measure quality of life in liver transplant candidates. 2005 , 11, 218-23		96
2052	Management of pre-liver transplantation patients--part 1. 2005 , 11, 124-33		11
2051	Evidence-based evolution of the MELD/PELD liver allocation policy. 2005 , 11, 261-3		34
2050	Ablation therapy in containing extension of hepatocellular carcinoma: a simulative analysis of dropout from the waiting list for liver transplantation. 2005 , 11, 508-14		17
2049	Liver transplant recipient selection: MELD vs. clinical judgment. 2005 , 11, 621-6		26
2048	Fulminant hepatic failure. 2005 , 11, 594-605		125
2047	When shouldn't we retransplant?. 2005 , 11, S14-20		39
2046	MELD score as a predictor of early death in patients undergoing elective transjugular intrahepatic portosystemic shunt (TIPS) procedures. 2005 , 28, 307-12		66
2045	MELD vs Child-Pugh and creatinine-modified Child-Pugh score for predicting survival in patients with decompensated cirrhosis. 2005 , 11, 3099-104		70
2044	[Hepatic hydrothorax]. 2005 , 43, 1319-28		2
2043	Transjugular intrahepatic portosystemic shunts in patients with hepatic malignancy. 2005 , 22, 309-15		5
2042	Role of emergency transjugular intrahepatic portosystemic shunts. 2005 , 22, 253-65		16
2041	Transjugular intrahepatic portosystemic shunt in the management of refractory ascites. 2005 , 22, 278-86		15
2040	Patient selection in an era of donor liver shortage: current US policy. 2005 , 2, 24-30		52
2039	Transjugular intrahepatic portosystemic shunt for acute variceal bleeding in patients with viral liver cirrhosis: predictors of early mortality. 2005 , 185, 885-9		21
2038	The evaluation of the patient undergoing an elective transjugular intrahepatic portosystemic shunt procedure. 2005 , 22, 266-70		5

2037	Portal Hypertension. 2005,	1
2036	Development of the allocation system for deceased donor liver transplantation. 2005, 3, 87-92	55
2035	Refractory ascites. 2005, 23, 30-8	28
2034	Hepatorenal syndrome. 2005, 23, 47-55	27
2033	Treatment of alcoholic liver disease. 2005, 23, 275-84	53
2032	Hepatic perfusion and hemodynamic effects of transjugular intrahepatic portosystemic shunts. 2005, 22, 271-7	8
2031	American Association for the Study of Liver Diseases Practice Guidelines: the role of transjugular intrahepatic portosystemic shunt creation in the management of portal hypertension. 2005, 16, 615-29	115
2030	Selection criteria for patients undergoing transjugular intrahepatic portosystemic shunt procedures: current status. 2005, 16, 449-55	47
2029	Abnormal portal venous flow at sonography predicts reduced survival after transjugular intrahepatic portosystemic shunt creation. 2005, 16, 1459-64	7
2028	MELD: the holy grail of organ allocation?. 2005, 42, 16-20	67
2027	Living donor liver transplantation: is the hype over?. 2005, 42, 20-5	28
2026	Assessment of the prognosis of cirrhosis: Child-Pugh versus MELD. 2005, 42 Suppl, S100-7	372
2025	Developing concepts on MELD: delta and cutoffs. 2005, 42, 790-2	11
2024	Variceal bleeding refractory to endoscopic management: Indications and use of balloon tamponade, interventional radiology, and surgical treatment. 2005, 7, 49-58	1
2023	Preoperative factors and models predicting mortality in liver transplantation. 2005, 37, 1499-501	10
2022	MELD predictive value of alterations of brain perfusion during liver transplantation. 2005, 37, 2622-5	5
2021	Variability of MELD score during the year before liver transplantation. 2005, 37, 3887-8	4
2020	Assessment of short-term survival after liver transplant by the Model for End-Stage Liver Disease. 2005, 37, 3881-3	7

2019	Model for End-Stage Liver Disease (MELD) predicts nontransplant surgical mortality in patients with cirrhosis. 2005 , 242, 244-51	234
2018	Liver transplantation for hepatocellular carcinoma. 2005 , 128, 1752-64	111
2017	Uncovered transjugular intrahepatic portosystemic shunt for refractory ascites: a meta-analysis. 2005 , 129, 1282-93	173
2016	Management of ascites in cirrhosis. 2005 , 9, 715-32, viii	33
2015	A retrospective study on clinical features and prognostic factors of biopsy-proven primary biliary cirrhosis in Chinese patients. 2005 , 100, 2205-11	28
2014	Peritoneal ports for treatment of intractable ascites. 2005 , 16, 363-8	21
2013	The transjugular intrahepatic portosystemic shunt for the management of cirrhotic refractory ascites. 2006 , 3, 380-9	21
2012	Guidelines on the management of ascites in cirrhosis. 2006 , 55 Suppl 6, vi1-12	212
2011	Model for end-stage liver disease and organ allocation in liver transplantation: where are we and where should we go?. 2006 , 69, 193-8	12
2010	Hyperbilirubinemia is not a major contributing factor to altered bone mineral density in patients with chronic liver disease. 2006 , 9, 105-13	26
2009	Alcoholic hepatitis. 2006 , 10, 219-37, vii	19
2008	Palliative care for patients with end-stage liver disease ineligible for liver transplantation. 2006 , 35, 201-19	42
2007	Predictors of early mortality after transjugular intrahepatic portosystemic shunt creation for the treatment of refractory ascites. 2006 , 17, 1605-10	40
2006	Distal splenorenal shunt versus transjugular intrahepatic portal systematic shunt for variceal bleeding: a randomized trial. 2006 , 130, 1643-51	196
2005	Evidence-based incorporation of serum sodium concentration into MELD. 2006 , 130, 1652-60	506
2004	TIPS versus paracentesis for cirrhotic patients with refractory ascites. 2006 , CD004889	64
2003	Early mortality in Taiwanese lamivudine-treated patients with chronic hepatitis B-related decompensation: evaluation of the model for end-stage liver disease and index scoring systems as prognostic predictors. 2006 , 28, 2081-92	22
2002	Risk scores in cirrhotic patients: From non-transplant surgery to transplantation and back. 2006 , 44, 620-1	3

2001	Risk factors for graft dysfunction after adult-to-adult living donor liver transplantation. 2006 , 38, 1407-10	22
2000	TIPS para o controle das complicações da hipertensão portal: eficácia, fatores prognósticos associados e variações técnicas. 2006 , 39, 385-395	4
1999	[Risk-classification in liver cirrhosis]. 2006 , 95, 1275-81	1
1998	Evolving paradigms of liver allograft allocation in children in the US. 2006 , 11, 516-520	1
1997	Perioperative issues in pediatric liver transplantation. 2006 , 44, 125-47	6
1996	Fatal and nonfatal hemorrhagic complications of living kidney donation. 2006 , 244, 629; author reply 629-30	2
1995	Predictive Indices of Morbidity and Mortality After Liver Resection. 2006 , 244, 637	1
1994	Evidence-Based Treatment of Acute Pancreatitis: Antibiotic Prophylaxis in Necrotizing Pancreatitis. 2006 , 244, 638-639	1
1993	Fatal and Nonfatal Hemorrhagic Complications of Living Kidney Donation. 2006 , 244, 629-630	2
1992	Peritoneal Carcinomatosis of Colorectal Origin: Standard of Care. 2006 , 244, 633-634	
1991	Surgical management of complications associated with percutaneous and/or endoscopic management of pseudocyst of the pancreas. 2006 , 244, 630	2
1990	Liver transplantation: an update. 2006 , 22, 272-8	9
1989	Biliary reconstruction in right lobe living-donor liver transplantation: Comparison of different techniques in 321 recipients. 2006 , 243, 559-66	173
1988	Predictive indices of morbidity and mortality after liver resection. 2006 , 244, 635-7; author reply 637	6
1987	Advances in critical care management of hepatic failure and insufficiency. 2006 , 34, S225-31	40
1986	Possible Intergel Reaction Syndrome (pIRS). 2006 , 244, 630-2	15
1985	Predictive indices of morbidity and mortality after liver resection. 2006 , 244, 635; author reply 637	3
1984	Evidence-based treatment of acute pancreatitis: antibiotic prophylaxis in necrotizing pancreatitis. 2006 , 244, 637-8; author reply 638-9	3

1983	Peritoneal carcinomatosis of colorectal origin: standard of care. 2006 , 244, 632-3; author reply 633-4	4
1982	The study of cavitational ultrasonically aspirated material during surgery for colorectal liver metastases as a new concept in resection margin. 2006 , 244, 634-5	16
1981	Liver allocation for hepatocellular carcinoma: a European Center policy in the pre-MELD era. 2006 , 81, 525-30	18
1980	Le suivi biologique avant et après transplantation hépatique. 2006 , 2006, 79-86	
1979	Is MELD score sufficient to predict not only death on waiting list, but also post-transplant survival?. 2006 , 19, 275-81	44
1978	Liver allocation: the intent-to-treat approach. 2006 , 19, 270-4	3
1977	Change in model for end-stage liver disease score on the transplant waiting list predicts survival in patients undergoing liver transplantation. 2006 , 19, 988-94	10
1976	Prediction of the prognosis in patients with acute-on-chronic hepatitis using the MELD scoring system. 2006 , 21, 1519-24	34
1975	Comparison of staging systems to predict survival in hepatocellular carcinoma. 2006 , 26, 673-9	21
1974	Management and outcomes of hepatic cirrhosis: Findings from the RING study. 2006 , 36, 176-81	3
1973	Liver transplantation in the MELD era: a single-center experience. 2006 , 51, 1070-8	14
1972	Prevalence of septic events, type 1 hepatorenal syndrome, and mortality in severe alcoholic hepatitis and utility of discriminant function and MELD score in predicting these adverse events. 2006 , 51, 1637-43	39
1971	Standard interferon-alpha in combination with ribavirin for hepatitis C patients with advanced liver disease and thrombocytopenia. 2006 , 118, 595-600	4
1970	The model for end-stage liver disease score is useful for predicting economic outcomes in adult cases of living donor liver transplantation. 2006 , 41, 1005-10	20
1969	Liver transplantation organ allocation between Child and MELD. 2006 , 156, 410-5	7
1968	Percutaneous treatment of hepatocellular carcinoma in patients with transjugular intrahepatic portosystemic shunts. 2006 , 29, 778-84	23
1967	Waiting list removal rates among patients with chronic and malignant liver diseases. 2006 , 6, 1416-21	163
1966	Developments in clinical islet, liver thoracic, kidney and pancreas transplantation in the last 5 years. 2006 , 6, 1759-67	10

1965	Recovery from liver failure after hepatectomy for hepatocellular carcinoma in cirrhosis: meaning of the model for end-stage liver disease. 2006 , 203, 670-6		47
1964	Monitoring hepatic and renal function. 2006 , 24, 857-80, viii-ix		5
1963	Similarities and differences in outcomes of cirrhosis due to nonalcoholic steatohepatitis and hepatitis C. <i>Hepatology</i> , 2006 , 43, 682-9	11.2	381
1962	Value of dobutamine stress myocardial contrast perfusion echocardiography in patients with advanced liver disease. 2006 , 12, 592-9		37
1961	The MELD score as a predictor of nontransplant surgical mortality in patients with cirrhosis. 2006 , 12, 159		7
1960	Preoperative characteristics and intraoperative transfusion and vasopressor requirements in patients with low vs. high MELD scores. 2006 , 12, 614-20		79
1959	Impact of implementation of the MELD scoring system on the prevalence and incidence of chronic renal disease following liver transplantation. 2006 , 12, 754-61		29
1958	MELD and prediction of post-liver transplantation survival. 2006 , 12, 440-7		156
1957	Interventional radiology in liver transplantation. 2006 , 12, 330-51		34
1956	Impact of model for end-stage liver disease (MELD) score on prognosis after hepatectomy for hepatocellular carcinoma on cirrhosis. 2006 , 12, 966-71		221
1955	Development and validation of a model predicting graft survival after liver transplantation. 2006 , 12, 1594-606		104
1954	A systematic review of the performance of the model for end-stage liver disease (MELD) in the setting of liver transplantation. 2006 , 12, 1049-61		235
1953	Model for end-stage liver disease (MELD) exception guidelines. 2006 , 12, S85-7		48
1952	An alcoholic patient who continues to drink: endoscopic treatment is preferred. 2006 , 332, 423		
1951	Transjugular intrahepatic portosystemic shunt-related complications and practical solutions. 2006 , 23, 165-76		61
1950	Intensive management of hepatic failure. 2006 , 27, 241-61		12
1949	MELD-based liver allocation: who is underserved?. 2006 , 26, 211-20		48
1948	Estimation of creatinine clearance in end-stage liver disease. 2006 , 40, 900-8		6

1947	Integrating palliative care for liver transplant candidates: "too well for transplant, too sick for life". 2006 , 295, 2168-76	88
1946	Coagulopathy does not fully protect hospitalized cirrhosis patients from peripheral venous thromboembolism. 2006 , 101, 1524-8; quiz 1680	273
1945	Liver transplantation for hepatocellular carcinoma: current role and future opportunities. 2007 , 13, 3265-73	4
1944	Diastolic dysfunction is associated with poor survival in patients with cirrhosis with transjugular intrahepatic portosystemic shunt. 2007 , 56, 869-75	155
1943	Choosing Among Living-Donor and Cadaveric Livers. 2007 , 53, 1702-1715	47
1942	Hepatocyte transplantation for treating chronic hepatic dysfunction. 2007 , 3, 131-136	1
1941	Artificial neural network is superior to MELD in predicting mortality of patients with end-stage liver disease. 2007 , 56, 253-8	53
1940	Preoperative evaluation of patients with liver disease. 2007 , 4, 266-76	62
1939	Model for end-stage liver disease: did the new liver allocation policy affect waiting list mortality?. 2007 , 142, 1079-85	47
1938	Hepatic venous pressure gradient (HVPG), serum sodium (SNa), and model of end-stage liver disease score (MELD): prognostic significance and correlations. 2007 , 41, 641-3	3
1937	Impact of the Model for Endstage Liver Disease score on liver transplantation. 2007 , 12, 294-297	3
1936	Liver transplantation: an update 2007. 2007 , 23, 292-8	16
1935	Mayo Clinic Model for End Stage Liver Disease (MELD) for predicting outcome in patients with hepatic encephalopathy. 2007 , 41, 223-4	
1934	Modification of acid-base balance in cirrhotic patients undergoing liver resection for hepatocellular carcinoma. 2007 , 245, 902-8	11
1933	Predictors of mortality in hepatic encephalopathy in acute and chronic liver disease: a preliminary observation. 2007 , 41, 922-6	17
1932	Hospitalization patterns before and after liver transplantation. 2007 , 84, 1590-4	7
1931	The model for end-stage liver disease (MELD) predicts survival of liver cirrhosis patients after discharge to hospice. 2007 , 41, 412-5	14
1930	The role of transjugular intrahepatic portosystemic shunt (TIPS) in the management of portal hypertension. 2007 , 41 Suppl 3, S344-51	112

1929	Impact of pretransplant MELD score on posttransplant outcome in orthotopic liver transplantation for patients with acute-on-chronic hepatitis B liver failure. 2007 , 39, 1501-4	31
1928	Overview of the MELD score and the UNOS adult liver allocation system. 2007 , 39, 3169-74	55
1927	Comparison of clinical staging systems in predicting survival of hepatocellular carcinoma patients receiving major or minor hepatectomy. 2007 , 33, 480-7	30
1926	Dynamic MR perfusion measurements before and after TIPS in cirrhotic patients with refractory ascites. 2007 , 14, 1400-8	2
1925	Determining the Acceptance of Cadaveric Livers Using an Implicit Model of the Waiting List. 2007 , 55, 24-36	86
1924	Current indications and contraindications for liver transplantation. 2007 , 11, 227-47	58
1923	The model for end-stage liver disease comes of age. 2007 , 11, 249-63	30
1922	Syndrome hepatorenal. 2007 , 28, 150-157	
1921	Treatment of hepatitis C: don't put all your eggs in one basket!. 2007 , 132, 1611-5	8
1920	Acute variceal hemorrhage. 2007 , 17, 223-52, v	22
1919	Liver transplantation(). 2007 , 10, 28-45	5
1918	[Candidate selection for liver transplantation]. 2007 , 30, 42-53	7
1917	[Hepatorenal syndrome]. 2007 , 30, 548-54	1
1916	Risk factors for mortality after surgery in patients with cirrhosis. 2007 , 132, 1261-9	386
1915	Predicting surgical risk in patients with cirrhosis: from art to science. 2007 , 132, 1609-11	37
1914	Live donor liver transplantation: is it better than waiting?. 2007 , 133, 2040-2	5
1913	MELD score as a predictor of liver failure and death in patients with acetaminophen-induced liver injury. <i>Hepatology</i> , 2007 , 45, 789-96	11.2 115
1912	The model for end-stage liver disease (MELD). <i>Hepatology</i> , 2007 , 45, 797-805	11.2 1060

1911	The international normalized ratio calibrated for cirrhosis (INR(liver)) normalizes prothrombin time results for model for end-stage liver disease calculation. <i>Hepatology</i> , 2007 , 46, 520-7	11.2	158
1910	Features associated with treatment failure in type 1 autoimmune hepatitis and predictive value of the model of end-stage liver disease. <i>Hepatology</i> , 2007 , 46, 1138-45	11.2	113
1909	Determining the model for end-stage liver disease with better accuracy: neutralizing the international normalized ratio pitfalls. <i>Hepatology</i> , 2007 , 46, 295-6	11.2	14
1908	Conduction and excitability properties of peripheral nerves in end-stage liver disease. 2007 , 35, 730-8		26
1907	MELD-XI: a rational approach to "sickest first" liver transplantation in cirrhotic patients requiring anticoagulant therapy. 2007 , 13, 30-7		175
1906	Different methods of creatinine measurement significantly affect MELD scores. 2007 , 13, 523-9		123
1905	In a MELD-based economy, how can we fight off inflation?. 2007 , 13, 2-4		16
1904	Early indicators of prognosis in fulminant hepatic failure: an assessment of the Model for End-Stage Liver Disease (MELD) and King's College Hospital criteria. 2007 , 13, 814-21		108
1903	Impact of human leukocyte antigen mismatching on outcomes of living donor liver transplantation for primary biliary cirrhosis. 2007 , 13, 938-9		12
1902	Can the model for end-stage liver disease be used to predict the prognosis in patients with Budd-Chiari syndrome?. 2007 , 13, 867-74		27
1901	An integrated MELD model including serum sodium and age improves the prediction of early mortality in patients with cirrhosis. 2007 , 13, 1174-80		178
1900	Performance of the new MELD-Na score in predicting 3-month and 1-year mortality in Chinese patients with chronic hepatitis B. 2007 , 13, 1228-35		47
1899	The value of MELD and sodium in assessing potential liver transplant recipients in the United Kingdom. 2007 , 20, 331-7		11
1898	Portosystemic pressure gradient during transjugular intrahepatic portosystemic shunt with Viatorr stent graft: what is the critical low threshold to avoid medically uncontrolled low pressure gradient related complications?. 2008 , 23, 95-101		53
1897	Applicability of MELD as a short-term prognostic indicator in patients with chronic liver disease: an Indian experience. 2007 , 22, 1232-5		13
1896	Review article: the prothrombin time test as a measure of bleeding risk and prognosis in liver disease. 2007 , 26, 141-8		144
1895	Prognostic models in cirrhosis: an aid but not a replacement for clinical judgement. 2007 , 27, 595-7		1
1894	Early response to lamivudine therapy in clinically non-cirrhotic chronic hepatitis B patients with decompensation. 2007 , 27, 1364-70		8

1893	Liver transplantation and quality of life: relevance of a specific liver disease questionnaire. 2008 , 28, 99-106	25
1892	Hepatic insufficiency and mortality in 1,059 noncirrhotic patients undergoing major hepatectomy. 2007 , 204, 854-62; discussion 862-4	460
1891	Female liver transplant recipients with the same GFR as male recipients have lower MELD scores--a systematic bias. 2007 , 7, 685-92	106
1890	Acute tumor lysis syndrome caused by transcatheter oily chemoembolization in a patient with a large hepatocellular carcinoma. 2007 , 30, 508-11	26
1889	Correlation between findings on MRCP and gadolinium-enhanced MR of the liver and a survival model for primary sclerosing cholangitis. 2007 , 52, 3499-506	27
1888	Factors prognostic of survival in patients awaiting liver transplantation for end-stage liver disease. 2007 , 52, 3217-23	15
1887	Conventional predictors of survival poorly predict and significantly underpredict survival after H-graft portacaval shunts. 2007 , 11, 89-94	4
1886	Usefulness of prognostic indices in upper gastrointestinal bleeding. 2008 , 22, 233-42	25
1885	[Model for end-stage liver disease. New basis of allocation for liver transplantations]. 2008 , 79, 157-63	20
1884	Surgical management of early-stage hepatocellular carcinoma: resection or transplantation?. 2008 , 12, 1699-708	68
1883	Transjugular intrahepatic portosystemic shunt in the management of complications of portal hypertension. 2008 , 10, 30-5	30
1882	Laparoscopic ileal pouch-anal anastomosis in patients with chronic ulcerative colitis and primary sclerosing cholangitis: a case-matched study. 2008 , 51, 549-53	9
1881	Changing management and outcome of hepatocellular carcinoma: evaluation of 501 patients treated at a single comprehensive center. 2008 , 98, 81-8	12
1880	Comparison of 7 staging systems for patients with hepatocellular carcinoma undergoing transarterial chemoembolization. 2008 , 112, 352-61	101
1879	Comorbidity and survival of Danish cirrhosis patients: a nationwide population-based cohort study. <i>Hepatology</i> , 2008 , 48, 214-20	11.2 91
1878	Ileal pouch-anal anastomosis and liver transplantation for ulcerative colitis complicated by primary sclerosing cholangitis. 2008 , 95, 882-6	36
1877	Management of combined hepatocellular and cholangiocarcinoma. 2008 , 62, 1271-8	110
1876	Transjugular intrahepatic portosystemic shunts in liver transplant recipients. 2008 , 28, 240-8	18

1875	Long-term outcome of a covered vs. uncovered transjugular intrahepatic portosystemic shunt in Budd-Chiari syndrome. 2008 , 28, 249-56	38
1874	Selecting an optimal prognostic system for liver cirrhosis: the model for end-stage liver disease and beyond. 2008 , 28, 606-13	68
1873	Liver failure after partial hepatic resection: definition, pathophysiology, risk factors and treatment. 2008 , 28, 767-80	273
1872	The prothrombin time-derived international normalized ratio: great for Warfarin, fair for prognosis and bad for liver-bleeding risk. 2008 , 28, 1325-7	9
1871	The international normalized ratio to prioritize patients for liver transplantation: problems and possible solutions. 2008 , 6, 243-248	32
1870	Prediction value of model for end-stage liver disease scoring system on prognosis in patients with acute-on-chronic hepatitis B liver failure after plasma exchange and lamivudine treatment. 2008 , 23, 1242-9	42
1869	Predicting outcome in patients with cirrhosis following acute decompensation: can we do better?. 2008 , 23, 1163-5	
1868	Is there yet any place for reagent strips in diagnosing spontaneous bacterial peritonitis in cirrhotic patients? An accuracy and cost-effectiveness study in Brazil. 2008 , 23, 1895-900	3
1867	[Liver transplantation: influence of donor-related factors]. 2008 , 32, 378-84	2
1866	[Liver transplantation of refractory ascites]. 2008 , 32, 721-6	1
1865	A novel prognostic nomogram is more accurate than conventional staging systems for predicting survival after resection of hepatocellular carcinoma. 2008 , 206, 281-91	98
1864	The survival benefit of deceased donor liver transplantation as a function of candidate disease severity and donor quality. 2008 , 8, 419-25	232
1863	Survival outcomes following liver transplantation (SOFT) score: a novel method to predict patient survival following liver transplantation. 2008 , 8, 2537-46	293
1862	Incidence, natural history, and risk factors of hepatic encephalopathy after transjugular intrahepatic portosystemic shunt with polytetrafluoroethylene-covered stent grafts. 2008 , 103, 2738-46	183
1861	[Prognostic scores of cirrhosis]. 2008 , 31, 439-46	4
1860	Reply. 2008 , 134, 640-641	1
1859	Hepatic vein pressure gradient >10 mm Hg: prognostic or reflective?. 2008 , 134, 641; author reply 641-2	2
1858	Indications for liver transplantation. 2008 , 134, 1764-76	138

1857	Portal hypertension and its complications. 2008 , 134, 1715-28	256
1856	TIPS for Budd-Chiari syndrome: long-term results and prognostics factors in 124 patients. 2008 , 135, 808-15	265
1855	Re-weighting the model for end-stage liver disease score components. 2008 , 135, 1575-81	122
1854	Using higher risk organs for liver transplantation: in whom and at what price?. 2008 , 135, 1452-4	4
1853	Hyponatremia and mortality among patients on the liver-transplant waiting list. 2008 , 359, 1018-26	875
1852	Factors predicting survival after transjugular intrahepatic portosystemic shunt creation: 15 years' experience from a single tertiary medical center. 2008 , 19, 1576-81	38
1851	Management of chronic liver failure until liver transplantation. 2008 , 92, 839-60, ix	6
1850	Patient selection in liver transplant: when is it the right time to list?. 2008 , 83, 140-2	1
1849	Portal hypertension and variceal hemorrhage. 2008 , 92, 551-74, viii	57
1848	[Rules for allocation of livers for transplantation]. 2008 , 37, 1782-6	5
1847	The cumulative effects of cold ischemic time and older donor age on liver graft survival. 2008 , 148, 38-44	38
1846	Hepatic venous pressure gradient and prognosis in patients with acute variceal bleeding treated with pharmacologic and endoscopic therapy. 2008 , 48, 229-36	231
1845	Hot topics in liver transplantation: organ allocation--extended criteria donor--living donor liver transplantation. 2008 , 48 Suppl 1, S58-67	41
1844	Growth hormone-stimulated IGF-1 generation in cirrhosis reflects hepatocellular dysfunction. 2008 , 49, 34-42	52
1843	Model for End-stage Liver Disease score fails to predict perioperative outcome after hepatic resection for hepatocellular carcinoma in patients without cirrhosis. 2008 , 195, 697-701	39
1842	Analysis of liver transplantation outcome in patients with MELD Score > or = 30. 2008 , 40, 797-9	31
1841	Model for End-Stage Liver Disease (MELD) score and organ allocation from cadaveric donors for 198 liver transplantation procedures performed in a single center. 2008 , 40, 1903-5	2
1840	Donor risk index and organ patient index as predictors of graft survival after liver transplantation. 2008 , 40, 1899-902	28

1839	Model for end-stage liver disease can predict very early outcome after liver transplantation. 2008 , 40, 2952-4	5
1838	Case of pediatric acquired chronic hepatocerebral degeneration. 2008 , 38, 67-70	6
1837	Prognostication--the lost skill of medicine. 2008 , 19, 155-64	29
1836	Cirrosis hepática. 2008 , 10, 685-690	
1835	Part II: Liver function in oncology: towards safer chemotherapy use. 2008 , 9, 1181-90	58
1834	Predictors of early re-bleeding and mortality after acute variceal haemorrhage in patients with cirrhosis. 2008 , 57, 814-20	180
1833	[Hepatic hydrothorax--a rare cause of pleural effusion that is difficult to manage]. 2008 , 62, 40-3	2
1832	Assessment of prognosis of cirrhosis. 2008 , 28, 110-22	209
1831	Safety issues in the management of autoimmune hepatitis. 2008 , 7, 319-33	83
1830	Patient Selection in Liver Transplant: When Is It the Right Time to List?. 2008 , 83, 140-142	4
1829	Efficacy of current guidelines for the treatment of spontaneous bacterial peritonitis in the clinical practice. 2008 , 14, 2757-62	65
1828	Disparities in liver transplantation before and after introduction of the MELD score. 2008 , 300, 2371-8	209
1827	ABO blood group-related waiting list disparities in liver transplant candidates: effect of the MELD adoption. 2008 , 85, 844-9	13
1826	Inequities of the Model for End-Stage Liver Disease: an examination of current components and future additions. 2008 , 13, 227-33	23
1825	Liver Transplantation. 235-255	
1824	The changing face of patients presenting for liver transplantation. 2008 , 13, 280-4	64
1823	Model for end-stage liver disease-sodium predicts prognosis in patients with chronic severe hepatitis B. 2008 , 121, 2065-2069	8
1822	. 2008 ,	1

1821	Trasplante hepático en Chile: Aspectos generales, indicaciones y contraindicaciones (Documento de consenso). 2008 , 136,	4
1820	[The application of MELD score in patients submitted to liver transplantation: a retrospective analysis of survival and the predictive factors in the short and long term]. 2008 , 45, 275-83	20
1819	Management of the Surgical Patient with Liver Disease. 2008 , 349-391	
1818	The natural course of HCV infection and the need for treatment. 2008 , 7, 114-119	20
1817	Model for end stage of liver disease (MELD) is better than the Child-Pugh score for predicting in-hospital mortality related to esophageal variceal bleeding. 2008 , 7, 230-234	24
1816	Can the MELD Score Predict Perioperative Morbidity for Patients with Liver Cirrhosis Undergoing Laparoscopic Cholecystectomy?. 2008 , 74, 156-159	22
1815	Muscle hematoma: a critically important complication of alcoholic liver cirrhosis. 2009 , 15, 4457-60	16
1814	Prediction of mortality after emergent transjugular intrahepatic portosystemic shunt placement: use of APACHE II, Child-Pugh and MELD scores in Asian patients with refractory variceal hemorrhage. 2009 , 10, 481-9	22
1813	Renal dysfunction in patients with chronic liver disease. 2009 , 7, 42-50	5
1812	The association between the serum sodium level and the severity of complications in liver cirrhosis. 2009 , 24, 106-12	22
1811	[Usefulness and safety of extracorporeal liver support therapy using MARS for patients with liver failure: a preliminary report]. 2009 , 54, 28-35	3
1810	Drug-Induced Liver Disease and Drug Use Considerations in Liver Disease. 2009 , 22, 278-289	9
1809	Prognostic indices for Budd-Chiari syndrome: valid for clinical studies but insufficient for individual management. 2009 , 104, 1140-6	55
1808	Indication of the extent of hepatectomy for hepatocellular carcinoma on cirrhosis by a simple algorithm based on preoperative variables. 2009 , 144, 57-63; discussion 63	46
1807	Candidate selection and organ allocation in liver transplantation. 2009 , 29, 40-52	21
1806	Autoimmune hepatitis and liver transplantation: indications, results, and management of recurrent disease. 2009 , 29, 286-96	46
1805	A new prediction model of postoperative complications after major hepatectomy for hepatocellular carcinoma. 2009 , 26, 392-9	13
1804	Outcome of patients with liver cirrhosis admitted to a specialty liver intensive care unit in India. 2009 , 24, 387-93	18

1803	Survival benefit-based deceased-donor liver allocation. 2009 , 9, 970-81		232
1802	Evaluating options for utility-based kidney allocation. 2009 , 9, 1513-8		21
1801	Sociodemographic differences in early access to liver transplantation services. 2009 , 9, 2092-101		60
1800	[Hepatic transplantation]. 2009 , 33, 868-81		5
1799	Management of adult patients with ascites due to cirrhosis: an update. <i>Hepatology</i> , 2009 , 49, 2087-107	11.2	627
1798	Disparities in liver transplantation in the post-model for end-stage liver disease era: are we there yet?. <i>Hepatology</i> , 2009 , 50, 981-4	11.2	5
1797	Improved outcome of adult recipients with a high model for end-stage liver disease score and a small-for-size graft. 2009 , 15, 496-503		49
1796	Effect of pretransplant serum creatinine on the survival benefit of liver transplantation. 2009 , 15, 1808-13		47
1795	Preoperative transjugular intrahepatic portosystemic shunt (TIPS) for cirrhotic patients undergoing abdominal and pelvic surgeries. 2009 , 23, 1594-8		29
1794	Estimation of indocyanine green elimination rate constant k and retention rate at 15 min using patient age, weight, bilirubin, and albumin. 2009 , 16, 521-8		7
1793	The impact of MELD allocation on simultaneous liver-kidney transplantation. 2009 , 11, 76-82		15
1792	Lebertransplantationen bei autoimmunen Lebererkrankungen. 2009 , 4, 124-129		
1791	Perioperative risk assessment for hepatocellular carcinoma by using the MELD score. 2009 , 13, 2268-75		25
1790	Hypoxic hepatitis: underlying conditions and risk factors for mortality in critically ill patients. 2009 , 35, 1397-405		138
1789	Value of MELD and MELD-based indices in surgical risk evaluation of cirrhotic patients: retrospective analysis of 190 cases. 2009 , 33, 1711-9		33
1788	Predicting morbidity and mortality after hepatic resection in patients with hepatocellular carcinoma: the role of Model for End-Stage Liver Disease score. 2009 , 33, 2412-9		62
1787	Limitations of the MELD score in predicting mortality or need for removal from waiting list in patients awaiting liver transplantation. 2009 , 9, 72		47
1786	Aetiology of cirrhosis of the liver has an impact on survival predicted by the Model of End-stage Liver Disease score. 2009 , 39, 65-71		14

1785	Prediction of the prognosis of patients with acute-on-chronic hepatitis B liver failure using the model for end-stage liver disease scoring system and a novel logistic regression model. 2009 , 16, 464-70	66
1784	Delayed endoscopy as a risk factor for in-hospital mortality in cirrhotic patients with acute variceal hemorrhage. 2009 , 24, 1294-9	50
1783	Validation of model for end-stage liver disease score to serum sodium ratio index as a prognostic predictor in patients with cirrhosis. 2009 , 24, 1547-53	19
1782	Adding serum sodium to model for end-stage liver disease: identifying those most at risk. 2009 , 24, 1804-6	
1781	Liver transplantations with donors aged 60 years and above: the low liver damage strategy. 2009 , 22, 423-33	44
1780	Split-liver transplantation in the high-MELD adult patient: are we being too cautious?. 2009 , 22, 702-6	26
1779	Renal haemodynamics and function following partial portal decompression. 2009 , 11, 229-34	4
1778	Model for end-stage liver disease (MELD) score, as a prognostic factor for post-operative morbidity and mortality in cirrhotic patients, undergoing hepatectomy for hepatocellular carcinoma. 2009 , 11, 351-7	55
1777	Clinical features and predictors of outcome in acute hepatitis A and hepatitis E virus hepatitis on cirrhosis. 2009 , 29, 392-8	93
1776	Evaluation of indocyanine green clearance and model for end-stage liver disease for estimation of short-term prognosis in decompensated cirrhosis. 2009 , 29, 1516-20	29
1775	Serum cystatin C level is a good prognostic marker in patients with cirrhotic ascites and normal serum creatinine levels. 2009 , 29, 1521-7	33
1774	The Comprehensive Geriatric Assessment and the multidimensional approach. A new look at the older patient with gastroenterological disorders. 2009 , 23, 829-37	30
1773	Video-assisted thoracoscopic surgery (VATS) for the treatment of hepatic hydrothorax: report of twelve cases. 2009 , 10, 547-51	19
1772	Controversies in the management of alcoholic liver disease. 2009 , 76, 484-98	23
1771	The transjugular intrahepatic portosystemic shunt (TIPS). 2009 , 64, 664-74	31
1770	[Liver transplantation: who should have it and when?]. 2009 , 38, 1258-65	
1769	MELD-Na as a prognostic score for cirrhotic patients: Hyponatremia and ascites are back in the game. 2009 , 50, 836-8	31
1768	Who should get a liver graft?. 2009 , 50, 664-73	21

1767	Point-of-care coagulation monitors calibrated for the international normalized ratio for cirrhosis (INRliver) can help to implement the INRliver for the calculation of the MELD score. 2009 , 51, 288-95	25
1766	Model for end-stage liver disease predicts mortality for tricuspid valve surgery. 2009 , 87, 1460-7; discussion 1467-8	74
1765	Allocation priority in non-urgent liver transplantation: An overview of proposed scoring systems. 2009 , 41, 700-6	6
1764	Predicting mortality risk in patients with compensated HCV-induced cirrhosis: a long-term prospective study. 2009 , 104, 1147-58	125
1763	The use of E/A ratio as a predictor of outcome in cirrhotic patients treated with transjugular intrahepatic portosystemic shunt. 2009 , 104, 2458-66	129
1762	Renal failure in patients with cirrhosis. 2009 , 93, 855-69, viii	28
1761	Ascites: diagnosis and management. 2009 , 93, 801-17, vii	61
1760	The hospitalized patient with abnormal liver function tests. 2009 , 13, 179-92	4
1759	Perioperative risk assessment for patients with cirrhosis and liver disease. 2009 , 3, 65-75	19
1758	Are specific guidelines necessary for treatment of esophageal varices in the Nordic countries?. 2009 , 44, 1037-47	2
1757	Value of the model for end-stage liver disease for predicting survival in hepatocellular carcinoma patients treated with transarterial chemoembolization. 2009 , 44, 346-57	6
1756	Assessment of liver function for safe hepatic resection. 2009 , 39, 107-16	145
1755	The value of model for end-stage liver disease and Child-Turcotte-Pugh scores over time in evaluating the prognosis of patients with decompensated cirrhosis: experience in the Chinese mainland. 2009 , 39, 779-85	6
1754	Optimizing Organ Allocation and Acceptance. 2009 , 1-24	11
1753	Tests of coagulation in liver disease. 2009 , 13, 55-61	35
1752	New model for end stage liver disease improves prognostic capability after transjugular intrahepatic portosystemic shunt. 2009 , 7, 1236-40	24
1751	International normalized ratio of prothrombin time in the model for end-stage liver disease score: an unreliable measure. 2009 , 13, 67-71	23
1750	The international normalized ratio of prothrombin time in the model for end-stage liver disease score: a reliable measure. 2009 , 13, 63-66	7

1749	Liver transplantation: from Child to MELD. 2009 , 93, 931-50, ix	22
1748	Preoperative risk assessment for patients with liver disease. 2009 , 93, 917-29, ix	9
1747	Surgery in the patient with liver disease. 2009 , 13, 211-31	70
1746	Comparison and improvement of MELD and Child-Pugh score accuracies for the prediction of 6-month mortality in cirrhotic patients. 2009 , 43, 580-5	52
1745	Diagnostic and prognostic values of critical flicker frequency determination as new diagnostic tool for objective HE evaluation in patients undergoing TIPS implantation. 2009 , 21, 1383-94	25
1744	Donor risk index and MELD interactions in predicting long-term graft survival: a single-centre experience. 2009 , 87, 1858-63	57
1743	Correlation of health-related quality of life after liver transplant with the Model for End-Stage Liver Disease score. 2009 , 144, 167-72	18
1742	Prediction of cardiac complications after liver transplantation. 2009 , 87, 763-70	111
1741	NCCN clinical practice guidelines in oncology: hepatobiliary cancers. 2009 , 7, 350-91	390
1740	Monitoring Oral Anticoagulant Therapy. 2009 , 179-189	4
1739	Serotonin transporter polymorphisms in patients with portopulmonary hypertension. 2009 , 135, 1470-1475	34
1738	Organ allocation for chronic liver disease: model for end-stage liver disease and beyond. 2010 , 26, 209-13	24
1737	Predictions and outcomes for the critically ill patient with cirrhosis: is it time to settle on the SOFA and let jaundiced views on outcome MELD away?. 2010 , 38, 2259-60	15
1736	Methylene blue as the future protecting agent for ischemic brain injury?. 2010 , 38, 2265-6	1
1735	What is stopping us from early mobility in the intensive care unit?. 2010 , 38, 2254-5	11
1734	Cardiovascular effects of therapeutic hypothermia after resuscitation from cardiac arrest?. 2010 , 38, 2264-5	4
1733	New insights into symptoms experienced by high-acuity intensive care unit patients. 2010 , 38, 2262-3	2
1732	Why do intensivists still use hydroxyethyl starch?. 2010 , 38, 2260-2	2

1731	Adverse outcomes in patients with chronic liver disease undergoing colorectal surgery. 2010 , 252, 345-50	31
1730	A pioneer approach to preventing central venous catheter infections. 2010 , 38, 2255-7	1
1729	'Rescue oxygenation therapies' for severe pH1N1-associated acute respiratory distress syndrome. 2010 , 38, 2257-8	2
1728	TIPS for HRS. 2010 , 142-148	
1727	Nonsurgical options for hepatocellular carcinoma: evolving role of external beam radiotherapy. 2010 , 17, 100-10	19
1726	Deceased donor liver transplantation. 2010 , 51, 143-162	
1725	Transjugular Intrahepatic Portosystemic Shunt for Ascites: Which Patients Will Benefit?. 2010 , 52-64	
1724	Response to therapy as a criterion for awarding priority to patients with hepatocellular carcinoma awaiting liver transplantation. 2010 , 17, 2290-302	53
1723	Model for end-stage liver disease versus the Child-Pugh score in predicting the post-transplant 3-month and 1-year mortality in a cohort of Chinese recipients. 2010 , 40, 38-45	8
1722	Die Interaktion zwischen Leber und Herz. 2010 , 24, 334-340	1
1721	Laparoscopic cholecystectomy in cirrhotic patients: the value of MELD score and Child-Pugh classification in predicting outcome. 2010 , 24, 407-12	68
1720	Mortalité hospitalière des patients cirrhotiques admis en milieu de soins intensifs: facteurs pronostiques et apport des scores de gravité. 2010 , 4, 17-21	3
1719	Hepatitis C and End-stage Liver Disease. 2010 , 9, 243-252	
1718	Nucleoside analogue can improve the long-term prognosis of patients with hepatitis B virus infection-associated acute on chronic liver failure. 2010 , 55, 2373-80	75
1717	Application of tumor-node-metastasis staging 2002 version in locally advanced hepatocellular carcinoma: is it predictive of surgical outcome?. 2010 , 10, 535	7
1716	Risk factor analysis in patients with liver cirrhosis undergoing cardiovascular operations. 2010 , 89, 811-7	45
1715	Height contributes to the gender difference in wait-list mortality under the MELD-based liver allocation system. 2010 , 10, 2658-64	64
1714	Race, ethnicity, and socioeconomic status influence the survival of patients with hepatocellular carcinoma in the United States. 2010 , 116, 1367-77	176

1713	Serum ferritin concentration predicts mortality in patients awaiting liver transplantation. <i>Hepatology</i> , 2010 , 51, 1683-91	11.2	61
1712	Bone marrow biopsy in patients with hepatitis C virus infection: spectrum of findings and diagnostic utility. 2010 , 85, 106-10		30
1711	Factors associated with recurrence and survival following hepatectomy for large hepatocellular carcinoma: a multicenter analysis. 2010 , 101, 105-10		31
1710	Scoring short-term mortality after liver transplantation. 2010 , 16, 138-46		43
1709	Six score systems to evaluate candidates with advanced cirrhosis for orthotopic liver transplant: Which is the winner?. 2010 , 16, 964-73		40
1708	Analysis of liver transplant outcomes for United Network for Organ Sharing recipients 60 years old or older identifies multiple model for end-stage liver disease-independent prognostic factors. 2010 , 16, 950-9		59
1707	Gender disparity in liver transplant waiting-list mortality: the importance of kidney function. 2010 , 16, 1147-57		47
1706	Inaccuracies of creatinine and creatinine-based equations in candidates for liver transplantation with low creatinine: impact on the model for end-stage liver disease score. 2010 , 16, 1169-77		121
1705	Early-onset pneumonia after liver transplantation: microbiological findings and therapeutic consequences. 2010 , 16, 1178-85		42
1704	Trends in liver transplantation for primary biliary cirrhosis in the Netherlands 1988-2008. 2010 , 10, 144		27
1703	Model for end-stage liver disease-based allocation system for liver transplantation in Argentina: does it work outside the United States?. 2010 , 12, 456-64		12
1702	Course of disease and survival after onset of decompensation in hepatitis B virus-related cirrhosis. 2010 , 30, 1033-42		29
1701	Refractory ascites: pathogenesis, definition and therapy of a severe complication in patients with cirrhosis. 2010 , 30, 937-47		120
1700	Outcomes of critically ill patients with cirrhosis admitted to intensive care: an important perspective from the non-transplant setting. 2010 , 32, 233-43		41
1699	The effectiveness of relative dose response to retinol intake as an evaluation of vitamin A status of cirrhotic patients. 2010 , 23, 583-9		15
1698	Clinical study on pulmonary diffusion function in patients with chronic liver disease. 2010 , 11, 291-8		4
1697	Impact of preoperative serum sodium concentration in living donor liver transplantation. 2010 , 25, 978-84		13
1696	Do smaller adults wait longer for liver transplantation? A comparison of the UK and the USA data. 2010 , 24, 181-7		3

1695	Selecting an optimal cutoff value for creatinine in the model for end-stage liver disease equation. 2010 , 24, 157-63	6
1694	Hyponatremia increases mortality in pediatric patients listed for liver transplantation. 2010 , 14, 115-20	20
1693	Indications and Selection of Patients for Liver Transplantation. 2010 , 297-304	
1692	The Effect of Race, Sex, and Insurance Status on Time-to-Listing Decisions for Liver Transplantation. 2010 , 2010, 467976	10
1691	Portal Hypertension. 2010 , 125-143	
1690	Prophylaxis for venous thromboembolism after resection of hepatocellular carcinoma on cirrhosis: is it necessary?. 2010 , 16, 2146-50	29
1689	The impact of the model for end-stage liver disease (MELD) on liver transplantation in one center in Brazil. 2010 , 47, 233-7	14
1688	Early use of TIPS in patients with cirrhosis and variceal bleeding. 2010 , 362, 2370-9	802
1687	Model for end-stage liver disease score predicts left ventricular assist device operative transfusion requirements, morbidity, and mortality. 2010 , 121, 214-20	160
1686	The Scientific Basis of Urology. 2010 ,	9
1685	An International Sensitivity Index (ISI) derived from patients with abnormal liver function improves agreement between INRs determined with different reagents. 2010 , 103, 757-65	14
1684	Peripheral and splanchnic indole and oxindole levels in cirrhotic patients: a study on the pathophysiology of hepatic encephalopathy. 2010 , 105, 1374-81	32
1683	Incorporating indocyanin green clearance into the Model for End Stage Liver Disease (MELD-ICG) improves prognostic accuracy in intermediate to advanced cirrhosis. 2010 , 59, 963-8	68
1682	TIPS for the treatment of refractory ascites, hepatorenal syndrome and hepatic hydrothorax: a critical update. 2010 , 59, 988-1000	159
1681	Risk prediction and outcomes in patients with liver cirrhosis undergoing open-heart surgery. 2010 , 38, 592-9	62
1680	Perioperative risk factors for pulmonary complications after liver transplantation. 2010 , 38, 1845-55	28
1679	Insulin sensitivity and body composition in cirrhosis: changes after TIPS. 2010 , 299, G486-93	15
1678	Survival of HIV-infected patients with compensated liver cirrhosis. 2010 , 24, 745-53	26

1677	Prediction value of model for end-stage liver disease scoring system on prognosis in the acute on chronic liver failure patients with plasma exchange treatment. 2010 , 56, 475-8	38
1676	Current status and future of liver transplantation. 2010 , 30, 411-21	97
1675	Disparities in organ allocation and access to liver transplantation in the USA. 2010 , 4, 133-40	8
1674	Liver transplant considerations for evaluation, CTP, and MELD. 2010 , 22, 403-11	
1673	Prioritization for liver transplantation. 2010 , 7, 659-68	50
1672	Der hepatische Hydrothorax. 2010 , 1, e107-e109	
1671	Predicting clinical and histologic outcomes based on standard laboratory tests in advanced chronic hepatitis C. 2010 , 138, 136-46	76
1670	The evaluation of renal function and disease in patients with cirrhosis. 2010 , 52, 605-13	178
1669	Renal function and MELD: being direct is better. 2010 , 52, 622-3	2
1668	Clinical efficacy of transjugular intrahepatic portosystemic shunt created with covered stents with different diameters: results of a randomized controlled trial. 2010 , 53, 267-72	100
1667	Meta-analysis of performance of Kings's College Hospital Criteria in prediction of outcome in non-paracetamol-induced acute liver failure. 2010 , 53, 492-9	102
1666	Prognosis indicator in acute liver failure: Is there a place for cell death markers?. 2010 , 53, 593-5	12
1665	[The value of MELD in the allocation of priority for liver transplantation candidates]. 2010 , 33, 330-6	4
1664	Pre-treatment hemodynamic features involved with long-term survival of cirrhotic patients after embolization of gastric fundal varices. 2010 , 75, e32-7	6
1663	Survival before and after model for end-stage liver disease score introduction on the Brazilian liver transplant waiting list. 2010 , 42, 412-6	6
1662	The relationship between inhalational anesthetic requirements and the severity of liver disease in liver transplant recipients according to three phases of liver transplantation. 2010 , 42, 854-7	29
1661	Predictive parameters after molecular absorbent recirculating system treatment integrated with model for end stage liver disease model in patients with acute-on-chronic liver failure. 2010 , 42, 1182-7	13
1660	Preoperative donor scores and postoperative early measures of graft function: relevance to the outcome of liver transplantation. 2010 , 42, 1209-11	8

1659	Does model for end-stage liver disease score predict the short-term outcome of living donor liver transplantation?. 2010 , 42, 3620-3	7
1658	Early risk stratification with simple clinical parameters for cirrhotic patients with acute upper gastrointestinal bleeding. 2010 , 28, 884-90	9
1657	The model of end-stage liver disease (MELD) score in predicting postoperative liver failure after hepatic resection of hepatocellular carcinoma in cirrhotic patients: The Tunisian experience. 2010 , 11, 35-38	
1656	Impact of the MELD allocation after its implementation in liver transplantation. 2011 , 46, 941-8	27
1655	Influence of serum sodium on MELD-based survival prediction in alcoholic hepatitis. 2011 , 86, 37-42	29
1654	Incidence and predictors of 30-day readmission among patients hospitalized for advanced liver disease. 2011 , 9, 254-9	117
1653	Insufficienza epatica acuta. 2011 , 16, 1-14	
1652	Model for end-stage liver disease score predicts outcome in cirrhotic patients during pregnancy. 2011 , 9, 694-9	68
1651	A model to determine 3-month mortality risk in patients with acute-on-chronic hepatitis B liver failure. 2011 , 9, 351-356.e3	59
1650	A revised model for end-stage liver disease optimizes prediction of mortality among patients awaiting liver transplantation. 2011 , 140, 1952-60	102
1649	Is MELD fit enough?. 2011 , 140, 1871-4	2
1648	Model for end-stage liver disease: end of the first decade. 2011 , 15, 685-98	39
1647	Post \square FMC-HGE. 2011 ,	
1646	Vascular Complications of Liver Transplants: Evaluation with Duplex Doppler Ultrasound. 2011 , 6, 513-530	2
1645	Chronic Liver Failure. 2011 ,	2
1644	Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. 2011 , 412, 347-52	9
1643	Outcome in cirrhotic patients after elective surgical repair of infrarenal aortic aneurysm. 2011 , 53, 906-11	26
1642	[Cirrhosis and surgical risk]. 2011 , 40, 17-23	1

1641	Gender, renal function, and outcomes on the liver transplant waiting list: assessment of revised MELD including estimated glomerular filtration rate. 2011 , 54, 462-70	73
1640	The MELD score in patients awaiting liver transplant: strengths and weaknesses. 2011 , 54, 1297-306	105
1639	Improving MELD for use in acute liver failure. 2011 , 54, 1320; author reply 1320-1	1
1638	Reply to the Letter to the Editor [Improving MELD for use in acute liver failure] 2011 , 54, 1320-1321	2
1637	Simultaneous liver-kidney versus liver transplantation alone in patients with end-stage liver disease and kidney dysfunction not on dialysis. 2011 , 43, 2669-77	19
1636	Predicting Mortality Across a Broad Spectrum of Liver Disease-An Assessment of Model for End-Stage Liver Disease (MELD), Child-Turcotte-Pugh (CTP), and Creatinine-Modified CTP Scores. 2011 , 1, 161-8	17
1635	Relationship between model for end-stage liver disease score and left ventricular function in patients with end-stage liver disease. 2011 , 10, 50-4	13
1634	Insuficiencia hepática aguda. 2011 , 37, 1-15	
1633	Current challenges and future trends in liver transplantation. 2011 , 5, 2-5	
1632	Integrating Palliative Care with Chronic Liver Disease Care. 2011 , 27, 20-27	16
1631	[Usefulness of model for end-stage liver disease score for predicting mortality after intra-abdominal surgery in patients with liver cirrhosis in a single hospital]. 2011 , 57, 340-5	6
1630	Kidney function and mortality post-liver transplant in the Model for End-Stage Liver Disease era. 2011 , 4, 139-44	5
1629	Impact of MELD allocation policy on survival outcomes after liver transplantation: a single-center study in northeast Brazil. 2011 , 66, 57-64	13
1628	Alleviating the Patient's Price of Privacy Through a Partially Observable Waiting List. 2011 ,	1
1627	The Model for End-stage Liver Disease accurately predicts 90-day liver transplant wait-list mortality in Atlantic Canada. 2011 , 25, 359-64	2
1626	Joint impact of donor and recipient parameters on the outcome of liver transplantation in Germany. 2011 , 92, 1378-84	24
1625	Gd-EOB-DTPA as a functional MR cholangiography contrast agent: imaging gallbladder filling in patients with and without hepatobiliary dysfunction. 2011 , 35, 439-45	13
1624	Current trends in living donor liver transplantation for primary sclerosing cholangitis. 2011 , 91, 1148-52	33

1623	Basiliximab induction and delayed calcineurin inhibitor initiation in liver transplant recipients with renal insufficiency. 2011 , 91, 1254-60	23
1622	Impact of hepatitis C virus infection on the course and outcome of patients with acute alcoholic hepatitis. 2011 , 23, 204-9	23
1621	Adult liver transplantation in the USA. 2011 , 27, 240-7	28
1620	Mortality after surgery in patients with liver cirrhosis: comparison of Child-Turcotte-Pugh, MELD and MELDNa score. 2011 , 23, 51-9	53
1619	Liver dysfunction by model for end-stage liver disease score improves mortality prediction in injured patients with cirrhosis. 2011 , 71, 6-11	8
1618	Elective liver transplant list mortality: development of a United Kingdom end-stage liver disease score. 2011 , 92, 469-76	99
1617	Short- and long-term surgical outcomes in patients undergoing proctocolectomy with ileal pouch-anal anastomosis in the setting of primary sclerosing cholangitis. 2011 , 54, 787-92	16
1616	Insuffisance h�patique aigu� 2011 , 8, 1-14	
1615	Glycemic control by a glucose management service and infection rates after liver transplantation. 2011 , 17, 546-51	28
1614	Enhanced demethylation of interferon-� gene promoter in peripheral blood mononuclear cells is associated with acute-on-chronic hepatitis B liver failure. 2011 , 224, 13-9	8
1613	Entecavir versus lamivudine in the treatment of chronic hepatitis B patients with hepatic decompensation. 2012 , 17, 605-12	12
1612	Hyponatremia a valuable predictor of early mortality in patients with cirrhosis listed for liver transplantation. 2011 , 25, 638-45	23
1611	Could metabolic liver function tests predict mortality on waiting list for liver transplantation? A study on 560 patients. 2011 , 25, 755-65	11
1610	The true merits of liver allocation according to MELD scores: survival after transplantation tells only one side of the story. 2011 , 24, 132-3	2
1609	Clinical epidemiological analysis of the mortality rate of liver transplant candidates living in rural areas. 2011 , 24, 292-9	3
1608	Is estimated glomerular filtration rate superior to serum creatinine in predicting mortality on the waiting list for liver transplantation?. 2011 , 24, 482-8	8
1607	Evidence-based development of liver allocation: a review. 2011 , 24, 965-72	34
1606	Hepatic steatosis is not always a contraindication for cadaveric liver transplantation. 2011 , 13, 417-25	45

1605	Bone marrow mononuclear cell therapy for patients with cirrhosis: a Phase 1 study. 2011 , 31, 391-400	47
1604	Sex-based disparities in liver transplant rates in the United States. 2011 , 11, 1435-43	61
1603	Posthepatectomy liver failure: a definition and grading by the International Study Group of Liver Surgery (ISGLS). 2011 , 149, 713-24	1191
1602	Comparison of acute physiology and chronic health evaluation II death risk, Child-Pugh, Charlson, and model for end-stage liver disease indexes to predict early mortality after liver transplantation. 2011 , 43, 1660-4	21
1601	Co-morbidities as predictors of mortality in Clostridium difficile infection and derivation of the ARC predictive score. 2011 , 79, 359-63	48
1600	Transjugular intrahepatic portosystemic shunt: state of the art. 2011 , 46, 125-32	21
1599	Portal hypertensive enteropathy diagnosed by capsule endoscopy and demonstration of the ileal changes after transjugular intrahepatic portosystemic shunt placement: a case report. 2011 , 5, 90	2
1598	Are targeted preoperative risk prediction tools more powerful? A test of models for emergency colon surgery in the very elderly. 2011 , 213, 220-5	53
1597	Coronary revascularization in patients with liver cirrhosis. 2011 , 91, 1393-9	32
1596	The predictive value of postoperative clinical risk scores for outcome after hepatic resection: a validation analysis in 807 patients. 2011 , 18, 3640-9	102
1595	Accuracy of MELD scores in predicting mortality in decompensated cirrhosis from variceal bleeding, hepatorenal syndrome, alcoholic hepatitis, or acute liver failure as well as mortality after non-transplant surgery or TIPS. 2011 , 56, 977-87	64
1594	Pre-transplant kidney function predicts chronic kidney disease after liver transplant: meta-analysis of observational studies. 2011 , 56, 1282-9	17
1593	Expression of human glucocorticoid receptor in T lymphocytes in acute-on-chronic hepatitis B liver failure. 2011 , 56, 2605-12	9
1592	Clinical presentation of hepatocellular carcinoma (HCC) in Asian-Americans versus non-Asian-Americans. 2011 , 13, 842-8	20
1591	The effect of kidney diseases on survival in liver transplant patients. 2011 , 43, 827-33	4
1590	Transjugular intrahepatic portosystemic shunt versus paracentesis plus albumin in patients with refractory ascites who have good hepatic and renal function: a prospective randomized trial. 2011 , 46, 78-85	109
1589	Embolization of bleeding stomal varices by direct percutaneous approach. 2011 , 34 Suppl 2, S210-3	15
1588	MELD-based indices as predictors of mortality in chronic liver disease patients who undergo emergency surgery with general anesthesia. 2011 , 15, 2029-35	13

1587	Differential effects of plasma and red blood cell transfusions on acute lung injury and infection risk following liver transplantation. 2011 , 17, 149-58		95
1586	A case-controlled study of the safety and efficacy of transjugular intrahepatic portosystemic shunts after liver transplantation. 2011 , 17, 771-8		21
1585	Risk factors for long-term mortality in a large cohort of patients wait-listed for liver transplantation in Brazil. 2011 , 17, 1013-20		10
1584	Model for end-stage liver disease exceptions in the context of the French model for end-stage liver disease score-based liver allocation system. 2011 , 17, 1137-51		54
1583	Waitlist survival of patients with primary sclerosing cholangitis in the model for end-stage liver disease era. 2011 , 17, 1355-63		40
1582	Early predictors of corticosteroid treatment failure in icteric presentations of autoimmune hepatitis. <i>Hepatology</i> , 2011 , 53, 926-34	11.2	73
1581	Carbon monoxide enhances early liver regeneration in mice after hepatectomy. <i>Hepatology</i> , 2011 , 53, 2016-26	11.2	27
1580	A prospective study of the rate of progression in compensated, histologically advanced chronic hepatitis C. <i>Hepatology</i> , 2011 , 54, 396-405	11.2	121
1579	Clinical variables as prognostic tools in pediatric-onset ulcerative colitis: a retrospective cohort study. 2011 , 17, 15-21		18
1578	Postoperative course and clinical significance of biochemical blood tests following hepatic resection. 2011 , 98, 836-44		86
1577	The Model for End-Stage Liver Disease score: an independent prognostic factor of mortality in injured cirrhotic patients. 2011 , 146, 1074-8		25
1576	Liver transplantation: filling the gap between supply and demand. 2011 , 11, 194-8		22
1575	Application of endoscopy in improving survival of cirrhotic patients with acute variceal hemorrhage. 2011 , 2011, 893973		11
1574	Acute Kidney Injury and Chronic Kidney Disease in Hospitalized Patients With Cirrhosis. 2011 , 59, 1244-1251		32
1573	In-hospital mortality among a cohort of cirrhotic patients admitted to a tertiary hospital. 2011 , 17, 387-90		13
1572	Transjugular Intrahepatic Portosystemic Shunt (TIPS). 2012 , 255-264		0
1571	Pretransplant Evaluation and Care. 2012 , 837-852		
1570	Ascites and spontaneous bacterial peritonitis. 2012 , 159-172		

1569	Transjugular intrahepatic portosystemic shunt placement for refractory ascites: a single-centre experience. 2012 , 47, 1494-500	15
1568	Experience Since MELD Implementation: How Does the New System Deliver?. 2012 , 2012, 264015	26
1567	Update in liver transplantation. 2012 , 28, 230-8	30
1566	A decade of model for end-stage liver disease: lessons learned and need for re-evaluation of allocation policies. 2012 , 17, 211-5	5
1565	Use of hepatotoxic drugs in chronic liver disease. 2012 , 8, 45-50	0
1564	Subclinical ascites defines an intermediate stage between compensated and decompensated cirrhosis. 2012 , 50, 996-1001	8
1563	Role of interventional radiology in the emergent management of acute upper gastrointestinal bleeding. 2012 , 29, 169-77	14
1562	Alcoholic hepatitis: diagnosis and management in 2012. 2012 , 6, 695-710	10
1561	Change in fibrosis score as a predictor of mortality among HIV-infected patients with viral hepatitis. 2012 , 26, 73-80	23
1560	Profile and outcome of patients with liver cirrhosis requiring mechanical ventilation. 2012 , 27, 373-8	19
1559	Risk assessment of development of hepatic decompensation in histologically proven hepatitis B viral cirrhosis using liver stiffness measurement. 2012 , 85, 219-27	17
1558	The transjugular intrahepatic portosystemic shunt in the treatment of portal hypertension: current status. 2012 , 2012, 167868	27
1557	The utility of scoring systems in predicting early and late mortality in alcoholic hepatitis: whose score is it anyway?. 2012 , 2012, 624675	18
1556	Adult liver transplantation in the United States. 2012 , 343, 462-9	29
1555	Pathogenesis and assessment of renal function in patients with liver cirrhosis. 2012 , 54, 5-13	8
1554	Value of transient elastography measured with FibroScan in predicting the outcome of hepatic resection for hepatocellular carcinoma. 2012 , 256, 706-12; discussion 712-3	111
1553	Comparison of hepatic venous pressure gradient and two models of end-stage liver disease for predicting the survival in patients with decompensated liver cirrhosis. 2012 , 46, 880-6	17
1552	Advanced hemodynamic monitoring before and after transjugular intrahepatic portosystemic shunt: implications for selection of patients--a prospective study. 2012 , 262, 343-52	22

1551	Guideline adherence and outcomes in esophageal variceal hemorrhage: comparison of tertiary care and non-tertiary care settings. 2012 , 46, 235-42	9
1550	Serum microRNA-122 predicts survival in patients with liver cirrhosis. 2012 , 7, e45652	56
1549	Liver Transplantation. 2012 , 125-150	
1548	Pediatric end-stage liver disease score in acute liver failure to assess poor prognosis. 2012 , 54, 193-6	33
1547	Effects of Liver Disease on Drug Metabolism in Humans. 2012 , 1	1
1546	Hepatocarcinoma. 2012 , 11, 693-703	
1545	Trasplante hepático. 2012 , 11, 704-719	
1544	Interpretación diagnóstica y pronóstica de las pruebas de función hepática. 2012 , 11, 733-739	
1543	Surgical risk in patients with cirrhosis. 2012 , 27, 1569-75	52
1542	Prognostic criteria for postoperative mortality in 170 patients undergoing major right hepatectomy. 2012 , 11, 507-12	12
1541	Liver Transplantation for the Patient with High MELD. 2012 , 215-221	
1540	Urinary neutrophil gelatinase-associated lipocalin predicts mortality and identifies acute kidney injury in cirrhosis. 2012 , 57, 2362-70	112
1539	Renal dysfunction in liver transplant recipients: evaluation of the critical issues. 2012 , 18, 1290-301	72
1538	Management of cirrhotic patients with blunt abdominal trauma: analysis of risk factor of postoperative death with the Model for End-Stage Liver Disease score. 2012 , 43, 1457-61	21
1537	Child-Turcotte score versus MELD for prognosis in a randomized controlled trial of emergency treatment of bleeding esophageal varices in cirrhosis. 2012 , 178, 139-46	11
1536	Predictors of early mortality post transjugular intrahepatic portosystemic shunts and the role of hepatic venous pressure gradient. 2012 , 1, 63-68	5
1535	Muscle wasting is associated with mortality in patients with cirrhosis. 2012 , 10, 166-73, 173.e1	523
1534	Cirrhosis as a Risk for Surgery. 2012 , 1, e488-e497	

1533	Care of the cirrhotic patient. 2012 , 26, 979-94	3
1532	Is the patient a candidate for liver transplantation?. 2012 , 16, 435-48	16
1531	Urinary metabolite variation is associated with pathological progression of the post-hepatitis B cirrhosis patients. 2012 , 11, 3838-47	17
1530	Cystatin C is a strong predictor of survival in patients with cirrhosis: is a cystatin C-based MELD better?. 2012 , 32, 1211-6	16
1529	Graphical display of model for end-stage liver disease (MELD) score. 2012 , 32, 1322-3	1
1528	An assessment of different scoring systems in cirrhotic patients undergoing nontransplant surgery. 2012 , 203, 589-593	29
1527	Prospective evaluation of the prognostic scores for cirrhotic patients admitted to an intensive care unit. 2012 , 56, 95-102	133
1526	Portal vein thrombosis, cirrhosis, and liver transplantation. 2012 , 57, 203-12	153
1525	Hepatitis B virus-related decompensated liver cirrhosis: benefits of antiviral therapy. 2012 , 57, 442-50	133
1524	Severe hyponatremia is a better predictor of mortality than MELDNa in patients with cirrhosis and refractory ascites. 2012 , 57, 274-80	55
1523	Liver dysfunction as a predictor of outcomes in patients with advanced heart failure requiring ventricular assist device support: Use of the Model of End-stage Liver Disease (MELD) and MELD eXcluding INR (MELD-XI) scoring system. 2012 , 31, 601-10	129
1522	Evaluation of the updated definition of early allograft dysfunction in donation after brain death and donation after cardiac death liver allografts. 2012 , 11, 372-6	49
1521	Kidney, pancreas and liver allocation and distribution in the United States. 2012 , 12, 3191-212	87
1520	Effects of fractionated plasma separation and adsorption on survival in patients with acute-on-chronic liver failure. 2012 , 142, 782-789.e3	270
1519	Risk scores and prognostic models in surgery: pancreas resection as a paradigm. 2012 , 49, 731-95	9
1518	Surgery in a patient with liver disease. 2012 , 2, 238-46	38
1517	Model for End-Stage Liver Disease score for predicting outcome in critically ill medical patients with liver cirrhosis. 2012 , 27, 424.e1-6	18
1516	Predicting in-hospital mortality among critically ill patients with end-stage liver disease. 2012 , 27, 740.e1-7	4

1515	Usefulness of international normalized ratio to predict bleeding complications in patients with end-stage liver disease who undergo cardiac catheterization. 2012 , 110, 1062-5	43
1514	A combination of models for end-stage liver disease and cirrhosis-related complications to predict the prognosis of liver cirrhosis. 2012 , 36, 583-91	9
1513	Defining the severity of liver dysfunction in patients with hepatocellular carcinoma by the model for end-stage liver disease-derived systems. 2012 , 44, 868-74	8
1512	Impact of model for end-stage liver disease score on long-term survival following liver transplantation for hepatocellular carcinoma. 2012 , 44, 2423-7	3
1511	An update on the diagnosis and management of Budd-Chiari syndrome. 2012 , 6, 731-44	29
1510	Transplantation of the Liver. 2012 , 853-868	
1509	Liver Anatomy and Function in the Planning of Hepatic Interventions. 2012 , 177-197	
1508	Management of ascites in cirrhosis and portal hypertension. 2012 , 1121-1128.e2	
1507	A Novel prognostic scoring system to predict 3-month mortality risk in patients with acute-on-chronic liver failure in hepatitis B: a retrospective cohort study. 2012 , 6, 727-34	4
1506	Entecavir treatment prevents disease progression in hepatitis B virus-related acute-on-chronic liver failure: establishment of a novel logistical regression model. 2012 , 6, 735-43	23
1505	Patients whose first episode of bleeding occurs while taking a β -blocker have high long-term risks of rebleeding and death. 2012 , 10, 670-6; quiz e58	23
1504	Autoimmune Hepatitis. 2012 ,	2
1503	Primary Liver Cancer. 2012 ,	1
1502	The transjugular intrahepatic portosystemic shunt: an update. 2012 , 199, 746-55	126
1501	Neuroendocrine liver metastasis: transplant as part of multimodality liver-directed therapy. 2012 , 147, 98-9; author reply 99	1
1500	Prognostic Factors for Survival in Patients with Liver Cirrhosis. 2012 ,	1
1499	Pretreatment viral DNA stratifies mortality risk in patients receiving antiviral therapy for severe acute exacerbation of chronic hepatitis B. 2013 , 18, 221-8	6
1498	Decreased serum total T3 level in hepatitis B and C related cirrhosis by severity of liver damage. 2012 , 11, 667-671	24

1497	Severity of End-stage Liver Disease in Liver Transplant Candidate; Comparison of KONOS Status with MELD Score. 2012 , 26, 112		5
1496	Neuroendocrine Liver Metastasis: Transplant as Part of Multimodality Liver-Directed Therapy-Reply. 2012 , 147, 99		
1495	Portal Hypertension and Bleeding Esophageal Varices. 2012 , 296-326		6
1494	Emprego do escore MELD para a prediçã da sobrevivência pã-transplante hepãico. 2012 , 39, 105-111		4
1493	Increasing disparity in waitlist mortality rates with increased model for end-stage liver disease scores for candidates with hepatocellular carcinoma versus candidates without hepatocellular carcinoma. 2012 , 18, 434-43		94
1492	Quantitative liver function tests improve the prediction of clinical outcomes in chronic hepatitis C: results from the Hepatitis C Antiviral Long-term Treatment Against Cirrhosis Trial. <i>Hepatology</i> , 2012 , 55, 1019-29	11.2	44
1491	A model for dropout assessment of candidates with or without hepatocellular carcinoma on a common liver transplant waiting list. <i>Hepatology</i> , 2012 , 56, 149-56	11.2	76
1490	Perioperative critical care in hepatopancreatobiliary patients. 2012 , 385-390.e3		
1489	Transjugular intrahepatic portosystemic shunting: Indications and technique. 2012 , 1180-1187.e2		
1488	Orthotopic liver transplantation. 2012 , 1722-1736.e4		2
1487	Risk stratification of spontaneous bacterial peritonitis in cirrhosis with ascites based on classification and regression tree analysis. 2012 , 39, 6161-9		12
1486	Management and prognosis of acute liver failure in children. 2012 , 14, 262-9		19
1485	The effect of changes of model for end-stage liver disease score during waiting time on post-liver transplant mortality. 2012 , 6, 491-7		1
1484	Value of the SOFA score as a predictive model for short-term survival in high-risk liver transplant recipients with a pre-transplant labMELD score ≥ 0 . 2012 , 397, 717-26		20
1483	Long-term outcome of living donor liver transplantation for primary biliary cirrhosis. 2012 , 25, 7-12		9
1482	Elevated gamma-glutamyltransferase is associated with mortality in lung transplantation for cystic fibrosis. 2012 , 25, 78-86		6
1481	Prosthetic H-graft portacaval shunts vs transjugular intrahepatic portasystemic stent shunts: 18-year follow-up of a randomized trial. 2012 , 214, 445-53; discussion 453-5		29
1480	Full-right-full-left split liver transplantation: the retrospective analysis of an early multicenter experience including graft sharing. 2012 , 12, 2198-210		31

1479	Increase in mortality rate of liver transplant candidates residing in specific geographic areas: analysis of UNOS data. 2012 , 12, 2188-97	20
1478	Laparoscopic cholecystectomy in liver cirrhosis patients: An Egyptian experience. 2012 , 16, 12-16	
1477	Acoustic radiation force impulse imaging predicts postoperative ascites resulting from curative hepatic resection for hepatocellular carcinoma. 2012 , 151, 837-43	15
1476	High model for end-stage liver disease score as a predictor of survival during long-term follow-up after liver transplantation. 2012 , 44, 384-8	13
1475	Pretransplant Model for End-stage Liver Disease score has no impact on posttransplant survival in living donor liver transplantation. 2012 , 44, 396-8	6
1474	Which score system can best predict recipient outcomes after living donor liver transplantation?. 2012 , 44, 393-5	12
1473	Should a lower quality organ go to the least sick patient? Model for end-stage liver disease score and donor risk index as predictors of early allograft dysfunction. 2012 , 44, 1303-6	25
1472	Hepatocellular carcinoma screening practices and impact on survival among hepatitis B-infected Asian Americans. 2012 , 19, 594-600	34
1471	The influence of laboratory-induced MELD score differences on liver allocation: more reality than myth. 2012 , 26, E62-70	13
1470	Risk factors for liver transplant waitlist dropout in patients with hepatocellular carcinoma. 2012 , 26, E359-64	30
1469	Comparison of seven liver allocation models with respect to lives saved among patients on the liver transplant waiting list. 2012 , 25, 409-15	9
1468	Dynamic changes in MELD score not only predict survival on the waiting list but also overall survival after liver transplantation. 2012 , 25, 935-40	28
1467	Emergency transjugular intrahepatic portosystemic shunt (TIPS): results, complications and predictors of mortality in the first month of follow-up. 2012 , 117, 46-53	16
1466	Incidence and risk factors of hepatocellular carcinoma recurrence after liver transplantation in the MELD era. 2012 , 57, 806-12	39
1465	Potential role of cholinesterases to predict short-term outcome after hepatic resection for hepatocellular carcinoma. 2013 , 65, 11-8	15
1464	Multidisciplinary Treatment of Hepatocellular Carcinoma. 2013 ,	2
1463	Serum sodium based modification of the MELD does not improve prediction of outcome in acute liver failure. 2013 , 13, 58	11
1462	Annual Update in Intensive Care and Emergency Medicine 2013. 2013 ,	4

1461	Serum markers for predicting abdominal surgery outcomes in patients with cirrhosis. 2013 , 17, 696-701	6
1460	Model for End-Stage Liver Disease and liver cirrhosis-related complications. 2013 , 7, 347-55	1
1459	Percutaneous transhepatic variceal embolization with cyanoacrylate vs. transjugular intrahepatic portal systematic shunt for esophageal variceal bleeding. 2013 , 7, 636-44	9
1458	Short- and long-term outcomes of third liver transplantation at single centre. 2013 , 7, 728-33	0
1457	Effects of total bilirubin on the prevalence of osteoporosis in postmenopausal women without potential liver disease. 2013 , 31, 637-43	10
1456	Characteristics of alcoholic liver disease and predictive factors for mortality of patients with alcoholic cirrhosis. 2013 , 12, 594-601	14
1455	Portal Hypertension: Concepts in Diagnosis and the Role of Transjugular Intrahepatic Portosystemic Shunts in the Management of Complications. 2013 , 32, 77-86	1
1454	Short-term entecavir versus lamivudine therapy for HBeAg-negative patients with acute-on-chronic hepatitis B liver failure. 2013 , 12, 154-9	19
1453	Comparison of current staging systems for advanced hepatocellular carcinoma not amendable to locoregional therapy as inclusion criteria for clinical trials. 2013 , 9, 86-92	13
1452	Prognostic capability of different liver disease scoring systems for prediction of early mortality after transjugular intrahepatic portosystemic shunt creation. 2013 , 24, 411-20, 420.e1-4; quiz 421	53
1451	The presence of hepatitis B core antibody is associated with more advanced liver disease in alcoholic patients with cirrhosis. 2013 , 47, 553-8	11
1450	Management of hepatocellular carcinoma. 2013 , 93, 1423-50	27
1449	Artificial neural network is highly predictive of outcome in paediatric acute liver failure. 2013 , 17, 535-42	15
1448	Patient selection for liver transplantation. 2013 , 7, 571-9	6
1447	Plasma transfusion in liver transplantation: a randomized, double-blind, multicenter clinical comparison of three virally secured plasmas. 2013 , 53, 1335-45	19
1446	Predictors of survival in hepatitis B virus related decompensated cirrhosis on tenofovir therapy: an Indian perspective. 2013 , 100, 300-5	17
1445	TIPS: 25 years later. 2013 , 59, 1081-93	236
1444	Factors affecting acid base status during hepatectomy in cirrhotic patientsPeer review under responsibility of Egyptian Society of Anesthesiologists.View all notes. 2013 , 29, 305-310	2

1443	APACHE III score is superior to King's College Hospital criteria, MELD score and APACHE II score to predict outcomes after liver transplantation for acute liver failure. 2013 , 45, 2295-301	5
1442	The MELD scoring system and the prediction of outcomes in heart failure patients: what we have learned from the hepatologists. 2013 , 61, 2262-3	8
1441	The model for end-stage liver disease (MELD) predicts early and late outcomes of cardiovascular operations in patients with liver cirrhosis. 2013 , 96, 1672-8	28
1440	Peripheral platelet count correlates with liver atrophy and predicts long-term mortality on the liver transplant waiting list. 2013 , 26, 435-42	20
1439	Intraoperative predictors of short-term mortality in living donor liver transplantation due to acute liver failure. 2013 , 45, 236-40	13
1438	Donor-recipient matching: myths and realities. 2013 , 58, 811-20	46
1437	Assessing liver dysfunction in cirrhosis: role of the model for end-stage liver disease and its derived systems. 2013 , 76, 419-24	6
1436	Comparison of short- and long-term outcomes after early versus late liver retransplantation: a single-center experience. 2013 , 185, 877-82	10
1435	Prediction of the prognosis after liver transplantation in severe hepatitis B-induced liver failure and clinical decision for liver transplantation. 2013 , 183, 846-51	4
1434	Consequences of the implementation of the Model for End-stage Liver Disease system for liver allocation in Brazil. 2013 , 45, 2111-4	8
1433	Risk stratification of ambulatory patients with advanced heart failure undergoing evaluation for heart transplantation. 2013 , 32, 333-40	31
1432	Hepatic dysfunction in ambulatory patients with heart failure: application of the MELD scoring system for outcome prediction. 2013 , 61, 2253-2261	112
1431	Prognostic scores for cirrhotic patients admitted to an intensive care unit: which consequences for liver transplantation?. 2013 , 37, 455-66	16
1430	Review article: towards a considered and ethical approach to organ support in critically-ill patients with cirrhosis. 2013 , 37, 174-82	25
1429	A model to predict 3-month mortality risk of acute-on-chronic hepatitis B liver failure using artificial neural network. 2013 , 20, 248-55	33
1428	A risk model to predict 90-day mortality among patients undergoing hepatic resection. 2013 , 216, 1049-56	65
1427	Liver transplantation in acute-on-chronic liver failure patients with high model for end-stage liver disease (MELD) scores: a single center experience of 100 consecutive cases. 2013 , 183, 936-43	57
1426	Predicting early allograft failure and mortality after liver transplantation: the role of the postoperative model for end-stage liver disease score. 2013 , 19, 534-42	42

1425	Model for End-stage Liver Disease. 2013 , 3, 50-60		76
1424	TIPS. 2013 , 331-341		
1423	Predictors of early re-bleeding and mortality after acute variceal haemorrhage. 2013 , 14, 63-7		13
1422	Good long-term outcome of Budd-Chiari syndrome with a step-wise management. <i>Hepatology</i> , 2013 , 57, 1962-8	11.2	180
1421	Predictive value of Refit Model for End-Stage Liver Disease, Refit Model for End-Stage Liver Disease-Na, and pre-existing scoring system for 3-month mortality in Korean patients with cirrhosis. 2013 , 28, 1209-16		11
1420	A worldwide survey of the current daily practice in liver surgery. 2013 , 2, 55-66		62
1419	Acute kidney injury is independently associated with death in patients with cirrhosis. 2013 , 4, 191-197		28
1418	Chronic liver disease: noninvasive subharmonic aided pressure estimation of hepatic venous pressure gradient. 2013 , 268, 581-8		47
1417	Alleviating the Patient's Price of Privacy Through a Partially Observable Waiting List. 2013 , 59, 1836-1854		23
1416	Introducing an optimal liver allocation system for liver cirrhosis patients. 2013 , 13, e10479		2
1415	Use of the model for end-stage liver disease score for guiding clinical decision-making in the selection of patients for emergency cardiac transplantation. 2013 , 44, 134-8		9
1414	Feasibility of split liver transplantation for 2 adults in the model of end-stage liver disease era. 2013 , 258, 306-11		37
1413	Predictive value of the model for end-stage liver disease score in patients undergoing left ventricular assist device implantation. 2013 , 59, 57-62		28
1412	Outcome after liver transplantation for cirrhosis due to alcohol and hepatitis C: comparison to alcoholic cirrhosis and hepatitis C cirrhosis. 2013 , 47, 727-33		20
1411	High risk but not always lethal: the effect of cirrhosis on thermally injured adults. 2013 , 34, 115-9		4
1410	Re-evaluation of the indications for liver transplantation in Wilson's disease based on the outcomes of patients referred to a transplant center. 2013 , 17, 369-73		12
1409	Assessment of hepatic function, operative candidacy, and medical management after liver resection in the patient with underlying liver disease. 2013 , 33, 204-12		23
1408	Clinical applications of the Model for End-Stage Liver Disease (MELD) in hepatic medicine. 2013 , 5, 1-10		11

1407	Effects of mycophenolate mofetil introduction in liver transplant patients: results from an observational, non-interventional, multicenter study (LOBSTER). 2013 , 27, 368-78	4
1406	The lethal and enduring inequity of deceased donor liver allocation policy for hepatocellular carcinoma in the United States. 2013 , 13, 2794-6	6
1405	The liver to abdominal area ratio (LAAR): a novel imaging score for prognostication in cirrhosis. 2013 , 38, 1385-94	6
1404	The survival outcomes following liver transplantation (SOFT) score: validation with contemporaneous data and stratification of high-risk cohorts. 2013 , 27, 627-32	32
1403	A Unified Framework for the Prioritization of Organ Transplant Patients: Analytic Hierarchy Process, Sensitivity and Multifactor Robustness Study. 2013 , 20, 157-172	10
1402	Predicting the development of acute kidney injury in liver cirrhosis--an analysis of glomerular filtration rate, proteinuria and kidney injury biomarkers. 2013 , 37, 989-97	26
1401	Current concepts in the diagnosis and classification of renal dysfunction in cirrhosis. 2013 , 38, 345-54	25
1400	MELD-XI score and cardiac mortality or transplantation in patients after Fontan surgery. 2013 , 99, 491-6	130
1399	What Special Considerations Are Needed for Treating Patients With Chronic Liver Disease?. 2013 , 308-311	
1398	Wait and transplant for stage 2 hepatocellular carcinoma with deceased-donor liver grafts. 2013 , 96, 995-9	12
1397	De novo malignancies after adult-to-adult living-donor liver transplantation with a malignancy surveillance program: comparison with a Japanese population-based study. 2013 , 95, 1142-7	24
1396	201Tl heart-liver radioactivity uptake ratio and prediction of decompensation in patients with cirrhosis. 2013 , 38, 169-74	2
1395	The impact of liver cirrhosis on outcomes in trauma patients: a prospective study. 2013 , 75, 699-703	25
1394	Cirrhotic ascites review: Pathophysiology, diagnosis and management. 2013 , 5, 251-63	61
1393	Liver Transplantation for Hepatocellular Carcinoma. 2013 ,	
1392	The model for end-stage liver disease score-based system predicts short term mortality better than the current Child-Turcotte-Pugh score-based allocation system during waiting for deceased liver transplantation. 2013 , 28, 1207-12	20
1391	Revision of MELD to include serum albumin improves prediction of mortality on the liver transplant waiting list. 2013 , 8, e51926	41
1390	Hyaluronic acid levels predict risk of hepatic encephalopathy and liver-related death in HIV/viral hepatitis coinfecting patients. 2013 , 8, e64283	17

1389	Scoring selection criteria including total tumour volume and pretransplant percentage of lymphocytes to predict recurrence of hepatocellular carcinoma after liver transplantation. 2013 , 8, e72235	15
1388	Child-Na score: a predictive model for survival in cirrhotic patients with symptomatic portal hypertension treated with TIPS. 2013 , 8, e79637	9
1387	KASL clinical practice guidelines: management of alcoholic liver disease. 2013 , 19, 216-54	19
1386	Liver and Gastrointestinal Physiology. 2013 , 475-486	2
1385	Impact of creatinine values on MELD scores in male and female candidates for liver transplantation. 2013 , 12, 434-439	10
1384	Transjugular intrahepatic portosystemic shunt is associated with significant changes in mitral inflow parameters. 2013 , 12, 464-470	9
1383	Impact of the severity of end-stage liver disease in cardiac structure and function. 2013 , 12, 85-91	17
1382	Impact of MELD score implementation on liver allocation: experience at a Brazilian center. 2013 , 12, 440-447	11
1381	Model for End-stage Liver Disease (MELD) in Predicting Postoperative Mortality of Patients Undergoing Colorectal Surgery. 2013 , 79, 347-352	20
1380	Influence of chronic HBV infection on superimposed acute hepatitis E. 2013 , 19, 5904-9	30
1379	Design of a prospective, multinational registry to evaluate patients hospitalized with hyponatremia: the HN Registry. 2013 , 93	1
1378	Cirrhosis and its complications: evidence based treatment. 2014 , 20, 5442-60	113
1377	The role of miRNA-34a as a prognostic biomarker for cirrhotic patients with portal hypertension receiving TIPS. 2014 , 9, e103779	18
1376	The Impact of the Introduction of MELD on the Dynamics of the Liver Transplantation Waiting List in São Paulo, Brazil. 2014 , 2014, 219789	3
1375	The Model for End-Stage Liver Disease (MELD) can predict outcomes in ambulatory patients with advanced heart failure who have been referred for cardiac transplantation evaluation. 2014 , 11, 178-81	4
1374	Analysis of the survival of cirrhotic patients enlisted for liver transplantation in the pre- and post-MELD era in southern Brazil. 2014 , 51, 46-52	6
1373	Entecavir vs lamivudine therapy for naïve patients with spontaneous reactivation of hepatitis B presenting as acute-on-chronic liver failure. 2014 , 20, 4745-52	26
1372	Clinical relevance of sarcopenia in patients with cirrhosis. 2014 , 20, 8061-71	147

1371	Research for Modification of Emergency Status in Deceased Donor Liver Allocation: Survival Analysis of Waiting Patients for Liver Transplantation. 2014 , 28, 59	4
1370	Antiviral agents for hepatitis B virus-related cirrhosis. 2014 ,	
1369	Transjugular intrahepatic portosystemic shunts and portal hypertension-related complications. 2014 , 20, 16996-7010	44
1368	Liver transplantation for malignancy: current treatment strategies and future perspectives. 2014 , 20, 5331-44	25
1367	New index to predict esophageal variceal bleeding in cirrhotic patients. 2014 , 20, 6989-94	6
1366	Biomarker-based prognosis in hepatocellular carcinoma: validation and extension of the BALAD model. 2014 , 110, 2090-8	32
1365	Prognoses of patients with acute-on-chronic hepatitis B liver failure are closely associated with altered SOCS1 mRNA expression and cytokine production following glucocorticoid treatment. 2014 , 11, 396-404	7
1364	Effect of liver volume in morbidity and mortality after elective transjugular intrahepatic portosystemic shunt. 2014 , 3, 93-97	0
1363	Development and validation of insulin-like growth factor-1 score to assess hepatic reserve in hepatocellular carcinoma. 2014 , 106,	19
1362	Increased circulatory asymmetric dimethylarginine and multiple organ failure: bile duct ligation in rat as a model. 2014 , 15, 3989-4006	17
1361	Early graft dysfunction and mortality rate in marginal donor liver transplantation. 2014 , 44, 709-11	2
1360	Cryptosporidiosis in patients with diarrhea and chronic liver diseases. 2014 , 8, 1584-90	8
1359	Chronologic changes of explanted liver volume and the use of ursodeoxycholic acid in patients with end-stage primary biliary cirrhosis. 2014 , 44, 993-9	1
1358	Model for end-stage liver disease score versus Maddrey discriminant function score in assessing short-term outcome in alcoholic hepatitis. 2014 , 29, 581-8	9
1357	Evaluation of the pediatric patient for liver transplantation: 2014 practice guideline by the American Association for the Study of Liver Diseases, American Society of Transplantation and the North American Society for Pediatric Gastroenterology, Hepatology and Nutrition. <i>Hepatology</i> , 2014 , 60, 362-98	11.2 122
1356	Validation of a dropout assessment model of candidates with/without hepatocellular carcinoma on a common liver transplant waiting list. 2014 , 27, 686-95	28
1355	Validation of a model to estimate survival in ambulatory patients with hepatocellular carcinoma: a single-centre cohort study. 2014 , 34, e317-23	17
1354	Relationship between severity of liver dysfunction and the relative ratio of liver to aortic enhancement (RE) on MRI using hepatocyte-specific contrast. 2014 , 39, 24-30	4

1353	Impact of the Model for End-stage Liver Disease (MELD) score on liver transplantation in Greece. 2014 , 46, 3212-5		4
1352	Toward a better liver graft allocation that accounts for candidates with and without hepatocellular carcinoma. 2014 , 14, 2221-7		47
1351	Expanded use of aggressive therapies improves survival in early and intermediate hepatocellular carcinoma. 2014 , 16, 758-67		18
1350	Survival predictors in ventricular assist device patients with prior extracorporeal life support: selecting appropriate candidates. 2014 , 38, 727-32		20
1349	Developments in pediatric liver transplantation since implementation of the new allocation rules in Eurotransplant. 2014 , 28, 1061-8		15
1348	Scoring systems for 6-month mortality in critically ill cirrhotic patients: a prospective analysis of chronic liver failure - sequential organ failure assessment score (CLIF-SOFA). 2014 , 40, 1056-65		45
1347	Neutrophil-lymphocyte ratio: a novel predictor for short-term prognosis in acute-on-chronic hepatitis B liver failure. 2014 , 21, 499-507		53
1346	Risk factors for biliary complications after orthotopic liver transplantation with T-tube: a single-center cohort of 743 transplants. 2014 , 46, 3097-9		8
1345	Model for End-Stage Liver Disease (MELD) score does not predict outcomes of hepatitis B-induced acute-on-chronic liver failure in transplant recipients. 2014 , 46, 3502-6		8
1344	Systematic computer tomographic scans 7 days after liver transplantation surgery can lower rates of repeat-transplantation due to arterial complications. 2014 , 46, 3536-42		15
1343	Functional magnetic resonance cholangiography enhanced with Gd-EOB-DTPA: effect of liver function on biliary system visualization. 2014 , 39, 1254-8		5
1342	Nonalcoholic steatohepatitis is the most rapidly growing indication for liver transplantation in patients with hepatocellular carcinoma in the U.S. <i>Hepatology</i> , 2014 , 59, 2188-95	11.2	493
1341	Glomerular filtration rate equations for liver-kidney transplantation in patients with cirrhosis: validation of current recommendations. <i>Hepatology</i> , 2014 , 59, 1514-21	11.2	86
1340	Scoring systems predict the prognosis of acute-on-chronic hepatitis B liver failure: an evidence-based review. 2014 , 8, 623-32		12
1339	Monitoring and Care. 2014 , 478-493		
1338	Different scoring systems in predicting survival in Chinese patients with liver cirrhosis undergoing transjugular intrahepatic portosystemic shunt. 2014 , 26, 853-60		15
1337	The MELD score for the prediction of early variceal rebleeding after endoscopic intervention. 2014 , 4, 112-116		
1336	Preoperative model for end-stage liver disease score as a predictor for posthepatectomy complications. 2014 , 26, 668-75		8

1335	Prophylactic use of transjugular intrahepatic portosystemic shunt aids in the treatment of refractory ascites: metaregression and trial sequential meta-analysis. 2014 , 48, 290-9	28
1334	Addition of Serum sodium as a variable in the Model for end-stage liver disease scoring system. 2014 , 4, 29-35	
1333	Stratifying the risks of oral anticoagulation in patients with liver disease. 2014 , 7, 461-7	36
1332	Determinants of hepatocellular carcinoma in cirrhotic patients treated with nucleos(t)ide analogues for chronic hepatitis B. 2014 , 69, 1920-7	30
1331	Bone marrow stem cell therapy for liver disease. 2014 , 32, 494-501	6
1330	Hepatitis C Virus and Liver Transplantation. 2014 ,	1
1329	Systemic therapy for hepatocellular carcinoma: the issue of treatment stage migration and registration of progression using the BCLC-refined RECIST. 2014 , 34, 444-55	83
1328	Ascites and spontaneous bacterial peritonitis: recommendations from two United States centers. 2014 , 20, 279-87	13
1327	Association of serum bilirubin with aging and mortality. 2014 , 4, 1-7	31
1326	Application of postoperative Model for End-Stage Liver Disease scoring system for evaluating liver graft function after living donor liver transplantation. 2014 , 46, 81-6	10
1325	A MELD-based model to determine risk of mortality among patients with acute variceal bleeding. 2014 , 146, 412-19.e3	183
1324	The impact of Model for End-Stage Liver Disease-Na in predicting morbidity and mortality following elective colon cancer surgery irrespective of underlying liver disease. 2014 , 207, 520-6	21
1323	Prediction of early mortality after variceal bleeding: score one more for MELD. 2014 , 146, 337-9	5
1322	A high MELD score, combined with the presence of hepatitis C, is associated with a poor prognosis in living donor liver transplantation. 2014 , 44, 233-40	8
1321	Waiting list mortality of patients with primary biliary cirrhosis in the Japanese transplant allocation system. 2014 , 49, 324-31	27
1320	Transjugular intrahepatic portosystemic shunt for the treatment of Budd-Chiari syndrome patients: results from a single center. 2014 , 37, 691-7	29
1319	Factors associated with aggravation of esophageal varices after B-RTO for gastric varices. 2014 , 37, 1243-50	10
1318	Hepatocellular carcinoma: clinical frontiers and perspectives. 2014 , 63, 844-55	953

1317	Hyper- and hypometabolism are not related to nutritional status of patients on the waiting list for liver transplantation. 2014 , 33, 754-60		14
1316	MELD: Which Patients Fall Through the Cracks?. 2014 , 13, 60-73		1
1315	Surgical resection versus transarterial chemoembolization for hepatocellular carcinoma with portal vein tumor thrombosis: a propensity score analysis. 2014 , 21, 1825-33		74
1314	Outcome of patients with cirrhosis requiring mechanical ventilation in ICU. 2014 , 60, 570-8		89
1313	Early mortality and long-term survival after abdominal surgery in patients with liver cirrhosis. 2014 , 155, 623-32		34
1312	Surgery in patients with portal hypertension: a preoperative checklist and strategies for attenuating risk. 2014 , 18, 477-505		19
1311	The role of organic anion transporters in diagnosing liver diseases by magnetic resonance imaging. 2014 , 42, 675-84		29
1310	Application of an isocratic methanol-based HPLC method for the determination of iohexol concentrations and glomerular filtration rate in patients with cirrhosis. 2014 , 51, 80-8		5
1309	Development and validation of a comorbidity scoring system for patients with cirrhosis. 2014 , 146, 147-56; quiz e15-6		77
1308	Risk factors associated with preoperative fecal carriage of extended-spectrum β -lactamase-producing Enterobacteriaceae in liver transplant recipients. 2014 , 16, 84-9		27
1307	Liver failure after hepatocellular carcinoma surgery. 2014 , 399, 1047-55		12
1306	Creatinine- versus cystatine C-based equations in assessing the renal function of candidates for liver transplantation with cirrhosis. <i>Hepatology</i> , 2014 , 59, 1522-31	11.2	89
1305	Combination of racial/ethnic and etiology/disease-specific factors is associated with lower survival following liver transplantation in African Americans: an analysis from UNOS/OPTN database. 2014 , 28, 755-61		23
1304	Two healthy females with fulminant hepatic failure caused by herpes simplex virus infection. 2014 , 64, 48-50		1
1303	Clinical but not histological factors predict long-term prognosis in patients with histologically advanced non-decompensated alcoholic liver disease. 2014 , 34, 235-42		22
1302	High early cardiovascular mortality after liver transplantation. 2014 , 20, 1306-16		104
1301	Prognostic factors in patients with refractory ascites treated by transjugular intrahepatic porto-systemic shunt: From the liver to the kidney. 2014 , 46, 1001-7		8
1300	Overview of the indications and contraindications for liver transplantation. 2014 , 4,		49

1299	Epidemiology, diagnosis and early patient management of esophagogastric hemorrhage. 2014 , 43, 765-82	13
1298	An a priori prediction model of response to peginterferon plus ribavirin dual therapy in naïve patients with genotype 1 chronic hepatitis C. 2014 , 46, 818-25	8
1297	Systemic treatment. 2014 , 28, 921-35	9
1296	Indocyanine green clearance test combined with MELD score in predicting the short-term prognosis of patients with acute liver failure. 2014 , 13, 271-5	16
1295	Transjugular intrahepatic portosystemic shunt. 2014 , 18, 853-76	43
1294	Autoimmune Liver Diseases. 2014 ,	1
1293	A new formula as a predictive score of post-liver transplantation outcome: postoperative MELD-lactate. 2014 , 46, 1407-12	14
1292	The utility of scoring systems in critically ill cirrhotic patients admitted to a general intensive care unit. 2014 , 29, 1131.e1-6	12
1291	Acute-on-chronic liver failure. 2014 , 18, 561-74	18
1290	Evolving trends in liver transplantation: listing and liver donor allocation. 2014 , 18, 519-27	6
1289	Advances in preoperative assessment of liver function. 2014 , 13, 361-70	44
1288	Endogenous thrombin potential and examination of a further 31 analytes in liver transplant candidates. 2014 , 46, 2171-6	
1287	Hemodynamic recovery following postreperfusion syndrome in liver transplantation. 2014 , 28, 994-1002	36
1286	Increased complication rates after hip and knee arthroplasty in patients with cirrhosis of the liver. 2014 , 472, 2774-8	38
1285	Surgical resection of a malignant liver lesion: what the surgeon wants the radiologist to know. 2014 , 203, W21-33	18
1284	Prognostic Factors in Compensated and Decompensated Cirrhosis. 2014 , 13, 171-179	4
1283	Systematic review: the effects of autologous stem cell therapy for patients with liver disease. 2014 , 39, 673-85	47
1282	When to consider liver transplant during the management of chronic liver disease. 2014 , 98, 153-68	15

1281	Pretransplant mortality predictors in living and deceased donor liver transplantation. 2014 , 77, 16-20	6
1280	Pretreatment HBsAg level and an early decrease in MELD score predict prognosis to lamivudine treatment for HBeAg-negative acute-on-chronic liver failure. 2014 , 38, 331-6	3
1279	Preoperative variables associated with transfusion requirements in orthotopic liver transplantation. 2014 , 50, 99-105	10
1278	Early markers of neural dysfunction and compensation: a model from minimal hepatic encephalopathy. 2014 , 125, 1138-44	6
1277	Is there sufficient evidence to recommend antiviral therapy in hepatitis C?. 2014 , 60, 191-6	30
1276	Alcoholic hepatitis: current management. 2014 , 59, 2357-66	18
1275	Hernia repair in the presence of ascites. 2014 , 190, 471-7	16
1274	Use of artificial intelligence as an innovative donor-recipient matching model for liver transplantation: results from a multicenter Spanish study. 2014 , 61, 1020-8	59
1273	Model for End-Stage Liver Disease score predicts mortality in critically ill cirrhotic patients. 2014 , 29, 881.e7-13	22
1272	Prognosis of acute severe autoimmune hepatitis (AS-AIH): the role of corticosteroids in modifying outcome. 2014 , 61, 876-82	89
1271	Management of end-stage liver disease. 2014 , 98, 119-52	27
1270	Hepatic hydrothorax. 2014 , 18, 439-49	22
1269	Liver transplantation for hepatocellular carcinoma: how far have we come and what is the future?. 2014 , 1, 309-321	
1268	Reticulocyte count and hemoglobin concentration predict survival in candidates for liver transplantation. 2014 , 97, 463-9	9
1267	Gut Microbiota Alterations can predict Hospitalizations in Cirrhosis Independent of Diabetes Mellitus. 2015 , 5, 18559	53
1266	Leberfunktion bei LVAD-Implantation. 2015 , 29, 262-263	
1265	Initial combination anti-viral therapy with lamivudine and adefovir dipivoxil decreases short-term fatality rate of hepatitis-B-virus-related acute-on-chronic liver failure. 2015 , 12, 97	10
1264	Indwelling peritoneal catheters in patients with cirrhosis and refractory ascites. 2015 , 45, 1026-31	16

1263	Validation and analysis of prognostic scoring systems for critically ill patients with cirrhosis admitted to ICU. 2015 , 19, 364	13
1262	Promoter methylation status and expression of PPAR- α gene are associated with prognosis of acute-on-chronic hepatitis B liver failure. 2015 , 7, 115	27
1261	Serum hypoalbuminemia predicts late mortality on the liver transplant waiting list. 2015 , 99, 158-63	14
1260	Model for End-Stage Liver Disease: Is Sex-Based Creatinine Correction a Viable Strategy for Black Females?. 2015 , 99, 2337-40	
1259	Clinician assessments of health status predict mortality in patients with end-stage liver disease awaiting liver transplantation. 2015 , 35, 2167-73	19
1258	Prognosis of acute variceal bleeding: Is being on beta-blockers an aggravating factor? A short-term survival analysis. <i>Hepatology</i> , 2015 , 62, 1840-6	11.2 9
1257	Use of model for end-stage liver disease exceptions for donation after cardiac death graft recipients relisted for liver transplantation. 2015 , 21, 554-60	9
1256	Relationship and interaction between serum sodium concentration and portal hemodynamics in patients with cirrhosis. 2015 , 30, 1635-42	2
1255	Association of Comorbidity with Anastomotic Leak, 30-day Mortality, and Length of Stay in Elective Surgery for Colonic Cancer: A Nationwide Cohort Study. 2015 , 58, 668-76	43
1254	Keeping high model for end-stage liver disease score liver transplantation candidates alive. 2015 , 21, 1428-37	10
1253	Aberrant GSTP1 promoter methylation predicts short-term prognosis in acute-on-chronic hepatitis B liver failure. 2015 , 42, 319-29	17
1252	HCV infection is associated with lower survival in simultaneous liver kidney transplant recipients in the United States. 2015 , 29, 920-6	6
1251	Benefit of cystatin C in evaluation of renal function and prediction of survival in patients with cirrhosis. 2015 , 45, 1299-306	19
1250	A Clinical Decision Rule Based on the AST-to-Platelet Ratio Index Improves Adherence to Published Guidelines on the Management of Acute Variceal Bleeding. 2015 , 49, 599-606	1
1249	. 2015 ,	
1248	General assessment and management. 2015 , 135-146	
1247	A Concise Review of Autoimmune Liver Diseases. 2015 ,	3
1246	Model for End-Stage Liver Disease, Model for Liver Transplantation Survival and Donor Risk Index as predictive models of survival after liver transplantation in 1,006 patients. 2015 , 70, 413-8	10

1245	Cirrhosis and portal hypertension: The importance of risk stratification, the role of hepatic venous pressure gradient measurement. 2015 , 7, 688-95	42
1244	Prognostic Models in Cirrhosis: An Anesthetist Perspective. 2015 , 04,	
1243	Implications of Hyponatremia in Liver Transplantation. 2014 , 4, 66-74	2
1242	Establishment and Validation of SSCLIP Scoring System to Estimate Survival in Hepatocellular Carcinoma Patients Who Received Curative Liver Resection. 2015 , 10, e0129000	10
1241	Comparison of Different Scoring Systems Based on Both Donor and Recipient Characteristics for Predicting Outcome after Living Donor Liver Transplantation. 2015 , 10, e0136604	8
1240	Two sides of one coin: massive hepatic necrosis and progenitor cell-mediated regeneration in acute liver failure. 2015 , 6, 178	20
1239	Liver Cirrhosis: Evaluation, Nutritional Status, and Prognosis. 2015 , 2015, 872152	58
1238	Plasma betatrophin levels in patients with liver cirrhosis. 2015 , 21, 10662-8	12
1237	The performance of prognostic models as predictors of mortality in patients with acute decompensation of cirrhosis. 2015 , 14, 83-92	7
1236	Safety and efficacy of angiographic occlusion of duodenal varices as an alternative to TIPS: review of 32 cases. 2015 , 14, 369-379	14
1235	MELD score for prediction of survival after emergent TIPS for acute variceal hemorrhage: derivation and validation in a 101-patient cohort. 2015 , 14, 380-388	27
1234	Current and future treatments for hepatocellular carcinoma. 2015 , 21, 8478-91	112
1233	Nutritional care in hospitalized patients with chronic liver disease. 2015 , 21, 12835-42	25
1232	The influence that hepatic cirrhosis provides in exercise capacity and muscle strength: a review. 2015 , 28, 617-625	1
1231	Molecular prognostic prediction in liver cirrhosis. 2015 , 21, 10262-73	7
1230	Risk factors for mortality in patients with alcoholic hepatitis and assessment of prognostic models: A population-based study. 2015 , 29, 131-8	8
1229	Liver Transplantation Update: 2014. 2015 , 5, 98-106	7
1228	Budd-Chiari syndrome and liver transplantation. 2015 , 4, 24-32	28

1227	A NSQIP Analysis of MELD and Perioperative Outcomes in General Surgery. 2015 , 81, 755-759			22
1226	Cross-sectional study of the retinal nerve fiber layer thickness at 7 years after an acute episode of unilateral primary acute angle closure. 2015 , 94, e391			3
1225	Admission des patients cirrhotiques en ranimation : le score de Child-Pugh est-il un outil pertinent ?. 2015 , 24, 389-397			1
1224	Model for end-stage liver disease score and MELD exceptions: 15 years later. 2015 , 9, 346-54			33
1223	Retrospective evaluation of prognostic score performances in cirrhotic patients admitted to an intermediate care unit. 2015 , 47, 675-81			9
1222	Predictors of in-hospital mortality among patients presenting with variceal gastrointestinal bleeding. 2015 , 21, 43-6			7
1221	Update on MELD and organ allocation. 2015 , 5, 105-107			8
1220	Establishment and validation of ALPH-Q score to predict mortality risk in patients with acute-on-chronic hepatitis B liver failure: a prospective cohort study. 2015 , 94, e403			15
1219	Challenges and opportunities in drug and biomarker development for nonalcoholic steatohepatitis: findings and recommendations from an American Association for the Study of Liver Diseases-U.S. Food and Drug Administration Joint Workshop. <i>Hepatology</i> , 2015 , 61, 1392-405	11.2	223	
1218	Safe hepatectomy selection criteria for hepatocellular carcinoma patients: a validation of 336 consecutive hepatectomies. The BILCHE score. 2015 , 39, 237-43			34
1217	Disorders of the liver and gallbladder. 2015 , 93-108			
1216	Management of umbilical hernias in patients with ascites: development of a nomogram to predict mortality. 2015 , 209, 302-7			14
1215	Mind the model for end-stage liver disease: model for end-stage liver disease score as an indicator of hemoderivate transfusion and survival in liver transplantation. 2015 , 47, 97-9			4
1214	Prognostic benefit of the addition of a quantitative index of hepatic encephalopathy to the MELD score: the MELD-EEG. 2015 , 35, 58-64			25
1213	Evaluating prognosis. 2015 , 63-74			
1212	Thrombin generation test in children and adolescents with chronic liver disease. 2015 , 135, 382-7			9
1211	[Lung cancer surgery and cirrhosis]. 2015 , 71, 12-9			4
1210	Increased Survival for Patients With Cirrhosis and Organ Failure in Liver Intensive Care and Validation of the Chronic Liver Failure-Sequential Organ Failure Scoring System. 2015 , 13, 1353-1360.e8			65

1209	Impact of severe oesophagogastric varices on liver resection for hepatocellular carcinoma in cirrhotic patients. 2015 , 39, 461-8	9
1208	A new prognostic model to predict dropout from the waiting list in cirrhotic candidates for liver transplantation with MELD score . 2015 , 35, 184-91	16
1207	Impact of Anatomical, Procedural, and Operator Skill Factors on the Success and Duration of Fluoroscopy-Guided Transjugular Intrahepatic Portosystemic Shunt. 2015 , 38, 903-12	16
1206	Impact of hepatic cirrhosis on outcome in adult cardiac surgery. 2015 , 63, 58-66	9
1205	Imbalanced and semi-supervised classification for prognosis of ACLF. 2015 , 28, 737-745	2
1204	Comparative Analysis of MCDM Methods for Assessing the Severity of Chronic Liver Disease. 2015 , 228-238	24
1203	The specificity and accuracy of (111)In-hexavalent lactoside in estimating liver reserve and its threshold value for mortality in mice. 2015 , 63, 370-7	4
1202	Lack of Survival Benefit Following Liver Transplantation With MELD Exception Points for Hepatocellular Carcinoma: Beyond the Unblinding of Lady Justice. 2015 , 149, 531-4	3
1201	Living donor liver transplant versus cadaveric liver transplant survival in relation to model for end-stage liver disease score. 2015 , 47, 1211-3	9
1200	Model for end-stage liver disease (MELD) score as a predictor and monitor of mortality in patients with <i>Vibrio vulnificus</i> necrotizing skin and soft tissue infections. 2015 , 9, e0003720	6
1199	Liver resection for hepatocellular carcinoma in patients with metabolic syndrome: A multicenter matched analysis with HCV-related HCC. 2015 , 63, 93-101	60
1198	Liver cancer: Approaching a personalized care. 2015 , 62, S144-56	175
1197	Red cell distribution width to platelet ratio, a useful indicator of liver fibrosis in chronic hepatitis patients. 2015 , 9, 454-60	36
1196	Practical Issues Updates in Anesthesia and Intensive Care. 2015 ,	
1195	Model for end-stage liver disease score as a predictor of short-term outcome in patients with drug-induced liver injury. 2015 , 50, 439-46	14
1194	Organ Allocation: The U.S. Model. 2015 , 64-71	1
1193	Current Indications, Contraindications, Delisting Criteria, and Timing For Transplantation. 2015 , 94-104	1
1192	Transplantation for Primary Biliary Cirrhosis. 2015 , 159-166	

1191	Outcome Predictors in Transplantation. 2015 , 1366-1378		1
1190	Liver transplantation for hepatocellular carcinoma. 2015 , 17, 11		7
1189	Application of the BAR score as a predictor of short- and long-term survival in liver transplantation patients. 2015 , 9, 113-9		10
1188	Predictors of Clinical Complications of Cirrhosis. 2015 , 29-37		
1187	Esophageal Varices: Primary and Secondary Prophylaxis. 2015 , 83-91		1
1186	REpeated AutoLogous Infusions of STem cells In Cirrhosis (REALISTIC): a multicentre, phase II, open-label, randomised controlled trial of repeated autologous infusions of granulocyte colony-stimulating factor (GCSF) mobilised CD133+ bone marrow stem cells in patients with cirrhosis. A study protocol for a randomised controlled trial. 2015 , 5, e207100		23
1185	MELD scores and Child-Pugh classifications predict the outcomes of ERCP in cirrhotic patients with choledocholithiasis: a retrospective cohort study. 2015 , 94, e433		22
1184	Circulating Elastin Fragments Are Not Affected by Hepatic, Renal and Hemodynamic Changes, But Reflect Survival in Cirrhosis with TIPS. 2015 , 60, 3456-64		12
1183	Standard assessments of frailty are validated predictors of mortality in hospitalized patients with cirrhosis. <i>Hepatology</i> , 2015 , 62, 584-90	11.2	114
1182	Continuous-flow left ventricular assist device therapy in patients with preoperative hepatic failure: are we pushing the limits too far?. 2015 , 39, 336-42		13
1181	The Model for End-stage Liver Disease score is potentially a useful predictor of hyperkalemia occurrence among hospitalized angiotensin receptor blocker users. 2015 , 40, 48-54		3
1180	Long-term clinical outcome of patients with cirrhosis and refractory ascites treated with transjugular intrahepatic portosystemic shunt insertion. 2015 , 30, 389-95		49
1179	Aberrant DNA methylation of G-protein-coupled bile acid receptor Gpbar1 predicts prognosis of acute-on-chronic hepatitis B liver failure. 2015 , 22, 112-9		6
1178	Methylation of suppressor of cytokine signalling 1 gene promoter is associated with acute-on-chronic hepatitis B liver failure. 2015 , 22, 307-17		5
1177	Phenotypic and functional characterization of macrophages with therapeutic potential generated from human cirrhotic monocytes in a cohort study. 2015 , 17, 1604-16		29
1176	Change in model for end-stage liver disease score at two weeks, as an indicator of mortality or liver transplantation at 60 days in acute-on-chronic liver failure. 2015 , 3, 122-7		22
1175	Fontan Liver Disease: Review of an Emerging Epidemic and Management Options. 2015 , 17, 51		28
1174	Inclusion of Sarcopenia Within MELD (MELD-Sarcopenia) and the Prediction of Mortality in Patients With Cirrhosis. 2015 , 6, e102		184

1173	Clinical usefulness of international normalized ratio calibration of prothrombin time in patients with chronic liver disease. 2015 , 102, 163-9	10
1172	Overexpression of serum sST2 is associated with poor prognosis in acute-on-chronic hepatitis B liver failure. 2015 , 39, 315-23	7
1171	Preoperative liver dysfunction influences blood product administration and alterations in circulating haemostatic markers following ventricular assist device implantation. 2015 , 47, 497-504	5
1170	Beyond the NIH Multicenter HIV Transplant Trial Experience: Outcomes of HIV+ Liver Transplant Recipients Compared to HCV+ or HIV+/HCV+ Coinfected Recipients in the United States. 2015 , 61, 1054-62	21
1169	Prognostic Value of Model for End-Stage Liver Disease Score Measurements on a Daily Basis in Critically Ill Patients With Cirrhosis. 2015 , 90, 1196-206	4
1168	Comparison of Intraoperative Changes in Blood Glucose According to Model for End-stage Liver Disease Score During Living Donor Liver Transplantation. 2015 , 47, 1877-82	2
1167	Prognostic models for alcoholic hepatitis. 2015 , 3, 20	15
1166	Effect of hepatocyte-specific gadolinium-based contrast agents on hepatic fat-fraction and R2(?). 2015 , 33, 43-50	14
1165	Liver transplantation for the referring physician. 2015 , 19, 135-53	4
1164	Reliable prediction of clinical outcome in patients with chronic HCV infection and compensated advanced hepatic fibrosis: a validated model using objective and readily available clinical parameters. 2015 , 64, 322-31	28
1163	Criteria for liver transplantation in ACLF and outcome. 2015 , 9, 355-9	16
1162	Nutrition status of patients with chronic hepatitis B or C. 2015 , 30, 290-6	9
1161	Urinary bile acids as biomarkers for liver diseases II. Signature profiles in patients. 2015 , 143, 308-18	32
1160	Acute kidney injury and hepatorenal syndrome in cirrhosis. 2015 , 30, 236-43	32
1159	Day-night variations in thyroid stimulating hormone and its relation with clinical status and metabolic parameters in patients with cirrhosis of the liver. 2015 , 48, 942-8	6
1158	Modification of Emergency Status in Deceased Donor Liver Allocation: Evidence for Korean Model of End-stage Liver Disease (MELD) System. 2016 , 30, 51	9
1157	Model for end-stage liver disease score in the first 3 weeks after liver transplantation as a predictor for long-term outcome. 2016 , 28, 153-8	6
1156	Ethical Dilemmas in Liver Transplant Organ Allocation: Is it Time for a New Mathematical Model?. 2016 , 18, 126-132	0

1155	IMPACT OF THE PEGYLATED-INTERFERON AND RIBAVIRIN THERAPY ON THE TREATMENT-RELATED MORTALITY OF PATIENTS WITH CIRRHOSIS DUE TO HEPATITIS C VIRUS. 2016 , 58, 37		1
1154	Massive haemorrhage in liver transplantation: Consequences, prediction and management. 2016 , 6, 291-305		46
1153	Acute kidney injury and post-reperfusion syndrome in liver transplantation. 2016 , 22, 9314-9323		33
1152	Indocyanine green kinetics to assess liver function: Ready for a clinical dynamic assessment in major liver surgery?. 2016 , 8, 355-67		85
1151	Comparison of the ability of the PDD-ICG clearance test, CTP, MELD, and MELD-Na to predict short-term and medium-term mortality in patients with decompensated hepatitis B cirrhosis. 2016 , 28, 444-8		19
1150	Validation of the Model of End-Stage Liver Disease for Liver Transplant Allocation in Alberta: Implications for Future Directions in Canada. 2016 , 2016, 1329532		7
1149	Assessment of Preoperative Liver Function in Patients with Hepatocellular Carcinoma - The Albumin-Indocyanine Green Evaluation (ALICE) Grade. 2016 , 11, e0159530		36
1148	Characteristics and outcomes of transjugular intrahepatic portosystemic shunt recipients in the VA Healthcare System. 2016 , 28, 667-75		11
1147	Role of the transjugular intrahepatic portosystemic shunt in the management of severe complications of portal hypertension in idiopathic noncirrhotic portal hypertension. <i>Hepatology</i> , 2016 , 64, 224-31	11.2	42
1146	A Standardized Assessment of Functional Disability Predicts 1-year Mortality in Patients Undergoing Transjugular Intrahepatic Portosystemic Shunt for Refractory Ascites. 2016 , 50, 75-9		7
1145	Epidemiology, Evolution, and Long-Term Survival of Alcoholic Cirrhosis Patients Submitted to Liver Transplantation in Southeastern Spain. 2016 , 40, 794-805		17
1144	Early life predictive markers of liver disease outcome in an International, Multicentre Cohort of children with Alagille syndrome. 2016 , 36, 755-60		25
1143	Impact of an Institutional Change in Prothrombin Time Methodology on INR and MELD Scores in Liver Transplant Evaluations. 2016 , 30, 968-971		
1142	Detrimental graft survival of size-mismatched graft for high model for end-stage liver disease recipients in liver transplantation. 2016 , 23, 406-13		5
1141	The Long-Term Benefit of Liver Transplantation for Hepatic Metastases From Neuroendocrine Tumors. 2016 , 16, 2892-2902		93
1140	Differential visceral blood flow in the hyperdynamic circulation of patients with liver cirrhosis. 2016 , 43, 947-54		30
1139	The new liver allocation score for transplantation is validated and improved transplant survival benefit in Germany but not in the United Kingdom. 2016 , 22, 743-56		18
1138	Hepatic venous outflow tract obstruction: treatment outcomes and development of a new prognostic score. 2016 , 43, 1154-67		28

1137	Characterization of gastrointestinal hemorrhage and prediction of mortality in Asian patients with alcoholic hepatitis. 2016 , 31, 814-21		3
1136	Acute-on-chronic liver failure in India: The Indian National Association for Study of the Liver consortium experience. 2016 , 31, 1742-1749		29
1135	The management and prognosis of patients with hepatocellular carcinoma: what has changed in 20 years?. 2016 , 36, 445-53		18
1134	Pretransplant renal function according to CKD-EPI cystatin C equation is a prognostic factor of death after liver transplantation. 2016 , 36, 547-54		19
1133	A multicentre comparison between Child Pugh and Albumin-Bilirubin scores in patients treated with sorafenib for Hepatocellular Carcinoma. 2016 , 36, 1821-1828		63
1132	The 3-month readmission rate remains unacceptably high in a large North American cohort of patients with cirrhosis. <i>Hepatology</i> , 2016 , 64, 200-8	11.2	137
1131	Surgical Resection Versus Radiofrequency Ablation for Single Hepatocellular Carcinoma \geq cm in a Propensity Score Model. 2016 , 263, 538-45		108
1130	Portal Hypertension: An Underestimated Entity?. 2016 , 263, 986-91		7
1129	Financial Impact of Liver Sharing and Organ Procurement Organizations' Experience With Share 35: Implications for National Broader Sharing. 2016 , 16, 287-91		15
1128	Left Ventricular Myocardial Mechanics in Cirrhosis: A Speckle Tracking Echocardiographic Study. 2016 , 33, 223-32		14
1127	Acute on chronic liver failure because of acute hepatic insults: Etiologies, course, extrahepatic organ failure and predictors of mortality. 2016 , 31, 856-64		40
1126	Up-regulation of A20 gene expression in peripheral blood mononuclear cells is associated with acute-on-chronic hepatitis B liver failure. 2016 , 23, 180-90		5
1125	The impact on hospital resource utilisation of treatment of hepatic encephalopathy with rifaximin- H . 2016 , 36, 1295-303		35
1124	UEG Week 2016 Poster Presentations. 2016 , 4, A157-A720		12
1123	Efficacy of Prothrombin Complex Concentrate Treatment in Patients with Liver Coagulopathy Who Underwent Various Invasive Hepatobiliary and Gastrointestinal Procedures. 2016 , 10, 315-22		14
1122	A comprehensive validation of HBV-related acute-on-chronic liver failure models to assist decision-making in targeted therapeutics. 2016 , 6, 33389		2
1121	The ALPPS Risk Score: Avoiding Futile Use of ALPPS. 2016 , 264, 763-771		67
1120	Impact of Model for End-stage Liver Disease Score in Post-Liver Transplantation Prognosis. 2016 , 48, 2348-2351		2

1119 Portal Hypertension. **2016**, 554-566

1118 Organ Allocation Policy: Practical Issues and Challenges to the Gastroenterologist. **2016**, 632-636

1117 Association of Model for End-Stage Liver Disease Score With Mortality in Emergency General Surgery Patients. **2016**, 151, e160789 12

1116 Comparison of outcomes between SBRT, yttrium-90 radioembolization, transarterial chemoembolization, and radiofrequency ablation as bridge to transplant for hepatocellular carcinoma. **2016**, 1, 35-42 49

1115 Periportal fibrosis without cirrhosis does not affect outcomes after continuous flow ventricular assist device implantation. **2016**, 151, 230-5 3

1114 Vitamin D deficiency in chronic liver disease, clinical-epidemiological analysis and report after vitamin d supplementation. **2016**, 39, 305-310

1113 Indications for liver transplantation in adults : Recommendations of the Austrian Society for Gastroenterology and Hepatology (ÖGH) in cooperation with the Austrian Society for Transplantation, Transfusion and Genetics (ATX). **2016**, 128, 679-690 26

1112 Cell-Free and Concentrated Ascites Reinfusion Therapy for Decompensated Liver Cirrhosis. **2016**, 20, 376-82 17

1111 Seguimiento diagnóstico y terapéutico del paciente cirrótico avanzado. **2016**, 12, 644-649

1110 Biliary tract enhancement in gadoteric acid-enhanced MRI correlates with liver function biomarkers. **2016**, 85, 2001-2007 8

1109 Improvement in the predictive ability of the Intermountain Mortality Risk Score by adding routinely collected laboratory tests such as albumin, bilirubin, and white cell differential count. **2016**, 54, 1619-28 5

1108 Validation of the peak bilirubin criterion for outcome after partial hepatectomy. **2016**, 18, 806-812 3

1107 Impaired hepato-renal function defined by the MELD XI score as prognosticator in acute heart failure. **2016**, 18, 1518-1521 40

1106 Contemporary Perioperative Anesthetic Management of Hepatic Resection. **2016**, 34, 85-103 1

1105 Short-term efficacy of treating hepatitis B virus-related acute-on-chronic liver failure based on cold pattern differentiation with hot herbs: A randomized controlled trial. **2016**, 22, 573-80 1

1104 Creation of a model to predict survival in patients with refractory coeliac disease using a multinational registry. **2016**, 44, 704-14 28

1103 Left lobe living donor liver transplantation in adults: What is the safety limit?. **2016**, 22, 1666-1675 33

1102 Predictive Value of Hepatic and Renal Dysfunction Based on the Models for End-Stage Liver Disease in Patients With Heart Failure Evaluated for Heart Transplant. **2016**, 48, 1756-60 7

1101	Management of gastrointestinal bleeding in patients with cirrhosis. 2016 , 53, 366-95	6
1100	Update in perioperative medicine: practice-changing evidence published in 2015. 2016 , 44, 157-63	
1099	Three-dimensional conformal radiotherapy for locally advanced hepatocellular carcinoma with portal vein tumour thrombosis: evaluating effectiveness of the model for end-stage liver disease (MELD) score compared with the Child-Pugh classification. 2016 , 89, 20150945	5
1098	End-stage liver disease patients with MELD >40 have higher waitlist mortality compared to Status 1A patients. 2016 , 10, 838-46	9
1097	Mannose-binding lectin 2 rs11003123 polymorphism is associated with the development of hepatocellular carcinoma in patients with hepatitis B-related cirrhosis in the Chinese population. 2016 , 15, 282-8	3
1096	Indocyanine green retention is a potential prognostic indicator after splenectomy and pericardial devascularization for cirrhotic patients. 2016 , 15, 386-90	3
1095	The Model for End-stage Liver Disease score in acute heart failure: hepatorenal dysfunction hides behind. 2016 , 18, 1522-1523	3
1094	Impaired Gut-Liver-Brain Axis in Patients with Cirrhosis. 2016 , 6, 26800	107
1093	Cancer and liver cirrhosis: implications on prognosis and management. 2016 , 1, e000042	124
1092	Prognosis for recipients with hepatocellular carcinoma of salvage liver transplantation versus those of primary liver transplantation: a retrospective single-center study. 2016 , 5, 1809	5
1091	The Child-Turcotte Classification: From Gestalt to Sophisticated Statistics and Back. 2016 , 61, 3102-3104	5
1090	Portal hypertension: Etiology, evaluation, and management. 2016 , 62, 411-426	14
1089	Measuring total liver function on sulfur colloid SPECT/CT for improved risk stratification and outcome prediction of hepatocellular carcinoma patients. 2016 , 6, 57	19
1088	Transjugulärer intrahepatischer portosystemischer Shunt (TIPS) [Update 2016]. 2016 , 12, 321-339	
1087	How Do We Determine Futility for Patients in Need of Liver Transplantation?. 2016 , 3, 319-324	
1086	A new multiparameter integrated MELD model for prognosis of HBV-related acute-on-chronic liver failure. 2016 , 95, e4696	7
1085	Influence of preoperative sodium concentration on outcome of patients with hepatitis B virus cirrhosis after liver transplantation. 2016 , 28, 1210-5	6
1084	A therapeutic conundrum: Delaying ablation of small nonresectable early hepatocellular carcinoma to facilitate liver transplantation. 2016 , 22, 161-2	0

1083	When Should Patients with Bleeding Esophageal Varices Undergo TIPS Versus Endoscopic Therapy?. 2016 , 369-378	
1082	Traitement des complications de l'hypertension portale par TIPS en 2016. 2016 , 25, 408-418	
1081	Gastrointestinal Issues in Liver Disease. 2016 , 32, 371-84	8
1080	MELD score measured day 10 after orthotopic liver transplantation predicts death and re-transplantation within the first year. 2016 , 51, 1360-6	8
1079	Should We Use the Model for End-Stage Liver Disease (MELD) to Predict Mortality After Colorectal Surgery?. 2016 , 20, 1511-6	2
1078	Liver Allocation in Urgent MELD Score ≥ 30 : The Italian Experience. 2016 , 48, 299-303	2
1077	Transjugular intrahepatic portosystemic shunt for refractory ascites in patients with high model for end-stage liver disease scores. 2016 , 7, 84-87	1
1076	Serum models accurately predict liver-related clinical outcomes in chronic hepatitis C. 2016 , 31, 1736-1741	7
1075	Prognostic performance of clinical indices and model scorings for acute-on-chronic liver failure: A study of 164 patients. 2016 , 11, 1348-1354	11
1074	Liver regeneration - mechanisms and models to clinical application. 2016 , 13, 473-85	178
1073	The Worsening Profile of Alcoholic Hepatitis in the United States. 2016 , 40, 1295-303	23
1072	Predictors of progression into acute-on-chronic liver failure from acute deterioration of pre-existing chronic liver disease. 2016 , 46, 320-8	6
1071	Use of Model for End-Stage Liver Disease Scoring Dynamics in Critically Ill Cirrhotic Trauma Patients. 2016 , 151, 48-9	
1070	Evidence-Based Diagnosis, Staging, and Treatment of Patients With Hepatocellular Carcinoma. 2016 , 150, 835-53	1012
1069	Evaluating the current surgical strategies for hepatocellular carcinoma. 2016 , 10, 341-57	7
1068	Alcoholic and Non-Alcoholic Fatty Liver Disease. 2016 ,	3
1067	Comparison of five models for end-stage liver disease in predicting the survival rate of patients with advanced hepatocellular carcinoma. 2016 , 37, 5265-73	4
1066	Child-Pugh Versus MELD Score for the Assessment of Prognosis in Liver Cirrhosis: A Systematic Review and Meta-Analysis of Observational Studies. 2016 , 95, e2877	204

1065	From Child-Pugh to Model for End-Stage Liver Disease: Deciding Who Needs a Liver Transplant. 2016 , 100, 449-64	14
1064	Early Liver Failure after Transjugular Intrahepatic Portosystemic Shunt in Patients with Cirrhosis with Model for End-Stage Liver Disease Score of 12 or Less: Incidence, Outcome, and Prognostic Factors. 2016 , 280, 622-9	36
1063	Evaluation of abnormal liver function tests. 2016 , 92, 223-34	59
1062	Predicting outcomes: Is there utility in risk scores?. 2016 , 63, 148-58	24
1061	Risk Assessment and Perioperative Care for Patients with Renal or Liver Disease. 2016 , 5, 205-223	1
1060	[Vitamin D deficiency in chronic liver disease, clinical-epidemiological analysis and report after vitamin d supplementation]. 2016 , 39, 305-10	6
1059	Usefulness of Liver Transplantation in the Elderly: The Converging Impact of Risk and Benefit. 2016 , 150, 306-9	7
1058	EASL Clinical Practice Guidelines: Liver transplantation. 2016 , 64, 433-485	484
1057	Ability of King's College Criteria and Model for End-Stage Liver Disease Scores to Predict Mortality of Patients With Acute Liver Failure: A Meta-analysis. 2016 , 14, 516-525.e5; quiz e43-e45	69
1056	Quantitative magnetic resonance imaging in patients with cirrhosis: a cross-sectional study. 2016 , 31, 1315-1325	8
1055	Baseline MELD-XI score and outcome from veno-arterial extracorporeal membrane oxygenation support for acute decompensated heart failure. 2016 , 5, 82-88	16
1054	Patients with cirrhosis in the ED: early predictors of infection and mortality. 2016 , 34, 25-9	11
1053	Association of Model for End-Stage Liver Disease Score and Mortality in Trauma Patients With Chronic Liver Disease. 2016 , 151, 41-8	5
1052	Preoperative thrombocytopenia and outcomes of hepatectomy for hepatocellular carcinoma. 2016 , 201, 498-505	20
1051	Model for end-stage liver disease predicts right ventricular failure in patients with left ventricular assist devices. 2016 , 19, 21-8	16
1050	Serum Bile Acids Are Associated with Pathological Progression of Hepatitis B-Induced Cirrhosis. 2016 , 15, 1126-34	46
1049	Electrocardiographic findings in hepatic cirrhosis and their association with the severity of disease. 2017 , 59, e105-e113	2
1048	Tp-e Interval, Tp-e/QTc Ratio, and Fragmented QRS Are Correlated with the Severity of Liver Cirrhosis. 2017 , 22,	8

1047	Transjugular Intrahepatic Porto-Systemic Shunt in Patients with Liver Cirrhosis and Model for End-Stage Liver Disease 15 . 2017 , 62, 534-542	10
1046	Anaesthesia for liver transplantation. 2017 , 17, 35-40	7
1045	Budd-Chiari syndrome: Focus on surgical treatment. 2017 , 47, 142-148	11
1044	Nucleos(t)ide analogs improve long-term prognosis in patients with chronic hepatitis B-associated liver failure. 2017 , 47, 347-358	3
1043	Hypermethylation of the galectin-3 promoter is associated with poor prognosis of acute-on-chronic hepatitis B liver failure. 2017 , 49, 664-671	5
1042	Interventional Radiology for the Pre-transplant Patient. 2017 , 427-438	
1041	Acute Liver Failure Due to Hepatitis E Virus Infection Is Associated with Better Survival than Other Etiologies in Indian Patients. 2017 , 62, 1058-1066	29
1040	The role of autonomic dysfunction in predicting 1-year mortality after liver transplantation. 2017 , 37, 1239-1248	10
1039	Combined Transplantations. 2017 , 317-330	
1038	Outcomes of surgical shunts and transjugular intrahepatic portasystemic stent shunts for complicated portal hypertension. 2017 , 104, 443-451	13
1037	Hepatic vein transit time of second-generation ultrasound contrast agent: new tool in the assessment of portal hypertension. 2017 , 20, 43-52	4
1036	Patients' Age Rather Than Model of End-Stage Liver Disease Score Predicts Survival After Liver Transplantation. 2017 , 62, 801-807	4
1035	Comparison of the prognostic value of Chronic Liver Failure Consortium scores and traditional models for predicting mortality in patients with cirrhosis. 2017 , 40, 276-285	5
1034	Perioperative critical care in hepatopancreatobiliary patients. 2017 , 437-444.e4	
1033	Hepatic decompensation is the major driver of death in HCV-infected cirrhotic patients with successfully treated early hepatocellular carcinoma. 2017 , 67, 65-71	63
1032	Impact of transjugular intrahepatic portosystemic shunt implantation on liver perfusion measured by volume perfusion CT. 2017 , 58, 1167-1173	13
1031	Thromboelastometry versus standard coagulation tests versus restrictive protocol to guide blood transfusion prior to central venous catheterization in cirrhosis: study protocol for a randomized controlled trial. 2017 , 18, 85	10
1030	Prognostic Models for Survival in Patients with Stable Cirrhosis: A Multicenter Cohort Study. 2017 , 62, 1363-1372	3

1029	Potential Liver Transplant Recipients with Hepatitis C: Should They Be Treated Before or After Transplantation?. 2017 , 7, 42-54	10
1028	A model to predict the onset of non-alcoholic fatty liver disease within 2 years in elderly adults. 2017 , 32, 1739-1745	2
1027	Severity and Outcome of Acute-on-Chronic Liver Failure is Dependent on the Etiology of Acute Hepatic Insults: Analysis of 368 Patients. 2017 , 51, 734-741	22
1026	Comparison of the prognostic value of Chronic Liver Failure Consortium scores and traditional models for predicting mortality in patients with cirrhosis. 2017 , 40, 276-285	0
1025	The postoperative Model for End stage Liver Disease score as a predictor of short-term outcome after transplantation of extended criteria donor livers. 2017 , 29, 716-722	6
1024	Medical and Obstetric Complications Among Pregnant Women With Liver Cirrhosis. 2017 , 129, 1118-1123	10
1023	Liver Transplantation: Candidate Selection and Organ Allocation in the United States. 2017 , 55, 5-17	2
1022	Surgical Procedures on the Cirrhotic Patient. 2017 ,	
1021	Implications of Alternative Hepatorenal Prognostic Scoring Systems in Acute Heart Failure (from DOSE-AHF and ROSE-AHF). 2017 , 119, 2003-2009	10
1020	Budd-Chiari syndrome: outcomes of endovascular intervention-A single-center experience. 2017 , 36, 209-216	7
1019	Hospital mortality in cirrhotic patients at a tertiary care center in Latin America. 2017 , 82, 201-202	
1018	Melding a High-Risk Patient for Continuous Flow Left Ventricular Assist Device into a Low-Risk Patient. 2017 , 63, 704-712	7
1017	Biologie et transplantation hépatique. 2017 , 2017, 45-54	
1016	Overview of Staging Systems for Hepatocellular Carcinoma and Implications for Interventional Radiology. 2017 , 34, 213-219	1
1015	Thromboelastometry: Relation to the severity of liver cirrhosis in patients considered for liver transplantation. 2017 , 96, e7101	7
1014	Comparison of risk adjustment methods in patients with liver disease using electronic medical record data. 2017 , 17, 5	12
1013	Model for End-Stage Liver Disease-Sodium Score: The Evolution in the Prioritization of Liver Transplantation. 2017 , 21, 275-287	18
1012	Assessment of Hepatic Impairment and Implications for Pharmacokinetics of Substance Use Treatment. 2017 , 6, 206-212	21

1011	A MELD-based nomogram for predicting 3-month mortality of patients with acute-on-chronic hepatitis B liver failure. 2017 , 468, 195-200	9
1010	Role of Serum Soluble CD163 in the Diagnosis, Risk of Bleeding, and Prognosis of Gastro-Esophageal Varices in Cirrhotic Patients. 2017 , 37, 112-118	4
1009	Gender-Specific Differences in Baseline, Peak, and Delta Serum Creatinine: The NACSELD Experience. 2017 , 62, 768-776	14
1008	Survival in Cirrhotic Patients with High MELD Scores: The TIPping Point. 2017 , 62, 296-298	1
1007	Liver transplantation for hepatocellular carcinoma: outcomes and novel surgical approaches. 2017 , 14, 203-217	196
1006	Survival in patients with Child-Pugh class C cirrhosis: Analysis of the liver transplant registry in Japan. 2017 , 47, 1155-1164	12
1005	The aspartate transaminase/alanine transaminase (DeRitis) ratio predicts mid-term mortality and renal and respiratory dysfunction after left ventricular assist device implantation. 2017 , 52, 781-788	4
1004	Utility of post-liver transplantation MELD and delta MELD in predicting early and late mortality. 2017 , 29, 1424-1427	3
1003	Fecal microbiota transplant from a rational stool donor improves hepatic encephalopathy: A randomized clinical trial. <i>Hepatology</i> , 2017 , 66, 1727-1738	11.2 307
1002	Proton beam therapy for hepatocellular carcinoma. 2017 , 17, 911-924	19
1001	Staging and Prognostic Models for Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma. 2017 , 24, 1073274817729235	15
1000	Comparison of APACHE IV with APACHE II, SAPS 3, MELD, MELD-Na, and CTP scores in predicting mortality after liver transplantation. 2017 , 7, 10884	7
999	Hospital mortality in cirrhotic patients at a tertiary care center in Latin America. 2017 , 82, 201-202	
998	Assessment of Liver Function: Focus on the ALBI Score. 2017 , 31-38	
997	MELD-Na score predicts incident major cardiovascular events, in patients with nonalcoholic fatty liver disease (NAFLD). 2017 , 1, 429-438	6
996	Individualized risk estimation for postoperative morbidity after hepatectomy: the Humanitas score. 2017 , 19, 910-918	10
995	MELD-Na: Does This Leave Anyone Behind?. 2017 , 16, 220-227	0
994	Patient Selection for Transjugular Intrahepatic Portosystemic Stent Shunt (TIPSS) Insertion in Variceal Bleeding and Refractory Ascites. 2017 , 16, 241-249	1

993	MELD score as a predictor of mortality, length of hospital stay, and disease burden: A single-center retrospective study in 39,323 inpatients. 2017 , 96, e7155	19
992	Role of Cystatin C and glomerular filtration rate in diagnosis of kidney impairment in hepatic cirrhosis patients. 2017 , 96, e6949	12
991	PWE-083 Deranged liver function tests in patients with inflammatory bowel disease: a single centre experience. 2017 ,	
990	Remodeling the model for end-stage liver disease for predicting mortality risk in critically ill patients with cirrhosis and acute kidney injury. 2017 , 1, 748-756	3
989	Perioperative Care of Patients With Liver Cirrhosis: A Review. 2017 , 10, 1178632917691270	31
988	Endoscopic Management of Acute Variceal Bleeding. 2017 , 55-96	
987	Perioperatives Management bei Patienten mit Leberzirrhose. 2017 , 12, 464-476	
986	Controversies in Liver Transplantation. 2017 , 1156-1168	
985	[Acute Liver Failure, Acute-On-Chronic Liver Failure, Hepatorenal Syndrome, Hepatopulmonary Syndrome and Portopulmonary Hypertension, Artificial Liver Support on the ICU]. 2017 , 142, 275-286	4
984	Lamivudine improves short-term outcome in hepatitis B virus-related acute-on-chronic liver failure patients with a high model for end-stage liver disease score. 2017 , 29, 1-9	4
983	Liver Anatomy and Function. 2017 , 3-11	
982	Improving Liver Allocation Using Optimized Neighborhoods. 2017 , 101, 350-359	14
981	Adult Liver Allocation in Eurotransplant. 2017 , 101, 1542-1550	54
980	Liver Transplantation in a Patient With Antiphospholipid Syndrome: A Case Report. 2017 , 9, 148-150	3
979	Impact of Hepatic and Extrahepatic Insults on the Outcome of Acute-on-Chronic Liver Failure. 2017 , 7, 9-15	11
978	Emergency TIPS in a Child-Pugh B patient: When does the window of opportunity open and close?. 2017 , 66, 442-450	53
977	Preoperative Liver Recipient Evaluation and Preparation. 2017 , 333-344	
976	Changing Concepts of Cirrhotic Coagulopathy. 2017 , 112, 274-281	110

975	Comparison of clinical characteristics and outcomes of spontaneous bacterial peritonitis and culture negative neutrocytic ascites. 2017 , 52, 199-203	15
974	Liver failure after hepatectomy: A risk assessment using the pre-hepatectomy shear wave elastography technique. 2017 , 86, 234-240	11
973	How much liver needs to be transected in ALPPS? A translational study investigating the concept of less invasiveness. 2017 , 161, 453-464	44
972	Hepatocellular carcinoma recurrence in patients with curative resection or ablation: impact of HCV eradication does not depend on the use of interferon. 2017 , 45, 160-168	58
971	Liver Transplantation Anesthesiology. 2017 , 353-364	
970	Breath-print analysis by e-nose may refine risk stratification for adverse outcomes in cirrhotic patients. 2017 , 37, 242-250	8
969	Spontaneous hemobilia after liver transplantation: Frequency, risk factors, and outcome of endoscopic management. 2017 , 32, 583-588	7
968	Anesthetic and operative considerations for laparoscopic liver resection. 2017 , 161, 1191-1202	19
967	Liver volume is a prognostic indicator for clinical outcome of patients with alcoholic hepatitis. 2017 , 42, 460-467	5
966	Response to tolvaptan and its effect on prognosis in cirrhotic patients with ascites. 2017 , 47, 835-844	20
965	Classification and regression tree analysis of acute-on-chronic hepatitis B liver failure: Seeing the forest for the trees. 2017 , 24, 132-140	13
964	Risk factors for and causes and treatment of recurrence of inferior vena cava type of Budd-Chiari syndrome after stenting in China: A retrospective analysis of a large cohort. 2017 , 27, 1227-1237	12
963	Albumin-Bilirubin Score: Predicting Short-Term Outcomes Including Bile Leak and Post-hepatectomy Liver Failure Following Hepatic Resection. 2017 , 21, 238-248	62
962	Preoperative Evaluation of the Patient with Liver Disease. 2017 , 290-303	
961	Selection of Candidates and Timing of Liver Transplantation. 2017 , 1053-1064	
960	Predictors of Mortality in Long-Term Follow-Up of Patients with Terminal Alcoholic Cirrhosis: Is It Time to Accept Remodeled Scores?. 2017 , 26, 169-175	5
959	Fontan-Associated Liver Disease: Proceedings from the American College of Cardiology Stakeholders Meeting, October 1 to 2, 2015, Washington DC. 2017 , 70, 3173-3194	101
958	Ascites and Spontaneous Bacterial Peritonitis. 2017 , 365-386	

957	Impact of alcohol & smoking on the surgical management of gastrointestinal patients. 2017 , 31, 589-595	2
956	ICG Clearance Test and 99mTc-GSA SPECT/CT Fusion Images. 2017 , 33, 449-454	7
955	The Outcome of Cirrhotic Patients with Ascites Is Improved by the Normalization of the Serum Sodium Level by Tolvaptan. 2017 , 56, 2993-3001	10
954	Evaluation of Adrenal Function in Nonhospitalized Patients with Cirrhosis. 2017 , 2017, 2354253	8
953	Renal Function Improvement by Telbivudine in Liver Transplant Recipients with Chronic Kidney Disease. 2017 , 2017, 9324310	3
952	From diagnosis to treatment of hepatocellular carcinoma: An epidemic problem for both developed and developing world. 2017 , 23, 5282-5294	158
951	Management of ascites in cirrhosis and portal hypertension. 2017 , 1189-1195.e2	
950	Validation of a Modified Child-Turcotte-Pugh Classification System Utilizing Insulin-Like Growth Factor-1 for Patients with Hepatocellular Carcinoma in an HBV Endemic Area. 2017 , 12, e0170394	8
949	The soluble mannose receptor (sMR) is elevated in alcoholic liver disease and associated with disease severity, portal hypertension, and mortality in cirrhosis patients. 2017 , 12, e0189345	25
948	Risk factors for mortality among patients admitted with upper gastrointestinal bleeding at a tertiary hospital: a prospective cohort study. 2017 , 17, 165	22
947	RAM score is an effective predictor for early mortality and recurrence after hepatectomy for hepatocellular carcinoma. 2017 , 17, 742	17
946	Non-pharmacological Treatment of Ascites. 2017 ,	
945	Operative microwave ablation for hepatocellular carcinoma: a single center retrospective review of 219 patients. 2017 , 8, 337-346	16
944	Transjugular intrahepatic portosystemic shunt creation for cirrhotic portal hypertension is well tolerated among patients with portal vein thrombosis. 2018 , 30, 668-675	7
943	How can we improve the performance of Model for End-Stage Liver Disease sodium score in patients with hepatitis B virus-related decompensated liver cirrhosis commencing antiviral treatment?. 2018 , 33, 1641	4
942	Does Transjugular Intrahepatic Portosystemic Shunt Stent Differentially Improve Survival in a Subset of Cirrhotic Patients?. 2018 , 38, 87-96	30
941	Alcohol-related acute-on-chronic liver failure-Comparison of various prognostic scores in predicting outcome. 2018 , 37, 50-57	7
940	MELD Score Does Not Underestimate Short-Term Mortality Risk in Women Versus Men After TIPS Creation. 2018 , 41, 1453-1454	

939	Baseline Albumin-Bilirubin (ALBI) Score in Western Patients With Hepatocellular Carcinoma Treated With Stereotactic Body Radiation Therapy (SBRT). 2018 , 101, 900-909	20
938	Chronic Liver Failure and Hepatic Cirrhosis. 2018 , 21-39	0
937	EASL Clinical Practice Guidelines for the management of patients with decompensated cirrhosis. 2018 , 69, 406-460	930
936	Liver Cancers. 2018 , 100-116	
935	Quantitative Imaging Features and Postoperative Hepatic Insufficiency: A Multi-Institutional Expanded Cohort. 2018 , 226, 835-843	7
934	Association Between Portosystemic Shunts and Increased Complications and Mortality in Patients With Cirrhosis. 2018 , 154, 1694-1705.e4	90
933	Cystatin C Is a Gender-Neutral Glomerular Filtration Rate Biomarker in Patients with Cirrhosis. 2018 , 63, 665-675	17
932	Assessment of prognostic performance of Albumin-Bilirubin, Child-Pugh, and Model for End-stage Liver Disease scores in patients with liver cirrhosis complicated with acute upper gastrointestinal bleeding. 2018 , 30, 652-658	16
931	Efficacy of generic oral directly acting agents in patients with hepatitis C virus infection. 2018 , 25, 771-778	26
930	Prognostic Models in Acute Liver Failure. 2018 , 22, 375-388	9
929	Hypoalbuminemia is Associated With Significantly Higher Liver Transplant Waitlist Mortality and Lower Probability of Receiving Liver Transplant. 2018 , 52, 913-917	5
928	National Early Warning Score Accurately Discriminates the Risk of Serious Adverse Events in Patients With Liver Disease. 2018 , 16, 1657-1666.e10	6
927	Development of a prognostic score to predict response to Yttrium-90 radioembolization for hepatocellular carcinoma with portal vein invasion. 2018 , 68, 724-732	68
926	Comprehensive Geriatric Assessment in Patients with Organ Failure. 2018 , 133-147	
925	Comprehensive Geriatric Assessment. 2018 ,	3
924	Liver Resection and Surgical Strategies for Management of Primary Liver Cancer. 2018 , 25, 107327481774462197	
923	Anesthetic and Perioperative Considerations in Liver Disease (Non-Transplant). 2018 , 255-267	
922	Definitions, Epidemiology and Prognostication of Liver Disease. 2018 , 75-82	2

921	Prognostic scoring systems and outcome of endovascular radiological intervention of chronic Budd-Chiari syndrome in children. 2018 , 38, 1308-1315	5
920	Budd-Chiari Syndrome and Inferior Vena Cava Obstruction: The Asian Perspective. 2018 , 257-269	
919	Microwave ablation with chemoembolization for large hepatocellular carcinoma in patients with cirrhosis. 2018 , 34, 1351-1358	21
918	2D shear wave elastography combined with MELD improved prognostic accuracy in patients with acute-on-chronic hepatitis B liver failure. 2018 , 28, 4465-4474	6
917	Ascites: A marker for increased surgical risk unaccounted for by the model for end-stage liver disease (MELD) score for general surgical procedures. 2018 , 164, 233-237	7
916	The British Society of Gastroenterology/UK-PBC primary biliary cholangitis treatment and management guidelines. 2018 , 67, 1568-1594	122
915	Diagnostic Methods for Cirrhosis and Portal Hypertension. 2018 ,	1
914	Variability in Baseline Liver Test Values in Clinical Trials: Challenges in Enhancing Drug-Induced Liver Injury Assessment in Subjects with Liver Disease. 2018 , 431-457	
913	Model for End-Stage Liver Disease Underestimates Morbidity and Mortality in Patients with Ascites Undergoing Colectomy. 2018 , 42, 3390-3397	1
912	Interlobar Artery Resistive Index predicts Acute-on-Chronic Liver Failure Syndrome in Cirrhotic Patients with Acute Decompensation. 2018 , 39, 39-47	1
911	New Developments in Hepatorenal Syndrome. 2018 , 16, 162-177.e1	42
910	Role of Indocyanine Green in Predicting Post-Transarterial Chemoembolization Liver Failure in Hepatocellular Carcinoma. 2018 , 8, 28-34	6
909	Aberrant GSTP1 promoter methylation predicts poor prognosis of acute-on-chronic hepatitis B pre-liver failure. 2018 , 18, 51-62	7
908	Modification of splenic stiffness on acoustic radiation force impulse parallels the variation of portal pressure induced by transjugular intrahepatic portosystemic shunt. 2018 , 33, 704-709	20
907	Increase in liver stiffness after transjugular intrahepatic portosystemic shunt is associated with inflammation and predicts mortality. <i>Hepatology</i> , 2018 , 67, 1472-1484	11.2 57
906	ePTFE-TIPS vs repetitive LVP plus albumin for the treatment of refractory ascites in patients with cirrhosis. 2018 , 38, 1036-1044	20
905	Controversies in clinical trials for alcoholic hepatitis. 2018 , 68, 586-592	16
904	Image-guided treatment of Budd-Chiari syndrome: a giant leap from the past, a small step towards the future. 2018 , 43, 1908-1919	4

903	The combination of indocyanine green clearance test and model for end-stage liver disease score predicts early graft outcome after liver transplantation. 2018 , 32, 471-479	2
902	Antiviral Therapy in Patients With Chronic Hepatitis C-related Hepatocellular Carcinoma Responding to Palliative Treatment. 2018 , 52, 557-562	4
901	Adding C-reactive protein and procalcitonin to the model of end-stage liver disease score improves mortality prediction in patients with complications of cirrhosis. 2018 , 33, 726-732	7
900	Chapter 11: Patient Selection and the Effect of Transjugular Intrahepatic Portosystemic Shunt on Liver and Kidney Function. 2018 ,	
899	Serum cystatin C level: An excellent predictor of mortality in patients with cirrhotic ascites. 2018 , 33, 910-917	12
898	Validation of prognostic scores to predict short-term mortality in patients with acute-on-chronic liver failure. 2018 , 33, 900-909	14
897	Risk Stratification of Patients With Current Generation Continuous-Flow Left Ventricular Assist Devices Being Bridged to Heart Transplantation. 2018 , 64, 196-202	5
896	A Concentric Neighborhood Solution to Disparity in Liver Access That Contains Current UNOS Districts. 2018 , 102, 255-278	9
895	Albumin-bilirubin grade versus MELD score for predicting survival after transjugular intrahepatic portosystemic shunt (TIPS) creation. 2018 , 99, 163-168	18
894	Symptomatic Heart Failure After Transjugular Intrahepatic Portosystemic Shunt Placement: Incidence, Outcomes, and Predictors. 2018 , 41, 564-571	13
893	The UGT1A1*28 gene variant predicts long-term mortality in patients undergoing coronary angiography. 2018 , 56, 560-564	3
892	Unique metabolomic signature associated with hepatorenal dysfunction and mortality in cirrhosis. 2018 , 195, 25-47	18
891	A simplified prognostic model to predict mortality in patients with acute variceal bleeding. 2018 , 50, 247-253	10
890	Anesthesia in High-Risk Patients. 2018 ,	
889	The Patient with End-Stage Liver Disease. 2018 , 165-182	
888	Comparison of Hepatectomy for Patients with Metabolic Syndrome-Related HCC and HBV-Related HCC. 2018 , 22, 615-623	11
887	Current policy for allocation of donor livers in the Netherlands advantages primary sclerosing cholangitis patients on the liver transplantation waiting list-a retrospective study. 2018 , 31, 590-599	5
886	Potentially inappropriate liver transplantation in the era of the "sickest first" policy - A search for the upper limits. 2018 , 68, 798-813	48

885	Nomogram for individualised prediction of liver failure risk after hepatectomy in patients with resectable hepatocellular carcinoma: the evidence from ultrasound data. 2018 , 28, 877-885	20
884	Comparison of Dynamic Changes Among Various Prognostic Scores in Viral Hepatitis-Related Acute Liver Failure. 2018 , 17, 403-412	8
883	Extracellular Matrix Proteins Substantiate IL-28B T allele Effect on Histological Outcome of Chronic Hepatitis C. 2018 , 17, 569-576	4
882	Thromboelastography Parameters in Patients with Acute on Chronic Liver Failure. 2018 , 17, 1042-1051	10
881	Managing portal hypertension in patients with liver cirrhosis. 2018 , 7,	17
880	Impact of a Transplantation Critical Care Model on Short-Term Outcomes Following Liver Transplantation in High Acuity Patients: A Single-Center Experience. 2018 , 50, 3544-3548	0
879	Prognostic Value of Model for End-Stage Liver Disease Incorporating with Serum Sodium Score for Development of Acute Kidney Injury after Liver Transplantation. 2018 , 131, 1314-1320	5
878	Model for end-stage liver disease score and hemodynamic instability as a predictor of poor outcome in early transjugular intrahepatic portosystemic shunt treatment for acute variceal hemorrhage. 2018 , 30, 1441-1446	5
877	Association and interaction between model for end-stage liver disease score and minimally invasive treatment with regard to mortality of patients with hepatitis B virus-associated hepatocellular carcinoma and portal vein tumor thrombi. 2019 , 17, 119-126	
876	The optimal imaging diagnostic method of sarcopenia in liver transplantation: an unresolved issue. 2018 , 3, 9-9	
875	66 Leber-, Gallen- und Pankreaserkrankungen. 2018 ,	
874	. 2018 ,	9
873	Laparoscopic liver resection for the patients with hepatocellular carcinoma and chronic liver disease. 2018 , 3, 41	6
872	A Specialized Transplantation Critical Care Model: Expanding Liver Transplantation Access to High-Acuity Patients. 2018 , 50, 2619-2621	1
871	Portal Hypertension Related to Bleeding. 2018 , 233-261.e3	1
870	L-Carnitine for the Treatment of Overt Hepatic Encephalopathy in Patients with Advanced Liver Cirrhosis. 2018 , 64, 321-328	7
869	Combined hepatocellular cholangiocarcinoma (cHCC-CC): an update of genetics, molecular biology, and therapeutic interventions. 2019 , 6, 11-21	52
868	Assessing men with erectile dysfunction before and after living donor liver transplantation in real-world practice: Integrating laboratories into clinical settings. 2018 , 13, e0206438	4

867	Impact of continued administration of tolvaptan on cirrhotic patients with ascites. 2018 , 19, 87	3
866	Comparison of the predictive value of scoring systems on the prognosis of cirrhotic patients with suspected infection. 2018 , 97, e11421	6
865	Development and external validation of a prognostic nomogram for acute decompensation of chronic hepatitis B cirrhosis. 2018 , 18, 179	4
864	Survival prediction among patients with non-cancer-related end-stage liver disease. 2018 , 13, e0202692	2
863	Comparison of the ability of Child-Pugh score, MELD score, and ICG-R15 to assess preoperative hepatic functional reserve in patients with hepatocellular carcinoma. 2018 , 118, 440-445	38
862	Hepatocellular carcinoma treatment: hurdles, advances and prospects. 2018 , 5, HEP08	38
861	Long Term Consequences of the Fontan Procedure and How to Manage Them. 2018 , 61, 365-376	13
860	Characteristics, Outcomes and Predictors of Mortality in Patients Undergoing Transjugular Intrahepatic Portosystemic Shunt. 2018 , 02,	1
859	Prognostic scales in advanced heart failure. 2018 , 15, 183-187	0
858	On-Treatment Improvement of MELD Score Reduces Death and Hepatic Events in Patients With Hepatitis B-Related Cirrhosis. 2018 , 113, 1629-1638	17
857	Predictors of post-hepatectomy liver failure in patients undergoing extensive liver resections for hepatocellular carcinoma. 2018 , 22, 185-196	11
856	Radiation Therapy in Hepatocellular Carcinoma. 2018 , 1-12	
855	Predication of post-operative outcome of colectomy in ulcerative colitis patients using Model of End-Stage Liver Disease Score. 2018 , 33, 1763-1772	0
854	Predictive Value of Models for End-Stage Liver Disease Score in Patients With Pulsatile Flow POLVAD MEV Left Ventricular Assist Device Support. 2018 , 50, 2075-2079	2
853	Organ Transplantation*. 2018 , 187-215	7
852	Comparison Study of Outcomes of Deceased Donor Liver Transplantation before and after Korean Model for End-Stage Liver Disease (MELD) System: Single Center Experience. 2018 , 32, 7	3
851	Serum creatinine in cirrhotic patients: a cornerstone. 2018 , 3, 109-109	0
850	Natural History of Primary Biliary Cholangitis in the Ursodeoxycholic Acid Era: Role of Scoring Systems. 2018 , 22, 563-578	17

849	VI consensus document by the Spanish Liver Transplantation Society. 2018 , 41, 406-421	4
848	VI consensus document by the Spanish Liver Transplantation Society. 2018 , 41, 406-421	
847	Supportive care in end-stage liver disease: a clinical review. 2018 , 16, 38-43	1
846	Transjugular Intrahepatic Portosystemic Shunt Placement for Refractory Ascites: Review and Update of the Literature. 2018 , 35, 165-168	5
845	Acute care and emergency general surgery in patients with chronic liver disease: how can we optimize perioperative care? A review of the literature. 2018 , 13, 32	7
844	Prognostic Value of Hepatorenal Function By Modified Model for End-stage Liver Disease (MELD) Score in Patients Undergoing Tricuspid Annuloplasty. 2018 , 7,	24
843	Waitlist mortality and post-transplant survival in patients with cholestatic liver disease - Impact of changes in allocation policy. 2018 , 20, 916-924	7
842	Monocyte/granulocyte to lymphocyte ratio and the MELD score as predictors for early recurrence of hepatocellular carcinoma after trans-arterial chemoembolization. 2018 , 75, 187-191	9
841	Monocyte human leukocyte antigen - Antigen D related, neutrophil oxidative burst and cytokine analysis in patients of decompensated cirrhosis with and without acute-on chronic liver failure. 2018 , 13, e0200644	5
840	Simultaneous Liver-Kidney Transplantation: Policy Update and the Challenges Ahead. 2018 , 5, 130-138	1
839	The efficacy of serum brain natriuretic peptide for the early detection of portopulmonary hypertension in biliary atresia patients before liver transplantation. 2018 , 22, e13203	3
838	3 Portal Hypertension. 2018 ,	
837	4 Management of Complications of Portal Hypertension: Transjugular Intrahepatic Portosystemic Shunt (TIPS). 2018 ,	
836	VI Consensus Document by the Spanish Liver Transplantation Society. 2018 , 96, 326-341	
835	Systemic inflammatory response syndrome and model for end-stage liver disease score accurately predict the in-hospital mortality of black African patients with decompensated cirrhosis at initial hospitalization: a retrospective cohort study. 2018 , 11, 143-152	4
834	Transjugular Intrahepatic Portosystemic Shunt (TIPS) and Portal Hypertension. 2018 , 419-427	
833	Intention-to-treat analysis of liver transplantation, resection and thermal ablation for hepatocellular carcinoma in a single centre. 2018 , 20, 966-976	2
832	VI consensus document by the Spanish Liver Transplantation Society. 2018 , 96, 326-341	4

831	Survival Benefit of Tolvaptan for Refractory Ascites in Patients with Advanced Cirrhosis. 2018 , 36, 314-321	10
830	The impact of ileal pouch-anal anastomosis on graft survival following liver transplantation for primary sclerosing cholangitis. 2018 , 48, 322-332	19
829	Risk stratification and prognostic modelling in primary biliary cholangitis. 2018 , 34-35, 95-106	5
828	Individual patient variability with the application of the kidney failure risk equation in advanced chronic kidney disease. 2018 , 13, e0198456	4
827	Toward an accelerated adoption of data-driven findings in medicine : Research, skepticism, and the need to speed up public visibility of data-driven findings. 2019 , 22, 153-157	3
826	Pretransplant predictors of early mortality in adult recipients of liver transplantation in the MELD-Na Era. 2019 , 43, 261-269	3
825	Non-Invasive Markers (ALBI and APRI) Predict Pregnancy Outcomes in Women With Chronic Liver Disease. 2019 , 114, 267-275	16
824	Operationsrisiko bei chronischen Lebererkrankungen. 2019 , 17, 18-24	2
823	Mass Spectrometry as a Clinical Integrative Tool to Evaluate Hepatocellular Carcinoma: Moving to the Mainstream. 2019 , 13, 821-825	0
822	Serum Tumor Necrosis Factor- β s Inversely Associated With the Psoas Muscle Index in Both Male and Female Patients Scheduled for Living Donor Liver Transplantation. 2019 , 51, 1874-1879	1
821	Prognostic Value of DEPDC1 Expression in Tumor and Non-tumor Tissue of Patients With Hepatocellular Carcinoma. 2019 , 39, 4423-4430	6
820	More than the heart: Hepatic, renal, and cardiac dysfunction in adult Fontan patients. 2019 , 14, 765-771	7
819	A Critical Review of MELD as a Reliable Tool for Transplant Prioritization. 2019 , 39, 403-413	18
818	Utility of MELD scoring system for assessing the prognosis of acute fatty liver of pregnancy. 2019 , 240, 161-166	2
817	Model for End-Stage Liver Disease Impact on Outcomes of Orthotopic Liver Transplantation Patients. 2019 , 33, 2726-2727	
816	Impact of Bacterial Translocation on Sarcopenia in Patients with Decompensated Cirrhosis. 2019 , 11,	1
815	Prospective evaluation of ventricular assist device risk scores' capacity to predict cardiopulmonary exercise parameters. 2020 , 30, 223-228	3
814	Hepatorenal dysfunction identifies high-risk patients with acute heart failure: insights from the RELAX-AHF trial. 2019 , 6, 1188-1198	13

813	Clinical Characteristics and Outcomes of Mild to Moderate Alcoholic Hepatitis. 2019 , 1, 161-165	1
812	Molecular prognosis in liver cirrhosis. 2019 , 413-427	
811	The additive value of sarcopenia, myosteatorsis and hepatic encephalopathy in the predictivity of model for end-stage liver disease. 2019 , 51, 1508-1512	9
810	Frailty, Sarcopenia, and Malnutrition in Cirrhotic Patients. 2019 , 23, 589-605	9
809	Surgery in Patients with Portal Hypertension. 2019 , 23, 755-780	5
808	Artificial liver support system therapy in acute-on-chronic hepatitis B liver failure: Classification and regression tree analysis. 2019 , 9, 16462	12
807	Declining predictive performance of the MELD: Cause for concern or reflection of changes in clinical practice?. 2019 , 19, 3221-3222	1
806	Survival advantage for patients accepting the offer of a circulatory death liver transplant. 2019 , 70, 855-865	35
805	Prediction of Transplant-Free Survival through Albumin-Bilirubin Score in Primary Biliary Cholangitis. 2019 , 8,	2
804	THE COST OF ADULT LIVER TRANSPLANTATION IN A REFERRAL CENTER IN SOUTHERN BRAZIL. 2019 , 56, 165-171	1
803	Flat chest projection in the detection and visualization of rib fractures: A cross-sectional study comparing curved and multiplanar reformation of computed tomography images in different reader groups. 2019 , 303, 109942	4
802	Mitigating Information Asymmetry in Liver Allocation. 2019 ,	
801	Morbidity and mortality after transjugular intrahepatic portosystemic shunt placement in patients with cirrhosis. 2019 , 31, 626-632	8
800	Association Between Noninvasive Fibrosis Markers and Postoperative Mortality After Hepatectomy for Hepatocellular Carcinoma. 2019 , 2, e187142	11
799	Unsolved Questions in Salvage TIPSS: Practical Modalities for Placement, Alternative Therapeutics, and Long-Term Outcomes. 2019 , 2019, 7956717	2
798	Evaluation of model performance to predict survival after transjugular intrahepatic portosystemic shunt placement. 2019 , 14, e0217442	12
797	Anesthesia During Liver Transplant: Hepatic Function, TEG, Massive Transfusion, Stages of Liver Transplantation, and MELD Scoring. 2019 , 19-39	
796	Six-minute walk test before and after large-volume paracentesis in cirrhotic patients with refractory ascites: A pilot study. 2019 , 20, 81-85	2

795	Prognosis, Prevention and Research Prospects of Progression to Severe Hepatitis B (Liver Failure). 2019 , 457-497	
794	Pretransplant predictors of early mortality in adult recipients of liver transplantation in the MELD-Na Era. 2019 , 43, 261-269	
793	Model for End-Stage Liver Disease Score Independently Predicts Mortality in Cardiac Surgery. 2019 , 107, 1713-1719	9
792	Predictors of 1-month and 3-months Hospital Readmissions in Decompensated Cirrhosis: A Prospective Study in a Large Asian Cohort. 2019 , 18, 30-39	4
791	Clinical Anesthesiology II. 2019 ,	
790	Patient Selection in Transjugular Intrahepatic Portosystemic Shunt (TIPS) for Refractory Ascites and Associated Conditions. 2019 , 18, 197-205	3
789	Allocation of liver grafts worldwide - Is there a best system?. 2019 , 71, 707-718	42
788	Acute Exacerbation of Chronic Hepatitis B. 2019 ,	
787	Prioritization for liver transplantation using the MELD score in Chile: Inequities generated by MELD exceptions.: A collaboration between the Chilean Liver Transplant Programs, the Public Health Institute and the National Transplant Coordinator. 2019 , 18, 325-330	1
786	Predictive factors for 28-day mortality in acute-on-chronic liver failure patients admitted to the intensive care unit. 2019 , 51, 1416-1422	3
785	Development of a Korean Liver Allocation System using Model for End Stage Liver Disease Scores: A Nationwide, Multicenter study. 2019 , 9, 7495	13
784	Reporting of artificial intelligence prediction models. 2019 , 393, 1577-1579	281
783	Preoperative aspartate aminotransferase-to-platelet-ratio index as a predictor of posthepatectomy liver failure for resectable hepatocellular carcinoma. 2019 , 11, 1401-1414	23
782	Liver Allocation Policies in the USA: Past, Present, and the Future. 2019 , 64, 985-992	6
781	Original Study: Transjugular Intrahepatic Portosystemic Shunt as a Bridge to Abdominal Surgery in Cirrhotic Patients. 2019 , 23, 2383-2390	15
780	Lactate and number of organ failures predict intensive care unit mortality in patients with acute-on-chronic liver failure. 2019 , 39, 1271-1280	15
779	Development and Validation of a Novel Model for Outcomes in Patients with Cirrhosis and Acute Variceal Bleeding. 2019 , 64, 2327-2337	6
778	Albumin-Indocyanine Green Evaluation (ALICE) grade combined with portal hypertension to predict post-hepatectomy liver failure. 2019 , 49, 942-949	13

777	Dissecting the multinodular hepatocellular carcinoma subset: is there a survival benefit after hepatectomy?. 2019 , 71, 57-66	2
776	Hepatocellular carcinoma in a rapidly growing community: Epidemiology, clinico-pathology and predictors of extrahepatic metastasis. 2019 , 20, 38-43	7
775	Current Status of Simultaneous Liver-Kidney Transplantation in the United States. 2019 , 25, 797-806	15
774	Combination Treatments of Plasma Exchange and Umbilical Cord-Derived Mesenchymal Stem Cell Transplantation for Patients with Hepatitis B Virus-Related Acute-on-Chronic Liver Failure: A Clinical Trial in China. 2019 , 2019, 4130757	22
773	Value of Model for End-Stage Liver Disease-Serum Sodium Scores in Predicting Complication Severity Grades After Liver Transplantation for Acute-on-chronic Liver Failure. 2019 , 51, 833-841	4
772	[Esophageal variceal bleeding: management and tips on transjugular intrahepatic portosystemic shunt]. 2019 , 90, 614-620	1
771	Mechanisms and biomarkers of liver regeneration after drug-induced liver injury. 2019 , 85, 241-262	18
770	Short-term outcomes of en bloc combined heart and liver transplantation in the failing Fontan. 2019 , 33, e13540	28
769	Approaches for patients with very high MELD scores. 2019 , 1, 53-65	4
768	Psoas Muscle Density in Combination with Model for End-Stage Liver Disease Score Can Improve Survival Predictability in Transjugular Intrahepatic Portosystemic Shunts. 2019 , 30, 154-161	10
767	Elevated D-dimer is associated with increased 28-day mortality in acute-on-chronic liver failure in China: a retrospective study. 2019 , 19, 20	8
766	65-Year-Old Woman With Abdominal Pain and Jaundice. 2019 , 94, e51-e55	
765	Outcomes in patients with portal hypertension undergoing gastrointestinal surgery: A propensity score matched analysis from the NSQIP dataset. 2019 , 217, 664-669	2
764	Assessment of renal function in cirrhosis: Sarcopenia, gender and ethnicity matter. 2019 , 70, 828-830	9
763	Predicting Future Complications of Cirrhosis. 2019 , 18, 9-19	0
762	Comparative liver function models for ruptured hepatocellular carcinoma: A 10-year single center experience. 2019 , 42, 874-882	5
761	Therapeutic effect of double plasma molecular adsorption system and sequential half-dose plasma exchange in patients with HBV-related acute-on-chronic liver failure. 2019 , 34, 392-398	20
760	Pre-Liver Transplantation Evaluation and Listing. 2019 , 03, 255-262	

759	Empirical evidence of the impact of study characteristics on the performance of prediction models: a meta-epidemiological study. 2019 , 9, e026160	8
758	Operative Considerations for the General Surgeon in Patients with Chronic Liver Disease. 2019 , 85, 234-244	2
757	Prognostic value of the model for end-stage liver disease excluding INR score (MELD-XI) in patients with adult congenital heart disease. 2019 , 14, e0225403	8
756	Staging of Biliary and Primary Liver Tumors: Current Recommendations and Workup. 2019 , 28, 663-683	4
755	Contrast-induced acute kidney injury following coronary angiography in patients with end-stage liver disease. 2019 , 9, 403-409	2
754	Linezolid Dosing in Patients With Liver Cirrhosis: Standard Dosing Risk Toxicity. 2019 , 41, 732-739	3
753	Donor Age Predicts Calcineurin Inhibitor Induced Neurotoxicity After Liver Transplantation. 2019 , 103, e211-e215	6
752	Multiplication product of Model for End-stage Liver Disease and Donor Risk Index as predictive models of survival after liver transplantation. 2019 , 31, 1116-1120	0
751	Risk Indices in Deceased-donor Organ Allocation for Transplantation: Review From an Australian Perspective. 2019 , 103, 875-889	1
750	Is living donor liver transplantation justified in high model for end-stage liver disease candidates (35+)? 2019 , 24, 637-643	5
749	Identifying characteristics of drug-related problems in critically ill patients with decompensated liver cirrhosis. 2019 , 31, 1569-1576	2
748	Predictive Capacity of Risk Models in Liver Transplantation. 2019 , 5, e457	9
747	Prediction of Perioperative Mortality of Cadaveric Liver Transplant Recipients During Their Evaluations. 2019 , 103, e297-e307	14
746	Assessment of Preoperative Liver Function for Surgical Decision Making in Patients with Hepatocellular Carcinoma. 2019 , 8, 447-456	18
745	Trends in liver transplantation for primary biliary cholangitis in Europe over the past three decades. 2019 , 49, 285-295	26
744	Tei index is associated with survival in cirrhosis patients treated with transjugular intrahepatic portosystemic shunt. 2019 , 36, 61-66	0
743	Cirrhosis. 2019 , 495-504	
742	Predictors of Re-bleeding and Mortality Among Patients with Refractory Variceal Bleeding Undergoing Salvage Transjugular Intrahepatic Portosystemic Shunt (TIPS). 2019 , 64, 1335-1345	29

741	Albumin-bilirubin (ALBI) grade-based nomogram to predict tumor recurrence in patients with hepatocellular carcinoma. 2019 , 45, 776-781		24
740	Prospective Assessment of Liver Function by an Enzymatic Liver Function Test to Estimate Short-Term Survival in Patients with Liver Cirrhosis. 2019 , 64, 576-584		5
739	Hernia Management in Cirrhosis: Risk Assessment, Operative Approach, and Perioperative Care. 2019 , 235, 1-7		1
738	Herniorrhaphy in Cirrhosis: Operative Approach and Timing. 2019 , 637-655		
737	Establishment and evaluation of a model for predicting 3-month mortality in Chinese patients with hepatic encephalopathy. 2019 , 34, 213-221		2
736	Liver and Gastrointestinal Physiology. 2019 , 630-644		
735	Mutations in CYP2C9 and/or VKORC1 haplotype are associated with higher bleeding complications in patients with Budd-Chiari syndrome on warfarin. 2019 , 13, 214-221		4
734	Cholemic Nephropathy Causes Acute Kidney Injury and Is Accompanied by Loss of Aquaporin 2 in Collecting Ducts. <i>Hepatology</i> , 2019 , 69, 2107-2119	11.2	24
733	A Model for Glomerular Filtration Rate Assessment in Liver Disease (GRAIL) in the Presence of Renal Dysfunction. <i>Hepatology</i> , 2019 , 69, 1219-1230	11.2	23
732	Symptom prevalence and quality of life of patients with end-stage liver disease: A systematic review and meta-analysis. 2019 , 33, 24-36		70
731	AGA Clinical Practice Update on Surgical Risk Assessment and Perioperative Management in Cirrhosis: Expert Review. 2019 , 17, 595-606		49
730	Risk factors of bloodstream infections in recipients after liver transplantation: a meta-analysis. 2019 , 47, 77-85		8
729	Prognostic value of impaired hepato-renal function assessed by the MELD-XI score in patients undergoing percutaneous mitral valve repair. 2019 , 93, 699-706		8
728	Hernia repair in patients with chronic liver disease - A 15-year single-center experience. 2019 , 217, 59-65		5
727	Utility of HbA assessment in people with diabetes awaiting liver transplantation. 2019 , 36, 1444-1452		6
726	Prediction of optimal outcomes in organ transplantation. 2019 , 45, 367-370		2
725	Role of Scoring Systems in Wilson Disease. 2019 , 279-285		0
724	The Impact of Hepatectomy Time of the Liver Graft on Post-transplant Outcome: A Eurotransplant Cohort Study. 2019 , 269, 712-717		24

723	Albumin-Indocyanine Green Evaluation Grading System Predicts Post-Hepatectomy Liver Failure for Biliary Tract Cancer. 2019 , 36, 13-19	6
722	Ascites. 2020 , 179-185	
721	The EMALT Score: An Improved Model for Prediction of Early Mortality in Liver Transplant Recipients. 2020 , 35, 781-788	2
720	Hepatocyte fraction: correlation with noninvasive liver functional biomarkers. 2020 , 45, 83-89	5
719	A New Recalibrated Four-Category Child-Pugh Score Performs Better than the Original Child-Pugh and MELD Scores in Predicting In-Hospital Mortality in Decompensated Alcoholic Cirrhotic Patients with Acute Variceal Bleeding: a Real-World Cohort Analysis. 2020 , 44, 241-246	5
718	The Critically Ill Cirrhotic Patient. 2020 ,	
717	The SAGES Manual of Acute Care Surgery. 2020 ,	
716	The Difficult Patient. 2020 , 287-308	
715	Perioperative Evaluation and Management of Patients With Cirrhosis: Risk Assessment, Surgical Outcomes, and Future Directions. 2020 , 18, 2398-2414.e3	18
714	Sex specificity of kidney markers to assess prognosis in cirrhotic patients with TIPS. 2020 , 40, 186-193	7
713	Does Preoperative MELD Score Predict Adverse Outcomes Following Pancreatic Resection: an ACS NSQIP Analysis. 2020 , 24, 2259-2268	4
712	Budd-Chiari Syndrome. 2020 ,	0
711	Diagnostic and prognostic assessment of suspected drug-induced liver injury in clinical practice. 2020 , 40, 6-17	16
710	TIPS for management of portal-hypertension-related complications in patients with cirrhosis. 2020 , 44, 249-263	11
709	Hepatic Encephalopathy and Nutrition Influences: A Narrative Review. 2020 , 35, 36-48	5
708	Liver Strain Using Feature Tracking of Cine Cardiac Magnetic Resonance Imaging: Assessment of Liver Dysfunction in Patients with Fontan Circulation and Tetralogy of Fallot. 2020 , 41, 389-397	1
707	Effect of Perioperative Low-Dose Dexmedetomidine on Postoperative Delirium After Living-Donor Liver Transplantation: A Randomized Controlled Trial. 2020 , 52, 239-245	11
706	Risk stratification in acute variceal bleeding: Comparison of the AIMS65 score to established upper gastrointestinal bleeding and liver disease severity risk stratification scoring systems in predicting mortality and rebleeding. 2020 , 32, 761-768	9

705	Pre- and Peri-Operative Factors Associated with Chronic Critical Illness in Liver Transplant Recipients. 2020 , 21, 246-254		4
704	Risk factors and prognostic analysis of acute-on-chronic liver failure of chronic hepatitis B after cessation of nucleos(t)ide analogs. 2020 , 32, 265-275		3
703	Impact of preoperative liver dysfunction on outcomes in patients with left ventricular assist devices. 2020 , 57, 920-928		4
702	A Comprehensive Review of Outcome Predictors in Low MELD Patients. 2020 , 104, 242-250		9
701	The von Willebrand Factor Facilitates Model for End-Stage Liver Disease-Independent Risk Stratification on the Waiting List for Liver Transplantation. <i>Hepatology</i> , 2020 , 72, 584-594	11.2	10
700	Patients With Persistently Low MELD-Na Scores Continue to Be at Risk of Liver-related Death. 2020 , 104, 1413-1418		7
699	Serum Lactate Level Predicts Short-Term and Long-Term Mortality of HBV-ACLF Patients: A Prospective Study. 2020 , 16, 849-860		1
698	Albumin-bilirubin grade as a prognostic indicator for patients with non-hepatocellular primary and metastatic liver malignancy undergoing Yttrium-90 radioembolization using resin microspheres. 2020 , 11, 715-723		2
697	Phase Angle Is an Independent Predictor of 6-Month Mortality in Patients With Decompensated Cirrhosis: A Prospective Cohort Study. 2020 , 35, 1061-1069		4
696	The Model for End-Stage Liver Disease-Sodium Score at Admission Is Prognostic of Covid-19 Disease Severity. 2020 , 2, 1-5		2
695	A novel online calculator based on noninvasive markers (ALBI and APRI) for predicting post-hepatectomy liver failure in patients with hepatocellular carcinoma. 2021 , 45, 101534		6
694	Impact of Integrating Insulin-Like Growth Factor 1 Levels into Model for End-Stage Liver Disease Score for Survival Prediction in Hepatocellular Carcinoma Patients. 2020 , 98, 836-846		3
693	Drugs and the liver. 2020 , 21, 517-523		2
692	Organ allocation for patients with acute-on-chronic liver failure: Time to look beyond MELD-sodium?. 2020 , 73, 1316-1318		3
691	Diverticulitis: An Update From the Age Old Paradigm. 2020 , 57, 100862		11
690	Nomogram Analysis and Internal Validation to Predict the Risk of Cystobiliary Communication in Patients Undergoing Hydatid Liver Cyst Surgery. 2020 , 44, 3884-3892		3
689	Earlier Is Better: Evaluating the Timing of Tracheostomy After Liver Transplantation. 2020 , 65, 1883-1888		1
688	Dynamic Prognostication in Transplant Candidates with Acute-on-Chronic Liver Failure. 2020 , 10,		2

687	Pediatric chronic liver failure-sequential organ failure assessment score and outcome of acute liver failure in children. 2020 , 6, 228-234	2
686	The technique of 3D reconstruction combining with biochemistry to build an equivalent formula of indocyanine green (ICG) clearance test to assess the liver reserve function. 2020 , 20, 283	4
685	Artificial Neural Network Model for Liver Cirrhosis Diagnosis in Patients with Hepatitis B Virus-Related Hepatocellular Carcinoma. 2020 , 16, 639-649	3
684	Artificial neural network model for preoperative prediction of severe liver failure after hemihepatectomy in patients with hepatocellular carcinoma. 2020 , 168, 643-652	13
683	The trials and tribulations of liver allocation. 2020 , 33, 1343-1352	5
682	LIRER score - a valuable tool to predict medium-long-term outcomes in hepatic cirrhosis decompensation. 2020 , 55, 1079-1086	
681	Editorial: current challenges in predicting mortality in patients with cirrhosis and refractory ascites. 2020 , 52, 885-886	
680	Hydrogen Sulfide Protects Against Ammonia-Induced Neurotoxicity Through Activation of Nrf2/ARE Signaling in Astrocytic Model of Hepatic Encephalopathy. 2020 , 14, 573422	6
679	Assessment of the American College of Surgeons surgical risk calculator of outcomes after hepatectomy for liver tumors: Results from a cohort of 950 patients. 2020 , 84, 102-108	0
678	Model for end-stage liver disease-sodium in acute-on-chronic liver failure. 2020 , 73, 1578-1579	1
677	Early identification using the referral system prolonged the time to onset for hepatic encephalopathy after diagnosing severe acute liver injury. 2020 , 10, 17280	1
676	The Prognosis Analysis of Liver Cirrhosis with Acute Variceal Bleeding and Validation of Current Prognostic Models: A Large Scale Retrospective Cohort Study. 2020 , 2020, 7372868	4
675	[30 Years of Transjugular Intrahepatic Portosystemic Shunt (TIPS): casting a retrospective glance and future perspectives]. 2020 , 58, 877-889	5
674	Efficacy and safety of ERCP in patients with gastroesophageal varices. 2020 , 99, e22051	2
673	Durable response without recurrence to Tolvaptan improves long-term survival. 2020 , 55, 1150-1161	1
672	Phase I Oncology Drug Development. 2020 ,	
671	[Living related liver transplantation]. 2020 , 91, 926-933	3
670	The Spectrum of Disease Severity in Cirrhosis and Its Implications for Hemostasis. 2020 , 46, 716-723	3

669	Fontan-associated liver disease and hepatocellular carcinoma in adults. 2020 , 10, 21742	4
668	Serum Clusterin: A Potential Marker for Assessing the Clinical Severity and Short-Term Prognosis of Hepatitis B Virus-Related Acute-on-Chronic Liver Failure. 2020 , 2020, 8814841	
667	Reply to: "Model for end-stage liver disease-sodium in acute-on-chronic liver failure". 2020 , 73, 1579-1580	
666	Transition From Temporary to Durable Circulatory Support Systems. 2020 , 76, 2956-2964	16
665	Application of Hepatic Venous Pressure Gradient to Predict Prognosis in Cirrhotic Patients with a Low Model for End-Stage Liver Disease Score. 2020 , 10,	1
664	The rise and fall of the model for end-stage liver disease score and the need for an optimized machine learning approach for liver allocation. 2020 , 25, 122-125	2
663	Indian National Association for the Study of the Liver Consensus Statement on Acute Liver Failure (Part 1): Epidemiology, Pathogenesis, Presentation and Prognosis. 2020 , 10, 339-376	14
662	Liver function and prognosis, and influence of sacubitril/valsartan in patients with heart failure with reduced ejection fraction. 2020 , 22, 1662-1671	17
661	MELD or Sodium MELD: A Comparison of the Ability of Two Scoring Systems to Predict Outcomes After Transjugular Intrahepatic Portosystemic Shunt Placement. 2020 , 215, 215-222	7
660	A nomogram to predict the risk of hepatic encephalopathy after transjugular intrahepatic portosystemic shunt in Cirrhotic Patients. 2020 , 10, 9381	11
659	Real-world treatment patterns and outcomes using terlipressin in 203 patients with the hepatorenal syndrome. 2020 , 52, 351-358	13
658	Revisiting the indications for liver transplantation in cirrhotic patients considering the long-term outcomes of cirrhotic patients. 2020 , 27, 655-662	2
657	Prognosis of microwave ablation for hepatocellular carcinoma: does age make a difference?. 2020 , 37, 688-695	3
656	Impact of Albumin-Bilirubin Score on Short- and Long-Term Survival After Living-Donor Liver Transplantation: A Retrospective Study. 2020 , 52, 910-919	2
655	Artificial neural network-based models used for predicting 28- and 90-day mortality of patients with hepatitis B-associated acute-on-chronic liver failure. 2020 , 20, 75	3
654	Assessing the Prognostic Performance of the Child-Pugh, Model for End-Stage Liver Disease, and Albumin-Bilirubin Scores in Patients with Decompensated Cirrhosis: A Large Asian Cohort from Gastroenterology Department. 2020 , 2020, 5193028	12
653	Influence of Preformed Antibodies in Liver Transplantation. 2020 , 9,	10
652	The proportion of Model for End-stage Liver Disease Sodium score attributable to creatinine independently predicts post-transplant survival and renal complications. 2020 , 34, e13817	1

651	The gastrointestinal system in the critically ill cirrhotic patient. 2020 , 26, 186-191	1
650	Review article: chronic liver disease and pregnancy. 2020 , 52, 420-429	2
649	Comparing the Prognosis of Patient with Alcohol and Nonalcohol-Associated Cirrhosis with Bacteremia. 2020 , 55, 512-517	2
648	Transjugular intrahepatic portosystemic shunt and alfapump [®] system for refractory ascites in liver cirrhosis: Outcomes and complications. 2020 , 8, 961-969	2
647	Pre-emptive TIPS for acute variceal bleeding in acute-on-chronic liver failure: Is there enough evidence for a routine recommendation?. 2020 , 73, 976-977	1
646	Hepatic uptake index in the hepatobiliary phase of gadolinium ethoxybenzyl diethylenetriamine penta acetic acid-enhanced magnetic resonance imaging estimates functional liver reserve and predicts post-hepatectomy liver failure. 2020 , 168, 419-425	3
645	Clinical Application of Kidney Biomarkers in Cirrhosis. 2020 , 76, 710-719	19
644	Acute Liver Failure of Non-A-E Viral Hepatitis Etiology-Profile, Prognosis, and Predictors of Outcome. 2020 , 10, 453-461	3
643	Factors associated with improvement in MELD score after antiviral treatment in patients with chronic hepatitis B. 2020 , 35, 1610-1618	2
642	Post Hepatectomy Liver Failure Risk Calculator for Preoperative and Early Postoperative Period Following Major Hepatectomy. 2020 , 27, 2868-2876	10
641	Changes in liver allocation in United States. 2020 , 25, 52-58	6
640	HDL-related biomarkers are robust predictors of survival in patients with chronic liver failure. 2020 , 73, 113-120	29
639	Assessment of Malnutrition, Sarcopenia and Frailty in Patients with Cirrhosis: Which Tools Should We Use in Clinical Practice?. 2020 , 12,	25
638	Response to "Reply to: 'The decreasing predictive power of MELD in an era of changing etiology of liver disease'". 2020 , 20, 903-904	0
637	Dekompensierte Leberzirrhose und akut-auf-chronisches Leberversagen. 2020 , 15, 22-33	1
636	Lower Gastrointestinal Bleeding in Patients With Cirrhosis-Etiology and Outcomes. 2020 , 359, 206-211	2
635	Precision medicine in variceal bleeding: Are we there yet?. 2020 , 72, 774-784	13
634	The impact of cirrhosis and MELD score on postoperative morbidity and mortality among patients selected for liver resection. 2020 , 220, 682-686	4

633	A population-based cohort study of mortality of intensive care unit patients with liver cirrhosis. 2020 , 20, 15	3
632	Albumin-Bilirubin Score vs Model for End-Stage Liver Disease in Predicting Post-Hepatectomy Outcomes. 2020 , 230, 637-645	21
631	Complex Pattern Mining. 2020 ,	
630	Model for End-Stage Liver Disease Sodium as a Predictor of Surgical Risk in Cirrhotic Patients With Ascites. 2020 , 250, 45-52	2
629	Transjugular intrahepatic portosystemic stent-shunt in the management of portal hypertension. 2020 , 69, 1173-1192	59
628	The Role of Ischemia/Reperfusion Injury in Early Hepatic Allograft Dysfunction. 2020 , 26, 1034-1048	14
627	Combining Aspartate Aminotransferase-to-Platelet Ratio Index with Future Liver Remnant to Assess Preoperative Hepatic Functional Reserve in Patients with Hepatocellular Carcinoma. 2021 , 25, 688-697	6
626	Preoperative predictors of liver decompensation after mini-invasive liver resection. 2021 , 35, 718-727	5
625	Validation of the Model for End-stage Liver Disease sodium (MELD-Na) score in the Eurotransplant region. 2021 , 21, 229-240	13
624	Surgical resection of early stage hepatocellular carcinoma: balancing tumor biology with the host liver. 2021 , 10, 5	0
623	CLIF-OF >9 predicts poor outcome in patients with Amanita phalloides poisoning. 2021 , 39, 96-101	3
622	Management of Hepatic Coagulopathy in Bleeding and Nonbleeding Patients: An Evidence-Based Review. 2021 , 36, 524-541	3
621	Outcome of Conservative Therapy in Coronavirus disease-2019 Patients Presenting With Gastrointestinal Bleeding. 2021 , 11, 327-333	10
620	Early- and long-term outcomes of liver transplantation with rescue allocation grafts. 2021 , 35, e14046	0
619	MELD calibration. 2021 , 21, 438-439	1
618	Retrospective Study of Transjugular Intrahepatic Portosystemic Shunt Placement for Cirrhotic Portal Hypertension. 2020 , 28, 5-12	0
617	Association between preoperative prealbumin level and postoperative mortality and morbidity after hepatic resection for hepatocellular carcinoma: A multicenter study from a HBV-endemic area. 2021 , 221, 1024-1032	4
616	Guidelines on the management of ascites in cirrhosis. 2021 , 70, 9-29	43

615	Utilizing the gut microbiome in decompensated cirrhosis and acute-on-chronic liver failure. 2021 , 18, 167-180	28
614	Hepatocellular carcinoma (HCC): Epidemiology, etiology and molecular classification. 2021 , 149, 1-61	46
613	Clinical outcomes following DAA therapy in patients with HCV-related cirrhosis depend on disease severity. 2021 , 74, 1053-1063	23
612	Utility of viscoelastic coagulation testing in liver surgery: a systematic review. 2021 , 23, 331-343	1
611	Hepatocellular carcinoma in patients with chronic renal disease: Challenges of interventional treatment. 2021 , 36, 42-50	4
610	Refitting the Model for End-Stage Liver Disease for the Eurotransplant Region. <i>Hepatology</i> , 2021 , 74, 351-363	11.2 6
609	Preoperative Trapped Lung Is Associated With Increased Mortality After Orthotopic Liver Transplantation. 2021 , 31, 47-54	2
608	Early Allograft Dysfunction Increases Hospital Associated Costs After Liver Transplantation-A Propensity Score-Matched Analysis. 2021 , 5, 526-537	3
607	Paraphenylenediamine and related chemicals as allergens responsible for allergic contact dermatitis. 2021 , 17, 714-723	1
606	IL-2 contributes to cirrhosis-associated immune dysfunction by impairing follicular T helper cells in advanced cirrhosis. 2021 , 74, 649-660	7
605	Explainable AI in Healthcare and Medicine. 2021 ,	1
604	Variceal Bleeding in Liver Cirrhosis. 2021 ,	
603	An Improved Scoring System Based on Platelet-Albumin-Bilirubin in Predicting Posthepatectomy Liver Failure Outcomes. 2021 , 39, 258-265	3
602	Pretransplant ascites and encephalopathy and their influence on survival and liver graft rejection in alcoholic cirrhosis disease. 2021 , 17, 682-693	3
601	[Current Status of Deceased Donor Liver Transplantation for Alcoholic Liver Disease in Korea in MELD Era]. 2021 , 77, 4-11	3
600	Selection Criteria for Durable Mechanical Circulatory Support. 2021 , 59-77	
599	Efficacy of Living Donor Liver Transplantation in Patients with Methylmalonic Acidemia. 2021 , 24, 288-294	
598	The 48-week safety and therapeutic effects of tenofovir alafenamide in hbv-related acute-on-chronic liver failure: A prospective cohort study. 2021 , 28, 592-600	2

- 597 Assessment and Research Progress of Liver Reserve Function before Hepatectomy. **2021**, 11, 4127-4134
- 596 Combined B-type Natriuretic Peptide as strong predictor of short-term mortality in patients after Liver Transplantation. **2021**, 18, 2500-2509
- 595 Model for end stage liver disease for prediction of mortality in people with cirrhosis.
- 594 Prognostic Value of the CLIF-C AD Score in Patients With Implantation of Transjugular Intrahepatic Portosystemic Shunt. **2021**, 5, 650-660 2
- 593 The Patient Presenting for Liver Transplantation. **2021**, 145-148
- 592 Anesthesia for Transjugular Intrahepatic Portosystemic Shunt (TIPS) Procedures. **2021**, 173-180
- 591 Liver Transplantation in the Setting of Non-malignant Portal Vein Thrombosis. **2021**, 131-156
- 590 Hepatorenal syndrome: pathophysiology and evidence-based management update. **2021**, 59, 227-261 0
- 589 Time-Varying mHAP-III Is the Most Accurate Predictor of Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. **2021**, 10, 126-136 3
- 588 The role of pre-emptive Transjugular Intrahepatic Portosystemic Shunt in acute variceal bleeding: a literature review. **2021**, 12, 2040622321995771 0
- 587 Implications of liver injury in risk-stratification and management of patients with COVID-19. **2021**, 15, 202-212 4
- 586 Comparison of prognostic scores for alcoholic hepatitis: a retrospective study. **2021**, 62, 17-24 0
- 585 Circulating Neutrophil Dysfunction in HBV-Related Acute-on-Chronic Liver Failure. **2021**, 12, 620365 3
- 584 Malnutrition in Patients with Liver Cirrhosis. **2021**, 13, 2
- 583 Risk factors for post-hepatectomy liver failure in 80 patients. **2021**, 9, 1793-1802 1
- 582 Postoperative outcome after reoperative isolated tricuspid valve surgery-is there a predictor for survival?. **2021**, 60, 867-871 0
- 581 Adult Liver Disease Prognostic Modelling for Long-term Outcomes in Biliary Atresia: An Observational Cohort Study. **2021**, 73, 93-98 2
- 580 A systematic review on pharmacokinetics, cardiovascular outcomes and safety profiles of statins in cirrhosis. **2021**, 21, 120 3

579	Predicting Outcomes and Use and Abuse of Prognostic Models. 2021 , 11-17	
578	Risk factors of acute renal injury and in-hospital mortality in adult patients with postcardiotomy cardiogenic shock requiring veno-arterial extracorporeal membrane oxygenation: utility of MELD-XI score. 2021 , 2676591211006619	1
577	Prediction of Post-hepatectomy Liver Failure in Patients With Hepatocellular Carcinoma Based on Radiomics Using Gd-EOB-DTPA-Enhanced MRI: The Liver Failure Model. 2021 , 11, 605296	5
576	The Geography of Life and Death: Evidence and Values in the Evolution of U.S. Liver Transplant Rules. 2021 , 13, 526-547	0
575	Management of Refractory Ascites Due to Portal Hypertension: Current Status. 2021 , 298, 493-504	3
574	A Methodology to Generate Longitudinally Updated Acute-On-Chronic Liver Failure Prognostication Scores From Electronic Health Record Data. 2021 , 5, 1069-1080	1
573	Ethnicity and Insurance-Specific Disparities in the Model for End-Stage Liver Disease Score at Time of Liver Transplant Waitlist Registration and its Impact on Mortality. 2021 , 11, 188-194	4
572	Pancreaticoduodenectomy combined with splenectomy for a patient with pancreatic cancer and pancytopenia due to liver cirrhosis: Case report. 2021 , 81, 105715	0
571	Etiologies and outcomes of cirrhosis in a large contemporary cohort. 2021 , 56, 727-732	4
570	Bile acid indices as biomarkers for liver diseases I: Diagnostic markers. 2021 , 13, 433-455	4
569	The Combination of Shear Wave Elastography and Platelet Counts Can Effectively Predict High-Risk Varices in Patients with Hepatitis B-Related Cirrhosis. 2021 , 2021, 6635963	0
568	Development and Validation of a Nomogram Based on Noninvasive Liver Reserve and Fibrosis (PALBI and FIB-4) Model to Predict Posthepatectomy Liver Failure Grade B-C in Patients with Hepatocellular Carcinoma. 2021 , 2021, 6665267	1
567	Thrombocytopenia and Hemostatic Changes in Acute and Chronic Liver Disease: Pathophysiology, Clinical and Laboratory Features, and Management. 2021 , 10,	5
566	Two-dimensional shear wave elastography and ultrasound-guided attenuation parameter for progressive non-alcoholic steatohepatitis. 2021 , 16, e0249493	3
565	Predicting Operative Outcomes in Patients with Liver Disease: Albumin-Bilirubin Score vs Model for End-Stage Liver Disease-Sodium Score. 2021 , 232, 470-480.e2	4
564	Outcomes of curative liver resection for hepatocellular carcinoma in patients with cirrhosis. 2021 , 13, 424-439	1
563	Diagnosis and treatment of hepatocellular carcinoma. Update of the consensus document of the AEEH, AEC, SEOM, SERAM, SERVEI, and SETH. 2021 , 156, 463.e1-463.e30	2
562	Development and validation of prognostic model to predict mortality among cirrhotic patients with acute variceal bleeding: A retrospective study. 2021 , 5, 658-663	1

561	Liver Transplantation Selection and Allocation Criteria for Hepatocellular Carcinoma: A European Perspective. 2021 , 41, 172-181	0
560	Aberrant methylation of UBE2Q1 promoter is associated with poor prognosis of acute-on-chronic hepatitis B pre-liver failure. 2021 , 100, e26066	1
559	The Inside-Out of End-Stage Liver Disease: Hepatocytes are the Keystone. 2021 , 41, 213-224	3
558	Inpatient Specialty-Level Palliative Care Is Delivered Late in the Course of Hepatocellular Carcinoma and Associated With Lower Hazard of Hospital Readmission. 2021 , 61, 940-947.e3	0
557	Elevated serum tyrosine concentration is associated with a poor prognosis among patients with liver cirrhosis. 2021 , 51, 786-795	0
556	Clinical Prediction Models for Hepatitis B Virus-related Acute-on-chronic Liver Failure: A Technical Report.. 2021 , 9, 838-849	1
555	A Comparison of Prognostic Scores (Mayo, UK-PBC, and GLOBE) in Primary Biliary Cholangitis. 2021 , 116, 1514-1522	1
554	Intra-abdominal hypertension and abdominal compartment syndrome in the critically ill liver cirrhotic patient-prevalence and clinical outcomes. A multicentric retrospective cohort study in intensive care. 2021 , 16, e0251498	0
553	Portal vein thrombosis and renal dysfunction: a national comparative study of liver transplant recipients for NAFLD versus alcoholic cirrhosis. 2021 , 34, 1105-1122	1
552	Predictors of complications after liver surgery: a systematic review of the literature. 2021 , 23, 645-655	0
551	Serum cholesterol predicts transplant-free survival in cirrhotic patients undergoing transjugular intrahepatic portosystemic shunt. 2021 , 53, 1596-1602	1
550	Diagnosis and treatment of hepatocellular carcinoma. Update of the consensus document of the AEEH, AEC, SEOM, SERAM, SERVEI, and SETH. 2021 , 156, 463.e1-463.e30	0
549	MELD is MELD is MELD? Transplant center-level variation in waitlist mortality for candidates with the same biological MELD. 2021 , 21, 3305-3311	0
548	A simple prognostic scoring system for hepatocellular carcinoma treated with selective internal radiation therapy. 2021 ,	1
547	Acute-on-chronic liver failure: Where do we stand?. 2021 , 41 Suppl 1, 128-136	3
546	The incidence and outcome of postoperative hepatic encephalopathy in patients with cirrhosis. 2021 , 9, 672-680	2
545	Prognostic Factors Related to the Mortality Rate of Acute-on-Chronic Liver Failure Patients. 2021 , 14, 2573-2580	
544	Creatinine-lactate score predicts mortality in non-acetaminophen-induced acute liver failure in patients listed for liver transplantation. 2021 , 21, 252	0

543	Different Effects of Total Bilirubin on 90-Day Mortality in Hospitalized Patients With Cirrhosis and Advanced Fibrosis: A Quantitative Analysis. 2021 , 8, 704452	1
542	Combining Donor and Recipient Age With Preoperative MELD and UKELD Scores for Predicting Survival After Liver Transplantation. 2021 , 19, 570-579	
541	Individual mortality risk predictive system of patients with acute-on-chronic liver failure based on a random survival forest model. 2021 , 134, 1701-1708	2
540	Joint modeling of liver transplant candidates outperforms the model for end-stage liver disease: The effect of disease development over time on patient outcome. 2021 , 21, 3583-3592	1
539	Budd-Chiari syndrome: consensus guidance of the Asian Pacific Association for the study of the liver (APASL). 2021 , 15, 531-567	3
538	Outcomes After TIPS for Ascites and Variceal Bleeding in a Contemporary Era-An ALTA Group Study. 2021 , 116, 2079-2088	1
537	Assessment of biventricular function in patients with hepatopulmonary syndrome. 2021 , 37, 2891-2900	1
536	Refining prediction of survival after TIPS with the novel Freiburg index of post-TIPS survival. 2021 , 74, 1362-1372	25
535	An AI Approach for Identifying Patients With Cirrhosis. 2021 ,	
534	Non-invasive diagnosis and follow-up in liver transplantation. 2021 , 46, 101774	0
533	North American Practice-Based Recommendations for Transjugular Intrahepatic Portosystemic Shunts in Portal Hypertension. 2021 ,	8
532	Prognostic Value of Liver Stiffness Measured by Two-Dimensional Elastography in Acute Decompensated Heart Failure with Preserved Ejection Fraction. 2021 , 62, 821-828	1
531	Performance of the model for end-stage liver disease score for mortality prediction and the potential role of etiology. 2021 , 75, 1355-1366	2
530	Soluble CD163 Is a Predictor of Mortality in Patients With Decompensated Cirrhosis. 2021 , 8, 698502	2
529	Management of Gallstones and Acute Cholecystitis in Patients with Liver Cirrhosis: What Should We Consider When Performing Surgery?. 2021 , 15, 517-527	1
528	External Validation of the VOCAL-Penn Cirrhosis Surgical Risk Score in 2 Large, Independent Health Systems. 2021 , 27, 961-970	1
527	Serum Biomarkers of Liver Fibrosis Staging in the Era of the Concept "Compensated Advanced Chronic Liver Disease". 2021 , 10,	1
526	How clinicians may use tests of hepatic function now and in the future. 2021 , 233, 1-4	

525	Prognostic value of hepatorenal function following transcatheter edge-to-edge mitral valve repair. 2021 , 110, 1947-1956	0
524	Enzymatic liver function measured by LiMAX is superior to current standard methods in predicting transplant-free survival after TIPS implantation. 2021 , 11, 13834	0
523	Appraisal of multivariable prognostic models for post-operative liver decompensation following partial hepatectomy: a systematic review. 2021 ,	
522	Gastrointestinal endoscopy in cirrhotic patient: Issues on the table. 2021 , 13, 210-220	
521	Prognostic impact of hepatorenal function in patients undergoing transcatheter tricuspid valve repair. 2021 , 11, 14420	1
520	Management of the major complications of cirrhosis: Beyond guidelines. 2021 , 75 Suppl 1, S135-S146	6
519	Limitations of current liver donor allocation systems and the impact of newer indications for liver transplantation. 2021 , 75 Suppl 1, S178-S190	9
518	Review article: time to revisit Child-Pugh score as the basis for predicting drug clearance in hepatic impairment. 2021 , 54, 388-401	4
517	Systematic Influence of Circulating Bilirubin Levels on Osteoporosis. 2021 , 12, 719920	4
516	MELD-XI score is not associated with adverse outcomes in ambulatory adults with a Fontan circulation. 2021 , 4, 100182	
515	The Interplay between Gut Microbiota and the Immune System in Liver Transplant Recipients and Its Role in Infections. 2021 , 89, e0037621	3
514	Risk Factors for Maternal and Fetal Mortality in Acute Fatty Liver of Pregnancy and New Predictive Models. 2021 , 8, 719906	0
513	Acute myocardial injury secondary to severe acute liver failure: A retrospective analysis supported by animal data. 2021 , 16, e0256790	0
512	The Precise Relationship Between Model for End-Stage Liver Disease and Survival Without a Liver Transplant. <i>Hepatology</i> , 2021 , 74, 950-960	11.2 3
511	Moderate Alcoholic Hepatitis. 2021 , 25, 537-555	0
510	Evolution of liver transplant organ allocation policy: Current limitations and future directions. 2021 , 13, 830-839	3
509	Predicting mortality among patients with liver cirrhosis in electronic health records with machine learning. 2021 , 16, e0256428	2
508	The Impact of Primary Liver Disease and Social Determinants in a Mixed Donor Liver Transplant Program: A Single-Center Analysis. 2021 , 27, 1733-1746	1

507	From Child-Pugh to MELD score and beyond: Taking a walk down memory lane. 2021 , 27, 100535	3
506	The role of transjugular intrahepatic portosystemic shunt in patients with portal hypertension: advantages and pitfalls. 2021 ,	1
505	MORTALITY ASSOCIATED WITH VARICEAL BLEED IN CIRRHOSIS PATIENTS ATTENDING A TERTIARY CARE CENTRE IN SOUTH KERALA.. 2021 , 42-44	
504	Low-soluble TREM-like transcript-1 levels early after severe burn reflect increased coagulation disorders and predict 30-day mortality. 2021 , 47, 1322-1332	
503	Nomogram to Predict the Survival of Chinese Patients with Alcohol-Related Liver Disease. 2021 , 2021, 4073503	0
502	Low Serum Cholinesterase Identifies Patients With Worse Outcome and Increased Mortality After TIPS. 2021 ,	1
501	. 2021 , 59, 991-994	
500	Top Ten Tips Palliative Care Clinicians Should Know About Prognostication in Critical Illness and Heart, Kidney, and Liver Diseases. 2021 , 24, 1561-1567	0
499	Liver transplantation for benign liver tumors. 2021 , 13, 1098-1106	0
498	Association of Chronic Liver Disease and Mortality in Patients With Aneurysmal Subarachnoid Hemorrhage. 2021 , 52, e614-e617	0
497	Prognosis of patients undergoing salvage TIPS is still poor in the preemptive TIPS era. 2021 , 45, 101593	3
496	Solid Organ Transplantation. 2022 , 530-542	
495	Prognostic Value of Metabolic Imaging Data of C-choline PET/CT in Patients Undergoing Hepatectomy for Hepatocellular Carcinoma. 2021 , 13,	1
494	Circulating Bile Acids in Liver Failure Activate TGR5 and Induce Monocyte Dysfunction. 2021 , 12, 25-40	6
493	Sleeve Gastrectomy in Non-alcoholic Steatohepatitis (NASH) and Liver Cirrhosis. 2021 , 115-137	
492	Nonalcoholic Fatty Liver Disease and Diabetes Mellitus Are Associated With Post-Transjugular Intrahepatic Portosystemic Shunt Renal Dysfunction: An Advancing Liver Therapeutic Approaches Group Study. 2021 , 27, 329-340	2
491	Transjugular intrahepatic portosystemic shunt reduces hospital care burden in patients with decompensated cirrhosis. 2021 , 16, 1519-1527	1
490	Functional Assessment of Liver for Radiation Oncologist. 2021 , 51-57	

489	Radiobiology of the Liver. 2021 , 15-30	
488	Quantifying Sex-Based Disparities in Liver Allocation. 2020 , 155, e201129	23
487	Preoperative Evaluation of the Patient with Liver Disease. 316-325	1
486	Ascites and Spontaneous Bacterial Peritonitis. 393-420	2
485	Influence of portal hypertension and its early decompression by TIPS placement on the outcome of variceal bleeding. <i>Hepatology</i> , 2004 , 40, 793-801	11.2 366
484	Prototype Selection and Feature Subset Selection by Estimation of Distribution Algorithms. A Case Study in the Survival of Cirrhotic Patients Treated with TIPS. 2001 , 20-29	14
483	Clinical Features and Management of Gastric Varices, Portal Hypertensive Gastropathy, and Ectopic Varices. 2005 , 267-282	1
482	Preoperative and Postoperative Care of the Liver Patient. 2017 , 99-118	2
481	Transplantation for hepatocellular carcinoma: the North American experience. 2013 , 190, 145-64	12
480	Liver Allocation: The U.S. Model. 2005 , 63-77	2
479	Monitoring and Care of the Patient Before Liver Transplantation. 2005 , 473-489	0
478	Liver Transplantation in Children and Segmental Transplantation. 2007 , 1766-1777	1
477	Portal Hypertension and Gastrointestinal Bleeding. 2010 , 1489-1516.e5	7
476	Liver resection in cirrhosis. 2012 , 1537-1543.e2	2
475	Hope or efficacy in donor liver allocation?. 2001 , 72, 1173-6	4
474	MELD score for selection of patients to receive a left liver graft. 2003 , 75, 573-4	20
473	Modern Outcomes Following Treatment of Hepatocellular Carcinoma in Hereditary Hemochromatosis: A Matched Cohort Study. 2019 , 42, 918-923	3
472	L-carnitine reduces hospital admissions in patients with hepatic encephalopathy. 2021 , 32, 288-293	2

471	Performance of artificial intelligence for prognostic prediction with the albumin-bilirubin and platelet-albumin-bilirubin for cirrhotic patients with acute variceal bleeding undergoing early transjugular intrahepatic portosystemic shunt. 2020 , 33,	2
470	Safety and Efficacy of Bariatric Surgery in Cirrhosis Patients With Extreme Obesity. 2020 , 275,	4
469	Risk Factors and Impact of Perioperative Prophylaxis on the Risk of Extended-spectrum β -Lactamase-producing Enterobacteriaceae-related Infection Among Carriers Following Liver Transplantation. 2021 , 105, 338-345	7
468	Early Outcomes With the Liver-kidney Safety Net. 2021 , 105, 1261-1272	5
467	Geographic inequity in access to livers for transplantation. 2011 , 91, 479-86	133
466	MELD score less than 15 predicts prolonged survival after transjugular intrahepatic portosystemic shunt for refractory ascites after liver transplantation. 2011 , 91, 786-92	24
465	Increased serum C-reactive protein and decreased urinary aquaporin 2 levels are predictive of the efficacy of tolvaptan in patients with liver cirrhosis. 2018 , 48, E311-E319	7
464	Comparison of score-based prediction of 90-day mortality after liver resection. 2020 , 20, 19	3
463	Pharmacokinetics of tigecycline in critically ill patients with liver failure defined by maximal liver function capacity test (LiMAX). 2020 , 10, 106	2
462	End-stage liver disease score and future liver remnant volume predict post-hepatectomy liver failure in hepatocellular carcinoma. 2019 , 7, 3734-3741	10
461	Prediction of poor outcome in patients with acute liver failure-systematic review of prediction models. 2012 , 7, e50952	30
460	The utility of liver function tests for mortality prediction within one year in primary care using the algorithm for liver function investigations (ALFI). 2012 , 7, e50965	12
459	A modified MELD model for Chinese pre-ACLF and ACLF patients and it reveals poor prognosis in pre-ACLF patients. 2013 , 8, e64379	34
458	Predicting survival after liver transplantation based on pre-transplant MELD score: a systematic review of the literature. 2013 , 8, e80661	63
457	A new model to estimate prognosis in patients with hepatocellular carcinoma after Yttrium-90 radioembolization. 2013 , 8, e82225	19
456	Comparison of current diagnostic criteria for acute-on-chronic liver failure. 2015 , 10, e0122158	34
455	Plasma Glutamine Concentrations in Liver Failure. 2016 , 11, e0150440	14
454	Impact of MELD Allocation System on Waiting List and Early Post-Liver Transplant Mortality. 2016 , 11, e0155822	8

453	Plasma Amino Acid Concentrations Predict Mortality in Patients with End-Stage Liver Disease. 2016 , 11, e0159205	25
452	Prognostic Abilities and Quality Assessment of Models for the Prediction of 90-Day Mortality in Liver Transplant Waiting List Patients. 2017 , 12, e0170499	0
451	The Model for End-stage Liver Disease (MELD) as a predictor of short-term mortality in Staphylococcus aureus bloodstream infection: A single-centre observational study. 2017 , 12, e0175669	2
450	Preoperative cardiac troponin level is associated with all-cause mortality of liver transplantation recipients. 2017 , 12, e0177838	16
449	Low PCSK9 levels are correlated with mortality in patients with end-stage liver disease. 2017 , 12, e0181540	5
448	Mid-infrared spectroscopy of serum, a promising non-invasive method to assess prognosis in patients with ascites and cirrhosis. 2017 , 12, e0185997	13
447	The MELD-Plus: A generalizable prediction risk score in cirrhosis. 2017 , 12, e0186301	30
446	Prognostic value of sarcopenia in patients with liver cirrhosis: A systematic review and meta-analysis. 2017 , 12, e0186990	153
445	Cardio-renal and cardio-hepatic interactions predict cardiovascular events in elderly patients with heart failure. 2020 , 15, e0241003	1
444	Integration of Prealbumin into Child-Pugh Classification Improves Prognosis Predicting Accuracy in HCC Patients Considering Curative Surgery. 2018 , 6, 377-384	8
443	Myocardial contractile dispersion: A new marker for the severity of cirrhosis?. 2019 , 11, 147-151	1
442	Hepatorenal syndrome: role of the transjugular intrahepatic stent shunt in real life practice. 2017 , 90, 464-465	1
441	[Surgical risk in patients with liver disease]. 2013 , 66, 127-37	1
440	Liver transplant outcome: a comparison between high and low MELD score recipients. 2012 , 10, 57-61	9
439	Prognostic criteria of variceal bleeding in patients with portal hypertension. 2019 , 23, 76-85	5
438	Liver Specific Serum Micro RNA122 as a Prognostic Marker in Egyptian Patients with Liver Cirrhosis. 2017 , 3, 004-009	3
437	Altered expression of A20 gene in peripheral blood mononuclear cells is associated with the progression of chronic hepatitis B virus infection. 2016 , 7, 68821-68832	6
436	A novel dynamic model for predicting outcome in patients with hepatitis B virus related acute-on-chronic liver failure. 2017 , 8, 108970-108980	10

435	The prevalence and association of chronic kidney disease and diabetes in liver cirrhosis using different estimated glomerular filtration rate equation. 2018 , 9, 2236-2248	2
434	Validation of an IGF-CTP scoring system for assessing hepatic reserve in Egyptian patients with hepatocellular carcinoma. 2015 , 6, 21193-207	8
433	Conditional survival estimate of acute-on-chronic hepatitis B liver failure: a dynamic prediction based on a multicenter cohort. 2015 , 6, 23261-71	12
432	Prognostic factors in patients with recurrent hepatocellular carcinoma treated with salvage liver transplantation: a single-center study. 2016 , 7, 35071-83	9
431	Hepatopulmonary syndrome is associated with the presence of hepatocellular carcinoma in patients with decompensated cirrhosis. 2017 , 30, 225-231	6
430	Factors associated with waiting time on the liver transplant list: an analysis of the United Network for Organ Sharing (UNOS) database. 2018 , 31, 84-89	12
429	Comparative evaluation of ALBI, MELD, and Child-Pugh scores in prognosis of cirrhosis: is ALBI the new alternative?. 2019 , 32, 626-632	4
428	Association of liver cirrhosis severity with anemia: does it matter?. 2020 , 33, 272-276	3
427	Precision surgery for primary liver cancer. 2019 , 16, 475-485	4
426	A novel online calculator based on albumin-bilirubin and aspartate transaminase-to-platelet ratio index for predicting postoperative morbidity following hepatectomy for hepatocellular carcinoma. 2020 , 8, 1591	2
425	Pretransplant renal function evaluated by serum cystatin C was associated with mortality after liver transplantation: a single-center experience. 2019 , 7, 243	5
424	Living-Donor Liver Transplantation Timing under Ambiguous Health State Transition Probabilities.	3
423	Organ Transplantation.	2
422	Evaluation of the accuracy of smartphone medical calculation apps. 2014 , 16, e32	48
421	The model for the end-stage liver disease and Child-Pugh score in predicting prognosis in patients with liver cirrhosis and esophageal variceal bleeding. 2009 , 66, 724-8	20
420	MicroRNA-215 as a Diagnostic Marker in Egyptian Patients with Hepatocellular Carcinoma. 2019 , 20, 2723-2731	7
419	Irreversible liver failure: treatment by transplantation: part 3 of a series on liver cirrhosis. 2013 , 110, 167-73	7
418	Important predictor of mortality in patients with end-stage liver disease. 2013 , 19, 105-15	73

4 ¹⁷	The Refit model for end-stage liver disease-Na is not a better predictor of mortality than the Refit model for end-stage liver disease in patients with cirrhosis and ascites. 2014 , 20, 47-55	4
4 ¹⁶	Rescue therapy with adefovir in decompensated liver cirrhosis patients with lamivudine-resistant hepatitis B virus. 2014 , 20, 168-76	3
4 ¹⁵	[Clinical outcomes and predictive factors of spontaneous survival in patients with fulminant hepatitis A]. 2008 , 14, 474-82	16
4 ¹⁴	An Immune Gene-Related Five-lncRNA Signature for to Predict Glioma Prognosis. 2020 , 11, 612037	13
4 ¹³	Development of a survival evaluation model for liver transplant recipients with hepatocellular carcinoma secondary to hepatitis B. 2008 , 14, 1280-5	6
4 ¹²	Model for end-stage liver disease score versus Child score in predicting the outcome of surgical procedures in patients with cirrhosis. 2008 , 14, 1774-80	56
4 ¹¹	Child-Pugh-Turcott versus Meld score for predicting survival in a retrospective cohort of black African cirrhotic patients. 2008 , 14, 286-91	34
4 ¹⁰	Transjugular intrahepatic portosystemic shunt in liver transplant recipients. 2009 , 15, 1999-2004	12
4 ⁰⁹	Application of a biochemical and clinical model to predict individual survival in patients with end-stage liver disease. 2009 , 15, 2768-77	9
4 ⁰⁸	Survival predictors in patients treated with a molecular adsorbent recirculating system. 2009 , 15, 3015-24	21
4 ⁰⁷	Predicting utility of a model for end stage liver disease in alcoholic liver disease. 2006 , 12, 4020-5	25
4 ⁰⁶	Current concepts and controversies in the treatment of alcoholic hepatitis. 2006 , 12, 6909-21	30
4 ⁰⁵	Comparison scoring model of severe viral hepatitis and model of end stage liver disease for the prognosis of patients with liver failure in China. 2007 , 13, 2999-3002	6
4 ⁰⁴	Combined MELD and blood lipid level in evaluating the prognosis of decompensated cirrhosis. 2010 , 16, 1397-401	25
4 ⁰³	Difference between CKD-EPI and MDRD equations in calculating glomerular filtration rate in patients with cirrhosis. 2011 , 17, 4532-8	16
4 ⁰²	What MELD score mandates use of entecavir for ACLF-HBV HBeAg-negative patients?. 2012 , 18, 4604-9	9
4 ⁰¹	Predictors of the outcomes of acute-on-chronic hepatitis B liver failure. 2012 , 18, 5078-83	12
4 ⁰⁰	Clinical outcome and predictors of survival after TIPS insertion in patients with liver cirrhosis. 2012 , 18, 5211-8	28

399	Current concepts in hepatic resection for hepatocellular carcinoma in cirrhotic patients. 2012 , 18, 6398-408	38
398	Adult to adult living related liver transplantation: where do we currently stand?. 2012 , 18, 6729-36	6
397	Focus on alcoholic liver disease: from nosography to treatment. 2014 , 20, 8040-7	10
396	Cardiac surgery in patients with liver cirrhosis: risk factors for predicting mortality. 2014 , 20, 12608-14	26
395	Therapy for alcoholic liver disease. 2014 , 20, 2143-58	45
394	Procalcitonin, and cytokines document a dynamic inflammatory state in non-infected cirrhotic patients with ascites. 2014 , 20, 2374-82	22
393	Sarcopenia in the prognosis of cirrhosis: Going beyond the MELD score. 2015 , 21, 7637-47	60
392	Hepatosplanchnic circulation in cirrhosis and sepsis. 2015 , 21, 2582-92	19
391	Advances in liver transplantation allocation systems. 2016 , 22, 2922-30	25
390	Nationwide trends and predictors of inpatient mortality in 83884 transjugular intrahepatic portosystemic shunt. 2016 , 22, 5780-9	17
389	Incidence of hepatocellular carcinoma in outpatients with cirrhosis in Brazil: A 10-year retrospective cohort study. 2016 , 22, 10219-10225	11
388	Liver surgery in cirrhosis and portal hypertension. 2016 , 22, 2725-35	52
387	Predictors of poor outcomes in patients with wild mushroom-induced acute liver injury. 2017 , 23, 1262-1267	11
386	Split liver transplantation: Current developments. 2018 , 24, 5312-5321	32
385	Liver transplantation for hepatocellular carcinoma: Where do we stand?. 2019 , 25, 2591-2602	30
384	Role of nutritional status and nutritional support in outcome of hepatitis B virus-associated acute-on-chronic liver failure. 2020 , 26, 4288-4301	0
383	Transjugular portosystemic stent shunt in treatment of liver diseases. 2001 , 7, 170-4	4
382	Sluggish decline in a post-transplant model for end-stage liver disease score is a predictor of mortality in living donor liver transplantation. 2010 , 59, 160-6	4

381	Noninvasive predictors of large esophageal varices: is there an emerging role of aspartate aminotransferase-to-platelet ratio index in hepatocellular carcinoma?. 2015 , 27, 139-146	2
380	Delta model for end-stage liver disease and delta clinical prognostic indicator as predictors of mortality in patients with viral acute liver failure. 2017 , 7, 252-255	1
379	Conditional Survival Estimates Improve Over Time for Patients with Hepatocellular Carcinoma: An Analysis for Nationwide Korea Cancer Registry Database. 2019 , 51, 1347-1356	4
378	Liver Transplantation in the Elderly: An Evidence Based Review on Patient Outcome, Selection and Management Strategies. 2014 , 07, 651-661	1
377	Successful Management of Sickle Cell Intrahepatic Cholestasis with Combined Use of Exchange Transfusion and Single-Pass Albumin Dialysis: A Case Report. 2013 , 03, 36-42	1
376	Circulating miR-21-5p level has limited prognostic value in patients with hepatocellular carcinoma and is influenced by renal function. 2020 , 12, 1031-1045	4
375	Soluble membrane attack complex in ascites in patients with liver cirrhosis without infections. 2010 , 2, 221-5	2
374	Is an estimated glomerular filtration rate better than creatinine to be incorporated into the end-stage liver disease score?. 2012 , 4, 291-8	2
373	Transjugular intrahepatic porto-systemic shunt in the elderly: Palliation for complications of portal hypertension. 2012 , 4, 35-42	8
372	Liver transplantation as a management of hepatocellular carcinoma. 2015 , 7, 1347-54	18
371	Current developments in pediatric liver transplantation. 2015 , 7, 1509-20	46
370	Neurosurgical procedures in patients with liver cirrhosis: A review. 2015 , 7, 2352-7	6
369	Predictors of mortality after transjugular portosystemic shunt. 2016 , 8, 520-9	16
368	Therapeutic alternatives for the treatment of type 1 hepatorenal syndrome: A Delphi technique-based consensus. 2016 , 8, 1075-86	5
367	Ohio solid organ transplantation consortium criteria for liver transplantation in patients with alcoholic liver disease. 2016 , 8, 1149-1154	8
366	Spontaneous bacterial peritonitis prevalence in pre-transplant patients and its effect on survival and graft loss post-transplant. 2016 , 8, 1617-1622	2
365	Impact of comorbidity on waiting list and post-transplant outcomes in patients undergoing liver retransplantation. 2017 , 9, 884-895	6
364	'Les liaisons dangereuses': Hepatitis C, Rituximab and B-cell non-Hodgkin's lymphomas. 2012 , 3, 21-8	2

- 363 Liver transplantation in adults: Choosing the appropriate timing. **2012**, 3, 49-61 7
- 362 Brief communication (Original). Correlation between liver signal intensity in hepatobiliary phase of Gd-EOB-DTPA enhancement and liver function reserves. **2014**, 8, 411-415 0
- 361 Developing a donation after cardiac death risk index for adult and pediatric liver transplantation. **2017**, 7, 203-212 40
- 360 An Evaluation of the Usefulness of Extracorporeal Liver Support Techniques in Patients Hospitalized in the ICU for Severe Liver Dysfunction Secondary to Alcoholic Liver Disease. **2016**, 16, e34127 10
- 359 Acute-on-chronic liver failure syndrome - clinical results from an intensive care unit in a liver transplant center. **2020**, 32, 49-57 1
- 358 Diagnosing hepatitis C virus and improved outcomes in overall and kidney graft survival among simultaneous liver-kidney transplant recipients in the post-MELD era. **2014**, 12 Suppl 1, 45-9 1
- 357 Hepatobiliary Cancers, Version 2.2021, NCCN Clinical Practice Guidelines in Oncology. **2021**, 19, 541-565 74
- 356 The risk factors and outcomes of preoperative hepatic dysfunction in patients who receive surgical repair for acute type A aortic dissection. **2021**, 13, 5638-5648 0
- 355 Determination of the segmental hepatic clearance rate of Tc-mebrofenin and its application in the functional assessment of future liver remnant after liver resection. **2021**, 40, 385-396 0
- 354 Therapieoption der konventionell nicht beherrschbaren Varizenblutung bei Zirrhose. **2021**, 8, 19-21
- 353 Assessing the prognosis of cirrhotic patients in the intensive care unit: What we know and what we need to know better. **2021**, 13, 1341-1350 0
- 352 Determinación de la tasa de aclaramiento hepático segmentario de 99mTc-mebrofenina y su aplicación en la evaluación funcional del remanente hepático futuro tras resección hepática. **2021**, 40, 385-396
- 351 Mid-term results after isolated tricuspid valve surgery in the presence of right ventricular leads. **2021**, 62, 510-514
- 350 Feature Subset Selection Using Probabilistic Tree Structures. A Case Study in the Survival of Cirrhotic Patients Treated with TIPS. **2000**, 97-110 2
- 349 The new liver allocation system: how will children be affected?. **2002**, 35, 243-5
- 348 Living Donor Liver Transplantation for Hepatitis B and C Cirrhosis. **2004**, 283-292
- 347 Differences in long-term survival after transjugular intrahepatic portosystemic shunt for refractory ascites and variceal bleed. **2006**, 060606032707118
- 346 Psychosocial Assessment of Adult Liver Transplant Recipients. **2005**, 395-404

- 345 Liver Transplantation for Primary Biliary Cirrhosis. **2005**, 177-186
- 344 Pretransplant Evaluation and Care. **2006**, 933-945 2
- 343 Transjugular Intrahepatic Portosystemic Shunt (TIPS). **2006**, 297-307
- 342 Perioperative Critical Care in Hepatobiliary Surgery. **2007**, 397-403
- 341 Management of Ascites in Cirrhosis and Portal Hypertension. **2007**, 1554-1562
- 340 Orthotopic Liver Transplantation. **2007**, 1729-1742
- 339 When a Patient Requires Significant Medical Resources. **2008**, 173-179
- 338 Management of Hepatorenal Syndrome. **2008**, 47-57
- 337 Risk factors for mortality after surgery in patients with cirrhosis. **2008**, 14, 541
- 336 Modelos para definir receptores de alto riesgo y el momento del trasplante. **2008**, 30-43
- 335 The role and perspective of transplant hepatologists in Japan. **2008**, 49, 28-38 3
- 334 Living Donor Liver Transplantation in Japan. **2009**, 5, 13-21
- 333 Referral, evaluation, and listing for deceased donor liver transplantation in Japan: University of Tokyo experience. **2009**, 50, 634-643
- 332 Liver. **2009**, 199-314
- 331 Risk of Surgery in Patients with Liver Disease. **2010**, 1383-1399 1
- 330 Clinical Scoring Systems. **2010**, 289-293
- 329 Chronic Liver Disease in the Intensive Care. **2011**, 541-559
- 328 Issues in Transplantation of Patients with Chronic Liver Failure. **2011**, 521-539

- 327 Il paziente emorragico. **2011**, 163-179 0
- 326 Cirrhose et transplantation: quand faut-il y penser?. **2011**, 257-264
- 325 Liver Transplantation for Autoimmune Hepatitis. **2012**, 159-176
- 324 Portal Hypertension: Nonsurgical and Surgical Management. 326-361 1
- 323 Selection and Timing of Liver Transplantation. 1085-1095
- 322 Liver transplantation in children and segmental transplantation. **2012**, 1754-1765.e3
- 321 Portal Hypertensive Bleeding. **2012**, 145-163
- 320 Selection and Evaluation of the Recipient (Including Retransplantation). 1-12
- 319 Liver Transplantation: Indications and Selection of Candidates and Immediate Complications. 805-812
- 318 Liver Operations. 1163-1173
- 317 Perioperative Management. **2013**, 221-232
- 316 Resection Transplant in the Treatment of Primary Liver Cancers. **2013**, 345-361
- 315 Prognostication in Cirrhotic Patients Admitted to Intensive Care. **2013**, 859-873
- 314 Monitoring Oral Anticoagulant Therapy with Vitamin K Antagonists. 253-263
- 313 Donor-Recipient Matching in HCV-Infected Patients. **2014**, 15-27
- 312 Coronary artery bypass grafting in patients with liver dysfunction. **2014**, 20, 164-167
- 311 Liver Transplantation for Primary Biliary Cirrhosis. **2014**, 287-300 0
- 310 Combined Transplantations. **2015**, 1-14

- 309 Differences in risk factors for early-onset and late-onset biliary complications in liver transplant patients. **2015**, 35, 201
- 308 Clinical Use of Indocyanine Green (ICG) Kinetics in Liver Anaesthesia and ICU. **2015**, 177-199
- 307 Factors associated with early mortality after living-donor liver transplant. **2015**, 13, 62-7 1
- 306 Liver Transplantation. 2129-2145
- 305 Interventional Radiology for the Pre-Transplant Patient. **2016**, 1-12
- 304 Clinical Features, Disease Modifiers, and Natural History of Alcoholic Liver Disease. **2016**, 165-182 0
- 303 The Concept of Risk Stratification. **2016**, 9-18
- 302 Living donor liver transplantation for high model for end-stage liver disease score: What have we learned?. **2016**, 8, 942-8 1
- 301 Which Is the Better Predictor of Hepatic Reserve Prior to Liver Resection: MELD or the Child-Pugh Score?. **2016**, 189-199
- 300 Interventional Radiology for the Pre-Transplant Patient. **2016**, 1-12
- 299 What Is the Best Way to Assess Hepatic Reserve Prior to Liver Resection in the Cirrhotic Patient?. **2016**, 165-177
- 298 Combined Transplantations. **2016**, 1-14
- 297 Model for End-Stage Liver Disease (MELD) Score as a Biomarker. **2016**, 1-24
- 296 STUDY OF CARDIAC STATUS IN END STAGE CHRONIC LIVER DISEASE AND ITS CORRELATION WITH MELD. **2016**, 5, 3026-3029 1
- 295 General Care of the Liver Patient. **2017**, 17-25
- 294 Liver transplantation in children. **2017**, 1834-1846.e4
- 293 Orthotopic liver transplantation. **2017**, 1801-1815.e5 1
- 292 Colorectal Surgery in Cirrhotics. **2017**, 201-214

- 291 Primary Liver Cancer: Background and Clinical Evidence. **2017**, 103-117
- 290 Endocrine Surgery in Cirrhotic Patients. **2017**, 285-300
- 289 Methylation status of the estrogen receptor 1 promoter predicts poor prognosis of acute-on-chronic hepatitis B liver failure. **2017**, 109, 818-827 1
- 288 Model for End-Stage Liver Disease (MELD) Score as a Biomarker. **2017**, 47-70
- 287 Pretransplant Evaluation and Care. **2018**, 737-752.e5
- 286 Transplantation of the Liver. **2018**, 753-768.e3
- 285 Subharmonic Aided Pressure Estimation (SHAPE). **2018**, 159-168 0
- 284 Liver Transplantation for Hepatocellular Carcinoma: The Challenge of Organ Availability. **2018**, 37-43
- 283 Liver Transplantation for the Patient with High MELD. **2018**, 247-256
- 282 Approach to Jaundice and Abnormal Liver Function Test Results. **2018**, 99-116.e6
- 281 Cholecystectomy in Cirrhosis. **2018**, 279-289 1
- 280 Predictors of functional benefit of hepatitis C therapy in a 'real-life' cohort. **2018**, 24, 852-861 2
- 279 DIAGNOSTIC UTILITY OF ADC VALUE OF THE SPLEEN IN ASSESSING SEVERITY OF PORTAL HYPERTENSION IN CIRRHOSIS. **2018**, 7, 2814-2818
- 278 Cirrhosis, Operative Trauma, Transfusion, and Mortality: A Multicenter Retrospective Observational Study. **2018**, 10, e3087 1
- 277 Impact of sepsis and non-communicable diseases on prognostic models to predict the outcome of hospitalized chronic liver disease patients. **2018**, 10, 944-955
- 276 Evaluaci3n del riesgo quir3rgico en pacientes con cirrosis hep3tica. **2018**, 33, 431
- 275 Model for End-Stage Liver Disease and Seven Derivations to Prioritize Liver Transplant Candidates: Which Is the Winner?. **2018**, 16, 721-729
- 274 The utility of early post-liver transplantation model for end-stage liver disease score in prediction of long-term mortality. **2019**, 32, 633-641

- 273 Portal Hypertension and Liver Transplantation: Current Situation in Japan and Overseas. **2019**, 581-589
- 272 Comparison of Prognostic Models in Acute Liver Failure: Decision is to be Dynamic. **2019**, 23, 574-581 1
- 271 A Novel Use of Model for End-Stage Liver Disease (MELD) Score in Guiding Therapeutic Antibiotics Choice for Critically Ill Cirrhotic Patients. **2019**, 25, 5005-5014
- 270 A Rule-Based System for Explainable Donor-Patient Matching in Liver Transplantation. 306, 266-272
- 269 Liver Transplantation. **2020**, 273-327 1
- 268 TO EVALUATE PROGNOSTIC VALUE OF MELD AND CHILD-TURCOTTE PUGH SCORES IN PATIENTS WITH LIVER CIRRHOSIS AND VARICEAL BLEEDING. **2019**, 6, 2586-2590
- 267 Is rectus abdominis thickness associated with survival among patients with liver cirrhosis? A prospective cohort study. **2019**, 137, 401-406 1
- 266 Surgery for Budd-Chiari Syndrome. **2020**, 171-179
- 265 Acute-on-chronic liver failure. **2019**, 161-178
- 264 A population-based cohort study of mortality of intensive care unit patients with liver cirrhosis.
- 263 Serum Urea Predicts Long-term Mortality in Hospitalized Patients with Decompensated Cirrhosis. **2020**, 20,
- 262 Appraisal of a Model to Estimate Survival in Ambulatory Patients with Hepatocellular Carcinoma Classified as Barcelona Clinic Liver Cancer Stage B. **2020**, 14, 377-386 1
- 261 Applying the original model for end-stage liver disease score rather than the model for end-stage liver disease-Na score for risk stratification prior to transjugular intrahepatic portosystemic shunt procedures. **2021**, 33, 541-546 1
- 260 A case of acute liver failure induced by hepatitis E virus in a patient with chronic alcoholic liver dysfunction. **2020**, 61, 374-381
- 259 Outcome of Conservative Therapy in COVID-19 Patients Presenting with Gastrointestinal Bleeding.
- 258 Correlation of serum betatrophin levels with disease severity and the emergence of insulin resistance in cirrhotic patients. **2020**, 10,
- 257 Frequency of Hepatorenal Syndrome Among Patients With Cirrhosis and Outcome After Treatment. **2020**, 12, e10016
- 256 Defining a Liver Transplant Benefit Threshold for the Model for End-Stage Liver Disease-Sodium Score. **2020**, 18, 491-497 1

255	A History of the Assessment of Liver Performance. 2021 , 18, 28-48	1
254	Bioelectrical impedance vector analysis in patients on the waiting list for liver transplant: Associated factors and prognostic effects. 2021 , 94, 111528	0
253	Prognostic impact of surgical margins for hepatocellular carcinoma according to preoperative alpha-fetoprotein level. 2021 ,	1
252	A Prospective Multicenter Study of the Chinese Scoring System for Hepatitis B Liver Failure. 2021 , 8, 751807	0
251	Risk and protective factors of acute kidney injury in decompensated cirrhotic patients with ascites on tolvaptan. 2021 , 5, 1298-1305	
250	Heterogeneous Graph Embeddings of Electronic Health Records Improve Critical Care Disease Predictions. 2020 , 14-25	
249	Prognostic Models in Acute and Acute on Chronic Liver Failure. 2020 , 91-107	
248	Interventionelle und chirurgische Therapie der portalen Hypertension. 2020 , 14, 599-623	
247	Chinese guidelines on the management of liver cirrhosis (abbreviated version). 2020 , 26, 7088-7103	10
246	MALNUTRITION IN CIRRHOSIS: ASSOCIATION WITH ETIOLOGY AND HEPATOCELLULAR DYSFUNCTION. 2020 , 57, 375-380	1
245	Neutrophil-to-Lymphocyte Ratio and Albumin: New Serum Biomarkers to Predict the Prognosis of Male Alcoholic Cirrhosis Patients. 2020 , 2020, 7268459	3
244	Portal decompression with transjugular intrahepatic portosystemic shunt prior to nonhepatic surgery: a single-center case series. 2020 ,	0
243	Assessing the Prediction Effect of Various Prognosis Model for 28-Day Mortality in Acute-on-Chronic Liver Failure Patients. 2020 , 13, 3155-3163	1
242	Primary Biliary Cholangitis. 2021 , 325-338	
241	Pharmacokinetic Considerations for Organ Dysfunction Clinical Trials in Early Drug Development. 2020 , 313-342	
240	Differential Impact of Serum 25-Hydroxyvitamin D3 Levels on the Prognosis of Patients with Liver Cirrhosis According to MELD and Child-Pugh Scores. 2020 , 35, e129	2
239	Assessment of Liver Function. 2020 , 407-426	
238	Optimizing C-Index via Gradient Boosting in Medical Survival Analysis. 2020 , 33-45	

- 237 Systematic review and meta-analysis of risk scores in prediction for the clinical outcomes in patients with acute variceal bleeding. **2021**, 53, 1806-1815 1
- 236 Saudi Association for the Study of Liver diseases and Transplantation practice guidelines on the diagnosis and management of hepatocellular carcinoma. **2020**, 26, S1-S40 4
- 235 References. **2020**, 153-168
- 234 Perioperative Risk Models. **2020**, 11-30
- 233 Anaesthesia for Liver Transplantation. **2020**, 757-767
- 232 Risk factors for alcohol use relapse after abstinence in patients with alcoholic liver disease. **2020**, 9, 5995-5999 1
- 231 Transjugular Intrahepatic Portosystemic Shunts. **2020**, 639-644.e2 0
- 230 Muscle depletion in cirrhotic patients assessed using computed tomography: a cross-sectional study. **2020**, 138, 152-157
- 229 Computed tomography-based score model/nomogram for predicting technical and midterm outcomes in transjugular intrahepatic portosystemic shunt treatment for symptomatic portal cavernoma. **2020**, 8, 887-899 0
- 228 Platelet-albumin-bilirubin score - a predictor of outcome of acute variceal bleeding in patients with cirrhosis. **2020**, 12, 99-107 2
- 227 Presence of ascites at presentation is associated with absence of long term response amongst patients with Budd-Chiari syndrome when treated with medical therapy alone: A single centre real life experience. **2021**, 0
- 226 The international normalized ratio to prioritize patients for liver transplantation: problems and possible solutions. **2008**, 6, 243-8 4
- 225 Allocation in adult liver transplantation: is the Model for Endstage Liver Disease the solution?. 309-317
- 224 Pre-assessment for Hepato-Pancreato-Biliary and Liver Transplant Surgery. **2021**, 111-136
- 223 Prioritization for liver transplantation. **2020**, 22, 26-35 1
- 222 A methodology to generate longitudinally updated ACLF prognostication scores from electronic health record data.
- 221 Predicting Mortality in Liver Transplant Candidates. **2021**, 321-333 1
- 220 Natremia and liver transplantation: The right amount of salt for a good recipe. **2020**, 12, 919-930 1

219	Prognostic Assessment of Variceal Bleeding in Liver Cirrhosis. 2021 , 161-169	
218	Renal dysfunction in cirrhosis: diagnosis, treatment and prevention. 2004 , 6, 9	3
217	Influence of local provision of specialty health care service on patient access to care. 2007 , 50, 124-8	4
216	Recent advances in liver transplantation for the practicing gastroenterologist. 2009 , 5, 443-50	2
215	Surgery in the patient with liver disease. 2010 , 121, 192-204; discussion 205	114
214	Potential applications of thromboelastography in patients with acute and chronic liver disease. 2012 , 8, 513-20	42
213	The evolution in the prioritization for liver transplantation. 2012 , 25, 6-13	25
212	Significance of the C-caffeine breath test for patients with cirrhosis. 2014 , 27, 53-59	3
211	The Relationship between QT Interval Dispersion and End-Stage Liver Disease Score in the Patients Undergoing Orthotopic Liver Transplantation. 2013 , 7, 135-40	3
210	Is MELD the best prognostic score in acute variceal bleeding? The jury is still out. 2014 , 27, 282-283	1
209	Cirrhosis-related changes in left ventricular function and correlation with the model for end-stage liver disease score. 2014 , 7, 5751-7	5
208	Child-Pugh versus MELD score for predicting the in-hospital mortality of acute upper gastrointestinal bleeding in liver cirrhosis. 2015 , 8, 751-7	47
207	Correlation of serum liver fibrosis markers with severity of liver dysfunction in liver cirrhosis: a retrospective cross-sectional study. 2015 , 8, 5989-98	16
206	Using the Minimally Invasive Impella 5.0 via the Right Subclavian Artery Cutdown for Acute on Chronic Decompensated Heart Failure as a Bridge to Decision. 2016 , 16, 210-6	19
205	Changing the cause of liver cirrhosis from hepatitis B virus to fatty liver in Iranian patients. 2017 , 10, S20-S26	3
204	Current Management of Alcohol-Associated Liver Disease. 2020 , 16, 561-570	
203	Different combinations of the GLIM criteria for patients awaiting a liver transplant: Poor performance for malnutrition diagnosis but a potentially useful prognostic tool. 2021 , 41, 97-104	0
202	Predictive potential of the MELD and Child-Turcotte-Pugh II scores for SBP in patients with cirrhosis and ascites. 2021 , 13, 101-109	0

201	MELD-Na Accurately Predicts 6-Month Mortality in Patients With Decompensated Cirrhosis: Potential Trigger for Hospice Referral. 2021,	1
200	The importance of liver functional reserve in the non-surgical treatment of Hepatocellular Carcinoma. 2021,	2
199	Sofosbuvir-based antiviral therapy provided highly treatment efficacy, safety and good tolerability for Taiwanese chronic hepatitis C patients with decompensated cirrhosis. 2021,	0
198	External Validation of the FIPS Score for Post-TIPS Mortality in a National Veterans Affairs Cohort. 2021, 1	1
197	Circuitous Path to Live Donor Liver Transplantation from the Coordinator's Perspective. 2021, 11,	0
196	Predictive value of aspartate aminotransferase-to-alanine aminotransferase ratio for contrast-associated acute kidney injury in patients undergoing elective percutaneous coronary intervention. 2021,	0
195	The Outcome after Hospital Discharge in Cirrhosis is Not Worsened with COVID-19 Infection: A Propensity Score-matched Analysis. 2021,	0
194	Six-minute walking test performance is associated with survival in cirrhotic patients.. 2021, 13, 1791-1801	2
193	Oxidative Stress Markers and Modified Model for End-Stage Liver Disease Are Associated with Outcomes in Patients with Advanced Heart Failure Receiving Bridged Therapy with Continuous-Flow Left Ventricular Assist Devices. 2021, 10,	0
192	The impact of Model for End-Stage Liver Disease score on deceased donor liver transplant outcomes in low volume liver transplantation center: a retrospective and single-center study.. 2021 , 101, 360-367	
191	Prognostic value of the MELD-XI score in patients undergoing cardiac resynchronization therapy.. 2022,	1
190	Aspartate Aminotransferase-to-Platelet Ratio Index Predicts Liver Failure After Resection of Colorectal Liver Metastases.. 2022, 1	
189	Decision making for transjugular intrahepatic portosystemic stent shunt in refractory ascites and variceal bleeding: MELD, or not MELD, that is the question. 2020, 33,	
188	Dynamics of endothelial progenitor cells in patients with advanced hepatocellular carcinoma. 2021,	
187	Does the American College of Surgeons National Surgical Quality Improvement Program (ACS NSQIP) accurately predict mortality for patients with elevated MELD scores?. 2022,	
186	Current protocols and clinical efficacy of human fetal liver cell therapy in patients with liver disease: A literature review.. 2022,	1
185	Risk factors for hepatic encephalopathy and mortality in cirrhosis: The role of cognitive impairment, muscle alterations and shunts.. 2022,	0
184	Serum cadmium is associated with hepatic steatosis and fibrosis: Korean national health and nutrition examination survey data IV-VII.. 2022, 101, e28559	2

183	Preoperative MELD score predicts adverse outcomes following gastrectomy: An ACS NSQIP analysis.. 2022 ,	1
182	Referral system has a diminished difference in the risk for hepatic encephalopathy development among each etiology in patients with acute liver injury.. 2022 ,	
181	Predicted estimates of resting energy expenditure have limited clinical utility in patients with cirrhosis.. 2022 ,	0
180	Tumour Staging for Hepatocellular Carcinoma. 2022 , 145-153	
179	Liver transplant allocation policies and outcomes in United States: A comprehensive review.. 2022 , 12, 32-42	5
178	Early prediction of decompensation (EPOD) Score - non-invasive determination of liver cirrhosis decompensation risk.. 2022 ,	1
177	Perioperative management of patients with liver disease.. 2022 , 22, 111-117	
176	A Prognostic Nomogram with High Accuracy Based on 2D-SWE in Patients with Acute-on-chronic Liver Failure. 2022 , 000, 000-000	
175	From LI-RADS Classification to HCC Pathology: A Retrospective Single-Institution Analysis of Clinico-Pathological Features Affecting Oncological Outcomes after Curative Surgery.. 2022 , 12,	3
174	Artificial Intelligence and Machine Learning: What You Always Wanted to Know but Were Afraid to Ask. 2022 , 1, 70-78	2
173	Food Intake Visual Scale-A practical tool for assessing the dietary intake of hospitalized patients with decompensated cirrhosis.. 2022 ,	0
172	FIPS Score for Prediction of Survival After TIPS Placement: External Validation and Comparison With Traditional Risk Scores in a Cohort of Chinese Patients With Cirrhosis.. 2022 ,	2
171	Acoustic radiation force impulse to measure liver stiffness and predict hepatic decompensation in pregnancy with cirrhosis: A cohort study.. 2022 ,	
170	Single-cell analysis reveals a pathogenic cellular module associated with early allograft dysfunction after liver transplantation.	
169	Alcohol Related Liver Disease. 2022 , 163-191	
168	Relationship between right atrial pressure and the Model for End-Stage Liver Disease (MELD) score in patients with advanced heart failure.. 2022 , 30, 1-7	
167	Updates on the staging and treatment of hepatocellular carcinoma. 2022 , 307-319	
166	Management of the Patient on the Waiting List, Scoring Systems, and Priority. 2022 , 121-132	

165	Organ Donation, Distribution, and Allocation in the United States, Europe, and Asia. 2022 , 157-173	
164	Patients Benefit from Liver Transplantation for Hepatocellular Carcinoma beyond Milan Criteria without Harming the Health Care System.. 2022 , 14,	
163	BAR Score Performance in Predicting Survival after Living Donor Liver Transplantation: A Single-Center Retrospective Study.. 2022 , 2022, 2877859	
162	Metabolic syndrome is associated with poor response to rifaximin in minimal hepatic encephalopathy.. 2022 , 12, 2463	0
161	A Nomogram to Predict the Risk of Stent Dysfunction After TIPS in Patients with Hepatitis B Cirrhosis.. 2022 ,	
160	Risk factors and prediction of acute kidney injury after liver transplantation: Logistic regression and artificial neural network approaches.. 2022 , 14, 570-582	0
159	redicting the onset of hepatitis B virus-related acute-on-chronic liver failure.. 2022 ,	0
158	Assessment of glomerular filtration rate in patients with cirrhosis: Available tools and perspectives.. 2022 ,	1
157	Cytokine adsorption in patients with acute-on-chronic liver failure (CYTOHEP)-a single center, open-label, three-arm, randomized, controlled intervention trial.. 2022 , 23, 222	0
156	COVID-19 in Cirrhotic Patients: Is Portal Vein Thrombosis a Potential Complication?. 2022 , 2022, 5900468	0
155	Surgical Risk Assessment in Patients With Chronic Liver Diseases. 2022 ,	0
154	The Mortality Index for Alcohol-Associated Hepatitis: A Novel Prognostic Score.. 2022 , 97, 480-490	1
153	Risk stratification for isolated tricuspid valve surgery assisted using the Model for End-Stage Liver Disease score.. 2022 ,	1
152	Assessment of Liver Function With MRI: Where Do We Stand?. 2022 , 9, 839919	1
151	Development and Validation of a Model for Prediction of End-Stage Liver Disease in People With HIV.. 2022 , 89, 396-404	0
150	A novel score predicts mortality after transjugular intrahepatic portosystemic shunt: MOTS - Modified TIPS Score.. 2022 ,	2
149	Computed Tomography-Based Texture Features for the Risk Stratification of Portal Hypertension and Prediction of Survival in Patients With Cirrhosis: A Preliminary Study.. 2022 , 9, 863596	0
148	Accurate Long-Term Prediction of Death for Patients with Cirrhosis.. <i>Hepatology</i> , 2022 ,	11.2 1

- 147 Association Between Different Versions of the Model for End-Stage Liver Disease Score and Contrast-Associated Acute Kidney Injury in Patients Undergoing Elective Percutaneous Coronary Intervention.. **2021**, 0
- 146 Role of High-Density Lipoprotein Cholesterol (HDL-C) as a Clinical Predictor of Decompensation in Patients with Chronic Liver Disease (CLD).. **2021**, 2021, 1795851
- 145 Red cell distribution width as a predictor of outcome in hospitalized cirrhotic patients.. **2021**, 33, e978-e985 0
- 144 Efficacy and safety of combination treatment of double plasma molecular adsorption system and low volume plasma exchange for patients with hepatitis B virus related acute-on-chronic liver failure: a multicentre randomised controlled clinical trial.. **2021**, 11, e047690 1
- 143 Prognostic value of decline in model for end-stage liver disease score and hepatic encephalopathy in hepatitis B-related acute-on-chronic liver failure patients treated with plasma exchange.. **2022**, 1-8 1
- 142 Portopulmonary hypertension and the risk of high right ventricular systolic pressure in liver transplant candidates.. **2022**, 17, e0267125 0
- 141 Table_1.DOCX. **2020**,
- 140 Image_1.TIF. **2020**,
- 139 Image_2.TIF. **2020**,
- 138 Rising Trend in Waitlisting for Alcoholic Hepatitis With More Favorable Outcomes Than Other High Model for End-stage Liver Disease in the Current Era.. **2022**, 106, 0
- 137 Early predictors of corticosteroid response in acute severe autoimmune hepatitis: A nationwide multicenter study.. **2022**, 3
- 136 Prediction models of hepatocellular carcinoma recurrence after liver transplantation: A comprehensive review.. **2022**, 0
- 135 Plasma Exchange-Based Non-bioartificial Liver Support System Improves the Short-Term Outcomes of Patients With Hepatitis B Virus-Associated Acute-on-Chronic Liver Failure: A Multicenter Prospective Cohort Study. **2021**, 8, 779744
- 134 FIB-4 and APRI as Predictive Factors for Short- and Long-Term Survival in Patients with Transjugular Intrahepatic Portosystemic Stent Shunts. **2022**, 10, 1018
- 133 Diagnostic value of a liver biopsy in patients with an acute liver failure or acute liver injury.. **2022**,
- 132 CAQ CORNER: Evolution of Liver Allocation Policy.. **2022**,
- 131 Liver Disease and Poor Adherence Limit Hepatitis C Cure: A Real-World Australian Treatment Cohort.. **2022**, 0
- 130 MELD-Na Score as a Predictor of Postoperative Complications in Ventral Skull Base Surgery.

- 129 Prognostic Value of Different Versions of the Model for End-Stage Liver Disease Score in Patients Undergoing Percutaneous Coronary Intervention.. **2022**, 33197221098288
- 128 The Evolution of the MELD Score and Its Implications in Liver Transplant Allocation: A Beginner's Guide for Trainees. **2022**, 9, e00763 0
- 127 Thromboembolism and bleeding in patients with atrial fibrillation and liver disease in a nationwide register-based cohort study. **2022**, 101952 1
- 126 Splenic vein embolization as a feasible treatment for patients with hepatic encephalopathy related to large spontaneous splenorenal shunts. **2022**, 100725 1
- 125 Are MELD and MELDNa Still Reliable Tools to Predict Mortality on the Liver Transplant Waiting List?. **16**, Publish Ahead of Print,
- 124 Liver Function and Posthepatectomy Liver Failure. **2022**, 23-30
- 123 Understanding Prognosis: Discrepancy in Prognosis Estimates between Patients with Cirrhosis and their Hepatologists. **2022**,
- 122 Prognostic Value of Modified Model for End-Stage Liver Disease Scores in Patients With Significant Tricuspid Regurgitation.
- 121 Statistical methods for validation of predictive models. 0
- 120 Research Status of Prognostic Indicators and Prediction Models of Acute-on-Chronic Liver Failure. **2022**, 12, 5642-5650
- 119 Prognostic value of MELD-XI and MELD-Albumin scores in double valve replacement. **2022**, 7, 39-47
- 118 Inclusion of sarcopenia improves the prognostic value of MELD score in patients after transjugular intrahepatic portosystemic shunt. Publish Ahead of Print, 1
- 117 Economic Evaluations of Liver Transplantation as Tools for Decision-Making and Implications in Clinical Practice. 1
- 116 Low T3 syndrome is associated with poor prognosis in patients with hepatitis B virus-related acute-on-chronic liver failure. 1-7 1
- 115 Albumin-bilirubin score is superior to platelet-albumin-bilirubin score and model for end-state liver disease sodium for predicting posthepatectomy liver failure. 1
- 114 Risk stratification for isolated tricuspid valve surgery: Still on the way. **2022**,
- 113 Tools and scores for perioperative pulmonary, renal, hepatobiliary, hematological, and surgical site infection risk assessment: an update. 49,
- 112 Ferramentas e escores para avaliaç o de risco perioperat o pulmonar, renal, hepatobiliar, hematol gico e de infec o do s o cir rgico: uma atualiza o. 49,

- 111 Liver stiffness measurement by vibration-controlled transient elastography improves outcome prediction in primary biliary cholangitis. **2022**, 1
- 110 Expert Consensus on Diagnosis and Treatment of End-Stage Liver Disease Complicated with Infections. Publish Ahead of Print,
- 109 Preoperative Evaluation and Management of Patients With Select Chronic Gastrointestinal, Liver, and Renal Diseases. **2022**, 97, 1380-1395
- 108 Intraarterial Therapies for the Management of Hepatocellular Carcinoma. **2022**, 14, 3351 1
- 107 Prognostic Value of Modified Model for End-Stage Liver Disease Score in Patients Undergoing Isolated Tricuspid Valve Replacement. 9,
- 106 Platelet Count/Spleen Thickness Ratio and the Risk of Variceal Bleeding in Cirrhosis With Esophagogastric Varices. 9,
- 105 Measurement of Mid-Arm Circumference as a Starting Point for Nutritional Assessment of Patients with Decompensated Cirrhosis: A Prospective Cohort Study.
- 104 Short-term prognostic factors for hepatitis B virus-related acute-on-chronic liver failure. **2022**, 10, 8186-8195
- 103 Radiation Induced Liver Toxicity.
- 102 Inflammatory Indexes as Prognostic Factors of Survival in Geriatric Patients with Hepatocellular Carcinoma: A Case Control Study of Eight Slovak Centers. **2022**, 11, 4183
- 101 Cirrhosis and pregnancy: a single centre experience.
- 100 The closing survival gap after liver transplantation for hepatocellular carcinoma in the United States. **2022**, 0
- 99 MELIF, a Fully Automated Liver Function Score Calculated from Gd-EOB-DTPA-Enhanced MR Images: Diagnostic Performance vs. the MELD Score. **2022**, 12, 1750
- 98 The MELD-XI score predicts 3-year mortality in patients with chronic heart failure. 9,
- 97 Modelling kidney outcomes based on MELD eras - impact of MELD score in renal endpoints after liver transplantation. **2022**, 23,
- 96 Proton Beam Therapy with Pencil Beam Scanning is Safe and Effective for Advanced Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma: A Single Center Experience.
- 95 Volumetric imaging reveals VEGF-C-dependent formation of hepatic lymph vessels in mice. 10, 0
- 94 Artificial intelligence for predicting survival following deceased donor liver transplantation: Retrospective multi-center study. **2022**, 106838 1

- 93 Hypermethylation of thymosin α predicts a poor prognosis for patients with acute-on-chronic hepatitis B liver failure. **2022**,
- 92 Development and validation of the Cirrhotic Ascites Severity model—a patient-reported outcome-based model to predict 1-year mortality.
- 91 High plasma soluble thrombomodulin levels indicated poor prognosis of decompensated liver cirrhosis: a prospective cohort study. Publish Ahead of Print,
- 90 Long term improvement in liver function following transjugular intrahepatic portosystemic shunt in patients with Budd-Chiari syndrome. **2022**, ○
- 89 Mortality after transjugular intrahepatic portosystemic shunt in older adult patients with cirrhosis: A validated prediction model. ○
- 88 Total Joint Arthroplasty Should Not Be Delayed in Hepatitis C Patients After Successful Treatment Achieving a Sustained Viral Load. **2022**, 17, 107-113 ○
- 87 Surgical Approach to Cirrhotic Patients. **2022**, 487-504 ○
- 86 Validating the prognostic value of Freiburg index of posttransjugular intrahepatic portosystemic shunt survival score and classic scores in Chinese patients with implantation of transjugular intrahepatic portosystemic shunt. **2022**, 34, 1074-1080 ○
- 85 Establishment and validation of a prediction model for the first recurrence of Budd-Chiari syndrome after endovascular treatment: A large sample size, single-center retrospective study. ○
- 84 Comparison of survival prediction values of different scoring models for patients undergoing transjugular intrahepatic portal shunt: A multicenter retrospective study. **2022**, 1, 107-115 ○
- 83 Serum ferritin diagnosis and prediction of hepatitis B virus-related acute-on-chronic liver failure. ○
- 82 Risk prediction model for early postoperative death in patients with hepatocellular carcinoma: a retrospective study based on random forest algorithm and logistic regression. Publish Ahead of Print, ○
- 81 Mortality in End Stage Liver Patients Above MELD 3.0 of 40. ○
- 80 Letter to the Editor: Predicting mortality after transjugular intrahepatic portosystemic shunt in older adult patients with cirrhosis —does novelty supplant the standard?. ○
- 79 A comprehensive review of prognostic scoring systems to predict survival after transjugular intrahepatic portosystemic shunt placement. **2022**, 1, 133-144 1
- 78 AIMS65 and PALBI Scores as Predictors of Six Months—Mortality in Cirrhotic Patients with Acute Variceal Bleeding. **2022**, 12, ○
- 77 Impact of race-independent equations on estimating glomerular filtration rate for the assessment of kidney dysfunction in liver disease. ○
- 76 The Prognostic Value of Serum HBV-RNA during Hepatitis B Virus Infection is Related to Acute-on-Chronic Liver Failure. **2022**, 2022, 1-8 ○

75	Gastric Histopathologic Findings Are Similar in Portal Hypertension Patients With and Without Endoscopic Portal Hypertensive Gastropathy.	0
74	The natural history of patients with compensated cirrhosis and elevated hepatic venous pressure gradient. 2022 , 1, 101-106	0
73	Impact of Preoperative Liver Function on Short-Term HeartMate 3 Outcomes. 2022 ,	0
72	Human stem cells for decompensated cirrhosis in adults. 2022 , 2022,	0
71	Impact of sarcopenia on post-liver transplant morbidity and mortality in cirrhotic patients.	1
70	Mortality Prediction Model before Surgery for Acute Mesenteric Infarction: A Population-Based Study. 2022 , 11, 5937	0
69	Early-phase prothrombin time-international normalized ratio in acute liver injury indicates the timing of therapeutic intervention and predicts prognostic improvement.	0
68	Hepatocellular Carcinoma, Alpha Fetoprotein, and Liver Allocation for Transplantation: Past, Present and Future. 2022 , 29, 7537-7551	0
67	Primary Neoplasms of the Liver. 1-16	0
66	Spontaneous portosystemic shunt as a potential marker for severe liver damage and high risk of complications associated with portal hypertension in patients with hepatitis B-related cirrhosis: a multicenter study from China.	0
65	Machine learning prediction model for post- hepatectomy liver failure in hepatocellular carcinoma: A multicenter study. 12,	0
64	Comparison of the prognostic models for mortality in idiosyncratic drug-induced liver injury.	0
63	Malnutrition is highly prevalent in hospitalized cirrhotic patients and associates with a poor outcome. 2022 , 85, 311-319	0
62	The relationship between zinc deficiency and infectious complications in patients with hepatitis B virus-related acute-on-chronic liver failure. 2022 , 10,	0
61	Preoperative MELD score predicts mortality and adverse outcomes following radical cystectomy: analysis of American College of Surgeons National Surgical Quality Improvement Program. 2022 , 14, 175628722211359	0
60	Clinical Impact of Spontaneous Portosystemic Shunts in Liver Transplantation: A Comprehensive Assessment Through Total Shunt Area Measurement. Publish Ahead of Print,	0
59	Native liver survivors of portoenterostomy for biliary atresia with excellent outcome. Redefining Successful portoenterostomy.	0
58	Complete manuscript title: Improving transplant-free survival with low-volume plasma exchange to treat children with rodenticide induced hepatotoxicity. 2022 ,	1

57	Nomogram-based development and evaluation for predictions of 30-day and 1-year survival in patients with spontaneously ruptured hepatocellular carcinoma. 2022 , 22,	0
56	Hepatocellular Carcinoma. Part 2: Clinical Presentation and Diagnosis. 81-88	1
55	Covered Transjugular Intrahepatic Portosystemic Shunt in the Treatment of Portal Hypertension: Looking for the Right Patient and the Right Time. 2-11	0
54	Therapeutic plasma-exchange improves short-term, but not long-term, outcomes in patients with acute-on-chronic liver failure: A propensity score-matched analysis.	0
53	Effects of Short-Term Human Albumin Infusion for the Prevention and Treatment of Hyponatremia in Patients with Liver Cirrhosis. 2023 , 12, 107	0
52	Native liver survivors of portoenterostomy for biliary atresia with excellent outcome: redefining Successful portoenterostomy. 2023 , 39,	0
51	Prognosticating mortality of primary cardiogenic shock requiring extracorporeal life support: the RESCUE score. 2022 , 101554	0
50	Updates of the MELD score and impact on the liver transplant waiting list: A narrative review. 2022 ,	0
49	Effect of sofosbuvir and velpatasvir therapy on clinical outcome in hepatitis C virus patients with decompensated cirrhosis.	0
48	Establishment and validation of a prediction model for the first recurrence of Budd-Chiari syndrome after endovascular treatment: a large sample size, single-center retrospective study.	0
47	Prognosis prediction performs better in patients with non-cirrhosis hepatitis B virus-related acute-on-chronic liver failure than those with cirrhosis. 13,	0
46	A novel prognostic nomogram for older patients with acute-on-chronic liver diseases (AoCLD): a nationwide, multicentre, prospective cohort study. 2023 , 52,	0
45	Disease Severity Scoring System in Chronic Liver Disease. 2023 , 105-113	0
44	Percutaneous ethanol injection is an acceptable bridging therapy to hepatocellular carcinoma prior to liver transplantation. 2024 , 408,	0
43	Cirrhosis and non-hepatic surgery in 2022: a precision medicine approach.	0
42	Pharmacokinetics and Pharmacodynamics of Drugs in Liver Disease. 2023 , 63-74	0
41	The Potential Role of Model for End-Stage Liver Disease (MELD)-Sodium Score in Predicting the Severity of Acute Pancreatitis. 2022 ,	0
40	The potential role of machine learning in modelling advanced chronic liver disease. 2022 ,	0

- 39 A Nomogram Based on Preoperative Lab Tests, BMI, ICG-R15, and EHBF for the Prediction of Post-Hepatectomy Liver Failure in Patients with Hepatocellular Carcinoma. **2023**, 12, 324 ○
- 38 MELD 3.0 Score for Predicting Survival in Patients with Cirrhosis After Transjugular Intrahepatic Portosystemic Shunt Creation. ○
- 37 Mortality scoring systems for liver transplant recipients: before and after model for end-stage liver disease score. **2023**, 18, 21-28 ○
- 36 Prognostic value of liver assessment (including liver stiffness measurement) in cardiovascular diseases. **2023**, 115-122 ○
- 35 Bacteriascites confers poor patient prognosis beyond MELD prediction. Publish Ahead of Print, ○
- 34 Transjugular Intrahepatic Portosystemic Shunt: An Update. **2023**, ○
- 33 Recipient Survival after Orthotopic Liver Transplantation: Interpretable Machine Learning Survival Tree Algorithm for Patient Specific Outcomes. Publish Ahead of Print, ○
- 32 The impact of thrombocytopenia on variceal bleeding in cirrhotic patients with transjugular intrahepatic portosystemic shunt. **2023**, 13, ○
- 31 Prognostic significance of sarcopenia and severe vitamin D deficiency in patients with cirrhosis. ○
- 30 Liver Transplantation: Contraindication and Ineligibility. **2023**, ○
- 29 A Return to normalcy for establishing a new normal The patient experience of liver transplantation. **2023**, 10, 100149 ○
- 28 Efficacy and safety of artificial liver support system treatment for immune checkpoint inhibitors related liver failure in patients with hepatocellular carcinoma: a randomized controlled clinical trial. ○
- 27 A new machine-learning-based prediction of survival in patients with end-stage liver disease. **2023**, 47, 13-21 ○
- 26 Implementation of Blockchain Technology Could Increase Equity and Transparency in Organ Transplantation: A Narrative Review of an Emergent Tool. 36, ○
- 25 Transjugular Intrahepatic Portosystemic Shunt Creation in Children Weighing $\leq 10\text{ kg}$ Using an Unconventional Technique. **2023**, ○
- 24 Microscopic vascular invasion may not be associated with survival of patients undergoing resection for solitary hepatoma of $\geq 2\text{ cm}$. **2023**, 18, e0281154 ○
- 23 LDH and the MELD-LDH in Severe Acute Liver Injury and Acute Liver Failure: Preliminary Confirmation of a Novel Prognostic Score for Risk Stratification. ○
- 22 Dietary protein intake and mortality among survivors of liver cirrhosis: a prospective cohort study. ○

- 21 Management of Hepatocellular Carcinoma. **2023**, 158, 410 ○
- 20 Hematohepatology: The potential for direct oral anticoagulant [Inflation] in liver transplant candidates. **2023**, 7, 100082 ○
- 19 Portal Vein Interventions for Portal Hypertension: Complications and Management. ○
- 18 Assessing the Short-Term Prognosis of Patients with Cirrhosis Using the DIC Scores. ○
- 17 Monitoring the hepatobiliary function using image techniques and labeled cholephilic compounds. 18-33 ○
- 16 Intrahepatic infiltration of activated CD8+ T cells and mononuclear phagocyte is associated with idiosyncratic drug-induced liver injury. 14, ○
- 15 Safety and efficacy of double plasma molecular adsorption system with sequential low-volume plasma exchange in intermediate-stage hepatitis B virus-related acute-on-chronic liver failure. **2023**, 95, ○
- 14 A preoperative model for predicting early recurrence in patients undergoing resection for single hepatocellular carcinoma. **2023**, ○
- 13 Novel CABIN score outperforms other prognostic models in predicting in-hospital mortality after salvage transjugular intrahepatic portosystemic shunting. 14, 34-45 ○
- 12 Quantitative liver SPECT/CT is a novel tool to assess liver function, prognosis, and response to treatment in cirrhosis. 10, ○
- 11 Child-Pugh Class B or C Liver Disease Increases the Risk of Early Mortality in Patients With Hepatitis C Undergoing Elective Total Joint Arthroplasty Regardless of Treatment Status. **2023**, Publish Ahead of Print, ○
- 10 Value of Some Scoring Systems for the Prognosis of Rebleeding and In-Hospital Mortality in Liver Cirrhosis with Acute Variceal Bleeding. **2023**, 14, 144-155 ○
- 9 Syndrome h̄pato-pulmonaire. **2023**, ○
- 8 A propensity score matching analysis of neutrophil to lymphocyte ratio forecasts the survival of individuals undergoing the transjugular intrahepatic portosystemic shunt. 1-15 ○
- 7 Impact of race-independent equations on estimating glomerular filtration rate for the assessment of kidney dysfunction in liver disease. **2023**, 24, ○
- 6 The Added Value of Sarcopenia on Existing Risk Scores to Predict Mortality after TIPS Placement: A Multicenter Study. **2023**, ○
- 5 Outcomes of Interferon-free Direct Acting Antivirals in Patients with HCV-related Decompensated Cirrhosis: A Systematic Review and Meta-analysis. ○
- 4 The Usefulness of Mayo End-stage Liver Disease (MELD) and MELD-Sodium (MELD-Na) Scores for Predicting Mortality in Cirrhotic Patients With Spontaneous Bacterial Peritonitis. **2023**, ○

- 3 Development of a clinical score to estimate pancreatitis-related hospital admissions in patients with a new diagnosis of chronic pancreatitis: the trinity score. **2023**, ○
- 2 SOCS1 methylation level is associated with prognosis in patients with acute-on-chronic hepatitis B liver failure. **2023**, 15, ○
- 1 Dietary fiber intake and mortality among survivors of liver cirrhosis: A prospective cohort study. **2023**, e16170 ○