

CITATION REPORT

List of articles citing

A critical account on ?? stacking in metal complexes with aromatic nitrogen-containing ligands

DOI: 10.1039/b003010o

Dalton Transactions RSC, 2000, , 3885-3896.

Source: <https://exaly.com/paper-pdf/31574652/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2331	The Role of π -Stacking Interactions in Square Planar Palladium Complexes. Combined Quantum Mechanics/Molecular Mechanics QM/MM Studies. 2001 , 20, 4178-4184		31
2330	Crystal Engineering: Stacking Interactions Control the Crystal Structures of Benzothiadiazole (btd) and Its Complexes with Copper(II) and Copper(I) Chlorides. 2001 , 1, 191-194		29
2329	Unusual manifestation of closed-shell interactions in silver(I) complexes: crystal structure of catena-bis(4-aminobenzoato)disilver(I) acetone solvate with ligand unsupported chains of repeated rhombohedral Ag ₄ units. 2001 , 40, 5058-9		73
2328	Exploring the photocatalytic properties and the long-lifetime chemosensor ability of Cl(2)[Ru(Bpy)(2)L] (L = 2,5,8,11,14-pentaaza[15]-2,2'-bipyridilophane). 2001 , 40, 6813-9		22
2327	Nickel(II) and tridentate 8-hydroxyquinoline-2-carbaldehyde-N-methylnitrone (HL): enantioselective association of octahedral [M(HL)(L)] ⁺ moieties driven by strong hydrogen bonding. 2001 , 20, 747-753		17
2326	Synthesis and characterization of a potassium complex of magneson: [K(HL)(OH ₂) ₂] ⁺ [H ₂ L=4-(4-nitrophenylazo)resorcinol (magneson)]. 2001 , 20, 2415-2420		10
2325	3-Acyl-2-(N-cyanoimino)oxazolidine derivative, a new asymmetric acylating agent for racemic secondary alkyl amines. 2001 , 57, 9309-9315		19
2324	Synthesis and crystal structure of 1,1'-bis[4-(2,2':6,2'-terpyridin-4'-yl)phenyl]octamethylferrocene. 2001 , 637-639, 733-737		11
2323	Allylferrocenylselenide and the synthesis of the first seleno-substituted allenylidene complex: synthesis, spectroscopy, electrochemistry and the effect of electron transfer from the ferrocenylselenyl subunit. 2001 , 637-639, 240-250		30
2322	Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane. 2001 , 633, 66-68		16
2321	ChemInform Abstract: A Critical Account on π -Stacking in Metal Complexes with Aromatic Nitrogen-Containing Ligands. 2001 , 32, no-no		
2320	Intramolecular Hydrogen-Bonding, Cation- π and π -Stacking Interactions Affecting cis/trans Isomerization: Hexacarbonyltungsten Derivatives of Pyridyl-Substituted Arylphosphane Ligands. 2001 , 2001, 2255-2262		19
2319	Heteroleptic 5,5'-disubstituted-2,2'-bipyridine complexes of ruthenium(II): spectral, electrochemical, and structural investigations. 2001 , 318, 103-116		37
2318	Supramolecular design of one-dimensional coordination polymers based on silver(I) complexes of aromatic nitrogen-donor ligands. 2001 , 222, 155-192		1049
2317	Using multimodal ligands to influence network topology in silver(I) coordination polymers. 2002 , 99, 4905-10		80
2316	Understanding Magnetic Interaction Pathways: An Experimental Determination of Electron Density in an Alkyne-Substituted Nitronyl Nitroxide Radical. 2002 , 106, 12896-12907		12
2315	Intramolecular "Aryl-metal chelate ring" π , π -interactions as structural evidence for metalloaromaticity in (aromatic α , α' -diimine)-copper(II) chelates: molecular and crystal structure of aqua(1,10-phenanthroline)(2-benzylmalonato)copper(II) three-hydrate. 2002 , 41, 6956-8		101

2314	Light-Emitting Cyclopalladated Complexes of 6-Phenyl-2,2-Bipyridines with Hydrogen-Bonding Functionality. 2002 , 21, 3511-3518	116
2313	Metal-amine acid chemistry. Weak interactions and related functions of side chain groups. <i>Dalton Transactions RSC</i> , 2002 , 3411-3421	175
2312	Patterns of hydrogen bonding in crystals of molybdenum carbonyl complexes. <i>Dalton Transactions RSC</i> , 2002 , 540	23
2311	Copper(II) and cobalt(II) coordination polymers with bridging 1,2,4,5-benzenetetracarboxylate and N-methylimidazole: coordination number-determined sheet topology. <i>Dalton Transactions RSC</i> , 2002 , 4555	46
2310	Tellurium-aryl interactions: a new bonding motif for supramolecular self-assembly and crystal engineering. 2002 , 4, 178-193	78
2309	Hydrogen bonds in crystals of HO-(N ₂ N ₂)M(CO) ₃ L complexes: chains, dimers and an unexpected hexamer. <i>Dalton Transactions RSC</i> , 2002 , 2379	22
2308	Novel coordination polymer containing a mixed valence copper(I,II) phosphonate unit: Cu(I) ₂ Cu(II)(hedpH ₂) ₂ (4,4'-bpy) ₂ ·2H ₂ O (hedp = 1-hydroxyethylidenediphosphate). 2002 , 41, 4084-6	66
2307	Monitoring the Crystal Growth and Interconversion of New Coordination Networks in the Self-assembly of MCl ₂ Salts (M = Co, Ni, Cu, Cd) and 1,3-Bis(4-pyridyl)propane. 2002 , 14, 12-16	60
2306	Why do polymorphs form? A single crystal phase transformation from weak dipolar interactions to a sixfold phenyl embrace. 2002 , 4, 271-276	42
2305	Cyclo-[Ni(2-SPh) ₂] ₉ and cyclo-[Ni(2-SPh) ₂] ₁₁ : new oligomeric types of toroidal nickel(II) thiolates containing geometrically unprecedented 9- and 11-membered ring systems. <i>Dalton Transactions RSC</i> , 2002 , 4105-4115	47
2304	Dibenzoelatin: a novel ligand exhibiting remarkable complementary pi-pi stacking interactions. 2002 , 2374-5	16
2303	Hydrogen-bonding interactions between linear bipyridinium cations and nitrate anions. 2002 , 4, 483-495	57
2302	Pairing of propellers: dimerization of octahedral ruthenium(II) and osmium(II) complexes of elatin via pi-pi stacking featuring heterochiral recognition. 2002 , 124, 5449-56	77
2301	cis-Trans isomerism and rotational isomerism in triazene-1-oxide bis-chelates of palladium(II). <i>Dalton Transactions RSC</i> , 2002 , 885	11
2300	Chair- and Boat-Configurations of Silver(I) Complexes of Ditopic Ligand Involving Benzimidazolyl Substituents. 2002 , 628, 2321-2328	17
2299	The Crystal Structures of two Linearly Polymeric Copper(II) Complexes of 2, 2'-Bipyridine with threefold Glycolato and Oxalato Bridges. 2002 , 628, 2353-2359	9
2298	Synthesis, Crystal Structure and Magnetic Properties of the Helical-Chain Compounds [M ₂ (O ₂ CC ₁₂ H ₈ CO ₂) ₂ (H ₂ O) ₈] [M = Cobalt(II), Nickel(II)]. 2002 , 2002, 895-900	74
2297	Serendipity and Rational Design of One-Dimensional Doubly Stranded Chains with Nanometric Cavities Based on AgI Coordination Chemistry. 2002 , 2002, 2453-2457	28

- 2296 Synthesis and structural characterization of two chain complexes of Mn(II) containing 2-aminopyridinium. **2002**, 5, 215-219 16
- 2295 Self-assembly of an organometallic silver(I) 1D architecture supported by three different types of bonding interactions. **2002**, 5, 278-282 27
- 2294 Synthesis and structural study of tri- and dinuclear palladium complexes of 2,6-bis(diphenylphosphino)pyridine. **2002**, 5, 442-445 11
- 2293 A compact, trinuclear, circular helicate with oxine-based N,O-chelating binding domains. **2002**, 5, 954-957 9
- 2292 Supramolecular interactions in 4,4'-Bipyridine cobalt(II) nitrate networks. **2002**, 2, 163-174 28
- 2291 Magneto-structural studies and thermal analysis of n-ethylpyridinium (n=2, 3, 4) tetrabromocuprate(II) complexes. **2002**, 21, 19-26 34
- 2290 Thallium(I) complexes with modified poly(pyrazolyl)borate ligands: metal-ligand coordination and crystal packing. **2002**, 21, 553-562 66
- 2289 Complexation of 3-(2-pyridyl)substituted N-methyl isoxazolidine with Pd(II), Zn(II) and Cu(II): stereochemistry of co-ordination compounds in solution and solid-state. **2002**, 21, 769-777 3
- 2288 New copper(II) compound having protonated forms of ethylenediaminetetraacetate(4-) ion (EDTA) and adenine (AdeH): synthesis, crystal structure, molecular recognition and physical properties of (AdeH₂)[Cu(EDTA)(H₂O)]·2H₂O. **2002**, 21, 1451-1457 21
- 2287 Metal chelates of N-(2-pyridylmethyl)iminodiacetate(2-) ion (pmda). Part I. Two mixed-ligand copper(II) complexes of pmdda with N,N-chelating bases. Synthesis, crystal structure and properties of H₂pmda·0.5H₂O, [Cu(pmda)(pca)]·3H₂O (pca=β-picolyamine) and [Cu(pmda)(Hpb)]·5H₂O (Hpb=2-(2-pyridyl)benzimidazole). **2002**, 21, 1485-1495 30
- 2286 Reactivity of a rhodium(I) complex towards oxygen enhanced by a cyano ligand. Structure of [Rh(CN)(O₂)(PPh₃)₂(XNC)] (XNC=xylyl isocyanide). **2002**, 21, 1775-1778 12
- 2285 Syntheses and structures of mono-thiocyanate complexes of cadmium(II) and lead(II) containing bulky nitrogen based polydentate ligands. **2002**, 21, 1795-1807 31
- 2284 Synthesis, crystal structure and spectroscopic properties of copper(II) complexes derived from 2-methylamino-5-pyridin-2-yl-1,3,4-oxadiazole. **2002**, 21, 2257-2263 10
- 2283 Solid state coordination chemistry of copper(II)/β-hydroxycarboxylato/2,2'-bipyridine systems. **2002**, 21, 2811-2818 45
- 2282 The supramolecular chemistry of thiosemicarbazones derived from pyrrole: a structural view. **2002**, 606, 155-173 15
- 2281 Molecular structures and π-interactions of some flavonoids and biflavonoids. **2002**, 642, 77-84 33
- 2280 Rhenium tricarbonyl complexes of tris(pyrazolyl)methane ligands: first structural characterization of an isomer pair of tris(pyrazolyl)methane derivatives and the supramolecular structure of the homobimetallic complex {1,4-C₆H₄[CH₂OCH₂C(pz)₃]₂[Re(CO)₃]₂}(Br)₂. **2002**, 658, 50-61 44
- 2279 Synthesis and physical studies of lanthanide(III) complexes of N,N-bis(2-hydroxyethyl)glycinate (bicinate, bicH₂) II molecular and crystal structure of [Gd(O₂CMe)(bicH₂)(phen)(H₂O)](ClO₄).phen.3H₂O (phen=1,10-phenanthroline). **2002**, 336, 8-18 22

2278	Three new modes of adenine-copper(II) coordination: interligand interactions controlling the selective N3-, N7- and bridging $\{N3, N7\}$ -metal-bonding of adenine to different N-substituted iminodiacetato-copper(II) chelates. 2002 , 339, 160-170	83
2277	Synthesis of the silver(I) complex of $CH_2[CH(pz4Et)_2]_2$ containing the unprecedented $[Ag(NO_3)_4]^{3-}$ anion: A general method for the preparation of 4-(alkyl)pyrazoles. 2003 , 27, 1670-1677	41
2276	A one-dimensional assembly of a square-planar copper(II) complex with alternating short and long Cu-Cu distances. Metal ion spin-exchange via π -interactions. 2003 , 27, 1102-1107	46
2275	Coordination Modes in a (Thiosemicarbazone)copper(II)/Oxalato System $\{$ Structures of $[[Cu(L)]_2(ox)] \cdot 2H_2O$, $[Cu(HL)(ox)(H_2O)]$, $[[Cu(HL)]_2(ox)][Cu(ox)_2] \cdot 2H_2O$ and $[[Cu(HL)]_2(ox)](NO_3)_2 \cdot$ Ferro- vs. Antiferromagnetic Behavior in Dinuclear Compounds. 2003 , 2003, 2123-2132	25
2274	Helical Ribbons of Cadmium(II) and Zinc(II) Dicarboxylates with Bipyridyl-Like Chelates $\{$ Syntheses, Crystal Structures and Photoluminescence. 2003 , 2003, 2965-2971	346
2273	Influence of the Crystallization Solvent on Molecular and Supramolecular Structures of Silver(I) Tris(3-Phenylpyrazolyl)methane Complexes. 2003 , 2003, 3480-2494	33
2272	Supramolecular Organisation of Polymeric Coordination Chains into a Three-Dimensional Network with Nanosized Channels that Clathrate Large Organic Molecules. 2003 , 2003, 138-142	192
2271	Coordination Modes in a Tridentate NNS (Thiosemicarbazonato)copper(II) System Containing Oxygen-Donor Coligands $\{$ Structures of $[[Cu(L)(X)]_2]$ (X = Formato, Propionato, Nitrito). 2003 , 2003, 518-527	41
2270	Crystal Structure of Bis[acetone-1-naphthoylhydrazinato(II)]copper(II) and Investigations of Intermolecular Interactions. 2003 , 2003, 1222-1226	31
2269	Synthesis, characterization and crystal structures of two 2-naphthyl substituted pyrazoles. 2003 , 40, 659-664	9
2268	Structural and spectral studies on four coordinate copper(II) complexes of 2-benzoylpyridine N(4),N(4)-(butane-1,4-diyl)thiosemicarbazone. 2003 , 22, 3321-3332	122
2267	The interplay of coordinative, hydrogen bonding and π -stacking interactions in sustaining supramolecular solid-state architectures.: A study case of bis(4-pyridyl)- and bis(4-pyridyl-N-oxide) tectons. 2003 , 236, 91-119	680
2266	Stereoisomers of palladium(II) complexes with the dipyridyl ligands 2,3-di(2-pyridyl)pyrazine (dpp), 2,3-di(2-pyridyl)quinoxaline (dpq) and 6,7-dimethyl-2,3-di(2-pyridyl)quinoxaline (ddpq). Crystal structure of $[Pd(dpq)_2](PF_6)_2$. 2003 , 348, 263-270	7
2265	The 4-(dipyridylamino)benzoylpyridine ligand as a supramolecular synthon. Solid state organization of a bis(bipyridyl)ruthenium(II) complex. 2003 , 352, 151-159	8
2264	Intermolecular oxygen atom- π interaction in the crystal packing of chiral amino alcohol bearing a pentafluorophenyl group. 2003 , 122, 201-205	38
2263	Hydrothermal synthesis and structural characterization of two novel lanthanide supramolecular coordination polymers with nano-chains. 2003 , 649, 85-93	28
2262	Hydrothermal synthesis, crystal structure and third-order non-linear optical property of a novel three-dimensional supramolecular network compound $[Ni(IN)_2(H_2O)_4]$ (IN=isonicotinate). 2003 , 654, 47-53	13
2261	$[Zn(II)Cl_2]$ a one-dimensional (1-D) zigzag coordination chain exhibiting unique two-dimensional (2D) hydrogen-bonding supramolecular architecture. 2003 , 655, 191-197	17

- 2260 Hydrothermal synthesis and crystal structure of a novel polyoxomolybdate with the hydroxylated N-heterocycle ligand: Mo₂O₅(ophen)₂ (Hophen=2-hydroxy-1,10-phenanthroline). **2003**, 659, 13-21 15
- 2259 Structurally adaptive multitopic ligands containing tris(pyrazolyl)methane units as supramolecular synthons: manganese carbonyl complexes. **2003**, 666, 87-101 60
- 2258 Organo-functionalised arsine and stibine organometallics; syntheses and structural characterisations of 1,3-[(PhC₂Sb)₂(CH₂)₃], As(C₂CPh)₃, R₂AsCH₂AsR₂ [R=Me₃SiC₂-, (Me₃Si)₂N- and 2-SPy] with π -stacking in the latter. **2003**, 22, 211-216 9
- 2257 Synthesis, crystal structure and properties of N-tert-butyliminodiacetic acid (H₂TEBIDA), [Cu(TEBIDA)(H₂O)₂], {[Cu(TEBIDA)(Him)]₂·2H₂O}_n, {Cu(TEBIDA) (5MeHim)₂·H₂O}_n, and [Cu(TEBIDA)(2,2'-bipy)(H₂O)]₄·5H₂O, (Him=imidazole, 5MeImH=5-methylimidazole and 5-methylimidazole). **2003**, 22, 1039-1049 19
- 2256 Ring-ring or nitro-ring π -interactions in N-(p-nitrobenzyl)iminodiacetic acid (H₂NBIDA) and mixed-ligand copper(II) complexes of NBIDA and imidazole (Him), 2,2'-bipyridine (bipy) or 1,10-phenanthroline (phen). Crystal structures of H₂NBIDA, [Cu(NBIDA)(Him)(H₂O)], [Cu(NBIDA)(bipy)]₂·3H₂O and [Cu(NBIDA)(phen)]₂·2H₂O. **2003**, 22, 1039-1049 24
- 2255 Supramolecular C₂H₂O, C₂H₂N and C₂H₂Cl interactions in metal compounds with multi-topic poly(pyrazolyl)borate ligands. **2003**, 22, 1123-1133 97
- 2254 Structural and magnetic properties of three copper(II) pyridine-2,3-dicarboxylate coordination polymers incorporating the same chain motif. **2003**, 22, 3025-3035 62
- 2253 Formation of an ethylene-bridged bis(benzisothiazole) dication by oxidative decomplexation of Ni(tsalen) with FeCl₃. **2003**, 6, 86-89 7
- 2252 Square-planar nickel(II) complexes with a tridentate Schiff base and monodentate heterocycles: self-assembly to dimeric and one-dimensional array via hydrogen bonding. **2003**, 6, 381-386 44
- 2251 Crystal structures and spectroscopic behaviour of polymeric copper(II) chloroacetate adducts with 3- and 4-pyridylmethanol. **2003**, 6, 1259-1265 18
- 2250 Crystal Structures of [Cu₂(bpy)₂(H₂O)(OH)₂(SO₄)₂·4H₂O and [Cu(bpy)(H₂O)₂]SO₄ with bpy = 2, 2'-Bipyridine. **2003**, 629, 1622-1626 13
- 2249 Correlation between Solution and the Solid State: The pH Dependent Composition in the Ternary System [Co(H₂O)₆]²⁺ or [Ni(H₂O)₆]²⁺/Piperazine/Phosphate. **2003**, 629, 195-201 7
- 2248 Synthesis, Crystal Structure and Properties of [Cu(phen)₃][Cu(pheida)₂]₂·10H₂O and [(phen)₂Cu(EBAAP)Cu(EBAAP)Cu(phen)₂][Cu(BAAP)₂]₂·8.5H₂O (H₂pheida = N-phenetyl-iminodiacetic acid, H₂BAAP = N-benzylaminoacetic-2-propionic acid). **2003**, 629, 291-296 7
- 2247 Molecular and crystal structures of calix[4]arene 1,3-di-n-propyl ether. **2003**, 48, 233-238 7
- 2246 Supramolecular architecture of crown-containing styryl dyes: Part I. Crystal and molecular structures of the acetonitrile solvate monohydrate of the potassium iodide complex with benzo-15-crown-5 ether dye based on methylquinoline iodide. **2003**, 48, 613-622 8
- 2245 Silver(I) Hexamethylenetetramine molecular architectures: from self-assembly to designed assembly. **2003**, 246, 185-202 245
- 2244 Stereoselective association of binuclear metallacycles in coordination polymers. **2003**, 125, 6753-61 102
- 2243 Synthesis and X-ray Crystallographic Studies of Diacetylenic Molecules Bearing Triorganosilyl, Triorganostannyl, and Diorganophosphanyl Substituents. Investigation of Their Solid-State and Molten-State Polymerization. **2003**, 22, 2014-2033 20

2242	Supramolecular assembly and solution properties of bis(bipyridyl)ruthenium(II) coordination complexes of aryl(2-pyridyl)methanones. 2003 , 42, 482-91	20
2241	Synthesis and characterization of a linked, π -stacked organotin compound of 2-mercapto-6-nitrobenzothiazolyl diphenyltin chloride with 2-ethoxyl-6-nitrobenzothiazole. 2003 , 81, 825-831	13
2240	Complexity of coordinative bonding in thallium(I) anthranilates and salicylates. 2003 , 125, 3622-30	82
2239	Self-assembly between silver(I) and di- and tri-2-pyridines with flexible spacer: formation of discrete metallocycle versus coordination polymer. 2003 , 42, 2977-82	80
2238	Copper(II) Halide Complexes of 2-Aminopyrimidines: Crystal Structures of [(2-aminopyrimidine) n CuCl ₂] (n=1,2) and (2-amino-5-bromopyrimidine) ₂ CuBr ₂ . 2003 , 56, 441-452	50
2237	Crystal Engineering Using the Versatility of 2,5-Dichloro-3,6-dihydroxy-1,4-benzoquinone with Organic and Metal Complex Partners. 2003 , 3, 791-798	22
2236	Tunable Donor-Acceptor Interactions in 4-Ene/Yne-Ferrocenyl and 4-Enamine Naphthalimides with Ferrocenyl Headgroups. 2003 , 22, 5126-5136	40
2235	Adjusting the frameworks of silver(I) complexes with new pyridyl thioethers by varying the chain lengths of ligand spacers, solvents, and counteranions. 2003 , 42, 7422-30	123
2234	Self-organized heteroditopic macrocyclic superstructures. 2003 , 5, 3073-6	113
2233	Palladium. 2003 , 555-672	4
2232	A novel 2D bilayer architecture generated via π -interactions and host-guest molecular recognition: assembly and structure of {[Cd(Htma)(bpy)(H ₂ O)] ₂ (H ₂ tp) _{0.5} ·2H ₂ O} _n polymer (tma = trimesate, bpy = 4,4'-bipyridine, tp = terephthalate). 2003 , 27, 914-918	45
2231	A 3D network of helicates fully assembled by pi-stacking interactions. 2003 , 1840-1	56
2230	Synthesis and structural characterisation of two coordination polymers (molecular ladders) incorporating [M(OAc) ₂] ₂ secondary building units and 4,4'-bipyridine [M = Cu(II), Zn(II)]. 2003 , 5, 454-458	54
2229	Dihalogeno(diphosphane)metal(II) complexes (metal = Co, Ni, Pd) as pre-catalysts for the vinyl/addition polymerization of norbornene: elucidation of the activation process with B(C ₆ F ₅) ₃ /AlEt ₃ or Ag[closo-1-CB ₁₁ H ₁₂] and evidence for the in situ formation of a highly active species. 2003 , 4437-4450	88
2228	{[Cu(H ₂ O) ₃][Cu(phmal) ₂]} _n : a new two-dimensional copper(II) complex with intralayer ferromagnetic interactions (phmal = phenylmalonate dianion). 2003 , 27, 1557-1562	49
2227	A phenol-imidazole pro-ligand that can exist as a phenoxyl radical, alone and when complexed to copper(II) and zinc(II). 2003 , 1975-1985	93
2226	The role of 4,7-phenanthroline in coordination polymer construction. 2003 , 2387-2394	11
2225	A uranium-inorganic molecular compound containing planar tetranuclear uranyl units. 2003 , 4219-4220	47

2224	Alkali Metal Complexes of Aromatic Polycarboxylates— Balance of π -Stacking and Coordinate Bonding Interactions?. 2003 , 15, 291-312	20
2223	Supramolecular Influences on Metal Ion Coordination: Lead(II) under Eight-coordination. 2003 , 15, 367-373	40
2222	Formation of pi-pi complexes between phenanthrene and model pi-acceptor humic subunits. 2004 , 33, 265-75	80
2221	Synthesis, Crystal structure and Fluorescence properties of a Binuclear Terbium(III) complex of N-(2-Pyridinyl)Ketoacetamide. 2004 , 57, 257-264	3
2220	Fluorescent Sugar and Uridine Conjugates of 1,8-Naphthalimides with Methyl and Ferrocenyl Headgroups. 2004 , 57, 885	13
2219	Synthesis, structure and electrochemistry of $\text{Co}(\text{L})\text{Cl}_2 \cdot 0.5\text{MeCN}$ {L = [2-(methylthio)-3-phenyl-5-(pyridin-2-ylmethylene)-3,5-dihydro-4H-imidazol-4-one]}. 2004 , 14, 115-117	17
2218	Synthesis and electrogenerated chemiluminescence of donor-substituted phenylethynylcoumarins. 2004 , 69, 8086-92	54
2217	Isomer separation, conformation control of flexible cyclohexanedicarboxylate ligand in cadmium complexes. 2004 , 2104-5	123
2216	Synthesis, crystal structure and photoluminescence of a novel tetra-nuclear calcium complex $[(\text{Ca}(\text{C}_{15}\text{H}_8\text{O}_7\text{S})-\text{H}_2\text{O})(\text{DMSO})]_3(\text{Ca}(\text{C}_{15}\text{H}_8\text{O}_7\text{S})(\text{DMSO})_2)_4\text{DMSO}$. 2004 , 47, 396-406	
2215	Chemistry of tricarbonylrhenium(I) chelates of azopyrimidines, azoimidazoles and anion radicals thereof. 2004 , 689, 1780-1787	11
2214	Synthesis, structures and rac/meso isomerization behaviour of bisplanar chiral bis(phosphino- π -indenyl)iron(II) complexes. 2004 , 689, 1897-1910	16
2213	Labile Interactions Defined in Crystalline Metal Complexes. 2004 , 50, 133-150	21
2212	Supramolecular structure of tetrakis- π -[4-chloro-3-nitrobenzoato]-bis(methanol)dicopper(II). 2004 , 34, 749-756	13
2211	Synthesis of isomeric 3-phenyl-5-(pyridylmethylene)-2-thiohydantoins and their S-methylated derivatives. Molecular and crystal structures of (5Z)-3-phenyl-5-(pyridin-2-ylmethylene)-2-thiohydantoin and (5Z)-2-methylthio-3-phenyl-5-(pyridin-2-ylmethylene)-3,5-dihydro-4H-imidazol-4-one. 2004 , 53, 2656-2655	21
2210	Molecular and Supramolecular Structures of a Nickel(II)Copper(II)Nickel(II) Trinuclear Complex Containing a New Macrocyclic Oxamido Complex Ligand. 2004 , 15, 547-551	5
2209	One-dimensional Europium(III) Coordination Polymer Based on 3-Pyridylacrylic Acid. 2004 , 630, 2761-2764	5
2208	An aromatic anion receptor: anion- π interactions do exist. 2004 , 43, 5815-7	268
2207	An Aromatic Anion Receptor: Anion- π Interactions do Exist. 2004 , 116, 5939-5941	61

2206	Novel Supramolecular Frameworks Self-Assembled from One-Dimensional Polymeric Coordination Chains. 2004 , 2004, 185-191	204
2205	Synthesis, Structural Characterizations and Magnetic Properties of a Series of Mono-, Di- and Polynuclear Manganese Pyridinecarboxylate Compounds. 2004 , 2004, 1454-1464	62
2204	A Novel Pentacoordinated Dioxovanadium(V) Salicylaldiminate: Solvent Specific Crystallization of Dimorphs with Contrasting Coordination Geometries, Ligand Conformations and Supramolecular Architectures. 2004 , 2004, 1873-1878	15
2203	Synthesis, Structure and Photoluminescent Studies of a Novel Supramolecular [Ag(phen)(CN)] ₂ (phen) Complex. 2004 , 2004, 1024-1029	76
2202	Syntheses, Crystal Structures and Electrospray Mass Spectra of Coordination Polymers of an N,N'-Bis(3-pyridylmethyl)-1,4-benzenebis(methylamine) Ligand and Silver(I) Salts. 2004 , 2004, 1465-1473	44
2201	Pyrazolate-Based Dinucleating Ligands in L2M2 Scaffolds: Effects of Bulky Substituents and Coligands on Structures and M ^{III} -H ₂ O Interactions. 2004 , 2004, 1646-1660	21
2200	Self-Assembly of Novel Silver Polymers Based on Flexible Sulfonate Ligands. 2004 , 2004, 2144-2150	37
2199	New Types of Homochiral Helical Coordination Polymers Constructed by exo-Bidentate Binaphthol Derivatives. 2004 , 2004, 1595-1599	44
2198	Synthesis and Structure of 1-D Heterometallic Thiocyanato-Bridged CuII/GdIII Polymers with Ferromagnetic Properties. 2004 , 2004, 1808-1812	56
2197	Intermolecular Interactions between Chelate Rings and Phenyl Rings in Square-Planar Copper(II) Complexes. 2004 , 2004, 2215-2218	52
2196	Syntheses and Characterizations of Metal-Organic Frameworks with Unusual Topologies Derived from Flexible Dipyridyl Ligands. 2004 , 2004, 3751	12
2195	Phenylmalonate-Containing Copper(II) Complexes: Synthesis, Crystal Structure and Magnetic Properties. 2004 , 2004, 4081-4090	56
2194	Novel Cadmium(II) Adipate Coordination Polymers with Structural Transformation via Oxalate Ligand: Syntheses, Structures and Fluorescence Properties. 2004 , 2004, 4102-4107	84
2193	Intramolecular rearrangement for regioselective complexation by intramolecular CH/pi interaction in a hydrophobic cavity of a ruthenium coordination sphere. 2004 , 10, 6402-10	19
2192	Molecular structures and supramolecular architectures of two chromogenic 13-membered azobenzocrown ethers with a peripheral hydroxyl group in the benzene ring. 2004 , 699, 9-15	11
2191	Solvothermal synthesis and structures of lanthanide-organic sandwich coordination polymers with 4,4'-biphenyldicarboxylic acid. 2004 , 705, 21-27	26
2190	Crystal structure and magnetic properties of a helical ribbon polymer based on dimeric manganese(II) subunits. 2004 , 697, 181-184	24
2189	Hydrothermal synthesis, characterization and crystal structure of a three-dimensional (3D) ZnII supramolecular compound with ethylenediaminetetraacetic acid ligand and 4-(carboxylate)pyridinium guests. 2004 , 701, 119-124	8

2188	Structural and spectral studies of N-(3-hydroxypyridine-2-yl)-5-hydroxysalicylideneimine and its dimethyltin(IV) complex. 2004 , 705, 107-112	20
2187	X-ray and NMR study of the fate of the Co(1,10-phenanthroline-5,6-diketone) ₃ 3+ ion in aqueous solution: supramolecular motifs in the packing of 1,10-phenanthroline-5,6-diketone and 1,10-phenanthroline-5,6-diol complexes. 2004 , 357, 657-664	38
2186	Trinuclear Cu(II) complex with tetrazolyl-pyridine units as a bridging ligand: synthesis, characterization and X-ray structure. 2004 , 357, 505-512	29
2185	Synthesis and aggregation phenomena of multifunctional Schiff bases and Ni(II) complexes: an X-ray investigation. 2004 , 357, 495-504	18
2184	[Benzilato(2- η -O1,O2)]bis[1,3-diphenylpropane-1,3-dionato(1- η -O,O)]silicon(IV): a neutral heteroleptic hexacoordinate silicon(IV) complex with an SiO ₆ skeleton. 2004 , 357, 1955-1958	15
2183	Extended structures based on hydrogen bonding and π -interactions: synthesis and characterization of two zinc complexes: [Zn(dap)Cl ₂] and [Zn(dap) ₂ Cl ₂]. 2004 , 357, 1494-1498	9
2182	Weak intramolecular interactions in perchlorate salts of η^1 -[Co(R,R-picchxn)(R-aa)] ²⁺ [picchxn=N,N'-di(2-picoly)-1,2-diaminocyclohexane; aa=phenylalaninato(1- η) tyrosinato(1- η)] and their diastereoisomeric equilibration in solution. 2004 , 357, 2669-2676	5
2181	The structure of η^1 -[Co(R,R-picchxn)(S-tyr)]Br ₂ · 3.5H ₂ O and solution configuration of η^1 -[Co(R,R-picchxn)(aromatic S-aminoacidate)] ²⁺ complexes: model systems for the investigation of non-covalent aromatic interactions. 2004 , 357, 3251-3263	7
2180	Equilibrium and structural studies on Co(II), Ni(II), Cu(II) and Zn(II) complexes with N-(2-benzimidazolyl)methyliminodiacetic acid: crystal structures of Ni(II) and Cu(II) complexes. 2004 , 357, 3563-3573	14
2179	Supramolecular recognition: association of palladium molecular clefts with planar platinum complexes. 2004 , 357, 4544-4551	17
2178	Structural sources of chiral discrimination in diastereoisomeric Ru(II) complexes of aromatic aminoacids and diimines. 2004 , 357, 4614-4617	3
2177	Synthesis and crystal structure of a novel three-dimensional supramolecular network containing one-dimensional honeycomb-like channels. 2004 , 357, 4582-4586	5
2176	Syntheses and characterizations of six hydrogen-bonded silver(I) complexes from assembly of silver(I) nitrate and aminobenzoic acid. 2004 , 357, 103-114	44
2175	Nickel(II)-, cobalt(II)-, copper(II)-, and zinc(II)-phthalate and 1-methylimidazole coordination compounds: synthesis, crystal structures and magnetic properties. 2004 , 357, 3419-3429	79
2174	Neutral coordination frameworks with host-guest properties constructed by dicopper(II) units and 4,7-phenanthroline. 2004 , 23, 55-58	12
2173	Cobalt(III) complexes of 2-hydroxyacetophenone N(4)-phenyl semicarbazone containing heterocyclic coligands: syntheses, structure and spectral studies. 2004 , 23, 41-47	60
2172	Syntheses and solid state structures of europium and terbium complexes of N,N'-bis(2-pyridylmethyl)urea and N,N'-bis(3-pyridylmethyl)oxalamide. 2004 , 23, 711-717	10
2171	Two novel heterometallacrowns: syntheses and crystal structures of two copper(II) complexes with malonate and o-phthalate. 2004 , 23, 943-948	22

2170	Porous coordination networks generated from lanthanum trifluoromethanesulfonate and single/mixed N-oxide spacer linkers. 2004 , 23, 857-863	24
2169	Synthesis, X-ray crystal structures, physicochemical and magnetic studies on copper(II) N-(2-carboxyphenyl) iminodiacetate polymers. 2004 , 23, 1081-1088	13
2168	Solid state coordination chemistry of mononuclear mixed-ligand complexes of Ni(II), Cu(II) and Zn(II) with β -hydroxycarboxylic acids and imidazole. 2004 , 23, 1505-1518	67
2167	Intramolecular NH \cdots N and π -interactions in ternary cobalt(III) complexes of aromatic aminoacids: a structural and NMR study. 2004 , 23, 1749-1767	14
2166	Polymeric end-to-end bibridged cadmium(II)thiocyanates containing monodentate and bidentate N-donor organic blockers: supramolecular synthons based on π - π and/or C-H \cdots N interactions. 2004 , 23, 2045-2053	92
2165	Coordination polymers of lead(II) with 4,4'-bipyridine: syntheses and structures. 2004 , 23, 2427-2436	63
2164	Hydrogen bonding and π -stacking interactions in the zipper-like supramolecular structure of the monomeric cadmium(II) complex [Cd(pyterpy)(H ₂ O)(NO ₃) ₂] (pyterpy=4'-(4-pyridyl)-2,2':6',2''-terpyridine). 2004 , 7, 77-81	45
2163	{[CuI(bpo) ₂ (CH ₃ CN)]ClO ₄ \cdot CH ₃ CN \cdot (H ₂ O)1.5} _n : a novel three-dimensional open framework with large rectangular channels assembled from copper(I) perchlorate and 2,5-bis(4-pyridyl)-1,3,4-oxadiazole (bpo). 2004 , 7, 315-318	18
2162	π -interactions between a phenyl ring and four separate unclosed π -systems in the supramolecular structure of a new macrocyclic nickel(II) complex. 2004 , 7, 420-422	20
2161	Dehydrogenative coupling of 2,2'-bipyridine: hydrothermal synthesis and crystal structure of a novel polyoxovanadate decorated with the 2,2',6',2''-quaterpyridine ligand. 2004 , 7, 437-439	40
2160	A novel 3D coordination polymer containing pentacoordinate cobalt(II) dimers with antiferromagnetic ordering. 2004 , 7, 864-867	35
2159	The first hemidirected nine coordinate lead(II) complex, crystal and molecular structure of [Pb(BzImH) ₂ (H ₂ O) ₂ (NO ₃) ₂] \cdot (BzImH) ₂ py \cdot H ₂ O, (BzImH) ₂ py=2,6-Bis(2-benzimidazolyl)pyridine. 2004 , 7, 915-918	25
2158	Self-assembly of a hydrated chiral C ₂ -symmetric bisferrocenylimine via C-H \cdots N and N \cdots H interactions. 2004 , 7, 1045-1048	5
2157	{[Cu(bipy) _{2.5} (H ₂ O)](ClO ₄) ₂ \cdot (H ₂ O) \cdot (CH ₃ OH)1.5} _n (bipy=4,4'-bipyridine): organic template effect in formation of a novel bilayer coordination polymer with large chiral channels. 2004 , 7, 1056-1060	17
2156	A novel coordination polymer constructed from 1D neutral chains via inter-chain π -stacking and hydrogen bonding. 2004 , 7, 1095-1099	12
2155	2-D open frameworks and blue fluorescence of two new zinc coordination polymers with mixed ligands. 2004 , 7, 1145-1149	68
2154	A novel one-dimensional helical chain polymer involving both tetra- and hexacoordinate mercury(II) ions. 2004 , 7, 1184-1187	43
2153	One- or two-dimensional 2,3-naphtho crown ether complexes [Na(N15C5)] ₂ [M(SCN) ₄] and [K(N18C6)] ₂ [M(SCN) ₄] (M = Pd, Pt) constructed by pi-pi stacking interactions. 2004 , 2918-22	34

- 2152 Syntheses and structures of Ag(I)-containing coordination polymers and Co(II)-containing supramolecular complex based on novel fulvene ligands. **2004**, 43, 4727-39 118
- 2151 Early-late, mixed-metal compounds supported by amidophosphine ligands. **2004**, 1960-70 29
- 2150 Molecular, supramolecular and solution structures of peroxovanadium complexes with ON and O3N donor set ligands: two new types of cationic-anionic peroxovanadium(V) peroxovanadates(V). **2004**, 3313-20 24
- 2149 Molecular paneling of rac-1,1'-bi-2-naphthol/-ate (BINOL/BINOLAT): hydrogen-bonded assembly of [M(NH3)4 or 6]2+ complexes (M = Ni, Zn, Cd) in cavities of [[BINOLAT]2(BINOL)2]-strands. **2004**, 6, 293-297 14
- 2148 A critical look on the nature of the intra-molecular interligand π -stacking interaction in mixed-ligand copper(II) complexes of aromatic side-chain amino acidates and β , β' -diimines. **2004**, 6, 627-632 45
- 2147 Self host-guest network through molecular paneling of para-nitrophenolate: hydrogen-bonded assembly of three tris(5,5'-diamino-2,2'-bipyridine)iron complexes in the crystallographic asymmetric unit. **2004**, 6, 126-129 15
- 2146 Polymeric networks of copper(II) using succinate and aromatic N-N donor ligands: synthesis, crystal structure, magnetic behaviour and the effect of weak interactions on their crystal packing. **2004**, 1687-95 81
- 2145 A new lead(II) complex of 2,2'-bipyridine, acetate and thiocyanate ligands: synthesis, characterization and crystal structure of [Pb(bpy)(NCS)(CH3COO)]_n. **2004**, 57, 1233-1241 46
- 2144 Synthesis and Characterization of 1,3-Diphosphapropene and Alkali-Metal 1,3-Diphosphaallyl Complexes and Unexpected 1,3-Rearrangement of a Cesium 1,3-Diphosphaallyl Complex to a Cesium Secondary Phosphanide. **2004**, 23, 5550-5559 25
- 2143 Diels-Alder Reactions of Benzyne with Indenyl Iron Complexes. **2004**, 23, 6225-6230 18
- 2142 A New Polymorph of 4-Pyridinethione Containing a Helical Assembly Based on N-H...S Hydrogen Bonds. **2004**, 4, 1181-1184 35
- 2141 New 1- and 2-dimensional polymeric structures of cyanopyridine complexes of Ag(I) and Cu(I). **2004**, 43, 181-8 82
- 2140 Novel Solid-State Molecular Self-Assemblies of Manganese (II) Constructed with Flexible Ligands: Influences of π - π and C-H... π Interactions on Their Crystal Packing. **2004**, 4, 851-857 67
- 2139 Adsorption mechanism of substituted pyridines on silica suspensions: an NMR study. **2004**, 20, 10591-8 14
- 2138 Coordination polymers assembled from angular dipyriddy ligands and CuI, CdII, CoII salts: crystal structures and properties. **2004**, 43, 931-44 132
- 2137 Impact of variations in design of flexible bitopic bis(pyrazolyl)methane ligands and counterions on the structures of silver(I) complexes: dominance of cyclic dimeric architecture. **2004**, 43, 6609-19 85
- 2136 Conserved hydrogen-bonded supramolecular synthons in pyridinium tetrachlorometallates. **2004**, 6, 87-95 41
- 2135 Interwoven 2-D coordination network prepared from the molecular host tris(isonicotinoyl)cyclotriguaiacylene and silver(I) cobalt(III) bis(dicarbollide). **2004**, 43, 6872-4 51

2134	Synthesis of a pondaplin dimer and trimer. Aromatic interactions in novel macrocycles. 2004 , 69, 2526-31	15
2133	Phenyl-Perfluorophenyl Synthons Mediated Cocrystallization of Carboxylic Acids and Amides. 2004 , 4, 89-94	86
2132	Hydrogen-bond mediation of supramolecular aggregation in neutral bis-(C ₆ F ₅)Pt complexes with aromatic H-bond donating ligands. A synthetic and structural study. 2004 , 2733-40	22
2131	A chain of changes: influence of noncovalent interactions on the one-dimensional structures of nickel(II) dicarboxylate coordination polymers with chelating aromatic amine ligands. 2004 , 43, 5360-7	129
2130	Interweaving 3D network with double helical tubes filled by 1D coordination polymer chains. 2004 , 43, 6525-7	85
2129	One-dimensional oxalato-bridged Cu(II), Co(II), and Zn(II) complexes with purine and adenine as terminal ligands. 2004 , 43, 5761-70	106
2128	Designing neutral coordination networks using inorganic supramolecular synthons: Combination of coordination chemistry and C-H...Cl hydrogen bonding. 2004 , 6, 396-400	57
2127	Crystal-to-crystal transformations of a microporous metal-organic laminated framework triggered by guest exchange, dehydration and readsorption. 2004 , 2217-23	143
2126	Anion- π interactions in a carousel copper(II)-triazine complex. 2004 , 126, 4508-9	299
2125	Condensation reactions of monomeric hydroxo palladium complexes with active methyl and methylene compounds. 2004 , 3521-7	13
2124	Crystal Structure of [SiH ₂ Mes ₂] (Mes = 2,4,6-trimethylphenyl). 2005 , 21, X103-X104	5
2123	Concerted Contribution of Cu ^I Coordination and Hydrogen Bonds in N,N-Bis(2-hydroxybenzyl)alkylamine-Copper-Solvent System. 2005 , 34, 634-635	9
2122	Crystal Structure of [DMphen] ⁺ ClO ₄ ⁻ (DMphen = 2,9-dimethyl-1,10-phenanthroline). 2005 , 21, X21-X22	1
2121	Cadmium(II) and cobalt(II) complexes generated from benzimidazole-5-carboxylate: Self-assembly by hydrogen bonding and interactions. 2005 , 178, 2306-2312	47
2120	Tricarbonylmanganese(I) derivatives of [Di(pyrazolyl)(2-pyridyl)methyl]aryl scorpionates. 2005 , 690, 1901-1912	24
2119	Synthesis and crystal structure of a mixed-ligand compound di-n-butyl(4-chlorobenzoxy)(4-chlorobenzohydroxamato)tin(IV). 2005 , 690, 3997-4000	19
2118	Structure and thermal behaviors of organic crystals based on substituted 1,3,4-thiadiazoles. 2005 , 66, 1755-1760	10
2117	Synthesis, crystal structure and spectral analysis of crown ether platinum bis(dithiolate) complexes [Na(N15C5) ₂][Pt(mnt) ₂] and [Na(N15C5) ₂][Pt(i-mnt) ₂]. 2005 , 733, 181-186	28

2116	Molecular and crystal structures of N,N'-propylene- and N,N'-phenylene-diylbis [3-(1-aminoethyl)-6-methyl-2H-pyran-2,4(3H)-dione]. 2005 , 750, 135-141	10
2115	New β , β -dicarboxylate coordination polymers with 4,4'-bipyridine: Cu(bpy)(C ₅ H ₆ O ₄), Zn(bpy)(C ₅ H ₆ O ₄), Zn(bpy)(C ₆ H ₈ O ₄) and Mn(bpy)(C ₈ H ₁₂ O ₄) · H ₂ O. 2005 , 24, 397-406	39
2114	Polymethylene spacer regulated structural divergence in cadmium complexes: Unusual trigonal prismatic and severely distorted octahedral coordination. 2005 , 24, 593-599	86
2113	Podand hexamines and the synthesis of pendent-arm tetra-azamacrocycles. 2005 , 24, 968-975	10
2112	Coordination preferences of 3,3'-biisoxazolidines: A new kind of conformationally flexible chelating ligand. 2005 , 24, 1631-1640	2
2111	Two-dimensional hydrogen bonded sheet structures in nickel(II)- and zinc(II)-2,2'-dipyridylamine-azido complexes. 2005 , 24, 1837-1844	28
2110	Supramolecular architecture of cadmium(II)terephthalate complexes having a tridentate or tetradentate Schiff base as blocking coligand. 2005 , 24, 2963-2971	50
2109	Synthesis, structure and bonding of cadmium(II) thiocyanate systems featuring nitrogen based ligands of different denticity. 2005 , 358, 535-544	81
2108	Photoluminescent coordination polymers of d10 metals with 4,4'-dipyridylsulfide (dps). 2005 , 358, 595-605	63
2107	Syntheses and characterizations of four mixed-ligand hydrogen bonding supramolecular architectures with different structural motifs. 2005 , 358, 545-554	28
2106	Competitive forces in crystalline lattices of protonated isonicotinic acid in the presence of tetrachlorometallates. 2005 , 358, 1293-1297	6
2105	Sodium ions directed self-assembly with 3,5-pyridinedicarboxylate (3,5-pdc) and 4-pyridinecarboxylate (4-pc). 2005 , 358, 875-884	34
2104	Combining coordination chemistry with hydrogen bonds: perturbation of the structures by interaction of an organotin(IV) complex with O-donor solvent molecules. 2005 , 358, 1012-1018	4
2103	Group 8 and 10 metal acetylide naphthalimide dyads. 2005 , 358, 1673-1682	16
2102	Assembly of luminescent Ag(I) coordination architectures adjusted by modification of pyrimidine-based thioether ligands. 2005 , 358, 2005-2013	32
2101	Crystal packing driven by metal-ligand interactions, hydrogen bonds, π -stacking and anion- π stacking. 2005 , 358, 1975-1980	33
2100	Thiodiacetato-copper(II) chelates with or without N-heterocyclic donor ligands: molecular and/or crystal structures of [Cu(tda)] _n , [Cu(tda)(Him) ₂ (H ₂ O)] and [Cu(tda)(5Mphen)] · 2H ₂ O (Him = imidazole, 5Mphen = 5-methyl-1,10-phenanthroline). 2005 , 358, 1918-1926	21
2099	Co (II), Ni(II) and Cu(II) complexes with a new pendant armed macrocyclic ligand showing several π -interactions. 2005 , 358, 2618-2628	21

2098	Synthesis, structure and properties of a new layered gadolinium benzenedicarboxylate with piperazine. 2005 , 358, 4051-4056	4
2097	Crystal structures and catalytic activities of Zn(II) compounds containing btp ligands. 2005 , 358, 3659-3670	30
2096	Synthesis and characterization of novel Cu(II)Bipyridine complexes having functional groups and their application toward molecular recognition. 2005 , 358, 3592-3600	1
2095	Fluorous interactions in complexes of lead(II) hexafluoroacetylacetonate. 2005 , 358, 4099-4103	22
2094	Hydrothermal synthesis and characterization of a new inorganic-organic hybrid compound AMP[ZnCl ₃] (AMP = 2-aminomethylpyridinium). 2005 , 358, 4075-4080	9
2093	Synthesis, structure and fluorescence of two novel manganese(II) and zinc(II)-1,3,5-benzene tricarboxylate coordination polymers: Extended 3D supramolecular architectures stabilised by hydrogen bonding. 2005 , 358, 3855-3864	70
2092	Extended structures sustained by hydrogen bonding and π -interactions: Synthesis and characterization of Cd(II) complexes with bis(benzimidazolyl) ligands. 2005 , 358, 4527-4533	16
2091	Self-assembly of copper(II) complexes with a dibasic tridentate ligand and monodentate N-heterocycles: structural, magnetic and EPR studies. 2005 , 741, 183-192	24
2090	Synthesis, characterization and crystal structure of a novel coordination compound based on the mixed N- and O- donor ligands exhibiting the metal ion-bridged ligand-ligand interaction: [Zn(2,2'-bipy)(Phmal)(H ₂ O)] \cdot 2H ₂ O. 2005 , 779, 11-15	6
2089	Mechanism and kinetics of thermal decomposition of 5-benzylsulfanyl-2-amino-1,3,4-thiadiazole. 2005 , 428, 77-81	10
2088	New acyclic receptors containing pyridazine units. The influence of π -stacking on the selective transport of lipophilic phenethylamines. 2005 , 61, 11965-11975	5
2087	Uracils as potent antagonists of the human gonadotropin-releasing hormone receptor without atropisomers. 2005 , 15, 2519-22	18
2086	From discrete metallacycle, cage to infinite chain: tuning the coordination frameworks by variation of the metal center or ligand functionality. 2005 , 8, 1-5	18
2085	Synthesis, structural characterization and magnetic property of metal 2,5-pyridine dicarboxylate complex. 2005 , 8, 22-26	44
2084	A new ligand 4'-phenyl-4,2':6',4'-terpyridine and its 1D helical zinc(II) coordination polymer: syntheses, structures and photoluminescent properties. 2005 , 8, 190-193	62
2083	Two-dimensional coordination polymer involving eight-membered binuclear metallacycle nodes, [Zn(2-OAc)2Zn](Ebp _e) ₃]n(CLO ₄) _{2n} . 2005 , 8, 460-462	51
2082	[Ru(2,2'-bipy) ₃] ₂ [Bi ₄ I ₁₆]: A bimetallic inorganic-organic complex consisting of a d-metal coordination cation and a polynuclear iodobismuthate anion. 2005 , 8, 684-688	50
2081	Unusual perchlorate binding in heptacoordinated cadmium(II)thiocyanate containing a pentadentate Schiff base. 2005 , 8, 700-703	23

- 2080 [Pb₂(2,2'-bipy)₂(4,4'-bipy)(NO₃)₄]: A novel hemidirected dimeric mixed-ligands lead(II) complex extended in holodirected two-dimensional polymer by weak Pb⋯O nitrate interactions. **2005**, 8, 773-776 48
- 2079 Three-layer π -stacking in a dinuclear Cd(NO₃)₂ complex formed from a new four-armed thiopyridine ligand. **2005**, 8, 967-970 8
- 2078 Crystal structures and luminescent properties of the lanthanide picrate complexes with an amide-type tripodal ligand. **2005**, 8, 1018-1021 23
- 2077 3D supramolecular network constructed by intermolecular interactions in mixed ligand complex of zinc. **2005**, 8, 1090-1093 18
- 2076 A novel infinite 1D covalent chain of end-to-end thiocyanato bridged heptacoordinated cadmium(II) Schiff base: π -interaction and weak C-H⋯N hydrogen bonded supramolecule. **2005**, 8, 1137-1140 30
- 2075 Metal-organic molecular architectures with 2,2'-bipyridyl-like and carboxylate ligands. **2005**, 249, 545-565 900
- 2074 Counterintuitive affinity of [2.2]paracyclophane to cations. **2005**, 408, 59-64 11
- 2073 Synthesis and crystal structure of a new metal-organic coordination polymer [Fe(4,4'-bpy)₃(H₂O)₂](PF₆)₂·2(4,4'-bpy)·5 H₂O with nanosized channels clathrate large organic molecules. **2005**, 8, 1005-1010 8
- 2072 Coordination polymers formed in solution and in solvent-free environment. Structural transformation due to interstitial solvent removal revealed by X-ray powder diffraction. **2005**, 3274-6 22
- 2071 Coordination behavior toward copper(II) and zinc(II) ions of three ligands joining 3-hydroxy-2-pyridinone and polyaza fragments. **2005**, 44, 3249-60 20
- 2070 Supramolecular chemistry of halogens: complementary features of inorganic (M-X) and organic (C-X') halogens applied to M-X...X'-C halogen bond formation. **2005**, 127, 5979-89 341
- 2069 Structural investigation of model compounds for an acceptor component of a new type of charge-transfer complexes based on viologen analogues. Characteristic features of the molecular and supramolecular structures. **2005**, 50, 234-253 9
- 2068 Very-low temperature magnetic ordering and dimensionality of the square planar system cobalt(II) phenoxyacetate. **2005**, 7, 431-436 23
- 2067 Metal-organic frameworks based on iron oxide octahedral chains connected by benzenedicarboxylate dianions. **2005**, 7, 1096-1103 195
- 2066 Columnar Mesomorphism in Hexacatenar Tetrahedral (2,2'-Bipyridine)zinc Complexes and Homologous Palladium Derivatives. **2005**, 2005, 181-188 46
- 2065 A Novel Two-Dimensional Layer Structure Built from a Tetracobalt(II)-p-sulfonatothiacalix[4]arene Cluster Unit. **2005**, 2005, 1182-1187 22
- 2064 Syntheses, Structures and Magnetic Properties of Layered Metal(II) Mandelates. **2005**, 2005, 662-669 31
- 2063 Syntheses, Structures, and Magnetic Properties of Two 1D, Mixed-Ligand, Metal Coordination Polymers, [M(C₄O₄)(dpa)(OH₂)] (M = CoII, NiII, and ZnII; dpa = 2,2'-dipyridylamine) and [Cu(C₄O₄)(dpa)(H₂O)]₂·(H₂O). **2005**, 2005, 1334-1342 29

2062	Structural Studies of Rare Earth/Transition Metal Complex Ion Systems as a Basis for Understanding Their Thermal Decomposition to Mixed Oxides. 2005 , 2005, 1127-1141	41
2061	Intramolecular C-H...M (Metal Chelate Ring) Interactions as Structural Evidence for Metalloaromaticity in Bis(pyridine-2,6-diimine)RuII Complexes. 2005 , 2005, 1585-1588	61
2060	From Mono- and Dinuclear to Polynuclear Cobalt(II) and Cobalt(III) Coordination Compounds Based on o-Phthalic Acid and 2,2'-Bipyridine: Synthesis, Crystal Structures, and Properties. 2005 , 2005, 3118-3130	42
2059	Molecular Recognition: Use of Metal-Containing Molecular Clefts for Supramolecular Self-Assembly and Host-Guest Formation. 2005 , 2005, 2015-2025	58
2058	New Cadmium(II) and Iron(II) Coordination Frameworks Incorporating a Di(4-pyridyl)isoindoline Ligand. 2005 , 2005, 2470-2475	7
2057	Non-Covalent Aggregation of Discrete Metallo-Supramolecular Helicates into Higher Assemblies by Aromatic Pathways: Structural and Chemical Studies of New Aniline-Based Neutral Metal(II) Dihelicates. 2005 , 2005, 3479-3490	34
2056	Homo- and Heteroduplex Complexes Containing Terpyridine-Type Ligands and Zn ²⁺ . 2005 , 2005, 4255-4262	55
2055	Crystal Structure and Magnetic Behaviour of the New Gadolinium Complex Compound Gd ₂ (ClH ₂ CCOO) ₆ (bipy) ₂ . 2005 , 2005, 4486-4489	40
2054	A Novel One-Dimensional Coordination Polymer Involving Weak Hg ²⁺ Hg Interactions. 2005 , 88, 2267-2271	41
2053	Roles of Anions in Pyridinecarboxamide-copper(II) Supramolecular Networks. 2005 , 23, 1001-1006	3
2052	Synthesis, Crystal Structure and Characterization of [ZnL ₂ Cl ₂]·2H ₂ O (L=N ² -Benzoylpyridine-4-hydrazide). 2005 , 23, 1400-1402	3
2051	Supramolecular interactions as determining factors of the geometry of metallic building blocks: tetracarboxylate dimanganese species. 2005 , 44, 3429-32	26
2050	Molecular engineering for single-chain-magnet behavior in a one-dimensional dysprosium-nitronyl nitroxide compound. 2005 , 44, 5817-21	410
2049	Supramolecular Interactions as Determining Factors of the Geometry of Metallic Building Blocks: Tetracarboxylate Dimanganese Species. 2005 , 117, 3495-3498	3
2048	Molecular Engineering for Single-Chain-Magnet Behavior in a One-Dimensional Dysprosium-Nitronyl Nitroxide Compound. 2005 , 117, 5967-5971	55
2047	Chiral Crystal Structure of Racemic Binaphthyl Poly(ether ketone) Macrocycles. 2005 , 26, 554-557	6
2046	Metallophilicity versus pi-pi interactions: ligand-unsupported argentophilicity/cuprophilicity in oligomers-of-dimers [M ₂ L ₂] _n (M=CuI or AgI, L=tridentate ligand). 2005 , 11, 552-61	124
2045	Water-insoluble Ag-U-organic assemblies with photocatalytic activity. 2005 , 11, 2642-50	236

- 2044 Organostannoxane-supported multiferrocenyl assemblies: synthesis, novel supramolecular structures, and electrochemistry. **2005**, 11, 5437-48 75
- 2043 Guest-induced supramolecular isomerism in inclusion complexes of T-shaped host 4,4-bis(4'-hydroxyphenyl)cyclohexanone. **2005**, 11, 6727-42 85
- 2042 Radical and migratory insertion reaction mechanisms in Schiff base zirconium alkyls. **2005**, 690, 5125-5144 47
- 2041 Lead(II): misleading or merely hermaphroditic?. **2005**, 8, 157-168 54
- 2040 Adsorbent Selection by Functional Group Interaction Screening for Peptide Recovery. **2005**, 11, 881-886 4
- 2039 Synthesis and Crystal Structure of $[\text{Co}(\text{H}_2\text{O})_6](\text{C}_{19}\text{H}_{17}\text{O}_4\text{SO}_3)_2 \cdot 8\text{H}_2\text{O}$. **2005**, 16, 415-420 10
- 2038 Hydrogen Bonding and Aromatic π -Stacking in the Crystal Structures of Water-Soluble Daidzein Derivatives. **2005**, 16, 461-468 8
- 2037 One Novel Cu(II) Amino Acid Schiff Base Complex Derived from Salicylaldehyde and L-Serine: Identification of Unusual Monodentate 4,4'-Bipyridine. **2005**, 16, 611-616 31
- 2036 Two-dimensional crown ether complex. Synthesis and crystal structure of $[\text{Na}(\text{N}15\text{C}5)]_2[\text{Cu}(\text{mnt})_2]$. **2005**, 35, 345-350 6
- 2035 Synthesis and crystal structure of 7-ethoxyl-4'-hydroxyisoflavone. **2005**, 35, 89-95 5
- 2034 C(4) helices, Br \cdots Br interaction and R₂(10) ring in bromoipriflavone. **2005**, 35, 101-105 1
- 2033 Syntheses and crystal structures of two soybean isoflavone derivatives. **2005**, 35, 679-686 4
- 2032 Hydrogen bonds and π -stacking interaction in 4', 7-dimethoxyisoflavone and 4',7-diacetyl-O-isoflavone. **2005**, 35, 923-929 1
- 2031 Synthesis and crystal structure of $[\text{Zn}(\text{H}_2\text{O})_6]X_2 \cdot 8\text{H}_2\text{O}$ (X = 4',7-dimethoxyisoflavone-3'-sulfonate). **2005**, 35, 989-994 2
- 2030 Nickel(II) complexes with N,N,O-donor Schiff bases. Self-assembly to two-dimensional network via hydrogen bonding. **2005**, 35, 737-744 11
- 2029 Dimeric ensembles in the crystal structures of mixed-ligand coordination compounds $\text{ML}(\text{i-Bu}_2\text{PS}_2)_2$ (M = Zn, Cd, Mn, Co, Ni; L = Phen, 2,2'-Bipy). **2005**, 46, 699-707
- 2028 Synthesis and crystal and molecular structure of mixed-ligand complexes $\text{Cd}(2,2'\text{-Bipy})(\text{i-PrOCS}_2)_2$ and $(2,2'\text{-Bipy})(\text{i-BuOCS}_2)_2$. **2005**, 46, 1023-1030 7
- 2027 Crystal structure of tris(1,10-phenanthroline) iron(II) dinitrate dihydrate. **2005**, 46, 1095-1098 7

- 2026 Weak Intermolecular Interactions in the (1:1) Pyridine Solvate of Dibenzotetraaza[14]annulene Copper(II) Complex. The Crystal Structure of [7,16-dibenzoyl-6,8,15,17-tetramethyl-5,14-dihydrodibenzo[b,i][1,4,8,11][tetraazacyclotetradecinato(2-)-k 4N]copper(II)pyridine. **2005**, 52, 261-266 4
- 2025 Synthesis and Crystal Structures of Group 10 Metal Bis(dithiolate) Complexes Constructed by 2,3-Naphtho-15-Crown-5 or 2,3-Naphtho-18-Crown-6. **2005**, 53, 111-119 11
- 2024 Synthesis and structures of azine-based crown-containing hetarylphenylethenes. **2005**, 54, 1700-1709 5
- 2023 The Structure of cis-[Chloro(dimethylsulfoxide)bis(1, 10-phenanthroline)ruthenium(II)]-tetraphenylborate, [RuCl(DMSO)(1, 10-phen)2][BPh4]. **2005**, 631, 17-18 1
- 2022 Hydrothermal Syntheses and Structural Studies of Lanthanide Coordination Polymers Involving In-Situ Decarboxylation and their Luminescence Properties. **2005**, 631, 937-942 50
- 2021 [Pb2(AMP)2(X)2X2], X = Br and I; AMP = 2-aminomethylpyridine, Two New Dimeric Lead(II) Complexes Extended in One-dimensional Helical Chain Polymers by Noncovalent π -Stacking. **2005**, 631, 943-946 4
- 2020 [Hg2(EBpe)(EOAc)2(SCN)2]n, a New Two-Dimensional Coordination Polymer Involving Three Simultaneously Bridging Ligands: 1,2-Bis(4-pyridyl)ethene, Acetate, and Thiocyanate. **2005**, 631, 1577-1579 15
- 2019 Coordination Polymers of Iron(III) and (II) with 4,4'-Bipyridine: Hydrothermal Syntheses, Structures, Absorption and Mössbauer Studies Showing Spin Crossover for the Iron(III) Polymer. **2005**, 631, 2705-2714 36
- 2018 Mononuclear Metal Phosphinates with Ancillary Pyrazole Ligands. Synthesis and X-ray Crystal Structures of [M(Ph2PO2)2(3,5-DMPZ)2] (M = Co, Zn). **2005**, 631, 2727-2732 7
- 2017 Hydrothermal Synthesis, Structure, and Magnetic Properties of a Three-dimensional Polymeric NiII Complex, [Ni(bpp)(NIP)(H2O)]n (bpp = 1,3-di(4-pyridyl)propane, NIP = 5-nitroisophthalate). **2005**, 631, 2976-2978 19
- 2016 Synthesis and Crystal Structure of a [Mo8O26]4- Cluster Derivative with 4-MePyH+. First μ -Octamolybdate Derivative with π -Stacking. **2005**, 631, 1995-1999 7
- 2015 Variability in the Coordination Modes of 2-Pyridineformamide Thiosemicarbazone (HAM4DH) in some Zinc(II), Cadmium(II), and Mercury(II) Complexes. **2005**, 631, 2011-2019 22
- 2014 Electrochemical Synthesis and Characterization of Nickel(II) Complexes with N-2-Pyridyl-sulfonamide Ligands. **2005**, 631, 2101-2106 3
- 2013 Supramolecular assemblies of crown-containing 4-styrylpyridine in the presence of metal cations. **2005**, 18, 1032-1041 16
- 2012 New mixed-anion 2-aminomethylpyridine (AMP) lead(II) complexes, Pb(AMP) n (ClO4)X, (X=CH3COO and n=1 or X= and n=2); crystal and molecular structure of [Pb(AMP)2](ClO4)(NO3). **2005**, 58, 1233-1239 6
- 2011 Structural Diversity in One-dimensional Coordination Polymers of a Flexible Multimodal Ligand. **2005**, 17, 557-565 3
- 2010 Novel crystal engineering in the crown ether nickel maleonitriledithiolate complexes, synthesis and crystal structures of [Na(N15C5)2]2[Ni(mnt)2] and [Na(N15C5)]2[Ni(mnt)2]. **2005**, 58, 1597-1605 2
- 2009 Metal-Organic Coordination Networks of Ferric Wheels, their Surface-supported Supramolecular Architectures and STM/STS Imaging. **2005**, 17, 315-321 28

- 2008 Three pimelato-bridged Cu(II) phenanthroline complexes: [Cu₂(phen)₂(H₂O)₂L₂]₄H₂O, μ - and μ -[Cu₂(phen)₂L₂]₄H₂O, H₂L = HOOC(CH₂)₅COOH. **2005**, 58, 1199-1208 2
- 2007 Synthesis, complexation, and photochemistry of benzobisthiazole-based bis(crown ether). **2005**, 54, 2119-2128; 3
- 2006 Biological coordination chemistry, a confluence of chemistry and biochemistry. **2005**, 8, 199-210 1
- 2005 Ligand-controlled mixed-valence copper rectangular grid-type coordination polymers based on pyridylterpyridine. **2005**, 44, 7825-32 110
- 2004 Syntheses, Structural Characterization, and First Electroluminescent Properties of Mono-cyclometalated Platinum(II) Complexes with Greater than Classical π -Stacking and Pt-Pt Distances **2005**, 24, 619-627 97
- 2003 Hydrogen-bonding, π -stacking and Cl⁻anion- π interactions of linear bipyridinium cations with phosphate, chloride and [CoCl₄]²⁻anions. **2005**, 7, 633 161
- 2002 Crystal structure, magnetic properties, and ⁵⁷Fe Mössbauer spectroscopy of the two-dimensional coordination polymers [M(1,2-bis(1,2,4-triazol-4-yl)ethane)₂(NCS)₂] (MII = Fe, Co). **2005**, 44, 9723-30 76
- 2001 Stereospecific Intramolecular S⁻Pt Transmethylation from 8-(Methylthio)quinoline to Coordinated PtMe₂: Formation of syn-[fac-PtIVMe₃(π -quinolinethiolato)]₂ with Stacked Quinoline Rings. **2005**, 24, 794-796 2
- 2000 Unusual coordination features and self-assembly of a crown ether complex [Na₂(2,3-naphtho-15-crown-5)₂(NO₃)][Cu(NO₃)₃(H₂O)]. **2005**, 58, 1127-1132 5
- 1999 Self-assembly of copper(ii) complexes with ladder, bi-rack, rack--ladder--rack and layer structures by the directional-bonding approach using a T-shaped ligand. **2005**, 2899-907 50
- 1998 New double-layered open metal-organic frameworks with nanosized channels encapsulated removable 2,5-bis(4-pyridyl)-1,3,4-thiadiazole molecules. **2005**, 7, 96-101 22
- 1997 Synthesis of mono- and geminal dimetalated carbanions of bis(phenylsulfonyl)methane using alkali metal bases and structural comparisons with lithiated bis(phenylsulfonyl)imides. **2005**, 2084-91 16
- 1996 Chiral S-1,1'-bi-2-naphthol (S-BINOL) as a synthon for supramolecular hydrogen-bonded {(S-BINOLAT)_n[(S-BINOL)_n]-strands with naphthyl-paneled cavities or channels for a Cd(NH₃)₄-fragment (n = 2) or [Ag(NH₃)₂]⁺ (n = 1). Part 2. **2005**, 7, 309 27
- 1995 Substituent effects on the structure and supramolecular assembly of bis(dioxaborole)s. **2005**, 5166-8 21
- 1994 Synthesis, crystal structure and magnetic behavior of a croconato bridged Cu(II) complex: effect of C-H \cdots O interaction in controlling the coordination bond formation in organic-organic hybrid. **2005**, 7, 616 41
- 1993 Syntheses and crystal structures of the copper(I) complexes with quinoline-based monothioether ligands. **2005**, 7, 249 65
- 1992 Synthesis, structures, and photoluminescent properties of two ligand unsupported silver(I) coordination polymers from isonicotinate anions. **2005**, 29, 474 30
- 1991 Functionalized Organotellurium Halides: Synthesis, Characterization, and Observation of Intra- and Intermolecular Secondary Bonding. **2005**, 180, 1057-1062 0

1990	Templated metal-organic frameworks: synthesis, structures, thermal properties and solid-state transformation of two novel calcium-adipate frameworks. 2005 , 2111-5	37
1989	A supramolecular assembly of side-by-side polyimidazole tripod coils stabilized by pi-pi stacking and unique boric acid templated hydrogen bonding interactions. 2005 , 2223-5	25
1988	Anion-directed assembly of supramolecular zinc(II) halides with N,N'-bis-4-methyl-pyridyl oxalamide. 2005 , 29, 1254	34
1987	Cuprophilic and pi-stacking interactions in the formation of supramolecular stacks from dicoordinate organocopper complexes. 2005 , 1708-10	72
1986	Ligand-controlled dimensionality: 1D, 2D and 3D Gd(III) coordination polymers based on SO ₄ ²⁻ and pyridine carboxylate N-oxide ligands. 2005 , 7, 143	53
1985	Homochiral 1D-helical metal-organic frameworks from achiral components. Formation of chiral channel via C-H...Cl interaction. 2005 , 7, 337	67
1984	From model compounds to protein binding: syntheses, characterizations and fluorescence studies of [RuII(bipy)(terpy)L] ²⁺ complexes (bipy = 2,2'-bipyridine; terpy = 2,2':6',2''-terpyridine; L = imidazole, pyrazole and derivatives, cytochrome c). 2005 , 256-67	136
1983	Interplay of hydrogen bonding and aromatic ring interactions in supramolecular complexes of phenazine with N,N'-bis(2-pyridyl)aryldiamines. 2005 , 7, 433	7
1982	Synthesis, structure, and stereochemistry of trinuclear metal complexes formed from the phosphorus-based achiral tripodal ligand {P(S)[N(Me)N=CHC ₆ H ₄ -o-OH] ₃ } (LH ₃): luminescent properties of L ₂ Cd ₃ x 2H ₂ O. 2005 , 44, 4608-15	29
1981	Effect of the Size of Aromatic Chelate Ligands on the Frameworks of Metal Dicarboxylate Polymers: From Helical Chains to 2-D Networks. 2005 , 5, 695-700	145
1980	X-ray study of two new cadmium acetato complexes. 2005 , 58, 243-253	16
1979	Novel eta ¹ -N,eta ² -C,C-binding mode between pyridinyl-functionalized cyclopentadienyl ligands and iridium. 2005 , 44, 6244-7	8
1978	Increasing Structural Dimensionality in Ag(I) Coordination Polymers Formed from the Same Flexible Multimodal Thioether Pyrazine Ligand. 2005 , 5, 1255-1261	40
1977	Polymeric Frameworks Constructed from a Metal-Organic Coordination Compound, in 1-D and 2-D Systems: Synthesis, Crystal Structures, and Fluorescent Properties. 2005 , 5, 341-346	118
1976	Self-assembly of tetrathiafulvalene derivatives at a liquid/solid interface—compositional and constitutional influence on supramolecular ordering. 2005 , 15, 4601	58
1975	Synthesis, electronic properties, and electrochemiluminescence of donor-substituted phenylethynylanthonitriles. 2005 , 70, 4460-9	55
1974	Synthesis and crystallographic characterization of low-dimensional and porous coordination compounds capable of supramolecular aromatic interaction using the 4,4'-azobis(pyridine) ligand. 2005 , 44, 3960-71	48
1973	Coordination polymers from silver(I) and bifunctional pyridyl ligands. 2005 , 44, 2647-53	80

- 1972 Geometrical and electronic structures of dinuclear complex ions $\{(\mu\text{-bpym})[\text{Cu}(\text{EAr}_3)_2]_2\}^{2+}$ with intramolecular "organic sandwich" formation (E = P or As; Ar = Aryl; bpym = 2,2'-bipyrimidine). **2005**, 44, 4637-43 22
- 1971 Polymorphism in $\text{Fe}[(p\text{-IC}_6\text{H}_4)\text{B}(3\text{-Mepz})_3]_2$ (pz = pyrazolyl): impact of supramolecular structure on an iron(II) electronic spin-state crossover. **2005**, 44, 1852-66 88
- 1970 Assembly of polymeric silver(I) complexes of isomeric phenylenediethynides with the supramolecular synthons Ag_n subset C₂-R-C₂ superset Ag_n (R = p-, m-, o-C₆H₄; n = 4, 5). **2005**, 127, 14966-7 65
- 1969 Computer Simulation of Crystal Structure for Three Furazan Derivatives. **2005**, 5, 631-641 4
- 1968 Synthesis and structures of 5-(pyridyl)tetrazole complexes of Mn(II). **2005**, 2388-94 83
- 1967 Synthesis, crystal structures, and magnetism of cobalt coordination polymers based on dicyanamide and pyrazine-dioxide derivatives. **2005**, 44, 2169-76 108
- 1966 Synthesis, Structure, and Redox Chemistry of Ethenyl and Ethynyl Ferrocene Polyaromatic Dyads. **2005**, 24, 2051-2060 75
- 1965 Synthesis and spectroscopy of an oligophenyl based cruciform with remarkable pi-pi assisted folding. **2005**, 3, 3213-9 31
- 1964 Effect of intramolecular pi-pi and CH-pi interactions between ligands on structure, electrochemical and spectroscopic properties of fac-[Re(bpy)(CO)₃(PR₃)]⁺ (bpy = 2,2'-bipyridine; PR₃ = trialkyl or triarylphosphines). **2005**, 385-95 73
- 1963 Directional control of pi-stacked building blocks for crystal engineering: the 1,8-naphthalimide synthon. **2005**, 4068-70 50
- 1962 Bitopic Phenylene-Linked Bis(pyrazolyl)methane Ligands: Preparation and Supramolecular Structures of Hetero- and Homobimetallic Complexes Incorporating Organoplatinum(II) and Tricarbonylrhenium(I) Centers. **2005**, 24, 1544-1555 54
- 1961 Making crystals from crystals: a green route to crystal engineering and polymorphism. **2005**, 3635-45 181
- 1960 The tailoring of crystal structures via the self-assembly of organic coordination compounds by N-H... non-covalent halogen bonds: co-crystals of sterically hindered N-heterocycles and 1,4-diiodo-tetrafluorobenzene. **2005**, 7, 302-308 57
- 1959 Multitopic third generation tris(pyrazolyl)methane ligands built on alkyne structural scaffolding: first preparation of mixed tris(pyrazolyl)methane/tris(pyrazolyl)borate ligands. **2005**, 29, 1035 32
- 1958 One-dimensional fluorescent stacking structure based on zinc mixed-complex salt encapsulated within an ice-like three-dimensional hydrogen-bonded water network. **2005**, 7, 294-296 88
- 1957 Polymeric networks of copper(II) phenylmalonate with heteroaromatic n-donor ligands: synthesis, crystal structure, and magnetic properties. **2005**, 44, 7794-801 49
- 1956 Syntheses, Structures, and Photoluminescent Properties of Three Silver(I) Coordination Polymers with 2-(4-Pyridyl)benzimidazole. **2005**, 5, 1569-1574 77
- 1955 Dimeric rhenium(I) thiosemicarbazone complexes: formation, crystal structures, and the role of N-H... and C-H...O interactions. **2005**, 7, 113-120 22

1954	Crystal structures and spectroscopic properties of polycyano-polycadmate host clathrates including a CT complex guest of methylviologen dication and aromatic donor. 2005 , 3056-64	36
1953	Chromophore containing bipyridyl ligands. Part 1: supramolecular solid-state structure of Ag(I) complexes. 2005 , 29, 826	103
1952	Metallamacrocyclic complexes of Ni(II) with 3,3,3',3'-tetraalkyl-1,1'-aroylbis(thioureas): crystal and molecular structures of a 2 : 2 metallamacrocycle and a pyridine adduct of the analogous 3 : 3 complex. 2005 , 7, 161-166	41
1951	Coordination polymers based on inorganic lanthanide(III) sulfate skeletons and an organic isonicotinate N-oxide connector: segregation into three structural types by the lanthanide contraction effect. 2005 , 44, 862-74	166
1950	Structure and binding energy of anion- π and cation- π complexes: a comparison of MP2, RI-MP2, DFT, and DF-DFT methods. 2005 , 109, 4632-7	179
1949	Synthesis, characterization, and photoluminescence of isostructural Mn, Co, and Zn MOFs having a diamondoid structure with large tetrahedral cages and high thermal stability. 2005 , 2663-5	153
1948	Anion- and solvent-directed assembly in silver bis(thioimidazolyl)methane chemistry and the silver-sulfur interaction. 2006 , 45, 2132-42	65
1947	A unique example of a high symmetry three- and four-connected hydrogen bonded 3D-network. 2006 , 1082-4	40
1946	Synthesis and structure of a novel one-dimensional vanadate constructed from tetravanadate clusters linked via copper-organic complex moieties: $[\{\text{Cu}(\text{phen})(\text{H}_2\text{O})\}_2\text{V}_4\text{O}_{12}]$. 2006 , 59, 827-835	4
1945	$\text{MX}_2\text{X}'$ Halogen-Bonded Network Formation in $\text{MX}_2(4\text{-halopyridine})_2$ Complexes (M = Pd, Pt; X = Cl, I; X' = Cl, Br, I). 2006 , 6, 1374-1379	63
1944	Syntheses, crystal structures, and properties of complexes constructed with polybenzoate and 2,2'-bibenzimidazole. 2006 , 8, 281	46
1943	From Helical Array to Porous Architecture: Exploring the Use of Side Chains of Amino Acids to Engineer 1D Infinite Coordination Polymeric Chain into Porous Frameworks. 2006 , 6, 989-993	33
1942	Cobaloximes with Mixed Dioximes of Glyoxime and Diphenylglyoxime: Synthesis, Characterization, CV, X-ray Studies, and Crystal Packing. 2006 , 25, 706-714	29
1941	A Series of Inorganic-Organic Hybrid Composite Solids Based on Molybdenum Oxide Chains. 2006 , 6, 2076-2085	69
1940	Synthesis and Structural Characterization of a Series of Novel Polyaromatic Ligands Containing Pyrene and Related Biscyclometalated Iridium(III) Complexes 2006 , 25, 1461-1471	23
1939	$\{\text{Ag}(\text{isonicotinamide})_2\text{NO}_3\}_2$ is Stable Form of Silver Nitrate. 2006 , 59, 22	54
1938	Hydrogen bonding in triamine copper(II) P,P'-Diphenylmethylenediphosphinate (pcp ²⁻) hybrids. Syntheses and crystal structures of $[\text{Cu}(\text{pcp})(2,2'\text{-dipyridylamine})(\text{H}_2\text{O})] \cdot 2\text{H}_2\text{O}$ and $[\text{Cu}(\text{pcp})(2,2' : 6',2''\text{-terpyridine})] \cdot 4\text{H}_2\text{O}$. 2006 , 59, 1433-1442	8
1937	Organogold(I) macrocycles and [2]catenanes containing pyridyl and bipyridyl substituents ? Organometallic catenanes as ligands. 2006 , 84, 111-123	23

1936	Aromatic interactions in hydrotris(3-methylindazolyl)borate organoniobium complexes: control of an alkyne ligand orientation in the crystal. 2006 , 30, 679	2
1935	Syntheses and structural analyses of variable-stoichiometric Au-Pt-Ni carbonyl/phosphine clusters, Pt ₃ (Pt(1-x)Ni(x))(AuPPh ₃) ₂ (μ ₂ -CO) ₄ (CO)(PPh ₃) ₃ and Pt ₂ (Pt(2-y)Ni(y))(AuPPh ₃) ₂ (μ ₂ -CO) ₄ (CO) ₂ (PPh ₃) ₂ , with ligation-induced site-specific Pt/Ni substitutional disorder within butterfly-based Pt ₃ (Pt(1-x)Ni(x))Au ₂ and Pt ₂ (Pt(2-y)Ni(y))Au ₂	5
1934	Supramolecular architectures of neutral and cationic complexes of transition metals with lactate and 1,10-phenanthroline. 2006 , 8, 167	21
1933	Synthesis, a case of isostructural packing, and antimicrobial activity of silver(I)quinoxaline nitrate, silver(I)(2,5-dimethylpyrazine) nitrate and two related silver aminopyridine compounds. 2006 , 2542-50	76
1932	Experimental and computational evidence of the intermolecular motifs in the crystal packing of luminescent pentacoordinated gallium(III) complexes. 2006 , 5124-34	12
1931	Hydrophilic interior between hydrophobic regions in inverse bilayer structures of cationic 1,1'-binaphthalene-2,2'-diyl phosphate salts. 2006 , 30, 156-167	55
1930	Can a single C-H...F hydrogen bond make a difference? Assessing the H...F bond strength from 2-D 1H-19F CP/MAS NMR. 2006 , 8, 662-665	68
1929	ZnII and HgII complexes of 2,2'-diamino-4,4'-bis(1,3-thiazole) (DABTZ), spectroscopic, thermal and structural studies. 2006 , 59, 2039-2045	6
1928	Guest-Induced Molecular Capsule Assembly of p-Sulfonatothiacalix[4]arene. 2006 , 6, 514-518	33
1927	Intermolecular interactions of extended aromatic ligands: the synchrotron molecular structures of [Ru(bpy) ₂ (N-HSB)].2PF ₆ and [Ru(bpy) ₂ (N-(1/2)HSB)].2PF ₆ . 2006 , 3090-2	17
1926	Aggregation tendency and reactivity toward AgX of cationic half-sandwich ruthenium(II) complexes bearing neutral N,O-ligands. 2006 , 1963-71	35
1925	Syntheses, Structures, and Photoluminescence of Three Novel Coordination Polymers Constructed from Dimeric d ¹⁰ Metal Units. 2006 , 6, 2036-2040	108
1924	Coordination and hydrogen bonded network structures of Cu(II) with mixed ligands: a hybrid hydrogen bonded material, an infinite sandwich arrangement, and a 3-D net. 2006 , 3407-17	39
1923	(4,4'-Bipyridine)mercury(II) Coordination Polymers, Syntheses, and Structures. 2006 , 89, 81-93	57
1922	Solvated Square-Planar Ternary Copper(II) Complexes: Solvent-Dependent Zipper and Columnar Structures. 2006 , 6, 2103-2108	20
1921	Metal-organic frameworks from homometallic chains of nickel(II) and 1,4-cyclohexanedicarboxylate connectors: ferrimagnet-ferromagnet transformation. 2006 , 45, 1627-37	117
1920	Conformational Aspects and Interaction Studies of Heterocyclic Drugs. 81-147	9
1919	Pyridinium CH...anion and pi-stacking interactions in modular tripodal anion binding hosts: ATP binding and solid-state chiral induction. 2006 , 4, 781-6	54

1918	Ampicillin acidity and formation constants with some metals and their thermodynamic parameters in different media. Crystal structures of two polymorphs isolated from the reaction of ampicillin with copper(II). 2006 , 59, 65-84	20
1917	On the coordination behaviour of NO ₃ ⁻ in coordination compounds with Ag ⁺ . 2006 , 8, 403	37
1916	Crystallographic evidence of theoretically novel anion–anion interactions. 2006 , 30, 1561-1566	55
1915	Metal-Controlled Assembly of Coordination Polymers with the Flexible Ligand 1,1'-Biphenyl-2,2'-dicarboxylate Acid. 2006 , 6, 2029-2035	114
1914	Mercury(II) and Lead(II) complexes with 2,2'-Bis(4,5-dimethylimidazole) ligands: Syntheses, characterization and crystal structures of [M(DmImH)(SCN) ₂], (M = Hg ²⁺ and Pb ²⁺). 2006 , 59, 1015-1024	12
1913	Nature of π-Interactions in Nitrogen-Containing Heterocyclic Systems: A Structural Database Analysis. 2006 , 6, 736-742	106
1912	Intermolecular interaction between hexafluorobenzene and benzene: Ab initio calculations including CCSD(T) level electron correlation correction. 2006 , 110, 2027-33	120
1911	Controlling the Addition of Metal Centers to a Bis(pyrazolyl)methane Starburst Ligand: Direct Routes to Mono-, Bi-, and Trimetallic Rhenium(I) Complexes. 2006 , 25, 743-755	37
1910	Syntheses and structural characterizations of 24-membered dimetal (Mn, Ni, Fe) macrocyclic complexes and the C-S bond formation between acetylacetonate and a mercapto N-heterocycle. 2006 , 4047-55	11
1909	Cyclocarbophosphazene-containing tetrameric assemblies formed by the mediation of P-O-P and P-O-Cu linkages. 2006 , 128, 6802-3	15
1908	Syntheses, Structure, and Properties of the Metal Complexes with 3-(2-Pyridyl)pyrazole-Based Ligands: Tuning the Complex Structures by Ligand Modifications. 2006 , 6, 99-108	43
1907	Hydrogen-Bonded 3-D Network Structures of Lanthanide Aquo Ions and 4,4'-Bipyridine with Carbaborane Anions. 2006 , 6, 726-735	33
1906	Syntheses, Crystal Structures, and Photoluminescent Properties of a Series of M(II) Coordination Polymers Containing M–M Bridges: From 1-D Chains to 2-D Networks. 2006 , 6, 1341-1350	115
1905	Influence of Aromatic Substituents on the Supramolecular Architectures of Monoorganooxotin Drums. 2006 , 6, 267-273	31
1904	Novel lanthanide complexes of 5-nitroisophthalic acid containing two kinds of π-stacking interactions. 2006 , 59, 2135-2142	8
1903	Supramolecular assembly of gold(I) complexes of diphosphines and N,N'-bis-4-methylpyridyl oxalamide. 2006 , 45, 591-8	39
1902	Supramolecular Self-Assembly of Zigzag Coordination Polymer Chains: A Fascinating Three-Dimensional Polycatenated Network Featuring an Uneven Density of Catenations and a Three-Dimensional Porous Network. 2006 , 6, 2061-2065	64
1901	2D and 3D supramolecular structures via hydrogen bonds and π-stacking interactions in arylsulfonates of nickel and cobalt. 2006 , 45, 9680-7	49

- 1900 A new family of ruthenium(II) polypyridine complexes bearing 5-aryltetrazolate ligands as systems for electrochemiluminescent devices. **2006**, 45, 695-709 75
- 1899 Assembly of heterometallic clusters and coordination polymers by combining Mo-S-based clusters with Mn²⁺. **2006**, 45, 4284-302 17
- 1898 Square-Planar Silver(I)-Containing Polymers Formed from Stacked Entities. **2006**, 6, 833-835 20
- 1897 Helices versus zigzag chains: one-dimensional coordination polymers of Ag(I) and Bis(4-pyridyl)amine. **2006**, 45, 7651-64 54
- 1896 Combined effects of diamines and carboxylate bridges on structural and magnetic properties of a series of polynuclear copper(II) complexes with 1,1-cyclobutanedicarboxylic acid. **2006**, 45, 8144-55 64
- 1895 Increasing structure dimensionality of copper(I) complexes by varying the flexible thioether ligand geometry and counteranions. **2006**, 45, 4035-46 124
- 1894 Polymorphism in an Ionic Pair 2-Aminopyridyl-Cu(II) Complex: Role of N-H...Cl Hydrogen Bonds and π - π Interactions in Tuning the Columnar Packing. **2006**, 6, 229-234 21
- 1893 Synthesis of Oxo- and Sulfido-Bridged Germanium-Ruthenium Complexes and Reactions on the Chalcogenido Bridges. **2006**, 25, 4835-4845 28
- 1892 Hydrothermal Synthesis and Structural Characterization of Novel Zn-Triazole-Benzenedicarboxylate Frameworks. **2006**, 18, 525-531 93
- 1891 Silver(I) N-Heterocyclic Carbenes with Long N-Alkyl Chains. **2006**, 25, 3768-3775 115
- 1890 Analysis of weak interactions in the crystal packing of inorganic metalorganic hybrids based on Keggin polyoxometalates and dinuclear copper(II)-acetate complexes. **2006**, 45, 108-18 77
- 1889 A family of rare-earth-based single chain magnets: playing with anisotropy. **2006**, 128, 7947-56 474
- 1888 Synthesis and structural characterization of the sodium salt of a new sulfonate-containing water soluble N-donor ligand--self-assembly in the solid state by pi-pi stacking interactions. **2006**, 11, 163-8 2
- 1887 Crystal Structure of 2-Guanidinobenzimidazolium Perchlorate, [GBH](ClO₄). **2006**, 22, X199-X200
- 1886 Synthesis and Properties of Oligo-/Polymers Based on a Flexible Swivel-Cruciform Structure. **2006**, 239, 21-29 5
- 1885 Synthese, Kristallstruktur und magnetisches Verhalten von [Gd₂(ClF₂CCOO)₆(H₂O)₂(bipy)₂]₂·2C₂H₅OH. **2006**, 632, 1768-1770 7
- 1884 Thermal and Structural Studies of a 1D Zinc(II) Coordination Polymer [Zn(4,4'-bipy)(H₂O)₄]_n(Cl₃COO)_{2n}(4,4'-bipy)_{2n} (4,4'-bipy = 4,4'-bipyridine), with Shorted Cl...Cl Interactions. **2006**, 632, 1419-1421 14
- 1883 Syntheses and Crystal Structures of Copper(II) and Copper(I) dpp Complexes, [Cu(dpp)Br₂] and [Cu(dpp)₂][CuBr₂] (dpp = 2,9-diphenyl-1,10-phenanthroline). **2006**, 632, 684-688 7

1882	Synthesis, Crystal Structure and Magnetic Behaviour of Gd(ClF ₂ CCOO) ₃ (H ₂ O)(bipy). 2006 , 632, 1966-1968	3
1881	A Novel 1D Coordination Polymer [Pb(phen)(EN ₃)(ENO ₃)] _n with the First Pb ₂ -(EN ₃) ₂ Unit (phen = 1,10-phenanthroline). 2006 , 632, 2380-2382	21
1880	Synthesis and Characterization of [Zn ₂ (4,4'-bipy) _n (AcO) ₄] [One-dimensional Chain (n = 1) and One-dimensional Double-Chain (n = 2) Coordination Polymers. 2006 , 632, 2491-2494	8
1879	Synthesis, structure and magnetic property of a dihydroxo-bridged dichromium(III) complex with N-(2-pyridylmethyl)iminodiacetate. 2006 , 9, 46-49	9
1878	Two novel coordination polymers with different molecular tectonics based on cobalt succinate-organoamine systems. 2006 , 9, 273-276	17
1877	The first lanthanide(III)iminodiacetate coordination polymer. 2006 , 9, 379-382	11
1876	Syntheses, characterization and the liquid-phase formation enthalpy changes of two new one-dimensional ribbon-like lanthanide supermolecular polymers. 2006 , 9, 649-653	13
1875	Multi- π -stacked interaction between planar chelate rings in the crystal structure of dichloro(2-hydroxy-1-naphthaldehyde-3-methylisothiosemicarbazonato)iron(III) hemiethanol solvate. 2006 , 9, 833-835	11
1874	Two 3D supramolecular architectures from zinc hydrogen aconitate 1D polymers. 2006 , 9, 915-919	16
1873	Self-assembly through hydrogen-bonding and C π - π interactions in metal complexes of N-functionalised glycine. 2006 , 9, 1251-1254	30
1872	A new NiII CuII CuII NiII complex containing doubly end-on azido bridged dicopper(II) and macrocyclic nickel(II) complex ancillary ligands: Synthesis, structure and magnetism. 2006 , 9, 1297-1300	15
1871	Coordination polymer networks with O- and N-donors: What they are, why and how they are made. 2006 , 250, 2127-2157	1323
1870	A theoretical ab initio study of [n.n]paracyclophane complexes with cations. 2006 , 417, 371-377	9
1869	Crystal structure, thermal analysis and spectroscopic properties of Tetrabutylammonium 3,5-bis(dicyanomethylene)-cyclopentane-1,2,4-trionate: An intriguing pseudo-oxocarbon and its zinc(II) complex. 2006 , 783, 52-60	19
1868	Syntheses and crystal structures of two mixed-ligand dimeric zinc complexes containing a dithiol ligand and an open chain crown ether ligand with terminal quinolyl groups. 2006 , 784, 144-148	1
1867	Self-assembly of cinchonine quaternary salts: Effect of substituents and halogen anions on supramolecular architecture. 2006 , 789, 169-176	6
1866	Coordination Polymers Constructed from alkoxo-bridged nodes and exo-bidentate Ligands. 2006 , 796, 123-128	12
1865	Second-sphere coordination in non-spherical anion binding: Synthesis, characterization and X-ray structure of cis-diazidobis(ethylenediamine)cobalt(III) 2-chloro,5-nitrobenzenesulphonate monohydrate. 2006 , 800, 93-99	14

- 1864 The use of H-bonding to increase the dimensionality of coordination networks of Cu(I) and Cu(II). **2006**, 796, 146-159 8
- 1863 The role of non-classical supramolecular interactions in the structures of 2-amino-4,6-dimethylpyridinium tetrahalocuprate (II) salts. **2006**, 359, 424-432 59
- 1862 Synthesis, structures and magnetic properties of 2-aminomethylpyridineNi(II) complexes. **2006**, 359, 298-308 14
- 1861 Novel CuII, CoII and PbII supramolecular networks of pyridine-2,6-dicarboxylate (pydc) in cooperation with a bent dipyridyl spacer via coordinative, hydrogen-bonding and aromatic stacking interactions. **2006**, 359, 673-679 47
- 1860 Copper(II) and cadmium(II) complexes of 2-pyridinyl-4-pyridinylmethanone: Supramolecular architectures consolidated by hydrogen bonding and π interaction. **2006**, 359, 685-689 14
- 1859 Helical vs. zigzag coordination polymer: Influence of structural preference of metal-ion coordination geometry. **2006**, 359, 1376-1382 24
- 1858 Structures and magnetic properties of one-dimensional polymers constructed with copper(II) salts and pyridinecarboxamide-type ligands. **2006**, 359, 541-547 16
- 1857 Preparation, crystal structure and luminescent properties of the 3-D netlike supramolecular lanthanide picrate complexes with 2,2'-[1,2-phenylenebis(oxy)]bis(N-benzylacetamide). **2006**, 359, 1207-1214 16
- 1856 Synthesis and structural characterization of three hydrogen-bonding connected supramolecular complexes of nickel, zinc and copper with 1,3-diphenyl-4-(salicylidene hydrazide)-acetyl-pyrazolone-5 and 2,2'-bipyridine. **2006**, 359, 633-641 29
- 1855 Synthesis, spectral and magnetical characterization of monomeric [Cu(2-NO₂bz)₂(3-pyme)₂(H₂O)₂] and polymeric [Cu{3,5-(NO₂)₂bz}₂(3-pyme)₂]_n. **2006**, 359, 1275-1281 25
- 1854 Metal-directed 1-D molecular-box based coordination polymers with mono- and di-nuclear nodes \square Construction of 3-D supramolecular networks via hydrogen bonding and S π S interactions. **2006**, 359, 1690-1696 22
- 1853 Mixed ligation to vanadium(III): Synthesis, spectra and structures of bis(acetylacetonato)(o-phenanthroline)vanadium(III) fluoroborate and bis(acetylacetonato)(o-phenanthroline)vanadium(III) perchlorate. **2006**, 359, 1314-1320 7
- 1852 Structural variations in copper(I) iodide coordination polymers of sulfide and disulfide containing flexible 3-substituted pyridine ligands. **2006**, 359, 3659-3665 12
- 1851 Two cobalt(II) one-dimensional ribbon of rings polymers: Syntheses, structures and non-linear optical properties. **2006**, 359, 2135-2140 8
- 1850 Supramolecular structures and fluorescence properties of three transition-metal complexes. **2006**, 359, 3205-3211 5
- 1849 Syntheses and characterization of novel sterically demanding amido ligand derivatives and their alkali metal ion complexes, crystal structures of [SiH₂Mes₂], [NH(SiHMes₂)₂] and [Na{N(SiHMes₂)₂}(OEt)₂]. **2006**, 359, 3815-3823 6
- 1848 Iodo bridged lead(II) compounds of azoimidazoles: Single crystal X-ray structures of [di-iodo-{1-methyl-2-(p-tolylazo)imidazole}lead(II)]_n and {1-methyl-3-benzyl-2-(p-tolylazo)imidazolium}_m-{tri-iodoplumbate(II)}_m. **2006**, 359, 4377-4385 11
- 1847 Benzotriazole based 1-D, 2-D and 3-D metal dicyanamide and tricyanomethanide coordination networks. **2006**, 25, 360-372 52

1846	Syntheses and photoluminescent properties of two uranyl-containing compounds with extended structures. 2006 , 25, 1359-1366	97
1845	Structural diversity of coordination polymers with bridging 3-pyridylmethanol ligand: New type of coordination polymer with different stereochemistry of copper(II) atom. 2006 , 25, 1561-1566	26
1844	Modulating magnetic properties of a macrocyclic dinuclear copper(II) complex: Influence of counteranions on the crystal structure. 2006 , 25, 2072-2082	19
1843	Synthesis and structural characterisation of three dicyanamide complexes with Mn(II), Zn(II) and Cd(II): Supramolecular architectures stabilised by hydrogen bonding. 2006 , 25, 2550-2558	45
1842	Structure, thermal analysis and magnetism of the doubly bridged linear polymer [Ni(4-NH ₂ -C ₆ H ₄ CO ₂) ₂ (CH ₃ OH) ₂] · CH ₃ OH. 2006 , 25, 2721-2729	17
1841	Self-assembly of extended structures through non-coordination intermolecular forces: Synthesis, crystal structures, and properties of metal complexes with 5-methyl-2-pyrazinecarboxylate. 2006 , 25, 2967-2975	20
1840	Solvent control in the synthesis of Zn(II) and Cd(II) supramolecular compounds with N,N'-(2,4-di-[(di-pyridin-2-yl)amine]-1,3,5-triazine)ethylenediamine. 2006 , 25, 2959-2966	5
1839	Anion control of isomerism, crystal packing and binding properties in a mononuclear zinc complex. 2006 , 25, 3474-3480	12
1838	Half-sandwich η ⁶ -benzene Ru(II) complexes of pyridylpyrazole and pyridylimidazole ligands: Synthesis, spectra, and structure. 2006 , 691, 3545-3555	53
1837	TlI ₂ D coordination polymer involving close Tl ⁺ ⋯(aromatic) contacts, [Tl ₃ (EBPC) ₂ (NO ₃)] _n . 2006 , 691, 3563-3566	14
1836	Two fluorescent coordination polymers constructed from mixed rigid and flexible carboxylate ligands: Formation of cross-linking helical and zigzag chains. 2006 , 179, 1536-1544	34
1835	Interplay of hydrogen bonding and π interactions in the molecular complex of 2,6-lutidine N-oxide and water. 2006 , 787, 121-126	8
1834	Origin of the π-facial stereoselectivity in the addition of nucleophilic reagents to chiral aliphatic ketones as evidenced by high-level ab initio molecular-orbital calculations. 2006 , 1, 852-9	8
1833	Synthesis and crystal structure of diaquadibenzoatobis(nicotinamide)nickel(II). 2006 , 51, 895-900	9
1832	Synthesis and crystal structure of the copper(II) valerate complex with nicotinamide. 2006 , 51, 901-907	7
1831	Synthesis and the crystal and molecular structure of two modifications of bis(1,10-phenanthroline)trinitratoerbium(III) Er(NO ₃) ₃ (Phen) ₂ . 2006 , 51, 271-277	4
1830	Crystal and molecular structure of a series of 15-crown-5-containing styryl heterocycles and their dimethoxy substituted analogues. 2006 , 51, 434-447	
1829	Synthesis and guest exchange reactions of inclusion compounds of cucurbit[8]uril with nickel(II) and copper(II) complexes. 2006 , 55, 26-35	10

- 1828 Synthesis, crystal structure and magnetism study on novel one-dimensional Cu(II) coordination polymers with 2,5-dimethylpyrazine-1,4-dioxide as bridging ligand. **2006**, 31, 879-881 2
- 1827 Interactions in diimine Pt(II) complexes with thiacyclic ligands: The crystal structure of (1,4,7-trithiacyclononane)(3,4,7,8-tetramethyl-1, 10-phenanthroline)platinum(II) hexafluorophosphate. **2006**, 36, 83-91 15
- 1826 Crystal structure of irisolidone from the flowers of *Pueraria lobata*. **2006**, 36, 407-411
- 1825 Synthesis and crystal structure of [Ni(H₂O)₆](C₁₉H₁₇O₉S)₂·2H₂O. **2006**, 36, 517-522 1
- 1824 A structural study of copper(II) carboxylates: Crystal structure and physical characterisation of [Cu₂(2-bromopropanoato)₄(caffeine)₂]. **2006**, 36, 571-580 9
- 1823 Crystal and molecular structures of ZnPhen(C₂H₅OCS₂)₂ and Zn(2,2'-Bipy)(n-C₄H₉OCS₂)₂ mixed-ligand coordination compounds. **2006**, 47, 504-512 3
- 1822 Synthesis and crystal and molecular structure of the mixed-ligand coordination compound ZnPhen(n-C₄H₉OCS₂)₂. **2006**, 47, 1182-1187 2
- 1821 Design, synthesis, and SAR studies on a series of 2-pyridinylpiperazines as potent antagonists of the melanocortin-4 receptor. **2006**, 16, 3693-6 5
- 1820 Syntheses and characterization of ZnII and CdII coordination polymers, [Zn(Ebpe)(NO₂)₂]_n and [Cd₂(Ebpp)₃(NO₂)₄]_n. **2006**, 8, 1115-1120 5
- 1819 Protonmotive force: development of electrostatic drivers for synthetic molecular motors. **2006**, 12, 8935-51 44
- 1818 Isostructurality, polymorphism and mechanical properties of some hexahalogenated benzenes: the nature of halogen...halogen interactions. **2006**, 12, 2222-34 34⁰
- 1817 Metal nuclearity modulated four-, six-, and eight-connected entangled frameworks based on mono-, bi-, and trimetallic cores as nodes. **2006**, 12, 2680-91 47¹
- 1816 Tris(pyridylmethylamino)cyclotriguaiacylene cavitands: an investigation of the solution and solid-state behaviour of metallo-supramolecular cages and cavitand-based coordination polymers. **2006**, 12, 2945-59 75
- 1815 An [Fe(mecam)]₂6- bridge in the crystal structure of a ferric enterobactin binding protein. **2006**, 45, 5132-6 50
- 1814 Intercalation of organic molecules into vanadium(IV) benzenedicarboxylate: adsorbate structure and selective absorption of organosulfur compounds. **2006**, 45, 6499-503 97
- 1813 Syntheses and supramolecular structures of two 5-nitrosalicylate titanocene complexes. **2006**, 20, 117-124 9
- 1812 Solid-State Luminescence and π-Stacking in Crystalline Uranyl Dipicolinates. **2006**, 2006, 389-396 79
- 1811 Manganese Azides Based on Co-Ligands with a Flexible Tail: Diverse Structural and Magnetic Properties. **2006**, 2006, 407-415 47

1810	Synthesis, Structures, and Luminescent Properties of Aluminum Complexes with Chelating Anilido-Imine Ligands. 2006 , 2006, 1216-1222	26
1809	Hydrothermal Synthesis and Structural Characterization of Two pH-Controlled Cd ^{II} Squarate Coordination Frameworks, [Cd ₂ (C ₄ O ₄) _{2.5} (H ₂ O) ₄](dpaH) _{1.5} (H ₂ O) and [Cd(C ₄ O ₄)(dpa)(OH ₂)] (dpa = 2,2'-dipyridylamine). 2006 , 2006, 820-826	17
1808	Metal Phosphonates Based on {[(Benzimidazol-2-ylmethyl)imino]bis(methylene)}bis(phosphonic Acid): Syntheses, Structures and Magnetic Properties of the Chain Compounds [M{(C ₇ H ₅ N ₂)CH ₂ N(CH ₂ PO ₃ H) ₂]} (M = Mn, Fe, Co, Cu, Cd). 2006 , 2006, 1830-1837	36
1807	Syntheses, Spectroscopic Studies, and Crystal Structures of Chiral [Rh(aminocarboxylato)(η^4 -cod)] and Chiral [Rh(amino alcohol)(η^4 -cod)](acetate) Complexes with an Example of a Spontaneous Resolution of a Racemic Mixture into Homochiral Helix-Enantiomers. 2006 , 2006, 2146-2154	83
1806	New Heterometallic (CuII and CrIII) Complexes [First Crystal Structure of an Oxalate-Bridged Ferromagnetically Coupled [CuIICrIIICuII] System. 2006 , 2006, 2701-2710	22
1805	Supramolecular Assemblies with Honeycomb Structures by π -Stacking of Octahedral Metal Complexes of 1,12-Diazaperylene. 2006 , 2006, 1547-1551	24
1804	Synthesis, Structures, and Luminescent Properties of d10 Group 12 Metal Complexes with Substituted 2,2'-Bipyridine Ligands. 2006 , 2006, 4317-4323	20
1803	Crystal Structure and Magnetic Behaviour of the New Gadolinium Carboxylates Gd ₂ (ClF ₂ CCOO) ₆ (hypy) ₂ , Gd ₂ (F ₃ CCOO) ₆ (hypy) ₂ , Gd ₂ (F ₂ HCCOO) ₆ (hypy) ₂ and Gd ₂ (Cl ₂ HCCOO) ₆ (H ₂ O) ₂ (hypy) ₂ . 2006 , 2006, 3503-3509	37
1802	Metal-Dependent Formation of Mononuclear Complexes and M ₂ L ₂ Mesocates with Schiff-Base Ligands. 2006 , 2006, 3930-3935	17
1801	A One-Dimensional Thallium(I) Coordination Polymer Involving Polyhapto-Aromatic Interactions. 2006 , 89, 265-269	40
1800	An [Fe(mecam)] ₂ μ -Bridge in the Crystal Structure of a Ferric Enterobactin Binding Protein. 2006 , 118, 5256-5260	4
1799	Intercalation of Organic Molecules into Vanadium(IV) Benzenedicarboxylate: Adsorbate Structure and Selective Absorption of Organosulfur Compounds. 2006 , 118, 6649-6653	19
1798	Dibenzothiophene/Oxide and Quinoxaline/Pyrazine Derivatives Serving as Electron-Transport Materials. 2006 , 16, 1449-1456	61
1797	Lead(II) Complexes of Pyridinedicarboxylates [Lattice Interactions and Metal Ion Stereochemistry. 2006 , 59, 400	11
1796	Switching on Hydrogen Bonding in Oligopyridine Ligands. 2006 , 18, 305-309	7
1795	Synthesis, structural and spectroscopic characterization of a new cadmium(II) complex containing imidazole (Im) as ligand, [Cd(Im) ₆](ClO ₄) ₂ . 2006 , 59, 961-967	8
1794	Synthesis and crystal structure of a mixed-ligand bismuth(III) complex, [Bi ₂ (phen) ₂ Br ₅ (NO ₃)] _n (phen = 1,10-phenanthroline). 2006 , 59, 1427-1431	5
1793	Labile Interactions and Inert Entities in Supramolecular Chemistry—the Identification of Recognition Mechanisms for Macrobicyclic Amine Complexes. 2006 , 18, 125-136	17

- 1792 Coordination Networks with Carborane Anions: Ag(I) and Nitrogen Bridging Ligands. **2006**, 59, 40 47
- 1791 Supramolecular organization in crystals containing quinoline-2-carboxylates and 9,10-dihydro-9-oxo-10-acridineacetates. **2006**, 59, 921-931 1
- 1790 Strongly decussated π -stacking in a Ag(I)Co(III) complex containing a Ag₂Co₂ 44 square tile motif. **2007**, 60, 1381-1386
- 1789 Synthesis and Characterization of a New Monophosphate (C₆H₆NCl₂)(H₂PO₄) with an Interesting Chlorine-Mediated Framework. **2007**, 182, 2053-2068 1
- 1788 Syntheses, characterisations and X-ray crystal structures of 5,5'-bis(diphenylphosphino)2,2'-bithiophene derivatives, Ph₂(X)P(C₄H₂S)₂P(X)Ph₂(X' = O, S and CH₃+⁺) **2007**, 6, 215-229 5
- 1787 CdII 4,4,4-trifluoro-1-phenyl-1,3-butandione complexes of 1,10-phenanthroline and 4,4'-bipyridine. **2007**, 60, 2107-2114 5
- 1786 Synthesis, structure, spectral and magnetic properties of 4-methoxy- and 3-methylsalicylatocopper(II) complexes with 2-pyridylmethanol. **2007**, 60, 2449-2460 14
- 1785 [2,2'-Bipyridyl]platinum(II) Complexes with Fluorinated Benzenethiolate Ligands: Synthesis and Structural Elucidation. **2007**, 19, 579-585 13
- 1784 Supramolecular interactions in [(2,2'-bipy)M(SeC{O}Ph)₂], (M=Zn or Cd). **2007**, 37, 797-800
- 1783 Evidence of environmental strains on charge injection in silole-based organic light-emitting diodes. **2007**, 75, 8
- 1782 Unsolvated ruthenium(II) benzene dichloride: a structural comparison with the chloroform solvate. **2007**, 222, 34-38 2
- 1781 Self-assembly of copper(II) complexes with substituted aroylhydrazones and monodentate N-heterocycles: synthesis, structure and properties. **2007**, 60, 2671-2678 66
- 1780 One-dimensional Strands of Trigonellinium Constructed by Intermolecular Strong O-H \cdots O and Weak C-H \cdots O Hydrogen Bonds in the Crystal of Partially Oxidized Ni(dmit)₂Salt. **2007**, 36, 1466-1467 5
- 1779 Two new Co(II) and Ni(II) complexes with 3-(2-Pyridyl)pyrazole-based ligand: synthesis, crystal structures, and bioactivities. **2007**, 55, 996-1001 32
- 1778 Synthesis and Crystal Structure of 1-(2,3-Dimethylphenyl)piperazinium Tetrachlorozincate(II) Monohydrate. **2007**, 23, X243-X244 3
- 1777 Crystal Structure of 1,1'-Ethane-1,2-diyl-dibenzimidazolium Picrate. **2007**, 23, X73-X74
- 1776 Asymmetric dinuclear hydroxyl and ethoxyl citrato dioxovanadates(V). **2007**, 60, 1419-1426 8
- 1775 A cyanide-containing cobalt(III) complex [Co(phen)₂(CN)₂][Co(phen)(CN)₄] \cdot 4.5H₂O: hydrothermal synthesis, crystal structure and spectroscopic properties. **2007**, 60, 2713-2720 3

1774	Crystal Structures of N-Aryl-N'-4-Nitrophenyl Ureas: Molecular Conformation and Weak Interactions Direct the Strong Hydrogen Bond Synthon. 2007 , 7, 2675-2690	73
1773	Solvothermal Synthesis and Structural Characterization of New Zn(II)-Triazole-Sulfisophthalate Frameworks. 2007 , 7, 736-740	41
1772	Hydrogen bonding and π -stacking in two daidzein derivatives. 2007 , 60, 1111-1119	1
1771	Pi-pi stacking assisted binding of aromatic amino acids by copper(II)-aromatic diimine complexes. Effects of ring substituents on ternary complex stability. 2007 , 299-307	41
1770	Ferromagnetic interactions in Ru(III)-nitronyl nitroxide radical complex: a potential 2p4d building block for molecular magnets. 2007 , 2689-95	18
1769	Pyridazine-bridged copper(I) complexes of bis-bidentate ligands: tetranuclear [2 x 2] grid versus dinuclear side-by-side architectures as a function of ligand substituents. 2007 , 1807-20	24
1768	Two New Polymers Constructed from Bidentate Function of the 4,4'-Bipyridine and 4-Sulfobenzoate. 2007 , 37, 647-652	
1767	Two New Polymers Constructed from Bidentate Function of the 4,4'-Bipyridine and 4-Sulfobenzoate. 2007 , 37, 501-506	2
1766	Synthesis, Structure Determination, and Hydrogen Sorption Studies of New Metal-Organic Frameworks Using Triazole and Naphthalenedicarboxylic Acid. 2007 , 19, 1302-1308	98
1765	Magneto-structural correlation in a series of bimetallic alternating chain complexes of [Cr(III)(CN) ₄] _n [Mn(III)(salpn)] _n .n.solvents (L=2,2'-bipy or 9,10-phen, salpn=substituted salicylaldehyde, solvents=water and methanol). 2007 , 46, 10221-8	51
1764	Silver(I) ions bridged by pyridazine: doubling the ligand functionality for the design of unusual 3D coordination frameworks. 2007 , 3893-905	116
1763	Crystal Structure and Investigation of An Organic Phosphate. 2007 , 182, 2587-2603	1
1762	Structural investigation of lead(II) fluorine-substituted β -diketonates. 2007 , 60, 891-899	8
1761	Cobalt diphosphonate with a new double chain structure exhibiting field-induced magnetic transition. 2007 , 4681-4	32
1760	Rings, chains and helicates: dependence of metallosupramolecular topology on positional substitution within silver(I) complexes of six isomeric bis(2-pyridyloxy)naphthalenes. 2007 , 9, 222	25
1759	Hydrothermal syntheses, crystal structures and magnetic properties of two copper(II) complexes involved in situ ligand synthesis. 2007 , 3020-4	56
1758	Syntheses and structural characterization of New Tl ⁺ and K ⁺ complexes of 3,5-dinitrobenzoic acid (HDNB), [Tl(EDNB)] _n and [K(EDNB)(HDNB)] _n . 2007 , 60, 753-761	11
1757	Oxo-anion binding by protonated (dimethylphenyl)(pyridyl)ureas. 2007 , 9, 676	77

- 1756 Counter-ion influence on the coordination mode of the 2,5-bis(4-pyridyl)-1,3,4-oxadiazole (bpo) ligand in mercury(II) coordination polymers, [Hg(bpo)_nX₂]: X = I⁻, Br⁻, SCN⁻, N₃⁻ and NO₂⁻ spectroscopic, thermal, fluorescence and structural studies. **2007**, 9, 1062 93
- 1755 Supramolecular Bimetallic Systems Constructed through π -Stacking and Hydrogen Bond Interactions. **2007**, 37, 757-764 3
- 1754 Crystal engineering of 3-D coordination polymers by pillaring ferromagnetic copper(II)-methylmalonate layers. **2007**, 9, 478-487 88
- 1753 2D warp-and-woof interwoven networks constructed by helical chains with different chirality. **2007**, 3643-5 33
- 1752 Bis(3,5-dimethyl-1H-pyrazolyl)selenide--a new bidentate bent connector for preparation of 1D and 2D co-ordination polymers. **2007**, 3183-94 30
- 1751 Interplay of coordinative and supramolecular interactions in engineering unusual crystalline architectures of low-dimensional metal-amoate complexes under co-ligand intervention. **2007**, 9, 1011 72
- 1750 Stacking vs. CH π interactions between chelate and aryl rings in crystal structures of square-planar transition metal complexes. **2007**, 9, 793 61
- 1749 Acetyl Platinum(II) Complexes. **2007**, 26, 6155-6169 30
- 1748 Assemblies of Two Mixed-Ligand Coordination Polymers with Two-Dimensional Metal-Organic Frameworks Constructed from M(II) Ions with Croconate and 1,2-Bis-(4-pyridyl)ethylene (M = Cd and Zn). **2007**, 7, 1783-1790 26
- 1747 A Concert of Weak Interactions Generates the Very Complex {Cu(tmeda)[Au(CN)₄]₂} \cdot 3H₂O Structure. **2007**, 7, 1946-1948 9
- 1746 Synthesis and structural properties of lanthanide complexes formed with tropolonate ligands. **2007**, 46, 6473-82 25
- 1745 Pd^{II}-C^{II} Hydrogen Bonds and π Interactions between Fluorinated Aromatic Rings in trans-[PdCl₂(NH₂ArF)₂]. **2007**, 7, 117-123 22
- 1744 Dimension Increase via Hydrogen Bonding and Weak Coordination Interactions from Simple Complexes of 2-(Pyridyl)benzimidazole Ligands. **2007**, 7, 2481-2490 44
- 1743 Metal phosphonates based on bis(benzimidazol-2-ylmethyl)imino methylenephosphonate: from discrete dimer to two-dimensional network containing metallomacrocycles. **2007**, 46, 428-36 41
- 1742 Synthesis, characterization, solid-state structures, and spectroscopic properties of two catechol-based luminescent chemosensors for biologically relevant oxometalates. **2007**, 46, 6516-28 48
- 1741 Entanglement of individual coordination polymers having helicates as building intermediates. **2007**, 4089-94 12
- 1740 Effect of Weak Sulfur Interactions and Hydrogen Bonds in the Folded or Unfolded Conformation of bis[2-(1H-Benzimidazol-2-yl)phenyl]disulfide Derivatives. **2007**, 7, 2031-2040 21
- 1739 Novel Alternating Ferro-Ferromagnetic Two-Dimensional (4,4) and Photoluminescent Three-Dimensional Interpenetrating PtS-Type Coordination Networks Constructed from a New Flexible Tripodal Ligand as a Four-Connected Node. **2007**, 7, 747-754 100

1738	Ligand Stereoelectronic Effects in Complexes of Phospholanes, Phosphinanes, and Phosphepanes and Their Implications for Hydroformylation Catalysis. 2007 , 26, 713-725	52
1737	Polymorphs and a pseudo-polymorphs based on a luminescent boron-containing compound: structural diversity arising from conformational isomers and noncovalent interactions. 2007 , 9, 951	13
1736	A coordination polymer strategy for anion encapsulation: anion-pi interactions in (4,4) nets formed from Ag(I) salts and a flexible pyrimidine ligand. 2007 , 3171-3	49
1735	Solution-processable erbium/ytterbium complex for potential planar optical amplifier application. 2007 , 17, 4586	25
1734	Copper(I) cyanide networks: synthesis, luminescence behavior and thermal analysis. Part 1. Diimine ligands. 2007 , 46, 8897-912	82
1733	Supramolecular Dimers and Chains Resulting from Second Coordination Sphere Interactions. 2007 , 7, 1825-1831	53
1732	Copper(II), cobalt(II), and nickel(II) complexes with a bulky anthracene-based carboxylic ligand: syntheses, crystal structures, and magnetic properties. 2007 , 46, 6299-310	135
1731	Metal-organic frameworks constructed from mixed-ligand 1,2,3,4-tetra-(4-pyridyl)-butane and benzene-polycarboxylate acids: syntheses, structures and physical properties. 2007 , 9, 915	149
1730	Zinc(II) nitrite coordination polymers based on rigid and flexible organic nitrogen donor ligands. 2007 , 9, 686	56
1729	Synthesis and structure of 2-acetylpyridine-salicyloylhydrazone and its copper(II) and zinc(II) complexes. The effect of the metal coordination on the weak intermolecular interactions. 2007 , 9, 668	20
1728	Platinum(II) complexes with pi-conjugated, naphthyl-substituted, cyclometalated ligands (RC N N): structures and photo- and electroluminescence. 2007 , 13, 417-35	150
1727	Design and synthesis of binucleating macrocyclic clefts derived from Schiff-base calixpyrroles. 2007 , 13, 3707-23	55
1726	Tuning of the structures of chiral phosphane-phosphites: application to the highly enantioselective synthesis of alpha-acyloxy phosphonates by catalytic hydrogenation. 2007 , 13, 1821-33	49
1725	Molecular assemblies from imidazolyl-containing haloalkenes and haloalkynes: competition between halogen and hydrogen bonding. 2007 , 13, 6130-8	52
1724	Unmasking melon by a complementary approach employing electron diffraction, solid-state NMR spectroscopy, and theoretical calculations-structural characterization of a carbon nitride polymer. 2007 , 13, 4969-80	638
1723	Assembly of infinite silver(I) columns, chains, and bridged aggregates with supramolecular synthon bearing substituted phenylethylenes. 2007 , 13, 5927-36	56
1722	Supramolecular cobalt cages and coordination polymers templated by anion guests: self-assembly, structures, and magnetic properties. 2007 , 13, 5401-7	85
1721	A cis-dioxido uranyl: fluxional carboxylate activation from a reversible coordination polymer. 2007 , 46, 6622-5	30

- 1720 Highly birefringent materials designed using coordination polymer synthetic methodology. **2007**, 46, 8804-7 59
- 1719 Supramolecular aspects of tin and lead chemistry. **2007**, 21, 476-482 10
- 1718 Synthesis and characterization of diorganotin(IV) complexes of Schiff bases with ONO-type donors and crystal structure of [N-(2-hydroxy-4-nitrophenyl)-3-ethoxysalicylideneiminato]diphenyltin(IV). **2007**, 21, 913-918 10
- 1717 A cis-Dioxido Uranyl: Fluxional Carboxylate Activation from a Reversible Coordination Polymer. **2007**, 119, 6742-6745 4
- 1716 Highly Birefringent Materials Designed Using Coordination Polymer Synthetic Methodology. **2007**, 119, 8960-8963 10
- 1715 Pentacarbonyl[2-(2-pyridyl)quinoxaline- κ^4]tungsten: A Combined Study of Its Conformational and Electronic Structure Based on Experimental and DFT-TDDFT Data. **2007**, 2007, 120-131 14
- 1714 New Ternary Complexes of Copper(II) with 2,2'-Bipyridine (Bpy) and Phosphocholine (PCh) or the Quaternary 1-(2-Phosphonomethoxy)ethyl Derivative of 2,4-Diaminopyrimidine (PMEDAPy). **2007**, 2007, 1867-1873 7
- 1713 Main Group Lewis Acid/Base-Stabilised Phosphanylboranes. **2007**, 2007, 2136-2143 18
- 1712 Self-Assembly of Silver(I) Coordination Polymers from AgX (X = BF₄⁻, ClO₄⁻, CF₃COO⁻ and SO₃CF₃) and a Rigid Bent 3,6-Dicyano-9-phenylcarbazole Ligand: The Templating Effect of Anions. **2007**, 2007, 3868-3880 34
- 1711 Bis-Pyrazolate-Bridged Dinickel(II) and Dicopper(II) Complexes: An Example of Stereoelectronic Preference of Metal Ions and Stabilization of Mixed-Valence Ni^{II}Ni^{III} Species. **2007**, 2007, 2161-2170 35
- 1710 Coordination Alternatives in Dinuclear Bis(pyridin-2-ylalkyl)benzylaminecopper(II) Complexes with OH⁻, RO⁻ or Cl⁻ Bridges: Experimental Structures and DFT Preferences. **2007**, 2007, 5500-5510 17
- 1709 Doubly bridged heptacoordinated cadmium(II) compounds containing a tetradentate Schiff base: Variance in molecular and crystalline architectures with pseudohalides. **2007**, 10, 61-65 26
- 1708 Synthesis and crystal structure of two novel polymeric Pb(II) compounds: [Pb(phen)(N3)₂]_n and [Pb(deta)(N3)₂(N3)]_n. **2007**, 10, 174-177 31
- 1707 Hydrothermal synthesis and characterization of ternary lanthanide-2,2'-bipyridine-3,3'-dicarboxylate coordination polymers. **2007**, 10, 381-384 8
- 1706 Assembly of two supramolecular structures by metal complexes with a urea-based pyridyl ligand. **2007**, 10, 563-566 25
- 1705 Pyrazine-bridged copper(I) iodide coordination polymers: Control of chain separation through ligand design. **2007**, 10, 1297-1300 16
- 1704 Self-assembly of organometallic Pd(II) complexes via CH₃... interactions: The first example of a cyclopalladated compound with herringbone stacking pattern. **2007**, 10, 1394-1398 27
- 1703 Assembly of a novel luminescent coordination polymer from europium nitrate and a new semirigid bridging podand. **2007**, 10, 1505-1509 13

1702	Biological recognition patterns implicated by the formation and stability of ternary metal ion complexes of low-molecular-weight formed with amino acid/peptides and nucleobases/nucleosides. 2007 , 251, 1973-1986	80
1701	Argentophilic interaction and anionic control of supramolecular structures in simple silver pyridine complexes. 2007 , 360, 21-30	74
1700	The s-triazine ring, a remarkable unit to generate supramolecular interactions. 2007 , 360, 381-404	133
1699	Supramolecular assembly driven by hydrogen-bonding and π -stacking interactions based on copper(II)-terpyridyl complexes. 2007 , 360, 588-598	69
1698	Synthesis, spectral and magnetical characterization of monomeric $[\text{Cu}(\text{2-NO}_2\text{bz})_2(\text{nia})_2(\text{H}_2\text{O})_2]$ and structural analysis of similar $[\text{Cu}(\text{RCOO})_2(\text{L})_2(\text{H}_2\text{O})_2]$ complexes. 2007 , 360, 1517-1522	26
1697	Tetranuclear manganese(III) clusters containing both carboxylate and phosphonate bridging ligands. 2007 , 360, 1645-1650	36
1696	Hydrazone Schiff base-manganese(II) complexes: Synthesis, crystal structure and catalytic reactivity. 2007 , 360, 1599-1608	241
1695	Synthesis of $[\text{SnPh}_2(\text{SRF})_2]$ SRF = $\text{BC}_6\text{F}_4\text{-4-H}$, BC_6F_5 : Reactivity towards group 10 transition metal complexes. 2007 , 360, 1651-1660	24
1694	First examples of ternary lanthanide 2,2'-bipyridine-3,3'-dicarboxylate coordination polymers with zigzag chains structures assembled from lanthanide ions, 2,2'-bipyridine-3,3'-dicarboxylate and 1,10-phenanthroline. 2007 , 360, 1684-1690	26
1693	A new approach to the stabilization of dibenzothiophene (DBT) coordination to metals: Studies of $(\text{5-C}_5\text{H}_4\text{CH}_2\text{Ph})\text{Ru}(\text{CO})_2(\eta^5\text{-DBT})^+$. 2007 , 360, 1711-1716	3
1692	Synthesis, characterization and 1D helical chain crystal structure of $[\text{Cu}(\text{DBA})_2(1,10\text{-phen})]_n$ and $[\text{Cd}(\text{DBA})_2(1,10\text{-phen})_2]$ (DBA = benzilic acid). 2007 , 360, 1819-1824	36
1691	Nickel and copper complexes based on tridentate nitrogen donor ligand 2,6-bis-(1-phenyliminoethyl) pyridine: Synthesis, spectral and structural characterization. 2007 , 360, 2492-2498 ¹³	
1690	Mn(II) coordination architectures with mixed ligands of 3-(2-pyridyl)pyrazole and carboxylic acids bearing different secondary coordination donors and pendant skeletons. 2007 , 360, 2532-2540	27
1689	Supramolecular networks of dinuclear copper(II): Synthesis, crystal structure and magnetic study. 2007 , 360, 2589-2597	56
1688	Self-assembly of two fluorescent supramolecular frameworks constructed from unsymmetrical benzene tricarboxylate and bipyridine. 2007 , 360, 2704-2710	24
1687	Cationic ligands for Ag(I): Organometallic polymers versus unimolecular complexes. 2007 , 360, 3091-3098	6
1686	Preparation, crystal structure and luminescent properties of lanthanide picrate complexes with N-benzyl-2-{2'-[(benzyl-methyl-carbamoyl)-methoxy]-biphenyl-2-yloxy}-N-methyl-acetamide (L). 2007 , 360, 3361-3368	3
1685	Metal-regulated assemblies of CuII, NiII, and ZnII complexes with isoquinoline-3-carboxylate displaying diverse supramolecular networks. 2007 , 360, 3442-3447	15

- 1684 Assembly of metal coordination framework, [MII(C5O5)(dpe)], with a 2D bi-layer architecture: Thermal stability and magnetic properties (M=Mn, Fe, Cd and Co; dpe=1,2-bis(4-pyridyl)ethane). **2007**, 360, 4058-4067 22
- 1683 First organic-inorganic hybrid material based on AgNO₃ and 3-pyridine containing 2-thiohydantoin. **2007**, 17, 77-79 4
- 1682 ¹H NMR and crystallographic evidence for tolerance of bulky electron withdrawing methanesulfonyl group on robustness of the U-motif in pyrazolo[3,4-d]pyrimidine core based Leonard linker compounds and formation of plus (+) motif. **2007**, 827, 88-94 13
- 1681 Anion-dependent selective formation of intermolecular non-covalent bonds. **2007**, 829, 168-175 7
- 1680 Trinuclear organooxotin assemblies from solvothermal synthesis reaction: Crystal structure, hydrogen bonding and π -stacking interaction. **2007**, 833, 203-207 6
- 1679 Tuning the silver(I) complexes of 3-(2-pyridyl)pyrazole-based ligands: Syntheses and crystal structures of the complexes, as well as theoretical investigations on the coordination abilities of the ligands. **2007**, 843, 66-77 11
- 1678 Design and synthesis of pyrazolo[3,4-d]pyrimidine and triazolo[4,5-d]pyrimidine based dissymmetrical Leonard linker compounds: ¹H NMR and crystallographic evidence for folded conformation due to arene interactions. **2007**, 842, 100-108 9
- 1677 Preparation, luminescent properties of N-phenyl-2-[(2-[(phenyl-ethyl-carbamoyl)-methoxy]-biphenyl-2-yloxy)-N-ethyl-acetamide (L) lanthanide complexes and the supramolecular structures of [La(pic)3L] and [Eu(pic)3L]. **2007**, 21, 1100-1110 23
- 1676 Reinvestigation of zinc(II) complexation by 2-thiophenecarboxylic hydrazide: X-ray structure of tris(2-thiophenecarboxyhydrazide)zinc(II) tetrachlorozincate(II) di(ethanol) and vibrational spectroscopy of its decomposition product. **2007**, 26, 2786-2794 5
- 1675 Structure and magnetic properties of a double out-of-plane carboxylato-bridged Cu(II) compound with pyridine-2-carboxylate. **2007**, 26, 3379-3387 25
- 1674 Steric effects of substituted quinolines on lithium coordination geometry. **2007**, 26, 3653-3660 20
- 1673 Binuclear oxomolybdenum(V) chlorides: Molecular structure of Mo₂O₄Cl₂(DMF)₄ and Mo₂O₄Cl₂(bipy)₂ · DMF. **2007**, 26, 3842-3848 21
- 1672 Solvothermal syntheses and crystal structures of new Cu(II) complexes with phenylsuccinic acid. **2007**, 26, 4025-4032 10
- 1671 Metal complexes derived from hydrazoneoxime ligands: III Synthesis, characterization and electrospray ionization mass spectra of some nickel(II) complexes with aroylhydrazoneoximes. **2007**, 26, 4161-4172 19
- 1670 Bis-salicylaldiminato zinc complexes: Syntheses, characterization and luminescent properties. **2007**, 26, 5053-5060 32
- 1669 Zn(II) complexes with pyridine derived N6 and N8 donor azamacrocyclic ligands. **2007**, 26, 5317-5323 12
- 1668 Synthesis, characterisation and crystal structures of three trinuclear cadmium(II) complexes with multidentate Schiff base ligands. **2007**, 26, 5139-5149 38
- 1667 Neutral pyridylmethylamide ligands and their mononuclear copper(II) complexes. **2007**, 26, 5420-5431 5

- 1666 Synthesis of mono- and trinuclear palladium(II) complexes via oxidative addition of a bulky hexathioether containing a disulfide bond to palladium(0). **2007**, 692, 2716-2728 14
- 1665 New cycloplatinated complexes with 2-arylimidazolines: Synthesis, crystal structures and photophysical properties. **2007**, 692, 2006-2013 11
- 1664 Synthesis, spectral and structural characterisation of ditelluroxanes: Exo-bis[nitrato-; 2,4,6-trinitrophenolato-dialkyl tellurium (IV)]. **2007**, 692, 2482-2490 17
- 1663 Synthesis of an anthracene-based bis(pyrazolyl)methane ligand and the structural characterization of its dinuclear tricarbonylrhenium(I) complex. **2007**, 692, 3094-3099 12
- 1662 New N-heterocyclic carbene silver(I) and mercury(II) 2-D supramolecular layers by the π -stacking interactions. **2007**, 692, 3655-3663 41
- 1661 2D and 3D supramolecular assemblies of double cyclopalladated azobenzenes realized by $C\equiv C\cdots\pi$ and $C\equiv C\cdots\pi$ interactions. **2007**, 692, 3874-3881 20
- 1660 Syntheses and structural characterization of heterometallic bis(pyrazolyl)methane complexes of rhenium and platinum. **2007**, 692, 5414-5420 7
- 1659 Preparation of hydride complexes of ruthenium with bidentate phosphite ligands. **2007**, 692, 5481-5491 13
- 1658 New mercury(II) and silver(I) complexes containing NHC metallacrown ethers with the π -stacking interactions. **2007**, 692, 5671-5679 38
- 1657 DNA interaction of new copper(II) complexes with sulfonamides as ligands. **2007**, 101, 444-51 68
- 1656 Evaluation of molecular mechanics calculated binding energies for isolated and monolayer organic molecules on graphite. **2007**, 314, 434-45 20
- 1655 Synthesis and Crystal Structure of [Pb(trz)(tfpb)(H₂O)]: a Lead(II) Complex Containing 2,4,6-Tris(2-pyridyl)-1,3,5-triazine and 4,4,4-Trifluoro-1-phenyl-1,3-butandionate. **2007**, 633, 536-538 9
- 1654 Polysulfonylamine. CLXXVIII Onium-Salze des Benzol-1,2-di(sulfonyl)amins (HZ): Eine zweite Kristallform des Ammonium-Salzes NH₄Z₄H₂O und Kristallstruktur des Bis(triphenylphosphoryliden)ammonium-Salzes [Ph₃PNPPh₃]⁺Z⁻. **2007**, 633, 593-602 7
- 1653 Labile Interactions in Aza-aromatic Base Adducts of Lead(II) Thenoyltrifluoroacetate. **2007**, 633, 661-665 15
- 1652 Synthesis and Crystal Structure of a Novel Polymeric Lead(II) Compound: [Pb₂(phen)₂(N₃)₃(ClO₄)]_n. **2007**, 633, 1329-1332 16
- 1651 Chiral Coordination Polymers with Amino Acids: $\left[\text{Cu}_2(\mu\text{-L-tryptophanato})_2(\mu\text{-4,4'prime-bipyridine})(\text{H}_2\text{O})_2(\text{NO}_3)_2 \right]_n$. **2007**, 633, 1189-1192 113
- 1650 Synthesis and Crystal Structure of [Pb(phen)₂]_n: a 2D Coordination Polymer of Lead(II) Containing Phenylalanine. **2007**, 633, 1137-1139 12
- 1649 Synthesis of Mixed-ligand Complexes of Copper(II) with Lactate and 2,2'-Dipyridylamine: Study of the Effect of Weak Interactions on their Crystal Packing. **2007**, 633, 1791-1795 12

- 1648 Pt4S4 Clusters with Functionalized Thiosemicarbazones derived from 5-Acetylbarbituric Acid. **2007**, 633, 2255-2261 5
- 1647 Exploring the Interaction of Anthracene-Containing Macrocyclic Chemosensors with Silver(I) and Cadmium(II) Ions [Photophysical and Structural Studies. **2007**, 633, 1809-1814 10
- 1646 Synthesis, Structural Characterization and Electrochemical Studies of a Nicotinamide-bridged Dinuclear Copper Complex derived from a Tridentate Hydrazone Schiff Base Ligand. **2007**, 633, 1945-1948 51
- 1645 Copper(II) and Nickel(II) Complexes of two Nitrogen-Functionalized N-Salicylidene Carbonic Acid Hydrazides: Molecular and Supramolecular Architectures. **2007**, 633, 2009-2018 25
- 1644 Coordination Architectures of Large Heavy Metal Cations (Hg²⁺ and Pb²⁺) with Bis-tridentate Ligands: Solution and Solid-State Studies. **2007**, 633, 2435-2444 28
- 1643 Acid assisted proton transfer in 4-[(4-R-phenylimino)methyl]pyridin-3-ols: NMR spectroscopy in solution and solid state, X-ray and UV studies and DFT calculations. **2007**, 20, 610-623 11
- 1642 Synthesis and characterization of three Cu(II), Zn(II), Cd(II) supramolecular complexes bridged by biphenyl 2,2'-dicarboxylate. **2007**, 9, 1006-1011 3
- 1641 Crystal and molecular structure of 2-(2-pyridyl)-indandione-1,3 and a zinc(II) complex with this ligand. **2007**, 52, 94-101
- 1640 Structural variation in copper(I) complexes with pyridylmethylamide ligands: structural analysis with a new four-coordinate geometry index, tau₄. **2007**, 955-64 1980
- 1639 Multinuclear silver ethynide supramolecular synthons for the construction of coordination networks. **2007**, 2, 456-67 119
- 1638 Synthesis and structural studies of [Mn(EBpp)₂Cl₂]_n: a 3D coordination polymer of Mn(II) with 1,3-bis(4-pyridyl)propane. **2007**, 4, 264-270
- 1637 Methylation of a Terdentate Schiff Base Ligand NNO-Coordinated to Palladium with Nitromethane. **2007**, 2007, 4637-4644 4
- 1636 Supramolecular architectures with ladder and lamellar topologies using metal-ligand coordination units via C_H...Cl and O_H...Cl hydrogen bonding. **2007**, 18, 133-144 24
- 1635 Synthesis and magneto-structural correlation of a new maleato bridged copper(II) coordination polymer. **2007**, 18, 317-323 7
- 1634 Syntheses and crystal structures of cobalt(II) and zinc(II) complexes with 4'-methoxy-5,6,7-trihydroxyisoflavone-3'-sulfonate. **2007**, 18, 951-957 1
- 1633 C_H...O, C_H...N and π -stacking interactions in 3-(2,4-dimethylphenyloxymethyl)-3,4-dihydroisocoumarin. **2007**, 37, 213-217 7
- 1632 The co-crystal of iron(II) complex hydrate with hydroxybenzoic acid: [Fe(Phen)₃]Cl(p-hydroxybenzoate).2(p-hydroxybenzoic acid).7H₂O. **2007**, 37, 219-231 15
- 1631 The crystal structure of a bis(2,6-pyridinedicarboxylato)chromate(III) anion with an elaborate network of hydrogen bonding and π -stacking. **2007**, 37, 309-314 7

1630	Ferrocenyl Monomers and Polymers of N-Allyl and N-Acrylatenaphthalimides. 2007 , 17, 547-559	5
1629	Synthesis and crystal and molecular structure of CdPhen(iso-C ₄ H ₉ OCS ₂) ₂ and CdPhen(n-C ₄ H ₉ OCS ₂) ₂ mixed-ligand complexes. 2007 , 48, 267-274	1
1628	X-ray study of weak interactions in two flavonoids. 2007 , 30, 469-475	6
1627	Three new Cu(II) and Cd(II) complexes with 3-(2-pyridyl)pyrazole-based ligand: syntheses, crystal structures, and evaluations for bioactivities. 2007 , 101, 412-21	46
1626	Metal complexes with the ligand derived from 6-acetyl-1,3,7-trimethylumazine and benzohydrazide. Molecular structures of two new Co(II) and Rh(III) complexes and analysis of in vitro antitumor activity. 2008 , 102, 1677-83	40
1625	Nickel(II) complexes with Schiff-base ligands derived from epimeric pyranose backbones as 2,3-chelators: modeling the coordination chemistry of chitosan. 2008 , 343, 1266-77	21
1624	Synthesis, characterization and X-ray crystal structures of polyether and ethylene bridged bis(azolyl) platinum(II) complexes. 2008 , 33, 721-727	1
1623	Syntheses and Crystal Structures of Two Apigenin Alkylation Derivatives. 2008 , 38, 21-25	5
1622	Synthesis of 7,4'-Bis-(hydroxyl)-8,3',5'-tris-(hydroxymethyl)isoflavone and Crystal Structure of its Ester. 2008 , 38, 27-31	3
1621	Propeller-like Conformation of Diphenylacetic Acid. 2008 , 38, 403-406	6
1620	Synthesis, Crystal Structure and Bioactivities of N-(2,6-Difluorobenzoyl)-N'-[5-(Pyrid-4-yl)-1,3,4-Thiadiazol-2-yl]Urea. 2008 , 38, 479-482	4
1619	Synthesis and Structure of a Silver(I) Complex {[Ag ₅ (L) ₂ (NO ₃) ₄](NO ₃)(CHCl ₃) ₂] _n [L = 2,3-bis(pyrimidine-2-thiomethyl)quinoxaline]. 2008 , 38, 749-753	2
1618	Syntheses, Crystal Structure and Luminescent Properties of Co-ordination Networks Based on Copper(I) Iodide Clusters from 1, 4-Bis(imidazole-1-ylmethyl)benzene. 2008 , 19, 323-330	17
1617	A fluorescent and phosphorescent nanoporous solid: crystalline calix[4]arene. 2008 , 18, 1123-9	10
1616	Solvothermal Synthesis, Crystal Structure and DNA Binding Studies of a 3D Supramolecular Complex {[Cu(phen)CN][Cu(phen)][Cu(CN) ₂]} _n Assembled by Double Curvy Chains. 2008 , 18, 398-406	10
1615	Novel copper(II) complex with unusual π -stacking structure, [Cu(SSC)Cl]2·CH ₃ OH·2H ₂ O (SSC = salicylaldehyde semicarbazone anion). 2008 , 49, 570-574	7
1614	The structure of a new copper(II) complex with 3-methyl-5-carboxylatopyrazole. 2008 , 49, 1104-1107	0
1613	Synthesis, Crystal Structure and Magnetism Characterization of Two Coordination Polymers based on Ni(2-mpac) ₂ (H ₂ O) ₂ as Molecular Building Block. 2008 , 634, 539-544	3

- 1612 A New Supramolecular Assembly Formed by Melamine and Sulfuric Acid. **2008**, 634, 452-456 13
- 1611 Supramolecular Structure Formed by Directed Intermolecular Interactions in a Lead(II) Complex. **2008**, 634, 1123-1126 6
- 1610 Synthesis, Crystal Structures and Fluorescent Properties of Two 2,2'-Biquinoline-4,4'-dicarboxylate-based Cadmium(II) and Cobalt(II) Complexes. **2008**, 634, 1581-1586 9
- 1609 Supramolecular Assemblies Formed by Cooperative Metal Coordination and Dimerization of the N-(2-pyrimidyl)-N'-(3-pyridyl)urea Ligand via Hydrogen Bonding. **2008**, 634, 1210-1214 24
- 1608 Spectroscopic, Thermal and Structural Studies of Aza-aromatic Base Adducts of Cadmium Furoyltrifluoroacetate. **2008**, 634, 2617-2622 10
- 1607 2H-Azirines as Ligands: Structural Characterization of the First Neutral and Cationic (C₅-C₅Me₅)Rh(III) 2H-Azirine Complexes. **2008**, 634, 1485-1489 3
- 1606 Chelating Complexes of Diethylzinc and ZnCl₂ with 2,2'-Bipyridine and 1,6,7,12,13,18-Hexaazatrinaphthylene (HATN) as Ligands. **2008**, 634, 1696-1702 16
- 1605 Dimerization of the 2-(Methylselenomethyl)benzimidazole-silver(I) Cation Involving a AgI⋯AgI Interaction. **2008**, 634, 2343-2346 8
- 1604 Tuning the charge distribution and photoswitchable properties of cobalt-dioxolene complexes by using molecular techniques. **2008**, 14, 1804-13 96
- 1603 Synthesis and complexation of multiarmed cycloveratrylene-type ligands: observation of the "boat" and "distorted-cup" conformations of a cyclotetrameratrylene derivative. **2008**, 14, 4415-25 15
- 1602 pi-Face donor properties of N-heterocyclic carbenes in Grubbs II complexes. **2008**, 14, 5465-81 126
- 1601 Ruthenium-based olefin metathesis catalysts coordinated with unsymmetrical N-heterocyclic carbene ligands: synthesis, structure, and catalytic activity. **2008**, 14, 7545-56 95
- 1600 A synthetic, structural, spectroscopic and DFT study of Re(I), Cu(I), Ru(II) and Ir(III) complexes containing functionalised dipyrido[3,2-a:2',3'-c]phenazine (dppz). **2008**, 14, 11573-83 43
- 1599 C^{δ+}⋯Cl^{δ-} Hydrogen Bond and π-π Interaction Based Two 3D Supramolecular Architectures of Cu(II) and Co(II) Complexes with Chiral 1,2-Bis(benzimidazol-2-yl) ethane Ligand Containing 2D Grids. **2008**, 26, 260-264 6
- 1598 Theoretical study on the complexes of benzene with isoelectronic nitrogen-containing heterocycles. **2008**, 9, 1003-9 57
- 1597 Complexation of 2,6-Bis(3-pyrazolyl)pyridineBis(thiocyanato)iron(II) with a Bridging 4,4'-Bipyridine: A New Example of a Dinuclear Spin Crossover Complex. **2008**, 2008, 1022-1026 41
- 1596 From Interwoven to Noninterpenetration: Crystal Structural Motifs of Two New Manganese^{II} Organic Frameworks Mediated by the Substituted Group of the Bridging Ligand. **2008**, 2008, 628-634 20
- 1595 Organization of the Ru₂Na Moiety of a Phenazine Ligand Into a New Coordination Network Promoted by ClO₄⁻ Aromatic-π Interactions. **2008**, 2008, 44-47 17

1594	Structure Variation and Luminescence Properties of Lanthanide Complexes Incorporating a Naphthalene-Derived Chromophore Featuring Salicylamide Pendant Arms. 2008 , 2008, 1901-1912	31
1593	Quaterpyridine Ligands Forming Helical Complexes of Mono- and Dinuclear (Helicate) Forms. 2008 , 2008, 2910-2920	35
1592	{2-[1-(2,6-Diisopropylphenylimino)ethyl]pyridyl}palladium Dibromide Polymorphs Originating from Different Br ^{δ-} and C-H ^{δ+} Br Contacts. 2008 , 2008, 2830-2836	42
1591	Crystal Structures and Magnetic Properties of 2D Supramolecular Architectures Assembled from Benzimidazolecarboxylato-Bridged 1D Double-Stranded Coordinating Chains Featuring Metallomacrocycles as Subunits. 2008 , 2008, 3776-3785	4
1590	Crystal Packing in Di-(EtOH)-ortho-palladated Complexes: A DFT Insight into the Molecular Structure and Solid-State Interactions. 2008 , 2008, 3687-3697	6
1589	Design of Neutral Metallomesogens from 5,5-Dimethyldipyrromethane: Metal Ion Mediated Control of Folding and Hairpin Structures. 2008 , 2008, 5056-5066	17
1588	Stereoselective synthesis and biological activities of O-(E)-1-{1-[(6-chloropyridin-3-yl)methyl]-5-methyl-1H-1,2,3-triazol-4-yl}ethyleneamino-O-ethyl-O-arylphosphorothioates. 2008 , 19, 15-20	15
1587	New N-heterocyclic carbene mercury(II) and silver(I) complexes. 2008 , 27, 87-94	25
1586	Extended structures of copper(II) complexes with 2-di(1H-2-imidazolyl)methylmalonate (DIMMAL), a versatile bis(imidazole)bis(carboxylate) ligand: Solution studies, crystal structures and spectroscopic characterization. 2008 , 27, 633-640	11
1585	Structural and magnetic properties of one-dimensional polymeric Co(II) complexes. 2008 , 27, 671-678	15
1584	Structure modulation of metal-organic frameworks via reaction pH: Self-assembly of a new carboxylate containing ligand N-(3-carboxyphenyl)iminodiacetic acid with cadmium(II) and cobalt(II) salts. 2008 , 27, 812-820	40
1583	Syntheses and structures of Ag(I) complexes containing 1,4-bis(4,5-dihydro-2-oxazolyl)benzene. 2008 , 27, 1177-1184	16
1582	Co(II)-promoted transformation of diethyl(quinolin-2-ylmethyl)phosphonate to quinoline-2-carboxylate (2-qca): Synthetic, structural and magnetic studies of [Co(2-qca) ₂ (EtOH) ₂]. 2008 , 27, 1623-1630	16
1581	Reactivity of oxo-rhenium precursor trans-ReOCl ₃ (OPPh ₃)(SMe ₂) with diaza heterocyclic congeners: Synthesis and spectroscopic characterization of mono and dinuclear compounds. 2008 , 27, 1930-1936	4
1580	Syntheses and structural characterization of three new silver(I) coordination polymers with 1-(2-pyrazinyl)piperazine ligands. 2008 , 27, 2035-2042	9
1579	Co(II), Ni(II) and Cu(II) complexes of new [1+1] and [2+2] macrocyclic ligands derived from 1,4-bis(2-formylphenyl)-1,4-dioxabutane and cis-1,2-diaminocyclohexane. 2008 , 27, 2301-2308	9
1578	Assembly molecular architectures based on structural variation of metalloligand [Cu(PySal) ₂] (PySal=3-pyridylmethylsalicylideneimino). 2008 , 27, 2634-2642	25
1577	Infinite chains constructed from flexible bis(benzimidazole)-based ligands. 2008 , 27, 2595-2602	18

- 1576 Mononuclear, dinuclear and hydroxo-bridged tetranuclear complexes from reactions of Cu(I) ions, mandelic acid and diimine ligands. **2008**, 27, 2921-2930 32
- 1575 Interaction of copper(II) and palladium(II) with linked 2,2'-dipyridylamine derivatives: Synthetic and structural studies. **2008**, 27, 2889-2898 25
- 1574 3D supramolecular architectures of copper(II) complexes with 6-methylpicolinic and 6-bromopicolinic acid: Synthesis, spectroscopic, thermal and magnetic properties. **2008**, 27, 3631-3638 46
- 1573 Hydrothermal chemistry of Th(IV) with aromatic dicarboxylates: New framework compounds and in situ ligand syntheses. **2008**, 181, 373-381 68
- 1572 Syntheses, structures, luminescence, and magnetism of four 3D lanthanide 5-sulfosalicylates. **2008**, 181, 567-575 27
- 1571 Triphenyl lead, tin and germanium coordination compounds derived from 9H-3-thia-1,4a,9-triaza-fluorene-2,4-dithione. **2008**, 693, 492-504 13
- 1570 New N-pyrazole, P-phosphinite hybrid ligands and corresponding Rh(I) complexes: X-ray crystal structures of complexes with [Rh, N, P-phosphinite, Cl, (CO)] core. **2008**, 693, 2132-2138 11
- 1569 From platinum(II)-diketones to diacetylplatinum(II) complexes: Synthesis, characterization and structural features. **2008**, 693, 2369-2376 13
- 1568 Syntheses and characterization of ferrocenylthiocarboxylate-containing coordination compounds for nonlinear optics. **2008**, 693, 2624-2630 7
- 1567 Ruthenium(II) and iron(II) complexes of N-pyridyl substituted imidazolin-2-ylidenes. **2008**, 693, 3435-3440 58
- 1566 cis-Fashioned palladium (II) complexes of 2-phenylbenzimidazole ligands: Synthesis, characterization, and catalytic behavior towards Suzuki-Miyaura reaction. **2008**, 693, 3842-3846 37
- 1565 Synthesis, characterization, interaction with DNA and cytotoxicity in vitro of dinuclear Pd(II) and Pt(II) complexes bridged by 2,2'-azanediyldibenzoic acid. **2008**, 102, 1958-64 97
- 1564 A photoluminescent hexanuclear silver(I) complex exhibiting Cu-Ag close interactions. **2008**, 11, 159-163 52
- 1563 Modeling the coordination chemistry of chitosan: Synthesis and characterization of a nickel(II) complex with a 2-aminoglucose Schiff-base ligand. **2008**, 11, 303-306 24
- 1562 Synthesis, crystal structure, and fluorescence studies of (1-naphthyl)(pyridyl)urea metal complexes. **2008**, 11, 450-453 29
- 1561 A 3D heterometallic organic framework consisting of two cross-linked coordination polymers. **2008**, 11, 814-817 12
- 1560 ZnCl₂(4-methyl-4',4''-bipyridinium) with 4-methyl-4',4''-bipyridinium generated in situ: synthesis, structure and photoluminescence. **2008**, 11, 1212-1214 18
- 1559 Polynuclear copper(II) carboxylates with 2,2'-bipyridine or 1,10-phenanthroline: Synthesis, characterization, X-ray structures and magnetism. **2008**, 11, 1231-1235 23

1558	Design of a flexible ligand for the construction of a one-dimensional metal-organic coordination polymer. 2008 , 361, 387-392	10
1557	Coordination geometry isomerism induced by NH ₂ Cl, CH ₂ Cl, CH ₂ N, CH ₂ and π supramolecular interactions in mercury(II) complexes with tripyridylimidazole chelating ligands. 2008 , 361, 248-254	22
1556	Coordination polymers of manganese(II) and cobalt(II) of a flexible tetradentate pyridine amide ligand: 1D zigzag network and non-covalent interactions. 2008 , 361, 1231-1238	20
1555	Silver coordination complexes of 2-(diphenylphosphinomethyl)pyridine and their bipyridine derivatives. 2008 , 361, 1298-1310	31
1554	Palladium(II) complexes of 2-, 3-, and 4-quinolinyl(diphenyl)phosphane and di-(3-quinolinyl)phenylphosphane: Synthesis, characterization, and catalytic screening. 2008 , 361, 1372-1380	6
1553	From 1D copper(II) ions and asymmetric macrocyclic complex linkers with a monodentate top and a bidentate top to molecular rectangle and infinite molecular rectangle strands. 2008 , 361, 1469-1478	12
1552	Preparation, crystal structure and properties of a novel microporous CuII coordination polymer with 6-quinolinecarboxylate. 2008 , 361, 1827-1831	4
1551	Hydrothermal synthesis, crystal structures and properties of new FeII, CoII, NiII, and ZnII complexes with 6-quinolinecarboxylate: Interplay of coordinative and noncovalent interactions. 2008 , 361, 1555-1561	6
1550	Two new N-heterocyclic carbene silver(I) complexes with the π-stacking interactions. 2008 , 361, 2616-2622	21
1549	Syntheses and crystal structures of the metal complexes based on pyrazolecarboxylic acid ligands. 2008 , 361, 2721-2730	33
1548	Rational enhancement of the coordination capability of Ru(III)(salen)-nitronyl nitroxide building block: A step towards 2D magnetic edifices. 2008 , 361, 3427-3431	7
1547	Two new Cu(II) complexes with 3-(2-pyridyl)pyrazol-based ligands: Synthesis, crystal structures, and magnetic properties. 2008 , 875, 160-166	4
1546	Spectroscopic, thermal, fluorescence and structural studies of new TlII pyridine dicarboxylate complexes, [Tl2(py-2,5-dc)] and [Tl2(py-3,5-dc)]. 2008 , 878, 65-70	30
1545	Crystal structure and magnetic property of a metal-organic framework (MOF) containing double-stranded chain with metallomacrocycles and dinuclear Mn(II) subunits. 2008 , 891, 357-363	10
1544	Multiple Hydrogen Bonds in the Self-Assembly of Aminotriazine and Glutarimide. Decisive Role of the Triazine Substituents. 2008 , 8, 1585-1594	21
1543	Crystal engineering of zinc(II) metal-organic frameworks: role of steric bulk and angular disposition of coordinating sites of the ligands. 2008 , 10, 1167	54
1542	Anion-dependent self-assembly of silver(I) and diaminotriazines to coordination polymers: non-covalent bonds and role interchange between silver and hydrogen bonds. 2008 , 47, 8957-71	59
1541	Diastereoselective Friedel-Crafts alkylation of indoles with chiral alpha-phenyl benzylic cations. Asymmetric synthesis of anti-1,1,2-triarylalkanes. 2008 , 10, 3037-40	60

- 1540 Self-encapsulation of $[MII(phen)_2(H_2O)_2]^{2+}$ (M=Co, Zn) in one-dimensional nanochannels of $[MII(H_2O)_6(BTC)_2]^{4-}$ (M=Co, Cu, Mn): a high HQ/CAT ratio catalyst for hydroxylation of phenols. **2008**, 47, 4564-9 32
- 1539 Reactivity of Dinuclear Rhodium(I) Macrocyces Formed via the Weak-Link Approach. **2008**, 27, 789-792 7
- 1538 Two Zinc(II) Coordination Polymers Constructed with Rigid 1,4-Benzenedicarboxylate and Flexible 1,4-Bis(imidazol-1-ylmethyl)-2,3,5,6-tetramethylbenzene Linkers: From Interpenetrating Layers to Templated 3D Frameworks. **2008**, 8, 3200-3205 65
- 1537 Silver(I) Ethynide Supramolecular Synthons in the Assembly of Stacked Infinite Columns. **2008**, 27, 2483-2489 22
- 1536 Noncovalent interactions under extreme conditions: high-pressure and low-temperature diffraction studies of the isostructural metal-organic networks $(4\text{-chloropyridinium})_2[CoX_4]$ (X = Cl, Br). **2008**, 130, 9058-71 79
- 1535 Zinc(II) coordination architectures with two bulky anthracene-based carboxylic ligands: crystal structures and luminescent properties. **2008**, 10, 681 96
- 1534 A chiral C₃-symmetric hexanuclear triangular-prismatic copper(II) cluster derived from a highly modular dipeptidic N,N'-terephthaloyl-bis(S-aminocarboxylato) ligand. **2008**, 10, 461 69
- 1533 New palladium(II) and platinum(II) complexes with 9-aminoacridine: structures, luminiscence, theoretical calculations, and antitumor activity. **2008**, 47, 6990-7001 86
- 1532 Fine Tuning of the Cu(II)-Bis(imidazole) Networks by Changing Sulfonate Anions. **2008**, 8, 1250-1256 51
- 1531 Interpretation of the multiple vanadium-oxygen bonds in the central VO($\eta^2\text{-O}_2$)⁺ group. Synthesis, structure, supramolecular interactions and DFT studies for complexes with 2,2'-bipyridine, 1,10-phenanthroline, pyrazinato(1-) and pyrazinamide ligands. **2008**, 121-30 34
- 1530 Targeted self-assembly and quantum Monte Carlo magnetic study of an alternating nickel(II) 1D coordination polymer composed of highly preorganized binuclear tectons. **2008**, 3971-7 13
- 1529 Palladium(II) and platinum(II) organometallic complexes with 4,7-dihydro-5-methyl-7-oxo[1,2,4]triazolo[1,5-a]pyrimidine. Antitumor activity of the platinum compounds. **2008**, 47, 4490-505 66
- 1528 Noncovalently Connected Framework Assembled from Unusual Octamolybdate-Based Inorganic Chain and Organic Cation. **2008**, 8, 1261-1264 49
- 1527 Novel Cu(II)-Based Frameworks Built from BIMAM and Oxalate: Syntheses, Structures, and Magnetic Characterizations (BIMAM = Bis(imidazol-yl) methylaminomethane). **2008**, 8, 4075-4082 22
- 1526 Synthesis and solid state characterization of hexacoordinated 1:1 ionic gallium(III) complexes. **2008**, 1186-94 5
- 1525 Organic-inorganic hybrids assembled by bis(undecatungstophosphate) lanthanates and dinuclear copper(II)-oxalate complexes. **2008**, 115-20 71
- 1524 Cu(I) complexes bearing the new sterically demanding and coordination flexible tris(3-phenyl-1-pyrazolyl)methanesulfonate ligand and the water-soluble phosphine 1,3,5-triaza-7-phosphaadamantane or related ligands. **2008**, 47, 10158-68 68
- 1523 Structural, photophysical, and catalytic properties of Au(I) complexes with 4-substituted pyridines. **2008**, 47, 2543-51 36

1522	Structural characterization, solution studies, and DFT calculations on a series of binuclear gold(III) oxo complexes: relationships to biological properties. 2008 , 47, 2368-79	94
1521	The contrasting chemistry and cancer cell cytotoxicity of bipyridine and bipyridinediol ruthenium(II) arene complexes. 2008 , 47, 11470-86	86
1520	Versatile coordinative abilities of a new hybrid pteridine-thiosemicarbazone ligand: crystal structure, spectroscopic characterization, and luminescent properties. 2008 , 47, 1096-106	19
1519	Thorium(IV) Coordination Polymers in the Pyridine and Pyrazinedicarboxylic Acid Systems. 2008 , 8, 2921-2928	50
1518	Manganese(II) Complexes with a Bulky Anthracene-Based Dicarboxylic Ligand: Syntheses, Crystal Structures, and Magnetic Properties. 2008 , 61, 382	18
1517	Copper(I) and silver(I) coordination frameworks involving extended bipyridazine bridges. 2008 , 32, 1910	55
1516	Towards tuning the packing and entanglement of zigzag coordination chains by terminal ligands. 2008 , 1993-2004	47
1515	Nickel(II), copper(II), and cobalt(II) solid-state structures formed through hydrogen bonding with ditopic heteroscorpionate ligands. 2008 , 3995-4005	21
1514	Supramolecular PhanePhos-analogous ligands through hydrogen-bonding for asymmetric hydrogenation. 2008 , 844-6	79
1513	Metal-organic frameworks constructed from 2,4,6-Tris(4-pyridyl)-1,3,5-triazine. 2008 , 47, 4481-9	147
1512	Imidazole-substituted oxoverdazyl radical as a mediator of intramolecular and intermolecular exchange interaction. 2008 , 47, 2396-403	56
1511	Mixed-ligand complex compounds [Pb(Phen){(iso-C ₄ H ₉) ₂ PS ₂ } ₂] and [Pb(2,2'-Bipy){(iso-C ₄ H ₉) ₂ PS ₂ } ₂] and formation of supramolecular assemblies in their crystal structures. 2008 , 49, 117-124	1
1510	Structural and biological studies of organotin(IV) derivatives with 2-mercapto-benzoic acid and 2-mercapto-4-methyl-pyrimidine. 2008 , 27, 3318-3324	16
1509	The Role of π -Stacking in the Composition of Phloroglucinol and Phenazine Cocrystals. 2008 , 8, 4546-4552	73
1508	Three-Dimensional Metal-Organic Network Architecture with Large π -Conjugated Indolocarbazole Derivative: Synthesis, Supramolecular Structure, and Highly Enhanced Fluorescence. 2008 , 8, 259-264	41
1507	Controllable Congregating of Homochiral and Achiral Coordination Polymers: Cadmium(II) Pyridine-2,4,6-Tricarboxylate Species with Double-Helical Strand and Molecular Building Block Structures. 2008 , 8, 452-459	62
1506	Synthesis and Reactivity of Tantalum Complexes Supported by Bidentate X ₂ and Tridentate LX ₂ Ligands with Two Phenolates Linked to Pyridine, Thiophene, Furan, and Benzene Connectors: Mechanistic Studies of the Formation of a Tantalum Benzylidene and Insertion Chemistry for Tantalum-Carbon Bonds. 2008 , 27, 6123-6142	60
1505	Structural Diversity in Metal-Organic Frameworks Derived from Binuclear Alkoxo-Bridged Copper(II) Nodes and Pyridyl Linkers. 2008 , 8, 964-975	38

- 1504 pH-triggered changes in the supramolecular self-assembly of Cu(II) malonate complexes. **2008**, 10, 1358 28
- 1503 Solvent-dependent copper(I) conformational supramolecular pseudo-polymorphs based on a flexible thioether ligand. **2008**, 10, 590 64
- 1502 Efficient near-UV photosensitization of the Tb(III) green luminescence by use of 2-hydroxyisophthalate ligands. **2008**, 3147-9 23
- 1501 Crystal structures and photoluminescent properties of the orange and yellow forms of [Pt{4-(*o*-ClC₆H₄)trpy}(CN)]SbF₆: an example of concomitant polymorphism. **2008**, 10, 740 35
- 1500 Synthesis, characterization and molecular recognition of a bis-platinum terpyridine dimer. **2008**, 889-90 25
- 1499 Two-dimensional layer polyoxometalate-based inorganic metal-organic hybrid supramolecular networks woven by Cu^{II}-Opolyoxoanion short contact weak interactions. **2008**, 61, 627-639 5
- 1498 Structure-solid-state CP/MAS ¹³C NMR correlation in palladacycle solvates (pseudo-polymorphs) with a transformation from Z = 1 to Z = 2. **2008**, 10, 1928 28
- 1497 Counterion effect on the formation of coordination polymer networks between AgNO₃ and L (2,2'-oxybis(ethane-2,1-diyl) diisonicotinate). Part 2. **2008**, 10, 1542 32
- 1496 Unusual face-to-face pi-pi stacking interactions within an indigo-pillared M₃(tpt)-based triangular metalloprism. **2008**, 6110-2 47
- 1495 Stacking induced complexes with Z-shape motifs featuring a complementary approach between electron-rich arene diamines and electron-deficient aromatic N-heterocycles. **2008**, 10, 1003 48
- 1494 Controlling the geometry of Cu(II) tectons to build one-dimensional hydrogen bonded chains. **2008**, 10, 86-94 19
- 1493 Tuning framework formation by flexible ligand elongation and second ligating spacer variation: increasing dimensionality and macrocycle size. **2008**, 10, 778 27
- 1492 Broad HOMO-LUMO gap tuning through the coordination of a single phosphine, aminophosphine or phosphite onto a Ru(tpy)(bpy)₂⁺ core. **2008**, 5627-35 25
- 1491 A new five-coordinated CuI-P₂NO₂ system: XRD structure of 6-acetyl-1,3,7-trimethyl-pteridine-2,4(1H,3H)-dione and its Cu(I) (N₅,O₆,O₄)-tridentate complex with triphenylphosphine. An AIM study of the nature of metal-ligand bonds. **2008**, 6461-6 10
- 1490 Parallel alignment of water and aryl rings-crystallographic and theoretical evidence for the interaction. **2008**, 6546-8 41
- 1489 Synthesis, structure and properties of three one-dimensional coordination polymers {[M(II)L(NCS)₂](DMF)₂]_n (M(II)=cadmium(II), zinc(II), manganese(II); L=1,4-bis[2-(2-pyridyl)benzimidazolato]butane). **2008**, 61, 760-767 5
- 1488 d(10)-Metal coordination polymers based on analogue di(pyridyl)imidazole derivatives and 4,4'-oxydibenzoic acid: influence of flexible and angular characters of neutral ligands on structural diversity. **2008**, 6796-807 62
- 1487 Assembly of a Cluster-Based Coordination Polymer from a Linear Trimetallic Building Block Surrounded by Flexible Hingelike Ligands. **2008**, 8, 2052-2054 21

- 1486 Supramolecular Networks in Copper(II) Malonate Complexes. **2008**, 8, 3219-3232 46
- 1485 Menthyl-Substituted Group 4 Metallocene Dihalides. **2008**, 27, 5846-5851 18
- 1484 Self-assembly of ligands designed for the building of a new type of [2 x 2] metallic grid. anion encapsulation and diffusion NMR spectroscopy. **2008**, 47, 413-28 64
- 1483 New [4.4]cyclophanes: molecular parallelograms, triangles, rhombuses, pentagons, and supramolecular constructions. **2008**, 73, 5831-8 7
- 1482 Square-planar nickel(II) complexes with a tridentate Schiff base and monodentate heterocycles: self-assembly to dimeric and one-dimensional array via hydrogen bonding. **2008**, 61, 2340-2346 10
- 1481 Mapping the active site in a chemzyme: diversity in the N-substituent in the catalytic asymmetric aziridination of imines. **2008**, 10, 5429-32 47
- 1480 Supramolecular Synthron Frustration Leads to Crystal Structures with $Z' > 1$. **2008**, 8, 2517-2524 84
- 1479 Coordination architectures of 2-(1H-tetrazol-5-yl)pyrazine with group IIB metal ions: luminescence and structural dependence on the metal ions and preparing conditions. **2008**, 10, 699 53
- 1478 3-Benzyl-1-butyl-imidazo[1,2-a]benzo-thieno[3,2-d]pyrimidine-2,5(1H,3H)-dione. **2007**, 64, o10 1
- 1477 Synthesis, structure, and reactivity of rhodium and iridium complexes of the chelating bis-sulfoxide tBuSOC₂H₄SOtBu. Selective O-H activation of 2-hydroxy-isopropyl-pyridine. **2008**, 47, 6502-12 14
- 1476 1,2,4,5-benzenetetracarboxylate- and 2,2'-bipyrimidine-containing cobalt(II) coordination polymers: preparation, crystal structure, and magnetic properties. **2008**, 47, 3568-76 97
- 1475 Platinum(IV) Metallacrown Ethers: Synthesis, Structures, Host Properties and Anticancer Evaluation. **2008**, 27, 4917-4927 37
- 1474 A new bis(1-naphthylimino)acenaphthene compound and its Pd(II) and Zn(II) complexes: synthesis, characterization, solid-state structures and density functional theory studies on the syn and anti isomers. **2008**, 47, 7734-44 46
- 1473 Novel Water Clusters in Two Complexes of Pyridine-2,3,5,6-tetracarboxylate. **2008**, 8, 3354-3359 60
- 1472 Importance of Weak Hydrogen Bonds in the Formation of Cholamide Inclusion Crystals with Aromatic Guests. **2008**, 8, 1013-1022 28
- 1471 A Structural Investigation of Six Solvates of trans-1,4-Bis(phenylethynyl)-cyclohexane-1,4-diol. **2008**, 8, 4359-4366 15
- 1470 X-ray crystal structure and magnetic and photophysical properties of novel copper(II) N-oxide adduct [(4-MPyO)₂(CuCl₂)₂(H₂O)(C₂H₅OH)] (4-MPyO = 4-(4-methoxystyryl)pyridine N-oxide). **2008**, 47, 2103-12 10
- 1469 Structural Versatility in Copper(II) η -Hydroxycarboxylate Complexes with the Twisted Ligands 4,4'-Dipyridyldisulfide and Bis(4-pyridylthio)methane: From Molecular Compounds to Two-Dimensional Coordination Polymers. **2008**, 8, 995-1004 41

1468	Syntheses and Crystal Structures of Metal Complexes with 2,2'-Biimidazole-like Ligand and Chloride: Investigation of XH...Cl (X = N, O, and C) Hydrogen Bonding and Cl...imidazolyl Interactions. 2008 , 8, 2282-2290	87
1467	X-ray crystal structures, electron paramagnetic resonance, and magnetic studies on strongly antiferromagnetically coupled mixed mu-hydroxide-mu-N(1),N(2)-triazole-bridged one dimensional linear chain copper(II) complexes. 2008 , 47, 3358-65	43
1466	Tetrabenzo[a,c,g,i]fluorenyltitanium(III) and -(IV) Complexes: Syntheses, Reactions, and Catalytic Application. 2008 , 27, 1859-1868	20
1465	. 2008 , 8, 981-985	26
1464	Structures and Luminescent Properties of a Series of Zinc(II) and Cadmium(II) 4,4'-Oxydipthalate Coordination Polymers with Various Ligands Based on Bis(pyridyl imidazole) under Hydrothermal Conditions. 2008 , 8, 1610-1616	104
1463	A dinuclear diamagnetic copper(II) complex [Cu ₂ (ophen) ₂]Cl ₂ with hydroxylated phen. 2008 , 61, 4033-4039	12
1462	A linear chain polymer {Ag ₂ [S ₂ P(OC ₂ H ₅) ₂] ₂ (bix)} _n with multiple emission and red luminescence. 2008 , 61, 1599-1605	3
1461	1-(4-Chloro-phen-yl)piperazine-1,4-dium tetra-chlorido-zincate(II) monohydrate. 2008 , 64, m880	2
1460	Fluorine-substituted β-diketonate PbII complexes, [Pb(phen)(TFPB) ₂] and [Pb(2,2'-bipy)(TFPB) ₂]. 2008 , 61, 882-890	6
1459	Cadmium(II), manganese(II) and zinc(II) compounds. 2008 , 61, 1606-1614	10
1458	Syntheses and characterization of three mercury(II) complexes, [Hg(phen) ₂ (SCN) ₂], [Hg(2,2'-bipy) ₂ (SCN) ₂] and [Hg(phen) ₂ (NO ₃) ₂], thermal and fluorescence studies. 2008 , 61, 789-795	2
1457	Synthesis and characterization of copper(II) complexes with 3-methylpicolinic acid. Crystal and molecular structure of bis (3-methylpicolinato- N , O)(4-picoline)copper(II). 2008 , 61, 3092-3101	13
1456	(E)-Methyl 3-{3-[(4-bromo-phen-oxy)-methyl]phen-yl}acrylate. 2007 , 64, o6	1
1455	Dichlorido[1-(1-naphthyl-meth-yl)-3-(2-pyrid-yl)-1H-pyrazole-β,N]palladium(II). 2007 , 64, m69	4
1454	8-Iodo-quinolinium chloride dihydrate. 2008 , 64, o2076	6
1453	Di-Acetato-β,O':O;β:O,O'-bis-[(acetato-β,O')(1,10-phenan-throline-β,N')cadmium(II)]. 2008 , 64, m1450	1
1452	La(III) and Eu(III) 2-D coordination polymers of 5-nitroisophthalic acid (H ₂ Nip) and 1,10-phenanthroline (phen), [M(phen)(HNip)(Nip)] _n . 2009 , 62, 3921-3929	6
1451	Synthesis and crystal structures of supramolecular compounds: [Cu(mpca) ₂ (H ₂ O)] · 3H ₂ O and [Cu ₂ (mpca) ₂ (pyr) ₄]. 2009 , 62, 3613-3620	7

1450	Synthesis, crystal structures, and fluorescence properties of (RS)-2-methylglutarato Zn(II), Cd(II) complexes. 2009 , 62, 2497-2510	5
1449	Synthesis and crystal structures of two lead(II) complexes of 4,4,4-trifluoro-1-naphthyl-1,3-butanedione ligand, subtle interplay of weak intermolecular interactions. 2009 , 62, 3332-3342	4
1448	Anion-π interaction stitching 2-D layers formed by self-assembly of cations of a mononuclear copper(II) complex: synthesis, crystal structure and magnetism of [Cu(OAc)(2,2'-dypam) ₂](ClO ₄) [HOAc = acetic acid, 2,2'-dypam = 2,2'-dipyridylamine]. 2009 , 62, 540-551	20
1447	Synthesis, spectroscopic properties, and structures of copper(II) and manganese(II) complexes of pyridine-2,6-dicarboxylate and 1,10-phenanthroline. 2009 , 62, 3438-3445	7
1446	Two New Nickel(II) Complexes of (4-Amino-1,2,4-triazole-3,5-diylidithio)diacetic Acid: Syntheses, Crystal Structures and Characterizations. 2009 , 39, 36-44	3
1445	A one-dimensional organic-inorganic hybrid constructed by saturated Keggin polyoxoanions and [Cu(4,4'-bipy)] _n chains. 2009 , 62, 1381-1387	5
1444	Synthesis, structure and luminescent properties of zinc(II) and Hg(II) complexes with substituted 1,10-phenanthroline. 2009 , 62, 400-409	6
1443	Co(II) Metal-Organic Framework with N ₆ -Functionalized-1,3,5-Triazine and Dicarboxylate Spacer Ligands: Synthesis, Crystal Structure and Characterization. 2009 , 39, 690-693	1
1442	Synthesis, characterization and NLO properties of a new 3D coordination polymer assembled from p-aminobenzoic acid. 2009 , 11, 1040-1043	9
1441	Effect of counter cationic geometry on stacking structures and magnetic properties of [Ni(mnt) ₂] ⁺ complexes. 2009 , 11, 1216-1221	6
1440	Transfer helix and chirality to 1,4-phenylene silica nanostructures. 2009 , 118, 135-141	13
1439	[M(N ₃) ₂ (H ₂ O) ₂] × (bpeado): unusual antiferromagnetic Heisenberg chain (M = Mn) and ferromagnetic Ising chain (M = Co) with large coercivity and magnetic relaxation (bpeado = 1,2-bis(4-pyridyl)ethane-N,N'-dioxide). 2009 , 15, 1757-64	89
1438	Breaking the mirror: pH-controlled chirality generation from a meso ligand to a racemic ligand. 2009 , 15, 989-1000	65
1437	Rational modification of the hierarchy of intermolecular interactions in molecular crystal structures by using tunable halogen bonds. 2009 , 15, 7554-68	151
1436	From racemic compound to spontaneous resolution: a linker-imposed evolution of chiral [MnMo ₉ O ₃₂](6-)-based polyoxometalate compounds. 2009 , 15, 10940-7	33
1435	Photophysical Processes in Supramolecular Balls Formed by Lanthanide Chloride with 2,2'-Bipyridine. 2009 , 92, 2552-2564	9
1434	Synthesis and Characterization of Three Diverse Coordination Frameworks under Co-ligand Intervention. 2009 , 27, 317-323	
1433	A new photoluminescent supramolecular inorganic-organic hybrid zincophosphate complex pillared by carboxylate ligand through hydrogen bonding interactions. 2009 , 44, 331-335	3

- 1432 A New, Flexible N,N,N-Tripodal Facially Capping Ligand System: Synthesis and Structural Characterization of β -Triketimines and Their $M(\text{CO})_3$ Complexes ($M = \text{Cr, Mo, W}$). **2009**, 2009, 1219-1233 14
- 1431 Nickel Complexes of N/O-Functionalized N-Heterocyclic Carbenes as Precatalysts for Michael Reactions in Air at Room Temperature Under the Much Preferred Base-Free Conditions. **2009**, 2009, 1932-1941 48
- 1430 Structural Evidence for an Unusual Conformation and Weak Interligand Interactions in Two Copper Chelates with (o-Nitrophenyl)ethylenediaminediacetic Acid. **2009**, 2009, 1488-1494 5
- 1429 Structure, Spectral and Magnetic Properties of 3-(p-Pyridyl)-1,5-diphenylverdazyl (p-PyV) and the Binuclear Copper(II) Radical Complex $[\text{Cu}_2(\text{OCOCH}_3)_4(\text{p-PyV})_2]$. **2009**, 2009, 2354-2361 14
- 1428 Synthesis, Structure, and Spectroscopic and Electrochemical Properties of Copper(II/I) Complexes with Symmetrical and Unsymmetrical 2,9-Diaryl-1,10-phenanthroline Ligands. **2009**, 2009, 2951-2958 16
- 1427 Cyclometallated [C,N,O] Complexes as Metalloligands: Synthesis and Structural Characterisation of New Di-, Tri-, Tetra- and Pentanuclear Heterometallic Complexes. **2009**, 2009, 3071-3083 16
- 1426 Anion-Lone-Pair and Hydrogen-Bonding Interactions in a CuI Complex of 2-Picolinate and Protonated 4,4'-Bipyridine: Crystal Structure and Theoretical Studies. **2009**, 2009, 2238-2246 87
- 1425 Organometallic Osmium(II) and Ruthenium(II) Biphenyl Sandwich Complexes: X-ray Crystal Structures and ^{187}Os NMR Spectroscopic Studies in Solution. **2009**, 2009, 2673-2677 8
- 1424 One-Dimensional Coordination Polymers of MnII , CuII , and ZnII Supported by Carboxylate-Appended (2-Pyridyl)alkylamine Ligands: Structure and Magnetism. **2009**, 2009, 3317-3325 18
- 1423 Novel CuI Ethylene Complexes with 6,6'-Diphenyl-4,4'-bipyrimidine Three-Dimensionally Self-Assembled by an Intermolecular π -Stacking Interaction and a $\text{C} \cdots \text{N}$ Contact. **2009**, 2009, 4225-4231 14
- 1422 2,11-Dialkylated 1,12-Diazaperylene Copper(I) Complexes: First Supramolecular Column Assemblies by π -Stacking between Homoleptic Tetrahedral Metal Complexes, Exhibiting Low-Energy MLCT Transitions. **2009**, 2009, 4648-4659 12
- 1421 Modular Synthesis of Novel Chiral Phosphorous Triamides Based on (S)-N-(Pyrrolidin-2-ylmethyl)aniline and Their Application in Asymmetric Catalysis. **2009**, 2009, 4102-4116 40
- 1420 Towards the functionalization of the methine carbon of a sterically hindered tris(pyrazolyl)methane: is a radical pathway envisageable? Synthesis and structure of tetrakis(3,5-dimethylpyrazolyl)methane. **2009**, 65, 9218-9223 12
- 1419 Five novel transition metal coordination polymers with 2D/3D framework structure based on flexible H_2tzda and ancillary ligand bpe . **2009**, 182, 2707-2715 11
- 1418 Studies on arene interactions in flexible pyrazolo[3,4-d]pyrimidine core based symmetrical β -propylene/Leonard linker models: X-ray crystallographic evidence for disappearance of intramolecular stacking due to presence of chloro- or cyano-groups in place of methylsulfanyl or alkoxy substituents. **2009**, 927, 27-36 7
- 1417 Pseudopolymorphism in nickel(II) complexes with 6-bromopicolinic acid. Synthesis, structural and thermal studies. **2009**, 930, 121-125 7
- 1416 Hydrogen-bonding one-dimensional arrangement in the crystal of N-phenyl-2-hydroxyacetamide. **2009**, 932, 1-5 3
- 1415 Synthesis, structural elucidation and DFT studies of ortho-hydroxy acetophenones. **2009**, 936, 277-282 13

1414	Synthesis, structure, and luminescence properties of complex ZnLClb2 (L is 2-(3,5-dimethylpyrazol-1-yl)-4-methylquinoline). 2009 , 58, 1837-1840	3
1413	Synthesis and crystal structures of new lanthanide isonicotinate: coordination polymers and molecular complexes. 2009 , 58, 1858-1865	3
1412	Crystal structure and synthesis of benzimidazole substituted acrylonitriles and benzimidazo[1, 2-a]quinolines. 2009 , 20, 91-99	6
1411	Geometries and stabilities of various configurations of benzene dimer: details of novel V-shaped structure revealed. 2009 , 20, 11-20	38
1410	Analysis of the supramolecular structures of Sb(III) and Sb(V) catecholate complexes from the viewpoint of ligand solid angles. 2009 , 20, 643-654	9
1409	Synthesis, spectroscopic properties, crystal structure and biological activities of copper(II) 2-methylthionicotinate complexes with furopyridines. 2009 , 34, 15-22	7
1408	Two manganese(II) complexes based on anthracene-9-carboxylate: Syntheses, crystal structures, and magnetic properties. 2009 , 34, 51-60	14
1407	Reactivity of diacetylplatinum(II) complexes: oxidative addition of alkyl halides and crystal structures of acetyl platinum(IV) complexes. 2009 , 34, 61-74	9
1406	Syntheses, crystal structures and electrochemical properties of three organic-inorganic hybrid supramolecular compounds based on copper-complex fragments and different polyoxometalates. 2009 , 34, 361-366	3
1405	Syntheses and structures of silver(I) complexes of 4-amino-3,5-dimethyl-4H-1,2,4-triazole and 4-amino-3,5-diethyl-4H-1,2,4-triazole: role of the substituents. 2009 , 34, 751-755	11
1404	Synthesis, Structure and Characterization of Two 1D Chain-like Cadmium Terephthalate Complexes: [Cd(tp)(H ₂ O) ₃] · 4H ₂ O and [Ph ₄ P][Cd(tp)0.5Cl ₂] · H ₂ O. 2009 , 39, 60-67	6
1403	X-ray Crystal Structures of Discrete and Polymeric Silver Based Molecules Containing 4,4'-Dimethyl-2,2'-Bipyridine and 2,2'-Bipyridine. 2009 , 39, 438-444	19
1402	Synthesis and Structural Characterization of Substituted Salicylate Titanocene Complexes: Three Supramolecular Frameworks Determined by Weak Interactions. 2009 , 39, 623-631	4
1401	Structures of Bis(1-ethylbenzimidazol-2-yl)alkyl Copper(II) Dichlorides: An Unusual Cocrystallization. 2009 , 39, 719-722	4
1400	Dominant π Interaction in the self assemblies of 4-benzylidene imidazolin-5-one analogues. 2009 , 121, 973-982	10
1399	Synthesis, Characterization and Thermal Behavior of Two 4d-4f Coordination Polymers Based on N and O Donor Ligands. 2009 , 635, 393-398	12
1398	Two Coordination Networks Built from p-Sulfonatothiacalix[4]arene Tetranuclear Clusters. 2009 , 635, 1669-1672	7
1397	Silver(I) Complexes with a Bulky Anthracene-Based Dicarboxylic Ligand: Syntheses, Crystal Structures, and Luminescent Properties. 2009 , 635, 523-529	18

- 1396 Sodium Nitroprusside as a Source of Metalloligand in Direct Synthesis of Cu/Fe Complexes. **2009**, 635, 2316-2323 5
- 1395 Synthesis, Crystal Structure, Thermal, Spectroscopic and Magnetic Properties of a 2D Grid-like Copper(II) μ_2 ,1 Isocyanato Coordination Polymer with Pyrazine Bridges. **2009**, 635, 1115-1122 26
- 1394 Piperazinium, Ethylenediammonium or 4,4'-Bipyridinium Halocuprates(I) by CuI/Cu₂O Comproportionation. **2009**, 635, 1139-1147 48
- 1393 Vibrational spectroscopy of 4-hydroxybenzhydrazide and its O,N-deuterated isotopologue accompanied by X-ray structure refinement. **2009**, 50, 185-192 7
- 1392 Formation of bilayer structure through face-to-face π -interactions. **2009**, 920, 14-17 6
- 1391 B \cdots H aromatic and C \cdots H \cdots B interactions in co-crystals of aromatic amine N-oxides with p-phenylenediboronic acid. **2009**, 920, 350-354 15
- 1390 Structural characterisation of beryllium phthalocyaninato(2-) complexes axially ligated by O- and N-donating ligands. **2009**, 935, 53-59 12
- 1389 Polymorphism of cobalt(II) complex with 6-bromopicolinic acid: The influence of the solution pH value on the formation of polymorphs. **2009**, 938, 174-178 11
- 1388 Mixed-ligand silver(I) complexes containing bis[2-(diphenylphosphino)phenyl]ether and pyridyl ligands. **2009**, 362, 271-276 13
- 1387 Synthesis, characterization, and cytotoxicity of trimethylplatinum(IV) complexes with 2-thiocytosine and 1-methyl-2-thiocytosine ligands. **2009**, 362, 189-195 29
- 1386 Synthesis, characterizations and crystal structures of antimony(III) complexes with nitrogen-containing ligands. **2009**, 362, 339-345 28
- 1385 Effect of anion and ligand ratio in self-assembled silver(I) complexes of 4-(diphenylphosphinomethyl)pyridine and their derivatives with bipyridine ligands. **2009**, 362, 426-436 18
- 1384 Studies of mononuclear and dinuclear complexes of dibromodimethylplatinum(IV): Preparation, characterization and crystal structures. **2009**, 362, 1323-1332 7
- 1383 Copper(II) complexes of N-heteroaromatic hydrazones: Synthesis, X-ray structure, magnetic behavior, and antibacterial activity. **2009**, 362, 1996-2000 42
- 1382 Syntheses, structures, photoluminescent and electrochemical properties of two ferrocenylthiocarboxylate-containing complexes. **2009**, 362, 2418-2422 4
- 1381 Imidazole \cdots imidazole stacking in some inorganic complexes. **2009**, 362, 2879-2883 9
- 1380 Supramolecular networks of hexanuclear cadmium (II): Synthesis, crystal structure and emission property. **2009**, 362, 3065-3068 18
- 1379 Isomer distribution and structure of (2,2'-biphenyldiolato)bis(β -diketonato)titanium(IV) complexes: A single crystal X-ray, solution NMR and computational study. **2009**, 362, 3088-3096 18

1378	Zinc(II) and mercury(II) coordination architectures with two pyridyl/benzimidazol-1-yl-based ligands: Crystal structures and photoluminescent properties. 2009 , 362, 3147-3154	6
1377	1-Hydroxybenzotriazole (HOBt) acidity, formation constant with different metals and thermodynamic parameters: Synthesis and characterization of some HOBt metal complexes □ Crystal structures of two polymers: [Cu ₂ (H ₂ O) ₅ (OBt) ₂ (EOBt) ₂ ·2H ₂ O·EtOH (1A) and [Cu(EOBt)(HOBt)(OBt)(EtOH)] (1B). 2009 , 362, 3526-3540	23
1376	Structure and magnetic properties of a tetranuclear Cu ₄ O ₄ open-cubane in [Cu(L)] ₄ ·4H ₂ O with L ₂ B(E)-N [?] -(2-oxy-3-methoxybenzylidene)benzohydrazide. 2009 , 362, 3791-3795	54
1375	Cationic induced assembly of two 2D zinc terephthalate polymeric networks. 2009 , 362, 3901-3909	8
1374	Structural and magnetic behavior of mono- and dinuclear nickel (II) complexes of N,N [?] -bis-(3,5-dipiperidin-1-yl-[2,4,6]triazin-1-yl)-pyridin-2-ylmethyl-ethane-1,2-diamine. 2009 , 362, 4760-4766	11
1373	H-bonding directed one-step synthesis of novel macrocyclic peptides from □-aminoquinolinecarboxylic acid. 2009 , 50, 2367-2369	41
1372	Relevance of the leaving group for antitumor activity of new platinum(II) compounds containing anthracene derivatives as a carrier ligand. 2009 , 103, 1602-8	13
1371	Supramolecular hydrogen-bonded 1D arrangement in the crystals of 2,4-diamino-6-benzyl-1,3,5-triazine and 2,4-diamino-6-(4-methylbenzyl)-1,3,5-triazine. 2009 , 920, 75-81	7
1370	Use of H-bonding forces to steer the assembly of a NTA complex of Cu(II) into hydrogen bonded supramolecular layers (H ₃ NTA = nitrilotriacetic acid). 2009 , 921, 268-273	11
1369	Synthesis and characterization of two manganese(II) complexes containing di(4-pyridyl)sulfide (4-DPS) ligand: The effects of the counter ion and of the weak non-covalent interactions in the crystal structures of [Mn(4-DPS) ₄ (H ₂ O) ₂](ClO ₄) ₂ ·2H ₂ O and {[Mn(4-DPS) ₂ (NCS) ₂] ₂ ·2H ₂ O} _n . 2009 , 923, 60-66	14
1368	Nickel(II) and copper(II) complexes of 5-(4-methoxy-phenyl) [1,3,4]-oxadiazole-2-thione: Synthesis and X-ray characterization. 2009 , 936, 257-263	10
1367	Copper(I) complexes of a thioether-functionalized short-bite aminobis(phosphonite), [PhN{P(O)(C ₁₀ H ₆ (ES)C ₁₀ H ₆ O)} ₂]. 2009 , 28, 101-106	5
1366	Substitution kinetics of biphenol at dichlorobis(acetylacetonato-O,O [?])titanium(IV): Isolation, characterization, crystal structure and enhanced hydrolytic stability of the product bis(acetylacetonato-O,O [?])(biphenyldiolato-O,O [?])titanium(IV). 2009 , 28, 209-214	12
1365	Mono- and dinuclear copper(II) complexes with meta-phenylene-bridging ligands: Synthesis, structure and magnetic properties. 2009 , 28, 1982-1990	17
1364	An X-ray diffraction study of anion and ratio dependence in the formation of discrete molecules versus polymeric arrays involving silver salts and bipyridine ligands. 2009 , 28, 407-415	30
1363	Linear Mn ³ II and cubane Mn ⁴ II carboxylate clusters derived from di-2-pyridyl ketone: Synthesis, characterization and magnetic properties. 2009 , 28, 2017-2025	14
1362	Syntheses, structures and magnetic studies of three heterometallic Fe ₂ Ln 1D coordination polymers. 2009 , 28, 1782-1787	15
1361	Copper(II)-methylmalonate complexes with unidentate N-donor ligands: Syntheses, structural characterization and magnetic properties. 2009 , 28, 1802-1807	13

- 1360 Syntheses, crystal structure and theoretical modelling of tetrahedral mono- μ -diketonato titanocenyl complexes. **2009**, 28, 966-974 6
- 1359 Structural organization of a {ruthenium[tris(bipyridyl)]²⁺ complex by strong π -stacking of a tethered 1,8-naphthalimide synthon: Impact on electrochemical and spectral properties. **2009**, 28, 1469-1474 28
- 1358 Electrochemical synthesis and characterization of zinc(II) complexes with pyrimidine-2-thionato ligands and their adducts with N,N donors. **2009**, 28, 2240-2248 17
- 1357 Synthesis and X-ray crystallographic studies of Ni (II) and Cu (II) complexes of [5-(4-pyridyl)-1,3,4]oxadiazole-2-thione/thiol formed by transformation of N-(pyridine-4-carbonyl)-hydrazine carbodithioate in the presence of ethylenediamine. **2009**, 28, 2443-2449 19
- 1356 New metal-organic architectures of cobalt(II), nickel(II) and zinc(II) with tripodal ligand 5-(1H-imidazol-4-ylmethyl)aminoisophthalic acid. **2009**, 28, 2480-2486 11
- 1355 Mixed-ligand complexes with trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene terminal and different aromatic polycarboxyl linkers: Synergistic modulation of metallosupramolecular architectures via coordinative and secondary interactions. **2009**, 28, 2347-2354 6
- 1354 Solution and structural studies of the Cd(II) Δ -aconitate system. **2009**, 28, 3227-3234 20
- 1353 3D-supramolecular copper(I) cyanide coordination polymers through hydrogen bonding. **2009**, 28, 2385-2390 36
- 1352 Novel coordination behavior of a pteridine-benzoylhydrazone ligand (BZLMH): Theoretical calculations, XRD structures and luminescence studies. **2009**, 28, 2641-2648 9
- 1351 Synthesis, structures and in vitro cytotoxicity studies of platinum(IV) complexes with N,S and S,S heterocyclic ligands. **2009**, 28, 3699-3706 13
- 1350 Synthesis and characterization of thiosemicarbazone derivatives of 2-chloro-4-hydroxy-benzaldehyde and their rhenium(I) complexes. **2009**, 28, 3915-3922 17
- 1349 Fused hexacyclic tin compounds derived from 3-(3,5-di-*t*-butyl-2-hydroxy-phenylimino)-3H-phenoxazin-2-ol. **2009**, 694, 726-730 8
- 1348 Construction of Cd(II)ferrocenesuccinate coordination complexes via changing adjuvant ligands and anions. **2009**, 694, 1359-1368 24
- 1347 Cyclometallated complexes derived from pyrimidin- and pyridazinehydrazones: Structural evidence of intermolecular π -helate metal ring π -interactions. **2009**, 694, 2234-2245 15
- 1346 A novel two-dimensional organostannoxane coordination network promoted by phenazine: Synthesis, characterization and X-ray structure of 2[[n-Bu₂(EDH)SnOSn(ED-O3SCF3)n-Bu₂]₂][n-Bu₂(ED-O3SCF3)SnOSn(EDH)n-Bu₂]₂. **2009**, 694, 2386-2394 14
- 1345 Dinuclear tetrapyridyl pendant-armed azamacrocyclic complexes of Co(II), Ni(II), Cu(II) and Cd(II). **2009**, 694, 3608-3613 3
- 1344 Entangled zinc-ditetrazolate frameworks involving in situ ligand synthesis and topological modulation by various secondary N-donor ligands. **2009**, 182, 736-743 34
- 1343 Hydrothermal synthesis and characterization of two new layered vanadium tellurites Cu(TATP)V₂TeO₈ and Cu(DPPZ)V₂Te₂O₁₀. **2009**, 182, 2202-2207 4

1342	Metal complexes involving indole rings: Structures and effects of metal-indole interactions. 2009 , 253, 479-492	62
1341	Two corrugated 2D bilayer (63)(658) topological coordination polymers: Synthesis, structure, and water-induced reversible transformation. 2009 , 12, 166-168	17
1340	Syntheses and structures of a phenoxo-bridged copper(II) distorted cubane and related complexes with 2-hydroxy-N-(2-pyridylalkyl)benzamide ligands. 2009 , 12, 511-514	9
1339	A novel lamella 2D Ag(I) coordination polymer of graphite-like structure featuring short interlayer distance. 2009 , 12, 782-784	42
1338	Supramolecular assembly of a dinuclear Ag(I) complex with discreet Ag ₂ S ₂ centers. 2009 , 12, 1091-1093	1
1337	New chemosensors based on thiomacrocyclic-containing coumarin-343 fluoroionophore: X-ray structures and previous results on the effect of cation binding on the photophysical properties. 2009 , 12, 1128-1134	8
1336	Metal complexes of amino acids and amino acid side chain groups. Structures and properties. 2009 , 7854-69	87
1335	Synthesis and Structural Characterization of Monophosphine-Cyclopalladated Ferrocenylpyrimidine Complexes and Reusable Catalytic System for Amination of Hindered Aryl Chlorides in PEG-400. 2009 , 28, 1909-1916	54
1334	Syntheses and structures of three coordination polymers based on 4-methylbenzenethiolates of Zn(II) and Cd(II) and bipyridine. 2009 , 62, 3782-3794	9
1333	N-Heterocyclic Carbene Complexes of Mercury, Silver, Iridium, Platinum, Ruthenium, and Palladium Based on the Calix[4]arene Skeleton. 2009 , 28, 6183-6193	43
1332	Molecular Ladders of Lanthanide-3-phenyl-4-benzoyl-5-isoxazolonate and Bis(2-(diphenylphosphino)phenyl) Ether Oxide Complexes: The Role of the Ancillary Ligand in the Sensitization of Eu ³⁺ and Tb ³⁺ Luminescence. 2009 , 9, 3562-3569	60
1331	Structure of a biologically active binuclear palladium complex, bis(bis[(2-cysteine)(2,2'-dipyridyl)-palladium(II)]) · hexanitrate · novemhydrates. 2009 , 35, 511-517	1
1330	Structure of a biologically active binuclear palladium complex in the compound bis(bis[(2-chloroethylammonium)(1,10-phenanthroline)-palladium(II)]) · octanitrate · dihydrates. 2009 , 35, 627-636	2
1329	Intracomplex H ₂ O···O interaction between adjacent phenanthroline molecules in complexes with rare-earth nitrates: Crystal and molecular structures of bis(1,10-Phenanthroline)trinitratoytterbium and bis(1,10-Phenanthroline)trinitratolanthanum. 2009 , 54, 48-56	5
1328	The structure of the scandium iodide complex with antipyrine (AP) and its comparison with the structure of nonisostructural analogues (Compounds [Ln(AP) ₆]I ₃ (Ln = La, Y, or Eu)). 2009 , 54, 841-845	4
1327	Synthesis of Bi ₂ S ₃ Nanostructures from Bismuth(III) Thiourea and Thiosemicarbazide Complexes. 2009 , 21, 5456-5465	92
1326	Homometallic uranium(VI) phosphonoacetates containing interlayer dipyridines. 2009 , 48, 6845-51	66
1325	Synthesis of mono- and bis-tetrazolato complexes of Ni(II), Pt(II) and Cu(II) via 1,3-dipolar cycloadditions of 2-cyanopyridines with metal ligated azides in N,N,O-aminoiminophenolato complexes. 2009 , 4778-85	24

- 1324 Octahedral monodithiolene complexes of iron: characterization of S,S' -coordinated dithiolate(1-) pi radical monoanions: a spectroscopic and density functional theoretical investigation. **2009**, 48, 7430-45 22
- 1323 Synthesis of designed conductive one-dimensional coordination polymers of Ni(II) with 6-mercaptapurine and 6-thioguanine. **2009**, 48, 7931-6 40
- 1322 $[M(C_5O_5)_2(H_2O)_n]_2$ as a Building Block for Hetero- and Homo-bimetallic Coordination Polymers: From 1D Chains to 3D Supramolecular Architectures. **2009**, 9, 1013-1019 14
- 1321 Synthesis and Luminescence of Cyclometalated Compounds with Nitrile and Isocyanide Ligands. **2009**, 28, 1705-1718 89
- 1320 Influence of Water Ligands on Structural Diversity: From a One-Dimensional Linear Coordination Polymer to Three-Dimensional Ferrimagnetic Diamondoid Metal-Organic Frameworks. **2009**, 9, 577-585 39
- 1319 Manipulating self-assembly in silver(I) complexes of 1,3-di-N-pyrazolylorganyls. **2009**, 48, 8404-14 21
- 1318 Tuning the optical properties of aryl-substituted dispirofluorene-indenofluorene isomers through intramolecular excimer formation. **2009**, 11, 4794-7 47
- 1317 Stereoselective formation of helical binuclear metal complexes: synthesis, characterization, and crystal structures of chiral bis-rhenium(I) quaterpyridine complexes. **2009**, 48, 4108-17 20
- 1316 Thermal, spectroscopic, X-ray powder diffraction, fluorescence, and structural studies of $[Pb_2(\mu_2\text{-pyc})(\text{EBr})_n]$, new mixed-anion lead(II) 3-D coordination polymers. **2009**, 62, 1784-1790 12
- 1315 Synthesis, structural characterization, and quadruplex DNA binding studies of platinum(II)-terpyridine complexes. **2009**, 48, 9427-35 72
- 1314 Concomitant Conformational Polymorphism: Mechanochemical Reactivity and Phase Relationships in the (Methanol)cis-dioxo(N-salicylidene-2-amino-3-hydroxypyridine)molybdenum(VI) Trimorph. **2009**, 9, 5327-5333 30
- 1313 Synthesis, Crystal Structures, and Properties of Molecular Squares Displaying Hydrogen and π Bonded Networks. **2009**, 9, 2734-2741 24
- 1312 Controllable selective functionalization of a cavitand via solid state photolysis of an encapsulated phenyl azide. **2009**, 11, 3056-8 10
- 1311 Hydrothermal Synthesis, Structures, and Luminescent Properties of Seven d10 Metal-Organic Frameworks Based on 9,9-Dipropylfluorene-2,7-Dicarboxylic Acid (H_2DFDA). **2009**, 9, 1394-1401 92
- 1310 Series of Copper(II) Coordination Polymers Containing Aminopyrazine and Different Carboxylate Bridges: Syntheses, Structures and Magnetic Properties. **2009**, 9, 3318-3326 32
- 1309 Metal-Directed Assembly of Coordination Polymers with a Multifunctional Semirigid Ligand Containing Pyridyl and Benzimidazolyl Donor Groups. **2009**, 9, 2341-2353 89
- 1308 Highly birefringent cyanoaurate coordination polymers: the effect of polarizable C-X bonds (X = Cl, Br). **2009**, 131, 18435-44 35
- 1307 Mononuclear metallacyclic silver(I) complexes of third generation bis(1-pyrazolyl)methane ligands. **2009**, 48, 936-45 38

1306	A novel supramolecular tetrahedron assembled from tetranuclear copper(I) cluster molecules via aryl embrace interactions. 2009 , 48, 420-2	56
1305	Synthesis and X-ray structures of a series of heteroleptic selenites of copper. 2009 , 48, 4031-43	6
1304	Synthesis and Characterization of New Palladium(II) Complexes Containing N-Alkylamino-3,5-diphenylpyrazole Ligands. Crystal Structure of [PdCl(L2)](BF4) {L2 = Bis[2-(3,5-diphenyl-1-pyrazolyl)ethyl]ethylamine}. 2009 , 62, 475	11
1303	Design, structure, and properties of functional metal-ligand inorganic modules. 2009 , 13, 54-67	7
1302	Dual emission from stoichiometrically mixed lanthanide complexes of 3-phenyl-4-benzoyl-5-isoxazolonate and 2,2'-bipyridine. 2009 , 19, 1425	53
1301	Structural Isomerism of Luminescent Dinuclear Pt(II)-Thiolate Diimines. 2009 , 9, 5356-5362	18
1300	Self-assembly of silver(I) and bis-bidentate N,N-donor ligands: from a tetranuclear complex to coordination polymers. 2009 , 5386-94	15
1299	Anion-controlled assemble of C ₆₀ X hydrogen bonded helical tubes or catemers by crescent imidazolium salts. 2009 , 11, 2804	9
1298	Influence of Anion on the Coordination Mode of a Flexible Neutral Ligand in Zn(II) Complexes: From Discrete Zero-Dimensional to Infinite 1D Helical Chains, 2D Nanoporous Bilayer Networks, and 3D Interpenetrated Metal-Organic Frameworks. 2009 , 9, 1095-1105	72
1297	Polymorphs, enantiomorphs, chirality and helicity in [Rh{N,O}(eta ⁴ -cod)] complexes with {N,O}=salicylaldiminato Schiff base or aminocarboxylato ligands. 2009 , 3698-709	103
1296	Copper(I) Complexes with N ₄ -Functionalized-1,2,4-Triazole and Bidentate Spacer Ligands: From One- to Three-Dimensional Architecture. 2009 , 9, 3367-3375	8
1295	From copper(II) carboxylate to copper(II) 4-pyridylsulfonate coordination polymers as a consequence of the copper(II)-assisted oxidative cleavage of the 4,4'-dipyridyldisulfide ligand. 2009 , 11, 817	32
1294	Supramolecular lone pair-pi/pi-pi/pi-anion assembly in a Mg(II)-malonate-2-aminopyridine-nitrate ternary system. 2009 , 113, 1623-7	38
1293	Influence of anionic sulfonate-containing and nitrogen-containing mixed-ligands on the structures of silver coordination polymers. 2009 , 3162-74	54
1292	Multifaceted coordination of naphthyridine-functionalized N-heterocyclic carbene: a novel "Ir(III)(C=N)(C=C)" compound and its evaluation as transfer hydrogenation catalyst. 2009 , 48, 11114-22	57
1291	Synthesis and Coordination Chemistry of Doubly-Tridentate Tripodal Pyridazine and Pyrimidine-Derived Ligands: Structural Interplay Between M ₂ L and M ₂ L ₂ (M = Ni and Pd) Complexes and Magnetic Properties of Iron(II) Complexes. 2009 , 62, 1142	6
1290	Coordination complexes with the redox active tetrathiafulvalene based imino-pyrazine ligand: syntheses, a radical cation salt, crystal structures and electrochemistry. 2009 , 3495-502	25
1289	Tetra- and Binuclear Complexes of Hydroxy-Rich Ligands: Supramolecular Structures, Stabilization of Unusual Water Clusters, and Magnetic Properties. 2009 , 9, 118-126	67

- 1288 Mixed-metal assemblies involving ferrocene-naphthyridine hybrids. **2009**, 48, 978-90 38
- 1287 Crystal engineering of hybrid inorganic-organic systems based upon complexes with dissymmetric compartmental ligands. **2009**, 11, 2571 105
- 1286 Experimental and computational evidence of solid-state anion- π interactions in $[\text{VO}(\text{O}_2)(\text{L})(\text{pa})]_x \cdot \text{H}_2\text{O}$ complexes (L = picolinate, pyrazinate or quinolate; pa = picolinamide). **2009**, 33, 1515 11
- 1285 Reactions of $\text{Cp}^*2\text{Yb}(\text{THF})_2$ with TCNQ and TCNB. A Novel Type of Reactivity of TCNQ toward Metallocenes. The First Example of the Dimer $[\text{TCNB}_2]_2$. **2009**, 28, 3421-3425 12
- 1284 Syntheses, Structures, and Photoluminescence of a Series of d10 Coordination Polymers with R-Isophthalate (R = DH , H_3 , and $\text{C}(\text{CH}_3)_3$). **2009**, 9, 5334-5342 128
- 1283 Structural diversity and properties of Zn(II) and Cd(II) complexes with a flexible dicarboxylate building block 1,3-phenylenediacetate and various heterocyclic co-ligands. **2009**, 5355-64 111
- 1282 Engineering discrete stacks of aromatic molecules. **2009**, 38, 1714-25 327
- 1281 Controlling the Structure of Arenedisulfonates toward Catalytically Active Materials. **2009**, 21, 655-661 134
- 1280 CH/ π hydrogen bonds in organic and organometallic chemistry. **2009**, 11, 1757 478
- 1279 Intermolecular interactions as actors in energy-transfer processes in lanthanide complexes with 2,2'-bipyridine. **2009**, 113, 9265-77 89
- 1278 Self-Assembly of Silver(I) Coordination Polymers Formed through Hydrogen Bonding with Ditopic Heteroscorpionate Ligands. **2009**, 9, 1590-1598 21
- 1277 Robotic Lepidoptery: Structural Characterization of (mostly) Unexpected Palladium Complexes Obtained from High-Throughput Catalyst Screening. **2009**, 28, 5017-5024 22
- 1276 Organometallic osmium(II) arene anticancer complexes containing picolinate derivatives. **2009**, 48, 1753-62 91
- 1275 One-dimensional Co(II) and Cu(II) coordination polymers and a discrete $\text{Cu}(\text{II})_4$ complex of carboxylate-appended (2-pyridyl)alkylamine ligands: spin-canting and anti-/ferromagnetic coupling. **2009**, 48, 1158-67 71
- 1274 Low-dimensional copper(II) complexes with the trinucleating ligand 2,4,6-tris(di-2-pyridylamine)-1,3,5-triazine: synthesis, crystal structures, and magnetic properties. **2009**, 48, 6630-40 31
- 1273 η^2 -Diketiminato Nickel(I) Complexes with Very Weak Ligation Allowing for H_2 and N_2 Activation. **2009**, 28, 6855-6860 75
- 1272 Crucial Role of the Amidine Moiety in Methylenamino Phosphine-Type Ligands for the Synthesis of Tethered η^6 -Arene- η^1 -P Ruthenium(II) Complexes: Experimental and Theoretical Studies. **2009**, 28, 4945-4957 18
- 1271 Syntheses, Structures, and Luminescent Properties of Zinc(II) and Cadmium(II) Coordination Complexes Based on Different (Pyridyl)imidazole Derivatives and 1,4-Benzenedicarboxylate. **2009**, 9, 1353-1360 47

1270	Non-covalent interactions at bis(pyrazole)silver(i) or -gold(i) cations. 2009 , 2135-41	17
1269	Self-Process-Programmed Structural Diversity in Supramolecular Assembly Based on Polyoxometalate Anion and Halogensubstituted Bipyridine Cation. 2009 , 9, 1225-1234	78
1268	Molecular bricklaying II.. 2009 , 11, 1416	13
1267	Interaction of an extended series of N-substituted di(2-picoly)amine derivatives with copper(II). Synthetic, structural, magnetic and solution studies. 2009 , 4795-805	38
1266	Group 11 metal chemistry of a tetradentate ligand, phenylene-1,4-diaminotetra(phosphonite), p-C ₆ H ₄ [N{P(OC ₆ H ₄ OMe-o)} ₂] ₂ . 2009 , 48, 3768-82	29
1265	Solvent Control of Supramolecular Architectures Derived from 4,4'-Bipyridyl-Bridged Copper(II) Dicolinate Complexes. 2009 , 9, 4685-4699	47
1264	Evolution of Spherical Assemblies to Fibrous Networked Pd(II) Metallogels from a Pyridine-Based Tripodal Ligand and Their Catalytic Property. 2009 , 21, 557-563	119
1263	An in-depth study on hydrogen-bonded 3-D frameworks possessing hydrophobic layers and hydrophilic pillars. 2009 , 11, 2480	6
1262	Formation of a narrow chiral cavity in bis-copper(ii) complexes of ferrocenylmethyl-l-tyrosine and its interaction with achiral guests. 2009 , 3230-6	10
1261	Conformation and crystal packing sensitivity to substitution of thioxo- and oxo-tetrazane derivatives. 2009 , 33, 1663	4
1260	Coordination polymers of zinc with 2,2'-(2,3-bis-phenylsulfanyl)naphthalene-1,4-yl-oxo)diacetic acid. 2009 , 2352-8	15
1259	A structural survey of metal-η ² -heteroaromatic supramolecular synthons for metal = tellurium, tin, and gold. 2009 , 11, 2701	45
1258	Selective binding of benzenediol derivatives by simultaneous non-covalent interactions in bis-Pt(II) aza-aromatic host-guest system. 2009 , 10359-66	9
1257	New types of di-, tetra-, hexa- and octanuclear Ag(I) complexes containing 1,3-adamantanedicarboxylic acid. 2009 , 10181-91	70
1256	Two [Au(CN) ₂] ₂ -bridged heterometallic coordination polymers directed by different 2,2'-bipyridyl-like ligands. 2009 , 11, 61-66	14
1255	Gold-η ² -aryl interactions as supramolecular synthons. 2009 , 11, 1176	69
1254	1-D assembly of two metal complexes with aroylhydrazones and mono/bidentate heterocycles. 2009 , 62, 3763-3771	4
1253	Cation and ligand roles in the coordination of Fe(III) bisdithiolene complexes; the crystal structures of (BrBzPy) ₂ [Fe(qdt) ₂] ₂ and [Fe(μ-tpdt) ₂] ₂ ·2H ₂ O. 2009 , 11, 1046	12

1252	N1-coordination in palladium(II) and platinum(II) complexes with 9-methylhypoxanthine: crystal structures and theoretical calculations. 2009 , 9637-44	7
1251	One, two and three-dimensional organometallic networks constructed from silver(I) pyridyldiethynide complexes. 2009 , 7688-94	26
1250	New Type of Porous Metal-Organic Framework Material Formed by Rigid Ligand. 2009 , 39, 533-536	3
1249	The influence of substitution and weak interactions on the crystal structures of a series of 2,6-disubstituted N-arylthioamides. 2009 , 11, 1658	5
1248	Self assembly of silver(I) coordination polymers formed through hydrogen bonding with a new ditopic heteroscorpionate ligand. 2009 , 6599-605	26
1247	Construction of copper metal-organic systems based on paddlewheel SBU through altering the substituent positions of new flexible carboxylate ligands. 2009 , 11, 2516	39
1246	Controlling the self assembly of arene functionalised 2-aminopyrimidines by arene-perfluoroarene interaction and by silver(I) complex formation. 2009 , 11, 306-317	22
1245	Homochiral, helical metal-organic framework structures organized by strong, non-covalent pi-pi stacking interactions. 2009 , 6219-21	34
1244	Extended structures containing Pt(II)-Tl(I) bonds. Effect of these interactions on the luminescence of cyclometalated Pt(II) compounds. 2009 , 2224-34	57
1243	Bottom-up design and construction of a non-centrosymmetric network through π -stacking interactions. 2009 , 11, 226-228	41
1242	Cu(II) complexes bearing the 2,2,2-tris(1-pyrazolyl)ethanol or 2,2,2-tris(1-pyrazolyl)ethyl methanesulfonate scorpionates. X-Ray structural characterization and application in the mild catalytic peroxidative oxidation of cyclohexane. 2009 , 9207-15	78
1241	Single-pot template transformations of cyanopyridines on a Pd(II) centre: syntheses of ketoimine and 2,4-dipyridyl-1,3,5-triazapentadiene palladium(II) complexes and their catalytic activity for microwave-assisted Suzuki-Miyaura and Heck reactions. 2009 , 3074-84	58
1240	An infinite photoluminescent coordination nanotube $[\text{CuSCN}(\text{L})]_n \cdot (\text{DMF})_{0.5}$. 2009 , 11, 246-248	54
1239	A flexible bis(pyridylcarbamate) anion receptor: binding of infinite double-stranded phosphate, $[\text{-sulfate}(\text{H}_2\text{O})_2\text{-}]_n$, and hydrogen-bridged helical perchlorate chain. 2009 , 11, 1849	25
1238	Synthesis and characterization of two bis(η -methylcyclopentadienyl)hydroxynaphthoatotitanium complexes. 2009 , 62, 1594-1603	2
1237	Cadmium(II) complexes containing 2,2'-dimethyl-4,4'-bithiazole ligand: synthesis, characterization, and crystal structure. 2009 , 62, 1638-1649	40
1236	Evidence for a boroxinate based Brønsted acid derivative of VAPOL as the active catalyst in the catalytic asymmetric aziridination reaction. 2009 , 131, 15615-7	67
1235	Role of β -hydroxycarboxylic acids in the construction of supramolecular assemblies of nickel(II) complexes with nitrogen donor coligands. 2009 , 11, 2650	17

1234	Highly organized structures and unusual magnetic properties of paddlewheel copper(II) carboxylate dimers containing the pi-pi stacking, 1,8-naphthalimide synthon. 2009 , 48, 8911-24	82
1233	A 3D Metal-Organic Framework with CdSO ₄ -type Topology Through Assembly of Mixed Ligands. 2009 , 39, 341-344	1
1232	Diastereoselective supramolecular ion-pairing between the TRISPHAT anion and pro-chiral heptamethine cyanine dyes. 2009 , 7, 3086	13
1231	Synthesis, Structural Characterization and Thermal Stability of [Mn(3-bpd) ₂ (NCS) ₂ (H ₂ O) ₂] ₂ ·2H ₂ O (1) and {[Mn(bpe)(NCS) ₂ (H ₂ O) ₂] ₂ (3-bpd) ₂ (bpe) ₄ ·2H ₂ O} _n (2) from One-Pot Crystallization. 2009 , 56, 709-717	4
1230	X/π Interactions in Aromatic Heterocycles: Basic Principles and Recent Advances. 2009 , 103-118	14
1229	Synthesis and Crystal Structure of 1,1'-Butane-1,4-diyl-dibenzimidazolium Picrate. 2009 , 25, 31-32	2
1228	Structural Isomers of {MnII(L) ₂ [AgI(CN) ₂] ₂ } (L = 3-Methylpyridine or 4-Methylpyridine), Bilayer Structure with Binuclear Argentophilic Interaction and Interpenetrated Structure with 1D Chain Argentophilic Interaction; Synthesis, Crystal Structure, and Magnetic Properties. 2009 , 82, 347-351	6
1227	Substituent Effects on Formation of Cation Dimers by Weak Hydrogen Bonds in Crystals of Carbonyl Pyridinium Salts of Ni(dmit) ₂ . 2009 , 82, 1152-1159	6
1226	Honeycomb Sheet Structures Achieving High Electrical Conductivities in Alkyl-Substituted Thiazolium Bis(2-thioxo-1,3-dithiole-4,5-dithiolato)nickelate(III) Complex Salts. 2009 , 82, 352-357	11
1225	Microporous Metal-Organic Frameworks as Functional Materials for Gas Storage and Separation. 2009 , 307-352	2
1224	Tuning Structures and Properties of Coordination Polymers by the Noncoordinating Backbone of Bridging Ligands. 2009 , 145-170	2
1223	Copper(I) complex of 2,2'-biquinoline assembled by non-covalent interactions. 2009 , 2009, 549-551	1
1222	Cleavage of NpzCH ₂ -OP and unexpected formation of bis(3,5-dimethyl-1H-pyrazol-1-yl)methane (dmbpm): X-ray crystal structure of [PdCl ₂ (dmbpm)]. 2009 , 62, 3940-3950	2
1221	Molecular and crystal structure of 4-hexylbenzoic acid: Design of the mesophase. 2010 , 55, 786-792	19
1220	Synthesis and structure of novel Mn(II) complex with in situ synthesized ligand. 2010 , 36, 765-768	1
1219	The many facets of adenine: coordination, crystal patterns, and catalysis. 2010 , 43, 79-91	210
1218	MOFs, MILs and more: concepts, properties and applications for porous coordination networks (PCNs). 2010 , 34, 2366	934
1217	Metal-organic coordination frameworks based on mixed methylmalonate and 4,4'-bipyridine ligands: synthesis, crystal structure and magnetic properties. 2010 , 34, 2515	22

1216	Meso-substituted liquid porphyrins. 2010 , 5, 904-9	57
1215	Synthesis, Structures, and Photoluminescence of Zinc(II), Cadmium(II), and Mercury(II) Coordination Polymers Constructed from Two Novel Tetrapyridyl Ligands. 2010 , 10, 1611-1622	80
1214	Stacking interaction between homostacks of simple aromatics and the factors influencing these interactions. 2010 , 12, 2113	25
1213	Recent advances in crystal engineering. 2010 , 12, 22-43	642
1212	Metal-organic coordination polymers based on a flexible tetrahydrofuran-2,3,4,5-tetracarboxylate ligand: syntheses, crystal structures, and magnetic/photoluminescent properties. 2010 , 12, 853-865	28
1211	Theoretical and experimental spectroscopic approach of fluorinated Ln(3+)-beta-diketonate complexes. 2010 , 114, 7928-36	46
1210	Ligand dependent topology changes in six zinc coordination polymers. 2010 , 12, 711-719	32
1209	Spectroscopic, magnetic, and electrochemical studies of a dimeric N-substituted-sulfanilamide copper(II) complex. X-ray and molecular structure of the Cu ₂ (N-(pyridin-2-yl)biphenyl-4-sulfonamide) ₄ complex. 2010 , 363, 3139-3144	3
1208	Co-operation of Cu(II)-carbonyl and hydrogen-bonding forces leading to the formation of water cluster mimics observed in the reassessed crystal structure of [Cu(mal)(phen)(H ₂ O)] ₂ ·3H ₂ O (H ₂ mal=malonic acid, phen=1,10-phenanthroline). 2010 , 967, 131-139	26
1207	Hydrogen and halogen bonding patterns and aromatic interactions of some 6,7-disubstituted 1,3-benzothiazoles studied by X-ray diffraction and DFT calculations. 2010 , 975, 115-127	5
1206	Polyamines. IV. Spectroscopic properties of N,N-bis-(1,8-naphthalenedicarboximidopropyl)-N-propylamine and supramolecular interactions in its crystals. 2010 , 979, 165-171	1
1205	The solid-state structures of two photoluminescent 2D silver(I) arenesulfonate incorporating aminopyrimidyl ligands: Substituents influence on π-π interaction. 2010 , 981, 80-85	15
1204	Crystal structure and electrical properties study of 4-aminopyridinium chloridobismuthate (III) (C ₅ N ₂ H ₇) ₄ .HBi ₂ Cl ₁₁ . 2010 , 16, 709-715	16
1203	Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with d ¹⁰ metal ions: Interplay of covalent and non-covalent interactions in solid-state structure. 2010 , 122, 801-806	5
1202	Crystal Structure and Physical Characterisation of [Zn ₂ (Benzoato) ₄ (Caffeine) ₂]·2 Caffeine. 2010 , 40, 145-150	5
1201	Self-Assembled Hydrogen-Bonding Chains of Copper(II) 2-Nitrobenzoate with Nicotinamide. 2010 , 40, 179-184	13
1200	Two 3D Supramolecular Architectures Assembled With 1D or 2D Coordination Polymers by Cooperation of Coordination Bonds, Hydrogen Bonds and π-π Interactions. 2010 , 40, 551-556	4
1199	Synthesis and Crystal Structure of a Fe(III) Complex with an Isonicotinyl Hydrazone Ligand, [Fe(N-Isonicotinamidosalicylaldehyde)Cl ₂]. 2010 , 40, 726-730	7

- 1198 Syntheses and Crystal Structures of Two 2-Aminoisoflavones. **2010**, 40, 841-845 1
- 1197 Synthesis and Crystal Structure of a New Dinuclear Holmium(III) Complex with a Bulky Anthracene-Based Carboxylate Ligand. **2010**, 40, 1002-1005 5
- 1196 Hydrothermal Synthesis and Crystal Structures of Cd(II)-Based 1D Coordination Polymer and Mn(II) Coordination Complex with Mixed N- and O-donor Ligands: $[\text{Cd}2(4\text{-}4'\text{-bpy})2(\text{pa})4] \cdot n \cdot 0.25(\text{H}_2\text{O})$ and $[\text{Mn}(4\text{-}4'\text{-bpy})2(\text{pa})(\text{H}_2\text{O})3]\text{ClO}_4 \cdot 2(\text{H}_2\text{O})$. **2010**, 20, 69-77 4
- 1195 New Binuclear Complexes with Mixed Ligands and $\bar{2}$ -Phenol Oxygen Bridges: Synthesis Crystal Structures and Magnetism. **2010**, 20, 104-109 4
- 1194 Synthesis, Supramolecular Architecture and DNA Binding Studies of a Novel Heterotrinnuclear FeIII/CoII/FeIII Complex: $[\text{Co}(\text{phen})2][\text{Fe}(\text{phen})(\text{CN})4]2 \cdot 4\text{H}_2\text{O}$ (phen = 1,10-phenanthroline). **2010**, 20, 168-176 4
- 1193 Cu(II) and Zn(II)-Pyridine-2,3-Dicarboxylate Complexes with 2-Methylimidazole: Syntheses, Crystal Structures, Spectroscopic and Thermal Analyses. **2010**, 20, 334-342 17
- 1192 A Novel Bimetallic Chain Based on $[\text{Mo}(\text{CN})_8]^{3-}$ and Yb^{3+} Ions as Building Blocks in Which Containing Many Intriguing Structural Features. **2010**, 20, 229-234 9
- 1191 Nanoparticles of a New Potassium(I) Coordination Polymer from Thermal Treatment with Oleic Acid: Syntheses, Characterization, Thermal, Structural and Solution Studies. **2010**, 20, 755-760 1
- 1190 Crystal structure and photoluminescence of the optically active complex $[\text{ZnL}1\text{Cl}2]$, where L1 = pyrazolylquinoline derivative of monoterpene (+)-3-carene. **2010**, 51, 519-525 8
- 1189 Molecular structure of a coordination compound tris(phenanthroline)zinc(II) 2,2'-Bipyridyl-5,5'-dicarboxylate dodecahydrate. **2010**, 51, 1132-1138 1
- 1188 $[\text{Cu}(\text{X-salicylato})2(\text{N,N-diethylnicotinamide})2(\text{H}_2\text{O})2]$ complexes: conformational polymorphism and its consequence in supramolecular hydrogen-bonding networks formation. **2010**, 21, 1093-1102 11
- 1187 Synthesis, structural characterization and alcohol oxidation activity of a new mononuclear manganese(II) complex. **2010**, 35, 297-303 18
- 1186 Manganese(II) complexes of 5-(4-pyridyl), 5-phenyl and 5-(4-methoxy-phenyl)-1,3,4-oxadiazole-2-thione containing 2, 2'-bipyridyl/ethylenediamine: synthesis, spectral, and X-ray characterization. **2010**, 35, 337-344 9
- 1185 Dual-ligand approach to the synthesis of new luminescent cadmium(II) coordination polymers with one- and two-dimensional homochiral structures. **2010**, 12, 1404-1408 7
- 1184 Synthesis, crystal structures, and antitumor activity of three new organotin carboxylates. **2010**, 21, 304-313 9
- 1183 Pyrazine-Assisted Dimerization of Molybdenum(V): Synthesis and Structural Characterization of Novel Dinuclear and Tetranuclear Complexes. **2010**, 2010, 542-553 16
- 1182 Structural, Spectroscopic, and Proton-Coupled Electron-transfer Behavior of Pyrazolyl-3,5-bis(benzimidazole)-Bridged Homo- and Heterochiral RuII/RuII, OsII/OsII, and OsII/RuII 2,2'-Bipyridine Complexes. **2010**, 2010, 570-588 18
- 1181 Formation of Oxaphosphacarbenes by Reaction of $[\text{RuTpCl}(\text{PPh}_3)(\text{thp})]$ with Terminal Alkynes and a Propargylic Alcohol. **2010**, 2010, 685-696 3

- 1180 Lanthanide Complexes Coordinated by a Dianionic Bis(amidinate) Ligand with a Rigid Naphthalene Linker. **2010**, 2010, 3290-3298 38
- 1179 Tricarbonyl ReI Complexes from Functionalised Pyridine-triazole Derivatives: From Mononuclear to Unexpected Dimeric Complexes. **2010**, 2010, 5058-5062 46
- 1178 A Combined Experimental and Theoretical Study of Anion-Interactions in N6- and N9-Decyladenine Salts. **2010**, 2010, 5171-5180 19
- 1177 Structures and properties of spherical 90-vertex fullerene-like nanoballs. **2010**, 16, 2092-107 83
- 1176 Synthesis, magnetic properties, and STM spectroscopy of cobalt(II) Cubanes [Co(II) (4)(Cl)(4)(HL)(4)]. **2010**, 16, 4784-92 32
- 1175 Multifunctional magnetic materials obtained by insertion of a spin-crossover Fe(III) complex into bimetallic oxalate-based ferromagnets. **2010**, 16, 2207-19 75
- 1174 Synthetic and structural studies of 1,8-chalcogen naphthalene derivatives. **2010**, 16, 7503-16 44
- 1173 Sterically crowded peri-substituted naphthalene phosphines and their PV derivatives. **2010**, 16, 7617-34 31
- 1172 Complexes of click-derived bistriazolylpyridines: remarkable electronic influence of remote substituents on thermodynamic stability as well as electronic and magnetic properties. **2010**, 16, 10202-13 92
- 1171 (2,1-a)-Indenofluorene derivatives: syntheses, X-ray structures, optical and electrochemical properties. **2010**, 16, 13646-58 49
- 1170 Synthesis and supramolecular structure of Zn, Cd, Hg complexes constructed by 2,3-naphtho-15-crown-5. **2010**, 970, 19-26 3
- 1169 Crystal structure of dicyclopentadienylaluminum complex directed by weak C-H... interactions. **2010**, 968, 93-98 9
- 1168 A novel silver(I)-containing supramolecular framework incorporating eight different hydrogen bond motifs. **2010**, 969, 176-181 24
- 1167 CuII, CoII, and NiII complexes with R-isophthalate (R = -CH3 or -OCH3) and a bent dipyriddy 2,5-bis(3-pyridyl)-1,3,4-oxadiazole: Structural diversification induced by metal ion and substituent of ligand. **2010**, 975, 147-153 15
- 1166 Modulation of intermolecular exchange interaction in organic radical based compounds: Magneto-structural analysis of phenol and imidazolium substituted oxoverdazyl radicals. **2010**, 29, 342-348 14
- 1165 Mixed-ligand metallosupramolecular complexes with Brn-terephthalic acid (n=1 or 4) and a versatile bent dipyriddy tecton: Structural modulation by substituent effect of the ligand and metal ion. **2010**, 29, 463-469 18
- 1164 Copper(II) μ -hydroxycarboxylate complexes of bis(2-pyridylcarbonyl)amine ligand: From mononuclear complex to one-dimensional coordination polymer. **2010**, 29, 434-440 20
- 1163 Keen competition between electrostatic and argentophilic interactions in the formation and behavior of molecular rings. **2010**, 29, 823-826 1

1162	XRD structure of two heptacoordinated Mn(II) complexes containing 2,9-dimethyl-1,10-phenanthroline (phen), nitrate and nicotinate bidentate anions: [Mn(phen)(nicot)(NO ₃)(H ₂ O)]·EtOH·H ₂ O and [Mn(phen)(NO ₃) ₂ (H ₂ O)]. 2010 , 29, 1405-1410	4
1161	Syntheses and coordination chemistry of methylpyridylphosphine oxide ligands with copper(II). 2010 , 29, 1676-1686	10
1160	Synthesis, characterization and X-ray crystallographic investigation of 2-D hybrid hydrogen bonded and rectangular grid networks in Cu(II) and Co(II) metal complexes. 2010 , 29, 1801-1809	17
1159	Complexes of 4- and 5-bromo derivatives of 2-(hydroxymethyl)pyridine with copper(II) and cobalt(II) salts. Synthesis and X-ray crystal structures. 2010 , 29, 1854-1862	8
1158	Synthesis and structural study of (8-phenylsulfanyl)naphth-1-yl)diphenylphosphine metal complexes. 2010 , 29, 1956-1963	13
1157	1D coordination polymers of silver(I) and copper(II) based on bis(N-heterocyclic carbene) ligands: Synthesis and structural studies. 2010 , 29, 2121-2126	15
1156	Ternary complex formation of copper(II) with 5-fluorosalicylate and 3-pyridylmethanol in aqueous solutions and solid state. 2010 , 29, 2262-2268	10
1155	Co(II), Cu(II) and Zn(II) dinuclear complexes of a polypodal ligand containing phenolate and pyridyl donor groups. 2010 , 29, 2651-2656	5
1154	Hydrogen bonded networks and a self-assembled 1D water cluster in nickel(II) and copper(II)-orotate complexes. 2010 , 29, 2600-2608	8
1153	Evaluation of dispersion-corrected density functional theory (B3LYP-DCP) for compounds of biochemical interest. 2010 , 29, 178-87	18
1152	One-pot synthesis of sulphur bridged dinuclear rhenium metallacycles via addition of S ₈ bond across Re-Re bond. 2010 , 695, 1458-1463	17
1151	Concomitant polymorphism: Crystallising dichloro-bis(2,4-lutidine)-zinc as both chiral and racemic phases. 2010 , 363, 257-262	12
1150	Hydrothermal synthesis and characterization of two 2-D lanthanide-2,2'-bipyridine-3,3'-dicarboxylate coordination polymers based on zigzag chains. 2010 , 363, 368-374	11
1149	Conformational isomerism and hydrogen-bonded motifs of anion assisted supramolecular self-assemblies using Cu(I)/Co(II) salts and pyridine-4-acetamide. 2010 , 363, 387-394	20
1148	Syntheses, structures and magnetic properties of Mn(II), Co(II) and Ni(II) metal-organic frameworks constructed from 1,3,5-benzenetricarboxylate and formate ligands. 2010 , 363, 645-652	40
1147	Mono- and dinuclear manganese(II) complexes derived from the cis/trans isomers of 2,4,5-tris(2-pyridyl)-4,5-dihydroimidazole. 2010 , 363, 1179-1185	9
1146	Extended molecular networks based on Zn and Cd imparting N-substituted imidazole. 2010 , 363, 995-1000	8
1145	Copper(II) complexes based on a new chelating 4-(3,5-diphenyl-1H-pyrazol-1-yl)-6-(piperidin-1-yl)pyrimidine ligand: Synthesis and crystal structures. Lone pair···C≡N and C≡N···A (A = N, Cl) non-covalent interactions. 2010 , 363, 1547-1555	20

1144	Copper(II) complexes with monocarboxylate ligands bearing different substituent groups: Synthesis and spectroscopic studies. 2010 , 363, 1377-1385	26
1143	Cis-Trans isomerism in cobalt(II) complexes with 3-hydroxypicolinic acid. Structural, DFT and thermal studies. 2010 , 363, 1887-1896	12
1142	Synthesis and crystal structures of di- and tetra-nuclear dicarboxylate-bridged copper(II) complexes. 2010 , 363, 1760-1766	15
1141	Synthesis, structure and photocatalytic activity of a remarkably bent, cofacial ethene-linked diiron (II) Exobisporphyrin. 2010 , 363, 2791-2799	58
1140	A >22 Å long metal-complex anion and a 1D cationic coordination polymer, both based on 4,4'-bipyridine-N,N'-dioxide, yielding a 3D and 2-fold interpenetrated fsc net of the hydrogen-bonded metal-organic 1D polymer. 2010 , 363, 2193-2200	19
1139	Synthesis and structures of bimetallic silicon-containing imido alkylidene complexes of molybdenum Me ₂ Si[CHMo(NAr)(ORF ₃) ₂] ₂ and PhVinSi[CHMo(NAr)(ORF ₃) ₂] ₂ . 2010 , 363, 2313-2317	11
1138	Synthesis, characterization and in vitro cytotoxicity studies of platinum(IV) complexes with thiouracil ligands. 2010 , 363, 2452-2460	11
1137	Synthesis, structure and dielectric properties of the 2D K-tetrazole complex [K ₂ (4-TPA) ₂ (H ₂ O) ₂] _n . 2010 , 363, 2584-2589	8
1136	A novel mixed-ligands holodirected two-dimensional lead(II) coordination polymer as precursor for preparation lead(II) oxide nanoparticles. 2010 , 157, 73-77	13
1135	Experimental observation of supramolecular carbonyl ₂ /π-carbonyl assemblies of Cu(I) complex of iminodiacetate and dipyridylamine. 2010 , 973, 81-88	21
1134	Syntheses, spectral and crystallographic studies of novel monometallic Co(II) and Zn(II) complexes with phenyl-(5-pyridin-4-yl[1,3,4]thiadiazol-2-yl)-amine. 2010 , 984, 96-101	5
1133	BINAP: rhodium ^{III} olefin complexes in asymmetric hydrogenation. 2010 , 21, 1226-1231	25
1132	Magneto-structural studies of the bis (1,4-bis (3-aminopropylamine) piperazinium) chloride pentachlorocuprate (II) trihydrate. 2010 , 150, 2005-2010	22
1131	Sonochemical synthesis of nano-scale mixed-ligands lead(II) coordination polymers as precursors for preparation of PbO and PbBr(OH) nano-structures; thermal, structural and X-ray powder diffraction studies. 2010 , 17, 592-7	34
1130	Benzimidazole derivatives related to 2,3-acrylonitriles, benzimidazo[1,2-a]quinolines and fluorenes: synthesis, antitumor evaluation in vitro and crystal structure determination. 2010 , 45, 2405-17	86
1129	Synthesis, structures and properties of Cu and Cd complexes with 1,10-phenanthroline. 2010 , 13, 645-648	16
1128	A new bitrack sinusoid-like chain templated by Wells-Dawson type polyoxometalate. 2010 , 13, 745-748	15
1127	A new clover-shaped trinuclear uranium(VI) complex: Synthesis, structure and photoluminescence property. 2010 , 13, 859-862	24

1126	Solution and solid-state photoluminescence of dinuclear Pb(II) dicarboxylate compound with 2,6-bis(benzimidazolyl)pyridine: The lone-pair stereochemistry and its effect on supramolecular interaction. 2010 , 13, 1137-1139	18
1125	Synthesis, structure, and luminescence of a novel lead(II) coordination polymer with 1,2-phenylenediacetic acid. 2010 , 13, 1383-1386	11
1124	Doubly interpenetrated hms-type metal organic framework formed by perfect face-to-face π stacking interactions. 2010 , 13, 1429-1431	11
1123	Layered manganese and copper phosphonates with metamagnetism observed in Mn(2-pmp)(H ₂ O) ₂ ·H ₂ O (2-pmpH ₂ =2-pyridylmethylphosphonic acid). 2010 , 13, 1558-1561	4
1122	The scientific impact of the Cambridge Structural Database: a citation-based study. 2010 , 43, 811-824	37
1121	Zoledronate complexes. I. Poly[[μ -2-aqua[μ -3-1-hydroxy-2-(1H,3H-imidazol-3-ium-1-yl)ethylidenediphosphonato]potassium(I)] monohydrate]. 2010 , 66, m13-6	4
1120	Hydrogen-bonded networks in 5-chloropyridin-2-amine-fumaric acid (2/1) and 2-aminopyridinium DL-malate. 2010 , 66, o225-8	1
1119	Intermolecular C-H... π interactions in 1,5-diphenyl-3-(2-pyridyl)-2-pyrazoline. 2010 , 66, o313-6	7
1118	Unconventional hydrogen bonding and π stacking in two substituted pyridine carboxamides. 2010 , 66, o513-6	7
1117	Two Polynuclear Cd(II) Complexes Containing Different Water Clusters. 2010 , 636, 218-223	6
1116	One-Dimensional and Two-Dimensional Coordination Polymers of Copper(II) Nitrobenzoate with Bridging 3-Pyridylmethanol Ligand. 2010 , 636, 589-594	4
1115	Three Dicyanidometallate(I)-based Complexes Incorporating Hydrogen-bonding, π -Packing and d10 π 10 Interactions with Auxiliary 2,2'-Bipyridyl-like Ligands. 2010 , 636, 865-871	14
1114	Cadmium(II) Complexes with a Bulky Anthracene-based Carboxylate Ligand: Syntheses, Crystal Structures, and Luminescent Properties. 2010 , 636, 1115-1123	6
1113	Structural Systematics for Lanthanide(III) Systems: Lattice Interactions in Salts [CoL ₃][Ln(dipic) ₃] \cdot nH ₂ O (L = N,N'-Aromatic Bidentate Ligand; dipic = Dipicolinate = pyridine-2,6-dicarboxylate) Containing Complex Ions of D ₃ Symmetry. 2010 , 636, 808-817	10
1112	Synthesis and Characterization of a Novel Binuclear Cobalt(II) Complex with Discrete Water Clusters (H ₂ O) ₈ . 2010 , 636, 1565-1569	10
1111	Flexible two-dimensional square-grid coordination polymers: structures and functions. 2010 , 11, 3803-45	92
1110	tert-Butyl 6-bromo-1,4-dimethyl-9H-carbazole-9-carboxyl-ate. 2010 , 66, o1971-2	5
1109	Diaqua-bis-(perchlorato)(1,10-phenanthroline)copper(II). 2010 , 66, m1145-6	2

- 1108 Bromidobis(1,10-phenanthroline- κ^2 , κ^1 , κ^1)-copper(II) dicyanamidate. **2010**, 66, m1325-6
- 1107 2,4-Dinitro-1-naphthol. **2010**, 66, o3101
- 1106 Bis(4,7-dichloro-1,10-phenanthroline- κ^2 , κ^1 , κ^1)-bis-(dicyanamido- κ^2)-copper(II). **2010**, 66, m719-20 1
- 1105 2-Hydroxy-5-[[*E*]-4-methoxybenzylidene]azanium-yl]benzoate. **2010**, 66, o2553-4 3
- 1104 Syntheses, structures, and characterizations of two coordination polymers assembled from zinc(II) salts with 1,2-bis[3-(1,2,4-triazolyl)-4-amino-5-carboxymethylthio]ethane. **2010**, 63, 3734-3742 3
- 1103 Synthesis, Structure, and Physicochemical Studies of Hexakis (5-Chloro-2,4-dimethoxyanilinium)cyclohexaphosphate Tetrahydrate. **2010**, 185, 595-601 6
- 1102 Bis(2,3-dimethyl-anilinium) dihydrogen-diphosphate. **2010**, 66, o535 2
- 1101 Nickel(II) and copper(II) complexes of 5-*o*-tolyl-[1,3,4]-oxadiazole-2-thione and ethylenediamine: syntheses, spectral, and structural characterization. **2010**, 63, 837-847 3
- 1100 Synthesis, crystal structure, and magnetism properties of coordination polymer: Co(2-mpac)₂(H₂O)₂ as molecular building block. **2010**, 63, 1729-1736 2
- 1099 Tetra-kis(3,5-xylidinium) dihydrogen cyclo-hexa-phosphate dihydrate. **2009**, 66, o233 6
- 1098 Synthesis and Characterization of New N-Alkylamino-3,5-diphenylpyrazole Ligands and Reactivity Toward PdII and PtII. Study of the *cis*/*trans* Isomerization. **2010**, 63, 257 10
- 1097 Synthesis and Structural Characterization of Palladium and Platinum Bimetallic Compounds Derived From Bidentate P,S-Palladacycle Metaloligands. **2010**, 10, 700-708 23
- 1096 Crystallographic elucidation of purely structural, thermal and light-induced spin transitions in an iron(II) binuclear complex. **2010**, 39, 2910-8 40
- 1095 Nanoporous lanthanide-carboxylate frameworks based on 5-nitroisophthalic acid. **2010**, 39, 1552-7 36
- 1094 Silver(I) 3-D-supramolecular coordination frameworks constructed by the combination of coordination bonds and supramolecular interactions. **2010**, 63, 1038-1051 17
- 1093 Fluorescent metal-organic polymers of zinc and cadmium from hydrothermal in situ acylation reaction. **2010**, 39, 10617-25 45
- 1092 Tuning Topochemical Polymerization of Diacetylenes: A Joint Synthetic, Structural, Photophysical, and Theoretical Study of a Series of Analogues of a Known Reactive Monomer, 1,6-Bis(diphenylamino)-2,4-hexadiyne (THD). **2010**, 22, 3961-3982 29
- 1091 Experimental and theoretical study of uracil derivatives: the crucial role of weak fluorine-fluorine noncovalent interactions. **2010**, 12, 3758 56

- 1090 pH-Dependent Binary MetalOrganic Compounds Assembled from Different Helical Units: Structural Variation and Supramolecular Isomers. **2010**, 10, 1699-1705 61
- 1089 Can a small amount of crystal solvent be overlooked or have no structural effect? Isomorphous non-stoichiometric hydrates (pseudo-polymorphs): the case of salicylaldehyde thiosemicarbazone. **2010**, 12, 3526 13
- 1088 Sheet, ladder or chain? Small substituents in 4'-phenyl-4,2':6',4'-terpyridines control dimensionality in cadmium(II) coordination polymers. **2010**, 12, 3733 22
- 1087 Pb⁴⁺-Aryl Interactions as Supramolecular Synthons. **2010**, 63, 535 33
- 1086 Transition metal dipicolinates as designer T-shaped building blocks. **2010**, 12, 1576 16
- 1085 Coordination polymers of the conformation-flexible 1,2,4,5-cyclohexanetetracarboxylate: synthesis, structures and transforming mechanism studies. **2010**, 12, 3748 16
- 1084 Temperature-dependent supramolecular motif in coordination compounds. **2010**, 49, 5356-8 76
- 1083 Macrocyclic dinuclear silver(I) complexes based on bis(N-heterocyclic carbene) ligands: synthesis and structural studies. **2010**, 12, 2245 27
- 1082 Pyridyl Conjugated 1,2,3-Triazole is a Versatile Coordination Ability Ligand Enabling Supramolecular Associations. **2010**, 10, 4920-4927 52
- 1081 Pyrazine control of the supramolecular chemistry of iron(II) and cobalt(II) phthalocyanines. **2010**, 12, 3599 16
- 1080 Speciation in solution, solid state spectroscopy and vapochromism of [Pt(trpy)(NCS)]SbF₆ where trpy = 2,2':6',2''-terpyridine. **2010**, 39, 1558-67 35
- 1079 N-o-Vanillylidene-l-histidine: Experimental Charge Density Analysis of a Double Zwitterionic Amino Acid Schiff-Base Compound. **2010**, 10, 1665-1676 77
- 1078 Towards catenanes using π -stacking interactions and their influence on the spin-state of a bis(2,2':6',2''-terpyridine)iron(II) domain. **2010**, 39, 10739-48 24
- 1077 Crystal engineering of o-carboranyl alcohols: syntheses, crystal structures and thermal properties. **2010**, 12, 4109 15
- 1076 Manisyl-substituted polypyridine coordination compounds: Metallo-supramolecular networks of interdigitated double helices assembled via CH... π and π - π interactions. **2010**, 39, 1519-31 12
- 1075 Turning {M(tpy)₂}ⁿ⁺ embraces and CH... π interactions on and off in homoleptic cobalt(II) and cobalt(III) bis(2,2':6',2''-terpyridine) complexes. **2010**, 12, 2949 35
- 1074 Directing role of functional groups in selective generation of CH... π interactions: In situ cryo-crystallographic studies on benzyl derivatives. **2010**, 12, 3112 64
- 1073 Coordination Polymer Networks: An Alternative to Classical Polymers?. **2010**, 291-292, 75-83 31

1072	pH effect on the assembly of metalorganic architectures. 2010 , 12, 1354	225
1071	First examples of a modulated bridging $\mu(2)$ -1:2 κ -triazine in double helical silver compounds. experimental and theoretical evidence. 2010 , 49, 3828-35	21
1070	Self-Assembled Molecular Complexes and Coordination Polymers of CdII, Hexamine, and Monocarboxylates: Structural Analysis and Theoretical Studies of Supramolecular Interactions. 2010 , 10, 1677-1687	44
1069	New NiII CuII NiII and NiII CoII NiII trinuclear complexes with macrocyclic oxamido ligands. 2010 , 63, 464-472	4
1068	Synthesis, characterization, DNA interaction, and cytotoxicity of novel Pd(II) and Pt(II) complexes. 2010 , 25, 557-64	11
1067	Supramolecular Architectures of Metal Complexes Controlled by a Strong π - π Stacking, 1,8-Naphthalimide Functionalized Third Generation Tris(pyrazolyl)methane Ligand. 2010 , 10, 386-393	30
1066	Coordination Networks from Zero-Dimensional Metallomacrocyclic, One-Dimensional Chain to Two-Dimensional Sheet Based on a Ditopic Diiminopyridine Ligand and Group 12 Metals. 2010 , 10, 2331-2341	54
1065	Functionalized O-alkyldithiocarbonates: a new class of ligands designed for luminescent heterometallic materials. 2010 , 49, 2624-9	18
1064	Crystal structure, bioactivities, and electrochemistry properties of four diverse complexes with a new pyrazole ligand. 2010 , 63, 263-272	11
1063	Differentially Substituted Acyclic Diaminocarbene Ligands Display Conformation-Dependent Donicities. 2010 , 29, 3047-3053	46
1062	Structural Diversity in the Crystalline Complexes of para-Sulfonato-calix[4]arene with Bipyridinium Derivatives. 2010 , 10, 4542-4549	17
1061	2-Aminopyrimidine-Silver(I) Based Hybrid Organic Polymers: Self-Assembly and Phase Transitions of a Novel Class of Electronic Material. 2010 , 22, 4749-4755	21
1060	Mn(II)-based MIL-53 analogues: synthesis using neutral bridging μ_2 -ligands and application in liquid-phase adsorption and separation of C6-C8 aromatics. 2010 , 132, 3656-7	98
1059	An Interdigitated Metalloporphyrin Framework: Two-Dimensional Tessellation, Framework Flexibility, and Selective Guest Accommodation. 2010 , 10, 171-176	29
1058	Metal monophosphonates $M\{(2-C_5H_4NO)CH_2PO_3\}(H_2O)_2$ (M = Co, Ni, Mn, Cd): synthesis, structure, and magnetism. 2010 , 49, 8474-80	17
1057	Stacking and spreading interaction in N-heteroaromatic systems. 2010 , 114, 9606-16	55
1056	Regulation and Properties of Diversiform Cd(II) Supramolecular Complexes with a Bulky Naphthalene-Based Dicarboxyl Tecton and Different N-Donor Co-Ligands. 2010 , 10, 4773-4785	61
1055	π - π Interactions Affect Coordination Geometries. 2010 , 10, 1892-1896	68

1054	New [2 D] copper(I) grids as anion receptors. Effect of ligand functionalization on the ability to host counteranions by hydrogen bonds. 2010 , 49, 8828-47	28
1053	Pyridineboronic Acids as Useful Building Blocks in Combination with Perchloroplatinate(II) and -(IV) Salts: 1D, 2D, and 3D Hydrogen-Bonded Networks Containing X-H...Cl ₂ Pt[X = C, N+], B(OH) ₂ ...Cl ₂ Pt and B(OH) ₂ ...(HO) ₂ B Synthons. 2010 , 10, 3182-3190	15
1052	Structural impact of multitopic third-generation bis(1-pyrazolyl)methane ligands: double, mononuclear metallacyclic silver(I) complexes. 2010 , 49, 234-42	36
1051	Synthesis, crystal structure, and DNA-binding of a 3-D netlike supramolecular manganese picrate complex with 2,6-bis(benzimidazol-2-yl)pyridine. 2010 , 63, 1097-1106	8
1050	Isomerism with metallacalix[4]arenes of the nonsymmetrical pyrimidine nucleobase cytosine: how connectivity and rotamer state determine the topology of multinuclear derivatives. 2010 , 49, 7635-6	18
1049	Engineering double to quintuple stacks of a polarized aromatic in confined cavities. 2010 , 132, 960-6	121
1048	Disappearing and Concomitant Polymorphism of Nickel(II) Complexes with 6-Hydroxypicolinic Acid. Structural and Density Functional Theory Studies. 2010 , 10, 3685-3693	14
1047	Synthesis, characterization, and crystal structure determination of two mercury(II) dimer complexes with 4,7-diphenyl-1,10-phenanthroline, 5,5'-dimethyl-2,2'-bipyridine and bromide. 2010 , 63, 2122-2131	18
1046	Microporosity, Optical Bandgap Sizes, and Photocatalytic Activity of M(I)-Nb(V) (M = Cu, Ag) Oxyfluoride Hybrids. 2010 , 10, 1323-1331	28
1045	2D and 3D bimetallic oxalate-based ferromagnets prepared by insertion of different Fe(III) spin crossover complexes. 2010 , 39, 4903-10	43
1044	Structural Modulation and Properties of Silver(I) Coordination Frameworks with Benzenedicarboxyl Tectons and trans-1-(2-Pyridyl)-2-(4-pyridyl)ethylene Spacer. 2010 , 10, 1623-1632	58
1043	Metal coordination and in situ S-C bond cleavage of the bis(2-pyridylthio)methane ligand. 2010 , 39, 10076-87	8
1042	Relevance of weak hydrogen bonds in the conformation of organic compounds and bioconjugates: evidence from recent experimental data and high-level ab initio MO calculations. 2010 , 110, 6049-76	488
1041	Classification of stacking interaction geometries of terpyridyl square-planar complexes in crystal structures. 2010 ,	3
1040	Cation effect on the inorganic-organic layered structure of pyrazole-4-sulfonate networks and inhibitory effects on copper corrosion. 2010 , 34, 221	17
1039	Palladium(II) complexes with pentafluorophenyl ligands: structures, C ₆ F ₅ fluxionality by 2D-NMR studies and pre-catalysts for the vinyl addition polymerization of norbornene. 2010 , 39, 3609-19	34
1038	A unique example of a three component cocrystal of metal complexes. 2010 , 12, 1416-1421	55
1037	Metal-Organic Frameworks Based on Different Benzimidazole Derivatives: Effect of Length and Substituent Groups of the Ligands on the Structures. 2010 , 10, 1161-1170	61

- 1036 Pyridyl Gold(I) Alkynyls: A Synthetic, Structural, Spectroscopic, and Computational Study. **2010**, 29, 6186-6195 30
- 1035 Factors dictating the nuclearity/aggregation and acetate coordination modes of lutidine-coordinated zinc(II) acetate complexes. **2010**, 49, 62-72 46
- 1034 Electronic structures of Pd(II) dimers. **2010**, 49, 1801-10 146
- 1033 Coordination polymers using (2-pyridyl)alkylamine-appended carboxylates: magnetic properties. **2010**, 34, 2357 29
- 1032 Anion-directed self-assembly in coordination networks: architectural control via cooperative noncovalent interactions. **2010**, 49, 11415-20 56
- 1031 π -Interactions and Solid State Packing Trends of Polycyclic Aromatic Bowls in the Indenocorannulene Family: Predicting Potentially Useful Bulk Properties. **2010**, 10, 4607-4621 74
- 1030 Heterobimetallic metal-complex assemblies constructed from the flexible arm-like ligand 1,1'-bis[(3-pyridylamino)carbonyl]ferrocene: structural versatility in the solid state. **2010**, 49, 1834-48 31
- 1029 Supramolecular assembly of Mg(II) complexes directed by associative lone pair- π / π - π /anion- π / π -lone pair interactions. **2010**, 114, 4998-5009 73
- 1028 Synthesis and structural characterisation of germanium(II) halide complexes with neutral N-donor ligands. **2010**, 39, 847-56 50
- 1027 8-Quinoline based ligands and their metallic derivatives: A structural and statistical investigation of quinoline π -stacking interactions. **2010**, 34, 439 39
- 1026 Hypervalent adducts of chalcogen-containing peri-substituted naphthalenes; reactions of sulfur, selenium, and tellurium with dihalogens. **2010**, 49, 7577-96 38
- 1025 Evidence of Chelate-Chelate Stacking Interactions in Crystal Structures of Transition-Metal Complexes. **2010**, 10, 3901-3908 76
- 1024 Three isolated structural motifs in one crystal: penetration of two 1D chains through large cavities within 2D polymeric sheets. **2010**, 12, 1391-1393 14
- 1023 A novel luminescent chemosensor for detecting Hg(2+) based on the pendant benzo crown ether terbium complex. **2010**, 39, 9763-5 31
- 1022 Coordination networks constructed with the multinuclear silver-ethynide supramolecular synthon 4-nitrophenyl-C[triple bond]C subset Ag(n) (n = 3, 4, 5). **2010**, 39, 2108-21 10
- 1021 Metal carboxylate-phosphonates containing flexible N-donor co-ligands. **2010**, 39, 4559-65 28
- 1020 New 7-azaindole palladium and platinum complexes: crystal structures and theoretical calculations. In vitro anticancer activity of the platinum compounds. **2010**, 39, 3290-301 62
- 1019 Rational assembly and luminescence properties of 2 and 3D organometallic networks using silver(I) 4-pyridylethyne and 5-pyrimidylethyne complexes as building units. **2010**, 12, 3027 22

- 1018 Synthesis, characterization and reactivity of carbohydrate platinum(IV) complexes with thioglycoside ligands. **2010**, 39, 6327-38 11
- 1017 Hydrogen bond assisted co-crystallization of a bimetallic Mn(III)Ni(II) cluster and a Ni(II) cluster unit: synthesis, structure, spectroscopy and magnetism. **2010**, 39, 4986-90 15
- 1016 Use of di-1,4-substituted-1,2,3-triazole "click" ligands to self-assemble dipalladium(II) coordinatively saturated, quadruply stranded helicate cages. **2010**, 39, 4035-7 82
- 1015 N-Carbazolymethylphosphonic acid synthesis, metal coordination, emissive aggregate formation and spectroscopic features. **2010**, 34, 2592 3
- 1014 Supramolecular assembly of [H(4E)BPTC]_n with pipzH₂²⁺: 1D negatively charged rectangular tubes and a 2D neutral fes 4⁸2 network. **2010**, 12, 2011 2
- 1013 New heterometallic coordination polymers constructed from 3d⁸ binuclear nodes. **2010**, 34, 2479 46
- 1012 How Different are Electron-Rich and Electron-Deficient π Interactions?. **2010**, 6, 1931-4 53
- 1011 The synthesis and structure of a thiobenzyl-functionalized dibenzoferrocene complex. **2010**, 63, 2790-2799
- 1010 Different spatial orientations of amide derivatives on anion coordination. **2010**, 12, 1562 9
- 1009 N,N'-Dihexylbenzimidazolium salts. Anion-controlled bilayer structures via π dimer or C π - π catemer motifs. **2010**, 12, 4347 8
- 1008 Stable hemiaminals containing a triazole ring. **2010**, 34, 2605 17
- 1007 Interaction of tripodal Schiff-base ligands with silver(I): structural and solution studies. **2010**, 12, 4176 22
- 1006 Barium one-dimensional coordination polymers from barium β -diketonates and 2,2'-bipyrimidine derivatives. **2010**, 12, 3430 4
- 1005 N-heterocyclic carbene Pt(II) complexes from caffeine: synthesis, structures and photoluminescent properties. **2011**, 40, 4402-6 37
- 1004 Synthesis, structures and characterization of a series of Cu(I)-diimine complexes with labile N,N'-bis((diphenylphosphino)methyl)naphthalene-1,5-diamine: diverse structures directed by π stacking interactions. **2011**, 35, 2471 21
- 1003 Unsymmetrical diimine chelation to M(II) (M=Zn, Cd, Pd): atropisomerism, pi-pi stacking and photoluminescence. **2011**, 40, 7375-84 39
- 1002 Dinuclear silver(I) complexes for the design of metal-ligand networks based on triazolopyrimidines. **2011**, 40, 11845-55 40
- 1001 Peculiar structural findings in coordination chemistry of malonamide_n,N'-diacetic acid. **2011**, 13, 5872 16

- 1000 Sulfate encapsulation in a metal-assisted capsule based on a mono-pyridylurea ligand. **2011**, 47, 2880-2 42
- 999 A neutral Pt₃ stack unsupported by any bridging ligand. **2011**, 40, 5159-61 20
- 998 Face-to-face π -stacking in the multicomponent crystals of chloranilic acid, alkali hydrogenchloranilates, and water. **2011**, 13, 4211 43
- 997 Structures of Bifunctional Molecules Containing Two Very Different Supramolecular Synthons: Carboxylic Acid and Strong π - π Stacking 1,8-Naphthalimide Ring. **2011**, 11, 4068-4079 41
- 996 Lipid-bilayer-mimicking solid-state structures of Cu(II) and Ni(II) with L-tryptophan and L-tyrosine Schiff base derivatives. **2011**, 13, 4228 7
- 995 New cyclometallated precursors of unsubstituted N-phenylpyrazole [$\{Pd(\text{phpz})(\text{EX})\}_2$] (X = AcO or OH) and study of their reactivity towards selected ligands. **2011**, 40, 156-68 21
- 994 Coordination polymers and metallomacrocycles based on bis(pyridylcarbamate) ligands with flexible glycol spacers. **2011**, 13, 5763 20
- 993 Iodobismuthates with N-alkyl- or N,N'-dialkyl-4,4'-bipyridinium: syntheses, structures and dielectric properties. **2011**, 13, 5659-67 29
- 992 Homoleptic imidazolate frameworks $[Sr(1-x)Eu(x)(\text{Im})_2]$ -hybrid materials with efficient and tuneable luminescence. **2011**, 47, 496-8 49
- 991 A novel class of oligomeric and polymeric d¹⁰ metal complexes of asymmetrical N-heterocyclic ligand with strong π -stacking and hydrogen bonding: syntheses, structures, and photoluminescence. **2011**, 13, 7086 15
- 990 Metal-organic supramolecular architectures derived from a new zwitterionic dicarboxylate ligand. **2011**, 64, 244-255 9
- 989 Role of counterions in the structures of diquinolonyl-silver coordination polymers. **2011**, 13, 5755 7
- 988 Hydrothermal synthesis, structures, and luminescent properties of four new zinc(II) diphosphonate hybrids with mixed ligands. **2011**, 13, 6099 16
- 987 The metal-carbonyl(π -aryl) interaction as a supramolecular synthon for the stabilisation of transition metal carbonyl crystal structures. **2011**, 47, 12682-4 44
- 986 $[WS_4Cu_3I_2]^-$ and $[WS_4Cu_4]^{2+}$ secondary building units formed a metal-organic framework: large tubes in a highly interpenetrated system. **2011**, 47, 2919-21 70
- 985 Isomorphic coordination polymers of cobalt(II), zinc(II) with a flexible ligand of cis,cis,cis-1,2,3,4-cyclopentanetetracarboxylic acid and their molecular alloys: crystal structures, thermal decomposition mechanisms and magnetic properties. **2011**, 40, 3183-90 9
- 984 Anion-controlled assemblies of CH_2O hydrogen bonded grid, stair or bilayer structures by L-shaped pyridinium salts. **2011**, 13, 2318 10
- 983 Synthesis, crystal structures, and properties of three helical coordination polymers with quinolinecarboxylate ligand. **2011**, 64, 965-974 13

- 982 New pyridine-2,4,6-tricarboxylato coordination polymers: Synthesis, crystal structures and properties. **2011**, 13, 2699 14
- 981 Crystal engineering of Cd(II) metal-organic frameworks bridged by dicarboxylates and N-donor coligands. **2011**, 64, 1503-1512 13
- 980 Functionalized Palladacycles with Crown Ether Rings Derived from Terdentate [C,N,N] Ligands. Crystal and Molecular Structure of the Dinuclear Palladium/Silver Complex [Pd{3,4-(AgC10H20O6)C6H2C(Me)2NN(H) (4?-ClC4H2N2)}(PPh3)][CF3SO3]2. **2011**, 30, 396-404 8
- 979 Synthesis, structural characterization, and photophysical, electrochemical, intercomponent energy-transfer, and anion-sensing studies of imidazole 4,5-bis(benzimidazole)-bridged Os(II)Os(II) and Ru(II)Os(II) bipyridine complexes. **2011**, 50, 46-61 56
- 978 Complete family of mono-, bi-, and trinuclear Re(I)(CO)3Cl complexes of the bridging polypyridyl ligand 2,3,8,9,14,15-hexamethyl-5,6,11,12,17,18-hexaazatrinaphthalene: syn/anti isomer separation, characterization, and photophysics. **2011**, 50, 6093-106 47
- 977 2-Amino-4-methyl-6-oxo-3,6-dihydro-pyrimidin-1-ium perchlorate-2-amino-6-methyl-pyrimidin-4(1H)-one-water (1/1/1). **2011**, 67, o2507-8 4
- 976 Homochiral, helical supramolecular metal-organic frameworks organized by strong $\pi\cdots\pi$ stacking interactions: single-crystal to single-crystal transformations in closely packed solids. **2011**, 50, 686-704 69
- 975 Syntheses, Structures, and Magnetic Properties of Five Novel Octacyanometallate-Based Lanthanide Complexes with Helical Chains. **2011**, 11, 5676-5681 40
- 974 Structural Diversity of a Series of Mn(II), Cd(II), and Co(II) Complexes with Pyridine Donor Diimide Ligands. **2011**, 11, 2763-2772 78
- 973 Ruthenium Arene Derivatives of Chiral Ferrocene-Based P,N or P,O Ligands. Transformation of Chloroalcohol into Hydrido-carbonyl Complexes. **2011**, 30, 3490-3503 10
- 972 Influence of Metal Ion on Structural Motif in Coordination Polymers of the Pseudopeptidic Ligand Terephthaloyl-bis-beta-alaninate. **2011**, 11, 3653-3662 34
- 971 Reversible shuttle action upon dehydration and rehydration processes in cationic coordinatively-bonded (4,4) square-grid nets threaded by supramolecular bonded anions, {[Cu(II)(4,4'-bpy)2(H2O)][Cu(II)(2-pySO3)3](NO3)} \cdot 4H2O. **2011**, 50, 2329-33 25
- 970 Water/Aromatic Parallel Alignment Interactions. Significant Interactions at Large Horizontal Displacements. **2011**, 11, 2680-2683 24
- 969 Supramolecular Self-Assembly of M-IDA Complexes Involving Lone-Pair \cdots π Interactions: Crystal Structures, Hirshfeld Surface Analysis, and DFT Calculations [H2IDA = iminodiacetic acid, M = Cu(II), Ni(II)]. **2011**, 11, 3250-3265 257
- 968 An alternative to β propylene/Leonard linker for studying arene interactions in flexible pyrazolo[3,4-d]pyrimidine core based models both at molecular and supramolecular levels. **2011**, 13, 2039 12
- 967 Ag(I) and Cu(I) [2 \times 2] Chiral Grids Containing Pyrimidine Ligands with Camphor Moieties. Arene Encapsulation. **2011**, 11, 1766-1776 22
- 966 Competitive Interactions in the Crystal Structures of Benzils Effected by Different Halogen Substitution. **2011**, 11, 982-989 17
- 965 Photosensitive azobispyridine gold(I) and silver(I) complexes. **2011**, 40, 2570-7 30

- 964 Insight into supramolecular self-assembly directed by weak interactions in acetophenone derivatives: crystal structures and Hirshfeld surface analyses. **2011**, 13, 6728 139
- 963 Syntheses and structures of three chiral complexes derived from nucleophilic addition of L-proline to di-2-pyridyl ketone. **2011**, 64, 2618-2630
- 962 Cationic synthon repetitivity in coordination compounds, established from single-crystal and powder diffraction. **2011**, 13, 3710 37
- 961 Inorganic anion induced supramolecular architectures and luminescent properties of flexible bis(pyridyl) based ionic salts. **2011**, 13, 6632 26
- 960 Zinc paddlewheel dimers containing a strong π - π stacking supramolecular synthon: designed single-crystal to single-crystal phase changes and gas/solid guest exchange. **2011**, 50, 11754-64 35
- 959 Stabilisation of tetrabromo- and tetrachlorosemiquinone (bromanil and chloranil) anion radicals in crystals. **2011**, 13, 5170 25
- 958 3-D Coordination polymer containing a 1-D tunnel filled with 4,4'-bpy: synthesis, crystal structure, and characterization. **2011**, 64, 3475-3481 4
- 957 Three-Dimensional Mixed-Ligand Coordination Polymers with Ferromagnetically Coupled Cyclic Tetranuclear Copper(II) Units Bonded by Weak Interactions. **2011**, 11, 4344-4352 12
- 956 Concentration dependent tautomerism in green $[\text{Cu}(\text{HL})(\text{L}^{\dagger})]$ and brown $[\text{Cu}(\text{L})(\text{HL}^{\dagger})]$ with $\text{HHL}^{\dagger} = (\text{E})\text{-N}'\text{-(2-hydroxy-3-methoxybenzylidene)benzoylhydrazine}$ and $\text{HL}^{\dagger} = \text{pyridine-4-carboxylic (isonicotinic) acid}$. **2011**, 40, 1286-94 58
- 955 Functional ionic gels formed by supramolecular assembly of a novel low molecular weight anticorrosive/antioxidative gelator. **2011**, 21, 13399 62
- 954 Recent advances in anion- π interactions. **2011**, 13, 3293 138
- 953 Nature of anion-templated $(\pi^+)-(\pi^+)$ interactions. **2011**, 13, 11841-5 17
- 952 catena-Poly[[[(di-2-pyridylamine- μ -N₂,N₂')copper(II)]- μ -benzene-1,3-dicarboxylato- μ -O1,O1':O3] monohydrate], a zigzag coordination polymer with strong π - π interactions. **2011**, 67, m230-3 2
- 951 A 9,9'-spirobifluorene based Metal-Organic Framework: synthesis, structure analysis and gas sorption properties. **2011**, 21, 18715 46
- 950 Pushing Pentacene-Based Fluorescence to the Near-Infrared Region by Platination. **2011**, 30, 6383-6392 25
- 949 Self-assembly of three supramolecular architectures based on an unsymmetrical N-heterocyclic ligand. **2011**, 64, 4373-4382 9
- 948 μ -Oxalato-bis-[bis-(2,2'-bipyridine)-manganese(II)] bis(perchlorate) 2,2'-bipyridine solvate. **2011**, 67, m1443-4 4
- 947 Structural tuning of meso-hexamer, chiral-trimer and chiral-chain by anion directed supramolecular interactions. **2011**, 13, 4564 22

946	Co-crystallization of coordination compounds through second-coordination sphere interactions. 2011 , 13, 3756	14
945	A new modification of an old framework: Hofmann layers with unusual tetracyanidometallate groups. 2011 , 40, 11621-8	17
944	Use of π -forces to steer the assembly of chromone derivatives into hydrogen bonded supramolecular layers: crystal structures and Hirshfeld surface analyses. 2011 , 13, 4528	186
943	Synthesis, structural analysis, and magnetic properties of ethylmalonate-manganese(II) complexes. 2011 , 50, 10765-76	14
942	Design, synthesis, crystal structure analysis, and insecticidal evaluation of phenylazoneonicotinoids. 2011 , 59, 10615-23	17
941	A hybrid magnet with coexistence of ferromagnetism and photoinduced Fe(III) spin-crossover. 2011 , 2, 1121	80
940	Different effects of a cotemplate and [(transition-metal)(1,10-phenanthroline)(m)] ²⁺ (m = 1-3) complex cations on the self-assembly of a series of hybrid selenidostannates showing combined optical properties of organic and inorganic components. 2011 , 50, 9660-9	42
939	On the Possibility of Tuning Molecular Edges To Direct Supramolecular Self-Assembly in Coumarin Derivatives through Cooperative Weak Forces: Crystallographic and Hirshfeld Surface Analyses. 2011 , 11, 4837-4849	165
938	Aromatic-Aromatic Interactions Database, A(2)ID: an analysis of aromatic π -networks in proteins. 2011 , 48, 540-52	75
937	Electron delocalization in vinyl ruthenium substituted cyclophanes: Assessment of the through-space and the through-bond pathways. 2011 , 696, 3186-3197	41
936	Zirconium-Catalyzed Polymerization of a Styrene: Catalyst Reactivation Mechanisms Using Alkenes and Dihydrogen. 2011 , 44, 1393-1404	7
935	Highly cooperative double metalation of a bis(N ₂ O ₂) ligand based on bipyridine-phenol framework driven by intramolecular π -stacking of square planar nickel(II) complex moieties. 2011 , 40, 8507-9	13
934	Syntheses and crystal structures of dinuclear, trinuclear [2 Cu + 1 Cu] and tetranuclear [2 Cu + 1 Cu + 1 Cu] copper(II)-10 complexes (d10 => ZnII, CdII, HgII and AgI) derived from N,N'-ethylenebis(3-ethoxysalicylaldimine). 2011 , 13, 124-132	44
933	Near-infrared electroluminescent lanthanide [Pr(III), Nd(III), Ho(III), Er(III), Tm(III), and Yb(III)] N,O-chelated complexes for organic light-emitting devices. 2011 , 21, 16611	80
932	π -Stacking and ferromagnetic coupling mechanism on a binuclear Cu(II) complex. 2011 , 40, 1453-62	37
931	π -Stacking and magnetic coupling mechanism on a mononuclear Cu(II) complex. 2011 , 64, 3595-3608	10
930	Emerging supramolecular synthons: C-H...O (chelate) interactions in metal bis(1,1-dithiolates). 2011 , 47, 6623-5	104
929	Syntheses and characterization of copper(II) carboxylate dimers formed from enantiopure ligands containing a strong π -stacking synthon: enantioselective single-crystal to single-crystal gas/solid-mediated transformations. 2011 , 50, 10225-40	32

928	Are C π ?O interactions linear? The case of aromatic CH donors. 2011 , 13, 5005	58
927	Chiral magnesium BINOL phosphate-catalyzed phosphination of imines: access to enantioenriched β -amino phosphine oxides. 2011 , 13, 2054-7	88
926	Syntheses and structures of two NiIICoIINiII complexes of macrocyclic ligands. 2011 , 64, 3102-3109	2
925	Interactions of Anthropogenic Organic Chemicals with Natural Organic Matter and Black Carbon in Environmental Particles. 2011 , 1-50	7
924	Powder diffraction and solid state DFT study of the trans-bis(5-methylsalicylato)-bis(N,N-diethylnicotinamide)-diaquacopper(II) complex structure. 2011 , 226, 756-761	1
923	Synthesis and Crystal Structure of (3-NH ₃ CH ₂ C ₅ H ₄ NH)SO ₄ H ₂ O. 2011 , 27, 25-26	2
922	Dihydrogen contacts in alkanes are subtle but not faint. 2011 , 3, 323-30	199
921	Five organic salts assembled from carboxylic acids and bis-imidazole derivatives through collective noncovalent interactions. 2011 , 1004, 227-236	8
920	Hydrogen bonded supramolecular network in organic acid/Base salts: Crystal structures of five proton-transfer complexes assembled from 5,7-dimethyl-1,8-naphthyridine-2-amine with monocarboxylic acid, dicarboxylic acid, and tricarboxylic acid. 2011 , 1005, 59-69	47
919	Salt and co-crystal formation from 2-(imidazol-1-yl)-1-phenylethanone and different acidic components. 2011 , 1006, 128-135	9
918	Syntheses, structures, electrochemical measurements and magnetic properties of two iron(III) complexes derived from N,N'-o-phenylenebis(3-ethoxysalicylaldimine). 2011 , 1006, 216-222	10
917	Synthesis, characterization, antimicrobial and enzymatic activity of 4b,9b-dihydroxy-7,8-dihydro-4bH-indeno[1,2-b]benzofuran-9,10(6H,9bH)-dione. 2011 , 1006, 318-323	18
916	Synthesis, crystal structure and magnetic characterization of metal(II) coordination polymers based on 2-carboxyethylphosphonic acid and 1,10-phenanthroline (metal=Cu, Co, Cd). 2011 , 184, 3289-3298	11
915	Polymeric Hg(II) and dimeric oxo-bridged manganese(II) complexes derived from N'-(2-methyl-benzoyl)-hydrazinercarbodithioic acid methyl ester: Synthesis, spectral and structural characterization. 2011 , 30, 1960-1967	8
914	Syntheses, structures and properties of five copper coordination polymers constructed by the triazole ligand. 2011 , 30, 1982-1989	11
913	Associative combination of lone pair π and anion π interactions observed in a ternary system comprising Mg(II)-malonate π -aminopyridine π hexafluoridophosphate. 2011 , 30, 2121-2126	12
912	Synthesis, characterization, reactivity and computational studies of new rhenium(I) complexes with thiosemicarbazone ligands derived from 4-(methylthio)benzaldehyde. 2011 , 30, 2146-2156	8
911	Copper(II)-phenylmalonate complexes with the bifunctional ligands nicotinamide and isonicotinamide. 2011 , 30, 2451-2458	10

910	Photoinduced electron transfer in pentacoordinated complex of zinc tetraphenylporphyrin and isoquinoline N-oxide. Crystal structure, spectroscopy and DFT studies. 2011 , 30, 2391-2399	17
909	ESR and pH-potentiometric study of the mixed ligand complex formation in the copper(II)-fluorosalicicylic acid-N,N-diethylnicotinamide system: Structure and spectral properties of [Cu(4-fluorosalicylate)2(N,N-diethylnicotinamide)2(H2O)2] complex. 2011 , 30, 2421-2429	4
908	A new kind of intermolecular stacking interaction between copper (II) mixed chelate complex (Casiopeña III-ia) and adenine. 2011 , 30, 2697-2703	16
907	Structural, electrical and optical properties of metal complexes of NNS donor ligand. 2011 , 129, 1121-1125	2
906	Layered zinc 4-phosphonoisophthalates pillared by flexible bis(imidazole) Co-ligands. 2011 , 14, 1677-1680	10
905	A layered amino-functionalized zinc-terephthalate metal organic framework: Structure, characterization and catalytic performance for Knoevenagel condensation. 2011 , 14, 1966-1970	54
904	Cationic palladium(II) complexes of the sterically hindered bis(4-methylthiazolyl)isoindoline (4-Mehti) with neutral group XVI donor ligands. 2011 , 374, 572-577	3
903	Non-covalent interactions between cations in the crystal structure of [Pt{4-(p-tolyl)trpy}Cl]SbF6, where trpy is 2,2':6',2''-terpyridine, underpin the salt complex solid-state luminescence spectrum. 2011 , 374, 197-204	15
902	Solvent-dependent 2D-coordination polymers of Cu(I) containing a bridging triazolopyrimidine ligand. 2011 , 376, 674-678	24
901	Assembly of coordination networks: Role of the different M(II)-glystate chain in structural diversification. 2011 , 377, 91-98	9
900	Rhodium paddlewheel dimers containing the π -stacking, 1,8-naphthalimide supramolecular synthon. 2011 , 378, 42-48	12
899	Metal-directed and ligand-distorted assembly of chiral/achiral one-dimensional coordination polymers: Syntheses, structures and physical properties. 2011 , 379, 135-139	10
898	Synthesis and luminescence properties of cyclopalladated complexes with S^N and O^N donor ligands. 2011 , 40, 3537-46	23
897	Mixed ligand cobalt(II) picolinate complexes: synthesis, characterization, DNA binding and photocleavage. 2011 , 40, 639-50	47
896	Structural and luminescence studies of nickel(II) and copper(II) complexes with (1R,2R)-cyclohexanediamine derived unsymmetric Schiff base. 2011 , 40, 11012-22	56
895	A new family of 1D exchange biased heterometal single-molecule magnets: observation of pronounced quantum tunneling steps in the hysteresis loops of quasi-linear {Mn2Ni3} clusters. 2011 , 133, 3433-43	64
894	Restricting the geometrical relaxation in four-coordinate copper(I) complexes using face-to-face and edge-to-face π interactions. 2011 , 13, 2742	28
893	2,2'-Biquinolines as test pilots for tuning the colour emission of luminescent mesomorphic silver(I) complexes. 2011 , 40, 4614-22	39

- 892 Unusual result of the reaction of 4-(1-methyl-1H-imidazol-2-yl)methylene-substituted 2-alkylthioimidazol-5(4H)-one with copper(ii) chloride. **2011**, 60, 2120-2123 3
- 891 Synthesis and crystal structure of (1H-Benzo[d]imidazol-2-yl)(3,3-dimethyl-3,4-dihydroisoquinolin-1-yl)methanone (L). complex formation of copper(II) and cobalt(II) chlorides with L. **2011**, 37, 688-695
- 890 A novel bimetallic chain based on [Mo(Cn)₈]3⁺ and Eu³⁺ ions as building blocks. **2011**, 37, 708-711 1
- 889 Synthesis, structure, and blue photoluminescence of the coordination chain polymer [Cd₂(L)Cl₄]_n (L = 2-(3,5-dimethylpyrazol-1-yl)-4-methylquinoline). **2011**, 37, 719-724
- 888 Synthesis and crystal structure characterization of complex [Cd(Bipy)₂(L)] · 10H₂O (H₂L = 2,6-pyridinedicarboxylic acid). **2011**, 37, 887-892
- 887 Synthesis, crystalline and molecular structure of palladium(II) binuclear complex with cysteine. **2011**, 81, 294-300 2
- 886 Structure of a biologically active binuclear palladium complex in the compound (bis[(2,2-chloroethylammonium)(1,10-phenanthroline)-palladium(I)]) · tetranitrates · hydrate. **2011**, 37, 206-211 1
- 885 Self-assembled hydrogen-bonded coordination networks in two copper(II) carboxylates with 4-pyridylmethanol. **2011**, 9, 453-459 12
- 884 Molecular and crystal structure of liquid crystalline p-octyloxyphenyl p'-pentyloxybenzoate. **2011**, 56, 128-131 1
- 883 Mesophase design: I. Molecular structure and crystal packing motifs of 4-alkylcyanobiphenyls. **2011**, 56, 242-255 19
- 882 Coordination-driven self-assembly of thiocyanate complexes of Co(II), Ni(II) and Cu(II) with picolinamide: a structural and DFT study. **2011**, 13, 5863 35
- 881 X-ray Crystal Structures of Silver Based Molecules Containing 5,5'-Dimethyl-2,2'-bipyridine and 2,2'-bipyridine. **2011**, 41, 1174-1179 20
- 880 Absence of Platinophilic Interactions in a Series of Tetracyanoplatinates Incorporating Cyclic Amines. **2011**, 41, 1425-1432 4
- 879 Synthesis and Crystal Structure of [Na(H₂O)_{1.5}][Na(H₂O)_{3.5}] X₂·2H₂O (X = 4'-Methoxy-7-Hydroxyisoflavone-3'-Sulfonate). **2011**, 41, 1467-1471 2
- 878 Non-Covalent Interactions in a Nickel(II) Complex with Benzilate and 1,10-Phenanthroline. **2011**, 41, 1949-1954 7
- 877 Synthesis and Structure of a New Cu(II) Complex with 2-Benzoylpyridine and Its Hydrolyzed Derivative H₂bpd as Ligands. **2011**, 22, 41-47 5
- 876 Hydrothermal Syntheses and Crystal Structures of Two Coordination Polymers with Terephthalic Acid and N-Donor Ligand: 2-Methyldipyrido[3,2-f:2',3'-h]quinoxaline. **2011**, 21, 97-102 16
- 875 A New Metal-Organic Zn(II) Supramolecular Assembled via Hydrogen Bonds and N...N Interactions as a New Precursor for Preparation Zinc(II) Oxide Nanoparticles, Thermal, Spectroscopic and Structural Studies. **2011**, 21, 195-200 9

- 874 Comparative X-ray structural study of laterally mono-ethyl substituted 5,11,17,23-tetra-tert-butyl-25,26,27,28-tetra-methoxycalix[4]arene and its non-substituted parent compound including guest free and solvated forms. Chemical straightening of guest channels. **2011**, 22, 433-439 12
- 873 Two new lead(II) coordination polymer and discrete complex containing bipyridine ligands with different positioned methyl substituents: synthesis, characterization, crystal structure determination, and luminescent properties. **2011**, 22, 1153-1163 28
- 872 Influence of different aryl substitution on the crystal structures of benzil monohydrazone and dibenzil azine parent compounds. **2011**, 22, 1267-1279 9
- 871 Syntheses, crystal, molecular structures, and solution studies of Cu(II), Co(II), and Zn(II) coordination compounds containing pyridine-2,6-dicarboxylic acid and 1,4-pyrazine-2,3-dicarboxylic acid: comparative computational studies of Cu(II) and Zn(II) complexes. **2011**, 22, 1365-1377 17
- 870 Four complexes with a bulky carboxylate ligand: syntheses, crystal structures, and luminescent properties. **2011**, 36, 579-584 2
- 869 Geometries of stacking interactions between phenanthroline ligands in crystal structures of square-planar metal complexes. **2011**, 17, 2083-92 14
- 868 The nonclassical noncovalent interactions control: A case study of the crystal structure of 3,5-dibromo-2-amino-4,6-dimethylpyridinium tetrahalocuprate [3,5-DBr-2-A-4,6-DMPH]₂CuX₄ (X = Cl, and Br). **2011**, 985, 27-33 6
- 867 A dinuclear oxo-bridged Fe(III) complex with tris(2-pyridylmethyl) amine: Structure and Hirshfeld surface analysis. **2011**, 994, 109-116 13
- 866 A compact review on the comparison of conventional and non-conventional interactions on the structural stability of therapeutic proteins. **2011**, 3, 144-60 3
- 865 Sonochemical Synthesis of a Novel Nanoscale Lead(II) Coordination Polymer: Synthesis, Crystal Structure, Thermal Properties, and DFT Calculations of [Pb(dmp)(EN3)(ENO3)]_n with the Novel Pb₂(EN3)₂(ENO3)₂ Unit. **2011**, 637, 713-719 26
- 864 Cadmium(II) Complexes with Mixed cis-Epoxy succinate and 2,2'-Bipyridyl-Like Ligands: Syntheses, Crystal Structures, and Luminescent Properties. **2011**, 637, 748-754 1
- 863 Anthraquinone-2,6-disulfonate as Versatile Ligand for the Synthesis of Hydrogen-Bonded Supramolecules. **2011**, 637, 1432-1437 1
- 862 1:1 and 2:1 Copper(II) Adduct Complexes with a Tripodal Ligand and Imidazole, Pyridine, and 4,4'-Bipyridine. **2011**, 637, 2288-2293 3
- 861 [Acetato- μ -aqua- μ -hydroxido-bis[(1,10-phenanthroline)copper(II)] dinitrate monohydrate. **2011**, 67, m130-3 2
- 860 Bis[(dihydrogen pyrophosphato-(μ -2)O,O')(2,2':6',2''-terpyridine-(μ -3)N,N',N'')copper(II)] 4.5-hydrate. **2011**, 67, m140-4 1
- 859 Two isomorphous transition metal complexes containing a protonated diaminopurine ligand: diaquabis(2,6-diamino-7H-purin-1-ium- μ -9)bis(homophthalato- μ -D)nickel(II) tetrahydrate and the cobalt(II) analogue. **2011**, 67, m169-72 7
- 858 Methyl 2-benzamido-4-(3,4-dimethoxyphenyl)-5-methylbenzoate and N-{5-benzoyl-2-[(Z)-2-methoxyethenyl]-4-methylphenyl}benzamide. **2011**, 67, o201-5
- 857 Tetraaquabis(2,6-diamino-7H-purine- μ -9)cobalt(II) benzene-1,2,4,5-tetracarboxylate tetrahydrate. **2011**, 67, m275-8 6

856	Conformations of diester triphenylphosphonium ylides with an ylidic ester or keto and ester ylidic groups. 2011 , 67, o319-23	1
855	The supramolecular architecture in 4,4'-bipyridinium bis(hydrogen oxalate). 2011 , 67, o337-40	8
854	Poly[bis(2,2'-bipyridine- μ_2),N,N')bis(μ_6)-2,4,6-trimethylbenzene-1,3,5-tricarboxylato]tricadmium(II)], a two-dimensional 'Kagom'dual' (kgd) sheet structure. 2011 , 67, m387-90	2
853	Aging-driven decomposition in zolpidem hemitartrate hemihydrate and the single-crystal structure of its decomposition products. 2011 , 100, 1377-86	7
852	Uniform π -System Alignment in Thin Films of Template-Grown Dicarbonitrile-Oligophenyls. 2011 , 21, 1631-1642	32
851	Low-Nuclearity MnII Complexes Based on Pyrimidine-4,6-dicarboxylato Bridging Ligand: Crystal Structure, Ion Exchange and Magnetic Properties. 2011 , 2011, 68-77	13
850	Synthesis and Structural Characterization of New Bimetallic [C,N,S] Palladacycles with Mixed Bridging [P,P] and Chelating [P,P] or [P,N] Phosphane Ligands. 2011 , 2011, 368-376	6
849	Discrete and Infinite Metallacyclic Coordination Architectures Based on a Conformationally Flexible Tripodal Aminotriazine-Derived Polypyridyl Ligand. 2011 , 2011, 2172-2178	9
848	Synthesis and Characterization of Homoleptic and Heteroleptic Cobalt, Nickel, Copper, Zinc and Cadmium Compounds with the 2-(Tosylamino)-N-[2-(tosylamino)benzylidene]aniline Ligand. 2011 , 2011, 2273-2287	12
847	Organometallic -Dichlorido Ruthenium(II) Ammine Complexes. 2011 , 2011, 3257-3264	19
846	Lanthanide Aminoisophthalate Coordination Polymers: A Promising System for Tunable Luminescent Properties. 2011 , 2011, n/a-n/a	46
845	Synthesis and Structural Characterization of Palladacycles with Polydentate Ligands by a Stepwise Coupling Route [Palladacycles Containing Halides as Efficient Catalysts and Substrates. 2011 , 2011, 4878-4888	24
844	A Tri- μ -O-S-O Manganese Dimer: Synthesis, Structural and EPR Study. 2011 , 29, 2034-2038	1
843	What are the preferred horizontal displacements in parallel aromatic-aromatic interactions? Significant interactions at large displacements. 2011 , 12, 3511-4	62
842	Exploration of Supramolecular Synthons and Molecular Recognition Starting from Macroscopic Measurements of Crystal Dimensions. 2011 , 123, 3256-3259	3
841	A Triple Anion Helicate Assembled from a Bis(biurea) Ligand and Phosphate Ions. 2011 , 123, 5839-5842	33
840	Exploration of supramolecular synthons and molecular recognition starting from macroscopic measurements of crystal dimensions. 2011 , 50, 3198-201	17
839	A triple anion helicate assembled from a bis(biurea) ligand and phosphate ions. 2011 , 50, 5721-4	94

- 838 A family of chiral metal-organic frameworks. **2011**, 17, 2099-106 118
- 837 Synthesis, structure, aggregation-induced emission, self-assembly, and electron mobility of 2,5-bis(triphenylsilylethynyl)-3,4-diphenylsiloles. **2011**, 17, 5998-6008 59
- 836 A new coordination polymer exhibiting unique 2D hydrogen-bonded (H₂O)₁₆ ring formation and water-dependent luminescence properties. **2011**, 17, 9232-41 32
- 835 Thiodiacetate-manganese chemistry with N ligands: unique control of the supramolecular arrangement over the metal coordination mode. **2011**, 17, 10600-17 24
- 834 Two photoluminescent one-dimensional copper(I) iodide coordination polymers incorporating Cu₂I₂ double-stranded stair and Cu₆I₆ hexagonal cage chain units. **2011**, 14, 622-625 12
- 833 Homobinuclear sulfato-bridged and mononuclear nitrate complexes of Cu(II) with thiophen-2-yl-dipicolylamine; structure and anion-dependent absorption spectra. **2011**, 14, 753-758 8
- 832 A novel 1D tungstoarsenate with mixed organic ligands assembled by hexa-Cu sandwiched Keggin units and dinuclear copper-oxalate complexes. **2011**, 14, 767-770 27
- 831 Impacts of pH and Intermolecular Interactions on Surface-Enhanced Raman Scattering Chemical Enhancements. **2018**, 122, 14846-14856 26
- 830 Hydrogen bonding and fluorine weak interactions in the non-isomorphous {4,4'-bis[(2,2,3,3-tetrafluoropropoxy)methyl]-2,2'-bipyridine-*N,N'*}dibromidopalladium and -platinum complexes. **2018**, 74, 760-768 2
- 829 Changes in Emission Properties by π -Stacking and Conformation Adjustment of an Imidazole-Tethered Naphthalimide Derivative. **2018**, 3, 6364-6373 5
- 828 Merging Metal-Nucleobase Chemistry With Supramolecular Chemistry. **2018**, 71, 277-326 7
- 827 Silver pyridine-2-sulfonate complex - its characterization, DNA binding, topoisomerase I inhibition, antimicrobial and anticancer response. **2018**, 186, 206-216 16
- 826 A guard to reduce the accidental oxidation of PbTe nanocrystals. **2018**, 10, 12284-12290 2
- 825 Synthesis, characterization, crystal structure determination and luminescence study of new linear coordination polymers based on Mercury(II), Cadmium(II) and 4,7-phenanthroline ligand. **2019**, 1175, 450-457 8
- 824 Mono- and dinuclear palladium(II) complexes incorporating 1,2,3-triazole-derived mesoionic carbenes: syntheses, solid-state structures and catalytic applications. **2019**, 44, 39-48 5
- 823 Pancake Bonding: An Unusual π -Stacking Interaction. **2019**, 25, 400-416 99
- 822 Structural versatility and electronic structures of copper(I) thiocyanate (CuSCN) π ligand complexes. **2019**, 7, 12907-12917 5
- 821 Chiral superstructures from homochiral Zn, Co, Fe-2,6-bis(aryl ethylimine)pyridine complexes. **2019**, 31, 763-775

820	Cerium(iii) complexes with azolyl-substituted thiophenolate ligands: synthesis, structure and red luminescence.. 2019 , 9, 24110-24116	2
819	Effects of -oxidation on the molecular and crystal structures and properties of isocinchomeric acid, its metal complexes and their supramolecular architectures: experimental, CSD survey, solution and theoretical approaches.. 2019 , 9, 25382-25404	11
818	Towards understanding π -stacking interactions between non-aromatic rings. 2019 , 6, 156-166	34
817	Influence of ligand positional isomerism on the molecular and supramolecular structures of cobalt(II)-phenylimidazole complexes. 2019 , 75, 599-610	
816	Iron Complexes for Cyclic Carbonate and Polycarbonate Formation: Selectivity Control from Ligand Design and Metal-Center Geometry. 2019 , 58, 11231-11240	18
815	Heteroleptic copper(I) complexes incorporating sterically demanding diazabutadiene ligands (DABs). Synthesis, spectroscopic characterization and solid state structural analysis. 2019 , 171, 412-422	4
814	Molecular superoxide radical photogeneration in cancer cells by dipyrrophenazine iridium(III) complexes. 2019 , 6, 2500-2513	20
813	C-H and C-M Activation, Aromaticity Tuning, and Co???Ru Interactions Confined in the Azuliporphyrin Framework. 2019 , 25, 14536-14545	3
812	[3 + 2] cycloaddition of azido-bridged molybdenum(ii) complex with nitriles and alkynes. 2019 , 48, 12996-13005	
811	Improving Cytotoxicity by Changing a Linker from Diphenylether to Diphenylmethane and now to Phenylene in Binuclear Dithiocarbamate Complexes: Synthesis and Cytotoxicity Study. 2019 , 4, 8689-8699	1
810	Two-Dimensional Dion-Jacobson Hybrid Lead Iodide Perovskites with Aromatic Diammonium Cations. 2019 , 141, 12880-12890	135
809	Spin state solvomorphism in a series of rare S = 1 manganese(iii) complexes. 2019 , 48, 15560-15566	11
808	Regulation of the Interfacial Effects of Thin Polystyrene Films by Changing the Aromatic Group Structure on Substrate Surfaces. 2019 , 123, 19715-19724	13
807	A Co metallacycle stabilized by double anion- π interactions. 2019 , 55, 12356-12359	4
806	Zn(II) Curcumin Complexes with 2,2'-bipyridine and Carboxylates. 2019 , 24,	4
805	1-Carbazolyl Spirobifluorene: Synthesis, Structural, Electrochemical, and Photophysical Properties. 2019 , 123, 19094-19104	24
804	Halogenated imidazo[1,5-a]pyridines: chemical structure and optical properties of a promising luminescent scaffold. 2019 , 171, 107713	12
803	Cooperative H-bonds, π - π and anion- π interactions as driving forces in the construction of novel Cu(II) bis(imidazol-2-yl) supramolecular 3D frameworks. 2019 , 171, 137-146	2

802	A novel hydrazone-based selective and sensitive optical chemosensor for the detection of Ni ions: applications in live cell imaging, molecular logic gates and smart phone-based analysis. 2019 , 48, 12336-12348	15
801	Synthesis and structural characterization of ONO type tridentate ligands and their Co(II) and Ni(II) complexes: Investigation of electrical conductivity and antioxidant properties. 2019 , 495, 119027	8
800	Conformational analysis and electronic interactions of some 2-[2-(4?-substituted-phenylsulfinyl)-acetyl]-5-methylfurans. 2019 , 1196, 793-804	1
799	Competition in Coordination Assemblies: 1D-Coordination Polymer or 2D-Nets Based on Co(NCS) and 4'-(4-methoxyphenyl)-3,2':6',3?-terpyridine. 2019 , 11,	8
798	Halide bridged novel ternary copper(I) complexes with bis imino-quinolinyl ligand and triphenylphosphine: Synthesis, structure, luminescence, electrochemistry and theoretical studies. 2019 , 496, 119042	4
797	Silver-nitrilotriacetate coordination polymers: Supra-molecular and photoluminescence properties. 2019 , 495, 118939	1
796	Solvent-assisted structural conversion involving bimetallic complexes based on the tris(oxalato)ferrate(iii) unit with the green -> blue -> red crystal color sequence. 2019 , 48, 11536-11546	3
795	Features of the Molecular Structure and Luminescence of Rare-Earth Metal Complexes with Perfluorinated (Benzothiazolyl)phenolate Ligands. 2019 , 24,	3
794	Resorcinol-formaldehyde resins as metal-free semiconductor photocatalysts for solar-to-hydrogen peroxide energy conversion. 2019 , 18, 985-993	158
793	Hemilabile bonding of 1-oxa-4,7-dithiacyclononane in cyclometallated palladium(ii) complexes. 2019 , 48, 11520-11535	1
792	Metal-4,4?-azobis(3,5-dimethyl-1H-pyrazole) Complexes with Seven- and Nine-membered Hydrogen-bonded Rings Originating from the Pyrrolic NH Function. 2019 , 645, 893-899	1
791	Synthesis and Characterization of Zn-Carboxylate Metal-Organic Frameworks Containing Triazatruxene Ligands. 2019 , 72, 786	3
790	A Discrete Molecule and a 1D Coordination Polymer of Cadmium(II): Preparation, Structures, and Properties of [Cd(L1)2(NO3)2(CH3OH)] and {[Cd(L2)(CH3COO)2]·(CH3OH)} (L1 = (4-Py)-C ₆ H ₄ -N=C ₆ H ₄ -NH ₂ ; L2 = (3-Py)-C ₆ H ₄ -N=C ₆ H ₄ -CH(B-Py)). 2019 , 40, 958-962	
789	Photoacid-Spiropyran Exhibits Different Mechanofluorochromism before and after Modification of Tetraphenylethene under Grinding and Hydrostatic Pressure. 2019 , 123, 25366-25372	9
788	Tailored Melting Temperatures and Crystallinity of Poly(ethylene oxide) Induced by Designed Chain Defects. 2019 , 1, 3130-3136	
787	Molecular insights into the inhibitory mechanism of bi-functional bis-tryptoline triazole against β -secretase (BACE1) enzyme. 2019 , 51, 1593-1607	3
786	Self-assembly of Cu(I) metallomacrocyclic and coordination polymers with 2,2':5',4?-terpyridine directed by anions and solvents. 2019 , 497, 119088	3
785	Emission solvatochromic, solid-state and aggregation-induced emissive β -pyrones and emission-tuneable 1-pyridines by Michael addition-cyclocondensation sequences. 2019 , 15, 2684-2703	4

784	The role of hydration effects in 5-fluorouridine binding to SOD1: insight from a new 3D-RISM-KH based protocol for including structural water in docking simulations. 2019 , 33, 913-926	4
783	Effect of Intermolecular Interactions on Metal-to-Metal Charge Transfer: A Combined Experimental and Theoretical Investigation. 2019 , 131, 17165-17171	0
782	Effect of Intermolecular Interactions on Metal-to-Metal Charge Transfer: A Combined Experimental and Theoretical Investigation. 2019 , 58, 17009-17015	17
781	Exploiting the versatility of pyridyl ligands for the preparation of diorganotin (IV) adducts: spectral, crystallographic and Hirshfeld surface analysis studies. 2019 , 33, e5239	2
780	Phenomenal Observation of Attractive Intermolecular CH \cdots HC Interaction in a Mercury (II) Complex: An Experimental and First-Principles Study. 2019 , 4, 10246-10253	5
779	A Sublimable Dinuclear Cuprous Complex Showing Selective Luminescence Vapochromism in the Crystalline State. 2019 , 58, 14478-14489	13
778	Structure, spectroscopic measurement, thermal studies and optical properties of a new non-centrosymmetric hybrid compound. 2019 , 1198, 126867	5
777	A comparison between (a/n-NHC)PdX ₂ (pyridine) and (a/n-NHC) ₂ PdX ₂ (X = I, Cl) type complexes of abnormal fused-bicyclic imidazo[1,2-a]pyridine based N-heterocyclic carbene (a-NHC) and of normal imidazole based N-heterocyclic carbene (n-NHC) ligands in the Suzuki-Miyaura coupling reactions. 2019 , 498, 119098	2
776	Contribution of Different Crystal Packing Forces in π -Stacking: From Noncovalent to Covalent Multicentric Bonding. 2019 , 19, 5967-5980	19
775	Tetrathiafulvalene and Tetramethyltetraselenafulvalene Salts with [M(dcdmp) ₂] Anions (M = Au, Cu, and Ni): High Conductivity and Unusual Stoichiometries. 2019 , 19, 6493-6502	2
774	Ferrocenyl naphthalenes: substituent- and substitution pattern-depending charge transfer studies. 2019 , 48, 14418-14432	8
773	Anion- π and H-Bonding Interactions Supporting Encapsulation of [Ln(NO)] (Ln = Nd, Er) with a Triazine-Based Ligand. 2019 , 141, 15102-15110	10
772	Solid-state supramolecular architectures of a series of Hg(II) halide coordination compounds based on hydroxyl-substituted Schiff base ligands. 2019 , 21, 6301-6312	8
771	Crystallographic Approach to the [2 + 2] Photocycloaddition Topochemical Reactions of Unsaturated Compounds with Single Crystal Retention. 2019 , 64, 691-712	7
770	A multifunctional quinoxalin-based AIEgen used for fluorescent thermo-sensing and image-guided photodynamic therapy. 2019 , 301, 127139	20
769	Unique photochromism of two solid-emissive boron difluoride-based diarylethenes with isomeric structures. 2019 , 75, 130579	
768	Fragmentation of a One-Dimensional Zinc Coordination Polymer and Partial Reassembly Evidenced by Mass Spectrometry. 2019 , 19, 6801-6805	
767	Hydration of Aromatic Heterocycles as an Adversary of π -Stacking. 2019 , 59, 4209-4219	8

766	Design and Development of a Heterogeneous Catalyst for the Michael Addition of Malononitrile to 2-Enoylpyridines: Influence of the Primary Amide Decorated Framework on Catalytic Activity and Selectivity. 2019 , 58, 12547-12554	6
765	Synthesis, structure and long-lived NIR luminescence of lanthanide ate complexes with perfluorinated 2-mercaptobenzothiazole. 2019 , 48, 1060-1066	13
764	Dihaloplatinum(II) complexes having diimine ligands: crystal structure, thermal properties, cytotoxicity effects against breast cancer cells and application as a precursor towards nanoparticles. 2019 , 72, 619-632	2
763	Noncovalent bonded 3D structures of eight anhydrous organic salts from tris(hydroxymethyl)aminomethane and organic acids. 2019 , 1180, 764-779	7
762	Zirconium-Based Metal-Organic Frameworks for the Removal of Protein-Bound Uremic Toxin from Human Serum Albumin. 2019 , 141, 2568-2576	63
761	Syntheses, supramolecular networks and Hirshfeld surface and thermal analyses of two new cadmium chloride coordination polymers with an N,O-chelating ligand. 2019 , 75, 120-127	3
760	Studies on structure, NLO properties of a new organic NLO crystal: guanidinium 3,5-dihydroxybenzoate. 2019 , 30, 2994-3003	1
759	Solid phase microextraction of polycyclic aromatic hydrocarbons by using an etched stainless-steel fiber coated with a covalent organic framework. 2019 , 186, 145	38
758	Poly(ionic liquid) augmented membranes for electron induced separation/fractionation of aromatics. 2019 , 579, 102-110	22
757	Metal-ligand ring aromaticity in a 2D coordination polymer used as a photosensitive electronic device. 2019 , 43, 2710-2717	16
756	Experimental and theoretical investigation of intramolecular cooperativity in cyclic benzene trimer motif.. 2019 , 9, 753-760	0
755	Silver(I) pyridylphosphonates - synthesis, structure, stability and light-insensitivity investigation.. 2019 , 9, 1570-1575	3
754	Substituent effects in solid-state assembly of activated benzotriazoles. 2019 , 21, 835-842	4
753	Supramolecular Interactions of Group VI Metal Carbonyl Complexes: The Facilitating Role of 1,3-Bis(p-isocyanophenyl)urea. 2019 , 58, 8130-8139	5
752	Photoswitchable Fluorescent Crystals Obtained by the Photoreversible Coassembly of a Nucleobase and an Azobenzene Intercalator. 2019 , 141, 9321-9329	5
751	Self-assembly of doxorubicin and a drug-binding peptide studied by molecular dynamics. 2019 , 525, 110380	4
750	Strategy To Form Eutectic Molecular Liquids Based on Noncovalent Interactions. 2019 , 123, 4958-4966	30
749	Systematic Control of the Orientation of Organic Phosphorescent Pt Complexes in Thin Films for Increased Optical Outcoupling. 2019 , 31, e1900921	22

748	A Million Crystal Structures: The Whole Is Greater than the Sum of Its Parts. 2019 , 119, 9427-9477	116
747	Mesophase-Preceding Crystal Packing of 4,4'-Dialkyl-Substituted Salicylideneanilines; C ₁₀ H ₂₁ O ₂ H ₃ (OH)C ₆ H ₄ N ₂ C ₆ H ₄ R ₂ Structure. 2019 , 64, 71-75	5
746	Crystal Structure of Potentially Mesomorphic 4-Nonyloxyphenyl-4'-Metacryloyloxy-Benzoate CH ₂ =C(CH ₃)COOC ₆ H ₄ COOC ₆ H ₄ ON ₉ . 2019 , 64, 76-79	2
745	Triptycene End-Capped Quinoxalinophenanthrophenazines (QPPs): Influence of Substituents and Conditions on Aggregation in the Solid State. 2019 , 25, 11121-11134	16
744	Tuning of the para-position of pyridyl ligands impacts the electrical properties of a series of Cd(ii) ladder polymers. 2019 , 48, 11259-11267	18
743	Design and synthesis of methyl 2-[[4-phenyl-5-(pyridin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl]acetate (phpy2NS) as a ligand for complexes of Group 12 elements: structural assessment and hydrogen-bonded supramolecular assembly analysis. 2019 , 75, 891-903	4
742	Carbon nanotube guided noncovalent assembly of polyacetylene chains into multi-strand helices. 2019 , 114, 113606	0
741	Twelve Cadmium(II) Coordination Frameworks with Asymmetric Pyridinyl Triazole Carboxylate: Syntheses, Structures, and Fluorescence Properties. 2019 , 19, 3785-3806	34
740	Solvent effect on neutral Co (II) complexes of paeonol derivative: qualitative and quantitative studies from energy frame work and Hirshfeld surface analysis. 2019 , 1196, 119-131	5
739	Dipicolylamino-methoxy-1,2,4,5-tetrazine ligand and its metal complexes: Structural and photophysical studies. 2019 , 170, 232-238	4
738	Synthesis, Characterization, Crystal Structure Determination and Luminescence Study of New Linear Zn(II) Coordination Polymers with 4,7-Phenanthroline Ligand. 2019 , 64, 450-458	2
737	Halogen Bonding Helicates Encompassing Iodonium Cations. 2019 , 58, 9012-9016	38
736	Toward a dodecanuclear molecular Re(i) box: structural and spectroscopic properties. 2019 , 48, 7946-7952	2
735	Halogen Bonding Helicates Encompassing Iodonium Cations. 2019 , 131, 9110-9114	13
734	Exploration of the Luminescence Properties of Organic Phosphate Salts of 3-Quinoline- and 5-Isoquinolineboronic Acid. 2019 , 2019, 2707-2724	6
733	Featuring non-covalent interactions in m-xylylenediaminium bis(perchlorate) monohydrate: Synthesis, characterization and Hirshfeld surface analysis. 2019 , 1194, 66-72	7
732	Synthesis and Properties of Acridone Oligomers. 2019 , 2019, 3217-3223	6
731	Near-zero thermal expansion coordinated with geometric flexibility and π-Interaction in anisotropic [Zn ₈ (SiO ₄)(m-BDC) ₆] _n . 2019 , 6, 1675-1679	3

730	Packing Rearrangements in 4-Hydroxycyanobenzene Under Pressure. 2019 , 24,	5
729	Graphene nanoscrolls made from isolated carbon nanotubes with line defects. 2019 , 58, 050910	1
728	Pyrimidine Derivatives with Terminal Pyridyl Heterocycles: Facile Synthesis and Their Antiproliferative Activities. 2019 , 56, 1866-1872	1
727	Purification, application and current market trend of natural graphite: A review. 2019 , 29, 671-689	101
726	Homoleptic cis- and trans-palladium(II) bis(guanidinato) complexes derived from N-aryl-N',N'-di(pyridin-2-yl)- and N-aryl-N',N'-bis(6-methylpyridin-2-yl)guanidines: Catalysts for Heck-Mizoroki coupling reactions. 2019 , 892, 1-17	3
725	Structure properties of scoparone: Polymorphs and cocrystals. 2019 , 1191, 323-336	6
724	Bipyridine-Directed Syntheses of Uranyl Compounds Containing Semirigid Dicarboxylate Linkers: Diversity and Consistency in Uranyl Speciation. 2019 , 58, 6934-6945	16
723	Two Cu(I) complexes constructed by different N-heterocyclic benzoxazole ligands: Syntheses, structures and fluorescent properties. 2019 , 1191, 95-100	10
722	Complexes of Co(II), Ni(II), and Cu(II) with (Z)-10-(2-(4-Amino-5-Thioxo-4,5-Dihydro-1H-1,2,4-Triazol-3-yl)hydrazono)-9-Phenanthrone: Synthesis, Spectral Studies, and Quantum Chemical Simulation of the Structures. 2019 , 45, 1-10	
721	One-Dimensional Self-assembled Coordination Polymer, $\{[Cu(bpy)(bpe)(NO_3)_2] \cdot (H_2O)_4\}_n$. 2019 , 49, 275-280	2
720	Pressure-Dependent Luminescence and Absorption in 3,3'-Diamino-4,4'-azoxyfurazan: Secondary Bonding Interaction in Molecular Crystals. 2019 , 123, 8731-8739	3
719	Copper(I) complexes of functionalized sulfur-containing ligands: structural and theoretical insights into chalcogen bonding. 2019 , 21, 2675-2690	2
718	The effect of short alkane bridges in stability of bisbenzimidazole-2-ylidene silver(I) complexes: synthesis, crystal structure and antibacterial activity. 2019 , 72, 894-907	3
717	Data mining new energy materials from structure databases. 2019 , 107, 554-567	19
716	Mechanistic insights into the inhibition mechanism of cysteine cathepsins by chalcone-based inhibitors: QM cluster model approach. 2019 , 30, 1779-1793	1
715	Novel Co(II) coordination polymers based on 1,2-bis(diphenylphosphino)ethane monoxide and dioxide ligands. 2019 , 150, 639-647	1
714	A bio-relevant supramolecular Co(ii)-complex for selective fluorescence sensing of μ range inorganic As(iii) in aqueous medium and its intracellular tracking in bacterial systems. 2019 , 48, 4362-4369	12
713	Self-Assembly through Coordination and π -Stacking: Controlled Switching of Circularly Polarized Luminescence. 2019 , 131, 6007-6011	21

712	Self-assembly of azine-based hydrolysis of pyridine and isatin oxamohydrazides with AgNO ₃ ; synthesis and structural studies of a novel four coordinated Ag(I)-azine 2D coordination polymer. 2019 , 490, 227-234	5
711	Roles of Precursor Conformation and Adatoms in Ullmann Coupling: An Inverted Porphyrin on Cu(111). 2019 , 31, 3009-3017	17
710	Tuning Emission Wavelength of Polymorphous Crystal via Controllable Alkyl Chain Stacking and Its Vapor- and Thermo-Responsive Fluorescence. 2019 , 25, 8043-8052	4
709	Substituent Effects in the Crystal Packing of Derivatives of 4'-Phenyl-2,2':6',2'-Terpyridine. 2019 , 9, 110	1
708	Stacking interaction potential energy surfaces of square-planar metal complexes containing chelate rings. 2019 , 159-189	4
707	Synthesis and Characterization of Two Cationic Silver Quinoxaline Coordination Polymers. 2019 , 2019, 2175-2181	1
706	Synthesis, crystal structure, hirshfeld surface analysis, spectroscopic, optical and thermal behavior of new organic-inorganic hybrid material (C ₇ H ₁₁ N ₂) ₂ [CrCl ₂ (H ₂ O) ₄]Cl ₃ ·2H ₂ O. 2019 , 1189, 122-130	2
705	Strong stacking interactions of metal-chelate rings are caused by substantial electrostatic component. 2019 , 48, 6328-6332	10
704	Crystal structures and magnetism of novel dinuclear dipicolinate compounds containing neocuproine. 2019 , 104, 197-200	1
703	A Mixed Ligand Platinum(II) Complex: Spectral Analysis, Crystal Structure, Steric Demand of the Ligand, and Bioactivity of cis-[Pt(PPh ₃) ₂ (L1-O,S)]PF ₆ (L1-O,S = N,N-Morpholine-N'-benzoylthiourea). 2019 , 2019, 2583-2590	8
702	Structure of Microbial Nanowires Reveals Stacked Hemes that Transport Electrons over Micrometers. 2019 , 177, 361-369.e10	223
701	Syntheses and crystal structures of metal (Mn, Co, Ni) chloride complexes with 3-hydroxypyridin-2-one and contribution of O H ₂ O hydrogen bonds to their structural diversity. 2019 , 167, 11-25	6
700	Solution-State Spin Crossover in a Family of [Fe(L) ₂ (CH ₃ CN) ₂](BF ₄) ₂ Complexes. 2019 , 5, 22	2
699	Mixed-Valence Vanadium (IV/V) Glycolates and Lactates with N-Heterocycle Ligands: Localized Structures and Catalytic Oxidation of Thioanisole. 2019 , 2019, 1228-1235	8
698	Bioactive and luminescent indole and isatin based gold(i) derivatives. 2019 , 48, 3098-3108	9
697	Sequential Cu-Catalyzed Four- and Five-Component Syntheses of Luminescent 3-Triazolylquinoxalines. 2019 , 25, 9447-9455	11
696	Crystal structure, physico-chemical characterization and Hirshfeld surface analysis of a new 0D pyridinium dichlorido(dihydrogenphosphato-O,O')zinc(II). 2019 , 16, 1591-1600	
695	Self-Assembly through Coordination and π -Stacking: Controlled Switching of Circularly Polarized Luminescence. 2019 , 58, 5946-5950	94

694	Design of a Primary-Amide-Functionalized Highly Efficient and Recyclable Hydrogen-Bond-Donating Heterogeneous Catalyst for the Friedel-Crafts Alkylation of Indoles with β -Nitrostyrenes. 2019 , 9, 3165-3173	22
693	Crystal-engineering and luminescence studies of 1,3,5-tris(3-pyridylethynyl)benzene or 1,3,5-tris(4-pyridylethynyl)benzene with copper(I) iodides. 2019 , 48, 4046-4057	6
692	Synthesis, physico-chemical studies, non-linear optical properties and DFT calculations of a new non-centrosymmetric compound: (3-ammoniumpyridinium)tetrachloridozincate (II). 2019 , 1184, 524-531	2
691	Fabrication of blue organic light-emitting diodes from novel uranium complexes: synthesis, characterization, and electroluminescence studies of uranium anthracene-9-carboxylate complexes. 2019 , 48, 3695-3703	6
690	Copper(II) complex with L-arginine [Crystal structure, DFT calculations, spectroscopic, thermal and magnetic properties. 2019 , 228, 272-284	9
689	Supramolecular Architecture in a Ni(II) Complex with a Weakly Bonded N,N'-(1,4-phenylenediacarbonyl)Diglycinate Counter-Anion: Crystal Structure Investigation and Hirshfeld Surface Analysis. 2019 , 9, 615	2
688	Cyclometalated Iridium(III) Complexes with a Norbornene-Substituted Picolinate Ligand and Electroluminescent Polymers Based on them. 2019 , 45, 856-866	2
687	Structural characterization of a hybrid terpyridine-pyrazine ligand and its one-dimensional Zn coordination polymer: a computational approach to conventional and nonconventional intermolecular interactions. 2019 , 75, 1299-1309	4
686	A Zn(II) Metallocycle as Platform to Assemble a 1D + 1D \rightarrow 1D Polyrotaxane via π - π Stacking of an Ancillary Ligand. 2019 , 7, 137	1
685	Crystal Packing of a Series of 1,2,3,4-Substituted Phenoxazine and Dibenzodioxin Heterocycles. 2019 , 19, 7298-7307	4
684	Stacking interactions of borazine: important stacking at large horizontal displacements and dihydrogen bonding governed by electrostatic potentials of borazine. 2019 , 21, 24554-24564	4
683	A supramolecular chain of dimeric Dy single molecule magnets decorated with azobenzene ligands. 2019 , 48, 16053-16061	6
682	Structural Insights into Influence of Isomerism on Properties of Open Shell Cobalt Coordination System. 2019 , 24,	
681	Supramolecular Hydrogels with Properties Tunable by Calcium Ions: A Bio-Inspired Chemical System.. 2019 , 2, 5819-5828	5
680	A novel multifunction photochromic metal-organic framework for rapid ultraviolet light detection, amine-selective sensing and inkless and erasable prints. 2019 , 6, 3077-3082	38
679	Competing forces in the self-assembly of amide-functionalized discotic mesogens. 2019 , 15, 10035-10044	2
678	Synthesis, Characterization, and Reactivity of Chromium(VI) Alkylidenes. 2019 , 38, 4593-4600	10
677	Strong dual emission in covalent organic frameworks induced by ESIPT. 2019 , 10, 11103-11109	53

676	Magnetic interaction in a 2D solid through hydrogen bonds and π -stacking. 2019 , 471, 70-76	13
675	Metal chelates constructed from CdHal ₂ (Hal = Cl, Br, I) and 1,2-diphenyl-1,2-bis((phenyl(pyridin-2-yl)methylene)hydrazono)ethane. 2019 , 1176, 743-750	8
674	Crystal engineering with palladium(II)-based self-assembled binuclear complexes as tectons. 2019 , 484, 33-41	3
673	Several salicylatocopper(II) complexes with diethylnicotinamide: Preparation, structure, spectral properties and Hirshfeld surface analysis. 2019 , 1181, 373-382	5
672	X-ray crystal structure, Hirshfeld surface analysis, DFT and electronic properties of (E)-N-(2,4-dihydroxybenzylidene) benzohydrazide. 2019 , 19, 100174	3
671	A Full-Spectrum Metal-Free Porphyrin Supramolecular Photocatalyst for Dual Functions of Highly Efficient Hydrogen and Oxygen Evolution. 2019 , 31, e1806626	115
670	Synthesis and characterization of new silver(I) naphthalenedisulfonate complexes with heterocyclic N-donor ligands: Packing analyses and antibacterial studies. 2019 , 159, 275-283	1
669	Stimuli-Responsive Solvatochromic Au(I)-Ag(I) Clusters: Reactivity and Photophysical Properties Induced by the Nature of the Solvent. 2019 , 58, 1501-1512	17
668	Piperazinium Bis(hydrogen-3,5-pyrazoledicarboxylate) Proton Transfer Compound and Its Zinc(II) Complex: Synthesis, Characterization and Crystal Structure. 2019 , 49, 98-105	1
667	The influence of hydrogen- and lithium-bonding on the cooperativity of chalcogen bonds: A comparative ab initio study. 2019 , 117, 726-733	8
666	Characterization and properties of a new energetic co-crystal composed of trinitrotoluene and 2,6-diaminotoluene. 2019 , 1179, 453-461	10
665	Self-Assembly Behavior of an Oligothiophene-Based Conjugated Liquid Crystal and Its Implication for Ionic Conductivity Characteristics. 2019 , 29, 1805220	15
664	Structural investigation of a new cadmium coordination compound prepared by sonochemical process: Crystal structure, Hirshfeld surface, thermal, TD-DFT and NBO analyses. 2019 , 52, 244-256	5
663	Crystal and Molecular Structures of N-(5-Chloro-2-hydroxy-phenyl)-acetamide and Its Co-crystal with 3,5-Dinitrobenzoic Acid. 2019 , 49, 155-161	4
662	Photochemistry of various acene based molecules. 2019 , 38, 27-46	25
661	Synthesis, X-ray crystal structure, DFT calculations, spectroscopic characterization and redox behaviour of a rhodium(III) complex of an anthracenepyridylhydrazone ligand. 2019 , 44, 341-347	3
660	Strong Emission Enhancement in pH-Responsive 2:2 Cucurbit[8]uril Complexes. 2019 , 25, 3257-3261	15
659	New stable 3,1-germaphosphapropenes. Synthesis and structural characterization. 2019 , 486, 648-653	2

- 658 Solution and Solid State Properties for Low-Spin Cobalt(II) Dibenzotetramethyltetraaza[14]annulene [(tmtaa)Co] and the Monopyridine Complex. **2019**, 58, 1224-1233 2
- 657 Roles of a unique apical salicylate ligand of neutral [Cu(phen) (Hsal)₂(H₂O)] to coordination mode, geometry, weak interactions, thermal analysis and spectroscopy. **2019**, 1178, 500-507 1
- 656 Curtis reactions with Zn complexes derived from 2-(Aminomethyl)Benzimidazole. **2019**, 1182, 158-167
- 655 Single-Crystalline MFI Zeolite with Sheet-Like Mesopores Layered along the a Axis. **2019**, 25, 738-742 12
- 654 Synthesis, structural characterization and photoluminescence properties of mononuclear Eu³⁺, Gd³⁺ and Tb³⁺ complexes derived from cis-(λ)-2,4,5-tris(pyridin-2-yl)-imidazoline as ligand. **2019**, 486, 377-386 6
- 653 Unraveling the molecular interaction mechanism between graphene oxide and aromatic organic compounds with implications on wastewater treatment. **2019**, 358, 842-849 27
- 652 A novel binuclear hydrazone-based Cd(II) complex is a strong pro-apoptotic inducer with significant activity against 2D and 3D pancreatic cancer stem cells. **2019**, 190, 45-66 4
- 651 Metal-Involving Bifurcated Halogen Bonding CBr₄⋯2(ClPt). **2019**, 19, 1364-1376 33
- 650 Regiodivergent Control in the Gold(I) Catalyzed Synthesis of 7-Pyrazolyliindoles from 1-Propargyl-1H-benzotriazoles and Ynamides through η -Imino Gold(I) Carbene Complexes. **2019**, 361, 758-768 20
- 649 Synthesis, characterization and crystal structure of heterocyclic tetrahydropyrido[4 β :3 γ :4,5]thieno[2,3-d]pyrimidinone derivatives via sequential aza-Wittig/base catalyzed cyclization. **2019**, 1180, 31-40 2
- 648 Structural and Dynamic Aspects of Palladium(II)-Based Self-Assembled Binuclear Coordination Complexes. **2019**, 59, 248-256 5
- 647 Synthesis of new platinum(IV) complexes through breaking disulfide bond; crystal structure determination, electrochemical, photoluminescence and DNA interaction investigation. **2019**, 485, 1-8 8
- 646 Synthesis, characterisation and electrochemistry of eight Fe coordination compounds containing substituted 2-(1-(4-R-phenyl-1H-1,2,3-triazol-4-yl)pyridine ligands, R = CH₃, OCH₃, COOH, F, Cl, CN, H and CF₃. **2019**, 484, 375-385 5
- 645 M ∞ Bius-like metal chelates constructed from CdHal₂ (Hal = Cl, Br, I) and benzilbis(pyridin-2-yl)methylidenehydrazone. **2019**, 484, 481-490 7
- 644 Supramolecular Assembly Created Through Weak Non-covalent C \equiv H \cdots Cl and C \equiv H \cdots O Interaction in the Crystal Structure of Homo-Binuclear Ru(II) Complex. **2020**, 50, 278-285 1
- 643 Strategies for a fluorescent sensor with receptor and fluorophore designed for the recognition of heavy metal ions. **2020**, 499, 119181 12
- 642 New sulfonamide complexes with essential metal ions [Cu (II), Co (II), Ni (II) and Zn (II)]. Effect of the geometry and the metal ion on DNA binding and nuclease activity. BSA protein interaction. **2020**, 202, 110823 16
- 641 Ferrocenyl-Pyrenes, Ferrocenyl-9,10-Phenanthrenediones, and Ferrocenyl-9,10-Dimethoxyphenanthrenes: Charge-Transfer Studies and SWCNT Functionalization. **2020**, 26, 2635-2652 9

640	Adsorption of triclosan, trichlorophenol and phenol by high-silica zeolites: Adsorption efficiencies and mechanisms. 2020 , 235, 116152	50
639	Non-covalent interactions in organic-inorganic hybrid compounds derived from amino amides. 2020 , 1202, 127258	3
638	Two Cu(I) complexes based on semicarbazone ligand: synthesis, crystal structure, Hirshfeld surface and anticancer activity evaluation against human cell lines. 2020 , 31, 171-180	4
637	Ab initio study of aerogen-bonds between some heterocyclic compounds of benzene with the noble gas elements (Ne, Ar, and Kr). 2020 , 31, 435-445	2
636	Secondary-Sphere Chlorolanthanide(III) Complexes with a 1,3,5-Triazine-Based Ligand Supported by Anion- π and Hydrogen-Bonding Interactions. 2020 , 59, 151-160	9
635	Structural, vibrational, optical properties and theoretical studies of a new organic-inorganic material: Tris-acetoguanaminium hexachlorobismuthate monohydrate. 2020 , 1199, 126986	6
634	Anion-directed assembly of three cationic silver(I) coordination polymers with bis(imidazolyl)-based linker: Structural characterization and anion exchange study. 2020 , 175, 114236	4
633	Design two large conjugate triazolopyrimidine analogs and apply them to detect 2,4,6-trinitrophenol. 2020 , 174, 108016	7
632	Syntheses, spectroscopy, tautomerism, induced chirality and molecular structure of 3-(o/p-tolylimino)indolin-2-one and bis[3-(o/p-tolylimino)indole-2-olato- λ N,O]- μ -Zinc(II). 2020 , 501, 119245	3
631	Chemical interaction between nitrogen-doped graphene defects and a copper (1 1 1) surface: Effects on water molecule adsorption. 2020 , 502, 144149	5
630	Doubly Encapsulated Perylene Diimides: Effect of Molecular Encapsulation on Photophysical Properties. 2020 , 85, 207-214	13
629	Triaminocyclopropenium Halide and Triiodide Salts: The Formation of Cyclopropenium Dimers. 2020 , 50, 357-372	1
628	Intermolecular forces regulated the dimensions of CoII, CuII complexes with 2-(1H-1, 2, 4-Triazol-3-yl)pyridine. 2020 , 111, 107613	1
627	Substituted pyridine-quinoline ligands as building blocks for neutral rhodium(III) complexes. Synthesis, structural characterization studies and anti-platelet activity towards the Platelet-Activating Factor (PAF). 2020 , 178, 114336	8
626	Syntheses, Crystal Structures and Properties of Zinc(II), Cadmium(II) and Cobalt(II) Coordination Complexes Based on 2,4-Dichlorophenoxyacetic Acid and Different Imidazole-Containing Ligands. 2020 , 30, 2376-2385	
625	Supramolecular chirogenesis in zinc porphyrins: Complexation with enantiopure thiourea derivatives, binding studies and chirality transfer mechanism. 2020 , 24, 840-849	4
624	π - π Stacking interactions: Non-negligible forces for stabilizing porous supramolecular frameworks. 2020 , 6, eaax9976	70
623	Influence of counterions on the supramolecular frameworks of isoquinoline-based silver(I) complexes. 2020 , 22, 95-104	

- 622 Subtle substitution controls the rainbow chromatic behaviour of multi-stimuli responsive core-expanded pyrenes. **2020**, 4, 268-276 15
- 621 Theoretical study on the M-H \cdots H interactions between metal hydrides and inorganic benzene B3X3H3(X = O, S, Se). **2020**, 31, 937-946
- 620 The adsorption mechanisms of organic micropollutants on high-silica zeolites causing S-shaped adsorption isotherms: An experimental and Monte Carlo simulation study. **2020**, 389, 123968 22
- 619 Understanding the Role of Metallocenium Ion-Pair Aggregates on the Rate of Olefin Insertion into the Metal-Carbon Bond. **2020**, 10, 1591-1606 10
- 618 Tuneable interlayer spacing self-assembling on graphene oxide-framework membrane for enhance air dehumidification. **2020**, 239, 116499 7
- 617 Carbonic anhydrase modification for carbon management. **2020**, 27, 1294-1318 11
- 616 Structures of selected transition metal complexes with 9-(2-hydroxyethyl)adenine: Potentiometric complexation and DFT studies. **2020**, 1205, 127548 4
- 615 Physico-chemical characterization and computational studies of a new organic adduct 3-amino-2-chloropyridine: Benzilic acid, crystal for third order harmonic generation. **2020**, 1203, 127415 5
- 614 Toward the synthesis of thiadiazole-based therapeutic agents: synthesis, spectroscopic study, X-ray analysis, and cross-coupling reactions of the key intermediate 3,5-diiodo-1,2,4-thiadiazole. **2020**, 46, 1507-1519³
- 613 Synthesis and structural characterization of Zn(II) and Cd(II) ion directed coordination networks and their template-free fabrication to metal oxide nanomaterials. **2020**, 502, 119281
- 612 Ligand-controlled self-assembly of Ag(I) complexes with cyano-containing ligands and their tunable antimicrobial activities. **2020**, 512, 119873 2
- 611 Effect of ligand structures on oxygen absorbability and viscosity of metal-containing ionic liquids. **2020**, 318, 114365 2
- 610 Synergistic effect of various intermolecular interactions on self-assembly and optoelectronic behaviour in co-crystals/salts of tetrabromoterephthalic acid: a report on their structure, theoretical study and Hirshfeld surface analysis. **2020**, 22, 8197-8207 3
- 609 Detection and Characterization of Mononuclear Pd(I) Complexes Supported by N2S2 and N4 Tetradentate Ligands. **2020**, 59, 15659-15669 5
- 608 Direct Synthesis of Hydrogen Peroxide in Water by Means of a Rh-Based Catalyst. **2020**, 39, 3731-3741 7
- 607 Water-soluble host-guest complexes between fullerenes and a sugar-functionalized tribenzotriquinacene assembling to microspheres. **2020**, 16, 2551-2561 3
- 606 A simple Cu(II) complex of phenolic oxime: synthesis, crystal structure, supramolecular interactions, DFT calculation and catecholase activity study. **2020**, 6, e04942 2
- 605 Borane adducts of punicine and of its dehydroxy derivatives (pyridinium-1-yl)-2- and 3-phenolates. **2020**, 76, 131627 4

- 604 Hirshfeld Surface Analysis and Fingerprint Plots in Determining the Resemblance of a New Copper Coordination Polymer Synthesized by Two Different Methods. **2020**, 61, 274-282
- 603 Unexpected Selective Gas Adsorption on a Non-Porous Metal Organic Framework. **2020**, 10, 548 2
- 602 Synthesis and structural characterization of diorganotin(IV) complexes with heteroditopic pyridyl-ONO⁻-ligands. **2020**, 512, 119892 3
- 601 X-Ray Diffraction and Thermographic Study of Mesomorphic 4-Acylphenyl 4'-Nonyloxybenzoate CH₃C(O)C₆H₄DC(O)C₆H₄DC₉H₁₉. **2020**, 65, 444-448 2
- 600 Vibrational and structural studies of new Cu²⁺ and Co²⁺ complexes based on croconate ion and 5,5-dimethyl-2,2-dipiridyl ligands. **2020**, 109, 103098 1
- 599 Pressure-Induced Spectroscopic Changes in a Californium 1D Material Are Twice as Large as Found in the Holmium Analog. **2020**, 59, 10794-10801 5
- 598 2-Amino-3-methylpyridinium, 2-amino-4-methylbenzothiazolium and 2-amino-5-chloropyridinium salts. Experimental and theoretical findings. **2020**, 1222, 128914 6
- 597 Investigation of cobalt(III)-phenylalanine complexes for hypoxia-activated drug delivery. **2020**, 49, 16425-16439 3
- 596 The Grapefruit Effect: Interaction between Cytochrome P450 and Coumarin Food Components, Bergamottin, Fraxidin and Osthole. X-ray Crystal Structure and DFT Studies. **2020**, 25, 2
- 595 Five-coordinate [(L₂)₂CuII(X)]_z+ (X⁻=H₂O, z⁻=2; X⁻=N₃⁻, SCN⁻, NO₂⁻, MeCO₂⁻, Cl⁻, Br⁻, z⁻=1; L₂⁻=1-benzyl-[3-(2-pyridyl)]pyrazole) complexes: Structural index, EPR and redox potential correlations. **2020**, 513, 119899 1
- 594 Reversible Mechanochromic Luminescence of Tetranuclear Cuprous Complexes. **2020**, 59, 17213-17223 15
- 593 A new spodium bond driven coordination polymer constructed from mercury(II) azide and 1,2-bis(pyridin-2-ylmethylene)hydrazine. **2020**, 44, 21100-21107 14
- 592 Synthesis and Single Crystal Structure Characterization of Dinuclear and Polymeric Mixed-ligand Coordination Compounds of Zinc(II) and Cadmium(II) with the Bridging Ligand 1,2-Bis(pyridin-4-ylmethylene)hydrazine. **2020**, 646, 1861-1868 0
- 591 Nanosheets and Hydrogels Formed by 2 nm Metal-Organic Cages with Electrostatic Interaction. **2020**, 12, 56310-56318 8
- 590 Supramolecular Orange-Red- and Yellow-Emitting Ir(III) Complexes with TFSI and PF₆ Counteranions and Production of LEC Devices. **2020**, 2, 3549-3561 0
- 589 Low-Dimensional Hybrid Indium/Antimony Halide Perovskites: Supramolecular Assembly and Electronic Properties. **2020**, 124, 25686-25700 10
- 588 Synthesis and photoluminescence of three bismuth(III)-organic compounds bearing heterocyclic N-donor ligands. **2020**, 49, 11756-11771 3
- 587 Solution aggregation of platinum(ii) triimine methyl complexes. **2020**, 49, 10729-10733 3

- 586 Oxygen and peroxide bridged uranyl(VI) dimers bearing tetradentate hybrid ligands: supramolecular self-assembly and generation pathway. **2020**, 7, 3412-3423 3
- 585 Synthesis and Cross-Linking of a Benzoxazine-Containing Anthracene Moiety: Thermally Stable Photoluminescent Benzoxazine Resin. **2020**, 53, 6640-6648 8
- 584 Cyclometalated Ni(II) Complexes [Ni(N?C?N)X] of the Tridentate 2,6-di(2-pyridyl)phen-ide Ligand. **2020**, 39, 2820-2829 9
- 583 Switching the Conformation of 3,2':6',3?-tpy Domains in 4'-(4--Alkyloxyphenyl)-3,2':6',3?-Terpyridines. **2020**, 25, 5
- 582 Dual Reactivity of 3a,6a-Diaza-1,4-diphosphapentalene: ?Donor versus n-Donor. **2020**, 59, 11337-11346 4
- 581 Coordination chemistry of mercury(ii) halide complexes: a combined experimental, theoretical and (ICSD & CSD) database study on the relationship between inorganic and organic units. **2020**, 49, 11859-11877 3
- 580 Two New Co(II) Coordination Polymers: Photocatalytic Properties and Treatment Activity on Sepsis by Reducing TNF-? and IL-1??Releasing. **2020**, 5, 9301-9307
- 579 Aromaticity and Chemical Bonding of Chalcogen-Bonded Capsules Featuring Enhanced Magnetic Anisotropy. **2020**, 21, 2187-2195 3
- 578 Unexpected Findings in a Simple Metathesis Reaction of Europium and Ytterbium Diiodides with Perfluorinated Mercaptobenzothiazolates of Alkali Metals. **2020**, 39, 2972-2983 3
- 577 Atomistic simulations of the aggregation of small aromatic molecules in homogenous and heterogenous mixtures. **2020**, 22, 21005-21014 2
- 576 Iron(II) coordination pyrazole complexes with aromatic sulfonate ligands: the role of ether. **2020**, 44, 13902-13912 4
- 575 A Primary Amide-Functionalized Heterogeneous Catalyst for the Synthesis of Coumarin-3-carboxylic Acids via a Tandem Reaction. **2020**, 59, 11407-11416 3
- 574 Interplay of ?stacking and inter-stacking interactions in two-component crystals of neutral closed-shell aromatic compounds: periodic DFT study.. **2020**, 10, 27899-27910 10
- 573 Organic polymorphs based on an AEE-active tetraphenylethene salicylaldehyde Schiff-base derivative: the effect of molecular conformation on luminescence properties.. **2020**, 10, 29043-29050 4
- 572 Redistribution reaction on a six-fold coordinated Sn(IV) atom and reactions towards axially unsymmetric substituted Sn(IV) porphyrins. **2020**, 925, 121470
- 571 Equi-size nesting of Platonic and Archimedean metal-organic polyhedra into a twin capsid. **2020**, 11, 4103 9
- 570 Selective Activation of Aromatic Aldehydes Promoted by Dispersion Interactions: Steric and Electronic Factors of a ?Pocket within Cage-Shaped Borates for Molecular Recognition. **2020**, 26, 15023-15034 1
- 569 Supramolecular Assembly and Chirality of Synthetic Carbohydrate Materials. **2020**, 59, 22577-22583 8

568	Enhancement of Lipid Productivity of <i>Chlorella</i> sp. Using Light-Converting Red Fluorescent Films Based on Aggregation-Induced Emission. 2020 , 8, 15888-15897	5
567	Hydrogen bonding interactions in fluorinated 1,2,3-triazole derivatives. 2020 , 44, 16006-16019	2
566	Synthesis and Luminescent Properties of Lanthanide Complexes with Benzothiazolylphenolate and -Naphtholate Ligands. 2020 , 46, 534-544	1
565	Inter- and Intramolecular Aryl-Aryl Interactions in Partially Fluorinated Ethylenedioxy-bridged Bisarenes*. 2020 , 26, 16111-16121	2
564	Analysis of Ion Pairing in Solid State and Solution in <i>p</i> -Cymene Ruthenium Complexes. 2020 , 59, 14171-14183	3
563	Supramolecular Assembly and Chirality of Synthetic Carbohydrate Materials. 2020 , 132, 22766-22772	5
562	Tetrel Bonding and Other Non-Covalent Interactions Assisted Supramolecular Aggregation in a New Pb(II) Complex of an Isonicotinohydrazide. 2020 , 25,	13
561	Ligand geometry directs the packing and symmetry of one-dimensional helical motifs in lead oxide naphthoates and biphenylcarboxylates. 2020 , 22, 6465-6477	1
560	Electric field stimulates production of highly conductive microbial OmcZ nanowires. 2020 , 16, 1136-1142	44
559	Synthesis and structural characterisation of bulky heptaaromatic (hetero)aryl <i>o</i> -substituted <i>s</i> -aryltetrazines. 2020 , 44, 15235-15243	2
558	Atypical structures of GAA/TTC trinucleotide repeats underlying Friedreich's ataxia: DNA triplexes and RNA/DNA hybrids. 2020 , 48, 9899-9917	8
557	Synthesis, Structure and Supramolecular Properties of a Novel C3 Cryptand with Pyridine Units in the Bridges. 2020 , 25,	2
556	Template-Directed Synthesis of Two Dinuclear Ni(II) Complexes together with Their Interconversion, Crystal Structures and DNA-Binding Studies. 2020 , 5, 14703-14712	
555	Synthesis, physical characterization, thermal studies, biological activities and DFT computations on the molecular structure and vibrational spectra of [C ₇ H ₁₂ N ₂] ₂ Bi ₂ Br ₁₀ ·4H ₂ O compound. 2020 , 288, 121402	1
554	Triptycene End-Capped Benzothienobenzothiophene and Naphthothienobenzothiophene. 2020 , 26, 12596-12605	3
553	A new class of iridium(III) complexes based on fluorine substituted 2,3'-bipyridine and pyridyltetrazolate derivatives: Synthesis, crystal structures, photoluminescent and electroluminescent properties. 2020 , 180, 108514	4
552	From cyclic amines and acetonitrile to amidine zinc(ii) complexes.. 2020 , 10, 18200-18221	3
551	Experimental distribution of electron density in crystals of Ph ₃ Sb(O ₂ CCH=CHCH=CHH ₃) ₂ complex: the selection of a reference point for the source function in the absence of a bond critical point between atoms. 2020 , 31, 1841-1849	0

550	Dynamic characterization of crystalline fluorophores with conformationally flexible tetrahydrocarbazole frameworks. 2020 , 22, 3789-3796	3
549	Encapsulation of Phosphorescent Pt(II) Complexes in Zn-Based Metal-Organic Frameworks toward Oxygen-Sensing Porous Materials. 2020 , 59, 7252-7264	12
548	From spin-crossover to single molecule magnetism: tuning magnetic properties of Co(II) bis-ferrocenylterpy cations via supramolecular interactions with organocyanide radical anions. 2020 , 8, 8135-8144	4
547	Impact of structural changes in heteroleptic bismuth phosphinates on their antibacterial activity in Bi-nanocellulose composites. 2020 , 49, 7341-7354	4
546	Concentration-Dominated Orientation of Phenyl Groups at the Polystyrene/Graphene Interface. 2020 , 9, 889-894	18
545	Excitation-Dependent Photoluminescence Color Tuning in Lanthanide-Organic Hybrid Materials. 2020 , 59, 7539-7552	15
544	Cyclodextrin complexation studies as the first step for repurposing of chlorpromazine. 2020 , 584, 119391	10
543	Complexation of B(C ₆ F ₅) ₃ and 9,10-Dicyanoanthracene: Dual Role of Borane as Spatial and Electronic Tuner. 2020 , 49, 1022-1025	2
542	Light-driven coordination anions-directed regulation of chromism in three metal complexes assembled by cyano-equipped dithienylethene ligand. 2020 , 509, 119666	
541	Exceptionally effective benzene/cyclohexane separation using a nitro-decorated metal-organic framework. 2020 , 56, 8241-8244	27
540	Pyridine hydrazyl thiazole metal complexes: Synthesis, crystal structure, antibacterial and antitumor activity. 2020 , 118, 108030	6
539	Crystal Packing of Potentially Mesomorphic Azobenzene Derivatives R ₁ N=N ₂ R ₂ (R ₁ , R ₂ = CH ₃ COO, C ₂ H ₅ O; CH ₂ =C(CH ₃)COO, C ₂ H ₅ ; C ₆ H ₁₃ COO, C ₂ H ₅ O). 2020 , 65, 436-443	3
538	Two 2-fold interpenetrating three-dimensional coordination polymers based on two-fold deprotonated 5-((3-carboxyphenoxy)methyl)benzene-1,3-dioic acid and 1,4-bis((1H-imidazol-1-yl)methyl)benzene: Syntheses, structures and properties. 2020 , 511, 119802	3
537	Boosting Efficiency of Near-Infrared Emitting Iridium(III) Phosphors by Administrating Their π Conjugation Effect of Core-Shell Structure in Solution-Processed OLEDs. 2020 , 8, 2000154	26
536	Three novel Cd(II) dithiocarbamate complexes: synthesis, structural diversity and fluorescence properties. 2020 , 17, 2867-2876	1
535	1D lanthanide coordination polymers containing biphosphonate ligand: Synthesis, structures and luminescence properties. 2020 , 118, 108045	1
534	Highly selective Diels-Alder and Heck arylation reactions in a divergent synthesis of isoindolo- and pyrrolo-fused polycyclic indoles from 2-formylpyrrole. 2020 , 16, 1320-1334	2
533	Novel copper(II) complexes with fenamates and isonicotinamide: structure and properties, and interactions with DNA and serum albumin. 2020 , 44, 12827-12842	9

- 532 Synthesis of Cost-Effective Pomelo Peel Dimethoxydiphenylsilane-Derived Materials for Pyrene Adsorption: From Surface Properties to Adsorption Mechanisms. **2020**, 5, 9465-9476 6
- 531 Interaction engineering in organic/inorganic hybrid perovskite solar cells. **2020**, 7, 2208-2236 13
- 530 The shiny side of copper: bringing copper(I) light-emitting electrochemical cells closer to application.. **2020**, 10, 22631-22644 10
- 529 From Isolated Molecular Complexes to Extended Networks: Synthesis and Characterization of Thorium Furanmono- and Dicarboxylates. **2020**, 2020, 3287-3295 1
- 528 Insight into Positional Isomerism of N-(Benzo[d]thiazol-2-yl)-o/m/p-Nitrobenzamide: Crystal Structure, Hirshfeld Surface Analysis and Interaction Energy. **2020**, 10, 348
- 527 Synthesis, Structural Characterization and Hirshfeld Surface Analysis of a 2D Coordination Polymer, [Co(4-dpds)(bdc)(H₂O)₂] 4-dpds. **2020**, 10, 419
- 526 Anion-directed assemblies of Cu(II) mono, di, and poly-nuclear coordination compounds with a 32-membered azacrown ligand: Synthesis, characterisation and crystal structures. **2020**, 1215, 128200
- 525 Synthesis, characterization and thermal properties of 1,10-phenanthroline mixed-ligand complexes of cobalt(II) and copper(II): metal-mediated transformations of the dicyanamide ion. **2020**, 74, 3003-3016 5
- 524 Relationship between the antiproliferative properties of Cu(II) complexes with the Schiff base derived from pyridine-2-carboxaldehyde and 5,6-diamino-1,3-dimethyluracil and the redox status mediated by antioxidant defense systems on glioma tumoral cells. **2020**, 207, 111053 3
- 523 Intra-Cation versus Inter-Cation π -Contacts in [Cu(P[^]P)(N[^]N)][PF₆] Complexes. **2020**, 10, 1 24
- 522 Homoleptic Mononuclear Tris-Chelate Complexes of FeII, CoII, NiII, and ZnII Based on a Redox-Active Imidazolyl-2-thione Ligand: Structural and Electrochemical Correlation. **2020**, 2020, 1562-1573 3
- 521 Novel binuclear antimony(III) halide complexes of 5-methoxy-2-mercaptobenzimidazole: synthesis, structural characterization, and biological studies. **2020**, 73, 485-505 4
- 520 Structural Diversity of Nickel and Manganese Chloride Complexes with Pyridin-2-One. **2020**, 25, 1
- 519 Schiff Base Ancillary Ligands in Bis(diimine) Copper(I) Dye-Sensitized Solar Cells. **2020**, 21, 3
- 518 Ebselen as template for stabilization of A4V mutant dimer for motor neuron disease therapy. **2020**, 3, 97 17
- 517 Supramolecular and theoretical perspectives of 2,2':6',2''-terpyridine based Ni(II) and Cu(II) complexes: on the importance of C π -Cl and π - π interactions. **2020**, 44, 7310-7318 8
- 516 New lead bromide chiral perovskites with ultra-broadband white-light emission. **2020**, 8, 5673-5680 25
- 515 Supramolecular Assembly of Metal Complexes by (Aryl)I⁺[Pt⁺] Halogen Bonds. **2020**, 26, 7692-7701 35

514	Structural Variety in Mn(NCS) ₂ 4-Cyanopyridine Coordination Compounds: Synthesis, Structures, Isomerism, and Magnetic Properties. 2020 , 20, 3374-3385	2
513	Directed self-assembly of viologen-based 2D semiconductors with intrinsic UV-SWIR photoresponse after photo/thermo activation. 2020 , 11, 1179	47
512	Synthesis, Crystal Structures, and Properties of (4,4'-Hbipy) ₂ [Sn ₂ (C ₂ O ₄) ₃] and (4,4'-Hmbipy)[SnX ₂] (X = C ₂ O ₄ ²⁻ , m = 2; X = Cl, m = 0; bipy = bipyridine). 2020 , 646, 288-295	2
511	Charge-assisted hydrogen bond and nitrile-nitrile interaction directed supramolecular associations in Cu(II) and Mn(II) coordination complexes: anticancer, hematotoxicity and theoretical studies. 2020 , 44, 5473-5488	25
510	A Highly Crystalline Perylene Imide Polymer with the Robust Built-In Electric Field for Efficient Photocatalytic Water Oxidation. 2020 , 32, e1907746	60
509	Synthesis, Structures, and Antibacterial Activities of Four Similar 1D Metal-organic Polymers with Different Metal Ions. 2020 , 646, 532-539	2
508	Stacking interactions of resonance-assisted hydrogen-bridged rings and C-aromatic rings. 2020 , 22, 13721-13728	38
507	Bio-macromolecular interaction studies: Synthesis, crystal structure of water-soluble manganese(II) complexes. 2020 , 512, 119882	1
506	Ultrasonic-assisted synthesis of nano-sized metal-organic framework; a simple method to explore selective and fast Congo Red adsorption. 2020 , 69, 105246	13
505	Cambridge Structural Database (CSD). 2020 , 413-413	
504	Amphiphilic Porphyrin Aggregates: A DFT Investigation. 2019 , 25,	2
503	Single and Double-Stranded 1D-Coordination Polymers with 4'-(4-Alkyloxyphenyl)-3,2':6',3"-terpyridines and {Cu(EOAc)} or {Cu(EOH)(EOAc)(EOAc)(AcO-)} Motifs. 2020 , 12,	8
502	Aspects of Phosphaallene Chemistry: Heat-Induced Formation of 1,2-Dihydrophosphetes by Intramolecular Nucleophilic Aromatic Substitution and Photochemical Generation of Tricyclic Phosphiranes. 2020 , 85, 14315-14332	4
501	Supramolecular Ammine-Copper rac-BINOLAT Salts through in-situ R- or S-BINOL Racemization. 2020 , 646, 734-739	
500	Mono- and penta-nuclear self-assembled silver(I) complexes of pyrazolyl s-triazine ligand; synthesis, structure and antimicrobial studies. 2020 , 34, e5603	4
499	Structure, DFT studies, magnetism and biological activity of bis[(μ-azido)-chloro-(1,10-phenanthroline)-copper(II)] complex. 2020 , 506, 119533	11
498	Two Zinc-Viologen Interpenetrating Frameworks with Straight and Offset Stacking Modes Respectively Showing Different Photo/Thermal Responsive Characters. 2020 , 20, 2617-2622	19
497	Two Orthogonal Halogen-Bonding Interactions Directed 2D Crystalline Supramolecular J-Dimer Lamellae. 2020 , 26, 4505-4509	17

- 496 Scalable Route to Electroactive and Light Active Perylene Diimide Dye Polymer Binder for Lithium-Ion Batteries. **2020**, 3, 2271-2277 13
- 495 Coordination polymers and metallocycles of metal halides with *n*-(aminomethyl)pyridine, *n* = 3 or 4: Structures and solid-state fluorescence. **2020**, 179, 114364
- 494 Synthesis, Structural, and Cytotoxic Properties of New Water-Soluble Copper(II) Complexes based on 2,9-Dimethyl-1,10-Phenanthroline and Their One Derivative Containing 1,3,5-Triaza-7-Phosphaadamantane-7-Oxide. **2020**, 25, 5
- 493 Hydrazone–aromatic interaction: the vital role in molecular self-assembly of benzaldehyde hydrazones. **2020**, 22, 1691-1694 2
- 492 Enhanced and Heteromolecular Guest Encapsulation in Nonporous Crystals of a Perfluorinated Triketonato Dinuclear Copper Complex. **2020**, 26, 5051-5060 6
- 491 Towards Sustainable Catalysis | Highly Efficient Olefin Metathesis in Protic Media Using Phase Labelled Cyclic Alkyl Amino Carbene (CAAC) Ruthenium Catalysts. **2020**, 12, 1953-1957 11
- 490 Photoelectron Spectroscopy on Polycyclic Hydrocarbon–TCNNQ Interfaces. **2020**, 124, 2961-2967 4
- 489 Crystal structure, hydrogen bonding, Hirshfeld surface analysis and inhibition efficiency of a Schiff base 2-methoxy-6-(naphthalene-2-yliminomethyl)-phenol. **2020**, 25, 100337 7
- 488 Syntheses, structures, and magnetic properties of three supramolecular isomeric Cu(II) square grid networks: solvents effect on the ligand linkages. **2020**, 22, 1321-1329 5
- 487 Supramolecular frameworks formed via hydrogen bonding and non-covalent interactions and interaction energy calculations of solvent coordinated cis-dioxomolybdenum(VI) complexes derived from ONO donor arylhydrazone: Cytotoxicity studies. **2020**, 505, 119472 4
- 486 Recurrent Supramolecular Motifs in a Series of Acid–Base Adducts Based on Pyridine-2,5-Dicarboxylic Acid N-Oxide and Organic Bases: Inter- and Intramolecular Hydrogen Bonding. **2020**, 20, 1738-1751 15
- 485 A Versatile Approach to Access Trimetallic Complexes Based on Trisphosphinite Ligands. **2020**, 25, 3
- 484 Extraordinary Acceleration of Cogwheel Helical Self-Organization of Dendronized Perylene Bisimides by the Dendron Sequence Encoding Their Tertiary Structure. **2020**, 142, 9525-9536 22
- 483 Additive-Free Conversion of Internal Alkynes by Phosphanylalumanes: Production of Phosphorus/Aluminum Frustrated Lewis Pairs. **2020**, 85, 933-942 2
- 482 New metal chelate constructed from Ni(NCS)₂ and 1,2-diphenyl-1,2-bis((phenyl(pyridin-2-yl)methylene)hydrazono)ethane. **2020**, 509, 119707 6
- 481 Two Co(II) and Ni(II) coordination polymers: crystal structures and inhibitory activity on osteogenic sarcoma cells via inducing apoptosis. **2020**, 50, 1228-1233
- 480 Molecular Interactions of Pyrazine-Based Compounds to Proteins. **2020**, 63, 8901-8916 14
- 479 Solubility and Stability Advantages of a New Cocrystal of Berberine Chloride with Fumaric Acid. **2020**, 5, 8283-8292 24

478	Extended ESystems in Diimine Ligands in [Cu(P^P)(N^N)][PF6] Complexes: From 2,2'-Bipyridine to 2-(Pyridin-2-yl)Quinoline. 2020 , 10, 255	12
477	New Scandium-containing Coordination Polymers with Linear Linker Molecules: Crystal Structures and Luminescence Properties. 2020 , 2020, 2737-2743	4
476	Synthesis, structures, luminescence and thermal stability of Visible/NIR emitting binuclear azomethine-Zn(II) complexes. 2020 , 223, 117227	3
475	The effect of an engineered ATCUN motif on the structure and biophysical properties of the SH3 domain of c-Src tyrosine kinase. 2020 , 25, 621-634	1
474	Ultrasonic-assisted synthesis and structural characterization of a novel 3D Pb(II) metal-organic CPs and their nanostructures. 2020 , 508, 119636	1
473	Adsorption of Polar Volatile Organic Compounds by a Crystalline Network Structure Based on a Bis(benzimidazole)NiCl2 Complex. 2020 , 20, 4046-4053	4
472	A Cu(II) metal-organic framework based on an angular ligand with a bulky uncoordinated group: synthesis, structure, and gas adsorption. 2020 , 73, 844-853	
471	Beyond the Simple Copper(II) Coordination Chemistry with Quinaldinate and Secondary Amines. 2020 , 25,	13
470	Emergence of anion-πinteractions: The land of opportunity in supramolecular chemistry and beyond. 2020 , 415, 213327	37
469	One stone, three birds: one AIEgen with three colors for fast differentiation of three pathogens. 2020 , 11, 4730-4740	31
468	Syntheses and Crystal Structures of Two 2H-dibenzo[e, g]indazoles. 2021 , 51, 161-168	1
467	Synthesis and magneto-structural analysis of H-bonded Cu/Ni-oxalato coordination polymers. 2021 , 1223, 128964	2
466	In situ quantitative determination of the intermolecular attraction between amines and a graphene surface using atomic force microscopy. 2021 , 581, 385-395	9
465	Coordination complexes of di(2-pyridyl)ketone with copper(I) and their formation in solution and under solvent-free conditions. 2021 , 514, 119951	3
464	Crystal structure determination, hirshfeld surface analysis and quantum computational studies of (3E,5E)-1-ethyl-3,5-bis (naphthalen-1-yl-methylidene) piperidin-4-one: A novel RORc inhibitor. 2021 , 1225, 129313	3
463	Formation of nitrobenzene dimers in racemic and chiral salts of 2-amino-1-(4-nitrophenyl)-1,3-propanediol (ANPD) with oxalic and fumaric acids. 2021 , 1224, 129310	2
462	A Coplanar EExtended Quinoxaline Based Hole-Transporting Material Enabling over 21 % Efficiency for Dopant-Free Perovskite Solar Cells. 2021 , 133, 2706-2711	5
461	A Coplanar EExtended Quinoxaline Based Hole-Transporting Material Enabling over 21 % Efficiency for Dopant-Free Perovskite Solar Cells. 2021 , 60, 2674-2679	56

- 460 Synthesis and characterization of 1,2,4-triazolo[1,5-a]pyrimidine-2-carboxamide-based compounds targeting the PA-PB1 interface of influenza A virus polymerase. **2021**, 209, 112944 4
- 459 Room Temperature Synthesis, Crystal Structure, Water Sorption, and Thermal and Electronic Properties of $[[\text{Cu}(\text{phen})]_2[\text{Cu}(\text{phen})_2]_2\text{Nb}_6\text{O}_{19}] \cdot 24\text{H}_2\text{O}$. **2021**, 21, 156-165 3
- 458 1,7,9,10-Tetrasubstituted PMIs Accessible through Decarboxylative Bromination: Synthesis, Characterization, Photophysical Studies, and Hydrogen Evolution Catalysis. **2021**, 27, 4081-4088 7
- 457 Physico-chemical characterization: Vibrational, thermal behavior, opto-electric properties and Hirshfeld surface analysis of new Bi(III) halide complexes containing 3,4-diaminopyridinium cation. **2021**, 1227, 129720 2
- 456 Phosphorescence Afterglow and Thermal Properties of $[\text{ScCl}_3(\text{ptpy})]$ (ptpy: 4'-phenyl-2,2',6',2''-terpyridine). **2021**, 647, 359-364 1
- 455 Tris(pentafluoroethyl)difluorophosphorane: A Versatile Fluoride Acceptor for Transition Metal Chemistry. **2021**, 27, 3504-3516 4
- 454 Discussion on spectral, electrical and third-order nonlinear optical susceptibility of semi-organic tris(cyclohexylammonium) tris(o-chlorobenzoate) dihydrate single crystal. **2021**, 32, 141-150
- 453 Synthesis, structure and gas adsorption properties of coordination polymers based on mixed imidazole-containing ligands and carboxylate ligands. **2021**, 517, 120193 1
- 452 Coordinated compliance of chloro-methyl and bromo-methyl exchange rule in two dihydrofuran carbonitrile derivatives. **2021**, 1228, 129741 1
- 451 A density functional theory study on the underwater adhesion of catechol onto a graphite surface. **2021**, 23, 1031-1037 2
- 450 A first exploration of isostructurality in transition metal nitroprussides: X-ray analysis, magnetic properties and DFT calculations. **2021**, 23, 1158-1171 2
- 449 Supramolecular architectures sustained by delocalised C π (arene) interactions in molecular crystals and the propensity of their formation. **2021**, 23, 904-928 4
- 448 Conformational analysis and electronic interactions of some 2-[2'-(4?-sustituted-phenylsulfanyl)-acetyl]-5-substituted furans and 2-[2'-(phenylselanyl)-acetyl]-5-methylfuran. **2021**, 1225, 129088 1
- 447 Energetically significant anti-parallel π -stacking and unconventional anion- π interactions in phenanthroline based Ni(II) and Cu(II) coordination compounds: Antiproliferative evaluation and theoretical studies. **2021**, 516, 120082 10
- 446 A new mixed-ligand Co(II) coordination polymer: treatment activity on ulcerative colitis by inhibiting the JAK2/STAT3 signaling pathway in the colonic epithelial cells. **2021**, 51, 538-543
- 445 RE-Halobenzoic Acid-Terpyridine Complexes, Part V: Synthesis and Supramolecular Assembly of Rare-Earth-3,5-Dihalobenzoic Acid-Terpyridine Materials and Subsequent Comparison of Non-covalent Interactions. **2021**, 51, 317-336 0
- 444 2,2'-bipyridine as a masking agent of ruthenium in the PUREX process. **2021**, 56, 1649-1658 1
- 443 Coordination Chemistry of Chromium in Oxidation States + 4, + 5 and + 6. **2021**, 446-477

442	Synthesis, structure and antiproliferative effects of alkyne-linked 1,2,4-thiadiazole hybrids including erlotinib- and ferrocene-containing derivatives.. 2021 , 11, 28685-28697	0
441	Synthesis and photophysical properties of donor-substituted phenyl-phosphachromones as potential TADF materials. 2021 , 8, 1747-1755	1
440	A triorganotin(IV) cocrystal with pyridinic phosphoramidate: crystal structure and DFT calculations. 2021 , 75, 2503-2516	1
439	Supramolecular assemblies involving biologically relevant antiparallel π -stacking and unconventional solvent driven structural topology in maleate and fumarate bridged Zn(II) coordination polymers: antiproliferative evaluation and theoretical studies. 2021 , 45, 13040-13055	6
438	Magneto-structural correlations of cyclo-tetranavanadates functionalized with mixed-ligand copper(II) complexes. 2021 , 45, 5081-5092	6
437	Functional ligand directed assembly and electronic structure of Sn-oxo wheel nanoclusters. 2021 , 57, 5159-5162	3
436	Pressure and temperature dependences of the canting angle and increase in the magnetic ordering temperature, T_c , for the weak ferromagnet Li[TCNE][TCNE = tetracyanoethylene). 2021 , 50, 13859-13865	1
435	Semiconductive coordination polymers with continuous π -interactions and defined crystal structures. 2021 , 57, 10407-10410	2
434	π -Extended dibenzo[g,p]chrysenes.	1
433	First-principles investigation of dimethyl-functionalized MIL-53(Al) metal-organic framework for adsorption and separation of xylene isomers. 2021 , 28, 579-591	2
432	Cytotoxicity evaluation and DNA interaction of Ru-bipy complexes containing coumarin-based ligands. 2021 , 50, 14908-14919	1
431	A green route to prepare metal-free phthalocyanine crystals with controllable structures by a simple solvothermal method.. 2021 , 11, 31226-31234	0
430	Intense multi-colored luminescence in a series of rare-earth metal-organic frameworks with aliphatic linkers. 2021 , 50, 11899-11908	6
429	Reactivity of a carbonyl moiety in organotin(IV) compounds: novel Pd(II) and Cu(II) complexes supported by organotin(IV) ligands. 2021 , 45, 3817-3827	2
428	Structural Study, Vibrational, Optical, Thermal Properties and Hirshfeld Surface Analysis of a New Iron (III) Complex: FeCl ₄ (C ₅ N ₂ H ₆)(C ₅ H ₅) ₂ 2021 , 10, 14-26	0
427	Unprecedented Steric and Positioning Effects of Comonomer Substituents on π -Diimine Palladium-Catalyzed Vinyl Arene/CO Copolymerization. 2021 , 54, 687-695	4
426	Polyimide with enhanced π -stacking for efficient visible-light-driven photocatalysis. 2021 , 11, 4889-4897	1
425	Methods for elucidating the structural-property relationship in luminescent materials.	2

- 424 Unusual π -interactions directed by the $[(C_6H_6)Ru]_2W_8O_{30}(OH)_2$ hybrid anion. **2021**, 23, 4125-4135 2
- 423 A new application of terahertz time-domain absorption spectra in luminescent complexes: characterization of the C-H \cdots weak interactions in Cu(I) complexes. **2021**, 50, 10214-10224 4
- 422 Neptunium(V) Isothiocyanate Complexes with 4'-Aryl-Substituted 2,2':6',2''-Terpyridines and N,N'-Dimethylacetamide as Molecular Ligands. **2021**, 60, 1857-1868 2
- 421 Multiple phenyl ring appended Re-based complexes for strong visible light absorption and DNA binding. **2021**, 50, 15558-15566
- 420 An insight study into the parameters altering the emission of a covalent triazine framework. 0
- 419 Cation-Induced Dimerization of Crown-Substituted Gallium Phthalocyanine by Complexing with Alkali Metals: The Crucial Role of a Central Metal. **2021**, 60, 1948-1956 2
- 418 Theoretical study on the interaction of phenylalanine with group IA (Li⁺, Na⁺, K⁺) and IIA (Be²⁺, Mg²⁺, Ca²⁺) metal cations. **2021**, 68, 1002 1
- 417 Antithrombotic and antiplatelet activity of an organometallic rhodium(I) complex incorporating a substituted thieno-[2,3-d]-pyrimidine ligand: Synthesis, structural characterization, and molecular docking calculations. **2021**, 35, e6210 2
- 416 Synthesis, Structures, and Reactivity of [NiFe]-H₂ase Mimics Containing One Square-Planar N₂S₂ Ligand Bridged between Their Ni/Fe Centers through One or Two S Atoms. **2021**, 40, 508-519 2
- 415 Anatomy of noncovalent interactions between the nucleobases or ribose and α -amino acids in RNA-protein complexes. **2021**, 49, 2213-2225 4
- 414 Elaboration, Crystal Structure, Physicochemical Characterization and DFT Theoretical Calculation of a New Cd(II) Complex $[C_9H_{14}N]_2CdCl_4$. 1
- 413 Halogen-Bonding-Driven Self-Assembly of Solvates of Tetrabromoterephthalic Acid. **2021**, 11, 198 1
- 412 The Effect of Auxiliary Nitrogenated Linkers on the Design of New Cadmium-Based Coordination Polymers as Sensors for the Detection of Explosive Materials. **2021**, 27, 5298-5306 3
- 411 A Water-Rich Cobalt(II) Compound: Hydrothermal Synthesis, Spectroscopic, Thermal, Crystal Structure Characterization and Antimicrobial Properties. **2021**, 6, 1328-1336 2
- 410 Investigation on nonlinear optical and antibacterial properties of organic single crystal: p-Toluidinium L-Tartrate. **2021**, 31, 100640 2
- 409 Manipulating the Conformation of 3,2':6',3''-Terpyridine in $[Cu_2(EDAc)_4(3,2':6',3''-tpy)]_n$ 1D-Polymers. **2021**, 3, 182-198 5
- 408 Functionalised Terpyridines and Their Metal Complexes π -Solid-State Interactions. **2021**, 3, 199-227 0
- 407 Steric and Electronic Effects on the Structure and Photophysical Properties of Hg(II) Complexes. **2021**, 60, 3851-3870 2

406	How coiled-coil assemblies accommodate multiple aromatic residues.	1
405	Perfluorophenyl-Perfluorophenyl Stacking-Promoted Aggregation-Induced Emission Enhancement of Crystalline 5-Aryloxy-3H-Indole. 2021 , 2021, 1344-1350	1
404	Investigation of Structural Changes of Cu(I) and Ag(I) Complexes Utilizing a Flexible, Yet Sterically Demanding Multidentate Phosphine Oxide Ligand. 2021 , 60, 2437-2445	5
403	Detecting Cu ²⁺ and H ₂ O in methanol based on aggregation-induced emission fluorescent enhancement. 2021 , 74, 1284-1297	1
402	Revealing new non-covalent interactions in polymorphs and hydrates of Acyclovir: Hirshfeld surface analysis, NCI plots and energetic calculations. 2021 , 1197, 113133	4
401	Rollover Cyclometalation vs Nitrogen Coordination in Tetrapyridyl Anticancer Gold(III) Complexes: Effect on Protein Interaction and Toxicity. 2021 , 1, 380-395	4
400	Effects of water removal on the structure and spin-crossover in an anilato-based compound. 2021 , 129, 123904	3
399	Charge-Transfer-Induced Electrical Conductivity in a Tetrathiafulvalene-Based Metal/Organic Framework. 2021 , 33, 2532-2542	8
398	The co-crystal of copper(II) phenanthroline chloride complex hydrate with p-aminobenzoic acid: structure, cytotoxicity, thermal analysis, and DFT calculation. 2021 , 152, 323-336	3
397	CO ₂ and CH ₄ adsorption on periodic mesoporous organosilica: A DFT study. 2021 , 26, 102088	2
396	Crystal structure of bis{1-[(benzotriazol-1-yl)methyl]-1H-1,3-(2-methyl-imidazol)}di-chloridomercury(II), [Hg(C ₁₁ H ₁₁ N ₅) ₂ Cl ₂], C ₂₂ H ₂₂ N ₁₀ Cl ₂ Hg. 2021 , 236, 663-665	
395	Arylamidoethyl-Functionalized Imidazolium Salts: Precursors for Dianionic [C,N,C] ₂ Carbene Ligands at a Platinum Center. 2021 , 40, 890-898	1
394	1,4-Dibromo-2,5-bis(phenylalkoxy)benzene Derivatives: CBr...π(arene) Versus CBr...Br and Br...Br Interactions in the Solid State. 2021 , 11, 325	0
393	Cadmium halide coordination complexes of serpentine pentadentate ligands. 2021 , 196, 114989	
392	Insight into the high-efficiency adsorption of pyrene by Schiff base porous polymers: Modelling and mechanism. 2021 , 220, 123576	8
391	How Coiled-Coil Assemblies Accommodate Multiple Aromatic Residues. 2021 , 22, 2010-2019	1
390	Erdmann [−] Anion [−] An Inexpensive and Useful Species for the Crystallization of Illicit Drugs after Street Confiscations. 2021 , 3, 598-611	0
389	Structure and phase transition in 1-(diaminomethylene)thiourea-1-ium m-nitrobenzoate monohydrate and the structure of its anhydrous deuterated analogue. 2021 , 1230, 129626	4

- 388 Zn(II) complexes of substituted oxyacridinate ligands. Synthesis, structure and properties. **2021**, 1229, 129798 2
- 387 3D coordination polymers constructed from d10 metal ions, flexible 1,2,4-triazole derivatives and aromatic tetracarboxylates: Syntheses, structures, thermal and luminescent properties. **2021**, 296, 122011 2
- 386 Trans-[Cu(quin)₂(EtOH)₂]. **2021**, 2021, M1216
- 385 Methyl Hexadecyl Viologen Inclusion in Cucurbit[8]uril: Coexistence of Three Host-Guest Complexes with Different Stoichiometry in a Highly Hydrated Crystal. **2021**, 21, 3650-3655 1
- 384 New π -Extended 1,1'-Disubstituted Ferrocenes with Thioate and Dithioate End Groups. **2021**, 2021, 2388-2401 1
- 383 Coordination Chemistry of a Bis(Tetrazine) Tweezer: A Case of Host-Guest Behavior with Silver Salts. **2021**, 26,
- 382 Spodium bonding and other non-covalent interactions assisted supramolecular aggregation in a new mercury(II) complex of a nicotinohydrazide derivative. **2021**, 519, 120279 11
- 381 Mesomorphism of Dichotomous Compounds; X-Ray Diffraction Analysis of 4-Chlorophenyl Hexadecyl Ether. **2021**, 66, 420-423
- 380 Silver N-heterocyclic carbene complexes bearing fluorinated benzyl group: Synthesis, characterization, crystal structure, computational studies, and inhibitory properties against some metabolic enzymes. **2021**, 35, e6312 6
- 379 Theoretical guidance for the construction of electron-rich reaction microcenters on CdBe bridges for enhanced Fenton-like degradation of tetracycline hydrochloride. **2021**, 411, 128535 15
- 378 Construction of hydroxyl functionalized magnetic porous organic framework for the effective detection of organic micropollutants in water, drink and cucumber samples. **2021**, 412, 125307 18
- 377 Structural and vibrational characterization of 1-(diaminomethylene)-thiourea-1-ium 4-aminobenzoate. **2021**, 1234, 130181 1
- 376 COMBINED EXPERIMENTAL AND COMPUTATIONAL APPROACH TO THE STRUCTURE OF A NEW NICKEL(II) COMPLEX WITH TRIDENTATE SCHIFF BASE LIGAND. **2021**, 62, 938-946 0
- 375 Structure-Property Relationships in Photoluminescent Bismuth Halide Organic Hybrid Materials. **2021**, 60, 9727-9744 3
- 374 Influence of Triazole Substituents of Bis-Heteroleptic Ru(II) Probes toward Selective Sensing of Dihydrogen Phosphate. **2021**, 60, 9084-9096 5
- 373 Self-assembly of N-heterocyclic carbenes on Au(111). **2021**, 12, 4034 9
- 372 NEW METAL-ORGANIC COORDINATION POLYMERS FROM PRE-SYNTHESIZED HETEROMETALLIC PIVALATE COMPLEXES: SYNTHESIS AND CRYSTAL STRUCTURE. **2021**, 62, 947-956
- 371 A Dimeric π -Stacking of Anthracene Inducing Efficiency Enhancement in Solid-State Fluorescence and Non-Doped Deep-Blue Triplet-Triplet Annihilation Organic Light-Emitting Diodes. **2021**, 9, 2100500 10

370	Two-Dimensional Copper Iodide-Based Inorganic/Organic Hybrid Semiconductors: Synthesis, Structures, and Optical and Transport Properties. 2021 , 33, 5317-5325	7
369	Single Crystal Structure of Terfenadine Form I. 1	1
368	Synthesis and characterization of [4-((CH ₂ O) ₂ CH)C ₆ H ₄] ₂ Hg, [4-(O=CH)C ₆ H ₄] ₂ Hg and [(E)-4-(RN=CH)C ₆ H ₄] ₂ Hg (R = 2?-py, 4?-py, 2?-pyCH ₂ , 4?-pyCH ₂). 2021 , 35, e6339	1
367	Combining benzotriazoles and azides in copper(II) chemistry: synthesis, structural and spectroscopic characterization of a 1-D corrugated tape [Cu(N ₃) ₂ (1-Mebta)] _n coordination polymer (1-Mebta = 1-methylbenzotriazole). 2021 , 74, 1823-1833	
366	Homology Modelling, In Silico Prediction And Characterization Of Cytochrome c oxidase In Cyprinus carpio And Tubifex tubifex And Molecular Docking Studies Between The Modelled Protein And Three Commonly Used Surfactants Sodium Dodecyl Sulphate, Cetylpyridinium Chloride And Sodium Laureth Sulphate. 2021 ,	
365	Pyridinium Pentachloridooxomolybdate(V), (PyH) ₂ [MoOCl ₅], Revisited: Single-Crystal X-ray Structure Determination. 2021 , 2021, M1249	
364	Charge Transportation in Zn(II)/Cd(II)-Based 2D MOFs of 5-Nitro-isophthalate with Isonicotinic Hydrazide. 2021 , 21, 4847-4856	2
363	Effective Adsorption of Methyl Orange on Organo-Silica Nanoparticles Functionalized by a Multi-Hydroxyl-Containing Gemini Surfactant: A Joint Experimental and Theoretical Study. 2021 , 6, 18014-18023	3
362	A New Insight into Non-covalent Interactions in 1,4-Disubstituted 1H-1,2,3-Triazole: Synthesis, X-ray structure, DFT calculations, in vitro Lipoxygenase Inhibition (LOX) and in silico Studies. 2021 , 1236, 130283	4
361	Synthesis and study of complexes of cobalt(II), nickel(II), and copper(II) halides with 2-(3,5-dimethylpyrazol-1-yl)benzimidazole. 2021 , 70, 1550-1559	2
360	Unusual π -ofacial parallel stacked geometry interaction and intramolecular Csp ² -H \cdots O=C bonding in 3-Aryl-5-propylene-3-pyrrolin-2-one molecular structure. 2021 , 1237, 130393	
359	The Solvent Effect on Composition and Dimensionality of Mercury(II) Complexes with Picolinic Acid. 2021 , 26,	0
358	Syntheses, Structures, Reactivities, and Basicities of Quinolinyl and Isoquinolinyl Complexes of an Electron Rich Chiral Rhenium Fragment and Their Electrophilic Addition Products. 2021 , 27, 13399-13417	0
357	2-Aminopyrimidinium Decavanadate: Experimental and Theoretical Characterization, Molecular Docking, and Potential Antineoplastic Activity. 2021 , 9, 67	3
356	Structure Evolution and Thermal Decomposition of Supramolecular and Lamellar Hybrid Sulfates Templated by 4-Aminopyridinium. 2021 , 31, 4165	0
355	Coordination chemistry of polynitriles, part VII. The crystal structures of barium (II) and lead (II) pentacyanocyclopentadienide. 2021 , 205, 115311	1
354	An integrated and approach to determine the effects of three commonly used surfactants sodium dodecyl sulphate, cetylpyridinium chloride and sodium laureth sulphate on growth rate and hematology in. 2021 , 1-13	2
353	Role of Stacking Interactions in the Stability of Primitive Genetics: A Quantum Chemical View. 2021 , 61, 4321-4330	0

- 352 Synthesis, structural, and DFT studies of mixed ligand copper(II) malonates. **2021**, 133, 1
- 351 Structural variations of trinitrato(terpyridine)lanthanoid complexes. **2021**, 133, 1
- 350 Solvent Driven Structural Topologies involving Unconventional OH⁻(methanol)²⁺ Contact and Anti-cooperative HB⁺Anion-⁻HB⁺ assemblies with Unusual Enclathration of dual guest (H₂O)₄ cores in Mn(II) and Ni(II) Coordination Compounds: Antiproliferative Evaluation and Theoretical Studies. **2021**, 210, 115503 0
- 349 Enantio- and Regioselective Palladium(II)-Catalyzed Dioxygenation of (Aza-)Alkenols. **2021**, 133, 21891-21895 0
- 348 Novel Oxidovanadium Complexes with Redox-Active R-Mian and R-Bian Ligands: Synthesis, Structure, Redox and Catalytic Properties. **2021**, 26, 2
- 347 Dipole-Orientation-Dependent Förster Resonance Energy Transfer from Aromatic Head Groups to MnBr Blocks in Organic-Inorganic Hybrids. **2021**, 12, 8692-8698 6
- 346 Unconventional Hole and Semi-coordination region bonding interactions directed supramolecular assemblies in pyridinedicarboxylato bridged polymeric Cu(II) Compounds: Antiproliferative evaluation and theoretical studies. **2021**, 525, 120461 5
- 345 Structural insights into coordination polymers based on 6s2 Pb(II) and Bi(III) centres connected via heteroaromatic carboxylate linkers and their potential applications. **2021**, 443, 213935 16
- 344 Evaluation of Manganese Cubanoid Clusters for Water Oxidation Catalysis: From Well-Defined Molecular Coordination Complexes to Catalytically Active Amorphous Films. **2021**, 14, 4741-4751 1
- 343 Enantio- and Regioselective Palladium(II)-Catalyzed Dioxygenation of (Aza-)Alkenols. **2021**, 60, 21723-21727 3
- 342 Supramolecular architecture formed between amidinothiourea and 2-pyridinecarboxylic acid. **2021**, 1242, 130736 3
- 341 Self-assembly of supramolecules containing half-sandwich iridium units. **2021**, 445, 213909 0
- 340 Preparation of modified cellulose microspheres and application of fast enrichment of chlorogenic acid from mulberry leaf extract. **2021**, 15, 911-923
- 339 Exchange coupling in a thiocyanato-bridged copper(II) chain: Computational approach to magnetostructural correlations. **2021**, 208, 115406 0
- 338 Molecular insight into the reversible dispersion and aggregation of graphene utilizing photo-responsive surfactants. **2021**, 567, 150840 1
- 337 Benzoato bridged dinuclear Mn(II) and Cu(II) compounds involving guest chlorobenzoates and dimeric paddle wheel supramolecular assemblies: Antiproliferative evaluation and theoretical studies. **2021**, 208, 115409 5
- 336 Understanding the interaction of organic corrosion inhibitors with copper at the molecular scale: Benzotriazole on Cu(110). **2021**, 570, 151206 3
- 335 Homodinuclear copper(II) and zinc(II) complexes of a carboxylate-rich ligand as synthetic mimics of phosphoester hydrolase in aqueous solutions. **2021**, 225, 111589 0

334	Crystal structure, Hirshfeld surface analysis and physicochemical studies of a new copper coordination polymer with 3,3'-diaminodiphenylsulfone as ligand. 2021 , 1245, 131236	1
333	Supramolecular, spectroscopic and computational analysis of weak interactions in some thiosemicarbazones derived from 5-acetylbarbituric acid. 2021 , 1245, 131031	0
332	Unconventional enclathration of guest adipic acid and energetically significant antiparallel stacked ternary assemblies involving unusual region-(chelate) contacts in phenanthroline-based Ni(II) and Cu(II) compounds. Antiproliferative evaluation and theoretical studies. 2021 , 1245, 131038	6
331	Two copper(II) coordination complexes based on sulfanilamide ligand: Synthesis, structure, thermal analyzes, electrochemical properties and biological activities. 2022 , 1247, 131346	
330	High-efficiency adsorption of phenanthrene by FeO-SiO ₂ -dimethoxydiphenylsilane nanocomposite: Experimental and theoretical study. 2022 , 422, 126948	12
329	Fast photochromism in solid: Microenvironment in metal-organic frameworks promotes the isomerization of donor-acceptor Stenhouse adducts. 2022 , 427, 132037	4
328	Synthesis, characterization, Hirshfeld surface analysis, DFT calculations and antibacterial activity evaluation of a new unsymmetrically substituted 1,3,5-triazacyclohexane. 2022 , 1249, 131554	
327	Tuning dimensionality between 2D and 1D MOFs by lanthanide contraction and ligand-to-metal ratio. 2021 , 45, 6600-6610	1
326	Schiff base ligands derived from 1,2-bis(2'-nitro-/amino-phenoxy)-3-R-benzene and 2-hydroxy-1-naphthaldehyde and their Cu/Zn(II) complexes: synthesis, characterization, X-ray structures and computational studies. 2021 , 23, 6322-6339	0
325	Biologically relevant unusual cooperative assemblies and fascinating infinite crown-like supramolecular nitrate/water hosts involving guest complex cations in bipyridine and phenanthroline-based Cu(II) coordination compounds: antiproliferative evaluation and theoretical studies. 2021 , 45, 6269-6282	7
324	Synthesis and crystal structure of one new Pb(II) complex constructed by 1,10-phenanthroline and two carboxylate ligands. 2021 , 44, 157-164	1
323	Interaction of dicoordinate phosphorus with boranes: chemistry of 3a,6a-diaza-1,4-diphosphapentalene as masked phosphinidene. 2021 , 50, 5890-5898	1
322	Impact of noncovalent interactions on structural and photophysical properties of zero-dimensional tellurium(IV) perovskites. 2021 , 9, 3271-3286	1
321	Fate of model complexes with monocopper center towards the functional properties of type 2 and type 3 copper oxidases. 2021 , 26, 67-79	2
320	Single-chain magnet behavior in a finite linear hexanuclear molecule. 2021 , 12, 10613-10621	2
319	Highly efficient light-converting films based on diketopyrrolopyrrole with deep-red aggregation-induced emission for enhancing the lipid productivity of <i>Chlorella</i> sp..	0
318	Triptycene End-Capping as Strategy in Materials Chemistry to Control Crystal Packing and Increase Solubility. 2021 , 21, 558-573	4
317	Crystal Engineering of Coordination Polymers. 451-511	0

316	Two Pairs of Homochiral Coordination Polymers with Helices Based on Semi-rigid Lactic Acid Ligands. 2017 , 643, 373-378	4
315	Single and simultaneous adsorption of basic dyes by novel organo-vermiculite: A combined experimental and theoretical study. 2020 , 601, 125059	20
314	One dimensional carboxylatocopper(II) coordination polymers with 4-pyridylmethanol. 2020 , 510, 119763	1
313	1D helical cadmium coordination polymers containing hydrazide ligand: The role of solvent and molar ratio. 2018 , 1156, 534-543	7
312	Synthesis, crystal structure, cytotoxic, antileishmanial activities and docking studies on N,N'-(ethane-1,2-diyl)bis(3-methylbenzamide). 2018 , 1156, 627-631	4
311	Two new 4-coordinate Cu(II) chains with 1,2,3-triazole derivate as bridging ligand: Synthesis, structures and magnetic properties. 2020 , 1217, 128165	3
310	Crystal structure, Hirshfeld surface, DFT calculations and photophysical properties of 2,4,5-tris(4-pyridyl)imidazole hydrogen chloride. 2020 , 1213, 128175	1
309	In(III) and Sc(III) based coordination polymers derived from rigid benzimidazole-5,6-dicarboxylic acid: Synthesis, crystal structure and catalytic property. 2018 , 141, 369-376	18
308	Synthesis, structures and magnetic properties of three new coordination polymers constructed by mixed-linker strategy. 2020 , 180, 114417	2
307	Supramolecular networks in molecular complexes of pyridine boronic acids and polycarboxylic acids: synthesis, structural characterization and fluorescence properties. 2017 , 19, 3760-3775	17
306	Sensitization of NIR luminescence of Yb by Zn chromophores in heterometallic complexes with a bridging Schiff-base ligand. 2017 , 46, 10408-10417	16
305	Adducts of triangular silver(I) 3,5-bis(trifluoromethyl)pyrazolate with thiophene derivatives: a weak interaction model of desulfurization. 2019 , 48, 16162-16166	7
304	Dynamic porous coordination polymers built-up from flexible 4,4'-dithiodibenzoate and rigid N-based ligands. 2020 , 49, 13142-13151	1
303	On the importance of Hole spodium bonding in tricoordinated Hg complexes. 2020 , 49, 17547-17551	18
302	Mononuclear gold(III) complexes with diazaphthalenes: the influence of the position of nitrogen atoms in the aromatic rings on the complex crystalline properties.. 2020 , 10, 44481-44493	2
301	Intrinsic electronic conductivity of individual atomically resolved amyloid crystals reveals micrometer-long hole hopping via tyrosines. 2021 , 118,	15
300	Structural insights into a versatile macrocyclic family based on 2,5-diphenyl[1,3,4]oxadiazole: a combined X-ray diffraction and computational study. 2017 , 29, 896-911	3
299	(Isopropyl xanthato- β , S')bis-(1,10-phenanthroline- β , N')sodium(I). 2007 , 64, m27	1

298	Tetra-kis(anthracene-9-carboxyl-ato)bis-[(anthracene-9-carboxyl-ato)(2,2'-bipyrid-yl)lanthanum(III)]. 2007 , 64, m15-6	7
297	3-Butyl-2-propyl-amino-1-benzo-thieno[3,2-d]pyrimidin-4(3H)-one. 2007 , 64, o42	1
296	trans-Diaqua-bis(ethyl-enediamine- κ ,N')copper(II) bis[3-(3-pyrid-yl)propionate] dihydrate. 2008 , 64, m509-10	5
295	7-Eth-oxy-4'-methoxy-isoflavone (monoethyl-formononetin). 2008 , 64, o893	1
294	Benzene-1,3,5-tricarboxylic acid-1,2-bis-(1,2,4-triazol-4-yl)ethane-water (4/1/2). 2008 , 64, o1199	6
293	Poly[[2-(3-pyridinio)-1H,3H-benzimidazolium] [(4)-oxido-di-(B)-oxido-tetra-(2)-oxido-hexa-oxidotetra-molybdenum(VI)]]. 2009 , 65, m505-6	1
292	Aqua-(2,2'-bipyridine- κ ,N')bis-(thio-phene-2-carboxyl-ato- κ)copper(II). 2009 , 65, m909-10	5
291	(6-Acetyl-1,3,7-trimethyl-lumazine- κ ,N,O)bis-(triphenyl-phosphine- κ)copper(I) hexa-fluorido-phosphate. 2010 , 66, m145-6	1
290	4-Phenyl-piperazin-1-ium dihydrogen phosphate. 2010 , 66, o2244-5	3
289	Benzo[1,2-b:4,5-b']dithio-phene-4,8-dione. 2012 , 68, o1428	1
288	2-Amino-pyridin-1-ium triiodide. 2013 , 69, o1060-1	3
287	2-Oxo-2H-chromen-4-yl 4-methyl-benzoate. 2013 , 69, o1081-2	3
286	Synthesis, crystal structure, polymorphism and microscopic luminescence properties of anthracene derivative compounds. 2020 , 76, 427-435	4
285	Molecular structures of 3-[(2,2,3,3-tetrafluoropropoxy)methyl]- and 3-[(2,2,3,3,3-pentafluoropropoxy)methyl]pyridinium saccharinates. 2017 , 73, 593-599	3
284	The role of π -stacking and hydrogen-bonding interactions in the assembly of a series of isostructural group IIB coordination compounds. 2019 , 75, 178-188	9
283	Crystal structure of 1-bromo-2-(phenyl-selen-yl)benzene. 2015 , 71, 327-9	2
282	The crystal structure of 4'-{4-[(2,2,5,5-tetra-methyl-N-oxyl-3-pyrrolin-3-yl)ethyn-yl]phen-yl}-2,2':6',2''-terpyridine. 2015 , 71, 870-4	1
281	Bis(benzyl-tri-methyl-ammonium) bis-[(4SR,12SR,18RS,26RS)-4,18,26-trihy-droxy-12-oxido-13,17-dioxahepta-cyclo-[14.10.0.0(3,14).0(4,12).0(6,11)] ₃ (18,26)] sesquihydrate: dimeric structure formation via [O-H-O](-) negative charge-assisted hydrogen bonds (CAHB) with benzyl-tri-methyl-ammonium counterions. 2014 , 72, 399-402	1

- 280 Crystal structure of (acetato- D)(ethanol- D)[(9S,17S,21S,29S)-9,17,21,29-tetra-hydroxy-18,30-dioxa-octa-cyclo-[18.10.0.0(2,7).0(8,19).0(9,17).0(18),O(21),O(22)]caesium ethanol monosolvate. **2016**, 72, 884-7
- 279 Crystal structures of fac-tri-carbonyl-chlorido-(6,6'-dihydroxy-2,2'-bi-pyridine)-rhenium(I) tetra-hydro-furan monosolvate and fac-bromido-tricarbon-yl(6,6'-dihydroxy-2,2'-bi-pyridine)-manganese(I) tetra-hydro-furan monosolvate. **2016**, 72, 1201-5 2
- 278 Utilizing Hirshfeld surface calculations, non-covalent inter-action (NCI) plots and the calculation of inter-action energies in the analysis of mol-ecular packing. **2019**, 75, 308-318 233
- 277 Crystal structure and Hirshfeld surface analysis of (E2-{4-[(carboxyl-atometh-yl)carbamo-yl]benz-amido}-acetato- E)bis-[bis-(1,10-phenanthroline- E),copper(II)] dinitrate ,-(1,4-phenyl-enedicarbon-yl)diglycine monosolvate octa-hydrate. **2019**, 75, 667-674 8
- 276 Crystal structure and Hirshfeld surface analysis of 4,4'-(propane-1,3-diyl)bis(4-1,2,4-triazol-1-ium) penta-fluorido-oxidovanadate(V). **2020**, 76, 780-784 2
- 275 Hydrogen bonded homodimetallic compounds of the formula $[\text{M}(\text{H}_2\text{O})_5\text{M}(\text{dipic})_2]\cdot 2\text{H}_2\text{O}$, M = CoII or NiII and dipic = dipicolinate anion. **2017**, 10, 132-138 1
- 274 Crystal structure of Bis{1-[(benzotriazol-1-yl)methyl]-1-H-1,3-(2-methyl-imidazol)}diiodidocadmium(II), $[\text{Cd}(\text{C}_{11}\text{H}_{11}\text{N}_5)_2\text{I}_2]$, $\text{C}_{22}\text{H}_{22}\text{N}_{10}\text{I}_2\text{Cd}$. **2019**, 234, 919-921 1
- 273 Synthesis, crystal structure and in vitro anticancer studies of two bis(8-quinolinolato-N,O)-platinum(II) complexes. **2019**, 10, 37-44 2
- 272 N-(Dibenzylcarbamothioyl)-3-methylbutanamide: Crystal structure, Hirshfeld surfaces and antimicrobial activity. **2017**, 8, 410-416 4
- 271 Synthesis and Characterization of $[\text{2-CH}_3\text{CH}_2\text{C}_6\text{H}_4\text{NH}_3]_6\text{P}_6\text{O}_{18}\cdot 4\text{H}_2\text{O}$. **2011**, 2011, 1-6 1
- 270 Lead(II) supramolecular structures formed through a cooperative influence of the hydrazinecarbothioamide derived and ancillary ligands. 1
- 269 A photoexcited halogen-bonded EDA complex of the thiophenolate anion with iodobenzene for C(sp)-H activation and thiolation.. **2021**, 12, 15655-15661 6
- 268 Dual-Functional Metal-Organic Framework for Luminescent Detection of Carcinoid Biomarkers and High Proton Conduction. **2021**, 60, 17303-17314 7
- 267 Deciphering non-covalent interactions of 1,3-Benzenedimethanaminium bis(trioxonitrate): Synthesis, empirical and computational study. **2022**, 1250, 131720 1
- 266 Harnessing Bismuth Coordination Chemistry to Achieve Bright, Long-Lived Organic Phosphorescence. **2021**, 60, 16840-16851 4
- 265 Lithium Half-Salen Complexes: Synthesis, Structural Characterization and Studies as Catalysts for rac-Lactide Ring-Opening Polymerization. **2021**, 2021, 5557-5568 0
- 264 The modulation of 9-Chloro-9-Phosphaalkenylchloro-9-Germafluorene reactivity through organolithium reagents. **2021**, 210, 115505 1
- 263 A one-dimensional ladder-like coordination polymer: poly[[hexa-aqua-bis(E5-nitro-benzene-1,3-dicarboxyl-ato- D ,O',O'')](E3xalato- D ,O':O'',O''')diyttrium(III)] trihydrate]. **2007**, 64, m120-1

- 262 A one-dimensional zigzag coordination polymer: catena-poly[[[triaqua-cadmium(II)]-[E,2'-(5-methyl-1,3-phenyl-enedi-oxy)diacetato- $\text{D},\text{O}':\text{O}'',\text{O}'''$]] monohydrate]. **2008**, 64, m280-1
- 261 Di-Nicotinato- $\text{N}:\text{O};\text{D}:\text{N}$ -bis-[aqua-(ethyl-enediamine- N,N')(nicotinato- N)cadmium(II)] dihydrate. **2008**, 64, m665-6 1
- 260 Bis(chloro-acetato)- $\text{D},\text{O}';\text{D}$ -methanol- D -bis-(2-methyl-furo[3,2-c]pyridine- N)copper(II). **2008**, 64, m610-1 1
- 259 2-(2-Hydroxy-ethyl-amino)-3-phenyl-1-benzofuro[3,2-d]pyrimidin-4(3H)-one dichloro-methane hemisolvate. **2009**, 65, o1330
- 258 6,6'-Dihydr-oxy-3,3'-dithio-dibenzoic acid. **2009**, 65, o1701
- 257 Bonding Pattern of Alkylated Di-cation by Weak Hydrogen Bonds in the Crystal of Metal Complex Salts and its Dependence on the Alkyl Chain Length. **2010**, 52, 233-238
- 256 A Triple Anion Helicate Assembled from a Bis(biurea) Ligand and Phosphate Ions. **2011**, n/a-n/a
- 255 3,22-Dioxa-11,14-di-aza-penta-cyclo-[12.8.0.0(2,11).0(5,10).0(15,20)]docosa-5(10),6,8,15(20),16,18-hexa-ene-4,21-dione **2013**, 69, o1535
- 254 Monolayers. **2014**, 105-137
- 253 Crystal structure of 3-(2-hydroxy-ethyl)-2-methyl-sulfanyl-6-nitro-3-benzimidazol-1-ium chloride monohydrate. **2016**, 72, 1356-1359
- 252 Synthesis and crystal structure of bis(1-[(quinolin-8-yl)imino]methyl)pyrene- N silver(I) tri-fluoro-methane-sulfonate. **2016**, 72, 1495-1498
- 251 Hydrogen bonding, π -stacking and van der Waals forces-dominated layered regions in the crystal structure of 4-amino-pyridinium hydrogen (9-phosphono-non-yl)phospho-nate. **2016**, 72, 1456-1459 1
- 250 Crystal structures of $[\text{M}(\text{N}_3)_2(\text{phen})_2]$ compounds, M = Mn, Co or Cu and phen = 1,10-phenanthroline. **2016**, 9, 152-157
- 249 Three phenanthroline-metal complexes with topologically similar but geometrically different conformations. **2016**, 72, 1581-1586
- 248 Asymmetric structure of cis-[N-(9-anthracenylmethyl)-1,2-ethanediamine]dipyridineplatinum(II) dinitrate. **2017**, 73, 975-978 1
- 247 2-Oxo-2H-chromen-7-yl 4-methylbenzoate. **2018**, 3,
- 246 The enrichment ratio of atomic contacts in the crystal structure of isomeric, triply protonated, 4'-functionalized terpyridine cations with $[\text{ZnCl}]$ as counter-ion. **2018**, 74, 1881-1886
- 245 Synthesis, characterization and crystal structure determination of new coordination polymers of cadmium (II) based on pyridine hydrazide ligands. **2019**, 26, 1001-1012 1

- 244 Co-crystal of carbazole-based thiourea derivative compound with acetic acid: Crystallography and Hirshfeld surface analysis. 1-1
- 243 Crystal structure, Hirshfeld surface analysis and physicochemical characterization of bis-[4-(di-methyl-amino)-pyridinium] di- μ -chlorido-bis[di-chlorido-mercurate(II)]. **2019**, 75, 1600-1606 3
- 242 A Study on Bismuth-Based Photochromic Inorganic-Organic Hybrid with Photoelectric Switchable Properties. **2020**, 08, 16-24
- 241 Polypyridines, Picrates, Lanthanides: A Plethora of Stacks?. **2020**, 73, 529
- 240 Computational-Designed Enzyme for μ -Tyrosine Production in Lignin Valorization. **2021**, 11, 1310 1
- 239 Ion permeation controlled by hydrophobic residues and proton binding in the proton-activated chloride channel. **2021**, 24, 103395 0
- 238 Allan White and Solvento/Aqua Complexes: ScIII Solvation. **2020**, 73, 468 0
- 237 Design, synthesis and evaluation of potential inhibitors for poly(ADP-ribose) polymerase members 1 and 14. **2020**, 12, 2179-2190 0
- 236 Novel 'main-part' isostructuralism in metal complexes with 1-methylimidazole: crystal structures, energy calculations and magnetic properties. **2021**, 50, 17029-17040 0
- 235 A counterion study of a series of [Cu(P[^]P)(N[^]N)][A] compounds with bis(phosphane) and 6-methyl and 6,6'-dimethyl-substituted 2,2'-bipyridine ligands for light-emitting electrochemical cells. **2021**, 2 2
- 234 Structural and theoretical study of four novel norcantharidine derivatives: two new cases of conditional isomorphism. **2020**, 76, 75-86
- 233 Crystal structure and self-assembly on graphite of a pyrazolo[1,5-c]pyrimidine derivative. **2021**, 77, 757-763
- 232 Luminescent properties of chameleon-like metal-organic framework between zinc(II) dichloride and two quinoline-N-oxide molecules. **2020**, 239, 118464 0
- 231 Spin-state control of cobalt(II) and iron(II) complexes with click-derived tripodal ligands through non-covalent and fluorine-specific interactions. **2021**, 1 1
- 230 Graphene: Structure, properties, preparation, modification, and applications. **2022**, 1-24
- 229 Emergence of Aggregation Induced Emission (AIE), Room-Temperature Phosphorescence (RTP), and Multistimuli Response from a Single Organic Luminogen by Directed Structural Modification. **2021**, 125, 12832-12846 0
- 228 Exploring Anticancer Activities and Structure-Activity Relationships of Binuclear Oxidovanadium(IV) Complexes.. **2021**, 4, 8571-8583 1
- 227 A Scintillating One-Dimensional Coordination Polymer Based on Cadmium(II), N,N'-(1,4-Phenylenedicarbonyl)diglycinate, and 2,2'-Bipyridine: Crystal Structure, Hirshfeld Surface Analysis, and Luminescence Lifetime Properties \square **2021**, 2, 371-384 1

- 226 Effect of the Nature of Substituents in the Oxyacridine Ligands on the Luminescence Properties and Cytotoxicity of the Zinc Complexes. **2021**, 47, 730-740
- 225 The effect of metalation processes on polymer morphology and conductivity properties. 096739112110482 1
- 224 Unusual Alternating Crystallization-Induced Emission Enhancement Behavior in Nonconjugated π -Phenylalkyl Tropylium Salts. **2021**, 143, 20384-20394 3
- 223 Crystal structure and optical property of a supramolecular bromotellurate salt templated with 4 (Ethylammoniummethyl)pyridinium. **2021**, 1251, 131994 0
- 222 Strong π -Stacking Stabilized Nanophotosensitizers: Improving Tumor Retention for Enhanced Therapy to Large Tumor in Mice. **2021**, e2106797 12
- 221 CH Activation of Cationic Bismuth Amides: Heteroaromaticity, Derivatization, and Lewis Acidity. **2021**, 0
- 220 One-step self-assembly for fabricating dual responsive fluorescent aggregates. **2021**, 634, 127979
- 219 Crystal structure, vibrational spectra, optical properties and thermal behavior of the 1D perovskite (2-amino-4-methylpyridinium)trichlorocadmate(II) (C₆H₉N₂)₁[CdCl₃]. 1-13 2
- 218 Designing luminescent diimine-Cu(I)-phosphine complexes by tuning N-ligand and counteranions: correlation of weak interactions, luminescence and THz absorption spectra. 1
- 217 Stars and stripes: hexatopic tris(3,2':6',3''-terpyridine) ligands that unexpectedly form one-dimensional coordination polymers.. **2022**, 24, 491-503 0
- 216 An organophotocatalytic late-stage N-CH oxidation of trialkylamines to -formamides with O in continuous flow.. **2022**, 13, 1912-1924 3
- 215 Synthesis, crystallization and Hirshfeld surface analysis of transition metal carboxylate pentapyridines. **2021**, 24, 57-69 1
- 214 Spodium bonds and metal-halogen-halogen-metal interactions in propagation of monomeric units to dimeric or polymeric architectures. **2022**, 1252, 132144 1
- 213 Oxidation vs. coordination chemistry of the {MoV₂O₄}₂⁺ species: A structural study. **2022**, 1253, 132246
- 212 Non-covalent bonded 1D-3D supramolecular salts from tert-butylamine and organic acids. **2022**, 1253, 132208 4
- 211 Novel C-H \cdots O hydrogen-bonded supramolecular complexes of 18-crown-6 with 1-alkylpyridinium iodide and its amino derivatives: Third-order nonlinear optical properties and Hirshfeld surface analysis. **2022**, 1253, 132310 0
- 210 Synthesis, Characterization and DNA Cleavage Activity of the Coordination Polymer {[Cu(phen)(azpy)(NO₃)(H₂O)]₂(NO₃)₂}. 1
- 209 [NbCl(pyrazine)], a Versatile Precursor for Ligand-Supported Hexanuclear Niobium Cluster Compounds: Synthesis, Characterization, Follow-Up Reactions, and Intermolecular Interactions.. **2022**, 1

208	Template-Free Synthesis of an Interlocked Covalent Organic Molecular Cage.. 2022 ,	0
207	Symmetrical -N hydrogen bonds: stabilization mechanism of four non-metallic cyclo-pentazolate energetic salts.. 2022 ,	1
206	Constructing Supramolecular Frameworks Based Imidazolate-Edge-Bridged Metallacalix[3]arenes via Hierarchical Self-Assemblies. 2022 , 12, 212	0
205	Two-Step Spin Crossover in Hofmann-Type Coordination Polymers [Fe(2-phenylpyrazine){M(CN)}] (M = Ag, Au).. 2022 ,	1
204	Synthesis, Spectroscopy and Crystal Structure Analysis of N1,N3-dicyclohexyl-N1-(all-trans-retinoyl)urea.	
203	Commonly used surfactants sodium dodecyl sulphate, cetylpyridinium chloride and sodium laureth sulphate and their effects on antioxidant defence system and oxidative stress indices in Cyprinus carpio L.: an integrated in silico and in vivo approach.. 2022 , 1	2
202	Diarylazooxime complex of cobalt(III): synthesis, structure, ligand redox, DFT calculations and spectral characteristics. 2022 , 47, 31-38	1
201	Experimental and computational evidence for stabilising parallel, offset [C(?O)N(H)N?C]?[phenyl] interactions in acetohydrazide derivatives. 2022 , 24, 962-974	
200	Water stable fluorescent organotin(iv) compounds: aggregation induced emission enhancement and recognition of lead ions in an aqueous system. 2021 , 46, 148-161	0
199	(C7H11N2)2MBr4 (M=Cu, Zn): X-Ray Sensitive 0D Hybrid Metal Halides with Tunable Broadband Emission. e202100954	1
198	Effect of supporting electrolyte on capacitance and morphology of electrodeposited poly(3,4-propylenedioxythiophene) derivatives bearing reactive functional groups.	0
197	Half-Sandwich Cyclometalated Rh Complexes Bearing Thiolate Ligands: Biomolecular Interactions and and Evaluations.. 2022 ,	4
196	Hydrogen Bonding and Polymorphism of Amino Alcohol Salts with Quinaldinate: Structural Study.. 2022 , 27,	1
195	Mechanism of liquid-phase metal infiltration into pyridine-containing polymeric thin films. 2022 , 313, 131682	0
194	Functional mimic for amine and catechol oxidases: Structural, spectral, electrochemical and catalytic properties of mononuclear copper(II) complex. 2022 , 534, 120819	0
193	Construction of hydrophilic hypercrosslinked polymer based on natural kaempferol for highly effective extraction of 5-nitroimidazoles in environmental water, honey and fish samples.. 2022 , 429, 128288	8
192	Synthesis and luminescent properties of heteroleptic lanthanide complexes with oxybenzo[h]quinoline. 2022 ,	0
191	Coinage Metal Complexes of Bis(quinoline-2-ylmethyl)phenylphosphine-Simple Reactions Can Lead to Unprecedented Results.. 2022 , e202100224	1

190	Structural and Energetic Aspects of Entacapone-Theophylline-Water Cocrystal. 2022 , 3, 66-92	0
189	Pronounced Magnetic Bistability in Highly Cooperative Mononuclear [Fe(L)(NCX)] Complexes.. 2022 , ,	3
188	Aggregation-induced emission in thiophene derivatives. 1	1
187	High-capacity NCNT-encapsulated metal NP catalysts on carbonised loofah with dual-reaction centres over C-M bond bridges for Fenton-like degradation of antibiotics. 2022 , 121205	1
186	Mono- and Binuclear Copper(II) Complexes with Different Structural Motifs and Geometries: Synthesis, Spectral Characterization, Dft Calculations and Superoxide Dismutase Enzymatic Activity.	
185	Replacement of chlorine atoms in 3,6-di-tert-butyl-4,5-dichloro-o-benzoquinone in reactions with alkali metal gem-dithiolates. New o-quinones and their properties. 2022 , 71, 114-125	0
184	The crystalline state of rubrene materials: intermolecular recognition, isomorphism, polymorphism, and periodic bond-chain analysis of morphologies.	0
183	Structure, magnetic properties and spin density of two alternative Mn(II) coordination polymers based on 1,4-bis(2'-carboxyphenoxy)benzene.. 2022 ,	0
182	Structural diversity and magnetic properties of copper(II) quinaldinate compounds with amino alcohols.	1
181	Structural Investigations, Hirschfeld Surface, Vibrational and Nmr Spectroscopies Analysis of a New Hybrid Complexes: (C ₆ H ₁₀ N ₂).Cl ₂ (I) and [C ₆ H ₁₀ N ₂] ₂ ZnCl ₄ (II).	
180	Alkyl substituent-dependent systematic change in cold crystallization of azo molecules.. 2022 , 12, 7229-7236	0
179	Pyridine interaction with [Cu]: synergy between molecular dynamics and molecular orbital approaches to molecule/surface interactions.. 2022 ,	1
178	Cycloaddition of isoselenocyanates to sodium and magnesium metallacycles.. 2022 ,	0
177	Insight into Efficient Removal of Phenanthrene by Fe ₃ O ₄ -Benzhydramine Nanocomposite: A Combined Experimental and Dft Studies.	
176	Structural topologies involving energetically significant antiparallel π -stacking and unconventional N(nitrile)⋯(Fumarate) contacts in dinuclear Zn(II) and polymeric Mn(II) compounds: antiproliferative evaluation and theoretical studies. 2022 , 46, 5296-5311	1
175	Solvent-driven structural topologies in phenanthroline-based co-crystals of Zn(II) involving fascinating infinite chair-like {[bzH ₄ Cl ₂] ₂] _n assemblies and unconventional layered infinite {bz-H ₂ O-Cl} _n anion-water clusters: antiproliferative evaluation and theoretical studies. 2022 , 46, 5638-5652	1
174	Influence of Hydrogen Bonds and π -Interactions on the Fluorescence of Crystalline (N-Alkylpyridyl)enamino-pyrrolo[2,3-b]quinoxalin-2-one Derivatives. 2022 , 22, 1571-1582	1
173	Normal-Mode Vibrational Analysis of Weakly Bound Oligomers at Constrained Stationary Points of Arbitrary Order.. 2022 ,	

- 172 Selenous Acid in an Aromatic Framework: Insights Into a Temperature-Sensitive Internal Redox System from the Solid State.. **2022**,
- 171 Ligand-to-ligand charge transfer state in lanthanide complexes containing π -bonded antenna ligands. **2022**, 32, 198-201 ○
- 170 Structurally Nontraditional Benzo[c]cinnoline-Based Electron-Transporting Materials with 3D Molecular Interaction Architecture.. **2022**, 1
- 169 Design and Synthesis of New Bithiophene Based Planar AIE Red Light Emitters: A Detailed Theoretical and Experimental Analysis**. **2022**, 7, ○
- 168 Structurally Nontraditional Benzo[c]cinnoline-Based Electron-Transporting Materials with 3D Molecular Interaction Architecture.
- 167 A New Class of Task-Specific Imidazolium Salts and Ionic Liquids and Their Corresponding Transition Metal Complexes for Immobilization on Electrochemically Active Surfaces.. **2022**, ○
- 166 Regioselective Synthesis of Naphthothiophenes by Pd Catalyzed Cross-Coupling Reactions and Alkyne-Carbonyl Metathesis.. **2022**, 1
- 165 Supramolecular Arrangement Built from Zinc and Cadmium Complexes with 4 π -(4-Substituted)-2,2':6 π ,2 π -Terpyridine: Crystallographic Investigation, Luminescence and Thermal Properties. 1 ○
- 164 A Photoresponsive Receptor with a 10⁵ Magnitude of Reversible Anion-Binding Switching.. **2022**,
- 163 Mono- and Rare Trinuclear Zn(II) Complexes with Near-Infrared Emissive Ligands: Anion-Responsive Nuclearity Control, Interconversion, Solid-State NIR Emission, and Latent Fingerprint Imaging. ○
- 162 Synthesis of (S)- and (R)- β -Tyrosine by Redesigned Phenylalanine Aminomutase. **2022**, 12, 397
- 161 Assembly of π -Stacking Helical Peptides into a Porous and Multivariable Proteomimetic Framework.. **2022**, 2
- 160 Treatment activity of a mixed-ligand coordination polymer on gastric carcinoma. **2022**, 99, 100426
- 159 New polymorph for Cd(II) chloro-bridged coordination polymer based on 3-aminopyrazin-2-carboxylic acid: Synthesis, structural characterization, Hirshfeld surface analysis, thermal properties and molecular docking study on the antifungal activity. **2022**, 1258, 132681
- 158 Zn(II) coordination polymer with π -stacked 4,4'-bipyridine dimers: Synthesis, structure and luminescent properties. **2022**, 219, 115793 1
- 157 Di- and tetra-nuclear oxorhenium(V) complexes of benzoylthiourea derivative ligands: Synthesis, structural characterization, and catalytic applications. **2022**, 219, 115786 ○
- 156 Efficient removal of fluoroquinolones antibiotics by using kaolin-tannic acid-Fe(III) composite adsorbents from water. **2022**, 222, 106490 ○
- 155 Pyridin-2-one in complexes, cocrystals and an ionic liquid. Syntheses, structures and thermal stability. **2022**, 1260, 132790

- 154 Synthesis, structure characterization, spectral properties, DFT calculations, hirshfeld surface analysis, thermal stability and bioactivity of a new sulfamethoxazole zinc(II) complex. **2022**, 1261, 132962 1
- 153 Ring-Opening of THF via an Intramolecular P/Al-Based Frustrated Lewis Pair: Assistance by C6F5 Groups beyond Electronegativity?. **2021**, 40, 4143-4149 0
- 152 A Mechanochromic and Vapochromic Luminescent Cuprous Complex Based on a Switchable Intramolecular π - π Interaction.. **2021**, 3
- 151 Highly Selective Synthesis of 6-Glyoxylamidoquinoline Derivatives via Palladium-Catalyzed Aminocarbonylation.. **2021**, 27, 0
- 150 Dynamic of oligomers composed of self-propelling π - π Agents. **2022**,
- 149 Zero-Dimensional Organic Copper(I) Iodide Hybrid with High Anti-Water Stability for Blue-Light-Excitable Solid-State Lighting. 2102619 10
- 148 Synthesis, characterization, electrochemical behavior, and catalytic activity of cobalt(II) metal complexes with pincer-type methylbenzamide derivative ligands. **2022**, 115846 0
- 147 Synthesis, Structural Characterization, and Water Vapor Sorption Behavior of Two Ligand Ratio-Dependent Supramolecular Networks, $[\text{Cd}(2,2'\text{-bpym})(\text{BDC})]_{0.5}(2,2'\text{-bpym})_2\cdot 5\text{HO}$ and $[\text{Cd}(2,2'\text{-bpym})(\text{BDC})(\text{HO})]$.. **2022**, 7, 14089-14101
- 146 Investigation of solid state architectures in tetrazolyl tryptophol stabilized by crucial aromatic interactions and hydrogen bonding: Experimental and theoretical analysis. **2022**, 1262, 133079 0
- 145 A new insight into the transfer and delivery of anti-SARS-CoV-2 drug Carmofur with the assistance of graphene oxide quantum dot as a highly efficient nanovector toward COVID-19 by molecular dynamics simulation.. **2022**, 12, 14167-14174 0
- 144 Sawhorse-type ruthenium complexes with triazolopyrimidine ligands - what do they represent in terms of cytotoxic and CORM compounds?.
- 143 Synthesis, structure, and luminescence properties of sodium and ytterbium complexes with 2-(benzothiazol-2-yl)selenophenolate ligands. **2022**, 71, 298-305
- 142 Interplay between Aryl \cdots Perfluoroaryl and Hydrogen Bonding Interactions in Cocrystals of Pentafluorophenol with Molecules of Trigonal Symmetry. **2022**, 22, 3493-3504 1
- 141 Structure, optical and magnetic properties of the pyridinium cobaltate $(\text{C}_6\text{H}_9\text{N}_2)_2[\text{CoCl}_4]$. **2022**, 121003
- 140 Novel coordination compounds featuring 9-chloro-9-phosphaalkenylchloro-9-germafluorene ligands. **2022**, 221, 115866
- 139 Fatty acid composition, acute toxicity and anti-inflammatory activity of the n-hexane extract from *Ranunculus macrophyllus* Desf. roots. **2022**, 148, 315-325 1
- 138 Insight into efficient removal of phenanthrene by Fe_3O_4 -benzhydrylamine nanocomposite: A combined experimental and DFT studies. **2022**, 445, 136824 1
- 137 New luminescent 10-oxybenzoquinolate complexes of rare earth metals. **2022**, 0

- 136 Excited-State Intramolecular Proton Transfer in 2-(2'-Hydroxyphenyl)pyrimidines: Synthesis, Optical Properties, and Theoretical Studies.. **2022**, 1
- 135 Direct demonstration of triplet excimer in purely organic room temperature phosphorescence through rational molecular design.. **2022**, 11, 142 2
- 134 Conversion of monodentate benzoylthiourea palladium(II) complex to bidentate coordination mode: Synthesis, crystal structure and catalytic activity in the Suzuki-Miyaura cross-coupling reaction. **2022**, 122374 0
- 133 Ag(I)-mediated hydrolysis of hydrazone to azine; synthesis, X-ray structure, and biological investigations of two new Ag(I)-azine complexes. 0
- 132 Mono- and binuclear copper(II) complexes with different structural motifs and geometries: Synthesis, spectral characterization, DFT calculations and superoxide dismutase enzymatic activity. **2022**, 222, 115913 0
- 131 Structural diversity of 9,10-phenanthrenequinone molecular complexes with metal halides. **2022**, 539, 121031 0
- 130 Orthopalladated N,N-Dimethyl-1-Phenethylamine Compounds Containing 2,6-Lutidine: Synthesis, DNA Binding Studies and Cytotoxicity Evaluation. 0
- 129 Ni(ii) complexes of a new tetradentate NN?N??O picolinoyl-1,2-phenylenediamide-phenolate redox-active ligand at different redox levels. 0
- 128 Multi-Decker Emissive Supramolecular Architectures Based on Shape-Complementary Ligands Pair. 2202167 1
- 127 Efficient Synthesis of 2-Aminopyridine Derivatives: Antibacterial Activity Assessment and Molecular Docking Studies. **2022**, 27, 3439 1
- 126 Through-Space Stabilization of an Imidazolium Cation by Aromatic Rings. 0
- 125 Preparation and evaluation of bismuth oxide nanoparticles by thermal degradation of metal organic framework. **2021**, 31, 259-265 0
- 124 Pyridine Dicarbanion-bonded Ag₁₃ Organometallic Nanoclusters: Synthesis and On-surface Oxidative Coupling Reaction. 0
- 123 Azo-oximate metal-carbonyl to metalcarboxylic acid via the intermediate Ir(iii) radical congener: quest for co-ligand driven stability of open- and closed-shell complexes. 1
- 122 Insight on noncovalent interactions and orbital constructs in low-dimensional antimony halide perovskites. 0
- 121 Synthesis, characterization, thermal behavior, and antitumor activities of an Ag(I) complex based on 4-(2-hydroxyphenyl)-2-methylpyrimidine. **2022**, 46, 174751982211035 0
- 120 Fentanyl Assay Derived from Intermolecular Interaction-Enabled Small Molecule Recognition (iMSR) with Differential Impedance Analysis for Point-of-Care Testing. 0
- 119 Cluster Compounds with Oxidised, Hexanuclear [Nb₆Cl₁₂I₆]_n [Anions (n =2 or 3). **2022**, 11, 0

- 118 Molecular Structural Insight into the Cold Crystallization Process of Ionic Liquid Crystals.
- 117 Role of Cl \cdots I halogen bonds in tuning the crystals of Uranyl-Dichlorothiophene carboxylate based hybrid cluster materials through N-donor counter ions. **2022**, 133524
- 116 Umpolung in a Pair of Cobalt(III) Terminal Imido/Imidyl Complexes. 1
- 115 A digold(I) π -tetraalkynyl macrocycle with host-guest properties. **2022**, 223, 115954
- 114 Structural and theoretical exploring of noncovalent interactions in Chlorido- and Nitrito-rhenium(I) tricarbonyl complexes bearing 2,3-Butadiene-bis(2-nitrobenzylidene)hydrazine Ligand: Intramolecular Re \cdots O-endo-ONO(lone pair) \cdots (C O) interaction. **2022**, 540, 121049
- 113 Cleaner and stronger: how 8-quinolinolate facilitates formation of Co(III)thiolate from Co(II)disulfide complexes. 0
- 112 Novel ditopic 2-mercaptothiazoles and their sodium salts: synthesis, structural diversity and luminescence.
- 111 Metal-Organic Hybrids Base on [Vo₂(L)]- Tecton with Cations of Imidazole and its Derivative: Synthesis, Single-Crystal Structures and Antidiabetic Properties metal-Organic Hybrids Base on [Vo₂(L)]- Tecton with Cations of Imidazole and its Derivative: Synthesis, Single-Crystal Structures and Antidiabetic Properties.
- 110 Umpolung in a Pair of Cobalt(III) Terminal Imido/Imidyl Complexes.
- 109 The Pink Box: Exclusive Homochiral Aromatic Stacking in a Bis-perylene Diimide Macrocycle. **2022**, 144, 12290-12298 3
- 108 Synthesis, spectral, structural characterization and Hirshfeld surface analysis of bis(4-hydroxypyridinium) hexachlorostannate(IV) hybrid. 1-15
- 107 Synthesis, structural characterization, and Hirshfeld surface analysis of novel NLO active 1-methyl-1,3,5,7-tetraazaadamantan-1-ium 3-carboxy-5-nitrobenzoate hydrate. **2022**, 133740 0
- 106 Ordered Mixed-Spacer 2D Bromide Perovskites and the Dual Role of 1,2,4-Triazolium Cation. 0
- 105 Verification for Temperature Dependence of Tacticity in Polystyrene Radical Polymerization with the Combination of Reaction Pathway Analysis and Red Moon Methodology. **2022**, 126, 5343-5350
- 104 An encapsulated neutral ruthenium catalyst for substrateselective oxidation of alcohols. 1
- 103 Synthesis, structure, and anticancer studies of Cu (II) and Ni (II) complexes based on (5-chlorosalicylaldehyde)-4-aminoantipyrine Schiff base.
- 102 The tetrel bonding role in supramolecular aggregation of lead(II) acetate and a thiosemicarbazide derivative. **2022**, 78, 685-694 0
- 101 Synthesis of Microporous Aluminosilicate by Direct Thermal Activation of Phenyl-Substituted Single-Source Aluminosilicate Molecular Precursors.

- 100 Effect of methylene versus ethylene linkers on structural properties of tert-butyl and mesityl bis(imidazolium) bromide salts. **2022**, 78,
- 99 A bibliographic survey of the supramolecular architectures sustained by delocalised CD(π -arene) interactions in metal-organic crystals. **2022**,
- 98 Investigation of [3H]diazepam derivatives as allosteric modulators of GABAA receptor β 1 β 2 α subtypes: combination of molecular docking/dynamic simulations, pharmacokinetics/drug-likeness prediction, and QSAR analysis.
- 97 Synthesis of a Chiral 3,6T22-Zn-MOF with a T-Shaped Bifunctional Pyrazole-Isophthalate Ligand Following the Principles of the Supramolecular Building Layer Approach. **2022**, 27, 5374 1
- 96 Solar-Driven Generation of Hydrogen Peroxide on Phenol/Resorcinol/Formaldehyde Resin Photocatalysts. 1
- 95 Design, Regioselective Synthesis, and Photophysical Properties of Perfluoronaphthalene-Based Donor/Acceptor Donor Fluorescent Dyes.
- 94 Pd(II) Complexes with Pyridine Ligands: Substituent Effects on the NMR Data, Crystal Structures, and Catalytic Activity. 0
- 93 New bioactive Co (II) coordination polymers with morpholine and carboxylate ligands; Synthesis, structures, spectroscopic and thermal properties. **2022**, 29,
- 92 Development of icaricide II loaded polymeric micelles and evaluation of anticancer activity in vitro and in vivo. **2022**, 75, 103652 1
- 91 A bismuth(III) complex [(1,10-phen)Bi(C2O4)1.5]: Synthesis, crystal structure and optical properties. **2022**, 542, 121115 1
- 90 A comparative DFT study on the π -stacking interaction of some N-based organic fused heterocycles with eclipsed and staggered conformations. **2022**, 99, 100698 0
- 89 Diverse structures and multi-step dielectric relaxation of three lead bromide hybrid crystals based on 1-aminopyridinium and its cyano-substituted Schiff bases. **2022**, 227, 116121 0
- 88 Metal-organic hybrids based on [VO2(L)] tecton with cations of imidazole and its derivative: Synthesis, single-crystal structures and molecular docking studies. **2022**, 227, 116125 0
- 87 Structural investigations and reactivity of cobalt(II) disulfide compounds. **2022**, 543, 121193 0
- 86 Influence of counter ions on supramolecular structures of copper(II) complexes derived from 1,8-naphthalimide tecton. **2023**, 1271, 134086 0
- 85 Fumarato and phthalato bridged dinuclear metal-organic Cu(ii) and Mn(ii) compounds involving infinite fumarate/water assemblies and unusual structure-guiding H-bonded synthons: antiproliferative evaluation and theoretical studies. **2022**, 46, 17817-17833 0
- 84 Hydroxamate based transition metal-organic coordination polymers with semiconductive properties. **2022**, 51, 12709-12716 0
- 83 Redox-switchable host-guest complexes of metallocenes and [8]cycloparaphenylene. **2022**, 14, 14276-14285 0

- 82 The effects of introducing terminal alkenyl substituents into the 2,2'-bipyridine domain in $[Cu(N^{\wedge}N)(P^{\wedge}P)]^+$ coordination compounds. **2022**, 51, 13094-13105 ○
- 81 Isomerization of two-dimensional non-fullerene electron acceptor materials for developing high-performance organic solar cells. **2022**, 10, 11286-11295 ○
- 80 Sterically demanding pyridine-quinoline anchoring ligands as building blocks for copper(i)-based dye-sensitized solar cell (DSSC) complexes. 1
- 79 The Role of the Bridge in Single-Ion Magnet Behaviour: Reinvestigation of Cobalt(II) Succinate and Fumarate Coordination Polymers with Nicotinamide. **2022**, 10, 128 ○
- 78 One pot synthesis of two potent Ag(I) complexes with quinoxaline ligand: X- ray structure, Hirshfeld analysis, antimicrobial, and antitumor investigations. ○
- 77 A strategy of constructing hybrid polymer helices promoted by polyacetylene chains in carbon nanotube. **2022**, 137, ○
- 76 Crystal structure of the monoglycidyl ether of isoeugenol. **2022**, 78, 1052-1055 ○
- 75 Electronic structures and optical properties of $(Ph_4P)MX_2$ ($M = Cu, Ag; X = Cl, Br$). **2022**, 123626 1
- 74 Benzo-furone-based diorganotin (IV) chelates as fluorescent probes for the detection of picric acid from soil and aqueous samples. ○
- 73 Remote Editing of Stacked Aromatic Assemblies for Heteroannular C-H Functionalization by a Palladium Switch between Aromatic Rings. 1
- 72 Remote Editing of Stacked Aromatic Assemblies for Heteroannular C-H Functionalization by a Palladium Switch between Aromatic Rings. ○
- 71 Experimental and Theoretical Study on the Interactions between Dopamine Hydrochloride and Vitamin B6 Hydrochloride. **2022**, 96, 2299-2306 ○
- 70 Syntheses and structural characterization of heterometallic trinuclear $\{Cu(I), Ag(I)\}-Ir(III)$ hydride complexes bridged by Ir metalloligands. **2022**, 100550 ○
- 69 Synthesis and Structure of Polymeric Copper(I) Compound with Single-Stranded Dihelicate Units involving Multiring Nitrogen-Heterocyclic Ligand. **2022**, 34, 2965-2968 ○
- 68 Synthesis of a Series of Pd(II) Complexes of the Type $[Pd(1,10-phen)(SRF)_2] \cdot Solvent$. An Interesting Case of Solvatomorphism. ○
- 67 Mechanism-Guided Computational Design of α -Transaminase by Reprogramming of High-Energy-Barrier Steps. ○
- 66 Palladium(II) Complexes with the 4,5-Bis(diphenylphosphino)acenaphthene Ligand and their Reactivity with Ethylene. ○
- 65 Anion-Coordination-Driven Assembly: From Discrete Supramolecular Self-Assemblies to Functional Soft Materials. ○

- 64 Chemically derived graphene quantum dots for high-strain sensing. **2022**, 0
- 63 Deciphering the Molecular Mechanism of Inhibition of β -Secretase (BACE1) Activity by a 2-Amino-imidazol-4-one Derivative. **2022**, 7, 1
- 62 Halogen-Halogen Interactions in the Context of Coordination Polymers: A Superior Design Element for Potential Applications. **2022**, 22, 6366-6378 1
- 61 Noncovalent Interactions in Halogenated Pyridinium Salts of the Weakly Coordinating Anion [Al(OTeF₅)₄]⁻ 0
- 60 Mechanism-Guided Computational Design of β -Transaminase by Reprogramming of High-Energy-Barrier Steps. 0
- 59 Synthesis of a New Ag(I)-Azine Complex via Ag(I)-Mediated Hydrolysis of 2-(((1-(Pyridin-2-yl)ethylidene)hydrazineylidene) Methyl)phenol with AgClO₄; X-ray Crystal Structure and Biological Studies. **2022**, 14, 2226 0
- 58 Short Aromatic Diammonium Ions Modulate Distortions in 2D Lead Bromide Perovskites for Tunable White-Light Emission. 2
- 57 Assessment of two-dimensional materials on the biological membrane permeability of Epirubicin anti-cancer drug. **2022**, 155557 0
- 56 Structural, Spectral Studies and Antimicrobial Activity of Zinc(II), Cadmium(II) and Nickel(II) Complexes of 2-Acetylbenzothioephene-3-thiosemicarbazone and 2-Acetylbenzothioephene-4-ethyl-3-thiosemicarbazone. **2022**, 110138 0
- 55 Synthesis and spectral studies of Ni(II) complexes involving functionalized dithiocarbamates and triphenylphosphine: X-ray crystal structure, thermal stability, Hirshfeld surface analysis, DFT and biological evaluation. **2023**, 545, 121271 0
- 54 A Keggin-type polyoxomolybdate-based crystalline material formed by hydrothermal transformation: photo/electro-catalytic properties and mechanism study. 0
- 53 The discovery of new cocrystals of 5-fluorocytosine using amine-carboxylate supramolecular synthon. **2022**, 103934 0
- 52 Trinodal self-penetrating versus cds'3-dimensional networks using bis(3,2':6',3"-terpyridine) building blocks: the solvent makes the difference. 0
- 51 Organic Charge-Transfer Complexes for Near-Infrared-Triggered Photothermal Materials. 2200220 1
- 50 In Situ Imaging and Computational Modeling Reveal That Thiophene Complexation with Co(II)porphyrin/Graphite Is Highly Cooperative. **2022**, 126, 19188-19199 0
- 49 Orthopalladated N,N-Dimethyl-1-Phenethylamine Compounds Containing 2,6-Lutidine: Synthesis, Dna Binding Studies and Cytotoxicity Evaluation. **2022**, 116185 0
- 48 Construction of Acylamide-functionalized MOFs for efficient catalysis on the conversion of CO₂. **2022**, 533, 112786 1
- 47 The role of the diyne bond on the excited state deactivation of diyne-bridged 7-azaindoles in solution and solid state. **2022**, 368, 120728 0

- 46 Experimental and theoretical studies of the effect of molecular conformation on the photophysical properties in the pyrene system. **2023**, 210, 111036 ○
- 45 Synthesis, Crystal Structure, Vibrational Study, Optical Properties and Hirshfeld Surface Analysis of a New Centrosymmetric Hybrid Material, Bis(3-Aminoquinolium) Tetrachloridocobaltate (II). **2023**, 16, 108-120 ○
- 44 Enzyme-substrate interactions in orotate-mimetic OPRT inhibitor complexes: A QM/MM analysis. ○
- 43 Cu(II)-Based Molecular Hexagons Forming Honeycomb-like Networks Exhibit High Electrical Conductivity. **2022**, 61, 19828-19837 ○
- 42 Steric and Electronic Effects in N-Heterocyclic Carbene Gold(III) Complexes: An Experimental and Computational Study. **2022**, 27, 8289 ○
- 41 One pot synthesis of two potent Ag(I) complexes with quinoxaline ligand, X-ray structure, Hirshfeld analysis, antimicrobial, and antitumor investigations. **2022**, 12, ○
- 40 Expanded Ligands Based upon Iron(II) Coordination Compounds of Asymmetrical Bis(terpyridine) Domains. **2023**, 28, 82 ○
- 39 Hydroboration of a Diolate Complex Obtained by Carbon Dioxide Capture with Acenaphthenediimine Aluminum Hydride. ○
- 38 New Pd(II)PPh₃ Complex Bearing Meta-Cyanobenzyl-Substituted NHC: Crystal Structure and Computational Studies. 2188-2198 ○
- 37 Impact of 1,10-Phenanthroline-Induced Intermediate Valence on the Luminescence of Divalent Europium Halides. ○
- 36 Selective Chromium(VI) Trapping by an Acetate-Releasing Coordination Polymer. **2022**, 61, 20824-20833 ○
- 35 Synthesis, structural characterization, Hirshfeld surface and theoretical studies of 2-bromopyridinium picrate. 1-14 ○
- 34 Title Heteroleptic copper(I) complexes bearing functionalized 1H-pyrazole-bipyridine ligands: synthesis, photophysical properties, crystal structure, and applications in halogen sensing. 1
- 33 Effect of non-covalent self-dimerization on the spectroscopic and electrochemical properties of mixed Cu(i) complexes. **2023**, 13, 825-838 ○
- 32 Synthesis, Crystal Packing Aspects and Pseudosymmetry in Coordination Compounds with a Phosphorylamide Ligand. **2023**, 15, 157 ○
- 31 Structure/function relationships of a new stannate (IV) complex based on 5,7-dichloro-8-hydroxyquinolinium, accomplished with DFT calculations. **2023**, 1277, 134811 ○
- 30 Molecular docking/dynamics simulations, MEP analysis, bioisosteric replacement and ADME/T prediction for identification of dual targets inhibitors of Parkinson's disease with novel scaffold. **2023**, 11, ○
- 29 Impact of an Ionic Liquid on Amino Acid Side Chains: A Perspective from Molecular Simulation Studies. ○

28	Pyridyl-imidazole copper compounds. 1-26	0
27	Substituents Make a Difference: 6,6-Modified Terpyridine Complexes with Helix Configuration and Enhanced Emission.	0
26	Supramolecular Assemblies in Pyridine- and Pyrazole-Based Coordination Compounds of Co(II) and Ni(II): Characterization, Hirshfeld Analysis and Theoretical Studies. 2023 , 13, 203	1
25	New supramolecular architectures of 4'-(4-quinoliny)-2,2':6',2'-terpyridine based on tin complexes: Design, structural variations and thermal properties. 2023 , 1279, 135038	0
24	Effect of Changing Anion on the Crystalline Structure, Crystal Structure, Hirshfeld Surface, IR and NMR Spectroscopy of Organic Salts and Hybrid Compounds: C ₆ H ₄ (NH ₃) ₃ (I),	0
23	One-step synthesis of polycyclic thianthrenes from unfunctionalized aromatics by thia-APEX reactions. 2023 , 10, 1880-1889	0
22	Cobalt(II), nickel(II), palladium(II) and zinc(II) metallothiosemicarbazones: Synthesis, characterization, X-ray structures and biological activity. 2023 , 551, 121462	0
21	Synthesis, structure and slow magnetic relaxation of Ce(III) phenylacetate complex. 2023 , 236, 116368	0
20	Preferred intermolecular cation-anion interactions within the [EMIM][DCA] ionic liquid and its interaction with a water co-solvent molecule. 2023 , 381, 121804	0
19	Recent advances in the design and applications of platinum-based supramolecular architectures and macromolecules. 2023 , 486, 215113	0
18	Fabrication of a pyridyl appended linear Co(II) based coordination polymer: Structural insights and molecular docking. 2023 , 552, 121493	0
17	Dielectric relaxation and C-F(benzene ring) halo-bond interactions in a lead halide hybrid crystal with bromine/iodine heterogeneous double-chain layer. 2023 , 552, 121492	0
16	3 a,6 a-Diaza-1,4-Diphosphapentalenes: Synthesis and Complexation with the Organic Acceptor 1,2,4,5-Tetracyanobenzene. 2023 , 88,	0
15	Ketyl Radicals Generated from Magnesium(I) Compounds: Useful Reagents for C-C Bond Forming Reactions.	0
14	Effect of Methoxy Ligand-Substituent and NCE Coligands in Tuning T _{1/2} of Coordinatively Elastic Fe(II) Spin Crossover Complexes. 2023 , 23, 1648-1655	0
13	Structural Engineering and Electronic Properties of Halide-Specific Supramolecular Architectures: Effective for Stabilizing H ₅ O ₂ ⁺ and Fabricating Semiconducting Photoresponsive Diodes. 2023 , 127, 3417-3431	0
12	Chirality as a Feature of the Crystal Structure of Lanthanide Ion Complexes: Some Simple Examples. 2023 , 13, 337	0
11	The effect of anions in the synthesis and structure of pyrazolylamidino copper(ii) complexes. 2023 , 52, 4429-4441	0

- 10 Using a diphenyl-bi-(1,2,4-triazole) tricarbonylrhenium(i) complex with intramolecular π -stacking interaction for efficient solid-state luminescence enhancement. ○
- 9 Packing Motifs in $[M(\text{bpy})_2\text{X}_2]$ Coordination Compounds (bpy = 2,2'-bipyridine; X = F, Cl, Br, I). **2023**, 13, 505 ○
- 8 Control of Molecular Packing in Crystal and Electron Communication of Two Ferrocenyl Moieties across Chiral Isomannide or Isosorbide Bridge. **2023**, 13, 520 ○
- 7 Solid-State Near-Infrared Emission of π -Conjugated Polymers Consisting of Boron Complexes with Vertically Projected Steric Substituents. **2023**, 56, 2709-2718 ○
- 6 Water Content-Controlled Formation and Transformation of Concomitant Pseudopolymorph Coordination Polymers. **2023**, 8, 13140-13152 ○
- 5 Supramolecular Structure of Tris(1,10-phenanthroline)zinc(II)-Cation and N,N',N'' -tris(carboxymethyl)-1,3,5-benzenetricarboxamide-Anion: Synthesis, Crystal Structure, Vibrational Spectra, and Theoretical Investigations. **2023**, 13, 569 ○
- 4 Synergistic effect of hydrogen bonds and π -interactions of $\text{B}(\text{C}_6\text{F}_5)_3\cdot\text{H}_2\text{O}$ /amides complex: Application in photoredox catalysis. **2023**, 26, 106528 ○
- 3 Synthesis and Characterization of New N -(Pyrazol-5-yl) amidine Derivatives: X-Ray Structure Hirshfeld Surface, and DFT Analyses together with Antibacterial and Antifungal Activity Studies. **2023**, 8, ○
- 2 Structural and molecular insights into tacrine-benzofuran hybrid induced inhibition of amyloid- β peptide aggregation and BACE1 activity. 1-17 ○
- 1 Synthesis, Crystal structure, Thermal, Spectroscopic and dielectric properties of partial substituted hybrid compound: $(\text{C}_6\text{H}_5\text{NH}_3)_2[\text{Cd}_{1.44}\text{Zn}_{0.06}\text{Cl}_5]$. **2023**, 116429 ○