

CITATION REPORT

List of articles citing

One-step inactivation of chromosomal genes in Escherichia coli K-12 using PCR products

DOI: 10.1073/pnas.120163297

Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 6640-5.

Source: <https://exaly.com/paper-pdf/31577879/citation-report.pdf>

Version: 2024-04-03

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2268	Characterization of a Hybrid Nonribosomal PeptideCarbohydrate Biosynthetic Pathway in <i>Photorhabdus luminescens</i> .		
2267	.		
2266	Characterization of the Biosynthetic Gene Cluster for the Antibiotic Armeniaspirols in <i>Streptomyces armeniacus</i> .		
2265	Specific Enrichment and Proteomics Analysis of <i>Escherichia coli</i> Persists from Rifampin Pretreatment.		
2264	On-PKS BaeyerVilliger-Type OAtom Insertion Catalyzed by Luciferase-Like Monooxygenase OvmO during Olimycin Biosynthesis.		
2263	Hybrubins: Bipyrrrole Tetramic Acids Obtained by Crosstalk between a Truncated Undecylprodigiosin Pathway and Heterologous Tetramic Acid Biosynthetic Genes.		
2262	Elucidating the Sugar Tailoring Steps in the Cytorhodin Biosynthetic Pathway.		
2261	Discovery and Biosynthesis of Atrovimycin, an Antitubercular and Antifungal Cyclodepsipeptide Featuring Vicinal-dihydroxylated Cinnamic Acyl Chain.		
2260	Thiostrepton Variants Containing a Contracted Quinaldic Acid Macrocycle Result from Mutagenesis of the Second Residue.		
2259	Members of a Novel Kinase Family (DUF1537) Can Recycle Toxic Intermediates into an Essential Metabolite.		
2258	Rhamnolipids Mediate an Interspecies Biofilm Dispersal Signaling Pathway.		
2257	Small Molecule Chelators Reveal That Iron Starvation Inhibits Late Stages of Bacterial Cytokinesis.		
2256	Deciphering Biosynthetic Enzymes Leading to 4Chloro-6-Methyl-5,7-Dihydroxyphenylglycine a Non-Proteinogenic Amino Acid in Totopotensamides.		
2255	.		
2254	.		
2253	Engineering Stable <i>Pseudomonas putida</i> S12 by CRISPR for 2,5-Furandicarboxylic Acid (FDCA) Production.		
2252	Cell-Free Mixing of <i>Escherichia coli</i> Crude Extracts to Prototype and Rationally Engineer High-Titer Mevalonate Synthesis.		

- 2251 Refactoring the EmbdenMeyerhofParnas Pathway as a Whole of Portable GlucoBricks for Implantation of Glycolytic Modules in Gram-Negative Bacteria.
- 2250 A Versatile Toolbox for the Control of Protein Levels Using NAcetyllysine Dependent Amber Suppression.
- 2249 Sort-Seq Approach to Engineering a Formaldehyde-Inducible Promoter for Dynamically Regulated *Escherichia coli* Growth on Methanol.
- 2248 Dynamic Blue Light-Inducible T7 RNA Polymerases (Opto-T7RNAPs) for Precise Spatiotemporal Gene Expression Control.
- 2247 Development of a Terpenoid-Production Platform in *Streptomyces reveromyceticus* SN-593.
- 2246 BioBits Health: Classroom Activities Exploring Engineering Biology, and Human Health with Fluorescent Readouts.
- 2245 The Antibiotic Novobiocin Binds and Activates the ATPase That Powers Lipopolysaccharide Transport.
- 2244 Biosynthesis of the Thiopeptins and Identification of an F420H2Dependent Dehydropiperidine Reductase.
- 2243 Reactivity of an Unusual Amidase May Explain Colibactins DNA Cross-Linking Activity.
- 2242 Proteomic Investigation of Tolerant *Escherichia coli* Populations from Cyclic Antibiotic Treatment.
- 2241 Genome Mining for Mycemycin: Discovery and Elucidation of Related Methylation and Chlorination Biosynthetic Chemistries.
- 2240 Genome Mining of *Streptomyces atratus* SCSIO ZH16: Discovery of Atratumycin and Identification of Its Biosynthetic Gene Cluster.
- 2239 *Escherichia coli* Strain Designed for Characterizing in Vivo Functions of Nicotinamide Adenine Dinucleotide Analogues.
- 2238 Engineered Biosynthesis of 5/5/6 Type Polycyclic Tetramate Macrolactams in an Ikarugamycin (5/6/5 Type)-Producing Chassis.
- 2237 Biochemical and Structural Insights into the Aminotransferase CrmG in Caerulomycin Biosynthesis.
- 2236 Characterization of Polyketide Synthase Machinery from the pks Island Facilitates Isolation of a Candidate Precolibactin.
- 2235 Genome Mining of Amino Group Carrier Protein-Mediated Machinery: Discovery and Biosynthetic Characterization of a Natural Product with Unique Hydrazone Unit.
- 2234 Assessment of *Anabaena* sp. Strain PCC 7120 as a Heterologous Expression Host for Cyanobacterial Natural Products: Production of Lyngbyatoxin A.

2233 Design and Assembly of DNA Sequence Libraries for Chromosomal Insertion in Bacteria Based on a Set of Modified MoClo Vectors.

2232 The Timing of Transcriptional Regulation in Synthetic Gene Circuits.

2231 Multilevel Regulation of Bacterial Gene Expression with the Combined STAR and Antisense RNA System.

2230 Design and Control of Extrachromosomal Elements in *Methylobacterium extorquens* AM1.

2229 The Product of *Yersinia pseudotuberculosis* mcc Operon Is a Peptide-Cytidine Antibiotic Activated Inside Producing Cells by the TldD/E Protease.

2228 Esterase-Catalyzed Siderophore Hydrolysis Activates an EnterobactinCiprofloxacin Conjugate and Confers Targeted Antibacterial Activity.

2227 Engineering Erg10 Thiolase from *Saccharomyces cerevisiae* as a Synthetic Toolkit for the Production of Branched-Chain Alcohols.

2226 P450-Catalyzed Tailoring Steps in Leinamycin Biosynthesis Featuring Regio- and Stereoselective Hydroxylations and Substrate Promiscuities.

2225 .

2224 .

2223 .

2222 Abstract.

2221 IFAC Publications, Published and Forthcoming volumes. **1984**, ii

2220 Surgical Treatment of Shoulder Injuries in Tennis Players. **1995**, 14, 139-161

6

2219 DNA cloning by homologous recombination in *Escherichia coli*. **2000**, 18, 1314-7

328

2218 Point mutation of bacterial artificial chromosomes by ET recombination. **2000**, 1, 239-43

116

2217 Transcriptional activation of an *Escherichia coli* copper efflux regulon by the chromosomal MerR homologue, cueR. **2000**, 275, 31024-9

238

2216 Tissue-specific gene expression identifies a gene in the lysogenic phage Gifsy-1 that affects *Salmonella enterica* serovar typhimurium survival in Peyer's patches. **2000**, 182, 4406-13

113

2215 10.1007/s10438-008-2004-0. **2000**, 1,

2214 Will genomics revolutionize antimicrobial drug discovery?. **2000**, 3, 522-7 20

2213 A rapid method for efficient gene replacement in the filamentous fungus *Aspergillus nidulans*. **2000**, 28, E97 316

2212 Phenotype microarrays for high-throughput phenotypic testing and assay of gene function. **2001**, 11, 1246-55 474

2211 Femtomolar sensitivity of metalloregulatory proteins controlling zinc homeostasis. **2001**, 292, 2488-92 1183

2210 *Escherichia coli* CopA N-terminal Cys(X)(2)Cys motifs are not required for copper resistance or transport. **2001**, 286, 414-8 51

2209 Cell toxicity caused by products of the p(L) operon of bacteriophage lambda. **2001**, 272, 227-35 39

2208 The TGV transgenic vectors for single-copy gene expression from the *Escherichia coli* chromosome. **2001**, 273, 97-104 23

2207 Transcription induces a supercoil domain barrier in bacteriophage Mu. **2001**, 83, 155-9 22

2206 Conditional-replication, integration, excision, and retrieval plasmid-host systems for gene structure-function studies of bacteria. **2001**, 183, 6384-93 456

2205 The independent cue and cus systems confer copper tolerance during aerobic and anaerobic growth in *Escherichia coli*. **2001**, 276, 30670-7 402

2204 Role of EscF, a putative needle complex protein, in the type III protein translocation system of enteropathogenic *Escherichia coli*. **2001**, 3, 753-62 98

2203 Variable assortment of prophages provides a transferable repertoire of pathogenic determinants in *Salmonella*. **2001**, 39, 260-71 224

2202 FtsQ, FtsL and FtsI require FtsK, but not FtsN, for co-localization with FtsZ during *Escherichia coli* cell division. **2001**, 42, 395-413 154

2201 What makes the bacteriophage lambda Red system useful for genetic engineering: molecular mechanism and biological function. **2001**, 201, 9-14 89

2200 Novel sigmaF-dependent genes of *Escherichia coli* found using a specified promoter consensus. **2001**, 202, 243-50 22

2199 The rfaH gene, which affects lipopolysaccharide synthesis in *Salmonella enterica* serovar Typhi, is differentially expressed during the bacterial growth phase. **2001**, 204, 123-8 15

2198 Group II introns as controllable gene targeting vectors for genetic manipulation of bacteria. **2001**, 19, 1162-7 176

2197	Recombineering: a powerful new tool for mouse functional genomics. 2001 , 2, 769-79		623
2196	FLEXGene repository: from sequenced genomes to gene repositories for high-throughput functional biology and proteomics. 2001 , 118, 155-65		44
2195	Techniques: Recombinogenic engineering--new options for cloning and manipulating DNA. 2001 , 26, 325-31		195
2194	ZitB (YbgR), a member of the cation diffusion facilitator family, is an additional zinc transporter in <i>Escherichia coli</i> . 2001 , 183, 4664-7		133
2193	Characterization of <i>grvA</i> , an antivirulence gene on the gifsy-2 phage in <i>Salmonella enterica</i> serovar typhimurium. 2001 , 183, 611-20		56
2192	Stationary-phase mutation in the bacterial chromosome: recombination protein and DNA polymerase IV dependence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 8334-41	11.5	98
2191	IscR, an Fe-S cluster-containing transcription factor, represses expression of <i>Escherichia coli</i> genes encoding Fe-S cluster assembly proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14895-900	11.5	324
2190	RelE, a global inhibitor of translation, is activated during nutritional stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14328-33	11.5	366
2189	Epitope tagging of chromosomal genes in <i>Salmonella</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 15264-9	11.5	423
2188	The alternative electron acceptor tetrathionate supports B12-dependent anaerobic growth of <i>Salmonella enterica</i> serovar typhimurium on ethanolamine or 1,2-propanediol. 2001 , 183, 2463-75		155
2187	An unsuspected autoregulatory pathway involving apocytochrome TorC and sensor TorS in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 11615-20	11.5	30
2186	Genes involved in copper homeostasis in <i>Escherichia coli</i> . 2001 , 183, 2145-7		185
2185	<i>Escherichia coli</i> FadR positively regulates transcription of the <i>fabB</i> fatty acid biosynthetic gene. 2001 , 183, 5982-90		108
2184	Growth inhibition caused by overexpression of the structural gene for glutamate dehydrogenase (<i>gdhA</i>) from <i>Klebsiella aerogenes</i> . 2001 , 183, 2709-14		17
2183	Assembly of large genomic segments in artificial chromosomes by homologous recombination in <i>Escherichia coli</i> . 2001 , 29, E37		19
2182	Homogeneous expression of the P(BAD) promoter in <i>Escherichia coli</i> by constitutive expression of the low-affinity high-capacity AraE transporter. 2001 , 147, 3241-7		234
2181	PduA is a shell protein of polyhedral organelles involved in coenzyme B(12)-dependent degradation of 1,2-propanediol in <i>Salmonella enterica</i> serovar typhimurium LT2. 2002 , 184, 1253-61		120
2180	Substrate specificity of the RND-type multidrug efflux pumps AcrB and AcrD of <i>Escherichia coli</i> is determined predominantly by two large periplasmic loops. 2002 , 184, 6490-8		226

2179	Functional analysis of the <i>Erwinia herbicola</i> <i>tutB</i> gene and its product. 2002 , 184, 3135-41	10
2178	Long-term and homogeneous regulation of the <i>Escherichia coli</i> <i>araBAD</i> promoter by use of a lactose transporter of relaxed specificity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 7373-7	11.5 91
2177	Identification of a novel fimbrial gene cluster related to long polar fimbriae in locus of enterocyte effacement-negative strains of enterohemorrhagic <i>Escherichia coli</i> . 2002 , 70, 6761-9	144
2176	The global regulator <i>ArcA</i> controls resistance to reactive nitrogen and oxygen intermediates in <i>Salmonella enterica</i> serovar Enteritidis. 2002 , 70, 451-61	68
2175	Proline residues at the C terminus of nascent chains induce <i>SsrA</i> tagging during translation termination. 2002 , 277, 33825-32	130
2174	Cho, a second endonuclease involved in <i>Escherichia coli</i> nucleotide excision repair. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 1467-72	11.5 67
2173	Genetic changes to optimize carbon partitioning between ethanol and biosynthesis in ethanologenic <i>Escherichia coli</i> . 2002 , 68, 6263-72	51
2172	The <i>NorR</i> protein of <i>Escherichia coli</i> activates expression of the flavorubredoxin gene <i>norV</i> in response to reactive nitrogen species. 2002 , 184, 4640-3	102
2171	The <i>Escherichia coli</i> cell division protein <i>FtsW</i> is required to recruit its cognate transpeptidase, <i>FtsI</i> (PBP3), to the division site. 2002 , 184, 904-12	139
2170	Genomic and functional analyses of SXT, an integrating antibiotic resistance gene transfer element derived from <i>Vibrio cholerae</i> . 2002 , 184, 4259-69	206
2169	The enigmatic <i>Escherichia coli</i> <i>fadE</i> gene is <i>yafH</i> . 2002 , 184, 3759-64	70
2168	The <i>baeSR</i> two-component regulatory system activates transcription of the <i>yegMNOB</i> (<i>mdtABCD</i>) transporter gene cluster in <i>Escherichia coli</i> and increases its resistance to novobiocin and deoxycholate. 2002 , 184, 4168-76	204
2167	<i>DksA</i> affects ppGpp induction of <i>RpoS</i> at a translational level. 2002 , 184, 4455-65	152
2166	Tools for characterization of <i>Escherichia coli</i> genes of unknown function. 2002 , 184, 4573-81	69
2165	Biosynthesis pathway of ADP-L-glycero-beta-D-manno-heptose in <i>Escherichia coli</i> . 2002 , 184, 363-9	141
2164	Characterization of the depletion of 2-C-methyl-D-erythritol-2,4-cyclodiphosphate synthase in <i>Escherichia coli</i> and <i>Bacillus subtilis</i> . 2002 , 184, 5609-18	44
2163	Regulation of sigma factor competition by the alarmone ppGpp. 2002 , 16, 1260-70	265
2162	N-hydroxyarylamine O-acetyltransferase-deficient <i>Escherichia coli</i> strains are resistant to the mutagenicity of nitro compounds. 2002 , 383, 977-82	10

2161	ArgR-independent induction and ArgR-dependent superinduction of the astCADBE operon in <i>Escherichia coli</i> . 2002 , 184, 2940-50	68
2160	Global expression profiling of acetate-grown <i>Escherichia coli</i> . 2002 , 277, 13175-83	225
2159	O-antigen expression in <i>Salmonella enterica</i> serovar Typhi is regulated by nitrogen availability through RpoN-mediated transcriptional control of the rfaH gene. 2002 , 148, 3789-3799	23
2158	Phenotypes of <i>lexA</i> mutations in <i>Salmonella enterica</i> : evidence for a lethal <i>lexA</i> null phenotype due to the Fels-2 prophage. 2002 , 184, 6235-49	53
2157	The <i>fixA</i> and <i>fixB</i> genes are necessary for anaerobic carnitine reduction in <i>Escherichia coli</i> . 2002 , 184, 4044-7	36
2156	ZntB is a novel Zn ²⁺ transporter in <i>Salmonella enterica</i> serovar Typhimurium. 2002 , 184, 4369-73	64
2155	Gene expression profiling of the pH response in <i>Escherichia coli</i> . 2002 , 184, 6551-8	194
2154	SpiC is required for translocation of <i>Salmonella</i> pathogenicity island 2 effectors and secretion of translocon proteins SseB and SseC. 2002 , 184, 4971-80	71
2153	<i>Vibrio parahaemolyticus</i> scrABC, a novel operon affecting swarming and capsular polysaccharide regulation. 2002 , 184, 5946-54	102
2152	FimZ is a molecular link between sticking and swimming in <i>Salmonella enterica</i> serovar Typhimurium. 2002 , 184, 1209-13	87
2151	Recombination-promoting activity of the bacteriophage lambda Rap protein in <i>Escherichia coli</i> K-12. 2002 , 184, 4626-9	12
2150	ZupT is a Zn(II) uptake system in <i>Escherichia coli</i> . 2002 , 184, 864-6	142
2149	Genome-based identification of chromosomal regions specific for <i>Salmonella</i> spp. 2002 , 70, 2351-60	47
2148	Identification of GtgE, a novel virulence factor encoded on the Gifsy-2 bacteriophage of <i>Salmonella enterica</i> serovar Typhimurium. 2002 , 184, 5234-9	83
2147	Engineering a reduced <i>Escherichia coli</i> genome. 2002 , 12, 640-7	214
2146	The <i>Escherichia coli</i> gabDTPC operon: specific gamma-aminobutyrate catabolism and nonspecific induction. 2002 , 184, 6976-86	59
2145	Role for <i>radA/sms</i> in recombination intermediate processing in <i>Escherichia coli</i> . 2002 , 184, 6836-44	83
2144	Utilization of L-ascorbate by <i>Escherichia coli</i> K-12: assignments of functions to products of the <i>yjf-sga</i> and <i>yia-sgb</i> operons. 2002 , 184, 302-6	94

2143	Transcription factor FnrP from <i>Paracoccus denitrificans</i> contains an iron-sulfur cluster and is activated by anoxia: identification of essential cysteine residues. 2002 , 184, 503-8	29
2142	<i>Salmonella</i> pathogenicity island 2 mediates protection of intracellular <i>Salmonella</i> from reactive nitrogen intermediates. 2002 , 195, 1155-66	260
2141	Collaborative regulation of <i>Escherichia coli</i> glutamate-dependent acid resistance by two AraC-like regulators, GadX and GadW (YhiW). 2002 , 184, 7001-12	114
2140	Regulation of <i>Salmonella enterica</i> serovar Typhimurium <i>mntH</i> transcription by H ₂ O ₂ , Fe(2+), and Mn(2+). 2002 , 184, 3151-8	120
2139	YgbQ, a cell division protein in <i>Escherichia coli</i> and <i>Vibrio cholerae</i> , localizes in codependent fashion with FtsL to the division site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 6316-21	11.5 65
2138	Reconstitution of the trimethylamine oxide reductase regulatory elements of <i>Shewanella oneidensis</i> in <i>Escherichia coli</i> . 2002 , 184, 1262-9	32
2137	The O-antigen gene cluster of <i>Escherichia coli</i> O55:H7 and identification of a new UDP-GlcNAc C4 epimerase gene. 2002 , 184, 2620-5	78
2136	<i>Streptomyces coelicolor</i> A3(2): from genome sequence to function. 2002 , 33, 321-336	5
2135	Role of <i>Escherichia coli</i> curli operons in directing amyloid fiber formation. 2002 , 295, 851-5	940
2134	Imbroglis of viral taxonomy: genetic exchange and failings of phenetic approaches. 2002 , 184, 4891-905	208
2133	MazG, a nucleoside triphosphate pyrophosphohydrolase, interacts with Era, an essential GTPase in <i>Escherichia coli</i> . 2002 , 184, 5323-9	63
2132	ClpS, a substrate modulator of the ClpAP machine. 2002 , 9, 673-83	241
2131	New approaches and old problems in the shadow of bioterrorism. 2002 , 10, 112-4	1
2130	Herpesvirus genetics has come of age. 2002 , 10, 318-24	91
2129	Construction of targeted single copy lac fusions using lambda Red and FLP-mediated site-specific recombination in bacteria. 2002 , 290, 153-61	248
2128	Spectroscopy of Cu(II)-PcoC and the multicopper oxidase function of PcoA, two essential components of <i>Escherichia coli</i> pco copper resistance operon. 2002 , 41, 10046-55	82
2127	Efficient method to generate homologous recombinant baculovirus genomes in <i>E. coli</i> . 2002 , 32, 783-4, 786, 788	36
2126	The Genomes of <i>Escherichia coli</i> K-12 and Pathogenic <i>E. coli</i> . 2002 , 3-53	12

2125	The C-terminal amino acid sequence of nascent peptide is a major determinant of SsrA tagging at all three stop codons. 2002 , 8, 1416-27	43
2124	The Shiga-toxin VT2-encoding bacteriophage varphi297 integrates at a distinct position in the <i>Escherichia coli</i> genome. 2002 , 1579, 196-202	14
2123	The FLEXGene repository: exploiting the fruits of the genome projects by creating a needed resource to face the challenges of the post-genomic era. 2002 , 33, 318-24	36
2122	Screening for stabilization of proteins with a trans-translation signature in <i>Escherichia coli</i> selects for inactivation of the ClpXP protease. 2002 , 266, 827-31	12
2121	SsrA-mediated protein tagging in the presence of miscoding drugs and its physiological role in <i>Escherichia coli</i> . 2002 , 7, 629-38	71
2120	Genetic analysis of <i>Salmonella enteritidis</i> biofilm formation: critical role of cellulose. 2002 , 43, 793-808	385
2119	OmpR-dependent and OmpR-independent responses of <i>Escherichia coli</i> to sublethal attack by the neutrophil bactericidal/permeability increasing protein. 2002 , 43, 1493-504	15
2118	The switch from inorganic to organic sulphur assimilation in <i>Escherichia coli</i> : adenosine 5'-phosphosulphate (APS) as a signalling molecule for sulphate excess. 2002 , 43, 1347-58	52
2117	RNase G complementation of <i>rne</i> null mutation identifies functional interrelationships with RNase E in <i>Escherichia coli</i> . 2002 , 43, 1445-56	148
2116	The roles of the polytopic membrane proteins NarK, NarU and NirC in <i>Escherichia coli</i> K-12: two nitrate and three nitrite transporters. 2002 , 44, 143-55	93
2115	Roles of NapF, NapG and NapH, subunits of the <i>Escherichia coli</i> periplasmic nitrate reductase, in ubiquinol oxidation. 2002 , 44, 245-55	145
2114	Complementary activities of SseJ and SifA regulate dynamics of the <i>Salmonella typhimurium</i> vacuolar membrane. 2002 , 44, 645-61	212
2113	Bacteriophage control of Shiga toxin 1 production and release by <i>Escherichia coli</i> . 2002 , 44, 957-70	180
2112	Conjugal transfer of the virulence plasmid of <i>Salmonella enterica</i> is regulated by the leucine-responsive regulatory protein and DNA adenine methylation. 2002 , 44, 1589-98	74
2111	Activation of the <i>Escherichia coli</i> <i>nfnB</i> gene by MarA through a highly divergent marbox in a class II promoter. 2002 , 45, 191-202	30
2110	Rapid induction and reversal of a bacteriostatic condition by controlled expression of toxins and antitoxins. 2002 , 45, 501-10	310
2109	Fe(III)-mediated cellular toxicity. 2002 , 45, 711-9	63
2108	Competition between SsrA tagging and translational termination at weak stop codons in <i>Escherichia coli</i> . 2002 , 45, 745-54	50

2107	A new mutation delivery system for genome-scale approaches in <i>Bacillus subtilis</i> . 2002 , 46, 25-36	151
2106	Differential accumulation of <i>Salmonella</i> [Cu, Zn] superoxide dismutases SodCI and SodCII in intracellular bacteria: correlation with their relative contribution to pathogenicity. 2002 , 46, 147-56	63
2105	The GlnD and GlnK homologues of <i>Streptomyces coelicolor</i> A3(2) are functionally dissimilar to their nitrogen regulatory system counterparts from enteric bacteria. 2002 , 46, 319-30	75
2104	Transcriptome analysis of all two-component regulatory system mutants of <i>Escherichia coli</i> K-12. 2002 , 46, 281-91	309
2103	The <i>Salmonella enterica</i> sv. Typhimurium smvA, yddG and ompD (porin) genes are required for the efficient efflux of methyl viologen. 2002 , 46, 687-98	69
2102	SseF and SseG are translocated effectors of the type III secretion system of <i>Salmonella</i> pathogenicity island 2 that modulate aggregation of endosomal compartments. 2002 , 4, 813-24	115
2101	Identification and characterization of the <i>Escherichia coli</i> stress protein UP12, a putative in vivo substrate of GroEL. 2002 , 269, 3032-40	29
2100	Oxidative demethylation by <i>Escherichia coli</i> AlkB directly reverts DNA base damage. 2002 , 419, 174-8	604
2099	A biological role for prokaryotic ClC chloride channels. 2002 , 419, 715-8	178
2098	Competence to replicate in the unfertilized egg is conferred by Cdc6 during meiotic maturation. 2002 , 419, 718-22	49
2097	L23 protein functions as a chaperone docking site on the ribosome. 2002 , 419, 171-4	266
2096	Minimization of the <i>Escherichia coli</i> genome using a Tn5-targeted Cre/loxP excision system. 2002 , 20, 1018-23	127
2095	Cloning, expression and characterization of L-arabinose isomerase from <i>Thermotoga neapolitana</i> : bioconversion of D-galactose to D-tagatose using the enzyme. 2002 , 212, 121-6	117
2094	Phage HK022-based integrative vectors for the insertion of genes in the chromosome of multiply marked <i>Escherichia coli</i> strains. 2002 , 213, 45-9	6
2093	Recombinogenic engineering of conjugative plasmids with fluorescent marker cassettes. 2002 , 42, 251-9	21
2092	Genetic engineering using homologous recombination. 2002 , 36, 361-88	382
2091	Four cysteines of the membrane protein DsbB act in concert to oxidize its substrate DsbA. 2002 , 21, 2354-63	88
2090	Replication fork collapse at replication terminator sequences. 2002 , 21, 3898-907	89

2089	Hallmarks of homology recognition by RecA-like recombinases are exhibited by the unrelated <i>Escherichia coli</i> RecT protein. 2003 , 22, 324-34	33
2088	SufC: an unorthodox cytoplasmic ABC/ATPase required for [Fe-S] biogenesis under oxidative stress. 2003 , 22, 427-37	219
2087	The OmpL porin does not modulate redox potential in the periplasmic space of <i>Escherichia coli</i> . 2003 , 22, 1461-6	16
2086	A transporter of <i>Escherichia coli</i> specific for L- and D-methionine is the prototype for a new family within the ABC superfamily. 2003 , 180, 88-100	50
2085	<i>Shigella flexneri</i> 2a strain 2457T expresses three members of the H-NS-like protein family: characterization of the Sfh protein. 2003 , 270, 66-77	61
2084	Cloning of the genomes of human cytomegalovirus strains Toledo, TownevarRIT3, and Towne long as BACs and site-directed mutagenesis using a PCR-based technique. 2003 , 307, 164-77	41
2083	Expression of recombinant proteins in a lipid A mutant of <i>Escherichia coli</i> BL21 with a strongly reduced capacity to induce dendritic cell activation and maturation. 2003 , 272, 199-210	36
2082	Analysis of <i>Escherichia coli</i> anaplerotic metabolism and its regulation mechanisms from the metabolic responses to altered dilution rates and phosphoenolpyruvate carboxykinase knockout. 2003 , 84, 129-44	110
2081	NAD biosynthesis: identification of the tryptophan to quinolinate pathway in bacteria. 2003 , 10, 1195-204	140
2080	Characterization of a novel unique restriction-modification system from <i>Yersinia enterocolitica</i> O:8 1B. 2003 , 219, 249-52	6
2079	Analysis of metabolic and physiological responses to gnd knockout in <i>Escherichia coli</i> by using C-13 tracer experiment and enzyme activity measurement. 2003 , 220, 295-301	43
2078	BldD from <i>Streptomyces coelicolor</i> is a non-essential global regulator that binds its own promoter as a dimer. 2003 , 225, 35-40	27
2077	Systematic characterization of <i>Escherichia coli</i> genes/ORFs affecting biofilm formation. 2003 , 225, 107-14	36
2076	Mutations in <i>deoB</i> and <i>deoC</i> alter an extracellular signaling pathway required for activation of the <i>gab</i> operon in <i>Escherichia coli</i> . 2003 , 228, 151-7	5
2075	Allelic exchange in <i>Francisella tularensis</i> using PCR products. 2003 , 229, 195-202	81
2074	Clorobiocin biosynthesis in <i>Streptomyces</i> : identification of the halogenase and generation of structural analogs. 2003 , 10, 279-88	78
2073	A rapid and simple method for inactivating chromosomal genes in <i>Yersinia</i> . 2003 , 38, 113-6	195
2072	GadE (YhiE) activates glutamate decarboxylase-dependent acid resistance in <i>Escherichia coli</i> K-12. 2003 , 49, 1309-20	152

2071	The type III secretion chaperone FlgN regulates flagellar assembly via a negative feedback loop containing its chaperone substrates FlgK and FlgL. 2003 , 49, 1333-45	71
2070	Lethality of bypass polymerases in <i>Escherichia coli</i> cells with a defective clamp loader complex of DNA polymerase III. 2003 , 50, 193-204	26
2069	Regulation of <i>Salmonella typhimurium</i> virulence gene expression by cationic antimicrobial peptides. 2003 , 50, 219-30	208
2068	A rare leucine codon in <i>adpA</i> is implicated in the morphological defect of <i>bldA</i> mutants of <i>Streptomyces coelicolor</i> . 2003 , 50, 475-86	106
2067	SetB: an integral membrane protein that affects chromosome segregation in <i>Escherichia coli</i> . 2003 , 50, 495-509	54
2066	The first committed step in the biosynthesis of sialic acid by <i>Escherichia coli</i> K1 does not involve a phosphorylated N-acetylmannosamine intermediate. 2003 , 50, 961-75	39
2065	Lsr-mediated transport and processing of AI-2 in <i>Salmonella typhimurium</i> . 2003 , 50, 1411-27	239
2064	Enteropathogenic and enterohaemorrhagic <i>Escherichia coli</i> deliver a novel effector called Cif, which blocks cell cycle G2/M transition. 2003 , 50, 1553-67	165
2063	Multiple stress signal integration in the regulation of the complex sigma S-dependent <i>csiD-ygaF-gabDTP</i> operon in <i>Escherichia coli</i> . 2004 , 51, 799-811	53
2062	<i>Escherichia coli</i> Hsp31 functions as a holding chaperone that cooperates with the DnaK-DnaJ-GrpE system in the management of protein misfolding under severe stress conditions. 2004 , 51, 849-59	47
2061	Functional genomics by NMR spectroscopy. Phenylacetate catabolism in <i>Escherichia coli</i> . 2003 , 270, 3047-54	71
2060	Phage annealing proteins promote oligonucleotide-directed mutagenesis in <i>Escherichia coli</i> and mouse ES cells. 2003 , 4, 1	86
2059	Lambda Red-mediated recombinogenic engineering of enterohemorrhagic and enteropathogenic <i>E. coli</i> . 2003 , 4, 11	262
2058	Control of the <i>Salmonella ugd</i> gene by three two-component regulatory systems. 2003 , 47, 335-44	102
2057	EspH, a new cytoskeleton-modulating effector of enterohaemorrhagic and enteropathogenic <i>Escherichia coli</i> . 2003 , 47, 595-606	145
2056	A new <i>Escherichia coli</i> metabolic competency: growth on fatty acids by a novel anaerobic beta-oxidation pathway. 2003 , 47, 793-805	154
2055	Anticipating an alkaline stress through the Tor phosphorelay system in <i>Escherichia coli</i> . 2003 , 48, 211-23	73
2054	<i>virK</i> , <i>somA</i> and <i>rscC</i> are important for systemic <i>Salmonella enterica</i> serovar Typhimurium infection and cationic peptide resistance. 2003 , 48, 385-400	127

2053	A novel sRNA component of the carbon storage regulatory system of <i>Escherichia coli</i> . 2003 , 48, 657-70	290
2052	Regulatory and functional co-operation of flagella and type 1 pili in adhesive and invasive abilities of AIEC strain LF82 isolated from a patient with Crohn's disease. 2003 , 48, 781-94	106
2051	Identification of a novel type IV pilus gene cluster required for gastrointestinal colonization of <i>Citrobacter rodentium</i> . 2003 , 48, 795-809	87
2050	Suppression of defective ribosome assembly in a <i>rbfA</i> deletion mutant by overexpression of Era, an essential GTPase in <i>Escherichia coli</i> . 2003 , 48, 1005-16	98
2049	Replication restart in <i>gyrB</i> <i>Escherichia coli</i> mutants. 2003 , 48, 845-54	47
2048	The <i>Escherichia coli</i> amidase AmiC is a periplasmic septal ring component exported via the twin-arginine transport pathway. 2003 , 48, 1171-82	257
2047	RelE toxins from bacteria and Archaea cleave mRNAs on translating ribosomes, which are rescued by tmRNA. 2003 , 48, 1389-400	276
2046	RdgB acts to avoid chromosome fragmentation in <i>Escherichia coli</i> . 2003 , 48, 1711-25	58
2045	Species specificity in the activation of Xer recombination at <i>dif</i> by FtsK. 2003 , 49, 241-9	42
2044	The K1 capsule modulates trafficking of <i>E. coli</i> -containing vacuoles and enhances intracellular bacterial survival in human brain microvascular endothelial cells. 2003 , 5, 245-52	102
2043	Cloning of herpesviral genomes as bacterial artificial chromosomes. 2003 , 13, 111-21	65
2042	Massive parallelism, randomness and genomic advances. 2003 , 33 Suppl, 219-27	58
2041	Toll-like receptor 5 recognizes a conserved site on flagellin required for protofilament formation and bacterial motility. 2003 , 4, 1247-53	614
2040	The <i>Drosophila</i> immune system detects bacteria through specific peptidoglycan recognition. 2003 , 4, 478-84	430
2039	Genetic strategies for antibacterial drug discovery. 2003 , 4, 442-56	134
2038	Evolutionary potential of (beta/alpha) ₈ -barrels: functional promiscuity produced by single substitutions in the enolase superfamily. 2003 , 42, 8387-93	157
2037	Dysfunctional MreB inhibits chromosome segregation in <i>Escherichia coli</i> . 2003 , 22, 5283-92	233
2036	Negative osmoregulation of the <i>Salmonella</i> <i>ompS1</i> porin gene independently of <i>OmpR</i> in an <i>hns</i> background. 2003 , 185, 6497-506	22

2035	Phenotype microarray analysis of Escherichia coli K-12 mutants with deletions of all two-component systems. 2003 , 185, 4956-72	232
2034	Production of optically pure D-lactic acid in mineral salts medium by metabolically engineered Escherichia coli W3110. 2003 , 69, 399-407	196
2033	High levels of intracellular cysteine promote oxidative DNA damage by driving the fenton reaction. 2003 , 185, 1942-50	339
2032	Dissection of the EntF condensation domain boundary and active site residues in nonribosomal peptide synthesis. 2003 , 42, 1334-44	52
2031	The bacterial adaptive response gene, barA, encodes a novel conserved histidine kinase regulatory switch for adaptation and modulation of metabolism in Escherichia coli. 2003 , 253, 167-77	23
2030	Cleavage of the A site mRNA codon during ribosome pausing provides a mechanism for translational quality control. 2003 , 12, 903-11	190
2029	Toxin-antitoxin loci as stress-response-elements: ChpAK/MazF and ChpBK cleave translated RNAs and are counteracted by tmRNA. 2003 , 332, 809-19	319
2028	The role of RbfA in 16S rRNA processing and cell growth at low temperature in Escherichia coli. 2003 , 332, 575-84	73
2027	New partners of acyl carrier protein detected in Escherichia coli by tandem affinity purification. 2003 , 548, 90-6	91
2026	Gene replacement without selection: regulated suppression of amber mutations in Escherichia coli. 2003 , 311, 153-63	129
2025	Inducible expression system and marker-linked mutagenesis approach for functional genomics of Haemophilus influenzae. 2003 , 316, 177-86	19
2024	MazF cleaves cellular mRNAs specifically at ACA to block protein synthesis in Escherichia coli. 2003 , 12, 913-23	454
2023	A new method for rapidly generating gene-targeting vectors by engineering BACs through homologous recombination in bacteria. 2003 , 13, 2190-4	45
2022	Recombineering: Genetic Engineering in Bacteria Using Homologous Recombination. 2003 , 62, 1.16.1	2
2021	Molecular analysis of the copper-transporting efflux system CusCFBA of Escherichia coli. 2003 , 185, 3804-12	379
2020	The enzymology of combinatorial biosynthesis. 2003 , 23, 95-147	67
2019	The ascorbate transporter of Escherichia coli. 2003 , 185, 2243-50	62
2018	Chimeric analysis of AcrA function reveals the importance of its C-terminal domain in its interaction with the AcrB multidrug efflux pump. 2003 , 185, 5349-56	84

2017	Single-stranded DNA induces ataxia telangiectasia mutant (ATM)/p53-dependent DNA damage and apoptotic signals. 2003 , 278, 12475-81	47
2016	Ac23, an envelope fusion protein homolog in the baculovirus <i>Autographa californica</i> multicapsid nucleopolyhedrovirus, is a viral pathogenicity factor. 2003 , 77, 328-39	76
2015	DegS is necessary for virulence and is among extraintestinal <i>Escherichia coli</i> genes induced in murine peritonitis. 2003 , 71, 3088-96	49
2014	Enhanced CXC chemokine responses of human colonic epithelial cells to locus of enterocyte effacement-negative shiga-toxigenic <i>Escherichia coli</i> . 2003 , 71, 5623-32	32
2013	RtsA and RtsB coordinately regulate expression of the invasion and flagellar genes in <i>Salmonella enterica</i> serovar Typhimurium. 2003 , 185, 5096-108	137
2012	Mutagenesis of a bovine herpesvirus type 1 genome cloned as an infectious bacterial artificial chromosome: analysis of glycoprotein E and G double deletion mutants. 2003 , 84, 301-306	28
2011	CesD2 of enteropathogenic <i>Escherichia coli</i> is a second chaperone for the type III secretion translocator protein EspD. 2003 , 71, 2130-41	44
2010	The periplasmic protein MppA requires an additional mutated locus to repress <i>marA</i> expression in <i>Escherichia coli</i> . 2003 , 185, 1465-9	5
2009	Genetic and biochemical studies of phosphatase activity of PhoR. 2003 , 185, 1112-5	47
2008	Mutant analysis of the <i>Escherichia coli</i> FhuA protein reveals sites of FhuA activity. 2003 , 185, 4683-92	45
2007	Association of <i>Salmonella enterica</i> serovar enteritidis <i>yafD</i> with resistance to chicken egg albumen. 2003 , 71, 6734-41	79
2006	Cosmid-based system for transient expression and absolute off-to-on transcriptional control of <i>Escherichia coli</i> genes. 2003 , 185, 6522-9	15
2005	Beta-ketoacyl-acyl carrier protein synthase III (FabH) is essential for bacterial fatty acid synthesis. 2003 , 278, 51494-503	125
2004	YjdE (AdiC) is the arginine:agmatine antiporter essential for arginine-dependent acid resistance in <i>Escherichia coli</i> . 2003 , 185, 4402-9	100
2003	Combination of overlapping bacterial artificial chromosomes by a two-step recombinogenic engineering method. 2003 , 31, e81	20
2002	Single-copy green fluorescent protein gene fusions allow accurate measurement of <i>Salmonella</i> gene expression in vitro and during infection of mammalian cells. 2003 , 69, 7480-91	195
2001	Responses of the central metabolism in <i>Escherichia coli</i> to phosphoglucose isomerase and glucose-6-phosphate dehydrogenase knockouts. 2003 , 185, 7053-67	162
2000	A novel unanticipated type of pseudouridine synthase with homologs in bacteria, archaea, and eukarya. 2003 , 9, 711-21	84

1999	Transposon-like organization of the plasmid-borne organophosphate degradation (opd) gene cluster found in <i>Flavobacterium</i> sp. 2003 , 69, 2533-9	72
1998	Enhanced levels of lambda Red-mediated recombinants in mismatch repair mutants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 15748-53	11.5 222
1997	<i>Escherichia coli</i> RecX inhibits RecA recombinase and coprotease activities in vitro and in vivo. 2003 , 278, 2278-85	140
1996	A novel class of secreted hydrophobic proteins is involved in aerial hyphae formation in <i>Streptomyces coelicolor</i> by forming amyloid-like fibrils. 2003 , 17, 1714-26	268
1995	Efficient turnover of chlorocatechols is essential for growth of <i>Ralstonia eutropha</i> JMP134(pJP4) in 3-chlorobenzoic acid. 2003 , 185, 1534-42	47
1994	Comparative analysis of <i>Salmonella enterica</i> serovar Typhimurium biofilm formation on gallstones and on glass. 2003 , 71, 7154-8	129
1993	Flagellar phase variation in <i>Salmonella enterica</i> is mediated by a posttranscriptional control mechanism. 2003 , 185, 3567-74	105
1992	SoxRS-regulated expression and genetic analysis of the yggX gene of <i>Escherichia coli</i> . 2003 , 185, 6624-32	37
1991	Genes of the GadX-GadW regulon in <i>Escherichia coli</i> . 2003 , 185, 3190-201	100
1990	SsrA-mediated trans-translation plays a role in mRNA quality control by facilitating degradation of truncated mRNAs. 2003 , 9, 408-18	79
1989	CesAB is an enteropathogenic <i>Escherichia coli</i> chaperone for the type-III translocator proteins EspA and EspB. 2003 , 149, 3639-3647	56
1988	The chaplins: a family of hydrophobic cell-surface proteins involved in aerial mycelium formation in <i>Streptomyces coelicolor</i> . 2003 , 17, 1727-40	200
1987	Modulation of virulence by two acidified nitrite-responsive loci of <i>Salmonella enterica</i> serovar Typhimurium. 2003 , 71, 3196-205	48
1986	Contribution of the twin arginine translocation system to the virulence of enterohemorrhagic <i>Escherichia coli</i> O157:H7. 2003 , 71, 4908-16	78
1985	In vivo reconstitution of the FhuA transport protein of <i>Escherichia coli</i> K-12. 2003 , 185, 5508-18	45
1984	Genome-wide analyses revealing a signaling network of the RcsC-YojN-RcsB phosphorelay system in <i>Escherichia coli</i> . 2003 , 185, 5735-46	146
1983	Transcription of the <i>Salmonella</i> invasion gene activator, hila, requires HilD activation in the absence of negative regulators. 2003 , 185, 525-33	56
1982	Null mutations in a Nudix gene, ygdP, implicate an alarmone response in a novel suppression of hybrid jamming. 2003 , 185, 6530-9	7

1981	PCR-targeted <i>Streptomyces</i> gene replacement identifies a protein domain needed for biosynthesis of the sesquiterpene soil odor geosmin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 1541-6	11.5	1164
1980	Engineering the metabolism of <i>Escherichia coli</i> W3110 for the conversion of sugar to redox-neutral and oxidized products: homoacetate production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 825-32	11.5	161
1979	Adaptive mutation: general mutagenesis is not a programmed response to stress but results from rare coamplification of <i>dinB</i> with <i>lac</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12847-52	11.5	76
1978	PepN, the major Suc-LLVY-AMC-hydrolyzing enzyme in <i>Escherichia coli</i> , displays functional similarity with downstream processing enzymes in Archaea and eukarya. Implications in cytosolic protein degradation. 2003 , 278, 5548-56		31
1977	Underproduction of sigma 70 mimics a stringent response. A proteome approach. 2003 , 278, 968-73		41
1976	Characterization of the DNA damage-inducible helicase DinG from <i>Escherichia coli</i> . 2003 , 278, 28284-93		60
1975	Importance of uracil DNA glycosylase in <i>Pseudomonas aeruginosa</i> and <i>Mycobacterium smegmatis</i> , G+C-rich bacteria, in mutation prevention, tolerance to acidified nitrite, and endurance in mouse macrophages. 2003 , 278, 24350-8		51
1974	Identification of factors influencing strand bias in oligonucleotide-mediated recombination in <i>Escherichia coli</i> . 2003 , 31, 6674-87		84
1973	FolM, a new chromosomally encoded dihydrofolate reductase in <i>Escherichia coli</i> . 2003 , 185, 7015-8		27
1972	The pseudorabies virus UL11 protein is a virion component involved in secondary envelopment in the cytoplasm. 2003 , 77, 5339-51		88
1971	HilE interacts with HilD and negatively regulates <i>hilA</i> transcription and expression of the <i>Salmonella enterica</i> serovar Typhimurium invasive phenotype. 2003 , 71, 1295-305		85
1970	Control of SXT integration and excision. 2003 , 185, 5045-54		98
1969	Lateral flagellar gene system of <i>Vibrio parahaemolyticus</i> . 2003 , 185, 4508-18		114
1968	Vaccine Protocols. 2003 ,		6
1967	Inhibition of bacterial DNA replication by zinc mobilization during nitrosative stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 8496-501	11.5	102
1966	Functional replacement of the <i>Escherichia coli</i> D-(-)-lactate dehydrogenase gene (<i>ldhA</i>) with the L-(+)-lactate dehydrogenase gene (<i>ldhL</i>) from <i>Pediococcus acidilactici</i> . 2003 , 69, 2237-44		87
1965	Closing the loop: the PmrA/PmrB two-component system negatively controls expression of its posttranscriptional activator PmrD. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 4706-11	11.5	103
1964	Stabilization of perfect and imperfect tandem repeats by single-strand DNA exonucleases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 1134-9	11.5	45

1963	Transfer region of pO113 from enterohemorrhagic <i>Escherichia coli</i> : similarity with R64 and identification of a novel plasmid-encoded autotransporter, EpeA. 2003 , 71, 6307-19	64
1962	An <i>Escherichia coli</i> MG1655 lipopolysaccharide deep-rough core mutant grows and survives in mouse cecal mucus but fails to colonize the mouse large intestine. 2003 , 71, 2142-52	78
1961	<i>Salmonella typhimurium</i> SifA effector protein requires its membrane-anchoring C-terminal hexapeptide for its biological function. 2003 , 278, 14196-202	76
1960	Identification of MpaA, an amidase in <i>Escherichia coli</i> that hydrolyzes the gamma-D-glutamyl-meso-diaminopimelate bond in murein peptides. 2003 , 185, 679-82	31
1959	Characterization of a trap mutant of the AAA+ chaperone ClpB. 2003 , 278, 32608-17	122
1958	Signal-dependent requirement for the co-activator protein RcsA in transcription of the RcsB-regulated <i>ugd</i> gene. 2003 , 278, 50588-95	58
1957	Applications of the <i>Saccharomyces cerevisiae</i> FLP-FRT system in bacterial genetics. 2003 , 5, 67-77	68
1956	Multiple elements controlling adherence of enterohemorrhagic <i>Escherichia coli</i> O157:H7 to HeLa cells. 2003 , 71, 4985-95	136
1955	Interdomain linkers of homologous response regulators determine their mechanism of action. 2003 , 185, 317-24	45
1954	Multiple regulators control capsular polysaccharide production in <i>Vibrio parahaemolyticus</i> . 2003 , 185, 5431-41	100
1953	Accumulation of glucose 6-phosphate or fructose 6-phosphate is responsible for destabilization of glucose transporter mRNA in <i>Escherichia coli</i> . 2003 , 278, 15608-14	110
1952	A gammaherpesvirus G protein-coupled receptor homologue is required for increased viral replication in response to chemokines and efficient reactivation from latency. 2003 , 170, 243-51	50
1951	High-frequency secondary mutations after suicide-driven allelic exchange mutagenesis in extraintestinal pathogenic <i>Escherichia coli</i> . 2003 , 185, 5301-5	15
1950	A highly efficient recombineering-based method for generating conditional knockout mutations. 2003 , 13, 476-84	843
1949	The <i>Streptomyces coelicolor</i> developmental transcription factor sigmaBldN is synthesized as a proprotein. 2003 , 185, 2338-45	22
1948	Transcription-defective <i>soxR</i> mutants of <i>Escherichia coli</i> : isolation and in vivo characterization. 2003 , 185, 2441-50	14
1947	The <i>dinB</i> operon and spontaneous mutation in <i>Escherichia coli</i> . 2003 , 185, 3972-7	60
1946	Critical roles for <i>stx2</i> , <i>eae</i> , and <i>tir</i> in enterohemorrhagic <i>Escherichia coli</i> -induced diarrhea and intestinal inflammation in infant rabbits. 2003 , 71, 7129-39	133

1945	Unique biological properties and molecular mechanism of 5,6-bridged quinolones. 2003 , 47, 2526-37	3
1944	Development of attenuated Salmonella strains that express heterologous antigens. 2003 , 87, 83-100	4
1943	Somatic cell knockouts of tumor suppressor genes. 2003 , 223, 187-206	2
1942	Arginine-agmatine antiporter in extreme acid resistance in Escherichia coli. 2003 , 185, 6556-61	128
1941	Prophage contribution to bacterial population dynamics. 2003 , 185, 6467-71	143
1940	DapE can function as an aspartyl peptidase in the presence of Mn ²⁺ . 2003 , 185, 4748-54	20
1939	Determination of the InvE binding site required for expression of IpaB of the Shigella sonnei virulence plasmid: involvement of a ParB boxA-like sequence. 2003 , 185, 5158-65	27
1938	Genomics-Based Approaches to Novel Antimicrobial Target Discovery. 2003 , 71-96	1
1937	Escherichia coli endA deletion strain for use in two-hybrid shuttle vector selection. 2003 , 35, 272-4, 276, 278	6
1936	. 2004 ,	20
1935	Molecular genetics of DNA viruses: recombinant virus technology. 2005 , 292, 353-70	24
1934	Functional diversity of the rhodanese homology domain: the Escherichia coli ybbB gene encodes a selenophosphate-dependent tRNA 2-selenouridine synthase. 2004 , 279, 1801-9	83
1933	GntP is the Escherichia coli Fructuronic acid transporter and belongs to the UxuR regulon. 2004 , 186, 7690-6	18
1932	Identification of a new member of the phage shock protein response in Escherichia coli, the phage shock protein G (PspG). 2004 , 279, 55707-14	79
1931	Mutagenesis of viral BACs with linear PCR fragments (ET recombination). 2004 , 256, 257-68	29
1930	Herpesvirus genome mutagenesis by transposon-mediated strategies. 2004 , 256, 281-302	5
1929	Mutagenesis of herpesvirus BACs by allele replacement. 2004 , 256, 269-79	15
1928	Instability of pathogenicity islands in uropathogenic Escherichia coli 536. 2004 , 186, 3086-96	106

1927	Phenotypic differences between Salmonella and Escherichia coli resulting from the disparate regulation of homologous genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17162-7	11.5	115
1926	Identification of a novel Citrobacter rodentium type III secreted protein, Espl, and roles of this and other secreted proteins in infection. 2004 , 72, 2288-302		127
1925	A physiological connection between tmRNA and peptidyl-tRNA hydrolase functions in Escherichia coli. 2004 , 32, 6028-37		55
1924	Involvement of the molybdenum cofactor biosynthetic machinery in the maturation of the Escherichia coli nitrate reductase A. 2004 , 279, 41398-403		44
1923	ppGpp-dependent stationary phase induction of genes on Salmonella pathogenicity island 1. 2004 , 279, 34183-90		106
1922	Formation of SXT tandem arrays and SXT-R391 hybrids. 2004 , 186, 2636-45		46
1921	Autotransporter genes pic and tsh are associated with Escherichia coli strains that cause acute pyelonephritis and are expressed during urinary tract infection. 2004 , 72, 593-7		88
1920	Functional transfer of Salmonella pathogenicity island 2 to Salmonella bongori and Escherichia coli. 2004 , 72, 2879-88		32
1919	Identification of antimicrobial targets using a comprehensive genomic approach. 2004 , 5, 101-13		39
1918	The eutT gene of Salmonella enterica Encodes an oxygen-labile, metal-containing ATP:corrinoid adenosyltransferase enzyme. 2004 , 186, 5708-14		57
1917	Negative regulation of DNA repair gene (ung) expression by the CpxR/CpxA two-component system in Escherichia coli K-12 and induction of mutations by increased expression of CpxR. 2004 , 186, 8317-25		15
1916	Functional analysis of SoxR residues affecting transduction of oxidative stress signals into gene expression. 2004 , 279, 41603-10		29
1915	Activation of the gab operon in an RpoS-dependent manner by mutations that truncate the inner core of lipopolysaccharide in Escherichia coli. 2004 , 186, 8542-6		14
1914	Identification of the LIV-I/LS system as the third phenylalanine transporter in Escherichia coli K-12. 2004 , 186, 343-50		30
1913	Glycolytic and gluconeogenic growth of Escherichia coli O157:H7 (EDL933) and E. coli K-12 (MG1655) in the mouse intestine. 2004 , 72, 1666-76		109
1912	Regulation of sigmaB by an anti- and an anti-anti-sigma factor in Streptomyces coelicolor in response to osmotic stress. 2004 , 186, 8490-8		39
1911	Identification of a phosphotransferase system of Escherichia coli required for growth on N-acetylmuramic acid. 2004 , 186, 2385-92		39
1910	Inhibiting cell division in Escherichia coli has little if any effect on gene expression. 2004 , 186, 880-4		43

1909	The CorA Mg ²⁺ transporter does not transport Fe ²⁺ . 2004 , 186, 7653-8	17
1908	An efficient method for creation and functional analysis of libraries of hybrid type I polyketide synthases. 2004 , 17, 277-84	23
1907	Characterization of EvgAS-YdeO-GadE branched regulatory circuit governing glutamate-dependent acid resistance in <i>Escherichia coli</i> . 2004 , 186, 7378-89	81
1906	Continuous control in bacterial regulatory circuits. 2004 , 186, 7618-25	34
1905	Identification and characterization of a novel uropathogenic <i>Escherichia coli</i> -associated fimbrial gene cluster. 2004 , 72, 3890-901	43
1904	Regulators encoded in the <i>Escherichia coli</i> type III secretion system 2 gene cluster influence expression of genes within the locus for enterocyte effacement in enterohemorrhagic <i>E. coli</i> O157:H7. 2004 , 72, 7282-93	82
1903	The PmrA-regulated pmrC gene mediates phosphoethanolamine modification of lipid A and polymyxin resistance in <i>Salmonella enterica</i> . 2004 , 186, 4124-33	238
1902	The pKO2 linear plasmid prophage of <i>Klebsiella oxytoca</i> . 2004 , 186, 1818-32	85
1901	Antibiotic-sensitive TolC mutants and their suppressors. 2004 , 186, 1851-60	54
1900	Regulation of penicillin G acylase gene expression in <i>Escherichia coli</i> by repressor PaaX and the cAMP-cAMP receptor protein complex. 2004 , 279, 33253-62	15
1899	Positive effects of multiple pch genes on expression of the locus of enterocyte effacement genes and adherence of enterohaemorrhagic <i>Escherichia coli</i> O157 : H7 to HEp-2 cells. 2004 , 150, 2357-2571	104
1898	Hot spot for a large deletion in the 18- to 19-centisome region confers a multiple phenotype in <i>Salmonella enterica</i> serovar Typhimurium strain ATCC 14028. 2004 , 186, 8516-23	12
1897	Identification of operators and promoters that control SXT conjugative transfer. 2004 , 186, 5945-9	42
1896	Three parallel quorum-sensing systems regulate gene expression in <i>Vibrio harveyi</i> . 2004 , 186, 6902-14	415
1895	Genomic diversity of <i>Erwinia carotovora</i> subsp. <i>carotovora</i> and its correlation with virulence. 2004 , 70, 3013-23	74
1894	Contribution of the major secreted yops of <i>Yersinia enterocolitica</i> O:8 to pathogenicity in the mouse infection model. 2004 , 72, 5227-34	133
1893	Modulating substrate choice: the SspB adaptor delivers a regulator of the extracytoplasmic-stress response to the AAA+ protease ClpXP for degradation. 2004 , 18, 2292-301	160
1892	A new family of potent AB(5) cytotoxins produced by Shiga toxigenic <i>Escherichia coli</i> . 2004 , 200, 35-46	262

1891	Antigen selection based on expression levels during infection facilitates vaccine development for an intracellular pathogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 8739-44	11.5	72
1890	Wzx proteins involved in biosynthesis of O antigen function in association with the first sugar of the O-specific lipopolysaccharide subunit. 2004 , 150, 4095-105		104
1889	Involvement of lipoprotein Nlpl in the virulence of adherent invasive Escherichia coli strain LF82 isolated from a patient with Crohn's disease. 2004 , 72, 2484-93		44
1888	Contribution of long polar fimbriae to the virulence of rabbit-specific enteropathogenic Escherichia coli. 2004 , 72, 1230-9		40
1887	Elucidation of the antibacterial mechanism of the Curvularia haloperoxidase system by DNA microarray profiling. 2004 , 70, 1749-57		12
1886	Respiratory hydrogen use by Salmonella enterica serovar Typhimurium is essential for virulence. 2004 , 72, 6294-9		74
1885	The core Escherichia coli signal recognition particle receptor contains only the N and G domains of FtsY. 2004 , 186, 2492-4		50
1884	Simultaneous deletion of pseudorabies virus tegument protein UL11 and glycoprotein M severely impairs secondary envelopment. 2004 , 78, 3024-34		63
1883	Differential and cross-transcriptional control of duplicated genes encoding alternative sigma factors in Streptomyces ambofaciens. 2004 , 186, 5355-65		12
1882	Autographa californica multiple nucleopolyhedrovirus exon0 (orf141), which encodes a RING finger protein, is required for efficient production of budded virus. 2004 , 78, 9633-44		55
1881	The bacA gene of Escherichia coli encodes an undecaprenyl pyrophosphate phosphatase activity. 2004 , 279, 30106-13		139
1880	ZipA is required for targeting of DMinC/DicB, but not DMinC/MinD, complexes to septal ring assemblies in Escherichia coli. 2004 , 186, 2418-29		59
1879	Lack of YggX results in chronic oxidative stress and uncovers subtle defects in Fe-S cluster metabolism in Salmonella enterica. 2004 , 186, 7626-34		50
1878	The DinI and RecX proteins are competing modulators of RecA function. 2004 , 279, 55073-9		51
1877	Temperature regulation of the hemin storage (Hms+) phenotype of Yersinia pestis is posttranscriptional. 2004 , 186, 1638-47		99
1876	The N-acetyl-D-glucosamine kinase of Escherichia coli and its role in murein recycling. 2004 , 186, 7273-9		64
1875	Expression of acrB, acrF, acrD, marA, and soxS in Salmonella enterica serovar Typhimurium: role in multiple antibiotic resistance. 2004 , 48, 1145-50		133
1874	Pseudorabies virus UL3 gene codes for a nuclear protein which is dispensable for viral replication. 2004 , 78, 464-72		7

1873	Essential function of the pseudorabies virus UL36 gene product is independent of its interaction with the UL37 protein. 2004 , 78, 11879-89	97
1872	The ferritin-like Dps protein is required for Salmonella enterica serovar Typhimurium oxidative stress resistance and virulence. 2004 , 72, 1155-8	122
1871	The two murein lipoproteins of Salmonella enterica serovar Typhimurium contribute to the virulence of the organism. 2004 , 72, 3987-4003	63
1870	RtsA coordinately regulates DsbA and the Salmonella pathogenicity island 1 type III secretion system. 2004 , 186, 68-79	39
1869	OmpR and LeuO positively regulate the Salmonella enterica serovar Typhi ompS2 porin gene. 2004 , 186, 2909-20	42
1868	Synthesis of the heteropolysaccharide O antigen of Escherichia coli O52 requires an ABC transporter: structural and genetic evidence. 2004 , 186, 4510-9	54
1867	Transposition of the heat-stable toxin astA gene into a gifsy-2-related prophage of Salmonella enterica serovar Abortusovis. 2004 , 186, 4568-74	26
1866	Structural and genetic characterization of the Shigella boydii type 13 O antigen. 2004 , 186, 383-92	76
1865	Pyruvate formate lyase and acetate kinase are essential for anaerobic growth of Escherichia coli on xylose. 2004 , 186, 7593-600	117
1864	Capsule shields the function of short bacterial adhesins. 2004 , 186, 1249-57	163
1863	A chimeric adenovirus vector encoding reovirus attachment protein sigma1 targets cells expressing junctional adhesion molecule 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6188-93	11.5 75
1862	A truncated aminoacyl-tRNA synthetase modifies RNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7536-41	11.5 74
1861	Phosphotransferase-mediated transport of the osmolyte 2-O-alpha-mannosyl-D-glycerate in Escherichia coli occurs by the product of the mngA (hrsA) gene and is regulated by the mngR (farR) gene product acting as repressor. 2004 , 279, 5537-48	33
1860	SsrA tagging of Escherichia coli SecM at its translation arrest sequence. 2004 , 279, 54193-201	27
1859	Transcriptional control of the antimicrobial peptide resistance ugtL gene by the Salmonella PhoP and SlyA regulatory proteins. 2004 , 279, 38618-25	83
1858	AcrAB-TolC directs efflux-mediated multidrug resistance in Salmonella enterica serovar typhimurium DT104. 2004 , 48, 3729-35	128
1857	Structural organization of the pFra virulence-associated plasmid of rhamnose-positive Yersinia pestis. 2004 , 72, 5613-21	21
1856	Delineation of upstream signaling events in the salmonella pathogenicity island 2 transcriptional activation pathway. 2004 , 186, 4694-704	43

1855	Transcription-induced barriers to supercoil diffusion in the Salmonella typhimurium chromosome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 3398-403	11.5	61
1854	Functional angucycline-like antibiotic gene cluster in the terminal inverted repeats of the Streptomyces ambofaciens linear chromosome. 2004 , 48, 575-88		62
1853	Oral immunization with an rfaH mutant elicits protection against salmonellosis in mice. 2004 , 72, 4297-301		29
1852	Formation of thiolated nucleosides present in tRNA from Salmonella enterica serovar Typhimurium occurs in two principally distinct pathways. 2004 , 186, 758-66		48
1851	Isolation and characterization of beta-ketoacyl-acyl carrier protein reductase (fabG) mutants of Escherichia coli and Salmonella enterica serovar Typhimurium. 2004 , 186, 1869-78		68
1850	Effects of microcin 24-producing Escherichia coli on shedding and multiple-antimicrobial resistance of Salmonella enterica serotype typhimurium in pigs. 2004 , 65, 1616-20		12
1849	Synthesis of CysteinyI-tRNACys by A Prolyl-tRNA Synthetase. 2004 , 1, 34-40		3
1848	The pathogenicity island-associated K15 capsule determinant exhibits a novel genetic structure and correlates with virulence in uropathogenic Escherichia coli strain 536. 2004 , 72, 5993-6001		54
1847	Expression of two Escherichia coli acetyl-CoA carboxylase subunits is autoregulated. 2004 , 279, 2520-7		47
1846	Yersinia enterocolitica type III secretion depends on the proton motive force but not on the flagellar motor components MotA and MotB. 2004 , 72, 4004-9		88
1845	In vitro and ex vivo activation of the TLR5 signaling pathway in intestinal epithelial cells by a commensal Escherichia coli strain. 2004 , 279, 42984-92		143
1844	MicC, a second small-RNA regulator of Omp protein expression in Escherichia coli. 2004 , 186, 6689-97		199
1843	The Escherichia coli fadK (ydiD) gene encodes an anerobically regulated short chain acyl-CoA synthetase. 2004 , 279, 37324-33		44
1842	Are respiratory enzymes the primary sources of intracellular hydrogen peroxide?. 2004 , 279, 48742-50		155
1841	Global analysis of Escherichia coli RNA degradosome function using DNA microarrays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 2758-63	11.5	178
1840	A new activity for an old enzyme: Escherichia coli bacterial alkaline phosphatase is a phosphite-dependent hydrogenase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7919-24	11.5	108
1839	Role of CysE in production of an extracellular signaling molecule in Providencia stuartii and Escherichia coli: loss of CysE enhances biofilm formation in Escherichia coli. 2004 , 186, 7610-7		42
1838	Precise excision of the large pathogenicity island, SPI7, in Salmonella enterica serovar Typhi. 2004 , 186, 3202-13		60

1837	Functional and structural analysis of members of the TorD family, a large chaperone family dedicated to molybdoproteins. 2004 , 150, 935-943	61
1836	Specialized persister cells and the mechanism of multidrug tolerance in Escherichia coli. 2004 , 186, 8172-80	663
1835	Identification of inducers of the Yersinia enterocolitica phage shock protein system and comparison to the regulation of the RpoE and Cpx extracytoplasmic stress responses. 2004 , 186, 4199-208	70
1834	Prominent roles of the NorR and Fur regulators in the Escherichia coli transcriptional response to reactive nitrogen species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 745-50	11.5 188
1833	Activation of the Rcs signal transduction system is responsible for the thermosensitive growth defect of an Escherichia coli mutant lacking phosphatidylglycerol and cardiolipin. 2004 , 186, 6526-35	79
1832	Nascent-peptide-mediated ribosome stalling at a stop codon induces mRNA cleavage resulting in nonstop mRNA that is recognized by tmRNA. 2004 , 10, 378-86	79
1831	Characterization of a baculovirus lacking the alkaline nuclease gene. 2004 , 78, 10650-6	22
1830	Two periplasmic disulfide oxidoreductases, DsbA and SrgA, target outer membrane protein SpiA, a component of the Salmonella pathogenicity island 2 type III secretion system. 2004 , 279, 34631-42	96
1829	Pre-binding of small protein B to a stalled ribosome triggers trans-translation. 2004 , 279, 25978-85	45
1828	Human cytomegalovirus proteins encoded by UL37 exon 1 protect infected fibroblasts against virus-induced apoptosis and are required for efficient virus replication. 2004 , 85, 3555-3567	73
1827	Connecting two-component regulatory systems by a protein that protects a response regulator from dephosphorylation by its cognate sensor. 2004 , 18, 2302-13	159
1826	AtNAP7 is a plastidic SufC-like ATP-binding cassette/ATPase essential for Arabidopsis embryogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 9143-8	11.5 110
1825	Trigger factor peptidyl-prolyl cis/trans isomerase activity is not essential for the folding of cytosolic proteins in Escherichia coli. 2004 , 279, 14165-70	75
1824	Restoration of gene function by homologous recombination: from PCR to gene expression in one step. 2004 , 70, 7156-60	5
1823	Resuscitation of a defective prophage in Salmonella cocultures. 2004 , 186, 4038-41	32
1822	The conserved Cys-X1-X2-Cys motif present in the TtcA protein is required for the thiolation of cytidine in position 32 of tRNA from Salmonella enterica serovar Typhimurium. 2004 , 186, 750-7	67
1821	The pgaABCD locus of Escherichia coli promotes the synthesis of a polysaccharide adhesin required for biofilm formation. 2004 , 186, 2724-34	452
1820	Regulatory circuit design and evolution using phage lambda. 2004 , 18, 2086-94	30

1819	Transcriptional organization and regulation of the L-idonic acid pathway (GntII system) in <i>Escherichia coli</i> . 2004 , 186, 1388-97	16
1818	Carbon nutrition of <i>Escherichia coli</i> in the mouse intestine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7427-32	11.5 393
1817	Repair of oxidized iron-sulfur clusters in <i>Escherichia coli</i> . 2004 , 279, 44590-9	136
1816	Identification of a mouse cytomegalovirus gene selectively targeting CD86 expression on antigen-presenting cells. 2004 , 78, 13062-71	52
1815	Identification of the secretion and translocation domain of the enteropathogenic and enterohemorrhagic <i>Escherichia coli</i> effector Cif, using TEM-1 beta-lactamase as a new fluorescence-based reporter. 2004 , 186, 5486-95	259
1814	Avidin-based targeting and purification of a protein IX-modified, metabolically biotinylated adenoviral vector. 2004 , 9, 942-54	81
1813	Conditional lethal amber mutations in essential <i>Escherichia coli</i> genes. 2004 , 186, 2673-81	47
1812	Linkage between catecholate siderophores and the multicopper oxidase CueO in <i>Escherichia coli</i> . 2004 , 186, 5826-33	105
1811	Insertions of mini-Tn10 transposon T-POP in <i>Salmonella enterica</i> sv. typhi. 2004 , 167, 1069-77	12
1810	Adaptive amplification and point mutation are independent mechanisms: evidence for various stress-inducible mutation mechanisms. 2004 , 2, e399	69
1809	The modified wobble nucleoside uridine-5-oxyacetic acid in tRNA ^{Pro} (cmo5UGG) promotes reading of all four proline codons in vivo. 2004 , 10, 1662-73	89
1808	Secreted Bacterial Effectors and Host-Produced Eiger/TNF Drive Death in a <i>Salmonella</i> -Infected Fruit Fly. 2004 , 2, e418	108
1807	Differences in enzymatic properties allow SodCI but not SodCII to contribute to virulence in <i>Salmonella enterica</i> serovar Typhimurium strain 14028. 2004 , 186, 5230-8	52
1806	Effector proteins encoded by <i>Salmonella</i> pathogenicity island 2 interfere with the microtubule cytoskeleton after translocation into host cells. 2004 , 5, 356-70	81
1805	Identification of <i>Salmonella typhimurium</i> genes responsible for interference with peptide presentation on MHC class I molecules: Delta _{tyej} <i>Salmonella</i> mutants induce superior CD8 ⁺ T-cell responses. 2004 , 6, 1057-70	30
1804	Components of the peptidoglycan-recycling pathway modulate invasion and intracellular survival of <i>Salmonella enterica</i> serovar Typhimurium. 2005 , 7, 147-55	35
1803	TccP is an enterohaemorrhagic <i>Escherichia coli</i> O157:H7 type III effector protein that couples Tir to the actin-cytoskeleton. 2004 , 6, 1167-83	232
1802	Chromosomal fragmentation in dUTPase-deficient mutants of <i>Escherichia coli</i> and its recombinational repair. 2004 , 51, 1279-95	61

1801	Unequal access of chromosomal regions to each other in <i>Salmonella</i> : probing chromosome structure with phage lambda integrase-mediated long-range rearrangements. 2004 , 52, 329-44	35
1800	Dispensable PDZ domain of <i>Escherichia coli</i> YaeL essential protease. 2004 , 52, 427-35	38
1799	Initial cos cleavage of bacteriophage lambda concatemers requires proheads and gpFI in vivo. 2004 , 52, 501-13	17
1798	Structural tolerance of bacterial autotransporters for folded passenger protein domains. 2004 , 52, 1069-80	78
1797	Characterization of an inducible vancomycin resistance system in <i>Streptomyces coelicolor</i> reveals a novel gene (vanK) required for drug resistance. 2004 , 52, 1107-21	107
1796	SepL, a protein required for enteropathogenic <i>Escherichia coli</i> type III translocation, interacts with secretion component SepD. 2004 , 52, 1613-25	67
1795	PhoP-regulated <i>Salmonella</i> resistance to the antimicrobial peptides magainin 2 and polymyxin B. 2004 , 53, 229-41	119
1794	Membrane localization itself but not binding to IICB is directly responsible for the inactivation of the global repressor Mlc in <i>Escherichia coli</i> . 2004 , 53, 941-51	23
1793	HmsP, a putative phosphodiesterase, and HmsT, a putative diguanylate cyclase, control Hms-dependent biofilm formation in <i>Yersinia pestis</i> . 2004 , 54, 75-88	191
1792	SsaM and SpiC interact and regulate secretion of <i>Salmonella</i> pathogenicity island 2 type III secretion system effectors and translocators. 2004 , 54, 604-19	46
1791	Genetic evidence for functional interactions between TolC and AcrA proteins of a major antibiotic efflux pump of <i>Escherichia coli</i> . 2004 , 54, 620-31	53
1790	Alternative oxygen-dependent and oxygen-independent ribonucleotide reductases in <i>Streptomyces</i> : cross-regulation and physiological role in response to oxygen limitation. 2004 , 54, 1022-35	39
1789	Enolase in the RNA degradosome plays a crucial role in the rapid decay of glucose transporter mRNA in the response to phosphosugar stress in <i>Escherichia coli</i> . 2004 , 54, 1063-75	141
1788	The ATP-dependent ClpXP and Lon proteases regulate expression of the <i>Yersinia pestis</i> type III secretion system via regulated proteolysis of YmoA, a small histone-like protein. 2004 , 54, 1364-78	101
1787	The morphogenetic MreBCD proteins of <i>Escherichia coli</i> form an essential membrane-bound complex. 2005 , 55, 78-89	294
1786	A membrane metalloprotease participates in the sequential degradation of a <i>Caulobacter</i> polarity determinant. 2005 , 55, 1085-103	104
1785	Mig-14 is an inner membrane-associated protein that promotes <i>Salmonella typhimurium</i> resistance to CRAMP, survival within activated macrophages and persistent infection. 2005 , 55, 954-72	57
1784	The O-antigen gene cluster of <i>Shigella boydii</i> O11 and functional identification of its <i>swy</i> gene. 2004 , 234, 125-132	21

1783	An improved method for deleting large regions of <i>Escherichia coli</i> K-12 chromosome using a combination of Cre/loxP and λ Red. 2004 , 234, 325-331	20
1782	Metabolic flux analysis for a ppc mutant <i>Escherichia coli</i> based on ^{13}C -labelling experiments together with enzyme activity assays and intracellular metabolite measurements. 2004 , 235, 17-23	78
1781	Effect of a pyruvate kinase (pykF-gene) knockout mutation on the control of gene expression and metabolic fluxes in <i>Escherichia coli</i> . 2004 , 235, 25-33	79
1780	The LIV-I/LS system as a determinant of azaserine sensitivity of <i>Escherichia coli</i> K-12. 2004 , 237, 73-77	2
1779	Development of an in vivo Himar1 transposon mutagenesis system for use in <i>Streptococcus equi</i> subsp. <i>equi</i> . 2004 , 238, 401-409	10
1778	migS, a cis-acting site that affects bipolar positioning of oriC on the <i>Escherichia coli</i> chromosome. 2004 , 23, 221-33	83
1777	Methionine sulfoxide reductases protect Ffh from oxidative damages in <i>Escherichia coli</i> . 2004 , 23, 1868-77	57
1776	Coordinating assembly and export of complex bacterial proteins. 2004 , 23, 3962-72	173
1775	SOS response promotes horizontal dissemination of antibiotic resistance genes. 2004 , 427, 72-4	716
1774	Integrating high-throughput and computational data elucidates bacterial networks. 2004 , 429, 92-6	682
1773	A suf operon requirement for Fe-S cluster assembly during iron starvation in <i>Escherichia coli</i> . 2004 , 52, 861-72	340
1772	Screening for synthetic lethal mutants in <i>Escherichia coli</i> and identification of EnvC (YibP) as a periplasmic septal ring factor with murein hydrolase activity. 2004 , 52, 1255-69	168
1771	The formation of the rodlet layer of streptomycetes is the result of the interplay between rodlin and chaplins. 2004 , 53, 433-43	110
1770	YdgT, the Hha paralogue in <i>Escherichia coli</i> , forms heteromeric complexes with H-NS and StpA. 2004 , 54, 251-63	66
1769	A cis-acting sequence involved in chromosome segregation in <i>Escherichia coli</i> . 2005 , 55, 175-83	64
1768	Coupling generation of cytomegalovirus deletion mutants and amplification of viral BAC clones. 2004 , 121, 137-43	10
1767	Evidence that the human cytomegalovirus 46-kDa UL72 protein is not an active dUTPase but a late protein dispensable for replication in fibroblasts. 2004 , 325, 264-76	24
1766	A fragile lattice: replacing bacteriophage lambda's head stability gene D with the shp gene of phage 21 generates the Mg $^{2+}$ -dependent virus, lambda shp. 2004 , 326, 41-6	17

1765	Characterization of a baculovirus with a deletion of vlf-1. 2004 , 326, 191-201	57
1764	D-Amino Acid Tolerant Hosts for D-Hydantoinase Whole Cell Biocatalysts. 2004 , 4, 517-520	4
1763	Microarray analysis of RpoS-mediated gene expression in Escherichia coli K-12. 2004 , 272, 580-91	194
1762	Periplasmic lysozyme inhibitor contributes to lysozyme resistance in Escherichia coli. 2004 , 61, 1229-37	57
1761	Metabolic flux analysis of pykF gene knockout Escherichia coli based on ¹³ C-labeling experiments together with measurements of enzyme activities and intracellular metabolite concentrations. 2004 , 63, 407-17	115
1760	Global metabolic response of Escherichia coli to gnd or zwf gene-knockout, based on ¹³ C-labeling experiments and the measurement of enzyme activities. 2004 , 64, 91-8	81
1759	The effect of pfl gene knockout on the metabolism for optically pure D-lactate production by Escherichia coli. 2004 , 64, 367-75	104
1758	Metabolic regulation analysis of icd-gene knockout Escherichia coli based on 2D electrophoresis with MALDI-TOF mass spectrometry and enzyme activity measurements. 2004 , 65, 84-96	30
1757	The probiotic Escherichia coli strain Nissle 1917 interferes with invasion of human intestinal epithelial cells by different enteroinvasive bacterial pathogens. 2004 , 40, 223-9	151
1756	Salmonella type III effectors PipB and PipB2 are targeted to detergent-resistant microdomains on internal host cell membranes. 2003 , 49, 685-704	127
1755	Spatial and temporal organization of replicating Escherichia coli chromosomes. 2003 , 49, 731-43	317
1754	Metabolic block at early stages of the glycolytic pathway activates the Rcs phosphorelay system via increased synthesis of dTDP-glucose in Escherichia coli. 2004 , 51, 1117-28	24
1753	Overproduction of the Lon protease triggers inhibition of translation in Escherichia coli: involvement of the yefM-yoeB toxin-antitoxin system. 2004 , 51, 1705-17	192
1752	Chromosomal duplications and cointegrates generated by the bacteriophage lamdba Red system in Escherichia coli K-12. 2004 , 5, 22	20
1751	Substrate replenishment extends protein synthesis with an in vitro translation system designed to mimic the cytoplasm. 2004 , 87, 465-72	91
1750	Amino acid stabilization for cell-free protein synthesis by modification of the Escherichia coli genome. 2004 , 6, 197-203	83
1749	Effect of zwf gene knockout on the metabolism of Escherichia coli grown on glucose or acetate. 2004 , 6, 164-74	87
1748	An indexed modeling and experimental strategy for biosignatures of pathogen and host. 2004 , 341, 157-174	1

1747	Transcriptional regulation of Salmonella enterica serovar Typhimurium genes by bile. 2004 , 41, 177-85	80
1746	Production of 8'-halogenated and 8'-unsubstituted novobiocin derivatives in genetically engineered streptomyces coelicolor strains. 2004 , 11, 1561-72	53
1745	Engineered biosynthesis of geldanamycin analogs for Hsp90 inhibition. 2004 , 11, 1625-33	106
1744	Engineering Escherichia coli for efficient conversion of glucose to pyruvate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 2235-40	11.5 211
1743	Expression and regulation of a silent operon, hyf, coding for hydrogenase 4 isoenzyme in Escherichia coli. 2004 , 186, 580-7	80
1742	SigmaS-dependent gene expression at the onset of stationary phase in Escherichia coli: function of sigmaS-dependent genes and identification of their promoter sequences. 2004 , 186, 7186-95	222
1741	The siderophore receptor IroN, but not the high-pathogenicity island or the hemin receptor ChuA, contributes to the bacteremic step of Escherichia coli neonatal meningitis. 2004 , 72, 1216-20	52
1740	The soluble and membrane-bound transhydrogenases UdhA and PntAB have divergent functions in NADPH metabolism of Escherichia coli. 2004 , 279, 6613-9	402
1739	Bacterial Artificial Chromosomes. 2004 ,	
1738	Rapid construction of capsid-modified adenoviral vectors through bacteriophage lambda Red recombination. 2004 , 15, 1125-30	31
1737	A Genome-wide view of the Escherichia coli BasS-BasR two-component system implicated in iron-responses. 2004 , 68, 1758-67	65
1736	Interaction between the TolC and AcrA proteins of a multidrug efflux system of Escherichia coli. 2004 , 186, 8533-6	49
1735	Evolution of enzymatic activities in the orotidine 5'-monophosphate decarboxylase suprafamily: mechanistic evidence for a proton relay system in the active site of 3-keto-L-gulonate 6-phosphate decarboxylase. 2004 , 43, 6427-37	22
1734	Systematic mutagenesis of the Escherichia coli genome. 2004 , 186, 4921-30	172
1733	Many paths to many clones: a comparative look at high-throughput cloning methods. 2004 , 14, 2020-8	100
1732	Expression systems for the production of recombinant pharmaceuticals. 2004 , 18, 51-62	31
1731	Sequential Peptide Affinity (SPA) system for the identification of mammalian and bacterial protein complexes. 2004 , 3, 463-8	159
1730	ET recombination: DNA engineering using homologous recombination in E. coli. 2004 , 256, 107-21	22

1729	Lambda red-mediated genetic manipulation of antibiotic-producing <i>Streptomyces</i> . 2004 , 54, 107-28	203
1728	Identification of <i>Escherichia coli</i> O157 : H7 genes influencing colonization of the bovine gastrointestinal tract using signature-tagged mutagenesis. 2004 , 150, 3631-3645	169
1727	<i>Pseudomonas</i> . 2004 ,	6
1726	Identification of the CRP regulon using in vitro and in vivo transcriptional profiling. 2004 , 32, 5874-93	277
1725	Dissecting virulence: systematic and functional analyses of a pathogenicity island. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 3597-602	11.5 495
1724	Bile-salt-mediated induction of antimicrobial and bile resistance in <i>Salmonella typhimurium</i> . 2004 , 150, 775-783	136
1723	DNA Viruses. 2004 ,	0
1722	Using a quantitative blueprint to reprogram the dynamics of the flagella gene network. 2004 , 117, 713-20	97
1721	The small RNA chaperone Hfq and multiple small RNAs control quorum sensing in <i>Vibrio harveyi</i> and <i>Vibrio cholerae</i> . 2004 , 118, 69-82	751
1720	Engineering large fragment insertions into the chromosome of <i>Escherichia coli</i> . 2004 , 336, 73-80	9
1719	Bacterial expression system with tightly regulated gene expression and plasmid copy number. 2004 , 340, 11-8	30
1718	An improved method for deleting large regions of <i>Escherichia coli</i> K-12 chromosome using a combination of Cre/loxP and lambda Red. 2004 , 234, 325-31	21
1717	A cleavable signal peptide is required for the full function of the polytopic inner membrane protein FliP of <i>Escherichia coli</i> . 2004 , 319, 1276-80	6
1716	Characterization of an <i>Escherichia coli</i> <i>elaC</i> deletion mutant. 2004 , 320, 1365-73	26
1715	Neurogenin 3-expressing progenitor cells in the gastrointestinal tract differentiate into both endocrine and non-endocrine cell types. 2004 , 270, 443-54	208
1714	A new family of conditional replicating plasmids and their cognate <i>Escherichia coli</i> host strains. 2004 , 155, 455-61	17
1713	Scanning the <i>Escherichia coli</i> chromosome by random transposon mutagenesis and multiple phenotypic screening. 2004 , 155, 692-701	30
1712	Protein interaction networks in bacteria. 2004 , 7, 505-12	41

1711	RpoS and RpoN are involved in the growth-dependent regulation of rfaH transcription and O antigen expression in <i>Salmonella enterica</i> serovar Typhi. 2004 , 36, 19-24	24
1710	Characterization of <i>Salmonella</i> pathogenicity island 1 type III secretion-dependent hemolytic activity in <i>Salmonella enterica</i> serovar Typhimurium. 2004 , 37, 65-72	36
1709	Use of computer-designed group II introns to disrupt <i>Escherichia coli</i> DExH/D-box protein and DNA helicase genes. 2004 , 336, 421-39	160
1708	GadY, a small-RNA regulator of acid response genes in <i>Escherichia coli</i> . 2004 , 186, 6698-705	275
1707	Directed evolution of aldolases. 2004 , 388, 224-38	17
1706	Probing the active site of YjeE: a vital <i>Escherichia coli</i> protein of unknown function. 2004 , 384, 577-84	27
1705	The Life of Commensal <i>Escherichia coli</i> in the Mammalian Intestine. 2004 , 1,	33
1704	Mutagenesis as a Genomic Tool for Studying Gene Function. 2005 , 207-240	
1703	Imaging Techniques for the Study of <i>Escherichia coli</i> and <i>Salmonella</i> Infections. 2005 , 1,	1
1702	Stochastic activation of the response regulator PhoB by noncognate histidine kinases. 2005 , 2, 10-22	19
1701	Mutagenesis of all eight avr genes in <i>Xanthomonas campestris</i> pv. <i>campestris</i> had no detected effect on pathogenicity, but one avr gene affected race specificity. 2005 , 18, 1306-17	77
1700	Detoxification of nitric oxide by the flavorubredoxin of <i>Salmonella enterica</i> serovar Typhimurium. 2005 , 33, 198-9	28
1699	Inducible serum resistance in <i>Salmonella typhimurium</i> is dependent on wzz(fepE)-regulated very long O antigen chains. 2005 , 7, 1296-304	50
1698	Identification and functional analysis of <i>Salmonella enterica</i> serovar Typhimurium PmrA-regulated genes. 2005 , 43, 249-58	36
1697	Mutator phenotype confers advantage in <i>Escherichia coli</i> chronic urinary tract infection pathogenesis. 2005 , 44, 317-21	56
1696	Transcriptional regulation through RfaH contributes to intestinal colonization by <i>Escherichia coli</i> . 2005 , 244, 173-80	10
1695	<i>Escherichia coli</i> ORF ybhE is pgl gene encoding 6-phosphogluconolactonase (EC 3.1.1.31) that has no homology with known 6PGLs from other organisms. 2005 , 244, 275-80	22
1694	Characterization of the <i>Escherichia coli</i> O59 and O155 O-antigen gene clusters: the atypical wzx genes are evolutionary related. 2005 , 248, 153-61	16

1693	Transcriptome analysis of the Mg ²⁺ -responsive PhoP regulator in <i>Yersinia pestis</i> . 2005 , 250, 85-95	53
1692	Negative regulation of DNA repair gene (<i>uvrA</i>) expression by ArcA/ArcB two-component system in <i>Escherichia coli</i> . 2005 , 251, 243-9	6
1691	Metabolic engineering of aerobic succinate production systems in <i>Escherichia coli</i> to improve process productivity and achieve the maximum theoretical succinate yield. 2005 , 7, 116-27	161
1690	Effect of a single-gene knockout on the metabolic regulation in <i>Escherichia coli</i> for D-lactate production under microaerobic condition. 2005 , 7, 104-15	95
1689	gNCA: a framework for determining transcription factor activity based on transcriptome: identifiability and numerical implementation. 2005 , 7, 128-41	79
1688	Identifying gene targets for the metabolic engineering of lycopene biosynthesis in <i>Escherichia coli</i> . 2005 , 7, 155-64	385
1687	Novel pathway engineering design of the anaerobic central metabolic pathway in <i>Escherichia coli</i> to increase succinate yield and productivity. 2005 , 7, 229-39	202
1686	Genetic engineering of <i>Escherichia coli</i> for the production of NI,NII-diacetylchitobiose (chitinbiose) and its utilization as a primer for the synthesis of complex carbohydrates. 2005 , 7, 311-7	33
1685	Functional analysis of 1440 <i>Escherichia coli</i> genes using the combination of knock-out library and phenotype microarrays. 2005 , 7, 318-27	39
1684	Effect of oxygen, and ArcA and FNR regulators on the expression of genes related to the electron transfer chain and the TCA cycle in <i>Escherichia coli</i> . 2005 , 7, 364-74	100
1683	The <i>yicM</i> (<i>nepl</i>) gene of <i>Escherichia coli</i> encodes a major facilitator superfamily protein involved in efflux of purine ribonucleosides. 2005 , 250, 39-47	16
1682	ClpXP controls the expression of LEE genes in enterohaemorrhagic <i>Escherichia coli</i> . 2005 , 253, 59-66	29
1681	Biotin synthase is catalytic in vivo, but catalysis engenders destruction of the protein. 2005 , 12, 461-8	56
1680	A nucleosidase required for in vivo function of the S-adenosyl-L-methionine radical enzyme, biotin synthase. 2005 , 12, 589-93	62
1679	Biosynthesis of the antitumor agent chartreusin involves the oxidative rearrangement of an anthracyclic polyketide. 2005 , 12, 579-88	72
1678	Effect of <i>ldhA</i> gene deletion on the metabolism of <i>Escherichia coli</i> based on gene expression, enzyme activities, intracellular metabolite concentrations, and metabolic flux distribution. 2005 , 26, 1-11	39
1677	Dynamic responses of the intracellular metabolite concentrations of the wild type and <i>pykA</i> mutant <i>Escherichia coli</i> against pulse addition of glucose or NH ₃ under those limiting continuous cultures. 2005 , 26, 38-49	44
1676	Development of industrial-medium-required elimination of the 2,3-butanediol fermentation pathway to maintain ethanol yield in an ethanologenic strain of <i>Klebsiella oxytoca</i> . 2005 , 21, 1366-72	39

1675	The cell density-dependent expression of stewartan exopolysaccharide in <i>Pantoea stewartii</i> ssp. <i>stewartii</i> is a function of EsaR-mediated repression of the <i>rcsA</i> gene. 2005 , 56, 189-203	61
1674	Changes in lipopolysaccharide structure induce the sigma(E)-dependent response of <i>Escherichia coli</i> . 2005 , 55, 1403-12	67
1673	Structural and functional studies of the enteropathogenic <i>Escherichia coli</i> type III needle complex protein EscJ. 2005 , 55, 1658-70	38
1672	Functional analysis of the <i>Campylobacter jejuni</i> N-linked protein glycosylation pathway. 2005 , 55, 1695-703	165
1671	The <i>Salmonella</i> genomic island 1 is an integrative mobilizable element. 2005 , 55, 1911-24	188
1670	Identification of <i>Salmonella</i> functions critical for bacterial cell division within eukaryotic cells. 2005 , 56, 252-67	35
1669	Co-regulation of <i>Salmonella enterica</i> genes required for virulence and resistance to antimicrobial peptides by SlyA and PhoP/PhoQ. 2005 , 56, 492-508	170
1668	SspA is required for acid resistance in stationary phase by downregulation of H-NS in <i>Escherichia coli</i> . 2005 , 56, 719-34	77
1667	Alternative sigma factor interactions in <i>Salmonella</i> : sigma and sigma promote antioxidant defences by enhancing sigma levels. 2005 , 56, 811-23	76
1666	Compensatory role of PspA, a member of the phage shock protein operon, in <i>rpoE</i> mutant <i>Salmonella enterica</i> serovar Typhimurium. 2005 , 56, 1004-16	58
1665	CsrA post-transcriptionally represses <i>pgaABCD</i> , responsible for synthesis of a biofilm polysaccharide adhesin of <i>Escherichia coli</i> . 2005 , 56, 1648-63	242
1664	Characterization of <i>Chlamydia</i> MurC-Ddl, a fusion protein exhibiting D-alanyl-D-alanine ligase activity involved in peptidoglycan synthesis and D-cycloserine sensitivity. 2005 , 57, 41-52	45
1663	Horizontal transfer of <i>Yersinia</i> high-pathogenicity island by the conjugative RP4 attB target-presenting shuttle plasmid. 2005 , 57, 727-34	24
1662	Polyphosphate kinase regulates error-prone replication by DNA polymerase IV in <i>Escherichia coli</i> . 2005 , 57, 751-61	36
1661	HilD, HilC and RtsA constitute a feed forward loop that controls expression of the SPI1 type three secretion system regulator <i>hilA</i> in <i>Salmonella enterica</i> serovar Typhimurium. 2005 , 57, 691-705	166
1660	Paralysis and killing of <i>Caenorhabditis elegans</i> by enteropathogenic <i>Escherichia coli</i> requires the bacterial tryptophanase gene. 2005 , 57, 988-1007	117
1659	A master regulator sigmaB governs osmotic and oxidative response as well as differentiation via a network of sigma factors in <i>Streptomyces coelicolor</i> . 2005 , 57, 1252-64	112
1658	YaeT (Omp85) affects the assembly of lipid-dependent and lipid-independent outer membrane proteins of <i>Escherichia coli</i> . 2005 , 57, 1450-9	138

1657	Regulation of <i>traJ</i> transcription in the <i>Salmonella</i> virulence plasmid by strand-specific DNA adenine hemimethylation. 2005 , 57, 1700-18	62
1656	Transcriptional regulation of <i>flhDC</i> by QseBC and sigma (FliA) in enterohaemorrhagic <i>Escherichia coli</i> . 2005 , 57, 1734-49	120
1655	Transposition is modulated by a diverse set of host factors in <i>Escherichia coli</i> and is stimulated by nutritional stress. 2005 , 57, 1593-607	74
1654	Cytoplasmic degradation of <i>ssrA</i> -tagged proteins. 2005 , 57, 1750-61	113
1653	A role for topoisomerase III in a recombination pathway alternative to RuvABC. 2005 , 58, 80-101	52
1652	Transcriptional activation of the pathway-specific regulator of the actinorhodin biosynthetic genes in <i>Streptomyces coelicolor</i> . 2005 , 58, 131-50	114
1651	Dual regulatory pathways integrating the RcsC-RcsD-RcsB signalling system control enterohaemorrhagic <i>Escherichia coli</i> pathogenicity. 2005 , 58, 320-33	51
1650	Ribosome rescue: tmRNA tagging activity and capacity in <i>Escherichia coli</i> . 2005 , 58, 456-66	91
1649	The MreB and Min cytoskeletal-like systems play independent roles in prokaryotic polar differentiation. 2005 , 58, 917-28	91
1648	SsgA-like proteins determine the fate of peptidoglycan during sporulation of <i>Streptomyces coelicolor</i> . 2005 , 58, 929-44	62
1647	Regulation of <i>ompA</i> mRNA stability: the role of a small regulatory RNA in growth phase-dependent control. 2005 , 58, 1421-9	158
1646	Enhancement of lactate and succinate formation in <i>adhE</i> or <i>pta-ackA</i> mutants of NADH dehydrogenase-deficient <i>Escherichia coli</i> . 2005 , 99, 1404-12	43
1645	Ribosome binding proteins YhbH and YfiA have opposite functions during 100S formation in the stationary phase of <i>Escherichia coli</i> . 2005 , 10, 1103-12	109
1644	Construction of lycopene-overproducing <i>E. coli</i> strains by combining systematic and combinatorial gene knockout targets. 2005 , 23, 612-6	383
1643	MAGIC, an in vivo genetic method for the rapid construction of recombinant DNA molecules. 2005 , 37, 311-9	110
1642	Second-generation shRNA libraries covering the mouse and human genomes. 2005 , 37, 1281-8	522
1641	UvrD helicase, unlike Rep helicase, dismantles RecA nucleoprotein filaments in <i>Escherichia coli</i> . 2005 , 24, 180-9	221
1640	<i>Escherichia coli</i> dihydroxyacetone kinase controls gene expression by binding to transcription factor DhaR. 2005 , 24, 283-93	64

1639	A "gain of function" mutation in a protein mediates production of novel modified nucleosides. 2005 , 24, 1842-51	34
1638	Sensing wetness: a new role for the bacterial flagellum. 2005 , 24, 2034-42	136
1637	Structural basis of chaperone-subunit complex recognition by the type 1 pilus assembly platform FimD. 2005 , 24, 2075-86	93
1636	<i>Yersinia pestis</i> kills <i>Caenorhabditis elegans</i> by a biofilm-independent process that involves novel virulence factors. 2005 , 6, 992-7	35
1635	A glutamate-alanine-leucine (EAL) domain protein of <i>Salmonella</i> controls bacterial survival in mice, antioxidant defence and killing of macrophages: role of cyclic diGMP. 2005 , 56, 1234-45	118
1634	Interaction network containing conserved and essential protein complexes in <i>Escherichia coli</i> . 2005 , 433, 531-7	951
1633	Direct observation of steps in rotation of the bacterial flagellar motor. 2005 , 437, 916-9	248
1632	An expression vector containing a rhamnose-inducible promoter provides tightly regulated gene expression in <i>Burkholderia cenocepacia</i> . 2005 , 54, 219-28	101
1631	Genome-wide localization of mobile elements: experimental, statistical and biological considerations. 2005 , 6, 81	2
1630	An improved method for rapid generation of unmarked <i>Pseudomonas aeruginosa</i> deletion mutants. 2005 , 5, 30	208
1629	Survival of <i>Salmonella</i> serovar Typhimurium inside porcine monocytes is associated with complement binding and suppression of the production of reactive oxygen species. 2005 , 107, 205-14	21
1628	Retron reverse transcriptase (rrtT) can be lost in multidrug resistant <i>Salmonella enterica</i> serovar Typhimurium DT 104 strains and influences virulence for mice. 2005 , 111, 191-7	11
1627	Characterization of the replication of a baculovirus mutant lacking the DNA polymerase gene. 2005 , 331, 175-80	88
1626	The nucleotide sequence and a first generation gene transfer vector of species B human adenovirus serotype 3. 2005 , 343, 283-98	43
1625	Mutasynthesis of aureonitrile: an aureothin derivative with significantly improved cytostatic effect. 2005 , 44, 1202-5	54
1624	Genetic reconstruction of the aerobic central metabolism in <i>Escherichia coli</i> for the absolute aerobic production of succinate. 2005 , 89, 148-56	98
1623	Effect of oxygen on the <i>Escherichia coli</i> ArcA and FNR regulation systems and metabolic responses. 2005 , 89, 556-64	99
1622	In silico design and adaptive evolution of <i>Escherichia coli</i> for production of lactic acid. 2005 , 91, 643-8	300

1621	Effect of ArcA and FNR on the expression of genes related to the oxygen regulation and the glycolysis pathway in <i>Escherichia coli</i> under microaerobic growth conditions. 2005 , 92, 147-59	100
1620	Mutasynthese von Aureonitril, einem Aureothin-Derivat mit signifikant verbesserter zytostatischer Aktivität. 2005 , 117, 1226-1230	36
1619	Establishment of a genetically marked insect-derived symbiont in multiple host plants. 2005 , 50, 1-7	35
1618	FieF (YiiP) from <i>Escherichia coli</i> mediates decreased cellular accumulation of iron and relieves iron stress. 2005 , 183, 9-18	172
1617	Effect of glutathione on UV induction of prophage lambda. 2005 , 183, 444-9	5
1616	Transposon mutagenesis identifies genes which control antimicrobial drug tolerance in stationary-phase <i>Escherichia coli</i> . 2005 , 243, 117-24	54
1615	Functional coupling between vanillate-O-demethylase and formaldehyde detoxification pathway. 2005 , 253, 237-42	29
1614	Fermentation of 10% (w/v) sugar to D: (-)-lactate by engineered <i>Escherichia coli</i> B. 2005 , 27, 1891-6	70
1613	Expression of Genes Encoding the RhtB Family Proteins Depends on the Global Regulator Lrp. 2005 , 39, 331-335	4
1612	Tuning the Expression Level of a Gene Located on a Bacterial Chromosome. 2005 , 39, 719-726	51
1611	Ubiquity of log-normal distributions in intra-cellular reaction dynamics. 2005 , 1, 25-31	98
1610	References. 2005 , 499-574	
1609	Mechanisms of homologous recombination in bacteria. 2005 , 3-32	7
1608	Strategy for chromosomal gene targeting in RecA-deficient <i>Escherichia coli</i> strains. 2005 , 38, 405-8	8
1607	Isocitrate lyase (AceA) is required for <i>Salmonella</i> persistence but not for acute lethal infection in mice. 2005 , 73, 2547-9	82
1606	Two-component signal transduction pathways regulating growth and cell cycle progression in a bacterium: a system-level analysis. 2005 , 3, e334	308
1605	Lysophospholipid flipping across the <i>Escherichia coli</i> inner membrane catalyzed by a transporter (LplT) belonging to the major facilitator superfamily. 2005 , 280, 12028-34	51
1604	Virulence attenuation in <i>Salmonella enterica</i> rcsC mutants with constitutive activation of the Rcs system. 2005 , 151, 579-588	45

1603	The locus of enterocyte effacement-encoded effector proteins all promote enterohemorrhagic <i>Escherichia coli</i> pathogenicity in infant rabbits. 2005 , 73, 1466-74	71
1602	Functional analysis of the pseudorabies virus UL51 protein. 2005 , 79, 3831-40	40
1601	A propionate-inducible expression system for enteric bacteria. 2005 , 71, 6856-62	68
1600	Identification and characterization of the locus for diffuse adherence, which encodes a novel afimbrial adhesin found in atypical enteropathogenic <i>Escherichia coli</i> . 2005 , 73, 4753-65	35
1599	Acetate excretion during growth of <i>Salmonella enterica</i> on ethanolamine requires phosphotransacetylase (EutD) activity, and acetate recapture requires acetyl-CoA synthetase (Acs) and phosphotransacetylase (Pta) activities. 2005 , 151, 3793-3801	29
1598	TolC but not AcrB is essential for multidrug-resistant <i>Salmonella enterica</i> serotype Typhimurium colonization of chicks. 2005 , 55, 707-12	54
1597	Identification, subviral localization, and functional characterization of the pseudorabies virus UL17 protein. 2005 , 79, 13442-53	25
1596	Complex transcriptional control links NikABCDE-dependent nickel transport with hydrogenase expression in <i>Escherichia coli</i> . 2005 , 187, 6317-23	70
1595	Identification of new secreted effectors in <i>Salmonella enterica</i> serovar Typhimurium. 2005 , 73, 6260-71	85
1594	Function of the SmpB tail in transfer-messenger RNA translation revealed by a nucleus-encoded form. 2005 , 280, 5503-9	42
1593	Adaptation of the yeast URA3 selection system to gram-negative bacteria and generation of a Δ betCDE <i>Pseudomonas putida</i> strain. 2005 , 71, 883-92	59
1592	SseJ deacylase activity by <i>Salmonella enterica</i> serovar Typhimurium promotes virulence in mice. 2005 , 73, 6249-59	89
1591	Coordinate expression of fimbriae in uropathogenic <i>Escherichia coli</i> . 2005 , 73, 7588-96	106
1590	Mutations that activate the silent bgl operon of <i>Escherichia coli</i> confer a growth advantage in stationary phase. 2005 , 187, 7912-7	27
1589	Genome-wide analyses of <i>Escherichia coli</i> gene expression responsive to the BaeSR two-component regulatory system. 2005 , 187, 1763-72	102
1588	The bldC developmental locus of <i>Streptomyces coelicolor</i> encodes a member of a family of small DNA-binding proteins related to the DNA-binding domains of the MerR family. 2005 , 187, 716-28	26
1587	Signal-dependent binding of the response regulators PhoP and PmrA to their target promoters in vivo. 2005 , 280, 4089-94	92
1586	Genetic analysis identifies a function for the queC (ybaX) gene product at an initial step in the queuosine biosynthetic pathway in <i>Escherichia coli</i> . 2005 , 187, 6893-901	33

1585	DOS(Ec), a heme-regulated phosphodiesterase, plays an important role in the regulation of the cyclic AMP level in <i>Escherichia coli</i> . 2005 , 187, 6678-82	17
1584	Microarray-based detection of <i>Salmonella enterica</i> serovar Typhimurium transposon mutants that cannot survive in macrophages and mice. 2005 , 73, 5438-49	79
1583	Fis regulates transcriptional induction of RpoS in <i>Salmonella enterica</i> . 2005 , 187, 1568-80	33
1582	Structural and genetic analyses reveal a key role in prophage excision for the TorI response regulator inhibitor. 2005 , 280, 36802-8	16
1581	Overexpression of the multidrug efflux operon <i>acrEF</i> by insertional activation with IS1 or IS10 elements in <i>Salmonella enterica</i> serovar typhimurium DT204 <i>acrB</i> mutants selected with fluoroquinolones. 2005 , 49, 289-301	84
1580	Minimal functions and physiological conditions required for growth of <i>salmonella enterica</i> on ethanolamine in the absence of the metabosome. 2005 , 187, 8039-46	101
1579	CD4+-T-cell responses generated during murine <i>Salmonella enterica</i> serovar Typhimurium infection are directed towards multiple epitopes within the natural antigen FljC. 2005 , 73, 7226-35	50
1578	Exopolysaccharide sugars contribute to biofilm formation by <i>Salmonella enterica</i> serovar typhimurium on HEp-2 cells and chicken intestinal epithelium. 2005 , 187, 3214-26	102
1577	Substrate-dependent utilization of OprM or OpmH by the <i>Pseudomonas aeruginosa</i> MexJK efflux pump. 2005 , 49, 2133-6	45
1576	Unexpected functional diversity among FadR fatty acid transcriptional regulatory proteins. 2005 , 280, 32148-56	42
1575	Cloning and functional characterization of two bacterial members of the NAT/NCS2 family in <i>Escherichia coli</i> . 2005 , 22, 251-61	57
1574	High-level expression of Marek's disease virus glycoprotein C is detrimental to virus growth in vitro. 2005 , 79, 5889-99	32
1573	Epstein-Barr virus with the latent infection nuclear antigen 3B completely deleted is still competent for B-cell growth transformation in vitro. 2005 , 79, 4506-9	41
1572	Structural and genetic characterization of the <i>Shigella boydii</i> type 10 and type 6 O antigens. 2005 , 187, 2551-4	14
1571	Viability of <i>Escherichia coli</i> <i>topA</i> mutants lacking DNA topoisomerase I. 2005 , 280, 355-60	45
1570	Phenylacetate catabolism in <i>Rhodococcus</i> sp. strain RHA1: a central pathway for degradation of aromatic compounds. 2005 , 187, 4497-504	85
1569	The <i>Erwinia chrysanthemi</i> type III secretion system is required for multicellular behavior. 2005 , 187, 639-48	105
1568	Acquisition of a stable mutation in <i>metY</i> allows efficient initiation from an amber codon in <i>Escherichia coli</i> . 2005 , 151, 1741-1750	5

1567	The nonconsecutive disulfide bond of <i>Escherichia coli</i> phytase (AppA) renders it dependent on the protein-disulfide isomerase, DsbC. 2005 , 280, 11387-94	105
1566	Characterization of six lipoproteins in the sigmaE regulon. 2005 , 187, 4552-61	128
1565	New genes implicated in the protection of anaerobically grown <i>Escherichia coli</i> against nitric oxide. 2005 , 280, 2636-43	162
1564	YojI of <i>Escherichia coli</i> functions as a microcin J25 efflux pump. 2005 , 187, 3465-70	37
1563	Ler is a negative autoregulator of the LEE1 operon in enteropathogenic <i>Escherichia coli</i> . 2005 , 187, 349-57	55
1562	The StcE protease contributes to intimate adherence of enterohemorrhagic <i>Escherichia coli</i> O157:H7 to host cells. 2005 , 73, 1295-303	105
1561	The fimYZ genes regulate <i>Salmonella enterica</i> Serovar Typhimurium invasion in addition to type 1 fimbrial expression and bacterial motility. 2005 , 73, 1377-85	47
1560	Uropathogenic <i>Escherichia coli</i> flagella aid in efficient urinary tract colonization. 2005 , 73, 7657-68	172
1559	The selective cause of an ancient adaptation. 2005 , 307, 1279-82	113
1558	<i>Escherichia coli</i> K1 RS218 interacts with human brain microvascular endothelial cells via type 1 fimbria bacteria in the fimbriated state. 2005 , 73, 2923-31	95
1557	Shifts from glucose to certain secondary carbon-sources result in activation of the extracytoplasmic function sigma factor sigmaE in <i>Salmonella enterica</i> serovar Typhimurium. 2005 , 151, 2373-2383	13
1556	Effect of inactivation of degS on <i>Salmonella enterica</i> serovar typhimurium in vitro and in vivo. 2005 , 73, 459-63	24
1555	Complex formation between the UL16 and UL21 tegument proteins of pseudorabies virus. 2005 , 79, 1510-22	60
1554	Characterization of two non-locus of enterocyte effacement-encoded type III-translocated effectors, NleC and NleD, in attaching and effacing pathogens. 2005 , 73, 8411-7	56
1553	Temperature-dependent conjugative transfer of R27: role of chromosome- and plasmid-encoded Hha and H-NS proteins. 2005 , 187, 3950-9	60
1552	Involvement of the <i>Escherichia coli</i> O157:H7(pO157) ecf operon and lipid A myristoyl transferase activity in bacterial survival in the bovine gastrointestinal tract and bacterial persistence in farm water troughs. 2005 , 73, 2367-78	28
1551	Characterization of enterohemorrhagic <i>Escherichia coli</i> strains based on acid resistance phenotypes. 2005 , 73, 4993-5003	56
1550	Identification of cptA, a PmrA-regulated locus required for phosphoethanolamine modification of the <i>Salmonella enterica</i> serovar typhimurium lipopolysaccharide core. 2005 , 187, 3391-9	93

1549	Conversion of methylglyoxal to acetol by Escherichia coli aldo-keto reductases. 2005 , 187, 5782-9	83
1548	Recycling of the anhydro-N-acetylmuramic acid derived from cell wall murein involves a two-step conversion to N-acetylglucosamine-phosphate. 2005 , 187, 3643-9	73
1547	Role of the extracytoplasmic function protein family sigma factor RpoE in metal resistance of Escherichia coli. 2005 , 187, 2297-307	92
1546	Escherichia coli K1 polysialic acid O-acetyltransferase gene, neuO, and the mechanism of capsule form variation involving a mobile contingency locus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 5564-9	11.5 66
1545	Enhanced trehalose production improves growth of Escherichia coli under osmotic stress. 2005 , 71, 3761-9	143
1544	Impact of global transcriptional regulation by ArcA, ArcB, Cra, Crp, Cya, Fnr, and Mlc on glucose catabolism in Escherichia coli. 2005 , 187, 3171-9	230
1543	The protein encoded by the US3 orthologue of Marek's disease virus is required for efficient de-envelopment of perinuclear virions and involved in actin stress fiber breakdown. 2005 , 79, 3987-97	100
1542	A global regulatory role of gluconeogenic genes in Escherichia coli revealed by transcriptome network analysis. 2005 , 280, 36079-87	63
1541	Genome-wide expression analysis indicates that FNR of Escherichia coli K-12 regulates a large number of genes of unknown function. 2005 , 187, 1135-60	215
1540	Peptidase activity of the Escherichia coli Hsp31 chaperone. 2005 , 280, 14420-6	60
1539	IpgB1 is a novel Shigella effector protein involved in bacterial invasion of host cells. Its activity to promote membrane ruffling via Rac1 and Cdc42 activation. 2005 , 280, 24022-34	85
1538	Depletion of apolipoprotein N-acyltransferase causes mislocalization of outer membrane lipoproteins in Escherichia coli. 2005 , 280, 974-83	85
1537	Disease-associated mutations inactivate AMP-lysine hydrolase activity of Aprataxin. 2005 , 280, 20927-31	47
1536	Engineering N-linked protein glycosylation with diverse O antigen lipopolysaccharide structures in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 3016-21	11.5 319
1535	Analysis of human cytomegalovirus oriLyt sequence requirements in the context of the viral genome. 2005 , 79, 3615-26	38
1534	NovG, a DNA-binding protein acting as a positive regulator of novobiocin biosynthesis. 2005 , 151, 1949-1961	30
1533	Increased excision of the Salmonella prophage ST64B caused by a deficiency in Dam methylase. 2005 , 187, 7901-11	21
1532	Genome-wide analysis of the general stress response network in Escherichia coli: sigmaS-dependent genes, promoters, and sigma factor selectivity. 2005 , 187, 1591-603	602

1531	Resolvase-in vivo expression technology analysis of the Salmonella enterica serovar Typhimurium PhoP and PmrA regulons in BALB/c mice. 2005 , 187, 7407-16	72
1530	A gyrase mutant with low activity disrupts supercoiling at the replication terminus. 2005 , 187, 7773-83	16
1529	The Mycobacterium tuberculosis extracytoplasmic-function sigma factor SigL regulates polyketide synthases and secreted or membrane proteins and is required for virulence. 2005 , 187, 7062-71	85
1528	New tool for metabolic pathway engineering in Escherichia coli: one-step method to modulate expression of chromosomal genes. 2005 , 71, 2140-4	47
1527	31P NMR and genetic analysis establish hinT as the only Escherichia coli purine nucleoside phosphoramidase and as essential for growth under high salt conditions. 2005 , 280, 15356-61	45
1526	Rickettsial metK-encoded methionine adenosyltransferase expression in an Escherichia coli metK deletion strain. 2005 , 187, 5719-22	23
1525	Modulation of yersinia type three secretion system by the S1 domain of polynucleotide phosphorylase. 2005 , 280, 156-63	60
1524	Assimilation of nicotinamide mononucleotide requires periplasmic AphA phosphatase in Salmonella enterica. 2005 , 187, 4521-30	25
1523	TolC is involved in enterobactin efflux across the outer membrane of Escherichia coli. 2005 , 187, 6701-7	114
1522	Heterologous expression of novobiocin and clorobiocin biosynthetic gene clusters. 2005 , 71, 2452-9	84
1521	Enteropathogenic Escherichia coli type III effectors EspG and EspG2 disrupt the microtubule network of intestinal epithelial cells. 2005 , 73, 4385-90	59
1520	Role of the Escherichia coli glgX gene in glycogen metabolism. 2005 , 187, 1465-73	96
1519	Energy homeostasis and gastrointestinal endocrine differentiation do not require the anorectic hormone peptide YY. 2005 , 25, 4189-99	44
1518	Identification of GutQ from Escherichia coli as a D-arabinose 5-phosphate isomerase. 2005 , 187, 6936-42	36
1517	Catabolism of benzoate and phthalate in Rhodococcus sp. strain RHA1: redundancies and convergence. 2005 , 187, 4050-63	116
1516	Scission of the lactyl ether bond of N-acetylmuramic acid by Escherichia coli "etherase". 2005 , 280, 30100-6	40
1515	Analysis of the heteromeric CsdA-CsdE cysteine desulfurase, assisting Fe-S cluster biogenesis in Escherichia coli. 2005 , 280, 26760-9	89
1514	The RNase Z homologue encoded by Escherichia coli elaC gene is RNase BN. 2005 , 280, 16542-5	37

1513	Cellular p32 recruits cytomegalovirus kinase pUL97 to redistribute the nuclear lamina. 2005 , 280, 33357-67	144
1512	Identification of multiple genes encoding membrane proteins with undecaprenyl pyrophosphate phosphatase (UppP) activity in <i>Escherichia coli</i> . 2005 , 280, 18689-95	114
1511	RhlB helicase rather than enolase is the beta-subunit of the <i>Escherichia coli</i> polynucleotide phosphorylase (PNPase)-exoribonucleolytic complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16590-5	11.5 60
1510	Characterization of ChpBK, an mRNA interferase from <i>Escherichia coli</i> . 2005 , 280, 26080-8	96
1509	Human cytomegalovirus tegument protein ppUL35 is important for viral replication and particle formation. 2005 , 79, 3084-96	31
1508	CorA affects tolerance of <i>Escherichia coli</i> and <i>Salmonella enterica</i> serovar Typhimurium to the lactoperoxidase enzyme system but not to other forms of oxidative stress. 2005 , 71, 6515-23	14
1507	<i>Citrobacter rodentium</i> lfa/efa1 is essential for colonic colonization and crypt cell hyperplasia in vivo. 2005 , 73, 1441-51	51
1506	Genetic evidence that GTP is required for transposition of IS903 and Tn552 in <i>Escherichia coli</i> . 2005 , 187, 4598-606	15
1505	EspJ is a prophage-carried type III effector protein of attaching and effacing pathogens that modulates infection dynamics. 2005 , 73, 679-86	69
1504	Gene products of the hupGHJ operon are involved in maturation of the iron-sulfur subunit of the [NiFe] hydrogenase from <i>Rhizobium leguminosarum</i> bv. viciae. 2005 , 187, 7018-26	40
1503	A novel caspase-1/toll-like receptor 4-independent pathway of cell death induced by cytosolic <i>Shigella</i> in infected macrophages. 2005 , 280, 14042-50	45
1502	Functional analysis of the glycerol-manno-heptose 7-phosphate kinase domain from the bifunctional HldE protein, which is involved in ADP-L-glycerol-D-manno-heptose biosynthesis. 2005 , 187, 5292-300	32
1501	Identification of an <i>Escherichia coli</i> operon required for formation of the O-antigen capsule. 2005 , 187, 5259-66	70
1500	Transcriptional regulation of sitABCD of <i>Salmonella enterica</i> serovar Typhimurium by MntR and Fur. 2005 , 187, 912-22	70
1499	The global transcriptional response of <i>Escherichia coli</i> to induced sigma 32 protein involves sigma 32 regulon activation followed by inactivation and degradation of sigma 32 in vivo. 2005 , 280, 17758-68	112
1498	A phosphoethanolamine transferase specific for the outer 3-deoxy-D-manno-octulosonic acid residue of <i>Escherichia coli</i> lipopolysaccharide. Identification of the eptB gene and Ca ²⁺ hypersensitivity of an eptB deletion mutant. 2005 , 280, 21202-11	122
1497	A novel monothiol glutaredoxin (Grx4) from <i>Escherichia coli</i> can serve as a substrate for thioredoxin reductase. 2005 , 280, 24544-52	113
1496	The enigmatic acyl carrier protein phosphodiesterase of <i>Escherichia coli</i> : genetic and enzymological characterization. 2005 , 280, 34675-83	44

1495	Expression of cellulose and curli fimbriae by Escherichia coli isolated from the gastrointestinal tract. 2005 , 54, 1171-1182	183
1494	AtNAP1 represents an atypical SufB protein in Arabidopsis plastids. 2005 , 280, 6648-54	84
1493	Signature-tagged transposon mutagenesis studies demonstrate the dynamic nature of cecal colonization of 2-week-old chickens by Campylobacter jejuni. 2005 , 71, 8031-41	56
1492	Invasion of epithelial cells by locus of enterocyte effacement-negative enterohemorrhagic Escherichia coli. 2005 , 73, 3063-71	42
1491	Implication of membrane localization of target mRNA in the action of a small RNA: mechanism of post-transcriptional regulation of glucose transporter in Escherichia coli. 2005 , 19, 328-38	108
1490	Attenuation of Marek's disease virus by deletion of open reading frame RLORF4 but not RLORF5a. 2005 , 79, 11647-59	90
1489	Role of porins in sensitivity of Escherichia coli to antibacterial activity of the lactoperoxidase enzyme system. 2005 , 71, 3512-8	21
1488	Role of RcsF in signaling to the Rcs phosphorelay pathway in Escherichia coli. 2005 , 187, 6770-8	113
1487	ClpXP protease controls expression of the type III protein secretion system through regulation of RpoS and GrlR levels in enterohemorrhagic Escherichia coli. 2005 , 187, 4086-94	80
1486	A novel putrescine utilization pathway involves gamma-glutamylated intermediates of Escherichia coli K-12. 2005 , 280, 4602-8	113
1485	A sensor of the two-component system CpxA affects expression of the type III secretion system through posttranscriptional processing of InvE. 2005 , 187, 107-13	38
1484	The Autographa californica multiple nucleopolyhedrovirus ie0-ie1 gene complex is essential for wild-type virus replication, but either IE0 or IE1 can support virus growth. 2005 , 79, 4619-29	55
1483	Catabolite repression of the propionate catabolic genes in Escherichia coli and Salmonella enterica: evidence for involvement of the cyclic AMP receptor protein. 2005 , 187, 2793-800	45
1482	The UL7 gene of pseudorabies virus encodes a nonessential structural protein which is involved in virion formation and egress. 2005 , 79, 11291-9	20
1481	Intracellular Salmonella inhibit antigen presentation by dendritic cells. 2005 , 174, 2892-9	142
1480	Target-directed proteolysis at the ribosome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 4246-51	11.5 24
1479	A bifunctional DNA repair protein from Ferroplasma acidarmanus exhibits O6-alkylguanine-DNA alkyltransferase and endonuclease V activities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 3617-22	11.5 33
1478	Transcriptional regulation of the 4-amino-4-deoxy-L-arabinose biosynthetic genes in Yersinia pestis. 2005 , 280, 14765-72	75

1477	Molecular analysis of the O-antigen gene cluster of <i>Escherichia coli</i> O86:B7 and characterization of the chain length determinant gene (wzz). 2005 , 71, 7995-8001	41
1476	Homologues of insecticidal toxin complex genes in <i>Yersinia enterocolitica</i> biotype 1A and their contribution to virulence. 2005 , 73, 6860-7	65
1475	Mouse intestine selects nonmotile flhDC mutants of <i>Escherichia coli</i> MG1655 with increased colonizing ability and better utilization of carbon sources. 2005 , 73, 8039-49	70
1474	Rapid method for the construction of <i>Salmonella enterica</i> Seroovar Typhimurium vaccine carrier strains. 2005 , 73, 1598-605	57
1473	SlyA regulates function of <i>Salmonella</i> pathogenicity island 2 (SPI-2) and expression of SPI-2-associated genes. 2005 , 73, 4354-62	66
1472	Methionine sulfoxide reduction and assimilation in <i>Escherichia coli</i> : new role for the biotin sulfoxide reductase BisC. 2005 , 187, 231-7	54
1471	Defective O-antigen polymerization in <i>tolA</i> and <i>pal</i> mutants of <i>Escherichia coli</i> in response to extracytoplasmic stress. 2005 , 187, 3359-68	61
1470	Effect of <i>sdiA</i> on biosensors of N-acylhomoserine lactones. 2005 , 187, 5054-8	77
1469	Regulation of <i>finP</i> transcription by DNA adenine methylation in the virulence plasmid of <i>Salmonella enterica</i> . 2005 , 187, 5691-9	37
1468	The <i>yljA</i> , -B, -C, and -D genes of <i>Escherichia coli</i> K-12 encode a novel glutathione importer with an ATP-binding cassette. 2005 , 187, 5861-7	81
1467	The <i>lrp</i> gene and its role in type I fimbriation in <i>Citrobacter rodentium</i> . 2005 , 187, 7009-17	10
1466	Genetic and functional characterization of the <i>Escherichia coli</i> BarA-UvrY two-component system: point mutations in the HAMP linker of the BarA sensor give a dominant-negative phenotype. 2005 , 187, 7317-24	27
1465	A positive regulatory loop controls expression of the locus of enterocyte effacement-encoded regulators <i>Ler</i> and <i>GrlA</i> . 2005 , 187, 7918-30	109
1464	The maltodextrin system of <i>Escherichia coli</i> : glycogen-derived endogenous induction and osmoregulation. 2005 , 187, 8332-9	37
1463	A defect in the acetyl coenzyme A acetate pathway poisons recombinational repair-deficient mutants of <i>Escherichia coli</i> . 2005 , 187, 1266-75	19
1462	Host gene expression changes and DNA amplification during temperate phage induction. 2005 , 187, 1485-92	62
1461	CpxR/OmpR interplay regulates curli gene expression in response to osmolarity in <i>Escherichia coli</i> . 2005 , 187, 2038-49	204
1460	Involvement of AlpV, a new member of the <i>Streptomyces</i> antibiotic regulatory protein family, in regulation of the duplicated type II polyketide synthase <i>alp</i> gene cluster in <i>Streptomyces ambofaciens</i> . 2005 , 187, 2491-500	36

1459	Why does Escherichia coli grow more slowly on glucosamine than on N-acetylglucosamine? Effects of enzyme levels and allosteric activation of GlcN6P deaminase (NagB) on growth rates. 2005 , 187, 2974-82	54
1458	The expression profile of Escherichia coli K-12 in response to minimal, optimal and excess copper concentrations. 2005 , 151, 1187-98	115
1457	A highly sensitive selection method for directed evolution of homing endonucleases. 2005 , 33, e154	163
1456	Role of motility in the colonization of uropathogenic Escherichia coli in the urinary tract. 2005 , 73, 7644-56	168
1455	Studies of the distribution of Escherichia coli cAMP-receptor protein and RNA polymerase along the E. coli chromosome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 17693-8	11.5 244
1454	The pseudouridine synthase RluD is required for normal ribosome assembly and function in Escherichia coli. 2005 , 11, 1141-52	71
1453	Repression of SPI2 transcription by nitric oxide-producing, IFNgamma-activated macrophages promotes maturation of Salmonella phagosomes. 2005 , 202, 625-35	61
1452	HtrA stress protein is involved in intramacrophagic replication of adherent and invasive Escherichia coli strain LF82 isolated from a patient with Crohn's disease. 2005 , 73, 712-21	70
1451	Efficient and seamless DNA recombineering using a thymidylate synthase A selection system in Escherichia coli. 2005 , 33, e59	85
1450	The PhoP/PhoQ system controls the intramacrophage type three secretion system of Salmonella enterica. 2005 , 57, 85-96	158
1449	Improvements in the cell-free production of functional antibodies using cell extract from protease-deficient Escherichia coli mutant. 2005 , 99, 181-6	18
1448	Time-course data analysis of gene expression profiles reveals purR regulon concerns in organic solvent tolerance in Escherichia coli. 2005 , 99, 72-4	14
1447	Molecular cloning, sequence analysis, and heterologous expression of the phosphinothricin tripeptide biosynthetic gene cluster from Streptomyces viridochromogenes DSM 40736. 2005 , 49, 230-40	76
1446	RNase E-based ribonucleoprotein complexes: mechanical basis of mRNA destabilization mediated by bacterial noncoding RNAs. 2005 , 19, 2176-86	374
1445	Genetic characterization of the beta-glucuronidase enzyme from a human intestinal bacterium, Ruminococcus gnavus. 2005 , 151, 2323-2330	93
1444	Cancer immunotherapy based on killing of Salmonella-infected tumor cells. 2005 , 65, 3920-7	125
1443	Regulation of uptake and processing of the quorum-sensing autoinducer AI-2 in Escherichia coli. 2005 , 187, 238-48	311
1442	Tuning genetic control through promoter engineering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 12678-83	11.5 679

1441	Cyclic AMP (cAMP) and cAMP receptor protein influence both synthesis and uptake of extracellular autoinducer 2 in <i>Escherichia coli</i> . 2005 , 187, 2066-76	147
1440	The role of the novel Fem protein VanK in vancomycin resistance in <i>Streptomyces coelicolor</i> . 2005 , 280, 13055-61	116
1439	A small bacterial RNA regulates a putative ABC transporter. 2005 , 280, 7901-8	82
1438	The bacterial YbaK protein is a Cys-tRNA ^{Pro} and Cys-tRNA Cys deacylase. 2005 , 280, 25887-91	73
1437	The Shiga toxin 1-converting bacteriophage BP-4795 encodes an NleA-like type III effector protein. 2005 , 187, 8494-8	37
1436	Metabolic engineering of <i>Escherichia coli</i> for enhanced production of succinic acid, based on genome comparison and in silico gene knockout simulation. 2005 , 71, 7880-7	255
1435	Characterization of an <i>Escherichia coli</i> sulfite oxidase homologue reveals the role of a conserved active site cysteine in assembly and function. 2005 , 44, 10339-48	63
1434	The <i>Escherichia coli</i> CpxA-CpxR envelope stress response system regulates expression of the porins ompF and ompC. 2005 , 187, 5723-31	113
1433	The metal permease ZupT from <i>Escherichia coli</i> is a transporter with a broad substrate spectrum. 2005 , 187, 1604-11	171
1432	The <i>Salmonella enterica</i> serovar Typhi tsx gene, encoding a nucleoside-specific porin, is essential for prototrophic growth in the absence of nucleosides. 2005 , 73, 6210-9	17
1431	Bacteriophage Mu targets the trinucleotide sequence CGG. 2005 , 187, 3586-8	22
1430	A degenerate type III secretion system from septicemic <i>Escherichia coli</i> contributes to pathogenesis. 2005 , 187, 8164-71	56
1429	Structural insights into the monosaccharide specificity of <i>Escherichia coli</i> rhamnose mutarotase. 2005 , 349, 153-62	24
1428	Multiple effects of S13 in modulating the strength of intersubunit interactions in the ribosome during translation. 2005 , 349, 47-59	46
1427	Bacterial repression loops require enhanced DNA flexibility. 2005 , 349, 716-30	106
1426	ClpXP-dependent proteolysis of FNR upon loss of its O ₂ -sensing [4Fe-4S] cluster. 2005 , 354, 220-32	56
1425	A bacterial G protein-mediated response to replication arrest. 2005 , 17, 549-60	73
1424	Features of ribosome-peptidyl-tRNA interactions essential for tryptophan induction of tna operon expression. 2005 , 19, 333-43	122

1423	The lpf operon of invasive <i>Escherichia coli</i> . 2005 , 295, 227-36	20
1422	Identification of a multicomponent complex required for outer membrane biogenesis in <i>Escherichia coli</i> . 2005 , 121, 235-45	565
1421	Interactions between inner membrane proteins in donor and recipient cells limit conjugal DNA transfer. 2005 , 8, 963-70	50
1420	Binding of the UvrB dimer to non-damaged and damaged DNA: residues Y92 and Y93 influence the stability of both subunits. 2005 , 4, 699-713	26
1419	Quinolinate synthetase, an iron-sulfur enzyme in NAD biosynthesis. 2005 , 579, 3737-43	49
1418	Identification of <i>Escherichia coli</i> K12 YdcW protein as a gamma-aminobutyraldehyde dehydrogenase. 2005 , 579, 4107-12	33
1417	Coordinated synthesis of the two ClpB isoforms improves the ability of <i>Escherichia coli</i> to survive thermal stress. 2005 , 579, 4235-41	20
1416	The <i>yeaS</i> (<i>leuE</i>) gene of <i>Escherichia coli</i> encodes an exporter of leucine, and the Lrp protein regulates its expression. 2005 , 579, 4629-34	56
1415	A homologous expression system for obtaining engineered cytochrome <i>ba3</i> from <i>Thermus thermophilus</i> HB8. 2005 , 40, 299-318	30
1414	Sensitivity to potassium tellurite of <i>Escherichia coli</i> cells deficient in CSD, CsdB and IscS cysteine desulfurases. 2005 , 156, 465-71	17
1413	Recombineering: Genetic Engineering in Bacteria Using Homologous Recombination. 2005 , 70, 1.16.1	8
1412	Combined inactivation and expression strategy to study gene function under physiological conditions: application to identification of new <i>Escherichia coli</i> adhesins. 2005 , 187, 1001-13	92
1411	Discovery of enzymatic activity using stable isotope metabolite labeling and liquid chromatography-mass spectrometry. 2005 , 77, 6737-40	6
1410	Pyramiding unmarked deletions in <i>Ralstonia solanacearum</i> shows that secreted proteins in addition to plant cell-wall-degrading enzymes contribute to virulence. 2005 , 18, 1296-305	95
1409	Development of an antibiotic-free plasmid selection system based on glycine auxotrophy for recombinant protein overproduction in <i>Escherichia coli</i> . 2006 , 5, P85	1
1408	The arginine regulon of <i>Escherichia coli</i> : whole-system transcriptome analysis discovers new genes and provides an integrated view of arginine regulation. 2006 , 152, 3343-3354	58
1407	Experimental approaches to identify non-coding RNAs. 2006 , 34, 635-46	408
1406	Impact of Genome Sequences on Mutational Analysis of Fungal and Bacterial Pathogens. 2006 , 69-81	

1405	Expression of the F plasmid ccd toxin-antitoxin system in <i>Escherichia coli</i> cells under nutritional stress. 2006 , 52, 24-30	13
1404	A SitABCD homologue from an avian pathogenic <i>Escherichia coli</i> strain mediates transport of iron and manganese and resistance to hydrogen peroxide. 2006 , 152, 745-758	104
1403	Highly accurate genome sequences of <i>Escherichia coli</i> K-12 strains MG1655 and W3110. 2006 , 2, 2006.0007	348
1402	The cotranscribed <i>Salmonella enterica</i> sv. Typhi <i>tsx</i> and <i>impX</i> genes encode opposing nucleoside-specific import and export proteins. 2006 , 173, 25-34	8
1401	Differential effects of <i>yfgL</i> mutation on <i>Escherichia coli</i> outer membrane proteins and lipopolysaccharide. 2006 , 188, 7186-94	102
1400	YdgG (TqsA) controls biofilm formation in <i>Escherichia coli</i> K-12 through autoinducer 2 transport. 2006 , 188, 587-98	152
1399	Autoinducer 2 controls biofilm formation in <i>Escherichia coli</i> through a novel motility quorum-sensing regulator (MqsR, B3022). 2006 , 188, 305-16	419
1398	Maintenance of nitric oxide and redox homeostasis by the <i>salmonella</i> flavohemoglobin <i>hmp</i> . 2006 , 281, 28039-47	156
1397	Effect of <i>lpdA</i> gene knockout on the metabolism in <i>Escherichia coli</i> based on enzyme activities, intracellular metabolite concentrations and metabolic flux analysis by ¹³ C-labeling experiments. 2006 , 122, 254-66	69
1396	Total amino acid stabilization during cell-free protein synthesis reactions. 2006 , 123, 193-203	86
1395	Discovery and investigation of a new, second triose phosphate isomerase in <i>Klebsiella pneumoniae</i> . 2006 , 125, 462-73	12
1394	Construction of <i>Escherichia coli</i> K-12 in-frame, single-gene knockout mutants: the Keio collection. 2006 , 2, 2006.0008	5133
1393	Importance of the adaptor (membrane fusion) protein hairpin domain for the functionality of multidrug efflux pumps. 2006 , 45, 10303-12	56
1392	AI-3 synthesis is not dependent on <i>luxS</i> in <i>Escherichia coli</i> . 2006 , 188, 5668-81	147
1391	Redefining the requisite lipopolysaccharide structure in <i>Escherichia coli</i> . 2006 , 1, 33-42	113
1390	Identification of the interaction domain of the small terminase subunit pUL89 with the large subunit pUL56 of human cytomegalovirus. 2006 , 45, 8855-63	39
1389	<i>Saccharomyces cerevisiae</i> -based molecular tool kit for manipulation of genes from gram-negative bacteria. 2006 , 72, 5027-36	282
1388	D-Ribulose 5-phosphate 3-epimerase: functional and structural relationships to members of the ribulose-phosphate binding (beta/alpha) ₈ -barrel superfamily. 2006 , 45, 2493-503	29

1387	Down-regulation of porins by a small RNA bypasses the essentiality of the regulated intramembrane proteolysis protease RseP in <i>Escherichia coli</i> . 2006 , 281, 12253-9	95
1386	An RNA sensor for intracellular Mg(2+). 2006 , 125, 71-84	256
1385	The wbnH gene of <i>Escherichia coli</i> O86:H2 encodes an alpha-1,3-N-acetylgalactosaminyl transferase involved in the O-repeating unit biosynthesis. 2006 , 344, 631-9	28
1384	Structural and genetic characterization of <i>Shigella boydii</i> type 17 O antigen and confirmation of two new genes involved in the synthesis of glucolactilic acid. 2006 , 349, 289-95	8
1383	Efficient recombination-based methods for bacterial artificial chromosome fusion and mutagenesis. 2006 , 371, 136-43	19
1382	A simple system for converting lacZ to gfp reporter fusions in diverse bacteria. 2006 , 372, 219-26	9
1381	A <i>Salmonella</i> -based, propionate-inducible, expression system for <i>Salmonella enterica</i> . 2006 , 377, 6-11	13
1380	A set of recombineering plasmids for gram-negative bacteria. 2006 , 379, 109-15	343
1379	Structural and molecular characterization of <i>Shigella boydii</i> type 16 O antigen. 2006 , 380, 46-53	13
1378	Analysis of the <i>Escherichia coli</i> RNA degradosome composition by a proteomic approach. 2006 , 88, 151-61	69
1377	Roles of <i>E. coli</i> double-strand-break-repair proteins in stress-induced mutation. 2006 , 5, 258-73	33
1376	Environmentally controlled invasion of cancer cells by engineered bacteria. 2006 , 355, 619-27	450
1375	Cis and trans-acting effects on a mutational hotspot involving a replication template switch. 2006 , 356, 300-11	35
1374	Crucial roles of both flanking sequences in silencing of the hila promoter in <i>Salmonella enterica</i> . 2006 , 357, 373-86	63
1373	Structural and biochemical study of effector molecule recognition by the <i>E. coli</i> glyoxylate and allantoin utilization regulatory protein AllR. 2006 , 358, 810-28	20
1372	Oligomerization of the bacterial flagellar ATPase Flil is controlled by its extreme N-terminal region. 2006 , 360, 510-9	48
1371	Two parts of the T3S4 domain of the hook-length control protein FlhK are essential for the substrate specificity switching of the flagellar type III export apparatus. 2006 , 362, 1148-58	54
1370	Conserved small non-coding RNAs that belong to the sigmaE regulon: role in down-regulation of outer membrane proteins. 2006 , 364, 1-8	201

1369	Identification of <i>Escherichia coli</i> m2G methyltransferases: II. The <i>ygjO</i> gene encodes a methyltransferase specific for G1835 of the 23 S rRNA. 2006 , 364, 26-31	32
1368	Identification of <i>Escherichia coli</i> m2G methyltransferases: I. the <i>ycbY</i> gene encodes a methyltransferase specific for G2445 of the 23 S rRNA. 2006 , 364, 20-5	43
1367	The Ser/Thr kinase activity of the <i>Yersinia</i> protein kinase A (YpkA) is necessary for full virulence in the mouse, mollifying phagocytes, and disrupting the eukaryotic cytoskeleton. 2006 , 40, 234-43	47
1366	Expression of the <i>Escherichia coli</i> IrgA homolog adhesin is regulated by the ferric uptake regulation protein. 2006 , 41, 207-17	29
1365	Alternative methods to limit extracellular bacterial activity for enumeration of intracellular bacteria. 2006 , 64, 17-26	5
1364	Real-time reverse transcription PCR for the quantification of the <i>mntH</i> expression of <i>Salmonella enterica</i> as a function of growth phase and phagosome-like conditions. 2006 , 66, 125-35	35
1363	Suicide vectors for antibiotic marker exchange and rapid generation of multiple knockout mutants by allelic exchange in Gram-negative bacteria. 2006 , 67, 395-407	22
1362	DNA repeat rearrangements mediated by DnaK-dependent replication fork repair. 2006 , 21, 595-604	82
1361	Proteomic profiling of ClpXP substrates after DNA damage reveals extensive instability within SOS regulon. 2006 , 22, 193-204	131
1360	Concert of regulators to switch on LEE expression in enterohemorrhagic <i>Escherichia coli</i> O157:H7: interplay between Ler, GrlA, HNS and RpoS. 2006 , 296, 197-210	68
1359	Independent acquisition of site-specific recombination factors by <i>asn</i> tRNA gene-targeting genomic islands. 2006 , 296, 341-52	7
1358	Regulation of <i>Salmonella</i> pathogenicity island 2 genes by independent environmental signals. 2006 , 296, 435-47	82
1357	Non-essential KDO biosynthesis and new essential cell envelope biogenesis genes in the <i>Escherichia coli</i> <i>yrbG-yhbG</i> locus. 2006 , 157, 547-58	73
1356	A novel role for protein-tyrosine kinase Etk from <i>Escherichia coli</i> K-12 related to polymyxin resistance. 2006 , 157, 637-41	27
1355	Overexpression and purification of tagged <i>Escherichia coli</i> proteins using a chromosomal knock-in strategy. 2006 , 46, 294-8	11
1354	Purification and characterization of the L-Ara4N transferase protein ArnT from <i>Salmonella typhimurium</i> . 2006 , 46, 33-9	15
1353	Construction of an inducible, <i>pfkA</i> and <i>pfkB</i> deficient strain of <i>Escherichia coli</i> for the expression and purification of phosphofructokinase from bacterial sources. 2006 , 46, 475-82	24
1352	Overexpression and characterization of Wzz of <i>Escherichia coli</i> O86:H2. 2006 , 48, 49-55	28

1351	Expression of human cationic trypsinogen with an authentic N terminus using intein-mediated splicing in aminopeptidase P deficient <i>Escherichia coli</i> . 2006 , 48, 104-11	28
1350	Development of canine herpesvirus based antifertility vaccines for foxes using bacterial artificial chromosomes. 2006 , 24, 980-8	13
1349	Facile approach for constructing TEV insertions to probe protein structure in vivo. 2006 , 41, 721-4	1
1348	Counter-selectable marker for bacterial-based interaction trap systems. 2006 , 40, 179-84	19
1347	Gentamicin and other cassettes for chromosomal gene replacement in <i>Escherichia coli</i> . 2006 , 41, 261-2, 264	16
1346	Adaptive response of a gene network to environmental changes by fitness-induced attractor selection. 2006 , 1, e49	182
1345	The <i>Erwinia amylovora</i> avrRpt2EA gene contributes to virulence on pear and AvrRpt2EA is recognized by <i>Arabidopsis</i> RPS2 when expressed in <i>Pseudomonas syringae</i> . 2006 , 19, 644-54	74
1344	Expansion of CD94/NKG2C+ NK cells in response to human cytomegalovirus-infected fibroblasts. 2006 , 107, 3624-31	320
1343	Survival characteristics of <i>Salmonella enterica</i> serovar Enteritidis in chicken egg albumen. 2006 , 134, 967-76	51
1342	<i>E. coli</i> Genome. 2006 ,	
1341	The Tat pathway of the plant pathogen <i>Pseudomonas syringae</i> is required for optimal virulence. 2006 , 19, 200-12	39
1340	Use of the lambda Red recombinase system to produce recombinant prophages carrying antibiotic resistance genes. 2006 , 7, 31	60
1339	Low temperature-induced systems failure in <i>Escherichia coli</i> : insights from rescue by cold-adapted chaperones. 2006 , 6, 193-206	65
1338	Expression profiling of proteins in L-threonine biosynthetic pathway of <i>Escherichia coli</i> by using antibody microarray. 2006 , 6, 5929-40	12
1337	The AcrAB-TolC efflux system of <i>Salmonella enterica</i> serovar Typhimurium plays a role in pathogenesis. 2006 , 8, 847-56	161
1336	A novel category of enteropathogenic <i>Escherichia coli</i> simultaneously utilizes the Nck and TccP pathways to induce actin remodelling. 2006 , 8, 999-1008	25
1335	Directed delivery of heat-labile enterotoxin by enterotoxigenic <i>Escherichia coli</i> . 2006 , 8, 1516-27	68
1334	<i>Escherichia coli</i> cyclomodulin Cif induces G2 arrest of the host cell cycle without activation of the DNA-damage checkpoint-signalling pathway. 2006 , 8, 1910-21	65

1333	DeoT, a DeoR-type transcriptional regulator of multiple target genes. 2006 , 254, 141-8	20
1332	sucAB and sucCD are mutually essential genes in <i>Escherichia coli</i> . 2006 , 254, 245-50	26
1331	Gamma-glutamyl-gamma-aminobutyrate hydrolase in the putrescine utilization pathway of <i>Escherichia coli</i> K-12. 2006 , 256, 318-23	25
1330	An efficient gene transfer system for the pimaricin producer <i>Streptomyces natalensis</i> . 2006 , 257, 312-8	37
1329	Functional analysis of lymphostatin homologues in enterohaemorrhagic <i>Escherichia coli</i> . 2006 , 258, 43-9	22
1328	Global analysis of iron assimilation and fur regulation in <i>Yersinia pestis</i> . 2006 , 258, 9-17	61
1327	Type II quorum sensing regulates virulence in <i>Erwinia carotovora</i> ssp. <i>carotovora</i> . 2006 , 258, 227-34	21
1326	Identification of genes involved in siderophore transport in <i>Streptomyces coelicolor</i> A3(2). 2006 , 262, 57-64	22
1325	Isolation and functional analysis of luxS in <i>Serratia plymuthica</i> RVH1. 2006 , 262, 201-9	17
1324	Identification and characterization of EspK, a type III secreted effector protein of enterohaemorrhagic <i>Escherichia coli</i> O157:H7. 2006 , 263, 32-40	33
1323	Role of penicillin-binding protein 1b in competitive stationary-phase survival of <i>Escherichia coli</i> . 2006 , 263, 61-7	28
1322	Functional characterization of the competence protein DprA/Smf in <i>Escherichia coli</i> . 2006 , 263, 223-8	28
1321	Novel gene members in the Pho regulon of <i>Escherichia coli</i> . 2006 , 264, 104-9	80
1320	Identification of YhdA as a regulator of the <i>Escherichia coli</i> carbon storage regulation system. 2006 , 264, 232-7	18
1319	Chaperone protection of immature molybdoenzyme during molybdenum cofactor limitation. 2006 , 265, 51-5	25
1318	Differential effect of auxotrophies on the release of macromolecules by <i>Salmonella enterica</i> vaccine strains. 2006 , 265, 81-8	14
1317	Developing live <i>Shigella</i> vaccines using lambda Red recombineering. 2006 , 47, 462-9	51
1316	Removal of antibiotic resistance of live vaccine strain <i>Escherichia coli</i> MM-3 and evaluation of the immunogenicity of the new strain. 2006 , 38, 844-56	3

1315	The mechanism of Salmonella entry determines the vacuolar environment and intracellular gene expression. 2006 , 7, 39-51	92
1314	Intracellular Salmonella enterica redirect exocytic transport processes in a Salmonella pathogenicity island 2-dependent manner. 2006 , 7, 716-30	69
1313	Virulence and drug resistance roles of multidrug efflux systems of Salmonella enterica serovar Typhimurium. 2006 , 59, 126-41	258
1312	The vancomycin resistance VanRS two-component signal transduction system of Streptomyces coelicolor. 2006 , 59, 923-35	107
1311	PspB and PspC of Yersinia enterocolitica are dual function proteins: regulators and effectors of the phage-shock-protein response. 2006 , 59, 1610-23	42
1310	The PmrA/PmrB and RcsC/YojN/RcsB systems control expression of the Salmonella O-antigen chain length determinant. 2006 , 60, 39-50	66
1309	The role of replication initiation control in promoting survival of replication fork damage. 2006 , 60, 229-39	38
1308	The enteropathogenic Escherichia coli type III secretion system effector Map binds EBP50/NHERF1: implication for cell signalling and diarrhoea. 2006 , 60, 349-63	58
1307	Analysis of the requirements for pilus biogenesis at the outer membrane usher and the function of the usher C-terminus. 2006 , 60, 364-75	40
1306	Hierarchical involvement of various GGDEF domain proteins in rdar morphotype development of Salmonella enterica serovar Typhimurium. 2006 , 60, 602-16	161
1305	Recombinant cytochromes c biogenesis systems I and II and analysis of haem delivery pathways in Escherichia coli. 2006 , 60, 563-77	70
1304	Flk prevents premature secretion of the anti-sigma factor FlgM into the periplasm. 2006 , 60, 630-43	48
1303	IscR-dependent gene expression links iron-sulphur cluster assembly to the control of O ₂ -regulated genes in Escherichia coli. 2006 , 60, 1058-75	222
1302	Crystal structure of the DNA-binding domain of BldD, a central regulator of aerial mycelium formation in Streptomyces coelicolor A3(2). 2006 , 60, 1179-93	18
1301	(p)ppGpp regulates type 1 fimbriation of Escherichia coli by modulating the expression of the site-specific recombinase FimB. 2006 , 60, 1520-33	89
1300	A mechanical role for the chemotaxis system in swarming motility. 2006 , 60, 1590-602	79
1299	YfiO stabilizes the YaeT complex and is essential for outer membrane protein assembly in Escherichia coli. 2006 , 61, 151-64	234
1298	ppGpp with DksA controls gene expression in the locus of enterocyte effacement (LEE) pathogenicity island of enterohaemorrhagic Escherichia coli through activation of two virulence regulatory genes. 2006 , 61, 194-205	113

1297	A genome rearrangement has orphaned the <i>Escherichia coli</i> K-12 AcpT phosphopantetheinyl transferase from its cognate <i>Escherichia coli</i> O157:H7 substrates. 2006 , 61, 232-42	17
1296	Differential modulation of <i>E. coli</i> mRNA abundance by inhibitory proteins that alter the composition of the degradosome. 2006 , 61, 394-406	100
1295	Role of pathogenicity island-associated integrases in the genome plasticity of uropathogenic <i>Escherichia coli</i> strain 536. 2006 , 61, 584-95	104
1294	Identification of the lipopolysaccharide modifications controlled by the <i>Salmonella</i> PmrA/PmrB system mediating resistance to Fe(III) and Al(III). 2006 , 61, 645-54	67
1293	A glutamic acid 3-methyltransferase encoded by an accessory gene locus important for daptomycin biosynthesis in <i>Streptomyces roseosporus</i> . 2006 , 61, 1294-307	55
1292	A new ferrous iron-uptake transporter, EfeU (YcdN), from <i>Escherichia coli</i> . 2006 , 62, 120-31	112
1291	The tandem GTPase, Der, is essential for the biogenesis of 50S ribosomal subunits in <i>Escherichia coli</i> . 2006 , 61, 1660-72	73
1290	Requirement for the acetyl phosphate pathway in <i>Escherichia coli</i> ATP-dependent proteolysis. 2006 , 62, 201-11	16
1289	Nickel homeostasis in <i>Escherichia coli</i> - the rcnR-rcnA efflux pathway and its linkage to NikR function. 2006 , 62, 252-62	110
1288	The <i>Escherichia coli</i> UvrD helicase is essential for Tus removal during recombination-dependent replication restart from Ter sites. 2006 , 62, 382-96	47
1287	Loss of Hfq activates the sigmaE-dependent envelope stress response in <i>Salmonella enterica</i> . 2006 , 62, 838-52	115
1286	The Rcs phosphorelay system is specific to enteric pathogens/commensals and activates ydel, a gene important for persistent <i>Salmonella</i> infection of mice. 2006 , 62, 883-94	77
1285	Cyclic-di-GMP-mediated signalling within the sigma network of <i>Escherichia coli</i> . 2006 , 62, 1014-34	222
1284	IHF-dependent activation of P1 plasmid origin by dnaA. 2006 , 62, 1739-51	12
1283	Hypermutagenesis in mutA cells is mediated by mistranslational corruption of polymerase, and is accompanied by replication fork collapse. 2006 , 62, 1752-63	25
1282	SigmaE-dependent small RNAs of <i>Salmonella</i> respond to membrane stress by accelerating global omp mRNA decay. 2006 , 62, 1674-88	290
1281	Does a deficiency of the signal recognition particle (SRP)-pathway affect the biosynthesis of its components in <i>Saccharomyces cerevisiae</i> and <i>Escherichia coli</i> ?. 2006 , 71, 723-9	1
1280	Extensive functional overlap between sigma factors in <i>Escherichia coli</i> . 2006 , 13, 806-14	139

1279	ClpS is an essential component of the N-end rule pathway in <i>Escherichia coli</i> . 2006 , 439, 753-6	176
1278	AtSufE is an essential activator of plastidic and mitochondrial desulfurases in <i>Arabidopsis</i> . 2006 , 25, 900-9	74
1277	Y-family DNA polymerases respond to DNA damage-independent inhibition of replication fork progression. 2006 , 25, 868-79	77
1276	Two distinct but interchangeable mechanisms for flipping of lipid-linked oligosaccharides. 2006 , 25, 967-76	130
1275	Formation of a new O-polysaccharide in <i>Escherichia coli</i> O86 via disruption of a glycosyltransferase gene involved in O-unit assembly. 2006 , 341, 2254-60	11
1274	Biosynthesis of sulfated glycopeptide antibiotics by using the sulfotransferase StaL. 2006 , 13, 171-81	29
1273	Effect of fadR gene knockout on the metabolism of <i>Escherichia coli</i> based on analyses of protein expressions, enzyme activities and intracellular metabolite concentrations. 2006 , 38, 512-520	24
1272	Both alpha-haemolysin determinants contribute to full virulence of uropathogenic <i>Escherichia coli</i> strain 536. 2006 , 8, 2006-12	34
1271	Investigation into the effect of soxR and soxS genes deletion on the central metabolism of <i>Escherichia coli</i> based on gene expressions and enzyme activities. 2006 , 30, 39-47	12
1270	The O-antigen affects replication of <i>Salmonella enterica</i> serovar Typhimurium in murine macrophage-like J774-A.1 cells through modulation of host cell nitric oxide production. 2006 , 8, 1826-38	9
1269	Quorum sensing affects virulence-associated proteins F1, LcrV, KatY and pH6 etc. of <i>Yersinia pestis</i> as revealed by protein microarray-based antibody profiling. 2006 , 8, 2501-8	15
1268	Chromosomal promoter replacement of the isoprenoid pathway for enhancing carotenoid production in <i>E. coli</i> . 2006 , 8, 79-90	201
1267	Metabolic engineering of the <i>E. coli</i> L-phenylalanine pathway for the production of D-phenylglycine (D-Phg). 2006 , 8, 196-208	50
1266	Replacement of the glucose phosphotransferase transport system by galactose permease reduces acetate accumulation and improves process performance of <i>Escherichia coli</i> for recombinant protein production without impairment of growth rate. 2006 , 8, 281-90	104
1265	The fractional contributions of elementary modes to the metabolism of <i>Escherichia coli</i> and their estimation from reaction entropies. 2006 , 8, 338-52	41
1264	Effect of the global redox sensing/regulation networks on <i>Escherichia coli</i> and metabolic flux distribution based on C-13 labeling experiments. 2006 , 8, 619-27	33
1263	Design, construction and performance of the most efficient biomass producing <i>E. coli</i> bacterium. 2006 , 8, 628-38	76
1262	Using Cole1-derived RNA I for suppression of a bacterially encoded gene: implication for a novel plasmid addiction system. 2006 , 1, 675-81	19

1261	Generation of gene deletions and gene replacements in <i>Escherichia coli</i> O157:H7 using a temperature sensitive allelic exchange system. 2006 , 8, 153-62	20
1260	An improved recombineering approach by adding RecA to lambda Red recombination. 2006 , 32, 43-53	105
1259	Expression of galactose permease and pyruvate carboxylase in <i>Escherichia coli</i> ptsG mutant increases the growth rate and succinate yield under anaerobic conditions. 2006 , 28, 89-93	35
1258	Fermentation of 12% (w/v) glucose to 1.2 M lactate by <i>Escherichia coli</i> strain SZ194 using mineral salts medium. 2006 , 28, 663-70	61
1257	Methylglyoxal bypass identified as source of chiral contamination in l(+) and d(-)-lactate fermentations by recombinant <i>Escherichia coli</i> . 2006 , 28, 1527-35	92
1256	Genetic manipulation of a primary metabolic pathway for L-ornithine production in <i>Escherichia coli</i> . 2006 , 28, 1849-56	27
1255	Combinatorial biosynthesis of lipopeptide antibiotics in <i>Streptomyces roseosporus</i> . 2006 , 33, 66-74	42
1254	Motility influences biofilm architecture in <i>Escherichia coli</i> . 2006 , 72, 361-7	226
1253	Outer membrane mutation effects on UDP-glucose permeability and whole-cell catalysis rate. 2006 , 73, 384-93	21
1252	Genome-scale in silico aided metabolic analysis and flux comparisons of <i>Escherichia coli</i> to improve succinate production. 2006 , 73, 887-94	56
1251	Characterization of <i>E. coli</i> O24 and O56 O antigen gene clusters reveals a complex evolutionary history of the O24 gene cluster. 2006 , 53, 470-6	17
1250	Impact of biofilm matrix components on interaction of commensal <i>Escherichia coli</i> with the gastrointestinal cell line HT-29. 2006 , 63, 2352-63	66
1249	Effect of SsrA (tmRNA) tagging system on translational regulation in <i>Streptomyces</i> . 2006 , 184, 343-52	12
1248	The DD-carboxypeptidase activity encoded by <i>pbp4B</i> is not essential for the cell growth of <i>Escherichia coli</i> . 2006 , 185, 23-7	14
1247	Characterization of the type III export signal of the flagellar hook scaffolding protein FlgD of <i>Escherichia coli</i> . 2006 , 186, 307-16	15
1246	Differences in gene expression levels and in enzymatic qualities account for the uneven contribution of superoxide dismutases SodCI and SodCII to pathogenicity in <i>Salmonella enterica</i> . 2006 , 8, 1569-78	16
1245	Identification and characterization of NleI, a new non-LEE-encoded effector of enteropathogenic <i>Escherichia coli</i> (EPEC). 2006 , 8, 2890-8	25
1244	Role of SPI-1 in the interactions of <i>Salmonella Typhimurium</i> with porcine macrophages. 2006 , 113, 35-44	25

1243	The fibronectin binding protein ShdA is not a prerequisite for long term faecal shedding of <i>Salmonella typhimurium</i> in pigs. 2006 , 115, 284-90	19
1242	<i>Salmonella enterica</i> serovar Enteritidis colonization of the chicken caecum requires the HilA regulatory protein. 2006 , 116, 202-10	48
1241	Induction of the SOS response by bacteriophage lytic development in <i>Salmonella enterica</i> . 2006 , 351, 360-7	23
1240	Ecology of microbial invasions: amplification allows virus carriers to invade more rapidly when rare. 2006 , 16, 2048-52	106
1239	Acid response of exponentially growing <i>Escherichia coli</i> K-12. 2006 , 161, 65-74	28
1238	Insertion-duplication mutagenesis of <i>Salmonella enterica</i> and related species using a novel thermosensitive vector. 2006 , 55, 39-49	6
1237	Discovering functional gene expression patterns in the metabolic network of <i>Escherichia coli</i> with wavelets transforms. 2006 , 7, 119	12
1236	Mariner mutagenesis of <i>Brucella melitensis</i> reveals genes with previously uncharacterized roles in virulence and survival. 2006 , 6, 102	66
1235	Stationary phase expression of the arginine biosynthetic operon <i>argCBH</i> in <i>Escherichia coli</i> . 2006 , 6, 14	13
1234	Fast, easy and efficient: site-specific insertion of transgenes into enterobacterial chromosomes using Tn7 without need for selection of the insertion event. 2006 , 6, 39	127
1233	The <i>Yersinia pestis</i> <i>gcvB</i> gene encodes two small regulatory RNA molecules. 2006 , 6, 52	25
1232	Production of Lewis x tetrasaccharides by metabolically engineered <i>Escherichia coli</i> . 2006 , 7, 359-65	51
1231	Hha, YbaJ, and OmpA regulate <i>Escherichia coli</i> K12 biofilm formation and conjugation plasmids abolish motility. 2006 , 93, 188-200	83
1230	Engineering <i>Escherichia coli</i> for xylitol production from glucose-xylose mixtures. 2006 , 95, 1167-76	122
1229	Effects of <i>ompA</i> deletion on expression of type 1 fimbriae in <i>Escherichia coli</i> K1 strain RS218 and on the association of <i>E. coli</i> with human brain microvascular endothelial cells. 2006 , 74, 5609-16	54
1228	Essential role of the type III secretion system effector NleB in colonization of mice by <i>Citrobacter rodentium</i> . 2006 , 74, 2328-37	123
1227	The precursor tRNA 3'-CCA interaction with <i>Escherichia coli</i> RNase P RNA is essential for catalysis by RNase P in vivo. 2006 , 12, 2135-48	39
1226	<i>Caenorhabditis elegans</i> reporter fusion genes generated by seamless modification of large genomic DNA clones. 2006 , 34, e72	59

1225	The Methanothermobacter thermautotrophicus ExoIII homologue Mth212 is a DNA uridine endonuclease. 2006 , 34, 5325-36		26
1224	The involvement of replication in single stranded oligonucleotide-mediated gene repair. 2006 , 34, 6183-94		47
1223	Expression of Cre recombinase during transient phage infection permits efficient marker removal in Streptomyces. 2006 , 34, e20		28
1222	Salmonella enterica serovar Typhimurium ompS1 and ompS2 mutants are attenuated for virulence in mice. 2006 , 74, 1398-402		35
1221	Antigen-43-mediated autoaggregation impairs motility in Escherichia coli. 2006 , 152, 2101-2110		67
1220	A simple and effective chromosome modification method for large-scale deletion of genome sequences and identification of essential genes in fission yeast. 2006 , 34, e11		40
1219	RovA, a global regulator of Yersinia pestis, specifically required for bubonic plague. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 13514-9	11.5	142
1218	Role of histone-like proteins H-NS and StpA in expression of virulence determinants of uropathogenic Escherichia coli. 2006 , 188, 5428-38		86
1217	Genetic transplantation: Salmonella enterica serovar Typhimurium as a host to study sigma factor and anti-sigma factor interactions in genetically intractable systems. 2006 , 188, 103-14		23
1216	Three new regulators of swarming in Vibrio parahaemolyticus. 2006 , 188, 2625-35		53
1215	EBNA-3B- and EBNA-3C-regulated cellular genes in Epstein-Barr virus-immortalized lymphoblastoid cell lines. 2006 , 80, 10139-50		42
1214	The acquisition of full fluoroquinolone resistance in Salmonella Typhi by accumulation of point mutations in the topoisomerase targets. 2006 , 58, 733-40		48
1213	Genome-wide analysis of substrate specificities of the Escherichia coli haloacid dehalogenase-like phosphatase family. 2006 , 281, 36149-61		198
1212	Effect of repeat copy number on variable-number tandem repeat mutations in Escherichia coli O157:H7. 2006 , 188, 4253-63		95
1211	Characterization of human cytomegalovirus (HCMV) UL97 mutations found in a valganciclovir/oral ganciclovir prophylactic trial by use of a bacterial artificial chromosome containing the HCMV genome. 2006 , 194, 579-83		22
1210	Complementation of daptomycin dptA and dptD deletion mutations in trans and production of hybrid lipopeptide antibiotics. 2006 , 152, 2993-3001		59
1209	An extensive repertoire of type III secretion effectors in Escherichia coli O157 and the role of lambdoid phages in their dissemination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 14941-6	11.5	370
1208	Calcium-regulated type III secretion of Yop proteins by an Escherichia coli hha mutant carrying a Yersinia pestis pCD1 virulence plasmid. 2006 , 74, 1381-6		22

1207	Bacterial genetic determinants of non-O157 STEC outbreaks and hemolytic-uremic syndrome after infection. 2006 , 194, 819-27	98
1206	Analysis of pleiotropic transcriptional profiles: a case study of DNA gyrase inhibition. 2006 , 2, e152	35
1205	DNA-based methods to prepare helper virus-free herpes amplicon vectors and versatile design of amplicon vector plasmids. 2006 , 6, 303-14	9
1204	A connection between iron-sulfur cluster metabolism and the biosynthesis of 4-amino-5-hydroxymethyl-2-methylpyrimidine pyrophosphate in <i>Salmonella enterica</i> . 2006 , 152, 2345-2353	26
1203	Development of a biofilm production-deficient <i>Escherichia coli</i> strain as a host for biotechnological applications. 2006 , 72, 3336-42	31
1202	Optimizing a biocatalyst for improved NAD(P)H regeneration: directed evolution of phosphite dehydrogenase. 2006 , 9, 237-45	36
1201	On the mechanism of gene amplification induced under stress in <i>Escherichia coli</i> . 2006 , 2, e48	127
1200	Genome-wide screen for <i>Salmonella</i> genes required for long-term systemic infection of the mouse. 2006 , 2, e11	265
1199	H-NS mediates the silencing of laterally acquired genes in bacteria. 2006 , 2, e81	391
1198	YtxR, a conserved LysR-like regulator that induces expression of genes encoding a putative ADP-ribosyltransferase toxin homologue in <i>Yersinia enterocolitica</i> . 2006 , 188, 8033-43	18
1197	The equine herpesvirus 1 UL20 product interacts with glycoprotein K and promotes egress of mature particles. 2006 , 80, 95-107	6
1196	The replication intermediates in <i>Escherichia coli</i> are not the product of DNA processing or uracil excision. 2006 , 281, 22635-46	30
1195	Characterization of pores formed by YaeT (Omp85) from <i>Escherichia coli</i> . 2006 , 140, 275-83	52
1194	Herpes simplex virus gE/gI must accumulate in the trans-Golgi network at early times and then redistribute to cell junctions to promote cell-cell spread. 2006 , 80, 3167-79	77
1193	<i>Salmonella enterica</i> highly expressed genes are disease specific. 2006 , 74, 1649-60	69
1192	Contribution of the SirA regulon to biofilm formation in <i>Salmonella enterica</i> serovar Typhimurium. 2006 , 152, 3411-3424	68
1191	Characterization of enteropathogenic <i>Escherichia coli</i> mutants that fail to disrupt host cell spreading and attachment to substratum. 2006 , 74, 839-49	25
1190	Mechanism of <i>hilA</i> repression by 1,2-propanediol consists of two distinct pathways, one dependent on and the other independent of catabolic production of propionate, in <i>Salmonella enterica</i> serovar Typhimurium. 2006 , 188, 3121-5	10

1189	Novel three-dimensional organoid model for evaluation of the interaction of uropathogenic <i>Escherichia coli</i> with terminally differentiated human urothelial cells. 2006 , 74, 750-7	66
1188	Conserving a volatile metabolite: a role for carboxysome-like organelles in <i>Salmonella enterica</i> . 2006 , 188, 2865-74	152
1187	Evaluation of protection afforded by <i>Brucella abortus</i> and <i>Brucella melitensis</i> unmarked deletion mutants exhibiting different rates of clearance in BALB/c mice. 2006 , 74, 4048-57	71
1186	L,L-diaminopimelate aminotransferase, a trans-kingdom enzyme shared by <i>Chlamydia</i> and plants for synthesis of diaminopimelate/lysine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17909-14	11.5 106
1185	The <i>Escherichia coli</i> argW-dsdCXA genetic island is highly variable, and <i>E. coli</i> K1 strains commonly possess two copies of dsdCXA. 2006 , 44, 4038-48	30
1184	Requirement for <i>Vibrio cholerae</i> integration host factor in conjugative DNA transfer. 2006 , 188, 5704-11	18
1183	An efficient method of selectable marker gene excision by Xer recombination for gene replacement in bacterial chromosomes. 2006 , 72, 2520-5	68
1182	<i>Salmonella enterica</i> strains lacking the frataxin homolog CyaY show defects in Fe-S cluster metabolism in vivo. 2006 , 188, 1175-9	46
1181	DNA adenine methylation regulates virulence gene expression in <i>Salmonella enterica</i> serovar Typhimurium. 2006 , 188, 8160-8	85
1180	Reversible lysine acetylation controls the activity of the mitochondrial enzyme acetyl-CoA synthetase 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 10224-10229	11.5 564
1179	DNA adenine methyltransferase influences the virulence of <i>Aeromonas hydrophila</i> . 2006 , 74, 410-24	54
1178	The beta-oxidation systems of <i>Escherichia coli</i> and <i>Salmonella enterica</i> are not functionally equivalent. 2006 , 188, 599-608	58
1177	Prediction of the evolution of ceftazidime resistance in extended-spectrum beta-lactamase CTX-M-9. 2006 , 50, 731-8	29
1176	The capsid-associated UL25 protein of the alphaherpesvirus pseudorabies virus is nonessential for cleavage and encapsidation of genomic DNA but is required for nuclear egress of capsids. 2006 , 80, 6235-46	77
1175	Influence of pseudorabies virus proteins on neuroinvasion and neurovirulence in mice. 2006 , 80, 5571-6	49
1174	Iha from an <i>Escherichia coli</i> urinary tract infection outbreak clonal group A strain is expressed in vivo in the mouse urinary tract and functions as a catecholate siderophore receptor. 2006 , 74, 3427-36	52
1173	The BarA-UvrY two-component system regulates virulence in avian pathogenic <i>Escherichia coli</i> O78:K80:H9. 2006 , 74, 4900-9	53
1172	An IncI1 plasmid contributes to the adherence of the atypical enteroaggregative <i>Escherichia coli</i> strain C1096 to cultured cells and abiotic surfaces. 2006 , 74, 2102-14	83

1171	WrbA from <i>Escherichia coli</i> and <i>Archaeoglobus fulgidus</i> is an NAD(P)H:quinone oxidoreductase. 2006 , 188, 3498-506	100
1170	General mutagenesis of F plasmid TraI reveals its role in conjugative regulation. 2006 , 188, 6346-53	31
1169	An integrated approach to functional genomics: construction of a novel reporter gene fusion library for <i>Sinorhizobium meliloti</i> . 2006 , 72, 7156-67	60
1168	Tumor necrosis factor alpha- and inducible nitric oxide synthase-producing dendritic cells are rapidly recruited to the bladder in urinary tract infection but are dispensable for bacterial clearance. 2006 , 74, 6100-7	72
1167	Ciprofloxacin-resistant <i>Salmonella enterica</i> serovar Typhimurium strains are difficult to select in the absence of AcrB and TolC. 2006 , 50, 38-42	102
1166	Functional identification of ygiP as a positive regulator of the ttdA-ttdB-ygjE operon. 2006 , 152, 2129-2135	18
1165	Identification of critical amino acid residues in the plague biofilm Hms proteins. 2006 , 152, 3399-3410	51
1164	<i>Salmonella enterica</i> serovar Typhimurium periplasmic superoxide dismutase SodCI is a member of the PhoPQ regulon and is induced in macrophages. 2006 , 188, 7853-61	32
1163	Two DNA invertases contribute to flagellar phase variation in <i>Salmonella enterica</i> serovar Typhimurium strain LT2. 2006 , 188, 950-7	44
1162	The channel-tunnel HI1462 of <i>Haemophilus influenzae</i> reveals differences to <i>Escherichia coli</i> TolC. 2006 , 152, 1639-1647	5
1161	OspE2 of <i>Shigella sonnei</i> is required for the maintenance of cell architecture of bacterium-infected cells. 2006 , 74, 2587-95	30
1160	The CR4 region of EBNA2 confers viability of Epstein-Barr virus-transformed B cells by CBF1-independent signalling. 2006 , 87, 3169-3176	4
1159	The transcriptional antiterminator RfaH represses biofilm formation in <i>Escherichia coli</i> . 2006 , 188, 1316-31	76
1158	A positive feedback loop promotes transcription surge that jump-starts <i>Salmonella</i> virulence circuit. 2006 , 314, 1607-9	107
1157	The cytoplasmic C-terminal domain of the <i>Escherichia coli</i> KdpD protein functions as a K ⁺ sensor. 2006 , 188, 1950-8	26
1156	Interaction and localization studies of enteropathogenic <i>Escherichia coli</i> type IV bundle-forming pilus outer membrane components. 2006 , 152, 2405-2420	20
1155	Colicin M exerts its bacteriolytic effect via enzymatic degradation of undecaprenyl phosphate-linked peptidoglycan precursors. 2006 , 281, 22761-72	95
1154	Identification and characterization of a novel ABC iron transport system, fit, in <i>Escherichia coli</i> . 2006 , 74, 6949-56	30

1153	Evaluation of the lytic origins of replication of Kaposi's sarcoma-associated virus/human herpesvirus 8 in the context of the viral genome. 2006 , 80, 9905-9	23
1152	Identification of a novel regulatory protein (CsrD) that targets the global regulatory RNAs CsrB and CsrC for degradation by RNase E. 2006 , 20, 2605-17	218
1151	EspF of enteropathogenic Escherichia coli binds sorting nexin 9. 2006 , 188, 3110-5	41
1150	Down-regulation of key virulence factors makes the Salmonella enterica serovar Typhimurium rfaH mutant a promising live-attenuated vaccine candidate. 2006 , 74, 5914-25	82
1149	Outer membrane protein A of Escherichia coli O157:H7 stimulates dendritic cell activation. 2006 , 74, 2676-85	55
1148	Apyrase, the product of the virulence plasmid-encoded phoN2 (apy) gene of Shigella flexneri, is necessary for proper unipolar IcsA localization and for efficient intercellular spread. 2006 , 188, 1620-7	26
1147	OspF and OspC1 are Shigella flexneri type III secretion system effectors that are required for postinvasion aspects of virulence. 2006 , 74, 5964-76	60
1146	Role of Salmonella enterica serovar Typhimurium two-component system PreA/PreB in modulating PmrA-regulated gene transcription. 2006 , 188, 141-9	35
1145	Regulation of type 1 fimbriae by unlinked FimB- and FimE-like recombinases in uropathogenic Escherichia coli strain CFT073. 2006 , 74, 1072-83	65
1144	Current trends in plague research: from genomics to virulence. 2006 , 4, 189-99	41
1143	Guanosine 3',5'-bispyrophosphate coordinates global gene expression during glucose-lactose diauxie in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 2374-9	11.5 90
1142	Role of the intramolecular disulfide bond in FlgI, the flagellar P-ring component of Escherichia coli. 2006 , 188, 4190-7	22
1141	Uncovering a large set of genes that affect surface motility in Salmonella enterica serovar Typhimurium. 2006 , 188, 7981-4	37
1140	An efficient method for quantitative determination of cellular ATP synthetic activity. 2006 , 11, 310-7	26
1139	Functional characterization of Escherichia coli GlpG and additional rhomboid proteins using an aarA mutant of Providencia stuartii. 2006 , 188, 3415-9	32
1138	The Salmonella effector protein PipB2 is a linker for kinesin-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 13497-502	11.5 127
1137	The flagellar-specific transcription factor, sigma28, is the Type III secretion chaperone for the flagellar-specific anti-sigma28 factor FlgM. 2006 , 20, 2315-26	59
1136	A little gene with big effects: a serT mutant is defective in flgM gene translation. 2006 , 188, 297-304	10

1135	Bile-induced curing of the virulence plasmid in <i>Salmonella enterica</i> serovar Typhimurium. 2006 , 188, 7963-5		23
1134	A virus-encoded telomerase RNA promotes malignant T cell lymphomagenesis. 2006 , 203, 1307-17		102
1133	The GrlR-GrlA regulatory system coordinately controls the expression of flagellar and LEE-encoded type III protein secretion systems in enterohemorrhagic <i>Escherichia coli</i> . 2006 , 188, 5682-92		72
1132	Role of the <i>Escherichia coli</i> nitrate transport protein, NarU, in survival during severe nutrient starvation and slow growth. 2006 , 152, 2091-2100		26
1131	The lactic acid-induced acid tolerance response in <i>Salmonella enterica</i> serovar Typhimurium induces sensitivity to hydrogen peroxide. 2006 , 72, 5623-5		24
1130	Single-strand-specific exonucleases prevent frameshift mutagenesis by suppressing SOS induction and the action of DinB/DNA polymerase IV in growing cells. 2006 , 188, 2336-42		8
1129	Evidence that feedback inhibition of NAD kinase controls responses to oxidative stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 7601-6	11.5	89
1128	PCR-based tandem epitope tagging system for <i>Escherichia coli</i> genome engineering. 2006 , 40, 67-72		40
1127	Identification and characterization of a novel bacterial virulence factor that shares homology with mammalian Toll/interleukin-1 receptor family proteins. 2006 , 74, 594-601		135
1126	Bundle-forming pili and EspA are involved in biofilm formation by enteropathogenic <i>Escherichia coli</i> . 2006 , 188, 3952-61		61
1125	Role of sigma E-regulated genes in <i>Escherichia coli</i> uropathogenesis. 2006 , 74, 4030-8		33
1124	Virulent <i>Salmonella enterica</i> serovar typhimurium evades adaptive immunity by preventing dendritic cells from activating T cells. 2006 , 74, 6438-48		90
1123	DsdX is the second D-serine transporter in uropathogenic <i>Escherichia coli</i> clinical isolate CFT073. 2006 , 188, 6622-8		25
1122	Identification and characterization of <i>Escherichia coli</i> RS218-derived islands in the pathogenesis of <i>E. coli</i> meningitis. 2006 , 194, 358-64		34
1121	Role of gluconeogenesis and the tricarboxylic acid cycle in the virulence of <i>Salmonella enterica</i> serovar Typhimurium in BALB/c mice. 2006 , 74, 1130-40		97
1120	Characterization of the role of very late expression factor 1 in baculovirus capsid structure and DNA processing. 2006 , 80, 1724-33		94
1119	The alpha-TIF (VP16) homologue (ETIF) of equine herpesvirus 1 is essential for secondary envelopment and virus egress. 2006 , 80, 2609-20		30
1118	In vivo bioluminescence imaging of the murine pathogen <i>Citrobacter rodentium</i> . 2006 , 74, 5391-6		94

1117	Mutational analysis of the Escherichia coli melR gene suggests a two-state concerted model to explain transcriptional activation and repression in the melibiose operon. 2006 , 188, 3199-207		14
1116	Yeel, a novel protein involved in modulation of the activity of the glucose-phosphotransferase system in Escherichia coli K-12. 2006 , 188, 5439-49		20
1115	Identification and characterization of RsmE, the founding member of a new RNA base methyltransferase family. 2006 , 12, 426-34		66
1114	Engineering transport protein function: theoretical and technical considerations using the sugar-transporting phosphotransferase system of Escherichia coli as a model system. 2006 , 11, 302-7		4
1113	The Epstein-Barr virus BMRF1 gene is essential for lytic virus replication. 2006 , 80, 5078-81		38
1112	Vancomycin-resistant Enterococci may obtain nutritional support by scavenging carbohydrate fragments generated during mucin degradation by the anaerobic microbiota of the colon. 2006 , 12, 63-7		16
1111	Reducing the fitness cost of antibiotic resistance by amplification of initiator tRNA genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 6976-81	11.5	99
1110	Systems approach to refining genome annotation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17480-4	11.5	239
1109	An escort mechanism for cycling of export chaperones during flagellum assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17474-9	11.5	81
1108	Formation of a distinctive complex between the inducible bacterial lysine decarboxylase and a novel AAA+ ATPase. 2006 , 281, 1532-46		42
1107	Demonstration of regulatory cross-talk between P fimbriae and type 1 fimbriae in uropathogenic Escherichia coli. 2006 , 152, 1143-1153		67
1106	Asymptomatic bacteriuria Escherichia coli strain 83972 carries mutations in the foc locus and is unable to express F1C fimbriae. 2006 , 152, 1799-1806		65
1105	Multiple promoters control expression of the Yersinia enterocolitica phage-shock-protein A (pspA) operon. 2006 , 152, 1001-1010		22
1104	Transcriptional regulation of the fad regulon genes of Escherichia coli by ArcA. 2006 , 152, 2207-2219		51
1103	Functional heterogeneity of RpoS in stress tolerance of enterohemorrhagic Escherichia coli strains. 2006 , 72, 4978-86		57
1102	Alteration of the rugose phenotype in waaG and ddhC mutants of Salmonella enterica serovar Typhimurium DT104 is associated with inverse production of curli and cellulose. 2006 , 72, 5002-12		48
1101	Interaction of Yersinia pestis with macrophages: limitations in YopJ-dependent apoptosis. 2006 , 74, 3239-50		58
1100	Role of Escherichia coli O157:H7 virulence factors in colonization at the bovine terminal rectal mucosa. 2006 , 74, 4685-93		109

1099	Contribution of FlhC to epithelial cell invasion by enterohemorrhagic <i>Escherichia coli</i> O113:H21. 2006 , 74, 6999-7004	28
1098	The outer core lipopolysaccharide of <i>Salmonella enterica</i> serovar Typhi is required for bacterial entry into epithelial cells. 2006 , 74, 1555-64	52
1097	Cloning, expression, and characterization of fimbrial operon F9 from enterohemorrhagic <i>Escherichia coli</i> O157:H7. 2006 , 74, 2233-44	68
1096	The <i>Escherichia coli</i> O157 flagellar regulatory gene flhC and not the flagellin gene fliC impacts colonization of cattle. 2006 , 74, 2894-905	22
1095	Intestinal Shiga toxin-producing <i>Escherichia coli</i> bacteria mitigate bovine leukemia virus infection in experimentally infected sheep. 2006 , 74, 2906-16	16
1094	Transcriptional and translational control of the <i>Salmonella</i> flhC gene. 2006 , 188, 4487-96	21
1093	Limited role for the DsrA and RprA regulatory RNAs in rpoS regulation in <i>Salmonella enterica</i> . 2006 , 188, 5077-88	24
1092	GlpD and PlsB participate in persister cell formation in <i>Escherichia coli</i> . 2006 , 188, 5136-44	159
1091	Interplay of the Wzx translocase and the corresponding polymerase and chain length regulator proteins in the translocation and periplasmic assembly of lipopolysaccharide o antigen. 2006 , 188, 5124-35	75
1090	PhoP-induced genes within <i>Salmonella</i> pathogenicity island 1. 2006 , 188, 6889-98	36
1089	Cooperative and critical roles for both G domains in the GTPase activity and cellular function of ribosome-associated <i>Escherichia coli</i> EngA. 2006 , 188, 7992-6	49
1088	Glycogen phosphorylase, the product of the glgP Gene, catalyzes glycogen breakdown by removing glucose units from the nonreducing ends in <i>Escherichia coli</i> . 2006 , 188, 5266-72	77
1087	A selC-associated genomic island of the extraintestinal avian pathogenic <i>Escherichia coli</i> strain BEN2908 is involved in carbohydrate uptake and virulence. 2006 , 188, 977-87	55
1086	MurQ Etherase is required by <i>Escherichia coli</i> in order to metabolize anhydro-N-acetylmuramic acid obtained either from the environment or from its own cell wall. 2006 , 188, 1660-2	47
1085	Identification of new flagellar genes of <i>Salmonella enterica</i> serovar Typhimurium. 2006 , 188, 2233-43	121
1084	Identification of a two-partner secretion locus of enterotoxigenic <i>Escherichia coli</i> . 2006 , 74, 2245-58	95
1083	Differential dependence of StpA on H-NS in autoregulation of stpA and in regulation of bgl. 2006 , 188, 6728-38	19
1082	Repair of DNA damage induced by bile salts in <i>Salmonella enterica</i> . 2006 , 174, 575-84	86

1081	The response of <i>Escherichia coli</i> to exposure to the biocide polyhexamethylene biguanide. 2006 , 152, 989-1000	89
1080	Polyamines are essential for the formation of plague biofilm. 2006 , 188, 2355-63	150
1079	The Genus <i>Salmonella</i> . 2006 , 123-158	16
1078	A complete lipopolysaccharide inner core oligosaccharide is required for resistance of <i>Burkholderia cenocepacia</i> to antimicrobial peptides and bacterial survival in vivo. 2006 , 188, 2073-80	112
1077	Segregation of the replication terminus of the two <i>Vibrio cholerae</i> chromosomes. 2006 , 188, 1060-70	34
1076	The UL4 gene of pseudorabies virus encodes a minor infected-cell protein that is dispensable for virus replication. 2006 , 87, 2517-2525	7
1075	Characterization of Stg fimbriae from an avian pathogenic <i>Escherichia coli</i> O78:K80 strain and assessment of their contribution to colonization of the chicken respiratory tract. 2006 , 188, 6449-59	44
1074	Identification of genes associated with survival of <i>Salmonella enterica</i> serovar Enteritidis in chicken egg albumen. 2006 , 72, 1055-64	104
1073	Translation inhibition of the <i>Salmonella</i> fliC gene by the fliC 5' untranslated region, fliC coding sequences, and FlgM. 2006 , 188, 4497-507	13
1072	Thioredoxin 1 promotes intracellular replication and virulence of <i>Salmonella enterica</i> serovar Typhimurium. 2006 , 74, 5140-51	59
1071	Chlorophenol hydroxylases encoded by plasmid pJP4 differentially contribute to chlorophenoxyacetic acid degradation. 2006 , 72, 2783-92	39
1070	Posttranscriptional control of the <i>Salmonella enterica</i> flagellar hook protein FlgE. 2006 , 188, 3308-16	28
1069	Latent pathway activation and increased pathway capacity enable <i>Escherichia coli</i> adaptation to loss of key metabolic enzymes. 2006 , 281, 8024-33	147
1068	PurF-independent phosphoribosyl amine formation in yjgF mutants of <i>Salmonella enterica</i> utilizes the tryptophan biosynthetic enzyme complex anthranilate synthase-phosphoribosyltransferase. 2006 , 188, 6786-92	23
1067	Mechanisms of transcription activation exerted by GadX and GadW at the gadA and gadBC gene promoters of the glutamate-based acid resistance system in <i>Escherichia coli</i> . 2006 , 188, 8118-27	55
1066	Characterization of a UL49-null mutant: VP22 of herpes simplex virus type 1 facilitates viral spread in cultured cells and the mouse cornea. 2006 , 80, 8664-75	64
1065	6S RNA regulation of pspF transcription leads to altered cell survival at high pH. 2006 , 188, 3936-43	45
1064	<i>Salmonella enterica</i> serovar Typhimurium requires the Lpf, Pef, and Tafi fimbriae for biofilm formation on HEp-2 tissue culture cells and chicken intestinal epithelium. 2006 , 74, 3156-69	102

1063	Characterization of the bifunctional gamma-glutamate-cysteine ligase/glutathione synthetase (GshF) of <i>Pasteurella multocida</i> . 2006 , 281, 4380-94		48
1062	The PilZ domain is a receptor for the second messenger c-di-GMP: the PilZ domain protein YcgR controls motility in enterobacteria. 2006 , 281, 30310-4		382
1061	State-dependent conformations of the translocation pathway in the tyrosine transporter Tyt1, a novel neurotransmitter:sodium symporter from <i>Fusobacterium nucleatum</i> . 2006 , 281, 26444-54		77
1060	Degradation of <i>Escherichia coli</i> RecN aggregates by ClpXP protease and its implications for DNA damage tolerance. 2006 , 281, 30941-6		26
1059	Prolyl-tRNA(Pro) in the A-site of SecM-arrested ribosomes inhibits the recruitment of transfer-messenger RNA. 2006 , 281, 34258-68		83
1058	Proteomic analysis of <i>Salmonella enterica</i> serovar typhimurium isolated from RAW 264.7 macrophages: identification of a novel protein that contributes to the replication of serovar typhimurium inside macrophages. 2006 , 281, 29131-40		120
1057	TorT, a member of a new periplasmic binding protein family, triggers induction of the Tor respiratory system upon trimethylamine N-oxide electron-acceptor binding in <i>Escherichia coli</i> . 2006 , 281, 38189-99		51
1056	The role of the hybrid cluster protein in oxidative stress defense. 2006 , 281, 32445-50		68
1055	Cysteine-scanning mutagenesis and disulfide mapping studies of the conserved domain of the twin-arginine translocase TatB component. 2006 , 281, 34072-85		54
1054	Identification of a protein complex that assembles lipopolysaccharide in the outer membrane of <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 11754-9	11.5	267
1053	Translational repression is sufficient for gene silencing by bacterial small noncoding RNAs in the absence of mRNA destruction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 4858-63	11.5	142
1052	Mutations in the waaR gene of <i>Escherichia coli</i> which disrupt lipopolysaccharide outer core biosynthesis affect cell surface retention of group 2 capsular polysaccharides. 2006 , 188, 1165-8		9
1051	RNA-dependent conversion of phosphoserine forms selenocysteine in eukaryotes and archaea. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 18923-7	11.5	359
1050	Mammalian steroid hormones are substrates for the major RND- and MFS-type tripartite multidrug efflux pumps of <i>Escherichia coli</i> . 2006 , 188, 1191-5		52
1049	CbrA is a stationary-phase regulator of cell surface physiology and legume symbiosis in <i>Sinorhizobium meliloti</i> . 2006 , 188, 4508-21		47
1048	GlcNAc-6P levels modulate the expression of Curli fibers by <i>Escherichia coli</i> . 2006 , 188, 5212-9		47
1047	The <i>Vibrio harveyi</i> quorum-sensing system uses shared regulatory components to discriminate between multiple autoinducers. 2006 , 20, 2754-67		173
1046	Experimental and computational assessment of conditionally essential genes in <i>Escherichia coli</i> . 2006 , 188, 8259-71		205

1045	A comparative evaluation of radiation-induced DNA damage using real-time PCR: influence of base composition. 2006 , 165, 430-7		23
1044	Characterization of mycobacterial virulence genes through genetic interaction mapping. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 11760-5	11.5	140
1043	Herpesvirus of turkey reconstituted from bacterial artificial chromosome clones induces protection against Marek's disease. 2006 , 87, 769-776		68
1042	The yjeB (nsrR) gene of Escherichia coli encodes a nitric oxide-sensitive transcriptional regulator. 2006 , 188, 874-81		177
1041	Escherichia coli competence gene homologs are essential for competitive fitness and the use of DNA as a nutrient. 2006 , 188, 3902-10		101
1040	A reassessment of the FNR regulon and transcriptomic analysis of the effects of nitrate, nitrite, NarXL, and NarQP as Escherichia coli K12 adapts from aerobic to anaerobic growth. 2006 , 281, 4802-15		210
1039	Polyamine-mediated resistance of uropathogenic Escherichia coli to nitrosative stress. 2006 , 188, 928-33		44
1038	Crl activates transcription initiation of RpoS-regulated genes involved in the multicellular behavior of Salmonella enterica serovar Typhimurium. 2006 , 188, 3983-94		65
1037	A new immunoglobulin-binding protein, EibG, is responsible for the chain-like adhesion phenotype of locus of enterocyte effacement-negative, shiga toxin-producing Escherichia coli. 2006 , 74, 5747-55		38
1036	Purification and initial biochemical characterization of ATP:Cob(I)alamin adenosyltransferase (EutT) enzyme of Salmonella enterica. 2006 , 281, 16971-16977		27
1035	Molecular basis of formaldehyde detoxification. Characterization of two S-formylglutathione hydrolases from Escherichia coli, FrmB and YeiG. 2006 , 281, 14514-22		96
1034	Coordinated regulation of the Neisseria gonorrhoeae-truncated denitrification pathway by the nitric oxide-sensitive repressor, NsrR, and nitrite-insensitive NarQ-NarP. 2006 , 281, 33115-26		72
1033	Altering the length of the lipopolysaccharide O antigen has an impact on the interaction of Salmonella enterica serovar Typhimurium with macrophages and complement. 2006 , 188, 2735-9		127
1032	Identification of CsrC and characterization of its role in epithelial cell invasion in Salmonella enterica serovar Typhimurium. 2006 , 74, 331-9		91
1031	HbiF regulates type 1 fimbriation independently of FimB and FimE. 2006 , 74, 4039-47		40
1030	Gene-specific random mutagenesis of Escherichia coli in vivo: isolation of temperature-sensitive mutations in the acyl carrier protein of fatty acid synthesis. 2006 , 188, 287-96		26
1029	Combinatorial biosynthesis of novel antibiotics related to daptomycin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17462-7	11.5	221
1028	Structural basis for intramembrane proteolysis by rhomboid serine proteases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 462-6	11.5	152

1027	Characterization of lptA and lptB, two essential genes implicated in lipopolysaccharide transport to the outer membrane of Escherichia coli. 2007 , 189, 244-53		177
1026	The Escherichia coli histone-like protein HU has a role in stationary phase adaptive mutation. 2007 , 177, 723-35		15
1025	The RcsCDB signaling system and swarming motility in Salmonella enterica serovar typhimurium: dual regulation of flagellar and SPI-2 virulence genes. 2007 , 189, 8447-57		96
1024	Deletion of a Helicoverpa armigera nucleopolyhedrovirus gene encoding a virion structural protein (ORF107) increases the budded virion titre and reduces in vivo infectivity. 2007 , 88, 3307-3316		8
1023	Cytoplasmic residues of herpes simplex virus glycoprotein gE required for secondary envelopment and binding of tegument proteins VP22 and UL11 to gE and gD. 2007 , 81, 319-31		80
1022	Genetic evidence suggests that the intergenic region between pstA and pstB plays a role in the regulation of rpoS translation during phosphate limitation. 2007 , 189, 1150-3		26
1021	An empirical test of the concomitantly variable codon hypothesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 10938-43	11.5	9
1020	Flagella promote Escherichia coli K1 association with and invasion of human brain microvascular endothelial cells. 2007 , 75, 2937-45		32
1019	Shiga toxin produced by enterohemorrhagic Escherichia coli inhibits PI3K/NF-kappaB signaling pathway in globotriaosylceramide-3-negative human intestinal epithelial cells. 2007 , 178, 8168-74		65
1018	Lipoprotein SmpA is a component of the YaeT complex that assembles outer membrane proteins in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 6400-5	11.5	240
1017	Nitric oxide inhibits Shiga-toxin synthesis by enterohemorrhagic Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 10199-204	11.5	58
1016	RNaseE and the other constituents of the RNA degradosome are components of the bacterial cytoskeleton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 1667-72	11.5	105
1015	B1500, a small membrane protein, connects the two-component systems EvgS/EvgA and PhoQ/PhoP in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 18712-7	11.5	90
1014	Dissecting the Salmonella response to copper. 2007 , 153, 2989-2997		69
1013	Control and regulation of KplE1 prophage site-specific recombination: a new recombination module analyzed. 2007 , 282, 21798-809		19
1012	The hotdog thioesterase EntH (YbdB) plays a role in vivo in optimal enterobactin biosynthesis by interacting with the ArCP domain of EntB. 2007 , 189, 7112-26		28
1011	The CbiB protein of Salmonella enterica is an integral membrane protein involved in the last step of the de novo corrin ring biosynthetic pathway. 2007 , 189, 7697-708		26
1010	Light-powering Escherichia coli with proteorhodopsin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 2408-12	11.5	145

1009	The <i>Mesorhizobium loti</i> <i>purB</i> gene is involved in infection thread formation and nodule development in <i>Lotus japonicus</i> . 2007 , 189, 8347-52	20
1008	Differential expression of NiFe uptake-type hydrogenase genes in <i>Salmonella enterica</i> serovar Typhimurium. 2007 , 153, 3508-3516	33
1007	An anhydro-N-acetylmuramyl-L-alanine amidase with broad specificity tethered to the outer membrane of <i>Escherichia coli</i> . 2007 , 189, 5634-41	66
1006	Contributions of [4Fe-4S]-FNR and integration host factor to <i>fnr</i> transcriptional regulation. 2007 , 189, 3036-43	28
1005	Systemic CD8 T-cell memory response to a <i>Salmonella</i> pathogenicity island 2 effector is restricted to <i>Salmonella enterica</i> encountered in the gastrointestinal mucosa. 2007 , 75, 2708-16	9
1004	The <i>NsrR</i> regulon of <i>Escherichia coli</i> K-12 includes genes encoding the hybrid cluster protein and the periplasmic, respiratory nitrite reductase. 2007 , 189, 4410-7	105
1003	<i>Shigella flexneri</i> phagosomal escape is independent of invasion. 2007 , 75, 4826-30	25
1002	Initial steps of colicin E1 import across the outer membrane of <i>Escherichia coli</i> . 2007 , 189, 2667-76	27
1001	A comprehensive library of mutations of Epstein Barr virus. 2007 , 88, 2463-2472	25
1000	A live <i>Salmonella enterica</i> serovar Enteritidis vaccine allows serological differentiation between vaccinated and infected animals. 2007 , 75, 2461-8	27
999	DNA polymerase V allows bypass of toxic guanine oxidation products in vivo. 2007 , 282, 12741-8	56
998	Endotoxin-binding proteins modulate the susceptibility of bacterial endotoxin to deacylation by acyloxyacyl hydrolase. 2007 , 282, 7877-84	33
997	Micromolar intracellular hydrogen peroxide disrupts metabolism by damaging iron-sulfur enzymes. 2007 , 282, 929-37	238
996	DnaK plays a pivotal role in Tat targeting of CueO and functions beside SlyD as a general Tat signal binding chaperone. 2007 , 282, 7116-24	69
995	Functional genomic studies of uropathogenic <i>Escherichia coli</i> and host urothelial cells when intracellular bacterial communities are assembled. 2007 , 282, 21259-67	114
994	Substrate specificity of RdgB protein, a deoxyribonucleoside triphosphate pyrophosphohydrolase. 2007 , 282, 3531-8	37
993	Glyoxylate and pyruvate are antagonistic effectors of the <i>Escherichia coli</i> IclR transcriptional regulator. 2007 , 282, 16476-91	62
992	Modification of lipopolysaccharide with colanic acid (M-antigen) repeats in <i>Escherichia coli</i> . 2007 , 282, 7790-8	70

991	SseL, a Salmonella deubiquitinase required for macrophage killing and virulence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 3502-7	11.5	171
990	Construction of a Vibrio splendidus mutant lacking the metalloprotease gene vsm by use of a novel counterselectable suicide vector. 2007 , 73, 777-84		186
989	Evidence of ball-and-chain transport of ferric enterobactin through FepA. 2007 , 282, 397-406		64
988	ScrG, a GGDEF-EAL protein, participates in regulating swarming and sticking in Vibrio parahaemolyticus. 2007 , 189, 4094-107		56
987	Cobalt stress in Escherichia coli. The effect on the iron-sulfur proteins. 2007 , 282, 30442-51		135
986	Respiration of Escherichia coli in the mouse intestine. 2007 , 75, 4891-9		158
985	Induction of human beta-defensin 2 by the probiotic Escherichia coli Nissle 1917 is mediated through flagellin. 2007 , 75, 2399-407		234
984	Immunization of pigs to prevent disease in humans: construction and protective efficacy of a Salmonella enterica serovar Typhimurium live negative-marker vaccine. 2007 , 75, 2476-83		44
983	The oxidoreductase DsbA plays a key role in the ability of the Crohn's disease-associated adherent-invasive Escherichia coli strain LF82 to resist macrophage killing. 2007 , 189, 4860-71		56
982	Combinatorial transcriptional control of the lactose operon of Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 6043-8	11.5	183
981	MukEF Is required for stable association of MukB with the chromosome. 2007 , 189, 7062-8		25
980	Contribution of a novel gene, rpeA, encoding a putative autotransporter adhesin to intestinal colonization by rabbit-specific enteropathogenic Escherichia coli. 2007 , 75, 4664-9		14
979	Physiological effects of Crl in Salmonella are modulated by sigmaS level and promoter specificity. 2007 , 189, 2976-87		38
978	Streptomyces coelicolor genes ftsL and divIC play a role in cell division but are dispensable for colony formation. 2007 , 189, 8982-92		14
977	Analysis of sigma32 mutants defective in chaperone-mediated feedback control reveals unexpected complexity of the heat shock response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 17638-43	11.5	39
976	Repression by binding of H-NS within the transcription unit. 2007 , 282, 23622-30		51
975	Trigger Factor can antagonize both SecB and DnaK/DnaJ chaperone functions in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 3101-6	11.5	66
974	Secondary acylation of Klebsiella pneumoniae lipopolysaccharide contributes to sensitivity to antibacterial peptides. 2007 , 282, 15569-77		84

973	Host protein binding and adhesive properties of H6 and H7 flagella of attaching and effacing <i>Escherichia coli</i> . 2007 , 189, 7426-35	124
972	Relevance of the interaction between alphaherpesvirus UL3.5 and UL48 proteins for virion maturation and neuroinvasion. 2007 , 81, 9307-18	14
971	MbtH-like protein-mediated cross-talk between non-ribosomal peptide antibiotic and siderophore biosynthetic pathways in <i>Streptomyces coelicolor</i> M145. 2007 , 153, 1405-1412	78
970	Directed evolution of ribosomal protein S1 for enhanced translational efficiency of high GC <i>Rhodopseudomonas palustris</i> DNA in <i>Escherichia coli</i> . 2007 , 282, 18929-36	17
969	Intracellular copper does not catalyze the formation of oxidative DNA damage in <i>Escherichia coli</i> . 2007 , 189, 1616-26	275
968	Beta-glucuronidase in human intestinal microbiota is necessary for the colonic genotoxicity of the food-borne carcinogen 2-amino-3-methylimidazo[4,5-f]quinoline in rats. 2007 , 28, 2419-25	72
967	complex interplay between type 1 fimbrial expression and flagellum-mediated motility of uropathogenic <i>Escherichia coli</i> . 2007 , 189, 5523-33	81
966	Metabolite essentiality elucidates robustness of <i>Escherichia coli</i> metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 13638-42	11.5 98
965	Computational prediction and experimental verification of the gene encoding the NAD ⁺ /NADP ⁺ -dependent succinate semialdehyde dehydrogenase in <i>Escherichia coli</i> . 2007 , 189, 8073-8	50
964	The wobble hypothesis revisited: uridine-5-oxyacetic acid is critical for reading of G-ending codons. 2007 , 13, 2151-64	64
963	Yeast functional genomic screens lead to identification of a role for a bacterial effector in innate immunity regulation. 2007 , 3, e21	76
962	PduL is an evolutionarily distinct phosphotransacylase involved in B12-dependent 1,2-propanediol degradation by <i>Salmonella enterica</i> serovar typhimurium LT2. 2007 , 189, 1589-96	52
961	Evolution and functional characterization of the RH50 gene from the ammonia-oxidizing bacterium <i>Nitrosomonas europaea</i> . 2007 , 189, 9090-100	18
960	Analysis of cells targeted by <i>Salmonella</i> type III secretion in vivo. 2007 , 3, e196	107
959	Large-scale mapping and validation of <i>Escherichia coli</i> transcriptional regulation from a compendium of expression profiles. 2007 , 5, e8	1051
958	Recombination speeds adaptation by reducing competition between beneficial mutations in populations of <i>Escherichia coli</i> . 2007 , 5, e225	146
957	Quantitative characteristics of gene regulation by small RNA. 2007 , 5, e229	305
956	A comprehensive genetic characterization of bacterial motility. 2007 , 3, 1644-60	174

955	A novel linear plasmid mediates flagellar variation in <i>Salmonella</i> Typhi. 2007 , 3, e59	50
954	Probing nucleoid structure in bacteria using phage lambda integrase-mediated chromosome rearrangements. 2007 , 421, 209-26	4
953	Tight modulation of <i>Escherichia coli</i> bacterial biofilm formation through controlled expression of adhesion factors. 2007 , 73, 3391-403	49
952	Activation of <i>yeaR-yoaG</i> operon transcription by the nitrate-responsive regulator NarL is independent of oxygen- responsive regulator Fnr in <i>Escherichia coli</i> K-12. 2007 , 189, 7539-48	33
951	Identification of the L,D-transpeptidases responsible for attachment of the Braun lipoprotein to <i>Escherichia coli</i> peptidoglycan. 2007 , 189, 3927-31	126
950	Production of shiga toxin by a <i>luxS</i> mutant of <i>Escherichia coli</i> O157:H7 in vivo and in vitro. 2007 , 51, 391-6	7
949	Probing bactericidal mechanisms induced by cold atmospheric plasmas with <i>Escherichia coli</i> mutants. 2007 , 90, 073902	127
948	Cysteine metabolism-related genes and bacterial resistance to potassium tellurite. 2007 , 189, 8953-60	40
947	Detection of plasmids and class 1 integrons in <i>Salmonella enterica</i> serovar agona isolated from NARMS slaughter samples collected in the years 1997-2003. 2007 , 13, 212-9	2
946	Maturation of functional type III secretion machinery by activation of anaerobic respiration in enterohaemorrhagic <i>Escherichia coli</i> . 2007 , 153, 464-473	23
945	Involvement of <i>Escherichia coli</i> DNA polymerase IV in tolerance of cytotoxic alkylating DNA lesions in vivo. 2007 , 176, 1431-40	68
944	Titration and conditional knockdown of the <i>prfB</i> gene in <i>Escherichia coli</i> : effects on growth and overproduction of the recombinant mammalian selenoprotein thioredoxin reductase. 2007 , 73, 432-41	15
943	Role of EAL-containing proteins in multicellular behavior of <i>Salmonella enterica</i> serovar Typhimurium. 2007 , 189, 3613-23	85
942	Implication of quorum sensing in <i>Salmonella enterica</i> serovar typhimurium virulence: the <i>luxS</i> gene is necessary for expression of genes in pathogenicity island 1. 2007 , 75, 4885-90	77
941	G-protein control of the ribosome-associated stress response protein SpoT. 2007 , 189, 6140-7	72
940	A chemogenomic screening of sulfanilamide-hypersensitive <i>Saccharomyces cerevisiae</i> mutants uncovers ABZ2, the gene encoding a fungal aminodeoxychorismate lyase. 2007 , 6, 2102-11	22
939	An unusual response regulator influences sporulation at early and late stages in <i>Streptomyces coelicolor</i> . 2007 , 189, 2873-85	25
938	Cloning, nucleotide sequencing, and analysis of the AcrAB-TolC efflux pump of <i>Enterobacter cloacae</i> and determination of its involvement in antibiotic resistance in a clinical isolate. 2007 , 51, 3247-53	47

937	A new O-antigen gene cluster has a key role in the virulence of the <i>Escherichia coli</i> meningitis clone O45:K1:H7. 2007 , 189, 8528-36	34
936	Rapid engineering of bacterial reporter gene fusions by using Red recombination. 2007 , 73, 4234-42	48
935	An <i>Escherichia coli</i> undecaprenyl-pyrophosphate phosphatase implicated in undecaprenyl phosphate recycling. 2007 , 153, 2518-2529	82
934	<i>Escherichia coli</i> HdeB is an acid stress chaperone. 2007 , 189, 603-10	90
933	Characterization of an acid-dependent arginine decarboxylase enzyme from <i>Chlamydomonas reinhardtii</i> . 2007 , 189, 7376-83	16
932	The <i>Escherichia coli</i> Yej transporter is required for the uptake of translation inhibitor microcin C. 2007 , 189, 8361-5	80
931	Regulation of multidrug efflux systems involved in multidrug and metal resistance of <i>Salmonella enterica</i> serovar Typhimurium. 2007 , 189, 9066-75	126
930	TccP2 of O157:H7 and non-O157 enterohemorrhagic <i>Escherichia coli</i> (EHEC): challenging the dogma of EHEC-induced actin polymerization. 2007 , 75, 604-12	38
929	Targeted deletion of regions rich in immune-evasive genes from the cytomegalovirus genome as a novel vaccine strategy. 2007 , 81, 13825-34	39
928	Ligand-controlled proteolysis of the <i>Escherichia coli</i> transcriptional regulator ZntR. 2007 , 189, 3017-25	42
927	Structural properties of periplasmic SodCI that correlate with virulence in <i>Salmonella enterica</i> serovar Typhimurium. 2007 , 189, 4343-52	26
926	Effects of deletions of mbtH-like genes on chlorobacin biosynthesis in <i>Streptomyces coelicolor</i> . 2007 , 153, 1413-1423	60
925	Roles of serine accumulation and catabolism in the colonization of the murine urinary tract by <i>Escherichia coli</i> CFT073. 2007 , 75, 5298-304	62
924	Structure of the complex of the colicin E2 R-domain and its BtuB receptor. The outer membrane colicin translocon. 2007 , 282, 23163-70	51
923	Amino acid residues of the <i>Escherichia coli</i> tRNA(m ⁵ U54)methyltransferase (TrmA) critical for stability, covalent binding of tRNA and enzymatic activity. 2007 , 35, 3297-305	19
922	Repression of intracellular virulence factors in <i>Salmonella</i> by the Hha and YdgT nucleoid-associated proteins. 2007 , 189, 3669-73	40
921	PhoU is a persistence switch involved in persister formation and tolerance to multiple antibiotics and stresses in <i>Escherichia coli</i> . 2007 , 51, 2092-9	171
920	Isolation of the <i>rstA</i> gene as a multicopy suppressor of YjeE, an essential ATPase of unknown function in <i>Escherichia coli</i> . 2007 , 189, 3318-21	11

919	Use of PCR-targeted mutagenesis to disrupt production of fusaricidin-type antifungal antibiotics in <i>Paenibacillus polymyxa</i> . 2007 , 73, 3480-9	51
918	Fermentative production of L-alanyl-L-glutamine by a metabolically engineered <i>Escherichia coli</i> strain expressing L-amino acid alpha-ligase. 2007 , 73, 6378-85	51
917	Phenotypic characterization of OmpX, an Ail homologue of <i>Yersinia pestis</i> KIM. 2007 , 153, 2941-2951	84
916	Distinct centromere-like parS sites on the two chromosomes of <i>Vibrio</i> spp. 2007 , 189, 5314-24	44
915	High-affinity Zn ²⁺ uptake system ZnuABC is required for bacterial zinc homeostasis in intracellular environments and contributes to the virulence of <i>Salmonella enterica</i> . 2007 , 75, 5867-76	185
914	Characterization of the proteasome accessory factor (paf) operon in <i>Mycobacterium tuberculosis</i> . 2007 , 189, 3044-50	44
913	Transposon mutagenesis identifies sites upstream of the <i>Neisseria gonorrhoeae</i> pilE gene that modulate pilin antigenic variation. 2007 , 189, 3462-70	17
912	YhbO protects cells against multiple stresses. 2007 , 189, 9140-4	42
911	Amplification of lac cannot account for adaptive mutation to Lac ⁺ in <i>Escherichia coli</i> . 2007 , 189, 2291-9	26
910	RluD, a highly conserved pseudouridine synthase, modifies 50S subunits more specifically and efficiently than free 23S rRNA. 2007 , 13, 1868-76	20
909	Analysis of the aerobactin and ferric hydroxamate uptake systems of <i>Yersinia pestis</i> . 2007 , 153, 2332-2341	21
908	<i>Salmonella</i> pathogenicity island 4-mediated adhesion is coregulated with invasion genes in <i>Salmonella enterica</i> . 2007 , 75, 4697-709	48
907	O-antigen modal chain length in <i>Shigella flexneri</i> 2a is growth-regulated through RfaH-mediated transcriptional control of the wzy gene. 2007 , 153, 3499-3507	19
906	Global gene expression and phenotypic analysis of a <i>Vibrio cholerae</i> rpoH deletion mutant. 2007 , 189, 351-62	36
905	The L-tartrate/succinate antiporter TtdT (YgjE) of L-tartrate fermentation in <i>Escherichia coli</i> . 2007 , 189, 1597-603	31
904	The yjbEFGH locus in <i>Escherichia coli</i> K-12 is an operon encoding proteins involved in exopolysaccharide production. 2007 , 153, 1070-1080	53
903	The <i>Escherichia coli</i> regulator of sigma 70 protein, Rsd, can up-regulate some stress-dependent promoters by sequestering sigma 70. 2007 , 189, 3489-95	36
902	Characterization of a novel bifunctional dihydropteroate synthase/dihydropteroate reductase enzyme from <i>Helicobacter pylori</i> . 2007 , 189, 4062-9	12

901	Burkholderia cenocepacia requires a periplasmic HtrA protease for growth under thermal and osmotic stress and for survival in vivo. 2007 , 75, 1679-89	70
900	In vivo oligomerization of the F conjugative coupling protein TraD. 2007 , 189, 6626-34	16
899	Characterization of the role of ribonucleases in Salmonella small RNA decay. 2007 , 35, 7651-64	118
898	Thermoregulation of Escherichia coli hchA transcript stability. 2007 , 189, 5779-81	7
897	Induction of RpoS degradation by the two-component system regulator RstA in Salmonella enterica. 2007 , 189, 7335-42	31
896	Effects of nucleoid proteins on DNA repression loop formation in Escherichia coli. 2007 , 35, 3988-4000	63
895	A novel two-component signaling system that activates transcription of an enterohemorrhagic Escherichia coli effector involved in remodeling of host actin. 2007 , 189, 2468-76	112
894	Functional interactions between coexisting toxin-antitoxin systems of the ccd family in Escherichia coli O157:H7. 2007 , 189, 2712-9	50
893	Translational control and target recognition by Escherichia coli small RNAs in vivo. 2007 , 35, 1018-37	274
892	Site-directed disulfide cross-linking shows that cleft flexibility in the periplasmic domain is needed for the multidrug efflux pump AcrB of Escherichia coli. 2007 , 189, 8677-84	57
891	The deoxycytidine pathway for thymidylate synthesis in Escherichia coli. 2007 , 189, 7922-6	15
890	Identification of novel Escherichia coli ribosome-associated proteins using isobaric tags and multidimensional protein identification techniques. 2007 , 189, 3434-44	61
889	Role of the rapA gene in controlling antibiotic resistance of Escherichia coli biofilms. 2007 , 51, 3650-8	78
888	Role of motility and the flhDC Operon in Escherichia coli MG1655 colonization of the mouse intestine. 2007 , 75, 3315-24	59
887	The acid-resistance pathways of Shigella flexneri 2457T. 2007 , 153, 2593-2602	13
886	Global gene expression profiling of asymptomatic bacteriuria Escherichia coli during biofilm growth in human urine. 2007 , 75, 966-76	69
885	NrdR controls differential expression of the Escherichia coli ribonucleotide reductase genes. 2007 , 189, 5012-21	65
884	Genetic method to analyze essential genes of Escherichia coli. 2007 , 73, 7075-82	12

883	The zinc-responsive regulator Zur controls a zinc uptake system and some ribosomal proteins in <i>Streptomyces coelicolor</i> A3(2). 2007 , 189, 4070-7	85
882	Candidate live, attenuated <i>Salmonella enterica</i> serotype Typhimurium vaccines with reduced fecal shedding are immunogenic and effective oral vaccines. 2007 , 75, 1835-42	40
881	Biochemical characterization and physiological properties of <i>Escherichia coli</i> UDP-N-acetylmuramate:L-alanyl-gamma-D-glutamyl-meso-diaminopimelate ligase. 2007 , 189, 3987-95	37
880	The YfgL lipoprotein is essential for type III secretion system expression and virulence of <i>Salmonella enterica</i> Serovar Enteritidis. 2007 , 75, 358-70	39
879	L-fucose stimulates utilization of D-ribose by <i>Escherichia coli</i> MG1655 DeltafucAO and <i>E. coli</i> Nissle 1917 DeltafucAO mutants in the mouse intestine and in M9 minimal medium. 2007 , 75, 5465-75	38
878	pmrA(Con) confers pmrHFIJKL-dependent EGTA and polymyxin resistance on msbB <i>Salmonella</i> by decorating lipid A with phosphoethanolamine. 2007 , 189, 5161-9	26
877	Contribution of target gene mutations and efflux to decreased susceptibility of <i>Salmonella enterica</i> serovar typhimurium to fluoroquinolones and other antimicrobials. 2007 , 51, 535-42	106
876	Differential regulation of caspase-1 activation, pyroptosis, and autophagy via Ipaf and ASC in <i>Shigella</i> -infected macrophages. 2007 , 3, e111	422
875	Mutants, suppressors, and wrinkled colonies: mutant alleles of the cell division gene ftsQ point to functional domains in FtsQ and a role for domain 1C of FtsA in divisome assembly. 2007 , 189, 633-45	41
874	Alterations in the two globular domains or in the connecting alpha-helix of bacterial ribosomal protein L9 induces +1 frameshifts. 2007 , 189, 7024-31	8
873	Maintenance of endoplasmic reticulum (ER) homeostasis in herpes simplex virus type 1-infected cells through the association of a viral glycoprotein with PERK, a cellular ER stress sensor. 2007 , 81, 3377-90	98
872	CCR6-dependent recruitment of blood phagocytes is necessary for rapid CD4 T cell responses to local bacterial infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 12075-80	11.5 37
871	Characterisation of YtfM, a second member of the Omp85 family in <i>Escherichia coli</i> . 2007 , 388, 37-46	19
870	Multiple small RNAs act additively to integrate sensory information and control quorum sensing in <i>Vibrio harveyi</i> . 2007 , 21, 221-33	187
869	Solitary intestinal lymphoid tissue provides a productive port of entry for <i>Salmonella enterica</i> serovar Typhimurium. 2007 , 75, 1577-85	45
868	Genome-wide screening of genes required for swarming motility in <i>Escherichia coli</i> K-12. 2007 , 189, 950-7	141
867	Analysis of promoter targets for <i>Escherichia coli</i> transcription elongation factor GreA in vivo and in vitro. 2007 , 189, 8772-85	60
866	Adaptation in bacterial flagellar and motility systems: from regulon members to 'foraging'-like behavior in <i>E. coli</i> . 2007 , 35, 4441-52	123

865	Rcs and PhoPQ regulatory overlap in the control of Salmonella enterica virulence. 2007 , 189, 6635-44	49
864	The mutT defect does not elevate chromosomal fragmentation in Escherichia coli because of the surprisingly low levels of MutM/MutY-recognized DNA modifications. 2007 , 189, 6976-88	15
863	YhdJ, a nonessential CcrM-like DNA methyltransferase of Escherichia coli and Salmonella enterica. 2007 , 189, 4325-7	27
862	The E. coli RhIE RNA helicase regulates the function of related RNA helicases during ribosome assembly. 2008 , 14, 381-9	59
861	Integrated network analysis identifies nitric oxide response networks and dihydroxyacid dehydratase as a crucial target in Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 8484-9	11.5 117
860	The curli nucleator protein, CsgB, contains an amyloidogenic domain that directs CsgA polymerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 12494-9	11.5 207
859	The flagellar sigma factor FlhA regulates adhesion and invasion of Crohn disease-associated Escherichia coli via a cyclic dimeric GMP-dependent pathway. 2007 , 282, 33275-33283	73
858	In vivo functional analyses of the type II acyl carrier proteins of fatty acid biosynthesis. 2007 , 282, 20319-28	58
857	Improvement of NADPH-dependent bioconversion by transcriptome-based molecular breeding. 2007 , 73, 7657-63	24
856	Systemic translocation of Salmonella enterica serovar Dublin in cattle occurs predominantly via efferent lymphatics in a cell-free niche and requires type III secretion system 1 (T3SS-1) but not T3SS-2. 2007 , 75, 5191-9	45
855	In vivo gene expression analysis identifies genes required for enhanced colonization of the mouse urinary tract by uropathogenic Escherichia coli strain CFT073 dsdA. 2007 , 75, 278-89	70
854	Shigella flexneri inhibits staurosporine-induced apoptosis in epithelial cells. 2007 , 75, 2531-9	50
853	Delineation of the Salmonella enterica serovar Typhimurium HilA regulon through genome-wide location and transcript analysis. 2007 , 189, 4587-96	59
852	The deleterious effect of an insertion sequence removing the last twenty percent of the essential Escherichia coli rpsA gene is due to mRNA destabilization, not protein truncation. 2007 , 189, 6205-12	6
851	Release of the lipopolysaccharide deacylase PagL from latency compensates for a lack of lipopolysaccharide aminoarabinose modification-dependent resistance to the antimicrobial peptide polymyxin B in Salmonella enterica. 2007 , 189, 4911-9	66
850	Insertion site occupancy by stx2 bacteriophages depends on the locus availability of the host strain chromosome. 2007 , 189, 6645-54	56
849	Characterization of the osmoprotectant transporter OpuC from Pseudomonas syringae and demonstration that cystathionine-beta-synthase domains are required for its osmoregulatory function. 2007 , 189, 6901-12	56
848	The thiamine kinase (YcfN) enzyme plays a minor but significant role in cobinamide salvaging in Salmonella enterica. 2007 , 189, 7310-5	7

847	Cobalt targets multiple metabolic processes in <i>Salmonella enterica</i> . 2007 , 189, 7774-81	46
846	Comparative genomic hybridization detects secondary chromosomal deletions in <i>Escherichia coli</i> K-12 MG1655 mutants and highlights instability in the <i>flhDC</i> region. 2007 , 189, 8786-92	13
845	Transcriptomic analysis reveals a bifurcated terephthalate degradation pathway in <i>Rhodococcus</i> sp. strain RHA1. 2007 , 189, 1641-7	55
844	Heme concentration dependence and metalloporphyrin inhibition of the system I and II cytochrome <i>c</i> assembly pathways. 2007 , 189, 455-63	38
843	Products of the <i>Escherichia coli</i> acid fitness island attenuate metabolite stress at extremely low pH and mediate a cell density-dependent acid resistance. 2007 , 189, 2759-68	103
842	YjjG, a dUMP phosphatase, is critical for thymine utilization by <i>Escherichia coli</i> K-12. 2007 , 189, 2186-9	15
841	Characterization of a novel two-partner secretion system in <i>Escherichia coli</i> O157:H7. 2007 , 189, 3452-61	10
840	His(20) provides the sole functionally significant side chain in the essential TonB transmembrane domain. 2007 , 189, 2825-33	34
839	Murine gammaherpesvirus 68 contains two functional lytic origins of replication. 2007 , 81, 7300-5	8
838	The protein network of bacterial motility. 2007 , 3, 128	89
837	A group of <i>Escherichia coli</i> and <i>Salmonella enterica</i> O antigens sharing a common backbone structure. 2007 , 153, 2159-2167	50
836	VmeAB, an RND-type multidrug efflux transporter in <i>Vibrio parahaemolyticus</i> . 2007 , 153, 4129-4137	23
835	The glutamate-dependent acid resistance system in <i>Escherichia coli</i> : essential and dual role of the His-Asp phosphorelay RcsCDB/AF. 2007 , 153, 238-46	52
834	NADH as Donor. 2007 , 2,	4
833	Recombinant vaccines based on translocated effector proteins of <i>Salmonella</i> Pathogenicity Island 2. 2007 , 25, 185-93	32
832	Long-term colonisation-inhibition studies to protect broilers against colonisation with <i>Salmonella</i> Enteritidis, using <i>Salmonella</i> Pathogenicity Island 1 and 2 mutants. 2007 , 25, 4235-43	27
831	<i>Salmonella enterica</i> serovar Typhimurium strain lacking <i>pmrG</i> -HM-D provides excellent protection against salmonellosis in murine typhoid model. 2007 , 25, 5315-23	17
830	Core-linked LPS expression of <i>Shigella dysenteriae</i> serotype 1 O-antigen in live <i>Salmonella</i> Typhi vaccine vector Ty21a: preclinical evidence of immunogenicity and protection. 2007 , 25, 6167-75	20

829	The ompW (porin) gene mediates methyl viologen (paraquat) efflux in <i>Salmonella enterica</i> serovar typhimurium. 2007 , 158, 529-36	49
828	Extracellular fatty acids facilitate flagella-independent translocation by <i>Stenotrophomonas maltophilia</i> . 2007 , 158, 702-11	42
827	SCL-GFP transgenic zebrafish: in vivo imaging of blood and endothelial development and identification of the initial site of definitive hematopoiesis. 2007 , 307, 179-94	47
826	ErpA, an iron sulfur (Fe S) protein of the A-type essential for respiratory metabolism in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 13626-31 ^{11.5}	118
825	Three UDP-hexose 4-epimerases with overlapping substrate specificity coexist in <i>E. coli</i> O86:B7. 2007 , 356, 604-9	12
824	Zinc dependence of zinT (yodA) mutants and binding of zinc, cadmium and mercury by ZinT. 2007 , 364, 66-71	36
823	A common mechanism of cellular death induced by bactericidal antibiotics. 2007 , 130, 797-810	1833
822	Genetic analysis of polynucleotide phosphorylase structure and functions. 2007 , 89, 145-57	44
821	Recombineering: in vivo genetic engineering in <i>E. coli</i> , <i>S. enterica</i> , and beyond. 2007 , 421, 171-99	172
820	A conserved small RNA promotes discoordinate expression of the glmUS operon mRNA to activate GlmS synthesis. 2007 , 373, 521-8	62
819	Sorting of early and late flagellar subunits after docking at the membrane ATPase of the type III export pathway. 2007 , 374, 877-82	26
818	Mutational analysis of S12 protein and implications for the accuracy of decoding by the ribosome. 2007 , 374, 1065-76	97
817	The role of L1 loop in the mechanism of rhomboid intramembrane protease GlpG. 2007 , 374, 1104-13	69
816	<i>Yersinia</i> outer proteins E, H, P, and T differentially target the cytoskeleton and inhibit phagocytic capacity of dendritic cells. 2007 , 297, 235-44	30
815	Susceptibility of germ-free pigs to challenge with protease mutants of <i>Salmonella enterica</i> serovar Typhimurium. 2007 , 212, 577-82	7
814	Chromosome transfer activates and delineates a locus control region for perforin. 2007 , 26, 29-41	33
813	Targeting the <i>Bacillus subtilis</i> genome: an efficient and clean method for gene disruption. 2007 , 70, 389-94	11
812	First evidences for a third sulfatase maturation system in prokaryotes from <i>E. coli</i> aslB and ydeM deletion mutants. 2007 , 581, 1009-14	39

811	Response of the central metabolism of <i>Escherichia coli</i> to modified expression of the gene encoding the glucose-6-phosphate dehydrogenase. 2007 , 581, 3771-6	49
810	TatBC, TatB, and TatC form structurally autonomous units within the twin arginine protein transport system of <i>Escherichia coli</i> . 2007 , 581, 4091-7	47
809	Occurrence of more than one important source of ADPglucose linked to glycogen biosynthesis in <i>Escherichia coli</i> and <i>Salmonella</i> . 2007 , 581, 4423-9	29
808	Inactivating FruR global regulator in plasmid-bearing <i>Escherichia coli</i> alters metabolic gene expression and improves growth rate. 2007 , 131, 261-9	38
807	Stress-activated bioluminescent <i>Escherichia coli</i> sensors for antimicrobial agents detection. 2007 , 132, 487-93	27
806	Cytokine response of porcine cell lines to <i>Salmonella enterica</i> serovar typhimurium and its hila and ssrA mutants. 2007 , 54, 286-93	28
805	An efficient system for markerless gene replacement applicable in a wide variety of enterobacterial species. 2007 , 53, 56-62	18
804	Methyltransferase that modifies guanine 966 of the 16 S rRNA: functional identification and tertiary structure. 2007 , 282, 5880-7	72
803	lambda-Red genetic engineering in <i>Salmonella enterica</i> serovar Typhimurium. 2007 , 421, 199-209	85
802	Recombineering: genetic engineering in bacteria using homologous recombination. 2007 , Chapter 1, Unit 1.16	114
801	Genetic characterization of 2,4,6-trichlorophenol degradation in <i>Cupriavidus necator</i> JMP134. 2007 , 73, 2769-76	47
800	Sialic acid and N-acyl sialic acid analog production by fermentation of metabolically and genetically engineered <i>Escherichia coli</i> . 2007 , 5, 1903-9	23
799	Evidence for an additional disulfide reduction pathway in <i>Escherichia coli</i> . 2007 , 103, 373-6	10
798	Monitoring of gene knockouts: genome-wide profiling of conditionally essential genes. 2007 , 8, R87	6
797	Structural and genetic evidence that the <i>Escherichia coli</i> O148 O antigen is the precursor of the <i>Shigella dysenteriae</i> type 1 O antigen and identification of a glucosyltransferase gene. 2007 , 153, 139-147	34
796	<i>Salmonella</i> -based vaccines for infectious diseases. 2007 , 6, 147-52	24
795	Use of bacterial artificial chromosomes in generating targeted mutations in human and mouse cytomegaloviruses. 2007 , Chapter 10, Unit 10.32	32
794	What is the benefit to <i>Escherichia coli</i> of having multiple toxin-antitoxin systems in its genome?. 2007 , 189, 6101-8	176

793	Development of Salmonella strains as cancer therapy agents and testing in tumor cell lines. 2007 , 394, 323-54	13
792	Salmonella: methods and protocols. 2007 , 394, v-vi	7
791	CEACAM6 acts as a receptor for adherent-invasive E. coli, supporting ileal mucosa colonization in Crohn disease. 2007 , 117, 1566-74	395
790	Molecular cloning and characterization of all RND-type efflux transporters in Vibrio cholerae non-O1. 2007 , 51, 1061-70	24
789	The role of F9 fimbriae of uropathogenic Escherichia coli in biofilm formation. 2007 , 153, 2321-2331	79
788	Biosynthesis of pentangular polyphenols: deductions from the benastatin and griseorhodin pathways. 2007 , 129, 9306-12	51
787	Enterohemorrhagic Escherichia coli O157:H7 gal mutants are sensitive to bacteriophage P1 and defective in intestinal colonization. 2007 , 75, 1661-6	49
786	Iron-sulfur cluster N7 of the NADH:ubiquinone oxidoreductase (complex I) is essential for stability but not involved in electron transfer. 2007 , 46, 6588-96	61
785	Biosynthesis of Staphylococcus aureus autoinducing peptides by using the synechocystis DnaB mini-intein. 2007 , 73, 6036-44	51
784	A small RNA regulates multiple ABC transporter mRNAs by targeting C/A-rich elements inside and upstream of ribosome-binding sites. 2007 , 21, 2804-17	271
783	Construction of an Escherichia coli K-12 mutant for homoethanologenic fermentation of glucose or xylose without foreign genes. 2007 , 73, 1766-71	117
782	Systematic genome reductions: theoretical and experimental approaches. 2007 , 107, 3498-513	46
781	Acyl carrier protein phosphodiesterase (AcpH) of Escherichia coli is a non-canonical member of the HD phosphatase/phosphodiesterase family. 2007 , 46, 129-36	20
780	Escherichia coli K1-specific bacteriophage CUS-3 distribution and function in phase-variable capsular polysialic acid O acetylation. 2007 , 189, 6447-56	26
779	Dispersing biofilms with engineered enzymatic bacteriophage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 11197-202	11.5 596
778	Molecular analysis of the benastatin biosynthetic pathway and genetic engineering of altered fatty acid-polyketide hybrids. 2007 , 129, 6022-30	63
777	Lambda Red-mediated mutagenesis and efficient large scale affinity purification of the Escherichia coli NADH:ubiquinone oxidoreductase (complex I). 2007 , 46, 10694-702	51
776	Differential expression of virulence-related genes in A Salmonella enterica serotype typhimurium luxS mutant in response to autoinducer AI-2 and poultry meat-derived AI-2 inhibitor. 2007 , 4, 5-15	18

775	Protection against Escherichia coli infection by antibody to the Staphylococcus aureus poly-N-acetylglucosamine surface polysaccharide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7528-33	11.5	64
774	Evolution of enzymatic activities in the enolase superfamily: L-talarate/galactarate dehydratase from Salmonella typhimurium LT2. 2007 , 46, 9564-77		33
773	Inhibition of lipid A biosynthesis as the primary mechanism of CHIR-090 antibiotic activity in Escherichia coli. 2007 , 46, 3793-802		91
772	YcfR (BhsA) influences Escherichia coli biofilm formation through stress response and surface hydrophobicity. 2007 , 189, 3051-62		149
771	[Rapid disruption of Bombyx mori nucleopolyhedrovirus orf60 by red recombination system]. 2007 , 23, 801-5		3
770	Systems metabolic engineering of Escherichia coli for L-threonine production. 2007 , 3, 149		342
769	TonB system, in vivo assays and characterization. 2007 , 422, 245-69		37
768	Image_3.TIF. 2020 ,		
767	Image_1.TIF. 2020 ,		
766	Image_2.TIF. 2020 ,		
765	Image_3.TIF. 2020 ,		
764	Image_4.TIF. 2020 ,		
763	Table_1.pdf. 2020 ,		
762	Table_2.pdf. 2020 ,		
761	Data_Sheet_1.docx. 2020 ,		
760	Data_Sheet_1.PDF. 2020 ,		
759	Image_1.JPEG. 2020 ,		
758	Image_2.JPEG. 2020 ,		

757 Image_3.pdf. **2020**,

756 Image_4.pdf. **2020**,

755 Table_1.XLSX. **2020**,

754 Table_2.XLSX. **2020**,

753 Table_3.XLSX. **2020**,

752 Table_4.XLSX. **2020**,

751 Table_5.XLSX. **2020**,

750 Table_6.XLSX. **2020**,

749 Table_7.XLSX. **2020**,

748 Table_1.docx. **2020**,

747 Data_Sheet_1.pdf. **2020**,

746 Data_Sheet_1.FASTA. **2020**,

745 Data_Sheet_2.FASTA. **2020**,

744 Data_Sheet_3.FASTA. **2020**,

743 Image_1.pdf. **2020**,

742 Image_2.pdf. **2020**,

741 Image_3.pdf. **2020**,

740 Image_4.pdf. **2020**,

739 Image_5.pdf. **2020**,

738 Image_6.pdf. **2020**,

737 Image_7.pdf. **2020**,

736 Table_1.pdf. **2020**,

735 Table_2.pdf. **2020**,

734 Image_1.TIF. **2020**,

733 Image_2.TIF. **2020**,

732 Image_3.TIF. **2020**,

731 Table_1.pdf. **2020**,

730 Table_2.pdf. **2020**,

729 Table_3.pdf. **2020**,

728 Table_1.docx. **2019**,

727 Table_2.docx. **2019**,

726 Table_1.DOCX. **2020**,

725 Table_1.DOC. **2020**,

724 Combining CRISPR-Cpf1 and Recombineering Facilitates Fast and Efficient Genome Editing in .. **2022**,

1

723 The phytopathogen Dickeya dadantii 3937 cpxR locus gene participates in the regulation of virulence and the global c-di-GMP network.. **2022**,

722 Endolysin Regulation in Phage Mu Lysis.. **2022**, e0081322

7 ²¹	Improving astaxanthin production in <i>Escherichia coli</i> by co-utilizing CrtZ enzymes with different substrate preference.. 2022 , 21, 71	2
7 ²⁰	Single cell variability of CRISPR-Cas interference and adaptation.. 2022 , 18, e10680	1
7 ¹⁹	Efflux-Linked Accelerated Evolution of Antibiotic Resistance at a Population Edge.	
7 ¹⁸	OUP accepted manuscript.	
7 ¹⁷	OUP accepted manuscript.	0
7 ¹⁶	GH18 family glycoside hydrolase Chitinase A of <i>Salmonella</i> enhances virulence by facilitating invasion and modulating host immune responses.. 2022 , 18, e1010407	1
7 ¹⁵	Activation of the Type III Secretion System of Enteropathogenic <i>Escherichia coli</i> Leads to Remodeling of Its Membrane Composition and Function.. 2022 , e0020222	0
7 ¹⁴	Conserved FimK truncation coincides with increased expression of type 3 fimbriae and cultured bladder epithelial cell association in <i>Klebsiella quasipneumoniae</i> .	
7 ¹³	A conserved signaling pathway activates bacterial CBASS immune signaling in response to DNA damage.	1
7 ¹²	Novel trans-translation-associated gene regulation revealed by prophage excision-triggered switching of ribosome rescue pathway.	0
7 ¹¹	Knowledge integration and decision support for accelerated discovery of antibiotic resistance genes.. 2022 , 13, 2360	
7 ¹⁰	A Highly Unstable and Elusive Plasmid That Encodes the Type III Secretion System Is Necessary for Full Virulence in the Marine Fish Pathogen subsp. .. 2022 , 23,	1
7 ⁰⁹	The role of nitrogen-responsive regulators in controlling inorganic polyphosphate synthesis in .. 2022 , 168,	1
7 ⁰⁸	IgaA protein, GumB, has a global impact on the transcriptome and surface proteome of <i>Serratia marcescens</i> .	0
7 ⁰⁷	Gene <i>sdaB</i> Is Involved in the Nematocidal Activity of <i>Enterobacter ludwigii</i> AA4 Against the Pine Wood Nematode <i>Bursaphelenchus xylophilus</i> . 2022 , 13,	0
7 ⁰⁶	A family of conserved bacterial virulence factors dampens interferon responses by blocking calcium signaling.. 2022 ,	4
7 ⁰⁵	History-dependent physiological adaptation to lethal genetic modification under antibiotic exposure.. 2022 , 11,	0
7 ⁰⁴	Biosynthesis of Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) From Glucose by <i>Escherichia coli</i> Through Butyryl-CoA Formation Driven by Ccr-Emd Combination. 2022 , 10,	1

703	Proteome reallocation enables the selective de novo biosynthesis of non-linear, branched-chain acetate esters.. 2022 ,		0
702	Identification of the Target and Mode of Action for the Prokaryotic Nucleotide Excision Repair Inhibitor ATBC.. 2022 ,		0
701	The VirF21:VirF30 protein ratio is affected by temperature and impacts Shigella flexneri host cell invasion.. 2022 ,		0
700	Oral mRNA Vaccines Against Infectious Diseases- A Bacterial Perspective [Invited].. 2022 , 13, 884862		1
699	Metabolic pathway engineering for the non-growth-associated succinate production in Escherichia coli based on flux solution space.. 2022 ,		0
698	Regulation of translation by lysine acetylation in Escherichia coli.		
697	Engineering of Escherichia coli Glyceraldehyde-3-Phosphate Dehydrogenase with Dual NAD ⁺ /NADP ⁺ Cofactor Specificity for Improving Amino Acid Production. 2022 , 10, 976		0
696	Salmonella Facilitates Iron Acquisition through UMPylation of Ferric Uptake Regulator.. 2022 , e0020722		1
695	Activating Silent Glycolysis Bypasses in Escherichia coli. 2022 , 2022, 1-17		0
694	Synthetic mutualism in engineered E. coli mutant strains as functional basis for microbial production consortia.		
693	Cellular perception of growth rate and the mechanistic origin of bacterial growth law.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2201585119	11.5	4
692	Improved furfural tolerance in Escherichia coli mediated by heterologous NADH-dependent benzyl alcohol dehydrogenases.. 2022 ,		0
691	The Tol-Pal System Plays an Important Role in Maintaining Cell Integrity During Elongation in .. 2022 , 13, 891926		0
690	Ferrous Iron Uptake Is Required for Salmonella to Persist within Vacuoles of Host Cells.. 2022 , e0014922		2
689	Efficient and Iterative Retron-Mediated in vivo Recombineering in E. coli.		0
688	Noninvasive assessment of gut function using transcriptional recording sentinel cells.. 2022 , 376, eabm6038		5
687	Ultradeep characterisation of translational sequence determinants refutes rare-codon hypothesis and unveils quadruplet base pairing of initiator tRNA and transcript.		
686	Transcriptome Analyses of Chicken Primary Macrophages Infected With Attenuated Typhimurium Mutants.. 2022 , 13, 857378		

- 685 rRNA operon multiplicity as a bacterial genome stability insurance policy.. **2022**, 1
- 684 The gut microbiota prime systemic antiviral immunity via the cGAS-STING-IFN-I axis.. **2022**, 55, 847-861.e10 10
- 683 Towards discovery of inhibitors of the undecaprenyl-pyrophosphate phosphatase BacA by virtual high-throughput screening. **2022**, 0
- 682 Structural Elucidation and genetic identification of the O-antigen from a novel serogroup of *Escherichia coli* strain 2017LL031.. **2022**, 517, 108577
- 681 Assessing an O-antigen deficient, live attenuated *Salmonella Gallinarum* strain that is DIVA compatible, environmentally safe, and protects chickens against fowl typhoid.. **2022**, 133, 104433 0
- 680 The Fis Nucleoid Protein Negatively Regulates the Phase Variation Switch of the Type 1 Pilus Operon in Enteropathogenic .. **2022**, 13, 882563 1
- 679 Loss of β Ketoacyl Acyl Carrier Protein Synthase III Activity Restores Multidrug-Resistant *Escherichia coli* Sensitivity to Previously Ineffective Antibiotics.. **2022**, e0011722 0
- 678 A Silent Operon of *Photobacterium luminescens* Encodes a Prodrug Mimic of GTP.. **2022**, e0070022 0
- 677 Bioproduction of eriodictyol by *Escherichia coli* engineered co-culture.. **2022**, 38, 112 0
- 676 Genome Editing with Cas9 in *Lactobacilli*.. **2022**, 2479, 245-261 0
- 675 Dup-In and DIRex: Techniques for Single-Step, Scar-Free Mutagenesis with Marker Recycling.. **2022**, 2479, 85-104
- 674 Generating Single Nucleotide Point Mutations in *E. coli* with the No-SCAR System.. **2022**, 2479, 119-133
- 673 Rectification and confinement of photokinetic bacteria in an optical feedback loop.. **2022**, 13, 2740 0
- 672 High Abundance of Transcription Regulators Compacts the Nucleoid in *Escherichia coli*.. **2022**, e0002622
- 671 The EnvZ/OmpR Two-Component System Regulates the Antimicrobial Activity of TAT-RasGAP and the Collateral Sensitivity to Other Antibacterial Agents.. **2022**, e0200921 0
- 670 Analysis of *Salmonella Typhi* Pathogenesis in a Humanized Mouse Model. **2022**, 215-234
- 669 Purification of the Bacterial Amyloid α Curli from *Salmonella enterica* Serovar Typhimurium and Detection of Curli from Infected Host Tissues. **2022**, 12,
- 668 Pervasive transcription enhances the accessibility of H-NS-silenced promoters and generates bistability in *Salmonella* virulence gene expression.

- 667 Biogenesis of a bacterial metabolosome for propanediol utilization. **2022**, 13, 2
- 666 Identification of two pyruvate transporters in *Salmonella enterica* serovar Typhimurium and their biological relevance.
- 665 Rhodaneses minimize the accumulation of cellular sulfane sulfur to avoid disulfide stress during sulfide oxidation in bacteria. **2022**, 102345 o
- 664 Understanding the Formation and Mechanism of Anticipatory Responses in *Escherichia coli*. **2022**, 23, 5985 o
- 663 Recoding anaerobic regulator *fnr* of *Salmonella* Typhimurium attenuates its pathogenicity. **2022**, 168, 105591 o
- 662 Super-Resolution Microscopy and Tracking of DNA-Binding Proteins in Bacterial Cells. **2022**, 191-208 o
- 661 Fluorescence Recovery After Photobleaching (FRAP) to Study Dynamics of the Structural Maintenance of Chromosome (SMC) Complex in Live *Escherichia coli* Bacteria. **2022**, 31-41
- 660 Role for DNA exonuclease V resection activity of RecBCD in control of aberrant chromosomal replication initiation in *Escherichia coli*.
- 659 Cardiolipin Biosynthesis Genes Are Not Required for *Salmonella enterica* Serovar Typhimurium Pathogenesis in C57BL/6J Mice. o
- 658 Bioproduction of Linalool From Paper Mill Waste. **2022**, 10, o
- 657 Ubiquitous bacterial polyketides induce cross-kingdom microbial interactions.
- 656 *wecB* Gene of *Salmonella Gallinarum* Plays a Critical Role in Systemic Infection of Fowl Typhoid. **2022**, 13, o
- 655 Pat- and Pta-mediated protein acetylation is required for horizontally-acquired virulence gene expression in *Salmonella* Typhimurium.
- 654 Harnessing stepping-stone hosts to engineer, select, and reboot synthetic bacteriophages in one pot. **2022**, 2, 100217
- 653 Parallel changes in gene essentiality over 50,000 generations of evolution. o
- 652 tRNA Methylation Resolves Codon Usage Bias at the Limit of Cell Viability.
- 651 Regulation of Translation by Lysine Acetylation in *Escherichia coli*. o
- 650 A Dual Regulatory Role of the PhoU Protein in *Salmonella* Typhimurium. o

- 649 Repeated Exposure of *Escherichia coli* to High Ciprofloxacin Concentrations Selects *gyrB* Mutants That Show Fluoroquinolone-Specific Hyperpersistence. **2022**, 13, 0
- 648 Early midcell localization of *Escherichia coli* PBP4 supports the function of peptidoglycan amidases. **2022**, 18, e1010222 0
- 647 Replication stalling activates SSB for recruitment of DNA damage tolerance factors 1
- 646 Adaptation delay causes a burst of mutations in bacteria responding to oxidative stress. 0
- 645 Extremophile Metal Resistance: Plasmid-Encoded Functions in *Streptomyces mirabilis*.
- 644 Dual role of CsrA in regulating the hemolytic activity of *Escherichia coli* O157:H7. **2022**, 13, 859-874 0
- 643 The lipoprotein DolP affects cell separation in *Escherichia coli*, but not as an upstream regulator of NlpD. **2022**, 168,
- 642 Transcription Factor SrsR (YgfI) Is a Novel Regulator for the Stress-Response Genes in Stationary Phase in *Escherichia coli* K-12. **2022**, 23, 6055 1
- 641 Single strand gap repair: The presynaptic phase plays a pivotal role in modulating lesion tolerance pathways. **2022**, 18, e1010238
- 640 Targeting primary and metastatic tumor growth in an aggressive breast cancer by engineered tryptophan auxotrophic *Salmonella Typhimurium*. **2022**, 25, 350-363 1
- 639 Fatty Acid Homeostasis Tunes Flagellar Motility by Activating Phase 2 Flagellin Expression, Contributing to *Salmonella* Gut Colonization.
- 638 The Tol-Pal system of *Escherichia coli* plays an unexpected role in the import of the oxyanions chromate and phosphate. **2022**, 103967
- 637 Role of the drug efflux pump in the intrinsic cefiderocol resistance of *Pseudomonas aeruginosa*. 0
- 636 Efficient extracellular production of recombinant proteins in *E. coli* via enhancing expression of *dacA* on the genome.
- 635 Evolutionarily stable gene clusters shed light on the common grounds of pathogenicity in the *Acinetobacter calcoaceticus-baumannii* complex. **2022**, 18, e1010020 0
- 634 Genome-wide protein-DNA interaction site mapping in bacteria using a double-stranded DNA-specific cytosine deaminase. **2022**, 7, 844-855 0
- 633 Nanoalumina triggers the antibiotic persistence of *Escherichia coli* through quorum sensing regulators *lrsF* and *qseB*. **2022**, 436, 129198 1
- 632 PLEIOTROPIC EFFECT OF MUTATION IN THE GENES INVOLVED IN THE BIOSYNTHESIS OF LIPOPOLYSACCHARIDES OF *ERWINIA* AND *AMYLOVORA* PHYTOPATHOGENIC BACTERIA. **2021**, 30, 31-38

631	Engineered <i>E. coli</i> for the Targeted Deposition of Therapeutic Payloads to Sites of Disease.	
630	Human variation impacting MCOLN2 restricts Salmonella Typhi replication by magnesium deprivation.	
629	Engineering of a TrpR-Based Biosensor for Altered Dynamic Range and Ligand Preference. 2022 , 11, 2175-2183	1
628	Oxidative stress activates transcription of Salmonella pathogenicity island-2 genes in macrophages. 2022 , 102130	1
627	Identification of Gut Bacterial Enzymes for Keto-Reductive Metabolism of Xenobiotics.	1
626	Understanding the genome-wide transcription response to varying cAMP levels using phenomenological models in bacteria.	
625	Quorum quenching of autoinducer 2 increases methane production in anaerobic digestion of waste activated sludge.	0
624	The layered costs and benefits of translational redundancy.	0
623	Identification of genetic interactions with priB links the PriA/PriB DNA replication restart pathway to double-strand DNA break repair in Escherichia coli.	
622	Integration of the Salmonella Typhimurium Methylome and Transcriptome Reveals That DNA Methylation and Transcriptional Regulation Are Largely Decoupled under Virulence-Related Conditions.	0
621	A LytM-Domain Factor, ActS, Functions in Two Distinctive Peptidoglycan Hydrolytic Pathways in E. coli. 13,	0
620	The TonB dependent uptake of pyrroloquinoline-quinone (PQQ) and secretion of gluconate by Escherichia coli K-12.	
619	Thiamine Is Required for Virulence and Survival of Pseudomonas syringae pv. tomato DC3000 on Tomatoes. 13,	0
618	Sulphate repression of ssuD-dependent alkanesulphonate-sulphur assimilation in Escherichia coli. 2022 , 168,	
617	Pseudomonas response regulators produced in an E. coli heterologous expression host exhibit host-derived post-translational phosphorylation. 2022 , 12,	0
616	Vitamin B12 coordinates ileal epithelial cell and microbiota functions to resist Salmonella infection in mice. 2022 , 219,	0
615	RtcB2-PrfH Operon Protects E. coli ATCC25922 Strain from Colicin E3 Toxin. 2022 , 23, 6453	0
614	Escherichia coli cell factories with altered chromosomal replication scenarios exhibit accelerated growth and rapid biomass production. 2022 , 21,	1

- 613 Production of citramalate in *Escherichia coli* by mediating colonic acid metabolism and fermentation optimization. **2022**,
- 612 Mutation of *rpoS* is Beneficial for Suppressing Organic Acid Secretion During 1,3-Propandiol Biosynthesis in *Klebsiella pneumoniae*. **2022**, 79,
- 611 Biohydrogen production using algae: Potentiality, Economics and Challenges. **2022**, 127514 1
- 610 From trash to treasure: Microbial conversion of palladium contaminants into valuable Pd nanoparticles by *Bacillus thuringiensis* Y9. **2022**, 132880 o
- 609 Orf1B controls secretion of T3SS proteins and contributes to *Edwardsiella piscicida* adhesion to epithelial cells. **2022**, 53,
- 608 Failure of Translation Initiation of the Next Gene Decouples Transcription at Intercistronic Sites and the Resultant mRNA Generation. o
- 607 The DarTG toxin-antitoxin system provides phage defence by ADP-ribosylating viral DNA. 6
- 606 A simple approach for random genomic insertion/deletions using ambiguous sequences in *Escherichia coli*. o
- 605 Nlp enhances biofilm formation by *Yersinia pestis* biovar microtus. **2022**, 105659 o
- 604 Heavy isotope labeling and mass spectrometry reveal unexpected remodeling of bacterial cell wall expansion in response to drugs. 11, o
- 603 Shotgun Proteomics Revealed Preferential Degradation of Misfolded In Vivo Obligate GroE Substrates by Lon Protease in *Escherichia coli*. **2022**, 27, 3772 1
- 602 Cellular RNA Targets of Cold Shock Proteins CspC and CspE and Their Importance for Serum Resistance in Septicemic *Escherichia coli*. o
- 601 An Optogenetic Toolkit for Light-Inducible Antibiotic Resistance. o
- 600 Rescue of transcriptional pausing in metabolic genes jumpstarts *Salmonella* antioxidant defenses.
- 599 Ribosome profiling reveals multiple roles of SecA in cotranslational protein export. **2022**, 13, o
- 598 *Yersinia pestis* -Induced Mitophagy That Balances Mitochondrial Homeostasis and mROS-Mediated Bactericidal Activity. o
- 597 *Salmonella* Central Carbon Metabolism Enhances Bactericidal Killing by Fluoroquinolone Antibiotics.
- 596 Attachment of the RNA degradosome to the inner cytoplasmic membrane of *Escherichia coli* prevents wasteful degradation of rRNA intermediates in ribosome assembly.

595	Metabolically Engineered Escherichia coli for Conversion of D-Fructose to D-Allulose via Phosphorylation-Dephosphorylation. 10,		0
594	Discovery of Quercetin and Its Analogs as Potent OXA-48 Beta-Lactamase Inhibitors. 13,		
593	Functional Role of YnfA, an Efflux Transporter in Resistance to Antimicrobial Agents in Shigella flexneri.		0
592	The CRISPR-Cas System Differentially Regulates Surface-Attached and Pellicle Biofilm in Salmonella enterica Serovar Typhimurium.		1
591	Conjugative IncC plasmid entry triggers the SOS response and promotes effective transfer of the integrative antibiotic resistance element SGI1.		
590	Enriching intracellular macrolides in Escherichia coli improved the sensitivity of bioluminescent sensing systems. 2022 , 249, 123626		
589	Lambda Red Recombineering in Shigella flexneri. 2022 , 9-21		
588	Biohydrogen from Distillery Wastewater: Opportunities and Feasibility. 2022 , 93-121		
587	Rapid generation of Shigella flexneri GMMA displaying natural or new and cross-reactive O-Antigens. 2022 , 7,		
586	Divergent Effects of Peptidoglycan Carboxypeptidase DacA on Intrinsic β -Lactam and Vancomycin Resistance.		0
585	Nucleotide excision repair is universally mutagenic and transcription-associated.		
584	The ADP-Heptose Biosynthesis Enzyme GmhB is a Conserved Gram-Negative Bacteremia Fitness Factor.		0
583	Respiratory complex I with charge symmetry in the membrane arm pumps protons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	1
582	GMMA as an Alternative Carrier for a Glycoconjugate Vaccine against Group A Streptococcus. 2022 , 10, 1034		1
581	Wiskott-Aldrich syndrome protein forms nuclear condensates and regulates alternative splicing. 2022 , 13,		1
580	Evaluation of the Efficiency of Functional Reversal of Fatty Acid β -Oxidation in Escherichia coli upon the Action of Various Native Acyl-CoA Dehydrogenases. 2022 , 58, 361-367		
579	Identification of novel biofilm genes in avian pathogenic Escherichia coli by Tn5 transposon mutant library. 2022 , 38,		
578	Differential Expression of Two Copies of the irmA Gene in the Enteroaggregative E. coli Strain 042.		0

- 577 Host-specific plasmid evolution explains the variable spread of clinical antibiotic-resistance plasmids. 1
- 576 Localization and interaction studies of the *Salmonella enterica* ethanolamine ammonia-lyase (EutBC), its reactivase (EutA), and the EutT corrinoid adenosyltransferase.
- 575 Pervasive transcription enhances the accessibility of H-NS-silenced promoters and generates bistability in *Salmonella* virulence gene expression. *Proceedings of the National Academy of Sciences of the United States of America*, **2022**, 119, 11.5 0
- 574 A method for increasing electroporation competence of Gram-negative clinical isolates by polymyxin B nonapeptide. **2022**, 12,
- 573 Effect of environmental temperatures on proteome composition of *Salmonella enterica* serovar Typhimurium. **2022**, 100265 0
- 572 Regulatory effect of polyamines and indole on expression of stress adaptation genes in *Escherichia coli*. **2022**, 7, 150-161 0
- 571 Host-parasite coevolution promotes innovation through deformations in fitness landscapes. 11, 1
- 570 Role of alarmone (p)ppGpp in the regulation of indole formation depending on glucose content in *Escherichia coli*. **2022**, 7, 162-168
- 569 Decoupling Growth and Production by Removing the Origin of Replication from a Bacterial Chromosome. 0
- 568 Knockout of *miaA* increases *Escherichia coli* virulence in a silkworm infection model. **2022**, 17, e0270166 1
- 567 Reassessing acetyl-CoA supply and NADPH availability for mevalonate biosynthesis from glycerol in *Escherichia coli*. 0
- 566 Periplasmic oxidized-protein repair during copper stress in *E. coli*: A focus on the metallochaperone CusF. **2022**, 18, e1010180 0
- 565 A Newly Identified Group of P-like (PL) Fimbria Genes from Extraintestinal Pathogenic *Escherichia coli* (ExPEC) Encode Distinct Adhesin Subunits and Mediate Adherence to Host Cells. **2022**, 88,
- 564 SteE Enhances the Virulence of *Salmonella Pullorum* in Chickens by Regulating the Inflammation Response. 9, 0
- 563 Prevalence of hypervirulent and carbapenem-resistant *Klebsiella pneumoniae* under divergent evolutionary patterns. 1-42 1
- 562 Generation of markerless and multiple-gene knockout in *Glaesserella parasuis* based on natural transformation and FLP recombinase.
- 561 Bacterial retrons encode phage-defending tripartite toxin-antitoxin systems. 1
- 560 A single residue within the MCR-1 protein confers anticipatory resilience.

- 559 Low-cost anti-mycobacterial drug discovery using engineered *E. coli*. **2022**, 13, o
- 558 Comparative Analysis of Catabolic and Anabolic Dehydroshikimate Dehydratases for 3,4-DHBA Production in *Escherichia coli*. **2022**, 10, 1357
- 557 Glucose Transport through N-Acetylgalactosamine Phosphotransferase System in *Escherichia coli* C Strain. **2022**,
- 556 Bacteria reduce flagellin synthesis to evade microglia-astrocyte-driven immunity in the brain. **2022**, 40, 111033 o
- 555 Emergence of a Novel Plasmid-Mediated Tigecycline Resistance Gene Cluster, *tmexCD4-toprJ4*, in *Klebsiella quasipneumoniae* and *Enterobacter roggenkampii*. o
- 554 Mycobacteriophages: From Petri dish to patient. **2022**, 18, e1010602 1
- 553 Enhanced protein translocation to mammalian cells by expression of *EtgA* transglycosylase in a synthetic injector *E. coli* strain. **2022**, 21, o
- 552 *CpxR* negatively regulates *IncFII*-replicon plasmid *pEC011* conjugation by directly binding to multi-promoter regions. **2022**, 150, 98-106 o
- 551 Combined oral vaccination with niche competition can generate sterilizing immunity against entero-pathogenic bacteria. o
- 550 The host range and the role of O-antigen in P1 transduction with its alternative S' tail fibre.
- 549 Secreted in a Type III Secretion System-Dependent Manner, *EsaH* and *EscE* Are the Cochaperones of the T3SS Needle Protein *EsaG* of *Edwardsiella piscicida*.
- 548 Metabolomics for the design of new metabolic engineering strategies for improving aerobic succinic acid production in *Escherichia coli*. **2022**, 18,
- 547 Genetic and Functional Characterization of a Conjugative *KpVP-2*-Type Virulence Plasmid From a Clinical *Klebsiella pneumoniae* Strain. 13, o
- 546 Multi-omics reveal *Salmonella*-liberated dietary L-arabinose promotes expansion in superspreaders.
- 545 From vacuole to cytosol Disruptive invasion triggers cytosolic release of *Salmonella Paratyphi A* and subsequent cytosolic motility favors evasion of xenophagy.
- 544 A widely distributed gene cluster compensates for uricase loss in hominids. o
- 543 The role of CFA/I in adherence and toxin delivery by ETEC expressing multiple colonization factors in the human enteroid model. **2022**, 16, e0010638 o
- 542 Cysteine dependent conformation heterogeneity of *Shigella flexneri* autotransporter *IcsA* and implications in its function.

- 541 On the flexibility of the cellular amination network in *E. coli*. 11,
- 540 Histamine production by the gut microbiota induces visceral hyperalgesia through histamine 4 receptor signaling in mice. **2022**, 14, 6
- 539 Host Range Expansion of Shigella Phage Sf6 Evolves through Point Mutations in the Tailspike. 1
- 538 LuxR family transcriptional repressor YjjQ modulates the biofilm formation and motility of avian pathogenic *Escherichia coli*. **2022**, 152, 10-19 0
- 537 DISCOVERING THE ROLE OF THE TRANSCRIPTIONAL REGULATOR MARR IN THE VIRULENCE OF PHYTOPATHOGENIC BACTERIA *ERWINIA AMYLOVORA*. **2021**, 31, 53-61
- 536 *Streptomyces coelicolor* macrodomain hydrolase SCO6735 cleaves thymidine-linked ADP-ribosylation of DNA. **2022**, 20, 4337-4350 1
- 535 In Vivo Screening Method for the Identification and Characterization of Prokaryotic, Metabolite-Responsive Transcription Factors. **2022**, 113-141
- 534 *Acinetobacter baumannii* defends against oxidative stress through a Mn²⁺-dependent small RNA-mediated suppression of type VI secretion system. 0
- 533 Differential Impact of Hexuronate Regulators ExuR and UxuR on the *Escherichia coli* Proteome. **2022**, 23, 8379
- 532 Phosphopantetheinyl transferase ClbA contributes to the virulence of avian pathogenic *Escherichia coli* in meningitis infection of mice. **2022**, 17, e0269102 0
- 531 A gene expression control technology for cell-free systems and synthetic cells via targeted gene silencing and transfection. 0
- 530 *Acinetobacter baumannii* Catabolizes Ethanolamine in the Absence of a Metabolosome and Converts Cobinamide into Adenosylated Cobamides. 0
- 529 Role of Penicillin-Binding Protein 1b in the Biofilm Inhibitory Efficacy of Ceftazidime Against *Escherichia coli*. **2022**, 79,
- 528 Recording gene expression order in DNA by CRISPR addition of retron barcodes. **2022**, 608, 217-225 0
- 527 Exploring the in-situ evolution of Nitrofurantoin resistance in clinically derived Uropathogenic *Escherichia coli* isolates. 0
- 526 Whole-Genome Sequencing of a Chlorimuron-Ethyl-Degrading Strain: *Chenggangzhangella methanolivorans* CHL1 and Its Degrading Enzymes. 0
- 525 Bacterial cell widening alters periplasmic size and activates envelope stress responses. 0
- 524 Glutamine synthetase mRNA releases sRNA from its 3'UTR to regulate carbon/nitrogen metabolic balance. 1

- 523 Type 1 pilated uropathogenic *Escherichia coli* hijack the host immune response by binding to CD14. 11, 0
- 522 LI-Detector: a Method for Curating Ordered Gene-Replacement Libraries.
- 521 HelR is a helicase-like protein that protects RNA polymerase from rifamycin antibiotics. **2022**, 0
- 520 *Salmonella* Regulator STM0347 Mediates Flagellar Phase Variation via Hin Invertase. **2022**, 23, 8481
- 519 Computational prediction and experimental validation of *Salmonella* Typhimurium SopE-mediated fine-tuning of autophagy in intestinal epithelial cells. 12, 1
- 518 Methionine oxidation under anaerobic conditions in *Escherichia coli*. 1
- 517 B4galnt2-mediated host glycosylation influences the susceptibility to *Citrobacter rodentium* infection. 13, 1
- 516 Characterization of colonization kinetics and virulence potential of *Salmonella* Enteritidis in chickens by photonic detection. 9,
- 515 Atypical integrative element with strand-biased circularization activity assists interspecies antimicrobial resistance gene transfer from *Vibrio alfacensis*. **2022**, 17, e0271627 0
- 514 Evolution of antibiotic resistance impacts optimal temperature and growth rate in *Escherichia coli* and *Staphylococcus epidermidis*.
- 513 Mechanistic insights into intramembrane proteolysis by *E. coli* site-2 protease homolog RseP. **2022**, 8, 1
- 512 Bacteriophages benefit from mobilizing pathogenicity islands encoding immune systems against competitors. **2022**, 185, 3248-3262.e20 2
- 511 Regulation of the pyrimidine biosynthetic pathway by lysine acetylation of *E. coli* OPRase.
- 510 Evaluation of Metabolic Engineering Strategies on 2-Ketoisovalerate Production by *Escherichia coli*.
- 509 Insertion Sequence (IS)-Excision Enhancer (IEE)-Mediated IS Excision from the lacZ Gene Restores the Lactose Utilization Defect of Shiga Toxin-Producing *Escherichia coli* O121:H19 Strains and Is Responsible for Their Delayed Lactose Utilization Phenotype. **2022**, 88, 0
- 508 Enzymatic Supercoiling of Bacterial Chromosomes Facilitates Genome Manipulation. 1
- 507 The TonB dependent uptake of pyrroloquinoline-quinone (PQQ) and secretion of gluconate by *Escherichia coli* K-12.
- 506 Single mutation makes *Escherichia coli* an insect mutualist. **2022**, 7, 1141-1150 1

- 505 The integrase of genomic island GIsul2 mediates the mobilization of GIsul2 and ISCR-related element CR2-sul2 unit through site-specific recombination. 13, 0
- 504 FoxR is an AraC -like transcriptional regulator of ferrioxamine uptake in *Salmonella enterica*.
- 503 Subcellular localization of the enterobacterial common antigen GT-E- like glycosyltransferase, WecG.
- 502 Inactivation of Terminal Oxidase bd-I Leads to Supersensitivity of *E. coli* to Quinolone and Beta-Lactam Antibiotics. **2022**, 56, 572-579
- 501 Rational engineering of a synthetic insect-bacterial mutualism. **2022**, 0
- 500 Substrate-inducible and antibiotic-free high-level 4-hydroxyvaleric acid production in engineered *Escherichia coli*. 10,
- 499 Systematic strategies for developing phage resistant *Escherichia coli* strains. **2022**, 13, 2
- 498 A complete twelve-gene deletion null mutant reveals that cyclic di-GMP is a global regulator of phase-transition and host colonization in *Erwinia amylovora*. **2022**, 18, e1010737 0
- 497 A contractile injection system mediates developmentally regulated intra-strain cell death in *Streptomyces coelicolor*. 0
- 496 A Salvaging Strategy Enables Stable Metabolite Provisioning among Free-Living Bacteria. 1
- 495 Role for DNA double strand end-resection activity of RecBCD in control of aberrant chromosomal replication initiation in *Escherichia coli*. **2022**, 50, 8643-8657 0
- 494 Indole Sensing Regulator (IsrR) Promotes Virulence Gene Expression in Enteric Pathogens.
- 493 Reactive metabolic byproducts contribute to antibiotic lethality under anaerobic conditions. **2022**, 0
- 492 *Escherichia coli* YigI is a Conserved Gammaproteobacterial Acyl-CoA Thioesterase Permitting Metabolism of Unusual Fatty Acid Substrates. **2022**, 204,
- 491 Enzymatic basis of the Fc-selective intra-chain disulfide reduction and free thiol content variability in an antibody produced in *Escherichia coli*. **2022**, 21,
- 490 Impairment of the Zn/Cd detoxification systems affects the ability of *Salmonella* to colonize *Arabidopsis thaliana*. 13,
- 489 Conserved FimK Truncation Coincides with Increased Expression of Type 3 Fimbriae and Cultured Bladder Epithelial Cell Association in *Klebsiella quasipneumoniae*.
- 488 LPS O Antigen Plays a Key Role in *Klebsiella pneumoniae* Capsule Retention. 1

- 487 The temperature-dependent expression of type II secretion system controls extracellular product secretion and virulence in mesophilic *Aeromonas salmonicida* SRW-OG1. 12, ○
- 486 A natural product from *Streptomyces* targets PhoP and exerts antivirulence action against *Salmonella enterica*.
- 485 Mobile Translation Systems Generate Genomically Engineered *Escherichia coli* Cells with Improved Growth Phenotypes. ○
- 484 Role of aggregate-forming pilus (AFP) in adherence and colonization of both intestinal and urinary tracts. **2022**, 13, 1423-1433 ○
- 483 A Robust One-Step Recombineering System for Enterohemorrhagic *Escherichia coli*. **2022**, 10, 1689
- 482 The evolution of a counter-defense mechanism in a virus constrains its host range. 11, 1
- 481 The activity of BcsZ of *Salmonella Typhimurium* and its role in *Salmonella*-plants interactions. 12, ○
- 480 *Dictyostelium discoideum* cells retain nutrients when the cells are about to overgrow their food source. 1
- 479 *Salmonella Typhimurium* outer membrane protein A (OmpA) renders protection from nitrosative stress of macrophages by maintaining the stability of bacterial outer membrane. **2022**, 18, e1010708 ○
- 478 Characterization of transcriptional activities at a divergent promoter of the type VI secretion system in enterohemorrhagic *Escherichia coli* O157:H7. **2022**, 60, 928-934
- 477 Robust counterselection and advanced **Red** recombineering enable markerless chromosomal integration of large heterologous constructs. **2022**, 50, 8947-8960 ○
- 476 *Salmonella Heidelberg* side-step gene loss of respiratory requirements in chicken infection model. **2022**, 105725 ○
- 475 Mechanisms of antibiotic action shape the fitness landscapes of resistance mutations. **2022**,
- 474 Metabolic pathway design for growth-associated phenylalanine production using synthetically designed mutualism. **2022**, 45, 1539-1546 ○
- 473 Real-time detection of response regulator phosphorylation dynamics in live bacteria. **2022**, 119, 1
- 472 Rapid and accurate assembly of large DNA assisted by in vitro packaging of bacteriophage.
- 471 The Effect of Heavy Metals on Conjugation Efficiency of an F-Plasmid in *Escherichia coli*. **2022**, 11, 1123 1
- 470 Synthetic Genetic Interactions Reveal a Dense and Cryptic Regulatory Network of Small Noncoding RNAs in *Escherichia coli*. ○

- 469 Diversity of ethanolamine utilization by human commensal *Escherichia coli*. **2022**, 103989
- 468 Interaction between transcribing RNA polymerase and topoisomerase I prevents R-loop formation in *E. coli*. **2022**, 13, 1
- 467 Subversion of GBP-mediated host defense by E3 ligases acquired during *Yersinia pestis* evolution. **2022**, 13, 0
- 466 *Escherichia coli* minicells with targeted enzymes as bioreactors for producing toxic compounds. **2022**, 73, 214-224 0
- 465 Targeting cofactors regeneration in methylation and hydroxylation for high level production of Ferulic acid. **2022**, 73, 247-255 0
- 464 Engineering microbial cell viability for enhancing chemical production by second codon engineering. **2022**, 73, 235-246
- 463 Pathogenic and Commensal Gut Bacteria Harboring Glycerol/Diol Dehydratase Metabolize Glycerol and Produce DNA-Reactive Acrolein. 1
- 462 Cell wall synthesis and remodelling dynamics determine division site architecture and cell shape in *Escherichia coli*. 2
- 461 Degradation of gene silencer is essential for expression of foreign genes and bacterial colonization of the mammalian gut. **2022**, 119, 0
- 460 Modification of avian pathogenic *Escherichia coli* O122 lipopolysaccharide increases accessibility to glycoconjugate antigens. **2022**, 21, 0
- 459 Variance in translational fidelity of different bacterial species is affected by pseudouridines in the tRNA anticodon stem-loop. **2022**, 19, 1050-1058 0
- 458 Global profiling of the RNA and protein complexes of *Escherichia coli* by size exclusion chromatography followed by RNA sequencing and mass spectrometry (SEC-seq). 0
- 457 Real time visualisation of conjugation reveals the molecular strategy evolved by the conjugative F plasmid to ensure the sequential production of plasmid factors during establishment in the new host cell. 0
- 456 Contribution of prgH gene for *Salmonella Pullorum* to virulence and the expression of NLRP3, Caspase-1 and IL-1 β in chickens. **2022**, 171, 105744 0
- 455 Biotechnology approaches for natural product discovery, engineering, and production based on *Burkholderia* bacteria. **2022**, 77, 102782 0
- 454 Metabolic engineering of *E. coli* for L-alanine production using a multi-biosensor enabled approach. **2022**, 74, 24-35 1
- 453 Co-culture with *Acinetobacter johnsonii* enhances benzalkonium chloride resistance in *Salmonella enterica* via triggering lipid A modifications. **2022**, 381, 109905 0
- 452 Unlocking the bacterial domain for industrial biotechnology applications using universal parts and tools. **2022**, 60, 108028 0

451	Regulation of carbon flux and NADH/NAD ⁺ supply to enhance 2,3-butanediol production in <i>Enterobacter aerogenes</i> . 2022 , 358, 67-75	1
450	The Role of O-antigen in P1 Transduction of <i>Shigella flexneri</i> and <i>Escherichia coli</i> with its Alternative S' Tail Fibre. 2022 , 434, 167829	2
449	Prospective lipid-A altered live attenuated <i>Salmonella Gallinarum</i> confers protectivity, DIVA capability, safety and low endotoxicity against fowl typhoid. 2022 , 274, 109572	0
448	Controlling catabolite repression for isobutanol production using glucose and xylose by overexpressing the xylose regulator. 2022 , 359, 21-28	1
447	Genome-wide analysis of fitness factors in uropathogenic <i>Escherichia coli</i> in a pig urinary tract infection model. 2022 , 265, 127202	0
446	Conserved FimH mutations in the global <i>Escherichia coli</i> ST131 multi-drug resistant lineage weaken interdomain interactions and alter adhesin function. 2022 , 20, 4532-4541	0
445	A multi-layer genome mining and phylogenomic analysis to construct efficient and autonomous efflux system for medium chain fatty acids. 2022 , 2, 1-14	0
444	Evaluation of Amyloid Inhibitor Efficiency to Block Bacterial Survival. 2022 , 145-163	0
443	The absence of the queuosine tRNA modification leads to pleiotropic phenotypes revealing perturbations of metal and oxidative stress homeostasis in <i>Escherichia coli</i> K12. 2022 , 14,	0
442	Evaluation of the Role of Bacterial Amyloid on Nucleoid Structure Using Cryo-Soft X-Ray Tomography. 2022 , 319-333	0
441	Direct, Rapid, and Simple Evaluation of the Expression and Conformation of Beta-Amyloid in Bacterial Cells by FTIR Spectroscopy. 2022 , 235-260	0
440	Detecting Lipoproteins Sneaking Out of the Lipopolysaccharide Leaflet. 2022 , 169-178	0
439	Envelope Stress Activates Expression of the Twin Arginine Translocation (Tat) System in <i>Salmonella</i> .	0
438	Evaluation of <i>Salmonella</i> Typhimurium Lacking fruR, ssrAB, or hfq as a Prophylactic Vaccine against <i>Salmonella</i> Lethal Infection. 2022 , 10, 1413	0
437	The Inactivation of LPS Biosynthesis Genes in <i>E. coli</i> Cells Leads to Oxidative Stress. 2022 , 11, 2667	1
436	Structural basis of lipoprotein recognition by the bacterial Lol trafficking chaperone LolA. 2022 , 119,	2
435	Editing of Phage GenomesRecombineering-assisted SpCas9 Modification of Model Coliphages T7, T5, and T3.	0
434	Impact of queuosine modification of endogenous <i>E. coli</i> tRNAs on sense codon reassignment. 9,	0

433	Reconstitution of ribosome self-replication outside a living cell.	1
432	A New Factor LapD Is Required for the Regulation of LpxC Amounts and Lipopolysaccharide Trafficking. 2022 , 23, 9706	1
431	Revealing a New Family of D-2-Hydroxyglutarate Dehydrogenases in <i>Escherichia coli</i> and <i>Pantoea ananatis</i> Encoded by ydiJ. 2022 , 10, 1766	0
430	The Biological Significance of Pyruvate Sensing and Uptake in <i>Salmonella enterica</i> Serovar Typhimurium. 2022 , 10, 1751	0
429	An Easy-to-Use Plasmid Toolset for Efficient Generation and Benchmarking of Synthetic Small RNAs in Bacteria. 2022 , 11, 2989-3003	0
428	A metabolic sum rule dictates bacterial response to short-chain fatty acid stress.	1
427	Kinetic compartmentalization by unnatural reaction for itaconate production. 2022 , 13,	0
426	Uptake of aminoglycosides through outer membrane porins in <i>Escherichia coli</i> .	1
425	Past, Present, and Future of Genome Modification in <i>Escherichia coli</i> . 2022 , 10, 1835	1
424	A 3' UTR-derived small RNA connecting nitrogen and carbon metabolism in enteric bacteria. 2022 , 50, 10093-10109	1
423	The <i>cnf1</i> gene is associated with an expanding <i>Escherichia coli</i> ST131 H30Rx/C2 subclade and confers a competitive advantage for gut colonization. 2022 , 14,	0
422	Tunable dynamics in a multi-strain transcriptional pulse generator.	0
421	Epistasis decreases with increasing antibiotic pressure but not temperature.	1
420	Biosynthesis of L -5-methyltetrahydrofolate by genetically engineered <i>Escherichia coli</i> .	0
419	From toxic waste to beneficial nutrient: acetate boosts <i>Escherichia coli</i> growth at low glycolytic flux.	0
418	Versatile seamless DNA vector production in <i>E. coli</i> using enhanced phage lambda integrase. 2022 , 17, e0270173	0
417	Effects of Global and Specific DNA-Binding Proteins on Transcriptional Regulation of the <i>E. coli</i> <i>bgl</i> Operon. 2022 , 23, 10343	0
416	Exopolysaccharides amylovoran and levan contribute to sliding motility in the fire blight pathogen <i>Erwinia amylovora</i> .	0

- 4¹⁵ Functional characterization of the Co²⁺ transporter AitP in *Sinorhizobium meliloti*: a new player in Fe²⁺ homeostasis. ○
- 4¹⁴ Robust linear DNA degradation supports replication initiation-defective mutants in *Escherichia coli*. ○
- 4¹³ Computational identification of a systemic antibiotic for Gram-negative bacteria. **2022**, 7, 1661-1672 1
- 4¹² Gre Factors Are Required for Biofilm Formation in *Salmonella enterica* Serovar Typhimurium by Targeting Transcription of the *csgD* Gene. **2022**, 10, 1921 ○
- 4¹¹ LuxR-Type SCO6993 Negatively Regulates Antibiotic Production at the Transcriptional Stage by Binding to Promoters of Pathway-Specific Regulatory Genes in *Streptomyces coelicolor*. **2022**, 32, 1134-1145 ○
- 4¹⁰ Metabolic and Morphotypic Trade-Offs within the Eco-Evolutionary Dynamics of *Escherichia coli*. ○
- 4⁰⁹ Growth-mediated negative feedback shapes quantitative antibiotic response. **2022**, 18, ○
- 4⁰⁸ Optimum flux rerouting for efficient production of naringenin from acetate in engineered *Escherichia coli*. **2022**, 15, ○
- 4⁰⁷ The AAA+ATPase RavA and its binding partner ViaA modulate *E. coli* aminoglycoside sensitivity through interaction with the inner membrane. **2022**, 13, ○
- 4⁰⁶ Biosynthesis of plant hemostatic dencichine in *Escherichia coli*. **2022**, 13, ○
- 4⁰⁵ Robust control of replication initiation in the absence of DnaA-ATP ? DnaA-ADP regulatory elements in *Escherichia coli*. ○
- 4⁰⁴ Bioprocess Engineering, Transcriptome, and Intermediate Metabolite Analysis of L-Serine High-Yielding *Escherichia coli* W3110. **2022**, 10, 1927 ○
- 4⁰³ Chemoproteomic Profiling Reveals the Mechanism of Bile Acid Tolerance in Bacteria. **2022**, 17, 2461-2470 2
- 4⁰² The EcpD Tip Adhesin of the *Escherichia coli* Common Pilus Mediates Binding of Enteropathogenic *E. coli* to Extracellular Matrix Proteins. **2022**, 23, 10350 ○
- 4⁰¹ Continuous directed evolution of a feedback-resistant *Arabidopsis* arogenate dehydratase in plantized *E. coli*. ○
- 4⁰⁰ Redox-Mediated Inactivation of the Transcriptional Repressor RcrR is Responsible for Uropathogenic *Escherichia coli* Increased Resistance to Reactive Chlorine Species. ○
- 399 Impaired glucose metabolism by deleting the operon of hydrogenase 2 in *Escherichia coli*. **2022**, 204, ○
- 398 Microcin MccI47 selectively inhibits enteric bacteria and reduces carbapenem-resistant *Klebsiella pneumoniae* colonization in vivo when administered via an engineered live biotherapeutic. **2022**, 14, 1

- 397 Cell type-independent profiling of interactions between intracellular pathogens and the human phosphoproteome. o
- 396 Small RNAs activate *Salmonella* pathogenicity island 1 by modulating mRNA stability through the *hilD* mRNA 3' UTR. o
- 395 The mobilizable plasmid P3 of *Salmonella enterica* serovar Typhimurium SL1344 depends on the P2 plasmid for conjugative transfer into a broad range of bacteria in vitro and in vivo. o
- 394 Coculture engineering for efficient production of vanillyl alcohol in *Escherichia coli*. o
- 393 P1 bacteriophage-enabled delivery of CRISPR-Cas9 antimicrobial activity against *Shigella flexneri*. 1
- 392 Specific Codons Control Cellular Resources and Fitness. o
- 391 The antiretroviral agents azidothymidine, stavudine, and didanosine have the identical mutational fingerprint in the *rpoB* region of *Escherichia coli*. o
- 390 Towards next-generation cell factories by rational genome-scale engineering. 1
- 389 Low levels of tetracyclines select for a mutation that prevents the evolution of high-level resistance to tigecycline. **2022**, 20, e3001808 o
- 388 An easily modifiable conjugative plasmid for studying horizontal gene transfer. **2022**, 123-124, 102649 o
- 387 Coordinated and distinct LD-transpeptidase-independent roles of peptidoglycan carboxypeptidases DacC and DacA in stress adaptation and cell shape maintenance. o
- 386 A high-performance genetically encoded fluorescent indicator for in vivo cAMP imaging. **2022**, 13, o
- 385 Host and gut bacteria share metabolic pathways for anti-cancer drug metabolism. **2022**, 7, 1605-1620 2
- 384 Defects in DNA double-strand break repair resensitize antibiotic-resistant *Escherichia coli* to multiple bactericidal antibiotics. **2022**, 11, o
- 383 Periplasmic coiled coil formed by assembly platform proteins Pull and PulM is critical for function of the *Klebsiella* type II secretion system. o
- 382 A miniaturized bionic ocean-battery mimicking the structure of marine microbial ecosystems. **2022**, 13, o
- 381 Characterizing 5-oxoproline sensing pathways of *Salmonella enterica* serovar typhimurium. **2022**, 12, o
- 380 SlyA regulates virulence gene expressions through activation of *pchA* regulatory gene in enterohemorrhagic *Escherichia coli*. o

379	A genetic platform to investigate the functions of bacterial drug efflux pumps.	3
378	A Second Role for the Second Messenger Cyclic-di-GMP in <i>E. coli</i> : Arresting Cell Growth by Altering Metabolic Flow.	0
377	A MAD7-based genome editing system for <i>E. coli</i> .	0
376	Global coordination of the mutation and growth rates across the genetic and nutritional variety in <i>Escherichia coli</i> . 13,	0
375	Systematic Identification of CpxRA-Regulated Genes and Their Roles in <i>Escherichia coli</i> Stress Response.	1
374	Sequestration of gut pathobionts in intraluminal casts, a mechanism to avoid dysregulated T cell activation by pathobionts. 2022 , 119,	1
373	The vulnerability of radical SAM enzymes to oxidants and soft metals. 2022 , 102495	1
372	Replication stalling activates SSB for recruitment of DNA damage tolerance factors. 2022 , 119,	0
371	Emulsion-based evolution of <i>Escherichia coli</i> for higher growth yield on D-xylose identifies central role of cyclic AMP.	0
370	Inner membrane YfgMBpiD heterodimer acts as a functional unit that associates with the SecY/E/G translocon and promotes protein translocation. 2022 , 102572	0
369	The salmonella effector Hcp modulates infection response, and affects salmonella adhesion and egg contamination incidences in ducks. 12,	0
368	Modelling the gastrointestinal carriage of <i>Klebsiella pneumoniae</i> infections.	0
367	Efficient Bacterial Genome Engineering throughout the Central Dogma Using the Dual-Selection Marker tetAOPT.	1
366	Safety assessment of compliant, highly invasive, lipid A-altered, O-antigen-defected <i>Salmonella</i> strains as prospective vaccine delivery systems. 2022 , 53,	0
365	Exploring Cluster-Dependent Antibacterial Activities and Resistance Pathways of NOSO-502 and Colistin against <i>Enterobacter cloacae</i> Complex Species.	1
364	An acetate-independent pathway for isopropanol production via HMG-CoA in <i>Escherichia coli</i> . 2022 , 359, 29-34	0
363	Type I fimbriae subunit fimA enhances <i>Escherichia coli</i> biofilm formation but affects L-threonine carbon distribution. 10,	0
362	Methanol-Dependent Carbon Fixation for Irreversible Synthesis of d-Allulose from d-Xylose by Engineered <i>Escherichia coli</i> .	0

- 361 Genome-wide mapping of fluoroquinolone-stabilized DNA gyrase cleavage sites displays drug specific effects that correlate with bacterial persistence. o
- 360 Heat-labile enterotoxin enhances F4-producing enterotoxigenic *E. coli* adhesion to porcine intestinal epithelial cells by upregulating bacterial adhesins and STb enterotoxin. **2022**, 53, o
- 359 A highly-safe live auxotrophic vaccine protecting against disease caused by non-typhoidal *Salmonella* Typhimurium in mice. **2022**, o
- 358 EnvR is a potent repressor of *acrAB* transcription in *Salmonella*. o
- 357 Phosphotransferase system sugars immediately induce mutations of Cra in an *Escherichia coli* ptsH mutant. o
- 356 An alternative malonyl-CoA producing pathway in nature. o
- 355 The RNA repair proteins RtcAB regulate transcription activator RtcR via its CRISPR-associated Rossmann fold domain.. **2022**, 105425 o
- 354 Catastrophic chromosome fragmentation probes the nucleoid structure and dynamics in *Escherichia coli*. o
- 353 Optineurin links Hace1-dependent Rac ubiquitylation to integrin-mediated mechanotransduction to control bacterial invasion and cell division. **2022**, 13, o
- 352 Microbial nanowires with genetically modified peptide ligands to sustainably fabricate electronic sensing devices. o
- 351 tRNA methylation resolves codon usage bias at the limit of cell viability. **2022**, 41, 111539 o
- 350 NlpE is an OmpA-associated outer membrane sensor of the Cpx envelope stress response. o
- 349 A frameshift in *Yersinia pestis* *rscD* leads to expression of a small HPT variant that alters canonical Rcs signalling to preserve flea-mammal plague transmission cycles. o
- 348 Antibacterial T6SS effectors with a VRR-Nuc domain are structure-specific nucleases. 11, 3
- 347 Extracellular production of Ulp1403-621 in leaky *E. coli* and its application in antimicrobial peptide production. o
- 346 basicsynbio and the BASIC SEVA collection: Software and vectors for an established DNA assembly method. o
- 345 Preclinical evaluation of OMVs as potential vaccine candidates against *Salmonella enterica* serovar Enteritidis infection. 12, o
- 344 Phosphatidylglycerol is the lipid donor for synthesis of phospholipid-linked enterobacterial common antigen. o

- 343 Engineered bacterial host for genetic encoding of physiologically stable protein nitration. 9, 0
- 342 Engineering of *Escherichia coli* for D-allose fermentative synthesis from D-glucose through izumoring cascade epimerization. 10, 0
- 341 RfaH Counter-Silences Inhibition of Transcript Elongation by H-NS β tpA Nucleoprotein Filaments in Pathogenic *Escherichia coli*. 0
- 340 The rugged DNA-binding sequence-fitness landscape of the LacI/GalR Family is a product of asymmetry in the operator:repressor complex. 0
- 339 Role of *Klebsiella pneumoniae* Type VI secretion system (T6SS) in long-term gastrointestinal colonization. **2022**, 12, 0
- 338 Recent Synthetic Biology Approaches for Temperature- and Light-Controlled Gene Expression in Bacterial Hosts. **2022**, 27, 6798 0
- 337 *Serratia marcescens* DUF1471-Containing Protein SrfN Is Needed for Adaptation to Acid and Oxidative Stresses. 0
- 336 Engineered 5-HT producing gut probiotic improves gastrointestinal motility and behavior disorder. 12, 0
- 335 Prophage taming by the adherent-invasive *Escherichia coli* LF82 upon macrophage infection. 0
- 334 Enhanced electrochemical measurement of β -galactosidase activity in whole cells by coexpression of lactose permease, LacY. 0
- 333 ppGpp, the General Stress Response Alarmone, Is Required for the Expression of the β -Hemolysin Toxin in the Uropathogenic *Escherichia coli* Isolate, J96. **2022**, 23, 12256 0
- 332 Quantitative dose-response analysis untangles host bottlenecks to enteric infection. 0
- 331 Genome-wide screening reveals metabolic regulation of translational fidelity. 1
- 330 Spatial Characteristics of the Efflux Pump MexB Determine Inhibitor Binding. 1
- 329 Intracellular acidification is a hallmark of thymineless death in *E. coli*. **2022**, 18, e1010456 1
- 328 Deep model predictive control of gene expression in thousands of single cells. 0
- 327 Reductions in bacterial viability stimulate the production of Extra-intestinal Pathogenic *Escherichia coli* (ExPEC) cytoplasm-carrying Extracellular Vesicles (EVs). **2022**, 18, e1010908 0
- 326 Promiscuity of response regulators for thioredoxin steers bacterial virulence. **2022**, 13, 0

- 325 A Novel Biosensor Reveals Dynamic Changes of C-di-GMP in Differentiating Cells with Ultra-High Temporal Resolution. o
- 324 SURE editing: combining oligo-recombineering and programmable insertion/deletion of selection markers to efficiently edit the *Mycoplasma pneumoniae* genome. o
- 323 Global profiling of the RNA and protein complexes of *Escherichia coli* by size exclusion chromatography followed by RNA sequencing and mass spectrometry (SEC-seq). rna.079439.122 o
- 322 Engineering *Escherichia coli* native metabolism for efficient biosynthesis of orotate. o
- 321 IgaA Protein, GumB, Has a Global Impact on the Transcriptome and Surface Proteome of *Serratia marcescens*. o
- 320 An Optimized Transformation Protocol for *Escherichia coli* BW3KD with Supreme DNA Assembly Efficiency. o
- 319 Engineering an SspB-mediated degron for novel controllable protein degradation. **2022**, o
- 318 Identification of the EH CRISPR-Cas9 system on a metagenome and its application to genome engineering. o
- 317 Dual function of the O-antigen WaaL ligase of *Aggregatibacter actinomycetemcomitans*. o
- 316 Identification of genetic interactions with priB links the PriA/PriB DNA replication restart pathway to double-strand DNA break repair in *Escherichia coli*. o
- 315 Gut colonization by Proteobacteria alters host metabolism and modulates cocaine neurobehavioral responses. **2022**, 2
- 314 Exploring functional interplay amongst *Escherichia coli* efflux pumps. **2022**, 168, o
- 313 Agmatine production by *Escherichia coli* cells expressing SpeA on the extracellular surface. **2023**, 162, 110139 1
- 312 Transcriptional insight into the effect of benzalkonium chloride on resistance and virulence potential in *Salmonella Typhimurium*. **2023**, 266, 127240 o
- 311 Molecular mechanisms of glycogen particle assembly in *Escherichia coli*. **2023**, 299, 120200 o
- 310 The stationary phase-specific sRNA FimR2 is a multifunctional regulator of bacterial motility, biofilm formation and virulence. o
- 309 Generalized Modules for Membrane Antigens (GMMA), an outer membrane vesicle-based vaccine platform, for efficient viral antigen delivery. **2022**, 11, o
- 308 Histone-like Nucleoid Structuring (H-NS) Protein Silences the beta-glucoside (bgl) Utilization Operon in *Escherichia coli* by Forming a DNA Loop. **2022**, o

- 307 Sugar-Phosphate Toxicities Attenuate Salmonella Fitness in the Gut. 1
- 306 Septins and K63 chains form separate bacterial microdomains during autophagy of entrapped Shigella. 0
- 305 Antibiotic tolerance and persistence have distinct fitness trade-offs. **2022**, 18, e1010963 1
- 304 The ybcF Gene of Escherichia coli Encodes a Local Orphan Enzyme, Catabolic Carbamate Kinase. **2022**, 0
- 303 Shigella induces epigenetic reprogramming of zebrafish neutrophils. 0
- 302 High-Fidelity Cytosine Base Editing in a GC-Rich Corynebacterium glutamicum with Reduced DNA Off-Target Editing Effects. 0
- 301 Cysteine-Dependent Conformational Heterogeneity of Shigella flexneri Autotransporter IcsA and Implications of Its Function. 1
- 300 CycA-Dependent Glycine Assimilation Is Connected to Novobiocin Susceptibility in Escherichia coli. 1
- 299 Characterization of an EntnerDoudoroff pathway-activated Escherichia coli. **2022**, 15, 0
- 298 Increased phage resistance through lysogenic conversion accompanying emergence of monophasic Salmonella Typhimurium ST34 pandemic strain. **2022**, 8, 0
- 297 Effect of ethanolamine utilization on the pathogenicity and metabolic profile of enterotoxigenic Escherichia coli. 0
- 296 Salmonella Typhimurium U32 peptidase, YdcP, promotes bacterial survival by conferring protection against in vitro and in vivo oxidative stress. **2022**, 105862 0
- 295 Combined transcriptomic and metabolomic analysis of Salmonella in the presence or absence of PhoP/PhoQ system under low Mg²⁺ conditions. **2022**, 18, 0
- 294 The Assembly of Flagella in Enteropathogenic Escherichia coli Requires the Presence of a Functional Type III Secretion System. **2022**, 23, 13705 0
- 293 The effect of a spontaneous induction prophage, phi458, on biofilm formation and virulence in avian pathogenic Escherichia coli. 13, 0
- 292 Long-Term Antimicrobial Performance of Textiles Coated with ZnO and TiO₂ Nanoparticles in a Tropical Climate. **2022**, 13, 233 1
- 291 The Mobilizable Plasmid P3 of Salmonella enterica Serovar Typhimurium SL1344 Depends on the P2 Plasmid for Conjugative Transfer into a Broad Range of Bacteria In Vitro and In Vivo. 0
- 290 Origin of the 3-methylglutaryl moiety in caprazamycin biosynthesis. **2022**, 21, 0

- 289 Inducible plasmid copy number control for synthetic biology in commonly used *E. coli* strains. **2022**, 13, ○
- 288 An Engineered Probiotic Produces a Type III Interferon IFNL1 and Reduces Inflammations in in vitro Inflammatory Bowel Disease Models. ○
- 287 Adaptation delay causes a burst of mutations in bacteria responding to oxidative stress. ○
- 286 The small RNA STnc1480 contributes to the regulation of biofilm formation and pathogenicity in *Salmonella typhimurium*. **2022**, 204, ○
- 285 Structural basis for the arsenite binding and translocation of Acr3 antiporter with NhaA folding pattern. **2022**, 36, ○
- 284 The initiation factor 3 (IF3) residues interacting with initiator tRNA elbow modulate the fidelity of translation initiation and growth fitness in *Escherichia coli*. ○
- 283 Efflux-linked accelerated evolution of antibiotic resistance at a population edge. **2022**, 82, 4368-4385.e6 ○
- 282 Coevolution-Guided Mapping of the Type VI Secretion Membrane Complex-Baseplate Interface. **2023**, 435, 167918 ○
- 281 Riboswitch-guided chalcone synthase engineering and metabolic flux optimization for enhanced production of flavonoids. **2023**, 75, 143-152 ○
- 280 Efficient production of lacto-N-fucopentaose III in engineered *Escherichia coli* using β ,3-fucosyltransferase from *Parabacteroides goldsteinii*. **2023**, 361, 110-118 ○
- 279 Evidence of a possible multicellular life cycle in *Escherichia coli*. **2023**, 26, 105795 2
- 278 Dynamics of high hydrostatic pressure resistance development in RpoS-deficient *Escherichia coli*. **2023**, 164, 112280 ○
- 277 Fate of salmonella and shiga-toxin producing *Escherichia coli* on wheat grain during tempering. **2023**, 111, 104194 ○
- 276 Oral Delivery of SARS-CoV-2 DNA Vaccines Using Attenuated *Salmonella typhimurium* as a Carrier in Rat. **2022**, 37, 159-166 ○
- 275 Glutamine synthetase mRNA releases sRNA from its 3'UTR to regulate carbon/nitrogen metabolic balance in Enterobacteriaceae. 11, ○
- 274 arfA antisense RNA regulates MscL excretory activity. ○
- 273 Recombinant *Helicobacter pylori* Vaccine Delivery Vehicle: A Promising Tool to Treat Infections and Combat Antimicrobial Resistance. **2022**, 11, 1701 ○
- 272 Single-molecule tracking reveals the functional allocation, in vivo interactions and spatial organization of universal transcription factor NusG. ○

- 271 Non-redundant dimethyl sulfoxide reductases influence *Salmonella enterica* serotype Typhimurium anaerobic growth and virulence. o
- 270 Oxidative stress strongly restricts the effect of codon choice on the efficiency of protein synthesis in *Escherichia coli*. 13, o
- 269 Rapid and Accurate Assembly of Large DNA Assisted by In Vitro Packaging of Bacteriophage. **2022**, 11, 4113-4122 o
- 268 The role of bacterial size, shape and surface in macrophage engulfment of uropathogenic *E. coli* cells. o
- 267 The rapid evolution of flagellar ion selectivity in experimental populations of *E. coli*. **2022**, 8, o
- 266 Rational design of a genome-based insulated system in *Escherichia coli* facilitates heterologous uricase expression for hyperuricemia treatment. o
- 265 Enhanced access to the human phosphoproteome with genetically encoded phosphothreonine. **2022**, 13, 1
- 264 Identification of novel genes involved in the biofilm formation process of Avian Pathogenic *Escherichia coli* (APEC). **2022**, 17, e0279206 o
- 263 Real-time dynamics of individual chemoreceptor mRNA molecules reveals translation hotspots at the inner membrane of *Escherichia coli*. o
- 262 Principles of gene regulation quantitatively connect DNA to RNA and proteins in bacteria. **2022**, 378, o
- 261 Whole-Cell P450 Biocatalysis Using Engineered *Escherichia coli* with Fine-Tuned Heme Biosynthesis. 2205580 o
- 260 The RNA-Binding Protein ProQ Promotes Antibiotic Persistence in *Salmonella*. **2022**, 13, o
- 259 Understanding the Genome-Wide Transcription Response To Various cAMP Levels in Bacteria Using Phenomenological Models. **2022**, 7, o
- 258 Experimental and computational analysis of the ancestry of an evolutionary young enzyme from histidine biosynthesis. o
- 257 Stapled NRPS enhances the production of valinomycin in *Escherichia coli*. o
- 256 Landscape of Post-Transcriptional tRNA Modifications in *Streptomyces albidoflavus* J1074 as Portrayed by Mass Spectrometry and Genomic Data Mining. o
- 255 Polynucleotide Phosphorylase Mediates a New Mechanism of Persister Formation in *Escherichia coli*. o
- 254 *Salmonella* succinate utilisation is inhibited by multiple regulatory systems. o

- 253 Interaction with single-stranded DNA-binding protein modulates *Escherichia coli* RadD DNA repair activities. ○
- 252 Interference of flagellar rotation up-regulates the expression of small RNA contributing to *Bordetella pertussis* infection. **2022**, 8, ○
- 251 Transcriptional Potential Determines the Adaptability of *Escherichia coli* Strains with Different Fitness Backgrounds. **2022**, 10, ○
- 250 The Multidrug Efflux Regulator AcrR of *Escherichia coli* Responds to Exogenous and Endogenous Ligands To Regulate Efflux and Detoxification. **2022**, 7, ○
- 249 Chromosome evolution of *Escherichia coli* Nissle 1917 for high-level production of heparosan. ○
- 248 Label-free relative quantitative proteomics reveals extracellular vesicles as a vehicle for *Salmonella* effector protein delivery. 13, ○
- 247 Plasmid parB contributes to uropathogenic *Escherichia coli* colonization in vivo by acting on biofilm formation and global gene regulation. 9, ○
- 246 Engineering *Escherichia coli* for Efficient Aerobic Conversion of Glucose to Malic Acid through the Modified Oxidative TCA Cycle. **2022**, 8, 738 ○
- 245 Omics-guided bacterial engineering of *Escherichia coli* ER2566 for recombinant protein expression. ○
- 244 Resistance Mechanism and Physiological Effects of Microcin Y in *Salmonella enterica* subsp. *enterica* Serovar Typhimurium. **2022**, 10, 1
- 243 Targeted chromosomal barcoding establishes direct genotype-phenotype associations for antibiotic resistance in *Mycobacterium abscessus*. ○
- 242 Enhanced production of maltobionic acid by a metabolically engineered *Escherichia coli* incapable of maltose utilization. ○
- 241 Antibiotic Cycling Affects Resistance Evolution Independently of Collateral Sensitivity. **2022**, 39, ○
- 240 CRISPR-Cas Controls Cryptic Prophages. **2022**, 23, 16195 ○
- 239 Continuous Directed Evolution of a Feedback-Resistant *Arabidopsis* Arogenate Dehydratase in Plantized *Escherichia coli*. 1
- 238 Adaptive laboratory evolution and metabolic regulation of genetic *Escherichia coli* W3110 toward low-carbon footprint production of 5-aminolevulinic acid. **2022**, 141, 104612 1
- 237 Exploring the in situ evolution of nitrofurantoin resistance in clinically derived uropathogenic *Escherichia coli* isolates. ○
- 236 Host acid signal controls *Salmonella* flagella biogenesis through CadC-YdiV axis. **2022**, 14, ○

- 235 Small RNAs Activate Salmonella Pathogenicity Island 1 by Modulating mRNA Stability through the hilD mRNA 3' Untranslated Region. o
- 234 Bacterial filaments recover by successive and accelerated asymmetric divisions that allow rapid post-stress cell proliferation. o
- 233 IE1 of Autographa californica Multiple Nucleopolyhedrovirus Activates Low Levels of Late Gene Expression in the Absence of Virus RNA Polymerase. o
- 232 The two-component system histidine kinase EnvZ contributes to Avian pathogenic Escherichia coli pathogenicity by regulating biofilm formation and stress responses. **2022**, 102388 o
- 231 Cation Homeostasis: Coordinate Regulation of Polyamine and Magnesium Levels in Salmonella. o
- 230 A highly active Burkholderia polyketoacyl-CoA thiolase for production of triacetic acid lactone. o
- 229 RyhB in Avian Pathogenic Escherichia coli Regulates the Expression of Virulence-Related Genes and Contributes to Meningitis Development in a Mouse Model. **2022**, 23, 15532 o
- 228 Conjugative IncC Plasmid Entry Triggers the SOS Response and Promotes Effective Transfer of the Integrative Antibiotic Resistance Element SGI1. o
- 227 The Chemoreceptor Sensory Adaptation System Produces Coordinated Reversals of the Flagellar Motors on an Escherichia coli Cell. **2022**, 204, o
- 226 Overexpression of a DNA Methyltransferase Increases Persister Cell Formation in Acinetobacter baumannii. **2022**, 10, o
- 225 Heterogeneity and Evolutionary Tunability of Escherichia coli Resistance against Extreme Acid Stress. **2022**, 10, o
- 224 Prophage excision switches the primary ribosome rescue pathway and rescue-associated gene regulations in Escherichia coli. o
- 223 Amino Acids. **2023**, 1-44 o
- 222 CRISPRi-based programmable logic inverter cascade for antibiotic-free selection and maintenance of multiple plasmids. o
- 221 CRISPR-Cas-Guided Mutagenesis of Chromosome and Virulence Plasmid in Shigella flexneri by Cytosine Base Editing. o
- 220 SpyDisplay: A Versatile Phage Display Selection System using SpyTag/SpyCatcher Technology. o
- 219 Marinobacter : A case study in bioelectrochemical chassis evaluation. o
- 218 Gre factors protect against phenotypic diversification and cheating in Escherichia coli populations under toxic metabolite stress. o

217	The Influence of Polyamines on the Expression of Escherichia Coli Ribosome Hibernation Factor Raia. 2023 , 57, 02001	0
216	Modelling the Gastrointestinal Carriage of Klebsiella pneumoniae Infections.	0
215	RNA recording in single bacterial cells using reprogrammed tracrRNAs.	1
214	Spectroscopic and Computational Observation of Glutamine Tautomerization in the Blue Light Sensing Using Flavin Domain Photoreaction. 2023 , 145, 1040-1052	0
213	Interdependent progression of bidirectional sister replisomes in E. coli. 12,	0
212	Chemotaxis and autoinducer-2 signalling mediate colonization and contribute to co-existence of Escherichia coli strains in the murine gut.	0
211	Characterization of the P450 Monooxygenase LobP1 as C-32 Hydroxylase in Lobophorin Biosynthesis.	0
210	Bioenergetic State of Escherichia coli Controls Aminoglycoside Susceptibility.	0
209	LptM promotes oxidative maturation of the lipopolysaccharide translocon by substrate binding mimicry.	0
208	Resolving colistin resistance and heteroresistance in Enterobacter species. 2023 , 14,	0
207	Genome-wide mapping of fluoroquinolone-stabilized DNA gyrase cleavage sites displays drug specific effects that correlate with bacterial persistence.	0
206	Growth in a biofilm promotes conjugation of ablaNDM-1-bearing plasmid between Klebsiella pneumoniae strains.	0
205	Application of Cloning-Free Genome Engineering to Escherichia coli. 2023 , 11, 215	0
204	Metabolic engineering for sustainability and health. 2023 ,	0
203	Recombineering-Mediated Sinorhizobium meliloti Rm1021 Gene Deletion. 2023 , 80,	0
202	Attachment of the RNA degradosome to the bacterial inner cytoplasmic membrane prevents wasteful degradation of rRNA in ribosome assembly intermediates. 2023 , 21, e3001942	0
201	Structural and Functional Characterization of the Ureidoacrylate Amidohydrolase RutB from Escherichia coli.	0
200	RecA inactivation as a strategy to reverse the heteroresistance phenomenon in clinical isolates of Escherichia coli. 2023 , 106721	0

- 199 Epithelial cell invasion by salmonella typhimurium induces modulation of genes controlled by aryl hydrocarbon receptor signaling and involved in extracellular matrix biogenesis. **2023**, 14, 0
- 198 Susceptible bacteria survive antibiotic treatment in the mammalian gastrointestinal tract without evolving resistance. 0
- 197 Real-time visualisation of the intracellular dynamics of conjugative plasmid transfer. **2023**, 14, 1
- 196 A novel Toxin-Antitoxin system swpAB alters gene expression patterns and reduces virulence expression in enterohaemorrhagic *Escherichia coli*. 0
- 195 Phosphatidylglycerol Is the Lipid Donor for Synthesis of Phospholipid-Linked Enterobacterial Common Antigen. 2
- 194 Localized modulation of DNA supercoiling, triggered by the *Shigella* anti-silencer VirB, is sufficient to relieve H-NS-mediated silencing. 0
- 193 The Oligosaccharide Region of LPS Governs Predation of *E. coli* by the Bacterivorous Protist, *Acanthamoeba castellanii*. 0
- 192 Promotion of intestinal epithelial cell apoptosis by enterotoxigenic *Escherichia coli* via PKA-mediated inhibition of mTORC1 activation. **2023**, 105099 0
- 191 Graded impact of obstacle size on scanning by RNaseE. 0
- 190 Enhanced production of d-pantothenic acid in *Corynebacterium glutamicum* using an efficient CRISPR-Cpf1 genome editing method. **2023**, 22, 0
- 189 The Short-chain Fatty Acid Propionic Acid Activates the Rcs Stress Response System Partially through Inhibition of d- Alanine Racemase. 0
- 188 Minicell-forming *Escherichia coli* mutant with increased chemical production capacity and tolerance to toxic compounds. **2023**, 371, 128586 0
- 187 Molecular mechanism of lipopolysaccharide (LPS) in promoting biomineralization on bacterial surface. **2023**, 1867, 130305 0
- 186 Metabolic Engineering: Methodologies and Applications. 0
- 185 A Phosphate uptake system is required for *Xanthomonas citri* pv. *glycines* virulence in soybean. 0
- 184 Genome-wide identification of genes required for alternative peptidoglycan cross-linking in *Escherichia coli* revealed unexpected impacts of β -lactams. **2022**, 13, 0
- 183 Two Trk/Ktr/HKT-type potassium transporters, TrkG and TrkH perform distinct functions in *Escherichia coli* K-12. **2022**, 102846 0
- 182 Pre-clinical in vitro and in vivo characterization of a maternal vaccination before conception to protect against severe neonatal infections caused by *Escherichia coli* K1. 0

- 181 Genetically Engineered Virulent Phage Banks for the Detection and Control of Bacterial Biosecurity Threats. **2011**, 175-201 ○
- 180 The antidiabetic drug metformin aids bacteria in hijacking vitamin B12 from the environment through RcdA. **2023**, 6, ○
- 179 A Diverged Transcriptional Network for Usage of Two Fe-S Cluster Biogenesis Machineries in the Delta-Proteobacterium *Myxococcus xanthus*. ○
- 178 *Escherichia coli* aceE variants coding pyruvate dehydrogenase improve the generation of pyruvate-derived acetoin. 2200054 ○
- 177 The phosphate-induced small RNA EsrL promotes *E. coli* virulence, biofilm formation, and intestinal colonization. **2023**, 16, ○
- 176 Systematic Discovery of a New Catalogue of Tyrosine-Type Integrases in Bacterial Genomic Islands. ○
- 175 A lef5-deficient baculovirus expression system with no virion contamination and promoting secretion. **2023**, ○
- 174 H⁺-Translocating Membrane-Bound Pyrophosphatase from *Rhodospirillum rubrum* Fuels *Escherichia coli* Cells via an Alternative Pathway for Energy Generation. **2023**, 11, 294 ○
- 173 Critical role of the RpoE stress response pathway in polymyxin resistance of *Escherichia coli*. ○
- 172 A common tolerance mechanism of bacterial biofilms to antibiotics. ○
- 171 Quantitative dose-response analysis untangles host bottlenecks to enteric infection. **2023**, 14, ○
- 170 The Two-Component System CpxRA Affects Antibiotic Susceptibility and Biofilm Formation in Avian Pathogenic *Escherichia coli*. **2023**, 13, 383 ○
- 169 Functional evaluation of non-oxidative glycolysis in *Escherichia coli* in the stationary phase under microaerobic conditions. **2023**, ○
- 168 Apparent simplicity and emergent robustness in bacterial cell cycle control. ○
- 167 Nitrogen-limitation independent control of *glnA* (glutamine synthetase) expression in *Escherichia coli* by urea, several amino acids, and post-transcriptional regulation. ○
- 166 Exploring a High-Efficiency Genetic Transformation System for Engineering *Saccharopolyspora pogona* ASAGF58 To Improve Butenyl-Spinosyn Production. ○
- 165 Automating the design-build-test-learn cycle towards next-generation bacterial cell factories. **2023**, 74, 1-15 ○
- 164 Light inducible protein degradation in *E. coli* with LOVtag. ○

- 163 *Klebsiella pneumoniae* causes bacteremia using factors that mediate tissue-specific fitness and resistance to oxidative stress. ○
- 162 Exploring the Role of GMMA Components in the Immunogenicity of a 4-Valent Vaccine against *Shigella*. **2023**, 24, 2742 ○
- 161 *E. coli* Common pili promote the fitness and virulence of a hybrid aEPEC/ExPEC strain within diverse host environments. **2023**, 15, ○
- 160 A study on L-threonine and L-serine uptake in *Escherichia coli* K-12. 14, ○
- 159 4?-Deoxypyridoxine disrupts vitamin B6 homeostasis in *Escherichia coli* K12 through combined inhibition of cumulative B6 uptake and PLP-dependent enzyme activity. **2023**, 169, ○
- 158 *arfA* antisense RNA regulates *MscL* excretory activity. **2023**, 6, e202301954 ○
- 157 *Salmonella* Invasion Is Controlled by Competition among Intestinal Chemical Signals. ○
- 156 Genome-wide nonessential gene identification of *Autographa californica* multiple nucleopolyhedrovirus. **2023**, 863, 147239 ○
- 155 Role of lactoyl-glutathione lyase of *Salmonella* in the colonization of plants under salinity stress. **2023**, 174, 104045 ○
- 154 Facile transduction with P1 phage in *Escherichia coli* associated with urinary tract infections. **2023**, 208, 106722 ○
- 153 *hilD* Is Required for the Active Internalization of *Salmonella* Newport into Cherry Tomatoes. **2023**, 86, 100085 ○
- 152 *Salmonella* Typhimurium PgtE is an essential arsenal to defend against the host resident antimicrobial peptides. **2023**, 271, 127351 ○
- 151 Protocol to identify the core gene supported by an essential gene in *E. coli* bacteria using a genome-wide suppressor screen. **2023**, 4, 102196 ○
- 150 Single-nucleotide resolution detection of Topo IV cleavage activity in the *Escherichia coli* genome with Topo-Seq. 14, ○
- 149 Mechanisms of regulation of cryptic prophage-encoded gene products in *Escherichia coli*. ○
- 148 Identification of key amino acid residues in OqxB mediated efflux of fluoroquinolones using site-directed mutagenesis. **2023**, 174, 104039 ○
- 147 d -amino acid auxotrophic *Escherichia coli* strain for in vivo functional cloning of novel d -amino acid synthetic enzyme. ○
- 146 A Novel Role of the Two-Component System Response Regulator UvrY in Enterohemorrhagic *Escherichia coli* O157:H7 Pathogenicity Regulation. **2023**, 24, 2297 ○

- ¹⁴⁵ Stringent response ensures the timely adaptation of bacterial growth to nutrient downshift. **2023**, 14, ○
- ¹⁴⁴ Nonredundant Dimethyl Sulfoxide Reductases Influence *Salmonella enterica* Serotype Typhimurium Anaerobic Growth and Virulence. **2023**, 91, ○
- ¹⁴³ SPI-1 virulence gene expression modulates motility of *Salmonella* Typhimurium in a proton motive force- and adhesins-dependent manner. ○
- ¹⁴² Tail-Engineered Phage P2 Enables Delivery of Antimicrobials into Multiple Gut Pathogens. **2023**, 12, 596-607 1
- ¹⁴¹ Phage production is blocked in the adherent-invasive *Escherichia coli* LF82 upon macrophage infection. **2023**, 19, e1011127 ○
- ¹⁴⁰ Ultradeep characterisation of translational sequence determinants refutes rare-codon hypothesis and unveils quadruplet base pairing of initiator tRNA and transcript. **2023**, 51, 2377-2396 ○
- ¹³⁹ A role for the Gram-negative outer membrane in bacterial shape determination. ○
- ¹³⁸ Establishing biosynthetic pathway for the production of p-hydroxyacetophenone and its glucoside in *Escherichia coli*. **2023**, 76, 110-119 ○
- ¹³⁷ Production of 1,2-propanediol from glycerol in *Klebsiella pneumoniae* GEM167 with flux enhancement of the oxidative pathway. **2023**, 16, ○
- ¹³⁶ Cyclic di-GMP Modulates a Metabolic Flux for Carbon Utilization in *Salmonella enterica* Serovar Typhimurium. **2023**, 11, ○
- ¹³⁵ Cooperative Regulation of Flagellar Synthesis by Two EAL-Like Proteins upon *Salmonella* Entry into Host Cells. **2023**, 11, ○
- ¹³⁴ Shift in vacuolar to cytosolic regime of infecting *Salmonella* from a dual proteome perspective. ○
- ¹³³ Bacterial suppressor-of-copper-sensitivity (Scs) proteins exhibit diverse thiol-disulfide oxidoreductase cellular functions. ○
- ¹³² A Systems Biology Approach To Disentangle the Direct and Indirect Effects of Global Transcription Factors on Gene Expression in *Escherichia coli*. **2023**, 11, ○
- ¹³¹ Selection of a novel gene that can promote survival of *E. coli* by modulating protein homeostasis pathways. ○
- ¹³⁰ Genome-wide mapping of the *Escherichia coli* PhoB regulon reveals many transcriptionally inert, intragenic binding sites. ○
- ¹²⁹ Metabolic reprogramming and biosensor-assisted mutagenesis screening for high-level production of L-arginine in *Escherichia coli*. **2023**, 76, 146-157 1
- ¹²⁸ Excess copper catalyzes protein disulfide bond formation in the bacterial periplasm but not in the cytoplasm. **2023**, 119, 423-438 ○

- 127 In vivo implementation of a synthetic metabolic pathway for the carbon-conserving conversion of glycolaldehyde to acetyl-CoA. 11, ○
- 126 Molecular Signatures of the Eagle Effect Induced by the Artificial Siderophore Conjugate LP-600 in *E. coli*. **2023**, 9, 567-581 ○
- 125 Purification and Characterization of Authentic 30S Ribosomal Precursors Induced by Heat Shock. **2023**, 24, 3491 ○
- 124 Microbial nanowires with genetically modified peptide ligands to sustainably fabricate electronic sensing devices. **2023**, 226, 115147 ○
- 123 Cell-free regeneration of ATP based on polyphosphate kinase 2 facilitates cytidine 5'-monophosphate production. **2023**, 165, 110211 ○
- 122 chi sequences switch the RecBCD helicase-nuclease complex from degradative to replicative modes during the completion of DNA replication. **2023**, 299, 103013 ○
- 121 Genomic SELEX Reveals Pervasive Role of the Flagella Master Regulator FlhDC in Carbon Metabolism. **2023**, 24, 3696 1
- 120 Recombineering: Genetic Engineering in *Escherichia coli* Using Homologous Recombination. **2023**, 3, ○
- 119 Genomic Island-Encoded Histidine Kinase and Response Regulator Coordinate Mannose Utilization with Virulence in Enterohemorrhagic *Escherichia coli*. ○
- 118 A Retro-Aldol Reaction Prompted the Evolvability of a Phosphotransferase System for the Utilization of a Rare Sugar. **2023**, 11, ○
- 117 Increasing the atom economy of glucose fermentation for bioethanol production in Rubisco-based engineered *Escherichia coli*. **2023**, 21, 101370 ○
- 116 *Escherichia coli* Leucine-Responsive Regulatory Protein Bridges DNA In Vivo and Tunably Dissociates in the Presence of Exogenous Leucine. ○
- 115 New Target Gene Screening Using Shortened and Random sgRNA Libraries in Microbial CRISPR Interference. **2023**, 12, 800-808 ○
- 114 *Salmonella entericaserovar Typhimurium* STM1266 encodes a regulator of curli biofilm formation: the brfS gene. **2023**, 370, ○
- 113 Recombinant *Escherichia coli* BL21 with LngA Variants from ETEC E9034A Promotes Adherence to HT-29 Cells. **2023**, 12, 337 ○
- 112 Localized modulation of DNA supercoiling, triggered by the *Shigella* anti-silencer VirB, is sufficient to relieve H-NS-mediated silencing. ○
- 111 Porcine extraintestinal pathogenic *Escherichia coli* delivers two serine protease autotransporters coordinately optimizing the bloodstream infection. 13, ○
- 110 GrlR, a negative regulator in enteropathogenic *E. coli*, also represses the expression of LEE virulence genes independently of its interaction with its cognate partner GrlA. 14, ○

- 109 Early antitermination in the atypical coliphage mEp021 mediated by the Gp17 protein. **2023**, 168, o
- 108 Sense and antisense RNA products of the *uxuR* gene can affect motility and chemotaxis acting independent of the UxuR protein. 10, o
- 107 Spatially localized expression of glutamate decarboxylase *gadB* in *Escherichia coli* O157:H7 microcolonies in hydrogel matrix. o
- 106 Marginal specificity in protein interactions constrains evolution. o
- 105 P1 Bacteriophage-Enabled Delivery of CRISPR-Cas9 Antimicrobial Activity Against *Shigella flexneri*. **2023**, 12, 709-721 o
- 104 Short Activators and Repressors of RNA Toehold Switches. **2023**, 12, 681-688 o
- 103 Investigating multidrug efflux pumps associated with fatty acid salt resistance in *Escherichia coli*. 14, o
- 102 Synergistic Effect of SOS Response and GATC Methylome Suppression on Antibiotic Stress Survival in *Escherichia coli*. o
- 101 Mechanism of outer membrane destabilization by global reduction of protein content. o
- 100 SpyDisplay: A versatile phage display selection system using SpyTag/SpyCatcher technology. **2023**, 15, o
- 99 Dual-Uptake Mode of the Antibiotic Phazolicin Prevents Resistance Acquisition by Gram-Negative Bacteria. o
- 98 AcrAB efflux pump impacts on the survival of adherent-invasive *Escherichia coli* strain LF82 inside macrophages. **2023**, 13, o
- 97 Salmonella-liberated dietary L-arabinose promotes expansion in superspreaders. **2023**, 31, 405-417.e5 o
- 96 Characteristics of antimicrobial peptide OaBac5mini and its bactericidal mechanism against *Escherichia coli*. 10, o
- 95 CsgI (YccT) Is a Novel Inhibitor of Curli Fimbriae Formation in *Escherichia coli* Preventing CsgA Polymerization and Curli Gene Expression. **2023**, 24, 4357 1
- 94 An optogenetic toolkit for light-inducible antibiotic resistance. **2023**, 14, o
- 93 Highly-conserved regulatory activity of the ANR family in the virulence of diarrheagenic bacteria through interaction with Master and Global regulators. o
- 92 Systems metabolic engineering of *Escherichia coli* for hyper-production of 5-aminolevulinic acid. **2023**, 16, o

- 91 Production of glycerate from glucose using engineered *Escherichia coli*. **2023**, ○
- 90 A microbiota and dietary metabolite integrates DNA repair and cell death to regulate embryo viability and aneuploidy during aging. **2023**, 9, ○
- 89 Recombineering. **2023**, ○
- 88 Elucidation of the Late Steps during Hexacosalactone A Biosynthesis in *Streptomyces samsunensis* OUCT16-12. **2023**, 89, ○
- 87 Bacterial-Artificial-Chromosome-Based Genome Editing Methods and the Applications in Herpesvirus Research. **2023**, 11, 589 ○
- 86 Functional Characterization of the Co 2+ Transporter AitP in *Sinorhizobium meliloti*: A New Player in Fe 2+ Homeostasis. **2023**, 89, ○
- 85 An Integrated In Vivo/In Vitro Protein Production Platform for Site-Specific Antibody Drug Conjugates. **2023**, 10, 304 ○
- 84 Ligand-specific changes in conformational flexibility mediate long-range allostery in the lac repressor. **2023**, 14, ○
- 83 Dynamic and balanced regulation of the thrABC operon gene for efficient synthesis of L-threonine. 11, ○
- 82 The layered costs and benefits of translational redundancy. 12, ○
- 81 Elucidation of the ferrichrome siderophore biosynthetic pathway in albomycin-producing *Streptomyces* sp. ATCC 700974. **2023**, 299, 104573 ○
- 80 Manipulation of microvillar proteins during *Salmonella enterica* invasion results in brush border effacement and actin remodeling. 13, ○
- 79 Hfq protein and GcvB small RNA tailoring of oppA target mRNA to levels allowing translation activation by MicF small RNA in *Escherichia coli*. **2023**, 20, 59-76 ○
- 78 YbiB: a novel interactor of the GTPase ObgE. ○
- 77 Resuscitation dynamics reveal persister partitioning after antibiotic treatment. **2023**, 19, ○
- 76 Physiological stress drives the emergence of a *Salmonella* subpopulation through ribosomal RNA regulation. ○
- 75 Dynamic single cell analysis in a proximal-tubule-on-chip reveals heterogeneous epithelial colonization strategies of uropathogenic *Escherichia coli* under shear stress. **2023**, 4, ○
- 74 Interaction with the carboxy-terminal tip of SSB is critical for RecG function in *E. coli*. ○

- 73 Engineered bacteria producing aryl-hydrocarbon receptor agonists protect against ethanol-induced liver disease in mice. ○
- 72 Construction of Osmotic Pressure Responsive Vacuole-like Bacterial Organelles with Capsular Polysaccharides as Building Blocks. **2023**, 12, 750-760 ○
- 71 Glyphosate affects persistence and tolerance but not antibiotic resistance. **2023**, 23, ○
- 70 Role of riboflavin biosynthesis gene duplication and transporter in *Aeromonas salmonicida* virulence in marine teleost fish. **2023**, 14, ○
- 69 Survival of *Escherichia coli* after high-antibiotic stress is dependent on both the pregrown physiological state and incubation conditions. 14, ○
- 68 An Engineered Probiotic Platform for Cancer Epitope-Independent Targeted Radionuclide Therapy of Solid Tumors. 2202870 ○
- 67 Endoplasmic reticulum stress in the intestinal epithelium initiates purine metabolite synthesis and promotes Th17 cell differentiation in the gut. **2023**, ○
- 66 The Sensory Histidine Kinase CusS of *Escherichia coli* Senses Periplasmic Copper Ions. **2023**, 11, ○
- 65 Novel pathways converge with quorum sensing to regulate plant and insect host-specific factors in *Erwinia carotovora*. ○
- 64 Role of the *Escherichia coli* ubiquinone-synthesizing UbiUVT pathway in adaptation to changing respiratory conditions. ○
- 63 Conjugative plasmids inhibit extracellular electron transfer in *Geobacter sulfurreducens*. 14, ○
- 62 CRISPR/Cas9-assisted ssDNA recombineering for site-directed mutagenesis and saturation mutagenesis of plasmid-encoded genes. ○
- 61 A MAD7 -based genome editing system for *Escherichia coli*. ○
- 60 The prophage-encoded transcriptional regulator AppY has pleiotropic effects on *E. coli* physiology. **2023**, 19, e1010672 ○
- 59 Integrative omics identifies conserved and pathogen-specific responses of sepsis-causing bacteria. **2023**, 14, ○
- 58 Septins and K63 ubiquitin chains are present in separate bacterial microdomains during autophagy of entrapped *Shigella*. **2023**, 136, ○
- 57 Contribution of GalU to biofilm formation, motility, antibiotic and serum resistance, and pathogenicity of *Salmonella Typhimurium*. 13, ○
- 56 Efficient traceless modification of the P1 bacteriophage genome through homologous recombination with enrichment in double recombinants: A new perspective on the functional annotation of uncharacterized phage genes. 14, ○

- 55 Involvement of the putative metal efflux protein YbeX in ribosomal metabolism. ○
- 54 An innate pathogen sensing strategy involving ubiquitination of bacterial surface proteins. **2023**, 9, ○
- 53 Enterohemorrhagic *Escherichia coli* responds to gut microbiota metabolites by altering metabolism and activating stress responses. **2023**, 15, ○
- 52 Efficient Knocking Out of the Organophosphorus Insecticides Degradation Gene *opdB* in *Cupriavidus nantongensis* X1T via CRISPR/Cas9 with Red System. **2023**, 24, 6003 ○
- 51 An intracellular phosphorus-starvation signal activates the PhoB/PhoR two-component system in *Salmonella enterica*. ○
- 50 Specific targeting of plasmids with Argonaute enables genome editing. ○
- 49 Continuous Multiplexed Phage Genome Editing Using Recombitrons. ○
- 48 Real-time single-molecule 3D tracking in *E. coli* based on cross-entropy minimization. **2023**, 14, ○
- 47 Development of probiotic *E. coli* Nissle 1917 for β -alanine production by using protein and metabolic engineering. **2023**, 107, 2277-2288 ○
- 46 Engineering *Escherichia coli* for Poly- γ -hydroxybutyrate Production from Methanol. **2023**, 10, 415 ○
- 45 Targeted Chromosomal Barcoding Establishes Direct Genotype-Phenotype Associations for Antibiotic Resistance in *Mycobacterium abscessus*. ○
- 44 Conversion of methionine biosynthesis in *E. coli* from trans- to direct-sulfurylation enhances extracellular methionine levels. ○
- 43 The *Escherichia coli* small heat shock protein IbpA plays a role in regulating the heat shock response by controlling the translation of β 2. ○
- 42 CsrA Shows Selective Regulation of sRNA-mRNA Networks. ○
- 41 Hypercapsule is the cornerstone of *Klebsiella pneumoniae* in inducing pyogenic liver abscess. 13, ○
- 40 Engineered *Escherichia coli* for the in situ secretion of therapeutic nanobodies in the gut. **2023**, 31, 634-649.e8 ○
- 39 Reduced virulence in tigecycline-resistant *Klebsiella pneumoniae* caused by overexpression of *ompR* and down-regulation of *ompK35*. **2023**, 30, ○
- 38 Light Controlled Biohybrid Microbots. ○

- 37 Gre factors help Salmonella adapt to oxidative stress by improving transcription elongation and fidelity of metabolic genes. **2023**, 21, e3002051 ○
- 36 OmpC-Dependent Bile Tolerance Contributes to E. coli Colonization of the Mammalian Intestine. ○
- 35 RhoB promotes Salmonella survival by regulating autophagy. ○
- 34 NlpE Is an OmpA-Associated Outer Membrane Sensor of the Cpx Envelope Stress Response. ○
- 33 Colorectal cancer detection and treatment with engineered probiotics. ○
- 32 Inference of transcriptome signatures of Escherichia coli in long-term stationary phase. **2023**, 13, ○
- 31 Human variation impacting MCOLN2 restricts Salmonella Typhi replication by magnesium deprivation. **2023**, 100290 ○
- 30 An ancient metalloenzyme evolves through metal preference modulation. ○
- 29 A Second Role for the Second Messenger Cyclic-di-GMP in E. coli: Arresting Cell Growth by Altering Metabolic Flow. ○
- 28 Synthesis of 6?-Modified Kanamycin A Derivatives and Evaluation of Their Antibacterial Properties. **2023**, 15, 1177 ○
- 27 N-Carbamoylputrescine Amidohydrolase of Bacteroides thetaiotaomicron, a Dominant Species of the Human Gut Microbiota. **2023**, 11, 1123 ○
- 26 Genome-wide association reveals host-specific genomic traits in Escherichia coli. **2023**, 21, ○
- 25 Enabling low-cost and robust essentiality studies with high-throughput transposon mutagenesis (HTTM). **2023**, 18, e0283990 ○
- 24 Autonomous Synthesis of Functional, Permanently Phosphorylated Proteins for Defining the Interactome of Monomeric 14-3-3 ○
- 23 Quantification of Rho-termination in vivo using qRT-PCR: a comprehensive analysis. ○
- 22 Multi-level flux optimization at the key regulatory node for enhanced production of naringenin using acetate in engineered Escherichia coli. ○
- 21 Spatial transcriptome uncovers rich coordination of metabolism in E. coli K12 biofilm. ○
- 20 The Role of Intercellular Signaling in the Regulation of Bacterial Adaptive Proliferation. **2023**, 24, 7266 ○

- 19 Genome-Wide Mapping of the Escherichia coli PhoB Regulon Reveals Many Transcriptionally Inert, Intragenic Binding Sites. ○
- 18 Antagonism between DDX6 and PI3K-AKT signaling is an oocyte-intrinsic mechanism controlling primordial follicle growth. ○
- 17 A Single Residue within the MCR-1 Protein Confers Anticipatory Resilience. ○
- 16 Impact of the cAMP-cAMP Receptor Protein Regulatory Complex on Lipopolysaccharide Modifications and Polymyxin B Resistance in Escherichia coli. ○
- 15 High prevalence of colistin heteroresistance in specific species and lineages of Enterobacter cloacae complex derived from human clinical specimens. ○
- 14 Screening for termination sequences of a rolling-circle plasmid: a novel scheme using genomic DNA.. **2023**, ○
- 13 Unusual Relationship between Iron Deprivation and Organophosphate Hydrolase Expression. ○
- 12 Novel rRNA transcriptional activity of NhaR revealed by its growth recovery for the bipA-deleted Escherichia coli at low temperature. **10**, ○
- 11 Temperate phage influence virulence and biofilm-forming of Salmonella Typhimurium and enhance the ability to contaminate food product. **2023**, **110223** ○
- 10 Protocol for engineering E. coli Nissle 1917 to diagnose, record, and ameliorate inflammatory bowel disease in mice. **2023**, **4**, **102254** ○
- 9 Coordinated and Distinct Roles of Peptidoglycan Carboxypeptidases DacC and DacA in Cell Growth and Shape Maintenance under Stress Conditions. ○
- 8 M. tuberculosis relies on trace oxygen to maintain energy homeostasis and survive in hypoxic environments. **2023**, **42**, **112444** ○
- 7 Effect of chromosomal integration on catalytic performance of a multi-component P450 system in Escherichia coli. ○
- 6 The outer membrane and peptidoglycan layer form a single mechanical device balancing turgor. ○
- 5 Categorization of Escherichia coli Outer Membrane Proteins by Dependence on Accessory Proteins of the β -barrel Assembly Machinery Complex. **2023**, **104821** ○
- 4 Arginine Metabolism Powers Salmonella Resistance to Oxidative Stress. ○
- 3 RNA polymerase drives ribonucleotide excision DNA repair in E. coli. **2023**, ○
- 2 Identification of Salmonella Pullorum Factors Affecting Immune Reaction in Macrophages from the Avian Host. ○

- 1 Pyruvic Acid Production from Sucrose by Escherichia coli Pyruvate Dehydrogenase Variants. **2023**, 9, 478

o