

Transient increase in plasma brain (bê€type) natriuretic transluminal coronary angioplasty

Clinical Cardiology

23, 776-780

DOI: [10.1002/clc.4960231016](https://doi.org/10.1002/clc.4960231016)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Prognostic Value of B-Type Natriuretic Peptide in Patients with Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2001, 345, 1014-1021.	13.9	1,217
2	Brain Natriuretic Peptide Measurement in Acute Coronary Syndromes. <i>Circulation</i> , 2002, 106, 2868-2870.	1.6	103
3	N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation. <i>Journal of the American College of Cardiology</i> , 2002, 40, 437-445.	1.2	318
4	B-type natriuretic peptide after percutaneous transluminal septal myocardial ablation. <i>International Journal of Cardiology</i> , 2002, 83, 151-158.	0.8	5
5	BNP and congestive heart failure. <i>Progress in Cardiovascular Diseases</i> , 2002, 44, 293-321.	1.6	176
6	Natriuretic peptide hormone measurement in acute coronary syndromes. <i>Heart Failure Reviews</i> , 2003, 8, 365-368.	1.7	6
7	Significance of Serum Atrial and Brain Natriuretic Peptide Release After Coronary Artery Bypass Grafting. <i>Surgery Today</i> , 2003, 33, 671-673.	0.7	21
8	B-type natriuretic peptide in ischemic heart disease. <i>Current Cardiology Reports</i> , 2003, 5, 271-277.	1.3	9
9	BNP and congestive heart failure. <i>Current Problems in Cardiology</i> , 2003, 28, 264-311.	1.1	11
10	Use of brain natriuretic peptide levels for risk assessment in non-“ST-elevation acute coronary syndromes”**Editorials published in the <i>Journal of the American College of Cardiology</i> reflect the views of the authors and do not necessarily represent the views of JACC or the American College of Cardiology. <i>Journal of the American College of Cardiology</i> , 2003, 42, 1917-1920.	1.2	17
11	Evaluation of B-type natriuretic peptide for risk assessment in unstable Angina/Non-“ST-elevation myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2003, 41, 1264-1272.	1.2	393
12	N-terminal pro-brain natriuretic peptide in relation to inflammation, myocardial necrosis, and the effect of an invasive strategy in unstable coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2003, 42, 1909-1916.	1.2	142
13	Neue Peptid- und Proteinmarker zur Diagnose der myokardialen Ischämie und der ischämischen Myokardschädigung. Novel Peptide and Protein Markers for the Diagnosis of Myocardial Ischaemia and Ischaemic Damage of the Myocardium. <i>Laboratoriums Medizin</i> , 2003, 27, 412-422.	0.1	1
14	N-Terminal Pro-“Brain Natriuretic Peptide and Other Risk Markers for the Separate Prediction of Mortality and Subsequent Myocardial Infarction in Patients With Unstable Coronary Artery Disease. <i>Circulation</i> , 2003, 108, 275-281.	1.6	540
15	B Type natriuretic peptide: a good omen in myocardial ischaemia?. <i>British Heart Journal</i> , 2003, 89, 707-709.	2.2	46
17	Neue Peptid- und Proteinmarker zur Diagnose der myokardialen Ischämie und der ischämischen Myokardschädigung/Novel Peptide and Protein Markers for the Diagnosis of Myocardial Ischaemia and Ischaemic Damage of the Myocardium. <i>Laboratoriums Medizin</i> , 2003, 27, 412-422.	0.1	0
18	B-type natriuretic peptide limits infarct size in rat isolated hearts via K _{ATP} channel opening. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H1592-H1600.	1.5	161
19	Brain (B-type) Natriuretic Peptide. <i>AACN Advanced Critical Care</i> , 2003, 14, 532-542.	1.9	3

#	ARTICLE	IF	CITATIONS
20	The Plasma Level of N-terminal Pro B-type Natriuretic Peptide(NT-proBNP) for Severity of Coronary Artery Stenosis and Early Risk Stratification in Patients with Non ST Elevation Acute Coronary Syndrome. Sunhwan'gi, 2004, 34, 133.	0.3	4
21	Coronary angiography transiently increases plasma pro-B-type natriuretic peptide. European Heart Journal, 2004, 25, 759-764.	1.0	11
22	Natriuretic peptides in unstable coronary artery disease. European Heart Journal, 2004, 25, 1486-1493.	1.0	56
23	Review: The utility of BNP in clinical practice. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2004, 5, 53-58.	1.0	1
24	N-Terminal Pro-Brain Natriuretic Peptide on Admission Has Prognostic Value Across the Whole Spectrum of Acute Coronary Syndromes. Circulation, 2004, 110, 128-134.	1.6	281
25	N-Terminal Pro-B-Type Natriuretic Peptide Levels for Dynamic Risk Stratification of Patients With Acute Coronary Syndromes. Circulation, 2004, 110, 3206-3212.	1.6	246
26	Coagulation, inflammation and myocardial dysfunction in unstable coronary artery disease and the influence of glycoprotein IIb/IIIa inhibition and low molecular weight heparin. Upsala Journal of Medical Sciences, 2004, 109, 71-122.	0.4	3
27	NT-proBNP in unstable coronary artery disease-experiences from the FAST, GUSTO IV and FRISC II trials. European Journal of Heart Failure, 2004, 6, 319-325.	2.9	43
28	Brain natriuretic peptide in the prediction of recurrence of angina pectoris. European Journal of Clinical Investigation, 2004, 34, 79-84.	1.7	20
29	Autocrine and paracrine actions of natriuretic peptides in the heart. , 2004, 101, 113-129.		188
30	B-type Natriuretic Peptide for Diagnosis of Heart Failure in Emergency Department Patients: A Critical Appraisal. Academic Emergency Medicine, 2004, 11, 686-691.	0.8	31
31	Natriuretic peptides and myocardial ischaemia. Basic Research in Cardiology, 2004, 99, 90-93.	2.5	61
33	Individualizing therapy in acute coronary syndromes: Using a multiple biomarker approach for diagnosis, risk stratification, and guidance of therapy. Current Cardiology Reports, 2004, 6, 273-278.	1.3	13
34	Association of Elevated B-Type Natriuretic Peptide Levels With Angiographic Findings Among Patients With Unstable Angina and Non-ST-Segment Elevation Myocardial Infarction. Journal of the American College of Cardiology, 2004, 44, 564-568.	1.2	107
35	Acute changes in circulating natriuretic peptide levels in relation to myocardial ischemia. Journal of the American College of Cardiology, 2004, 44, 1988-1995.	1.2	320
36	N-terminal pro-brain natriuretic peptide in relation to inflammation, myocardial necrosis, and the effect of an invasive strategy in unstable coronary artery disease. Journal of the American College of Cardiology, 2004, 44, 1932.	1.2	42
37	Natriuretic peptides BNP and NT-pro-BNP: established laboratory markers in clinical practice or just perspectives?. Clinica Chimica Acta, 2004, 349, 25-38.	0.5	40
38	Serum B-type natriuretic peptide levels on admission predict not only short-term death but also angiographic success of procedure in patients with acute ST-elevation myocardial infarction treated with primary angioplasty. American Heart Journal, 2004, 148, 655-662.	1.2	51

#	ARTICLE	IF	CITATIONS
39	Usefulness of B-type Natriuretic Peptide (BNP) as a screen for left ventricular abnormalities in diabetes mellitus. <i>Diabetes and Metabolism</i> , 2004, 30, 381-386.	1.4	10
40	Clinical utility of biomarkers in myocardial injury. <i>Current Opinion in Anaesthesiology</i> , 2004, 17, 49-55.	0.9	10
41	Broader indications for B-type natriuretic peptide testing in coronary artery disease. <i>European Heart Journal</i> , 2005, 26, 207-209.	1.0	7
42	B-type natriuretic peptide and extent of lesion on coronary angiography in stable coronary artery disease. <i>Coronary Artery Disease</i> , 2005, 16, 225-229.	0.3	21
43	The neurohormonal axis and biochemical markers of heart failure. <i>Cardiology in the Young</i> , 2005, 15, 333-344.	0.4	8
44	Effect of Radiofrequency Catheter Ablation on Plasma B-type Natriuretic Peptide. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, 200-204.	0.5	8
45	B-type natriuretic peptide and long-term survival in patients with stable coronary artery disease. <i>American Journal of Cardiology</i> , 2005, 95, 24-28.	0.7	63
46	Plasma levels of N-terminal pro-brain natriuretic peptide in patients with coronary artery disease and relation to clinical presentation, angiographic severity, and left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2005, 95, 553-557.	0.7	66
47	Relation of Coronary Atherosclerosis Determined by Electron Beam Computed Tomography and Plasma Levels of N-terminal Pro-Brain Natriuretic Peptide in a Multiethnic Population-Based Sample (The Dallas Heart Study). <i>American Journal of Cardiology</i> , 2005, 96, 1284-1289.	0.7	78
48	N-Terminal Pro-B-Type Natriuretic Peptide for Predicting Coronary Disease and Left Ventricular Hypertrophy in Asymptomatic CKD Not Requiring Dialysis. <i>American Journal of Kidney Diseases</i> , 2005, 46, 35-44.	2.1	119
49	Biomarkers of Ischemia in Patients With Known Coronary Artery Disease. <i>Circulation</i> , 2005, 112, 3215-3217.	1.6	9
50	N-Terminal Pro-B-Type Natriuretic Peptide and Long-Term Mortality in Stable Coronary Heart Disease. <i>New England Journal of Medicine</i> , 2005, 352, 666-675.	13.9	572
51	Admission N-terminal pro-brain natriuretic peptide and its interaction with admission troponin T and ST segment resolution for early risk stratification in ST elevation myocardial infarction. <i>Heart</i> , 2005, 92, 735-740.	1.2	28
52	N-Terminal Pro-Brain Natriuretic Peptide, C-Reactive Protein, and Urinary Albumin Levels as Predictors of Mortality and Cardiovascular Events in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 1609.	3.8	463
53	Prognostic Value of N-Terminal Pro-Brain Natriuretic Peptide in Patients With Chronic Stable Angina. <i>Circulation</i> , 2005, 112, 2102-2107.	1.6	67
54	Risk assessment in patients with unstable angina/non-ST-elevation myocardial infarction and normal N-terminal pro-brain natriuretic peptide levels by N-terminal pro-atrial natriuretic peptide. <i>European Heart Journal</i> , 2005, 26, 250-256.	1.0	17
55	Plasma N-terminal pro-brain natriuretic peptide concentration predicts coronary events in men at work: a report from the BELSTRESS study. <i>European Heart Journal</i> , 2005, 26, 2644-2649.	1.0	27
56	B-type natriuretic peptide: a simple new test to identify coronary artery disease?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2005, 98, 765-769.	0.2	26

#	ARTICLE	IF	CITATIONS
57	B-type natriuretic peptide: a novel early blood marker of acute myocardial infarction in patients with chest pain and no ST-segment elevation. <i>European Heart Journal</i> , 2005, 26, 234-240.	1.0	108
58	Clinical and Laboratory Diagnostics of Cardiovascular Disease: Focus on Natriuretic Peptides and Cardiac Ischemia. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2005, 65, 18-24.	0.6	9
59	Markers for Early Detection of Cardiac Diseases. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2005, 65, 112-121.	0.6	34
60	Natriuretic peptide response to dynamic exercise in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2005, 105, 31-39.	0.8	28
61	Screening for heart disease in diabetic subjects. <i>American Heart Journal</i> , 2005, 149, 349-354.	1.2	121
62	Use of N-terminal pro-B-type natriuretic peptide to detect myocardial ischemia. <i>American Journal of Medicine</i> , 2005, 118, 1287.e9-1287.e16.	0.6	55
63	NT-ProBNP in Non-ST-Elevation Acute Coronary Syndrome. <i>Journal of Cardiac Failure</i> , 2005, 11, S54-S58.	0.7	7
64	Can Exercise-Induced Changes in B-Type Natriuretic Peptides Be Used to Detect Cardiac Ischemia?. <i>Journal of Cardiac Failure</i> , 2005, 11, S59-S64.	0.7	21
65	Markers of Cardiac Ischemia and Inflammation. <i>Cardiology Clinics</i> , 2005, 23, 491-501.	0.9	4
66	Cardiovascular Biomarkers. , 2006, , .		5
67	Cardiac biomarkers: a contemporary status report. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2006, 3, 24-34.	3.3	79
68	The effect of coronary angioplasty on plasma NT-proBNP level in patients with and without arterial hypertension. <i>Blood Pressure</i> , 2006, 15, 173-178.	0.7	0
69	Presence and severity of coronary artery disease and changes in B-type natriuretic peptide levels in patients with a normal systolic function. <i>Translational Research</i> , 2006, 148, 188-195.	2.2	7
70	N-Terminal Probrain Natriuretic Peptide and C-reactive Protein in Stable Coronary Heart Disease. <i>American Journal of Medicine</i> , 2006, 119, 355.e1-355.e8.	0.6	20
71	Is N-terminal pro B-type natriuretic peptide (NT-proBNP) a useful screening test for angiographic findings in patients with stable coronary disease?. <i>American Heart Journal</i> , 2006, 151, 712.e1-712.e7.	1.2	32
72	B-type natriuretic peptide as an integrated risk marker in non-ST elevation acute coronary syndromes. <i>International Journal of Cardiology</i> , 2006, 111, 224-230.	0.8	5
73	The Importance of Amino-terminal pro-Brain Natriuretic Peptide Testing in Clinical Cardiology. <i>Biomarker Insights</i> , 2006, 1, 117727190600100.	1.0	1
74	Acute Coronary Syndromes: From the Laboratory Markers to the Coronary Vessels. <i>Biomarker Insights</i> , 2006, 1, 117727190600100.	1.0	0

#	ARTICLE	IF	CITATIONS
75	Biomarkers in Cardiovascular Disease: Integrating Pathophysiology into Clinical Practice. American Journal of the Medical Sciences, 2006, 332, 186-197.	0.4	36
76	Release pattern of N-terminal pro B-type natriuretic peptide (NT-proBNP) in acute coronary syndromes. Clinical Research in Cardiology, 2006, 95, 270-280.	1.5	29
77	Prognostic Value of B-type Natriuretic Peptide in Patients with Acute Coronary Syndromes. Archives of Medical Research, 2006, 37, 502-505.	1.5	15
78	Natriuretic Peptides in Acute and Chronic Coronary Artery Disease. , 2006, , 409-425.		0
79	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: Clinical Characteristics and Utilization of Biochemical Markers in Acute Coronary Syndromes. Clinical Chemistry, 2007, 53, 552-574.	1.5	383
80	Plasma Levels of B-Type Natriuretic Peptide in Patients With Unstable Angina Pectoris or Acute Myocardial Infarction: Prognostic Significance and Therapeutic Implications. Angiology, 2007, 58, 269-274.	0.8	6
81	B-type natriuretic peptide release in the coronary effluent after acute transient ischaemia in humans. Heart, 2007, 93, 1077-1080.	1.2	9
82	N-Terminal Pro-B-Type Natriuretic Peptide Predicts Total and Cardiovascular Mortality in Individuals with or without Stable Coronary Artery Disease: The Ludwigshafen Risk and Cardiovascular Health Study. Clinical Chemistry, 2007, 53, 1075-1083.	1.5	46
83	Direct Comparison of Brain Natriuretic Peptide (BNP) and N-Terminal Pro-BNP Secretion and Extent of Coronary Artery Stenosis in Patients With Stable Coronary Artery Disease. Circulation Journal, 2007, 71, 499-505.	0.7	39
84	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: Clinical Characteristics and Utilization of Biochemical Markers in Acute Coronary Syndromes. Circulation, 2007, 115, e356-75.	1.6	348
85	Changes in N-terminal Pro B-type Natriuretic Peptide Concentration: Comparative Study of Percutaneous Transluminal Coronary Angioplasty and Off-Pump Coronary Artery Bypass Graft. Journal of Korean Medical Science, 2007, 22, 16.	1.1	0
86	The Impact of B-Type Natriuretic Peptide in Addition to Troponin I, Creatine Kinase-MB, and Myoglobin on the Risk Stratification of Emergency Department Chest Pain Patients With Potential Acute Coronary Syndrome. Annals of Emergency Medicine, 2007, 49, 153-163.	0.3	26
88	Prediction of clinical outcome in patients with non-ST-elevation acute coronary syndrome (NSTEMI) using the TIMI risk score extended by N-terminal pro-brain natriuretic peptide levels. Wiener Klinische Wochenschrift, 2007, 119, 626-632.	1.0	9
89	Loss of systemic endothelial function post-PCI. Acute Cardiac Care, 2008, 10, 79-87.	0.2	8
90	Diagnostic and prognostic impact of brain natriuretic peptide in cardiac and noncardiac diseases. Heart and Lung: Journal of Acute and Critical Care, 2008, 37, 275-285.	0.8	25
91	N-terminal pro-B-type natriuretic peptide as a predictor of repeat coronary revascularization. International Journal of Cardiology, 2008, 126, 322-332.	0.8	2
92	Accuracy of N-Terminal Probrain Natriuretic Peptide to Predict Mortality or Detect Acute Ischemia in Patients with Coronary Artery Disease. Cardiology, 2008, 109, 249-257.	0.6	6
93	Biomarkers in Acute Coronary Syndrome. Biomarker Insights, 2008, 3, BMI.S588.	1.0	11

#	ARTICLE	IF	CITATIONS
94	B-Type Natriuretic Peptide (BNP) and ProBNP: Role of Emerging Markers to Guide Therapy and Determine Prognosis in Cardiovascular Disorders. <i>American Journal of Therapeutics</i> , 2008, 15, 150-156.	0.5	9
95	B-Type Natriuretic Peptide and Long-Term Prognosis in Low-Risk Patients With Unstable Angina. <i>Korean Circulation Journal</i> , 2009, 39, 26.	0.7	0
96	B-Type Natriuretic Peptides and Cardiovascular Risk. <i>Circulation</i> , 2009, 120, 2177-2187.	1.6	340
97	B-Type Natriuretic Peptides and Their Relation to Cardiovascular Structure and Function in a Population-Based Sample of Subjects Aged 70 Years. <i>American Journal of Cardiology</i> , 2009, 103, 1032-1038.	0.7	18
98	Ischemia/reperfusion is an independent trigger for increasing myocardial content of mRNA B-type natriuretic peptide. <i>Heart and Vessels</i> , 2009, 24, 454-9.	0.5	17
99	Elevated CK-MB mass and plasma brain-type natriuretic peptide concentrations following convulsive seizures in children and adolescents: Possible evidence of subtle cardiac dysfunction. <i>Epilepsia</i> , 2009, 50, 755-760.	2.6	35
101	Brain Natriuretic Peptide (BNP) Level is Closely Related to the Extent of Left Ventricular Sympathetic Overactivity in Chronic Ischemic Heart Failure. <i>Internal Medicine</i> , 2009, 48, 393-400.	0.3	13
102	Clinical applications of N-terminal pro B-type natriuretic peptide in heart failure and other cardiovascular diseases. <i>Heart Failure Reviews</i> , 2010, 15, 293-304.	1.7	17
103	Coincidence of Moderately Elevated N-Terminal Pro-B-Type Natriuretic Peptide, Endothelial Progenitor Cells Deficiency and Propensity to Exercise-Induced Myocardial Ischemia in Stable Angina. <i>Disease Markers</i> , 2010, 28, 101-114.	0.6	4
105	Biomarkers of vulnerable plaque: the missing link with ischemia. <i>Biomarkers in Medicine</i> , 2010, 4, 375-383.	0.6	4
106	B-Type Natriuretic Peptide and the Effect of Ranolazine in Patients With Non-ST-Segment Elevation Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1189-1196.	1.2	73
107	Effects of high-urgency ambulance transportation on pro-B-type natriuretic peptide levels in patients with heart failure. <i>American Journal of Emergency Medicine</i> , 2010, 28, 568-576.	0.7	3
108	A comparative study of biomarkers for risk prediction in acute coronary syndrome—Results of the SIESTA (Systemic Inflammation Evaluation in non-ST-elevation Acute coronary syndrome) study. <i>Atherosclerosis</i> , 2010, 212, 636-643.	0.4	47
109	Determinants of markedly increased B-type natriuretic peptide in patients with ST-segment elevation myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2011, 29, 141-147.	0.7	7
110	N-terminal Pro B-type Natriuretic Peptide in the Early Evaluation of Suspected Acute Myocardial Infarction. <i>American Journal of Medicine</i> , 2011, 124, 731-739.	0.6	31
111	Nível de NT-proBNP em pacientes com síndrome coronariana aguda sem supradesnivelamento do segmento ST. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 97, 456-461.	0.3	6
112	The determinants of B-type natriuretic peptide release in acute, non-ST-segment elevation myocardial infarction. <i>Acta Cardiologica</i> , 2011, 66, 281-285.	0.3	3
113	Prognostic value of N-terminal probrain natriuretic peptide level on admission in patients with acute myocardial infarction and preserved left ventricular ejection fraction. <i>Coronary Artery Disease</i> , 2011, 22, 153-157.	0.3	5

#	ARTICLE	IF	CITATIONS
114	Plasma B-type natriuretic peptide level can predict myocardial tissue perfusion in patients undergoing primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2011, 22, 405-410.	0.3	10
115	Elevated NT-proBNP and coronary calcium score in relation to coronary artery disease in asymptomatic type 2 diabetic patients with elevated urinary albumin excretion rate. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3242-3249.	0.4	24
116	Brain natriuretic peptide in apical ballooning syndrome (Takotsubo/stress cardiomyopathy). <i>Coronary Artery Disease</i> , 2012, 23, 259-264.	0.3	56
117	Marcadores biológicos: ¿quién aporta los péptidos natriuréticos?. <i>Hipertension Y Riesgo Vascular</i> , 2012, 29, 57-62.	0.3	0
118	Baseline NT-proBNP and biomarkers of inflammation and necrosis in patients with ST-segment elevation myocardial infarction: insights from the APEX-AMI trial. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 106-113.	1.0	22
119	B-type natriuretic peptide in hypertensive crises: Diagnostic use in hypertensive urgencies and emergencies. <i>Egyptian Journal of Critical Care Medicine</i> , 2013, 1, 61-67.	0.2	2
120	Predicting risk of coronary events and all-cause mortality: role of B-type natriuretic peptide above traditional risk factors and coronary artery calcium scoring in the general population: the Heinz Nixdorf Recall Study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1171-1179.	0.8	16
121	The severity of coronary artery disease and reversible ischemia revealed by N-terminal pro-brain natriuretic peptide in patients with unstable angina and preserved left ventricular function. <i>Peptides</i> , 2014, 52, 143-148.	1.2	2
122	Natriuretic peptides in cardiometabolic regulation and disease. <i>Nature Reviews Cardiology</i> , 2014, 11, 403-412.	6.1	164
123	Relation between serum B-type brain natriuretic peptide level and complexity & severity of coronary artery disease in non-ST elevation myocardial infarction. <i>Egyptian Heart Journal</i> , 2014, 66, 263-268.	0.4	0
124	Plasma ProBNP Is Not a Specific Marker for Transient Myocardial Ischemia. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 506-510.	0.6	1
125	INTERACTING DISCIPLINES: Cardiac natriuretic peptides and obesity: perspectives from an endocrinologist and a cardiologist. <i>Endocrine Connections</i> , 2015, 4, R25-R36.	0.8	30
126	Multimarker risk stratification approach and cardiovascular outcomes in patients with stable coronary artery disease undergoing elective percutaneous coronary intervention. <i>Indian Heart Journal</i> , 2016, 68, 57-62.	0.2	2
127	B-type natriuretic peptide as a predictor of ischemia/reperfusion injury immediately after myocardial reperfusion in patients with ST-segment elevation acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 62-70.	0.4	8
128	N-terminal pro-brain natriuretic peptide is related with coronary flow velocity reserve and diastolic dysfunction in patients with asymmetric hypertrophic cardiomyopathy. <i>Journal of Cardiology</i> , 2017, 70, 323-328.	0.8	25
129	N-terminal pro-B-type natriuretic peptide and microsize myocardial infarction risk in the reasons for geographic and racial differences in stroke study. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 66.	0.7	5
130	The effect of percutaneous coronary revascularization on plasma N-terminal pro-B-type natriuretic peptide levels in stable coronary artery disease. <i>Indian Heart Journal</i> , 2018, 70, 282-288.	0.2	6
131	Ischemic Cardiomyopathy: Contemporary Clinical Management. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
132	Ischemia-Modified Albumin, Free Fatty Acids, Whole Blood Choline, B-Type Natriuretic Peptide, Glycogen Phosphorylase BB, and Cardiac Troponin. , 2003, , 259-277.		4
134	B-type Natriuretic Peptide for Diagnosis of Heart Failure in Emergency Department Patients: A Critical Appraisal. Academic Emergency Medicine, 2004, 11, 686-691.	0.8	9
135	Brain natriuretic peptide and optimal management of heart failure. Journal of Zhejiang University Science B, 2005, 6B, 877-884.	0.4	18
136	Coincidence of moderately elevated N-terminal pro-B-type natriuretic peptide, endothelial progenitor cells deficiency and propensity to exercise-induced myocardial ischemia in stable angina. Disease Markers, 2010, 28, 101-14.	0.6	3
138	PeptÃdeo natriurÃ©tico tipo-B e doenÃ§as cardiovasculares. Arquivos Brasileiros De Cardiologia, 2003, 81, .	0.3	2
139	Biology of Natriuretic Peptides. , 2006, , 347-372.		0
140	Future of Post-Genomic Cardiology. , 2007, , 619-636.		0
141	Cardiac Markers: A Chest Pain Center Focus. , 2009, , 91-113.		0
142	Changes in plasma brain natriuretic peptide in conventional or direct stenting. University Heart Journal, 2009, 4, 9-15.	0.0	0
143	Novel biomarkers in evaluation of acute coronary syndrome. , 2011, , 131-138.		0
144	Very Long-Term Prognostic Role of Admission BNP in Non-ST Segment Elevation Acute Coronary Syndrome. Arquivos Brasileiros De Cardiologia, 2016, 106, 218-25.	0.3	6
145	A Study of N-terminal pro-Brain Natriuretic Peptide as a Predictor of Adverse Outcome of STEMI. University Heart Journal, 2016, 11, 13-17.	0.0	0
146	Cardiac Biomarkers in Acute Coronary Syndrome. AMEIS Current Trends in Diagnosis & Treatment, 2017, 1, 80-88.	0.1	3
147	Pertinence de la prescription des examens biologiques et de la radiographie thoracique en rÃ©animation RFE commune SFAR-SRLF. Medecine Intensive Reanimation, 2019, 28, 172-189.	0.1	2
148	Brain Natriuretic Peptide as a Predictor of Major Adverse Cardiac Events after Successful Percutaneous Coronary Intervention. Fayoum University Medical Journal, 2020, 6, 28-35.	0.0	0
149	Kardiale Marker und kÃ¶rperliche Belastung. , 2007, , 119-135.		0
150	Effects of lesion complexity on baseline and postprocedural B-type natriuretic peptide levels in patients undergoing percutaneous coronary interventions. Texas Heart Institute Journal, 2007, 34, 282-9.	0.1	2
151	B-type natriuretic peptide and N-terminal pro-B-type natriuretic peptide - Diagnostic role in stable coronary artery disease. Experimental and Clinical Cardiology, 2006, 11, 99-101.	1.3	18

#	ARTICLE	IF	CITATIONS
152	Relation between N-terminal pro-brain natriuretic peptide values and invasively measured left ventricular hemodynamic indices. <i>Experimental and Clinical Cardiology</i> , 2003, 8, 91-4.	1.3	5
153	Acute coronary syndromes: from the laboratory markers to the coronary vessels. <i>Biomarker Insights</i> , 2007, 1, 123-30.	1.0	4
154	The Importance of Amino-terminal pro-Brain Natriuretic Peptide Testing in Clinical Cardiology. <i>Biomarker Insights</i> , 2007, 1, 143-55.	1.0	0
155	B-Type Natriuretic Peptide (BNP) and Left Ventricular (LV) Function in Patients with ST-Segment Elevation Myocardial Infarction (STEMI). <i>Médica</i> , 2010, 5, 243-9.	0.4	1
156	The Usefulness of Admission Plasma NT-pro BNP Level to Predict Left Ventricular Aneurysm Formation after Acute ST-Segment Elevation Myocardial Infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 113, 1129-1137.	0.3	6
157	B-type natriuretic peptide as diagnostic and prognostic marker in various forms of acute coronary syndrome. <i>Pakistan Journal of Medical Sciences</i> , 2022, 38, .	0.3	2
159	Utilidade do Nível de NT-Pro-BNP no Plasma em Prever a Formação de Aneurisma do Ventrículo Esquerdo após Infarto Agudo do Miocárdio com Elevação do Segmento ST. <i>Arquivos Brasileiros De Cardiologia</i> , 2022, 113, 1129-1137.	0.3	15
161	The Effects of Percutaneous Coronary Intervention on Biomarkers and Quality of Life in Patients With Chronic Total Coronary Artery Obstruction. <i>Cardiology Research</i> , 2023, 14, 69-78.	0.5	0