

# CITATION REPORT

## List of articles citing

### Epidemiologie des Schmerzes Ergebnisse des Bundes-Gesundheitssurveys 1998

DOI: 10.1007/s001030070048

Bundesgesundheitsblatt - Gesundheitsforschung -  
Gesundheitsschutz, 2000, 43, 424-431.

Source: <https://exaly.com/paper-pdf/31594819/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
82	The SF-36 questionnaire and its usefulness in population studies: results of the German Health Interview and Examination Survey 1998. <i>International Journal of Public Health</i> , <b>2002</b> , 47, 266-77	53	
81	Nozignostik und Akupunktur. <i>Deutsche Zeitschrift fü Akupunktur</i> , <b>2003</b> , 46, 14-25	0.1	
80	[Chronic temporomandibular disorders]. <i>Schmerz</i> , <b>2004</b> , 18, 109-17	2.4	10
79	[Relationship of depression and anxiety with social desirability in chronic pain patients]. <i>Schmerz</i> , <b>2004</b> , 18, 38-44	2.4	3
78	[Satisfaction of geriatric patients with their pain therapy. Wish and reality]. <i>Schmerz</i> , <b>2004</b> , 18, 269-77	2.4	8
77	[Chronic pain. Epidemiology and management in Germany]. <i>Der Orthopade</i> , <b>2004</b> , 33, 508-14	1.9	15
76	The association between social factors, employment status and self-reported back pain - A representative prevalence study on the German general population. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , <b>2005</b> , 13, 30-39	1.4	12
75	[Increasing importance of opioids in geriatrics]. <i>Schmerz</i> , <b>2005</b> , 19, 302-7	2.4	4
74	Workplace stress, lifestyle and social factors as correlates of back pain: a representative study of the German working population. <i>International Archives of Occupational and Environmental Health</i> , <b>2005</b> , 78, 253-69	3.2	52
73	[Distribution of pain parameters for chronic pain patients in comparison to the general population]. <i>Schmerz</i> , <b>2006</b> , 20, 108-18	2.4	5
72	Back pain in the German adult population: prevalence, severity, and sociodemographic correlates in a multiregional survey. <i>Spine</i> , <b>2007</b> , 32, 2005-11	3.3	226
71	Comorbidity of low back pain: representative outcomes of a national health study in the Federal Republic of Germany. <i>European Journal of Pain</i> , <b>2007</b> , 11, 387-97	3.7	73
70	[Pain in children and adolescents in Germany: the prevalence and usage of medical services. Results of the German Health Interview and Examination Survey for Children and Adolescents (KiGGS)]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , <b>2007</b> , 50, 711-7	7.5	85
69	[Rehabilitation of non-specific low back pain. Results of a multidisciplinary in-patient program]. <i>Schmerz</i> , <b>2007</b> , 21, 226, 228-33	2.4	4
68	[Spinal surgery in the elderly: does age have an influence on the complication rate?]. <i>Der Orthopade</i> , <b>2008</b> , 37, 367-73	1.9	7
67	[Kyphoplasty : method for minimally invasive treatment of painful vertebral fractures]. <i>Chirurg</i> , <b>2008</b> , 79, 944-50, 952-5	4.2	5
66	[Indications and results of kypho- and vertebroplasty]. <i>Der Internist</i> , <b>2008</b> , 49, 1206, 1208-10, 1212-18	0	6

65	Präventionsansätze für akute Rückenschmerzen. <i>Trauma Und Berufskrankheit</i> , <b>2008</b> , 10, 272-278	0	1
64	[What are the key symptoms of fibromyalgia? Results of a survey of the German Fibromyalgia Association]. <i>Schmerz</i> , <b>2008</b> , 22, 176-83	2.4	85
63	[Prevalence of musculoskeletal complaints and self-reported joint osteoarthritis in the population of Herne : a telephone survey]. <i>Zeitschrift Fur Rheumatologie</i> , <b>2008</b> , 67, 432-9	1.9	5
62	Cost-effectiveness of acupuncture treatment in patients with headache. <i>Cephalalgia</i> , <b>2008</b> , 28, 334-45	6.1	68
61	Back pain, a communicable disease?. <i>International Journal of Epidemiology</i> , <b>2008</b> , 37, 69-74	7.8	27
60	The Pain Attitudes and Beliefs Scale for Physiotherapists: psychometric properties of the German version. <i>Clinical Rehabilitation</i> , <b>2008</b> , 22, 564-75	3.3	25
59	Chronic pain in primary care. German figures from 1991 and 2006. <i>BMC Public Health</i> , <b>2009</b> , 9, 299	4.1	26
58	[Psychosocial factors in chronic low back pain in orthopaedic inpatient rehabilitation. An analysis using the axes of the Mainz Pain Staging System]. <i>Schmerz</i> , <b>2009</b> , 23, 489-501	2.4	2
57	Regional variations in the prevalence of migraine and tension-type headache applying the new IHS criteria: the German DMKG Headache Study. <i>Cephalalgia</i> , <b>2009</b> , 29, 48-57	6.1	56
56	Association between generalized anxiety levels and pain in a community sample: evidence for diagnostic specificity. <i>Journal of Anxiety Disorders</i> , <b>2009</b> , 23, 684-93	10.9	63
55	[Chronic pain in German medical practices. Current demands placed on the primary health care system due to pain prevalence]. <i>Schmerz</i> , <b>2010</b> , 24, 501-7	2.4	11
54	[Epidemiology of chronic non-malignant pain in Germany]. <i>Schmerz</i> , <b>2011</b> , 25, 26-44	2.4	38
53	[Restless legs syndrome and nocturnal leg pain : Differential diagnosis and treatment]. <i>Schmerz</i> , <b>2011</b> , 25, 544-51	2.4	2
52	Instrumented intervertebral or posterolateral fusion in elderly patients: clinical results of a single center. <i>BMC Musculoskeletal Disorders</i> , <b>2011</b> , 12, 189	2.8	6
51	Prévalence et prise en charge thérapeutique ambulatoire, pharmacologique et non pharmacologique, de la fibromyalgie. Une analyse des données provenant d'une caisse publique d'assurance maladie. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2011</b> , 78, 63-68	0.1	1
50	Cervical range of motion and strength in 4,293 young male adults with chronic neck pain. <i>European Spine Journal</i> , <b>2012</b> , 21, 1522-7	2.7	24
49	[Prevalence and predictors of urogenital pain in men. Results from a survey of a representative German population sample]. <i>Schmerz</i> , <b>2012</b> , 26, 192-9	2.4	3
48	[German pain questionnaire and standardised documentation with the KEDOQ-Schmerz. A way for quality management in pain therapy]. <i>Schmerz</i> , <b>2012</b> , 26, 168-75	2.4	35

47	[Costs of non-specific low back pain in Austria]. <i>Wiener Medizinische Wochenschrift</i> , <b>2012</b> , 162, 92-8	2.9	4
46	[Headache disorders. Definitions, subtypes, and prevalence rates in Germany]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , <b>2014</b> , 57, 913-8	7.5	2
45	[Real-life efficacy and tolerability of methocarbamol in patients suffering from refractory muscle-related low/back pain - Results of a health care research project based on data from the German pain practice registry]. <i>MMW Fortschritte Der Medizin</i> , <b>2017</b> , 159, 6-17	0	6
44	[Social inequalities in the prevalence of chronic back pain among adults in Germany]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , <b>2017</b> , 60, 783-791	7.5	17
43	Health problems in former elite female football players: Prevalence and risk factors. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2017</b> , 27, 1404-1410	4.6	12
42	[Pain and poverty]. <i>Schmerz</i> , <b>2018</b> , 32, 144-152	2.4	4
41	Comorbidity of chronic back pain and depression in Germany: Results from the GEDA study, 2009 and 2010. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , <b>2018</b> , 137-138, 62-68	1.4	12
40	ParkProTrain: an individualized, tablet-based physiotherapy training programme aimed at improving quality of life and participation restrictions in PD patients - a study protocol for a quasi-randomized, longitudinal and sequential multi-method study. <i>BMC Neurology</i> , <b>2019</b> , 19, 143	3.1	13
39	Erfassung und Bewertung von Funktionsstörungen des Bewegungssystems. <i>Manuelle Medizin</i> , <b>2019</b> , 57, 441-446	0.2	2
38	[Chronic pain and society : Sociological analysis of a complex interconnection]. <i>Schmerz</i> , <b>2019</b> , 33, 220-225	2.5	3
37	Chronische Rückenschmerzen: operieren oder nicht?. <i>Schmerzmedizin</i> , <b>2020</b> , 36, 52-56	0.1	1
36	[Older care receivers with chronic pain : Cross-sectional study of gender-specific pain intensity and home-care provision in the city environment]. <i>Schmerz</i> , <b>2021</b> , 35, 322-332	2.4	1
35	Evaluation of Postoperative Quality of Life After Pancreatic Surgery and Determination of Influencing Risk Factors. <i>Pancreas</i> , <b>2021</b> , 50, 362-370	2.6	1
34	Schmerz und Geschlecht. <i>Schmerz und Geschlecht</i> , <b>2007</b> , 207-219		1
33	Die Versorgungslandschaft fK Kopfschmerzen. <i>Schmerz</i> , <b>2012</b> , 115-144		2
32	Vom akuten zum chronischen Schmerz. <i>Schmerz</i> , <b>2016</b> , 3-10		1
31	Schmerz und Geschlecht. <i>Schmerz</i> , <b>2017</b> , 699-721		2
30	Der Freiburger Fragebogen - Stadien der Bewältigung chronischer Schmerzen (FF-STABS):. <i>Diagnostica</i> , <b>2002</b> , 48, 190-199	0.8	6

- 29 Prevalence of self-reported pain, joint complaints and knee or hip complaints in adults aged 40 years: a cross-sectional survey in Herne, Germany. *PLoS ONE*, 2013, 8, e60753 3.7 42
- 28 Schmerz und Geschlecht. 2004, 203-215
- 27 Physiologische Grundlagen und Therapieziele. 2004, 7-148
- 26 Neues Verständnis von Patienten mit chronischen Rückenschmerzen in der Allgemeinpraxis. 2004, 94-106
- 25 Schmerzmessung. 2004, 209-237
- 24 Psychiatrische Schmerzdiagnostik und Schmerztherapie. 2004, 173-194
- 23 Gesetzliche Rentenversicherung. 2009, 397-418
- 22 Therapieverfahren. 2011, 17-155
- 21 Alte Menschen. 2011, 445-458
- 20 Schmerz und Geschlecht. 2011, 225-241
- 19 Einführung. 2011, 1-8
- 18 Grundlagen. 2012, 5-110
- 17 Multimodal Treatment of Back Pain. 2012, 87-100
- 16 Der alte Mensch am Lebensende. *Springer-Lehrbuch*, 2012, 290-300 0.4
- 15 Geschlechtsstereotype und ihre Bedeutung für die Angabe physischer Symptome im Kindes- und Jugendalter. *Zeitschrift Für Gesundheitspsychologie*, 2012, 20, 182-186 1
- 14 Alte Menschen. 2013, 467-480 1
- 13 Schmerztherapie bei alten Menschen. 2014, 1-21
- 12 Komorbide Depression bei chronischem Rückenschmerz. 2017, 45-52

- 11 Schmerztherapie bei alten Menschen. *Springer Reference Medizin*, **2018**, 1-15 O
- 10 Schmerztherapie bei alten Menschen. *Springer Reference Medizin*, **2019**, 487-501 O
- 9 Der alte Mensch am Lebensende. **2019**, 273-280
- 8 Gesetzliche Rentenversicherung. **2020**, 403-421
- 7 Kosten des chronischen unspezifischen Kreuzschmerzes in Österreich – Eine Untersuchung an Patienten in aktueller Behandlung. *Wiener Medizinische Wochenschrift*, **2012**, 162, 92 2.9
- 6 CrossRef Listing of Deleted DOIs.
- 5 Schmerztherapie bei alten Menschen. 373-384
- 4 Die Untersuchung der Lendenwirbelsäule. *Orthopädie Und Unfallchirurgie Up2date*, **2021**, 16, 583-603 O.1
- 3 Evaluation of an individualized, tablet-based physiotherapy training programme for patients with Parkinson's disease: the ParkProTrain study, a quasi-randomised controlled trial.. *BMC Neurology*, **2022**, 22, 176 3.1 O
- 2 Neurologie. **2022**, 679-719 O
- 1 Die medizinische Versorgung von Patienten mit Rückenschmerzen. **2023**, 43, 7-12 O