

CITATION REPORT

List of articles citing

Clinical Advisory Statement. Importance of systolic blood pressure in older Americans

DOI: 10.1161/01.hyp.35.5.1021
Hypertension, 2000, 35, 1021-4.

Source: <https://exaly.com/paper-pdf/31733410/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
342	Bibliography. Current world literature. 2000 , 7, 401-2		
341	Hypertension. 2000 , 15, 245-246		
340	A multicenter, randomized, double-blind study of the antihypertensive efficacy and tolerability of irbesartan in patients aged > or = 65 years with mild to moderate hypertension. 2000 , 22, 1213-24		39
339	The challenge of controlling systolic blood pressure: data from the National Health and Nutrition Examination Survey (NHANES III), 1988--1994. <i>Journal of Clinical Hypertension</i> , 2001 , 3, 211-6	2.3	32
338	Advances in antihypertensive combination therapy: benefits of low-dose thiazide diuretics in conjunction with omapatrilat, a vasopeptidase inhibitor. <i>Journal of Clinical Hypertension</i> , 2001 , 3, 307-12 ^{2,3}		3
337	Screening for eligibility in the study of antihypertensive medication in children: experience from the Ziac Pediatric Hypertension Study. 2001 , 14, 783-7		26
336	Update in pharmacologic treatment of hypertension. 2001 , 19, 279-94, v		10
335	Characteristics of patients with uncontrolled hypertension in the United States. 2001 , 345, 479-86		634
334	Medication Management of Hypertension. 2001 , 17, 61-82		2
333	Cyclooxygenase-2--specific inhibitors and cardiorenal function: a randomized, controlled trial of celecoxib and rofecoxib in older hypertensive osteoarthritis patients. 2001 , 8, 85-95		269
332	Hypertension 2001. 2001 , 94, 1054-1057		1
331	Lercanidipine: a novel dihydropyridine calcium-channel blocker. 2001 , 3, 398-407		30
330	Seniors and systolic hypertension : an unanswered call to arms. 2001 , 119, 323-7		1
329	Current World Literature. 2001 , 10, 271-293		
328	Current World Literature. 2001 , 10, 453-480		
327	How long should telomeres be?. 2001 , 3, 145-51		15
326	Telomeres: the time factor in essential hypertension. 2001 , 3, 33-5		1

325	Systolic hypertension in children: benign or beware?. 2001 , 16, 517-25		28
324	Treatment of isolated systolic hypertension is most effective in older patients with high-risk profile. 2001 , 104, 1923-6		29
323	Control of hypertension--an important national priority. 2001 , 345, 534-5		65
322	Aging and systolic hypertension: cluster patterns and problem-solving strategies to answer the genetic riddle. <i>Hypertension</i> , 2001 , 37, 1067-8	8.5	5
321	Office blood pressures, arterial compliance characteristics, and estimated cardiac load. <i>Hypertension</i> , 2001 , 38, 1467-70	8.5	10
320	Pulse pressure compared with other blood pressure indexes in the prediction of 25-year cardiovascular and all-cause mortality rates: The Chicago Heart Association Detection Project in Industry Study. <i>Hypertension</i> , 2001 , 38, 232-7	8.5	142
319	Predominance of isolated systolic hypertension among middle-aged and elderly US hypertensives: analysis based on National Health and Nutrition Examination Survey (NHANES) III. <i>Hypertension</i> , 2001 , 37, 869-74	8.5	520
318	One-year study of felodipine or placebo for stage 1 isolated systolic hypertension. <i>Hypertension</i> , 2001 , 38, 1118-23	8.5	23
317	Hypothesis: pulse pressure and human longevity. <i>Hypertension</i> , 2001 , 37, 1060-6	8.5	46
316	Does the relation of blood pressure to coronary heart disease risk change with aging? The Framingham Heart Study. 2001 , 103, 1245-9		966
315	DASH (Dietary Approaches to Stop Hypertension) diet is effective treatment for stage 1 isolated systolic hypertension. <i>Hypertension</i> , 2001 , 38, 155-8	8.5	121
314	Society of Geriatric Cardiology. 2001 , 10, 111-113		
313	The changing face of hypertension: is systolic blood pressure the final answer?. 2002 , 162, 506-8		16
312	Blood pressure as a surrogate end point for hypertension. 2002 , 36, 87-92		4
311	Therapy in the elderly hypertensive. 2002 , 3 Suppl 1, S49-56		
310	Superior physicians and the treatment of hypertension. 2002 , 162, 387-8		7
309	Obesity hypertension in children: a problem of epidemic proportions. <i>Hypertension</i> , 2002 , 40, 441-7	8.5	679
308	[Are COX-2 inhibitors a risk factor for cardiovascular disease?]. 2002 , 127, 156-9		1

307	Systolic vs diastolic blood pressure: community burden and impact on blood pressure staging. 2002 , 16, 163-7		24
306	Chronology versus biology: telomeres, essential hypertension, and vascular aging. <i>Hypertension</i> , 2002 , 40, 229-32	8.5	61
305	The national high blood pressure education program: thirty years and counting. <i>Hypertension</i> , 2002 , 39, 941-2	8.5	18
304	Treatment and control of hypertension in the community: a prospective analysis. <i>Hypertension</i> , 2002 , 40, 640-6	8.5	88
303	Blood pressure measures, relative and absolute risk, and international differences. 2002 , 20, 1689-91		1
302	Why is blood pressure control unsatisfactory--or is it?. 2002 , 17, 1547-50		9
301	NHBPEP: working to reduce death and disability from high blood pressure. National High Blood Pressure Education Program. 2002 , 42, 886-8		
300	Hypertension in the elderly: a review of the importance of systolic blood pressure elevation. <i>Journal of Clinical Hypertension</i> , 2002 , 4, 108-12, 119	2.3	19
299	Physician practice patterns in the treatment of isolated systolic hypertension in a primary care setting. <i>Journal of Clinical Hypertension</i> , 2002 , 4, 93-100	2.3	10
298	Should beta blockers be used in the treatment of hypertension in the elderly?. <i>Journal of Clinical Hypertension</i> , 2002 , 4, 286-94	2.3	7
297	Clinical impact of renin-angiotensin system blockade: angiotensin-converting enzyme inhibitors vs. angiotensin receptor antagonists. <i>Journal of Clinical Hypertension</i> , 2002 , 4, 11-9, 31	2.3	5
296	Systolic blood pressure is a better predictor of cardio-vascular disease risk than diastolic blood pressure in hypertensive men. 2002 , 6, 162-163		
295	Systolic hypertension as a cardiovascular risk factor. 2002 , 11, 134-43		8
294	Isolated systolic hypertension, obesity, and hyperkinetic hemodynamic states in children. 2002 , 140, 660-6		234
293	Prevalence and consequence of systolic hypertension in children. 2002 , 15, 57S-60S		49
292	The PROGRESS trial: questions about the effectiveness of angiotensin converting enzyme inhibitors. Perindopril pROtection aGainst REcurrent Stroke Study. 2002 , 15, 472-4		5
291	Elevated blood pressure among U.S. adults with diabetes, 1988-1994. 2002 , 22, 42-8		100
290	Systolic blood pressure. 2002 , 325, 917-8		19

289	Noninvasive 24-hour ambulatory blood pressure monitoring: overview of technology and clinical applications. 2002 , 22, 597-612	23
288	Effects of nonsteroidal anti-inflammatory drug therapy on blood pressure and peripheral edema. 2002 , 89, 18D-25D	189
287	Isolated Systolic Hypertension in the Elderly. 2002 , 4, 87-93	5
286	Telomeres, sex, reactive oxygen species, and human cardiovascular aging. 2002 , 80, 689-95	99
285	Hypertension and cerebrovascular disease. 2003 , 3, 144-154	11
284	The Importance of Systolic Blood Pressure Control and Cardiovascular Disease Prevention. 2003 , 5, 271-277	5
283	Uncontrolled hypertension as a risk for coronary artery disease: patient characteristics and the role of physician intervention. 2003 , 5, 131-8	12
282	Comparative prognostic value of systolic, diastolic, and pulse pressure. 2003 , 91, 433-5	6
281	Cardiovascular status following combined angiotensin-converting enzyme and AT1 receptor inhibition in conscious spontaneously hypertensive rats. 2003 , 30, 317-23	6
280	Systolic hypertension in hemodialysis patients. 2003 , 16, 208-13	25
279	Is systolic blood pressure sufficient for classification of blood pressure and determination of hypertension based on JNC-VI in an Iranian adult population? Tehran lipid and glucose study (TLGS). 2003 , 17, 287-91	6
278	Aggressive blood pressure control in general practice (ABC-GP) study: can the new targets be reached?. 2003 , 17, 767-73	10
277	Arterial and cardiac aging: major shareholders in cardiovascular disease enterprises: Part I: aging arteries: a "set up" for vascular disease. 2003 , 107, 139-46	1593
276	Pharmacist intervention program for control of hypertension. 2003 , 37, 1186-93	89
275	Preventing heart disease by controlling hypertension: impact of hypertensive subtype, stage, age, and sex. 2003 , 145, 888-95	65
274	Physician-nurse team approaches to improve blood pressure control. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 386-92	2.3 4
273	Patient knowledge and awareness of hypertension is suboptimal: results from a large health maintenance organization. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 254-60	2.3 34
272	The economic impact of hypertension. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 3-13	2.3 69

271	The burden of uncontrolled hypertension: morbidity and mortality associated with disease progression. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 14-22	2.3	61
270	Management of older hypertensive patients: is there a difference in approach?. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 11-6	2.3	6
269	The impact of nonsteroidal anti-inflammatory drugs on blood pressure, with an emphasis on newer agents. 2003 , 25, 1-18		63
268	Eprosartan for the treatment of hypertension. <i>Expert Opinion on Pharmacotherapy</i> , 2003 , 4, 107-14	4	13
267	Effects of nabumetone, celecoxib, and ibuprofen on blood pressure control in hypertensive patients on angiotensin converting enzyme inhibitors. 2003 , 16, 135-9		36
266	Efectividad antihipertensiva y tolerabilidad de lercanidipino en diabéticos, en pacientes con hipertensión sistólica aislada y en ancianos. Análisis de subgrupos del estudio ELYPSE. 2003 , 20, 347-353		
265	Systolic blood pressure elevation: it's where the action is. 2003 , 20, 287-8		
264	Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. <i>Hypertension</i> , 2003 , 42, 1206-52	8.5	10207
263	Low blood pressure and the risk of dementia in very old individuals. 2003 , 61, 1667-72		247
262	Determinants of elevated pulse pressure in middle-aged and older subjects with uncomplicated systolic hypertension: the role of proximal aortic diameter and the aortic pressure-flow relationship. 2003 , 108, 1592-8		240
261	Genome-wide multipoint parametric linkage analysis of pulse pressure in large, extended utah pedigrees. <i>Hypertension</i> , 2003 , 42, 322-8	8.5	43
260	Refractory hypertension and sleep apnoea: effect of CPAP on blood pressure and baroreflex. 2003 , 21, 241-7		247
259	Management of high blood pressure in African Americans: consensus statement of the Hypertension in African Americans Working Group of the International Society on Hypertension in Blacks. 2003 , 163, 525-41		314
258	Treatment of hypertension in older patients: an updated look at the role of calcium antagonists. 2003 , 12, 319-27		8
257	Hypertension management in patients with diabetes: the need for more aggressive therapy. 2003 , 26, 355-9		115
256	How well are we managing and monitoring high blood pressure?. 2003 , 12, 299-304		9
255	What is the most important component of blood pressure: systolic, diastolic or pulse pressure?. 2003 , 12, 293-7		96
254	The longitudinal association of lead with blood pressure. 2003 , 14, 30-6		114

253	Aggressive blood pressure management. 2003 , 18, 108-15		3
252	Wide Pulse Pressure and Isolated Systolic Hypertension. 2003 , 6, 129-133		
251	Relationship of systolic BP to obstructive sleep apnea in patients with heart failure. 2003 , 123, 1536-43		61
250	Hypertension control: how well are we doing?. 2003 , 163, 2705-11		88
249	Clinical trials: Evidence and unanswered questions--hypertension. 2003 , 16 Suppl 3, 18-24		2
248	Comparison of four blood pressure indexes for the prediction of 10-year stroke risk in middle-aged and older Asians. <i>Hypertension</i> , 2004 , 44, 715-20	8.5	50
247	Hypertension associated with therapies to treat arthritis and pain. <i>Hypertension</i> , 2004 , 44, 123-4	8.5	11
246	Diminished insulin resistance with weight loss in severely overweight youth. 2004 , 2, 160-8		9
245	HYDRA: possible determinants of unsatisfactory hypertension control in German primary care patients. 2004 , 13, 80-8		23
244	Dietary sodium restriction rapidly improves large elastic artery compliance in older adults with systolic hypertension. <i>Hypertension</i> , 2004 , 44, 35-41	8.5	185
243	Prevalence, awareness, treatment, and control of hypertension in the Czech Republic. Results of two nationwide cross-sectional surveys in 1997/1998 and 2000/2001, Czech Post-MONICA Study. 2004 , 18, 571-9		39
242	Hypertension in the hemodialysis patient and the "lag phenomenon": insights into pathophysiology and clinical management. 2004 , 43, 739-51		40
241	Religious orientation, aging, and blood pressure reactivity to interpersonal and cognitive stressors. 2004 , 28, 171-8		42
240	How should COMET influence heart failure practice?. 2004 , 1, 67-71		2
239	Blood pressure and progression of chronic kidney disease: importance of systolic, diastolic, or diurnal variation. 2004 , 6, 400-4		12
238	Automated office and home phone-transmitted blood pressure recordings in uncontrolled hypertension treated with valsartan and hydrochlorothiazide. 2004 , 2, 18-24		9
237	Efficacy and tolerability of long-term rilmenidine treatment in hypertensive diabetic patients. A retrospective analysis of a general practice study. 2004 , 4, 195-200		7
236	Nouvelles stratégies pour le contrôle de l'hypertension: preuves supplémentaires en faveur des associations faiblement dosées. 2004 , 4, 37-42		

235	Past, present, and future clinical trials of cardiovascular risk reduction in the hypertension perspective. 2004 , 1262, 261-264		
234	Hypertension control rates: time for translation of guidelines into clinical practice. 2004 , 117, 62-4		8
233	Managing high-risk patients with hypertension: focus on the renin-angiotensin system. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 501-8	2.3	5
232	Graded blood pressure reduction in hypertensive outpatients associated with use of a device to assist with slow breathing. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 553-9; quiz 560-1	2.3	85
231	The Importance of Systolic Blood Pressure Elevation in Elderly Persons. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 461-465	2.3	3
230	Trends in hypertension-related death in the United States: 1980-1998. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 675-81	2.3	7
229	Health care cost of analgesic use in hypertensive patients. 2004 , 26, 285-93		0
228	Arterial stiffness and the systolic hypertension syndrome. 2004 , 19, 341-52		114
227	Trends in blood pressure levels, prevalence, awareness, treatment, and control of hypertension in the Czech population from 1985 to 2000/01. 2004 , 22, 1479-85		43
226	Angiotensin II receptor antagonist telmisartan in isolated systolic hypertension (ARAMIS) study: efficacy and safety of telmisartan 20, 40 or 80 mg versus hydrochlorothiazide 12.5 mg or placebo. 2004 , 22, 1033-7		21
225	The Japanese Trial to Assess Optimal Systolic Blood Pressure in Elderly Hypertensive Patients (JATOS): protocol, patient characteristics, and blood pressure during the first 12 months. <i>Hypertension Research</i> , 2005 , 28, 513-20	4.7	36
224	Calcium channel blockers in the elderly: current status in the treatment of hypertension. 2005 , 1, 419-434		1
223	Managing stress response to control hypertension in type 2 diabetes. 2005 , 19, 134-7		2
222	Managing stress response to control hypertension in type 2 diabetes. 2005 , 30, 46-9		2
221	Cardiovascular intraindividual variability in later life: the influence of social connectedness and positive emotions. 2005 , 20, 476-85		85
220	Hypertension knowledge, awareness, and attitudes in a hypertensive population. 2005 , 20, 219-25		113
219	Sodium reduction for hypertension prevention in overweight adults: further results from the Trials of Hypertension Prevention Phase II. 2005 , 19, 33-45		64
218	Treatment of systolic hypertension: spotlight on recent studies with angiotensin II antagonists. 2005 , 19, 93-102		15

217	Current and Future Treatment of Metabolic Syndrome and Type 2 Diabetes in Children and Adolescents. 2005 , 18, 220-228		17
216	A prospective study of hypertension and risk of uterine leiomyomata. 2005 , 161, 628-38		66
215	Aging, Arterial Stiffness, and Systolic Hypertension. 2005 , 23-34		3
214	Effects of Religious Orientation and Gender on Cardiovascular Reactivity Among Older Adults. 2005 , 27, 221-240		10
213	Improved blood pressure control with a physician-nurse team and home blood pressure measurement. 2005 , 80, 31-6		27
212	Improved Blood Pressure Control With a Physician-Nurse Team and Home Blood Pressure Measurement. 2005 , 80, 31-36		26
211	Expanding the definition and classification of hypertension. <i>Journal of Clinical Hypertension</i> , 2005 , 7, 505-12	2.3	123
210	Evaluation and management of patients with uncontrolled systolic hypertension: is another new paradigm really needed?. 2005 , 149, 776-84		9
209	Role of arterial wall properties in the pathogenesis of systolic hypertension. 2005 , 18, 19S-22S		30
208	Pulse contour analysis and augmentation index: it's time to move beyond cuff blood pressure measurement. 2005 , 18, 1S-2S		10
207	Update on the drug treatment of hypertension in patients with cardiovascular disease. 2005 , 118, 695-705		21
206	Evaluation of long-term efficacy and acceptability of indapamide SR in elderly hypertensive patients. 2005 , 21, 37-46		10
205	Angiotensin II antagonists--therapeutic benefits spanning the cardiovascular disease continuum from hypertension to heart failure and diabetic nephropathy. 2006 , 22, 1-16		21
204	Arterial stiffness and diastolic blood pressure: what is the connection?. 2006 , 1, S1		8
203	The effects of resistance training and walking on functional fitness in advanced old age. 2006 , 18, 91-105		60
202	Indapamide SR versus candesartan and amlodipine in hypertension: the X-CELLENT Study. 2006 , 19, 113-21		31
201	The relation of blood pressure to coronary heart mortality in different age groups varies by ethnicity. 2006 , 19, 179-83		10
200	Loneliness is a unique predictor of age-related differences in systolic blood pressure. 2006 , 21, 152-64		299

- 199 The role of pulse pressure in the hemodynamic control of hypertension: exploring the link to cardiovascular remodeling. **2006**, 6, 71-82
- 198 Treatment of isolated systolic hypertension. **2006**, 8, 377-83 10
- 197 Effectiveness of a two-part educational intervention to improve hypertension control: a cluster-randomized trial. **2006**, 26, 1342-7 28
- 196 Aging and arterial structure-function relations. **2007**, 44, 19-34 22
- 195 Nebivolol: a review of its clinical and pharmacological characteristics. **2006**, 44, 344-57 17
- 194 Targeting hypertension with valsartan: Lessons learned from the Valsartan/HCTZ versus Amlodipine in stage II hypertensive patients (VAST) trial. **2006**, 7 Suppl 1, S8-11 3
- 193 Cardiology in Family Practice. **2006**,
- 192 Microbial flora in NSAID-induced intestinal damage: a role for antibiotics?. **2006**, 73 Suppl 1, 136-50 67
- 191 Epidemiology of Hypertension. **2007**, 3-14
- 190 Predictive utility of pulse pressure and other blood pressure measures for cardiovascular outcomes. *Hypertension*, **2007**, 49, 1256-64 8.5 63
- 189 Relationship between radial and central arterial pulse wave and evaluation of central aortic pressure using the radial arterial pulse wave. *Hypertension Research*, **2007**, 30, 219-28 4.7 224
- 188 New insights from ADVANCE. **2007**, 25, S23-30 5
- 187 Are Blood Pressure Predictors of Cardiovascular Disease Mortality Different for Prehypertensives Than for Hypertensives?. **2007**, 2007, 40-42
- 186 Efficacy and safety of darusentan in patients with resistant hypertension: results from a randomized, double-blind, placebo-controlled dose-ranging study. *Journal of Clinical Hypertension*, **2007**, 9, 760-9 2.3 68
- 185 Efficacy and safety of treating stage 2 systolic hypertension with olmesartan and olmesartan/HCTZ: results of an open-label titration study. *Journal of Clinical Hypertension*, **2007**, 9, 36-44 2.3 37
- 184 Hypertension treatment in a medicare population: adherence and systolic blood pressure control. **2007**, 29, 972-984 105
- 183 The importance of diastolic blood pressure in predicting cardiovascular risk. **2007**, 1, 82-93 38
- 182 Importancia de la presi3n arterial diast3lica en relaci3n con la edad. **2007**, 24, 172-175

181	[Arterial hypertension, chronic renal insufficiency and dialysis]. 2007 , 3 Suppl 3, S156-61		4
180	Clinical practice. Isolated systolic hypertension in the elderly. 2007 , 357, 789-96		121
179	Safety and efficacy of the oral direct renin inhibitor aliskiren in elderly patients with hypertension. 2007 , 16, 381-91		46
178	Importancia de la presi3n arterial diast3lica en relaci3n con la edad. 2007 , 24, 172-175		
177	Blood Pressure and the Risks of Cardiovascular Disease and Stroke. 2007 , 51-62		
176	Hemodynamics of Hypertension. 2007 , 123-133		1
175	Stress as a potential modifier of the impact of lead levels on blood pressure: the normative aging study. 2007 , 115, 1154-9		45
174	Systemic hypertension. 2007 , 32, 201-59		54
173	Prehypertension: demographics, pathophysiology, and treatment. 2007 , 9, 264-8		12
172	Transgenerational effect of fetal programming on vascular phenotype and reactivity in endothelial nitric oxide synthase knockout mouse model. 2008 , 199, 250.e1-7		10
171	Efficacy and safety of fixed combinations of irbesartan/hydrochlorothiazide in older vs younger patients with hypertension uncontrolled with monotherapy. 2008 , 17, 27-36		11
170	Physician adherence to blood pressure guidelines and its effect on seniors. 2008 , 28, 843-51		23
169	Now or never: optimal antihypertensive therapy in the elderly. 2008 , 11, 201-9		8
168	Stagnation and the critical need for hypertension subtyping. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 174-5	2.3	1
167	Hypertension control in the elderly. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 33-9	2.3	14
166	Predicting age- and dose-related responses to antihypertensive therapy: pooled analysis of two randomized clinical trials of valsartan alone and combined with hydrochlorothiazide. 2008 , 2, 476-83		5
165	Acute episodes of predator exposure in conjunction with chronic social instability as an animal model of post-traumatic stress disorder. 2008 , 11, 259-81		126
164	Alpha-adducin Gly460Trp variant increases the risk of stroke in hypertensive Dutch women. <i>Hypertension</i> , 2008 , 51, 1665-70	8.5	20

163	Clinical predictors of the response to short-term thiazide treatment in nondiabetic essential hypertensives. 2008 , 22, 329-37		7
162	Prevention of aortic fibrosis by N-acetyl-seryl-aspartyl-lysyl-proline in angiotensin II-induced hypertension. 2008 , 295, H1253-H1261		46
161	Biomarkers related to aging in human populations. 2008 , 46, 161-216		106
160	Influence of living style and situation on the compliance of taking antihypertensive agents in patients with essential hypertension. 2008 , 47, 1655-61		5
159	Assessing the effects of non-steroidal anti-inflammatory drugs on antihypertensive drug therapy using post-marketing surveillance database. 2008 , 18, 119-24		34
158	Linear relationship between systolic and diastolic blood pressure monitored over 24 h: assessment and correlates. 2008 , 26, 199-209		99
157	Long-acting nifedipine in the management of the hypertensive patient. <i>Vascular Health and Risk Management</i> , 2008 , 4, 1249-57	4.4	20
156	Fixed combination lisinopril plus hydro-chlorothiazide in the treatment of essential arterial hypertension: an opened, multi-centre, prospective clinical trial. 2007 , 7, 377-82		4
155	Cardiovascular Risk Factors and Its Management. 2009 , 20, 71-78		
154	Hypertension. 96-101		
153	Management of hypertension in the elderly patient. 2009 , 4, 379-89		31
152	Blood pressure components and the risk for end-stage renal disease and death in chronic kidney disease. 2009 , 4, 830-7		84
151	Contemporary management of hypertension--how to optimize therapy. 2009 , 9, 181-92		1
150	Alterations of pulse pressure stimulate arterial wall matrix remodeling. 2009 , 131, 101011		18
149	Hypertension and peripheral arterial disease. 2009 , 23, 213-5		8
148	Four blood pressure indexes and the risk of stroke and myocardial infarction in Japanese men and women: a meta-analysis of 16 cohort studies. 2009 , 119, 1892-8		88
147	Prevalence, awareness, and management of hypertension, dyslipidemia, and diabetes among United States adults aged 65 and older. 2009 , 64, 256-63		167
146	Cardiovascular and metabolic predictors of progression of prehypertension into hypertension: the Strong Heart Study. <i>Hypertension</i> , 2009 , 54, 974-80	8.5	84

145	Blood pressure control in the elderly: can you have too much of a good thing?. 2009 , 11, 337-42	5
144	Long-term effect of calcium-vitamin D(3) fortified milk on blood pressure and serum lipid concentrations in healthy older men. 2009 , 63, 993-1000	42
143	Nonpharmacological approaches in the management of hypertension. 2009 , 21, 189-96	11
142	Treatment blood pressure targets for hypertension. 2009 , CD004349	97
141	Epidemiology of hypertension in the elderly. 2009 , 25, 179-89	12
140	Diastolic dysfunction as a link between hypertension and heart failure. 2009 , 93, 647-64	39
139	Primary and secondary prevention of cardiovascular disease in older adults: a status report. 2009 , 25, 745-55, x	9
138	Blood pressure-lowering effects of statins: who benefits?. 2009 , 27, 1478-84	18
137	Importance of Therapy Intensification and Medication Nonadherence for Blood Pressure Control in Patients With Coronary Disease. 2009 , 2009, 14-16	
136	Self-Measurement of Blood Pressure at Home Reduces the Need for Antihypertensive Drugs: A Randomized, Controlled Trial. 2009 , 2009, 54-55	
135	Altered Blood Pressure Progression in the Community and Its Relation to Clinical Events. 2009 , 2009, 101-102	
134	Biodemography: new approaches to understanding trends and differences in population health and mortality. 2010 , 47 Suppl, S41-64	75
133	Are there benefits of antihypertensive therapy beyond blood pressure lowering?. 2010 , 12, 440-7	4
132	Recent causes of subconjunctival hemorrhage. 2010 , 224, 133-7	34
131	Location and extent of subconjunctival hemorrhage. 2010 , 224, 90-5	11
130	Combination therapy for hypertension: focus on high-dose olmesartan medoxomil (40 mg) plus hydrochlorothiazide. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 2231-42	4 7
129	Antihypertensive treatment in the elderly. 2011 , 53, 40-43	1
128	Hypertension in diverse populations: a New York State Medicaid clinical guidance document. 2011 , 5, 208-29	15

127	Microvascular brain damage with aging and hypertension: pathophysiological consideration and clinical implications. 2011 , 29, 1469-77	101
126	[Investigation of the factors that contribute to the onset of insomnia in hypertensive patients by using a post-marketing surveillance database]. 2011 , 131, 669-77	3
125	Blood pressure trajectories prior to death in patients with diabetes. 2011 , 34, 1534-9	15
124	Systolic blood pressure, socioeconomic status, and biobehavioral risk factors in a nationally representative US young adult sample. <i>Hypertension</i> , 2011 , 58, 161-6	8.5 85
123	Level of systolic blood pressure within the normal range and risk of recurrent stroke. 2011 , 306, 2137-44	161
122	Age-dependent association of the polymorphisms in the mitochondria-shaping gene, OPA1, with blood pressure and hypertension in Korean population. 2011 , 24, 1127-35	23
121	Fetal origin of vascular aging. 2011 , 15 Suppl 4, S289-97	8
120	Loneliness accentuates age differences in cardiovascular responses to social evaluative threat. 2012 , 27, 190-8	34
119	Systolic blood pressure and adiposity: examination by race and gender in a nationally representative sample of young adults. 2012 , 25, 140-4	5
118	The older patient with hypertension: care and cure. 2012 , 3, 231-6	13
117	Cardiology in Family Practice. 2012 ,	3
116	Association of blood pressure in late adolescence with subsequent mortality: cohort study of Swedish male conscripts. 2012 , 2012, 51-53	
115	Clarifying the role of preoperative β blockade in pheochromocytoma?. 2012 , 30, 1045; author reply 1046	1
114	The association of educational attainment and SBP among older community-living adults: the Maintenance of Balance, Independent Living, Intellect and Zest in the Elderly (MOBILIZE) Boston Study. 2012 , 30, 1518-25	6
113	Clarifying the role of preoperative β blockade in pheochromocytoma?. 2012 , 30, 1046	
112	Why adjustment for current weight can bias the estimate of the effect of birth weight on blood pressure: shedding light using causal graphs. 2012 , 30, 1042-5	10
111	An unusual case of systolic hypertension associated with ticlopidine treatment. 2012 , 30, 1041-2	0
110	Reliability of palpation of the radial artery compared with auscultation of the brachial artery in measuring SBP. 2012 , 2012, 342-345	

109	Reliability of palpation of the radial artery compared with auscultation of the brachial artery in measuring SBP. 2012 , 2012, 82-84	
108	Association of blood pressure in late adolescence with subsequent mortality: cohort study of Swedish male conscripts. 2012 , 2012, 341-342	
107	Differences in mean and variability of heart rate and ambulatory rate-pressure product when valsartan or carvedilol is added to lisinopril. 2012 , 6, 399-404	6
106	The effect of the introduction of a standard monitoring protocol on the investigations performed on the metabolic control of type 2 diabetes at Addington Hospital Medical Outpatients Department, Durban, South Africa. 2012 , 54, 151-155	
105	Mechanical buckling of artery under pulsatile pressure. 2012 , 45, 1192-8	29
104	Isolated systolic hypertension. 2012 , 476-480	
103	Evaluation of accuracy of rastreometer: a new equipment for hypertension tracking. 2012 , 98, 151-60	
102	Severe acute hypertension among inpatients admitted from the emergency department. 2012 , 7, 203-10	11
101	Baseline medication adherence and blood pressure in a 24-month longitudinal hypertension study. 2012 , 21, 1401-6	16
100	A 3-year follow-up study on the risk of stroke among patients with conjunctival haemorrhage. 2013 , 91, 226-30	5
99	Artery buckling: new phenotypes, models, and applications. 2013 , 41, 1399-410	59
98	Hypertension in the elderly: unique challenges and management. 2013 , 29, 593-609	14
97	Epidemiology of Hypertension. 2013 , 1-11	2
96	The Grandchildren Received Affection Scale: Examining Affectual Solidarity Factors. 2013 , 78, 70-90	37
95	Models for estimating the biological age of five organs using clinical biomarkers that are commonly measured in clinical practice settings. 2013 , 75, 253-60	16
94	College Students' Mental Health and Their Received Affection From Their Grandparents. 2013 , 30, 157-168	37
93	Design and methodology of POWER, an open-label observation of the effect of primary care interventions on total cardiovascular risk in patients with hypertension. 2013 , 27, 210-5	6
92	A comparison of two ambulatory blood pressure monitors worn at the same time. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 321-5	2.3 14

91	Further Validity Tests of the Grandchildren's Received Affection Scale. 2013 , 30, 201-210		20
90	Predictors of uncontrolled hypertension in the Stroke Belt. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 562-9	2,3	21
89	Physical and Biological Indicators of Health and Functioning in U.S. Oldest Old. 2013 , 33, 193-215		4
88	Association of severe obstructive sleep apnea and elevated blood pressure despite antihypertensive medication use. 2014 , 10, 835-43		63
87	Hypertension in Older Adults-Geriatrician Point of View. 2014 , 03,		
86	Prevalence and changes of untreated isolated systolic hypertension among non-Hispanic black adults in the United States. <i>Hypertension Research</i> , 2014 , 37, 685-91	4-7	6
85	An almond-enriched diet increases plasma Etcopherol and improves vascular function but does not affect oxidative stress markers or lipid levels. 2014 , 48, 599-606		24
84	Pathogenesis of drug-resistant hypertension. 2014 , 34, 506-13		12
83	Randomized controlled trial of a multipronged intervention to improve blood pressure control among stroke survivors in Nigeria. 2014 , 9, 1109-16		21
82	Characteristics of hypertension subtypes and treatment outcome among elderly Korean hypertensives. 2014 , 8, 246-53		4
81	Brachial vs. central systolic pressure and pulse wave transmission indicators: a critical analysis. 2014 , 27, 1433-42		31
80	Relationship between psychosocial stress and hypertension among Ghanaians in Amsterdam, the Netherlands--the GHAIA study. 2014 , 14, 692		19
79	Biological Health Risks and Economic Development. 2015 ,		
78	Real-world effectiveness of amlodipine/valsartan and amlodipine/valsartan/hydrochlorothiazide in high-risk patients and other subgroups. <i>Vascular Health and Risk Management</i> , 2015 , 11, 71-8	4-4	4
77	Knowledge, Awareness and Self-Care Practices of Hypertension Among Cardiac Hypertensive Patients. 2015 , 8, 9-19		12
76	Reactivity to a Spouse's Interpersonal Suffering in Late Life Marriage: A Mixed-Methods Approach. 2015 , 27, 939-61		2
75	Prevalence and trends of isolated systolic hypertension among untreated adults in the United States. 2015 , 9, 197-205		54
74	A Systematic Review of Community Pharmacists' Interventions in Reducing Major Risk Factors for Cardiovascular Disease. 2015 , 7, 9-21		21

73	Future Treatment of Hypertension: Shifting the Focus from Blood Pressure Lowering to Arterial Stiffness Modulation?. 2015 , 17, 67		19
72	Vascular Health in American Football Players: Cardiovascular Risk Increased in Division III Players. 2016 , 2016, 6851256		7
71	Health Insurance Coverage and Hypertension Control in China: Results from the China Health and Nutrition Survey. <i>PLoS ONE</i> , 2016 , 11, e0152091	3.7	18
70	Trajectories of Risk Factors and Risk of New-Onset Atrial Fibrillation in the Framingham Heart Study. <i>Hypertension</i> , 2016 , 68, 597-605	8.5	28
69	Improved lipids, diastolic pressure and kidney function are potential contributors to familial longevity: a study on 60 Chinese centenarian families. <i>Scientific Reports</i> , 2016 , 6, 21962	4.9	10
68	Biological Health Risks and Economic Development. 2016 , 453-484		1
67	Cannabis use and blood pressure levels: United States National Health and Nutrition Examination Survey, 2005-2012. 2016 , 34, 1507-12		46
66	Relationships Between Current and Past Binge Drinking and Systolic Blood Pressure in Young Adults. 2016 , 58, 352-7		23
65	Efficacy and Safety of Crystalline Valsartan/Sacubitril (LCZ696) Compared With Placebo and Combinations of Free Valsartan and Sacubitril in Patients With Systolic Hypertension: The RATIO Study. 2017 , 69, 374-381		28
64	Affectionate Communication Is Associated With Emotional and Relational Resources in the Grandparent-Grandchild Relationship. 2017 , 15, 85-103		27
63	Isolated Systolic Hypertension in Young Individuals: Pathophysiological Mechanisms, Prognostic Significance, and Clinical Implications. 2017 , 24, 133-139		15
62	Gardening Intervention as a Low- to Moderate-Intensity Physical Activity for Improving Blood Lipid Profiles, Blood Pressure, Inflammation, and Oxidative Stress in Women over the Age of 70: A Pilot Study. 2017 , 52, 200-205		19
61	Prevalence of high blood pressure subtypes and its associations with BMI in Chinese children: a national cross-sectional survey. 2017 , 17, 598		22
60	KĪHOLO Project: a protocol for a randomized controlled trial of a native cultural dance program for cardiovascular disease prevention in Native Hawaiians. 2017 , 17, 321		13
59	Is Chinese herbal medicine effective for elderly isolated systolic hypertension? A systematic review and meta-analysis. 2017 , 23, 298-305		6
58	Models for estimating the metabolic syndrome biological age as the new index for evaluation and management of metabolic syndrome. 2017 , 12, 253-261		7
57	Agreement between finger plethysmography- and brachial oscillometry-derived blood pressure measurements. 2018 , 38, 439-446		2
56	Nuclear magnetic resonance-based metabolomics identifies phenylalanine as a novel predictor of incident heart failure hospitalisation: results from PROSPER and FINRISK 1997. 2018 , 20, 663-673		29

55	Cardiovascular risk profiling of long-lived people shows peculiar associations with mortality compared with younger individuals. 2019 , 19, 165-170		4
54	Isolated systolic hypertension of the young and its association with central blood pressure in a large multi-ethnic population. The HELIUS study. 2018 , 25, 1351-1359		12
53	General Population and Global Cardiovascular Risk Prediction. 2018 , 1-14		
52	Effect of Systolic and Diastolic Blood Pressure on Cardiovascular Outcomes. 2019 , 381, 243-251		165
51	Impact of community based screening for hypertension on blood pressure after two years: regression discontinuity analysis in a national cohort of older adults in China. 2019 , 366, 14064		22
50	70-year legacy of the Framingham Heart Study. 2019 , 16, 687-698		63
49	Randomized Trial of an Intervention to Improve Blood Pressure Control in Stroke Survivors. 2019 , 12, e005904		11
48	Serious adverse events in patients with target-oriented blood pressure management: a systematic review. 2019 , 37, 2135-2144		7
47	Barriers to blood pressure control initiatives: Regional diversity, inadequate measurement techniques, guideline inconsistencies, and health disparities. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 204-207	2.3	
46	Mediterranean-Style Diet Improves Systolic Blood Pressure and Arterial Stiffness in Older Adults. <i>Hypertension</i> , 2019 , 73, 578-586	8.5	46
45	Central blood pressure and pulse wave velocity in young and middle-aged Japanese adults with isolated systolic hypertension. <i>Hypertension Research</i> , 2020 , 43, 207-212	4.7	4
44	Descriptive Cross-Sectional Study on Knowledge, Awareness, and Adherence to Medication among Hypertensive Patients at a Tertiary Care Centre in Colombo District, Sri Lanka. 2020 , 2020, 1320109		1
43	Indian guidelines on hypertension-IV (2019). 2020 , 34, 745-758		24
42	Treatment strategies for isolated systolic hypertension in elderly patients. <i>Expert Opinion on Pharmacotherapy</i> , 2020 , 21, 1713-1723	4	2
41	Effective coverage for hypertension treatment among middle-aged adults and the older population in China, 2011 to 2013: A nationwide longitudinal study. <i>Journal of Global Health</i> , 2020 , 10, 010805	4.3	3
40	Descriptive cross-sectional study on knowledge, awareness and adherence to medication among hypertensive patients in a tertiary care center, Eastern Sri Lanka. <i>SAGE Open Medicine</i> , 2021 , 9, 20503121211012497	2.4	0
39	Analysis of Systolic Blood Pressure via Machine Learning. <i>Asset Analytics</i> , 2021 , 277-291	0.3	
38	A comparison of two Tai Chi interventions tailored for different health outcomes. <i>Complementary Therapies in Medicine</i> , 2021 , 59, 102731	3.5	

37	Prescription pattern and blood pressure control among patients on antihypertensive medications attending a tertiary hospital in Lagos: A cross-sectional study. <i>Nigerian Journal of Basic and Clinical Sciences</i> , 2021 , 18, 9	0.2	1
36	Hypertension As a Risk Factor for Stroke. 2004 , 35-50		1
35	The Importance of Hypertension in the Geriatric Population. 2005 , 3-9		1
34	Systolic vs diastolic blood pressure: community burden and impact on blood pressure staging.		1
33	Differences in knowledge, attitude and behavior with respect to hypertension among cardiologists, neurologists and other physicians in internal medicine. <i>Hypertension Research</i> , 2001 , 24, 459-62	4.7	5
32	Salt Reduction Interventions in Sub-Saharan Africa: A Systematic Review. <i>PLoS ONE</i> , 2016 , 11, e0149680	3.7	18
31	Angiotensin II antagonists: clinical experience in the treatment of hypertension, prevention of cardiovascular outcomes and renal protection in diabetic nephropathy and proteinuria. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2006 , 50, 327-33		3
30	Olmesartan medoxomil combined with hydrochlorothiazide for the treatment of hypertension. <i>Vascular Health and Risk Management</i> , 2006 , 2, 401-9	4.4	17
29	Undiagnosed Isolated Systolic and Diastolic Hypertension Subtypes and Their Correlates in Bangladesh: A Nationwide Survey. <i>Osong Public Health and Research Perspectives</i> , 2019 , 10, 12-19	6.1	6
28	Prehypertension: Underlying pathology and therapeutic options. <i>World Journal of Cardiology</i> , 2014 , 6, 728-43	2.1	12
27	The prevalence and heterogeneity of prehypertension: a meta-analysis and meta-regression of published literature worldwide. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 44-50	0.7	14
26	Higher hemoglobin levels are an independent risk factor for adverse metabolism and higher mortality in a 20-year follow-up. <i>Scientific Reports</i> , 2021 , 11, 19936	4.9	1
25	Hypertension in the Elderly. 2005 , 579-586		
24	Heart Failure in Hypertension. 2007 , 340-350		
23	Hypertension in the Elderly. 2007 , 457-467		
22	Decisions for Management of High Blood Pressure: A Perspective. 2008 , 567-574		
21	Hypertension in the elderly: Are we all on the same wavelength?. <i>World Journal of Cardiology</i> , 2011 , 3, 263-6	2.1	
20	Exercise. 2011 , 567-582		

19	Hypertension. 2012 , 81-90		
18	Hypertension in Older Patients. 2013 , 349-355		
17	Hemodynamics. 2013 , 48-64		
16	Cocaine addiction severity exacerbates the negative association of lifetime lead exposure with blood pressure levels: Evidence from a pilot study. <i>Environmental Disease</i> , 2019 , 4, 75-80	0.2	
15	Calcium channel blockers, angiotensin receptor blockers, and angiotensin-converting enzyme inhibitors: effectiveness in combination with diuretics or beta-blockers for treating hypertension. <i>Vascular Health and Risk Management</i> , 2007 , 3, 579-85	4.4	8
14	Control of hypertension in eastern saudi arabia: results of screening campaign. <i>Journal of Family and Community Medicine</i> , 2009 , 16, 19-25	2	5
13	Managing hypertension in the elderly: a common chronic disease with increasing age. <i>American Health and Drug Benefits</i> , 2012 , 5, 146-53	1.7	9
12	Self-management approaches among hypertensive residents in nursing homes in Malaysia. <i>Malaysian Family Physician</i> , 2017 , 12, 8-17	0.5	1
11	Hypertension curriculum review. The importance of systolic blood pressure elevation in elderly persons. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 461-5	2.3	2
10	Comparative analysis of the association between traditional and lipid-related obesity indicators and isolated systolic hypertension : Association of obesity indicators with ISH.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 119	2.3	0
9	Isolated Diastolic Hypertension and Risk of Cardiovascular Disease: Controversies in Hypertension - Pro Side of the Argument. <i>Hypertension</i> , 2022 , 79, 1563-1570	8.5	0
8	Effect of Financial Incentives on Hypertension Control: A Multicenter Randomized Controlled Trial in China. 2022 , 79, 2202-2211		1
7	Evaluation and Treatment of Essential Hypertension: An Update. 2022 , 21, 284-295		0
6	Prevalence of Undiagnosed Hypertension and Its Predictors in Jordan: A Cross-Sectional Study. Volume 15, 7919-7928		0
5	Age-specific associations between environmental factors and epistaxis. 10,		0
4	Investigating the causal mediating effect of type 2 diabetes on the relationship between traits and systolic blood pressure: A two-step Mendelian randomization study. 13,		0
3	Hipertansif Hastalarda Angiotensin Tip 1 Respti Blokleri ile Tedavi Etkisinin Egzersiz Doku Doppler Ekokardiyografik Parametrelerle DeBirlendirilmesi.		0
2	Treatment of hypertension in elderly. 2022 , 19, 79-89		0

1 Increased arterial stiffness and accelerated atherosclerosis in Takayasu arteritis. **2023**, 60, 152199

o