

Are there two types of malnutrition in chronic renal failure
between malnutrition, inflammation and atherosclerosis?

Nephrology Dialysis Transplantation

15, 953-960

DOI: [10.1093/ndt/15.7.953](https://doi.org/10.1093/ndt/15.7.953)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Low dosages of bromocriptine added to levodopa in Parkinson's disease. <i>Neurology</i> , 1985, 35, 199-199.	1.5	76
2	The Microinflammatory State of Uremia. <i>Blood Purification</i> , 2000, 18, 327-332.	0.9	26
3	Elevated serum levels of soluble adhesion molecules predict death in pre-€dialysis patients: association with malnutrition, inflammation, and cardiovascular disease. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1624-1630.	0.4	155
4	New Strategies for Management of Malnutrition in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2000, 20, 271-275.	1.1	5
5	Biocompatibility of New Peritoneal Dialysis Solutions: What Can We Hope to Achieve?. <i>Peritoneal Dialysis International</i> , 2000, 20, 57-67.	1.1	36
6	Hand-grip muscle strength, lean body mass, and plasma proteins as markers of nutritional status in patients with chronic renal failure close to start of dialysis therapy. <i>American Journal of Kidney Diseases</i> , 2000, 36, 1213-1225.	2.1	241
7	Growth factors in the treatment of wasting in kidney failure. , 2001, 11, 62-66.		7
8	The role of inflammation in the anaemia of end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 36-40.	0.4	108
9	Anorexia in end-stage renal disease: pathophysiology and treatment. <i>Expert Opinion on Pharmacotherapy</i> , 2001, 2, 1825-1838.	0.9	27
10	Endothelial dysfunction marker von Willebrand factor antigen in haemodialysis patients: associations with pre-€dialysis blood pressure and the acute phase response. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 1442-1447.	0.4	42
11	Why Is Muscle Protein Synthesis, But Not Whole Body Protein Synthesis, Reduced in CRF Patients?. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 280, E197-E197.	1.8	10
12	<i>Helicobacter Pylori</i> Infection: A New Cause of Anorexia in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2001, 21, 152-156.	1.1	44
13	Malnutrition, Inflammation, and Atherosclerosis in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2001, 21, 157-162.	1.1	94
14	Unmet Clinical Needs in Dialysis: What Can We Do?. , 2001, 133, 1-9.		1
15	Inflammatory and Atherosclerotic Interactions in the Depleted Uremic Patient. <i>Blood Purification</i> , 2001, 19, 53-61.	0.9	183
16	Risk Factors for Cardiovascular Disease in Children on Maintenance Dialysis. <i>Advances in Chronic Kidney Disease</i> , 2001, 8, 180-190.	2.2	19
18	Association between renal insufficiency and malnutrition in older adults: Results from the NHANES III. <i>Kidney International</i> , 2001, 60, 1867-1874.	2.6	96
19	Coronary artery disease in uremia: Etiology, diagnosis, and therapy. <i>Kidney International</i> , 2001, 60, 2059-2078.	2.6	91

#	ARTICLE	IF	CITATIONS
20	Relative contributions of nutrition and inflammation to clinical outcome in dialysis patients. American Journal of Kidney Diseases, 2001, 38, 1343-1350.	2.1	251
21	Oral supplementation of branched-chain amino acid improves nutritional status in elderly patients on chronic haemodialysis. Nephrology Dialysis Transplantation, 2001, 16, 1856-1862.	0.4	144
23	Pathogenesis and management of malnutrition in chronic peritoneal dialysis patients. Nephrology Dialysis Transplantation, 2001, 16, 111-113.	0.4	6
24	Malnutrition and Chronic Inflammation as Risk Factors for Cardiovascular Disease in Chronic Renal Failure. Blood Purification, 2001, 19, 143-151.	0.9	134
25	Inflammation, serum C-reactive protein, and erythropoietin resistance. Nephrology Dialysis Transplantation, 2001, 16, 224-227.	0.4	91
26	Significance of high C-reactive protein levels in pre-dialysis patients. Nephrology Dialysis Transplantation, 2002, 17, 1105-1109.	0.4	74
27	The inflammatory response and epoetin sensitivity. Nephrology Dialysis Transplantation, 2002, 17, 48-52.	0.4	159
28	Effect of Hemodialysis on Plasma Levels of Vascular Endothelial Markers. Clinical and Applied Thrombosis/Hemostasis, 2002, 8, 245-250.	0.7	11
29	The malnutrition, inflammation, and atherosclerosis (MIA) syndrome - the heart of the matter. Nephrology Dialysis Transplantation, 2002, 17, 28-31.	0.4	473
30	Inflammation in end-stage renal failure: could it be treated?. Nephrology Dialysis Transplantation, 2002, 17, 33-38.	0.4	135
31	Nutritional status in dialysis patients: a European consensus. Nephrology Dialysis Transplantation, 2002, 17, 563-572.	0.4	206
32	Anaemia, rHuEPO resistance, and cardiovascular disease in end-stage renal failure; links to inflammation and oxidative stress. Nephrology Dialysis Transplantation, 2002, 17, 32-37.	0.4	82
33	Cardiac effects of chronic inflammation in dialysis patients. Nephrology Dialysis Transplantation, 2002, 17, 10-15.	0.4	38
34	Appendix: Quality assurance process. Nephrology Dialysis Transplantation, 2002, 17, 60-62.	0.4	30
35	Free amino acids in plasma, red blood cells, polymorphonuclear leukocytes, and muscle in normal and uraemic children. Nephrology Dialysis Transplantation, 2002, 17, 413-421.	0.4	42
36	Triad of Malnutrition, Inflammation, and Atherosclerosis in Hemodialysis Patients. Nephron, 2002, 91, 456-462.	0.9	25
37	Introduction: Molecular Topics in Dialysis. Nephrology Dialysis Transplantation, 2002, 17, 3-4.	0.4	54
38	Cytokine Production in Standard Hemodialysis with a New Polyethersulfone Membrane: A Cross-Over Study. , 2002, 138, 80-87.		2

#	ARTICLE	IF	CITATIONS
39	A new approach to classifying malnutrition in the hemodialysis patient. , 2002, 12, 248-255.		10
40	Nutritional Status in Peritoneal Dialysis: Studies in Body Composition, Lipoprotein Metabolism and Peritoneal Function. Scandinavian Journal of Urology and Nephrology, 2002, 36, 7-31.	1.4	3
41	Beyond Canusa, DOQI, Ademex: What's Next?. Peritoneal Dialysis International, 2002, 22, 555-562.	1.1	27
42	Selected Growth Factors in Peritoneal Dialysis: Their Relationship to Markers of Inflammation, Dialysis Adequacy, Residual Renal Function, and Peritoneal Membrane Transport. Peritoneal Dialysis International, 2002, 22, 670-676.	1.1	35
43	Intravenous Iron: The Iatrogenic Kick to Lose Control over Oxygen?. Kidney and Blood Pressure Research, 2002, 25, 284-288.	0.9	4
44	Elevated interleukin-6 predicts progressive carotid artery atherosclerosis in dialysis patients: Association with Chlamydia pneumoniae seropositivity. American Journal of Kidney Diseases, 2002, 39, 274-282.	2.1	181
45	Low TGF- β 1 serum levels are a risk factor for atherosclerosis disease in ESRD patients. Kidney International, 2002, 61, 324-335.	2.6	74
46	Association between interleukin-6 and carotid atherosclerosis in hemodialysis patients. Kidney International, 2002, 61, 1143-1152.	2.6	74
47	Effects of feeding on albumin synthesis in hypoalbuminemic hemodialysis patients. Kidney International, 2002, 62, 266-271.	2.6	6
48	Oxidative stress in hemodialysis patients: Is NADPH oxidase complex the culprit?. Kidney International, 2002, 61, S109-S114.	2.6	62
49	Congestive Heart Failure Due to Systolic Dysfunction: The Cinderella of Cardiovascular Management in Dialysis Patients. Seminars in Dialysis, 2002, 15, 135-140.	0.7	31
50	Imaging in the Dialysis Patient: Dialysis Therapies for End-Stage Renal Disease. Seminars in Dialysis, 2002, 15, 220-226.	0.7	14
51	The extracellular fluid-to-intracellular fluid volume ratio is associated with large-artery structure and function in hemodialysis patients. American Journal of Kidney Diseases, 2003, 42, 990-999.	2.1	56
52	Malnutrition-inflammation complex syndrome in dialysis patients: causes and consequences. American Journal of Kidney Diseases, 2003, 42, 864-881.	2.1	823
53	Hyperhomocysteinemia and its relationship to cardiovascular disease in ESRD: Influence of hypoalbuminemia, malnutrition, inflammation, and diabetes mellitus. American Journal of Kidney Diseases, 2003, 41, S89-S95.	2.1	47
54	A 3-year, prospective, randomized, controlled study on amino acid dialysate in patients on CAPD. American Journal of Kidney Diseases, 2003, 42, 173-183.	2.1	102
55	Association between inflammatory mediators and muscle mass in long-term hemodialysis patients. American Journal of Kidney Diseases, 2003, 42, 295-302.	2.1	144
56	Effect of malnutrition-inflammation complex syndrome on EPO hyporesponsiveness in maintenance hemodialysis patients. American Journal of Kidney Diseases, 2003, 42, 761-773.	2.1	246

#	ARTICLE	IF	CITATIONS
57	Reverse epidemiology of cardiovascular risk factors in maintenance dialysis patients. <i>Kidney International</i> , 2003, 63, 793-808.	2.6	1,022
58	Genetic approaches in the clinical investigation of complex disorders: Malnutrition, inflammation, and atherosclerosis (MIA) as a prototype. <i>Kidney International</i> , 2003, 63, S162-S167.	2.6	26
59	Malnutrition and inflammation in peritoneal dialysis patients. <i>Kidney International</i> , 2003, 64, S87-S91.	2.6	25
60	Serum albumin concentration in dialysis patients: Why does it remain resistant to therapy?. <i>Kidney International</i> , 2003, 64, S92-S98.	2.6	62
61	Oxidant Stress in Hemodialysis Patients: What Are the Determining Factors?. <i>Artificial Organs</i> , 2003, 27, 230-236.	1.0	68
62	C-reactive protein as a cardiovascular risk factor and its therapeutic implications in end-stage renal disease patients. <i>Nephrology</i> , 2003, 8, S40-S44.	0.7	12
63	Inflammation and nutrition in renal insufficiency. <i>Advances in Chronic Kidney Disease</i> , 2003, 10, 155-169.	2.2	97
64	Leptin, ghrelin, and proinflammatory cytokines: compounds with nutritional impact in chronic kidney disease?. <i>Advances in Chronic Kidney Disease</i> , 2003, 10, 332-345.	2.2	40
65	Anaemia and inflammation: what are the implications for the nephrologist?. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 17viii-22.	0.4	31
66	The effect of convection on the nutritional status of haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 46vii-49.	0.4	12
67	Is malnutrition an independent predictor of mortality in peritoneal dialysis patients?. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 2134-2140.	0.4	62
68	Effects of dietary protein on renal function and lipid metabolism in five-sixths nephrectomized rats. <i>British Journal of Nutrition</i> , 2003, 89, 491-497.	1.2	16
69	Influence of Peritoneal Transport Rate, Inflammation, and Fluid Removal on Nutritional Status and Clinical Outcome in Prevalent Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2003, 23, 174-183.	1.1	101
70	Nutritional Problems of Asian Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2003, 23, 58-64.	1.1	10
71	Tissue Factor, Its Pathway Inhibitor, and Metabolic Disturbances in Long-Term Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2003, 26, 368-375.	0.9	9
72	An Association between Aortic Pulse Wave Velocity, Blood Pressure and Chronic Inflammation in ESRD Patients on Peritoneal Dialysis. <i>International Journal of Artificial Organs</i> , 2003, 26, 188-195.	0.7	30
73	Truncal fat mass as a contributor to inflammation in end-stage renal disease. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1222-1229.	2.2	187
74	Determinants of Peritoneal Solute Transport Rates in Newly Started Nondiabetic Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2004, 24, 554-561.	1.1	56

#	ARTICLE	IF	CITATIONS
75	Changes in Water Transport across the Peritoneum during Treatment with Continuous Ambulatory Peritoneal Dialysis in Selected Patients with and without Peritonitis. <i>Peritoneal Dialysis International</i> , 2004, 24, 571-579.	1.1	3
76	Impairment of small intestinal protein assimilation in patients with end-stage renal disease: extending the malnutrition-inflammation-atherosclerosis concept. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1536-1543.	2.2	62
77	Albumina sérica como marcador nutricional de pacientes em hemodiálise. <i>Revista De Nutricao</i> , 2004, 17, 339-349.	0.4	32
78	Effect of an Increase in C-Reactive Protein Level during a Hemodialysis Session on Mortality. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2916-2922.	3.0	81
79	Malnutrition and Atherosclerosis in Dialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 733-742.	3.0	66
80	Malnutrition and inflammation are associated with impaired pulmonary function in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1823-1828.	0.4	40
81	Association between C-Reactive Protein Levels and N-Terminal Pro-B-Type Natriuretic Peptide in Pre-Dialysis Patients. <i>Nephron Clinical Practice</i> , 2004, 97, c125-c130.	2.3	45
82	The Role of Oxidative Stress-Altered Lipoprotein Structure and Function and Microinflammation on Cardiovascular Risk in Patients with Minor Renal Dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 538-548.	3.0	164
83	Serum ferritin levels are increased in patients with glomerular diseases and proteinuria. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2754-2760.	0.4	34
84	Phospholipid plasmalogen, a surrogate marker of oxidative stress, is associated with increased cardiovascular mortality in patients on renal replacement therapy. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 972-976.	0.4	69
86	Effect of recombinant human erythropoietin on inflammatory status in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, v46-v53.	0.4	5
87	Could anti-inflammatory cytokine therapy improve poor treatment outcomes in dialysis patients?. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, v73-v78.	0.4	27
88	Wasting, but not malnutrition, predicts cardiovascular mortality in end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2181-2183.	0.4	93
89	The prognostic impact of fluctuating levels of C-reactive protein in Brazilian haemodialysis patients: a prospective study. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2803-2809.	0.4	64
90	Chronic Systemic Inflammation in Dialysis Patients: An Update on Causes and Consequences. <i>ASAIO Journal</i> , 2004, 50, lii-lvii.	0.9	54
91	Comparing outcome predictability of markers of malnutrition-inflammation complex syndrome in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1507-1519.	0.4	228
92	Atherosclerosis and Folic Acid Supplementation Trial: Untangling the web of cardiac risk in chronic kidney disease. <i>Nephrology</i> , 2004, 9, 112-113.	0.7	3
93	Inflammation as a cause of malnutrition, atherosclerotic cardiovascular disease, and poor outcome in hemodialysis patients. <i>Hemodialysis International</i> , 2004, 8, 118-129.	0.4	66

#	ARTICLE	IF	CITATIONS
94	<i>Opinion</i>: What Common Practices in Dialysis Units Can Be Altered to Improve Patient Care?. Seminars in Dialysis, 2004, 17, 12-13.	0.7	2
95	What Common Practices in Dialysis Units Can Be Altered to Improve Patient Care?. Seminars in Dialysis, 2004, 17, 13-15.	0.7	0
96	What Common Practices in Dialysis Units Can Be Altered to Improve Patient Care?. Seminars in Dialysis, 2004, 17, 16-17.	0.7	0
97	What Common Practices in Dialysis Units Can Be Altered to Improve Patient Care?. Seminars in Dialysis, 2004, 17, 18-19.	0.7	0
98	What Common Practices in Dialysis Units Can Be Altered to Improve Patient Care?. Seminars in Dialysis, 2004, 17, 19-21.	0.7	0
99	Hypothesis: The Body Mass Index Paradox and an Obesity, Inflammation, and Atherosclerosis Syndrome in Chronic Kidney Disease. Seminars in Dialysis, 2004, 17, 229-232.	0.7	90
100	POOR NUTRITIONAL STATUS AND INFLAMMATION: Novel Approaches in an Integrated Therapy of Inflammatory-Associated Wasting in End-Stage Renal Disease. Seminars in Dialysis, 2004, 17, 505-515.	0.7	44
101	POOR NUTRITIONAL STATUS AND INFLAMMATION: Ultrapure Dialysate. Seminars in Dialysis, 2004, 17, 489-497.	0.7	51
102	Peritoneal Protein and Albumin Excretion as Markers of Cardiovascular Risk and Systemic Endothelial Dysfunction. Hong Kong Journal of Nephrology, 2004, 6, 31-37.	0.0	5
103	Protein malnutrition and hypoalbuminemia as predictors of vascular events and mortality in ESRD. American Journal of Kidney Diseases, 2004, 43, 61-66.	2.1	152
104	Transperitoneal water transport before, during, and after episodes with infectious peritonitis in patients treated with CAPD. American Journal of Kidney Diseases, 2004, 43, 485-491.	2.1	16
105	Body composition and cardiovascular risk factors in pretransplant hemodialysis patients. Clinical Nutrition, 2004, 23, 363-372.	2.3	20
106	Eating Behavior Disorders in Uremia: A Question of Balance in Appetite Regulation. Seminars in Dialysis, 2004, 17, 44-52.	0.7	68
107	Traditional and non-traditional risk factors as contributors to atherosclerotic cardiovascular disease in end-stage renal disease. Scandinavian Journal of Urology and Nephrology, 2004, 38, 405-416.	1.4	114
108	Outcome research, nutrition, and reverse epidemiology in maintenance dialysis patients. , 2004, 14, 64-71.		39
109	Roles of metabolic and endocrinological alterations in atherosclerosis and cardiovascular disease in renal failure: Another form of metabolic syndrome. Seminars in Nephrology, 2004, 24, 423-425.	0.6	16
110	Nutritional status and oxidative processes in diabetic and nondiabetic peritoneal dialysis patients. , 2004, 14, 242-247.		7
111	Nutritional profile of patients with chronic renal failure. , 2004, 14, 97-100.		14

#	ARTICLE	IF	CITATIONS
112	The role of interleukin-6 and of its soluble receptors in the biocompatibility of dialysis treatment. <i>Seminars in Nephrology</i> , 2004, 24, 492-494.	0.6	8
113	Secondary hyperparathyroidism: Review of the disease and its treatment. <i>Clinical Therapeutics</i> , 2004, 26, 1976-1993.	1.1	75
114	MÃ©tabolisme protÃ©ique et insuffisance rÃ©nale chronique. <i>EMC - Nephrologie</i> , 2004, 1, 2-15.	0.0	3
115	Clinical consequences of intermittent elevation of C-reactive protein levels in hemodialysis patients. <i>Transplantation Proceedings</i> , 2004, 36, 38-40.	0.3	11
116	Association of helicobacter pylori infection with nutritional status in hemodialysis patients. <i>Transplantation Proceedings</i> , 2004, 36, 47-49.	0.3	28
117	Determinants and prognostic importance of cardiomegaly among new ESRD patients in the United States. <i>Annals of Epidemiology</i> , 2004, 14, 676-685.	0.9	6
118	Appetite and inflammation, nutrition, anemia, and clinical outcome in hemodialysis patients. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 299-307.	2.2	526
119	Nutritional status and oxidative processes in diabetic and nondiabetic peritoneal dialysis patients. , 2004, 14, 242-247.		15
120	Kidney insufficiency and nutrient-based modulation of inflammation. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005, 8, 388-396.	1.3	39
121	Cardiovascular Risk Factors in Hemodialysis Patients: Results from Baseline Data of Kaleidoscopic Approaches to Patients with End-stage Renal Disease Study. <i>Journal of Epidemiology</i> , 2005, 15, 96-105.	1.1	17
122	Recent Advances in Understanding the Malnutrition-Inflammation-Cachexia Syndrome in Chronic Kidney Disease Patients: What is Next?. <i>Seminars in Dialysis</i> , 2005, 18, 365-369.	0.7	127
123	Overproduction of reactive oxygen species in end-stage renal disease patients: A potential component of hemodialysis-associated inflammation. <i>Hemodialysis International</i> , 2005, 9, 37-46.	0.4	165
124	Renal Doppler resistance indices are associated with systemic atherosclerosis in kidney transplant recipients. <i>Kidney International</i> , 2005, 68, 878-885.	2.6	124
125	Hyporesponsiveness to erythropoietic therapy due to chronic inflammation. <i>European Journal of Clinical Investigation</i> , 2005, 35, 32-35.	1.7	132
126	Strong Association Between Volume Status and Nutritional Status in Peritoneal Dialysis Patients. <i>American Journal of Kidney Diseases</i> , 2005, 45, 891-902.	2.1	109
127	Malnutrition in Hemodialysis Patients: What Therapy?. <i>American Journal of Kidney Diseases</i> , 2005, 46, 371-386.	2.1	97
128	Chronic kidney disease and inflammation in pediatric patients: from bench to playground. <i>Pediatric Nephrology</i> , 2005, 20, 714-720.	0.9	39
129	The phenomenon of altered risk factor patterns or reverse epidemiology in persons with advanced chronic kidney failure1â€“5. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 1257-1266.	2.2	100

#	ARTICLE	IF	CITATIONS
130	Inflammation contributes to low plasma amino acid concentrations in patients with chronic kidney disease. American Journal of Clinical Nutrition, 2005, 82, 342-349.	2.2	72
131	Inflammation contributes to low plasma amino acid concentrations in patients with chronic kidney disease. American Journal of Clinical Nutrition, 2005, 82, 342-349.	2.2	60
132	Peritoneal Albumin Excretion is a Strong Predictor of Cardiovascular Events in Peritoneal Dialysis Patients: A Prospective Cohort Study. Peritoneal Dialysis International, 2005, 25, 445-452.	1.1	46
133	Glucose-Free Dialysis Solutions: Inductors of Inflammation or Preservers of Peritoneal Membrane?. Peritoneal Dialysis International, 2005, 25, 453-460.	1.1	77
134	Inflammation in Chronic Kidney Disease. , 2005, , 232-246.		0
135	Relevance of Procalcitonin Levels in Comparison to Other Markers of Inflammation in Hemodialysis Patients. Renal Failure, 2005, 27, 429-434.	0.8	4
136	Inflammation and resistance to erythropoiesis-stimulating agentsâ€”what do we know and what needs to be clarified?. Nephrology Dialysis Transplantation, 2005, 20, viii2-viii7.	0.4	56
137	Pathophysiological and clinical aspects of malnutrition in chronic renal failure. Nutrition Research Reviews, 2005, 18, 89-97.	2.1	10
138	In Vivo Modulation of Soluble â€œAntagonisticâ€•IL-6 Receptor Synthesis and Release in ESRD. Journal of the American Society of Nephrology: JASN, 2005, 16, 1099-1107.	3.0	27
140	Benefit of Glucose-Free Dialysis Solutions on Glucose and Lipid Metabolism in Peritoneal Dialysis Patients. Blood Purification, 2005, 23, 303-310.	0.9	39
141	The Pattern of Inflammation and a Potential New Clinical Meaning and Usefulness of C-Reactive Protein in End-Stage Renal Failure Patients. Kidney and Blood Pressure Research, 2005, 28, 55-61.	0.9	26
142	8 Nutrition in peritoneal dialysis. Nephrology Dialysis Transplantation, 2005, 20, ix28-ix33.	0.4	18
143	Serum albumin: a late-reacting negative acute-phase protein in clinically evident inflammation in dialysis patients. Nephrology Dialysis Transplantation, 2005, 20, 658-660.	0.4	20
144	L-carnitine infusions may suppress serum C-reactive protein and improve nutritional status in maintenance hemodialysis patients. , 2005, 15, 225-230.		62
145	Role of carnitine in modulating acute-phase protein synthesis in hemodialysis patients. , 2005, 15, 13-17.		17
146	Pathophysiology of Cardiovascular Disease and Renal Failure. Cardiology Clinics, 2005, 23, 311-317.	0.9	18
147	Relevance of Procalcitonin Levels in Comparison to Other Markers of Inflammation in Hemodialysis Patients. Renal Failure, 2005, 27, 429-434.	0.8	13
148	Altered relationship between body fat and plasma adiponectin in end-stage renal disease. Metabolism: Clinical and Experimental, 2005, 54, 330-334.	1.5	46

#	ARTICLE	IF	CITATIONS
149	C-reactive protein is a significant predictor of decrease in fat mass in hemodialysis patients. <i>Biomedicine and Pharmacotherapy</i> , 2005, 59, 264-268.	2.5	21
150	Adipose tissue and its relation to inflammation: The role of adipokines. , 2005, 15, 131-136.		108
151	Nutrition and Metabolism in Kidney Disease. <i>Seminars in Nephrology</i> , 2006, 26, 134-157.	0.6	56
152	Malnutritionâ€“Inflammationâ€“Atherosclerosis (MIA) Syndrome Components in Hemodialysis and Peritoneal Dialysis Patients. <i>Renal Failure</i> , 2006, 28, 287-294.	0.8	41
153	Hyperhomocysteinemia, Malnutrition, and Inflammation in ESRD Patients. <i>Seminars in Nephrology</i> , 2006, 26, 14-19.	0.6	6
154	Fuzzy role of hyperhomocysteinemia in hemodialysis patientsâ€™ mortality. <i>Biomedicine and Pharmacotherapy</i> , 2006, 60, 200-207.	2.5	6
155	Comparison of 1-Year Patient and Graft Survival Rates Between Preemptive and Dialysed Simultaneous Pancreas and Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2006, 38, 261-262.	0.3	18
156	Physiological Properties of the Peritoneum in an Adult Peritoneal Dialysis Population over a Three-Year Period. <i>Peritoneal Dialysis International</i> , 2006, 26, 482-489.	1.1	18
157	Extracellular Water Expansion: Part of the Malnutritionâ€“Inflammationâ€“Atherosclerosis Syndrome?. <i>Peritoneal Dialysis International</i> , 2006, 26, 566-570.	1.1	14
158	Leptin and Renal Disease. <i>Seminars in Dialysis</i> , 2006, 19, 54-59.	0.7	44
159	The kidney disease wasting: Inflammation, oxidative stress, and diet-gene interaction. <i>Hemodialysis International</i> , 2006, 10, 315-325.	0.4	41
160	Body fat mass and lean mass as predictors of survival in hemodialysis patients. <i>Kidney International</i> , 2006, 70, 549-556.	2.6	139
161	New insight of amino acid-based dialysis solutions. <i>Kidney International</i> , 2006, 70, S110-S114.	2.6	20
162	Inflammation and wasting in chronic kidney disease: Partners in crime. <i>Kidney International</i> , 2006, 70, S8-S13.	2.6	77
163	The Impact of New Comorbidities on Nutritional Status in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2006, 24, 517-523.	0.9	17
164	MIA Syndrome in Peritoneal Dialysis: Prevention and Treatment. , 2006, 150, 135-143.		11
165	Mechanisms of Disease: cytokine and adipokine signaling in uremic cachexia. <i>Nature Clinical Practice Nephrology</i> , 2006, 2, 527-534.	2.0	71
166	Intradialytic Oral Nutrition Improves Protein Homeostasis in Chronic Hemodialysis Patients with Deranged Nutritional Status. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 3149-3157.	3.0	145

#	ARTICLE	IF	CITATIONS
167	Inflammatory Marker but Not Adipokine Predicts Mortality among Long-Term Hemodialysis Patients. Mediators of Inflammation, 2007, 2007, 1-5.	1.4	17
168	A Cohort Study of Subjective Global Assessment and Mortality in Taiwanese Hemodialysis Patients. Renal Failure, 2007, 29, 997-1001.	0.8	19
169	Are PTH serum levels predictive of coronary calcifications in haemodialysis patients?. Nephrology Dialysis Transplantation, 2007, 22, 3262-3267.	0.4	54
170	Creatinine index and transthyretin as additive predictors of mortality in haemodialysis patients. Nephrology Dialysis Transplantation, 2007, 23, 345-353.	0.4	40
171	Carnitine-mediated improved response to erythropoietin involves induction of haem oxygenase-1: studies in humans and in an animal model. Nephrology Dialysis Transplantation, 2007, 23, 890-895.	0.4	22
172	Hyperleptinaemia and chronic inflammation after peritonitis predicts poor nutritional status and mortality in patients on peritoneal dialysis. Nephrology Dialysis Transplantation, 2007, 22, 1445-1450.	0.4	35
173	Associations between the CYBA 242C/T and the MPO 463G/A Polymorphisms, Oxidative Stress and Cardiovascular Disease in Chronic Kidney Disease Patients. Blood Purification, 2007, 25, 210-218.	0.9	20
174	Implications of Levels of Serum Mineral Metabolism Markers, Albumin and C-Reactive Protein for Treatment Costs of Patients on Maintenance Dialysis. Nephron Clinical Practice, 2007, 106, c17-c23.	2.3	1
175	Effect of N-Acetylcysteine on Endothelial Dysfunction in Dialysis Patients. Blood Purification, 2007, 25, 309-315.	0.9	34
176	Pigmentation Markers: More Color in the Picture of Uremic Toxicity?. Blood Purification, 2007, 25, 480-482.	0.9	1
177	Comparison of nutritional and inflammatory markers in dialysis patients with reduced appetite. American Journal of Clinical Nutrition, 2007, 85, 695-701.	2.2	202
178	Obese sarcopenia in patients with end-stage renal disease is associated with inflammation and increased mortality. American Journal of Clinical Nutrition, 2007, 86, 633-638.	2.2	246
179	Systemic Inflammation Induces Endothelial Dysfunction in Peritoneal Dialysis Patients. Vascular Disease Prevention, 2007, 4, 217-224.	0.2	3
180	What is a surrogate marker for optimal dialysis?. Hemodialysis International, 2007, 11, 478-484.	0.4	3
181	Inflammation and Inverse Associations of Body Mass Index and Serum Creatinine With Mortality in Hemodialysis Patients. , 2007, 17, 372-380.		39
182	Does Periodontal Disease Reflect Atherosclerosis in Continuous Ambulatory Peritoneal Dialysis Patients?. Journal of Periodontology, 2007, 78, 1926-1934.	1.7	31
183	Effects of folic acid and vitamin B complex on serum C-reactive protein and albumin levels in stable hemodialysis patients. Current Medical Research and Opinion, 2007, 23, 1879-1886.	0.9	18
184	Role of Adipose Tissue in Determining Muscle Mass in Patients With Chronic Kidney Disease. , 2007, 17, 314-322.		20

#	ARTICLE	IF	CITATIONS
185	Chronic Kidney Disease. <i>Circulation</i> , 2007, 116, 85-97.	1.6	1,278
186	Is β_2 -Microglobulin-Related Amyloidosis of Hemodialysis Patients a Multifactorial Disease? a New Pathogenetic Approach. <i>International Journal of Artificial Organs</i> , 2007, 30, 864-878.	0.7	31
187	Malnutrition in Patients with End-Stage Renal Disease - Anorexia, Cachexia and Catabolism. <i>Current Nutrition and Food Science</i> , 2007, 3, 37-46.	0.3	2
188	Factors associated with Hypokalemia in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Electrolyte and Blood Pressure</i> , 2007, 5, 102.	0.6	24
189	Comprehensive malnutrition inflammation score as a marker of nutritional status in Chinese peritoneal dialysis patients. <i>Nephrology</i> , 2007, 12, 130-134.	0.7	27
190	Basic Science and Dialysis: Disturbances of Acquired Immunity in Hemodialysis Patients. <i>Seminars in Dialysis</i> , 2007, 20, 440-451.	0.7	282
191	CARDIOVASCULAR AND SURVIVAL PARADOXES IN DIALYSIS PATIENTS: Homocysteine—Lowering Is Not a Primary Target for Cardiovascular Disease Prevention in Chronic Kidney Disease Patients. <i>Seminars in Dialysis</i> , 2007, 20, 523-529.	0.7	18
192	Kidney Function as a Predictor of Loss of Lean Mass in Older Adults: Health, Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 1578-1584.	1.3	30
193	Oxidative stress complex syndrome: The dark side of the malnutrition-inflammation complex syndrome. <i>Hemodialysis International</i> , 2007, 11, S32-S38.	0.4	5
194	Presence of Abdominal Aortic Calcification Is Significantly Associated With All-Cause and Cardiovascular Mortality in Maintenance Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2007, 49, 417-425.	2.1	242
195	Protective Effect of Intravenous Levocarnitine on Subsequent-Month Hospitalization Among Prevalent Hemodialysis Patients, 1998 to 2003. <i>American Journal of Kidney Diseases</i> , 2007, 50, 803-812.	2.1	17
196	Clinical outcomes of elderly patients undergoing chronic peritoneal dialysis: experiences from one center and a review of the literature. <i>International Urology and Nephrology</i> , 2007, 39, 1295-1302.	0.6	37
197	The malnutrition and inflammation axis in pediatric patients with chronic kidney disease. <i>Pediatric Nephrology</i> , 2007, 22, 864-873.	0.9	51
198	Malnutrition-inflammation-atherosclerosis syndrome in Chronic Kidney disease. <i>Indian Journal of Clinical Biochemistry</i> , 2008, 23, 209-217.	0.9	17
199	Effect of intradialytic parenteral nutrition in patients with malnutrition—“inflammation complex syndrome on body weight, inflammation, serum lipids and adipocytokines: results from a pilot study. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 789-795.	1.3	17
200	The Impact of Malnutrition on Mortality in Patients on Maintenance Hemodialysis in Serbia. <i>Artificial Organs</i> , 2008, 32, 398-405.	1.0	13
201	Biomarkers of Inflammation and Malnutrition Associated with Early Death in Healthy Elderly People. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 840-846.	1.3	73
202	Review Article: Is it time to embrace haemodiafiltration for centre-based haemodialysis? (Review) <i>TJ ETQq1 1 0.784314 rgBT /Overlock 1</i>	0.7	9

#	ARTICLE	IF	CITATIONS
203	Predictors for quality of life in continuous ambulatory peritoneal dialysis patients. <i>Nephrology</i> , 2008, 13, 587-592.	0.7	24
204	Atherosclerosis is associated with plasminogen activator inhibitor type-1 in chronic haemodialysis patients. <i>Nephrology</i> , 2008, 13, 579-586.	0.7	21
205	Carotid intima media thickness and aortic calcification index closely relate to cerebrovascular and cardiovascular disorders in hemodialysis patients. <i>International Journal of Urology</i> , 2008, 15, 48-51.	0.5	25
207	Reverse epidemiology in hemodialysis patients. Lessons from Japanese registries. <i>Nephrologie Et Therapeutique</i> , 2008, 4, 223-227.	0.2	3
208	THE USE OF INTRADIALYTIC PARENTERAL NUTRITION IN ACUTELY ILL HAEMODIALYSED PATIENTS. <i>Journal of Renal Care</i> , 2008, 34, 14-18.	0.6	15
209	Clinical Value of the Malnutrition-Inflammation-Atherosclerosis Syndrome for Long-Term Prediction of Cardiovascular Mortality in Patients with End-Stage Renal Disease: A 5-Year Prospective Study. <i>Nephron Clinical Practice</i> , 2008, 108, c99-c105.	2.3	53
210	Appetite Disorders in Uremia. , 2008, 18, 107-113.		95
211	Changes in Nutritional Status on Follow-Up of an Incident Cohort of Continuous Ambulatory Peritoneal Dialysis Patients. , 2008, 18, 195-201.		42
212	Serum Concentration of Amino Acids Versus Nutritional Status in Hemodialysis Patients. , 2008, 18, 239-247.		29
213	Chronic Inflammation and CD16+ Natural Killer Cell Zeta-Chain Downregulation in Hemodialysis Patients. <i>Blood Purification</i> , 2008, 26, 317-321.	0.9	33
214	Chronic Inflammation and T Cell Zeta-Chain Downregulation in Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2008, 28, 152-157.	1.4	31
215	Putative Role of Endothelial Lipase in Dialysis Patients with Hypoalbuminemia and Inflammation. <i>American Journal of Nephrology</i> , 2008, 28, 974-981.	1.4	12
216	Amino-acid-based peritoneal dialysis solution improves amino-acid transport into skeletal muscle. <i>Kidney International</i> , 2008, 73, S131-S136.	2.6	22
217	Fine-Tuning of the Prediction of Mortality in Hemodialysis Patients by Use of Cytokine Proteomic Determination. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 423-430.	2.2	28
218	Excess mortality due to interaction between protein-energy wasting, inflammation and cardiovascular disease in chronic dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2957-2964.	0.4	151
219	Asymmetric dimethylarginine: a novel marker of risk and a potential target for therapy in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2008, 17, 609-615.	1.0	60
220	Gasto energético de repouso em pacientes com doença renal crônica. <i>Revista De Nutricao</i> , 2008, 21, 75-84.	0.4	9
221	Amino Acid-Based Peritoneal Dialysis Solutions for Malnutrition: New Perspectives. <i>Peritoneal Dialysis International</i> , 2009, 29, 384-393.	1.1	24

#	ARTICLE	IF	CITATIONS
222	Rapid Solute Transport in the Peritoneum: Physiologic and Clinical Consequences. <i>Peritoneal Dialysis International</i> , 2009, 29, 90-95.	1.1	10
224	Pulmonary Dysfunction Is Possibly a Marker of Malnutrition and Inflammation but Not Mortality in Patients with End-Stage Renal Disease. <i>Nephron Clinical Practice</i> , 2009, 111, c1-c6.	2.3	16
225	Effect of Nutrition on Arterial Stiffness in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2009, 30, 120-125.	1.4	9
226	N-Terminal Pro-Brain Natriuretic Peptide Independently Predicts Protein Energy Wasting and Is Associated with All-Cause Mortality in Prevalent HD Patients. <i>American Journal of Nephrology</i> , 2009, 29, 516-523.	1.4	22
227	Better preservation of residual renal function in peritoneal dialysis patients treated with a low-protein diet supplemented with keto acids: a prospective, randomized trial. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2551-2558.	0.4	61
228	Assessment of Myeloperoxidase and Oxidative \pm 1-Antitrypsin in Patients on Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 142-151.	2.2	29
229	Impact of switch of vascular access type on key clinical and laboratory parameters in chronic haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2194-2200.	0.4	21
230	Biochemistry and Biomarkers of Inflamed Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, S56-S63.	2.2	82
231	Mechanisms and clinical implications of lipid disorders in chronic kidney disease. <i>Clinical Lipidology</i> , 2009, 4, 449-456.	0.4	2
232	Clinical assessment of atherosclerotic parameters and cardiac function in chronic hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2009, 13, 651-658.	0.7	10
233	Butyrylcholinesterase activity and mortality risk in hemodialysis patients: Comparison to hsCRP and albumin. <i>Clinical Biochemistry</i> , 2009, 42, 22-26.	0.8	14
234	Analysis of protein posttranslational modifications by mass spectrometry: With special reference to haemoglobin. <i>Indian Journal of Clinical Biochemistry</i> , 2009, 24, 23-29.	0.9	7
235	Malnutritionâ€“Inflammation Complex Syndrome and Hepatitis C in Maintenance Hemodialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2009, 13, 113-120.	0.4	4
236	Serial monitoring of nutritional status in Chinese peritoneal dialysis patients by Subjective Global Assessment and comprehensive Malnutrition Inflammation Score. <i>Nephrology</i> , 2009, 14, 143-147.	0.7	11
237	Conventional nutritional counselling maintains nutritional status of patients on continuous ambulatory peritoneal dialysis in spite of systemic inflammation and decrease of residual renal function. <i>Nephrology</i> , 2009, 14, 493-498.	0.7	20
238	Which components of malnutritionâ€“inflammationâ€“atherosclerosis syndrome are more common in haemodialysis patients with diabetic nephropathy?. <i>Nephrology</i> , 2009, 14, 643-649.	0.7	12
239	PatogÃ©nesis de la malnutriciÃ³n en pacientes en diÃ¡lisis con Ã©nfasis en los aspectos mÃ¡s especÃ­ficos de la diÃ¡lisis peritoneal. <i>Dialisis Y Trasplante</i> , 2009, 30, 57-62.	0.4	0
240	Malnutrition in the Elderly Patient on Dialysis. <i>Renal Failure</i> , 2009, 31, 239-245.	0.8	36

#	ARTICLE	IF	CITATIONS
241	Effect of Intradialytic Intravenous Administration of ω -3 Fatty Acids on Nutritional Status and Inflammatory Response in Hemodialysis Patients: A Pilot Study. , 2009, 19, 487-493.		18
242	Relationship Between Adiposity and Cardiovascular Risk Factors in Prevalent Hemodialysis Patients. , 2009, 19, 357-364.		27
243	Implementation of Standardized Nutrition Guidelines by Renal Dietitians Is Associated With Improved Nutrition Status. , 2009, 19, 136-144.		44
244	Drug Discovery for Overcoming Chronic Kidney Disease (CKD): The Endothelin ETB Receptor / Nitric Oxide System Functions as a Protective Factor in CKD. Journal of Pharmacological Sciences, 2009, 109, 7-13.	1.1	13
245	Krank oder nur alt? Frailty "Ein neues Konzept in der Klinischen Praxis. Wiener Klinische Wochenschrift Education, 2010, 5, 181-193.	0.0	4
246	Progression of aortic arch calcification and all-cause and cardiovascular mortality in chronic hemodialysis patients. International Urology and Nephrology, 2010, 42, 187-194.	0.6	47
247	Evaluation of the Malnutrition-Inflammation Score in Kidney Transplant Recipients. American Journal of Kidney Diseases, 2010, 56, 102-111.	2.1	60
248	Comprehensive assessment of malnutrition risk and related factors in a large group of community-dwelling older adults. Clinical Nutrition, 2010, 29, 507-511.	2.3	106
249	Inflammation in End-Stage Renal Disease-What Have We Learned in 10 Years?. Seminars in Dialysis, 2010, 23, 498-509.	0.7	267
250	2009 Japanese Society for Dialysis Therapy Guidelines for Peritoneal Dialysis. Therapeutic Apheresis and Dialysis, 2010, 14, 489-504.	0.4	61
251	Comparison of serum albumin, C-reactive protein and carotid atherosclerosis as predictors of 10-year mortality in hemodialysis patients. Hemodialysis International, 2010, 14, 226-232.	0.4	47
252	Desnutri�o na insufici�ncia renal cr�nica: qual o melhor m�todo diagn�stico na pr�tica cl�nica?. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2010, 32, 57-70.	0.4	30
253	Inflammation in Peritoneal Dialysis. Nephron Clinical Practice, 2010, 116, c11-c18.	2.3	56
254	Effects of Parathyroid Hormone on Immune Function. Clinical and Developmental Immunology, 2010, 2010, 1-10.	3.3	46
255	Guanidino Compounds as Cause of Cardiovascular Damage in Chronic Kidney Disease: An in vitro Evaluation. Blood Purification, 2010, 30, 277-287.	0.9	49
256	Oxidized High-Density Lipoprotein Is Associated with Protein-Energy Wasting in Maintenance Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1021-1028.	2.2	22
257	Approaches in the Management of Patients with Chronic Kidney Disease and Cardiovascular Disease. , 2010, , 359-369.		0
258	Cardiovascular risk in the peritoneal dialysis patient. Nature Reviews Nephrology, 2010, 6, 451-460.	4.1	133

#	ARTICLE	IF	CITATIONS
259	Cardiovascular Risk in Uremic Patients: Darkness after AURORA. Renal Failure, 2010, 32, 269-272.	0.8	1
260	Homocysteine Is a Risk Factor in Predialysis Patients When Associated with Malnutrition and Inflammation. International Journal of Nephrology, 2010, 2010, 1-4.	0.7	5
261	Carotid intima-media thickness in children with end-stage renal disease on dialysis. Indian Journal of Nephrology, 2010, 20, 29.	0.2	5
262	The five most cited NDT articles from 1999 to 2004. Nephrology Dialysis Transplantation, 2010, 25, 2818-2824.	0.4	1
263	Body composition in home haemodialysis versus conventional haemodialysis: a cross-sectional, matched, comparative study. Nephrology Dialysis Transplantation, 2010, 25, 568-573.	0.4	8
264	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. Blood Purification, 2010, 30, 16-24.	0.9	27
265	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. Blood Purification, 2010, 29, 308-316.	0.9	28
266	Association of inflammation and protein-energy wasting with endothelial dysfunction in peritoneal dialysis patients. Nephrology Dialysis Transplantation, 2010, 25, 1266-1271.	0.4	35
268	Nutrition-Related Cardiovascular Risk Factors in Hemodialysis Patients. , 2010, 20, 185-192.		17
269	Confounding Effect of Comorbidities and Malnutrition on Survival of Peritoneal Dialysis Patients. , 2010, 20, 384-391.		25
270	Endothelial Dysfunction in Chronic Renal Failure. , 2010, 20, S103-S108.		19
271	Geriatric Nutritional Risk Index as a Screening Tool for Malnutrition in Patients on Chronic Peritoneal Dialysis. , 2010, 20, 29-37.		41
272	Malnutrition-Inflammation Score and Endothelial Dysfunction in Hemodialysis Patients. , 2010, 20, 377-383.		22
273	Folic Acid Supplementation and Cardiac and Stroke Mortality among Hemodialysis Patients. , 2010, 20, 293-302.		8
274	Prognostic values of C-reactive protein levels on clinical outcome after endovascular therapy in hemodialysis patients with peripheral artery disease. Journal of Vascular Surgery, 2010, 52, 854-859.	0.6	20
275	<i>CE: Continuing Education Article</i> â€”PREVENTION OF INFECTION IN PATIENTS WITH CHRONIC KIDNEY DISEASE PART 1: APPLICATION OF INFECTION CONTROL PRINCIPLES TO THE RENAL CARE ENVIRONMENT. Journal of Renal Care, 2010, 36, 191-198.	0.6	10
277	Commencing peritoneal dialysis with 1.1% amino acid solution does not influence biochemical nutritional parameters in incident CAPD patients. Renal Failure, 2010, 32, 653-658.	0.8	3
278	Prognostic impact of body mass index in patients undergoing coronary artery bypass surgery. Heart, 2011, 97, 648-654.	1.2	31

#	ARTICLE	IF	CITATIONS
279	Handgrip Strength as a Simple Indicator of Possible Malnutrition and Inflammation in Men and Women on Maintenance Hemodialysis. , 2011, 21, 235-245.		38
280	Effects of Renal-specific Oral Supplementation in Malnourished Hemodialysis Patients. , 2011, 21, 347-353.		14
281	Toward a Definition of Sarcopenia. Clinics in Geriatric Medicine, 2011, 27, 341-353.	1.0	58
282	Helicobacter pylori Infection: Protective Against Increased Interdialytic Weight Gain in Asymptomatic Hemodialysis Patients?. , 2011, 21, 322-328.		3
283	Guía de práctica clínica de nutrición en hemodiálisis peritoneal. Revista Espanola De Nutricion Humana Y Dietetica, 2011, 15, 110-113.	0.1	1
284	MALNUTRITION-INFLAMMATION-ATHEROSCLEROSIS SYNDROME IN PATIENTS WITH END-STAGE RENAL DISEASE. Journal of Renal Care, 2011, 37, 12-15.	0.6	43
285	Plasma proteomic analysis of the critical limb ischemia markers in diabetic patients with hemodialysis. Molecular BioSystems, 2011, 7, 1990.	2.9	40
286	Indoleamine 2,3-dioxygenase is increased in hemodialysis patients and affects immune response to hepatitis B vaccination. Vaccine, 2011, 29, 2242-2247.	1.7	41
287	Synergistic effect of chronic kidney disease and high circulatory norepinephrine level on stroke risk in Japanese hypertensive patients. Atherosclerosis, 2011, 219, 273-279.	0.4	11
288	Pacientes desnutridos em hemodiálise melhoram após receber intervenção nutricional. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2011, 33, 394-401.	0.4	30
289	Relationship Between Erythropoietin Responsiveness, Insulin Resistance, and Malnutrition-Inflammation-Atherosclerosis (Mia) Syndrome in Hemodialysis Patients with Diabetes. International Journal of Artificial Organs, 2011, 34, 16-25.	0.7	34
290	Malnutrition, Infection and Arteriovenous Fistula Failure: Is There a Link?. Journal of Vascular Access, 2011, 12, 57-62.	0.5	35
291	Plasma BNP, a useful marker of fluid overload in hospitalized hemodialysis patients. Hemodialysis International, 2012, 16, 47-52.	0.4	10
292	Association of the Malnutrition-Inflammation Score With Clinical Outcomes in Kidney Transplant Recipients. American Journal of Kidney Diseases, 2011, 58, 101-108.	2.1	70
293	The Malnutrition-Inflammation Score: A Valid Nutritional Tool to Assess Mortality Risk in Kidney Transplant Patients. American Journal of Kidney Diseases, 2011, 58, 7-9.	2.1	8
294	Predicting hospital cost in CKD patients through blood chemistry values. BMC Nephrology, 2011, 12, 65.	0.8	6
295	Association between the Malnutrition-Inflammation Score and depressive symptoms in kidney transplanted patients. General Hospital Psychiatry, 2011, 33, 157-165.	1.2	31
296	Risk factors for high erythropoiesis stimulating agent resistance index in pre-dialysis chronic kidney disease patients, stages 4 and 5. International Urology and Nephrology, 2011, 43, 835-840.	0.6	21

#	ARTICLE	IF	CITATIONS
297	Association between depression and malnutritionâ€™inflammation complex syndrome in patients with continuous ambulatory peritoneal dialysis. <i>International Urology and Nephrology</i> , 2011, 43, 875-882.	0.6	32
298	Association between the malnutrition-inflammation score and post-transplant anaemia. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2000-2006.	0.4	52
299	Relations between malnutrition-inflammation-atherosclerosis and volume status. The usefulness of bioimpedance analysis in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1708-1716.	0.4	101
300	NADPH oxidase activity is associated with cardiac osteopontin and pro-collagen type I expression in uremia. <i>Free Radical Research</i> , 2011, 45, 454-460.	1.5	6
301	The Relationship between Epicardial Adipose Tissue and Malnutrition, Inflammation, Atherosclerosis/Calcification Syndrome in ESRD Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1920-1925.	2.2	60
302	Elevated Non-high-density Lipoprotein Cholesterol (Non-HDL-C) Predicts Atherosclerotic Cardiovascular Events in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1112-1120.	2.2	105
303	Association of severity of conjunctival and corneal calcification with all-cause 1-year mortality in maintenance haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1016-1023.	0.4	18
304	IL-6 Levels, Nutritional Status, and Mortality in Prevalent Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2253-2263.	2.2	52
305	n-3 polyunsaturated fatty acids, lipids and lipoproteins in end-stage renal disease. <i>Clinical Lipidology</i> , 2011, 6, 563-576.	0.4	7
306	Associations of Serum Levels of Advanced Glycation end Products with Nutrition Markers and Anemia in Patients with Chronic Kidney Disease. <i>Renal Failure</i> , 2011, 33, 131-137.	0.8	16
307	Required Water Quality for the Use of High-Performance Membranes. <i>Contributions To Nephrology</i> , 2011, 173, 53-57.	1.1	0
308	Effects of Chronic Renal Failure on Gastrointestinal Motility: A Study on the Changes of Gastric Emptying, Small Intestinal Transit, Interdigestive Myoelectric Complex, and Fecal Water Content. <i>Renal Failure</i> , 2011, 33, 615-621.	0.8	17
309	Statins for Renal Patients: A Fiddler on the Roof?. <i>International Journal of Nephrology</i> , 2012, 2012, 1-7.	0.7	4
310	Serum Albumin as Predictor of Nutritional Status in Patients with ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1446-1453.	2.2	138
311	Are the high mortality rates in dialysis patients mainly due to cardiovascular causes?. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 481-483.	0.4	5
312	Percutaneous Coronary Intervention With Bare Metal Stent vs. Drug-Eluting Stent in Hemodialysis Patients. <i>Circulation Journal</i> , 2012, 76, 1609-1615.	0.7	28
313	Protein-energy wasting and peritoneal function in elderly peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 792-798.	0.7	3
314	Quality of life and protein-energy wasting in kidney transplant recipients. <i>International Urology and Nephrology</i> , 2012, 44, 1257-1268.	0.6	22

#	ARTICLE	IF	CITATIONS
315	Oxidized high-density lipoprotein as a risk factor for cardiovascular events in prevalent hemodialysis patients. <i>Atherosclerosis</i> , 2012, 220, 493-501.	0.4	76
316	Malnutrition (Subjective Global Assessment) Scores and Serum Albumin Levels, but not Body Mass Index Values, at Initiation of Dialysis are Independent Predictors of Mortality: A 10-Year Clinical Cohort Study. , 2012, 22, 547-557.		75
317	Moving the Issue of Renal Dietitian Staffing Forward. , 2012, 22, 515-520.		9
318	Prevalence of Protein-energy Wasting and Its Various Types in Iranian Hemodialysis Patients: A New Classification. <i>Renal Failure</i> , 2012, 34, 1200-1205.	0.8	10
319	Relation between Pulmonary Function and Inflammatory Biomarkers in Hemodialysis Patients. <i>Renal Failure</i> , 2012, 34, 24-27.	0.8	4
320	Nutrition in patients on peritoneal dialysis. <i>Nature Reviews Nephrology</i> , 2012, 8, 163-175.	4.1	57
321	Impact of heavy proteinuria on clinical outcomes in patients on incident peritoneal dialysis. <i>BMC Nephrology</i> , 2012, 13, 171.	0.8	7
322	Malnutrition and co-morbidity in diabetic kidney disease patients. <i>Clinical Queries Nephrology</i> , 2012, 1, 138-143.	0.2	1
323	High serum DcR3 levels are associated with the occurrence of peritonitis in patients receiving chronic peritoneal dialysis. <i>Journal of the Chinese Medical Association</i> , 2012, 75, 644-648.	0.6	5
324	Nutritional problems in adult patients with chronic kidney disease. <i>Clinical Queries Nephrology</i> , 2012, 1, 222-235.	0.2	6
325	Is Renal Allograft Dysfunction a Risk Factor for Severe Infection in Kidney Transplant Recipients?. <i>Transplantation Proceedings</i> , 2012, 44, 2821-2823.	0.3	5
326	The Malnutrition-Inflammation-Depression-Arteriosclerosis Complex Is Associated with an Increased Risk of Cardiovascular Disease and All-Cause Death in Chronic Hemodialysis Patients. <i>Nephron Clinical Practice</i> , 2013, 122, 44-52.	2.3	28
328	Onodera's Prognostic Nutritional Index as a Risk Factor for Mortality in Peritoneal Dialysis Patients. <i>Journal of Korean Medical Science</i> , 2012, 27, 1354.	1.1	36
329	Chronic Kidney Disease, Dyslipidemia, and Atherosclerosis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 299-315.	0.9	67
330	Serum small-dense LDL abnormalities in chronic renal disease patients. <i>British Journal of Biomedical Science</i> , 2012, 69, 99-102.	1.2	34
331	The issue of cardio-renal syndrome and utility of acute kidney injury markersâ€™ assessment in cardiac surgery practice. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2012, 3, 305-313.	0.1	0
332	Role of Frailty Components on Quality of Life in Dialysis Patients. A Cross-sectional Study. <i>Giornale De Technique Nefrologiche & Dialitiche</i> , 2012, 24, 31-37.	0.1	0
333	Prognostic Value of Arterial Pulse Wave Velocity in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2012, 35, 127-133.	1.4	39

#	ARTICLE	IF	CITATIONS
334	Perilipin ¹ in Hemodialyzed Patients: Association With History of Coronary Heart Disease and Lipid Profile. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 355-360.	0.4	4
335	Malnutrition and its association with inflammation and vascular disease in children on maintenance dialysis. <i>Pediatric Nephrology</i> , 2013, 28, 2149-2156.	0.9	32
337	Change in Body Composition in Accordance With Residual Renal Function in Patients on Peritoneal Dialysis. , 2013, 23, 438-444.		3
338	Peri-aortic fat tissue and malnutrition ¹ “inflammation ¹ “atherosclerosis/calcification syndrome in end-stage renal disease patients. <i>International Urology and Nephrology</i> , 2013, 45, 857-867.	0.6	14
339	Nutritional Management of Maintenance Hemodialysis Patients. , 2013, , 503-538.		2
340	Anti-inflammatory and Anti-oxidative Nutrition in Hypoalbuminemic Dialysis Patients (AIONID) study: results of the pilot ¹ feasibility, double-blind, randomized, placebo-controlled trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2013, 4, 247-257.	2.9	38
341	Male Sexual Function in Patients Receiving Different Types of Renal Replacement Therapy. <i>Transplantation Proceedings</i> , 2013, 45, 3494-3497.	0.3	13
342	Relationship Between Metabolic Scores, Systemic Inflammation, Renal Function, and High-risk Peripheral Arterial Disease. <i>International Journal of Gerontology</i> , 2013, 7, 142-146.	0.7	1
343	Differential Effect of Baseline Adiponectin on All-Cause Mortality in Hemodialysis Patients Depending on Initial Body Mass Index. Long-Term Follow-Up Data of 4.5 Years. , 2013, 23, 45-56.		18
344	Serum albumin and C-reactive protein levels predict clinical outcome in hemodialysis patients undergoing endovascular therapy for peripheral artery disease. <i>Atherosclerosis</i> , 2013, 227, 130-134.	0.4	29
345	Self-Rated Appetite as a Predictor of Mortality in Patients With Stage 5 Chronic Kidney Disease. , 2013, 23, 106-113.		19
346	Clinical Detection, Risk Factors, and Cardiovascular Consequences of Medial Arterial Calcification: A Pattern of Vascular Injury Associated With Aberrant Mineral Metabolism. <i>Seminars in Nephrology</i> , 2013, 33, 93-105.	0.6	45
347	Nutrition and the Kidney: Recommendations for Peritoneal Dialysis. <i>Advances in Chronic Kidney Disease</i> , 2013, 20, 190-201.	0.6	23
348	Neutrophil to Lymphocyte Ratio in Evaluation of Inflammation in Patients with Chronic Kidney Disease. <i>Renal Failure</i> , 2013, 35, 29-36.	0.8	147
349	Protein-Energy Wasting as a Risk Factor of Morbidity and Mortality in Chronic Kidney Disease. , 2013, , 171-195.		0
350	Peritoneal dialysis ¹ “current status and future challenges. <i>Nature Reviews Nephrology</i> , 2013, 9, 399-408.	4.1	74
351	New Insights in End-Stage Renal Disease Therapies: From Dialysis to Apheresis by Means of Membrane Characteristics. <i>Blood Purification</i> , 2013, 35, 28-29.	0.9	0
352	Famine in childhood and postmenopausal coronary artery calcification: a cohort study. <i>BMJ Open</i> , 2013, 3, e003818.	0.8	5

#	ARTICLE	IF	CITATIONS
353	Out of control: accelerated aging in uremia. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 48-54.	0.4	72
354	Association of malnutrition and inflammation complex and responsiveness to erythropoiesis-stimulating agents in long-term hemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1936-1945.	0.4	80
355	Geriatric Nutritional Risk Index as a Prognostic Factor in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2013, 33, 405-410.	1.1	53
356	Inflammation in Chronic Kidney Disease. , 2013, , 79-91.		0
357	Nutritional Management of Kidney Transplant Recipients. , 2013, , 563-580.		3
358	Therapeutic Use of Growth Factors in Renal Disease. , 2013, , 685-698.		0
359	Cardioprotective Effects of ω -3 PUFAs in Chronic Kidney Disease. <i>BioMed Research International</i> , 2013, 2013, 1-8.	0.9	20
360	Risk Factor Analysis of Calcification in Aortic and Mitral Valves in Maintenance Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2013, 37, 488-495.	0.9	22
361	High density lipoprotein cholesterol levels are an independent predictor of the progression of chronic kidney disease. <i>Journal of Internal Medicine</i> , 2013, 274, 252-262.	2.7	68
363	The Association between Fibroblast Growth Factor-23 and Vascular Calcification Is Mitigated by Inflammation Markers. <i>Nephron Extra</i> , 2013, 3, 106-112.	1.1	35
364	Validation of Mini Nutritional Assessment Scale in peritoneal dialysis patients. <i>Archives of Medical Science</i> , 2013, 4, 669-676.	0.4	11
365	Comparative study of serum levels of albumin and hs-CRP in hemodialysis patients according to protein intake levels. <i>Journal of Nutrition and Health</i> , 2013, 46, 521.	0.2	4
366	Associations between brachial-ankle pulse wave velocity (baPWV) and clinical parameters in hemodialysis patients. <i>Nihon Toseki Igakkai Zasshi</i> , 2013, 46, 551-559.	0.2	3
367	Medical Nutrition Therapy for Hemodialysis Patients. , 0, , .		3
368	The Association with Cardiovascular Events and Residual Renal Function in Peritoneal Dialysis. , 0, , .		0
369	Decrease in Urinary Creatinine Excretion in Early Stage Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e111949.	1.1	45
370	Effects of Levocarnitine on Brachial-Ankle Pulse Wave Velocity in Hemodialysis Patients: A Randomized Controlled Trial. <i>Nutrients</i> , 2014, 6, 5992-6004.	1.7	31
371	Risk Stratification in Dialysis Patients: Coronary Artery Calcification Score Combined with High Sensitive C-Reactive Protein and Framingham Score for Cardiovascular Risk Prediction in Asymptomatic Subjects. <i>Journal of Clinical & Experimental Cardiology</i> , 2014, 05, .	0.0	1

#	ARTICLE	IF	CITATIONS
372	Nonalcoholic fatty liver disease (NAFLD) – a new factor that interplays between inflammation, malnutrition, and atherosclerosis in elderly hemodialysis patients. <i>Clinical Interventions in Aging</i> , 2014, 9, 1295.	1.3	27
373	Prevalence of malnutrition and associated factors in hemodialysis patients. <i>Revista De Nutricao</i> , 2014, 27, 357-366.	0.4	10
374	Therapeutic Effects of the Long-term Use of PAN Membrane Dialyzer in Hemodialysis Patients: Efficacy in Old Dialysis Patients with Mild PAD. <i>Journal of Nippon Medical School</i> , 2014, 81, 221-235.	0.3	2
375	Clinical Outcome in Elderly Patients on Chronic Peritoneal Dialysis: A Retrospective Study from a Single Center in China. <i>Peritoneal Dialysis International</i> , 2014, 34, 299-307.	1.1	23
376	An Update on Coronary Artery Disease and Chronic Kidney Disease. <i>International Journal of Nephrology</i> , 2014, 2014, 1-9.	0.7	59
377	Nutritional status in stage V dialyzed patient versus CKD patient on conservative therapy across different economic status. <i>Renal Failure</i> , 2014, 36, 384-389.	0.8	8
378	Annual Decline in Pentraxin 3 Is a Risk of Vascular Access Troubles in Hemodialysis Patients. <i>International Journal of Nephrology</i> , 2014, 2014, 1-7.	0.7	1
379	Resistance to Erythropoiesis-Stimulating Agents Is Associated with Arterial Microcalcification in Early Hemodialysis Patients. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	2
380	Interaction Between Geriatric Nutritional Risk Index and Decoy Receptor 3 Predicts Mortality in Chronic Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2014, 40, 191-199.	1.4	22
381	Uremic Toxins and Lipases in Haemodialysis: A Process of Repeated Metabolic Starvation. <i>Toxins</i> , 2014, 6, 1505-1511.	1.5	10
382	Damage-associated molecular patterns derived from mitochondria may contribute to the hemodialysis-associated inflammation. <i>International Urology and Nephrology</i> , 2014, 46, 107-112.	0.6	17
383	Anti-inflammatory effects of linagliptin in hemodialysis patients with diabetes. <i>Hemodialysis International</i> , 2014, 18, 433-442.	0.4	35
384	A rapidly progressive case of generalized atherosclerosis. <i>Journal of Medicine and the Person</i> , 2014, 12, 23-27.	0.1	0
385	Nutrition Assessment and Risk Prediction in Dialysis Patientsâ€™ A New Integrative Score. , 2014, 24, 401-410.		18
386	Phosphate overload directly induces systemic inflammation and malnutrition as well as vascular calcification in uremia. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F1418-F1428.	1.3	138
387	Comparison of novel risk factors for cardiovascular disease between hemodialysis patients with and without protein-energy wasting. <i>International Urology and Nephrology</i> , 2014, 46, 2015-2020.	0.6	6
388	Nutritional intakes of patients at risk of pressure ulcers in the clinical setting. <i>Nutrition</i> , 2014, 30, 841-846.	1.1	17
389	Effectiveness of a Nutrition Education Program for the Prevention and Treatment of Malnutrition in End-Stage Renal Disease. , 2014, 24, 42-49.		26

#	ARTICLE	IF	CITATIONS
390	The Serum Lipids Levels may be Underestimated in Patients on Hemodialysis. <i>Internal Medicine</i> , 2015, 54, 887-894.	0.3	4
391	Relationship between non-alcoholic fatty liver disease and MIA syndrome. <i>Hemodialysis International</i> , 2015, 19, 472-481.	0.4	5
392	Epicardial adipose tissue in patients with end-stage renal disease on haemodialysis. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 517-524.	1.0	10
393	Evaluation of Protein-Energy Wasting and Inflammation on Patients Undergoing Continuous Ambulatory Peritoneal Dialysis and its Correlations. <i>Nephro-Urology Monthly</i> , 2015, 7, e33143.	0.0	13
394	The Effects of Omega-3 Fatty Acid on Vitamin D Activation in Hemodialysis Patients: A Pilot Study. <i>Marine Drugs</i> , 2015, 13, 741-755.	2.2	28
395	Factors Affecting Cerebral Oxygenation in Hemodialysis Patients: Cerebral Oxygenation Associates with pH, Hemodialysis Duration, Serum Albumin Concentration, and Diabetes Mellitus. <i>PLoS ONE</i> , 2015, 10, e0117474.	1.1	50
396	Detection of Autonomic Dysfunction in Hemodialysis Patients Using the Exercise Treadmill Test: The Role of the Chronotropic Index, Heart Rate Recovery, and R-R Variability. <i>PLoS ONE</i> , 2015, 10, e0128123.	1.1	12
397	A Better Diet Quality is Attributable to Adequate Energy Intake in Hemodialysis Patients. <i>Clinical Nutrition Research</i> , 2015, 4, 46.	0.5	17
398	Valoración del estado nutricional y consumo alimentario de los pacientes en terapia renal sustitutiva mediante hemodiálisis. <i>Enfermería Nefrológica</i> , 2015, 18, 103-111.	0.3	2
399	The use of the Nutritional Screening Test Malnutrition Inflammation Score (MIS) in Dialysis. <i>Giornale De Tecniche Nefrologiche & Dialitiche</i> , 2015, 27, 226-231.	0.1	1
400	Association of restless legs syndrome with oxidative stress and inflammation in patients undergoing hemodialysis. <i>Sleep Medicine</i> , 2015, 16, 941-948.	0.8	34
401	Inflammatory Response to Sorbent Hemodialysis. <i>ASAIO Journal</i> , 2015, 61, 463-467.	0.9	2
402	Mitochondria: a new therapeutic target in chronic kidney disease. <i>Nutrition and Metabolism</i> , 2015, 12, 49.	1.3	96
403	Cardiorenal Syndrome in End-Stage Kidney Disease. <i>Blood Purification</i> , 2015, 40, 337-343.	0.9	12
404	Effect of a Symbiotic Gel (<i>Lactobacillus acidophilus</i> + <i>Bifidobacterium lactis</i> + Inulin) on Presence and Severity of Gastrointestinal Symptoms in Hemodialysis Patients. , 2015, 25, 284-291.		55
405	Obesity, metabolic health, and the risk of end-stage renal disease. <i>Kidney International</i> , 2015, 87, 1216-1222.	2.6	78
407	Low-protein diets in CKD: how can we achieve them? A narrative, pragmatic review. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 61-70.	1.4	53
408	Nutrition and Chronic Kidney Disease. , 2015, , 261-271.		1

#	ARTICLE	IF	CITATIONS
409	Serum hepatocyte growth factor is associated with truncal fat mass and increased mortality in chronic kidney disease stage 5 patients with protein-energy wasting. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 274-282.	0.4	10
410	Creatinine Clearance, Walking Speed, and Muscle Atrophy: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 737-747.	2.1	51
411	Cardiorenal syndrome in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 154-162.	1.0	28
412	Cardiovascular-Renal Changes After Kidney Donation. <i>Transplantation</i> , 2015, 99, 760-764.	0.5	14
413	Haemodialysis-induced hypoglycaemia and glycaemic disarrays. <i>Nature Reviews Nephrology</i> , 2015, 11, 302-313.	4.1	122
414	Pretransplant malnutrition, inflammation, and atherosclerosis affect cardiovascular outcomes after kidney transplantation. <i>BMC Nephrology</i> , 2015, 16, 109.	0.8	24
415	Risk Factors for Mortality in Chinese Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2015, 35, 199-205.	1.1	17
416	Handbook of Clinical Nutrition and Aging. , 2015, , .		15
417	Can lipid profiles predict clinical outcomes in hemodialysis patients with ischemic heart disease?. <i>Journal of Cardiology</i> , 2015, 65, 87-88.	0.8	2
418	Pulmonary hypertension associates with malnutrition and body composition hemodialysis patients. <i>Renal Failure</i> , 2015, 37, 273-279.	0.8	11
419	Periodontal Status, Inflammation, and Malnutrition in Hemodialysis Patients – Is There a Link?. , 2015, 25, 67-74.		13
420	THE PANC 3 SCORE PREDICTING SEVERITY OF ACUTE PANCREATITIS. <i>Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery</i> , 2016, 29, 5-8.	0.5	4
421	Factors associating with oxygenation of lower-limb muscle tissue in hemodialysis patients. <i>World Journal of Nephrology</i> , 2016, 5, 524.	0.8	7
422	Nutritional predictors of mortality in prevalent peritoneal dialysis patients.. <i>Acta Biochimica Polonica</i> , 2016, 63, 111-115.	0.3	14
423	Pleiotropic Effects of Linagliptin Monotherapy on Levels of Nitric Oxide, Nitric Oxide Synthase, and Superoxide Dismutase in Hemodialysis Patients with Diabetes. <i>The Showa University Journal of Medical Sciences</i> , 2016, 28, 9-17.	0.1	3
424	Transcriptomics: A Step behind the Comprehension of the Polygenic Influence on Oxidative Stress, Immune Deregulation, and Mitochondrial Dysfunction in Chronic Kidney Disease. <i>BioMed Research International</i> , 2016, 2016, 1-16.	0.9	13
425	Dialysis vintage stratified comparison of body composition, hydration and nutritional state in peritoneal dialysis and hemodialysis patients. <i>Archives of Medical Science</i> , 2018, 14, 807-817.	0.4	9
426	N-Terminal Pro-B-Type Natriuretic Peptide as a Biomarker for Loss of Muscle Mass in Prevalent Hemodialysis Patients. <i>PLoS ONE</i> , 2016, 11, e0166804.	1.1	24

#	ARTICLE	IF	CITATIONS
427	Di��t��tique. , 2016, , 249-262.		0
428	Risk Factors for New-Onset Cardiac Valve Calcification in Patients on Maintenance Peritoneal Dialysis. CardioRenal Medicine, 2016, 6, 150-158.	0.7	13
429	Dialysis modality and nutritional status are associated with variability of inflammatory markers. Nephrology Dialysis Transplantation, 2016, 31, 1320-1327.	0.4	42
430	Reverse association of omega-3/omega-6 polyunsaturated fatty acids ratios with carotid atherosclerosis in patients on hemodialysis. Atherosclerosis, 2016, 249, 65-69.	0.4	27
431	Impedance ratio: a novel marker and a powerful predictor of mortality in hemodialysis patients. International Urology and Nephrology, 2016, 48, 1155-1162.	0.6	18
432	Unraveling the relationship between mortality, hyponatremia, inflammation and malnutrition in hemodialysis patients: results from the international MONDO initiative. European Journal of Clinical Nutrition, 2016, 70, 779-784.	1.3	57
433	Sclerostin, TNF ��alpha and Interleukin��18 Correlate and are Together with Klotho Related to Other Growth Factors and Cytokines in Haemodialysis Patients. Scandinavian Journal of Immunology, 2016, 83, 58-63.	1.3	19
434	Heart failure and kidney dysfunction: epidemiology, mechanisms and management. Nature Reviews Nephrology, 2016, 12, 610-623.	4.1	422
435	Controversies in Veterinary Nephrology: Renal Diets Are Indicated for Cats with International Renal Interest Society Chronic Kidney Disease Stages 2 to 4. Veterinary Clinics of North America - Small Animal Practice, 2016, 46, 1067-1094.	0.5	11
436	The effects of resistance exercise and oral nutritional supplementation during hemodialysis on indicators of nutritional status and quality of life. Nephrology Dialysis Transplantation, 2016, 31, 1712-1720.	0.4	61
437	Apoprotein B/Apoprotein A-1 Ratio and Mortality among Prevalent Dialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 840-846.	2.2	19
438	Recurrent Vascular Access Dysfunction as a Novel Marker of Cardiovascular Outcome and Mortality in Hemodialysis Patients. American Journal of Nephrology, 2016, 44, 71-80.	1.4	9
439	Improvement of the fraction of human mercaptalbumin on hemodialysis treatment using hydrogen-dissolved hemodialysis fluid: a prospective observational study. Renal Replacement Therapy, 2016, 2, .	0.3	8
440	Intradialytic aerobic cycling exercise alleviates inflammation and improves endothelial progenitor cell count and bone density in hemodialysis patients. Medicine (United States), 2016, 95, e4134.	0.4	74
441	Association of a high normalized protein catabolic rate and low serum albumin level with carpal tunnel syndrome in hemodialysis patients. Medicine (United States), 2016, 95, e4050.	0.4	5
442	Linagliptin inhibits lipopolysaccharide-stimulated interleukin-6 production, intranuclear p65 expression, and p38 mitogen-activated protein kinase phosphorylation in human umbilical vein endothelial cells. Renal Replacement Therapy, 2016, 2, .	0.3	8
443	Vitamin D receptor activator and prevention of cardiovascular events in hemodialysis patients��rationale and design of the Japan Dialysis Active Vitamin D (J-DAVID) trial. Renal Replacement Therapy, 2016, 2, .	0.3	6
444	Lipoprotein(a) is a risk factor for aortic and mitral valvular stenosis in peripheral arterial disease. European Heart Journal Cardiovascular Imaging, 2016, 17, 492-497.	0.5	24

#	ARTICLE	IF	CITATIONS
445	Heart valve surgery in hemodialysis-dependent patients: nutrition status impact on surgical outcome. <i>Journal of Artificial Organs</i> , 2016, 19, 134-140.	0.4	9
446	Effect of Resistance Exercises on the Indicators of Muscle Reserves and Handgrip Strength in Adult Patients on Hemodialysis. , 2016, 26, 53-60.		34
447	Circulating TNF Receptors 1 and 2 Predict Mortality in Patients with End-stage Renal Disease Undergoing Dialysis. <i>Scientific Reports</i> , 2017, 7, 43520.	1.6	49
448	Improvement in Nutritional Status in Patients With Chronic Kidney Disease-4 by a Nutrition Education Program With No Impact on Renal Function and Determined by Male Sex. , 2017, 27, 303-310.		3
449	Vitamin D: a possible modifying factor linking obesity to vascular calcification in hemodialysis patients. <i>Nutrition and Metabolism</i> , 2017, 14, 27.	1.3	7
450	Probiotic supplementation in diabetic hemodialysis patients has beneficial metabolic effects. <i>Kidney International</i> , 2017, 91, 435-442.	2.6	148
451	Validation of the high mortality rate of Malnutrition-Inflammation-Atherosclerosis syndrome. <i>International Journal of Cardiology</i> , 2017, 230, 97-102.	0.8	47
452	Dynamics of Nutritional Competence in the Last Year Before Death in a Large Cohort of US Hemodialysis Patients. , 2017, 27, 412-420.		14
453	Diet quality in patients with end-stage kidney disease undergoing dialysis. <i>Journal of Renal Care</i> , 2017, 43, 226-234.	0.6	12
454	La disminuci3n de triyodotironina se asocia con la elevaci3n del p3ptido natriur3tico cerebral N-terminal y con la mortalidad en pacientes en di3lisis. <i>Nefrologia</i> , 2017, 37, 598-607.	0.2	5
456	Association Between Comprehensive Nutritional Scoring System (CNSS) and Outcomes of Continuous Ambulatory Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 1225-1237.	0.9	4
457	Irisin and Volume Overload are Associated with Protein Energy Wasting in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 1216-1224.	0.9	8
458	Low triiodothyronine is associated with elevation of N-terminal pro-brain natriuretic peptide (NT-proBNP) and mortality in dialysis patients. <i>Nefrologia</i> , 2017, 37, 598-607.	0.2	2
460	Independent and Combined Effects of Serum Albumin and C-Reactive Protein on Long-Term Outcomes of Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2017, 81, 1293-1300.	0.7	41
461	Haemodialysis or haemodiafiltration: that is the question. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1896-1904.	0.4	29
462	Variability in Predialysis Systolic Blood Pressure and Long-Term Outcomes in Hemodialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 115-124.	0.9	11
463	Continuous renal replacement therapy with a polymethyl methacrylate membrane hemofilter suppresses inflammation in patients after open-heart surgery with cardiopulmonary bypass. <i>Journal of Artificial Organs</i> , 2018, 21, 188-195.	0.4	7
464	The impact of oat (<i>Avena sativa</i>) consumption on biomarkers of renal function in patients with chronic kidney disease: A parallel randomized clinical trial. <i>Clinical Nutrition</i> , 2018, 37, 78-84.	2.3	13

#	ARTICLE	IF	CITATIONS
465	Malnutrition, inflammation and atherosclerosis (MIA syndrome) in patients with end stage renal disease on maintenance hemodialysis (a single centre experience). <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018, 12, 91-97.	1.8	28
466	How to Prevent Renal Cachexia? A Clinical Randomized Pilot Study Testing Oral Supplemental Nutrition in Hemodialysis Patients With and Without Human Immunodeficiency Virus Infection. , 2018, 28, 37-44.		11
467	Assessment of Cardiovascular Risk in Malnourished Moroccan Haemodialysis Patients: The Interest of Atherogenic Index of Plasma and Lipid Ratios. <i>Journal of Nephrology & Therapeutics</i> , 2018, 08, .	0.1	0
468	Association between the Ankle-Brachial Pressure Index and Geriatric Nutrition Risk Index in Hemodialysis Patients. <i>Clinical Research on Foot & Ankle</i> , 2018, 06, .	0.1	0
469	Changes in the inflammatory and oxidative stress markers during a single hemodialysis session in patients with chronic kidney disease. <i>Renal Failure</i> , 2018, 40, 534-540.	0.8	25
470	Cardiovascular Risk Factors: The Old Ones and a Closer Look to the Mineral Metabolism. , 2018, , .		1
471	Impact of Objective Malnutrition Status on the Clinical Outcomes in Patients With Peripheral Artery Disease Following Endovascular Therapy. <i>Circulation Journal</i> , 2018, 82, 847-856.	0.7	42
472	The relationship between inflammatory factors, oxidative stress and DIO-1 concentration in patients with chronic renal failure accompanied with or without euthyroid sick syndrome. <i>Journal of International Medical Research</i> , 2018, 46, 4061-4070.	0.4	10
473	Risk analysis using the prognostic nutritional index in hemodialysis-dependent patients undergoing cardiac surgery. <i>Journal of Artificial Organs</i> , 2018, 21, 443-449.	0.4	11
474	Serum albumin, inflammation, and nutrition in end-stage renal disease: C-reactive protein is needed for optimal assessment. <i>Seminars in Dialysis</i> , 2018, 31, 435-439.	0.7	28
475	Anaemia and hypoalbuminemia as risk factors for left ventricular diastolic dysfunction in children with chronic kidney disease on peritoneal dialysis. <i>Nefrologia</i> , 2018, 38, 408-413.	0.2	1
476	Is it Important to Prevent and Treat Protein-Energy Wasting in Chronic Kidney Disease and Chronic Dialysis Patients?. , 2018, 28, 369-379.		50
477	Anemia e hipoalbuminemia como factores de riesgo de disfunci3n diast3lica del ventr3culo izquierdo en ni±os con insuficiencia renal cr3nica tratados con di3lisis peritoneal. <i>Nefrologia</i> , 2018, 38, 414-419.	0.2	5
478	Physical inactivity and protein energy wasting play independent roles in muscle weakness in maintenance haemodialysis patients. <i>PLoS ONE</i> , 2018, 13, e0200061.	1.1	24
479	CD19+ B-Cells, a New Biomarker of Mortality in Hemodialysis Patients. <i>Frontiers in Immunology</i> , 2018, 9, 1221.	2.2	27
480	Restrictive lung disorder is common in patients with kidney failure and associates with protein-energy wasting, inflammation and cardiovascular disease. <i>PLoS ONE</i> , 2018, 13, e0195585.	1.1	23
481	The higher mortality associated with low serum albumin is dependent on systemic inflammation in end-stage kidney disease. <i>PLoS ONE</i> , 2018, 13, e0190410.	1.1	91
482	Malnutrition assessed by controlling nutritional status is correlated to carotid atherosclerosis in patients with type 2 diabetes. <i>Endocrine Journal</i> , 2019, 66, 1073-1082.	0.7	9

#	ARTICLE	IF	CITATIONS
483	Malnutrition status in patients of very advanced age with nonvalvular atrial fibrillation and its impact on clinical outcomes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 1101-1109.	1.1	15
484	The Impact of Vascular Access Types on Hemodialysis Patient Long-term Survival. <i>Scientific Reports</i> , 2019, 9, 10708.	1.6	23
485	Constructing a prediction model for physiological parameters for malnutrition in hemodialysis patients. <i>Scientific Reports</i> , 2019, 9, 10767.	1.6	3
486	Prevalence, clinical characteristics, and predictors of peripheral arterial disease in hemodialysis patients: a cross-sectional study. <i>BMC Nephrology</i> , 2019, 20, 281.	0.8	15
487	Impact of Periodontal Inflammation on Nutrition and Inflammation Markers in Hemodialysis Patients. <i>Antibiotics</i> , 2019, 8, 209.	1.5	8
488	Predictors of mortality in hemodialysis patients. <i>Pan African Medical Journal</i> , 2019, 33, 61.	0.3	32
489	Redox Balance Correlates with Nutritional Status among Patients with End-Stage Renal Disease Treated with Maintenance Hemodialysis. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-10.	1.9	3
490	Interaction Between the Gut-Kidney-Cardiovascular Systems Is Key in Predicting the Prognosis of Patients with Cardiovascular Disease. <i>International Heart Journal</i> , 2019, 60, 7-9.	0.5	1
491	Do Transferrin Levels Predict Haemodialysis Adequacy in Patients with End-Stage Renal Disease?. <i>Nutrients</i> , 2019, 11, 1123.	1.7	7
492	Relationship between History of Ischemic Stroke and All-Cause Mortality in Incident Dialysis Patients. <i>Nephron</i> , 2019, 143, 43-53.	0.9	1
493	Abnormalities in Glucose Metabolism, Appetite-Related Peptide Release, and Pro-inflammatory Cytokines Play a Central Role in Appetite Disorders in Peritoneal Dialysis. <i>Frontiers in Physiology</i> , 2019, 10, 630.	1.3	8
494	Muscle strength and bone mass density in haemodialysis patients. <i>Physiotherapy Quarterly</i> , 2019, 27, 39-45.	0.1	0
495	Effect of Progression in Malnutrition and Inflammatory Conditions on Adverse Events and Mortality in Patients on Maintenance Hemodialysis. <i>Blood Purification</i> , 2019, 47, 3-11.	0.9	24
496	Combined Predictive Value of Extracellular Fluid/Intracellular Fluid Ratio and the Geriatric Nutritional Risk Index for Mortality in Patients Undergoing Hemodialysis. <i>Nutrients</i> , 2019, 11, 2659.	1.7	16
497	Renal abnormalities among children with sickle cell conditions in highly resource-limited setting in Ghana. <i>PLoS ONE</i> , 2019, 14, e0225310.	1.1	7
498	Inflammation as a predictor of acute kidney injury and mediator of higher mortality after acute kidney injury in non-cardiac surgery. <i>Scientific Reports</i> , 2019, 9, 20260.	1.6	38
499	Malnutrition impairs mitochondrial function and leukocyte activation. <i>Nutrition Journal</i> , 2019, 18, 89.	1.5	15
500	Emerging role of myostatin and its inhibition in the setting of chronic kidney disease. <i>Kidney International</i> , 2019, 95, 506-517.	2.6	55

#	ARTICLE	IF	CITATIONS
501	Association of Malnutrition Inflammation Score With Anthropometric Parameters, Depression, and Quality of Life in Hemodialysis Patients. <i>Journal of the American College of Nutrition</i> , 2019, 38, 457-462.	1.1	18
502	Association between malnutritionâ€“inflammation score and risk of subsequent self-reported bone fractures in prevalent kidney transplant recipients. <i>Osteoporosis International</i> , 2019, 30, 611-620.	1.3	4
503	Dietary inflammatory index and parameters of diet quality in normal weight and obese patients undergoing hemodialysis. <i>Nutrition</i> , 2019, 61, 32-37.	1.1	8
504	Efficacy of L-carnitine supplementation for improving lean body mass and physical function in patients on hemodialysis: a randomized controlled trial. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 293-301.	1.3	19
505	The Association of Nutritional Factors and Skin Autofluorescence in Persons Receiving Hemodialysis. , 2019, 29, 149-155.		17
506	Epicardial fat, cardiovascular risk factors and calcifications in patients with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 571-579.	1.4	8
507	Importance of Dietary Phosphorus for Bone Metabolism and Healthy Aging. <i>Nutrients</i> , 2020, 12, 3001.	1.7	60
508	Association of advanced glycation end products with sarcopenia and frailty in chronic kidney disease. <i>Scientific Reports</i> , 2020, 10, 17647.	1.6	37
509	Effect of Chronic Kidney Disease on Metabolic Rate: Studies Using Doubly Labelled Water. , 2020, 31, 475-483.		2
510	Kidney disease and nutrition in adults and children. , 2020, , 435-449.		0
511	Skin autofluorescence and malnutrition as predictors of mortality in persons receiving dialysis: a prospective cohort study. <i>Journal of Human Nutrition and Dietetics</i> , 2020, 33, 852-861.	1.3	8
512	Prevalence of malnutrition inflammation complex syndrome among patients on maintenance haemodialysis at Muhimbili National Hospital in Tanzania: a cross-sectional study. <i>BMC Nephrology</i> , 2020, 21, 521.	0.8	4
513	Factors Associated With Change in Skin Autofluorescence, a Measure of Advanced Glycation End Products, in Persons Receiving Dialysis. <i>Kidney International Reports</i> , 2020, 5, 654-662.	0.4	8
514	Associations between corrected serum calcium and phosphorus levels and outcome in dialysis patients in the Kumamoto Prefecture. <i>Hemodialysis International</i> , 2020, 24, 202-211.	0.4	8
515	Impact of objective nutritional indexes on 1-year mortality after transcatheter aortic valve implantation: a prospective observational cohort study. <i>Acta Cardiologica</i> , 2021, 76, 402-409.	0.3	5
516	Low serum uric acid levels increase the risk of all-cause death and cardiovascular death in hemodialysis patients. <i>Renal Failure</i> , 2020, 42, 315-322.	0.8	18
517	The modulating effect of dietary protein intake on mortality in longâ€“term hemodialysis patients: A nationwide populationâ€“based study. <i>International Journal of Clinical Practice</i> , 2021, 75, e13747.	0.8	0
518	Vascular pathologies in chronic kidney disease: pathophysiological mechanisms and novel therapeutic approaches. <i>Journal of Molecular Medicine</i> , 2021, 99, 335-348.	1.7	83

#	ARTICLE	IF	CITATIONS
519	Associations of Serum Insulin-Like Growth Factor 1 with New Cardiovascular Events and Subsequent Death in Hemodialysis Patients: The DREAM Cohort. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1153-1165.	0.9	2
520	Current Status and Growth of Peritoneal Dialysis. , 2021, , 1-19.		0
521	Clinical Impact of Measures for Frailty Severity in Poor-Risk Patients Undergoing Revascularization for Chronic Limb-Threatening Ischemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 221-228.	0.9	6
522	Nutritional Management of Adult Peritoneal Dialysis Patients Abstract. , 2021, , 441-456.		0
523	Prognostic significance of the controlling nutritional (CONUT) score in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2021, 36, 1109-1116.	0.5	12
524	Analysis of Serum Fatty Acids Profile in Kidney Transplant Recipients. <i>Nutrients</i> , 2021, 13, 805.	1.7	4
525	A Comparison of Dietary Intake Between Individuals Undergoing Maintenance Hemodialysis in the United Kingdom and China. , 2022, 32, 224-233.		6
526	Significance of Levocarnitine Treatment in Dialysis Patients. <i>Nutrients</i> , 2021, 13, 1219.	1.7	14
527	Prognostic significance of malnutrition scores in elderly patients for the prediction of contrast-induced acute kidney injury. <i>International Journal of Clinical Practice</i> , 2021, 75, e14274.	0.8	12
528	Management of diabetes mellitus in dialysis patients: Obstacles and challenges. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021, 15, 1025-1036.	1.8	7
529	Potassium Metabolism and Management in Patients with CKD. <i>Nutrients</i> , 2021, 13, 1751.	1.7	36
530	Nutritional Status of Patients on Maintenance Hemodialysis at Muhimbili National Hospital in Dar es Salaam, Tanzania: A Cross-Sectional Study. <i>Journal of Nutrition and Metabolism</i> , 2021, 2021, 1-7.	0.7	7
531	Hemodiyaliz tedavisi alan hastalarda besin alımı ile malnutrisyon inflamasyon skoru arasındaki ilişki. <i>Cukurova Medical Journal</i> , 2021, 46, 418-429.	0.1	1
532	Geriatric nutritional risk index as a predictor of arrhythmia recurrence after catheter ablation of atrial fibrillation. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1798-1808.	1.1	3
533	Peritoneal Dialysis Guidelines 2019 Part 1 (Position paper of the Japanese Society for Dialysis Therapy). <i>Renal Replacement Therapy</i> , 2021, 7, .	0.3	9
534	Prognostic Implication of Longitudinal Changes in Cardiothoracic Ratio and Aortic Arch Calcification in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , 2021, 11, 788.	1.1	3
535	Associations between nutritional factors and excessive daytime sleepiness in older patients with chronic kidney disease. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 573-581.	1.4	13
536	Preoperative autologous blood donation for kidney transplant and end-stage renal disease patients: A single-center study. <i>Transfusion and Apheresis Science</i> , 2021, 60, 103149.	0.5	2

#	ARTICLE	IF	CITATIONS
537	Effects of Nutritional Knowledge of Informal Caregivers on Depression and Metabolic Outcomes of Hemodialysis Patients. <i>Ecology of Food and Nutrition</i> , 2022, 61, 110-123.	0.8	1
538	Cardiovascular Disease and Inflammation. , 2021, , 1-22.		0
539	The combination of malnutrition-inflammation and functional status limitations is associated with mortality in hemodialysis patients. <i>Scientific Reports</i> , 2021, 11, 1582.	1.6	13
540	Research Progress on Uric Acid Level and Risk of Death in Maintenance Hemodialysis Patients. <i>Advances in Clinical Medicine</i> , 2021, 11, 1051-1056.	0.0	1
541	Prognostic Significance of Abnormal Ankle-Brachial Index Among Long-term Hemodialysis Patients in Kinshasa, the Democratic Republic of the Congo. <i>Rambam Maimonides Medical Journal</i> , 2021, 12, e0001.	0.4	2
542	Malnutrition in Chronic Kidney Disease and Relationship to Quality of Life. , 2010, , 3159-3170.		5
543	Current Status of Peritoneal Dialysis. , 2009, , 19-37.		1
544	Protein-Energy Malnutrition/Wasting During Peritoneal Dialysis. , 2009, , 611-647.		5
545	Adequacy of hemodialysis. , 2004, , 597-638.		4
546	Dialysis. , 2008, , 231-262.		1
548	Chronische Niereninsuffizienz. , 2006, , 1120-1126.		1
550	Impact of Dietetic Intervention on Skin Autofluorescence and Nutritional Status in Persons Receiving Dialysis: A Proof of Principle Study. , 2020, 30, 540-547.		6
551	30 Years of Peritoneal Dialysis Development: The past and the Future. <i>Peritoneal Dialysis International</i> , 2007, 27, 35-41.	1.1	21
552	Extracellular Fluid/Intracellular Fluid Volume Ratio as a Novel Risk Indicator for All-Cause Mortality and Cardiovascular Disease in Hemodialysis Patients. <i>PLoS ONE</i> , 2017, 12, e0170272.	1.1	57
553	PRE DIALYSIS PATIENTS; FREQUENCY OF MALNUTRITION IN CHRONIC KIDNEY DISEASE. <i>The Professional Medical Journal</i> , 2017, 24, 267-272.	0.0	1
554	Inflammatory Syndrome in Chronic Kidney Disease: Pathogenesis and Influence on Outcomes. <i>Inflammation and Allergy: Drug Targets</i> , 2009, 8, 369-382.	1.8	83
555	Association Rule Mining and Prognostic Stratification of 2-Year Longevity in Octogenarians Undergoing Endovascular Therapy for Lower Extremity Arterial Disease: Observational Cohort Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e17487.	2.1	8
557	Obesity may be erythropoietin dose-saving in hemodialysis patients. <i>Kidney Research and Clinical Practice</i> , 2018, 37, 148-156.	0.9	14

#	ARTICLE	IF	CITATIONS
558	Study of the effect of dietary counselling on the improvement of end-stage renal disease patients. Eastern Mediterranean Health Journal, 2013, 19, 45-51.	0.3	8
559	EFFECTS OF AMINO ACID PERITONEAL DIALYSATE IN MALNUTRISHED PERITONEAL DIALYSIS PATIENTS. Electronic Journal of General Medicine, 2006, 3, 58-63.	0.3	2
562	Effect of Dialysis on Aryl Hydrocarbon Receptor Transactivating Activity in Patients with Chronic Kidney Disease. Yonsei Medical Journal, 2020, 61, 56.	0.9	8
563	Evaluation of Serum Interleukin-6 Levels in the Renal Transplant Recipients: A Systematic Review and Meta-Analysis of Case-Control Studies. Open Access Macedonian Journal of Medical Sciences, 2019, 7, 174-178.	0.1	5
564	Association of Serum C-Reactive Protein (CRP) with Some Nutritional Parameters of Maintenance Hemodialysis Patients. Pakistan Journal of Nutrition, 2005, 4, 175-182.	0.2	5
565	Title is missing!. Nihon Toseki Igakkai Zasshi, 2008, 41, 54-61.	0.2	2
566	2009 JSDT “Guideline for Peritoneal Dialysis”. Nihon Toseki Igakkai Zasshi, 2009, 42, 285-315.	0.2	15
567	Validity of nutrition risk index as a malnutrition screening tool compared with subjective global assessment in end-stage renal disease patients on peritoneal dialysis. Indian Journal of Nephrology, 2016, 26, 27.	0.2	24
568	Comparison of malnutrition in hemodialysis and peritoneal dialysis patients and its relationship with echocardiographic findings. Journal of Research in Medical Sciences, 2016, 21, 78.	0.4	13
569	Assessment of Severity of Malnutrition in Peritoneal Dialysis Patients via Malnutrition: Infl ammatory Score. Advanced Biomedical Research, 2017, 6, 128.	0.2	13
570	Dietary counseling by renal dietician improves the nutritional status of hemodialysis patients. Indian Journal of Nephrology, 2019, 29, 179.	0.2	8
571	Assessing the Nutritional Status of Hemodialysis Patients in Sub-Saharan Africa: Experience of Two Hemodialysis Centers in Niger. Open Journal of Nephrology, 2016, 06, 161-166.	0.0	2
572	Diabetes therapies in hemodialysis patients: Dipeptidase-4 inhibitors. World Journal of Diabetes, 2015, 6, 840.	1.3	23
573	Prevalence of Periodontitis in Patients Undergoing Hemodialysis: a Case Control Study. Materia Socio-medica, 2018, 30, 58.	0.3	10
574	Why do young people with chronic kidney disease die early?. World Journal of Nephrology, 2014, 3, 143.	0.8	55
575	Progression of Atherosclerosis in Hemodialysis Patients: Effect of Adiponectin on Carotid Intima Media Thickness. Journal of Atherosclerosis and Thrombosis, 2008, 15, 213-218.	0.9	13
576	Leukocyte Function in High-Flux Hemodialysis. , 0, , .		1
577	Progress in Hemodialysis - From Emergent Biotechnology to Clinical Practice. , 2011, , .		13

#	ARTICLE	IF	CITATIONS
578	Association between helicobacter pylori infection and body mass index, before and after eradication of infection in hemodialysis patients. Journal of Nephropathology, 2012, 1, 170-176.	0.1	12
580	Neutrophil to lymphocyte ratio in predicting short-term mortality in hemodialysis patients. Journal of Experimental and Clinical Medicine (Turkey), 2013, 30, 129-132.	0.1	10
581	Early changes in serum albumin: impact on 2-year mortality in incident hemodialysis patients. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2015, 37, 198-205.	0.4	2
582	Prognostic impact of malnutrition on cardiovascular events in coronary artery disease patients with myocardial damage. BMC Cardiovascular Disorders, 2021, 21, 479.	0.7	13
583	Survival and predictive factors in dialysis patients with COVID-19 in Japan: a nationwide cohort study. Renal Replacement Therapy, 2021, 7, 59.	0.3	34
584	Î±1-Acid Glycoprotein and Dietary Intake in End-Stage Renal Disease Patients. Nutrients, 2021, 13, 3671.	1.7	4
585	Association Between estimated GFR and Incident Hypoglycemia During Hospitalization. Nephrology, 2021, , .	0.7	2
586	1.é€æžæ²»ç™,ã•ã•ã1/2µç—‡. The Journal of the Japanese Society of Internal Medicine, 2002, 91, 122-126.	0.0	0
587	Correlation between visceral fat accumulation, leptin and eating disorder in peritoneal dialysis patients.. Nihon Toseki Igakkai Zasshi, 2003, 36, 1191-1197.	0.2	0
589	Characteristics of atherosclerosis in long-term survivors on maintenance hemodialysis. Journal of the Japanese Association of Rural Medicine, 2004, 52, 992-1000.	0.0	0
590	ãžã~æœÿè...Žã,ã...ã•é†ã- çš,,æ²»ç™, è...Žã,ã...é€²è;æš'ã~ã•ã1/2µç—‡ã³/4ç— ç-ã-ã48ãžæ—ÿæœ-é€æžæ²»ç™»ã-ã-ã4sã,ããfããfããf©ã		
591	Is insulin an independent predictor of mortality in hemodialysis patients?. Journal of Medical Biochemistry, 2004, 23, 43-49.	0.1	1
592	Glycated albumin/HbA1c ratio as a nutritional marker in diabetic patients on hemodialysis. Nihon Toseki Igakkai Zasshi, 2005, 38, 117-123.	0.2	1
594	Peritoneal Dialysis Prescription and Adequacy. , 2005, , 553-568.		1
596	Association of Platelet Count and Mean Platelet Volume with Serum C-reactive Protein in Regular Hemodialysis Patients. Asian Journal of Cell Biology, 2005, 1, 59-64.	0.4	2
600	Title is missing!. Nihon Toseki Igakkai Zasshi, 2008, 41, 62-64.	0.2	0
601	5i¼Žé€æžæ,èè€...ã•ã,ãf³ã,ããf³ããšµæš—æ€šã•è...Žæ€šè²šè;€. Nihon Toseki Igakkai Zasshi, 2009, 42, 827-830.		0
602	Cardiovascular Disease and Inflammation. , 2009, , 679-695.		0

#	ARTICLE	IF	CITATIONS
603	Nutrition and Chronic Kidney Disease. , 2009, , 403-415.		0
604	Diätetik. , 2009, , 238-250.		0
605	Peritoneal Dialysis Prescription and Adequacy. , 2010, , 432-445.		0
606	Nutrition and the Host Response to Infection and Injury. , 2010, , 1-20.		0
607	Influence of ankle-brachial blood pressure index(ABI) on mortality and cause of death. Nihon Toseki Igakkai Zasshi, 2011, 45, 157-162.	0.2	4
608	Nutritional Considerations in Indian Patients on PD. , 0, , .		0
609	Membrane Biology During Peritoneal Dialysis. , 0, , .		0
610	Progress in Peritoneal Dialysis. , 2011, , .		0
612	Relationship between serum adiponectin levels and mortality in hemodialysis patients. Nihon Toseki Igakkai Zasshi, 2013, 46, 475-480.	0.2	0
613	Dialysis. , 2014, , 173-195.		0
614	Effects of a nutritional intervention with novel fortified food on malnutrition in hemodialysis patients with chronic inflammation. Nihon Toseki Igakkai Zasshi, 2014, 47, 183-190.	0.2	0
615	Vascular Calcification Scores are Associated with Arterial Stiffness, Inflammation, and Nutrition in Hemodialysis Patients. Korean Journal of Medicine, 2014, 87, 42.	0.1	2
616	Heart Rate Variability Correlates to Functional Aerobic Impairment in Hemodialysis Patients. Arquivos Brasileiros De Cardiologia, 2015, 104, 493-500.	0.3	3
617	Establishment of a foot care system and cooperation with institutions specialized in PAD in dialysis facilities. The Journal of Japanese Society of Limb Salvage and Podiatric Medicine, 2015, 7, 129-135.	0.0	0
618	Evaluation of Nutritional Biochemical Parameters in Haemodialysis Patients Over a Ten-Year Period. West Indian Medical Journal, 2015, 64, 213-7.	0.4	1
620	Dietary intake characteristics and nutritional status of hemodialysis patients with sarcopenia. Nihon Toseki Igakkai Zasshi, 2016, 49, 581-587.	0.2	1
621	Reverse epidemiology. Nihon Toseki Igakkai Zasshi, 2016, 49, 649-654.	0.2	0
622	Body mass index mortality paradox in chronic kidney disease patients with suspected cardiac chest pain.. JCSM Clinical Reports, 2017, 2, .	0.5	1

#	ARTICLE	IF	CITATIONS
623	The nutritional status and nutrition habits in a group of patients with end stage renal failure treated with hemodialysis. <i>Journal of Medical Science</i> , 2017, 86, 110-117.	0.2	0
624	Effects of statin therapy on clinical outcomes after acute myocardial infarction in patients with advanced renal dysfunction: A propensity score-matched analysis. <i>PLoS ONE</i> , 2017, 12, e0183059.	1.1	2
625	The role of suPAR in kidney diseases. <i>Annales Academiae Medicae Silesiensis</i> , 2017, 71, 265-274.	0.1	0
626	Assessment of Malnutrition of Dialysis Patients and Comparison of Nutritional Parameters of CAPD and Hemodialysis Patients. <i>Biomedical Science Letters</i> , 2017, 23, 185-193.	0.0	3
627	Nutritional management of peritoneal dialysis patient. <i>Journal of Renal Nutrition and Metabolism</i> , 2018, 4, 101.	0.1	0
628	Coronary angiography profile at the time of hemodialysis initiation in end-stage renal disease population: A retrospective analysis. <i>Indian Journal of Nephrology</i> , 2018, 28, 370.	0.2	0
629	Glucose Homeostasis and the Burnt-Out Diabetes Phenomenon in Patients with Kidney Disease. , 2019, , 27-38.		0
630	Impact of Iron Deficiency on Peripheral Artery Disease After Endovascular Therapy. <i>Circulation Reports</i> , 2019, 1, 187-195.	0.4	3
631	Prevalence of Chronic Kidney Disease and Its Determinants in Rural Pondicherry, India-A Community Based Cross-Sectional Study. <i>The Open Urology & Nephrology Journal</i> , 2019, 12, 14-22.	0.2	6
632	Quality of life and regular diet in patients with chronic kidney disease. <i>Scripta Scientifica Medica</i> , 2019, 51, 12.	0.1	0
634	Evaluation of the Relationship Between Advanced Oxidation end Products and Inflammatory Markers in Maintenance Hemodialysis Patients. <i>Journal of Nephrology Advances</i> , 2016, 1, 24-30.	0.1	3
635	Linagliptin Inhibits Interleukin-6 Production Through Toll-Like Receptor 4 Complex and Lipopolysaccharide-Binding Protein Independent Pathway in vitro Model. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 5681-5686.	1.6	1
637	Nutritional management of kidney transplantation. , 2022, , 607-627.		0
638	Nutritional management of maintenance hemodialysis patients. , 2022, , 557-591.		0
639	Inflammation in chronic kidney disease. , 2022, , 91-105.		1
640	Protein-Energy Wasting/Malnutrition and the Inflammatory Response. , 2020, , 413-429.		0
641	A clinical approach to the nutritional care process in protein-energy wasting hemodialysis patients. <i>Nutricion Hospitalaria</i> , 2014, 29, 735-50.	0.2	7
642	2. Inflammation, Cytokines and Chemokines in Chronic Kidney Disease. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2009, 20, 12-20.	0.7	11

#	ARTICLE	IF	CITATIONS
643	Association of serum leptin with serum C-reactive protein in hemodialysis patients. <i>Journal of Nephro pharmacology</i> , 2012, 1, 19-21.	0.2	3
644	Evaluation of Serum Interleukin-6 Levels in the Renal Transplant Recipients: A Systematic Review and Meta-Analysis of Case-Control Studies. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2019, 7, 174-178.	0.1	3
645	Comparative evaluation of the left ventricular mass in patients with chronic kidney disease in periodontally healthy, chronic gingivitis, and chronic periodontitis patients. <i>International Journal of Health Sciences</i> , 2019, 13, 13-18.	0.4	0
646	Prediction of Liver Prognosis from Pre-Transplant Renal Function Adjusted by Diuretics and Urinary Abnormalities in Adult-to-Adult Living Donor Liver Transplantation. <i>Annals of Transplantation</i> , 2020, 25, e924805.	0.5	1
647	Relationship between the serum levels of Vitamin D and inflammatory markers in ESRD patients. <i>Acta Biomedica</i> , 2020, 91, e2020099.	0.2	1
648	Glasgow prognostic score can be a prognostic indicator after percutaneous coronary intervention: a two-center study in Japan. <i>Heart and Vessels</i> , 2022, 37, 903-910.	0.5	3
649	Prediction of Liver Prognosis from Pre-Transplant Renal Function Adjusted by Diuretics and Urinary Abnormalities in Adult-to-Adult Living Donor Liver Transplantation. <i>Annals of Transplantation</i> , 2020, 25, e924805.	0.5	7
650	Annual change in the extracellular fluid/intracellular fluid ratio and mortality in patients undergoing maintenance hemodialysis. <i>Scientific Reports</i> , 2022, 12, 242.	1.6	3
651	Malnutrition-Inflammation Complex Syndrome and Bone Fractures and Cardiovascular Disease Events in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>Kidney Medicine</i> , 2022, 4, 100408.	1.0	7
652	The estimation of protein equivalents of total nitrogen in Chinese CAPD patients: an explanatory study. <i>Renal Failure</i> , 2022, 44, 14-22.	0.8	2
653	An integrative approach to detect proteinâ€“energy wasting among chronic kidney disease maintenance hemodialysis patients. <i>Journal of Renal Nutrition and Metabolism</i> , 2021, 7, 43.	0.1	0
654	Disease-specific Nutritional Physical Therapy: A Position Paper by the Japanese Association of Rehabilitation Nutrition (Secondary Publication). <i>JMA Journal</i> , 2022, 5, .	0.6	5
655	Nutritional Status Assessed with Objective Data Assessment Correlates with a High-Risk Foot in Patients with Type 2 Diabetes. <i>Journal of Clinical Medicine</i> , 2022, 11, 1314.	1.0	7
656	Impact of Geriatric Nutritional Risk Index and Modified Creatinine Index Combination on Mortality in Hemodialysis Patients. <i>Nutrients</i> , 2022, 14, 801.	1.7	10
657	Elevated C-Reactive Protein/Albumin Ratio Is Associated With Lesion Complexity, Multilevel Involvement, and Adverse Outcomes in Patients With Peripheral Artery Disease. <i>Angiology</i> , 2022, , 000331972210758.	0.8	2
658	Associations between dietary patterns and stages of chronic kidney disease. <i>BMC Nephrology</i> , 2022, 23, 115.	0.8	3
659	Impact of Malnutrition on Prognosis and Coronary Artery Calcification in Patients with Stable Coronary Artery Disease. <i>Current Problems in Cardiology</i> , 2023, 48, 101185.	1.1	5
660	Nutritional Risk Index Improves the GRACE Score Prediction of Clinical Outcomes in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 773200.	1.1	11

#	ARTICLE	IF	CITATIONS
661	Muscle Status Response to Oral Nutritional Supplementation in Hemodialysis Patients With Protein Energy Wasting: A Multi-Center Randomized, Open Label-Controlled Trial. <i>Frontiers in Nutrition</i> , 2021, 8, 743324.	1.6	7
663	IGF-1 and Cardiovascular and Non-Cardiovascular Mortality Risk in Patients with Chronic Kidney Disease: A Model of "Malnutrition-Inflammation-Atherosclerosis Syndrome". <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, , .	0.9	1
669	The Role of Uremic Retention Solutes in the MIA Syndrome in Hemodialysis Subjects. <i>Blood Purification</i> , 2023, 52, 41-53.	0.9	2
670	The Impact of Chronic Kidney Disease on Nutritional Status and Its Possible Relation with Oral Diseases. <i>Nutrients</i> , 2022, 14, 2002.	1.7	12
672	Association between Advanced Glycation End-Products and Sarcopenia in Patients with Chronic Kidney Disease. <i>Biomedicines</i> , 2022, 10, 1489.	1.4	2
673	In Patients with Chronic Kidney Disease Advanced Glycation End-Products Receptors Isoforms (sRAGE) Tj ETQq1 1 0,784314 4gBT /Over	2.2	2
674	Serum Prealbumin: a potential predictor of Right Ventricular Dysfunction in patients receiving programmed hemodialysis. <i>Revista Da Associação Médica Brasileira</i> , 2022, 68, 792-796.	0.3	1
676	Ortalama trombosit hacmi ve ortalama trombosit hacmi/trombosit sayı±s± oran±n±n periton diyalizi baÅYland±ktan bir yÄ±l sonraki deÅYiÅYimi. <i>Ege Tıp Dergisi</i> , 0, , 484-489.	0.1	0
677	Fluid Overload and Tissue Sodium Accumulation as Main Drivers of Protein Energy Malnutrition in Dialysis Patients. <i>Nutrients</i> , 2022, 14, 4489.	1.7	5
678	Transcription factor NRF2 as potential therapeutic target for preventing muscle wasting in aging chronic kidney disease patients. <i>Journal of Nephrology</i> , 0, , .	0.9	2
680	Evaluation of malnutrition and inflammation after total parathyroidectomy in patients on maintenance dialysis. <i>International Urology and Nephrology</i> , 0, , .	0.6	0
681	Rheopheresis Performed in Hemodialysis Patients Targets Endothelium and Has an Acute Anti-Inflammatory Effect. <i>Journal of Clinical Medicine</i> , 2023, 12, 105.	1.0	0
682	Chronic Kidney Disease and Periodontitis Interplay" A Narrative Review. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 1298.	1.2	6
683	Nutritional status, symptom burden, and predictive validity of the Pt-Global web tool/PG-SGA in CKD patients: A hospital based cross sectional study. <i>PLOS Global Public Health</i> , 2023, 3, e0001301.	0.5	3
684	Decreased Physical and Daily Living Activities in Patients with Peripheral Arterial Disease on Hemodialysis. <i>Journal of Clinical Medicine</i> , 2023, 12, 135.	1.0	2
685	Kronik BÃ¶brek Hastalar±n±n Geriatrik NÃ¼trisyonel Risk Å°ndeksi Å°le DeÅYerlendirilmesi. <i>Medical Journal of Western Black Sea</i> , 2022, 6, 338-344.	0.2	0
686	Oxidation State in Peritoneal Dialysis in Patients with Type 2 Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2023, 24, 2669.	1.8	2
687	Association of Autofluorescent Advanced Glycation End Products (AGEs) with Frailty Components in Chronic Kidney Disease (CKD): Data from a Single-Center Cohort Study. <i>Cells</i> , 2023, 12, 438.	1.8	1

#	ARTICLE	IF	CITATIONS
688	Cardiovascular Disease and Inflammation. , 2023, , 575-596.		1
689	Ultrapure dialysis fluid for hemodialysis and related therapies. , 2021, , .		0
690	Accelerated AGEing: The Impact of Advanced Glycation End Products on the Prognosis of Chronic Kidney Disease. Antioxidants, 2023, 12, 584.	2.2	7
691	Higher Muscle Mass and Higher Serum Prealbumin Levels Are Associated with Better Survival in Hemodialysis Patients during a Five-Year Observation Period. Nutrients, 2023, 15, 1237.	1.7	0
692	Atherosclerosis And Inflammatory Status In Chronic Kidney Disease Patients After Renal Transplantation: Where Are We Now?. European Medical Journal Urology, 0, , 74-82.	0.0	0
693	Current Status and Growth of Peritoneal Dialysis. , 2023, , 27-45.		0
694	Association of prognostic nutritional index level and diabetes status with the prognosis of coronary artery disease: a cohort study. Diabetology and Metabolic Syndrome, 2023, 15, .	1.2	2
695	The predictive value of temporal muscle thickness measured by ultrasonography for detecting moderate to severe malnutrition in chronic hemodialysis patients. International Urology and Nephrology, 0, , .	0.6	0
696	GLIM in chronic kidney disease: What do we need to know?. Clinical Nutrition, 2023, 42, 937-943.	2.3	3