

Study of the Sorption of Divalent Metal Ions on to Peat

Adsorption Science and Technology

18, 639-650

DOI: [10.1260/0263617001493693](https://doi.org/10.1260/0263617001493693)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Preparation and use of a mesoporous silicate material for the removal of tetramethyl ammonium hydroxide (TMAH) from aqueous solution. <i>Journal of Chemical Technology and Biotechnology</i> , 2001, 76, 1216-1222. | 1.6 | 37 |
| 2 | Comment on "Removal of Ni ²⁺ and Cu ²⁺ Ions from Aqueous Solutions on to Lignite-based Carbons" by S.E. Samra. <i>Adsorption Science and Technology</i> , 2002, 20, 199-201. | 1.5 | 13 |
| 3 | Biosorption of Ni ²⁺ from aqueous solution by a NaOH-treated bacterial dead <i>Streptomyces rimosus</i> biomass. <i>Minerals Engineering</i> , 2004, 17, 903-911. | 1.8 | 85 |
| 4 | Comment on "Removal of copper from aqueous solution by aminated and protonated mesoporous aluminas: kinetics and equilibrium," by S. Rengaraj, Y. Kim, C.K. Joo, and J. Yi. <i>Journal of Colloid and Interface Science</i> , 2004, 276, 255-258. | 5.0 | 18 |
| 5 | Application of kinetic models to the sorption of disperse dyes onto alunite. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 242, 105-113. | 2.3 | 94 |
| 6 | Physicochemical studies of Cadmium(II) biosorption by the invasive alga in Europe, <i>Sargassum muticum</i> . <i>Biotechnology and Bioengineering</i> , 2004, 88, 237-247. | 1.7 | 118 |
| 7 | Comment on "Sorption of basic dyes from aqueous solution by activated sludge" [J. Hazard. Mater. 108 (2004) 183-188]. <i>Journal of Hazardous Materials</i> , 2004, 114, 241-245. | 6.5 | 11 |
| 8 | Factors Affecting the Adsorption of ⁶⁰ Co onto a Peat from China. <i>Adsorption Science and Technology</i> , 2005, 23, 479-486. | 1.5 | 0 |
| 9 | Comment on "Adsorption of naphthalene on zeolite from aqueous solution" by C.F. Chang, C.Y. Chang, K.H. Chen, W.T. Tsai, J.L. Shie, Y.H. Chen. <i>Journal of Colloid and Interface Science</i> , 2005, 283, 274-277. | 5.0 | 20 |
| 10 | Adsorption of Co(II) by a carboxylate-functionalized polyacrylamide grafted lignocellulosics. <i>Chemosphere</i> , 2005, 58, 1117-1126. | 4.2 | 72 |
| 11 | Comment on "Removal of chlorophenols from groundwater by chitosan sorption" <i>Water Research</i> , 2005, 39, 264-268. | 5.3 | 5 |
| 12 | Adsorption performance of Al-pillared bentonite clay for the removal of cobalt(II) from aqueous phase. <i>Applied Clay Science</i> , 2006, 31, 194-206. | 2.6 | 301 |
| 13 | Sorption kinetics and intraparticulate diffusivity of As(III) bioremediation from aqueous solution, using modified and unmodified coconut fiber. <i>Ecletica Quimica</i> , 2006, 31, 23-29. | 0.2 | 5 |
| 14 | Removal of toxic chromium(VI) from aqueous solution by activated carbon using <i>Casuarina equisetifolia</i> . <i>Chemistry and Ecology</i> , 2007, 23, 119-129. | 0.6 | 39 |
| 15 | Pomegranate husk as an adsorbent in the removal of toxic chromium from wastewater. <i>Chemistry and Ecology</i> , 2007, 23, 409-425. | 0.6 | 40 |
| 16 | Factors Affecting on the Sorption/Desorption of Eu (III) using Activated Carbon. <i>Separation Science and Technology</i> , 2007, 42, 3657-3680. | 1.3 | 65 |
| 17 | Adsorption of Methyl Red by Water Hyacinth (<i>Eichornia crassipes</i>) Biomass. <i>Chemistry and Biodiversity</i> , 2007, 4, 2236-2245. | 1.0 | 12 |
| 18 | Removal of toxic chromium from wastewater using green alga <i>Ulva lactuca</i> and its activated carbon. <i>Journal of Hazardous Materials</i> , 2007, 148, 216-228. | 6.5 | 315 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Adsorption, kinetics and equilibrium studies on removal of Cr(VI) from aqueous solutions using different low-cost adsorbents. <i>Chemical Engineering Journal</i> , 2007, 137, 529-529. | 6.6 | 123 |
| 20 | Adsorption of Pb(II) by sawdust and neem bark from aqueous solutions. <i>Environmental Progress</i> , 2008, 27, 313-328. | 0.8 | 54 |
| 21 | Removal of Cd(II) from aqueous solutions using clarified sludge. <i>Journal of Colloid and Interface Science</i> , 2008, 325, 48-56. | 5.0 | 99 |
| 22 | Treatment of wastewater containing toxic chromium using new activated carbon developed from date palm seed. <i>Journal of Hazardous Materials</i> , 2008, 152, 263-275. | 6.5 | 144 |
| 23 | Biosorption of Cd(II) and Cr(III) from aqueous solution by moss (<i>Hylocomium splendens</i>) biomass: Equilibrium, kinetic and thermodynamic studies. <i>Chemical Engineering Journal</i> , 2008, 144, 1-9. | 6.6 | 252 |
| 24 | UPTAKE OF Cd ²⁺ FROM AQUEOUS SOLUTIONS USING PROTONATED DRY ALGINATE BEADS. <i>Canadian Metallurgical Quarterly</i> , 2008, 47, 45-50. | 0.4 | 2 |
| 25 | Removal of arsenic from synthetic groundwater by adsorption using the combination of laterite and iron-modified activated carbon. <i>Journal of Water and Environment Technology</i> , 2008, 6, 43-54. | 0.3 | 8 |
| 26 | AN INVESTIGATION ON THE REMOVAL OF ARSENIC FROM SIMULATED GROUNDWATER BY ADSORPTION USING IRON AND IRON OXIDE[III]. <i>Journal of Environmental Science for Sustainable Society</i> , 2009, 3, 19-28. | 0.1 | 2 |
| 27 | Adsorption kinetics of cadmium ions onto powdered corn cobs. <i>Canadian Journal of Chemical Engineering</i> , 2009, 87, 896-909. | 0.9 | 15 |
| 28 | Saw dust and neem bark as low-cost natural biosorbent for adsorptive removal of Zn(II) and Cd(II) ions from aqueous solutions. <i>Chemical Engineering Journal</i> , 2009, 148, 68-79. | 6.6 | 206 |
| 29 | Kinetics and thermodynamics studies of chromium(VI) ions adsorption onto activated carbon from aqueous solutions. <i>Chemical Engineering and Processing: Process Intensification</i> , 2009, 48, 38-47. | 1.8 | 166 |
| 30 | Removal of direct blue-86 from aqueous solution by new activated carbon developed from orange peel. <i>Journal of Hazardous Materials</i> , 2009, 161, 102-110. | 6.5 | 252 |
| 31 | Potential of pomegranate husk carbon for Cr(VI) removal from wastewater: Kinetic and isotherm studies. <i>Journal of Hazardous Materials</i> , 2009, 161, 132-141. | 6.5 | 238 |
| 32 | Batch adsorption and kinetics of chromium (VI) removal from aqueous solutions by <i>Ocimum americanum</i> L. seed pods. <i>Journal of Hazardous Materials</i> , 2009, 161, 709-713. | 6.5 | 110 |
| 33 | The sorption of lead(II) ions on rice husk ash. <i>Journal of Hazardous Materials</i> , 2009, 163, 1254-1264. | 6.5 | 305 |
| 34 | Application of natural adsorbent from silver impregnated <i>Arachis hypogaea</i> based thereon in the processes of hexavalent chromium for the purification of water. <i>Journal of Hazardous Materials</i> , 2009, 164, 968-975. | 6.5 | 20 |
| 35 | Kinetic and equilibrium studies of biosorption of Pb(II) and Cd(II) from aqueous solution by macrofungus (<i>Amanita rubescens</i>) biomass. <i>Journal of Hazardous Materials</i> , 2009, 164, 1004-1011. | 6.5 | 359 |
| 36 | Biosorption of As(III) and As(V) from aqueous solution by macrofungus (<i>Inonotus hispidus</i>) biomass: Equilibrium and kinetic studies. <i>Journal of Hazardous Materials</i> , 2009, 164, 1372-1378. | 6.5 | 130 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Removal of Direct N Blue-106 from artificial textile dye effluent using activated carbon from orange peel: Adsorption isotherm and kinetic studies. <i>Journal of Hazardous Materials</i> , 2009, 165, 100-110. | 6.5 | 282 |
| 38 | Characterization of biosorption process of As(III) on green algae <i>Ulothrix cylindricum</i> . <i>Journal of Hazardous Materials</i> , 2009, 165, 566-572. | 6.5 | 158 |
| 39 | Cyanide uptake from wastewater by modified natrolite zeolite-iron oxyhydroxide system: Application of isotherm and kinetic models. <i>Journal of Hazardous Materials</i> , 2009, 166, 1060-1066. | 6.5 | 42 |
| 40 | Clarified sludge (basic oxygen furnace sludge) as an adsorbent for removal of Pb(II) from aqueous solutions: kinetics, thermodynamics and desorption studies. <i>Journal of Hazardous Materials</i> , 2009, 170, 252-262. | 6.5 | 86 |
| 41 | Equilibrium, thermodynamic and kinetic studies on aluminum biosorption from aqueous solution by brown algae (<i>Padina pavonica</i>) biomass. <i>Journal of Hazardous Materials</i> , 2009, 171, 973-979. | 6.5 | 75 |
| 42 | Equilibrium, thermodynamic and kinetic studies on biosorption of Pb(II) and Cd(II) from aqueous solution by macrofungus (<i>Lactarius scrobiculatus</i>) biomass. <i>Chemical Engineering Journal</i> , 2009, 151, 255-261. | 6.6 | 306 |
| 43 | Biosorption of nickel from aqueous solutions by <i>Acacia leucocephala</i> bark: Kinetics and equilibrium studies. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009, 74, 260-265. | 2.5 | 62 |
| 44 | Treatment of artificial textile dye effluent containing Direct Yellow 12 by orange peel carbon. <i>Desalination</i> , 2009, 238, 210-232. | 4.0 | 190 |
| 45 | Adsorption of Hexavalent Chromium from Aqueous Solution on Raw and Modified Activated Carbon. <i>Water Environment Research</i> , 2009, 81, 728-734. | 1.3 | 7 |
| 46 | Removal of arsenic from simulated groundwater by adsorption using iron-modified rice husk carbon. <i>Journal of Water and Environment Technology</i> , 2009, 7, 43-56. | 0.3 | 12 |
| 47 | Removal of ammoniacal nitrogen and COD from semi-aerobic landfill leachate using low-cost activated carbon zeolite composite adsorbent. <i>International Journal of Environment and Waste Management</i> , 2009, 4, 399. | 0.2 | 35 |
| 48 | Kinetic Models of the Adsorption of Hexavalent Chromium by Chitosan from Aqueous Solution. <i>Adsorption Science and Technology</i> , 2009, 27, 835-843. | 1.5 | 3 |
| 49 | Adsorption and Removal Kinetics of Phosphonate from Water Using Natural Adsorbents. <i>Water Environment Research</i> , 2010, 82, 62-68. | 1.3 | 10 |
| 50 | Biosorbents for hexavalent chromium elimination from industrial and municipal effluents. <i>Coordination Chemistry Reviews</i> , 2010, 254, 2959-2972. | 9.5 | 474 |
| 51 | Biosorption of selenium from aqueous solution by green algae (<i>Cladophora hutchinsiae</i>) biomass: Equilibrium, thermodynamic and kinetic studies. <i>Chemical Engineering Journal</i> , 2010, 158, 200-206. | 6.6 | 199 |
| 52 | Removal of malachite green from aqueous solution by activated carbon prepared from the epicarp of <i>Ricinus communis</i> by adsorption. <i>Journal of Hazardous Materials</i> , 2010, 179, 178-186. | 6.5 | 205 |
| 53 | Biosorption of nickel and total chromium from aqueous solution by gum kondagogu (<i>Cochlospermum gossypium</i>): A carbohydrate biopolymer. <i>Journal of Hazardous Materials</i> , 2010, 178, 851-860. | 6.5 | 88 |
| 54 | Separation of strontium from low level radioactive waste solutions using hydrous manganese dioxide composite materials. <i>Journal of Nuclear Materials</i> , 2010, 404, 138-143. | 1.3 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Kinetic, equilibrium and thermodynamic studies for the removal of lead (II) and copper (II) ions from aqueous solutions by nanocrystalline. Superlattices and Microstructures, 2010, 48, 577-591. | 1.4 | 61 |
| 56 | Biosorption of Cu(II), Cd(II) and Pb(II) by <i>Acacia leucocephala</i> bark powder: Kinetics, equilibrium and thermodynamics. Chemical Engineering Journal, 2010, 157, 357-365. | 6.6 | 157 |
| 57 | Equilibrium, thermodynamic and kinetic studies on adsorption of Sb(III) from aqueous solution using low-cost natural diatomite. Chemical Engineering Journal, 2010, 162, 521-527. | 6.6 | 135 |
| 58 | Biosorption of antimony from aqueous solution by lichen (<i>Physcia tribacia</i>) biomass. Chemical Engineering Journal, 2010, 163, 382-388. | 6.6 | 71 |
| 59 | <i>Artemisia vulgaris</i> -derived mesoporous honeycomb-shaped activated carbon for ibuprofen adsorption. Chemical Engineering Journal, 2010, 165, 537-544. | 6.6 | 116 |
| 60 | A comparative investigation for strengthening the adsorptive phenomenon by activated natural minerals and plant waste-carbon for defluoridation in water milieu. Desalination, 2010, 263, 189-199. | 4.0 | 5 |
| 61 | Film and Pore Diffusion Modeling for Adsorption of Reactive Red 2 from Aqueous Solution on to Activated Carbon Prepared from Bio-Diesel Industrial Waste. E-Journal of Chemistry, 2010, 7, S175-S184. | 0.4 | 42 |
| 62 | Removal of methyl red from aqueous solution by activated carbon prepared from the <i>Annona squamosa</i> seed by adsorption. Chemical Engineering Research Bulletin, 2010, 14, . | 0.2 | 77 |
| 63 | Biosorption in Environmental Remediation. , 2010, , 35-99. | | 11 |
| 64 | Removal and Separation of Hg(II) Ions from Aqueous Solutions by Macroporous Polystyrene-co-Divinylbenzene-Supported Polyamine Chelating Resins. Journal of Chemical & Engineering Data, 2010, 55, 4650-4659. | 1.0 | 19 |
| 65 | Adsorption of Hg(II) from an Aqueous Solution by Silica-Gel Supported Diethylenetriamine Prepared via Different Routes: Kinetics, Thermodynamics, and Isotherms. Journal of Chemical & Engineering Data, 2010, 55, 1496-1504. | 1.0 | 30 |
| 66 | Evaluation of Nickel Sulphide Prepared by Different Routes for Removal of ^{106}Ru from Alkaline Radioactive Liquid Waste. Separation Science and Technology, 2010, 45, 2064-2075. | 1.3 | 5 |
| 67 | Lead removal from wastewater using fluted pumpkin seed shell activated carbon: Adsorption modeling and kinetics. International Journal of Environmental Science and Technology, 2010, 7, 793-800. | 1.8 | 91 |
| 68 | Removal of As(III) from Aqueous Solution Using Functionalized Ultrafine Iron Oxide Nanoparticles. Separation Science and Technology, 2011, 46, 1017-1022. | 1.3 | 25 |
| 69 | Evaluation of Metal Antimonate Compounds for the Removal of Radiostrontium from Radioactive Liquid Waste: Characterization and Sorption Behavior. Separation Science and Technology, 2011, 46, 1776-1787. | 1.3 | 3 |
| 70 | Removal of chromium by adsorption on activated alumina. Desalination and Water Treatment, 2011, 26, 279-286. | 1.0 | 24 |
| 71 | Adsorption Kinetics and Isotherms of Ag(I) and Hg(II) onto Silica Gel with Functional Groups of Hydroxyl- or Amino-Terminated Polyamines. Journal of Chemical & Engineering Data, 2011, 56, 1982-1990. | 1.0 | 31 |
| 72 | Multiwalled Carbon Nanotubes as Adsorbents for the Kinetic and Equilibrium Study of the Removal of Alizarin Red S and Morin. Journal of Chemical & Engineering Data, 2011, 56, 2511-2520. | 1.0 | 245 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Biosorption of Foron turquoise SBLN using mixed biomass of white rot fungi from synthetic effluents. African Journal of Biotechnology, 2011, 10, . | 0.3 | 1 |
| 74 | Adsorption of copper(II) ions by keratin/PA6 blend nanofibres. European Polymer Journal, 2011, 47, 1756-1764. | 2.6 | 107 |
| 75 | Effect of pre-treatments on biosorption of Ni (II) by dead biomass of <i>Mucor hiemalis</i> . Engineering in Life Sciences, 2011, 11, 588-597. | 2.0 | 16 |
| 76 | Kinetics and mechanism of arsenate removal by nanosized iron oxide-coated perlite. Journal of Hazardous Materials, 2011, 187, 89-95. | 6.5 | 57 |
| 77 | Adsorptive removal of phenol from aqueous solutions on activated carbon prepared from tobacco residues: Equilibrium, kinetics and thermodynamics. Journal of Hazardous Materials, 2011, 189, 397-403. | 6.5 | 282 |
| 78 | Kinetics of adsorption of metal ions on inorganic materials: A review. Advances in Colloid and Interface Science, 2011, 162, 39-58. | 7.0 | 654 |
| 79 | Equilibrium, kinetic and thermodynamic study of removal of reactive orange 12 on platinum nanoparticle loaded on activated carbon as novel adsorbent. Korean Journal of Chemical Engineering, 2011, 28, 2255-2261. | 1.2 | 48 |
| 80 | Malachite Green Removal from Aqueous Solution by the Peel of <i>Cucumis sativa</i> Fruit. Clean - Soil, Air, Water, 2011, 39, 162-170. | 0.7 | 28 |
| 81 | Strengthening adsorption characteristics of non-steroidal anti-inflammatory drug onto microwave-assisted mesoporous material: Process design, mechanism and characterization. Chemical Engineering Journal, 2011, 168, 1279-1288. | 6.6 | 22 |
| 82 | Preparation of ethylenediamine-modified magnetic chitosan complex for adsorption of uranyl ions. Carbohydrate Polymers, 2011, 84, 1169-1175. | 5.1 | 134 |
| 83 | Biosorption of Cr(VI) ions from aqueous solutions: Kinetics, equilibrium, thermodynamics and desorption studies. Colloids and Surfaces B: Biointerfaces, 2011, 84, 221-232. | 2.5 | 207 |
| 84 | Strengthening adsorptive amelioration: Isotherm modeling in liquid phase surface complexation of Pb (II) and Cd (II) ions. Desalination, 2011, 267, 25-33. | 4.0 | 28 |
| 85 | Kinetic and thermodynamic modeling for the removal of Direct Red-31 and Direct Orange-26 dyes from aqueous solutions by rice husk. Desalination, 2011, 272, 313-322. | 4.0 | 183 |
| 86 | Determination of lead separated selectively with ion exchange method from solution onto BCW in Sirkak, East Anatolia of Turkey. Microchemical Journal, 2011, 98, 246-253. | 2.3 | 14 |
| 87 | Adsorption of phenols from aqueous solutions: Equilibria, calorimetry and kinetics of adsorption. Journal of Colloid and Interface Science, 2011, 354, 282-291. | 5.0 | 29 |
| 88 | Activated carbon and multiwalled carbon nanotubes as efficient adsorbents for removal of arsenazo (I TM I TM) and methyl red from waste water. Toxicological and Environmental Chemistry, 2011, 93, 438-449. | 0.6 | 68 |
| 89 | Study of Adsorption Characteristics of Activated Carbon to Chromium from Aquatic Solution. , 2011, , . | | 1 |
| 90 | Equilibrium, Thermodynamic, and Kinetic Studies on <i>Trichoderma viride</i> Biomass as Biosorbent for the Removal of Cu(II) from Water. Separation Science and Technology, 2011, 46, 997-1004. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Biosorptive Removal of Ni(II) from Aqueous Solution by <i>Caesalpinia bonducella</i> Seed Powder. Separation Science and Technology, 2011, 46, 2291-2297. | 1.3 | 18 |
| 93 | Comparative Study of Biosorption of Heavy Metals Using Living Green Algae <i>Scenedesmus quadricauda</i> and <i>Neochloris pseudoalveolaris</i> : Equilibrium and Kinetics. Journal of Dispersion Science and Technology, 2012, 33, 410-419. | 1.3 | 23 |
| 94 | Removal of Lead Ions in an Aqueous Medium with Activated Carbon Fibers. Materials Research Society Symposia Proceedings, 2012, 1485, 21-28. | 0.1 | 0 |
| 95 | Potential of granulated modified nanozeolites Y for MTBE removal from aqueous solutions: Kinetic and isotherm studies. Polish Journal of Chemical Technology, 2012, 14, 1-8. | 0.3 | 12 |
| 96 | A comparative study of modified and unmodified maize tassels for removal of selected trace metals in contaminated water. Toxicological and Environmental Chemistry, 2012, 94, 20-39. | 0.6 | 17 |
| 97 | Peat Characterization and Uptake of Nickel (II) and Cobalt (II) in a Saprist Peat Column. Adsorption Science and Technology, 2012, 30, 369-381. | 1.5 | 1 |
| 98 | Removal of heavy metals from contaminated water using ethylenediamine-modified green seaweed (<i>Caulerpa serrulata</i>). Physics and Chemistry of the Earth, 2012, 50-52, 111-120. | 1.2 | 50 |
| 99 | Removal of anionic dyes by rice milling waste from synthetic effluents: equilibrium and thermodynamic studies. Desalination and Water Treatment, 2012, 48, 267-277. | 1.0 | 26 |
| 100 | Looped carbon capturing and environmental remediation: case study of magnetic polypropylene nanocomposites. RSC Advances, 2012, 2, 4844. | 1.7 | 39 |
| 101 | Preparation of graphite by thermal annealing of polyacrylamide precursor for adsorption of Cs(I) and Co(II) ions from aqueous solutions. Canadian Journal of Chemistry, 2012, 90, 843-850. | 0.6 | 23 |
| 102 | <i>Caesalpinia bonducella</i> Leaf Powder as Biosorbent for Cu(II) Removal from Aqueous Environment: Kinetics and Isotherms. Industrial & Engineering Chemistry Research, 2012, 51, 11218-11225. | 1.8 | 24 |
| 103 | Improving the Stability of Immobilized Penicillin G Acylase via the Modification of Supports With Ionic Liquids. Industrial & Engineering Chemistry Research, 2012, 51, 4582-4590. | 1.8 | 28 |
| 104 | Comparison of Activated Carbon, Multiwalled Carbon Nanotubes, and Cadmium Hydroxide Nanowire Loaded on Activated Carbon as Adsorbents for Kinetic and Equilibrium Study of Removal of Safranin O. Spectroscopy Letters, 2012, 45, 500-510. | 0.5 | 46 |
| 105 | Oxidized multiwalled carbon nanotubes as efficient adsorbent for bromothymol blue. Toxicological and Environmental Chemistry, 2012, 94, 873-883. | 0.6 | 76 |
| 106 | Removal of Ni(II) ions from aqueous solutions using clinoptilolite: equilibrium, kinetic and thermodynamic studies. Chemistry and Ecology, 2012, 28, 481-495. | 0.6 | 11 |
| 107 | Adsorption of divalent lead ions from aqueous solution using low silica nano-zeolite X. Journal of Industrial and Engineering Chemistry, 2012, 18, 1970-1976. | 2.9 | 40 |
| 108 | Low cost adsorbents obtained from ash for copper removal. Korean Journal of Chemical Engineering, 2012, 29, 1735-1744. | 1.2 | 31 |
| 109 | Oxidized multiwalled carbon nanotubes for the removal of methyl red (MR): kinetics and equilibrium study. Desalination and Water Treatment, 2012, 49, 317-325. | 1.0 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 110 | Antimony(III) Adsorption from Aqueous Solution Using Raw Perlite and Mn-Modified Perlite: Equilibrium, Thermodynamic, and Kinetic Studies. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 6877-6886. | 1.8 | 70 |
| 111 | Equilibrium and Kinetics Study of Adsorption of Crystal Violet onto the Peel of Cucumis sativa Fruit from Aqueous Solution. <i>E-Journal of Chemistry</i> , 2012, 9, 1091-1101. | 0.4 | 17 |
| 112 | CELLULOSIC SUBSTRATES FOR REMOVAL OF POLLUTANTS FROM AQUEOUS SYSTEMS: A REVIEW. 2. DYES. <i>BioResources</i> , 2012, 7, . | 0.5 | 65 |
| 113 | One-Pot Synthesis of Magnetic Graphene Nanocomposites Decorated with Core@Double-shell Nanoparticles for Fast Chromium Removal. <i>Environmental Science & Technology</i> , 2012, 46, 977-985. | 4.6 | 469 |
| 114 | Adsorptive Removal of Chromium(VI) from Aqueous Solution by an Agricultural Waste-Based Activated Carbon. <i>Water, Air, and Soil Pollution</i> , 2012, 223, 1765-1771. | 1.1 | 19 |
| 115 | Removal of Pb(II) ions from aqueous solution and industrial effluent using natural biosorbents. <i>Environmental Science and Pollution Research</i> , 2012, 19, 2212-2226. | 2.7 | 89 |
| 116 | Chemical modification of waste poly(p-phenylene terephthalamide) fibers and its binding behaviors to metal ions. <i>Chemical Engineering Journal</i> , 2012, 181-182, 458-466. | 6.6 | 25 |
| 117 | Hexavalent chromium removal from aqueous medium by activated carbon prepared from peanut shell: Adsorption kinetics, equilibrium and thermodynamic studies. <i>Chemical Engineering Journal</i> , 2012, 184, 238-247. | 6.6 | 581 |
| 118 | Kinetics, thermodynamics and equilibrium evaluation of direct yellow 12 removal by adsorption onto silver nanoparticles loaded activated carbon. <i>Chemical Engineering Journal</i> , 2012, 187, 133-141. | 6.6 | 215 |
| 119 | Cadmium hydroxide nanowire loaded on activated carbon as efficient adsorbent for removal of Bromocresol Green. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 86, 62-68. | 2.0 | 85 |
| 120 | Cadmium telluride nanoparticles loaded on activated carbon as adsorbent for removal of sunset yellow. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 90, 22-27. | 2.0 | 84 |
| 121 | Removal of Cd(II) and Pb(II) from aqueous solution using dried water hyacinth as a biosorbent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 96, 413-420. | 2.0 | 101 |
| 122 | Adsorption/desorption of Cd(II), Cu(II) and Pb(II) using chemically modified orange peel: Equilibrium and kinetic studies. <i>Solid State Sciences</i> , 2012, 14, 202-210. | 1.5 | 247 |
| 123 | Removal of dark colored compounds from date syrup using activated carbon: A kinetic study. <i>Journal of Food Engineering</i> , 2012, 111, 490-495. | 2.7 | 23 |
| 124 | Synthesis and characterization of magnetic beads containing aminated fibrous surfaces for removal of Reactive Green 19 dye: kinetics and thermodynamic parameters. <i>Journal of Chemical Technology and Biotechnology</i> , 2012, 87, 705-713. | 1.6 | 43 |
| 125 | Synthesis and characterization of zinc sulfide nanoparticles loaded on activated carbon for the removal of methylene blue. <i>Environmental Progress and Sustainable Energy</i> , 2013, 32, 535-542. | 1.3 | 31 |
| 126 | ZnS:Cu nanoparticles loaded on activated carbon as novel adsorbent for kinetic, thermodynamic and isotherm studies of Reactive Orange 12 and Direct yellow 12 adsorption. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013, 114, 687-694. | 2.0 | 72 |
| 127 | Biosorption of Nickel(II) from aqueous solution by the fungal mat of <i>Trametes versicolor</i> (rainbow) biomass: equilibrium, kinetics, and thermodynamic studies. <i>Biotechnology and Bioprocess Engineering</i> , 2013, 18, 280-288. | 1.4 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 128 | Alumina/Iron Oxide Nano Composite for Cadmium Ions Removal from Aqueous Solutions. International Journal of Nonferrous Metallurgy, 2013, 02, 47-62. | 0.5 | 42 |
| 129 | Removal of Fe(II) from aqueous solution using pomegranate peel carbon: equilibrium and kinetic studies. International Journal of Industrial Chemistry, 2013, 4, 19. | 3.1 | 48 |
| 130 | Adsorption of heavy metal ions from aqueous solutions by bio-char, a by-product of pyrolysis. Applied Surface Science, 2013, 283, 856-862. | 3.1 | 245 |
| 131 | Removal of Hg(II) from Aqueous Solution by Adsorption Using Raw and Chemically Modified Rice Straw As Novel Adsorbents. Industrial & Engineering Chemistry Research, 2013, 52, 13092-13101. | 1.8 | 67 |
| 132 | Contribution of tertiary amino groups to Re(VII) biosorption on modified corn stalk: Competitiveness and regularity. Bioresource Technology, 2013, 133, 546-554. | 4.8 | 64 |
| 133 | Kinetic and equilibrium study for cadmium and copper removal from aqueous solutions by sorption onto mixed alginate/pectin gel beads. Journal of Environmental Chemical Engineering, 2013, 1, 1252-1260. | 3.3 | 44 |
| 134 | Application of magnetic chitosan composites for the removal of toxic metal and dyes from aqueous solutions. Advances in Colloid and Interface Science, 2013, 201-202, 68-93. | 7.0 | 543 |
| 135 | Removal of 2,4-dichlorophenol using cyclodextrin-ionic liquid polymer as a macroporous material: Characterization, adsorption isotherm, kinetic study, thermodynamics. Journal of Hazardous Materials, 2013, 263, 501-516. | 6.5 | 84 |
| 136 | Acetylacetone phenylhydrazone functionalized polyurethane foam: Determination of copper, zinc and manganese in environmental samples and pharmaceuticals using flame atomic absorption spectrometry. Reactive and Functional Polymers, 2013, 73, 182-191. | 2.0 | 21 |
| 137 | Removal of Reactive Orange 12 from aqueous solutions by adsorption on tin sulfide nanoparticle loaded on activated carbon. Journal of Industrial and Engineering Chemistry, 2013, 19, 756-763. | 2.9 | 80 |
| 138 | Treatment of wastewater containing arsenic using Rhazya stricta as a new adsorbent. Environmental Monitoring and Assessment, 2013, 185, 9669-9681. | 1.3 | 23 |
| 139 | Batch and fixed bed adsorption study for the removal of Drimarine Black CL-B dye from aqueous solution using a lignocellulosic waste: A cost affective adsorbent. Industrial Crops and Products, 2013, 50, 568-579. | 2.5 | 97 |
| 140 | Kinetic studies on carbon dioxide capture using lignocellulosic based activated carbon. Energy, 2013, 61, 440-446. | 4.5 | 101 |
| 141 | Kinetics of cadmium(II) uptake by mixed maghemite-magnetite nanoparticles. Journal of Environmental Management, 2013, 129, 642-651. | 3.8 | 48 |
| 142 | Adsorption kinetics of phenol from water on Fe/AC. Fuel, 2013, 110, 99-106. | 3.4 | 23 |
| 143 | A critical analysis of cation adsorption from single and binary solutions on low surface area γ -MnO ₂ . Applied Surface Science, 2013, 270, 205-218. | 3.1 | 37 |
| 144 | Wool-derived keratin nanofiber membranes for dynamic adsorption of heavy-metal ions from aqueous solutions. Textile Research Journal, 2013, 83, 1574-1586. | 1.1 | 56 |
| 145 | Application of Isotherm and Kinetic Models for the Removal of Lead Ions from Aqueous Solutions. Journal of Environmental Engineering, ASCE, 2013, 139, 349-357. | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 146 | Adsorptive removal of Cu(II) from aqueous solution and industrial effluent using natural/agricultural wastes. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 107, 97-106. | 2.5 | 186 |
| 147 | Comparison of removal of bromothymol blue from aqueous solution by multiwalled carbon nanotube and Zn(OH) ₂ nanoparticles loaded on activated carbon: A thermodynamic study. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 1493-1500. | 2.9 | 26 |
| 148 | Magnetic nanocomposites for environmental remediation. <i>Advanced Powder Technology</i> , 2013, 24, 459-467. | 2.0 | 145 |
| 149 | Study of removal of Direct Yellow 12 by cadmium oxide nanowires loaded on activated carbon. <i>Materials Science and Engineering C</i> , 2013, 33, 2258-2265. | 3.8 | 36 |
| 150 | Immobilized Fe (III)-doped titanium dioxide for photodegradation of dissolved organic compounds in water. <i>Environmental Science and Pollution Research</i> , 2013, 20, 6028-6038. | 2.7 | 12 |
| 151 | SYNTHESIS AND CHARACTERIZATION OF CADMIUM SULFIDE NANOPARTICLE-LOADED ACTIVATED CARBON AS A NOVEL ADSORBENT FOR EFFICIENT REMOVAL OF REACTIVE ORANGE 12. <i>Chemical Engineering Communications</i> , 2013, 200, 1071-1088. | 1.5 | 4 |
| 152 | Kinetic, equilibrium isotherm and thermodynamic studies of Cr(VI) adsorption onto low-cost adsorbent developed from peanut shell activated with phosphoric acid. <i>Environmental Science and Pollution Research</i> , 2013, 20, 3351-3365. | 2.7 | 119 |
| 153 | Removal of reactive dyes from wastewater by acrylate polymer beads bearing amino groups: isotherm and kinetic studies. <i>Coloration Technology</i> , 2013, 129, 114-124. | 0.7 | 35 |
| 154 | Removal of heavy metal ions from aqueous solutions with multi-walled carbon nanotubes: Kinetic and thermodynamic studies. <i>International Journal of Environmental Science and Technology</i> , 2013, 10, 677-688. | 1.8 | 79 |
| 155 | Comparison of nickel and/or zinc selenide nanoparticle loaded on activated carbon as efficient adsorbents for kinetic and equilibrium study of removal of Arsenazo (I TM I TM I TM) dye. <i>Powder Technology</i> , 2013, 245, 217-226. | 2.1 | 74 |
| 156 | Sorption and precipitation of Mn ²⁺ by viable and autoclaved <i>Shewanella putrefaciens</i> : Effect of contact time. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 100, 232-250. | 1.6 | 23 |
| 157 | A new approach for rhenium(VII) recovery by using modified brown algae <i>Laminaria japonica</i> adsorbent. <i>Bioresource Technology</i> , 2013, 127, 464-472. | 4.8 | 67 |
| 158 | Adsorption of hexavalent chromium from aqueous solutions by bio-chars obtained during biomass pyrolysis. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 190-196. | 2.9 | 140 |
| 159 | Adsorption kinetic study: Effect of adsorbent pore size distribution on the rate of Cr (VI) uptake. <i>Microporous and Mesoporous Materials</i> , 2013, 165, 99-105. | 2.2 | 82 |
| 160 | Characteristics of Activated Carbon and Carbon Nanotubes as Adsorbents To Remove Annatto (Norbixin) in Cheese Whey. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 9230-9240. | 2.4 | 19 |
| 161 | Equilibrium, Kinetic, and Thermodynamic Studies on the Biosorption of Selenium (IV) Ions onto <i>Ganoderma Lucidum</i> Biomass. <i>Separation Science and Technology</i> , 2013, 48, 2293-2301. | 1.3 | 26 |
| 162 | Novel Ag/Kaolin Nanocomposite as Adsorbent for Removal of Acid Cyanine 5R from Aqueous Solution. <i>Journal of Chemistry</i> , 2013, 2013, 1-7. | 0.9 | 7 |
| 163 | Removal of Azo Dyes (Violet B and Violet 5R) from Aqueous Solution Using New Activated Carbon Developed from Orange Peel. <i>Journal of Chemistry</i> , 2013, 2013, 1-10. | 0.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 164 | Effective Biosorption of Nickel(II) from Aqueous Solutions Using <i>Trichoderma viride</i> . Journal of Chemistry, 2013, 2013, 1-7. | 0.9 | 25 |
| 165 | Adsorption Behaviors of Platinum Group Metals in Simulated High Level Liquid Waste Using Macroporous (MOTDGA-TOA)/SiO ₂ -P Silica-based Absorbent. Separation Science and Technology, 2013, 48, 2616-2625. | 1.3 | 16 |
| 166 | Adsorption of Chromium onto Activated Alumina: Kinetics and Thermodynamics Studies. Water Environment Research, 2013, 85, 99-104. | 1.3 | 6 |
| 167 | Thermodynamic, Kinetic, and Equilibrium Parameters for the Removal of Lead and Cadmium from Aqueous Solutions with Calcium Alginate Beads. Scientific World Journal, The, 2014, 2014, 1-9. | 0.8 | 46 |
| 168 | Application of the BDST model for nickel removal from effluents by ion exchange. Desalination and Water Treatment, 2014, 52, 7866-7877. | 1.0 | 6 |
| 169 | Synergistic Interactions between Activated Carbon Fabrics and Toxic Hexavalent Chromium. ECS Journal of Solid State Science and Technology, 2014, 3, M1-M9. | 0.9 | 27 |
| 170 | Tin oxide nanoparticles loaded on activated carbon as adsorbent for removal of Murexide. Desalination and Water Treatment, 2014, 52, 7282-7292. | 1.0 | 18 |
| 171 | An experimental investigation of sorption of copper on sandy soil by laboratory batch and column experiments. International Journal of Environment and Waste Management, 2014, 13, 160. | 0.2 | 2 |
| 172 | Determination of trace metal ions in water and plant samples using polyurethane foam modified with 2-aminothiazole. Desalination and Water Treatment, 0, , 1-12. | 1.0 | 1 |
| 173 | Fe(III) removal by activated carbon produced from Egyptian rice straw by chemical activation. Desalination and Water Treatment, 2014, 52, 3159-3168. | 1.0 | 15 |
| 174 | Kinetic, Equilibrium and Isotherm Studies of Cadmium Removal from Aqueous Solutions by Oxidized Multi-walled Carbon Nanotubes and the Functionalized Ones with Thiosemicarbazide and Their Toxicity Investigations: A Comparison. Journal of the Chinese Chemical Society, 2014, 61, 1188-1198. | 0.8 | 24 |
| 175 | Removal of Indosol Turquoise FBL dye from aqueous solution by bagasse, a low cost agricultural waste: batch and column study. Desalination and Water Treatment, 2014, 52, 184-198. | 1.0 | 52 |
| 176 | Optimization of growth temperature of multi-walled carbon nanotubes fabricated by chemical vapour deposition and their application for arsenic removal. Materials Science-Poland, 2014, 32, 709-718. | 0.4 | 10 |
| 177 | Adsorptive removal of vinyl polymer/ZnO nanocomposite from aqueous solution by activated sludge biomass. Desalination and Water Treatment, 0, , 1-10. | 1.0 | 3 |
| 178 | Adsorption of lead and copper ions from aqueous effluents on rice husk ash in a dynamic system. Brazilian Journal of Chemical Engineering, 2014, 31, 519-529. | 0.7 | 46 |
| 179 | Optimization of the combined ultrasonic assisted/adsorption method for the removal of malachite green by gold nanoparticles loaded on activated carbon: Experimental design. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 118, 55-65. | 2.0 | 191 |
| 180 | Effect of copper doping on CoTiO ₃ ilmenite type nanoparticles for removal of congo red from aqueous solution. Chemical Engineering Journal, 2014, 235, 299-306. | 6.6 | 63 |
| 181 | Removal of phenolics from aqueous media using quaternised maize tassels. Journal of Environmental Management, 2014, 134, 70-79. | 3.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 182 | A novel structure for removal of pollutants from wastewater. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 121, 216-223. | 2.0 | 35 |
| 183 | Modeling of water vapor sorption process by employing the reaction engineering approach (REA). <i>Separation and Purification Technology</i> , 2014, 122, 456-461. | 3.9 | 5 |
| 184 | Optimization of the ultrasonic assisted removal of methylene blue by gold nanoparticles loaded on activated carbon using experimental design methodology. <i>Ultrasonics Sonochemistry</i> , 2014, 21, 242-252. | 3.8 | 270 |
| 185 | Removal of copper ions from aqueous solution using silica derived from rice straw: comparison with activated charcoal. <i>International Journal of Environmental Science and Technology</i> , 2014, 11, 1581-1590. | 1.8 | 16 |
| 186 | Covalent bonding synthesis of magnetic graphene oxide nanocomposites for Cr(III) removal. <i>Desalination and Water Treatment</i> , 2014, 52, 1937-1946. | 1.0 | 20 |
| 187 | Evaluation of peanut husk as a novel, low cost biosorbent for the removal of Indosol Orange RSN dye from aqueous solutions: batch and fixed bed studies. <i>Clean Technologies and Environmental Policy</i> , 2014, 16, 527-544. | 2.1 | 69 |
| 188 | Valorization of two waste streams into activated carbon and studying its adsorption kinetics, equilibrium isotherms and thermodynamics for methylene blue removal. <i>Arabian Journal of Chemistry</i> , 2014, 7, 1148-1158. | 2.3 | 60 |
| 189 | Batch and fixed bed column studies for the removal of Indosol Yellow BG dye by peanut husk. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014, 45, 541-553. | 2.7 | 169 |
| 190 | Application of activated carbon as adsorbents for efficient removal of methylene blue: Kinetics and equilibrium study. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 2317-2324. | 2.9 | 189 |
| 191 | Study of Methylene Blue adsorption on keratin nanofibrous membranes. <i>Journal of Hazardous Materials</i> , 2014, 268, 156-165. | 6.5 | 167 |
| 192 | Potential Use of Low-Cost Lignocellulosic Waste for the Removal of Direct Violet 51 from Aqueous Solution: Equilibrium and Breakthrough Studies. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 66, 557-571. | 2.1 | 58 |
| 193 | Biosorption of Pb(II) from aqueous solution by <i>Solanum melongena</i> leaf powder as a low-cost biosorbent prepared from agricultural waste. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 114, 75-81. | 2.5 | 111 |
| 194 | Multi-response optimization using Taguchi design and principle component analysis for removing binary mixture of alizarin red and alizarin yellow from aqueous solution by nano γ -alumina. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 126, 291-300. | 2.0 | 48 |
| 195 | Artificial neural network and particle swarm optimization for removal of methyl orange by gold nanoparticles loaded on activated carbon and Tamarisk. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 132, 639-654. | 2.0 | 69 |
| 196 | Preparation of activated carbon from agricultural wastes (almond shell and orange peel) for adsorption of 2-pic from aqueous solution. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 1892-1900. | 2.9 | 126 |
| 197 | Principal component analysis-artificial neural network and genetic algorithm optimization for removal of reactive orange 12 by copper sulfide nanoparticles-activated carbon. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 787-795. | 2.9 | 48 |
| 198 | Artificial neural network "Imperialist competitive algorithm based optimization for removal of sunset yellow using Zn(OH) ₂ nanoparticles-activated carbon. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 4332-4343. | 2.9 | 55 |
| 199 | Biomass-derived biosorbents for metal ions sequestration: Adsorbent modification and activation methods and adsorbent regeneration. <i>Journal of Environmental Chemical Engineering</i> , 2014, 2, 239-259. | 3.3 | 395 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 200 | Combined magnetic field and adsorption process for treatment of biologically treated palm oil mill effluent (POME). <i>Chemical Engineering Journal</i> , 2014, 243, 31-42. | 6.6 | 86 |
| 202 | Adsorptive removal of humic acid on activated carbon prepared from almond shell: approach for the treatment of industrial phosphoric acid solution. <i>Desalination and Water Treatment</i> , 2014, 52, 2241-2252. | 1.0 | 22 |
| 203 | Phenol removal from aqueous phase by adsorption on activated carbon prepared from paper mill sludge. <i>Desalination and Water Treatment</i> , 2014, 52, 6505-6518. | 1.0 | 34 |
| 204 | Adsorptive removal of Drimarine Red HF-3D dye from aqueous solution using low-cost agricultural waste: batch and column study. <i>Chemistry and Ecology</i> , 2014, 30, 376-392. | 0.6 | 20 |
| 205 | Equilibrium modeling for adsorptive removal of Indosol Black NF dye by low-cost agro-industrial waste: batch and continuous study. <i>Desalination and Water Treatment</i> , 2014, 52, 4492-4507. | 1.0 | 6 |
| 206 | Mesoporous magnetic carbon nanocomposite fabrics for highly efficient Cr(VI) removal. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2256-2265. | 5.2 | 140 |
| 207 | Ultrafast Cr(VI) removal from polluted water by microwave synthesized iron oxide submicron wires. <i>Chemical Communications</i> , 2014, 50, 8036. | 2.2 | 34 |
| 208 | Kinetic and isotherm study of Bromothymol Blue and Methylene blue removal using Au-NP loaded on activated carbon. <i>Desalination and Water Treatment</i> , 2014, 52, 5504-5512. | 1.0 | 23 |
| 209 | Equilibrium, Thermodynamic, and Kinetic Studies for the Adsorption of Cadmium(II) Ions onto Activated Carbon Prepared from <i>Euphorbia rigida</i> by Chemical Activation. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2014, 36, 1727-1737. | 1.2 | 2 |
| 210 | Removal of Novacron Golden Yellow dye from aqueous solutions by low-cost agricultural waste: Batch and fixed bed study. <i>Chemistry and Ecology</i> , 2014, 30, 52-65. | 0.6 | 41 |
| 211 | Removal of Tartrazine Dye onto Mixed Waste Activated Carbon: Kinetic and Thermodynamic Studies. <i>Clean - Soil, Air, Water</i> , 2014, 42, 1824-1831. | 0.7 | 28 |
| 212 | Removal of cadmium(II) from aqueous solutions by biosorption onto the brown macroalga (<i>Dictyota dichotoma</i>). <i>Desalination and Water Treatment</i> , 0, , 1-11. | 1.0 | 4 |
| 213 | Optimization of Mo(VI) Selective Separation by Eriocheir sinensis Crab Shells Gel. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 847-854. | 1.8 | 16 |
| 214 | Removal of Alizarin Red S by gold nanoparticles loaded on activated carbon combined with ultrasound device: Optimization by experimental design methodology. <i>Powder Technology</i> , 2014, 267, 134-144. | 2.1 | 63 |
| 215 | Effect of synergistic sorption of Cr(VI) and Mn(II) in aqueous solution using magnetic nanoparticles. <i>Desalination and Water Treatment</i> , 2014, 52, 4183-4189. | 1.0 | 7 |
| 216 | Synthesis of magnetite multi-walled carbon nanotubes composite and its application for removal of basic dyes from aqueous solutions. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2014, 9, 552-561. | 0.8 | 4 |
| 217 | Polyaniline coating on carbon fiber fabrics for improved hexavalent chromium removal. <i>RSC Advances</i> , 2014, 4, 29855. | 1.7 | 118 |
| 218 | Biosorption potential of the mediterranean plant (<i>Posidonia oceanica</i>) for the removal of Cu ²⁺ ions from aqueous media : Equilibrium, kinetic, thermodynamic and mechanism analysis. <i>Korean Journal of Chemical Engineering</i> , 2014, 31, 1211-1218. | 1.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 219 | A novel ligand based dual conjugate adsorbent for cobalt(II) and copper(II) ions capturing from water. <i>Sensors and Actuators B: Chemical</i> , 2014, 203, 71-80. | 4.0 | 178 |
| 220 | A comparative study of microwave and chemically treated <i>Acacia nilotica</i> leaf as an eco friendly adsorbent for the removal of rhodamine B dye from aqueous solution. <i>Arabian Journal of Chemistry</i> , 2014, 7, 494-503. | 2.3 | 56 |
| 221 | Simple and facile synthesis of amino functionalized hollow core-mesoporous shell silica spheres using anionic surfactant for Pb(II), Cd(II), and Zn(II) adsorption and recovery. <i>Chemical Engineering Journal</i> , 2014, 251, 441-451. | 6.6 | 95 |
| 222 | Purification of anthocyanins from jamun (<i>Syzygium cumini</i> L.) employing adsorption. <i>Separation and Purification Technology</i> , 2014, 125, 170-178. | 3.9 | 72 |
| 223 | Random forest model for removal of bromophenol blue using activated carbon obtained from <i>Astragalus bisulcatus</i> tree. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 1793-1803. | 2.9 | 96 |
| 224 | Chloride adsorption by calcined layered double hydroxides in hardened Portland cement paste. <i>Materials Chemistry and Physics</i> , 2014, 145, 376-386. | 2.0 | 75 |
| 225 | Manganese doped goethite: Structural, optical and adsorption properties. <i>Journal of Environmental Chemical Engineering</i> , 2014, 2, 434-443. | 3.3 | 20 |
| 226 | Synthesis of microporous takovite and its environmental application. <i>Journal of Molecular Liquids</i> , 2015, 209, 759-766. | 2.3 | 2 |
| 227 | Partial carbonized nanoporous resin for uptake of lead from aqueous solution. <i>Water Science and Technology</i> , 2015, 72, 974-982. | 1.2 | 2 |
| 228 | Penicillin G Adsorption Isotherms and Kinetic Studies Using TiO ₂ Nanotubes Free and Modified with β -Cyclodextrin. <i>Chemistry Letters</i> , 2015, 44, 1289-1291. | 0.7 | 4 |
| 229 | Enhanced adsorption capacity and selectivity towards molybdenum in wastewater by a persimmon tannin waste based new adsorbent. <i>Journal of Chemical Technology and Biotechnology</i> , 2015, 90, 888-895. | 1.6 | 19 |
| 230 | Metal Oxide Nano-particles as an Adsorbent for Removal of Heavy Metals. <i>Journal of Advanced Chemical Engineering</i> , 2015, 5, . | 0.1 | 24 |
| 231 | Adsorption and Desorption of Nickel(II) Ions from Aqueous Solution by a Lignocellulose/Montmorillonite Nanocomposite. <i>PLoS ONE</i> , 2015, 10, e0117077. | 1.1 | 69 |
| 232 | Equilibrium and kinetic modeling for the removal of Turquoise Blue PG dye from aqueous solution by a low-cost agro waste. <i>Desalination and Water Treatment</i> , 2015, 55, 1934-1944. | 1.0 | 17 |
| 233 | Separation of Cr(VI) from aqueous solutions by adsorption on the microfungus <i>Ustilago maydis</i> . <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 2559-2566. | 1.8 | 14 |
| 234 | Hierarchical Porous and High Surface Area Tubular Carbon as Dye Adsorbent and Capacitor Electrode. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 12230-12237. | 4.0 | 106 |
| 235 | Removal of methyl orange by multiwall carbon nanotube accelerated by ultrasound devise: Optimized experimental design. <i>Advanced Powder Technology</i> , 2015, 26, 1087-1093. | 2.0 | 36 |
| 236 | Comparison of nickel oxide and palladium nanoparticle loaded on activated carbon for efficient removal of methylene blue. <i>Human and Experimental Toxicology</i> , 2015, 34, 153-169. | 1.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 237 | Adsorption of perchlorate ion by bio-char produced from <i>Acidosasa edulis</i> shell in aqueous solution. <i>RSC Advances</i> , 2015, 5, 104769-104778. | 1.7 | 38 |
| 238 | Isotherm and kinetics study of malachite green adsorption onto copper nanowires loaded on activated carbon: Artificial neural network modeling and genetic algorithm optimization. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 142, 135-149. | 2.0 | 96 |
| 239 | Quasi-complete Separation Re(VII) from Mo(VI) onto Magnetic Modified Cross-Linked Chitosan Crab Shells Gel by Using Kinetics Methods. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 1333-1341. | 1.8 | 27 |
| 240 | Adsorption of hexavalent chromium ions from aqueous solution by graphene nanosheets: kinetic and thermodynamic studies. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 2153-2160. | 1.8 | 50 |
| 241 | Removal of Ni(II) from aqueous solution by <i>Lycopersicon esculentum</i> (Tomato) leaf powder as a low-cost biosorbent. <i>Desalination and Water Treatment</i> , 2015, 54, 200-208. | 1.0 | 44 |
| 242 | Cu _{0.5} Mn _{0.5} Fe ₂ O ₄ nano spinels as potential sorbent for adsorption of brilliant green. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 24, 308-314. | 2.9 | 34 |
| 243 | Simultaneous ultrasound-assisted ternary adsorption of dyes onto copper-doped zinc sulfide nanoparticles loaded on activated carbon: Optimization by response surface methodology. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 145, 203-212. | 2.0 | 182 |
| 244 | Removal of COD from real textile effluents using agro-industrial wastes. <i>Desalination and Water Treatment</i> , 2015, 53, 2585-2592. | 1.0 | 8 |
| 245 | Mixed Hemi/Ad-Micelle Sodium Dodecyl Sulfate-Coated Magnetic Iron Oxide Nanoparticles for the Efficient Removal and Trace Determination of Rhodamine-B and Rhodamine-6G. <i>Analytical Chemistry</i> , 2015, 87, 7894-7901. | 3.2 | 59 |
| 246 | Removal of Cu(II) ions from water using thermally-treated horn "hoof powder as biosorbent. <i>Desalination and Water Treatment</i> , 2015, 55, 1105-1115. | 1.0 | 3 |
| 247 | Dispersedly embedded loading of Fe ₃ O ₄ nanoparticles into graphene nanosheets for highly efficient and recyclable removal of heavy metal ions. <i>New Journal of Chemistry</i> , 2015, 39, 7355-7362. | 1.4 | 30 |
| 248 | Adsorption of fluoride from aqueous solution by a new low-cost adsorbent: thermally and chemically activated coconut fibre dust. <i>Clean Technologies and Environmental Policy</i> , 2015, 17, 2157-2172. | 2.1 | 42 |
| 249 | Kinetics, isotherm and thermodynamic investigations for the adsorption of Co(II) ion onto crystal violet modified amberlite IR-120 resin. <i>Ionics</i> , 2015, 21, 1453-1459. | 1.2 | 87 |
| 250 | Nanoporous activated carbon for fast uptake of heavy metals from aqueous solution. <i>Desalination and Water Treatment</i> , 2015, 55, 935-944. | 1.0 | 6 |
| 251 | Carbon monolith with embedded mesopores and nanoparticles as a novel adsorbent for water treatment. <i>RSC Advances</i> , 2015, 5, 42540-42547. | 1.7 | 17 |
| 252 | Synthesis, characterization and application of curcumin formaldehyde resin for the removal of Cd ²⁺ from wastewater: Kinetics, isotherms and thermodynamic studies. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 29, 78-86. | 2.9 | 49 |
| 253 | Novel Cr(III) surface magnetic ion-imprinted materials based on graphene oxide for selective removal of Cr(III) in aqueous solution. <i>Desalination and Water Treatment</i> , 2015, 56, 204-215. | 1.0 | 9 |
| 254 | Adsorption of Cr(VI) from Aqueous Solution by Activated Carbon Prepared from Agricultural Solid Waste. <i>Separation Science and Technology</i> , 2015, 50, 1469-1479. | 1.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 255 | Brown algae based new sorption material for fractional recovery of molybdenum and rhenium from wastewater. <i>Chemical Engineering Journal</i> , 2015, 273, 231-239. | 6.6 | 57 |
| 256 | Activated carbon from waste as an efficient adsorbent for malathion for detection and removal purposes. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 32, 336-344. | 2.9 | 78 |
| 257 | The removal of lead ions from aqueous solutions by modified multi-walled carbon nanotubes with 1-isatin-3-thiosemicarbazone. <i>Journal of Molecular Liquids</i> , 2015, 212, 219-226. | 2.3 | 40 |
| 258 | Synthesis of regenerable Zn(OH) ₂ nanoparticle-loaded activated carbon for the ultrasound-assisted removal of malachite green: optimization, isotherm and kinetics. <i>RSC Advances</i> , 2015, 5, 79119-79128. | 1.7 | 53 |
| 259 | Nanofurry magnetic carbon microspheres for separation processes and catalysis: synthesis, phase composition, and properties. <i>Journal of Materials Science</i> , 2015, 50, 7353-7363. | 1.7 | 15 |
| 260 | Removal of chromium(VI) from aqueous solutions using rubber leaf powder: batch and column studies. <i>Desalination and Water Treatment</i> , 0, , 1-16. | 1.0 | 16 |
| 261 | Optimization of combined ultrasonic assisted/tin sulfide nanoparticle loaded on activated carbon removal of erythrosine by response surface methodology. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 21, 459-469. | 2.9 | 39 |
| 262 | Comparison of ultrasonic with stirrer performance for removal of sunset yellow (SY) by activated carbon prepared from wood of orange tree: Artificial neural network modeling. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 138, 789-799. | 2.0 | 43 |
| 263 | Application of a novel lignocellulosic biomaterial for the removal of Direct Yellow 50 dye from aqueous solution: Batch and column study. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2015, 47, 160-170. | 2.7 | 73 |
| 264 | Adsorption, kinetic and thermodynamic studies for manganese extraction from aqueous medium using mesoporous silica. <i>Journal of Colloid and Interface Science</i> , 2015, 440, 84-90. | 5.0 | 39 |
| 265 | A hybrid artificial neural network and particle swarm optimization for prediction of removal of hazardous dye brilliant green from aqueous solution using zinc sulfide nanoparticle loaded on activated carbon. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 137, 1004-1015. | 2.0 | 118 |
| 266 | Kinetic, thermodynamic and isotherm studies for acid blue 129 removal from liquids using copper oxide nanoparticle-modified activated carbon as a novel adsorbent. <i>Journal of Molecular Liquids</i> , 2015, 201, 124-133. | 2.3 | 338 |
| 267 | Adsorptive removal of phosphate from aqueous solution using rice husk and fruit juice residue. <i>Chemical Engineering Research and Design</i> , 2015, 94, 402-409. | 2.7 | 66 |
| 268 | Optimizing adsorption of fluoride from water by modified banana peel dust using response surface modelling approach. <i>Applied Water Science</i> , 2016, 6, 115-135. | 2.8 | 53 |
| 269 | Remediation of Some Selected Heavy Metals from Water Using Modified and Unmodified Mushrooms. <i>Journal of Pollution Effects & Control</i> , 2016, 04, . | 0.1 | 1 |
| 270 | Biosorption of Acid Dye in Single and Multidye Systems onto Sawdust of Locust Bean (<i>Parkia</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1 | 0.9 | 7 |
| 271 | Preparation of a Modified Nanoalumina Sorbent for the Removal of Alizarin Yellow R and Methylene Blue Dyes from Aqueous Solutions. <i>Journal of Chemistry</i> , 2016, 2016, 1-12. | 0.9 | 31 |
| 272 | Comparative Kinetic Study of Removal of Pb ²⁺ Ions and Cr ³⁺ Ions from Waste Water using Carbon Nanotubes Produced using Microwave Heating. <i>Journal of Carbon Research</i> , 2016, 2, 7. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 273 | Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. <i>Advanced Powder Technology</i> , 2016, 27, 1719-1729. | 2.0 | 21 |
| 274 | Synthesis, characterization and application of wheat bran/zinc aluminium and tea leaves waste/zinc aluminium biocomposites: kinetics and thermodynamics modeling. <i>Desalination and Water Treatment</i> , 2016, 57, 25532-25541. | 1.0 | 6 |
| 275 | Fluoride removal by aluminum-modified pine sawdust: Effect of competitive ions. <i>Ecological Engineering</i> , 2016, 94, 365-379. | 1.6 | 43 |
| 276 | Effect of nanotechnology on heavy metal removal from aqueous solution. <i>Journal of Central South University</i> , 2016, 23, 2526-2535. | 1.2 | 10 |
| 277 | Comparative Studies on CO ₂ Adsorption Kinetics by Solid Adsorbents. <i>Energy Procedia</i> , 2016, 90, 316-325. | 1.8 | 71 |
| 278 | Comparison of heavy metal immobilization in contaminated soils amended with peat moss and peat moss-derived biochar. <i>Environmental Sciences: Processes and Impacts</i> , 2016, 18, 514-520. | 1.7 | 37 |
| 279 | Synthesis and application of Fe ₃ O ₄ @SiO ₂ @TiO ₂ for photocatalytic decomposition of organic matrix simultaneously with magnetic solid phase extraction of heavy metals prior to ICP-MS analysis. <i>Talanta</i> , 2016, 154, 539-547. | 2.9 | 134 |
| 280 | Study on the removal of oxidized mercury (Hg ²⁺) from flue gas by thiol chelating resin. <i>Fuel Processing Technology</i> , 2016, 148, 28-34. | 3.7 | 22 |
| 281 | Modeling and optimizing of adsorption removal of Reactive Blue 19 on the magnetite/graphene oxide nanocomposite via response surface methodology. <i>Desalination and Water Treatment</i> , 2016, 57, 25301-25316. | 1.0 | 38 |
| 282 | Metal-Organic Framework Based on Isonicotinate <i>N</i> -Oxide for Fast and Highly Efficient Aqueous Phase Cr(VI) Adsorption. <i>Inorganic Chemistry</i> , 2016, 55, 5507-5513. | 1.9 | 104 |
| 283 | A hybrid model of support vector regression with genetic algorithm for forecasting adsorption of malachite green onto multi-walled carbon nanotubes: central composite design optimization. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 13310-13321. | 1.3 | 37 |
| 284 | A polyamide resin based method for adsorption of anthocyanins from blackberries. <i>New Journal of Chemistry</i> , 2016, 40, 3773-3780. | 1.4 | 13 |
| 285 | Removal of Chlorine and Chlorinated Organic Compounds from Aqueous Media Using Substrate-Anchored Zero-Valent Bimetals. <i>Water, Air, and Soil Pollution</i> , 2016, 227, 1. | 1.1 | 5 |
| 286 | Adsorptive removal of Cu(II) and Pb(II) onto mixed-waste activated carbon: kinetic, thermodynamic, and competitive studies and application to real wastewater samples. <i>Arabian Journal of Geosciences</i> , 2016, 9, 1. | 0.6 | 15 |
| 287 | Preparation of silver nanoparticle loaded on activated carbon and its application for removal of malachite green from aqueous solution. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2016, , 00-00. | 0.6 | 15 |
| 288 | Efficient adsorptive removal of Congo red from aqueous solution by synthesized zeolitic imidazolate framework-8. <i>Chemical Speciation and Bioavailability</i> , 2016, 28, 199-208. | 2.0 | 50 |
| 289 | Sorption kinetics of zinc and nickel on modified chitosan. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 507. | 1.3 | 13 |
| 290 | Mechanistic understanding of fouling of protein A chromatography resin. <i>Journal of Chromatography A</i> , 2016, 1459, 78-88. | 1.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 291 | Removal of Pb(II) ions by using magnetic chitosan-4-((pyridin-2-ylimino)methyl)benzaldehyde Schiffâ€™s base. International Journal of Biological Macromolecules, 2016, 93, 408-417. | 3.6 | 42 |
| 292 | Magnetic Nanoparticles Interaction with Humic Acid: In the Presence of Surfactants. Environmental Science & Technology, 2016, 50, 8640-8648. | 4.6 | 42 |
| 293 | CO ₂ -responsive swelling behavior and metal ion adsorption properties in novel histamine-conjugated polyaspartamide hydrogel. Journal of Applied Polymer Science, 2016, 133, . | 1.3 | 16 |
| 294 | Adsorption kinetic properties of As(III) on synthetic nano Fe-Mn binary oxides. Journal of Earth Science (Wuhan, China), 2016, 27, 699-706. | 1.1 | 4 |
| 295 | Adsorption behavior of Co(II) and Ni(II) from aqueous solutions onto titanate nanotubes. Fullerenes Nanotubes and Carbon Nanostructures, 2016, 24, 455-466. | 1.0 | 13 |
| 296 | Synthesis of assorted metal ions anchored alginate bentonite biocomposites for Cr(VI) sorption. Carbohydrate Polymers, 2016, 151, 1100-1109. | 5.1 | 35 |
| 297 | Removal of lead ions using hydroxyapatite nano-material prepared from phosphogypsum waste. Journal of Saudi Chemical Society, 2016, 20, 357-365. | 2.4 | 94 |
| 298 | Removal of Cr(VI) from aqueous solution using fly ash of different sources. Desalination and Water Treatment, 2016, 57, 5800-5809. | 1.0 | 6 |
| 299 | A random forest approach for predicting the removal of Congo red from aqueous solutions by adsorption onto tin sulfide nanoparticles loaded on activated carbon. Desalination and Water Treatment, 2016, 57, 9272-9285. | 1.0 | 35 |
| 300 | Optimization and kinetic modeling of electrocoagulation treatment of dairy wastewater. Desalination and Water Treatment, 2016, 57, 5988-5994. | 1.0 | 28 |
| 301 | Removal of hexavalent chromium from aqueous solution by a novel biosorbent <i>Caryota urens</i> seeds: equilibrium and kinetic studies. Desalination and Water Treatment, 2016, 57, 23940-23950. | 1.0 | 9 |
| 302 | Adsorptive removal of vinyl polymer tanning agents from aqueous solution using wastewater activated sludge. Desalination and Water Treatment, 2016, 57, 11422-11432. | 1.0 | 4 |
| 303 | Single-step synthesis of magnetic chitosan composites and application for chromate (Cr(VI)) removal. Journal of Central South University, 2016, 23, 317-323. | 1.2 | 27 |
| 304 | Utilization of mustard and linseed oil cakes: novel biosorbents for removal of acid dyes. Desalination and Water Treatment, 2016, 57, 5914-5925. | 1.0 | 9 |
| 305 | Poly (acrylic acid-co-acryloyl tetrasodium thiacalix[4]arene tetrasulfonate) grafted dextrin: new supper metal ion adsorbing hydrogels. Journal of Polymer Research, 2016, 23, 1. | 1.2 | 1 |
| 306 | Cd removal from aqueous solution using agricultural wastes. Desalination and Water Treatment, 2016, 57, 11162-11172. | 1.0 | 19 |
| 307 | Dynamic adsorption behavior and mechanism of Cefotaxime, Cefradine and Cefazolin antibiotics on CdS-MWCNT nanocomposites. Journal of Molecular Liquids, 2016, 215, 269-275. | 2.3 | 57 |
| 308 | Kinetics, equilibrium isotherm and neural network modeling studies for the sorption of hexavalent chromium from aqueous solution by quartz/feldspar/wollastonite. RSC Advances, 2016, 6, 5837-5847. | 1.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 309 | Response surface modeling of Cu(II) removal from wastewater using fish scale-derived hydroxyapatite: application of Box-Behnken experimental design. <i>Desalination and Water Treatment</i> , 2016, 57, 15410-15423. | 1.0 | 14 |
| 310 | Application of least squares support vector regression and linear multiple regression for modeling removal of methyl orange onto tin oxide nanoparticles loaded on activated carbon and activated carbon prepared from <i>Pistacia atlantica</i> wood. <i>Journal of Colloid and Interface Science</i> , 2016, 461, 425-434. | 5.0 | 99 |
| 311 | Biosorption performance of the lichen biomass (<i>Diploicia canescens</i>) for the removal of nickel from aqueous solutions. <i>Desalination and Water Treatment</i> , 2016, 57, 18490-18499. | 1.0 | 2 |
| 312 | Adsorption kinetics, isotherms, and thermodynamic studies for Hg ²⁺ adsorption from aqueous medium using alizarin red-S-loaded amberlite IRA-400 resin. <i>Desalination and Water Treatment</i> , 2016, 57, 18551-18559. | 1.0 | 192 |
| 313 | Removal of malachite green from aqueous solutions by cuprous iodide-cupric oxide nano-composite loaded on activated carbon as a new sorbent for solid phase extraction: Isotherm, kinetics and thermodynamic studies. <i>Journal of Molecular Liquids</i> , 2016, 213, 360-368. | 2.3 | 49 |
| 314 | Self-assembled ionic-liquid based organosilica (SAILBO) as a novel and powerful adsorbent for removal of malachite green from aqueous solution. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 59, 267-274. | 2.7 | 15 |
| 315 | Adsorption of rose Bengal dye from aqueous solution by amberlite Ira-938 resin: kinetics, isotherms, and thermodynamic studies. <i>Desalination and Water Treatment</i> , 2016, 57, 13527-13533. | 1.0 | 179 |
| 316 | Use of Loess as Adsorbent for Recovery of Li ⁺ from Seawater. <i>Bulletin of the Korean Chemical Society</i> , 2017, 38, 5-11. | 1.0 | 4 |
| 317 | Design of β -cyclodextrin modified TiO ₂ nanotubes for the adsorption of Cu(II): Isotherms and kinetics study. <i>Journal of Colloid and Interface Science</i> , 2017, 493, 77-84. | 5.0 | 37 |
| 318 | Biosorption behavior and proteomic analysis of <i>Escherichia coli</i> P4 under cadmium stress. <i>Chemosphere</i> , 2017, 174, 136-147. | 4.2 | 14 |
| 319 | Uranium remediation using modified <i>Vigna radiata</i> waste biomass. <i>Applied Radiation and Isotopes</i> , 2017, 123, 94-101. | 0.7 | 63 |
| 320 | Preparation and characterization of thiol- and amino-functionalized polysilsesquioxane coated poly(<i>Tj ETQq1 1 0.784314 rgBT /Over</i>) <i>Engineering Journal</i> , 2017, 317, 187-203. | 6.6 | 66 |
| 321 | Nickel adsorption onto polyurethane ethylene and vinyl acetate sorbents. <i>Water Science and Technology</i> , 2017, 76, 219-235. | 1.2 | 28 |
| 322 | Antibacterial property and biocompatibility of Chitosan/Poly(vinyl alcohol)/ZnO (CS/PVA/ZnO) beads as an efficient adsorbent for Cu(II) removal from aqueous solution. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 156, 340-348. | 2.5 | 33 |
| 323 | Modeling and Optimization of Adsorption Removal of Reactive Orange 13 on the Alginate-Montmorillonite-Polyaniline Nanocomposite via Response Surface Methodology. <i>Journal of the Chinese Chemical Society</i> , 2017, 64, 627-639. | 0.8 | 26 |
| 324 | Chromium adsorption using waste tire and conditions optimization by response surface methodology. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 2740-2751. | 3.3 | 60 |
| 325 | The synthesis, activation and characterization of charcoal powder for the removal of methylene blue and cadmium from wastewater. <i>Advanced Powder Technology</i> , 2017, 28, 1866-1876. | 2.0 | 43 |
| 326 | Synthesis of a recyclable mesoporous nanocomposite for efficient removal of toxic Hg ²⁺ from aqueous medium. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 53, 268-275. | 2.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 327 | Ultrasonic treatment of water contaminated with various pollutants onto copper nanowires loaded on activated carbon using response surface methodology and artificial intelligent. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3878. | 1.7 | 0 |
| 328 | Comparison of the removal and adsorption mechanisms of cadmium and lead from aqueous solution by activated carbons prepared from <i>Typha angustifolia</i> and <i>Salix matsudana</i> . <i>RSC Advances</i> , 2017, 7, 16092-16103. | 1.7 | 107 |
| 329 | Sb(V) removal from copper electrorefining electrolyte: Comparative study by different sorbents. <i>Transactions of Nonferrous Metals Society of China</i> , 2017, 27, 440-449. | 1.7 | 21 |
| 330 | Removal of direct yellow 12 from aqueous solution by adsorption onto spirulina algae as a high-efficiency adsorbent. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 1946-1956. | 3.3 | 55 |
| 331 | Novel Metal-Organic Framework (MOF) Based Composite Material for the Sequestration of U(VI) and Th(IV) Metal Ions from Aqueous Environment. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 36026-36037. | 4.0 | 405 |
| 332 | Comparative study of the absorptive potential of raw and activated carbon <i>Acacia nilotica</i> for Reactive Black 5 dye. <i>Environmental Earth Sciences</i> , 2017, 76, 1. | 1.3 | 9 |
| 333 | Removal of endrin and dieldrin isomeric pesticides through stereoselective adsorption behavior on the graphene oxide-magnetic nanoparticles. <i>Environmental Science and Pollution Research</i> , 2017, 24, 24980-24988. | 2.7 | 47 |
| 334 | Removal of reactive dye (BEZAKTIV Red S-MAX) from aqueous solution by adsorption onto activated carbons prepared from date palm rachis and jujube stones. <i>Journal of Molecular Liquids</i> , 2017, 243, 799-809. | 2.3 | 66 |
| 335 | Nickel ferrite bearing nitrogen-doped mesoporous carbon as efficient adsorbent for the removal of highly toxic metal ion from aqueous medium. <i>Chemical Engineering Journal</i> , 2017, 330, 1351-1360. | 6.6 | 356 |
| 336 | Fungal strains isolation, identification and application for the recovery of Zn(II) ions. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017, 175, 282-290. | 1.7 | 19 |
| 337 | Adsorption of Pb(II) ions from aqueous environment using eco-friendly chitosan Schiff's base@Fe ₃ O ₄ (CSB@Fe ₃ O ₄) as an adsorbent; kinetics, isotherm and thermodynamic studies. <i>International Journal of Biological Macromolecules</i> , 2017, 105, 422-430. | 3.6 | 62 |
| 338 | Synthesis of polyaniline based composite material and its analytical applications for the removal of highly toxic Hg ²⁺ metal ion: Antibacterial activity against <i>E. coli</i> . <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 1970-1979. | 1.2 | 24 |
| 339 | Measurement of CO ₂ adsorption kinetics on activated carbons suitable for gas storage systems. , 2017, 7, 182-201. | | 23 |
| 340 | The biosorptive effect of untreated and chemically modified fir cone powder on Pb(II) removal. <i>European Journal of Wood and Wood Products</i> , 2017, 75, 623-632. | 1.3 | 2 |
| 341 | Kinetic Studies of the Adsorption of Chlorinated Hydrocarbons Onto Phthalocyanine Thin Film. <i>IEEE Sensors Journal</i> , 2017, 17, 121-126. | 2.4 | 3 |
| 342 | A novel hydrogel based on agricultural waste for removal of hazardous dyes from aqueous solution and reuse process in a secondary adsorption. <i>Polymer Bulletin</i> , 2017, 74, 337-358. | 1.7 | 30 |
| 343 | Sorption of Hg(II) and Zn(II) ions using lignocellulosic sorbent (date pits). <i>Canadian Journal of Chemical Engineering</i> , 2017, 95, 775-782. | 0.9 | 18 |
| 344 | Aminopropyl-containing ionic liquid based organosilica as a novel and efficient adsorbent for removal of crystal violet from wastewaters. <i>Chinese Journal of Chemical Engineering</i> , 2017, 25, 1294-1302. | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 345 | Cucumis sativus used as adsorbent for the removal of dyes from aqueous solution. Arabian Journal of Chemistry, 2017, 10, S244-S251. | 2.3 | 44 |
| 346 | Removal of methylene blue by adsorption onto activated carbon developed from Ficus carica bast. Arabian Journal of Chemistry, 2017, 10, S1445-S1451. | 2.3 | 700 |
| 347 | One-Step Carbon Coating and Polyacrylamide Functionalization of Fe ₃ O ₄ Nanoparticles for Enhancing Magnetic Adsorptive-Remediation of Heavy Metals. Molecules, 2017, 22, 2074. | 1.7 | 26 |
| 348 | A Comparative Study of Modified and Unmodified Algae (Pediastrum boryanum) for Removal of Lead, Cadmium and Copper in Contaminated Water. , 0, , . | | 1 |
| 349 | A microwave synthesized mesoporous carbon sponge as an efficient adsorbent for Cr(VI) removal. RSC Advances, 2018, 8, 7892-7898. | 1.7 | 15 |
| 350 | Experimental and Modeling Study of Organic Chloride Compounds Removal from Naphtha Fraction of Contaminated Crude Oil Using Sintered Al ₂ O ₃ Nanoparticles: Equilibrium, Kinetic, and Thermodynamic Analysis. Energy & Fuels, 2018, 32, 4025-4039. | 2.5 | 9 |
| 351 | One-pot synthesis of layered double hydroxide hollow nanospheres with ultrafast removal efficiency for heavy metal ions and organic contaminants. Chemosphere, 2018, 201, 676-686. | 4.2 | 40 |
| 352 | Recovery of silver from nickel electrolyte using corn stalk-based sulfur-bearing adsorbent. Hydrometallurgy, 2018, 176, 192-200. | 1.8 | 18 |
| 353 | Application of ZnO nanorods as an adsorbent material for the removal of As(III) from aqueous solution: kinetics, isotherms and thermodynamic studies. International Journal of Industrial Chemistry, 2018, 9, 17-25. | 3.1 | 45 |
| 354 | Sustainable bioremediation of Cd(II) from aqueous solution using natural waste materials: Kinetics, equilibrium, thermodynamics, toxicity studies and GA-ANN hybrid modelling. Environmental Technology and Innovation, 2018, 11, 83-104. | 3.0 | 54 |
| 355 | Paper pulp-based adsorbents for the removal of pharmaceuticals from wastewater: A novel approach towards diversification. Science of the Total Environment, 2018, 631-632, 1018-1028. | 3.9 | 27 |
| 356 | Usability of activated carbon with well-developed mesoporous structure for the decontamination of malachite green from aquatic environments: kinetic, equilibrium and regeneration studies. Journal of Porous Materials, 2018, 25, 477-488. | 1.3 | 22 |
| 357 | Preparation of cross-linked magnetic chitosan particles from steel slag and shrimp shells for removal of heavy metals. Environmental Technology (United Kingdom), 2018, 39, 1745-1752. | 1.2 | 24 |
| 359 | Kinetics and isotherm studies on acid dye adsorption using thermal and chemical activated <i>Jatropha</i> husk carbons. Environmental Progress and Sustainable Energy, 2018, 37, 719-732. | 1.3 | 13 |
| 360 | Iron-oxide nanoparticles by the green synthesis method using <i>Moringa oleifera</i> leaf extract for fluoride removal. Environmental Technology (United Kingdom), 2018, 39, 2926-2936. | 1.2 | 38 |
| 361 | Valorization of Paper Mill Sludge as Adsorbent in Adsorption Process of Copper (II) Ion from Synthetic Solution: Kinetic, Isotherm and Thermodynamic Studies. Arabian Journal for Science and Engineering, 2018, 43, 2393-2402. | 1.7 | 18 |
| 362 | Biocomposite application for the phosphate ions removal in aqueous medium. Journal of Materials Research and Technology, 2018, 7, 300-307. | 2.6 | 62 |
| 363 | Facile and green preparation of novel adsorption materials by combining sol-gel with ion imprinting technology for selective removal of Cu(II) ions from aqueous solution. Applied Surface Science, 2018, 435, 574-584. | 3.1 | 58 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 364 | Adsorption, Kinetics and Photoactivity of ZnO-Supported Fly Ash-Sepiolite Ternary Catalyst. , 0, , . | | 0 |
| 365 | Polyaniline modified magnetic nanoparticles coated with dicationic ionic liquid for effective removal of rhodamine B (RB) from aqueous solution. RSC Advances, 2018, 8, 33180-33192. | 1.7 | 16 |
| 366 | Improving the capability of UiO-66 for Cr(VI) adsorption from aqueous solutions by introducing isonicotinate N -oxide as the functional group. Dalton Transactions, 2018, 47, 14549-14555. | 1.6 | 45 |
| 367 | Removal of Pb(II) ions from aqueous media using epichlorohydrin crosslinked chitosan Schiff's base@Fe 3O4 (ECCSB@Fe 3O4). International Journal of Biological Macromolecules, 2018, 117, 1305-1313. | 3.6 | 47 |
| 368 | Low concentration Re(VII) recovery from acidic solution by Cu-biochar composite prepared from bamboo (<i>Acidosasa longiligula</i>) shoot shell. Minerals Engineering, 2018, 124, 123-136. | 1.8 | 37 |
| 369 | Adsorption of nickel(II) and chromium(III) from aqueous phases on raw smectite: kinetic and thermodynamic studies. Arabian Journal of Geosciences, 2018, 11, 1. | 0.6 | 7 |
| 370 | Adsorption of trace Iron from nickel sulfate solutions using Monophos resin. Hydrometallurgy, 2018, 180, 246-253. | 1.8 | 6 |
| 371 | Polymer-based nanocomposites for heavy metal ions removal from aqueous solution: a review. Polymer Chemistry, 2018, 9, 3562-3582. | 1.9 | 418 |
| 372 | Removal of textile dyes from aqueous solutions using low cost Moroccan clay. IOP Conference Series: Earth and Environmental Science, 2018, 161, 012009. | 0.2 | 4 |
| 373 | Porous silicon powder as an adsorbent of heavy metal (nickel). AIP Conference Proceedings, 2018, , . | 0.3 | 2 |
| 374 | Amino- and Thiol- Polysilsesquioxane Simultaneously Coating on Poly(p-Phenylenetherephthal Amide) Fibers: Bifunctional Adsorbents for Hg(II). Frontiers in Chemistry, 2019, 7, 465. | 1.8 | 11 |
| 375 | Effective Removal of Humic Acid from Aqueous Solution in an Al-Based Metal-Organic Framework. Journal of Chemical & Engineering Data, 2019, 64, 3624-3631. | 1.0 | 21 |
| 376 | Hydrogen storage capacity and methylene blue adsorption performance of activated carbon produced from <i>Arundo donax</i> . Materials Chemistry and Physics, 2019, 237, 121858. | 2.0 | 66 |
| 377 | Adsorptive removal of Bisphenol A by biomass activated carbon and insights into the adsorption mechanism through density functional theory calculations. Sustainable Chemistry and Pharmacy, 2019, 13, 100159. | 1.6 | 51 |
| 378 | Mesoporous silicate/carbon composites derived from dye-loaded palygorskite clay waste for efficient removal of organic contaminants. Science of the Total Environment, 2019, 696, 133955. | 3.9 | 40 |
| 379 | Anti-oxidative and UV-absorbing biohybrid film of cellulose nanofibrils and tannin extract. Food Hydrocolloids, 2019, 92, 208-217. | 5.6 | 69 |
| 380 | Core-Shell Fe 3O4 @MIL-100(Fe) Magnetic Nanoparticle for Effective Removal of Meloxicam and Naproxen in Aqueous Solution. Journal of Chemical & Engineering Data, 2019, 64, 2997-3007. | 1.0 | 21 |
| 381 | Magnetically modified hydroxyapatite nanoparticles for the removal of uranium (VI): Preparation, characterization and adsorption optimization. Journal of Hazardous Materials, 2019, 378, 120703. | 6.5 | 117 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 382 | Synthesis, electron microscopy properties and adsorption studies of Zinc (II) ions (Zn ²⁺) onto as-prepared Carbon Nanotubes (CNTs) using Box-Behnken Design (BBD). <i>Scientific African</i> , 2019, 3, e00069. | 0.7 | 13 |
| 383 | A robust approach towards green synthesis of polyaniline- <i>Scenedesmus</i> biocomposite for wastewater treatment applications. <i>Materials Research Express</i> , 2019, 6, 055308. | 0.8 | 31 |
| 384 | Removal of the residual xanthate from flotation plant tailings using bentonite modified by magnetic nano-particles. <i>Minerals Engineering</i> , 2019, 134, 142-155. | 1.8 | 48 |
| 385 | Novel indigo-dye-doped graphene-supported Mn/WO ₃ nanocomposite as visible light photocatalyst for degradation of methylene blue dye. <i>Materials Research Express</i> , 2019, 6, 055050. | 0.8 | 8 |
| 386 | Acid mine drainage pollution remediation using hybrid chelating ion-exchange/HZrO ₂ nanocomposite adsorbents. <i>SN Applied Sciences</i> , 2019, 1, 1. | 1.5 | 6 |
| 387 | Adsorption of methyl orange onto electrospun nanofiber membranes of PLLA coated with pTSA-PANI. <i>Environmental Science and Pollution Research</i> , 2019, 26, 37282-37295. | 2.7 | 16 |
| 388 | Highly Efficient Removal of Cr(VI) on a Stable Metal-Organic Framework Based on Enhanced H-Bond Interaction. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 23330-23337. | 1.8 | 57 |
| 389 | A combined experimental and theoretical investigation of the adsorption of 4-Nitrophenol on activated biocarbon using DFT method. <i>Korean Journal of Chemical Engineering</i> , 2019, 36, 2023-2034. | 1.2 | 8 |
| 390 | Effective removal of Cobalt(II) ions from aqueous solutions and nuclear industry wastewater using sulfhydryl and carboxyl functionalised magnetite nanocellulose composite: batch adsorption studies. <i>Chemistry and Ecology</i> , 2019, 35, 235-255. | 0.6 | 25 |
| 391 | Chromium (VI) remediation in aqueous solution by waste products (peel and seed) of mango (<i>Mangifera indica</i> L.) cultivars. <i>Environmental Science and Pollution Research</i> , 2019, 26, 5588-5600. | 2.7 | 12 |
| 392 | Adsorptive removal of lead-210 using hydroxyapatite nanopowders prepared from phosphogypsum waste. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019, 319, 1023-1028. | 0.7 | 3 |
| 393 | Copper adsorptive removal from aqueous solution by orange peel residue carbon nanoparticles synthesized by combustion method using response surface methodology. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 102847. | 3.3 | 33 |
| 394 | Sorption behavior of Co-radionuclides from radioactive waste solution on graphene enhanced by immobilized sugarcane and carboxy methyl cellulose. <i>Radiochimica Acta</i> , 2019, 107, 397-413. | 0.5 | 2 |
| 395 | Synthesis of Femur extracted hydroxyapatite reinforced nanocomposite and its application for Pb(II) ions abatement from aqueous phase. <i>International Journal of Biological Macromolecules</i> , 2019, 122, 667-676. | 3.6 | 29 |
| 396 | Unraveling the intrinsic enhancement of fluorine doping in the dual-doped magnetic carbon adsorbent for the environmental remediation. <i>Journal of Colloid and Interface Science</i> , 2019, 538, 327-339. | 5.0 | 18 |
| 397 | Hexavalent chromium removal in an electrocoagulation column reactor: Process optimization using CCD, adsorption kinetics and pH modulated sludge formation. <i>Chemical Engineering Research and Design</i> , 2019, 122, 118-130. | 2.7 | 92 |
| 398 | Adsorption of chlorinated organic compounds from water with cerium oxide-activated carbon composite. <i>Arabian Journal of Chemistry</i> , 2019, 12, 2585-2596. | 2.3 | 22 |
| 399 | Comparison of the divalent heavy metals (Pb, Cu and Cd) adsorption behavior by montmorillonite-KSF and their calcium- and sodium-forms. <i>Superlattices and Microstructures</i> , 2019, 127, 165-175. | 1.4 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 400 | Efficiency of immobilized Zea mays biomass for the adsorption of chromium from simulated media and tannery wastewater. <i>Journal of Materials Research and Technology</i> , 2019, 8, 75-86. | 2.6 | 46 |
| 401 | Ionic liquid based nanoporous organosilica supported propylamine as highly efficient adsorbent for removal of congo red from aqueous solution. <i>Arabian Journal of Chemistry</i> , 2019, 12, 4171-4181. | 2.3 | 12 |
| 402 | Preparation and characterization of a novel Mn-Fe ₂ O ₄ nanoparticle loaded on activated carbon adsorbent for kinetic, thermodynamic and isotherm surveys of aluminum ion adsorption. <i>Separation Science and Technology</i> , 2020, 55, 1078-1088. | 1.3 | 17 |
| 403 | Stirring-ageing technique to develop zirconium-pillared bentonite clay along with its surface profiling using various spectroscopic techniques. <i>Research on Chemical Intermediates</i> , 2020, 46, 639-660. | 1.3 | 7 |
| 404 | Adsorption of bark derived polyphenols onto functionalized nanocellulose: Equilibrium modeling and kinetics. <i>AIChE Journal</i> , 2020, 66, e16823. | 1.8 | 9 |
| 405 | Development of an activated carbon impregnation process with iron oxide nanoparticles by green synthesis for diclofenac adsorption. <i>Environmental Science and Pollution Research</i> , 2020, 27, 6088-6102. | 2.7 | 9 |
| 406 | Adsorption of cephalexin in aqueous media by graphene oxide: kinetics, isotherm, and thermodynamics. <i>Environmental Science and Pollution Research</i> , 2020, 27, 4725-4736. | 2.7 | 26 |
| 407 | Eco friendly adsorbents for removal of phenol from aqueous solution employing nanoparticle zero-valent iron synthesized from modified green tea bio-waste and supported on silty clay. <i>Chinese Journal of Chemical Engineering</i> , 2021, 36, 19-28. | 1.7 | 42 |
| 408 | Removal of Hexavalent Chromium by Cross-Linking Chitosan and N,N- TM -Methylene Bis-Acrylamide. <i>Environmental Processes</i> , 2020, 7, 911-930. | 1.7 | 19 |
| 409 | Amination of biochar surface from watermelon peel for toxic chromium removal enhancement. <i>Chinese Journal of Chemical Engineering</i> , 2021, 36, 199-222. | 1.7 | 38 |
| 410 | Adsorptive performance of activated carbon reused from household drinking water filter for hexavalent chromium-contaminated water. <i>Journal of Environmental Management</i> , 2020, 272, 111085. | 3.8 | 12 |
| 411 | Ozone and Ammonium Hydroxide Modification of Biochar Prepared from Pisum sativum Peels Improves the Adsorption of Copper (II) from an Aqueous Medium. <i>Environmental Processes</i> , 2020, 7, 973-1007. | 1.7 | 29 |
| 412 | Capabilities of Four Microorganisms for Bioremediation of Lead Contaminated Soil. <i>Key Engineering Materials</i> , 2020, 838, 125-134. | 0.4 | 0 |
| 413 | Modeling of Cu(II) Adsorption from an Aqueous Solution Using an Artificial Neural Network (ANN). <i>Molecules</i> , 2020, 25, 3263. | 1.7 | 15 |
| 414 | Bio-sorption for effective removal of chromium(VI) from wastewater using Moringa stenopetala seed powder (MSSP) and banana peel powder (BPP). <i>BMC Chemistry</i> , 2020, 14, 71. | 1.6 | 47 |
| 415 | Utilization of treated coffee husk as low-cost bio-sorbent for adsorption of methylene blue. <i>Adsorption Science and Technology</i> , 2020, 38, 205-222. | 1.5 | 22 |
| 416 | A promising and cost-effective biochar adsorbent derived from jujube pit for the removal of Pb(II) from aqueous solution. <i>Scientific Reports</i> , 2020, 10, 7473. | 1.6 | 30 |
| 417 | Phosphorus removal from aqueous solution using modified walnut and almond wooden shell and recycling as soil amendment. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 373. | 1.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 418 | Cr(VI) removal from aqueous solution using green adsorbents in continuous bed column – statistical and GA-ANN hybrid modelling. <i>Chemical Engineering Science</i> , 2020, 226, 115904. | 1.9 | 38 |
| 419 | Grafting modification of okra mucilage: Recent findings, applications, and future directions. <i>Carbohydrate Polymers</i> , 2020, 246, 116653. | 5.1 | 35 |
| 420 | Experimentation on raw and phosphoric acid activated <i>Eucalyptus camadulensis</i> seeds as novel biosorbents for hexavalent chromium removal from simulated and electroplating effluents. <i>Environmental Technology and Innovation</i> , 2020, 19, 100977. | 3.0 | 22 |
| 421 | Upcycling spent brewery grains through the production of carbon adsorbents – application to the removal of carbamazepine from water. <i>Environmental Science and Pollution Research</i> , 2020, 27, 36463-36475. | 2.7 | 14 |
| 422 | Iron oxide (Fe ₂ O ₃) prepared via green route and adsorption efficiency evaluation for an anionic dye: kinetics, isotherms and thermodynamics studies. <i>Journal of Materials Research and Technology</i> , 2020, 9, 4206-4217. | 2.6 | 64 |
| 423 | Feasible and eco-friendly removal of hexavalent chromium toxicant from aqueous solutions using chemically modified sugarcane bagasse cellulose. <i>Toxin Reviews</i> , 2021, 40, 835-846. | 1.5 | 17 |
| 424 | Thermal synthesis of rGO and rGO-Co ₃ O ₄ and their application as adsorbents for anionic dye removal. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 599, 124837. | 2.3 | 10 |
| 425 | Fabrication of renewable palm-pruning leaves based nano-composite for remediation of heavy metals pollution. <i>Arabian Journal of Chemistry</i> , 2020, 13, 4936-4944. | 2.3 | 18 |
| 426 | Simultaneous removal of lead(II), chromium(III), and copper(II) heavy metal ions through an adsorption process using C-phenylcalix[4]pyrogallolarene material. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 103971. | 3.3 | 72 |
| 427 | Removal of methylene blue from aqueous solution using <i>Lathyrus sativus</i> husk: Adsorption study, MPR and ANN modelling. <i>Chemical Engineering Research and Design</i> , 2021, 149, 345-361. | 2.7 | 68 |
| 428 | Experimental Study of the Relationship Between Dissolved Iron, Turbidity, and Removal of Cu(II) Ion From Aqueous Solutions Using Zero-Valent Iron Nanoparticles. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 5543-5565. | 1.7 | 20 |
| 429 | Remediation of domestic wastewater by electrochemical oxidation of dissolved organic species. <i>Journal of the Iranian Chemical Society</i> , 2021, 18, 581-588. | 1.2 | 0 |
| 430 | Removal of fluoride ions (F ⁻) from aqueous solutions using modified Turkish zeolite with quaternary ammonium. <i>Environmental Technology (United Kingdom)</i> , 2021, 42, 1353-1365. | 1.2 | 13 |
| 431 | Removal of cadmium ions from wastewaters using corn cobs supporting nano-zero valent iron. <i>Separation Science and Technology</i> , 2021, 56, 1-13. | 1.3 | 11 |
| 432 | Evaluation of Cationic Methylene Blue Dye Removal by High Surface Area Mesoporous Activated Carbon Derived from <i>Ulva lactuca</i> . <i>Environmental Processes</i> , 2021, 8, 311-332. | 1.7 | 38 |
| 433 | Use of Wastage Biomaterial/Biomass for Wastewater Treatment and Modeling. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2021, , 311-337. | 0.3 | 0 |
| 434 | Removal of ammonia and nitrates from contaminated water by using solid waste bio-adsorbents. <i>Current Research in Chemical Biology</i> , 2021, 1, 100005. | 1.4 | 24 |
| 435 | Low Cost Corn Cobs-Based Magnetic Nanocomposite for Massive Adsorption of Cu(II) Ions from Aqueous Media. <i>International Journal of Environmental Analytical Chemistry</i> , 0, , 1-18. | 1.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 436 | Cd(II) and Pb(II) Adsorption Using a Composite Obtained from <i>Moringa oleifera</i> Lam. Cellulose Nanofibrils Impregnated with Iron Nanoparticles. <i>Water (Switzerland)</i> , 2021, 13, 89. | 1.2 | 25 |
| 437 | Removal of fluoride using fly ash adsorbent. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 597, 012009. | 0.2 | 4 |
| 438 | Wood-Industrial Waste Material as a Potential Sorbent for the Removal of Pb ⁺² and Co ⁺² from Mono and Binary Aquatic Metal Solutions. <i>Oriental Journal of Chemistry</i> , 2021, 37, 71-79. | 0.1 | 1 |
| 439 | Kinetics, isotherms, effect of structure, and computational analysis during the removal of three representative pharmaceuticals from water by adsorption using a biochar obtained from oil palm fiber. <i>Bioresource Technology</i> , 2021, 326, 124753. | 4.8 | 48 |
| 440 | Adsorptive removal of Safranin-O dye from aqueous medium using coconut coir and its acid-treated forms: Adsorption study, scale-up design, MPR and GA-ANN modeling. <i>Sustainable Chemistry and Pharmacy</i> , 2021, 19, 100374. | 1.6 | 46 |
| 441 | Adsorptive Elimination of Cu(II) from Aqueous Solution by Chitosan-nanoSiO ₂ Nanocomposite—Adsorption Study, MLR, and GA Modeling. <i>Water, Air, and Soil Pollution</i> , 2021, 232, 1. | 1.1 | 23 |
| 442 | Reduction of sulfur oxides emissions via adsorptive desulfurization of transportation fuels using novel silica-based adsorbent. <i>Environmental Science and Pollution Research</i> , 2021, 28, 45933-45945. | 2.7 | 1 |
| 443 | Iron (III) doped titanium dioxide coated dimensionally stable graphite anode electrode for electro-chemical treatment of domestic wastewater. <i>Heliyon</i> , 2021, 7, e06671. | 1.4 | 2 |
| 444 | Batch and column mode removal of the turquoise blue (TB) over bio-char based adsorbent from <i>Prosopis Juliflora</i> : Comparative study. <i>Chemosphere</i> , 2021, 271, 129426. | 4.2 | 6 |
| 445 | Biosorption of CU(II) Ions by <i>Leucaena Leucocephala</i> Leave from Aqueous Solution. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 765, 012032. | 0.2 | 1 |
| 446 | High surface area microporous activated carbon from <i>Pisum sativum</i> peels for hexavalent chromium removal from aquatic environment. <i>Toxin Reviews</i> , 2022, 41, 639-649. | 1.5 | 17 |
| 447 | Efficient removal of Cu(II) from water solution using magnetic chitosan nanocomposite. <i>Nanotechnology for Environmental Engineering</i> , 2021, 6, 1. | 2.0 | 26 |
| 448 | Utilization of green alga <i>Ulva lactuca</i> for sustainable production of meso-micro porous nano activated carbon for adsorption of Direct Red 23 dye from aquatic environment. <i>Carbon Letters</i> , 2022, 32, 153-168. | 3.3 | 13 |
| 449 | Recycling electro-coagulated sludge from textile wastewater treatment plants as an adsorbent for the adsorptions of fluoride in an aqueous solution. <i>Heliyon</i> , 2021, 7, e07281. | 1.4 | 13 |
| 450 | Optimization of hydrothermal synthesis of hydroxyapatite from chicken eggshell waste for effective adsorption of aqueous Pb(II). <i>Environmental Science and Pollution Research</i> , 2021, 28, 58189-58205. | 2.7 | 17 |
| 451 | Flower-like Mg/Fe-layered double oxide nanospheres with ultrahigh adsorption efficiency for anionic organic dyes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 618, 126446. | 2.3 | 22 |
| 452 | Adsorptive removal of 2, 4, 6-trichloro-phenol from wastewater by mango seed shell and its magnetic composites: batch and column study. <i>International Journal of Environmental Analytical Chemistry</i> , 2023, 103, 5639-5659. | 1.8 | 2 |
| 453 | Removal of cyanide from the gold cyanidation plant tailings using graphene-based magnetic nanocomposites. <i>Chemical Papers</i> , 2021, 75, 5543-5560. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 454 | Synthesis of novel magnetic rhamnolipid-activated layered double hydroxides nanocomposite for simultaneous adsorption of Cu(II) and m-cresol from aqueous solution. Powder Technology, 2021, 386, 350-360. | 2.1 | 17 |
| 455 | Treatment of a landfill leachate from Casablanca city by a coagulation-flocculation and adsorption process using a palm bark powder (PBP). Scientific African, 2021, 12, e00721. | 0.7 | 22 |
| 456 | H3PO4-modified Lagerstroemia speciosa seed hull biochar for toxic Cr(VI) removal: isotherm, kinetics, and thermodynamic study. Biomass Conversion and Biorefinery, 2023, 13, 7027-7041. | 2.9 | 21 |
| 457 | Kinetic and Thermodynamic Study of Adsorption Methylene Blue by Nitrated Biomass of Prunus Cerasus. Asian Journal of Research in Chemistry, 2021, , 242-246. | 0.2 | 1 |
| 458 | TX-100 adsorption from aqueous solution using modified graphene oxide; optimization by response surface methodology and one factor at a time techniques. Journal of Dispersion Science and Technology, 2023, 44, 889-900. | 1.3 | 4 |
| 459 | Novel bio-nanocomposite for efficient copper removal. Egyptian Journal of Aquatic Research, 2021, 47, 261-267. | 1.0 | 16 |
| 460 | Senna auriculata L. flower petal biomass: An alternative green biosorbent for the removal of fluoride from aqueous solutions. Acta Ecologica Sinica, 2023, 43, 72-81. | 0.9 | 7 |
| 461 | Amidoxime modification of polyacrylonitrile/Pterocladia capillacea-derived activated carbon composite for adsorption of toxic chromium from aquatic environment. Carbon Letters, 2022, 32, 513-535. | 3.3 | 12 |
| 462 | Polyvinyl alcohol-montmorillonite composites for water purification: Analysis of clay mineral cation exchange and composite particle synthesis. Polyhedron, 2021, 205, 115297. | 1.0 | 6 |
| 463 | Eco-friendly zeolite/alginate microspheres for Ni ions removal from aqueous solution: Kinetic and isotherm study. Journal of Molecular Structure, 2021, 1241, 130605. | 1.8 | 11 |
| 464 | Synthesis of heteroatom and metallic compound self-co-doped porous carbon derived from swine manure for supercapacitor electrodes and lead ion adsorbents. Journal of Industrial and Engineering Chemistry, 2021, 102, 195-205. | 2.9 | 4 |
| 465 | Extensive analyses of mass transfer, kinetics, and toxicity for hazardous acid yellow 17 dye removal using activated carbon prepared from waste biomass of Solanum melongena. Biomass Conversion and Biorefinery, 2023, 13, 99-117. | 2.9 | 9 |
| 466 | Parameter Study on Remediating Cr(VI) in Water Using Activated Charcoal. Lecture Notes in Civil Engineering, 2018, , 1027-1036. | 0.3 | 1 |
| 468 | Sorption Studies on the Use of African Breadfruit (Treculia Africana) Seed Hull as Adsorbent for the Removal of Cu ²⁺ , Cd ²⁺ and Pb ²⁺ from Aqueous Solutions.. American Journal of Physical Chemistry, 2012, 1, 11. | 0.4 | 4 |
| 469 | Biosorption of Heavy Metals onto Sphagnum Peat Moss. Kagaku Kogaku Ronbunshu, 2006, 32, 409-413. | 0.1 | 7 |
| 470 | Film- Pore diffusion Modeling for Sorption of Azo Dye on to One and Three Dimensional Nano Structured Carbon Nano Materials from Jatropha Curcas. Journal of Environmental Nanotechnology, 2013, 2, 66-75. | 0.1 | 5 |
| 471 | Dynamic and Equilibrium Studies on the sorption of Basic dye (Basic Brown 4) onto Multi-walled Carbon Nanotubes Prepared from Renewable Carbon Precursors. Journal of Environmental Nanotechnology, 2013, 2, 43-62. | 0.1 | 5 |
| 472 | Sorption of Basic Dye (Rhodamine B) by Nano Porous Activated Carbon From Sterculia QuadrifidaShell Waste. Journal of Environmental Nanotechnology, 2014, 3, 88-100. | 0.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 473 | Synthesis and adsorption properties of activated carbon from KOH-activation of Moroccan Jujube shells for the removal of COD and color from wastewater. <i>Mediterranean Journal of Chemistry</i> , 2019, 8, 168-178. | 0.3 | 7 |
| 474 | Removal of Basic Dyes from Aqueous Solutions by Adsorption onto Moroccan Clay (Fez City). <i>Mediterranean Journal of Chemistry</i> , 2019, 8, 158-167. | 0.3 | 15 |
| 475 | ZnO, CuO and Fe ₂ O ₃ green synthesis for the adsorptive removal of direct golden yellow dye adsorption: kinetics, equilibrium and thermodynamics studies. <i>Zeitschrift Fur Physikalische Chemie</i> , 2021, 235, 1055-1075. | 1.4 | 50 |
| 476 | REMOVAL OF METHYLENE BLUE FROM AQUEOUS SOLUTION USING GHASSOUL, A LOW-COST ADSORBENT. <i>Applied Ecology and Environmental Research</i> , 2010, 8, 153-163. | 0.2 | 25 |
| 477 | COPPER (II) AND MERCURY (II) RETENTION PROPERTIES OF A POLYACRYLAMIDOXIME CHELATING FIBER. <i>Environmental Engineering and Management Journal</i> , 2006, 5, 297-305. | 0.2 | 7 |
| 478 | Functionalized Magnetic Nanoparticles for Environmental Remediation. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2015, , 518-551. | 0.2 | 12 |
| 479 | Water Pollution and its Treatment. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 0, , 147-171. | 0.3 | 2 |
| 480 | Adsorption of Quaternary Ammonium Compounds onto Activated Sludge. <i>Journal of Water Resource and Protection</i> , 2011, 03, 105-113. | 0.3 | 14 |
| 481 | Adsorption kinetics for the removal of chromium (VI) from aqueous solutions on the activated carbons prepared from agricultural wastes. <i>Water S A</i> , 2004, 30, . | 0.2 | 317 |
| 482 | Kinetic and Equilibrium Study of Lead (II) Removal by Functionalized Multiwalled Carbon Nanotubes with Isatin Derivative from Aqueous Solutions. <i>Bulletin of the Korean Chemical Society</i> , 2013, 34, 3391-3398. | 1.0 | 21 |
| 483 | Cheap Nano-Adsorbents Based on ZnO/Mineral Nanocomposites for Removal of Chloroform from Water Solution. <i>Jundishapur Journal of Health Sciences</i> , 2020, 12, . | 0.1 | 2 |
| 488 | Evaluation of Kinetic Models of Copper and Lead Uptake from Dye Wastewater by Activated Prude of Barbados Shell. <i>American Journal of Chemistry</i> , 2012, 1, 47-51. | 0.5 | 17 |
| 489 | Equilibrium, Kinetic and Thermodynamics of Biosorption of Lead (II) Copper (II) and Cadmium (II) Ions from Aqueous Solutions onto Olive Leaves Powder. <i>American Journal of Chemistry</i> , 2012, 2, 238-244. | 0.5 | 35 |
| 490 | Application of Carbonized Poultry Waste in the Removal of Chemical Oxygen Demand (COD) from Dye Wastewater: Kinetic Study. <i>Resources and Environment</i> , 2012, 2, 51-55. | 0.4 | 1 |
| 491 | Kinetic and Isothermal Studies for Removal of Zn (II) Ions from Aqueous Solutions by Using Lawsonia inermis as a Novel Biosorbent. <i>Advances in Research</i> , 2014, 2, 1003-1016. | 0.3 | 3 |
| 492 | Biosorption of Nickel and Copper from a Mixed Metals Solution Using Chitosan Derived from Crabs. <i>British Journal of Applied Science & Technology</i> , 2014, 4, 3769-3784. | 0.2 | 3 |
| 493 | Recycling biochar derived from tannery liming sludge for chromium adsorption in static and dynamic conditions. <i>Environmental Technology and Innovation</i> , 2021, 24, 102010. | 3.0 | 22 |
| 494 | Kinetics for Removal of Reactive Blue 2 from Aqueous Solution on the Nanoporous Carbon Materials Prepared from Balsamodendron caudatum Wood Waste. <i>Journal of Environmental Nanotechnology</i> , 2012, 1, 20-27. | 0.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 495 | Desorption studies of Direct Red-31, Direct Orange-26, Everdirect Orange-3GL, and Direct Blue-67 dyes from aqueous solution by rice husk. <i>Desalination and Water Treatment</i> , 0, , 1-11. | 1.0 | 0 |
| 496 | Kinetic and Equilibrium Studies on Removal of Nickel Ions onto Pomegranate Peel. <i>Journal of Al-Nahrain University-Science</i> , 2013, 16, 11-17. | 0.1 | 0 |
| 498 | Temperature and pH influence in sequestering cadmium, nickel and lead ions from synthetic wastewater using fluted pumpkin seed coat. <i>Journal of Molecular Studies and Medicine Research</i> , 2015, 1, 34-40. | 0.2 | 0 |
| 499 | Use of unmodified orange peel for the adsorption of Cd(II), Pb(II) and Hg(II) ions in aqueous solutions. <i>American Journal of Physical Chemistry</i> , 2015, 4, 21. | 0.4 | 8 |
| 500 | Sorption and Infiltration Potential of a Cationic Herbicide (Paraquat) in Three Cocoa Growing Soils in Nigeria. <i>British Journal of Applied Science & Technology</i> , 2015, 6, 62-76. | 0.2 | 1 |
| 501 | Functionalized Magnetic Nanoparticles for Environmental Remediation. , 2017, , 705-741. | | 2 |
| 502 | Biosorption of Crude Oil Spill Using Groundnut Husks and Plantain Peels as Adsorbents. <i>Advances in Chemical Engineering and Science</i> , 2018, 08, 161-175. | 0.2 | 6 |
| 503 | Non-Linear Error Functions Approach to Kinetic Study of Arsenic Removal from Soils using <i>Proteus mirabili</i> and <i>Bacillus subtilis</i> . <i>Journal of BP Koirala Institute of Health Sciences</i> , 2018, 2, 130-136. | 0.1 | 0 |
| 504 | DISCRETE PLAYING OF PERSECUTION WITH LEVEL OF BRIGHTNESS OF DIGITAL IMAGE DESCRIBED BY SECOND ORDER EQUATIONS. <i>EurasianUnionofScientists</i> , 2019, 1, 20-29. | 0.0 | 0 |
| 505 | Kinetic and equilibrium studies of adsorption of Pb(II) on low cost agri-waste adsorbent Jute Stick Powder. <i>European Journal of Chemistry</i> , 2019, 10, 295-304. | 0.3 | 1 |
| 506 | Kinetic study of biosorption of arsenic from soil using microorganisms. <i>Nigerian Journal of Technology</i> , 2019, 38, 777. | 0.2 | 1 |
| 507 | Linear and nonlinear isotherm, kinetic and thermodynamic behavior of methyl orange adsorption using modulated Al ₂ O ₃ @UiO-66 via acetic acid. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106675. | 3.3 | 54 |
| 508 | Biomass-Derived Adsorbents for Dye and Heavy Metal Removal from Wastewater. <i>Adsorption Science and Technology</i> , 2021, 2021, 1-14. | 1.5 | 17 |
| 509 | Adsorption of Acid Dye by Activated Carbon from Agricultural Solid Waste <i>Leucon leucocephala</i> Seed Shell Waste: Kinetics, Equilibrium and Isotherm Study. <i>Material Science Research India</i> , 2020, 17, 251-259. | 0.9 | 2 |
| 511 | Use of spent oil shale to remove methyl red dye from aqueous solutions. <i>AIMS Materials Science</i> , 2020, 7, 338-353. | 0.7 | 7 |
| 512 | Anthropogenic and climate signals in late-Holocene peat layers of an ombrotrophic bog in the Styrian Enns valley (Austrian Alps). <i>E&G Quaternary Science Journal</i> , 2020, 69, 121-137. | 0.2 | 4 |
| 513 | Reduction and Biosorption of Cr(VI) from Aqueous Solutions by Acid-Modified Guava Seeds: Kinetic and Equilibrium Studies. <i>Polish Journal of Chemical Technology</i> , 2020, 22, 36-47. | 0.3 | 2 |
| 514 | Adenosine-functionalized UiO-66-NH ₂ to efficiently remove Pb(II) and Cr(VI) from aqueous solution: Thermodynamics, kinetics and isothermal adsorption. <i>Journal of Hazardous Materials</i> , 2022, 425, 127771. | 6.5 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 515 | Removal of As(V) from aqueous solutions using calcium-alginate microspheres with encapsulated iron nanoparticles. <i>Water Science and Technology: Water Supply</i> , 0, , . | 1.0 | 2 |
| 517 | Jute Stick Powder: A new approach to efficient biosorbent for the simultaneous removal of Pb, Cr and Cd from waste water. <i>Journal of Applied Science & Process Engineering</i> , 2020, 7, 611-630. | 0.0 | 0 |
| 518 | Kinetic and Equilibrium Studies of Cr(VI) Adsorption Using Glutaraldehyde-Crosslinked Chitosan Beads. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2022, 46, 147-160. | 0.7 | 4 |
| 519 | Physical characterization and kinetic studies of Zn (II) biosorption by <i>Morganella morganii</i> ACZ05. <i>Water Science and Technology</i> , 2022, 85, 970-986. | 1.2 | 5 |
| 521 | Three-dimensional porous sodium alginate/gellan gum environmentally friendly aerogel: Preparation, characterization, adsorption, and kinetics studies. <i>Chemical Engineering Research and Design</i> , 2022, 179, 227-236. | 2.7 | 26 |
| 522 | Biochar-SO prepared from pea peels by dehydration with sulfuric acid improves the adsorption of Cr6+ from water. <i>Biomass Conversion and Biorefinery</i> , 2024, 14, 2601-2619. | 2.9 | 18 |
| 523 | Lithium ion adsorption characteristics of porous Li133Mn167O4 adsorbent prepared using petroleum-based pitch as a binder. <i>Hydrometallurgy</i> , 2022, 209, 105837. | 1.8 | 9 |
| 524 | Experimental Design Analysis of Murexide Dye Removal by Carbon Produced from Waste Biomass Material. <i>Journal of Chemistry</i> , 2022, 2022, 1-14. | 0.9 | 6 |
| 525 | Dried Brown Seaweed's Phytoremediation Potential for Methylene Blue Dye Removal from Aquatic Environments. <i>Polymers</i> , 2022, 14, 1375. | 2.0 | 35 |
| 526 | Uranium and Thorium water decontamination via novel coated Cu-based nanoparticles; the role of chemistry and environmental implications. <i>Science of the Total Environment</i> , 2022, 838, 156050. | 3.9 | 5 |
| 527 | The Using of Nanoparticles of Microalgae in Remediation of Toxic Dye from Industrial Wastewater: Kinetic and Isotherm Studies. <i>Materials</i> , 2022, 15, 3922. | 1.3 | 29 |
| 529 | The removal of iron from synthetic water by the applications of plants leaf biosorbents. <i>Cleaner Engineering and Technology</i> , 2022, 9, 100530. | 2.1 | 6 |
| 531 | Glass Waste / Activated Carbon Composite Prepared by Chemical Activation for Suitable Use in Wastewater Treatment from Heavy Metals. <i>Journal of Solid Waste Technology and Management</i> , 2021, 47, 768-779. | 0.2 | 0 |
| 532 | Interaction of L-Ascorbic Acid with Activated Carbon: Kinetic Studies and the Effect of pH. <i>Colloid Journal</i> , 2022, 84, 353-363. | 0.5 | 2 |
| 533 | Microporous Activated Carbon from Pisum sativum Pods Using Various Activation Methods and Tested for Adsorption of Acid Orange 7 Dye from Water. <i>Molecules</i> , 2022, 27, 4840. | 1.7 | 21 |
| 534 | Enhancing Functionalities in Nanocomposites for Effective Dye Removal from Wastewater: Isothermal, Kinetic and Thermodynamic Aspects. <i>Water (Switzerland)</i> , 2022, 14, 2600. | 1.2 | 2 |
| 535 | Removal of toxic thymol sulfone phthalein dye from wastewater by using efficient adsorbent NiO nanoparticles. <i>Journal of Molecular Structure</i> , 2022, 1269, 133864. | 1.8 | 8 |
| 536 | Preparation and adsorption properties of green cellulose-based composite aerogel with selective adsorption of methylene blue. <i>Polymer</i> , 2022, 258, 125320. | 1.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 537 | Synthesis and application of cellulose acetate-acrylic acid-acrylamide composite for removal of toxic methylene blue dye from aqueous solution. <i>Journal of Water Process Engineering</i> , 2022, 49, 103102. | 2.6 | 7 |
| 538 | Batch Adsorption Study of Synthetic Dye Mix in Aqueous Solution using Activated Carbon Prepared from Coconut Shell. <i>Oriental Journal of Chemistry</i> , 2022, 38, 1074-1080. | 0.1 | 0 |
| 539 | Synthesis and Application of Positively Charged and Magnetically Separable Magnetite/Silica-Ammonium as an Effective Platinum(IV) Adsorbent. <i>Materials Science Forum</i> , 0, 1069, 37-45. | 0.3 | 0 |
| 540 | Removal of methylene blue from aqueous solution using a thiol-functionalized ionic liquid-based periodic mesoporous organosilica: kinetic and thermodynamic studies. <i>Textile Research Journal</i> , 0, , 004051752211230. | 1.1 | 0 |
| 541 | Applications of Plants Leaf-Based Biosorbents for Removal of Iron and Phosphorus from Contaminated Water: A Review. , 2023, 1, 122-145. | | 3 |
| 543 | An Adsorbent Based on Humic Acid-Like and Carboxymethyl Cellulose for Efficient Pollutant Removal from Synthetic Wastewater. <i>Key Engineering Materials</i> , 0, 932, 29-38. | 0.4 | 1 |
| 544 | Pseudo-stem banana fiber as a potential low-cost adsorbent to remove methylene blue from synthetic wastewater. <i>Applied Water Science</i> , 2022, 12, . | 2.8 | 13 |
| 545 | Fabrication of cellulose acetate/cellulose nitrate/carbon black nanofiber composite for oil spill treatment. <i>Biomass Conversion and Biorefinery</i> , 0, , . | 2.9 | 4 |
| 547 | Green Nanocomposite for the Adsorption of Toxic Dyes Removal from Colored Waters. <i>Coatings</i> , 2022, 12, 1955. | 1.2 | 0 |
| 548 | Gradient Concentration Control of Active Components on the Industrial Cs-P/Al ₂ O ₃ Catalyst. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 18636-18645. | 1.8 | 2 |
| 549 | Chemical modification of microcrystalline cellulose with polyethyleneimine and hydrazine: Characterization and evaluation of its adsorption power toward anionic dyes. <i>International Journal of Biological Macromolecules</i> , 2023, 229, 210-223. | 3.6 | 16 |
| 550 | Comparative study of ZIF-8-materials for removal of hazardous compounds using physio-chemical remediation techniques. <i>Environmental Research</i> , 2023, 220, 115168. | 3.7 | 5 |
| 551 | Composite nanofiber formation using a mixture of cellulose acetate and activated carbon for oil spill treatment. <i>Environmental Science and Pollution Research</i> , 2023, 30, 38683-38699. | 2.7 | 5 |
| 552 | Removal of Acetaminophen from Aqueous Solutions by Hybrid Fenton Oxidation and Adsorption. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022, 1120, 012008. | 0.2 | 1 |
| 553 | Synthesis and Characterization of Terbium-Based Metal Organic Framework for Environmental Remediation Application. <i>Catalysts</i> , 2023, 13, 241. | 1.6 | 2 |
| 554 | Polyurethanes Based on Dicyclohexylmethane 4,4-Diisocyanate and <i>tert</i> -Butyldiethanolamine for Enhancing the Dyeability of Fiber toward Acid Dye. <i>ACS Applied Polymer Materials</i> , 2023, 5, 1276-1282. | 2.0 | 0 |
| 555 | Isotherm and kinetic studies of acid yellow 11 dye adsorption from wastewater using <i>Pisum Sativum</i> peels microporous activated carbon. <i>Scientific Reports</i> , 2023, 13, . | 1.6 | 12 |
| 556 | Effective removal of hexavalent chromium by novel modified alginate-based biocomposites: Characterization, kinetics and equilibrium studies. <i>Ceramics International</i> , 2023, 49, 16440-16450. | 2.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 557 | Multi-functional core-shell pomegranate peel amended alginate beads for phenol decontamination and bio-hydrogen production: Synthesis, characterization, and kinetics investigation. <i>Biochemical Engineering Journal</i> , 2023, 195, 108932. | 1.8 | 5 |
| 558 | Hexavalent Chromium Removal by an Ascorbic Acid Functionalized Polymer Hydrogel Adsorbent: the Effect of Physicochemical Factors. <i>ACS Applied Polymer Materials</i> , 2023, 5, 2105-2112. | 2.0 | 2 |
| 559 | Facile Strategy for Fabricating an Organosilica-Modified Fe ₃ O ₄ (OS/Fe ₃ O ₄) Hetero-nanocore and OS/Fe ₃ O ₄ @SiO ₂ Core-Shell Structure for Wastewater Treatment with Promising Recyclable Efficiency. <i>ACS Omega</i> , 2023, 8, 7626-7638. | 1.6 | 7 |
| 560 | Removal of Toxic Basic Fuchsin Dye from Liquids by Antibiotic Azithromycin Using Adsorption, TD-DFT Calculations, Kinetic, and Equilibrium Studies. <i>Industrial & Engineering Chemistry Research</i> , 2023, 62, 4312-4327. | 1.8 | 11 |
| 561 | Orange peels magnetic activate carbon (MG-OPAC) composite formation for toxic chromium absorption from wastewater. <i>Scientific Reports</i> , 2023, 13, . | 1.6 | 4 |
| 562 | Synthesis of chitosan-TiO ₂ nanocomposite, application in adsorptive removal of Cu(II) Adsorption and desorption study, mechanism, scale-up design, statistical, and genetic algorithm modeling. <i>Applied Organometallic Chemistry</i> , 2023, 37, . | 1.7 | 6 |
| 563 | Thermal Fabrication of Magnetic Fe ₃ O ₄ (Nanoparticle)@Carbon Sheets from Waste Resources for the Adsorption of Dyes: Kinetic, Equilibrium, and UV-Visible Spectroscopy Investigations. <i>Nanomaterials</i> , 2023, 13, 1266. | 1.9 | 5 |
| 564 | Fabrication of N-doping activated carbons from fish waste and sawdust for Acid Yellow 36 dye removal from an aquatic environment. <i>Scientific Reports</i> , 2023, 13, . | 1.6 | 6 |
| 565 | Synthesis of [NiONPs-Inulin] nanocomposite to use as adsorbent in the removal of poisonous thymol blue dye from liquids. <i>Journal of Molecular Structure</i> , 2023, 1286, 135605. | 1.8 | 1 |
| 566 | Functionalized nanofibers for adsorption of heavy metal ions. , 2023, , 459-482. | | 0 |