

CITATION REPORT

List of articles citing

Atomistic simulations of dislocation interface interactions in the Cu-Ni multilayer system

DOI: 10.1080/01418610008212148

Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 2000, 80, 2011-2040.

Source: <https://exaly.com/paper-pdf/31918587/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
221	Dislocation Models for Strengthening in Nanostructured Metallic Multilayers. 2000 , 634, 421		2
220	On the strengthening effects of interfaces in multilayer fee metallic composites. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002 , 82, 643-664		27
219	Microstructures and Mechanical Properties of Nanostructured Copper-304 Stainless Steel Multilayers Synthesized by Magnetron Sputtering. 2002 , 740, 1		0
218	Fracture in nanolamellar materials: Continuum and atomistic models with application to titanium aluminides. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002 , 82, 2397-2417		9
217	Single-dislocation-based strengthening mechanisms in nanoscale metallic multilayers. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002 , 82, 2935-2951		240
216	Microstructures and strength of nanoscale Cu/Ag multilayers. 2002 , 46, 593-598		128
215	Rolling textures in nanoscale Cu/Nb multilayers. <i>Acta Materialia</i> , 2003 , 51, 6059-6075	8.4	116
214	Heterogeneous deformation of a two phase nickel Tungsten alloy. 2003 , 19, 1321-1329		4
213	Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers. 2003 , 18, 1600-1606		36
212	Indentation Techniques for the Study of Deformation Across Grain Boundaries. 2003 , 778, 4101		
211	Formation of misfit dislocations in nanoscale Ni/Cu bilayer films. 2004 , 84, 719-736		44
210	Nanoscale-twinning-induced strengthening in austenitic stainless steel thin films. 2004 , 84, 1096-1098		183
209	Towards a full analytic treatment of the HallPetch behavior in multilayers: putting the pieces together. 2004 , 50, 763-767		18
208	Deformation-induced synthesis and structural transformations of metallic multilayers. 2004 , 50, 807-812		71
207	Plasticity in fine scale semi-coherent metallic films and multilayers. 2004 , 50, 769-773		6
206	Slip resistance of interfaces and the strength of metallic multilayer composites. 2004 , 50, 775-779		254
205	Effect of annealing twins on HallPetch relation in polycrystalline materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 367, 171-175	5.3	79

204	Enhanced hardening in Cu/330 stainless steel multilayers by nanoscale twinning. <i>Acta Materialia</i> , 2004 , 52, 995-1002	8.4	222
203	Dislocation mechanisms and symmetric slip in rolled nano-scale metallic multilayers. <i>Acta Materialia</i> , 2004 , 52, 2387-2394	8.4	114
202	Interactions of dislocations with disconnections in fcc metallic nanolayered materials. 2004 , 84, 2277-2303		50
201	Dislocation-based modeling of the mechanical behavior of epitaxial metallic multilayer thin films. <i>Acta Materialia</i> , 2005 , 53, 1121-1134	8.4	44
200	Nano-sized twins induce high rate sensitivity of flow stress in pure copper. <i>Acta Materialia</i> , 2005 , 53, 2169-2179	8.4	54 ⁰
199	Length-scale-dependent deformation mechanisms in incoherent metallic multilayered composites. <i>Acta Materialia</i> , 2005 , 53, 4817-4824	8.4	77 ¹
198	Nanostructured Ni-Co alloys with tailorable grain size and twin density. 2005 , 36, 1927-1936		69
197	Co-deformation of two-phase Cu ₃ Zr alloys. 2005 , 85, 3137-3156		6
196	Modeling texture evolution during rolling of a Cu ₃ Ni ₂ multilayered system. 2005 , 85, 1419-1440		35
195	Dislocation motion in anisotropic multilayer materials. 2005 , 85, 2809-2830		56
194	Strength of metallic multilayers at all length scales from analytic theory of discrete dislocation pileups. 2005 , 85, 3321-3355		15
193	Stress field and interaction forces of dislocations in anisotropic multilayer thin films. 2005 , 85, 1205-1225		44
192	The evolution of microstructures and mechanical properties during accumulative roll bonding of Al/Mg composite. <i>Journal of Alloys and Compounds</i> , 2006 , 416, 169-172	5.7	100
191	Mechanical behavior of metallic nanolaminates. 2006 , 146-176		19
190	Strength, strain-rate sensitivity and ductility of copper with nanoscale twins. <i>Acta Materialia</i> , 2006 , 54, 5421-5432	8.4	40 ³
189	Microstructure and nanoindentation investigation of magnetron sputtering Ag/Co multilayers. 2006 , 201, 1262-1266		14
188	Exponent for Hall-Petch behaviour of ultra-hard multilayers. 2006 , 86, 1443-1481		4
187	Repulsive force between screw dislocation and coherent twin boundary in aluminum and copper. 2007 , 75,		65

186	Observation of largely enhanced hardness in nanomultilayers of the Ag/Nb system with positive enthalpy of formation. 2007 , 90, 181917		26
185	Discrete Dislocation Dynamics Simulation on Strengths of Dislocation Network Stacks in Multilayered Structures. 2007 , 353-358, 1086-1089		4
184	Dislocation transmission across the Cu/Ni interface: a hybrid atomistic-continuum study. 2007 , 87, 1513-1529		25
183	Microstructural characterization of Al/Mg alloy interdiffusion mechanism during Accumulative Roll Bonding. 2007 , 13, 201-205		31
182	Mechanical properties of sputtered Cu/V and Al/Nb multilayer films. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 283-287	5.3	128
181	Externally constrained plastic flow in miniaturized metallic structures: A continuum-based approach to thin films, lines, and joints. 2008 , 53, 838-891		28
180	Strengthening via deformation twinning in a nickel alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 480, 75-83	5.3	39
179	Interactions between non-screw lattice dislocations and coherent twin boundaries in face-centered cubic metals. <i>Acta Materialia</i> , 2008 , 56, 1126-1135	8.4	381
178	Atomistic modeling of the interaction of glide dislocations with weak interfaces. <i>Acta Materialia</i> , 2008 , 56, 5685-5693	8.4	216
177	Nanoindentation study of amorphous-Co ₇₉ Zr ₁₃ Nb ₈ /Cr multilayers. 2008 , 202, 3239-3245		17
176	Twin-size effects on the deformation of nanotwinned copper. 2009 , 79,		42
175	Two different types of shear-deformation behaviour in Au/Cu multilayers. 2009 , 89, 66-74		27
174	Peak/Plateau Strength in Nanoscale Multilayer Thin Films: Constrained vs Unconstrained Dislocation Nucleation. 2009 , 1177, 75		
173	Strengthening effects of coherent interfaces in nanoscale metallic bilayers. 2009 , 45, 1129-1133		41
172	Deformation mechanisms and strength in nanoscale multilayer metallic composites with coherent and incoherent interfaces. 2009 , 94, 173114		68
171	Tensile and fatigue properties of ultrafine Cu/Ni multilayers. 2009 , 42, 055411		19
170	Revealing the maximum strength in nanotwinned copper. 2009 , 323, 607-10		1393
169	Dislocation-Interface interaction in nanoscale fcc metallic bilayers. 2010 , 37, 315-319		38

168	Interaction of dislocations with incoherent interfaces in nanoscale FCC/BCC metallic bi-layers. 2010 , 18, 055010		33
167	Size dependent strengthening mechanisms in sputtered Fe/W multilayers. 2010 , 107, 093503		24
166	Hardening by twin boundary during nanoindentation in nanocrystals. 2010 , 21, 335704		26
165	Atomistic modeling of interfaces and their impact on microstructure and properties. <i>Acta Materialia</i> , 2010 , 58, 1117-1151	8.4	379
164	Scale-dependent fracture mode in Cu/Ni laminate composites. 2010 , 90, 413-421		10
163	Deformation Behavior of Two-Phase α (Ti3Al) + β (TiAl) Alloys. 2011 , 125-248		2
162	AlPd interatomic potential and its application to nanoscale multilayer thin films. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 530, 73-86	5.3	13
161	Analysis of plastic deformation in nanoscale metallic multilayers with coherent and incoherent interfaces. <i>International Journal of Plasticity</i> , 2011 , 27, 1618-1639	7.6	92
160	Effect of stacking fault energy on mechanical behavior of bulk nanocrystalline Cu and Cu alloys. <i>Acta Materialia</i> , 2011 , 59, 5758-5764	8.4	92
159	Deformation mechanisms, length scales and optimizing the mechanical properties of nanotwinned metals. <i>Acta Materialia</i> , 2011 , 59, 6890-6900	8.4	70
158	Length-scale-dependent deformation and fracture behavior of Cu/X (X=Nb, Zr) multilayers: The constraining effects of the ductile phase on the brittle phase. <i>Acta Materialia</i> , 2011 , 59, 7368-7379	8.4	120
157	Mechanical properties of highly textured Cu/Ni multilayers. <i>Acta Materialia</i> , 2011 , 59, 1924-1933	8.4	172
156	Trapping and escape of dislocations in micro-crystals with external and internal barriers. <i>International Journal of Plasticity</i> , 2011 , 27, 372-387	7.6	40
155	High strength Mg/Nb nanolayer composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2028-2033	5.3	82
154	Dominant factor controlling the fracture mode in nanostructured Cu/Cr multilayer films. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2982-2987	5.3	24
153	Pyramidal dislocation induced strain relaxation in hexagonal structured InGaN/AlGaIn/GaN multilayer. 2012 , 112, 083502		5
152	Direct observations of confined layer slip in Cu/Nb multilayers. 2012 , 18, 1155-62		83
151	Nanotwins and stacking faults in high-strength epitaxial Ag/Al multilayer films. 2012 , 101, 223112		78

150	A formation mechanism for ultra-thin nanotwins in highly textured Cu/Ni multilayers. 2012 , 111, 073526		32
149	Deformation mechanisms, size effects, and strain hardening in nanoscale metallic multilayers under nanoindentation. 2012 , 112, 044307		23
148	Plasticity enhancement of a Zr-based bulk metallic glass by an electroplated Cu/Ni bilayered coating. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 552, 199-203	5.3	36
147	Mechanical properties of crystalline Cu/Zr and crystal/amorphous Cu/Cu ₂ Zr multilayers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 552, 392-398	5.3	77
146	Microstructure and strengthening mechanisms in Cu/Fe multilayers. <i>Acta Materialia</i> , 2012 , 60, 6312-6328	8.4	89
145	Length scale-dependent deformation behavior of nanolayered Cu/Zr micropillars. <i>Acta Materialia</i> , 2012 , 60, 1610-1622	8.4	99
144	Effects of coherency stress and vacancy sources/sinks on interdiffusion across coherent multilayer interfaces [Part II: Interface sharpening and intermixing rate. <i>Acta Materialia</i> , 2012 , 60, 2539-2553	8.4	7
143	Achieving maximum hardness in semi-coherent multilayer thin films with unequal layer thickness. <i>Acta Materialia</i> , 2012 , 60, 2625-2636	8.4	42
142	Size-dependent deformation mechanisms and strain-rate sensitivity in nanostructured Cu/X (X = Cr, Zr) multilayer films. <i>Acta Materialia</i> , 2012 , 60, 3677-3689	8.4	74
141	Intrinsic and extrinsic size effects on deformation in nanolayered Cu/Zr micropillars: From bulk-like to small-volume materials behavior. <i>Acta Materialia</i> , 2012 , 60, 4054-4064	8.4	54
140	Tailoring nanostructured Cu/Cr multilayer films with enhanced hardness and tunable modulus. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 543, 139-144	5.3	24
139	Mechanical properties of fcc/fcc Cu/Nb nanostructured multilayers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 545, 118-122	5.3	39
138	Ab initio prediction of the critical thickness of a precipitate. 2013 , 25, 355005		6
137	Stacking fault and partial dislocation dominated strengthening mechanisms in highly textured Cu/Co multilayers. <i>International Journal of Plasticity</i> , 2013 , 49, 152-163	7.6	91
136	Buckling behaviors and adhesion energy of nanostructured Cu/X (X=Nb, Zr) multilayer films on a compliant substrate. <i>Acta Materialia</i> , 2013 , 61, 7889-7903	8.4	40
135	Strengthening mechanisms of Ag/Ni immiscible multilayers with fcc/fcc interface. 2013 , 237, 269-275		27
134	Microstructures and strengthening mechanisms of Cu/Ni/W nanolayered composites. 2013 , 93, 434-448		15
133	Molecular dynamics simulation of thin film interfacial strength dependency on lattice mismatch. 2013 , 537, 190-197		12

132	Evaluation of plastic deformation ability of Cu/Ni/W metallic multilayers. 2013 , 527, 227-231		12
131	Softening due to disordered grain boundaries in nanocrystalline Co. 2013 , 25, 345702		2
130	Effect of Interfaces in the Work Hardening of Nanoscale Multilayer Metallic Composites During Nanoindentation: A Molecular Dynamics Investigation. 2013 , 135,		18
129	Formation Mechanisms of High-density Growth Twins in Aluminum with High Stacking-Fault Energy. 2013 , 1, 51-60		67
128	Spiral patterns of dislocations at nodes in (111) semi-coherent FCC interfaces. 2013 , 3, 2448		85
127	Mechanical Property and Fracture Behavior of Al/Mg Composite Produced by Accumulative Roll Bonding Technique. 2013 , 2013, 1-8		5
126	Plastic Deformation of Metal/Ceramic Nanolayered Composites. 2014 , 66, 2078-2085		45
125	Mechanical Properties of Nanostructured Metals. 2014 , 495-553		3
124	The microstructure and mechanical behavior of Mg/Ti multilayers as a function of individual layer thickness. <i>Acta Materialia</i> , 2014 , 63, 216-231	8.4	74
123	Energy minimization mechanisms of semi-coherent interfaces. 2014 , 116, 023508		43
122	Fracture behavior and adhesion energy of nanostructured Cu/Mo multilayer films. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 613, 130-135	5.3	11
121	Plastic deformation characteristics of Cu/X (XCuZr, Zr) nanolayered materials. 2014 , 321, 19-23		8
120	First-principles study of Cu/TiN and Al/TiN interfaces: weak versus strong interfaces. 2014 , 22, 035020		27
119	Anomalous plastic deformation in nanoscale Cu/Ta multilayers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 598, 355-359	5.3	16
118	Elevated temperature dependence of hardness in tri-metallic nano-scale metallic multilayer systems. 2014 , 571, 247-252		14
117	Insights on slip transmission at grain boundaries from atomistic simulations. 2014 , 18, 188-195		77
116	Microstructure and mechanical properties of physical vapor deposited Cu/W nanoscale multilayers: Influence of layer thickness and temperature. 2014 , 571, 275-282		43
115	Achieving optimum mechanical performance in metallic nanolayered Cu/X (X = Zr, Cr) micropillars. 2014 , 4, 4205		27

114	Alternative transmission mode and long stacking fault formation during a dissociated screw dislocation across a coherent sliding interface. 2015 , 48, 395301			1
113	Phase field modeling of a glide dislocation transmission across a coherent sliding interface. 2015 , 23, 035002			8
112	The mechanical behavior of nanoscale metallic multilayers: A survey. 2015 , 31, 319-337			43
111	MD simulation of nanoindentation on (001) and (111) surfaces of Ag/Ni multilayers. 2015 , 74, 481-488			31
110	Size effect on mechanical behavior of Al/Si ₃ N ₄ multilayers by nanoindentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 644, 275-283	5.3		16
109	First-principles calculations of the twin boundary energies and adhesion energies of interfaces for cubic face-centered transition-metal nitrides and carbides. 2015 , 355, 1132-1135			20
108	Orientation-Dependent Hardness in As-Deposited and Low-Temperature Annealed Ti/Ni Multilayer Thin Films. 2015 , 82,			9
107	Size- and constituent-dependent deformation mechanisms and strain rate sensitivity in nanolaminated crystalline Cu/amorphous Cu ₂ r films. <i>Acta Materialia</i> , 2015 , 95, 132-144		8.4	54
106	Modulation of strength and plasticity of multiscale Ni/Cu laminated composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 636, 216-220	5.3		19
105	Length-scale-dependent mechanical behaviour of Zr/Nb multilayers as a function of individual layer thickness. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 632, 137-146	5.3		30
104	Achieving high strength and high electrical conductivity in Ag/Cu multilayers. 2015 , 106, 011604			17
103	Coupled annealing temperature and layer thickness effect on strengthening mechanisms of Ti/Ni multilayer thin films. 2016 , 88, 72-82			21
102	Fracture toughness determination by repetitive nano-impact testing in Cu/W nanomultilayers with length-scale-dependent films properties. 2016 , 2, 1391-1404			1
101	Comparison of size dependent strengthening mechanisms in Ag/Fe and Ag/Ni multilayers. <i>Acta Materialia</i> , 2016 , 114, 154-163		8.4	42
100	Strengthening effects of twin interface in Cu/Ni multilayer thin films – A molecular dynamics study. 2016 , 111, 1-8			62
99	Molecular dynamics simulation of nanoindentation on Cu/Ni nanotwinned multilayer films using a spherical indenter. 2016 , 6, 35665			91
98	Interfacial Structures Governed Plastic Deformation Behaviors in Metallic Multilayers. 2016 , 29, 199-204			7
97	Length-scale-dependent deformation mechanism of Cu/X (X=Ru, W) multilayer thin films. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 664, 206-214	5.3		10

96	Evolution of Texture and Microstructure in Deformed and Annealed Copper-Iron Multilayer. 2016 , 47, 852-868		6
95	Elastic field due to dislocation loops in isotropic multilayer system. 2016 , 51, 2942-2957		4
94	Modeling concepts for intermetallic titanium aluminides. 2016 , 81, 55-124		208
93	Molecular dynamics simulation of effects of twin interfaces on Cu/Ni multilayers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 658, 1-7	5.3	48
92	A phase field dislocation dynamics model for a bicrystal interface system: An investigation into dislocation slip transmission across cube-on-cube interfaces. <i>International Journal of Plasticity</i> , 2016 , 79, 293-313	7.6	37
91	Dislocation migration across coherent phase interfaces in SiGe superlattices. 2016 , 111, 1-6		17
90	Grain and interface boundaries governed strengthening mechanisms in metallic multilayers. <i>Journal of Alloys and Compounds</i> , 2017 , 698, 906-912	5.7	25
89	A generalized approach for solution to image stresses of dislocations. 2017 , 103, 3-21		0
88	The role of interface in uniaxial tensile process of nano-scale bilayer Cu/Ni. 2017 , 131, 21-27		9
87	Unraveling the correlation between Hall-Petch slope and peak hardness in metallic nanolaminates. <i>International Journal of Plasticity</i> , 2017 , 96, 120-134	7.6	30
86	Phase transformation-induced strength softening in Ti/Ta nanostructured multilayers: Coherent interface vs phase boundary. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 684, 78-83	5.3	15
85	Hetero interface and twin boundary mediated strengthening in nano-twinned Cu//Ag multilayered materials. 2017 , 28, 415705		10
84	Detecting co-deformation behavior of Cu/Au nanolayered composites. 2017 , 5, 20-28		9
83	Multiaxial tension/compression asymmetry of Ti/TiN nano laminates: MD investigation. <i>Acta Materialia</i> , 2017 , 135, 348-360	8.4	31
82	Combined size and texture-dependent deformation and strengthening mechanisms in Zr/Nb nano-multilayers. <i>Acta Materialia</i> , 2017 , 124, 247-260	8.4	42
81	Strength and plasticity of nanolaminated materials. 2017 , 5, 1-19		168
80	Designing Novel Metallic Multilayer Nanocomposites Through Atomic Engineering of Interfaces □ Influence of Heat of Mixing. 2017 , 215, 226-237		2
79	Shock-induced plasticity in semi-coherent {111} Cu-Ni multilayers. <i>International Journal of Plasticity</i> , 2018 , 103, 23-38	7.6	28

78	Deformation mechanisms and ductility enhancement in core-shell Cu@Ni nanoporous metals. 2018 , 150, 397-404		17
77	Competing mechanisms on the strength of ion-irradiated Zr/Nb nanoscale multilayers: Interface strength versus radiation hardening. 2018 , 152, 31-35		14
76	Improving the crack resistance and fracture toughness of Cu/Ru multilayer thin films via tailoring the individual layer thickness. <i>Journal of Alloys and Compounds</i> , 2018 , 742, 45-53	5.7	16
75	Size effect on deformation and fracture of Cu/Ag bi-metal multilayer nano-pillar. 2018 , 5, 025028		2
74	Deformation response of cube-on-cube and non-coherent twin interfaces in AgCu eutectic under dynamic plastic compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 313-324	5.3	9
73	Radiation damage in nanostructured materials. 2018 , 96, 217-321		178
72	Three-dimensional interaction and movements of various dislocations in anisotropic bicrystals with semicoherent interfaces. 2018 , 116, 185-216		7
71	Analytic model of the surface deviation and influence on the stacking fault width between partial dislocations. 2018 , 147, 243-250		5
70	The rigidity and mobility of screw dislocations in a thin film. 2018 , 101, 103-109		1
69	Atomic-scale simulation of structure and mechanical properties of Cu _{1-x} Ag _x /Ni multilayer systems. <i>Acta Materialia</i> , 2018 , 150, 236-247	8.4	13
68	Elastic Green's Function in Anisotropic Bimaterials Considering Interfacial Elasticity. 2018 , 131, 277-296		3
67	Strengthening mechanisms of graphene coated copper under nanoindentation. 2018 , 144, 42-49		25
66	A review of slip transfer: applications of mesoscale techniques. 2018 , 53, 5584-5603		18
65	Cracking and Toughening Mechanisms in Nanoscale Metallic Multilayer Films: A Brief Review. 2018 , 8, 1821		12
64	The roles of interfaces and other microstructural features in Cu/Nb nanolayers as revealed by in situ beam bending experiments inside an scanning electron microscope (SEM). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 738, 253-263	5.3	23
63	Unique mechanical properties of Cu/(NbMoTaW) nanolaminates. 2018 , 154, 154-158		10
62	BCC-FCC interfacial effects on plasticity and strengthening mechanisms in high entropy alloys. <i>Acta Materialia</i> , 2018 , 157, 83-95	8.4	68
61	Residual stress and adhesion of thermal spray coatings: Microscopic view by solidification and crystallisation analysis in the epitaxial CoNiCrAlY single splat. 2018 , 153, 36-46		15

60	Low-angle grain boundary structures and size effects of nickel nanolaminated structures. 2019 , 130, 280-296		10
59	Understanding the strength softening of Zr/Mo and Zr/Ti nanostructured multilayers. 2019 , 172, 61-65		4
58	Interaction of Dislocations and Interfaces in Crystalline Heterostructures: A Review of Atomistic Studies. 2019 , 9, 584		8
57	Size-dependent microstructure evolution and hardness of He irradiated Nb/Zr multilayers under different ion doses. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 764, 138259	5.3	6
56	Scratching Cu Au Nanolaminates. 2019 , 7, 44		2
55	Unusual plastic deformation behavior of nanotwinned Cu/high entropy alloy FeCoCrNi nanolaminates. 2019 , 11, 11340-11350		14
54	Individual layer thickness-dependent microstructures and mechanical properties of fcc/fcc Ni/Al nanolaminates and their strengthening mechanisms. 2019 , 6, 100347		5
53	Metallic Glassy Thin Films: Perspective on Mechanical, Magnetic, Biomedical, and Optical Properties. 2019 , 21, 1900046		1
52	Size- and ion-dose-dependent microstructural evolution and hardening in He-irradiated miscible Cu/Zr crystalline/crystalline nanolaminates. 2019 , 366, 255-265		7
51	High-strength Ni/Al nanolaminates fabricated by magnetron sputtering and their nanoindentation and nanowear behaviors. 2019 , 6, 100263		6
50	A new method to reliably determine elastic strain of various crystal structures from atomic-resolution images. 2019 , 9, 16399		1
49	The effect of coherent interface on strain-rate sensitivity of highly textured Cu/Ni and Cu/V multilayers. 2019 , 162, 33-37		18
48	Processing of Dilute MgZnMnCa Alloy/Nb Multilayers by Accumulative Roll Bonding. 2020 , 22, 1900673		5
47	Size-dependent mechanical properties and deformation mechanisms in Cu/NbMoTaW nanolaminates. 2020 , 63, 444-452		4
46	Molecular dynamics simulations on shock response and spalling behaviors of semi-coherent {111} Cu-Al multilayers. 2020 , 172, 105414		17
45	Effects of Cu/graphene interface on the mechanical properties of multilayer Cu/graphene composites. 2020 , 141, 103270		27
44	Ultra-high strength and plasticity mediated by partial dislocations and defect networks: Part I: Texture effect. <i>Acta Materialia</i> , 2020 , 185, 181-192	8.4	15
43	Effects of three-dimensional Cu/Nb interfaces on strengthening and shear banding in nanoscale metallic multilayers. <i>Acta Materialia</i> , 2020 , 199, 593-601	8.4	18

42	Effects of Mo on the mechanical behavior of β -strengthened Co-Ti-based alloys. <i>Acta Materialia</i> , 2020 , 197, 69-80	8.4	7
41	Microstructures and mechanical properties of Mg/Zr nanostructured multilayers with coherent interface. 2020 , 712, 138314		3
40	Length-scale dependent deformation, strengthening, and ductility of fcc/fcc Ni/Al nanolaminates using micropillar compression testing. <i>Acta Materialia</i> , 2020 , 193, 318-328	8.4	5
39	A review of high-strength nanolaminates and evaluation of their properties. <i>Journal of Materials Science and Technology</i> , 2020 , 50, 215-244	9.1	18
38	Strengthening mechanisms in high entropy alloys: Fundamental issues. 2020 , 187, 148-156		72
37	High Entropy Alloys: Ready to Set Sail?. 2020 , 10, 194		10
36	Interaction mechanism between twin boundary and crystalline/amorphous interface in dual-phase Mg alloys. 2020 , 534, 119954		3
35	An overview of tailoring strain delocalization for strength-ductility synergy. 2020 , 113, 100675		93
34	Faceted Kurdjumov-Sachs interface-induced slip continuity in the eutectic high-entropy alloy, AlCoCrFeNi _{2.1} . <i>Journal of Materials Science and Technology</i> , 2021 , 65, 216-227	9.1	26
33	Microstructure and mechanical properties of nanoscale Cu/(Ta ₅₀ Nb ₂₅ Mo ₂₅) multilayers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 799, 140200	5.3	3
32	The metastable constituent effects on size-dependent deformation behavior of nanolaminated micropillars: Cu/FeCoCrNi vs Cu/CuZr. <i>Journal of Materials Science and Technology</i> , 2021 , 68, 16-29	9.1	6
31	Ultra-high strength and plasticity mediated by partial dislocations and defect networks: Part II: Layer thickness effect. <i>Acta Materialia</i> , 2021 , 204, 116494	8.4	2
30	A molecular dynamics study of dislocation-interphase boundary interactions in FCC/BCC phase transformation system. 2021 , 188, 110141		2
29	Interface-mediated plasticity and fracture in nanoscale Cu/Nb multilayers as revealed by in situ clamped microbeam bending. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 803, 140705	5.3	2
28	Effect of lamellar microstructure on fatigue crack initiation and propagation in AlCoCrFeNi _{2.1} eutectic high-entropy alloy. 2021 , 246, 107615		2
27	Ultrahigh-strength multi-layer graphene-coated Ni film with interface-induced hardening. 2021 , 178, 497-505		5
26	Ultra-strong and ductile Ta/Co nanolaminates strengthened via grain-boundary expanding and interfacial sliding. 2021 , 23, 100983		0
25	Understanding the microstructure and mechanical properties of Ta Al _{0.7} CoCrFeNi _{2.1} eutectic high entropy composites: Multi-scale deformation mechanism analysis. 2021 , 214, 108750		7

24	A carbide-reinforced Re _{0.5} MoNbW(TaC) _{0.8} eutectic high-entropy composite with outstanding compressive properties. 2021 , 200, 113909		9
23	Atomistic modeling of plastic deformation in B2-FeAl/Al nanolayered composites. 2021 , 56, 17080-17095		
22	Atomic insights on intermixing of nanoscale nitride multilayer triggered by nanoindentation. <i>Acta Materialia</i> , 2021 , 214, 117004	8.4	7
21	High strength dual fcc phase CoCuFeMnNi high-entropy alloy wires with dislocation wall boundaries stabilized by phase boundaries. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 825, 141875	5.3	15
20	Dislocation Structure of Cu/Nu (100) Semi-Coherent Interface and Its Role in Lattice Dislocation Nucleation. 2015 , 145-152		1
19	Bimetallic Layered Nanocomposites. 262-270		1
18	Concurrent interface shearing and dislocation core change on the glide dislocation-interface interactions: a phase field approach. <i>AIMS Materials Science</i> , 2015 , 2, 260-278	1.9	
17	Dislocation Structure of Cu/Nu (100) Semi-Coherent Interface and Its Role in Lattice Dislocation Nucleation. 145-152		
16	Temperature and Thickness Dependent Mechanical Properties of Ti/Ni Multilayer Thin Films. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2017 , 41-49	0.3	
15	Sliding-Wear Properties of Electro-Deposited Films with Cu and Pulse-Plated Ni Multi-Layers. <i>Materials Transactions</i> , 2020 , 61, 1102-1108	1.3	1
14	Crystallographic Anisotropy Dependence of Interfacial Sliding Phenomenon in a Cu(16)/Nb(16) ARB (Accumulated Rolling Bonding) Nanolaminate.. <i>Nanomaterials</i> , 2022 , 12,	5.4	0
13	Unusual He-ion irradiation strengthening and inverse layer thickness-dependent strain rate sensitivity in transformable high-entropy alloy/metal nanolaminates: A comparison of Fe ₅₀ Mn ₃₀ Co ₁₀ Cr ₁₀ /Cu vs Fe ₅₀ Mn ₃₀ Co ₁₀ Ni ₁₀ /Cu. <i>Journal of Materials Science and Technology</i> , 2022 , 41(1), 100-110	9.1	0
12	Interface-affected mechanical properties and strengthening mechanisms in heterogeneous high entropy alloy nanolaminates. <i>Journal of Alloys and Compounds</i> , 2022 , 903, 163915	5.7	
11	Atomic-scale understanding of the structural evolution in TiN/AlN superlattice during nanoindentation[Part 2: Strengthening. <i>Acta Materialia</i> , 2022 , 118009	8.4	1
10	Composition influence on edge dislocation mobility in an FCC high-entropy alloy. <i>MRS Advances</i> , 1	0.7	
9	Unraveling the effects of interface orientation and crystallography on the deformation mechanisms of accumulative roll-bonded Cu-Nb multilayered nanocomposites using molecular dynamics. <i>Journal of Molecular Modeling</i> , 2022 , 28,	2	0
8	Microstructures and mechanical properties of a CoCrFeNiMn high-entropy alloy obtained by 223K cryorolling and subsequent annealing. <i>Journal of Alloys and Compounds</i> , 2022 , 921, 166166	5.7	0
7	Effects of interdiffusion on shear response of semi-coherent {111} interfaces in Ni/Cu. <i>International Journal of Plasticity</i> , 2022 , 103393	7.6	0

- 6 Formation of hypoeutectic structure and strengthening mechanism of Co₄Cr_{1.5}Fe_{1.5}Ni₅ high entropy alloy alloyed by Al. *Journal of Alloys and Compounds*, **2022**, 923, 166372 5-7 ○
- 5 Microstructure, compression properties, and oxidation behavior of Hf-25Ta-5Me alloys (Me is Mo, Nb, W, 0.5Mo + 0.5 W, Cr, or Zr). **2022**, 105968 1
- 4 Low modulus-yet-hard, deformable multicomponent fibrous B2-phase making a medium-entropy alloy ultra-strong and ductile. **2023**, 222, 115058 ○
- 3 Fracture and toughening mechanisms in nanotwinned and nanolayered materials. ○
- 2 Microstructure evolution and strengthening mechanisms in Ni₃₆Co₃₀Cr₁₁Fe₁₁Al₁₂-Nb high entropy alloys. **2023**, 946, 169390 ○
- 1 Strengthening of 3D printed Cu micropillar in Cu-Ni core-shell structure. **2023**, 227, 111717 ○