

# CITATION REPORT

List of articles citing

**NF-kappaB inhibition ameliorates angiotensin II-induced inflammatory damage in rats**

**DOI: 10.1161/01.hyp.35.1.193**  
**Hypertension, 2000, 35, 193-201.**

**Source:** <https://exaly.com/paper-pdf/31929056/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
353	Cytokine actions of angiotensin II. <b>2000</b> , 86, 1187-9		98
352	Effect of bosentan on NF-kappaB, inflammation, and tissue factor in angiotensin II-induced end-organ damage. <i>Hypertension</i> , <b>2000</b> , 36, 282-90	8.5	127
351	Hypertensive emergencies. <b>2000</b> , 356, 411-7		414
350	Vascular remodeling in hypertension: roles of apoptosis, inflammation, and fibrosis. <i>Hypertension</i> , <b>2001</b> , 38, 581-7	8.5	742
349	Systemic infusion of angiotensin II into normal rats activates nuclear factor-kappaB and AP-1 in the kidney: role of AT(1) and AT(2) receptors. <b>2001</b> , 158, 1743-56		157
348	Reciprocal regulation of endothelin-1 and nitric oxide: relevance in the physiology and pathology of the cardiovascular system. <b>2001</b> , 209, 241-72		66
347	Role of angiotensin II in chronic ureteral obstruction. <b>2001</b> , 135, 250-60		9
346	Angiotensin-induced inflammation and vascular injury. <b>2001</b> , 135, 138-52		1
345	Renin-angiotensin system and renal damage: emerging data on angiotensin II as a proinflammatory mediator. <b>2001</b> , 135, 123-37		27
344	Effects of all-trans retinoic acid on renin-angiotensin system in rats with experimental nephritis. <i>American Journal of Physiology - Renal Physiology</i> , <b>2001</b> , 281, F909-19	4.3	42
343	Angiotensin receptors: signaling, vascular pathophysiology, and interactions with ceramide. <b>2001</b> , 281, H2337-65		187
342	Fluvastatin inhibits O2- and ICAM-1 levels in a rat model with aortic remodeling induced by pressure overload. <b>2001</b> , 281, H655-60		17
341	New vistas in anti-inflammatory therapy. <b>2001</b> , 88, 289-95		1
340	Proinflammatory actions of angiotensins. <b>2001</b> , 10, 321-9		290
339	Oxidative stress and vascular damage in hypertension. <b>2001</b> , 10, 247-55		109
338	Tissue renin-angiotensin systems: new insights from experimental animal models in hypertension research. <i>Journal of Molecular Medicine</i> , <b>2001</b> , 79, 76-102	5.5	205
337	Angiotensin II induces p27(Kip1) expression in renal tubules in vivo: role of reactive oxygen species. <i>Journal of Molecular Medicine</i> , <b>2001</b> , 79, 382-9	5.5	29

336	Angiotensin, inflammation, hypertension, and cardiovascular disease. <b>2001</b> , 3, 61-7		46
335	Molecular and pharmacological evidence for modulation of kinin B(1) receptor expression by endogenous glucocorticoids hormones in rats. <b>2001</b> , 132, 567-77		28
334	Effects of amlodipine and lacidipine on cardiac remodelling and renin production in salt-loaded stroke-prone hypertensive rats. <b>2001</b> , 134, 1516-22		25
333	Amelioration of angiotensin II-induced cardiac injury by a 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitor. <b>2001</b> , 104, 576-81		141
332	Angiotensin II activates nuclear transcription factor-kappaB in aorta of normal rats and in vascular smooth muscle cells of AT1 knockout mice. <b>2001</b> , 16 Suppl 1, 27-33		64
331	Aspirin inhibits NF-kappaB and protects from angiotensin II-induced organ damage. <b>2001</b> , 15, 1822-4		84
330	Endothelial dysfunction and salt-sensitive hypertension in spontaneously diabetic Goto-Kakizaki rats. <i>Hypertension</i> , <b>2001</b> , 37, 433-9	8.5	127
329	Long-term antioxidant administration attenuates mineralocorticoid hypertension and renal inflammatory response. <i>Hypertension</i> , <b>2001</b> , 37, 781-6	8.5	201
328	Mineralocorticoid receptor affects AP-1 and nuclear factor-kappab activation in angiotensin II-induced cardiac injury. <i>Hypertension</i> , <b>2001</b> , 37, 787-93	8.5	182
327	Endothelial dysfunction and xanthine oxidoreductase activity in rats with human renin and angiotensinogen genes. <i>Hypertension</i> , <b>2001</b> , 37, 414-8	8.5	100
326	How best to counteract the enemies? By controlling inflammation in the coronary circulation. <b>2002</b> , 4, G53-G65		1
325	Ang II accumulation in rat renal endosomes during Ang II-induced hypertension: role of AT(1) receptor. <i>Hypertension</i> , <b>2002</b> , 39, 116-21	8.5	137
324	Endothelin-converting enzyme inhibition ameliorates angiotensin II-induced cardiac damage. <i>Hypertension</i> , <b>2002</b> , 40, 840-6	8.5	29
323	Postischemic acute renal failure is reduced by short-term statin treatment in a rat model. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 2288-98	12.7	125
322	Physiological and pathophysiological roles of oxygen radicals in the renal microvasculature. <b>2002</b> , 282, R335-42		130
321	Fibrosis, matrix metalloproteinases, and inflammation in the heart of DOCA-salt hypertensive rats: role of ET(A) receptors. <i>Hypertension</i> , <b>2002</b> , 39, 679-84	8.5	130
320	Angiotensin II overproduction: enemy of the vessel wall. <b>2002</b> , 4, A26-A30		6
319	Good news for patients with type 2 diabetes: angiotensin receptor blocker treatment delays progression of diabetic nephropathy. <b>2002</b> , 11, 173-5		

318	Soluble cell adhesion molecules in hypertensive concentric left ventricular hypertrophy. <b>2002</b> , 20, 1563-9		24
317	Proinflammatory effects of angiotensin II and endothelin: targets for progression of cardiovascular and renal diseases. <b>2002</b> , 11, 59-66		59
316	Angiotensin II, the endothelium and superoxide anions. <b>2002</b> , 20, 1271-3		5
315	Combination of low-dose valsartan and enalapril improves endothelial dysfunction and coronary reserve in Nomega-nitro-L-arginine methyl ester-treated spontaneously hypertensive rats. <b>2002</b> , 40, 789-800		15
314	P450-dependent arachidonic acid metabolism and angiotensin II-induced renal damage. <i>Hypertension</i> , <b>2002</b> , 40, 273-9	8.5	52
313	Immunosuppressive treatment protects against angiotensin II-induced renal damage. <b>2002</b> , 161, 1679-93		222
312	Aldosterone-induced inflammation in the rat heart : role of oxidative stress. <b>2002</b> , 161, 1773-81		511
311	Oxygen radicals in cardiovascular-renal disease. <b>2002</b> , 2, 121-5		84
310	Simulated Ischemia Induces Renal Tubular Cell Apoptosis Through a Nuclear Factor- $\kappa$ B Dependent Mechanism. <i>Journal of Urology</i> , <b>2002</b> , 168, 248-252	2.5	46
309	Le concept de n̄phroprotection : vers des th̄rapeutiques pr̄ventives et curatives de la scl̄rose r̄nale. <b>2002</b> , 196, 285-291		
308	Angiotensin II induced inflammation in the kidney and in the heart of double transgenic rats. <b>2002</b> , 2, 3		61
307	Angiotensin II activates nuclear transcription factor-kappaB through AT1 and AT2 receptors. <b>2002</b> , 61, 1986-95		173
306	Pathogenic role of the IgA molecule in IgA nephropathy. <b>2002</b> , 7, S86-S91		1
305	Pathogenic role of the IgA molecule in IgA nephropathy. <b>2002</b> , 7, S86-S91		1
304	The renin-angiotensin system and progression of renal disease: from hemodynamics to cell biology. <b>2003</b> , 93, P3-13		137
303	Aldosterone: a risk factor for vascular disease. <b>2003</b> , 5, 59-65		45
302	Molecular mechanisms of angiotensin II-induced vascular injury. <b>2003</b> , 5, 73-9		125
301	Mechanisms by which angiotensin-converting enzyme inhibitors prevent diabetes and cardiovascular disease. <b>2003</b> , 91, 30H-37H		186

300	Lipoic acid supplementation prevents angiotensin II-induced renal injury. <b>2003</b> , 64, 501-8		39
299	Mycophenolate mofetil prevents arteriopathy and renal injury in subtotal ablation despite persistent hypertension. <b>2003</b> , 63, 994-1002		55
298	Glomerular hemodynamic changes associated with arteriolar lesions and tubulointerstitial inflammation. <b>2003</b> , S9-14		53
297	Apoptosis and NFkappaB activation are simultaneously induced in renal tubulointerstitium in experimental hypertension. <b>2003</b> , S27-32		18
296	Possible involvement of the adipose tissue renin-angiotensin system in the pathophysiology of obesity and obesity-related disorders. <b>2003</b> , 4, 43-55		147
295	Attenuation of virus-induced myocardial injury by inhibition of the angiotensin II type 1 receptor signal and decreased nuclear factor-kappa B activation in knockout mice. <b>2003</b> , 42, 2000-6		32
294	Pyrrrolidine dithiocarbamate provides protection against hypothermic preservation and transplantation injury in the rat liver: the role of heme oxygenase-1. <b>2003</b> , 133, 556-67		38
293	Angiotensin II induces connective tissue growth factor gene expression via calcineurin-dependent pathways. <b>2003</b> , 163, 355-66		96
292	Pyrrrolidine dithiocarbamate reduces renal dysfunction and injury caused by ischemia/reperfusion of the rat kidney. <b>2003</b> , 482, 271-80		24
291	Reactive oxygen species in vascular biology: role in arterial hypertension. <b>2003</b> , 1, 91-106		117
290	Inflammation and angiotensin II. <b>2003</b> , 35, 881-900		524
289	Entacapone protects from angiotensin II-induced inflammation and renal injury. <b>2003</b> , 21, 2353-63		18
288	Vascular inflammation: a role in vascular disease in hypertension?. <b>2003</b> , 12, 181-7		139
287	Polymeric IgA increases the synthesis of macrophage migration inhibitory factor by human mesangial cells in IgA nephropathy. <b>2003</b> , 18, 36-45		42
286	Arterial pressure response to the antioxidant tempol and ETB receptor blockade in rats on a high-salt diet. <i>Hypertension</i> , <b>2004</b> , 44, 770-5	8.5	51
285	Angiotensin II, via AT1 and AT2 receptors and NF-kappaB pathway, regulates the inflammatory response in unilateral ureteral obstruction. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2004</b> , 15, 1514-29	12.7	197
284	Anti-inflammatory effects of AT1 receptor blockade provide end-organ protection in stroke-prone rats independently from blood pressure fall. <b>2004</b> , 311, 989-95		56
283	From inflammation to fibrosis: a stiff stretch of highway. <i>Hypertension</i> , <b>2004</b> , 43, 716-9	8.5	89

282	Should angiotensin II receptor blockers and statins be combined?. <b>2004</b> , 110, 1013-20		67
281	Inhibition of nuclear factor-kappaB activation attenuates tubulointerstitial nephritis induced by gentamicin. <b>2004</b> , 98, p97-106		26
280	Erratum. <b>2004</b> , 98, p106		
279	ETA receptor mediates altered leukocyte-endothelial cell interaction and adhesion molecules expression in DOCA-salt rats. <i>Hypertension</i> , <b>2004</b> , 43, 872-9	8.5	49
278	NF-kappaB activation is required for the development of cardiac hypertrophy in vivo. <b>2004</b> , 287, H1712-20		139
277	Oxidative stress, renal infiltration of immune cells, and salt-sensitive hypertension: all for one and one for all. <i>American Journal of Physiology - Renal Physiology</i> , <b>2004</b> , 286, F606-16	4.3	199
276	The role of the renin-angiotensin system in malignant vascular injury affecting the systemic and cerebral circulations. <b>2004</b> , 84, 301-19		15
275	Tissue angiotensin II in the regulation of inflammatory and fibrogenic components of repair in the rat heart. <b>2004</b> , 143, 41-51		73
274	Reactive oxygen species in vascular biology: implications in hypertension. <b>2004</b> , 122, 339-52		482
273	Role of caffeic acid phenethyl ester, an active component of propolis, against cisplatin-induced nephrotoxicity in rats. <b>2004</b> , 24, 27-35		102
272	Calcium Channel Blockers. <b>2004</b> ,		14
271	AT1 and AT2 receptor in the kidney: role in health and disease. <b>2004</b> , 24, 93-100		45
270	Evolution of renal interstitial inflammation and NF-kappaB activation in spontaneously hypertensive rats. <b>2004</b> , 24, 587-94		93
269	Protective role of alpha-tocopherol and caffeic acid phenethyl ester on ischemia-reperfusion injury via nitric oxide and myeloperoxidase in rat kidneys. <b>2004</b> , 339, 33-41		79
268	Molecular and cellular events at the site of myocardial infarction: from the perspective of rebuilding myocardial tissue. <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 320, 907-13	3.4	57
267	Oxidative stress in the infarcted heart: role of de novo angiotensin II production. <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 325, 943-51	3.4	43
266	Peroxisome proliferator activator receptors (PPAR), insulin resistance, and cardiomyopathy: friends or foes for the diabetic patient with heart failure?. <b>2004</b> , 12, 158-70		23
265	Effects of aldosterone receptor antagonist and angiotensin II type I receptor blocker on cardiac transcriptional factors and mRNA expression in rats with myocardial infarction. <b>2004</b> , 68, 376-82		20

264	Sex differences in hypertension and renal injury. <b>2004</b> , 34, 167-182		2
263	Participation of aldosterone in the vascular inflammatory response of spontaneously hypertensive rats: role of the NFkappaB/IkappaB system. <b>2005</b> , 23, 1167-72		46
262	Advances in the pathogenesis and management of hypertensive crisis. <b>2005</b> , 17, 210-4		61
261	Magnesium supplementation prevents angiotensin II-induced myocardial damage and CTGF overexpression. <b>2005</b> , 23, 375-80		6
260	Dual angiotensin-converting enzyme/neutral endopeptidase inhibition on cardiac and renal fibrosis and inflammation in DOCA-salt hypertensive rats. <b>2005</b> , 23, 401-9		28
259	Kidney immune cell infiltration and oxidative stress contribute to prenatally programmed hypertension. <b>2005</b> , 68, 2180-8		94
258	Attenuation of cardiac hypertrophy by inhibiting both mTOR and NFkappaB activation in vivo. <b>2005</b> , 39, 1570-80		75
257	Blockade of NF-kappaB ameliorates myocardial hypertrophy in response to chronic infusion of angiotensin II. <i>Cardiovascular Research</i> , <b>2005</b> , 67, 689-98	9.9	81
256	Effect of AT1 receptor antagonism on vascular and circulating inflammatory mediators in SHR: role of NF-kappaB/IkappaB system. <b>2005</b> , 288, H111-5		102
255	Nuclear factor-kappaB inhibition by pyrrolidinedithiocarbamate attenuates gastric ischemia-reperfusion injury in rats. <b>2005</b> , 83, 483-92		23
254	Selective cyclooxygenase (COX) inhibition causes damage to portal hypertensive gastric mucosa: roles of nitric oxide and NF-kappaB. <b>2005</b> , 19, 1163-5		15
253	Microangiopathic hemolysis and renal failure in malignant hypertension. <i>Hypertension</i> , <b>2005</b> , 45, 246-51	8.5	89
252	Effects of eplerenone on transcriptional factors and mRNA expression related to cardiac remodelling after myocardial infarction. <b>2005</b> , 91, 1595-600		22
251	Animal models of cardiac fibrosis. <b>2005</b> , 117, 273-90		26
250	Complement activation in angiotensin II-induced organ damage. <b>2005</b> , 97, 716-24		106
249	Early and sustained inhibition of nuclear factor-kappaB prevents hypertension in spontaneously hypertensive rats. <b>2005</b> , 315, 51-7		111
248	Epoxyeicosatrienoic Acids as a Therapeutic Target for Nephropathy Associated with Diabetes and Hypertension. <b>2005</b> , 1, 235-242		2
247	Enalapril attenuates angiotensin II-induced atherosclerosis and vascular inflammation. <b>2005</b> , 178, 9-17		130

246	CYP450, COX-2 and Obesity Related Renal Damage. <b>2005</b> , 15, 125-36		9
245	The metabolic syndrome: role of skeletal muscle metabolism. <b>2006</b> , 38, 389-402		205
244	Antioxidants and Cardiovascular Disease. <b>2006</b> ,		3
243	Mechanisms of disease: oxidative stress and inflammation in the pathogenesis of hypertension. <b>2006</b> , 2, 582-93		290
242	Immuno-proteasome subunit LMP7 is up-regulated in the ischemic kidney in an experimental model of renovascular hypertension. <b>2006</b> , 38, 1778-85		12
241	Modulation of the phosphoinositide 3-kinase signaling pathway alters host response to sepsis, inflammation, and ischemia/reperfusion injury. <b>2006</b> , 25, 432-9		113
240	Renal and vascular hypertension-induced inflammation: role of angiotensin II. <b>2006</b> , 15, 159-66		112
239	Prevention of renal ischemia/reperfusion-induced injury in rats by leflunomide. <b>2006</b> , 13, 1434-41		30
238	Effects of AT1 receptor-mediated endocytosis of extracellular Ang II on activation of nuclear factor-kappa B in proximal tubule cells. <b>2006</b> , 1091, 336-45		22
237	Role of inflammatory cells in the kidney in the induction and maintenance of hypertension. <b>2006</b> , 21, 260-3		27
236	Renal NF-kappaB activation and TNF-alpha upregulation correlate with salt-sensitive hypertension in Dahl salt-sensitive rats. <b>2006</b> , 291, R1817-24		50
235	Mycophenolate mofetil treatment improves hypertension in patients with psoriasis and rheumatoid arthritis. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2006</b> , 17, S218-25	12.7	164
234	Leukocyte and endothelial angiotensin II type 1 receptors and microvascular thrombotic and inflammatory responses to hypercholesterolemia. <b>2006</b> , 26, 240-1		13
233	Mechanosensitive production of reactive oxygen species in endothelial and smooth muscle cells: role in microvascular remodeling?. <b>2006</b> , 8, 1121-9		52
232	Sustained renal interstitial macrophage infiltration following chronic angiotensin II infusions. <i>American Journal of Physiology - Renal Physiology</i> , <b>2007</b> , 292, F330-9	4.3	121
231	Nf-kappab and AP-1 activation is associated with late lumen loss after porcine coronary angioplasty and antiproliferative beta-irradiation. <i>Cardiovascular Research</i> , <b>2007</b> , 75, 195-204	9.9	4
230	Sex and sex hormones influence the development of albuminuria and renal macrophage infiltration in spontaneously hypertensive rats. <b>2007</b> , 293, R1573-9		72
229	Overexpression of myofibrillogenesis regulator-1 aggravates cardiac hypertrophy induced by angiotensin II in mice. <i>Hypertension</i> , <b>2007</b> , 49, 1399-408	8.5	46



228	Crucial role of Rho-nuclear factor-kappaB axis in angiotensin II-induced renal injury. <i>American Journal of Physiology - Renal Physiology</i> , <b>2007</b> , 293, F100-9	4.3	37
227	Chronic inhibition of nuclear factor-kappaB attenuates renal injury in the 5/6 renal ablation model. <i>American Journal of Physiology - Renal Physiology</i> , <b>2007</b> , 292, F92-9	4.3	96
226	Diabetic nephropathy: where hemodynamics meets metabolism. <b>2007</b> , 115, 69-84		126
225	Vascular benefits of angiotensin receptor blockers. <b>2007</b> , 16, 987-97		4
224	p38 mitogen-activated protein kinase inhibition ameliorates angiotensin II-induced target organ damage. <i>Hypertension</i> , <b>2007</b> , 49, 481-9	8.5	45
223	Chemokine receptor 2b inhibition provides renal protection in angiotensin II - salt hypertension. <i>Hypertension</i> , <b>2007</b> , 50, 1069-76	8.5	62
222	Novel roles of intracrine angiotensin II and signalling mechanisms in kidney cells. <b>2007</b> , 8, 23-33		44
221	Vascular endothelial cell-specific NF-kappaB suppression attenuates hypertension-induced renal damage. <b>2007</b> , 101, 268-76		104
220	PPAR-gamma activation inhibits angiotensin II synthesis, apoptosis, and proliferation of mesangial cells from spontaneously hypertensive rats. <b>2007</b> , 106, e107-12		26
219	NADPH oxidase contributes to vascular inflammation, insulin resistance, and remodeling in the transgenic (mRen2) rat. <i>Hypertension</i> , <b>2007</b> , 50, 384-91	8.5	94
218	Nuclear factor-kappaB signaling contributes to severe, but not moderate, angiotensin II-induced left ventricular remodeling. <b>2007</b> , 25, 1927-39		18
217	Hypertension artérielle maligne. <b>2007</b> , 2, 1-6		2
216	Intracardiac and intrarenal renin-angiotensin systems: mechanisms of cardiovascular and renal effects. <b>2007</b> , 55, 341-59		56
215	Pyrrolidine dithiocarbamate prevents 60 minutes of warm mesenteric ischemia/reperfusion injury in rats. <b>2007</b> , 194, 255-62		16
214	Protective effects of pyrrolidine dithiocarbamate on myocardium apoptosis induced by adriamycin in rats. <b>2007</b> , 114, 159-65		16
213	Perioperative Critical Care Cardiology. <b>2007</b> ,		
212	Renin-angiotensin-aldosterone system and oxidative stress in cardiovascular insulin resistance. <b>2007</b> , 293, H2009-23		214
211	When will we know enough to treat atrial fibrillation?. <b>2007</b> , 4, 750-1		3

210	Role of Cytokines and Inflammation in Hypertension. <b>2007</b> , 229-239		
209	Renal vascular and tubulointerstitial inflammation and proliferation in Cyp1a1-Ren2 transgenic rats with inducible ANG II-dependent malignant hypertension. <i>American Journal of Physiology - Renal Physiology</i> , <b>2007</b> , 292, F1858-66	4.3	32
208	Novel pharmacological approaches to the treatment of renal ischemia-reperfusion injury: a comprehensive review. <b>2007</b> , 376, 1-43		149
207	Effects of pyrrolidine dithiocarbamate on healing of colonic anastomoses in the cecal ligation and puncture model of intraperitoneal sepsis in rats. <b>2007</b> , 31, 200-9		12
206	Pyrrolidine dithiocarbamate prevents deleterious effects of remote ischemia/reperfusion injury on healing of colonic anastomoses in rats. <b>2007</b> , 31, 1835-1842		13
205	Pyrrolidine dithiocarbamate reduces lung injury caused by mesenteric ischemia/reperfusion in a rat model. <b>2007</b> , 31, 1707-15		19
204	Anti-inflammatory actions of quinapril. <b>2007</b> , 21, 211-20		5
203	Adriamycin induces myocardium apoptosis through activation of nuclear factor kappaB in rat. <b>2008</b> , 35, 489-94		25
202	Agonistic AT(1) receptor autoantibody increases in serum of patients with refractory hypertension and improves Ca(2+) mobilization in cultured rat vascular smooth muscle cells. <b>2008</b> , 5, 209-17		13
201	Prenatal exposure to zymosan results in hypertension in adult offspring rats. <b>2008</b> , 35, 1413-8		23
200	Protective effects of pyrrolidine dithiocarbamate against airway inflammation in the ovalbumin-induced mouse model. <b>2008</b> , 590, 355-62		2
199	Restraint stress induces lymphocyte reduction through p53 and PI3K/NF-kappaB pathways. <b>2008</b> , 200, 71-6		23
198	Angiotensin II-induced non-alcoholic fatty liver disease is mediated by oxidative stress in transgenic TG(mRen2)27(Ren2) rats. <b>2008</b> , 49, 417-28		77
197	Skeletal muscle insulin resistance: role of inflammatory cytokines and reactive oxygen species. <b>2008</b> , 294, R673-80		162
196	Participaci3n de los mineralocorticoides en la respuesta inflamatoria vascular asociada a la hipertensi3n. <b>2008</b> , 20, 233-238		
195	Salutary effect of kallistatin in salt-induced renal injury, inflammation, and fibrosis via antioxidative stress. <i>Hypertension</i> , <b>2008</b> , 51, 1358-65	8.5	72
194	Effects of pyrrolidine dithiocarbamate on antioxidant enzymes in cardiomyopathy induced by adriamycin in rats. <b>2008</b> , 111, 119-25		11
193	High serum levels of CXC chemokine ligand 10 in untreated essential hypertension. <i>Journal of Human Hypertension</i> , <b>2008</b> , 22, 579-81	2.6	11

192	Pathophysiology of salt-sensitive hypertension: a new scope of an old problem. <b>2008</b> , 26, 45-8		14
191	Regression of glomerulosclerosis in subtotaly nephrectomized rats: effects of monotherapy with losartan, spironolactone, and their combination. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 295, F137-44	4-3	30
190	Angiotensin II-induced skeletal muscle insulin resistance mediated by NF-kappaB activation via NADPH oxidase. <b>2008</b> , 294, E345-51		159
189	Treatment with pyrrolidine dithiocarbamate improves proteinuria, oxidative stress, and glomerular hypertension in overload proteinuria. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 295, F1434-9	4-3	12
188	Stimulation of lymphocyte responses by angiotensin II promotes kidney injury in hypertension. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 295, F515-24	4-3	118
187	Tissue 65Zinc translocation in a rat model of chronic aldosteronism. <b>2008</b> , 51, 359-64		17
186	Nuclear factor-kappaB as a hormonal intracellular signaling molecule: focus on angiotensin II-induced cardiovascular and renal injury. <b>2008</b> , 17, 37-43		48
185	Growth retardation and altered autonomic control in mice lacking brain serotonin. <b>2009</b> , 106, 10332-7		254
184	Sodium load combined with low doses of exogenous angiotensin II upregulate intrarenal angiotensin II. <b>2009</b> , 32, 334-41		3
183	Aggravated renal inflammatory responses in TRPV1 gene knockout mice subjected to DOCA-salt hypertension. <i>American Journal of Physiology - Renal Physiology</i> , <b>2009</b> , 297, F1550-9	4-3	35
182	Pyrrolidine dithiocarbamate attenuates paraquat-induced lung injury in rats. <b>2009</b> , 2009, 619487		20
181	Lipid peroxidation and renal injury in renal ischemia/reperfusion: Effect of Benincasacerifera. <b>2009</b> , 3, 310		2
180	Chronic NF- $\kappa$ B blockade reduces cytosolic and mitochondrial oxidative stress and attenuates renal injury and hypertension in SHR. <i>American Journal of Physiology - Renal Physiology</i> , <b>2009</b> , 296, F298-305	4-3	99
179	Role of the immune system in hypertensive target organ damage. <b>2009</b> , 19, 242-6		23
178	Characterization of the inflammatory and fibrotic response in a mouse model of cardiac pressure overload. <b>2009</b> , 131, 471-81		186
177	Severe hypertension in children and adolescents: pathophysiology and treatment. <i>Pediatric Nephrology</i> , <b>2009</b> , 24, 1101-12	3-2	106
176	Long-term clopidogrel administration following severe coronary injury reduces proliferation and inflammation via inhibition of nuclear factor-kappaB and activator protein 1 activation in pigs. <b>2009</b> , 39, 174-82		9
175	An insight into the possible protective effect of pyrrolidine dithiocarbamate against lipopolysaccharide-induced oxidative stress and acute hepatic injury in rats. <b>2009</b> , 17, 259-67		5

174	Nephro-protective effect of Kangqianling decoction on chronic renal failure rats. <b>2009</b> , 122, 367-73	21
173	Papel de la aldosterona en las alteraciones vasculares funcionales y en el proceso inflamatorio asociados a la hipertensi3n en ratas. <b>2009</b> , 26, 138-144	
172	Regulatory T cells ameliorate angiotensin II-induced cardiac damage. <b>2009</b> , 119, 2904-12	238
171	Design and preparation of potent, nonpeptidic, bioavailable renin inhibitors. <b>2009</b> , 52, 3689-702	45
170	Rosuvastatin protects against angiotensin II-induced renal injury in a dose-dependent fashion. <b>2009</b> , 27, 599-605	17
169	Pyrrolidine dithiocarbamate reduces vascular prostanoid-induced responses in aged type 2 diabetic rat model. <b>2009</b> , 110, 326-33	19
168	Vascular inflammation, insulin resistance, and endothelial dysfunction in salt-sensitive hypertension: role of nuclear factor kappa B activation. <b>2010</b> , 28, 527-35	74
167	A role for angiotensin II type 1 receptors on bone marrow-derived cells in the pathogenesis of angiotensin II-dependent hypertension. <i>Hypertension</i> , <b>2010</b> , 55, 99-108	8.5 74
166	Pleiotropic effects of inhibitors of the RAAS in the diabetic population: above and beyond blood pressure lowering. <b>2010</b> , 10, 32-6	38
165	Captopril reduces cardiac inflammatory markers in spontaneously hypertensive rats by inactivation of NF-kB. <b>2010</b> , 7, 21	88
164	NF-kappaB in renal inflammation. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2010</b> , 21, 1254-62	12.7 385
163	Lymphocyte responses exacerbate angiotensin II-dependent hypertension. <b>2010</b> , 298, R1089-97	170
162	Molecular determinants of the cardiometabolic phenotype. <b>2010</b> , 10, 109-23	4
161	Levosimendan improves cardiac function and survival in rats with angiotensin II-induced hypertensive heart failure. <b>2010</b> , 33, 1004-11	2
160	From aldosteronism to oxidative stress: the role of excessive intracellular calcium accumulation. <b>2010</b> , 33, 1091-101	32
159	Prenatal exposure to lipopolysaccharide alters the intrarenal renin-angiotensin system and renal damage in offspring rats. <b>2010</b> , 33, 76-82	35
158	Silencing MR-1 attenuates inflammatory damage in mice heart induced by AngII. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 391, 1573-8	3-4 11
157	Effect of simvastatin on collagen I deposition in non-infarcted myocardium: role of NF-B and osteopontin. <b>2010</b> , 88, 1026-34	10

156 Hypertensive Emergencies. **2010**, 355-367

155 The role of renal microvascular disease and interstitial inflammation in salt-sensitive hypertension. **2010**, 33, 975-80 41

154 Ang II enhances tubular cell Ets-1 expression and associated down stream signaling is mediated through AT1 receptors. **2010**, 32, 986-91 5

153 AGE-induced interference of glucose uptake and transport as a possible cause of insulin resistance in adipocytes. **2011**, 59, 7978-84 19

152 The kallikrein-kinin system as a regulator of cardiovascular and renal function. **2011**, 1, 971-93 76

151 Signaling in Diabetes and Metabolic Syndrome. **2011**, 323-350

150 Role of angiotensin II type 1 receptor in angiotensin II-induced cytokine production in macrophages. **2011**, 31, 351-61 49

149 Phosphoproteomic analysis of AT1 receptor-mediated signaling responses in proximal tubules of angiotensin II-induced hypertensive rats. **2011**, 80, 620-32 36

148 Lectin purified from *Musca domestica* pupa up-regulates NO and iNOS production via TLR4/NF- $\kappa$ B signaling pathway in macrophages. **2011**, 11, 399-405 15

147 New insights and perspectives on intrarenal renin-angiotensin system: focus on intracrine/intracellular angiotensin II. **2011**, 32, 1551-65 108

146 Perinatal inhibition of NF-kappaB has long-term antihypertensive effects in spontaneously hypertensive rats. **2011**, 29, 1160-6 22

145 Immune-related effects in hypertension and target-organ damage. **2011**, 20, 113-7 45

144 Pyrrolidine dithiocarbamate down-regulates vascular matrix metalloproteinases and ameliorates vascular dysfunction and remodelling in renovascular hypertension. **2011**, 164, 372-81 36

143 Management of hypertension in patients with coronary artery disease. **2011**, 9, 1271-7 4

142 Constitutive expression and enzymatic cleavage of ICAM-1 in the spontaneously hypertensive rat. **2011**, 48, 386-96 16

141 Identification of cathepsin L as a potential sex-specific biomarker for renal damage. *Hypertension*, **2011**, 57, 795-801 8.5 14

140 Nuclear factor kappa B and matrix metalloproteinase induced receptor cleavage in the spontaneously hypertensive rat. *Hypertension*, **2011**, 57, 261-8 8.5 40

139 Renin-Angiotensin system hyperactivation can induce inflammation and retinal neural dysfunction. **2012**, 2012, 581695 30

138	Pyrrolidine dithiocarbamate enhances hepatic glycogen synthesis and reduces FoxO1-mediated gene transcription in type 2 diabetic rats. <b>2012</b> , 302, E409-16		12
137	Grape seed proanthocyanidin extract reduces renal ischemia/reperfusion injuries in rats. <b>2012</b> , 343, 452-7		15
136	Immune mechanisms in angiotensin II-induced target-organ damage. <b>2012</b> , 44 Suppl 1, S49-54		49
135	Reciprocal interaction between macrophages and T cells stimulates IFN- $\gamma$ and MCP-1 production in Ang II-induced cardiac inflammation and fibrosis. <b>2012</b> , 7, e35506		66
134	Molecular Mechanisms of Nephro-Protective Action of HE-86 Liquid Extract in Experimental Chronic Renal Failure. <b>2012</b> ,		
133	Renal inflammation, autoimmunity and salt-sensitive hypertension. <b>2012</b> , 39, 96-103		60
132	Modified Wu-Zi-Yan-Zong prescription, a traditional Chinese polyherbal formula, suppresses lipopolysaccharide-induced neuroinflammatory processes in rat astrocytes via NF- $\kappa$ B and JNK/p38 MAPK signaling pathways. <b>2012</b> , 19, 122-9		15
131	Mechanism of Ang II involvement in activation of NF- $\kappa$ B through phosphorylation of p65 during aging. <b>2012</b> , 34, 11-25		28
130	Telmisartan protects against microvascular dysfunction during myocardial ischemia/reperfusion injury by activation of peroxisome proliferator-activated receptor $\alpha$ . <b>2013</b> , 13, 39		18
129	Smad7 inhibits angiotensin II-induced hypertensive cardiac remodelling. <i>Cardiovascular Research</i> , <b>2013</b> , 99, 665-73	9.9	51
128	TNF- $\alpha$ type 2 receptor mediates renal inflammatory response to chronic angiotensin II administration with high salt intake in mice. <i>American Journal of Physiology - Renal Physiology</i> , <b>2013</b> , 304, F991-9	4.3	22
127	Angiotensin peptides and nitric oxide in cardiovascular disease. <b>2013</b> , 19, 1121-32		34
126	Hypoxia-induced collagen synthesis of human lung fibroblasts by activating the angiotensin system. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 24029-45	6.3	21
125	Genome-wide association study identifies 8 novel loci associated with blood pressure responses to interventions in Han Chinese. <b>2013</b> , 6, 598-607		54
124	Association of elevated urinary concentration of renin-angiotensin system components and severe AKI. <b>2013</b> , 8, 2043-52		21
123	An update on immune system activation in the pathogenesis of hypertension. <i>Hypertension</i> , <b>2013</b> , 62, 226-30	8.5	52
122	Hypertensive cardiac remodeling effects of lignan extracts from <i>Eucommia ulmoides</i> Oliv. bark—a famous traditional Chinese medicine. <b>2013</b> , 41, 801-15		19
121	Deficiency of Smad7 enhances cardiac remodeling induced by angiotensin II infusion in a mouse model of hypertension. <b>2013</b> , 8, e70195		34

120	Relaxin does not improve Angiotensin II-induced target-organ damage. <b>2014</b> , 9, e93743		9
119	Lipopolysaccharide exposure during pregnancy leads to aortic dysfunction in offspring rats. <b>2014</b> , 9, e102273		10
118	Pathophysiology of Hypertension. <b>2014</b> , 1-54		
117	IL-1 $\beta$ and IL-18: inflammatory markers or mediators of hypertension?. <b>2014</b> , 171, 5589-602		118
116	Reactive Oxygen Species (ROS) Signaling in Cardiac Remodeling and Failure. <b>2014</b> , 951-992		3
115	Integrin-linked kinase plays a key role in the regulation of angiotensin II-induced renal inflammation. <b>2014</b> , 127, 19-31		37
114	ROCK/NF- $\kappa$ B axis-dependent augmentation of angiotensinogen by angiotensin II in primary-cultured preglomerular vascular smooth muscle cells. <i>American Journal of Physiology - Renal Physiology</i> , <b>2014</b> , 306, F608-18	4-3	12
113	Protective Effects of Bu-Shen-Huo-Xue Formula against 5/6 Nephrectomy-Induced Chronic Renal Failure in Rats. <b>2014</b> , 2014, 589846		8
112	N-acetyl-seryl-aspartyl-lysyl-proline reduces cardiac collagen cross-linking and inflammation in angiotensin II-induced hypertensive rats. <b>2014</b> , 126, 85-94		41
111	Pharmacologic management of Duchenne muscular dystrophy: target identification and preclinical trials. <b>2014</b> , 55, 119-49		39
110	Classical Renin-Angiotensin system in kidney physiology. <b>2014</b> , 4, 1201-28		281
109	The immune system in hypertension. <b>2014</b> , 38, 20-4		79
108	Protective effects of the nuclear factor kappa B inhibitor pyrrolidine dithiocarbamate on experimental testicular torsion and detorsion injury. <b>2014</b> , 18, 321-6		11
107	Effects of carbon tetrachloride on oxidative stress, inflammatory response and hepatocyte apoptosis in common carp ( <i>Cyprinus carpio</i> ). <b>2014</b> , 152, 11-9		64
106	IL-10 up-regulates CCL5 expression in vascular smooth muscle cells from spontaneously hypertensive rats. <b>2014</b> , 68, 40-9		11
105	Central blockade of TLR4 improves cardiac function and attenuates myocardial inflammation in angiotensin II-induced hypertension. <i>Cardiovascular Research</i> , <b>2014</b> , 103, 17-27	9.9	115
104	Toll-like receptors and damage-associated molecular patterns: novel links between inflammation and hypertension. <b>2014</b> , 306, H184-96		123
103	Autoimmunity in the pathogenesis of hypertension. <b>2014</b> , 10, 56-62		55

102	Bcl10 mediates angiotensin II-induced cardiac damage and electrical remodeling. <i>Hypertension</i> , <b>2014</b> , 64, 1032-9	8.5	15
101	Linking angiotensin II to nuclear factor- $\kappa$ B light chain enhancer of activated B cells-induced cardiovascular damage: bad CARMAs. <i>Hypertension</i> , <b>2014</b> , 64, 933-4	8.5	5
100	The immunological basis of hypertension. <b>2014</b> , 27, 1327-37		67
99	Pyrrolidine dithiocarbamate protects pancreatic $\beta$ cells from oxidative damage through regulation of FoxO1 activity in type 2 diabetes rats. <b>2014</b> , 46, 582-9		10
98	The cooperative roles of inflammation and oxidative stress in the pathogenesis of hypertension. <b>2014</b> , 20, 102-20		121
97	Hypertension as a Risk Factor for Atherosclerosis. <b>2015</b> , 63-75		
96	NF- $\kappa$ B in inflammation and renal diseases. <b>2015</b> , 5, 63		151
95	The Nuclear Factor kappaB Inhibitor Pyrrolidine Dithiocarbamate Prevents Cardiac Remodelling and Matrix Metalloproteinase-2 Up-Regulation in Renovascular Hypertension. <b>2015</b> , 117, 234-41		22
94	Study on the effect of black cumin ( <i>Nigella sativa</i> Linn.) on experimental renal ischemia-reperfusion injury in rats. <b>2015</b> , 30, 542-50		15
93	Role of angiotensin II and oxidative stress in renal inflammation by hypernatremia: benefits of atrial natriuretic peptide, losartan, and tempol. <b>2015</b> , 49, 383-96		12
92	Role of Angiotensin II type 1 receptor on renal NAD(P)H oxidase, oxidative stress and inflammation in nitric oxide inhibition induced-hypertension. <i>Life Sciences</i> , <b>2015</b> , 124, 81-90	6.8	59
91	Statin, calcium channel blocker and Beta blocker therapy may decrease the incidence of tuberculosis infection in elderly Taiwanese patients with type 2 diabetes. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 11369-84	6.3	19
90	Atherosclerotic renal artery stenosis: current status. <b>2015</b> , 22, 224-31		16
89	Toll-like receptor 4 inhibition within the paraventricular nucleus attenuates blood pressure and inflammatory response in a genetic model of hypertension. <b>2015</b> , 12, 31		91
88	Angiotensin II, via angiotensin receptor type 1/nuclear factor- $\kappa$ B activation, causes a synergistic effect on interleukin-1 $\beta$ -induced inflammatory responses in cultured mesangial cells. <b>2015</b> , 16, 23-32		19
87	Inhibition of NF- $\kappa$ B activity in the hypothalamic paraventricular nucleus attenuates hypertension and cardiac hypertrophy by modulating cytokines and attenuating oxidative stress. <b>2015</b> , 284, 315-22		49
86	Therapeutic potential of caffeic acid phenethyl ester and its anti-inflammatory and immunomodulatory effects (Review). <b>2015</b> , 9, 1582-1588		88
85	Tenascin-C may accelerate cardiac fibrosis by activating macrophages via the integrin $\alpha$ 5 $\beta$ 1/nuclear factor- $\kappa$ B/interleukin-6 axis. <i>Hypertension</i> , <b>2015</b> , 66, 757-66	8.5	71



84	Post-Natal Inhibition of NF- $\kappa$ B Activation Prevents Renal Damage Caused by Prenatal LPS Exposure. <b>2016</b> , 11, e0153434		13
83	Pentoxifylline Ameliorates Cardiac Fibrosis, Pathological Hypertrophy, and Cardiac Dysfunction in Angiotensin II-induced Hypertensive Rats. <b>2016</b> , 67, 76-85		17
82	CD4(+)CD25(+) T Cells in primary malignant hypertension related kidney injury. <b>2016</b> , 6, 27659		3
81	Ascorbic Acid Protects against Hypertension through Downregulation of ACE1 Gene Expression Mediated by Histone Deacetylation in Prenatal Inflammation-Induced Offspring. <b>2016</b> , 6, 39469		22
80	Murine Double Minute-2 Inhibition Ameliorates Established Crescentic Glomerulonephritis. <b>2016</b> , 186, 1442-53		15
79	Perinatal Inhibition of NF-KappaB Has Long-Term Antihypertensive and Renoprotective Effects in Fawn-Hooded Hypertensive Rats. <b>2016</b> , 29, 123-31		13
78	Long-term administration of angiotensin (1-7) prevents heart and lung dysfunction in a mouse model of type 2 diabetes (db/db) by reducing oxidative stress, inflammation and pathological remodeling. <b>2016</b> , 107, 372-380		40
77	20-HETE Activates the Transcription of Angiotensin-Converting Enzyme via Nuclear Factor- $\kappa$ B Translocation and Promoter Binding. <b>2016</b> , 356, 525-33		33
76	Competing Actions of Type 1 Angiotensin II Receptors Expressed on T Lymphocytes and Kidney Epithelium during Cisplatin-Induced AKI. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2016</b> , 27, 2257-64	12.7	38
75	Innate immunity in CKD-associated vascular diseases. <b>2016</b> , 31, 1813-1821		24
74	Are the innate and adaptive immune systems setting hypertension on fire?. <b>2017</b> , 117, 377-393		24
73	Pyrrolidine dithiocarbamate ameliorates rotenone-induced Parkinson's disease in rats. <b>2017</b> , 55, 107-113		3
72	The role of macrophages in hypertension and its complications. <b>2017</b> , 469, 419-430		45
71	Fructose-rich diet and insulin action in female rat heart: Estradiol friend or foe?. <b>2017</b> , 811, 141-147		5
70	Role of the Immune System in Hypertension. <b>2017</b> , 97, 1127-1164		170
69	Long-term immunosuppressive therapy for inflammatory eye disease [the link between systemic treatment, cardiovascular risk and disease?]. <b>2017</b> , 12, 321-330		0
68	The Immunology of Cardiovascular Homeostasis and Pathology. <b>2017</b> ,		7
67	Atherosclerosis. <b>2017</b> , 1003, 121-144		37

66	Macrophage-derived exosomes induce inflammatory factors in endothelial cells under hypertensive conditions. <b>2017</b> , 40, 353-360		69
65	Animal Models of Kidney Disease. <b>2017</b> , 379-417		10
64	Transforming growth factor- $\beta$ induces cerebrovascular dysfunction and astrogliosis through angiotensin II type 1 receptor-mediated signaling pathways. <b>2018</b> , 96, 527-534		10
63	Protective effects of curcumin against doxorubicin-induced toxicity and resistance: A review. <b>2018</b> , 122, 30-51		68
62	Red alga polysaccharides attenuate angiotensin II-induced inflammation in coronary endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 500, 944-951	3-4	3
61	Possible protective mechanisms exerted by metformin or metformin and vitamin E in isoproterenol-induced cardiac injury. <b>2018</b> , 119, 3903-3912		9
60	Long-Term Administration of Angiotensin (1-7) to Mice Reduces Oxidative Stress Damage in the Kidneys and Prevents Renal Dysfunction. <b>2018</b> , 2018, 1841046		7
59	Temporal Frame of Immune Cell Infiltration during Heart Failure Establishment: Lessons from Animal Models. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	9
58	No energy wasted in the fight against vascular inflammation. <i>Cardiovascular Research</i> , <b>2018</b> , 114, 1822-1824		1
57	The Future of IL-1 Targeting in Kidney Disease. <b>2018</b> , 78, 1073-1083		10
56	Ophiopogonin D alleviates cardiac hypertrophy in rat by upregulating CYP2J3 in vitro and suppressing inflammation in vivo. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 503, 1011-1019	3-4	10
55	Mechanisms in hypertension and target organ damage: Is the role of the thymus key? (Review). <b>2018</b> , 42, 3-12		4
54	Monocytes as immune targets in arterial hypertension. <b>2019</b> , 176, 1966-1977		15
53	Pathogenic role of innate immunity in a model of chronic NO inhibition associated with salt overload. <i>American Journal of Physiology - Renal Physiology</i> , <b>2019</b> , 317, F1058-F1067	4.3	8
52	B-cell lymphoma/leukaemia 10 and angiotensin II-induced kidney injury. <i>Cardiovascular Research</i> , <b>2020</b> , 116, 1059-1070	9.9	5
51	Ammonia toxicity in the mud crab ( <i>Scylla paramamosain</i> ): The mechanistic insight from physiology to transcriptome analysis. <i>Ecotoxicology and Environmental Safety</i> , <b>2019</b> , 179, 9-16	7	27
50	Prohibitin 2-mediated mitophagy attenuates renal tubular epithelial cells injury by regulating mitochondrial dysfunction and NLRP3 inflammasome activation. <i>American Journal of Physiology - Renal Physiology</i> , <b>2019</b> , 316, F396-F407	4.3	22
49	The cofilin phosphatase slingshot homolog 1 restrains angiotensin II-induced vascular hypertrophy and fibrosis in vivo. <i>Laboratory Investigation</i> , <b>2019</b> , 99, 399-410	5.9	5

48	Hypertensive crisis in children and adolescents. <i>Pediatric Nephrology</i> , <b>2019</b> , 34, 2523-2537	3.2	25
47	Sodium sensitivity of blood pressure in Chinese populations. <i>Journal of Human Hypertension</i> , <b>2020</b> , 34, 94-107	2.6	16
46	The protective effects of angiotensin-converting enzyme inhibitor against cecal ligation and puncture-induced sepsis via oxidative stress and inflammation. <i>Life Sciences</i> , <b>2020</b> , 241, 117051	6.8	12
45	A complex role for Bcl10 in kidney injury. <i>Cardiovascular Research</i> , <b>2020</b> , 116, 882-884	9.9	
44	Therapeutic Benefit of the Association of Lodenafil with Mesenchymal Stem Cells on Hypoxia-induced Pulmonary Hypertension in Rats. <i>Cells</i> , <b>2020</b> , 9,	7.9	1
43	Protective role of ACE2 and its downregulation in SARS-CoV-2 infection leading to Macrophage Activation Syndrome: Therapeutic implications. <i>Life Sciences</i> , <b>2020</b> , 256, 117905	6.8	77
42	Central angiotensin-(1-7) attenuates systemic inflammation via activation of sympathetic signaling in endotoxemic rats. <i>Brain, Behavior, and Immunity</i> , <b>2020</b> , 88, 606-618	16.6	2
41	Nerolidol improves cardiac function in spontaneously hypertensive rats by inhibiting cardiac inflammation and remodelling associated TLR4/ NF- $\kappa$ B signalling cascade. <i>Food and Chemical Toxicology</i> , <b>2021</b> , 147, 111837	4.7	6
40	Advances in Genomics Research of Blood Pressure Responses to Dietary Sodium and Potassium Intakes. <i>Hypertension</i> , <b>2021</b> , 78, 4-15	8.5	1
39	Zinc finger and BTB domain-containing protein 20 aggravates angiotensin II-induced cardiac remodeling via the EGFR-AKT pathway. <i>Journal of Molecular Medicine</i> , <b>2021</b> , 1	5.5	
38	Oxidative Stress in Arterial Hypertension: Oxidative Stress and Hypertension. <b>2008</b> , 51-78		1
37	Pathophysiology of Hypertension. <b>2009</b> , 1485-1518		10
36	Reactive Oxygen Species in Hypertension and Atherosclerosis. <b>2014</b> , 1239-1254		1
35	Simulated Ischemia Induces Renal Tubular Cell Apoptosis Through a Nuclear Factor- $\kappa$ B Dependent Mechanism. <i>Journal of Urology</i> , <b>2002</b> , 248-252	2.5	3
34	ATAC-ing the mechanisms of renin regulation. <i>Journal of Clinical Investigation</i> , <b>2018</b> , 128, 4748-4750	15.9	1
33	The inextricable role of the kidney in hypertension. <i>Journal of Clinical Investigation</i> , <b>2014</b> , 124, 2341-7	15.9	101
32	Angiotensin III activates nuclear transcription factor- $\kappa$ B in cultured mesangial cells mainly via AT(2) receptors: studies with AT(1) receptor-knockout mice. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 1162-1171	12.7	30
31	NLRP3 inflammasome activation is involved in Ang II-induced kidney damage via mitochondrial dysfunction. <i>Oncotarget</i> , <b>2016</b> , 7, 54290-54302	3.3	42

30	Improvement of Cardiac Fibrosis Biomarkers through Inflammation Inhibition by Green Tea and Decaffeinated Light Roasted Green Coffee Extract Combination Administration in Metabolic Syndrome Rat Model. <i>F1000Research</i> , 10, 1013	3.6	
29	AT2 Renal Aspects. <i>Handbook of Experimental Pharmacology</i> , 2004, 423-447	3.2	1
28	Transgenics of the RAS. <i>Handbook of Experimental Pharmacology</i> , 2004, 229-249	3.2	
27	Blood pressure-independent effects of calcium antagonists. 2004, 181-197		
26	Management of Systemic and Pulmonary Hypertension. 2007, 243-265		
25	Malignant Hypertension. 2010, 305-316		
24	Hypertensive Crisis. 2011, 662-670		
23	Der hypertensive Notfall. 2011, 455-463		
22	ASSOCIATION OF LOWER ANTIOXIDANT STATUS WITH ESTIMATED GFR IN HYPERTENSIVES WITH PRESERVED RENAL FUNCTION. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2013, 2, 572-582	0.1	
21	Role of PPAR- $\gamma$ in Diabetic Cardiomyopathy. 2014, 201-212		
20	<i>CCL2</i> and <i>MCP</i>-1 and <i>NFB</i> Gene Transcription in Remnant Kidneys after Physical Activity and Renoprotection. <i>World Journal of Cardiovascular Diseases</i> , 2014, 04, 244-250	0	
19	Effects of the AT1 receptor blocker candesartan on myocardial ischemia/reperfusion in isolated rat hearts. <i>Heart Surgery Forum</i> , 2014, 17, E263-8	0.7	1
18	Der hypertensive Notfall. 2015, 721-729		
17	Hypertensiver Notfall. 2015, 1-15		
16	Pathogenic Origins of Fibrosis in the Hypertensive Heart Disease that Accompanies Aldosteronism. 2015, 93-107		
15	Pathophysiology of Pediatric Hypertension. 2016, 1951-1995		
14	Protection by nitrite against the ischemic effects induced by acute myocardial infarction in mice. <i>Anatolian Journal of Cardiology</i> , 2017, 18, 315-320	0.8	2
13	Early Changes in Renal Vasculature in Prehypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019, 149-157	0.1	

12 Oxidative Stress in Hypertension. **2006**, 363-379

11 Do multiple nuclear factor kappa B activation mechanisms explain its varied effects in the heart?. *Ochsner Journal*, **2013**, 13, 157-65 1.5 15

10 Angiotensin Type-1 Receptor Inhibition Reduces NLRP3 Inflammasome Upregulation Induced by Aging and Neurodegeneration in the of Male Rodents and Primary Mesencephalic Cultures.. *Antioxidants*, **2022**, 11, 7.1 1

9 Calpains as Potential Therapeutic Targets for Myocardial Hypertrophy.. *International Journal of Molecular Sciences*, **2022**, 23, 6.3

8 The cardioprotective effects of perindopril in a model of polymicrobial sepsis: The role of radical oxygen species and the inflammation pathway.. *Journal of Biochemical and Molecular Toxicology*, **2022**, e23080 3.4

7 The Immune System in Hypertension: a Lost Shaker of Salt 2021 Lewis K. Dahl Memorial Lecture.. *Hypertension*, **2022**, 101161HYPERTENSIONAHA12218554 8.5 1

6 GABA alleviates high glucose-induced podocyte injury through dynamically altering the expression of macrophage M1/M2-derived exosomal miR-21a-5p/miR-25-3p. *Biochemical and Biophysical Research Communications*, **2022**, 618, 38-45 3.4 0

5 GJD Modulates Cardiac/Vascular Inflammation and Decreases Blood Pressure in Hypertensive Rats. **2022**, 2022, 1-19 0

4 Gut mycobiome dysbiosis contributes to the development of hypertension and its response to immunoglobulin light chains. 13, 0

3 Hypertensiver Notfall. **2023**, 1-11 0

2 Interactions between the renin-angiotensin-aldosterone system and COVID-19. **2023**, 355-373 0

1 Renin-angiotensin system and inflammation. **2023**, 77-105 0