

CITATION REPORT

List of articles citing

Dispersal and extinction in fragmented landscapes

DOI: 10.1098/rspb.2000.0978

Proceedings of the Royal Society B: Biological Sciences
, 2000, 267, 139-45.

Source: <https://exaly.com/paper-pdf/31936889/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
296	Dispersal functions and spatial models: expanding our dispersal toolbox. <i>Ecology Letters</i> , 2000 , 3, 163-165	5	59
295	Butterfly community structure in fragmented habitats. <i>Ecology Letters</i> , 2000 , 3, 449-456	10	206
294	Rapid responses of British butterflies to opposing forces of climate and habitat change. 2001 , 414, 65-9		943
293	Evolution of density- and patch-size-dependent dispersal rates. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002 , 269, 637-45	4.4	172
292	LARGE-SCALE PATTERNS OF DISTRIBUTION AND PERSISTENCE AT THE RANGE MARGINS OF A BUTTERFLY. 2002 , 83, 3357-3368		24
291	Saproxyllic Insect Ecology and the Sustainable Management of Forests. 2002 , 33, 1-23		507
290	EXTINCTION THRESHOLDS AND DISRUPTED PLANT-POLLINATOR INTERACTIONS IN FRAGMENTED PLANT POPULATIONS. 2002 , 83, 3060-3072		142
289	Influence of stand size and quality of tree hollows on saproxyllic beetles in Sweden. <i>Biological Conservation</i> , 2002 , 103, 85-91	6.2	98
288	Insect communities and biotic interactions on fragmented calcareous grasslands: a mini review. <i>Biological Conservation</i> , 2002 , 104, 275-284	6.2	147
287	Does variation in patch use among butterfly species contribute to nestedness at fine spatial scales?. <i>Oikos</i> , 2002 , 97, 195-204	4	28
286	Large-scale dynamics in colonization and extinction for breeding birds in Britain. <i>Journal of Animal Ecology</i> , 2002 , 71, 390-399	4.7	33
285	Spatial and temporal variation in flight morphology in the butterfly <i>Melitaea cinxia</i> (Lepidoptera: Nymphalidae). 2002 , 77, 445-453		40
284	Characteristics of insect populations on habitat fragments: A mini review. <i>Ecological Research</i> , 2002 , 17, 229-239	1.9	306
283	Macrobenthic migration and its influence on the intertidal diversity dynamics of a meso-tidal system. 2003 , -1, 1-1		0
282	Species composition in agroecosystems: The effect of landscape, habitat, and farm management. <i>Basic and Applied Ecology</i> , 2003 , 4, 349-361	3.2	120
281	Ecological dynamics of extinct species in empty habitat networks. 1. The role of habitat pattern and quantity, stochasticity and dispersal. <i>Oikos</i> , 2003 , 102, 449-464	4	32
280	Limestone Quarries as Refuges for European Xerophilous Butterflies. 2003 , 17, 1058-1069		98

279	Experimental evolution of dispersal in spatiotemporally variable microcosms. <i>Ecology Letters</i> , 2003 , 6, 953-959	10	81
278	Combining endogenous and exogenous spatial variability in analytical population models. 2003 , 64, 255-70		65
277	Local extinction and the evolution of dispersal rates: causes and correlations. 2003 , 161, 631-40		89
276	Determinism in a transient assemblage: the roles of dispersal and local competition. 2003 , 162, 586-96		14
275	Coarse woody debris, biodiversity and management: a review with particular reference to Tasmanian wet eucalypt forests. 2003 , 66, 258-272		50
274	MODELING DISPERSAL WITH CAPTURE-RECAPTURE DATA: DISENTANGLING DECISIONS OF LEAVING AND SETTLEMENT. 2003 , 84, 1225-1236		48
273	The evolution of movements and behaviour at boundaries in different landscapes: a common arena experiment with butterflies. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003 , 270, 1815-21	4.4	87
272	Genetic equilibrium despite habitat fragmentation in an Afrotropical bird. <i>Molecular Ecology</i> , 2004 , 13, 1409-21	5.7	46
271	Ecological Correlates of Extinction Proneness in Tropical Butterflies. 2004 , 18, 1571-1578		133
270	Effects of aerial dispersal, habitat specialisation, and landscape structure on spider distribution across fragmented grey dunes. <i>Ecography</i> , 2004 , 27, 343-349	6.5	43
269	Response to topography in a hilltopping butterfly and implications for modelling nonrandom dispersal. <i>Animal Behaviour</i> , 2004 , 68, 825-839	2.8	37
268	Demographic versus genetic dispersal measures. 2004 , 46, 281-285		28
267	Complex habitat requirements and conservation needs of the only extant Baroniinae swallowtail butterfly. 2004 , 7, 241-250		27
266	Dispersal characteristics of swift foxes. 2004 , 82, 1837-1842		21
265	Effects of matrix heterogeneity on animal dispersal: from individual behavior to metapopulation-level parameters. 2004 , 164, E130-53		135
264	Occurrence patterns of butterflies (Rhopalocera) in semi-natural pastures in southeastern Sweden. <i>Journal for Nature Conservation</i> , 2004 , 12, 121-135	2.3	19
263	DISPERSAL AND COLONIZATION THROUGH OPEN FIELDS BY A TERRESTRIAL, WOODLAND SALAMANDER. 2004 , 85, 3396-3405		74
262	A FRAMEWORK FOR ASSESSING THE RELATIVE VULNERABILITY OF SPECIES TO LAND-USE CHANGE. 2004 , 14, 730-742		64

261	Plant-insect interactions in fragmented landscapes. 2004 , 49, 405-30		397
260	Coastal Dune Forest Development and the Regeneration of Millipede Communities. 2005 , 13, 284-291		19
259	Virtual Corridors for Conservation Management. 2005 , 19, 1997-2003		21
258	Patch Size and Connectivity Thresholds for Butterfly Habitat Restoration. 2005 , 19, 887-896		59
257	Beetle Responses to Habitat Fragmentation Depend on Ecological Traits, Habitat Condition, and Remnant Size. 2005 , 19, 182-194		126
256	Species richness and food web structure of soil decomposer community as affected by the size of habitat fragment and habitat corridors. 2005 , 11, 1614-1627		47
255	Fecundity determines the extinction threshold in a Canadian assemblage of longhorned beetles (Coleoptera: Cerambycidae). <i>Journal of Insect Conservation</i> , 2005 , 9, 109-119	2.1	20
254	Dispersal behaviour in fragmented landscapes: Deriving a practical formula for patch accessibility. <i>Landscape Ecology</i> , 2005 , 20, 83-99	4.3	37
253	Is local distribution of the epiphytic lichen <i>Lobaria pulmonaria</i> limited by dispersal capacity or habitat quality?. <i>Biodiversity and Conservation</i> , 2005 , 14, 759-773	3.4	95
252	Pollen and seed dispersal among dispersed plants. 2005 , 80, 413-43		370
251	Does habitat fragmentation affect temperature-related life-history traits? A laboratory test with a woodland butterfly. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005 , 272, 1257-63	4.4	54
250	AN EXPERIMENTAL TEST OF WHETHER HABITAT CORRIDORS AFFECT POLLEN TRANSFER. 2005 , 86, 466-475		83
249	Low dispersal ability and habitat specificity promote extinctions in rare but not in widespread species: the Orthoptera of Germany. <i>Ecography</i> , 2005 , 28, 593-602	6.5	104
248	Colonisation of newly established habitats by soil decomposer organisms: the effect of habitat corridors in relation to colonisation distance and habitat size. 2005 , 28, 67-77		16
247	MEASURING LANDSCAPE CONNECTIVITY: THE CHALLENGE OF BEHAVIORAL LANDSCAPE ECOLOGY. 2005 , 86, 1988-1995		317
246	The severe decline of butterflies on western German calcareous grasslands during the last 30 years: A conservation problem. <i>Biological Conservation</i> , 2006 , 128, 542-552	6.2	125
245	The relationship between local extinctions of grassland butterflies and increased soil nitrogen levels. <i>Biological Conservation</i> , 2006 , 128, 564-573	6.2	89
244	Are urban parks refuges for bumble bees <i>Bombus</i> spp. (Hymenoptera: Apidae)?. <i>Biological Conservation</i> , 2006 , 129, 372-382	6.2	199

243	Wing loading and habitat selection in forest beetles: Are red-listed species poorer dispersers or more habitat-specific than common congeners?. <i>Biological Conservation</i> , 2006 , 132, 250-260	6.2	27
242	Confounding factors in the detection of species responses to habitat fragmentation. 2006 , 81, 117-42		1361
241	When log-dwellers meet loggers: impacts of forest fragmentation on two endemic log-dwelling beetles in southeastern Australia. <i>Molecular Ecology</i> , 2006 , 15, 1481-92	5.7	33
240	Adaptive Patch Searching Strategies in Fragmented Landscapes. 2006 , 20, 113-130		41
239	Genetic survey of two endangered grasshopper subspecies, <i>Prionotropis hystrix rhodanica</i> and <i>Prionotropis hystrix azami</i> (Orthoptera, Pamphagidae): within- and between-population dynamics at the regional scale. 2006 , 7, 331-344		8
238	Connectivity in Heterogeneous Landscapes: Analyzing the Effect of Topography. <i>Landscape Ecology</i> , 2006 , 21, 47-61	4.3	27
237	Rapid recovery of an insect-plant interaction following habitat loss and experimental wetland restoration. 2006 , 148, 61-9		18
236	Measuring the dispersal of saproxylic insects: a key characteristic for their conservation. 2006 , 48, 177-188		107
235	Habitat specialization, body size, and family identity explain lepidopteran density-area relationships in a cross-continental comparison. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 8368-73	11.5	70
234	Physiology Complements Population Structure of Two Endemic Log-Dwelling Beetles. 2007 , 36, 524-530		2
233	Patch and landscape factors shape community assemblage of bumble bees, <i>Bombus</i> spp. (Hymenoptera: Apidae), in montane meadows. <i>Biological Conservation</i> , 2007 , 139, 150-158	6.2	87
232	Functional richness of local hoverfly communities (Diptera, Syrphidae) in response to land use across temperate Europe. <i>Oikos</i> , 2007 , 116, 461-472	4	83
231	Insect conservation: a synthetic management approach. 2007 , 52, 465-87		129
230	Chapter 2: The Extent and Future of Global Insect Diversity. 33-55		2
229	Integrating individual movement behaviour into dispersal functions. 2007 , 245, 601-9		10
228	Metapopulation pollination in the deceptive orchid <i>Anacamptis pyramidalis</i> . 2007 , 25, 176-182		6
227	19th century woodland structure controls stand-scale epiphyte diversity in present-day Scotland. <i>Diversity and Distributions</i> , 2007 , 13, 84-91	5	60
226	Non-optimal animal movement in human-altered landscapes. 2007 , 21, 1003-1015		413

225	How landscape structure, land-use intensity and habitat diversity affect components of total arthropod diversity in agricultural landscapes. <i>Journal of Applied Ecology</i> , 2007 , 44, 340-351	5.8	386
224	Why are there so many insect species? Perspectives from fossils and phylogenies. 2007 , 82, 425-54		127
223	Microarthropod density and diversity respond little to spatial isolation. <i>Basic and Applied Ecology</i> , 2007 , 8, 26-35	3.2	14
222	Local and spatial dynamics of a host-parasitoid system in a field experiment. <i>Basic and Applied Ecology</i> , 2007 , 8, 89-95	3.2	20
221	An implicit approach to model plant infestation by insect pests. 2007 , 248, 164-78		5
220	Restricted dispersal in a flying beetle assessed by telemetry. <i>Biodiversity and Conservation</i> , 2008 , 17, 675-684	3.4	72
219	Threat spots and environmental determinants of red-listed plant, butterfly and bird species in boreal agricultural environments. <i>Biodiversity and Conservation</i> , 2008 , 17, 3289-3305	3.4	12
218	How too much care kills species: Grassland reserves, agri-environmental schemes and extinction of <i>Colias myrmidone</i> (Lepidoptera: Pieridae) from its former stronghold. <i>Journal of Insect Conservation</i> , 2008 , 12, 519-525	2.1	98
217	Heritability of dispersal rate and other life history traits in the Glanville fritillary butterfly. 2008 , 100, 39-46		48
216	Effects of landscape connectivity on the spatial distribution of insect diversity in agricultural mosaic landscapes. <i>Basic and Applied Ecology</i> , 2008 , 9, 298-307	3.2	61
215	Do resources or natural enemies drive bee population dynamics in fragmented habitats?. 2008 , 89, 1375-87		156
214	Revisiting urban refuges: Changes of butterfly and burnet fauna in Prague reserves over three decades. 2008 , 85, 1-11		50
213	Interacting effects of farming practice and landscape context on bumble bees. <i>Biological Conservation</i> , 2008 , 141, 417-426	6.2	174
212	Linking Spatial Pattern and Ecological Responses in Human-Modified Landscapes: The Effects of Deforestation and Forest Fragmentation on Biodiversity. 2009 , 3, 1331-1355		19
211	Mobility-dependent effects on species richness in fragmented landscapes. <i>Basic and Applied Ecology</i> , 2009 , 10, 573-578	3.2	36
210	Small local population sizes and high habitat patch fidelity in a specialised solitary bee. <i>Journal of Insect Conservation</i> , 2009 , 13, 89-95	2.1	37
209	The influences of landscape structure on butterfly distribution and movement: a review. <i>Journal of Insect Conservation</i> , 2009 , 13, 3-27	2.1	189
208	Joint effects of habitat configuration and temporal stochasticity on population dynamics. <i>Landscape Ecology</i> , 2009 , 24, 863-877	4.3	33

207	Short sequence effect of ancient DNA on mammoth phylogenetic analyses. 2009 , 3, 100-106		
206	Poleward shifts in breeding bird distributions in New York State. 2009 , 15, 1866-1883		162
205	Does mobility explain variation in colonisation and population recovery among stream fishes?. 2009 , 54, 1444-1460		80
204	Pervasive effects of dispersal limitation on within- and among-community species richness in agricultural landscapes. 2009 , 18, 607-616		64
203	Movement rates of woodland invertebrates: a systematic review of empirical evidence. <i>Insect Conservation and Diversity</i> , 2009 , 2, 10-22	3.8	38
202	The effect of host structure on the distribution and abundance of the island sugarcane planthopper, <i>Eumetopina flavipes</i> Muir, vector of Ramu stunt disease of sugarcane. 2009 , 141, 247-57		6
201	Wetland creation in agricultural landscapes: Biodiversity benefits on local and regional scales. <i>Biological Conservation</i> , 2009 , 142, 964-973	6.2	125
200	Butterfly flight activity affects reproductive performance and longevity relative to landscape structure. 2010 , 163, 341-50		44
199	Genetic structure in peripheral populations of the natterjack toad, <i>Bufo calamita</i> , as revealed by AFLP. 2010 , 11, 173-181		13
198	Patterns of habitat occupancy, genetic variation and predicted movement of a flightless bush cricket, <i>Pholidoptera griseoptera</i> , in an agricultural mosaic landscape. <i>Landscape Ecology</i> , 2010 , 25, 449-461	4.3	15
197	Grassy field margins as potential corridors for butterflies in agricultural landscapes: A simulation study. <i>Ecological Modelling</i> , 2010 , 221, 370-377	3	23
196	Species-specific responses to landscape fragmentation: implications for management strategies. 2010 , 3, 291-304		65
195	Tracking the decline of the once-common butterfly: delayed oviposition, demography and population genetics in the hermit <i>Chazara briseis</i> . 2010 , 13, 172-183		40
194	Towards a mechanistic understanding of dispersal evolution in plants: conservation implications. <i>Diversity and Distributions</i> , 2010 , 16, 690-702	5	50
193	Allometric density responses in butterflies: the response to small and large patches by small and large species. <i>Ecography</i> , 2010 , 33, 1149-1156	6.5	14
192	A comparison of patch connectivity measures using data on invertebrates in hollow oaks. <i>Ecography</i> , 2010 , 33, 971-978	6.5	32
191	Differential threshold effects of habitat fragmentation on gene flow in two widespread species of bush crickets. <i>Molecular Ecology</i> , 2010 , 19, 4936-48	5.7	32
190	Homogenization of lepidopteran communities in intensively cultivated agricultural landscapes. <i>Journal of Applied Ecology</i> , 2010 , 47, 459-467	5.8	188

189	Contemporary habitat loss reduces genetic diversity in an ecologically specialized butterfly. 2010 , 37, 1277-1287		9
188	Constraints on home range behaviour affect nutritional condition in urban house sparrows (<i>Passer domesticus</i>). 2010 , 101, 41-50		39
187	Life-history traits predict species responses to habitat area and isolation: a cross-continental synthesis. <i>Ecology Letters</i> , 2010 , 13, 969-79	10	280
186	Implications of landscape alteration for the conservation of genetic diversity of endangered species. 212-238		3
185	The effect of the landscape matrix on the distribution of dung and carrion beetles in a fragmented tropical rain forest. <i>Journal of Insect Science</i> , 2010 , 10, 81	2	28
184	Genetic population structure of the ground beetle, <i>Pterostichus oblongopunctatus</i> , inhabiting a fragmented and polluted landscape: evidence for sex-biased dispersal. <i>Journal of Insect Science</i> , 2010 , 10, 105	2	22
183	Dispersal and egg shortfall in Monarch butterflies: what happens when the matrix is cleaned up?. <i>Ecological Entomology</i> , 2010 , 35, 84-91	2.1	41
182	Aerial ultra-low-volume application of naled: impact on nontarget imperiled butterfly larvae (<i>Cyclargus thomasi bethunebakeri</i>) and efficacy against adult mosquitoes (<i>Aedes taeniorhynchus</i>). 2010 , 39, 1961-72		14
181	The conservation and restoration of wild bees. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1195, 169-97	6.5	179
180	Dispersal capacity and diet breadth modify the response of wild bees to habitat loss. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 2075-82	4.4	186
179	Disentangling effects of habitat diversity and area on orthopteran species with contrasting mobility. <i>Biological Conservation</i> , 2010 , 143, 2164-2171	6.2	53
178	An insect nidovirus emerging from a primary tropical rainforest. 2011 , 2, e00077-11		89
177	Do all inter-patch movements represent dispersal? A mixed kernel study of butterfly mobility in fragmented landscapes. <i>Journal of Animal Ecology</i> , 2011 , 80, 1070-7	4.7	40
176	Inertia: the discrepancy between individual and common good in dispersal and prospecting behaviour. 2011 , 86, 717-32		38
175	Ranging behaviour of African wild dog packs in a human-dominated landscape. 2011 , 283, 88-97		37
174	The interacting effects of land use change, climate change and suppression of natural disturbances on landscape forest structure in the Swiss Alps. <i>Oikos</i> , 2011 , 120, 216-225	4	75
173	Dispersal capability in a habitat specialist bush cricket: the role of population density and habitat moisture. <i>Ecological Entomology</i> , 2011 , 36, 717-723	2.1	7
172	Grasshopper response to reductions in habitat area as mediated by subfamily classification and life history traits. <i>Journal of Insect Conservation</i> , 2011 , 15, 409-419	2.1	8

171	Habitat use and dispersal characteristic by <i>Stethophyma grossum</i> : the role of habitat isolation and stable habitat conditions towards low dispersal. <i>Journal of Insect Conservation</i> , 2011 , 15, 455-463	2.1	5
170	Status and conservation of Asclepiadaceae and <i>Danaus</i> in southern Spain. <i>Journal of Insect Conservation</i> , 2011 , 15, 361-365	2.1	3
169	Predicting spatial occurrence of beetles and pseudoscorpions in hollow oaks in southeastern Sweden. <i>Biodiversity and Conservation</i> , 2011 , 20, 2027-2040	3.4	28
168	A mobility index for Canadian butterfly species based on naturalists knowledge. <i>Biodiversity and Conservation</i> , 2011 , 20, 2273-2295	3.4	34
167	Should I stay or should I go? Modelling dispersal strategies in saproxylic insects based on pheromone capture and radio telemetry: a case study on the threatened hermit beetle <i>Osmoderma eremita</i> . <i>Biodiversity and Conservation</i> , 2011 , 20, 2883-2902	3.4	35
166	Comparative population genetics and phylogeography of two lacertid lizards (<i>Eremias argus</i> and <i>E. brenchleyi</i>) from China. 2011 , 58, 478-91		20
165	Dispersal in the Glanville fritillary butterfly in fragmented versus continuous landscapes: comparison between three methods. <i>Ecological Entomology</i> , 2011 , 36, 251-260	2.1	19
164	A metapopulation paradox: partial improvement of habitat may reduce metapopulation persistence. 2011 , 177, 792-9		28
163	Increased inbreeding and strong kinship structure in <i>Taxus baccata</i> estimated from both AFLP and SSR data. 2011 , 107, 589-600		65
162	Landscape configuration determines gene flow and phenotype in a flightless forest-edge ground-dwelling bush-cricket, <i>Pholidoptera griseoptera</i> . 2012 , 26, 1331-1343		11
161	Modelling the Effect of Fences on the Viability of Spatially Structured Populations of African Wild Dogs. 2012 , 187-196		4
160	Do railway edges provide functional connectivity for plant communities in an urban context?. <i>Biological Conservation</i> , 2012 , 148, 126-133	6.2	46
159	Habitat fragmentation impacts mobility in a common and widespread woodland butterfly: do sexes respond differently?. 2012 , 12, 5		27
158	Biodiversity, Species Interactions and Ecological Networks in a Fragmented World. 2012 , 46, 89-210		213
157	Fish dispersal in fragmented landscapes: a modeling framework for quantifying the permeability of structural barriers. 2012 , 22, 1435-45		36
156	Identifying time lags in the restoration of grassland butterfly communities: A multi-site assessment. <i>Biological Conservation</i> , 2012 , 155, 50-58	6.2	38
155	Landscape structure shapes habitat finding ability in a butterfly. <i>PLoS ONE</i> , 2012 , 7, e41517	3.7	18
154	Field scale organic farming does not counteract landscape effects on butterfly trait composition. <i>Agriculture, Ecosystems and Environment</i> , 2012 , 158, 66-71	5.7	12

153	High mobility reduces beta-diversity among orthopteran communities Implications for conservation. <i>Insect Conservation and Diversity</i> , 2012 , 5, 37-45	3.8	17
152	How is dispersal integrated in life histories: a quantitative analysis using butterflies. <i>Ecology Letters</i> , 2012 , 15, 74-86	10	110
151	Changing organisms in rapidly changing anthropogenic landscapes: the significance of the 'Umwelt'-concept and functional habitat for animal conservation. 2012 , 5, 144-53		55
150	The relative contribution of local habitat and landscape context to metapopulation processes: a dynamic occupancy modeling approach. <i>Ecography</i> , 2012 , 35, 581-589	6.5	16
149	Dispersal and gene flow in the rare, parasitic Large Blue butterfly <i>Maculinea arion</i> . <i>Molecular Ecology</i> , 2012 , 21, 3224-36	5.7	23
148	How far is too close? restricted, sex-biased dispersal in black-capped vireos. <i>Molecular Ecology</i> , 2012 , 21, 4359-70	5.7	7
147	Arthropod colonisation of natural and experimental logs in an agricultural landscape: Effects of habitat, isolation, season and exposure time. 2012 , 13, 166-174		4
146	The decline of moths in Great Britain: a review of possible causes. <i>Insect Conservation and Diversity</i> , 2013 , 6, 5-19	3.8	157
145	Within-patch habitat quality determines the resilience of specialist species in fragmented landscapes. <i>Landscape Ecology</i> , 2013 , 28, 135-147	4.3	17
144	Effectiveness of three sampling methods to survey saproxylic beetle assemblages in Mediterranean woodland. <i>Journal of Insect Conservation</i> , 2013 , 17, 765-776	2.1	26
143	Corridors and barriers in biodiversity conservation: a novel resource-based habitat perspective for butterflies. <i>Biodiversity and Conservation</i> , 2013 , 22, 2709-2734	3.4	48
142	Forecasting range expansion into ecological traps: climate-mediated shifts in sea turtle nesting beaches and human development. 2013 , 19, 3082-92		25
141	Monitoring of the saproxylic beetle <i>Morimus asper</i> (Sulzer, 1776) (Coleoptera: Cerambycidae) with freshly cut log piles. <i>Journal of Insect Conservation</i> , 2013 , 17, 1255-1265	2.1	20
140	Habitat preferences and conservation of the marbled jewel beetle <i>Poecilonota variolosa</i> (Buprestidae). <i>Journal of Insect Conservation</i> , 2013 , 17, 1145-1154	2.1	5
139	Spatial pattern of habitat quality modulates population persistence in fragmented landscapes. <i>Ecological Research</i> , 2013 , 28, 949-958	1.9	5
138	Landscape structure mediates the effects of a stressor on field vole populations. <i>Landscape Ecology</i> , 2013 , 28, 1961-1974	4.3	12
137	Understanding Habitats. 2013 , 117-141		
136	Coupling inter-patch movement models and landscape graph to assess functional connectivity. 2013 , 55, 193-203		18

135	The generalist↔specialist continuum: Testing predictions for distribution and trends in British butterflies. <i>Biological Conservation</i> , 2013 , 157, 229-236	6.2	57
134	Natal philopatry in four European species of dragonflies (Odonata: Sympetrinae) and possible implications for conservation management. <i>Journal of Insect Conservation</i> , 2013 , 17, 821-829	2.1	22
133	The genetic structure of populations of <i>Metrioptera bicolor</i> in a spatially structured landscape: effects of dispersal barriers and geographic distance. 2013 , 14, 299-311		12
132	Social and landscape effects on food webs: a multi-level network simulation model. 2013 , 1, 160-182		15
131	Natural History and Conservation Status of the Endangered Mitchell's Satyr Butterfly: Synthesis and Expansion of Our Knowledge Regarding <i>Neonympha mitchellii mitchellii</i> French 1889. 2013 , 67, 15-28		0
130	Low reproductive rate predicts species sensitivity to habitat loss: a meta-analysis of wetland vertebrates. <i>PLoS ONE</i> , 2014 , 9, e90926	3.7	22
129	Temporal variation in saproxylic beetle assemblages in a Mediterranean ecosystem. <i>Journal of Insect Conservation</i> , 2014 , 18, 993-1007	2.1	8
128	When habitat management can be a bad thing: effects of habitat quality, isolation and climate on a declining grassland butterfly. <i>Journal of Insect Conservation</i> , 2014 , 18, 965-979	2.1	24
127	Which host-dependent insects are most prone to coextinction under changed climates?. <i>Ecology and Evolution</i> , 2014 , 4, 1295-312	2.8	18
126	Higher mobility of butterflies than moths connected to habitat suitability and body size in a release experiment. <i>Ecology and Evolution</i> , 2014 , 4, 3800-11	2.8	28
125	Population at the edge: increased divergence but not inbreeding towards northern range limit in <i>Acer campestre</i> . 2014 , 10, 1739-1753		10
124	Human↔carnivore conflict over livestock in the eastern part of the Serengeti ecosystem, with a particular focus on the African wild dog <i>Lycaon pictus</i> . 2014 , 48, 378-384		18
123	Evolution of dispersal and mating systems along geographic gradients: implications for shifting ranges. 2014 , 28, 5-21		99
122	Integrodifference equations in patchy landscapes : II: population level consequences. 2014 , 69, 617-58		18
121	Integrodifference equations in patchy landscapes : I. Dispersal Kernels. 2014 , 69, 583-615		11
120	Dispersal in the inquiline social parasite ant <i>Plagiolepis xene</i> . 2014 , 61, 197-202		2
119	Does the surrounding landscape heterogeneity affect the butterflies of insular grassland reserves? A contrast between composition and configuration. <i>Journal of Insect Conservation</i> , 2014 , 18, 1-12	2.1	29
118	Global patterns and predictors of bird species responses to forest fragmentation: Implications for ecosystem function and conservation. <i>Biological Conservation</i> , 2014 , 169, 372-383	6.2	193

117	Inter-patch movement in an experimental system: the effects of life history and the environment. <i>Oikos</i> , 2014 , 123, 623-629	4	6
116	Habitat connectivity shapes urban arthropod communities: the key role of green roofs. 2014 , 95, 1010-21		134
115	Scale-dependent effects of landscape variables on gene flow and population structure in bats. <i>Diversity and Distributions</i> , 2014 , 20, 1173-1185	5	27
114	Recent artificial vineyard terraces as a refuge for rare and endangered spiders in a modern agricultural landscape. 2014 , 68, 133-142		33
113	Movement of amphibians through agricultural landscapes: The role of habitat on edge permeability. <i>Biological Conservation</i> , 2014 , 175, 148-155	6.2	33
112	Spatial scaling of temporal changes in avian communities. 2015 , 24, 1236-1248		5
111	Impacts of urbanisation on biodiversity: the role of species mobility, degree of specialisation and spatial scale. <i>Oikos</i> , 2015 , 124, 1571-1582	4	125
110	Reduced Genetic Diversity and Increased Dispersal in Guigna (<i>Leopardus guigna</i>) in Chilean Fragmented Landscapes. 2015 , 106 Suppl 1, 522-36		19
109	Does size matter? Comparative population genetics of two butterflies with different wingspans. 2015 , 15, 567-575		
108	Habitat-specific effects of climate change on a low-mobility Arctic spider species. 2015 , 38, 559-568		24
107	Woodland habitat quality prevails over fragmentation for shaping butterfly diversity in deciduous forest remnants. 2015 , 357, 171-180		10
106	Diversity and abundance of mosquitoes (Diptera:Culicidae) in an urban park: larval habitats and temporal variation. 2015 , 150, 200-9		39
105	How important are environmental factors for the population structure of co-occurring scorpion species in a tropical forest?. 2015 , 93, 15-19		25
104	Quality not quantity: conserving species of low mobility and dispersal capacity in south-western Australian urban remnants. 2016 , 22, 37		10
103	Reconciling contradictory relationships between mobility and extinction risk in human-altered landscapes. 2016 , 30, 1558-1567		12
102	Evaluating within-population variability in behavior and demography for the adaptive potential of a dispersal-limited species to climate change. <i>Ecology and Evolution</i> , 2016 , 6, 8740-8755	2.8	22
101	Dispersal-limited detritivores in fire-prone environments: persistence and population structure of terrestrial amphipods (Talitridae). <i>International Journal of Wildland Fire</i> , 2016 , 25, 753	3.2	4
100	Conservation genetics of an endangered grassland butterfly (<i>Oarisma poweshiek</i>) reveals historically high gene flow despite recent and rapid range loss. <i>Insect Conservation and Diversity</i> , 2016 , 9, 517-528	3.8	12

99	Heterogeneity in patch quality buffers metapopulations from pathogen impacts. 2016 , 9, 197-205		18
98	A dynamical model to study the effect of landscape agricultural management on the conservation of native ecological networks. 2016 , 40, 922-940		3
97	Pheromones and Other Semiochemicals for Monitoring Rare and Endangered Species. 2016 , 42, 853-868		26
96	Saproxylic Beetle Assemblage Selection as Determining Factor of Species Distributional Patterns: Implications for Conservation. <i>Journal of Insect Science</i> , 2016 , 16,	2	8
95	Isolation from forest habitats reduces chances of the presence of <i>Osmoderma eremita sensu lato</i> (Coleoptera, Scarabaeidae) in rural avenues. <i>Journal of Insect Conservation</i> , 2016 , 20, 395-406	2.1	3
94	Ground-active arthropod responses to rainfall-induced dune microhabitats in a desertified steppe ecosystem, China. <i>Journal of Arid Land</i> , 2016 , 8, 632-646	2.2	3
93	Connecting the dots: mapping habitat connectivity for tigers in central India. <i>Regional Environmental Change</i> , 2016 , 16, 53-67	4.3	95
92	Intrinsic factors drive spatial genetic variation in a highly vagile species, the wedge-tailed eagle <i>Aquila audax</i> , in Tasmania. <i>Journal of Avian Biology</i> , 2017 , 48, 1025-1034	1.9	3
91	Reproductive biology of the great capricorn beetle, <i>Cerambyx cerdo</i> (Coleoptera: Cerambycidae): a protected but occasionally harmful species. <i>Bulletin of Entomological Research</i> , 2017 , 107, 799-811	1.7	13
90	Urban driven phenotypic changes: empirical observations and theoretical implications for eco-evolutionary feedback. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017 , 372,	5.8	131
89	Old concepts, new challenges: adapting landscape-scale conservation to the twenty-first century. <i>Biodiversity and Conservation</i> , 2017 , 26, 527-552	3.4	27
88	Testing predictions of movement behaviour in a hilltopping moth. <i>Animal Behaviour</i> , 2017 , 133, 161-168	2.8	7
87	Habitat patch size alters the importance of dispersal for species diversity in an experimental freshwater community. <i>Ecology and Evolution</i> , 2017 , 7, 5774-5783	2.8	13
86	Long-term change in sub-alpine forest cover, tree line and species composition in the Swiss Alps. <i>Journal of Vegetation Science</i> , 2017 , 28, 951-964	3.1	13
85	Discovery of long-distance gamete dispersal in a lichen-forming ascomycete. <i>New Phytologist</i> , 2017 , 216, 216-226	9.8	26
84	Occupancy pattern of a long-horned beetle in a variegated forest landscape: linkages between tree quality and forest cover across spatial scales. <i>Landscape Ecology</i> , 2017 , 32, 279-293	4.3	13
83	Dispersal differences of a pest and a protected <i>Cerambyx</i> species (Coleoptera: Cerambycidae) in oak open woodlands: a mark-recapture comparative study. <i>Ecological Entomology</i> , 2017 , 42, 18-32	2.1	23
82	Mapping analysis of saproxylic Natura 2000 beetles (Coleoptera) from the Prigorja-Bengei Protected Area (ROSCI0359) in Gorj County (Romania). <i>Travaux Du Museum National D'Histoire Naturelle Grigore Antipa</i> , 2017 , 60, 445-462	0.5	1

81	Bringing diversity back to agriculture: Smaller fields and non-crop elements enhance biodiversity in intensively managed arable farmlands. <i>Ecological Indicators</i> , 2018 , 90, 65-73	5.8	54
80	A role for artificial night-time lighting in long-term changes in populations of 100 widespread macro-moths in UK and Ireland: a citizen-science study. <i>Journal of Insect Conservation</i> , 2018 , 22, 189-196 ^{2.1}	2.1	30
79	Dispersal limitation of saproxylic insects in a managed forest? A population genetics approach. <i>Basic and Applied Ecology</i> , 2018 , 32, 26-38	3.2	7
78	Vanishing of the common species: Empty habitats and the role of genetic diversity. <i>Biological Conservation</i> , 2018 , 218, 211-216	6.2	32
77	Ground-active arthropod response to distance from the Mediterranean seashore in coastal sand areas of western Israel. <i>Arid Land Research and Management</i> , 2018 , 32, 316-336	1.8	2
76	Biased dispersal of <i>Metrioptera bicolor</i> , a wing dimorphic bush-cricket. <i>Insect Science</i> , 2018 , 25, 297-308	3.6	5
75	Size-dependent movement explains why bigger is better in fragmented landscapes. <i>Ecology and Evolution</i> , 2018 , 8, 10754-10767	2.8	10
74	Combined effect of matrix quality and spatial heterogeneity on biodiversity decline. <i>Ecological Complexity</i> , 2018 , 36, 261-267	2.6	7
73	Conserved thermal performance curves across the geographic range of a gametophytic fern. <i>AoB PLANTS</i> , 2018 , 10, ply050	2.9	1
72	The richness of small pockets: Decapod species peak in small seagrass patches where fish predators are absent. <i>Marine Environmental Research</i> , 2018 , 142, 1-6	3.3	3
71	Experimental Manipulation of Dispersal Ability in A Neotropical Butterfly (Lepidoptera: Nymphalidae). <i>Insects</i> , 2018 , 9,	2.8	4
70	Demographic response to patch destruction in a spatially structured amphibian population. <i>Journal of Applied Ecology</i> , 2018 , 55, 2204-2215	5.8	11
69	Insect declines and agroecosystems: does light pollution matter?. <i>Annals of Applied Biology</i> , 2018 , 173, 180-189	2.6	77
68	Modelling landscape genetic connectivity of the mountain pine beetle in western Canada. <i>Canadian Journal of Forest Research</i> , 2019 , 49, 1339-1348	1.9	3
67	Combining functional traits and phylogeny to disentangling Amazonian butterfly assemblages on anthropogenic gradients. <i>Ecosphere</i> , 2019 , 10, e02837	3.1	14
66	Diversity of soil macro-arthropods correlates to the richness of plant species in traditional agroforestry systems in the humid tropics of Mexico. <i>Agriculture, Ecosystems and Environment</i> , 2019 , 286, 106658	5.7	13
65	Behavior in a Changing Landscape: Using Movement Ecology to Inform the Conservation of Pond-Breeding Amphibians. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	18
64	Preserving butterfly diversity in an ever-expanding urban landscape? A case study in the highlands of Chiapas, México. <i>Journal of Insect Conservation</i> , 2019 , 23, 405-418	2.1	4

63	Ugly like patterns in the small-scale movements of marsupials in an unfamiliar and risky environment. <i>Scientific Reports</i> , 2019 , 9, 2737	4.9	6
62	Succession matters: Community shifts in moths over three decades increases multifunctionality in intermediate successional stages. <i>Scientific Reports</i> , 2019 , 9, 5586	4.9	11
61	Individual variation and the source-sink group dynamics of extra-group paternity in a social mammal. <i>Behavioral Ecology</i> , 2019 , 30, 301-312	2.3	2
60	Modeling impacts of landscape connectivity on dispersal movements of northern flying squirrels (<i>Glaucomys sabrinus griseifrons</i>). <i>Ecological Modelling</i> , 2019 , 394, 44-52	3	3
59	Come to the dark side! The role of functional traits in shaping dark diversity patterns of south-eastern European hoverflies. <i>Ecological Entomology</i> , 2020 , 45, 232-242	2.1	4
58	Demographic, ecological, and life-history traits associated with bird population response to landscape fragmentation in Europe. <i>Landscape Ecology</i> , 2020 , 35, 469-481	4.3	2
57	Human footprint differentially impacts genetic connectivity of four wide-ranging mammals in a fragmented landscape. <i>Diversity and Distributions</i> , 2020 , 26, 299-314	5	20
56	Rapid Succession of Orthopteran Assemblages Driven by Patch Size and Connectivity. <i>Rangeland Ecology and Management</i> , 2020 , 73, 838-846	2.2	1
55	Prioritizing areas for conservation action in Kawthoolei, Myanmar using species distribution models. <i>Journal for Nature Conservation</i> , 2020 , 58, 125918	2.3	3
54	Evolution is a double-edged sword, not a silver bullet, to confront global change. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1469, 38-51	6.5	13
53	The effect of environmental gradient on biodiversity and similarity of invertebrate communities in eelgrass (<i>Zostera marina</i>) beds. <i>Ecological Research</i> , 2020 , 35, 61-75	1.9	3
52	Holocene extinctions of a top predator-Effects of time, habitat area and habitat subdivision. <i>Journal of Animal Ecology</i> , 2020 , 89, 1202-1215	4.7	2
51	Population assessment and foraging ecology of the rare solitary bee <i>Anthophora retusa</i> at Seaford Head Nature reserve. <i>Journal of Insect Conservation</i> , 2021 , 25, 49-63	2.1	2
50	Past and future potential range changes in one of the last large vertebrates of the Australian continent, the emu <i>Dromaius novaehollandiae</i> . <i>Scientific Reports</i> , 2021 , 11, 851	4.9	2
49	Insect biomass decline scaled to species diversity: General patterns derived from a hoverfly community. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	25
48	Towards more integration of physiology, dispersal and land-use change to understand the responses of species to climate change. <i>Journal of Experimental Biology</i> , 2021 , 224,	3	4
47	Habitat amount and distribution modify community dynamics under climate change. <i>Ecology Letters</i> , 2021 , 24, 950-957	10	14
46	Population genetic patterns of a mangrove-associated frog reveal its colonization history and habitat connectivity. <i>Diversity and Distributions</i> , 2021 , 27, 1584-1600	5	0

45	Spatial Dynamics of Two Host-Parasite Relationships on Intertidal Oyster Reefs. <i>Diversity</i> , 2021 , 13, 260	2.5	0
44	The value of considering demographic contributions to connectivity: a review. <i>Ecography</i> ,	6.5	0
43	Designing effective protected area networks for multiple species. <i>Biological Conservation</i> , 2021 , 258, 109125	6.2	3
42	The Bird Assemblage of the Darwin Region (Australia): What Is the Effect of Twenty Years of Increasing Urbanisation?. <i>Diversity</i> , 2021 , 13, 294	2.5	0
41	Dispersal reduces interspecific competitiveness by spreading locally harmful traits. <i>Journal of Evolutionary Biology</i> , 2021 , 34, 1477-1487	2.3	1
40	Exploring interaction effects from mechanisms between climate and land-use changes and the projected consequences on biodiversity. <i>Biodiversity and Conservation</i> , 2021 , 30, 3685	3.4	0
39	Movement across woodland edges suggests plantations and farmland are barriers to dispersal. <i>Landscape Ecology</i> , 1	4.3	0
38	Use of Trait Surrogates to Conserve the Nameless: A Meta-Analysis. 2021 ,		
37	Integrating Theory and Predictive Modeling for Conservation Research. 2011 , 9-28		3
36	Multi-taxon inventory reveals highly consistent biodiversity responses to ecospace variation. <i>Oikos</i> , 2020 , 129, 1381-1392	4	3
35	Demography and dispersal ability of a threatened saproxylic beetle: a mark-recapture study of the Rosalia Longicorn (<i>Rosalia alpina</i>). <i>PLoS ONE</i> , 2011 , 6, e21345	3.7	61
34	Impact of Canopy Openness on Spider Communities: Implications for Conservation Management of Formerly Coppiced Oak Forests. <i>PLoS ONE</i> , 2016 , 11, e0148585	3.7	49
33	Adult demography, dispersal and behaviour of <i>Brenthis ino</i> (Lepidoptera: Nymphalidae): how to be a successful wetland butterfly. <i>European Journal of Entomology</i> , 2005 , 102, 699-706		38
32	A question of adaptability: Climate and habitat change lower trait diversity in butterfly communities in south-western Germany. <i>European Journal of Entomology</i> , 2013 , 110, 633-642		13
31	Characterization of ten polymorphic microsatellite markers for an endangered butterfly <i>Argynnis niobe</i> and their cross-species utility in the closely related species <i>A. adippe</i> (Lepidoptera: Nymphalidae). <i>European Journal of Entomology</i> , 2013 , 110, 383-387		2
30	Motorway as a barrier to dispersal of the threatened dragonfly <i>Sympetrum depressiusculum</i> (Odonata: Libellulidae): Consequence of mortality or crossing avoidance?. <i>European Journal of Entomology</i> , 114, 391-399		3
29	The influence of habitat characteristics on intertidal oyster <i>Crassostrea virginica</i> populations. <i>Marine Ecology - Progress Series</i> , 2017 , 571, 121-138	2.6	12
28	The effects of intertidal oyster reef habitat characteristics on faunal utilization. <i>Marine Ecology - Progress Series</i> , 2017 , 581, 57-70	2.6	7

- 27 Metapopulation Structure and Movement of a Threatened Butterfly *Parnassius bremeri* (Lepidoptera: Papilionidae) in Korea. *Korean Journal of Applied Entomology*, **2011**, 50, 97-105 6
- 26 When log-dwellers meet loggers: impacts of forest fragmentation on two endemic log-dwelling beetles in southeastern Australia. *Molecular Ecology*, **2006**, 061120061113025-??? 5-7
- 25 Status and conservation of Asclepiadaceae and *Danaus* in southern Spain. **2010**, 333-337
- 24 A Network Model of the Hierarchical Organization of Supra-Individual Biosystems. *Developments in Environmental Modelling*, **2012**, 25, 517-532 0
- 23 Comparison of Butterfly Communities between Guryongryeong and Gojigkyeong of the Baekdudaegan Mountain Range and the Changes in Their Distribution. *Korean Journal of Applied Entomology*, **2015**, 54, 233-245
- 22 Size-dependent movement explains why bigger is better in fragmented landscapes.
- 21 Combined effect of matrix quality and spatial heterogeneity on biodiversity decline.
- 20 Annual Survivorship of the Sedentary Rufous-Crowned Sparrow (*Aimophila ruficeps*): No Detectable Effects of Edge or Rainfall in Southern California. *Auk*, **2004**, 121, 904-916 2.1 1
- 19 Insects and their Laboulbeniales (Ascomycota, Fungi) of Lake Eustis and Emerald Marsh Conservation Area: A case study on urbanization and diversity.. *Ecology and Evolution*, **2021**, 11, 16618-16633 2.8 0
- 18 The role of decomposer communities in managing surface fuels: a neglected ecosystem service. *International Journal of Wildland Fire*, **2022**, 3.2 0
- 17 Un método para establecer la viabilidad de las poblaciones de la araña trampera *Amblyocarenum* en áreas urbanas: un estudio piloto. *Graellsia*, **2022**, 78, e160 0.2
- 16 Hilltopping influences spatial dynamics in a patchy population of tiger moths. 0
- 15 Coping With Dynamism: Phylogenetics and Phylogeographic Analyses Reveal Cryptic Diversity in *Heleobia* Snails of Atacama Saltpan, Chile. *Frontiers in Ecology and Evolution*, **2022**, 10, 3.7 0
- 14 Research Progress and Development Trend of Landscape Ecological Network at Home and Abroad. *International Journal of Ecology*, **2022**, 11, 126-139 0.1
- 13 Emerging Processes in the Landscape. *Landscape Series*, **2022**, 177-232 0.2
- 12 Shade tree isolation in pastures modulates diversity of epiphyte-dwelling spiders: The role of epiphyte biomass and species dispersal capacity. *Insect Conservation and Diversity*, 3.8
- 11 Hilltopping influences spatial dynamics in a patchy population of tiger moths. *Proceedings of the Royal Society B: Biological Sciences*, **2022**, 289, 4.4
- 10 Construction and Optimization of an Ecological Network in Zhengzhou Metropolitan Area, China. *International Journal of Environmental Research and Public Health*, **2022**, 19, 8066 4.6 0

- 9 Large-scale geostatistical mapping and occupancy-abundance patterns of *Cerambyx* species threatening SW Spain oak forests. 1
- 8 The network perspective: Vertical connections linking organizational levels. **2022**, 473, 110112 0
- 7 Detecting stabilizing, directional, and disruptive patterns of anthropogenic species loss with general models of nonrandom extinction. 0
- 6 Good news! Sampling intensity needed for accurate assessments of dung beetle diversity may be lower in the Neotropics. 10, 0
- 5 Perishing rich, expanding poor: Demography and population genetic patterns in two congeneric butterflies. 0
- 4 Hawaiian waterbird movement across a developed landscape. **2023**, 87, 0
- 3 Are weak dispersers more vulnerable than strong dispersers to land use intensification?. **2023**, 290, 2
- 2 Bark or crown? Spiders (Araneae) and beetles (Coleoptera) on trees in a city centre. 120, 52-58 0
- 1 Rapid and continuing regional decline of butterflies in eastern Denmark 1993-2019. 0