

CITATION REPORT

List of articles citing

Non-random dispersal in the butterfly *Maniola jurtina*: implications for metapopulation models

DOI: 10.1098/rspb.2000.1171

**Proceedings of the Royal Society B: Biological Sciences
, 2000, 267, 1505-10.**

Source: <https://exaly.com/paper-pdf/31936981/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
148	Dispersal behaviour of individuals in metapopulations of two British butterflies. <i>Oikos</i> , 2001 , 95, 416-424		85
147	Butterfly responses to habitat edges in the highly fragmented prairies of Central Iowa. <i>Journal of Animal Ecology</i> , 2001 , 70, 840-852	4.7	188
146	Migration and Allee effects in the six-spot burnet moth <i>Zygaena filipendulae</i> . <i>Ecological Entomology</i> , 2002 , 27, 317-325	2.1	28
145	Butterflies on the move. 2002 , 17, 351-352		5
144	Parasitism by the mite <i>Trombidium brei</i> on four U.K. butterfly species. <i>Ecological Entomology</i> , 2002 , 27, 651-659	2.1	9
143	Does variation in patch use among butterfly species contribute to nestedness at fine spatial scales?. <i>Oikos</i> , 2002 , 97, 195-204	4	28
142	Using body size to predict perceptual range. <i>Oikos</i> , 2002 , 98, 47-52	4	85
141	Incorporating landscape elements into a connectivity measure: a case study for the Speckled wood butterfly (<i>Pararge aegeria</i> L.). <i>Landscape Ecology</i> , 2003 , 18, 561-573	4.3	150
140	Dispersal patterns of endemic alpine butterflies with contrasting population structures: <i>Erebia ephron</i> and <i>E. sudetica</i> . 2003 , 45, 115-123		66
139	Towards a functional resource-based concept for habitat: a butterfly biology viewpoint. <i>Oikos</i> , 2003 , 102, 417-426	4	263
138	Ecological dynamics of extinct species in empty habitat networks. 1. The role of habitat pattern and quantity, stochasticity and dispersal. <i>Oikos</i> , 2003 , 102, 449-464	4	32
137	Dispersal of the lycaenid <i>Plebejus argus</i> in response to patches of its mutualist ant <i>Lasius niger</i> . <i>Oikos</i> , 2003 , 103, 162-174	4	12
136	Behavioural responses to habitat patch boundaries restrict dispersal and generate emigration-patch area relationships in fragmented landscapes. <i>Journal of Animal Ecology</i> , 2003 , 72, 533-545	4.7	154
135	The process of dispersal in badgers <i>Meles meles</i> . 2003 , 33, 314-318		31
134	The evolution of movements and behaviour at boundaries in different landscapes: a common arena experiment with butterflies. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003 , 270, 1815-21	4.4	87
133	Measuring dispersal and detecting departures from a random walk model in a grasshopper hybrid zone. <i>Ecological Entomology</i> , 2003 , 28, 129-138	2.1	9
132	Movement patterns of the bush cricket <i>Platycleis albopunctata</i> in different types of habitat: matrix is not always matrix. <i>Ecological Entomology</i> , 2003 , 28, 432-438	2.1	52

131	Foray search: an effective systematic dispersal strategy in fragmented landscapes. 2003 , 161, 905-15		83
130	Survival, movement, and resource use of the butterfly <i>Parnassius clodius</i> . <i>Ecological Entomology</i> , 2004 , 29, 139-149	2.1	48
129	From individual behavior to metapopulation dynamics: unifying the patchy population and classic metapopulation models. 2004 , 164, 364-77		93
128	HABITAT-SPECIFIC MOVEMENT PARAMETERS ESTIMATED USING MARKRECAPTURE DATA AND A DIFFUSION MODEL. 2004 , 85, 242-257		157
127	Gap-Crossing Decisions by the Red Squirrel, a Forest-Dependent Small Mammal. 2004 , 18, 689-697		87
126	Lack of homeward orientation and increased mobility result in high emigration rates from low-quality fragments in a dune wolf spider. <i>Journal of Animal Ecology</i> , 2004 , 73, 643-650	4.7	26
125	Linking habitat structure and orientation in an arboreal species <i>Gehyra variegata</i> (Gekkonidae). <i>Oikos</i> , 2004 , 107, 406-414	4	18
124	Patch density, movement pattern, and realised dispersal distances in a patch-matrix landscape: a simulation study. <i>Ecological Modelling</i> , 2004 , 174, 411-420	3	51
123	Response to topography in a hilltopping butterfly and implications for modelling nonrandom dispersal. <i>Animal Behaviour</i> , 2004 , 68, 825-839	2.8	37
122	Modelling the movement of a soil insect. 2004 , 231, 497-513		19
121	Irregular walks and loops combines in small-scale movement of a soil insect: implications for dispersal biology. 2004 , 231, 299-306		37
120	Can the assumption of a non-random search improve our prediction of butterfly fluxes between resource patches?. <i>Ecological Entomology</i> , 2004 , 29, 447-456	2.1	14
119	Global Warming, Human Population Pressure, and Viability of the World's Smallest Butterfly. 2005 , 19, 1113-1124		29
118	Virtual Corridors for Conservation Management. 2005 , 19, 1997-2003		21
117	Behavioral tradeoffs when dispersing across a patchy landscape. <i>Oikos</i> , 2005 , 108, 219-230	4	124
116	Dispersal behaviour in fragmented landscapes: Routine or special movements?. 2005 , 6, 535-545		278
115	Social cohesion and foraging decrease with group size in fallow deer (<i>Dama dama</i>). 2005 , 59, 84-91		52
114	Dispersal behaviour in fragmented landscapes: Deriving a practical formula for patch accessibility. <i>Landscape Ecology</i> , 2005 , 20, 83-99	4.3	37

113	Gap Crossing Decisions by Reed Warblers (<i>Acrocephalus Scirpaceus</i>) in Agricultural Landscapes. <i>Landscape Ecology</i> , 2005 , 20, 455-468	4.3	19
112	Causes and consequences of animal dispersal strategies: relating individual behaviour to spatial dynamics. 2005 , 80, 205-25		1198
111	Tracking butterfly flight paths across the landscape with harmonic radar. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005 , 272, 785-90	4.4	95
110	Computer-generated null models as an approach to detect perceptual range in mark-recapture studies: an example with grasshoppers. <i>Ecological Entomology</i> , 2005 , 30, 225-233	2.1	12
109	Density, dispersal, and feeding impact of western flower thrips (Thysanoptera: Thripidae) on flowering chrysanthemum at different spatial scales. <i>Ecological Entomology</i> , 2005 , 30, 96-104	2.1	13
108	When is landscape matrix important for determining animal fluxes between resource patches?. 2005 , 2, 150-158		23
107	Complex animal distribution and abundance from memory-dependent kinetics. 2006 , 3, 44-55		42
106	How peri-urban areas can strengthen animal populations within cities: A modeling approach. 2006 , 127, 345-355		81
105	Local versus landscape determinants of butterfly movement behaviors. <i>Ecography</i> , 2006 , 29, 549-560	6.5	18
104	Ecological differentiation between the Sardinian endemic <i>Maniola nurag</i> and the pan-European <i>M. jurtina</i> . 2006 , 89, 561-574		13
103	Adaptive Patch Searching Strategies in Fragmented Landscapes. 2006 , 20, 113-130		41
102	The Viability of Metapopulations: Individual Dispersal Behaviour Matters. <i>Landscape Ecology</i> , 2006 , 21, 77-89	4.3	30
101	Sexual dimorphism, activity budget and synchrony in groups of sheep. <i>Oecologia</i> , 2006 , 148, 170-80	2.9	42
100	Choosing the Safest Route: Frog Orientation in an Agricultural Landscape. 2006 , 40, 435-441		12
99	WHY DO POLYGYNOUS UNGULATES SEGREGATE IN SPACE? TESTING THE ACTIVITY-BUDGET HYPOTHESIS IN SOAY SHEEP. 2007 , 77, 631-647		21
98	Insect conservation: a synthetic management approach. 2007 , 52, 465-87		129
97	Short-Duration Daytime Movements of a Cow Herd of African Elephants. 2007 , 88, 151-157		28
96	Integrating individual movement behaviour into dispersal functions. 2007 , 245, 601-9		10

95	The multifarious effects of dispersal and gene flow on contemporary adaptation. <i>Functional Ecology</i> , 2007 , 21, 434-443	5.6	380
94	Scale dependence of immigration rates: models, metrics and data. <i>Journal of Animal Ecology</i> , 2007 , 76, 30-5	4.7	70
93	What is the required minimum landscape size for dispersal studies?. <i>Journal of Animal Ecology</i> , 2007 , 76, 1224-30	4.7	38
92	Local and landscape effects of organic farming on butterfly species richness and abundance. 2007 , 45, 813-820		133
91	Quantitative analysis of changes in movement behaviour within and outside habitat in a specialist butterfly. 2007 , 7, 4		112
90	Conservation of butterfly populations in dynamic landscapes: The role of farming practices and landscape mosaic. <i>Ecological Modelling</i> , 2007 , 205, 135-145	3	48
89	Habitat fragmentation affects habitat-finding ability of the speckled wood butterfly, <i>Pararge aegeria</i> L.. <i>Animal Behaviour</i> , 2007 , 74, 1029-1037	2.8	43
88	Rank-related partner choice in the fission-fusion society of the spotted hyena (<i>Crocuta crocuta</i>). 2007 , 61, 753-765		98
87	Local and landscape effects on the butterfly community in fragmented Midwest USA prairie habitats. <i>Landscape Ecology</i> , 2007 , 22, 1341-1354	4.3	66
86	Modelling nematode movement using time-fractional dynamics. 2007 , 248, 212-24		18
85	Do corridors promote dispersal in grassland butterflies and other insects?. <i>Landscape Ecology</i> , 2008 , 23, 27-40	4.3	69
84	Heterogeneous social associations within a sperm whale, <i>Physeter macrocephalus</i> , unit reflect pairwise relatedness. 2008 , 63, 143-151		56
83	On the border: perimeter patrolling as a transitional exploratory phase in a diurnal rodent, the fat sand rat (<i>Psammomys obesus</i>). 2008 , 11, 311-8		13
82	Restricted within-habitat movement and time-constrained egg laying of female <i>Maculinea rebeli</i> butterflies. <i>Oecologia</i> , 2008 , 156, 455-64	2.9	33
81	Butterfly-hostplant fidelity, vagrancy and measuring mobility from distribution maps. <i>Ecography</i> , 2008 , 24, 497-504	6.5	1
80	Linking movement behaviour to dispersal and divergence in plethodontid salamanders. 2008 , 17, 4459-69		29
79	Spatial population structure of a specialist leaf-mining moth. <i>Journal of Animal Ecology</i> , 2008 , 77, 757-674.7		21
78	Reconciling competing ecological explanations for sexual segregation in ungulates. 2008 , 89, 693-704		60

77	The Rare Butterfly <i>Tomares Nesimachus</i> (Lycaenidae) as a Bioindicator for Pollination Services and Ecosystem Functioning in Northern Israel. 2008 , 54, 111-136		8
76	Disentangling the effects of forage, social rank, and risk on movement autocorrelation of elephants using Fourier and wavelet analyses. 2008 , 105, 19108-13		80
75	Old models explain new observations of butterfly movement at patch edges. 2008 , 89, 2061-7		27
74	The dynamic process of cognitive mapping in the absence of visual cues: human data compared with animal studies. 2009 , 212, 2619-26		15
73	The influences of landscape structure on butterfly distribution and movement: a review. <i>Journal of Insect Conservation</i> , 2009 , 13, 3-27	2.1	189
72	The use of metapopulation and optimal foraging theories to predict movement and foraging decisions of mobile animals in heterogeneous landscapes. <i>Landscape Ecology</i> , 2009 , 24, 599-609	4.3	25
71	Linking movement behaviour, dispersal and population processes: is individual variation a key?. <i>Journal of Animal Ecology</i> , 2009 , 78, 894-906	4.7	117
70	The evolution of an intelligent dispersal strategy: biased, correlated random walks in patchy landscapes. <i>Oikos</i> , 2009 , 118, 309-319	4	76
69	Phylogeography and counter-intuitive inferences in island biogeography: evidence from morphometric markers in the mobile butterfly <i>Maniola jurtina</i> (Linnaeus) (Lepidoptera, Nymphalidae). 2009 , 98, 677-692		27
68	Resources influence dispersal and population structure in an endangered butterfly. 2009 , 2, 176-182		7
67	Habitat-specific movement and edge-mediated behavior of the saproxylic insect <i>Odontotaenius disjunctus</i> (Coleoptera: Passalidae). 2009 , 38, 1411-22		18
66	Anomalous diffusion of heterogeneous populations characterized by normal diffusion at the individual level. 2009 , 6, 111-22		85
65	Group-size-mediated habitat selection and group fusion-fission dynamics of bison under predation risk. 2009 , 90, 2480-90		162
64	High dispersal ability and low genetic differentiation in the widespread butterfly species <i>Melanargia galathea</i> . <i>Journal of Insect Conservation</i> , 2010 , 14, 467-478	2.1	11
63	Grassy field margins as potential corridors for butterflies in agricultural landscapes: A simulation study. <i>Ecological Modelling</i> , 2010 , 221, 370-377	3	23
62	Information processing in models for density-dependent emigration: A comparison. <i>Ecological Modelling</i> , 2010 , 221, 405-410	3	37
61	Dispersal mood revealed by shifts from routine to direct flights in the meadow brown butterfly <i>Maniola jurtina</i> . <i>Oikos</i> , 2010 , 119, 1900-1908	4	36
60	The conflicting role of matrix habitats as conduits and barriers for dispersal. 2010 , 91, 944-50		86

59	Robot navigation: implications from search strategies in exploring crayfish. 2010 , 28, 465-475		2
58	Both population size and patch quality affect local extinctions and colonizations. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 79-85	4.4	52
57	Introducing a stochastic movement simulator for estimating habitat connectivity. 2011 , 2, 258-268		80
56	Do all inter-patch movements represent dispersal? A mixed kernel study of butterfly mobility in fragmented landscapes. <i>Journal of Animal Ecology</i> , 2011 , 80, 1070-7	4.7	40
55	Combining measures of dispersal to identify conservation strategies in fragmented landscapes. 2011 , 25, 1022-31		42
54	Between-Patch Bird Movements within a High-Andean Polylepis Woodland/Matrix Landscape: Implications for Habitat Restoration. 2011 , 19, 74-82		17
53	Density-dependent dispersal and the formation of range borders.. <i>Ecography</i> , 2011 , 34, 1002-1008	6.5	31
52	Effect of local weather on butterfly flight behaviour, movement, and colonization: significance for dispersal under climate change. 2011 , 20, 483-503		72
51	Immigration of olfactory searching insects into host plant patches: testing scaling rules for olfactory information. 2011 , 5, 269-277		7
50	Spatial graphs as templates for habitat networks in boreal landscapes. 2012 , 21, 3569-3584		5
49	High-speed railways are not barriers to <i>Pyronia tithonus</i> butterfly movements. <i>Journal of Insect Conservation</i> , 2012 , 16, 801-803	2.1	9
48	Invading a refugium: post glacial replacement of the ancestral lineage of a Nymphalid butterfly in the West Mediterranean. <i>Organisms Diversity and Evolution</i> , 2012 , 12, 39-49	1.7	11
47	Short perceptual range and yet successful invasion of a fragmented landscape: the case of the red-bellied tree squirrel (<i>Callosciurus erythraeus</i>) in Argentina. <i>Landscape Ecology</i> , 2012 , 27, 633-640	4.3	14
46	A meta-analysis of the traits affecting dispersal ability in butterflies: can wingspan be used as a proxy?. <i>Journal of Animal Ecology</i> , 2012 , 81, 174-84	4.7	137
45	Different flight behaviour of the endangered scarce large blue butterfly <i>Phengaris teleius</i> (Lepidoptera: Lycaenidae) within and outside its habitat patches. <i>Landscape Ecology</i> , 2013 , 28, 533-546	4.3	31
44	Biased correlated random walk and foray loop: which movement hypothesis drives a butterfly metapopulation?. <i>Oecologia</i> , 2013 , 172, 293-305	2.9	11
43	Knowing the way home: strong philopatry of a highly mobile insect species, <i>Brenthis ino</i> . <i>Journal of Insect Conservation</i> , 2013 , 17, 1197-1208	2.1	15
42	Population Structures and Dynamics. 2013 , 94-116		

41	An agri-environmental scheme enhances butterfly dispersal in European agricultural landscapes. <i>Agriculture, Ecosystems and Environment</i> , 2013 , 166, 102-109	5.7	26
40	Exploring juvenile golden eagles' dispersal movements at two different temporal scales. <i>Ethology Ecology and Evolution</i> , 2013 , 25, 117-128	0.7	8
39	Interactive effects of landscape and weather on dispersal. <i>Oikos</i> , 2013 , 122, 1576-1585	4	24
38	Where am I and why? Synthesizing range biology and the eco-evolutionary dynamics of dispersal. <i>Oikos</i> , 2014 , 123, 5-22	4	120
37	Integrodifference equations in patchy landscapes : I. Dispersal Kernels. <i>Journal of Mathematical Biology</i> , 2014 , 69, 583-615	2	11
36	Quantifying the activity levels and behavioural responses of butterfly species to habitat boundaries. <i>Ecological Entomology</i> , 2015 , 40, 823-828	2.1	8
35	Developing and Integrating Advanced Movement Features Improves Automated Classification of Ciliate Species. <i>PLoS ONE</i> , 2015 , 10, e0145345	3.7	6
34	Migration Strategies Vary in Space, Time, and Among Species in the Small-fish Metacommunity of the Everglades. <i>Copeia</i> , 2015 , 103, 157-169	1.1	14
33	Improving inferences about functional connectivity from animal translocation experiments. <i>Landscape Ecology</i> , 2015 , 30, 585-593	4.3	21
32	Bio-monitoring of butterfly assemblages in the vicinity of the industrial park Kechnec, Slovakia. <i>Zoology and Ecology</i> , 2015 , 25, 120-128	0.2	
31	Two-species metacommunity dynamics mediated by habitat preference. <i>Oikos</i> , 2016 , 125, 1334-1341	4	1
30	Nectar resource limitation affects butterfly flight performance and metabolism differently in intensive and extensive agricultural landscapes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	18
29	Swallowtail butterflies show positive edge responses predicted by resource use. <i>Landscape Ecology</i> , 2016 , 31, 2115-2131	4.3	4
28	Fine Scale Movements of the Butterfly <i>Plebejus argus</i> in a Heterogeneous Natural Landscape as Revealed by GPS Tracking. <i>Journal of Insect Behavior</i> , 2016 , 29, 80-98	1.1	18
27	Habitat amount, not habitat configuration, best predicts population genetic structure in fragmented landscapes. <i>Landscape Ecology</i> , 2016 , 31, 951-968	4.3	73
26	Testing predictions of movement behaviour in a hilltopping moth. <i>Animal Behaviour</i> , 2017 , 133, 161-168	2.8	7
25	Sexual dimorphism in the alpine butterflies <i>Boloria pales</i> and <i>Boloria napaea</i> : differences in movement and foraging behavior (Lepidoptera: Nymphalidae). <i>Insect Science</i> , 2018 , 25, 1089-1101	3.6	10
24	Frontiers in Metapopulation Biology: The Legacy of Ilkka Hanski. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2018 , 49, 231-252	13.5	15

23	Integrating the influence of weather into mechanistic models of butterfly movement. <i>Movement Ecology</i> , 2019 , 7, 24	4.6	8
22	Quantifying the effectiveness of agri-environment schemes for a grassland butterfly using individual-based models. <i>Ecological Modelling</i> , 2019 , 411, 108798	3	6
21	Foliage Type and Deprivation Alters the Movement Behavior of Late Instar European Gypsy Moth <i>Lymantria dispar</i> (Lepidoptera: Erebidae). <i>Journal of Insect Behavior</i> , 2019 , 32, 24-37	1.1	1
20	The relative importance of local and regional processes to metapopulation dynamics. <i>Journal of Animal Ecology</i> , 2020 , 89, 884-896	4.7	9
19	Behavioural modes in butterflies: their implications for movement and searching behaviour. <i>Animal Behaviour</i> , 2020 , 169, 23-33	2.8	2
18	The importance of including habitat-specific behaviour in models of butterfly movement. <i>Oecologia</i> , 2020 , 193, 249-259	2.9	5
17	Agri-environment conservation set-asides have co-benefits for connectivity. <i>Ecography</i> , 2020 , 43, 1435-1447	4.7	1
16	Long-term demographic surveys reveal a consistent relationship between average occupancy and abundance within local populations of a butterfly metapopulation. <i>Ecography</i> , 2020 , 43, 306-317	6.5	11
15	Behavior underpins the predictive power of a trait-based model of butterfly movement. <i>Ecology and Evolution</i> , 2020 , 10, 3200-3208	2.8	1
14	The role of between-patch dynamics in a metapopulation: a discrete-time modelling approach. <i>Theoretical Ecology</i> , 2021 , 14, 161-172	1.6	
13	Environmental and molecular modulation of motor individuality in larval zebrafish.		
12	Movement across woodland edges suggests plantations and farmland are barriers to dispersal. <i>Landscape Ecology</i> , 1	4.3	0
11	Evolutionary history and patterns of differentiation among European <i>Maniola</i> butterflies (Lepidoptera: Satyrinae). <i>European Journal of Entomology</i> , 2006 , 103, 613-618		8
10	Dispersibility of the Pale Grass Blue Butterfly m (Lepidoptera: Lycaenidae) Revealed by One-Individual Tracking in the Field: Quantitative Comparisons between Subspecies and between Sexes. <i>Insects</i> , 2020 , 11,	2.8	4
9	Metapopulation Structure and Movement of a Threatened Butterfly <i>Parnassius bremeri</i> (Lepidoptera: Papilionidae) in Korea. <i>Korean Journal of Applied Entomology</i> , 2011 , 50, 97-105		6
8	References. 354-388		
7	True site fidelity in pollen-feeding butterflies. <i>Functional Ecology</i> ,	5.6	0
6	Hilltopping influences spatial dynamics in a patchy population of tiger moths.		0

- 5 Environmental and Molecular Modulation of Motor Individuality in Larval Zebrafish.. *Frontiers in Behavioral Neuroscience*, **2021**, 15, 777778 3.5 ○
- 4 Hilltopping influences spatial dynamics in a patchy population of tiger moths. *Proceedings of the Royal Society B: Biological Sciences*, **2022**, 289, 4.4
- 3 Back to the Meadow Brown: eyespot variation and field temperature in a classic butterfly polymorphism.
- 2 Patch-burn management affects grassland butterfly communities in cattle-grazed rangelands. ○
- 1 Simulating the dynamics of dispersal and dispersal ability in fragmented populations with mate-finding Allee effects. **2023**, 13, ○