

The NPH4 Locus Encodes the Auxin Response Factor AFB1 Differential Growth in Aerial Arabidopsis Tissue

Plant Cell

12, 757-770

DOI: [10.1105/tpc.12.5.757](https://doi.org/10.1105/tpc.12.5.757)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Phototropism: A "Simple" Physiological Response Modulated by Multiple Interacting Photosensory-response Pathways. <i>Photochemistry and Photobiology</i> , 2000, 72, 273. | 1.3 | 48 |
| 2 | Ethylene signaling: from mutants to molecules. <i>Current Opinion in Plant Biology</i> , 2000, 3, 353-360. | 3.5 | 166 |
| 4 | Arabidopsis Research 2000. <i>Plant Cell</i> , 2000, 12, 2302. | 3.1 | 0 |
| 5 | AXR2 Encodes a Member of the Aux/IAA Protein Family. <i>Plant Physiology</i> , 2000, 123, 563-574. | 2.3 | 432 |
| 6 | Aux/IAA Proteins Are Phosphorylated by Phytochrome in Vitro. <i>Plant Physiology</i> , 2000, 124, 1728-1738. | 2.3 | 232 |
| 7 | Auxin Signaling. <i>Developmental Cell</i> , 2001, 1, 595-604. | 3.1 | 61 |
| 8 | Roles and activities of Aux/IAA proteins in Arabidopsis. <i>Trends in Plant Science</i> , 2001, 6, 420-425. | 4.3 | 401 |
| 9 | The Enhancement of Phototropin-Induced Phototropic Curvature in Arabidopsis Occurs via a Photoreversible Phytochrome A-Dependent Modulation of Auxin Responsiveness. <i>Plant Physiology</i> , 2001, 126, 826-834. | 2.3 | 81 |
| 10 | Auxin response factor family in rice.. <i>Genes and Genetic Systems</i> , 2001, 76, 373-380. | 0.2 | 39 |
| 11 | Auxin Response Factors. <i>Journal of Plant Growth Regulation</i> , 2001, 20, 281-291. | 2.8 | 150 |
| 12 | Auxins and Tropisms. <i>Journal of Plant Growth Regulation</i> , 2001, 20, 226-243. | 2.8 | 165 |
| 13 | Keeping the Momentum in Auxin Research. <i>Journal of Plant Growth Regulation</i> , 2001, 20, 195-197. | 2.8 | 0 |
| 14 | Gravitropism in cut flower stalks of snapdragon. <i>Advances in Space Research</i> , 2001, 27, 921-932. | 1.2 | 21 |
| 15 | Signals in abscission. <i>New Phytologist</i> , 2001, 151, 323-340. | 3.5 | 321 |
| 16 | Auxin transport: Why plants like to think BIG. <i>Current Biology</i> , 2001, 11, R831-R833. | 1.8 | 25 |
| 17 | Plant morphogenesis: long-distance coordination and local patterning. <i>Current Opinion in Plant Biology</i> , 2001, 4, 57-62. | 3.5 | 238 |
| 18 | Auxin signalling: the beginning, the middle and the end. <i>Current Opinion in Plant Biology</i> , 2001, 4, 382-386. | 3.5 | 65 |
| 19 | Dissection of the Light Signal Transduction Pathways Regulating the Two Early Light-Induced Protein Genes in Arabidopsis. <i>Plant Physiology</i> , 2001, 127, 986-997. | 2.3 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | The Ethylene Pathway: A Paradigm for Plant Hormone Signaling and Interaction. <i>Science Signaling</i> , 2001, 2001, re1-re1. | 1.6 | 38 |
| 21 | BIG: a calossin-like protein required for polar auxin transport in Arabidopsis. <i>Genes and Development</i> , 2001, 15, 1985-1997. | 2.7 | 250 |
| 22 | Genetic regulation of gravitropism in higher plants. <i>International Review of Cytology</i> , 2001, 206, 135-154. | 6.2 | 35 |
| 23 | The Arabidopsis BODENLOS gene encodes an auxin response protein inhibiting MONOPTEROS-mediated embryo patterning. <i>Genes and Development</i> , 2002, 16, 1610-1615. | 2.7 | 485 |
| 24 | Blue Light Receptors and Signal Transduction. <i>Plant Cell</i> , 2002, 14, S207-S225. | 3.1 | 300 |
| 25 | Genetics of Aux/IAA and ARF action in plant growth and development. , 2002, , 387-400. | | 165 |
| 26 | Arabidopsis thaliana: A Model for the Study of Root and Shoot Gravitropism. <i>The Arabidopsis Book</i> , 2002, 1, e0043. | 0.5 | 35 |
| 27 | Expression of the AtGH3a Gene, an Arabidopsis Homologue of the Soybean GH3 Gene, is Regulated by Phytochrome B. <i>Plant and Cell Physiology</i> , 2002, 43, 281-289. | 1.5 | 58 |
| 28 | Auxin cross-talk: integration of signalling pathways to control plant development. , 2002, 49, 411-426. | | 125 |
| 29 | SGR2, a Phospholipase-Like Protein, and ZIG/SGR4, a SNARE, Are Involved in the Shoot Gravitropism of Arabidopsis. <i>Plant Cell</i> , 2002, 14, 33-46. | 3.1 | 220 |
| 30 | MOLECULAR GENETICS OF AUXIN SIGNALING. <i>Annual Review of Plant Biology</i> , 2002, 53, 377-398. | 8.6 | 206 |
| 31 | Light and shade in the photocontrol of Arabidopsis growth. <i>Trends in Plant Science</i> , 2002, 7, 399-404. | 4.3 | 138 |
| 32 | ROOT GRAVITROPISM: An Experimental Tool to Investigate Basic Cellular and Molecular Processes Underlying Mechanosensing and Signal Transmission in Plants. <i>Annual Review of Plant Biology</i> , 2002, 53, 421-447. | 8.6 | 145 |
| 33 | Tropic and Nontropic Responses to Environmental Signals. , 2002, , 717-756. | | 0 |
| 34 | Interactions Between Gravitropism and Phototropism in Plants. <i>Journal of Plant Growth Regulation</i> , 2002, 21, 89-101. | 2.8 | 104 |
| 35 | Photoreceptors in Arabidopsis thaliana : light perception, signal transduction and entrainment of the endogenous clock. <i>Planta</i> , 2002, 216, 1-16. | 1.6 | 166 |
| 36 | Hydrotropism in abscisic acid, wavy, and gravitropic mutants of Arabidopsis thaliana. <i>Planta</i> , 2002, 216, 203-211. | 1.6 | 134 |
| 37 | Lateral root formation is blocked by a gain-of-function mutation in the SOLITARY-ROOT/IAA14 gene of Arabidopsis. <i>Plant Journal</i> , 2002, 29, 153-168. | 2.8 | 654 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Identification of a novel marker for auxin and ethylene cross-talk from tobacco seedlings. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 803-811. | 2.8 | 4 |
| 39 | Down-regulation of DR12, an auxin-response-factor homolog, in the tomato results in a pleiotropic phenotype including dark green and blotchy ripening fruit. <i>Plant Journal</i> , 2002, 32, 603-613. | 2.8 | 223 |
| 40 | Mutation in domain II of IAA1 confers diverse auxin-related phenotypes and represses auxin-activated expression of Aux/IAA genes in steroid regulator-inducible system. <i>Plant Journal</i> , 2002, 32, 669-683. | 2.8 | 83 |
| 41 | Auxin-responsive gene expression: genes, promoters and regulatory factors. <i>Plant Molecular Biology</i> , 2002, 49, 373-385. | 2.0 | 1,018 |
| 42 | Protein phosphorylation in the delivery of and response to auxin signals. <i>Plant Molecular Biology</i> , 2002, 49, 285-303. | 2.0 | 58 |
| 43 | Auxin cross-talk: integration of signalling pathways to control plant development. <i>Plant Molecular Biology</i> , 2002, 49, 409-424. | 2.0 | 170 |
| 44 | Genetics of Aux/IAA and ARF action in plant growth and development. <i>Plant Molecular Biology</i> , 2002, 49, 387-400. | 2.0 | 587 |
| 45 | Secondary messengers and phospholipase A2 in auxin signal transduction. <i>Plant Molecular Biology</i> , 2002, 49, 357-372. | 2.0 | 59 |
| 46 | OsARF1, an auxin response factor from rice, is auxin-regulated and classifies as a primary auxin responsive gene. <i>Plant Molecular Biology</i> , 2002, 50, 415-425. | 2.0 | 74 |
| 47 | Phototropin 1 is required for high-fluence blue-light-mediated mRNA destabilization. <i>Plant Molecular Biology</i> , 2003, 51, 609-618. | 2.0 | 48 |
| 48 | Interactions Between Light and Plant Hormones During De-etiolation. <i>Journal of Plant Growth Regulation</i> , 2003, 22, 3-14. | 2.8 | 45 |
| 49 | Simple hormones but complex signalling. <i>Current Opinion in Plant Biology</i> , 2003, 6, 51-56. | 3.5 | 61 |
| 50 | Light perception and signalling in higher plants. <i>Current Opinion in Plant Biology</i> , 2003, 6, 446-452. | 3.5 | 188 |
| 51 | Mutations in the huge Arabidopsis gene BIG affect a range of hormone and light responses. <i>Plant Journal</i> , 2003, 35, 57-70. | 2.8 | 97 |
| 52 | Phytochrome-hormonal signalling networks. <i>New Phytologist</i> , 2003, 157, 449-463. | 3.5 | 108 |
| 53 | SIR1, an Upstream Component in Auxin Signaling Identified by Chemical Genetics. <i>Science</i> , 2003, 301, 1107-1110. | 6.0 | 158 |
| 54 | Physiological characterization of auxinic herbicide-resistant biotypes of kochia (<i>Kochia scoparia</i>). <i>Weed Science</i> , 2003, 51, 839-844. | 0.8 | 32 |
| 55 | The Arabidopsis MALE MEIOCYTE DEATH1 Gene Encodes a PHD-Finger Protein That Is Required for Male Meiosis. <i>Plant Cell</i> , 2003, 15, 1281-1295. | 3.1 | 168 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | Ethylene and Auxin Control the Arabidopsis Response to Decreased Light Intensity. <i>Plant Physiology</i> , 2003, 133, 517-527. | 2.3 | 166 |
| 57 | Ethylene Regulates Arabidopsis Development via the Modulation of DELLA Protein Growth Repressor Function. <i>Plant Cell</i> , 2003, 15, 2816-2825. | 3.1 | 391 |
| 58 | MASSUGU2 Encodes Aux/IAA19, an Auxin-Regulated Protein That Functions Together with the Transcriptional Activator NPH4/ARF7 to Regulate Differential Growth Responses of Hypocotyl and Formation of Lateral Roots in Arabidopsis thaliana. <i>Plant Cell</i> , 2004, 16, 379-393. | 3.1 | 411 |
| 59 | Overlapping and non-redundant functions of the Arabidopsis auxin response factors MONOPTEROS and NONPHOTOTROPIC HYPOCOTYL 4. <i>Development (Cambridge)</i> , 2004, 131, 1089-1100. | 1.2 | 302 |
| 60 | Isolation of cucumber CsARF cDNAs and expression of the corresponding mRNAs during gravity-regulated morphogenesis of cucumber seedlings. <i>Journal of Experimental Botany</i> , 2004, 55, 1315-1323. | 2.4 | 15 |
| 61 | Disruption and overexpression of auxin response factor 8 gene of Arabidopsis affect hypocotyl elongation and root growth habit, indicating its possible involvement in auxin homeostasis in light condition. <i>Plant Journal</i> , 2004, 40, 333-343. | 2.8 | 235 |
| 62 | The IAA1 protein is encoded by AXR5 and is a substrate of SCFTIR1. <i>Plant Journal</i> , 2004, 40, 772-782. | 2.8 | 201 |
| 63 | Auxin signals "turning genes on and turning cells around. <i>Current Opinion in Plant Biology</i> , 2004, 7, 553-563. | 3.5 | 82 |
| 64 | Light differentially regulates the expression of two members of the auxin-induced 1-aminocyclopropane-1-carboxylate synthase gene family in mung bean (<i>Vigna radiata</i> L.) seedlings. <i>Planta</i> , 2004, 218, 976-988. | 1.6 | 11 |
| 65 | A novel mutant with modified tropic responses in <i>Pisum sativum</i> L.. <i>Planta</i> , 2004, 220, 222-229. | 1.6 | 2 |
| 66 | ydk1-D, an auxin-responsive GH3 mutant that is involved in hypocotyl and root elongation. <i>Plant Journal</i> , 2004, 37, 471-483. | 2.8 | 177 |
| 67 | Ethylene-mediated enhancement of apical hook formation in etiolated Arabidopsis thaliana seedlings is gibberellin dependent. <i>Plant Journal</i> , 2004, 37, 505-516. | 2.8 | 134 |
| 68 | Changes in gene expression during meristem activation processes in <i>Solanum tuberosum</i> with a focus on the regulation of an auxin response factor gene*. <i>Journal of Experimental Botany</i> , 2004, 55, 613-622. | 2.4 | 78 |
| 69 | Interactions between Auxin Transport and the Actin Cytoskeleton in Developmental Polarity of <i>Fucus distichus</i> Embryos in Response to Light and Gravity. <i>Plant Physiology</i> , 2004, 135, 266-278. | 2.3 | 63 |
| 70 | Convergence of Signaling Pathways in the Control of Differential Cell Growth in Arabidopsis. <i>Developmental Cell</i> , 2004, 7, 193-204. | 3.1 | 289 |
| 71 | Shaping the shoot: a circuitry that integrates multiple signals. <i>Trends in Plant Science</i> , 2004, 9, 499-506. | 4.3 | 41 |
| 72 | Light Signal Transduction in Higher Plants. <i>Annual Review of Genetics</i> , 2004, 38, 87-117. | 3.2 | 843 |
| 73 | Roles Played by Auxin in Phototropism and Photomorphogenesis. , 2005, , 269-276. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | AUXIN RESPONSE FACTOR 2 (ARF2): a pleiotropic developmental regulator. <i>Plant Journal</i> , 2005, 43, 29-46. | 2.8 | 336 |
| 75 | NPH4/ARF7 and ARF19 promote leaf expansion and auxin-induced lateral root formation. <i>Plant Journal</i> , 2005, 43, 118-130. | 2.8 | 415 |
| 76 | Tissue-specific expression of stabilized SOLITARY-ROOT/IAA14 alters lateral root development in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2005, 44, 382-395. | 2.8 | 236 |
| 77 | Root gravitropism requires lateral root cap and epidermal cells for transport and response to a mobile auxin signal. <i>Nature Cell Biology</i> , 2005, 7, 1057-1065. | 4.6 | 514 |
| 78 | Developmental specificity of auxin response by pairs of ARF and Aux/IAA transcriptional regulators. <i>EMBO Journal</i> , 2005, 24, 1874-1885. | 3.5 | 349 |
| 79 | Ethylene signalling and response pathway: a unique signalling cascade with a multitude of inputs and outputs. <i>Physiologia Plantarum</i> , 2005, 123, 195-206. | 2.6 | 77 |
| 80 | Isolation of a Mutant of Fer1 Gene, Acting Synergistically with the ARF8 Gene to Control Development of the Anther and Filament in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2005, 47, 327-333. | 4.1 | 0 |
| 81 | Plant tropisms: providing the power of movement to a sessile organism. <i>International Journal of Developmental Biology</i> , 2005, 49, 665-674. | 0.3 | 113 |
| 82 | AUXIN RESPONSE FACTOR1 and AUXIN RESPONSE FACTOR2 regulate senescence and floral organ abscission in <i>Arabidopsis thaliana</i> . <i>Development (Cambridge)</i> , 2005, 132, 4563-4574. | 1.2 | 531 |
| 83 | The <i>Arabidopsis</i> Cold-Responsive Transcriptome and Its Regulation by ICE1. <i>Plant Cell</i> , 2005, 17, 3155-3175. | 3.1 | 711 |
| 84 | Phototropins and Associated Signaling: Providing the Power of Movement in Higher Plants. <i>Photochemistry and Photobiology</i> , 2005, 81, 73. | 1.3 | 37 |
| 85 | Functional Genomic Analysis of the AUXIN/INDOLE-3-ACETIC ACID Gene Family Members in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2005, 17, 3282-3300. | 3.1 | 331 |
| 86 | The GUS reporter-aided analysis of the promoter activities of <i>Arabidopsis</i> ACC synthase genes AtACS4, AtACS5, and AtACS7 induced by hormones and stresses. <i>Journal of Experimental Botany</i> , 2005, 56, 909-920. | 2.4 | 135 |
| 87 | CORKSCREW1 Defines a Novel Mechanism of Domain Specification in the Maize Shoot. <i>Plant Physiology</i> , 2005, 138, 1396-1408. | 2.3 | 8 |
| 88 | A Brassinosteroid-Hypersensitive Mutant of BAK1 Indicates That a Convergence of Photomorphogenic and Hormonal Signaling Modulates Phototropism. <i>Plant Physiology</i> , 2005, 139, 448-457. | 2.3 | 52 |
| 89 | A Possible Role for NDPK2 in the Regulation of Auxin-mediated Responses for Plant Growth and Development. <i>Plant and Cell Physiology</i> , 2005, 46, 1246-1254. | 1.5 | 38 |
| 90 | The Rice COLEOPTILE PHOTOTROPISM1 Gene Encoding an Ortholog of <i>Arabidopsis</i> NPH3 Is Required for Phototropism of Coleoptiles and Lateral Translocation of Auxin. <i>Plant Cell</i> , 2005, 17, 103-115. | 3.1 | 116 |
| 91 | Phototropins, Other Photoreceptors, and Associated Signaling: The Lead and Supporting Cast in the Control of Plant Movement Responses. <i>Current Topics in Developmental Biology</i> , 2005, 66, 215-238. | 1.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 92 | Auxin response factors ARF6 and ARF8 promote jasmonic acid production and flower maturation. <i>Development (Cambridge)</i> , 2005, 132, 4107-4118. | 1.2 | 608 |
| 93 | Auxin: Regulation, Action, and Interaction. <i>Annals of Botany</i> , 2005, 95, 707-735. | 1.4 | 1,876 |
| 95 | Surge and destroy: the role of auxin in plant embryogenesis. <i>Development (Cambridge)</i> , 2005, 132, 3577-3585. | 1.2 | 121 |
| 96 | Auxin Response Factors Mediate Arabidopsis Organ Asymmetry via Modulation of KANADI Activity. <i>Plant Cell</i> , 2005, 17, 2899-2910. | 3.1 | 460 |
| 97 | Control of Root Cap Formation by MicroRNA-Targeted Auxin Response Factors in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 2204-2216. | 3.1 | 741 |
| 98 | Functional Genomic Analysis of the AUXIN RESPONSE FACTOR Gene Family Members in Arabidopsis thaliana: Unique and Overlapping Functions of ARF7 and ARF19. <i>Plant Cell</i> , 2005, 17, 444-463. | 3.1 | 933 |
| 99 | An Indole-3-Acetic Acid Carboxyl Methyltransferase Regulates Arabidopsis Leaf Development. <i>Plant Cell</i> , 2005, 17, 2693-2704. | 3.1 | 260 |
| 100 | AUXIN RESPONSE FACTOR7 Restores the Expression of Auxin-Responsive Genes in Mutant Arabidopsis Leaf Mesophyll Protoplasts. <i>Plant Cell</i> , 2005, 17, 1979-1993. | 3.1 | 182 |
| 101 | A Link between Ethylene and Auxin Uncovered by the Characterization of Two Root-Specific Ethylene-Insensitive Mutants in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 2230-2242. | 3.1 | 452 |
| 102 | Plant Development Is Regulated by a Family of Auxin Receptor F Box Proteins. <i>Developmental Cell</i> , 2005, 9, 109-119. | 3.1 | 865 |
| 103 | Ethylene Biosynthesis and Signaling: An Overview. <i>Vitamins and Hormones</i> , 2005, 72, 399-430. | 0.7 | 64 |
| 104 | Gravitropic Bending and Plant Hormones. <i>Vitamins and Hormones</i> , 2005, 72, 31-78. | 0.7 | 42 |
| 106 | A gradient of auxin and auxin-dependent transcription precedes tropic growth responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 236-241. | 3.3 | 210 |
| 107 | Brassinosteroid induction of AtACS4 encoding an auxin-responsive 1-aminocyclopropane-1-carboxylate synthase 4 in Arabidopsis seedlings. <i>Physiologia Plantarum</i> , 2006, 126, 060217072449002-???. | 2.6 | 8 |
| 108 | Transfection Assays With Protoplasts Containing Integrated Reporter Genes. , 2006, 323, 237-244. | | 31 |
| 109 | The Janus face of ethylene: growth inhibition and stimulation. <i>Trends in Plant Science</i> , 2006, 11, 176-183. | 4.3 | 398 |
| 111 | Signal Crosstalk in the Control of Hypocotyl Elongation in Arabidopsis. <i>Plant Cell Monographs</i> , 2006, , 271-293. | 0.4 | 3 |
| 112 | Growth and Function of Roots under Abiotic Stress in Soils. , 2006, , 271-319. | | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 113 | A C2H2-type zinc finger protein, SGR5, is involved in early events of gravitropism in Arabidopsis inflorescence stems. <i>Plant Journal</i> , 2006, 47, 619-628. | 2.8 | 81 |
| 114 | A trial of phenome analysis using 4000Ds-insertional mutants in gene-coding regions of Arabidopsis. <i>Plant Journal</i> , 2006, 47, 640-651. | 2.8 | 110 |
| 115 | Plant fertility defects induced by the enhanced expression of microRNA167. <i>Cell Research</i> , 2006, 16, 457-465. | 5.7 | 167 |
| 116 | Spatiotemporal asymmetric auxin distribution: a means to coordinate plant development. <i>Cellular and Molecular Life Sciences</i> , 2006, 63, 2738-2754. | 2.4 | 328 |
| 117 | Phototropin and light-signaling in phototropism. <i>Current Opinion in Plant Biology</i> , 2006, 9, 503-508. | 3.5 | 60 |
| 118 | Phototropism: Bending towards Enlightenment. <i>Plant Cell</i> , 2006, 18, 1110-1119. | 3.1 | 132 |
| 119 | Ethylene Modulates Flavonoid Accumulation and Gravitropic Responses in Roots of Arabidopsis. <i>Plant Physiology</i> , 2006, 140, 1384-1396. | 2.3 | 190 |
| 120 | Transcriptional Regulation of Gibberellin Metabolism Genes by Auxin Signaling in Arabidopsis. <i>Plant Physiology</i> , 2006, 142, 553-563. | 2.3 | 255 |
| 121 | Fluorescence Cross-Correlation Analyses of the Molecular Interaction between an Aux/IAA Protein, MSG2/IAA19, and Proteinâ€“Protein Interaction Domains of Auxin Response Factors of Arabidopsis Expressed in HeLa Cells. <i>Plant and Cell Physiology</i> , 2006, 47, 1095-1101. | 1.5 | 49 |
| 122 | Inhibition of Brassinosteroid Biosynthesis by Either a dwarf4 Mutation or a Brassinosteroid Biosynthesis Inhibitor Rescues Defects in Tropic Responses of Hypocotyls in the Arabidopsis Mutant nonphototropic hypocotyl 4 Å. <i>Plant Physiology</i> , 2006, 141, 456-464. | 2.3 | 47 |
| 123 | A Role for Auxin Response Factor 19 in Auxin and Ethylene Signaling in Arabidopsis. <i>Plant Physiology</i> , 2006, 140, 899-908. | 2.3 | 163 |
| 124 | RCN1-Regulated Phosphatase Activity and EIN2 Modulate Hypocotyl Gravitropism by a Mechanism That Does Not Require Ethylene Signaling. <i>Plant Physiology</i> , 2006, 141, 1617-1629. | 2.3 | 51 |
| 126 | The AUXIN RESPONSE FACTOR 2 gene of Arabidopsis links auxin signalling, cell division, and the size of seeds and other organs. <i>Development (Cambridge)</i> , 2006, 133, 251-261. | 1.2 | 536 |
| 127 | INTERACTION OF LIGHT AND HORMONE SIGNALLING TO MEDIATE PHOTOMORPHOGENESIS. , 2006, , 439-473. | | 9 |
| 128 | Specificity and Similarity of Functions of the Aux/IAA Genes in Auxin Signaling of Arabidopsis Revealed by Promoter-Exchange Experiments among MSG2/IAA19, AXR2/IAA7, and SLR/IAA14. <i>Plant Physiology</i> , 2007, 144, 187-196. | 2.3 | 80 |
| 129 | The<i>Arabidopsis</i> Transcription Factor MYB77 Modulates Auxin Signal Transduction. <i>Plant Cell</i> , 2007, 19, 2440-2453. | 3.1 | 337 |
| 130 | NPY1, a BTB-NPH3-like protein, plays a critical role in auxin-regulated organogenesis in <i>Arabidopsis</i>. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18825-18829. | 3.3 | 125 |
| 131 | Ethylene modulates genetic, positional, and nutritional regulation of root plagiotropism. <i>Functional Plant Biology</i> , 2007, 34, 41. | 1.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 132 | Auxin Transport and the Integration of Gravitropic Growth. , 0, , 47-77. | | 15 |
| 134 | Photoreceptor Interactions with Other Signals. , 0, , 235-264. | | 0 |
| 135 | Phototropins and Other LOV-containing Proteins. , 0, , 49-78. | | 1 |
| 136 | Genome-wide analysis of the auxin response factors (ARF) gene family in rice (<i>Oryza sativa</i>). <i>Gene</i> , 2007, 394, 13-24. | 1.0 | 371 |
| 137 | From genes to patterns: Auxin distribution and auxin-dependent gene regulation in plant pattern formation. <i>Canadian Journal of Botany</i> , 2007, 85, 353-368. | 1.2 | 2 |
| 140 | Identification of photoperception and light signal transduction pathways in citrus. <i>Genetics and Molecular Biology</i> , 2007, 30, 780-793. | 0.6 | 1 |
| 141 | Light and Plant Development. , 2007, , . | | 82 |
| 143 | Phototropins and Associated Signaling: Providing the Power of Movement in Higher Plants ^{Å¶}. <i>Photochemistry and Photobiology</i> , 2005, 81, 73-80. | 1.3 | 3 |
| 144 | Differential expression of the auxin primary response gene MASSUGU2/IAA19 during tropic responses of <i>Arabidopsis hypocotyls</i> . <i>Physiologia Plantarum</i> , 2007, 130, 148-156. | 2.6 | 9 |
| 145 | OsEXPA4 and OsRWC3 are involved in asymmetric growth during gravitropic bending of rice leaf sheath bases. <i>Physiologia Plantarum</i> , 2007, 130, 560-571. | 2.6 | 23 |
| 146 | Degradation of the auxin response factor ARF1. <i>Plant Journal</i> , 2008, 54, 118-128. | 2.8 | 48 |
| 147 | Hormonal Regulation of Leaf Morphogenesis in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2007, 49, 75-80. | 4.1 | 38 |
| 148 | Genome-wide analysis of Aux/IAA and ARF gene families in <i>Populus trichocarpa</i> . <i>BMC Plant Biology</i> , 2007, 7, 59. | 1.6 | 218 |
| 149 | Auxin response factors. <i>Current Opinion in Plant Biology</i> , 2007, 10, 453-460. | 3.5 | 1,003 |
| 150 | Phototropin Blue-Light Receptors. <i>Annual Review of Plant Biology</i> , 2007, 58, 21-45. | 8.6 | 777 |
| 151 | Phototropism: A "Simple" Physiological Response Modulated by Multiple Interacting Photosensory-response Pathways Å¶. <i>Photochemistry and Photobiology</i> , 2007, 72, 273-282. | 1.3 | 3 |
| 152 | One for All and All for One: Cross-Talk of Multiple Signals Controlling the Plant Phenotype. <i>Journal of Plant Growth Regulation</i> , 2007, 26, 178-187. | 2.8 | 30 |
| 153 | Ethylene and shoot regeneration: <i>hookless1</i> modulates de novo shoot organogenesis in <i>Arabidopsis thaliana</i> . <i>Plant Cell Reports</i> , 2008, 27, 655-666. | 2.8 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 154 | In silico analysis of candidate genes involved in light sensing and signal transduction pathways in soybean. <i>Plant Biotechnology Reports</i> , 2008, 2, 59-73. | 0.9 | 1 |
| 155 | Overexpression of the non- ϵ -canonical <i>Aux/IAA</i> genes causes auxin-related aberrant phenotypes in <i>Arabidopsis</i> . <i>Physiologia Plantarum</i> , 2008, 133, 397-405. | 2.6 | 94 |
| 156 | <i>SPOROCTELESS</i> modulates <i>YUCCA</i> expression to regulate the development of lateral organs in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2008, 179, 751-764. | 3.5 | 69 |
| 158 | The dual-and-opposing-effect of ethylene on the negative gravitropism of <i>Arabidopsis</i> inflorescence stem and light-grown hypocotyls. <i>Plant Science</i> , 2008, 175, 71-86. | 1.7 | 12 |
| 159 | <i>NPY</i> genes and AGC kinases define two key steps in auxin-mediated organogenesis in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 21017-21022. | 3.3 | 139 |
| 160 | Disruptions in <i>AUX1</i> -Dependent Auxin Influx Alter Hypocotyl Phototropism in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2008, 1, 129-144. | 3.9 | 53 |
| 161 | Genome-Wide Analysis Revealed the Complex Regulatory Network of Brassinosteroid Effects in Photomorphogenesis. <i>Molecular Plant</i> , 2009, 2, 755-772. | 3.9 | 57 |
| 162 | Understanding phototropism: from Darwin to today. <i>Journal of Experimental Botany</i> , 2009, 60, 1969-1978. | 2.4 | 79 |
| 163 | Differential Downward Stream of Auxin Synthesized at the Tip Has a Key Role in Gravitropic Curvature via <i>TIR1/AFBs</i> -Mediated Auxin Signaling Pathways. <i>Plant and Cell Physiology</i> , 2009, 50, 1874-1885. | 1.5 | 48 |
| 164 | <i>LBD18/ASL20</i> Regulates Lateral Root Formation in Combination with <i>LBD16/ASL18</i> Downstream of <i>ARF7</i> and <i>ARF19</i> in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2009, 151, 1377-1389. | 2.3 | 246 |
| 165 | Auxin perception and polar auxin transport are not always a prerequisite for differential growth. <i>Plant Signaling and Behavior</i> , 2009, 4, 899-901. | 1.2 | 11 |
| 166 | A Combinatorial Interplay Among the 1-Aminocyclopropane-1-Carboxylate Isoforms Regulates Ethylene Biosynthesis in <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 2009, 183, 979-1003. | 1.2 | 263 |
| 167 | Genome-wide analysis of the auxin-responsive transcriptome downstream of <i>iaa1</i> and its expression analysis reveal the diversity and complexity of auxin-regulated gene expression. <i>Journal of Experimental Botany</i> , 2009, 60, 3935-3957. | 2.4 | 67 |
| 168 | The polarly localized <i>D6 PROTEIN KINASE</i> is required for efficient auxin transport in <i>Arabidopsis thaliana</i> . <i>Development (Cambridge)</i> , 2009, 136, 627-636. | 1.2 | 133 |
| 169 | Comprehensive expression profiling analysis of <i>OsIAA</i> gene family in developmental processes and in response to phytohormone and stress treatments. <i>Planta</i> , 2009, 229, 577-591. | 1.6 | 146 |
| 170 | Hormonal interactions during root tropic growth: hydrotropism versus gravitropism. <i>Plant Molecular Biology</i> , 2009, 69, 489-502. | 2.0 | 91 |
| 171 | The <i>Solanum lycopersicum</i> auxin response factor ϵ 7 (<i>SlARF7</i>) regulates auxin signaling during tomato fruit set and development. <i>Plant Journal</i> , 2009, 57, 160-170. | 2.8 | 303 |
| 172 | Changes in growth kinetics of stamen filaments cause inefficient pollination in <i>massugu2</i> , an auxin insensitive, dominant mutant of <i>Arabidopsis thaliana</i> . <i>Physiologia Plantarum</i> , 2009, 137, 175-187. | 2.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 173 | Differential petiole growth in <i>Arabidopsis thaliana</i> : photocontrol and hormonal regulation. <i>New Phytologist</i> , 2009, 184, 141-152. | 3.5 | 77 |
| 174 | Mechanism of Auxin-Regulated Gene Expression in Plants. <i>Annual Review of Genetics</i> , 2009, 43, 265-285. | 3.2 | 602 |
| 175 | Stem cells: The root of all cells. <i>Seminars in Cell and Developmental Biology</i> , 2009, 20, 1089-1096. | 2.3 | 17 |
| 176 | The bent peduncle phenomenon in roses is a developmental process involving auxin. <i>Plant Science</i> , 2009, 176, 736-743. | 1.7 | 7 |
| 177 | The <i>TRANSPORT INHIBITOR RESPONSE2</i> Gene Is Required for Auxin Synthesis and Diverse Aspects of Plant Development. <i>Plant Physiology</i> , 2009, 151, 168-179. | 2.3 | 185 |
| 178 | Signaling in Phototropism. <i>Signaling and Communication in Plants</i> , 2009, , 239-260. | 0.5 | 1 |
| 179 | <i>Arabidopsis</i> Root Development. , 0, , 1-38. | | 3 |
| 180 | Signaling in Plants. <i>Signaling and Communication in Plants</i> , 2009, , . | 0.5 | 1 |
| 181 | Auxin Biosynthesis and Its Role in Plant Development. <i>Annual Review of Plant Biology</i> , 2010, 61, 49-64. | 8.6 | 1,085 |
| 182 | Genetic analysis and gene fine mapping of a rolling leaf mutant (rl 11(t)) in rice (<i>Oryza sativa</i> L.). <i>Science Bulletin</i> , 2010, 55, 1763-1769. | 1.7 | 1 |
| 183 | The role of floral organs in carpels, an <i>Arabidopsis</i> loss-of-function mutation in MicroRNA160a, in organogenesis and the mechanism regulating its expression. <i>Plant Journal</i> , 2010, 62, 416-428. | 2.8 | 154 |
| 184 | Light signal transduction: an infinite spectrum of possibilities. <i>Plant Journal</i> , 2010, 61, 982-991. | 2.8 | 119 |
| 185 | Role of the phytochrome and cryptochrome signaling pathways in hypocotyl phototropism. <i>Plant Journal</i> , 2010, 62, 653-662. | 2.8 | 66 |
| 186 | Role of PIN-mediated auxin efflux in apical hook development of <i>Arabidopsis thaliana</i> . <i>Development (Cambridge)</i> , 2010, 137, 607-617. | 1.2 | 297 |
| 187 | The auxin influx carriers AUX1 and LAX3 are involved in auxin-ethylene interactions during apical hook development in <i>Arabidopsis thaliana</i> seedlings. <i>Development (Cambridge)</i> , 2010, 137, 597-606. | 1.2 | 226 |
| 188 | Functional analysis of the structural domain of ARF proteins in rice (<i>Oryza sativa</i> L.). <i>Journal of Experimental Botany</i> , 2010, 61, 3971-3981. | 2.4 | 125 |
| 189 | PIN it on Auxin. <i>Plant Signaling and Behavior</i> , 2010, 5, 1379-1383. | 1.2 | 8 |
| 190 | Exploring the link between auxin receptors, rapid cell elongation and organ tropisms. <i>Plant Signaling and Behavior</i> , 2010, 5, 601-603. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 191 | Root Development. , 2010, , 71-90. | | 1 |
| 192 | The Roles of YUCCA Genes in Local Auxin Biosynthesis and Plant Development. , 2010, , 227-235. | | 2 |
| 193 | Ethylene Signal Transduction in Fruits and Flowers. , 2010, , 377-398. | | 10 |
| 194 | On the Relevance and Control of Leaf Angle. <i>Critical Reviews in Plant Sciences</i> , 2010, 29, 300-316. | 2.7 | 89 |
| 195 | Phototropism: Mechanism and Outcomes. <i>The Arabidopsis Book</i> , 2010, 8, e0125. | 0.5 | 43 |
| 196 | Auxin Control in the Formation of Adventitious Roots. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2011, 39, 307. | 0.5 | 114 |
| 197 | Hierarchy of hormone action controlling apical hook development in Arabidopsis. <i>Plant Journal</i> , 2011, 67, 622-634. | 2.8 | 92 |
| 198 | A Hormonal Regulatory Module That Provides Flexibility to Tropic Responses $\hat{\hat{A}}$. <i>Plant Physiology</i> , 2011, 156, 1819-1825. | 2.3 | 33 |
| 199 | Genome-wide analysis of auxin response factor (ARF) gene family from tomato and analysis of their role in flower and fruit development. <i>Molecular Genetics and Genomics</i> , 2011, 285, 245-260. | 1.0 | 179 |
| 200 | Genome-wide identification and expression profiling of auxin response factor (ARF) gene family in maize. <i>BMC Genomics</i> , 2011, 12, 178. | 1.2 | 189 |
| 201 | Multiple Facets of <i>Arabidopsis</i> Seedling Development Require $\&\#x2028$;Indole-3-Butyric Acid $\hat{\hat{A}}$ Derived Auxin. <i>Plant Cell</i> , 2011, 23, 984-999. | 3.1 | 149 |
| 202 | A Negative Effector of Blue Light-Induced and Gravitropic Bending in Arabidopsis $\hat{\hat{A}}$. <i>Plant Physiology</i> , 2011, 156, 439-447. | 2.3 | 29 |
| 203 | AUXIN RESPONSE FACTOR8 Regulates <i>Arabidopsis</i> Petal Growth by Interacting with the bHLH Transcription Factor BIGPETALp $\hat{\hat{A}}$. <i>Plant Cell</i> , 2011, 23, 973-983. | 3.1 | 206 |
| 204 | Modulation of Phototropic Responsiveness in <i>Arabidopsis</i> through Ubiquitination of Phototropin 1 by the CUL3-Ring E3 Ubiquitin Ligase CRL3NPH3 $\hat{\hat{A}}$. <i>Plant Cell</i> , 2011, 23, 3627-3640. | 3.1 | 131 |
| 205 | Phytochromes inhibit hypocotyl negative gravitropism by regulating the development of endodermal amyloplasts through phytochrome-interacting factors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 1729-1734. | 3.3 | 88 |
| 206 | Seven Things We Think We Know about Auxin Transport. <i>Molecular Plant</i> , 2011, 4, 487-504. | 3.9 | 196 |
| 207 | NPY Genes Play an Essential Role in Root Gravitropic Responses in Arabidopsis. <i>Molecular Plant</i> , 2011, 4, 171-179. | 3.9 | 41 |
| 208 | Phytochrome Kinase Substrate 4 is phosphorylated by the phototropin 1 photoreceptor. <i>EMBO Journal</i> , 2012, 31, 3457-3467. | 3.5 | 82 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 209 | Irrepressible, truncated Auxin Response Factors. <i>Plant Signaling and Behavior</i> , 2012, 7, 1027-1030. | 1.2 | 4 |
| 210 | Effects of Wavelength of Different LED on the Growth of Clivia Plantlets. , 2012, , . | | 1 |
| 211 | Molecular Genetic Analysis of Phototropism in Arabidopsis. <i>Plant and Cell Physiology</i> , 2012, 53, 1517-1534. | 1.5 | 57 |
| 212 | <i>Arabidopsis</i> ribosomal proteins control developmental programs through translational regulation of auxin response factors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 19537-19544. | 3.3 | 99 |
| 213 | The Interaction and Integration of Auxin Signaling Components. <i>Plant and Cell Physiology</i> , 2012, 53, 965-975. | 1.5 | 158 |
| 214 | Carbohydrate Stress Affecting Fruitlet Abscission and Expression of Genes Related to Auxin Signal Transduction Pathway in Litchi. <i>International Journal of Molecular Sciences</i> , 2012, 13, 16084-16103. | 1.8 | 52 |
| 215 | Auxin and ethylene: collaborators or competitors?. <i>Trends in Plant Science</i> , 2012, 17, 181-195. | 4.3 | 372 |
| 216 | Comprehensive transcriptome analysis reveals novel genes involved in cardiac glycoside biosynthesis and mIcRNAs associated with secondary metabolism and stress response in <i>Digitalis purpurea</i> . <i>BMC Genomics</i> , 2012, 13, 15. | 1.2 | 69 |
| 217 | Functional analysis and binding affinity of tomato ethylene response factors provide insight on the molecular bases of plant differential responses to ethylene. <i>BMC Plant Biology</i> , 2012, 12, 190. | 1.6 | 142 |
| 218 | Effects of indole-3-acetic acid and auxin transport inhibitors on the style curvature of three <i>Alpinia</i> species (Zingiberaceae). <i>Acta Physiologiae Plantarum</i> , 2012, 34, 2019-2025. | 1.0 | 6 |
| 219 | Hypocotyl Transcriptome Reveals Auxin Regulation of Growth-Promoting Genes through GA-Dependent and -Independent Pathways. <i>PLoS ONE</i> , 2012, 7, e36210. | 1.1 | 127 |
| 220 | Regulation of Leaf Morphology by MicroRNA394 and its Target LEAF CURLING RESPONSIVENESS. <i>Plant and Cell Physiology</i> , 2012, 53, 1283-1294. | 1.5 | 107 |
| 221 | Systematic analysis of plant-specific B3 domain-containing proteins based on the genome resources of 11 sequenced species. <i>Molecular Biology Reports</i> , 2012, 39, 6267-6282. | 1.0 | 38 |
| 222 | Diversification, phylogeny and evolution of auxin response factor (ARF) family: insights gained from analyzing maize ARF genes. <i>Molecular Biology Reports</i> , 2012, 39, 2401-2415. | 1.0 | 70 |
| 223 | Polar Auxin Transport. <i>Signaling and Communication in Plants</i> , 2013, , . | 0.5 | 18 |
| 224 | Antagonistic Regulation of Leaf Flattening by Phytochrome B and Phototropin in <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , 2013, 54, 69-79. | 1.5 | 44 |
| 225 | Phototropism: at the crossroads of light-signaling pathways. <i>Trends in Plant Science</i> , 2013, 18, 393-401. | 4.3 | 86 |
| 226 | Phototropism: Translating light into directional growth. <i>American Journal of Botany</i> , 2013, 100, 47-59. | 0.8 | 76 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 227 | Brassinosteroids Regulate the Differential Growth of Arabidopsis Hypocotyls through Auxin Signaling Components IAA19 and ARF7. <i>Molecular Plant</i> , 2013, 6, 887-904. | 3.9 | 63 |
| 228 | Studies on the Rice LEAF INCLINATION1 (LC1), an IAA-amido Synthetase, Reveal the Effects of Auxin in Leaf Inclination Control. <i>Molecular Plant</i> , 2013, 6, 174-187. | 3.9 | 96 |
| 229 | Brassinosteroid control of shoot gravitropism interacts with ethylene and depends on auxin signaling components. <i>American Journal of Botany</i> , 2013, 100, 215-225. | 0.8 | 56 |
| 230 | Phototropins Function in High-Intensity Blue Light-Induced Hypocotyl Phototropism in Arabidopsis by Altering Cytosolic Calcium Ca^{2+} . <i>Plant Physiology</i> , 2013, 162, 1539-1551. | 2.3 | 70 |
| 231 | PIF4 and PIF5 Transcription Factors Link Blue Light and Auxin to Regulate the Phototropic Response in Arabidopsis. <i>Plant Cell</i> , 2013, 25, 2102-2114. | 3.1 | 141 |
| 232 | Differential growth at the apical hook: all roads lead to auxin. <i>Frontiers in Plant Science</i> , 2013, 4, 441. | 1.7 | 98 |
| 233 | D6PK AGCVIII Kinases Are Required for Auxin Transport and Phototropic Hypocotyl Bending in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 1674-1688. | 3.1 | 118 |
| 235 | Genome-wide analysis of the auxin response factor gene family in cucumber. <i>Genetics and Molecular Research</i> , 2013, 12, 4317-4331. | 0.3 | 31 |
| 236 | Intragenic Suppressor of Osiaa23 Revealed a Conserved Tryptophan Residue Crucial for Protein-Protein Interactions. <i>PLoS ONE</i> , 2014, 9, e85358. | 1.1 | 16 |
| 237 | Proper PIN1 Distribution Is Needed for Root Negative Phototropism in Arabidopsis. <i>PLoS ONE</i> , 2014, 9, e85720. | 1.1 | 15 |
| 238 | Investigation of Intercellular Salicylic Acid Accumulation during Compatible and Incompatible Arabidopsis-Pseudomonas syringae Interactions Using a Fast Neutron-Generated Mutant Allele of EDS5 Identified by Genetic Mapping and Whole-Genome Sequencing. <i>PLoS ONE</i> , 2014, 9, e88608. | 1.1 | 28 |
| 239 | Genome-Wide Characterization and Expression Profiling of the AUXIN RESPONSE FACTOR (ARF) Gene Family in Eucalyptus grandis. <i>PLoS ONE</i> , 2014, 9, e108906. | 1.1 | 45 |
| 240 | Phototropin 1 and dim-blue light modulate the red light de-etiolation response. <i>Plant Signaling and Behavior</i> , 2014, 9, e976158. | 1.2 | 0 |
| 241 | Hormonal networks involved in apical hook development in darkness and their response to light. <i>Frontiers in Plant Science</i> , 2014, 5, 52. | 1.7 | 93 |
| 242 | Cytokinin treatments affect the apical-basal patterning of the Arabidopsis gynoecium and resemble the effects of polar auxin transport inhibition. <i>Frontiers in Plant Science</i> , 2014, 5, 191. | 1.7 | 51 |
| 243 | Phototropism: Growing towards an Understanding of Plant Movement. <i>Plant Cell</i> , 2014, 26, 38-55. | 3.1 | 142 |
| 244 | Mutants of phospholipase <i>A</i> (<i>pPLA</i>) have a red light and auxin phenotype. <i>Plant, Cell and Environment</i> , 2014, 37, 1626-1640. | 2.8 | 18 |
| 245 | Distinct subclades of <i>Aux/IAA</i> genes are direct targets of <i>ARF5/MP</i> transcriptional regulation. <i>New Phytologist</i> , 2014, 204, 474-483. | 3.5 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 246 | Comparative transcriptome analysis of aerial and subterranean pods development provides insights into seed abortion in peanut. <i>Plant Molecular Biology</i> , 2014, 85, 395-409. | 2.0 | 28 |
| 247 | Auxin and Its Role in Plant Development. , 2014, , . | | 37 |
| 248 | Auxin and Tropisms. , 2014, , 361-387. | | 9 |
| 249 | Intercellular Transport of Auxin. , 2014, , 75-100. | | 10 |
| 250 | AINTEGUMENTA-LIKE proteins: hubs in a plethora of networks. <i>Trends in Plant Science</i> , 2014, 19, 146-157. | 4.3 | 157 |
| 251 | Mutation of <i>A</i> rhabdopsin <i>CATALASE2</i> results in hyponastic leaves by changes of auxin levels. <i>Plant, Cell and Environment</i> , 2014, 37, 175-188. | 2.8 | 77 |
| 252 | Genome-wide identification and characterization of auxin response factor (ARF) family genes related to flower and fruit development in papaya (<i>Carica papaya</i> L.). <i>BMC Genomics</i> , 2015, 16, 901. | 1.2 | 64 |
| 253 | Strategies of seedlings to overcome their sessile nature: auxin in mobility control. <i>Frontiers in Plant Science</i> , 2015, 6, 218. | 1.7 | 35 |
| 254 | Integration of Ethylene and Auxin Signaling and the Developmental Consequences of Their Crosstalk. , 2015, , 175-204. | | 4 |
| 255 | Genome-wide identification, isolation and expression analysis of auxin response factor (ARF) gene family in sweet orange (<i>Citrus sinensis</i>). <i>Frontiers in Plant Science</i> , 2015, 6, 119. | 1.7 | 88 |
| 256 | Auxin-Mediated Transcriptional System with a Minimal Set of Components Is Critical for Morphogenesis through the Life Cycle in <i>Marchantia polymorpha</i> . <i>PLoS Genetics</i> , 2015, 11, e1005084. | 1.5 | 157 |
| 257 | Genome-wide identification and expression analysis of auxin response factor gene family in <i>Medicago truncatula</i> . <i>Frontiers in Plant Science</i> , 2015, 6, 73. | 1.7 | 107 |
| 258 | Genome-wide identification of auxin response factor (ARF) genes and its tissue-specific prominent expression in <i>Gossypium raimondii</i> . <i>Functional and Integrative Genomics</i> , 2015, 15, 481-493. | 1.4 | 41 |
| 259 | Impact of heavy metal stresses on the growth and auxin homeostasis of <i>Arabidopsis</i> seedlings. <i>BioMetals</i> , 2015, 28, 123-132. | 1.8 | 65 |
| 260 | Ethylene in Plants. , 2015, , . | | 28 |
| 261 | Auxin response factors. <i>Plant, Cell and Environment</i> , 2016, 39, 1014-1028. | 2.8 | 218 |
| 262 | RPT2/NCH1 subfamily of NPH3-like proteins is essential for the chloroplast accumulation response in land plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10424-10429. | 3.3 | 36 |
| 263 | Genome-wide characterization and expression pattern of auxin response factor (ARF) gene family in soybean and common bean. <i>Genes and Genomics</i> , 2016, 38, 1165-1178. | 0.5 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 264 | The auxin response factor <scp>MONOPTEROS</scp> controls meristem function and organogenesis in both the shoot and root through the direct regulation of <i><scp>PIN</scp></i> genes. <i>New Phytologist</i> , 2016, 212, 42-50. | 3.5 | 87 |
| 265 | A Model of Differential Growth-Guided Apical Hook Formation in Plants. <i>Plant Cell</i> , 2016, 28, 2464-2477. | 3.1 | 53 |
| 266 | SIARF2a plays a negative role in mediating axillary shoot formation. <i>Scientific Reports</i> , 2016, 6, 33728. | 1.6 | 6 |
| 268 | A single amino acid substitution in the R3 domain of GLABRA1 leads to inhibition of trichome formation in <i>Arabidopsis</i> without affecting its interaction with GLABRA3. <i>Plant, Cell and Environment</i> , 2016, 39, 897-907. | 2.8 | 53 |
| 269 | Regulation of seedling growth by ethylene and the ethylene-â€“auxin crosstalk. <i>Planta</i> , 2017, 245, 467-489. | 1.6 | 70 |
| 270 | Division of Labor during Apical Hook Formation. <i>Plant Cell</i> , 2017, 29, 917-918. | 3.1 | 2 |
| 271 | Ethylene Regulates Differential Growth via BIG ARF-GEF-Dependent Post-Golgi Secretory Trafficking in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2017, 29, 1039-1052. | 3.1 | 28 |
| 272 | Genome-Wide Identification of Auxin Response Factor (ARF) Genes Family and its Tissue-Specific Prominent Expression in Pineapple (<i>Ananas comosus</i>). <i>Tropical Plant Biology</i> , 2017, 10, 86-96. | 1.0 | 42 |
| 273 | LAZY Genes Mediate the Effects of Gravity on Auxin Gradients and Plant Architecture. <i>Plant Physiology</i> , 2017, 175, 959-969. | 2.3 | 120 |
| 274 | Genome-wide identification and co-expression network analysis provide insights into the roles of auxin response factor gene family in chickpea. <i>Scientific Reports</i> , 2017, 7, 10895. | 1.6 | 52 |
| 275 | ACCEBATIN, a small molecule at the intersection of auxin and reactive oxygen species homeostasis with herbicidal properties. <i>Journal of Experimental Botany</i> , 2017, 68, 4185-4203. | 2.4 | 7 |
| 276 | Biochemical and chemical biology study of rice OsTAR1 revealed that tryptophan aminotransferase is involved in auxin biosynthesis; identification of a potent OsTAR1 inhibitor, pyruvamine2031. <i>Plant and Cell Physiology</i> , 2017, 58, pxx007. | 1.5 | 25 |
| 277 | Comparative Analysis of Cotton Small RNAs and Their Target Genes in Response to Salt Stress. <i>Genes</i> , 2017, 8, 369. | 1.0 | 21 |
| 278 | Identification and Expression Profiling of the Auxin Response Factors in <i>Dendrobium officinale</i> under Abiotic Stresses. <i>International Journal of Molecular Sciences</i> , 2017, 18, 927. | 1.8 | 25 |
| 279 | Identification and Expression Profiling of the Auxin Response Factors in <i>Capsicum annuum</i> L. under Abiotic Stress and Hormone Treatments. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2719. | 1.8 | 23 |
| 280 | MYB Transcription Factors and a Putative Flavonoid Transporter ABCC-Like are Differentially Expressed in <i>Radiata</i> Pine Seedlings Exposed to Inclination. <i>Journal of Plant Growth Regulation</i> , 2018, 37, 64-75. | 2.8 | 5 |
| 281 | Evolution of nuclear auxin signaling: lessons from genetic studies with basal land plants. <i>Journal of Experimental Botany</i> , 2018, 69, 291-301. | 2.4 | 53 |
| 286 | Genome-Wide Investigation of the Auxin Response Factor Gene Family in Tartary Buckwheat (<i>Fagopyrum tataricum</i>). <i>International Journal of Molecular Sciences</i> , 2018, 19, 3526. | 1.8 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 288 | Root branching toward water involves posttranslational modification of transcription factor ARF7. <i>Science</i> , 2018, 362, 1407-1410. | 6.0 | 179 |
| 289 | Phototropism in land plants: Molecules and mechanism from light perception to response. <i>Frontiers in Biology</i> , 2018, 13, 342-357. | 0.7 | 7 |
| 290 | Root Gravitropism Is Regulated by a Crosstalk between <i>para</i> -Aminobenzoic Acid, Ethylene, and Auxin. <i>Plant Physiology</i> , 2018, 178, 1370-1389. | 2.3 | 33 |
| 291 | Transcriptome analysis of <i>Pinus massoniana</i> Lamb. microstrobili during sexual reversal. <i>Open Life Sciences</i> , 2018, 13, 97-106. | 0.6 | 3 |
| 292 | A Sweetpotato Auxin Response Factor Gene (<i>IbARF5</i>) Is Involved in Carotenoid Biosynthesis and Salt and Drought Tolerance in Transgenic <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 1307. | 1.7 | 89 |
| 293 | Genome-wide identification and expression profiling of the auxin response factor (ARF) gene family in physic nut. <i>PLoS ONE</i> , 2018, 13, e0201024. | 1.1 | 24 |
| 294 | Tropisms of Underground Shoots—Stolons and Rhizomes. <i>Biology Bulletin Reviews</i> , 2018, 8, 181-192. | 0.3 | 5 |
| 295 | Three Auxin Response Factors Promote Hypocotyl Elongation. <i>Plant Physiology</i> , 2018, 178, 864-875. | 2.3 | 79 |
| 296 | Genome-wide identification of the GhARF gene family reveals that GhARF2 and GhARF18 are involved in cotton fibre cell initiation. <i>Journal of Experimental Botany</i> , 2018, 69, 4323-4337. | 2.4 | 43 |
| 297 | Effects of maize organ-specific drought stress response on yields from transcriptome analysis. <i>BMC Plant Biology</i> , 2019, 19, 335. | 1.6 | 66 |
| 298 | Auxin Induces Widespread Proteome Remodeling in <i>Arabidopsis</i> Seedlings. <i>Proteomics</i> , 2019, 19, 1900199. | 1.3 | 10 |
| 299 | Identification of Auxin Response Factor-Encoding Genes Expressed in Distinct Phases of Leaf Vein Development and with Overlapping Functions in Leaf Formation. <i>Plants</i> , 2019, 8, 242. | 1.6 | 14 |
| 300 | Auxin-Dependent Cell Elongation During the Shade Avoidance Response. <i>Frontiers in Plant Science</i> , 2019, 10, 914. | 1.7 | 53 |
| 301 | Autopolyploidization in switchgrass alters phenotype and flowering time via epigenetic and transcription regulation. <i>Journal of Experimental Botany</i> , 2019, 70, 5673-5686. | 2.4 | 22 |
| 302 | Mechanical Behaviors of Methane Hydrate-Bearing Sediments Using Montmorillonite Clay. <i>Energy Procedia</i> , 2019, 158, 5281-5286. | 1.8 | 15 |
| 303 | Genome-wide identification and expression analysis of auxin response factor (ARF) gene family in strawberry (<i>Fragaria vesca</i>). <i>Journal of Integrative Agriculture</i> , 2019, 18, 1587-1603. | 1.7 | 14 |
| 304 | Expression and Distribution of the Auxin Response Factors in <i>Sorghum bicolor</i> During Development and Temperature Stress. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4816. | 1.8 | 13 |
| 305 | <i>Trichoderma</i> Histone Deacetylase HDA-2 Modulates Multiple Responses in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2019, 179, 1343-1361. | 2.3 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 306 | Three BnaIAA7 homologs are involved in auxin/brassinosteroid-mediated plant morphogenesis in rapeseed (<i>Brassica napus</i> L.). <i>Plant Cell Reports</i> , 2019, 38, 883-897. | 2.8 | 25 |
| 307 | In seedlings of <i>Pinus radiata</i> , jasmonic acid and auxin are differentially distributed on opposite sides of tilted stems affecting lignin monomer biosynthesis and composition. <i>Plant Physiology and Biochemistry</i> , 2019, 135, 215-223. | 2.8 | 13 |
| 308 | <i>Arabidopsis</i> ANAC092 regulates auxin-mediated root development by binding to the <i>ARF8</i> and <i>PIN4</i> promoters. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 1015-1031. | 4.1 | 21 |
| 309 | TaARF4 genes are linked to root growth and plant height in wheat. <i>Annals of Botany</i> , 2019, 124, 903-915. | 1.4 | 38 |
| 310 | Non-steroidal Anti-inflammatory Drugs Target TWISTED DWARF1-Regulated Actin Dynamics and Auxin Transport-Mediated Plant Development. <i>Cell Reports</i> , 2020, 33, 108463. | 2.9 | 11 |
| 311 | Auxin Response Factor 2A Is Part of the Regulatory Network Mediating Fruit Ripening Through Auxin-Ethylene Crosstalk in Durian. <i>Frontiers in Plant Science</i> , 2020, 11, 543747. | 1.7 | 22 |
| 312 | Long-distance regulation of shoot gravitropism by Cyclophilin 1 in tomato (<i>Solanum lycopersicum</i>) plants. <i>Planta</i> , 2020, 252, 50. | 1.6 | 1 |
| 313 | Protein Levels of Several <i>Arabidopsis</i> Auxin Response Factors Are Regulated by Multiple Factors and ABA Promotes ARF6 Protein Ubiquitination. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9437. | 1.8 | 18 |
| 314 | CpARF2 and CpEIL1 interact to mediate auxin-ethylene interaction and regulate fruit ripening in papaya. <i>Plant Journal</i> , 2020, 103, 1318-1337. | 2.8 | 54 |
| 315 | Root Development and Stress Tolerance in rice: The Key to Improving Stress Tolerance without Yield Penalties. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1807. | 1.8 | 39 |
| 316 | ZEITLUPE facilitates the rhythmic movements of <i>Nicotiana attenuata</i> flowers. <i>Plant Journal</i> , 2020, 103, 308-322. | 2.8 | 2 |
| 317 | The auxin response factor gene family in wheat (<i>Triticum aestivum</i> L.): Genome-wide identification, characterization and expression analyses in response to leaf rust. <i>South African Journal of Botany</i> , 2021, 140, 312-325. | 1.2 | 13 |
| 318 | Interplay between Cell Wall and Auxin Mediates the Control of Differential Cell Elongation during Apical Hook Development. <i>Current Biology</i> , 2020, 30, 1733-1739.e3. | 1.8 | 30 |
| 319 | Genome-wide identification and functional analysis of ARF transcription factors in <i>Brassica juncea</i> var. <i>tumida</i> . <i>PLoS ONE</i> , 2020, 15, e0232039. | 1.1 | 9 |
| 320 | The Asymmetric Expression of SAUR Genes Mediated by ARF7/19 Promotes the Gravitropism and Phototropism of Plant Hypocotyls. <i>Cell Reports</i> , 2020, 31, 107529. | 2.9 | 35 |
| 321 | Genome-wide analysis of auxin response factor (ARF) genes and functional identification of <i>MdARF2</i> reveals the involvement in the regulation of anthocyanin accumulation in apple. <i>New Zealand Journal of Crop and Horticultural Science</i> , 2021, 49, 78-91. | 0.7 | 15 |
| 322 | A network of transcriptional repressors modulates auxin responses. <i>Nature</i> , 2021, 589, 116-119. | 13.7 | 56 |
| 323 | The microtubule-associated protein WDL4 modulates auxin distribution to promote apical hook opening in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2021, 33, 1927-1944. | 3.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 324 | Mechanochemical feedback mediates tissue bending required for seedling emergence. <i>Current Biology</i> , 2021, 31, 1154-1164.e3. | 1.8 | 43 |
| 325 | PIP2, An Auxin Induced Plant Peptide Hormone Regulates Root and Hypocotyl Elongation in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 646736. | 1.7 | 4 |
| 326 | Structural Aspects of Auxin Signaling. <i>Cold Spring Harbor Perspectives in Biology</i> , 2022, 14, a039883. | 2.3 | 20 |
| 327 | Aux/IAA and ARF Gene Families in <i>Salix suchowensis</i> : Identification, Evolution, and Dynamic Transcriptome Profiling During the Plant Growth Process. <i>Frontiers in Plant Science</i> , 2021, 12, 666310. | 1.7 | 12 |
| 329 | Petiole hormones act as regulators in the early phototropic leaf movements of grape (<i>Vitis vinifera</i> L.) revealed by comparative transcriptome profiling. <i>Scientia Horticulturae</i> , 2021, 283, 110049. | 1.7 | 2 |
| 330 | Knockdown of MicroRNA160a/b by STTM leads to root architecture changes via auxin signaling in <i>Solanum tuberosum</i> . <i>Plant Physiology and Biochemistry</i> , 2021, 166, 939-949. | 2.8 | 8 |
| 331 | SIGNAL TRANSDUCTION IN BLUE LIGHT-MEDIATED RESPONSES. , 2006, , 305-327. | | 3 |
| 332 | The Effect of Light and Gravity on Hypocotyl Growth Orientation. , 2005, , 277-284. | | 3 |
| 333 | Photomorphogenesis and Photoperiodism in Plants. , 2008, , 417-463. | | 3 |
| 334 | Auxin, One Major Plant Hormone, in Soil. , 2016, , 175-209. | | 4 |
| 335 | Protein phosphorylation in the delivery of and response to auxin signals. , 2002, , 285-303. | | 5 |
| 336 | Secondary messengers and phospholipase A2 in auxin signal transduction. , 2002, , 357-372. | | 18 |
| 337 | Auxin-responsive gene expression: genes, promoters and regulatory factors. , 2002, , 373-385. | | 29 |
| 342 | Ectopic Expression of a Wheat WRKY Transcription Factor Gene TaWRKY71-1 Results in Hyponastic Leaves in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2013, 8, e63033. | 1.1 | 16 |
| 343 | Gibberellin Application at Pre-Bloom in Grapevines Down-Regulates the Expressions of VvIAA9 and VvARF7, Negative Regulators of Fruit Set Initiation, during Parthenocarpic Fruit Development. <i>PLoS ONE</i> , 2014, 9, e95634. | 1.1 | 33 |
| 344 | The Protein Kinase CK2 Mediates Cross-Talk between Auxin- and Salicylic Acid-Signaling Pathways in the Regulation of PINOID Transcription. <i>PLoS ONE</i> , 2016, 11, e0157168. | 1.1 | 13 |
| 345 | Phototropins and associated signaling: Providing the power of movement in higher plants. <i>Photochemistry and Photobiology</i> , 2004, 81, 73-80. | 1.3 | 17 |
| 348 | Relationship between <i>cpt1</i> Gene and the Negative Phototropism in Rice Roots. <i>Acta Agronomica Sinica</i> (China), 2009, 35, 1558-1561. | 0.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 349 | Signaling crosstalk between ethylene and other molecules. <i>Plant Biotechnology</i> , 2005, 22, 401-407. | 0.5 | 3 |
| 350 | Hormones and Light-Regulated Seedling Development. <i>Plant in Challenging Environments</i> , 2021, , 91-116. | 0.4 | 1 |
| 351 | Phenotypic and genotypic parallel evolution in parapatric ecotypes of <i>Senecio</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 3115-3131. | 1.1 | 22 |
| 352 | Photomorphogenesis and Photoperiodism in Plants. , 2002, , 299-334. | | 0 |
| 353 | Regulation of Polar Auxin Transport by Protein Phosphorylation. <i>Signaling and Communication in Plants</i> , 2013, , 81-101. | 0.5 | 0 |
| 354 | The Role of Auxin Transport and Distribution in Plant Gravimorphogenesis. <i>Signaling and Communication in Plants</i> , 2013, , 179-199. | 0.5 | 0 |
| 356 | Genome-wide exploration of auxin response factors (ARFs) and their expression dynamics in response to abiotic stresses and growth regulators in coconut (<i>Cocos nucifera</i> L.). <i>Plant Gene</i> , 2021, 28, 100344. | 1.4 | 9 |
| 357 | Dissection of the light signal transduction pathways regulating the two early light-induced protein genes in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2001, 127, 986-97. | 2.3 | 31 |
| 358 | Biphasic control of cell expansion by auxin coordinates etiolated seedling development. <i>Science Advances</i> , 2022, 8, eabj1570. | 4.7 | 19 |
| 359 | Genome-wide identification of auxin response factor (ARF) gene family and the miR160-ARF18-mediated response to salt stress in peanut (<i>Arachis hypogaea</i> L.). <i>Genomics</i> , 2022, 114, 171-184. | 1.3 | 30 |
| 360 | Protein phosphorylation in the delivery of and response to auxin signals. <i>Plant Molecular Biology</i> , 2002, 49, 285-303. | 2.0 | 29 |
| 361 | Secondary messengers and phospholipase A2 in auxin signal transduction. <i>Plant Molecular Biology</i> , 2002, 49, 357-72. | 2.0 | 21 |
| 362 | Auxin-responsive gene expression: genes, promoters and regulatory factors. <i>Plant Molecular Biology</i> , 2002, 49, 373-85. | 2.0 | 446 |
| 363 | Genetics of Aux/IAA and ARF action in plant growth and development. <i>Plant Molecular Biology</i> , 2002, 49, 387-400. | 2.0 | 289 |
| 369 | A feedback regulation between ARF7-mediated auxin signaling and auxin homeostasis involving MES17 affects plant gravitropism. <i>Journal of Integrative Plant Biology</i> , 2022, 64, 1339-1351. | 4.1 | 6 |
| 370 | MdARF8: An Auxin Response Factor Involved in Jasmonate Signaling Pathway in <i>Malus domestica</i> . <i>Journal of Plant Growth Regulation</i> , 2023, 42, 1738-1749. | 2.8 | 2 |
| 371 | Identification and characterization of auxin response factor (ARF) family members involved in fig (<i>Ficus carica</i> L.) fruit development. <i>PeerJ</i> , 0, 10, e13798. | 0.9 | 1 |
| 372 | GmIAA27 Encodes an AUX/IAA Protein Involved in Dwarfing and Multi-Branching in Soybean. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8643. | 1.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 373 | Advances in structure and function of auxin response factor in plants. <i>Journal of Integrative Plant Biology</i> , 2023, 65, 617-632. | 4.1 | 22 |
| 374 | Identification of <i>Brachypodium distachyon</i> B3 genes reveals that BdB3-54 regulates primary root growth. <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 0 |
| 375 | The action of enhancing weak light capture via phototropic growth and chloroplast movement in plants. <i>Stress Biology</i> , 2022, 2, . | 1.5 | 0 |
| 376 | Light Promotes Protein Stability of Auxin Response Factor 7. <i>Phyton</i> , 2023, 92, 1153-1160. | 0.4 | 0 |
| 377 | Genomic divergence and introgression among three <i>Populus</i> species. <i>Molecular Phylogenetics and Evolution</i> , 2023, 180, 107686. | 1.2 | 5 |
| 378 | LkARF7 and LkARF19 overexpression promote adventitious root formation in a heterologous poplar model by positively regulating LkBBM1. <i>Communications Biology</i> , 2023, 6, . | 2.0 | 3 |
| 379 | Differential gene expression signatures of auxin response factors and auxin/ indole 3-acetic acid genes in storage root as compared to non-tuber forming fibrous root of sweet potato (<i>Ipomoea batatas</i>)., 2017, 87, . | | 1 |