CITATION REPORT List of articles citing

Differential control of systolic and diastolic blood pressure: factors associated with lack of blood pressure control in the community

DOI: 10.1161/01.hyp.36.4.594 Hypertension, 2000, 36, 594-9.

Source: https://exaly.com/paper-pdf/31946119/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
354	The challenge of controlling systolic blood pressure: data from the National Health and Nutrition Examination Survey (NHANES III), 19881994. <i>Journal of Clinical Hypertension</i> , 2001 , 3, 211-6	2.3	32
353	Distribution of blood pressure and hypertension in Canada and the United States. 2001 , 14, 1099-105		157
352	Update in pharmacologic treatment of hypertension. 2001 , 19, 279-94, v		10
351	Choice of drug treatment for obesity-related hypertension: where is the evidence?. 2001 , 19, 667-74		63
350	Management of hypertension by general practitioners: an Italian observational study. 2001 , 18, 122-30		5
349	Hypothesis: pulse pressure and human longevity. <i>Hypertension</i> , 2001 , 37, 1060-6	8.5	46
348	Hypertension control at hospital discharge after acute coronary event: influence on cardiovascular prognosisthe PREVENIR study. 2002 , 88, 587-91		25
347	Residual lifetime risk for developing hypertension in middle-aged women and men: The Framingham Heart Study. 2002 , 287, 1003-10		865
346	Cardiovascular hazards of components of blood pressure. 2002 , 20, 395-7		4
345	A high level of awareness but a poor control of hypertension among elderly Greeks. The Nemea primary care study. 2002 , 16, 285-7		6
344	Effect of time since onset of risk factors on the occurrence of ischemic stroke. 2002 , 58, 787-94		7
343	Treatment and control of hypertension in the community: a prospective analysis. <i>Hypertension</i> , 2002 , 40, 640-6	8.5	88
342	Imaging in aortoarteritis. 2002 , 88, 591		
341	Hypertension magnitude and management in the elderly population of Spain. 2002 , 20, 2157-64		151
340	Why is blood pressure control unsatisfactoryor is it?. 2002 , 17, 1547-50		9
339	Current World Literature. 2002, 11, 237-266		
338	Psychophysiologic effects of Hatha Yoga on musculoskeletal and cardiopulmonary function: a literature review. 2002 , 8, 797-812		264

337	Systolic hypertension as a cardiovascular risk factor. 2002 , 11, 134-43	8
336	El problema del control de la hipertensifi en Espafi. 2002 , 19, 377-381	
335	Relationship between home blood pressure and longitudinal changes in target organ damage in treated hypertensive patients. <i>Hypertension Research</i> , 2002 , 25, 167-73	71
334	Isolated Systolic Hypertension in the Elderly. 2002 , 4, 87-93	5
333	Resistant hypertension. 2002 , 4, 221-8	45
332	The COMpliance Praxis Survey (COMPASS): a multidimensional instrument to monitor compliance for patients on antihypertensive medication. 2002 , 16, 779-87	16
331	The Importance of Systolic Blood Pressure Control and Cardiovascular Disease Prevention. 2003 , 5, 271-277	5
330	Determinants of poor hypertension management in the community. 2003, 17, 215-7	6
329	The TI 86C endothelial nitric oxide synthase genotype and coronary artery disease: Reply. 2003 , 42, 1140-1141	5
328	Response to renin-angiotensin system antagonists in hypertensive black subjects. 2003 , 42, 1141; author reply 1141-2	О
327	The relationship between systolic blood pressure and cardiovascular riskresults of the Brisighella Heart Study. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 47-52	39
326	Physician-nurse team approaches to improve blood pressure control. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 386-92	4
325	Patient knowledge and awareness of hypertension is suboptimal: results from a large health maintenance organization. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 254-60	34
324	Effect of forced titration of nebivolol on response rate in obese hypertensive patients. 2003 , 16, 98-100	2
323	Prevalence and implications of uncontrolled systolic hypertension. 2003 , 20, 277-86	40
322	Reduction (TELMAR) as assessed by magnetic resonance imaging in patients with mild-to-moderate hypertensiona prospective, randomised, double-blind comparison of telmisartan with metoprolol over a period of six months rationale and study design. 2003 , 4, 234-43	13
321	Relation between blood pressure control, body mass index, and intensity of medical treatment. Hypertension Research, 2003, 26, 711-5 4-7	7
320	Role of organizational factors in poor blood pressure control in patients with type 2 diabetes: the QuED Study Groupquality of care and outcomes in type 2 diabetes. 2003 , 163, 473-80	42

319	Facts and principles learned at the 31st Annual Williamsburg Conference on Heart Disease. 2004 , 17, 106-15		
318	Narrowing the gap in hypertension: effectiveness of a complex antihypertensive program in the elderly. 2004 , 7, 235-43		11
317	Comparison of hypertension management after stroke and myocardial infarction: results from ECLAT1a French nationwide study. 2004 , 35, 1579-83		22
316	Improvement of blood pressure control in a hypertension clinic: a 10-year follow-up study. 2004 , 18, 273-8		16
315	A likely explanation for the J-curve of blood pressure cardiovascular risk. 2004, 94, 380-4		103
314	Is there a need for novel antihypertensive therapies?. 2004 , 1, 143-148		
313	Hypertension treatment and control in five European countries, Canada, and the United States. <i>Hypertension</i> , 2004 , 43, 10-7	8.5	814
312	Trial suggests nurse counselling may reduce antihypertensive medication, but not alter blood pressure in high risk people with hypertension. 2004 , 8, 30-1; discussion 32-3		
311	Past, present, and future clinical trials of cardiovascular risk reduction the hypertension perspective. 2004 , 1262, 261-264		
310	Hypertension in overweight and obese primary care patients is highly prevalent and poorly controlled. 2004 , 17, 904-10		203
309	Systolic blood pressure: itR time to take control. 2004 , 17, 49S-54S		31
308	Hypertension and the elderly: more than just blood pressure control. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 249-55	2.3	9
307	Hypertensive patients from two rural Chinese counties respond differently to benazepril: the Anhui Hypertension Health Care Study. 2004 , 14, 123-8		5
306	[What progress can be expected in the management of hypertension? Forecast from 1974 to 2034]. 2004 , 33, 721-32		1
305	Trends in blood pressure control and antihypertensive treatment in clinical practice: the Brisighella Heart Study. 2004 , 22, 1707-16		36
304	DoctorsPestimation of cardiovascular risk and willingness to give drug treatment in hypertension: fair risk assessment but defensive treatment policy. 2004 , 22, 65-71		23
303	Facts and principles learned at the 32nd annual Williamsburg Conference on Heart Disease. 2005 , 18, 141-56		1
302	Improving control of hypertension by an integrated approach results of the PManage it well!P programme. 2005 , 23, 203-11		11

(2005-2005)

301	The impact of a stroke prevention clinic in diagnosing modifiable risk factors for stroke. 2005 , 32, 496-500	13
300	Hypertensionstill an important cause of heart failure?. 2005 , 19, 267-75	16
299	Systemic hypertension: some observations. 2005 , 96, 1610-1	3
298	Management of hypertension in overweight and obese patients: a practical guide for clinicians. 2005 , 7, 330-6	19
297	Natural history of hypertension subtypes. 2005 , 111, 1094-6	44
296	Control of hypertension in adults with chronic kidney disease in the United States. <i>Hypertension</i> , 8.5	126
295	How can we improve the effectiveness of treatment in elderly hypertensives?. 2005 , 2, 46-9	11
294	Epidemiology of uncontrolled hypertension in the United States. 2005 , 112, 1651-62	248
293	Importance of arterial pulse pressure as a predictor of coronary heart disease risk in PROCAM. 2005 , 26, 2120-6	100
292	Hipertensili arterial refractaria verdadera. Estudio de prevalencia en una consulta hospitalaria. 2005 , 22, 189-194	2
291	Hipertensili arterial refractaria verdadera. Estudio de prevalencia en una consulta hospitalaria. 2005 , 22, 189-194	
290	Efficacy of combination therapy for systolic blood pressure in patients with severe systolic hypertension: the Systolic Evaluation of Lotrel Efficacy and Comparative Therapies (SELECT) study. 2.3 Journal of Clinical Hypertension, 2005, 7, 641-6; quiz 647-8	41
289	Systolic hypertension: an overview. 2005 , 149, 769-75	9
288	Evaluation and management of patients with uncontrolled systolic hypertension: is another new paradigm really needed?. 2005 , 149, 776-84	9
287	Role of angiotensin receptor blockers as monotherapy in reaching blood pressure goals. 2005 , 18, 287-94	40
286	Role of arterial wall properties in the pathogenesis of systolic hypertension. 2005 , 18, 19S-22S	30
285	Self-reported hypertension treatment beliefs and practices of primary care physicians in a managed care organization. 2005 , 18, 566-71	20
284	Ethnic differences in older americans: awareness, knowledge, and beliefs about hypertension. 2005 , 18, 972-9	27

283	[Utility of extended release indapamide in the treatment of hypertension in at risk elderly: extended release study]. 2005 , 205, 478-83	
282	Trends in the prevalence, awareness, treatment and control of hypertension: the WHO MONICA Project. European Journal of Cardiovascular Prevention and Rehabilitation, 2006 , 13, 13-29	6
281	Treatment and blood pressure control in 47,964 people with diabetes and hypertension: a systematic review of observational studies. 2006 , 22, 855-60	39
280	Hipertensifi arterial refractaria. 2006 , 23, 184-194	
279	Resistant or difficult-to-treat hypertension. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 181-6 2.3	20
278	Hipertensifi arterial refractaria. 2006 , 23, 184-194	
277	Desirable therapeutic characteristics of an optimal antihypertensive agent. 2006 , 66, 1239-52	12
276	Indapamide SR versus candesartan and amlodipine in hypertension: the X-CELLENT Study. 2006 , 19, 113-21	31
275	Longitudinal study on hypertension control in primary care: the Insubria study. 2006 , 19, 140-5	8
274	Hypertension: trends in prevalence, incidence, and control. 2006 , 27, 465-90	235
²⁷⁴	Hypertension: trends in prevalence, incidence, and control. 2006 , 27, 465-90 Achieving blood pressure goals: why aren® we?. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 865-72 2.3	235 37
273	Achieving blood pressure goals: why aren®t we?. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 865-72 2.3	
² 73	Achieving blood pressure goals: why aren® we?. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 865-72 2.3 Antihypertensive therapy for the prevention of stroke in the aging population. 2006 , 2, 589-597	37
273 272 271	Achieving blood pressure goals: why aren® we?. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 865-72 2.3 Antihypertensive therapy for the prevention of stroke in the aging population. 2006 , 2, 589-597 Trends in hypertension care in eastern and south-western Finland during 1982-2002. 2006 , 24, 829-36	22
273 272 271 270	Achieving blood pressure goals: why aren® we?. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 865-72 2.3 Antihypertensive therapy for the prevention of stroke in the aging population. 2006 , 2, 589-597 Trends in hypertension care in eastern and south-western Finland during 1982-2002. 2006 , 24, 829-36 Hypertension: which aspects of hypertension should we impact on and how?. 2006 , 24, S2-5	22
273 272 271 270 269	Achieving blood pressure goals: why aren® we?. Journal of Clinical Hypertension, 2006, 8, 865-72 2.3 Antihypertensive therapy for the prevention of stroke in the aging population. 2006, 2, 589-597 Trends in hypertension care in eastern and south-western Finland during 1982-2002. 2006, 24, 829-36 Hypertension: which aspects of hypertension should we impact on and how?. 2006, 24, S2-5 Current diagnosis and management of hypertensive emergency. 2006, 19, 502-12 Treatment and control of hypertension in Turkish population: a survey on high blood pressure in	37 22 10 32

(2008-2006)

265	Aldosteronism and hypertension. 2006 , 1, 1039-45	51
264	Cardiovascular disease preventive measures for the older patient: an epidemiologic perspective. 2006 , 15, 382-8	9
263	Epidemiology of Hypertension. 2007 , 3-14	
262	Controlled diastolic blood pressure, previous stroke and associated risk factors are obstacles to improving systolic blood pressure. 2007 , 21, 893-6	1
261	Antihypertensive properties of a high-dose combination of trandolapril and verapamil-SR. 2007, 16, 6-9	3
260	Differential Control of Systolic and Diastolic Blood Pressure: Factors Associated With Lack of Blood Pressure Control in Rural Community of Liaoning Province, China. 2007 , 53, 209-214	4
259	Patients with resistant hypertension. 2007 , 25, S3-6	6
258	Prevention of ischemic stroke: overview of traditional risk factors. 2007 , 8, 794-801	25
257	Aldosterone antagonist therapy in resistant hypertension. 2007 , 25, 747-50	24
256	Arterial stiffness as a cause of resistant hypertension?. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 390-5 2.3	30
255	[Arterial hypertension, chronic renal insufficiency and dialysis]. 2007, 3 Suppl 3, S156-61	4
254	Undiagnosed obesity in hypertension: clinical and therapeutic implications. 2007 , 16, 347-53	25
253	Electronic pillboxes (MEMS) to assess the relationship between medication adherence and blood pressure control in primary care. 2007 , 25, 202-7	22
252	Vital Signs. 2007, 598-624	О
251	Hypertension in the Elderly. 2007, 659-668	О
250	Predictors of health services utilization by hypertensive patients in South Korea. 2007 , 24, 518-28	15
249	Are guidelines effectively guiding antihypertensive therapy?. 2007, 100, 143-4	4
248	Underuse of antihypertensive therapies in at-risk populations. 2008 , 2, 192-197	

247	Mechanisms and treatment of resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 239-4-	4 2.3	36
246	Using fixed-dose combination therapies to achieve blood pressure goals. 2008 , 28, 713-34		49
245	Pathophysiology of Primary Hypertension. 2008 , 794-895		1
244	Optimal drug treatment of systolic hypertension in the elderly. 2008 , 25, 1-8		4
243	Controlling hypertension from a public health perspective. 2008 , 127, 151-6		11
242	Hypertension awareness, treatment, and control in chronic kidney disease. 2008 , 121, 332-40		194
241	Hypertension control in the elderly. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 33-9	2.3	14
240	Characteristics of inner-city African-Americans with uncontrolled hypertension. 2008 , 2, 366-71		1
239	Resistant hypertension: diagnosis, evaluation, and treatment. A scientific statement from the American Heart Association Professional Education Committee of the Council for High Blood Pressure Research. <i>Hypertension</i> , 2008 , 51, 1403-19	8.5	1136
238	Pathophysiology of Primary Hypertension. 2008 , 794-895		3
237	Should we target the sympathetic nervous system in the treatment of obesity-associated hypertension?. <i>Hypertension</i> , 2008 , 51, 168-71	8.5	22
²³⁷		8.5	22
	hypertension?. <i>Hypertension</i> , 2008 , 51, 168-71 Current status and characteristics of hypertension treatment by primary physicians in Korea: data	8.5	
236	hypertension?. <i>Hypertension</i> , 2008 , 51, 168-71 Current status and characteristics of hypertension treatment by primary physicians in Korea: data from Korean epidemiology study on hypertension (KEY study). 2008 , 21, 884-9 Randomized study of traditional versus aggressive systolic blood pressure control (Cardio-Sis):	8.5	26
236 235	hypertension?. <i>Hypertension</i> , 2008 , 51, 168-71 Current status and characteristics of hypertension treatment by primary physicians in Korea: data from Korean epidemiology study on hypertension (KEY study). 2008 , 21, 884-9 Randomized study of traditional versus aggressive systolic blood pressure control (Cardio-Sis): rationale, design and characteristics of the study population. 2008 , 22, 243-51 Resistant hypertension: diagnosis, evaluation, and treatment: a scientific statement from the American Heart Association Professional Education Committee of the Council for High Blood	8.5	26
236 235 234	Current status and characteristics of hypertension treatment by primary physicians in Korea: data from Korean epidemiology study on hypertension (KEY study). 2008, 21, 884-9 Randomized study of traditional versus aggressive systolic blood pressure control (Cardio-Sis): rationale, design and characteristics of the study population. 2008, 22, 243-51 Resistant hypertension: diagnosis, evaluation, and treatment: a scientific statement from the American Heart Association Professional Education Committee of the Council for High Blood Pressure Research. 2008, 117, e510-26 Effect of delapril/manidipine vs olmesartan/ hydrochlorothiazide combination on insulin sensitivity	8.5	26 8 895
236 235 234 233	Current status and characteristics of hypertension treatment by primary physicians in Korea: data from Korean epidemiology study on hypertension (KEY study). 2008, 21, 884-9 Randomized study of traditional versus aggressive systolic blood pressure control (Cardio-Sis): rationale, design and characteristics of the study population. 2008, 22, 243-51 Resistant hypertension: diagnosis, evaluation, and treatment: a scientific statement from the American Heart Association Professional Education Committee of the Council for High Blood Pressure Research. 2008, 117, e510-26 Effect of delapril/manidipine vs olmesartan/ hydrochlorothiazide combination on insulin sensitivity and fibrinogen in obese hypertensive patients. 2008, 47, 361-6	8.5	26 8 895 25

(2009-2008)

Inhibition of endothelin-1 with darusentan: a novel antihypertensive approach for the treatment of resistant hypertension. **2008**, 5, 739-750

228	Treatment resistant hypertension. 2008 , 15, 351-5	2
227	The evolution of systolic blood pressure as a strong predictor of cardiovascular risk and the effectiveness of fixed-dose ARB/CCB combinations in lowering levels of this preferential target. 2008 , 4, 1315-25	19
226	[Diagnosis and treatment in patients with resistant hypertension]. 2009 , 134, 813-7	
225	Urinary angiotensinogen as a novel biomarker of the intrarenal renin-angiotensin system status in hypertensive patients. <i>Hypertension</i> , 2009 , 53, 344-50	165
224	Sleep apnea, aldosterone, and resistant hypertension. 2009 , 51, 371-80	53
223	Assessing the blood pressure-lowering efficacy of antihypertensive medications: which blood pressures should we use?. <i>Journal of Clinical Hypertension</i> , 2009 , 11, 155-8	1
222	Gaps between hypertension treatment guidelines and clinical practice in Japan: Baseline survey results from Fukushima Research of Hypertension (FRESH). <i>Journal of Clinical Hypertension</i> , 2009 , 2.3 11, 333-41	10
221	Nebivolol in obese and non-obese hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2009 , 11, 309- <u>1</u> 53	20
220	Efficacy and tolerability of nebivolol monotherapy by baseline systolic blood pressure: a retrospective analysis of pooled data from two multicenter, 12-week, randomized, double-blind, placebo-controlled, parallel-group, dose-ranging studies in patients with mild to moderate	3
219	Characterization and treatment of resistant hypertension. 2009 , 11, 407-13	28
218	Baroreflex device therapy in the treatment of hypertension. 2009 , 11, 69-75	12
217	Hypertension: issues in control and resistance. 2009 , 11, 323-8	8
216	Worse blood pressure control in patients with cerebrovascular or peripheral arterial disease compared with coronary artery disease. 2010 , 267, 621-33	10
215	Hypertension strategies in the third millennium: conservatism, evidence and the folly of speculation. 2009 , 63, 7-14	1
214	Blood pressure responder rates versus goal rates: which metric matters?. 2009 , 3, 157-74	7
213	Age- and gender-specific awareness, treatment, and control of cardiovascular risk factors and subclinical vascular lesions in a founder population: the SardiNIA Study. 2009 , 19, 532-41	36
212	[Resistant hypertension: evaluation and treatment]. 2009 , 38, 643-51	2

211	The aorta and resistant hypertension. 2009 , 53, 452-4	22
21 0	Treating hypertension by rational use of diuretics: results of the Russian ARGUS-2 Study. 2009 , 25, 2229-37	6
209	Variability in the prescription of cardiovascular medications in older patients: correlates and potential explanations. 2009 , 26 Suppl 1, 41-51	7
208	Usual versus tight control of systolic blood pressure in non-diabetic patients with hypertension (Cardio-Sis): an open-label randomised trial. 2009 , 374, 525-33	302
207	Hypertension: reflections on risks and prognostication. 2009 , 93, 541-58, Table of Contents	52
206	Irbesartan/hydrochlorothiazide for the treatment of isolated systolic hypertension: a subgroup analysis of the INCLUSIVE trial. <i>Journal of the National Medical Association</i> , 2009 , 101, 300-7	6
205	Arterial Stiffness As A Therapeutic Target For Isolated Systolic Hypertension: Focus on Vascular Calcification and Fibrosis. 2010 , 6, 20-31	1
204	Belly fat and resistant hypertension. 2010 , 28, 1131-3	1
203	Medical clinics versus usual care for patients with both diabetes and hypertension: a randomized trial. 2010 , 152, 689-96	123
202	Drug mechanisms to help in managing resistant hypertension in obesity. 2010 , 12, 220-5	12
201	Detection and treatment of resistant hypertension. 2010 , 12, 325-30	3
200	Longitudinal community-based assessment of blood pressure control among Japanese hypertensive patients: Fukushima research of hypertension (FRESH). <i>Journal of Clinical</i> 2.3 <i>Hypertension</i> , 2010 , 12, 166-73	9
199	The Pharmacogenomics of Anti-Hypertensive Therapy. 2010 , 3, 1779-1791	9
198	[Assessment of resistant hypertension with home blood pressure monitoring]. <i>Arquivos Brasileiros De Cardiologia</i> , 2010 , 95, 536-40	8
197	Management of high blood pressure in Blacks: an update of the International Society on Hypertension in Blacks consensus statement. <i>Hypertension</i> , 2010 , 56, 780-800	327
196	Individualizing hypertension treatment with impedance cardiography: a meta-analysis of published trials. 2010 , 4, 5-16	31
195	Spironolactone management of resistant hypertension. 2010 , 44, 1762-9	25
194	Resistant hypertension and left ventricular hypertrophy: an overview. 2010 , 4, 319-24	41

193	Resistant hypertension, secondary hypertension, and hypertensive crises: diagnostic evaluation and treatment. 2010 , 28, 639-54	46
192	Improved blood pressure control in elderly hypertensive patients: results of the PAPY-65 Survey. 2010 , 27, 573-88	5
191	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society, American Society for Preventive Cardiology, American Society of Hypertension, American Society	325
190	of Nephrology, Association of Black Cardiologists, and European Society of Hypertension. 2011, 57, 2037-114 Blood pressure 1 year after stroke: the need to optimize secondary prevention. 2011, 20, 16-23	27
189	[Resistant hypertension: beyond a bad control of blood pressure]. 2011 , 137, 444-5	1
188	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society,	100
187	Resistant hypertension and obstructive sleep apnea in the primary-care setting. <i>International Journal of Hypertension</i> , 2011 , 2011, 340929	32
186	Pathophysiology of resistant hypertension: the role of sympathetic nervous system. <i>International Journal of Hypertension</i> , 2011 , 2011, 642416	83
185	Resistant hypertension workup and approach to treatment. <i>International Journal of Hypertension</i> , 2010 , 2011, 598694	11
184	Perceived health, life satisfaction, and cardiovascular risk factors among elderly Korean immigrants and elderly Koreans. 2011 , 37, 43-52	12
183	Initial left-ventricular mass predicts probability of uncontrolled blood pressure in arterial hypertension. 2011 , 29, 803-8	21
182	Baseline predictors of resistant hypertension in the Anglo-Scandinavian Cardiac Outcome Trial (ASCOT): a risk score to identify those at high-risk. 2011 , 29, 2004-13	115
181	Epidemiology of resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 523-8 2.3	45
180	Combination therapy for managing difficult-to-treat patients with stage 2 hypertension: focus on valsartan-based combinations. 2011 , 18, e227-43	1
179	ACCF/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents. 2011 , 123, 2434-506	255
178	Hypertension management in a student-run free clinic: meeting national standards?. 2011 , 86, 239-45	37
177	Endothelial dysfunction and diurnal variation of blood pressure: night secrets of arterial hypertension?. 2011 , 25, 653-5	1
176	Lifestyle factors associated with blood pressure control among those taking antihypertensive medication. 2011 , 23, 485-95	11

175	Plasma renin activity (PRA) levels and antihypertensive drug use in a large healthcare system. 2012 , 25, 379-88	21
174	Traditional uses and pharmacological potential of Ficus exasperata vahl. 2012 , 3, 15	17
173	Identifying patients with resistant hypertension and options for clinical management. 2012, 8, 837-46	3
172	An observational study to evaluate factors responsible and actions taken for hypertensive patients who are not at blood pressure goal: i-target Goal Study. <i>Hypertension Research</i> , 2012 , 35, 624-32	2
171	Prevalence, patterns of treatment, and control of hypertension in predialysis patients with chronic kidney disease. 2012 , 120, c147-55	30
170	Joint statement of the European Association for the Study of Obesity and the European Society of Hypertension: obesity and difficult to treat arterial hypertension. 2012 , 30, 1047-55	95
169	New developments in the diagnosis and management of resistant hypertension. 2012 , 19, 1210-8	5
168	Classes of antihypertensive medications and blood pressure control in relation to metabolic risk factors. 2012 , 30, 188-93	19
167	Clinical differences between resistant hypertensives and patients treated and controlled with three or less drugs. 2012 , 30, 1211-6	108
166	Obesity, hypertension, and cardiovascular health: is there anything poor Cassandra tries to tell us?. 2012 , 30, 1103-5	7
165	Resistant hypertension. 2012 , 345, e7473	79
164	The magnitude and duration of post-exercise hypotension after land and water exercises. 2012 , 112, 4111-8	24
163	Electrical carotid sinus stimulation in treatment resistant arterial hypertension. 2012, 172, 31-6	15
162	Incidence and prognosis of resistant hypertension in hypertensive patients. 2012 , 125, 1635-42	608
161	Clinical and molecular approaches to individualize antihypertensive drug therapy. 2012 , 44 Suppl 1, S23-9	8
160	Resistant Hypertension: Etiology, Evaluation and Management. 2012 , 65-73	
159	Differenzialdiagnostik der schwer einstellbaren Hypertonie. 2012 , 7, 374-384	О
158	Diabetes and Hypertension. 2012 ,	О

157	Epidemiology of Hypertension. 2013 , 1-11		2
156	Resistant hypertension: underlying causes and treatment. 2013 , 63, 217-23		8
155	Resistant hypertensionits identification and epidemiology. 2013 , 9, 51-8		125
154	Effect of a fixed combination of Perindopril and Amlodipine on blood pressure control in 6256 patients with not-at-goal hypertension: the AVANTIAGE study. 2013 , 7, 163-9		15
153	Prevalence and risk factors for resistant hypertension among hypertensive patients from a developing country. 2013 , 6, 373		15
152	Diagnostik und Therapie bei therapieresistenter Hypertonie. 2013 , 8, 79-92		
151	Epidemiology, prognosis, and treatment of resistant hypertension. 2013 , 33, 1071-86		10
150	Novel metabolic drugs and blood pressure: implications for the treatment of obese hypertensive patients?. 2013 , 15, 470-4		5
149	Resistant Hypertension. 2013, 7, 354-363		1
148	Profile of ambulatory blood pressure in resistant hypertension. <i>Hypertension Research</i> , 2013 , 36, 565-9	4.7	8
147	Resistant hypertension and obstructive sleep apnea. <i>International Journal of Hypertension</i> , 2013 , 2013, 193010	2.4	27
146	Prevalence and clinical profile of resistant hypertension among treated hypertensive subjects. 2013 , 35, 412-7		4
145	Low rate of resistant hypertension in Chinese patients with hypertension: an analysis of the HOT-CHINA study. 2013 , 31, 2386-90		6
144	Salt and obesity revisited. 2013 , 31, 2130-2		1
143	Rate and predictors of blood pressure control in a federal qualified health center in Michigan: a huge concern?. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 254-63	2.3	15
142	Treatment of hypertension in the elderly: data from an international cohort of hypertensives treated by cardiologists. 2013 , 27, 131-7		4
141	Is gravitation your friend or foe?. Hypertension Research, 2013, 36, 1037-8	4.7	
140	Renale Denervation als Therapieoption. 2013 , 13, 38-44		

139	Catheter-based renal denervation for treatment of resistant hypertension. 2013, 2, 2048004013486634	1
138	The contributions of unhealthy lifestyle factors to apparent resistant hypertension: findings from the Reasons for Geographic And Racial Differences in Stroke (REGARDS) study. 2013 , 31, 370-6	31
137	Treating resistant hypertension: role of renal denervation. 2013 , 6, 119-28	9
136	[Management strategy for hypertension in chronic hemodialysis: a model applied to patient education (FTE)]. 2014 , 19, 86	O
135	Non-interventional management of resistant hypertension. <i>World Journal of Cardiology</i> , 2014 , 6, 1080-9@.1	4
134	Level of blood pressure control among hypertensive patients on follow-up in a regional referral hospital in Central Kenya. 2014 , 18, 278	23
133	Der ROX-Coupler zur Therapie des therapieresistenten arteriellen Hypertonus. 2014 , 14, 46-49	
132	Hypertension control in community health centers across China: analysis of antihypertensive drug treatment patterns. 2014 , 27, 252-9	26
131	Natriuretic peptides and cardio-renal disease. 2014 , 176, 630-9	78
130	Blood pressure control is similar in treated hypertensive patients with optimal or with high-normal albuminuria. 2014 , 27, 1185-90	1
129	[Difficult-to-control hypertension: management and evidence]. 2014 , 139, 2463-5	
128	Sleep-disordered breathing and resistant hypertension. 2014 , 34, 520-31	11
127	Resistant hypertension and associated comorbidities in a veterans affairs population. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 741-5	22
126	Resistant hypertension in patients with type 2 diabetes: clinical correlates and association with complications. 2014 , 32, 2401-10; discussion 2410	26
125	Racial differences in hypertension: implications for high blood pressure management. 2014 , 348, 135-8	176
124	Renal denervation: transition from pathophysiology to clinical practice. 2014 , 65, 760-8	3
123	Systolic blood pressure levels among adults with hypertension and incident cardiovascular events: the atherosclerosis risk in communities study. 2014 , 174, 1252-61	39
122	Resistant hypertension: demography and clinical characteristics in 6,292 patients in a primary health care setting. 2014 , 67, 270-6	12

121	Demografii y caracteriiticas cliicas de la hipertensiii resistente en 6.292 pacientes en atenciii primaria. 2014 , 67, 270-276		22
120	Prevalence and control of high blood pressure in primary care: results from the German Metabolic and Cardiovascular Risk Study (GEMCAS). <i>Hypertension Research</i> , 2014 , 37, 580-4	4.7	8
119	Prevalence and predictors of resistant hypertension in a primary care setting: a cross-sectional study. 2014 , 15, 131		12
118	Higher blood pressure control rate in a real life management program provided by the community health service center in China. 2014 , 14, 801		10
117	Hypertension. 2014 , 297-305		
116	Increased levels of systolic blood pressure within the normal range are associated with significantly elevated risks of nonalcoholic fatty liver disease. 2015 , 94, e842		22
115	Uncontrolled hypertension in Uganda: a comparative cross-sectional study. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 63-9	2.3	11
114	Differential Diagnosis and Treatment Rates Between Systolic and Diastolic Hypertension in Young Adults: A Multidisciplinary Observational Study. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 885-94	2.3	14
113	Isolated Systolic Hypertension among Adults in Saudi Arabia: Prevalence, Risk Factors, Predictors and Treatment - Results of a National Survey. 2015 , 05,		
112	Mineralocorticoid Receptor Antagonists Therapy in Resistant Hypertension: Time to Implement Guidelines!. 2015 , 2, 3		5
111	Country of birth affects blood pressure in the French hypertensive diabetic population. <i>Frontiers in Physiology</i> , 2015 , 6, 248	4.6	1
110	Pressor response to initial blood pressure monotherapy is associated with cardiovascular mortality. 2015 , 28, 232-8		О
109	Systolic hypertension: an increasing clinical challenge in Asia. <i>Hypertension Research</i> , 2015 , 38, 227-36	4.7	53
108	Intensive blood pressure control during the hyperacute phase of intracerebral hemorrhage in patients at risk for resistant hypertension: a retrospective cohort study. 2015 , 30, 369-74		4
107	Effect of aldosterone antagonists on blood pressure in patients with resistant hypertension: a meta-analysis. 2015 , 29, 159-66		26
106	Natriuresis and blood pressure reduction in hypertensive patients with diabetes mellitus: the NESTOR study. 2015 , 9, 21-8		5
105	Epidemiology Awareness, Prevalence, and Control: Newest Findings on Hypertension in Blacks. 2015 , 21-33		
104	Comparison of renal artery, soft tissue, and nerve damage after irrigated versus nonirrigated radiofrequency ablation. 2015 , 8,		7

103	Cumulative Blood Pressure in Early Adulthood and Cardiac Dysfunction in Middle Age: The CARDIA Study. 2015 , 65, 2679-87		69
102	Natriuretic Peptides as a Novel Target in Resistant Hypertension. 2015 , 17, 18		4
101	Diagnostic and therapeutic problems of isolated systolic hypertension. 2015 , 33, 33-43		17
100	Components of hemodynamic load and cardiovascular events: the Framingham Heart Study. 2015 , 131, 354-61; discussion 361		68
99	Predictors of silent myocardial ischemia in resistant hypertensive patients. 2015 , 28, 200-7		5
98	High rates of physical inactivity and cardiovascular risk factors in patients with resistant hypertension. 2016 , 49, 124		
97	Prevalence and correlates of coronary heart disease: first population-based study in Lebanon. 2016 , 12, 75-84		22
96	Geographic Clustering of Cardiometabolic Risk Factors in Metropolitan Centres in France and Australia. 2016 , 13,		10
95	Lifetime Risk for Sudden Cardiac Death in the Community. 2016 , 5,		42
94	Prevalence and characteristics of patients with resistant hypertension and chronic kidney disease. 2016 , 36, 523-529		4
93	Prevalence and characteristics of patients with resistant hypertension and chronic kidney disease. 2016 , 36, 523-529		7
92	Management of type 2 diabetes: the current situation and key opportunities to improve care in the UK. 2016 , 18, 1157-1166		15
91	Abnormal Pulsatile Hemodynamics in Hypertensive Patients With Normalized 24-Hour Ambulatory Blood Pressure by Combination Therapy of Three or More Antihypertensive Agents. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 281-9	2.3	5
90	Body Mass Index Predicts 24-Hour Urinary Aldosterone Levels in Patients With Resistant Hypertension. <i>Hypertension</i> , 2016 , 68, 995-1003	8.5	31
89	Open-label randomized trial of titrated disease management for patients with hypertension: Study design and baseline sample characteristics. 2016 , 50, 5-15		3
88	Utilization of antihypertensive drugs in obesity-related hypertension: a retrospective observational study in a cohort of patients from Southern Italy. 2016 , 17, 9		3
87	Incidence of heart failure in 6083 elderly hypertensive patients: the Second Australian National Blood Pressure Study (ANBP2). 2016 , 18, 38-45		14
86	Gender-specific associations of sleep duration with uncontrolled blood pressure in middle-aged patients. 2016 , 38, 125-30		6

85	The Efficacy of Perindopril/Amlodipine in Reaching Blood Pressure Targets: Results of the CONTROL Study. 2016 , 36, 357-66	1
84	Cardiometabolic crosstalk in obesity-associated arterial hypertension. 2016 , 17, 19-28	11
83	The two faces of hypertension: role of aortic stiffness. 2016 , 10, 175-83	44
82	The SPYRAL HTN Global Clinical Trial Program: Rationale and design for studies of renal denervation in the absence (SPYRAL HTN OFF-MED) and presence (SPYRAL HTN ON-MED) of antihypertensive medications. 2016 , 171, 82-91	104
81	Sustained effect of health insurance and facility quality improvement on blood pressure in adults with hypertension in Nigeria: A population-based study. 2016 , 202, 477-84	16
80	Left ventricular hypertrophy by electrocardiogram as a predictor of success in home blood pressure control: HOMED-BP study. <i>Hypertension Research</i> , 2017 , 40, 504-510	3
79	Blood pressure control and cardiovascular risk in hypertensive patients with type 2 diabetes: The German T2Target registry. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 757-763	7
78	Prevalence and characteristics of resistant hypertensive patients in an Asian population. 2017 , 69, 442-446	11
77	Poor blood pressure control in adults with repaired coarctation of the aorta and hypertension: a register-based study of associated factors. 2017 , 27, 1708-1715	2
76	Resistant Hypertension and the General Practitioner (Monitoring and Treatment). 2017, 343-353	
75	Resistant Hypertension in Chronic Kidney Disease. 2017 ,	O
74	Hypertension Survey in Italy: Novel Findings from the Campania Salute Network. 2017 , 24, 363-370	1
73	Job Strain and Casual Blood Pressure Distribution: Looking beyond the Adjusted Mean and Taking Gender, Age, and Use of Antihypertensives into Account. Results from ELSA-Brasil. 2017 , 14,	8
72	Ethnic disparities in outcomes of patients with complicated type B aortic dissection. 2018 , 68, 36-45	12
71	A Simple Community-Based Risk-Prediction Score for Sudden Cardiac Death. 2018 , 131, 532-539.e5	13
70	Pharmacotherapeutic strategies for treating hypertension in patients with obesity. 2018 , 19, 643-651	8
69	Probiotic supplementation for management of cardiovascular risk factors in adults with type II diabetes: A systematic review and meta-analysis. 2018 , 37, 532-541	65
68	Effects of renal denervation on coronary flow reserve and forearm dilation capacity in patients with treatment-resistant hypertension. A randomized, double-blinded, sham-controlled clinical trial. 2018 , 250, 29-34	4

67	Intermediate Diabetes Outcomes in Patients Managed by Physicians, Nurse Practitioners, or Physician Assistants: A Cohort Study. 2018 , 169, 825-835	21
66	General Population and Global Cardiovascular Risk Prediction. 2018, 1-14	
65	Effectiveness of standardized nursing care plans to achieve A1C, blood pressure, and LDL-C goals among people with poorly controlled type 2 diabetes mellitus at baseline: four-year follow-up study. 2018 , 19, 125	3
64	Simultaneous GLP-1 receptor activation and angiotensin receptor blockade increase natriuresis independent of altered arterial pressure in obese OLETF rats. <i>Hypertension Research</i> , 2018 , 41, 798-808 ⁴⁻⁷	3
63	The effect of 12 weeks of water-aerobics on health status and physical fitness: An ecological approach. <i>PLoS ONE</i> , 2018 , 13, e0198319	9
62	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). Hypertension Research, 2019 , 42, 1235-1481	468
61	Sex-specific responses to mineralocorticoid receptor antagonism in hypertensive African American males and females. 2019 , 10, 24	8
60	Incorporation of Novel Vascular Measures into Clinical Management: Recent Insights from the Framingham Heart Study. 2019 , 21, 19	2
59	Patterned human microvascular grafts enable rapid vascularization and increase perfusion in infarcted rat hearts. 2019 , 10, 584	64
58	Evaluation of the applicability of deep breathing test in the diagnosis of hypertension with white-coat effect in Chinese patients in primary care. 2019 , 25, 2	1
57	Renal Artery Denervation for Hypertension. 2019 , 21, 7	0
56	Role of endothelial function determined by asymmetric dimethylarginine in the prediction of resistant hypertension: A subanalysis of ReHOT trial. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2059-2068 ³	1
55	Trends in Antihypertensive Medication Use Among Individuals With a History of Stroke and Hypertension, 2005 to 2016. 2020 , 77, 1382-1389	8
54	Predictors of Resistance Hypertension and Achievement of Target Blood Pressure Levels in Patients with Resistant Hypertension. 2020 ,	
53	Lurking in plain sight: Hypertension awareness and treatment among New York City taxi/for-hire vehicle drivers. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 962-969	1
52	Unhealthy behaviors and risk of uncontrolled hypertension among treated individuals-The CONSTANCES population-based study. <i>Scientific Reports</i> , 2020 , 10, 1925	6
51	Treatment resistant hypertension among ambulatory hypertensive patients: A cross sectional study. <i>PLoS ONE</i> , 2020 , 15, e0232254	0
50	Does Compassion Predict Blood Pressure and Hypertension? The Modifying Role of Familial Risk for Hypertension. <i>International Journal of Behavioral Medicine</i> , 2020 , 27, 527-538	3

(2005-2021)

49	Uncontrolled arterial hypertension: main causes, features of pathogenesis and approaches to treatment. <i>Systemic Hypertension</i> , 2021 , 18, 13-18	1.6	3
48	The intergated approach to the management of arterial hypertension: The CampaniaSalute Network. <i>Panminerva Medica</i> , 2021 ,	2	2
47	Apparent treatment-resistant hypertension among ambulatory hypertensive patients: a cross-sectional study from 13 general hospitals. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 888-897	2.5	0
46	Feasibility of Bilinear Mechanical Characterization of the Abdominal Aorta in a Hypertensive Mouse Model. <i>Ultrasound in Medicine and Biology</i> , 2021 , 47, 3480-3490	3.5	1
45	Hypertension As a Risk Factor for Stroke. 2004 , 35-50		1
44	The Special Problem of Isolated Systolic Hypertension. 2007 , 169-177		1
43	Trends in the prevalence, awareness, treatment and control of hypertension: the WHO MONICA Project. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 13-29		44
42	Predictors of controlled ambulatory blood pressure in treated hypertensive patients with uncontrolled office blood pressure. <i>Hypertension Research</i> , 2004 , 27, 805-11	4.7	4
41	Significance of mean blood pressure for blood pressure control. <i>International Heart Journal</i> , 2005 , 46, 691-9	1.8	5
40	Brazilian Position Statement on Resistant Hypertension - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2020 , 114, 576-596	1.2	2
39	Hypotensive Effects and Acute Toxicity Property of Methanol Extract of Baissea axillaris Hau. Leaf on Animal Models. <i>Journal of Biological Sciences</i> , 2008 , 8, 675-678	0.4	4
38	Differential Control Rate of Systolic and Diastolic Blood Pressure among Korean Adults with Hypertension: the Sixth Korean National Health and Nutrition Examination Survey, 2013-2015 (KNHANES VI). <i>Korean Circulation Journal</i> , 2019 , 49, 1035-1048	2.2	7
37	Control Rates of Systolic and Diastolic Blood Pressure among Hypertensive Adults in Korea. <i>Korean Circulation Journal</i> , 2019 , 49, 1049-1051	2.2	2
36	Prevalence and Risk Factors of Cardiovascular Diseases in the Congo-Brazzaville Pygmies. <i>World Journal of Cardiovascular Diseases</i> , 2016 , 06, 211-217	О	1
35	Overview of resistant hypertension: A glimpse of the cardiologistB current standpoint. <i>World Journal of Cardiology</i> , 2012 , 4, 275-83	2.1	1
34	Cardiovascular Risk Assessment in Hypertension. 2003 , 109-125		
33	IMT (????????) ?????????. Japanese Journal of Clinical Pharmacology and Therapeutics, 2004 , 35, 163S-10	6 3 S	
32	Coronary Atherosclerotic Sequelae of Hypertension. 2005 , 237-249		

31	Resistant Hypertension. 2005 , 616-623		
30	Epidemiology of Cerebrovascular Disease * *This work was supported in part by the National Institute of Neurological Disorders and Stroke Grant No. 5R01 NS17950 and the National Heart, Lung, and Blood Instituteß Framingham Heart Study Contract No. N01-HC-25195 2006 , 411-432		
29	Resistant Hypertension. 2007 , 498-511		
28	Resistant Hypertension. 2007 , 658-665		
27	Risk Factors for Cardiovascular Disease and the Framingham Study Equation. 2007, 1-18		
26	Nifedipine GITS - a «niche» in the mod ern antihypertensive therapy. <i>Arterial Hypertension (Russian Federation)</i> , 2009 , 15, 185-190	0.7	
25	Hypertension. 2010 , 285-292		
24	Resistant isolated systolic hypertension: prevalence, hemodynamic and clinical features. <i>Arterial Hypertension (Russian Federation)</i> , 2012 , 18, 497-504	0.7	
23	Therapeutic Education® Role in the Management of Hypertension in Chronic Hemodialysis Patients. <i>ISRN Hypertension</i> , 2013 , 2013, 1-7		1
22	Severe Resistant Hypertension Induced by Carbamazepine in an Elderly Patient. <i>Journal of the Korean Geriatrics Society</i> , 2013 , 17, 99-102		1
21	PLASMA RENIN ASSESSMENT AS THE STRATEGY OF HYPERTENSION MANAGEMENT. <i>Arterial Hypertension (Russian Federation)</i> , 2013 , 19, 380-388	0.7	
20	TO STUDY THE RELATION BETWEEN DIABETICS AND OBESITY AMONG PATIENTS WITH UNCONTROLLED HYPERTENSION. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2015 , 4, 2466-24	170 ^{.1}	
19	The Control of Blood Pressure Worldwide: A Glimmer of Success. <i>Journal of Cardiology & Current Research</i> , 2015 , 3,	0.1	2
18	Cardiovascular Complications in Obstructive Sleep Apnea Syndrome. 2019, In Press,		2
17	The Results of Surgical Treatment of Hypertension in Mild and Moderate Obstructive Sleep Apnea Syndrome. 2019 , 10,		1
16	Obstructive sleep apnea syndrome (OSAS) related hypertension: A review of pathophysiology and potential therapeutic approaches. <i>Journal of Surgery and Medicine</i> ,	0.1	
15	Serum progranulin/tumor necrosis factor-Iratio as independent predictor of systolic blood pressure in overweight hypertensive patients: a cross-sectional study. <i>Egyptian Heart Journal</i> , 2020 , 72, 25	1.3	2
14	Clinical features and course of arterial hypertension in patients with its various forms. <i>Systemic Hypertension</i> , 2021 , 18, 140-146	1.6	2

CITATION REPORT

13	The Formation of Resistance to Antihypertensive Therapy in Patients with Hypertensive Disease with Obesity. <i>Family Medicine</i> , 2019 , 73-77	0.1	
12	Hypertension and progression of nephropathy in diabetic and non-diabetic chronic kidney disease patients. <i>Hippokratia</i> , 2007 , 11, 72-6	0.4	4
11	Differential control of systolic and diastolic blood pressure in blacks with essential hypertension. Journal of the National Medical Association, 2004 , 96, 310-4	2.3	3
10	Determinants of uncontrolled hypertension in an Iranian population. <i>ARYA Atherosclerosis</i> , 2014 , 10, 25-31	0.7	8
9	Factors associated with intensification of antihypertensive drug therapy in patients with poorly controlled hypertension. <i>Journal of Geriatric Cardiology</i> , 2019 , 16, 19-26	1.7	1
8	Associations between dietary patterns and metabolic syndrome in older adults in New Zealand: the REACH study. <i>British Journal of Nutrition</i> , 2021 , 1-30	3.6	1
7	The Sweet and Salty Dietary Face of Hypertension and Cardiovascular Disease in Lebanon <i>Frontiers in Physiology</i> , 2021 , 12, 802132	4.6	0
6	Comparative Assessment of the Utility of Anthropometric and Bioelectrical Impedance Indices as Potential Predictors of Hypertension within a Ghanaian Adult Population: A Cross-Sectional Study <i>International Journal of Hypertension</i> , 2022 , 2022, 2242901	2.4	
5	Benefits of aquatic exercise in adults with and without chronic disease-A systematic review with meta-analysis <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 ,	4.6	0
4	Testing the Associations Between State and Trait Anxiety, Anger, Sadness, and Ambulatory Blood Pressure and Whether Race Impacts These Relationships. <i>Annals of Behavioral Medicine</i> , 2021 ,	4.5	O
3	The IFNIPDL1 Pathway Enhances CD8T-DCT Interaction to Promote Hypertension <i>Circulation Research</i> , 2022 , 101161CIRCRESAHA121320373	15.7	1
2	Resistant Hypertension: Recognition and Treatment. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2022 , 351-366	0.1	
1	Prevalence and Control of Hypercholesterolaemia as Defi ned by NCEP-ATPIII Guidelines and Predictors of LDL-C Goal Attainment in a Multi-Ethnic Asian Population. 2013 , 42, 379-387		3