

Likelihood-Based Tests of Topologies in Phylogenetics

Systematic Biology

49, 652-670

DOI: [10.1080/106351500750049752](https://doi.org/10.1080/106351500750049752)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Iron Hydrogenases and the Evolution of Anaerobic Eukaryotes. <i>Molecular Biology and Evolution</i> , 2000, 17, 1695-1709.	3.5	128
2	Testing the Hypothesis of a Recombinant Origin of Human Immunodeficiency Virus Type 1 Subtype E. <i>Journal of Virology</i> , 2000, 74, 10752-10765.	1.5	65
3	Molecular phylogenetic evidence for a mimetic radiation in Peruvian poison frogs supports a MÅllerian mimicry hypothesis. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001, 268, 2415-2421.	1.2	164
4	GASTROPOD PHYLOGENETICS: PROGRESS, PROBLEMS, AND IMPLICATIONS. <i>Journal of Paleontology</i> , 2001, 75, 1128-1140.	0.5	15
5	Resolution of the Early Placental Mammal Radiation Using Bayesian Phylogenetics. <i>Science</i> , 2001, 294, 2348-2351.	6.0	1,215
6	Convergence and divergence in the evolution of aquatic birds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001, 268, 1345-1350.	1.2	112
7	Phylogenetic status of <i>Helicodictyon planctonicum</i> and <i>Desmochloris halophila</i> gen. et comb. nov. and the definition of the class Ulvophyceae (Chlorophyta). <i>Phycologia</i> , 2001, 40, 421-434.	0.6	30
8	Different tests, different conclusions: evolutionary trees. <i>Trends in Ecology and Evolution</i> , 2001, 16, 125.	4.2	1
9	Unalignable sequences and molecular evolution. <i>Trends in Ecology and Evolution</i> , 2001, 16, 681-685.	4.2	87
10	Sequence Alignment of 18S Ribosomal RNA and the Basal Relationships of Aedeopagan Beetles: Evidence for Monophyly of Aquatic Families and the Placement of Trachypachidae. <i>Systematic Biology</i> , 2001, 50, 945-969.	2.7	150
11	CONSEL: for assessing the confidence of phylogenetic tree selection. <i>Bioinformatics</i> , 2001, 17, 1246-1247.	1.8	1,958
12	MULTIPLE COMPARISONS OF LOG-LIKELIHOODS AND COMBINING NONNESTED MODELS WITH APPLICATIONS TO PHYLOGENETIC TREE SELECTION. <i>Communications in Statistics - Theory and Methods</i> , 2001, 30, 1751-1772.	0.6	40
13	Molecular phylogenetics for conservation biology. , 2001, , 19-56.		12
14	Gastropod phylogenetics: Progress, problems, and implications. <i>Journal of Paleontology</i> , 2001, 75, 1128-1140.	0.5	32
15	Rate Acceleration and Long-branch Attraction in a Conserved Gene of Cryptic Daphniid (Crustacea) Species. <i>Molecular Biology and Evolution</i> , 2001, 18, 2201-2212.	3.5	60
16	Shared Nucleotide Composition Biases Among Species and Their Impact on Phylogenetic Reconstructions of the Drosophilidae. <i>Molecular Biology and Evolution</i> , 2001, 18, 1464-1473.	3.5	91
17	AN ENDEMIC RADIATION OF MALAGASY SONGBIRDS IS REVEALED BY MITOCHONDRIAL DNA SEQUENCE DATA. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 1198.	1.1	5
18	Phylogenetic relationships of Theaceae inferred from chloroplast DNA sequence data. <i>American Journal of Botany</i> , 2001, 88, 2309-2320.	0.8	95

#	ARTICLE	IF	CITATIONS
19	Foraminifera and Cercozoa Are Related in Actin Phylogeny: Two Orphans Find a Home?. <i>Molecular Biology and Evolution</i> , 2001, 18, 1551-1557.	3.5	117
20	Molecular phylogeny supports the morphologically based taxonomic transfer of the "medicagoid" <i>Trigonella</i> species to the genus <i>Medicago</i> L. <i>Plant Systematics and Evolution</i> , 2001, 229, 217-236.	0.3	49
21	Selection of evolutionary models for phylogenetic hypothesis testing using parametric methods. <i>Journal of Evolutionary Biology</i> , 2001, 14, 620-631.	0.8	9
22	A comparison of a discovery-based and an event-based method of historical biogeography. <i>Journal of Biogeography</i> , 2001, 28, 757-767.	1.4	43
23	A molecular phylogenetic study of ecological diversification in the Australian lizard genus <i>Ctenophorus</i> . <i>The Journal of Experimental Zoology</i> , 2001, 291, 339-353.	1.4	63
24	Relationships of Scincid Lizards (<i>Mabuya</i> spp; Reptilia: Scincidae) from the Cape Verde Islands Based on Mitochondrial and Nuclear DNA Sequences. <i>Molecular Phylogenetics and Evolution</i> , 2001, 19, 311-316.	1.2	23
25	Phylogeny and Evolution of the Neotropical Rodent Genus <i>Calomys</i> : Inferences from Mitochondrial DNA Sequence Data. <i>Molecular Phylogenetics and Evolution</i> , 2001, 20, 173-184.	1.2	64
26	Phylogenetics of Planipapillus, Lawn-Headed Onychophorans of the Australian Alps, Based on Nuclear and Mitochondrial Gene Sequences. <i>Molecular Phylogenetics and Evolution</i> , 2001, 21, 103-116.	1.2	35
27	Molecular Phylogenies of Fig Wasps: Partial Coclodogenesis of Pollinators and Parasites. <i>Molecular Phylogenetics and Evolution</i> , 2001, 21, 55-71.	1.2	106
28	Molecular Systematics of the Western Rattlesnake, <i>Crotalus viridis</i> (Viperidae), with Comments on the Utility of the D-Loop in Phylogenetic Studies of Snakes. <i>Molecular Phylogenetics and Evolution</i> , 2001, 21, 176-189.	1.2	101
29	Molecular Evidence for the Major Clades of Placental Mammals. <i>Journal of Mammalian Evolution</i> , 2001, 8, 239-277.	1.0	82
30	Molecular data support rejection of the generic concept in the <i>Cocotremataceae</i> (Ascomycota). <i>Lichenologist</i> , 2001, 33, 315-321.	0.5	32
31	A molecular phylogeny of the peacock-pheasants (Galliformes: <i>Polyplectron</i> spp.) indicates loss and reduction of ornamental traits and display behaviours. <i>Biological Journal of the Linnean Society</i> , 2001, 73, 187-198.	0.7	39
32	AN ENDEMIC RADIATION OF MALAGASY SONGBIRDS IS REVEALED BY MITOCHONDRIAL DNA SEQUENCE DATA. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 1198-1206.	1.1	76
33	Molecular phylogenetics: state-of-the-art methods for looking into the past. <i>Trends in Genetics</i> , 2001, 17, 262-272.	2.9	376
34	Major lineages of Dothideomycetes (Ascomycota) inferred from SSU and LSU rDNA sequences. <i>Mycological Research</i> , 2001, 105, 901-908.	2.5	70
35	Molecular phylogeny of the <i>Bacidiaceae</i> (Lecanorales, lichenized Ascomycota). <i>Mycological Research</i> , 2001, 105, 783-797.	2.5	88
36	Fungal Zuotin Proteins Evolved from MIDA1-like Factors by Lineage-Specific Loss of MYB Domains. <i>Molecular Biology and Evolution</i> , 2001, 18, 1401-1412.	3.5	26

#	ARTICLE	IF	CITATIONS
37	Phylogeny of Saxifragales (Angiosperms, Eudicots): Analysis of a Rapid, Ancient Radiation. <i>Systematic Biology</i> , 2001, 50, 817-847.	2.7	163
38	Unraveling the Evolutionary Radiation of the Families of the Zingiberales Using Morphological and Molecular Evidence. <i>Systematic Biology</i> , 2001, 50, 926-944.	2.7	129
39	Phylogeny of Trichoptera (Caddisflies): Characterization of Signal and Noise Within Multiple Datasets. <i>Systematic Biology</i> , 2001, 50, 781-816.	2.7	137
40	Evaluating hypotheses of basal animal phylogeny using complete sequences of large and small subunit rRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 9707-9712.	3.3	354
41	Assessment of the Accuracy of Matrix Representation with Parsimony Analysis Supertree Construction. <i>Systematic Biology</i> , 2001, 50, 565-579.	2.7	83
42	Towards an Inclusive Philosophy for Phylogenetic Inference. <i>Systematic Biology</i> , 2001, 50, 331-350.	2.7	27
43	PAL: an object-oriented programming library for molecular evolution and phylogenetics. <i>Bioinformatics</i> , 2001, 17, 662-663.	1.8	136
44	Assessment of the Accuracy of Matrix Representation with Parsimony Analysis Supertree Construction. <i>Systematic Biology</i> , 2001, 50, 565-579.	2.7	122
45	Towards an Inclusive Philosophy for Phylogenetic Inference. <i>Systematic Biology</i> , 2001, 50, 331-350.	2.7	53
46	Genetic variability among strains of <i>Phialocephala fortinii</i> and phylogenetic analysis of the genus <i>Phialocephala</i> based on rDNA ITS sequence comparisons. <i>Canadian Journal of Botany</i> , 2002, 80, 1239-1249.	1.2	61
47	The phylogenetic utility of nucleotide sequences of sorbitol 6-phosphate dehydrogenase in <i>Prunus</i> (Rosaceae). <i>American Journal of Botany</i> , 2002, 89, 1697-1708.	0.8	59
48	Phylogenetic Placement of Retropinnid Fishes: Data Set Incongruence Can Be Reduced by Using Asymmetric Character State Transformation Costs. <i>Systematic Biology</i> , 2002, 51, 432-449.	2.7	47
49	Relationships among seed plants inferred from highly conserved genes: sorting conflicting phylogenetic signals among ancient lineages. <i>American Journal of Botany</i> , 2002, 89, 1991-2006.	0.8	107
50	The root of the angiosperms revisited. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6848-6853.	3.3	241
51	Chloroplast DNA evidence for the roles of island colonization and extinction in <i>Tolpis</i> (Asteraceae: Lactuceae). <i>American Journal of Botany</i> , 2002, 89, 518-526.	0.8	71
52	REANALYSIS OF THE RELATIONSHIPS AMONG THE CIRRIPIEDIA AND THE ASCOTHORACIDA AND THE PHYLOGENETIC POSITION OF THE FACETOTECTA (MAXILLOPODA: THECOSTRACA) USING 18S rDNA SEQUENCES. <i>Journal of Crustacean Biology</i> , 2002, 22, 661-669.	0.3	14
53	Phylogenetic Relationships of Percina (Percidae: Etheostomatinae). <i>Copeia</i> , 2002, 2002, 1-14.	1.4	37
54	Phylogeny of the Lake Tanganyika Cichlid Species Flock and Its Relationship to the Central and East African Haplochromine Cichlid Fish Faunas. <i>Systematic Biology</i> , 2002, 51, 113-135.	2.7	243

#	ARTICLE	IF	CITATIONS
55	Phylogenetic Relationships in the Genus <i>Mus</i> , Based on Paternally, Maternally, and Biparentally Inherited Characters. <i>Systematic Biology</i> , 2002, 51, 410-431.	2.7	112
56	An Approximately Unbiased Test of Phylogenetic Tree Selection. <i>Systematic Biology</i> , 2002, 51, 492-508.	2.7	2,400
57	A Molecular Phylogenetic Study of the Palmae (Arecaceae) Based on <i>atpB</i> , <i>rbcl</i> , and 18S nrDNA Sequences. <i>Systematic Biology</i> , 2002, 51, 92-112.	2.7	68
58	A Novel Use of Equilibrium Frequencies in Models of Sequence Evolution. <i>Molecular Biology and Evolution</i> , 2002, 19, 1821-1831.	3.5	46
59	Rooting Phylogenetic Trees with Distant Outgroups: A Case Study from the Commelinoid Monocots. <i>Molecular Biology and Evolution</i> , 2002, 19, 1769-1781.	3.5	129
60	Evolutionary History of "Early-Diverging" Eukaryotes: The Excavate Taxon <i>Carpodion</i> is a Close Relative of <i>Giardia</i> . <i>Molecular Biology and Evolution</i> , 2002, 19, 1782-1791.	3.5	90
61	Archaeal Phylogeny Based on Ribosomal Proteins. <i>Molecular Biology and Evolution</i> , 2002, 19, 631-639.	3.5	168
62	The Chaperonin Genes of Jakobid and Jakobid-Like Flagellates: Implications for Eukaryotic Evolution. <i>Molecular Biology and Evolution</i> , 2002, 19, 422-431.	3.5	59
63	Retortamonad Flagellates are Closely Related to Diplomonads: Implications for the History of Mitochondrial Function in Eukaryote Evolution. <i>Molecular Biology and Evolution</i> , 2002, 19, 777-786.	3.5	67
64	The systematics of Holarctic bosminids and a revision that reconciles molecular and morphological evolution. <i>Limnology and Oceanography</i> , 2002, 47, 1486-1495.	1.6	56
65	Four New Mitochondrial Genomes and the Increased Stability of Evolutionary Trees of Mammals from Improved Taxon Sampling. <i>Molecular Biology and Evolution</i> , 2002, 19, 2060-2070.	3.5	138
66	Phylogenetic Discordance at the Species Boundary: Comparative Gene Genealogies Among Rapidly Radiating Heliconius Butterflies. <i>Molecular Biology and Evolution</i> , 2002, 19, 2176-2190.	3.5	156
67	Higher-level phylogeny of mosquitoes (Diptera: Culicidae): mtDNA data support a derived placement for Toxorhynchites. <i>Insect Systematics and Evolution</i> , 2002, 33, 163-174.	0.2	34
68	Molecular Phylogenetics of Mole Crabs (Hippidae: Emerita). <i>Journal of Crustacean Biology</i> , 2002, 22, 903-915.	0.3	14
69	A Molecular Phylogeny of Malarial Parasites Recovered from Cytochrome b Gene Sequences. <i>Journal of Parasitology</i> , 2002, 88, 972.	0.3	24
70	Combined Data, Bayesian Phylogenetics, and the Origin of the New Zealand Cicada Genera. <i>Systematic Biology</i> , 2002, 51, 4-18.	2.7	167
71	THE IMPORTANCE OF THE ONTOGENETIC NICHE IN RESOURCE-ASSOCIATED DIVERGENCE: EVIDENCE FROM A GENERALIST GRASSHOPPER. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 731.	1.1	4
72	Model Misspecification and Probabilistic Tests of Topology: Evidence from Empirical Data Sets. <i>Systematic Biology</i> , 2002, 51, 509-523.	2.7	222

#	ARTICLE	IF	CITATIONS
73	Phylogeny of the Oriental <i>Drosophila melanogaster</i> Species Group: A Multilocus Reconstruction. <i>Systematic Biology</i> , 2002, 51, 786-805.	2.7	63
74	PHYLOGENY OF GAERTNERA LAM. (RUBIACEAE) BASED ON MULTIPLE DNA MARKERS: EVIDENCE OF A RAPID RADIATION IN A WIDESPREAD, MORPHOLOGICALLY DIVERSE GENUS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 42.	1.1	4
75	A chloroplast DNA phylogeny of eastern <i>Phlox</i> (Polemoniaceae): implications of congruence and incongruence with the ITS phylogeny. <i>American Journal of Botany</i> , 2002, 89, 1324-1335.	0.8	31
76	Rapid diversification of the cotton genus (<i>Gossypium</i> : Malvaceae) revealed by analysis of sixteen nuclear and chloroplast genes. <i>American Journal of Botany</i> , 2002, 89, 707-725.	0.8	249
77	Building Supertrees: An Empirical Assessment Using the Grass Family (Poaceae). <i>Systematic Biology</i> , 2002, 51, 136-150.	2.7	89
78	Monophyly of the Convolvulaceae and circumscription of their major lineages based on DNA sequences of multiple chloroplast loci. <i>American Journal of Botany</i> , 2002, 89, 1510-1522.	0.8	158
79	PHYLOGENETIC RELATIONSHIPS AND MORPHOLOGICAL DIVERSITY IN DARWIN'S FINCHES AND THEIR RELATIVES. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 1240.	1.1	7
80	<i>Craseonycteris thonglongyai</i> (Chiroptera: Craseonycteridae) is a Rhinolophoid: Molecular Evidence from Cytochrome <i>b</i> . <i>Acta Chiropterologica</i> , 2002, 4, 107-120.	0.2	20
81	<i>Decorospora</i> , a new genus for the marine ascomycete <i>Pleospora gaudefroyi</i> . <i>Mycologia</i> , 2002, 94, 651-659.	0.8	18
82	A preliminary overview of the Diaporthales based on large subunit nuclear ribosomal DNA sequences. <i>Mycologia</i> , 2002, 94, 1017-1031.	0.8	157
83	Molecular markers for the phylogenetics of mites and ticks. <i>Systematic and Applied Acarology</i> , 2002, 7, 3.	0.5	143
84	Molecular Systematics of the Eastern Fence Lizard (<i>Sceloporus undulatus</i>): A Comparison of Parsimony, Likelihood, and Bayesian Approaches. <i>Systematic Biology</i> , 2002, 51, 44-68.	2.7	587
85	Combined Nuclear and Mitochondrial DNA Sequences Resolve Generic Relationships within the Cracidae (Galliformes, Aves). <i>Systematic Biology</i> , 2002, 51, 946-958.	2.7	75
86	Phylogeny of seed plants based on evidence from eight genes. <i>American Journal of Botany</i> , 2002, 89, 1670-1681.	0.8	111
87	The Cretaceous marine squamate <i>Mesoleptos</i> and the origin of snakes. <i>Bulletin of the Natural History Museum Zoology Series</i> , 2002, 68, .	0.2	2
88	Robustness of Ancestral State Estimates: Evolution of Life History Strategy in Ichneumonoid Parasitoids. <i>Systematic Biology</i> , 2002, 51, 450-477.	2.7	120
89	SYSTEMATICS AND HISTORICAL BIOGEOGRAPHY OF WAGTAILS: DISPERSAL VERSUS VICARIANCE REVISITED. <i>Condor</i> , 2002, 104, 725.	0.7	46
90	Evolution of the Gene Network Underlying Wing Polyphenism in Ants. <i>Science</i> , 2002, 297, 249-252.	6.0	374

#	ARTICLE	IF	CITATIONS
91	MOLECULAR PHYLOGENETICS OF MOLE CRABS (HIPPIDAE: EMERITA). Journal of Crustacean Biology, 2002, 22, 903-915.	0.3	13
92	A MOLECULAR PHYLOGENY OF MALARIAL PARASITES RECOVERED FROM CYTOCHROME b GENE SEQUENCES. Journal of Parasitology, 2002, 88, 972-978.	0.3	362
93	Phylogenetic analyses of anatomical and nuclear SSU rDNA sequence data indicate that the Dasyaceae and Delesseriaceae (Ceramiaceae, Rhodophyta) are polyphyletic. European Journal of Phycology, 2002, 37, 551-569.	0.9	36
94	Inferring confidence sets of possibly misspecified gene trees. Proceedings of the Royal Society B: Biological Sciences, 2002, 269, 137-142.	1.2	441
95	Conservation phylogenetics of Chilean freshwater crabs <i>Aegla</i> (Anomura, Aegliidae): assigning priorities for aquatic habitat protection. Biological Conservation, 2002, 105, 345-353.	1.9	56
96	Microbat paraphyly and the convergent evolution of a key innovation in Old World rhinolophoid microbats. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 1431-1436.	3.3	184
97	Independent Origins and Rapid Evolution of the Placenta in the Fish Genus <i>Poeciliopsis</i> . Science, 2002, 298, 1018-1020.	6.0	212
98	Systematics and Historical Biogeography of Wagtails: Dispersal Versus Vicariance Revisited. Condor, 2002, 104, 725-739.	0.7	53
99	Phylogenetic Affinities of <i>Mabuya atlantica</i> Schmidt, 1945, Endemic to the Atlantic Ocean Archipelago of Fernando de Noronha (Brazil): Necessity of Partitioning the Genus <i>Mabuya</i> Fitzinger, 1826 (Scincidae: Lygosominae). Zoologischer Anzeiger, 2002, 241, 281-293.	0.4	86
100	Eubacterial phylogeny based on translational apparatus proteins. Trends in Genetics, 2002, 18, 1-5.	2.9	221
101	Phylogenetic analyses of the Lyophylleae (Agaricales, Basidiomycota) based on nuclear and mitochondrial rDNA sequences. Mycological Research, 2002, 106, 1043-1059.	2.5	93
102	Phylogeny of Anophelinae (Diptera: Culicidae) based on nuclear ribosomal and mitochondrial DNA sequences. Systematic Entomology, 2002, 27, 361-382.	1.7	120
103	Molecular phylogenetic perspective on evolution of lizards of the <i>Anolis grahami</i> series. The Journal of Experimental Zoology, 2002, 294, 1-16.	1.4	59
104	Molecular Phylogeny of a Cosmopolitan Group of Woodpeckers (Genus <i>Picoides</i>) Based on COI and cyt b Mitochondrial Gene Sequences. Molecular Phylogenetics and Evolution, 2002, 22, 65-75.	1.2	43
105	A Maximum-Likelihood Analysis of Eight Phylogenetic Markers in Gallwasps (Hymenoptera: Cynipidae): Implications for Insect Phylogenetic Studies. Molecular Phylogenetics and Evolution, 2002, 22, 206-219.	1.2	98
106	Higher-Level Phylogenetic Relationships of Homobasidiomycetes (Mushroom-Forming Fungi) Inferred from Four rDNA Regions. Molecular Phylogenetics and Evolution, 2002, 22, 76-90.	1.2	140
107	Phylogenetic Relationships of North American Garter Snakes (<i>Thamnophis</i>) Based on Four Mitochondrial Genes: How Much DNA Sequence Is Enough?. Molecular Phylogenetics and Evolution, 2002, 22, 315-329.	1.2	150
108	Molecular Phylogenetics and Mitochondrial Genomic Evolution in the Chamaeleonidae (Reptilia). Tj ETQq1 1 0.784314 rgBT /Overlock 1	1.2	91

#	ARTICLE	IF	CITATIONS
109	Higher level phylogenetic relationships of euascomycetes (Pezizomycotina) inferred from a combined analysis of nuclear and mitochondrial sequence data. <i>Mycological Progress</i> , 2002, 1, 57-70.	0.5	43
110	Molecular kinship analyses of the agaricoid Russulaceae: Correspondence with mycorrhizal anatomy and sporocarp features in the genus <i>Russula</i> . <i>Mycological Progress</i> , 2002, 1, 201-223.	0.5	60
111	Maximum Likelihood Methods Reveal Conservation of Function Among Closely Related Kinesin Families. <i>Journal of Molecular Evolution</i> , 2002, 54, 42-53.	0.8	64
112	Nuclear and Nucleomorph SSU rDNA Phylogeny in the Cryptophyta and the Evolution of Cryptophyte Diversity. <i>Journal of Molecular Evolution</i> , 2002, 55, 161-179.	0.8	102
113	Molecular phylogenetic relationships in the aquatic snail genus <i>Lymnaea</i> , the intermediate host of the causative agent of fascioliasis: insights from broader taxon sampling. <i>Parasitology Research</i> , 2002, 88, 687-696.	0.6	54
114	Snake phylogeny based on osteology, soft anatomy and ecology. <i>Biological Reviews</i> , 2002, 77, 333-401.	4.7	158
115	A phylogenetic analysis of the Arecoid Line of palms based on plastid DNA sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2002, 23, 189-204.	1.2	69
116	The origins and evolution of the genus <i>Myosotis</i> L. (Boraginaceae). <i>Molecular Phylogenetics and Evolution</i> , 2002, 24, 180-193.	1.2	88
117	The evolutionary origin of Indian Ocean tortoises (<i>Dipsochelys</i>). <i>Molecular Phylogenetics and Evolution</i> , 2002, 24, 216-227.	1.2	54
118	Evolution of ecological traits and wing morphology in <i>Hemileuca</i> (Saturniidae) based on a two-gene phylogeny. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 70-86.	1.2	30
119	The Atlas mountains as a biogeographical divide in Northâ€“West Africa: evidence from mtDNA evolution in the Agamid lizard <i>Agama impalearis</i> . <i>Molecular Phylogenetics and Evolution</i> , 2002, 24, 324-332.	1.2	69
120	Molecular evolution of Holarctic martens (genus <i>Martes</i> , Mammalia: Carnivora: Mustelidae). <i>Molecular Phylogenetics and Evolution</i> , 2002, 24, 169-179.	1.2	68
121	Progenesis in Eunicida (â€œPolychaeta,â€œAnnelida)â€œ” separate evolutionary events? Evidence from molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 190-199.	1.2	52
122	Molecular phylogenetic evidence confirming the Eulipotyphla concept and in support of hedgehogs as the sister group to shrewsâ€œ†. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 200-209.	1.2	89
123	Historical relationships among Neotropical lowland forest areas of endemism as determined by mitochondrial DNA sequence variation within the Wedge-billed Woodcreeper (<i>Aves</i> :) <i>Tj ETQq0 0 0 rgBT /Overlock 102Tf 50 1170d (Deno</i>	1.2	117
124	Snake phylogeny: evidence from nuclear and mitochondrial genes. <i>Molecular Phylogenetics and Evolution</i> , 2002, 24, 194-202.	1.2	134
125	Phylogenetic relationships of the dwarf boas and a comparison of Bayesian and bootstrap measures of phylogenetic support. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 361-371.	1.2	626
126	Molecular phylogeny of the Puerto Rican <i>Lepidocyrtus</i> and <i>Pseudosinella</i> (Hexapoda: Collembola), a validation of Yoshiiâ€œ™s â€œcolor pattern speciesâ€œ. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 27-42.	1.2	54

#	ARTICLE	IF	CITATIONS
127	Phylogenetics of Australian Acacia thrips: the evolution of behaviour and ecology. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 278-292.	1.2	35
128	Genetic subdivision and biogeography of the Danubian rheophilic barb <i>Barbus petenyi</i> inferred from phylogenetic analysis of mitochondrial DNA variation. <i>Molecular Phylogenetics and Evolution</i> , 2002, 24, 10-18.	1.2	35
129	Evolution of South American spiny rats (Rodentia, Echimyidae): the star-phylogeny hypothesis revisited. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 455-464.	1.2	87
130	Phylogeographic analysis of the cornsnake (<i>Elaphe guttata</i>) complex as inferred from maximum likelihood and Bayesian analyses. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 465-476.	1.2	58
131	Historical biogeography and molecular systematics of the Indo-Pacific genus <i>Dascyllus</i> (Teleostei: Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50	2.0	83
132	Associations between mycophagous <i>Drosophila</i> and their <i>Howardula</i> nematode parasites: a worldwide phylogenetic shuffle. <i>Molecular Ecology</i> , 2002, 12, 237-249.	2.0	70
133	Analyzing evolutionary patterns in amniote embryonic development*. <i>Evolution & Development</i> , 2002, 4, 292-302.	1.1	79
134	PHYLOGENETIC SYSTEMATICS OF THE ULVACEAE (ULVALES, ULVOPHYCEAE) USING CHLOROPLAST AND NUCLEAR DNA SEQUENCES1. <i>Journal of Phycology</i> , 2002, 38, 1200-1212.	1.0	106
135	TWO NEW AUSTRALIAN SPECIES OF PREDAEA (NEMASTOMATACEAE, RHODOPHYTA) WITH TAXONOMIC RECOMMENDATIONS FOR AN EMENDED NEMASTOMATALES AND EXPANDED HALYMENIALES1. <i>Journal of Phycology</i> , 2002, 38, 1245-1260.	1.0	34
136	Re-examining Alveolate Evolution Using Multiple Protein Molecular Phylogenies. <i>Journal of Eukaryotic Microbiology</i> , 2002, 49, 30-37.	0.8	139
137	Phylogenetic Position of <i>Blastocystis hominis</i> and of Stramenopiles Inferred from Multiple Molecular Sequence Data. <i>Journal of Eukaryotic Microbiology</i> , 2002, 49, 42-53.	0.8	92
138	PHYLOGENY OF GAERTNERA LAM. (RUBIACEAE) BASED ON MULTIPLE DNA MARKERS: EVIDENCE OF A RAPID RADIATION IN A WIDESPREAD, MORPHOLOGICALLY DIVERSE GENUS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 42-57.	1.1	112
139	THE IMPORTANCE OF THE ONTOGENETIC NICHE IN RESOURCE-ASSOCIATED DIVERGENCE: EVIDENCE FROM A GENERALIST GRASSHOPPER. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 731-740.	1.1	40
140	PHYLOGENETIC RELATIONSHIPS AND MORPHOLOGICAL DIVERSITY IN DARWIN'S FINCHES AND THEIR RELATIVES. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 1240-1252.	1.1	158
141	Discussion on the meeting on 'Statistical modelling and analysis of genetic data'. <i>Journal of the Royal Statistical Society Series B: Statistical Methodology</i> , 2002, 64, 737-775.	1.1	11
142	A molecular phylogeny of rainbow skinks (Scincidae: <i>Carlia</i>): taxonomic and biogeographic implications. <i>Australian Journal of Zoology</i> , 2002, 50, 39.	0.6	25
143	A phylogenetic hypothesis for passerine birds: taxonomic and biogeographic implications of an analysis of nuclear DNA sequence data. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002, 269, 295-308.	1.2	341
144	Molecular Systematics of Sciurognathi (Rodentia): The Mitochondrial Cytochrome b and 12S rRNA Genes Support the Anomaluroidae (Pedetidae and Anomaluridae). <i>Molecular Phylogenetics and Evolution</i> , 2002, 22, 220-233.	1.2	132

#	ARTICLE	IF	CITATIONS
145	Should Taxon Names Be Explicitly Defined?. <i>Botanical Review</i> , The, 2003, 69, 2-21.	1.7	18
146	Molecular phylogenetic analyses of shallow-water Caribbean octocorals. <i>Marine Biology</i> , 2003, 142, 975-987.	0.7	134
147	When Being "Most Likely" Is Not Enough: Examining the Performance of Three Uses of the Parametric Bootstrap in Phylogenetics. <i>Journal of Molecular Evolution</i> , 2003, 56, 198-222.	0.8	13
148	Congruent Avian Phylogenies Inferred from Mitochondrial and Nuclear DNA Sequences. <i>Journal of Molecular Evolution</i> , 2003, 57, 27-37.	0.8	48
149	Molecular Evolution of Three Avian Neurotrophin Genes: Implications for Proregion Functional Constraints. <i>Journal of Molecular Evolution</i> , 2003, 57, 335-342.	0.8	35
150	Molecular Phylogeny of the <i>Drosophila melanogaster</i> Species Subgroup. <i>Journal of Molecular Evolution</i> , 2003, 57, 562-573.	0.8	74
151	Evolution of R5 and X4 human immunodeficiency virus type 1 gag sequences in vivo: evidence for recombination. <i>Virology</i> , 2003, 314, 451-459.	1.1	27
152	A molecular phylogeny of the neotropical butterfly genus <i>Anartia</i> (Lepidoptera: Nymphalidae). <i>Molecular Phylogenetics and Evolution</i> , 2003, 26, 46-55.	1.2	23
153	Xantusiid lizards: a puzzling phylogenetic problem revisited using likelihood-based Bayesian methods on mtDNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2003, 26, 243-261.	1.2	41
154	Rapid evolutionary divergences in reef fishes of the family Acanthuridae (Perciformes: Teleostei). <i>Molecular Phylogenetics and Evolution</i> , 2003, 26, 190-201.	1.2	51
155	Molecular phylogenetic evidence for multiple gains or losses of ant mutualism within the aphid genus <i>Chaitophorus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2003, 26, 26-35.	1.2	68
156	Molecular phylogenetic evidence refuting the hypothesis of Batoidea (rays and skates) as derived sharks. <i>Molecular Phylogenetics and Evolution</i> , 2003, 26, 215-221.	1.2	152
157	Longspurs and snow buntings: phylogeny and biogeography of a high-latitude clade (<i>Calcarius</i>). <i>Molecular Phylogenetics and Evolution</i> , 2003, 26, 165-175.	1.2	34
158	Molecular systematics and phylogeography of Amazonian poison frogs of the genus <i>Dendrobates</i> . <i>Molecular Phylogenetics and Evolution</i> , 2003, 26, 452-475.	1.2	65
159	The phylogenetics of Desmognathine salamander populations across the southern Appalachians. <i>Molecular Phylogenetics and Evolution</i> , 2003, 27, 197-211.	1.2	42
160	Molecular phylogeny of the lionfish genera <i>Dendrochirus</i> and <i>Pterois</i> (Scorpaenidae, Pteroinae) based on mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 396-403.	1.2	79
161	Molecular phylogenetics of <i>Houstonia</i> (Rubiaceae): descending aneuploidy and breeding system evolution in the radiation of the lineage across North America. <i>Molecular Phylogenetics and Evolution</i> , 2003, 27, 223-238.	1.2	44
162	A phylogeny of the Australian <i>Sphenomorphus</i> group (Scincidae: Squamata) and the phylogenetic placement of the crocodile skinks (<i>Tribolonotus</i>): Bayesian approaches to assessing congruence and obtaining confidence in maximum likelihood inferred relationships. <i>Molecular Phylogenetics and Evolution</i> , 2003, 27, 384-397.	1.2	137

#	ARTICLE	IF	CITATIONS
163	A phylogeny of Chinese species in the genus <i>Phrynocephalus</i> (Agamidae) inferred from mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2003, 27, 398-409.	1.2	65
164	Mitochondrial DNA, morphology, and the phylogenetic relationships of Antarctic icefishes (Notothenioidei: Channichthyidae). <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 87-98.	1.2	69
165	Molecular phylogeny and biogeography of the wall-lizard <i>Podarcis erhardii</i> (Squamata: Lacertidae). <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 38-46.	1.2	99
166	Searching factors causing implausible non-monophyly: ssu rDNA phylogeny of Isopoda Asellota (Crustacea: Peracarida) and faster evolution in marine than in freshwater habitats. <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 536-551.	1.2	12
167	The major opsin gene is useful for inferring higher level phylogenetic relationships of the corbiculate bees. <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 610-613.	1.2	21
168	Phylogeny and evolution of reproductive modes in Autolytinae (Syllidae, Annelida). <i>Molecular Phylogenetics and Evolution</i> , 2003, 29, 235-249.	1.2	91
169	Molecular systematics of armadillos (Xenarthra, Dasypodidae): contribution of maximum likelihood and Bayesian analyses of mitochondrial and nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 261-275.	1.2	76
170	A tree island approach to inferring phylogeny in the ant subfamily Formicinae, with especial reference to the evolution of weaving. <i>Molecular Phylogenetics and Evolution</i> , 2003, 29, 317-330.	1.2	30
171	A new phylogenetic marker, apolipoprotein B, provides compelling evidence for eutherian relationships. <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 225-240.	1.2	183
172	Testing paleolimnological predictions with molecular data: the origins of Holarctic Eubosmina. <i>Journal of Evolutionary Biology</i> , 2003, 16, 871-882.	0.8	42
173	Evidence for gene flow in parasitic nematodes between two host species of shrews. <i>Molecular Ecology</i> , 2003, 12, 2853-2859.	2.0	28
174	PHYLOGENETIC POSITION OF TOXARIUM, A PENNATE-LIKE LINEAGE WITHIN CENTRIC DIATOMS (BACILLARIOPHYCEAE) 1. <i>Journal of Phycology</i> , 2003, 39, 185-197.	1.0	108
175	Molecular systematics of cowries (Gastropoda: Cypraeidae) and diversification patterns in the tropics. <i>Biological Journal of the Linnean Society</i> , 2003, 79, 401-459.	0.7	337
176	Out of Africa: molecular phylogenetics and biogeography of <i>Wolffiella</i> (Lemnaceae). <i>Biological Journal of the Linnean Society</i> , 2003, 79, 565-576.	0.7	19
177	Phylogeny estimation: traditional and Bayesian approaches. <i>Nature Reviews Genetics</i> , 2003, 4, 275-284.	7.7	504
178	EVOLUTIONARY PROCESSES IN THE GENUS <i>COREOCARPUS</i> : INSIGHTS FROM MOLECULAR PHYLOGENETICS. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 52-61.	1.1	20
179	MOLECULAR SYSTEMATICS, PHYLOGEOGRAPHY, AND THE EFFECTS OF PLEISTOCENE GLACIATION IN THE PAINTED TURTLE (<i>CHRYSSEMYS PICTA</i>) COMPLEX. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 119-128.	1.1	106
180	PHYLOGENETIC ANALYSIS OF ECOLOGICAL AND MORPHOLOGICAL DIVERSIFICATION IN HISPANIOLAN TRUNK-GROUND ANOLES (<i>ANOLIS CYBOTES</i> GROUP). <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 2383-2397.	1.1	120

#	ARTICLE	IF	CITATIONS
181	MONKEYS AND TOADS DEFINE AREAS OF ENDEMISM ON SULAWESI. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1436-1443.	1.1	102
182	EVOLUTIONARY DYNAMICS OF HOST-PLANT USE IN A GENUS OF LEAF-MINING MOTHS. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1804-1821.	1.1	109
183	DIVERSIFICATION OF SULAWESI MACAQUE MONKEYS: DECOUPLED EVOLUTION OF MITOCHONDRIAL AND AUTOSOMAL DNA. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1931-1946.	1.1	72
184	Phylogenetics, zoogeography, and the role of dispersal and vicariance in the evolution of the <i>Rana catesbeiana</i> (Anura: Ranidae) species group. <i>Biological Journal of the Linnean Society</i> , 2003, 80, 601-624.	0.7	43
185	Molecular Phylogeny of <i>Ericameria</i> (Asteraceae, Astereae) Based on Nuclear Ribosomal 3' ETS and ITS Sequence Data. <i>Taxon</i> , 2003, 52, 209.	0.4	17
186	Molecular phylogeny of <i>Ericameria</i> (Asteraceae, Astereae) based on nuclear ribosomal 3' ETS and ITS sequence data. <i>Taxon</i> , 2003, 52, 209-228.	0.4	3
187	MOLECULAR SYSTEMATICS OF THE MIDDLE AMERICAN JUMPING PITVIPERS (GENUS <i>ATROPOIDES</i>) AND PHYLOGEOGRAPHY OF THE <i>ATROPOIDES</i> NUMMIFER COMPLEX. <i>Herpetologica</i> , 2003, 59, 420-431.	0.2	32
188	USING MORPHOLOGICAL AND MOLECULAR EVIDENCE TO INFER SPECIES BOUNDARIES WITHIN <i>PROCTOPORUS BOLIVIANUS</i> WERNER (SQUAMATA: GYMNOPHTHALMIDAE). <i>Herpetologica</i> , 2003, 59, 432-449.	0.2	29
189	Identifying Conflicting Signal in a Multigene Analysis Reveals a Highly Resolved Tree: The Phylogeny of Rodentia (Mammalia). <i>Systematic Biology</i> , 2003, 52, 604-617.	2.7	51
190	Inferring Evolutionary Trees with PAUP *. <i>Current Protocols in Bioinformatics</i> , 2003, 00, Unit 6.4.	25.8	334
191	Comparison of Bayesian and Maximum Likelihood Bootstrap Measures of Phylogenetic Reliability. <i>Molecular Biology and Evolution</i> , 2003, 20, 248-254.	3.5	460
192	Phylogenetic relationships of the genus <i>Phanerochaete</i> inferred from the internal transcribed spacer region. <i>Mycological Research</i> , 2003, 107, 1032-1040.	2.5	49
193	MITOCHONDRIAL DNA PHYLOGENY OF BABBLERS (TIMALIIDAE). <i>Auk</i> , 2003, 120, 35.	0.7	64
194	Evolution of Long-Distance Migration in and Historical Biogeography of <i>Catharus</i> Thrushes: A Molecular Phylogenetic Approach. <i>Auk</i> , 2003, 120, 299-310.	0.7	2
195	Systematics and evolution of tribe <i>Sinningieae</i> (Gesneriaceae): evidence from phylogenetic analyses of six plastid DNA regions and nuclear <i>ncpGS</i> . <i>American Journal of Botany</i> , 2003, 90, 445-460.	0.8	127
196	Phylogenetics and the Cohesion of Bacterial Genomes. <i>Science</i> , 2003, 301, 829-832.	6.0	256
197	Phylogenetic analysis of Russian Permian dicynodonts (Therapsida: Anomodontia): implications for Permian biostratigraphy and Pangaeian biogeography. <i>Zoological Journal of the Linnean Society</i> , 2003, 139, 157-212.	1.0	70
198	PHYLOGENETIC RELATIONSHIPS WITHIN IGUANIDAE INFERRED USING MOLECULAR AND MORPHOLOGICAL DATA AND A PHYLOGENETIC TAXONOMY OF IGUANIAN LIZARDS. <i>Herpetologica</i> , 2003, 59, 399-419.	0.2	131

#	ARTICLE	IF	CITATIONS
199	PHYLOGENETIC ANALYSIS OF ECOLOGICAL AND MORPHOLOGICAL DIVERSIFICATION IN HISPANIOLAN TRUNK-GROUND ANOLES (ANOLIS CYBOTES GROUP). <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 2383.	1.1	5
200	EVOLUTIONARY DYNAMICS OF HOST-PLANT USE IN A GENUS OF LEAF-MINING MOTHS. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1804.	1.1	9
201	MONKEYS AND TOADS DEFINE AREAS OF ENDEMISM ON SULAWESI. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1436.	1.1	34
202	When Are Phylogenetic Analyses Misled by Convergence? A Case Study in Texas Cave Salamanders. <i>Systematic Biology</i> , 2003, 52, 501-514.	2.7	147
203	The major clades of Loasaceae: phylogenetic analysis using the plastid <i>matK</i> and <i>trnL-trnF</i> regions. <i>American Journal of Botany</i> , 2003, 90, 1215-1228.	0.8	53
204	Least and Most Powerful Phylogenetic Tests to Elucidate the Origin of the Seed Plants in the Presence of Conflicting Signals under Misspecified Models. <i>Systematic Biology</i> , 2003, 52, 781-793.	2.7	21
205	Confidence Regions and Hypothesis Tests for Topologies Using Generalized Least Squares. <i>Molecular Biology and Evolution</i> , 2003, 20, 862-868.	3.5	22
206	MOLECULAR TAXONOMY AND PHYLOGENETICS OF SOME SPECIES OF AUSTRALIAN PALAEMONID SHRIMPS. <i>Journal of Crustacean Biology</i> , 2003, 23, 169-177.	0.3	19
207	MOLECULAR SYSTEMATICS, PHYLOGEOGRAPHY, AND THE EFFECTS OF PLEISTOCENE GLACIATION IN THE PAINTED TURTLE (CHRYSEMYS PICTA) COMPLEX. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 119.	1.1	10
208	Phylogenetics of Advanced Snakes (Caenophidia) Based on Four Mitochondrial Genes. <i>Systematic Biology</i> , 2003, 52, 439-459.	2.7	91
209	How Bayes tests of molecular phylogenies compare with frequentist approaches. <i>Bioinformatics</i> , 2003, 19, 618-624.	1.8	19
210	Discordant Phylogenies within the <i>rrn</i> Loci of Rhizobia. <i>Journal of Bacteriology</i> , 2003, 185, 2988-2998.	1.0	174
211	Assessing the Phylogenetic Utility of Four Mitochondrial Genes and a Nuclear Intron in the Asian Pit Viper Genus, <i>Trimeresurus</i> : Separate, Simultaneous, and Conditional Data Combination Analyses. <i>Molecular Biology and Evolution</i> , 2003, 20, 1240-1251.	3.5	42
212	Bioinformatics of Nuclear Receptors. <i>Methods in Enzymology</i> , 2003, 364, 93-118.	0.4	9
213	The Sahara as a vicariant agent, and the role of Miocene climatic events, in the diversification of the mammalian order Macroscelidea (elephant shrews). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8325-8330.	3.3	140
214	Supertrees Are a Necessary Not-So-Evil: A Comment on Gatesy et al.. <i>Systematic Biology</i> , 2003, 52, 724-729.	2.7	34
215	Partitioned Likelihood Support and the Evaluation of Data Set Conflict. <i>Systematic Biology</i> , 2003, 52, 15-22.	2.7	83
216	DIVERSIFICATION OF SULAWESI MACAQUE MONKEYS: DECOUPLED EVOLUTION OF MITOCHONDRIAL AND AUTOSOMAL DNA. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1931.	1.1	6

#	ARTICLE	IF	CITATIONS
217	EVOLUTIONARY PROCESSES IN THE GENUS COREOCARPUS: INSIGHTS FROM MOLECULAR PHYLOGENETICS. Evolution; International Journal of Organic Evolution, 2003, 57, 52.	1.1	2
218	Cryptic species of fig-pollinating wasps: Implications for the evolution of the fig-wasp mutualism, sex allocation, and precision of adaptation. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 5867-5872.	3.3	262
219	Phylogenetic relationships of African caecilians (Amphibia: Gymnophiona): Insights from mitochondrial rRNA gene sequences. African Journal of Herpetology, 2003, 52, 83-92.	0.3	71
220	Systematics of the Lizard Family Pygopodidae with Implications for the Diversification of Australian Temperate Biotas. Systematic Biology, 2003, 52, 757-780.	2.7	86
221	Molecular Systematics and Adaptive Radiation of Hawaii's Endemic Damselfly Genus Megalagrion (Odonata: Coenagrionidae). Systematic Biology, 2003, 52, 89-109.	2.7	125
222	PHYLOGENETIC DIVERSIFICATION WITHIN THE SOREX CINEREUS GROUP (SORICIDAE). Journal of Mammalogy, 2003, 84, 144-158.	0.6	44
223	Phylogenetics of Fanged Frogs: Testing Biogeographical Hypotheses at the Interface of the Asian and Australian Faunal Zones. Systematic Biology, 2003, 52, 794-819.	2.7	143
224	Molecular Phylogenetics of Allodapine Bees, with Implications for the Evolution of Sociality and Progressive Rearing. Systematic Biology, 2003, 52, 1-14.	2.7	86
225	The Systematic Utility of Floral and Vegetative Fragrance in Two Genera of Nyctaginaceae. Systematic Biology, 2003, 52, 334-351.	2.7	69
226	PHYLOGENETIC SYSTEMATICS OF THE AUSTRALIAN FAIRY SHRIMP GENUS BRANCHINELLA BASED ON MITOCHONDRIAL DNA SEQUENCES. Journal of Crustacean Biology, 2003, 23, 436-442.	0.3	6
227	EVOLUTION OF LONG-DISTANCE MIGRATION IN AND HISTORICAL BIOGEOGRAPHY OF CATHARUS THRUSHES: A MOLECULAR PHYLOGENETIC APPROACH. Auk, 2003, 120, 299.	0.7	68
228	Heterogeneous Selection on LEGCYC Paralogs in Relation to Flower Morphology and the Phylogeny of Lupinus (Leguminosae). Molecular Biology and Evolution, 2003, 21, 321-331.	3.5	58
229	THE PHYLOGENETICS OF TRICULINE SNAILS (RISOOIDEA: POMATIOPSIDAE) FROM SOUTH-EAST ASIA AND SOUTHERN CHINA: HISTORICAL BIOGEOGRAPHY AND THE TRANSMISSION OF HUMAN SCHISTOSOMIASIS. Journal of Molluscan Studies, 2003, 69, 263-271.	0.4	32
230	Variability and Phylogenetic Incongruence of an SSU nrDNA Group I Intron in Artomyces, Auriscalpium, and Lentinellus (Auriscalpiaceae: Homobasidiomycetes). Molecular Biology and Evolution, 2003, 20, 1909-1916.	3.5	11
231	Molecular Taxonomy and Phylogenetics of Some Species of Australian Palaemonid Shrimps. Journal of Crustacean Biology, 2003, 23, 169-177.	0.3	29
232	Maximum-Likelihood Analysis Using TREE-PUZZLE. Current Protocols in Bioinformatics, 2003, 1, 6.6.1-6.6.23.	25.8	24
233	Evolution of Long-Distance Migration in and Historical Biogeography of Catharus Thrushes: A Molecular Phylogenetic Approach. Auk, 2003, 120, 299-310.	0.7	79
235	Vicariant Speciation of Curassows (Aves, Cracidae): A Hypothesis Based on Mitochondrial DNA Phylogeny. Auk, 2004, 121, 682-694.	0.7	10

#	ARTICLE	IF	CITATIONS
236	Biogeography of Eastern Polynesian Monarchs (<i>Pomarea</i>): An Endemic Genus Close to Extinction. <i>Condor</i> , 2004, 106, 837-851.	0.7	34
237	Multiple origins of the endemic Australian <i>Macrobrachium</i> (Decapoda : Palaemonidae) based on 16S rRNA mitochondrial sequences. <i>Australian Journal of Zoology</i> , 2004, 52, 549.	0.6	29
238	Testing the Phylogenetic Position of a Parasitic Plant (<i>Cuscuta</i> , Convolvulaceae, Asteridae): Bayesian Inference and the Parametric Bootstrap on Data Drawn from Three Genomes. <i>Systematic Biology</i> , 2004, 53, 384-399.	2.7	67
239	PHYLOGENETIC EVIDENCE FOR A MAJOR REVERSAL OF LIFE-HISTORY EVOLUTION IN PLETHODONTID SALAMANDERS. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2809.	1.1	14
240	EVOLUTION OF MOUTHBROODING AND LIFE-HISTORY CORRELATES IN THE FIGHTING FISH GENUS BETTA. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 799.	1.1	3
241	Modeling Compositional Heterogeneity. <i>Systematic Biology</i> , 2004, 53, 485-495.	2.7	438
242	COSPECIATION ANALYSIS OF AN OBLIGATE POLLINATION MUTUALISM: HAVE GLOCHIDION TREES (EUPHORBIACEAE) AND POLLINATING EPICEPHALA MOTHS (GRACILLARIIDAE) DIVERSIFIED IN PARALLEL?. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2201.	1.1	7
243	UNDERSTANDING THE ORIGINS OF AREAS OF ENDEMISM IN PHYLOGEOGRAPHIC ANALYSES: A REPLY TO BRIDLE ET AL. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 1397.	1.1	0
244	Congruence Versus Phylogenetic Accuracy: Revisiting the Incongruence Length Difference Test. <i>Systematic Biology</i> , 2004, 53, 81-89.	2.7	214
245	Mathematical Population Genetics. <i>Interdisciplinary Applied Mathematics</i> , 2004, , .	0.2	964
246	Nuclear protein-coding genes support lungfish and not the coelacanth as the closest living relatives of land vertebrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 4900-4905.	3.3	168
247	Repeat-type distribution in trnL intron does not correspond with species phylogeny: comparison of the genetic markers 16S rRNA and trnL intron in heterocystous cyanobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 765-772.	0.8	24
248	The phylogeny of <i>Gaura</i> (<i>Onagraceae</i>) based on ITS, ETS, and <i>trnL</i> sequence data. <i>American Journal of Botany</i> , 2004, 91, 139-148.	0.8	27
249	Unraveling the Evolutionary Radiation of the Thoracican Barnacles Using Molecular and Morphological Evidence: A Comparison of Several Divergence Time Estimation Approaches. <i>Systematic Biology</i> , 2004, 53, 244-264.	2.7	112
250	Bacteriophage Flux in Endosymbionts (<i>Wolbachia</i>): Infection Frequency, Lateral Transfer, and Recombination Rates. <i>Molecular Biology and Evolution</i> , 2004, 21, 1981-1991.	3.5	178
251	Evolution of a RNA Polymerase Gene Family in <i>Silene</i> (<i>Caryophyllaceae</i>)—Incomplete Concerted Evolution and Topological Congruence Among Paralogues. <i>Systematic Biology</i> , 2004, 53, 914-932.	2.7	76
252	Evolution of viviparity in horned lizards (<i>Phrynosoma</i>): testing the cold-climate hypothesis. <i>Journal of Evolutionary Biology</i> , 2004, 17, 1230-1237.	0.8	53
253	Interrelationships of Staphyliniform groups inferred from 18S and 28S rDNA sequences, with special emphasis on Hydrophiloidea (Coleoptera, Staphyliniformia). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2004, 42, 281-288.	0.6	31

#	ARTICLE	IF	CITATIONS
254	Evolution and phylogeny of the New Zealand cicada genus <i>Kikihia</i> Dugdale (Homoptera: Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 747 Td (A Islands' species. <i>Journal of Biogeography</i> , 2004, 31, 1769-1783.	1.4	51
255	The biogeography of <i>Hoffmannseggia</i> (Leguminosae, Caesalpinioideae, Caesalpinieae): a tale of many travels. <i>Journal of Biogeography</i> , 2004, 32, 15-27.	1.4	61
256	Speciation, phylogeography and evolution of life history and morphology in plethodontid salamanders of the <i>Eurycea multiplicata</i> complex. <i>Molecular Ecology</i> , 2004, 13, 1189-1203.	2.0	53
257	Hidden biodiversity of the extremophilic Cyanidiales red algae. <i>Molecular Ecology</i> , 2004, 13, 1827-1838.	2.0	167
258	Molecular phylogenetic evidence for an extracellular Cu Zn superoxide dismutase gene in insects. <i>Insect Molecular Biology</i> , 2004, 13, 587-594.	1.0	37
259	Parallel adaptive radiations in arid and temperate Australia: molecular phylogeography and systematics of the <i>Egernia whitii</i> (Lacertilia: Scincidae) species group. <i>Biological Journal of the Linnean Society</i> , 2004, 83, 157-173.	0.7	66
260	The osteology and phylogeny of the Hawaiian finch radiation (Fringillidae: Drepanidini), including extinct taxa. <i>Zoological Journal of the Linnean Society</i> , 2004, 141, 207-255.	1.0	55
261	EVOLUTION OF MOUTHBROODING AND LIFE-HISTORY CORRELATES IN THE FIGHTING FISH GENUS BETTA. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 799-813.	1.1	54
262	THE HISTORY OF A NEARCTIC COLONIZATION: MOLECULAR PHYLOGENETICS AND BIOGEOGRAPHY OF THE NEARCTIC TOADS (<i>BUFO</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2517-2535.	1.1	101
263	COSPECIATION ANALYSIS OF AN OBLIGATE POLLINATION MUTUALISM: HAVEGLOCHIDION TREES (<i>EUPHORBIACEAE</i>) AND POLLINATING EPICEPHALA MOTHS(<i>GRACILLARIIDAE</i>) DIVERSIFIED IN PARALLEL?. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2201-2214.	1.1	82
264	EVOLUTION OF ANT-CULTIVAR SPECIALIZATION AND CULTIVAR SWITCHING IN <i>APTEROSTIGMA</i> FUNGUS-GROWING ANTS. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2252-2265.	1.1	62
265	PHYLOGENETIC EVIDENCE FOR A MAJOR REVERSAL OF LIFE-HISTORY EVOLUTION IN PLETHODONTID SALAMANDERS. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2809-2822.	1.1	165
266	UNDERSTANDING THE ORIGINS OF AREAS OF ENDEMISM IN PHYLOGEOGRAPHIC ANALYSES: A REPLY TO BRIDLE ET AL.. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 1397-1400.	1.1	7
267	Phylogeographic Analysis of the Firefly, <i>Luciola lateralis</i> , in Japan and Korea Based on Mitochondrial Cytochrome Oxidase II Gene Sequences (Coleoptera: Lampyridae). <i>Biochemical Genetics</i> , 2004, 42, 287-300.	0.8	22
268	Species Relationships in <i>Krameria</i> (Krameriaceae) Based on ITS Sequences and Morphology: Implications for Character Utility and Biogeography. <i>Systematic Botany</i> , 2004, 29, 97-108.	0.2	33
269	Molecular systematics of the enigmatic 'phascolosoricine' marsupials of New Guinea. <i>Australian Journal of Zoology</i> , 2004, 52, 389.	0.6	20
270	<i>Veronica</i> : Parallel morphological evolution and phylogeography in the Mediterranean. <i>Plant Systematics and Evolution</i> , 2004, 246, 177.	0.3	76
271	Molecular phylogeny of Japanese <i>Eleocharis</i> (Cyperaceae) based on ITS sequence data, and chromosomal evolution. <i>Journal of Plant Research</i> , 2004, 117, 409-419.	1.2	34

#	ARTICLE	IF	CITATIONS
272	Mitochondrial 16S rRNA sequence variations and phylogeny of the Chinese sisorid catfishes. <i>Science Bulletin</i> , 2004, 49, 1586-1595.	1.7	5
273	A fragment of chloroplast DNA was transferred horizontally, probably from non-eudicots, to mitochondrial genome of <i>Phaseolus</i> . <i>Plant Molecular Biology</i> , 2004, 56, 811-820.	2.0	37
274	Comparative Analysis of the Complete Plastid Genome Sequence of the Red Alga <i>Gracilaria tenuistipitata</i> var. <i>liui</i> Provides Insights into the Evolution of Rhodoplasts and Their Relationship to Other Plastids. <i>Journal of Molecular Evolution</i> , 2004, 59, 464-477.	0.8	113
275	The tropical <i>Polyporus tricholoma</i> (Polyporaceae) – Taxonomy, phylogeny, and the development of methods to detect cryptic species. <i>Mycological Progress</i> , 2004, 3, 65-79.	0.5	9
276	A DNA-sequence based phylogeny for triculine snails (Gastropoda: Pomatiopsidae: Triculinae), intermediate hosts for <i>Schistosoma</i> (Trematoda: Digenea): phylogeography and the origin of <i>Neotricula</i> . <i>Journal of Zoology</i> , 2004, 262, 47-56.	0.8	22
277	Phylogeny and karyotype evolution of the Iberian <i>Leptynia attenuata</i> species complex (Insecta) Tj ETQq1 1 0.784314 rgBT /Oyerlock 10	1.2	19
278	Phylogenetic relationships of the North American chorus frogs (<i>Pseudacris</i> : Hylidae). <i>Molecular Phylogenetics and Evolution</i> , 2004, 30, 409-420.	1.2	77
279	Current and historical patterns of drainage connectivity in eastern Australia inferred from population genetic structuring in a widespread freshwater fish <i>Pseudomugil signifer</i> (<i>Pseudomugilidae</i>). <i>Molecular Ecology</i> , 2004, 13, 391-401.	2.0	61
280	Primate phylogeny, evolutionary rate variations, and divergence times: A contribution from the nuclear gene <i>IRBP</i> . <i>American Journal of Physical Anthropology</i> , 2004, 124, 01-16.	2.1	93
281	The basidiomycete genus <i>Polyporus</i> - an emendation based on phylogeny and putative secondary structure of ribosomal RNA molecules. <i>Feddes Repertorium</i> , 2004, 115, 530-546.	0.2	32
282	Phylogeny of elasmobranchs based on LSU and SSU ribosomal RNA genes. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 214-224.	1.2	113
283	Ecdysozoan phylogeny and Bayesian inference: first use of nearly complete 28S and 18S rRNA gene sequences to classify the arthropods and their kin. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 178-191.	1.2	315
284	Shifting sands and shifty lizards: molecular phylogeny and biogeography of African flat lizards (<i>Platysaurus</i>). <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 618-629.	1.2	30
285	Novel relationships among hylid frogs inferred from 12S and 16S mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 462-475.	1.2	237
286	Phylogenetic relationships of <i>Carpha</i> and its relatives (<i>Schoeneae</i> , <i>Cyperaceae</i>) inferred from chloroplast <i>trnL</i> intron and <i>trnL</i> – <i>trnF</i> intergenic spacer sequences. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 647-657.	1.2	24
287	Molecular phylogeny of Asian termites (<i>Isoptera</i>) of the families <i>Termitidae</i> and <i>Rhinotermitidae</i> based on mitochondrial <i>COII</i> sequences. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 701-710.	1.2	76
288	Endemic ranid (<i>Amphibia</i> : <i>Anura</i>) genera in southern mountain ranges of the Indian subcontinent represent ancient frog lineages: evidence from molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 730-740.	1.2	115
289	Conflicting phylogenies of balsaminoid families and the polytomy in <i>Ericales</i> : combining data in a Bayesian framework. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 711-729.	1.2	55

#	ARTICLE	IF	CITATIONS
290	Unraveling the phylogeny of polygrammoid ferns (Polypodiaceae and Grammitidaceae): exploring aspects of the diversification of epiphytic plants. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 1041-1063.	1.2	190
291	Phylogeny and evolution of the Australo-Papuan honeyeaters (Passeriformes, Meliphagidae). <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 943-960.	1.2	88
292	Supraordinal phylogenetic relationships of Lecanoromycetes based on a Bayesian analysis of combined nuclear and mitochondrial sequences. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 822-832.	1.2	97
293	Horned lizard (<i>Phrynosoma</i>) phylogeny inferred from mitochondrial genes and morphological characters: understanding conflicts using multiple approaches. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 961-971.	1.2	27
294	Convergence among cave catfishes: long-branch attraction and a Bayesian relative rates test. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 1101-1113.	1.2	64
295	Incongruence in Veroniceae (Plantaginaceae): evidence from two plastid and a nuclear ribosomal DNA region. <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 183-197.	1.2	71
296	Assessing the passerine "Tapestry": phylogenetic relationships of the Muscicapoidea inferred from nuclear DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 264-273.	1.2	59
297	Evolutionary differentiation of bimaculatus group anoles based on analyses of mtDNA and microsatellite data. <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 1-10.	1.2	21
298	Investigating phylogenetic relationships of sunfishes and black basses (Actinopterygii: Centrarchidae) using DNA sequences from mitochondrial and nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 344-357.	1.2	69
299	Phylogenetic investigations of Antarctic notothenioid fishes (Perciformes: Notothenioidei) using complete gene sequences of the mitochondrial encoded 16S rRNA. <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 881-891.	1.2	114
300	Relationships of the temperate Australasian labrid fish tribe Odacini (Perciformes; Teleostei). <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 575-587.	1.2	49
301	Molecular systematics of African 20-chromosome toads (Anura: Bufonidae). <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 671-685.	1.2	37
302	MtDNA phylogeny and biogeography of Copelatinae, a highly diverse group of tropical diving beetles (Dytiscidae). <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 866-880.	1.2	58
303	Molecular phylogeny of two lineages of Leuciscinae cyprinids (<i>Telestes</i> and <i>Scardinius</i>) from the peri-Mediterranean area based on cytochrome b data. <i>Molecular Phylogenetics and Evolution</i> , 2004, 32, 1061-1071.	1.2	76
304	A mitochondrial DNA phylogeny of African clawed frogs: phylogeography and implications for polyploid evolution. <i>Molecular Phylogenetics and Evolution</i> , 2004, 33, 197-213.	1.2	245
305	Phylogeny of caecilian amphibians (Gymnophiona) based on complete mitochondrial genomes and nuclear RAG1. <i>Molecular Phylogenetics and Evolution</i> , 2004, 33, 413-427.	1.2	163
306	A phylogeny of the extant Phocidae inferred from complete mitochondrial DNA coding regions. <i>Molecular Phylogenetics and Evolution</i> , 2004, 33, 363-377.	1.2	61
307	Rabbits, if anything, are likely Glires. <i>Molecular Phylogenetics and Evolution</i> , 2004, 33, 922-935.	1.2	45

#	ARTICLE	IF	CITATIONS
308	Molecular phylogeography and systematics of the arid-zone members of the <i>Egernia whitii</i> (Lacertilia). <i>Tj ETQq0 0 Q rgBT /Overlock 10 T</i>	1.2	33
309	Molecular Phylogenetics of Squamata: The Position of Snakes, Amphisbaenians, and Dibamids, and the Root of the Squamate Tree. <i>Systematic Biology</i> , 2004, 53, 735-757.	2.7	398
310	Host-Symbiont Stability and Fast Evolutionary Rates in an Ant-Bacterium Association: Cospeciation of <i>Camponotus</i> Species and Their Endosymbionts, <i>Candidatus Blochmannia</i> . <i>Systematic Biology</i> , 2004, 53, 95-110.	2.7	136
311	Multiple origins of parasitism in lice. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, 1771-1776.	1.2	119
312	Vicariant Speciation of Curassows (Aves, Cracidae): A Hypothesis Based on Mitochondrial DNA Phylogeny. <i>Auk</i> , 2004, 121, 682-694.	0.7	55
313	Phylogeny and Biogeography of the <i>Amazona ochrocephala</i> (Aves: Psittacidae) Complex. <i>Auk</i> , 2004, 121, 318-332.	0.7	72
314	Molecular phylogeny of two lineages of Leuciscinae cyprinids (<i>Telestes</i> and <i>Scardinius</i>) from the peri-Mediterranean area based on cytochrome b data. <i>Molecular Phylogenetics and Evolution</i> , 2004, , .	1.2	0
315	Floral development and molecular phylogeny support the generic status of <i>Tasmania</i> (Winteraceae). <i>American Journal of Botany</i> , 2004, 91, 321-331.	0.8	30
316	Phylogenetic evidence for and implications of a dual origin of propaliny in anomodont therapsids (Synapsida). <i>Paleobiology</i> , 2004, 30, 268-296.	1.3	45
317	Is subtribe <i>Solidagininae</i> (Asteraceae) monophyletic?. <i>Taxon</i> , 2004, 53, 691-698.	0.4	13
318	Phylogeny and evolution of grammitid ferns (Grammitidaceae): a case of rampant morphological homoplasy. <i>Taxon</i> , 2004, 53, 415-428.	0.4	158
319	VICARIANT SPECIATION OF CURASSOWS (AVES, CRACIDAE): A HYPOTHESIS BASED ON MITOCHONDRIAL DNA PHYLOGENY. <i>Auk</i> , 2004, 121, 682.	0.7	58
320	THE HISTORY OF A NEARCTIC COLONIZATION: MOLECULAR PHYLOGENETICS AND BIOGEOGRAPHY OF THE NEARCTIC TOADS (BUFO). <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2517.	1.1	9
321	EVOLUTION OF ANT-CULTIVAR SPECIALIZATION AND CULTIVAR SWITCHING IN <i>APTEROSTIGMA</i> FUNGUS-GROWING ANTS. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2252.	1.1	6
322	PHYLOGENY AND BIOGEOGRAPHY OF THE <i>AMAZONA OCHROCEPHALA</i> (AVES: PSITTACIDAE) COMPLEX. <i>Auk</i> , 2004, 121, 318.	0.7	96
323	Paraphyly in Tribe Onagreae: Insights into Phylogenetic Relationships of Onagraceae Based on Nuclear and Chloroplast Sequence Data. <i>Systematic Botany</i> , 2004, 29, 147-164.	0.2	74
324	Further Resolution of the Rapid Radiation of Saxifragales (Angiosperms, Eudicots) Supported by Mixed-Model Bayesian Analysis. <i>Systematic Botany</i> , 2004, 29, 883-891.	0.2	28
325	Molecular Phylogeny and Biogeography of <i>Ribes</i> (Grossulariaceae), with an Emphasis on Gooseberries (subg. <i>Grossularia</i>). <i>Systematic Botany</i> , 2004, 29, 77-96.	0.2	55

#	ARTICLE	IF	CITATIONS
326	Phylogenetic relationships of discoglossid frogs (Amphibia:Anura:Discoglossidae) based on complete mitochondrial genomes and nuclear genes. <i>Gene</i> , 2004, 343, 357-366.	1.0	65
327	Mitochondrial DNA sequence, morphology and ecology yield contrasting conservation implications for two threatened buckmoths (Hemileuca: Saturniidae). <i>Biological Conservation</i> , 2004, 118, 341-351.	1.9	30
328	Genome-scale data, angiosperm relationships, and ending incongruence™: a cautionary tale in phylogenetics. <i>Trends in Plant Science</i> , 2004, 9, 477-483.	4.3	176
329	Molecular Phylogeny and Dating of Early Primate Divergences. , 2004, , 45-64.		30
330	Molecular Phylogeny of Chrysothamnus and Related Genera (Asteraceae, Astereae) Based on Nuclear Ribosomal 3ETS and ITS Sequence Data. <i>Systematic Botany</i> , 2004, 29, 199-215.	0.2	11
331	Molecular Systematics and Biogeography of the Southern South American Freshwater Crabs Aegla (Decapoda: Anomura: Aeglidae) Using Multiple Heuristic Tree Search Approaches. <i>Systematic Biology</i> , 2004, 53, 767-780.	2.7	113
332	BIOGEOGRAPHY OF EASTERN POLYNESIAN MONARCHS (POMAREA): AN ENDEMIC GENUS CLOSE TO EXTINCTION. <i>Condor</i> , 2004, 106, 837.	0.7	31
333	Phylogenetic analyses: a brief introduction to methods and their application. <i>Expert Review of Molecular Diagnostics</i> , 2004, 4, 339-350.	1.5	8
334	Data incongruence and the problem of avian louse phylogeny. <i>Zoologica Scripta</i> , 2004, 33, 239-259.	0.7	31
335	Molecular Phylogenetics of Core Brassicales, Placement of Orphan Genera Emblingia, Forchhammeria, Tirania, and Character Evolution. <i>Systematic Botany</i> , 2004, 29, 654-669.	0.2	81
336	Morphological Evolution and Systematics of Synthyris and Besseyia (Veronicaceae): A Phylogenetic Analysis. <i>Systematic Botany</i> , 2004, 29, 716-736.	0.2	10
337	Parallel Loss of a Slowly Evolving Intron from Two Closely Related Families in Asparagales. <i>Systematic Botany</i> , 2004, 29, 296-307.	0.2	19
338	Phylogenetic Relationships of the Enigmatic Malesian Fern Thylacopteris (Polypodiaceae). <i>Trends in Plant Science</i> , 2004, 9, 477-483.	0.6	28
339	Basidiospore homoplasmy and variation in the <i>Inocybe chelanensis</i> group in North America. <i>Mycologia</i> , 2004, 96, 295-309.	0.8	13
340	A Mitochondrial DNA Perspective on the Molecular Systematics of the Sunfish Genus <i>Lepomis</i> (Actinopterygii: Centrarchidae). <i>Copeia</i> , 2005, 2005, 340-346.	1.4	14
341	Evolutionary history of the <i>Drosophila bipectinata</i> species complex. <i>Genetical Research</i> , 2005, 85, 23-46.	0.3	56
342	A Phylogenetic Analysis of Loasaceae Subfamily Loasoideae Based on Plastid DNA Sequences. <i>International Journal of Plant Sciences</i> , 2005, 166, 289-300.	0.6	22
343	Molecular phylogenetics and evolutionary history of the neotropical Satyrine Subtribe Euptychiina (Nymphalidae: Satyrinae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 67-80.	1.2	57

#	ARTICLE	IF	CITATIONS
344	Population genetics and phylogenetic inference in bacterial molecular systematics: the roles of migration and recombination in <i>Bradyrhizobium</i> species cohesion and delineation. <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 29-54.	1.2	344
345	Molecular systematics and radiation of western North American nymphophiline gastropods. <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 284-298.	1.2	50
346	A molecular phylogenetic analysis of the "true thrushes" (Aves: Turdinae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 486-500.	1.2	71
347	Re-assessment of monophyly, evolution of myrmecophytism, and rapid radiation in <i>Neonauclea</i> s.s. (Rubiaceae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 334-354.	1.2	29
348	Phylogenetic relationships and evolutionary history of snake-eyed skink <i>Ablepharus kitaibelii</i> (Sauria: Tj ETQq0 0 0 rgt /Overlock 10 Tf	1.2	66
349	Phylogeny of the New World true frogs (<i>Rana</i>). <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 299-314.	1.2	170
350	A phylogeographically distinct and deep divergence in the widespread Neotropical turnip-tailed gecko, <i>Thecadactylus rapicauda</i> . <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 431-437.	1.2	27
351	Molecular phylogenetics and historical biogeography of Hawaiian <i>Dryopteris</i> (Dryopteridaceae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 392-407.	1.2	63
352	New DNA data from a transthyretin nuclear intron suggest an Oligocene to Miocene diversification of living South America opossums (Marsupialia: Didelphidae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 363-379.	1.2	61
353	Eccrinales (Trichomycetes) are not fungi, but a clade of protists at the early divergence of animals and fungi. <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 21-34.	1.2	93
354	The phylogenetic history and biogeography of the frankincense and myrrh family (Burseraceae) based on nuclear and chloroplast sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 85-101.	1.2	176
355	A molecular phylogeny of the hawkmoth genus <i>Hyles</i> (Lepidoptera: Sphingidae, Macroglossinae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 442-458.	1.2	34
356	Molecular systematics of the endemic Leptaxini (Gastropoda: Pulmonata) on the Azores islands. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 132-143.	1.2	50
357	Molecular phylogenetics and biogeography of the Neotropical redstarts (<i>Myioborus</i> ; Aves, Parulinae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 511-528.	1.2	85
358	A phylogeny of the Caniformia (order Carnivora) based on 12 complete protein-coding mitochondrial genes. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 192-201.	1.2	85
359	Molecular phylogeny of the benthic shallow-water octopuses (Cephalopoda: Octopodinae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 235-248.	1.2	68
360	Phylogenetic relationships and biogeography of <i>Podarcis</i> species from the Balkan Peninsula, by bayesian and maximum likelihood analyses of mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 845-857.	1.2	80
361	Evolution and phylogeography of <i>Halimeda</i> section <i>Halimeda</i> (Bryopsidales, Chlorophyta). <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 789-803.	1.2	42

#	ARTICLE	IF	CITATIONS
362	Model-based multi-locus estimation of decapod phylogeny and divergence times. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 355-369.	1.2	223
363	Phylogenetics of the australasian mudfishes: Evolution of an eel-like body plan. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 417-425.	1.2	35
364	Dinophilidae (Annelida) is most likely not a progenetic Eunicida: Evidence from 18S and 28S rDNA. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 619-623.	1.2	28
365	Molecular systematics of Middle American harvest mice <i>Reithrodontomys</i> (Muridae), estimated from mitochondrial cytochrome b gene sequences. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 529-540.	1.2	46
366	RAPID AND REPEATED ORIGIN OF INSULAR GIGANTISM AND DWARFISM IN AUSTRALIAN TIGER SNAKES. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 226-233.	1.1	120
367	Using models of nucleotide evolution to build phylogenetic trees. <i>Developmental and Comparative Immunology</i> , 2005, 29, 211-227.	1.0	58
368	Phylogenetic congruence of mealybugs and their primary endosymbionts. <i>Journal of Evolutionary Biology</i> , 2005, 18, 315-324.	0.8	40
369	Phylogeny and evolution of dorsal pattern in the Mexican endemic lizard genus <i>Barisia</i> (Anguillidae). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	0.6	17
370	The phylogenetic position of Anomochilidae (Reptilia: Serpentes): first evidence from DNA sequences. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2005, 43, 315-320.	0.6	42
371	Dispersal, vicariance, and timing of diversification in <i>Nothonotus</i> darters. <i>Molecular Ecology</i> , 2005, 14, 3485-3496.	2.0	72
372	Worldwide structure of mtDNA diversity among Cuvier's beaked whales (<i>Ziphius cavirostris</i>): implications for threatened populations. <i>Molecular Ecology</i> , 2005, 14, 3353-3371.	2.0	76
373	Parallels in the evolution of the two largest New and Old World seed-beetle genera (Coleoptera). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	2.0	40
374	Historical biogeography and diversification within the Neotropical parrot genus <i>Pionopsitta</i> (Aves: Psittacidae). <i>Journal of Biogeography</i> , 2005, 32, 1409-1427.	1.4	93
375	Phylogenetic analysis of the mitochondrial cytochrome c oxidase subunit 1 gene from 13 sipunculan genera: intra- and interphylum relationships. <i>Invertebrate Biology</i> , 2003, 122, 252-264.	0.3	22
376	REPLICATE PATTERNS OF SPECIES RICHNESS, HISTORICAL BIOGEOGRAPHY, AND PHYLOGENY IN HOLARCTIC TREEFROGS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2433-2450.	1.1	123
377	ORIGIN OF THE SERPENTINE-ENDEMIC HERB LAYLA DISCOIDEA FROM THE WIDESPREAD <i>L. LANDULOSA</i> (COMPOSITAE). <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2473-2479.	1.1	54
378	PHYLOGEOGRAPHY AND DEMOGRAPHY OF SYMPATRIC SISTER SURFPERCH SPECIES, <i>EMBIOTOCA JACKSONI</i> AND <i>E. LATERALIS</i> ALONG THE CALIFORNIA COAST: HISTORICAL VERSUS ECOLOGICAL FACTORS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 386-394.	1.1	37
379	DIVERSITY IN THE WEAPONS OF SEXUAL SELECTION: HORN EVOLUTION IN THE BEETLE GENUS <i>ONTHOPHAGUS</i> (COLEOPTERA: SCARABAEIDAE). <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1060-1084.	1.1	239

#	ARTICLE	IF	CITATIONS
380	ORIGIN AND RAPID DIVERSIFICATION OF A TROPICAL MOSS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1413-1424.	1.1	37
381	Phylogeny and biogeographical history of Trogoniformes, a pantropical bird order. <i>Biological Journal of the Linnean Society</i> , 2005, 84, 725-738.	0.7	47
382	Systematics of African lowland rainforest <i>Praomys</i> (Rodentia, Muridae) based on molecular and craniometrical data. <i>Zoological Journal of the Linnean Society</i> , 2005, 145, 539-553.	1.0	23
383	Shooting darts: co-evolution and counter-adaptation in hermaphroditic snails. <i>BMC Evolutionary Biology</i> , 2005, 5, 25.	3.2	148
384	Evolutionary Relationships of the Limnochromini, a Tribe of Benthic Deepwater Cichlid Fish Endemic to Lake Tanganyika, East Africa. <i>Journal of Molecular Evolution</i> , 2005, 60, 277-289.	0.8	82
385	Exploring the evolution of humus collecting leaves in drynarioid ferns (Polypodiaceae, Polypodiidae) based on phylogenetic evidence. <i>Plant Systematics and Evolution</i> , 2005, 252, 175-197.	0.3	60
386	Genome sequences of <i>Agropyron</i> mosaic virus and <i>Hordeum</i> mosaic virus support reciprocal monophyly of the genera <i>Potyvirus</i> and <i>Rymovirus</i> in the family <i>Potyviridae</i> . <i>Archives of Virology</i> , 2005, 150, 299-312.	0.9	20
387	Evolutionary Origins of Genomic Repertoires in Bacteria. <i>PLoS Biology</i> , 2005, 3, e130.	2.6	307
388	A molecular phylogenetic approach to Longidoridae (Nematoda: Dorylaimida). <i>Nematology</i> , 2005, 7, 111-124.	0.2	95
389	Branch-Length Prior Influences Bayesian Posterior Probability of Phylogeny. <i>Systematic Biology</i> , 2005, 54, 455-470.	2.7	196
390	Asynchronous Colonization of Madagascar by the Four Endemic Clades of Primates, Tenrecs, Carnivores, and Rodents as Inferred from Nuclear Genes. <i>Systematic Biology</i> , 2005, 54, 719-730.	2.7	341
391	Operon formation is driven by co-regulation and not by horizontal gene transfer. <i>Genome Research</i> , 2005, 15, 809-819.	2.4	131
392	Patterns of Diversifying Selection in the Phytotoxin-like scr74 Gene Family of <i>Phytophthora infestans</i> . <i>Molecular Biology and Evolution</i> , 2005, 22, 659-672.	3.5	140
393	PHYLOGEOGRAPHY AND DEMOGRAPHY OF SYMPATRIC SISTER SURFPERCH SPECIES, <i>EMBIOTOCA JACKSONI</i> AND <i>E. LATERALIS</i> ALONG THE CALIFORNIA COAST: HISTORICAL VERSUS ECOLOGICAL FACTORS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 386.	1.1	0
394	ORIGIN OF THE SERPENTINE-ENDEMIC HERB <i>LAYIA DISCOIDEA</i> FROM THE WIDESPREAD <i>L. GLANDULOSA</i> (COMPOSITAE). <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2473.	1.1	4
395	REPLICATE PATTERNS OF SPECIES RICHNESS, HISTORICAL BIOGEOGRAPHY, AND PHYLOGENY IN HOLARCTIC TREEFROGS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2433.	1.1	2
396	Mitochondrial genomes suggest that hexapods and crustaceans are mutually paraphyletic. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005, 272, 1295-1304.	1.2	191
397	Resolving Deep Phylogenetic Relationships in Salamanders: Analyses of Mitochondrial and Nuclear Genomic Data. <i>Systematic Biology</i> , 2005, 54, 758-777.	2.7	52

#	ARTICLE	IF	CITATIONS
398	Molecular Epidemiology of Group C Viruses (Bunyaviridae , Orthobunyavirus) Isolated in the Americas. Journal of Virology, 2005, 79, 10561-10570.	1.5	59
399	Evolutionary Genetics of the Accessory Gene Regulator (agr) Locus in Staphylococcus aureus. Journal of Bacteriology, 2005, 187, 8312-8321.	1.0	108
400	RAPID AND REPEATED ORIGIN OF INSULAR GIGANTISM AND DWARFISM IN AUSTRALIAN TIGER SNAKES. Evolution; International Journal of Organic Evolution, 2005, 59, 226.	1.1	6
401	ORIGIN AND RAPID DIVERSIFICATION OF A TROPICAL MOSS. Evolution; International Journal of Organic Evolution, 2005, 59, 1413.	1.1	0
402	Nonuniform Concerted Evolution and Chloroplast Capture: Heterogeneity of Observed Introgression Patterns in Three Molecular Data Partition Phylogenies of Asian Mitella (Saxifragaceae). Molecular Biology and Evolution, 2005, 22, 285-296.	3.5	134
403	Weighted Least-Squares Likelihood Ratio Test for Branch Testing in Phylogenies Reconstructed from Distance Measures. Systematic Biology, 2005, 54, 218-229.	2.7	22
404	Tertiary Endosymbiosis Driven Genome Evolution in Dinoflagellate Algae. Molecular Biology and Evolution, 2005, 22, 1299-1308.	3.5	149
405	Cryptic Species in the <i>Anopheles</i> (<i>Nyssorhynchus</i>) <i>albitarsis</i> (Diptera: Culicidae) Complex: Incongruence Between Random Amplified Polymorphic DNA-Polymerase Chain Reaction Identification and Analysis of Mitochondrial DNA <i>COI</i> Gene Sequences. Annals of the Entomological Society of America, 2005, 98, 908-917.	1.3	59
406	PHYLOGENETICS OF THE NEW WORLD RODENT FAMILY HETEROMYIDAE. Journal of Mammalogy, 2005, 86, 366-379.	0.6	72
407	Genetic variation is not concordant with morphological variation in the fern <i>Asplenium hookerianum</i> sensu lato (Aspleniaceae). American Journal of Botany, 2005, 92, 1559-1564.	0.8	18
408	Molecular Phylogenetics of the Siphonophora (Cnidaria), with Implications for the Evolution of Functional Specialization. Systematic Biology, 2005, 54, 916-935.	2.7	86
409	Archaeobatrachian Paraphyly and Pangaean Diversification of Crown-Group Frogs. Systematic Biology, 2005, 54, 111-126.	2.7	150
410	Major analytical and conceptual shortcomings in a recent taxonomic revision of the Procellariiformes—a reply to Penhallurick and Wink (2004). Emu, 2005, 105, 181-186.	0.2	27
411	Ancient DNA from giant extinct lemurs confirms single origin of Malagasy primates. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 5090-5095.	3.3	93
412	Genetic Diversity, Recombination and Cryptic Clades in Pseudomonas viridiflava Infecting Natural Populations of Arabidopsis thaliana Sequence data from this article have been deposited with the EMBL/GenBank Data Libraries under accession nos. AY604840, AY604841, AY604842, AY604843, AY604844, AY604845, AY604846, AY604847, AY604848 and AY606338, AY606800.. Genetics, 2005, 169, 21-35.	1.2	50
413	A four-gene study of evolutionary relationships in <i>Solanum</i> section <i>Acanthophora</i>. American Journal of Botany, 2005, 92, 603-612.	0.8	74
414	Life history and systematics of the aquatic discomycete <i>Mitrula</i> (Helotiales, Ascomycota) based on cultural, morphological, and molecular studies. American Journal of Botany, 2005, 92, 1565-1574.	0.8	51
415	DIVERSITY IN THE WEAPONS OF SEXUAL SELECTION: HORN EVOLUTION IN THE BEETLE GENUS ONTHOPHAGUS (COLEOPTERA: SCARABAEIDAE). Evolution; International Journal of Organic Evolution, 2005, 59, 1060.	1.1	13

#	ARTICLE	IF	CITATIONS
416	Duplication of floral regulatory genes in the Lamiales. <i>American Journal of Botany</i> , 2005, 92, 1284-1293.	0.8	27
417	The Comparison of the Confidence Regions in Phylogeny. <i>Molecular Biology and Evolution</i> , 2005, 22, 2285-2296.	3.5	27
418	Integrating Reptilian Herpesviruses into the Family Herpesviridae. <i>Journal of Virology</i> , 2005, 79, 725-731.	1.5	114
419	Incorporating gene-specific variation when inferring and evaluating optimal evolutionary tree topologies from multilocus sequence data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4436-4441.	3.3	45
420	Hylid Frog Phylogeny and Sampling Strategies for Speciose Clades. <i>Systematic Biology</i> , 2005, 54, 778-807.	2.7	320
422	Molecular Phylogeny of <i>Megaloceros giganteus</i> – the Giant Deer or Just a Giant Red Deer?. <i>Zoological Science</i> , 2005, 22, 1031-1044.	0.3	28
423	SCUTICOCILIATE ENDOSYMBIONTS OF ECHINOIDS (PHYLUM ECHINODERMATA): PHYLOGENETIC RELATIONSHIPS AMONG SPECIES IN THE GENERA ENTODISCUS, PLAGIOPYLIELLA, THYROPHYLAX, AND ENTORHIPIDIUM (PHYLUM CILIOPHORA). <i>Journal of Parasitology</i> , 2005, 91, 1190-1199.	0.3	35
424	CRYPTIC SPECIES IN THE MEXICAN POCKET GOPHER CRATOGEOMYS MERRIAMI. <i>Journal of Mammalogy</i> , 2005, 86, 1095-1108.	0.6	28
425	PHYLOGENETICS OF SPINY POCKET MICE (GENUS LIOMYS): ANALYSIS OF CYTOCHROME b BASED ON MULTIPLE HEURISTIC APPROACHES. <i>Journal of Mammalogy</i> , 2005, 86, 1085-1094.	0.6	12
426	Between Two Extremes: Mitochondrial DNA is neither the Panacea nor the Nemesis of Phylogenetic and Taxonomic Inference. <i>Systematic Biology</i> , 2005, 54, 952-961.	2.7	371
427	Maximum-Likelihood Methods for Phylogeny Estimation. <i>Methods in Enzymology</i> , 2005, 395, 757-779.	0.4	22
428	Polyphyly of <i>Mussaenda</i> inferred from ITS and trnT data and its implication for generic limits in Mussaendeae (Rubiaceae). <i>American Journal of Botany</i> , 2005, 92, 544-557.	0.8	67
429	Phylogenetic Signal in AFLP Data Sets. <i>Systematic Biology</i> , 2005, 54, 197-217.	2.7	123
430	Basal cactus phylogeny: implications of <i>Pereskia</i> (Cactaceae) paraphyly for the transition to the cactus life form. <i>American Journal of Botany</i> , 2005, 92, 1177-1188.	0.8	151
431	Distinguishing historical fragmentation from a recent population decline – shrinking or pre-shrunk skink from New Zealand?. <i>Biological Conservation</i> , 2005, 123, 197-210.	1.9	24
432	Phylogenetic Analysis of the Lythraceae Based on Four Gene Regions and Morphology. <i>International Journal of Plant Sciences</i> , 2005, 166, 995-1017.	0.6	80
433	Phylogenomics. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2005, 36, 541-562.	3.8	303
434	Assessing the Uncertainty in Phylogenetic Inference. , 2005, , 463-493.		3

#	ARTICLE	IF	CITATIONS
436	Comparative analysis of hepatitis C virus phylogenies from coding and non-coding regions: the 5' untranslated region (UTR) fails to classify subtypes. <i>Virology Journal</i> , 2006, 3, 103.	1.4	25
437	The Posterior and the Prior in Bayesian Phylogenetics. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2006, 37, 19-42.	3.8	164
438	EVIDENCE FOR THE REVERSIBILITY OF DIGIT LOSS: A PHYLOGENETIC STUDY OF LIMB EVOLUTION IN BACHIA (GYMNOPHTHALMIDAE: SQUAMATA). <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 1896.	1.1	3
439	<I>Leavenworthia</I> (Brassicaceae) Revisited: Testing Classic Systematic and Mating System Hypotheses. <i>Systematic Botany</i> , 2006, 31, 151-159.	0.2	24
440	Systematics and mating systems of two fungal pathogens of opium poppy: the heterothallic <i>Crivellia papaveracea</i> with a <i>Brachycladium penicillatum</i> asexual state and a homothallic species with a <i>Brachycladium papaveris</i> asexual state. <i>Canadian Journal of Botany</i> , 2006, 84, 1304-1326.	1.2	44
441	PLANT DEFENSE SYNDROMES. <i>Ecology</i> , 2006, 87, S132-S149.	1.5	574
442	Evaluating alternative hypotheses for the early evolution and diversification of ants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18172-18177.	3.3	437
443	Incorporating Molecular Evolution into Phylogenetic Analysis, and a New Compilation of Conserved Polymerase Chain Reaction Primers for Animal Mitochondrial DNA. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2006, 37, 545-579.	3.8	496
444	Phylogenetic Relationships and Chromosome Number Evolution in <I>Passiflora</I>. <i>Systematic Botany</i> , 2006, 31, 138-150.	0.2	122
445	Phylogeny and Biogeography of <I>Pomaria</I> (Caesalpinioideae: Leguminosae). <i>Systematic Botany</i> , 2006, 31, 792-804.	0.2	12
446	Phylogeny and Biogeography of Isophyllous Species of <I>Campanula</I> (Campanulaceae) in the Mediterranean Area. <i>Systematic Botany</i> , 2006, 31, 862-880.	0.2	79
447	SEASONAL MIGRATION, SPECIATION, AND MORPHOLOGICAL CONVERGENCE IN THE GENUS CATHARUS (TURDIDAE). <i>Auk</i> , 2006, 123, 1052.	0.7	17
448	Medusozoan Phylogeny and Character Evolution Clarified by New Large and Small Subunit rDNA Data and an Assessment of the Utility of Phylogenetic Mixture Models. <i>Systematic Biology</i> , 2006, 55, 97-115.	2.7	331
449	A Composite Molecular Phylogeny of Living Lemuroid Primates. <i>Folia Primatologica</i> , 2006, 77, 434-445.	0.3	18
450	Phylogeny of Eunicida (Annelida) and Exploring Data Congruence Using a Partition Addition Bootstrap Alteration (PABA) Approach. <i>Systematic Biology</i> , 2006, 55, 1-20.	2.7	137
451	Assessing the potential of regions of the nuclear and mitochondrial genome to develop a "molecular tool box" for the detection and characterization of <i>Phytophthora</i> species. <i>Journal of Microbiological Methods</i> , 2006, 67, 70-85.	0.7	94
452	Seasonal Migration, Speciation, and Morphological Convergence in the Genus <i>Catharus</i> (Turdidae). <i>Auk</i> , 2006, 123, 1052-1068.	0.7	30
454	Molecular clock and estimation of species divergence times. , 2006, , 223-258.		0

#	ARTICLE	IF	CITATIONS
455	Using Minimum Bootstrap support for Splits to Construct Confidence Regions for Trees. <i>Evolutionary Bioinformatics</i> , 2006, 2, 117693430600200.	0.6	2
456	Eritreo-Arabian Affinities of the Socotran Flora as Revealed from the Molecular Phylogeny of <i>Aerva</i> (Amaranthaceae). <i>Systematic Botany</i> , 2006, 31, 560-570.	0.2	21
457	Phylogeny of the <i>Elaeodendron</i> Group (Celastraceae) Inferred from Morphological Characters and Nuclear and Plastid Genes. <i>Systematic Botany</i> , 2006, 31, 512-524.	0.2	20
458	Sequence analyses of the small subunit rRNA gene confirm the paraphyly of oligotrich ciliates <i>sensu lato</i> and support the monophyly of the subclasses Oligotrichia and Choreotrichia (Ciliophora, Spirotrichea). <i>Journal of Zoology</i> , 2003, 260, 87-97.	0.8	76
459	The biogeography of the austral, subalpine genus <i>Ourisia</i> (Plantaginaceae) based on molecular phylogenetic evidence: South American origin and dispersal to New Zealand and Tasmania. <i>Biological Journal of the Linnean Society</i> , 2006, 87, 479-513.	0.7	64
460	The geography of diversification in the mormoopids (Chiroptera: Mormoopidae). <i>Biological Journal of the Linnean Society</i> , 2006, 88, 101-118.	0.7	57
461	Molecular phylogeny of sea snakes reveals a rapidly diverged adaptive radiation. <i>Biological Journal of the Linnean Society</i> , 2006, 89, 523-539.	0.7	61
462	EVIDENCE FOR THE REVERSIBILITY OF DIGIT LOSS: A PHYLOGENETIC STUDY OF LIMB EVOLUTION IN BACHIA (GYMNOPHTHALMIDAE: SQUAMATA). <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 1896-1912.	1.1	119
463	Malaria parasites (Apicomplexa, Haematozoa) and their relationships with their hosts: is there an evolutionary cost for the specialization?. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2006, 44, 265-273.	0.6	17
464	Phylogeny and biogeography of water skinks of the genus <i>Tropidophorus</i> (Reptilia: Scincidae): a molecular approach. <i>Zoologica Scripta</i> , 2006, 35, 85-95.	0.7	23
465	A REVISED CLASSIFICATION OF THE DICTYOTEAE (DICTYOTALES, PHAEOPHYCEAE) BASED ON rbc L AND 26S RIBOSOMAL DNA SEQUENCE ANALYSES 1. <i>Journal of Phycology</i> , 2006, 42, 1271-1288.	1.0	87
466	Historical biogeography of lowland species of toads (<i>Bufo</i>) across the Trans-Mexican Neovolcanic Belt and the Isthmus of Tehuantepec. <i>Journal of Biogeography</i> , 2006, 33, 1889-1904.	1.4	81
467	Evolutionary relationships of <i>Drosophila mojavensis</i> geographic host races and their sister species <i>Drosophila arizonae</i> . <i>Molecular Ecology</i> , 2006, 16, 1007-1022.	2.0	79
468	Assessment of the diversity and species specificity of the mutualistic association between <i>Epicephala</i> moths and <i>Glochidion</i> trees. <i>Molecular Ecology</i> , 2006, 15, 3567-3581.	2.0	61
469	Co-cladogenesis spanning three phyla: leafhoppers (Insecta: Hemiptera: Cicadellidae) and their dual bacterial symbionts. <i>Molecular Ecology</i> , 2006, 15, 4175-4191.	2.0	144
470	A genetic perspective on the geographic association of taxa among arid North American lizards of the <i>Sceloporus magister</i> complex (Squamata: Iguanidae: Phrynosomatinae). <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 873-880.	1.2	39
471	Multiple host shifts between distantly related plants, Juglandaceae and Ericaceae, in the leaf-mining moth <i>Acrocercops leucophaea</i> complex (Lepidoptera: Gracillariidae). <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 231-240.	1.2	26
472	Phylogenetic relationships of South American lizards of the genus <i>Stenocercus</i> (Squamata: Iguania): A new approach using a general mixture model for gene sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 171-185.	1.2	26

#	ARTICLE	IF	CITATIONS
473	Phylogeny of the Callandrena subgenus of Andrena (Hymenoptera: Andrenidae) based on mitochondrial and nuclear DNA data: Polyphyly and convergent evolution. <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 330-343.	1.2	32
474	Phylogeny and biogeography of Altingiaceae: Evidence from combined analysis of five non-coding chloroplast regions. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 512-528.	1.2	75
475	Phylogenetic relationships of horned lizards (Phrynosoma) based on nuclear and mitochondrial data: Evidence for a misleading mitochondrial gene tree. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 628-644.	1.2	143
476	Molecular evidence for the age, origin, and evolutionary history of the American desert plant genus <i>Tiquilia</i> (Boraginaceae). <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 668-687.	1.2	92
477	Reconsideration of the phylogenetic relationships of the enigmatic Bornean Bristlehead (<i>Pityriasis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.2	23
478	Basal relationships in the <i>Drosophila melanogaster</i> species group. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 787-798.	1.2	37
479	Seed plant phylogeny: Gnetophytes are derived conifers and a sister group to Pinaceae. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 208-217.	1.2	44
480	Phylogeny, historical biogeography, and patterns of diversification for <i>Pinus</i> (Pinaceae): Phylogenetic tests of fossil-based hypotheses. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 166-182.	1.2	155
481	Phylogeny and biogeography of ice crawlers (Insecta: Grylloblattodea) based on six molecular loci: Designating conservation status for Grylloblattodea species. <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 222-237.	1.2	31
482	A molecular assessment of phylogenetic relationships and lineage accumulation rates within the family Salamandridae (Amphibia, Caudata). <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 368-383.	1.2	131
483	Molecular phylogeny of the Arctoidea (Carnivora): Effect of missing data on supertree and supermatrix analyses of multiple gene data sets. <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 165-181.	1.2	155
484	Evolution of active host-attraction strategies in the freshwater mussel tribe Lampsilini (Bivalvia): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.2	55
485	A phylogenetic analysis of the major groups of catfishes (Teleostei: Siluriformes) using rag1 and rag2 nuclear gene sequences. <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 636-662.	1.2	294
486	Evolution in temperate and tropical seas: Disparate patterns in southern hemisphere abalone (Mollusca: Vetigastropoda: Haliotidae). <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 249-256.	1.2	36
487	Origin and diversification of Thymelaea (Thymelaeaceae): inferences from a phylogenetic study based on ITS (rDNA) sequences. <i>Plant Systematics and Evolution</i> , 2006, 257, 159-187.	0.3	17
488	Phylogenetics of Quiinaceae (Malpighiales): evidence from trnL-trnF sequence data and morphology. <i>Plant Systematics and Evolution</i> , 2006, 257, 189-203.	0.3	15
489	Phylogenetic analysis of morphology in <i>Prunus</i> reveals extensive homoplasy. <i>Plant Systematics and Evolution</i> , 2006, 259, 53-71.	0.3	66
490	Distribution of Assamese macaques (<i>Macaca assamensis</i>) in the Inner Himalayan region of Bhutan and their mtDNA diversity. <i>Primates</i> , 2006, 47, 388-392.	0.7	14

#	ARTICLE	IF	CITATIONS
491	Phylogeographic patterns of the mysid <i>Mesopodopsis slabberi</i> (Crustacea, Mysida) in Western Europe: evidence for high molecular diversity and cryptic speciation. <i>Marine Biology</i> , 2006, 149, 465-481.	0.7	36
492	Adaptive Evolution and Recombination of Rickettsia Antigens. <i>Journal of Molecular Evolution</i> , 2006, 62, 99-110.	0.8	25
493	Phylogenetics by likelihood: Evolutionary modeling as a tool for understanding the genome. <i>Journal of Biomedical Informatics</i> , 2006, 39, 51-61.	2.5	27
494	Tree disagreement: Measuring and testing incongruence in phylogenies. <i>Journal of Biomedical Informatics</i> , 2006, 39, 86-102.	2.5	110
495	Topology testing of phylogenies using least squares methods. <i>BMC Evolutionary Biology</i> , 2006, 6, 105.	3.2	7
496	Complete plastid genome sequences of <i>Drimys</i> , <i>Liriodendron</i> , and <i>Piper</i> : implications for the phylogenetic relationships of magnoliids. <i>BMC Evolutionary Biology</i> , 2006, 6, 77.	3.2	138
497	Patterns of long-distance dispersal in <i>Tiquilia</i> subg. <i>Tiquilia</i> (Boraginaceae): implications for the origins of amphitropical disjuncts and Galápagos Islands endemics. <i>American Journal of Botany</i> , 2006, 93, 1163-1177.	0.8	47
498	Phylogenetic analysis of <i>Tylenchida</i> Thorne, 1949 as inferred from D2 and D3 expansion fragments of the 28S rRNA gene sequences. <i>Nematology</i> , 2006, 8, 455-474.	0.2	281
499	Genome-Wide Survey for Biologically Functional Pseudogenes. <i>PLoS Computational Biology</i> , 2006, 2, e46.	1.5	75
500	Multiple Mechanisms Promote the Retained Expression of Gene Duplicates in the Tetraploid Frog <i>Xenopus laevis</i> . <i>PLoS Genetics</i> , 2006, 2, e56.	1.5	63
501	The Life-Cycle of Operons. <i>PLoS Genetics</i> , 2006, 2, e96.	1.5	146
502	Reconstructing the Evolutionary History of Paralogous APETALA1/FRUITFULL-Like Genes in Grasses (Poaceae). <i>Genetics</i> , 2006, 174, 421-437.	1.2	137
503	Horizontal Gene Transfer and the Evolution of Microvirid Coliphage Genomes. <i>Journal of Bacteriology</i> , 2006, 188, 1134-1142.	1.0	106
504	A new species of bat of the <i>Hipposideros bicolor</i> group (Chiroptera: Hipposideridae) from Central Laos, with evidence of convergent evolution with Sundaic taxa. <i>Acta Chiropterologica</i> , 2006, 8, 39-61.	0.2	41
505	Significance of Variation Within HIV, EBV, and KSHV Subtypes. <i>Journal of the International Association of Providers of AIDS Care</i> , 2006, 5, 93-102.	1.2	2
506	The history of early bee diversification based on five genes plus morphology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15118-15123.	3.3	208
507	Phylogeny and biogeography of the sandalwoods (<i>Santalum</i> , Santalaceae): repeated dispersals throughout the Pacific. <i>American Journal of Botany</i> , 2007, 94, 1028-1040.	0.8	153
508	Multiple Cophylogenetic Analyses Reveal Frequent Cospeciation between Pelecaniform Birds and <i>Pectinopygus</i> Lice. <i>Systematic Biology</i> , 2007, 56, 232-251.	2.7	87

#	ARTICLE	IF	CITATIONS
509	Adaptive radiation of shrubby tarweeds (<i>Deinandra</i>) in the California Islands parallels diversification of the Hawaiian silversword alliance (Compositae "Madiinae). <i>American Journal of Botany</i> , 2007, 94, 237-248.	0.8	45
510	Rickettsiae phylogeny: a multigenic approach. <i>Microbiology (United Kingdom)</i> , 2007, 153, 160-168.	0.7	59
511	Contribution of Recombination to the Evolution of Human Immunodeficiency Viruses Expressing Resistance to Antiretroviral Treatment. <i>Journal of Virology</i> , 2007, 81, 7620-7628.	1.5	103
512	Evolutionary relationships among <i>Ascochyta</i> species infecting wild and cultivated hosts in the legume tribes Cicereae and Viciae. <i>Mycologia</i> , 2007, 99, 59-77.	0.8	47
513	Does Macaronesia exist? Conflicting signal in the bryophyte and pteridophyte floras. <i>American Journal of Botany</i> , 2007, 94, 625-639.	0.8	74
514	Opinions on Multiple Sequence Alignment, and an Empirical Comparison of Repeatability and Accuracy between POY and Structural Alignment. <i>Systematic Biology</i> , 2007, 56, 133-146.	2.7	95
515	The β -Globin Gene Originated via Duplication of an Embryonic β -Like Globin Gene in the Ancestor of Tetrapod Vertebrates. <i>Molecular Biology and Evolution</i> , 2007, 24, 1982-1990.	3.5	46
516	From Phylogenetics to Phylogenomics: The Evolutionary Relationships of Insect Endosymbiotic β -Proteobacteria as a Test Case. <i>Systematic Biology</i> , 2007, 56, 1-16.	2.7	52
517	Phylogenetic Analysis of <i>Palaua</i> (Malveae, Malvaceae) based on Plastid and Nuclear Sequences. <i>Systematic Botany</i> , 2007, 32, 157-165.	0.2	16
518	Phylogeny Reconstruction. , 0, , 83-128.		1
519	Maximum Likelihood Analysis Using TREE PUZZLE. <i>Current Protocols in Bioinformatics</i> , 2007, 17, Unit 6.6.	25.8	41
521	Protist Homologs of the Meiotic Spo11 Gene and Topoisomerase VI reveal an Evolutionary History of Gene Duplication and Lineage-Specific Loss. <i>Molecular Biology and Evolution</i> , 2007, 24, 2827-2841.	3.5	105
522	Multiple Origins and Rapid Evolution of Duplicated Mitochondrial Genes in Parthenogenetic Geckos (<i>Heteronotia binoei</i> ; Squamata, Gekkonidae). <i>Molecular Biology and Evolution</i> , 2007, 24, 2775-2786.	3.5	59
523	Multi-Criterion Phylogenetic Inference using Evolutionary Algorithms. , 2007, , .		3
524	New Approaches to Phylogenetic Tree Search and Their Application to Large Numbers of Protein Alignments. <i>Systematic Biology</i> , 2007, 56, 727-740.	2.7	30
525	Estimation of Phylogeny and Invariant Sites under the General Markov Model of Nucleotide Sequence Evolution. <i>Systematic Biology</i> , 2007, 56, 155-162.	2.7	32
526	Delimitation of major lineages within <i>Cuscuta</i> subgenus <i>Grammica</i> (Convolvulaceae) using plastid and nuclear DNA sequences. <i>American Journal of Botany</i> , 2007, 94, 568-589.	0.8	79
527	Molecular phylogeny of the moonseed family (Menispermaceae): implications for morphological diversification. <i>American Journal of Botany</i> , 2007, 94, 1425-1438.	0.8	70

#	ARTICLE	IF	CITATIONS
528	Phylogenomic Data Analyses Provide Evidence that Xenarthra and Afrotheria Are Sister Groups. <i>Molecular Biology and Evolution</i> , 2007, 24, 2059-2068.	3.5	115
529	Phylogenetic Analysis of Feline Immunodeficiency Virus in Feral and Companion Domestic Cats of New Zealand. <i>Journal of Virology</i> , 2007, 81, 2999-3004.	1.5	34
530	Evolutionary relationships among <i>Ascochyta</i> species infecting wild and cultivated hosts in the legume tribes Cicereae and Viciae. <i>Mycologia</i> , 2007, 99, 59-77.	0.8	64
531	Plastid Endosymbiosis: Sources and Timing of the Major Events. , 2007, , 109-132.		32
532	On the asymptotic validity of a bootstrap method for testing nonnested hypotheses. <i>Economics Letters</i> , 2007, 94, 408-413.	0.9	6
533	Conservative evolution in duplicated genes of the primate Class I ADH cluster. <i>Gene</i> , 2007, 392, 64-76.	1.0	40
534	Two independent duplications forming the Cyp307a genes in <i>Drosophila</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2007, 37, 1044-1053.	1.2	37
535	Reduced selection leads to accelerated gene loss in <i>Shigella</i> . <i>Genome Biology</i> , 2007, 8, R164.	13.9	64
536	Congruence of evolutionary relationships inside the <i>Leuconostoc</i> – <i>Oenococcus</i> – <i>Weissella</i> clade assessed by phylogenetic analysis of the 16S rRNA gene, <i>dnaA</i> , <i>gyrB</i> , <i>rpoC</i> and <i>dnaK</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 276-286.	0.8	50
537	Origin and Evolution of the Mitochondrial Aminoacyl-tRNA Synthetases. <i>Molecular Biology and Evolution</i> , 2007, 24, 743-756.	3.5	52
538	Basal Clades and Molecular Systematics of Heteromyid Rodents. <i>Journal of Mammalogy</i> , 2007, 88, 1129-1145.	0.6	71
539	Relationships of cucumbers and melons unraveled: molecular phylogenetics of <i>Cucumis</i> and related genera (Benincaseae, Cucurbitaceae). <i>American Journal of Botany</i> , 2007, 94, 1256-1266.	0.8	51
540	PHYLOGENETIC POSITION OF THE NEW WORLD QUAIL (ODONTOPHORIDAE): EIGHT NUCLEAR LOCI AND THREE MITOCHONDRIAL REGIONS CONTRADICT MORPHOLOGY AND THE SIBLEY-AHLQUIST TAPESTRY. <i>Auk</i> , 2007, 124, 71.	0.7	29
541	PAML 4: Phylogenetic Analysis by Maximum Likelihood. <i>Molecular Biology and Evolution</i> , 2007, 24, 1586-1591.	3.5	11,130
542	Phylogeny of <i>Fusarium oxysporum</i> f. sp. <i>lactucae</i> Inferred from Mitochondrial Small Subunit, Elongation Factor 1- β , and Nuclear Ribosomal Intergenic Spacer Sequence Data. <i>Phytopathology</i> , 2007, 97, 87-98.	1.1	85
543	From Fossils to Molecules: Phylogeny and the Core Eudicot Floral Groundplan in Hamamelidoideae (Hamamelidaceae, Saxifragales). <i>Systematic Botany</i> , 2007, 32, 317-347.	0.2	33
545	Phylogenetic relationships among taxa in the Jahnulales inferred from 18S and 28S nuclear ribosomal DNA sequences. <i>Canadian Journal of Botany</i> , 2007, 85, 873-882.	1.2	40
546	Host Range and Molecular Phylogenies of the Soft Rot Enterobacterial Genera <i>Pectobacterium</i> and <i>Dickeya</i> . <i>Phytopathology</i> , 2007, 97, 1150-1163.	1.1	469

#	ARTICLE	IF	CITATIONS
547	Phylogenetic Position of the New World Quail (Odontophoridae): Eight Nuclear Loci and Three Mitochondrial Regions Contradict Morphology and the Sibley-Ahlquist Tapestry. <i>Auk</i> , 2007, 124, 71-84.	0.7	34
548	Phylogeny of finescale shiners of the genus <i>Lythrurus</i> (Cypriniformes: Cyprinidae) inferred from four mitochondrial genes. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 287-297.	1.2	12
549	Further insights into the phylogeny of <i>Arabidopsis</i> (Brassicaceae) from nuclear <i>Atmyb2</i> flanking sequence. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 122-130.	1.2	14
550	Molecular phylogenetic analysis of <i>Commiphora</i> (Burseraceae) yields insight on the evolution and historical biogeography of an "impossible" genus. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 62-79.	1.2	47
551	Phylogeographic structure and historical demography of the western diamondback rattlesnake (<i>Crotalus atrox</i>): A perspective on North American desert biogeography. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 193-212.	1.2	127
552	Phylogeographic incongruence of codistributed amphibian species based on small differences in geographic distribution. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 468-479.	1.2	23
553	Horizontal gene transfer of a plastid gene in the non-photosynthetic flowering plants <i>Orobancha</i> and <i>Phelipanche</i> (Orobanchaceae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 974-985.	1.2	57
554	Duplication and paralog sorting of <i>RPB2</i> and <i>RPB1</i> genes in core eudicots. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 850-862.	1.2	17
555	Ribosomal RNA genes and deuterostome phylogeny revisited: More cyclostomes, elasmobranchs, reptiles, and a brittle star. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 1005-1022.	1.2	102
556	Defining the limits of taxonomic conservatism in host-plant use for phytophagous insects: Molecular systematics and evolution of host-plant associations in the seed-beetle genus <i>Bruchus</i> Linnaeus (Coleoptera: Chrysomelidae: Bruchinae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 251-269.	1.2	59
557	Evolutionary differentiation in the Neotropical montane region: Molecular phylogenetics and phylogeography of Buarremon brush-finches (Aves, Emberizidae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 993-1016.	1.2	124
558	Cryptic intercontinental colonization in water fleas <i>Daphnia pulex</i> inferred from phylogenetic analysis of mitochondrial DNA variation. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 42-52.	1.2	32
559	Tests of biogeographic hypotheses for diversification in the Amazonian forest frog, <i>Physalaemus petersi</i> . <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 825-837.	1.2	64
560	Conflicting phylogenetic signal of nuclear vs mitochondrial DNA markers in midwife toads (<i>Anura</i> , <i>Tj ETQq1</i>). <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 494-500.	1.2	45
561	Mitochondrial phylogeography of <i>Rana</i> (<i>Pelophylax</i>) populations in the Eastern Mediterranean region. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 115-125.	1.2	95
562	Bridging the Rubicon: Phylogenetic analysis reveals repeated colonizations of marine and fresh waters by thalassiosiroid diatoms. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 193-210.	1.2	224
563	The evaluation for generic-level monophyly of <i>Ancyrocephalinae</i> (Monogenea, Dactylogyridae) using ribosomal DNA sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 530-544.	1.2	50
564	Phylogeny of benthic <i>Phyllodocidae</i> (Polychaeta) based on morphological and molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 261-271.	1.2	22

#	ARTICLE	IF	CITATIONS
565	Phylogenetic and evolutionary implications of complete chloroplast genome sequences of four early-diverging angiosperms: <i>Buxus</i> (Buxaceae), <i>Chloranthus</i> (Chloranthaceae), <i>Dioscorea</i> (Dioscoreaceae), and <i>Illicium</i> (Schisandraceae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 547-563.	1.2	154
566	Defining a monophyletic Cardinalini: A molecular perspective. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 1014-1032.	1.2	75
567	Cophylogeny and disparate rates of evolution in sympatric lineages of chewing lice on pocket gophers. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 997-1013.	1.2	46
568	Evolution of mitochondrial-type cytochrome c domains and of the protein machinery for their assembly. <i>Journal of Inorganic Biochemistry</i> , 2007, 101, 1798-1811.	1.5	39
569	Data congruence, paedomorphosis and salamanders. <i>Frontiers in Zoology</i> , 2007, 4, 22.	0.9	10
570	Molecular phylogeny of the genus <i>Tibicina</i> (Hemiptera, Cicadidae): rapid radiation and acoustic behaviour. <i>Biological Journal of the Linnean Society</i> , 2007, 91, 611-626.	0.7	34
571	Do pollen feeding, pupal-mating and larval gregariousness have a single origin in <i>Heliconius</i> butterflies? Inferences from multilocus DNA sequence data. <i>Biological Journal of the Linnean Society</i> , 2007, 92, 221-239.	0.7	138
572	The interrelationships of Devonian lungfishes (Sarcopterygii: Dipnoi) as inferred from neurocranial evidence and new data from the genus <i>Soederberghia</i> Lehman, 1959. <i>Zoological Journal of the Linnean Society</i> , 2007, 151, 115-171.	1.0	45
573	Rapid evolution of sexual signals in sympatric <i>Calopteryx</i> damselflies: reinforcement or 'noisy-neighbour' ecological character displacement?. <i>Journal of Evolutionary Biology</i> , 2007, 20, 1637-1648.	0.8	32
574	Phylogenetic concordance analysis shows an emerging pathogen is novel and endemic. <i>Ecology Letters</i> , 2007, 10, 1075-1083.	3.0	57
575	Molecular phylogeny of the genus <i>Alticola</i> (Cricetidae, Rodentia) as inferred from the sequence of the cytochrome <i>b</i> gene. <i>Zoologica Scripta</i> , 2007, 36, 547-563.	0.7	53
576	Traces of ancient range shifts in a mountain plant group (<i>Androsace halleri</i> complex), <i>Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tj</i>	2.0	37
577	The role of tropical dry forest as a long-term barrier to dispersal: a comparative phylogeographical analysis of dry forest tolerant and intolerant frogs. <i>Molecular Ecology</i> , 2007, 16, 4789-4807.	2.0	69
578	Rapid diversification of colouration among populations of a poison frog isolated on sky peninsulas in the central cordilleras of Peru. <i>Journal of Biogeography</i> , 2007, 34, 417-426.	1.4	31
579	Chromosomal stasis in diploids contrasts with genome restructuring in auto- and allopolyploid taxa of <i>Hepatica</i> (Ranunculaceae). <i>New Phytologist</i> , 2007, 174, 669-682.	3.5	65
580	ESTIMATING A GEOGRAPHICALLY EXPLICIT MODEL OF POPULATION DIVERGENCE. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 477-493.	1.1	92
581	Distribution and Phylogenetic Relationships of Freshwater Thaumatomonads with a Description of the New Species <i>Thaumatomonas coloniensis</i> n. sp.. <i>Journal of Eukaryotic Microbiology</i> , 2007, 54, 347-357.	0.8	31
582	Phylogenetics and host associations of <i>Fahrenholzia</i> sucking lice (Phthiraptera: Anoplura). <i>Systematic Entomology</i> , 2007, 32, 359-370.	1.7	19

#	ARTICLE	IF	CITATIONS
583	Species delimitation and phylogenetic relationships in <i>Lactarius</i> section <i>Deliciosi</i> in Europe. <i>Mycological Research</i> , 2007, 111, 1285-1297.	2.5	24
584	Ancestry Influences the Fate of Duplicated Genes Millions of Years After Polyploidization of Clawed Frogs (<i>Xenopus</i>). <i>Genetics</i> , 2007, 176, 1119-1130.	1.2	59
585	Unusual Origin of a Nuclear Pseudogene in the Italian Wall Lizard: Intergenomic and Interspecific Transfer of a Large Section of the Mitochondrial Genome in the Genus <i>Podarcis</i> (Lacertidae). <i>Journal of Molecular Evolution</i> , 2007, 64, 308-320.	0.8	48
586	Variability of Nuclear SSU-rDNA Group Introns Within <i>Septoria</i> Species: Incongruence with Host Sequence Phylogenies. <i>Journal of Molecular Evolution</i> , 2007, 64, 489-499.	0.8	15
587	Using Confidence Set Heuristics During Topology Search Improves the Robustness of Phylogenetic Inference. <i>Journal of Molecular Evolution</i> , 2007, 64, 80-89.	0.8	0
588	Non-monophyly of fish in the Sinipercaidae (Perciformes) as inferred from cytochrome b gene. <i>Hydrobiologia</i> , 2007, 583, 77-89.	1.0	16
589	The radiation of <i>Thaparocleidus</i> (Monogeneoidea: Dactylogyridae: Ancylo-discoidinae): phylogenetic analyses and taxonomic implications inferred from ribosomal DNA sequences. <i>Parasitology Research</i> , 2007, 102, 283-288.	0.6	13
590	Statistical measures of uncertainty for branches in phylogenetic trees inferred from molecular sequences by using model-based methods. <i>Journal of Applied Genetics</i> , 2008, 49, 49-67.	1.0	30
591	Placing the origin of two species-rich genera in the late cretaceous with later species divergence in the tertiary: a phylogenetic, biogeographic and molecular dating analysis of <i>Piper</i> and <i>Peperomia</i> (Piperaceae). <i>Plant Systematics and Evolution</i> , 2008, 275, 9-30.	0.3	69
592	Conservation of linkage and evolution of developmental function within the <i>Tbx2/3/4/5</i> subfamily of T-box genes: implications for the origin of vertebrate limbs. <i>Development Genes and Evolution</i> , 2008, 218, 613-628.	0.4	60
593	Higher level phylogeny and evolutionary trends in Campanulaceae subfam. Lobelioideae: Molecular signal overshadows morphology. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 1-18.	1.2	66
594	Phylogeny, evolutionary history, and biogeography of Oriental "Australian rear-fanged water snakes (Colubroidea: Homalopsidae) inferred from mitochondrial and nuclear DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 576-593.	1.2	57
595	Assessing phylogenetic dependence of morphological traits using co-inertia prior to investigate character evolution in Loricariinae catfishes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 986-1002.	1.2	31
596	Origin and higher-level relationships of psoroptidian mites (Acari: Astigmata: Psoroptidia): Evidence from three nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 1135-1156.	1.2	60
597	Phylogenetic relationships and heterogeneous evolutionary processes among phrynosomatine sand lizards (Squamata, Iguanidae) revisited. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 700-716.	1.2	23
598	Random local neighbor joining: A new method for reconstructing phylogenetic trees. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 117-128.	1.2	100
599	A new perspective on the evolutionary history of western European <i>Sorex araneus</i> group revealed by paternal and maternal molecular markers. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 237-250.	1.2	45
600	Towards the phylogeny of chafers (Sericini): Analysis of alignment-variable sequences and the evolution of segment numbers in the antennal club. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 783-798.	1.2	57

#	ARTICLE	IF	CITATIONS
601	Phylogeography of the Pygmy Rain Frog (<i>Pristimantis ridens</i>) across the lowland wet forests of isthmian Central America. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 992-1004.	1.2	61
602	How well do we understand the overall backbone of cycad phylogeny? New insights from a large, multigene plastid data set. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 1232-1237.	1.2	45
603	Whatâ€™s in a name: The taxonomic status of human head and body lice. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 1203-1216.	1.2	89
604	Phylogenetic relationships of glassfrogs (<i>Centrolenidae</i>) based on mitochondrial and nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 574-595.	1.2	83
605	Contrasting patterns in species boundaries and evolution of anemonefishes (<i>Amphiprioninae</i> ,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 587 268-276.	1.2	74
606	Molecular phylogenetics of cixiid planthoppers (Hemiptera: Fulgoromorpha): New insights from combined analyses of mitochondrial and nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 667-678.	1.2	25
607	Additional molecular evidence strongly supports the distinction between the recently described African primate <i>Rungwecebus kipunji</i> (<i>Cercopithecidae</i> , <i>Papionini</i>) and <i>Lophocebus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 789-794.	1.2	24
608	Phylogeography of two New Zealand lizards: McCannâ€™s skink (<i>Oligosoma maccanni</i>) and the brown skink (<i>O. zelandicum</i>). <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 1168-1177.	1.2	28
609	Molecular phylogeny of reed beetles (Col., Chrysomelidae, Donaciinae): The signature of ecological specialization and geographical isolation. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 936-952.	1.2	39
610	Biogeography and evolution of body size and life history of African frogs: Phylogeny of squeakers (<i>Arthroleptis</i>) and long-fingered frogs (<i>Cardioglossa</i>) estimated from mitochondrial data. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 806-826.	1.2	63
611	Phylogenetic relationships of Ruteae (<i>Rutaceae</i>): New evidence from the chloroplast genome and comparisons with non-molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 736-748.	1.2	31
612	Nuclear and mitochondrial phylogeography of the Atlantic forest endemic <i>Xiphorhynchus fuscus</i> (<i>Aves: Dendrocolaptidae</i>): Biogeography and systematics implications. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 760-773.	1.2	136
613	Phylogenetics and biogeography of the broad-nosed bats, genus <i>Platyrrhinus</i> (<i>Chiroptera</i>): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262 Td 65	1.2	65
614	Whole genome-based assessment of the taxonomic position of the arthropod pathogenic bacterium <i>Rickettsiella grylli</i> . <i>FEMS Microbiology Letters</i> , 2008, 283, 117-127.	0.7	28
615	EVOLUTIONARY LINKS BETWEEN REPRODUCTIVE MORPHOLOGY, ECOLOGY AND MATING BEHAVIOR IN OPISTHOBRANCH GASTROPODS. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 900-916.	1.1	40
616	IS FLORAL SPECIALIZATION AN EVOLUTIONARY DEADâ€™END? POLLINATION SYSTEM TRANSITIONS IN <i>RUPELLIA</i> (<i>ACANTHACEAE</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 1712-1737.	1.1	199
617	RAPID COLOR EVOLUTION IN AN APOSEMATIC SPECIES: A PHYLOGENETIC ANALYSIS OF COLOR VARIATION IN THE STRIKINGLY POLYMORPHIC STRAWBERRY POISON-DART FROG. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 2742-2759.	1.1	116
618	Comparative phylogeography reveals pre-decline population structure of New Zealand <i>Cyclodina</i> (<i>Reptilia: Scincidae</i>) species. <i>Biological Journal of the Linnean Society</i> , 0, 95, 388-408.	0.7	40

#	ARTICLE	IF	CITATIONS
619	Rodent louse diversity, phylogeny, and cospeciation in the Manu Biosphere Reserve, Peru. <i>Biological Journal of the Linnean Society</i> , 2008, 95, 598-610.	0.7	14
620	Phylogeography of native ploidy levels and invasive tetraploids of <i>Solidago gigantea</i> . <i>Molecular Ecology</i> , 2008, 17, 5245-5256.	2.0	25
621	Widespread mitochondrial nuclear discordance with evidence for introgressive hybridization and selective sweeps in <i>Lycaeides</i> . <i>Molecular Ecology</i> , 2008, 17, 5231-5244.	2.0	133
622	The evolution of sexual and parthenogenetic <i>Warramaba</i> : a window onto Pliocene-Pleistocene diversification processes in an arid biome. <i>Molecular Ecology</i> , 2008, 17, 5257-5275.	2.0	25
623	Origins of asexuality in Bryobia mites (Acari: Tetranychidae). <i>BMC Evolutionary Biology</i> , 2008, 8, 153.	3.2	22
624	Non-homogeneous models of sequence evolution in the Bio++ suite of libraries and programs. <i>BMC Evolutionary Biology</i> , 2008, 8, 255.	3.2	122
625	Independent Origins of New Sex-Linked Chromosomes in the melanica and robusta Species Groups of <i>Drosophila</i> . <i>BMC Evolutionary Biology</i> , 2008, 8, 33.	3.2	27
626	Empirical evaluation of a prior for Bayesian phylogenetic inference. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008, 363, 4031-4039.	1.8	35
627	Phylogeny and Floral Diversity in the Genus <i>Garcinia</i> (Clusiaceae) and Relatives. <i>International Journal of Plant Sciences</i> , 2008, 169, 1288-1303.	0.6	61
628	Recombination in feline immunodeficiency virus from feral and companion domestic cats. <i>Virology Journal</i> , 2008, 5, 76.	1.4	20
629	Reversing opinions on Dollo's Law. <i>Trends in Ecology and Evolution</i> , 2008, 23, 602-609.	4.2	153
630	Reticulate evolution in the parasitic genus <i>Cuscuta</i> (Convolvulaceae): over and over again This paper is one of a selection of papers published in the Special Issue on Systematics Research.. <i>Botany</i> , 2008, 86, 791-808.	0.5	30
631	A Rapid Bootstrap Algorithm for the RAxML Web Servers. <i>Systematic Biology</i> , 2008, 57, 758-771.	2.7	6,439
632	A Likelihood Framework for Estimating Phylogeographic History on a Continuous Landscape. <i>Systematic Biology</i> , 2008, 57, 544-561.	2.7	142
634	Molecular Systematics of the Cyprinid Genus <i>Campostoma</i> (Actinopterygii: Cypriniformes): Disassociation between Morphological and Mitochondrial Differentiation. <i>Copeia</i> , 2008, 2008, 360-369.	1.4	27
635	Taxonomic revision of the marbled skink (<i>Cyclodina oliveri</i> , Reptilia: Scincidae) species complex, with a description of a new species. <i>New Zealand Journal of Zoology</i> , 2008, 35, 129-146.	0.6	22
636	Newly discovered sister lineage sheds light on early ant evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14913-14917.	3.3	105
637	Comparative Genomics. <i>Lecture Notes in Computer Science</i> , 2008, , .	1.0	4

#	ARTICLE	IF	CITATIONS
638	Intraphylum Diversity and Complex Evolution of Cyanobacterial Aminoacyl-tRNA Synthetases. <i>Molecular Biology and Evolution</i> , 2008, 25, 2369-2389.	3.5	23
639	Horizontal transfer of transposable elements in plants. <i>Communicative and Integrative Biology</i> , 2008, 1, 74-77.	0.6	35
640	Phylogenomic evidence for multiple losses of flight in ratite birds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 13462-13467.	3.3	187
641	Incongruence between cpDNA and nrITS trees indicates extensive hybridization within <i>Eupersicaria</i> (Polygonaceae). <i>American Journal of Botany</i> , 2008, 95, 1122-1135.	0.8	55
642	Molecular Phylogeny of the Salmonellae: Relationships among <i>Salmonella</i> Species and Subspecies Determined from Four Housekeeping Genes and Evidence of Lateral Gene Transfer Events. <i>Journal of Bacteriology</i> , 2008, 190, 7060-7067.	1.0	72
643	An Improved General Amino Acid Replacement Matrix. <i>Molecular Biology and Evolution</i> , 2008, 25, 1307-1320.	3.5	2,748
644	Phylogeny of marattioid ferns (Marattiaceae): inferring a root in the absence of a closely related outgroup. <i>American Journal of Botany</i> , 2008, 95, 626-641.	0.8	51
645	Building trees of algae: some advances in phylogenetic and evolutionary analysis. <i>European Journal of Phycology</i> , 2008, 43, 229-252.	0.9	46
646	Maximum Likelihood Supertrees. <i>Systematic Biology</i> , 2008, 57, 243-250.	2.7	113
647	A Phylogenetic Study of Evolutionary Transitions in Sexual Systems in Australasian <i>Wurmbea</i> (Colchicaceae). <i>International Journal of Plant Sciences</i> , 2008, 169, 141-156.	0.6	38
648	Polyloid and Hybrid Origins of Pacific Island Sandalwoods (<i>Santalum</i> , Santalaceae) Inferred from Low-Copy Nuclear and Flow Cytometry Data. <i>International Journal of Plant Sciences</i> , 2008, 169, 677-685.	0.6	45
649	Paleodistributions and Comparative Molecular Phylogeography of Leafcutter Ants (<i>Atta</i> spp.) Provide New Insight into the Origins of Amazonian Diversity. <i>PLoS ONE</i> , 2008, 3, e2738.	1.1	77
650	The Genetic Basis of Phenotypic Convergence in Beach Mice: Similar Pigment Patterns but Different Genes. <i>Molecular Biology and Evolution</i> , 2008, 26, 35-45.	3.5	149
651	Does Choice in Model Selection Affect Maximum Likelihood Analysis?. <i>Systematic Biology</i> , 2008, 57, 76-85.	2.7	108
652	Statistical Tests between Competing Hypotheses of Hox Cluster Evolution. <i>Systematic Biology</i> , 2008, 57, 708-718.	2.7	15
653	Pisciforma, Setisura, and Furcatergalia (Order: Ephemeroptera) Are Not Monophyletic Based on 18S rDNA Sequences: A Response to Sun et al. (2006). <i>Annals of the Entomological Society of America</i> , 2008, 101, 1-6.	1.3	8
654	Codivergence in Heteromyid Rodents (Rodentia: Heteromyidae) and Their Sucking Lice of the Genus <i>Fahrenholzia</i> (Phthiraptera: Anoplura). <i>Systematic Biology</i> , 2008, 57, 449-465.	2.7	45
656	Phylogenetic Analyses: A Toolbox Expanding towards Bayesian Methods. <i>International Journal of Plant Genomics</i> , 2008, 2008, 1-16.	2.2	7

#	ARTICLE	IF	CITATIONS
657	Taxonomic and biogeographic implications of a phylogenetic analysis of the Campanulaceae based on three chloroplast genes. <i>Taxon</i> , 2009, 58, 715-734.	0.4	72
658	Mutational Meltdown in Primary Endosymbionts: Selection Limits Muller's Ratchet. <i>PLoS ONE</i> , 2009, 4, e4969.	1.1	43
659	Molecular Analysis of a Large Subtelomeric Nucleotide-Binding-Site Leucine-Rich-Repeat Family in Two Representative Genotypes of the Major Gene Pools of <i>Phaseolus vulgaris</i> . <i>Genetics</i> , 2009, 181, 405-419.	1.2	77
660	Genetic characterization of orthobunyavirus Melao, strains BE AR633512 and BE AR8033, and experimental infection in golden hamsters (<i>Mesocricetus auratus</i>). <i>Journal of General Virology</i> , 2009, 90, 223-233.	1.3	10
661	Evolution in the <i>Drosophila ananassae</i> species subgroup. <i>Fly</i> , 2009, 3, 157-169.	0.9	24
662	Organised Genome Dynamics in the <i>Escherichia coli</i> Species Results in Highly Diverse Adaptive Paths. <i>PLoS Genetics</i> , 2009, 5, e1000344.	1.5	1,005
663	Multiple Chromosomal Rearrangements Structured the Ancestral Vertebrate Hox-Bearing Protochromosomes. <i>PLoS Genetics</i> , 2009, 5, e1000349.	1.5	20
664	Lateral Transfer of Genes and Gene Fragments in Prokaryotes. <i>Genome Biology and Evolution</i> , 2009, 1, 429-438.	1.1	59
665	A Broad-scale Phylogenetic Analysis of Group II Intron RNAs and Intron-Encoded Reverse Transcriptases. <i>Molecular Biology and Evolution</i> , 2009, 26, 2795-2808.	3.5	33
666	An Ancient Horizontal Gene Transfer between Mosquito and the Endosymbiotic Bacterium <i>Wolbachia pipipentis</i> . <i>Molecular Biology and Evolution</i> , 2009, 26, 367-374.	3.5	96
667	Parallel Evolution between Aromatase and Androgen Receptor in the Animal Kingdom. <i>Molecular Biology and Evolution</i> , 2009, 26, 123-129.	3.5	14
668	Estimated Molecular Phylogenetic Relationships of Six Siphonostomatoid Families (Copepoda) Symbiotic on Elasmobranchs. <i>Crustaceana</i> , 2009, 82, 1547-1567.	0.1	29
669	Hemocyanin Suggests a Close Relationship of Remipedia and Hexapoda. <i>Molecular Biology and Evolution</i> , 2009, 26, 2711-2718.	3.5	60
670	Distribution and Phylogeny of Light-Oxygen-Voltage-Blue-Light-Signaling Proteins in the Three Kingdoms of Life. <i>Journal of Bacteriology</i> , 2009, 191, 7234-7242.	1.0	95
671	Conjugation genes are common throughout the genus <i>Rickettsia</i> and are transmitted horizontally. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 3619-3627.	1.2	37
672	A multi-gene phylogeny for <i>Stachybotrys</i> evidences lack of trichodiene synthase (<i>tri5</i>) gene for isolates of one of three intrageneric lineages. <i>Mycological Research</i> , 2009, 113, 877-886.	2.5	10
673	High concentration of basidiolichens in a single family of agaricoid mushrooms (Basidiomycota): <i>Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 1</i>	2.5	68
674	Molecular evolution of UCP1 and the evolutionary history of mammalian non-shivering thermogenesis. <i>BMC Evolutionary Biology</i> , 2009, 9, 4.	3.2	67

#	ARTICLE	IF	CITATIONS
675	Î²â€keratins of the crocodilian epidermis: composition, structure, and phylogenetic relationships. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2009, 312B, 42-57.	0.6	51
676	Increased constraints on MC4R during primate and human evolution. <i>Human Genetics</i> , 2009, 124, 633-647.	1.8	27
677	Climate change and evolution of the New World pitviper genus <i>Agkistrodon</i> (Viperidae). <i>Journal of Biogeography</i> , 2009, 36, 1164-1180.	1.4	24
678	Systems biology: model based evaluation and comparison of potential explanations for given biological data. <i>FEBS Journal</i> , 2009, 276, 903-922.	2.2	104
679	TEMPORAL PATTERNS OF DIVERSIFICATION AND MICROENDEMISM IN EASTERN HIGHLAND ENDEMIC BARCHEEK DARTERS (PERCIDAE: ETHEOSTOMATINAE). <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 228-243.	1.1	57
680	Phylogeny and generic delimitation of Asian Marantaceae. <i>Botanical Journal of the Linnean Society</i> , 2009, 159, 381-395.	0.8	19
681	Molecular appraisal of <i>Bunium</i> and some related arid and subarid geophilic Apiaceae-Apioideae taxa of the Ancient Mediterranean. <i>Botanical Journal of the Linnean Society</i> , 2009, 160, 149-170.	0.8	31
682	Phylogeny, biogeography and classification of the snake superfamily Elapoidea: a rapid radiation in the late Eocene. <i>Cladistics</i> , 2009, 25, 38-63.	1.5	118
683	Bias and conflict in phylogenetic inference of mycoâ€heterotrophic plants: a case study in Thismiaceae. <i>Cladistics</i> , 2009, 25, 64-77.	1.5	54
684	The ghosts of Gondwana and Laurasia in modern liverwort distributions. <i>Biological Reviews</i> , 2010, 85, 471-487.	4.7	56
685	Multigene analysis of phylogenetic relationships and divergence times of primate sucking lice (Phthiraptera: Anoplura). <i>Molecular Phylogenetics and Evolution</i> , 2009, 50, 376-390.	1.2	71
686	Evolution underground: A molecular phylogenetic investigation of Australian burrowing freshwater crayfish (Decapoda: Parastacidae) with particular focus on <i>Engaeus</i> Erichson. <i>Molecular Phylogenetics and Evolution</i> , 2009, 50, 580-598.	1.2	38
687	Historical biogeography and speciation in the Neotropical highlands: Molecular phylogenetics of the jay genus <i>Cyanolyca</i> . <i>Molecular Phylogenetics and Evolution</i> , 2009, 50, 618-632.	1.2	48
688	The first comprehensive molecular phylogeny of Bryozoa (Ectoprocta) based on combined analyses of nuclear and mitochondrial genes. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 225-233.	1.2	70
689	Phylogeny of Barnadesioideae (Asteraceae) inferred from DNA sequence data and morphology. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 572-587.	1.2	54
690	Phylogenetic relationships among diploid species of <i>Symphyotrichum</i> (Asteraceae: Astereae) based on two nuclear markers, ITS and GAPDH. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 540-553.	1.2	16
691	Origin, diversification, and systematics of the New Zealand skink fauna (Reptilia: Scincidae). <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 470-487.	1.2	104
692	Molecular dating and biogeography of fig-pollinating wasps. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 715-726.	1.2	47

#	ARTICLE	IF	CITATIONS
693	Evaluating the efficacy of continuous quantitative characters for reconstructing the phylogeny of a morphologically homogeneous spider taxon (Araneae, Mygalomorphae, Antrodiaetidae, Antrodiaetus). <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 300-313.	1.2	27
694	Evolutionary history of a prominent North American warbler clade: The <i>Oporornis</i> "Geothlypis" complex. <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 668-678.	1.2	20
695	Concentration inequality for evolutionary trees. <i>Journal of Multivariate Analysis</i> , 2009, 100, 2055-2064.	0.5	1
696	Cladistics and the Origin of Birds: A Review and Two New Analyses. <i>Ornithological Monographs</i> , 2009, 66, 1-78.	1.3	29
697	Disentangling Reticulate Evolution in an Arctic "Alpine Polyploid Complex. <i>Systematic Biology</i> , 2009, 58, 55-73.	2.7	80
698	Molecular phylogeny and evolution of prosimians based on complete sequences of mitochondrial DNAs. <i>Gene</i> , 2009, 441, 53-66.	1.0	105
699	Evolution of the RNA-dependent RNA polymerase (RdRP) genes: Duplications and possible losses before and after the divergence of major eukaryotic groups. <i>Gene</i> , 2009, 447, 29-39.	1.0	125
700	Infecting epidemiology with genetics: a new frontier in disease ecology. <i>Trends in Ecology and Evolution</i> , 2009, 24, 21-30.	4.2	172
701	Phylogenetic Relationships of <i>Pinus</i> Subsection <i>Ponderosae</i> Inferred from Rapidly Evolving cpDNA Regions. <i>Systematic Botany</i> , 2009, 34, 481-491.	0.2	51
702	Phylogenetic analysis indicates that <i>Culicoides dewulfi</i> should not be considered part of the <i>Culicoides obsoletus</i> complex. <i>Bulletin of Entomological Research</i> , 2009, 99, 371-375.	0.5	32
703	Systematics of Nearctic <i>Cybaeus</i> (Araneae: Cybaeidae). <i>Invertebrate Systematics</i> , 2009, 23, 367.	0.5	12
704	Genotyping of Genetically Monomorphic Bacteria: DNA Sequencing in <i>Mycobacterium tuberculosis</i> Highlights the Limitations of Current Methodologies. <i>PLoS ONE</i> , 2009, 4, e7815.	1.1	377
705	Testing Phylogenetic Methods to Identify Horizontal Gene Transfer. <i>Methods in Molecular Biology</i> , 2009, 532, 227-240.	0.4	11
706	Utility of Secondary Structure in Phylogenetic Reconstructions Using nrDNA ITS Sequences - an Example from <i>Potalieae</i> (Gentianaceae: Asteridae). <i>Systematic Botany</i> , 2009, 34, 414-428.	0.2	14
707	Paraphyly in the Bamboo Subtribe <i>Chusqueinae</i> (Poaceae: Bambusoideae) and a Revised Infrageneric Classification for <i>Chusquea</i> . <i>Systematic Botany</i> , 2009, 34, 673-683.	0.2	55
708	Cophylogeny of <i>Nosema</i> (Microsporidia: Nosematidae) and Bees (Hymenoptera: Apidae) Suggests Both Cospeciation and a Host-switch. <i>Journal of Parasitology</i> , 2009, 95, 198-203.	0.3	33
709	Evolution of <i>AGL6-like</i> MADS Box Genes in Grasses (Poaceae): Ovule Expression Is Ancient and Palea Expression Is New. <i>Plant Cell</i> , 2009, 21, 2591-2605.	3.1	74
710	Experimental Design in Caecilian Systematics: Phylogenetic Information of Mitochondrial Genomes and Nuclear <i>rag1</i> . <i>Systematic Biology</i> , 2009, 58, 425-438.	2.7	27

#	ARTICLE	IF	CITATIONS
711	Phylogenetic Inference Using Molecular Data. <i>Crustacean Issues</i> , 2009, , 67-88.	0.9	3
712	Ecology and pathology of amphibian ranaviruses. <i>Diseases of Aquatic Organisms</i> , 2009, 87, 243-266.	0.5	264
713	Phylogenetic Relationships Between and within Phacelia Sections <i>Whitlavia</i> and <i>Gymnobythus</i> (Boraginaceae). <i>Systematic Botany</i> , 2009, 34, 737-746.	0.2	9
714	Phylogeny, Introgression, and Character Evolution of Diploid Species in <i>Mentzelia</i> Section <i>Trachyphytum</i> (Loasaceae). <i>Systematic Botany</i> , 2010, 35, 601-617.	0.2	7
716	Orchestrating the Phylogenetic Likelihood Function on Emerging Parallel Architectures. <i>Embedded Multi-core Systems</i> , 2010, , 85-115.	0.1	5
717	Molecular systematics: A synthesis of the common methods and the state of knowledge. <i>Cellular and Molecular Biology Letters</i> , 2010, 15, 311-41.	2.7	51
718	The Phylogenetic Position of Myxozoa: Exploring Conflicting Signals in Phylogenomic and Ribosomal Data Sets. <i>Molecular Biology and Evolution</i> , 2010, 27, 2733-2746.	3.5	69
719	Phylogenetic relationships of the endemic Antarctic benthic hydroids (Cnidaria, Hydrozoa): what does the mitochondrial 16S rRNA tell us about it?. <i>Polar Biology</i> , 2010, 33, 41-57.	0.5	43
720	MHC screening for marsupial conservation: extremely low levels of class II diversity indicate population vulnerability for an endangered Australian marsupial. <i>Conservation Genetics</i> , 2010, 11, 269-278.	0.8	14
721	Gene trees, species and species trees in the <i>Ctenosaura palearis</i> clade. <i>Conservation Genetics</i> , 2010, 11, 1767-1781.	0.8	14
722	Weighted bootstrapping: a correction method for assessing the robustness of phylogenetic trees. <i>BMC Evolutionary Biology</i> , 2010, 10, 250.	3.2	7
723	Evolutionary history of mammalian sucking lice (Phthiraptera: Anoplura). <i>BMC Evolutionary Biology</i> , 2010, 10, 292.	3.2	89
724	Molecular phylogeny of pearl oysters and their relatives (Mollusca, Bivalvia, Pterioidea). <i>BMC Evolutionary Biology</i> , 2010, 10, 342.	3.2	43
725	FLU, an amino acid substitution model for influenza proteins. <i>BMC Evolutionary Biology</i> , 2010, 10, 99.	3.2	53
726	Phylogenetic relationships of mullets (Mugilidae) in China Seas based on partial sequences of two mitochondrial genes. <i>Biochemical Systematics and Ecology</i> , 2010, 38, 647-655.	0.6	18
727	Parallelized phylogenetic post-analysis on multi-core architectures. <i>Journal of Computational Science</i> , 2010, 1, 107-114.	1.5	11
728	Phylogeny and biogeography of the rice tribe (Oryzeae): Evidence from combined analysis of 20 chloroplast fragments. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 266-277.	1.2	87
729	Evidence for cospeciation events in the host-symbiont system involving crinoids (Echinodermata) and their obligate associates, the myxozostomids (Myxozostomida, Annelida). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 357-371.	1.2	24

#	ARTICLE	IF	CITATIONS
730	Evidence for a vicariant origin of Macaronesianâ€“Eritreo/Arabian disjunctions in <i>Campylanthus</i> Roth (Plantaginaceae). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 607-616.	1.2	40
731	Origin and diversification of Philippine bulbuls. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 822-832.	1.2	76
732	Red drifters and dark residents: The phylogeny and ecology of a Plio-Pleistocene dragonfly radiation reflects Africaâ€™s changing environment (Odonata, Libellulidae, Trithemis). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 870-882.	1.2	41
733	Complex patterns of continental speciation: Molecular phylogenetics and biogeography of sub-Saharan puddle frogs (<i>Phrynobatrachus</i>). <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 883-900.	1.2	49
734	Placing the mountain goat: A total evidence approach to testing alternative hypotheses. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 18-25.	1.2	13
735	Nucleotide substitution rates for the full set of mitochondrial protein-coding genes in Coleoptera. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 796-807.	1.2	141
736	Phylogeny of entelegyne spiders: Affinities of the family Penestomidae (NEW RANK), generic phylogeny of Eresidae, and asymmetric rates of change in spinning organ evolution (Araneae, Araneoidea). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 49</i>	1.2	10
737	Phylogeny of the freshwater copepod <i>Mesocyclops</i> (Crustacea: Cyclopidae) based on combined molecular and morphological data, with notes on biogeography. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 753-764.	1.2	44
738	Species boundaries and cryptic lineage diversity in a Philippine forest skink complex (Reptilia); <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 422</i>	1.2	47
739	The importance of taxon sampling in genomic studies: An example from the cyclooxygenases of teleost fishes. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 451-455.	1.2	10
740	The first internal molecular phylogeny of the animal phylum Entoprocta (Kamptozoa). <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 370-379.	1.2	28
741	Molecular phylogenetics of porcini mushrooms (<i>Boletus</i> section <i>Boletus</i>). <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 1276-1292.	1.2	126
742	Description of Five New <i>Loma</i> (Microsporidia) Species in Pacific Fishes with Redesignation of the Type Species <i>Loma morhua</i> Morrison & Sprague, 1981, Based on Morphological and Molecular Speciesâ€“Boundaries Tests. <i>Journal of Eukaryotic Microbiology</i> , 2010, 57, 529-553.	0.8	18
743	Phylogenetic relationships between flies of the Tephritinae subfamily (Diptera, Tephritidae) and their symbiotic bacteria. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 312-326.	1.2	26
744	Towards a molecular phylogeny of Mollusks: Bivalvesâ€™ early evolution as revealed by mitochondrial genes. <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 641-657.	1.2	102
745	Molecular phylogenetics and phylogeography of the white-fronted capuchin (<i>Cebus albifrons</i>); <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 107</i>	1.2	35
746	Influence of different substrates on the evolution of morphology and life-history traits of azooxanthellate solitary corals (Scleractinia: Flabellidae). <i>Biological Journal of the Linnean Society</i> , 2010, 101, 184-192.	0.7	10
747	A Multi-Criterion Evolutionary Approach Applied to Phylogenetic Reconstruction. , 0, , .		9

#	ARTICLE	IF	CITATIONS
748	<i>Chautemsia calcicola</i> : A new genus and species of Gloxinieae (Gesneriaceae) from Minas Gerais, Brazil. <i>Taxon</i> , 2010, 59, 203-208.	0.4	8
749	Evolutionary history and taxonomy of the <i>Cuscuta umbellata</i> complex (Convolvulaceae): Evidence of extensive hybridization from discordant nuclear and plastid phylogenies. <i>Taxon</i> , 2010, 59, 1783-1800.	0.4	31
750	Selective loss of polymorphic mating types is associated with rapid phenotypic evolution during morphic speciation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4254-4259.	3.3	136
751	A Molecular Phylogeny of North American Atripliceae (Chenopodiaceae), with Implications for Floral and Photosynthetic Pathway Evolution. <i>Systematic Botany</i> , 2010, 35, 839-857.	0.2	22
752	Gene cooption and convergent evolution of oxygen transport hemoglobins in jawed and jawless vertebrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 14274-14279.	3.3	71
753	microRNAs reveal the interrelationships of hagfish, lampreys, and gnathostomes and the nature of the ancestral vertebrate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19379-19383.	3.3	257
754	First-Order Correct Bootstrap Support Adjustments for Splits that Allow Hypothesis Testing When Using Maximum Likelihood Estimation. <i>Molecular Biology and Evolution</i> , 2010, 27, 1621-1629.	3.5	31
755	Phylogenetic Systematics of <i>Ipomopsis</i> (Polemoniaceae): Relationships and Divergence Times Estimated from Chloroplast and Nuclear DNA Sequences. <i>Systematic Botany</i> , 2010, 35, 181-200.	0.2	22
756	New Algorithms and Methods to Estimate Maximum-Likelihood Phylogenies: Assessing the Performance of PhyML 3.0. <i>Systematic Biology</i> , 2010, 59, 307-321.	2.7	15,166
757	Genetic covariation of the marine fungal symbiont <i>Haloguignardia irritans</i> (Ascomycota,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 coast of North America. <i>Fungal Biology</i> , 2010, 114, 82-95.	1.1	23
758	An Efficient Algorithm for Approximating Geodesic Distances in Tree Space. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2011, 8, 1196-1207.	1.9	2
759	Inferring the higher-order phylogeny of mosses (Bryophyta) and relatives using a large, multigene plastid data set. <i>American Journal of Botany</i> , 2011, 98, 839-849.	0.8	97
761	Evolutionary relationships of the old world fruit bats (Chiroptera, Pteropodidae): Another star phylogeny?. <i>BMC Evolutionary Biology</i> , 2011, 11, 281.	3.2	50
763	FPGA Optimizations for a Pipelined Floating-Point Exponential Unit. <i>Lecture Notes in Computer Science</i> , 2011, , 316-327.	1.0	2
764	Phylogenomic Evidence for the Presence of a Flagellum and <i>cbb3</i> Oxidase in the Free-Living Mitochondrial Ancestor. <i>Molecular Biology and Evolution</i> , 2011, 28, 3285-3296.	3.5	124
765	Differential Loss and Retention of Cytoglobin, Myoglobin, and Globin-E during the Radiation of Vertebrates. <i>Genome Biology and Evolution</i> , 2011, 3, 588-600.	1.1	64
766	Evaluating Phylogenetic Congruence in the Post-Genomic Era. <i>Genome Biology and Evolution</i> , 2011, 3, 571-587.	1.1	46
767	Gene acquisition, duplication and metabolic specification: the evolution of fungal methylisocitrate lyases. <i>Environmental Microbiology</i> , 2011, 13, 1534-1548.	1.8	16

#	ARTICLE	IF	CITATIONS
768	Phylogenetic position of the Ohiya rat (<i>Srilankamys ohiensis</i>) based on mitochondrial and nuclear gene sequence analysis. <i>Zoologica Scripta</i> , 2011, 40, 545-553.	0.7	8
769	Diversification in <i>Adelomyia</i> hummingbirds follows Andean uplift. <i>Molecular Ecology</i> , 2011, 20, 4564-4576.	2.0	100
770	Multilocus sequence typing (MLST) for the infra-generic taxonomic classification of entomopathogenic <i>Rickettsiella</i> bacteria. <i>FEMS Microbiology Letters</i> , 2011, 324, 125-134.	0.7	13
771	THE LOCAL-CLOCK PERMUTATION TEST: A SIMPLE TEST TO COMPARE RATES OF MOLECULAR EVOLUTION ON PHYLOGENETIC TREES. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 606-611.	1.1	12
772	Deep mtDNA subdivision within Linnean species in an endemic radiation of tiger beetles from New Zealand (genus <i>Neocicindela</i>). <i>Molecular Phylogenetics and Evolution</i> , 2011, 59, 251-262.	1.2	36
773	Origin and Evolution of the Canal Raphe System in Diatoms. <i>Protist</i> , 2011, 162, 723-737.	0.6	96
774	New insights on systematics and phylogenetics of Mediterranean <i>Blaps</i> species (Coleoptera: Tenebrionidae: Blaptini), assessed through morphology and dense taxon sampling. <i>Systematic Entomology</i> , 2011, 36, 340-361.	1.7	22
776	Phylogenetic diversification of the globin gene superfamily in chordates. <i>IUBMB Life</i> , 2011, 63, 313-322.	1.5	47
777	Molecular Epidemiology of Oropouche Virus, Brazil. <i>Emerging Infectious Diseases</i> , 2011, 17, 800-806.	2.0	55
778	Old-New World and trans-African disjunctions of <i>Thamnosma</i> (Rutaceae): Intercontinental long-distance dispersal and local differentiation in the succulent biome. <i>American Journal of Botany</i> , 2011, 98, 76-87.	0.8	48
779	Molecular systematics of the parasitic genus <i>Conopholis</i> (Orobanchaceae) inferred from plastid and nuclear sequences. <i>American Journal of Botany</i> , 2011, 98, 896-908.	0.8	6
780	Lateral Transfer of Genes and Gene Fragments in <i>Staphylococcus</i> Extends beyond Mobile Elements. <i>Journal of Bacteriology</i> , 2011, 193, 3964-3977.	1.0	38
781	New World Origins of Southwest Pacific Gesneriaceae: Multiple Movements Across and Within the South Pacific. <i>International Journal of Plant Sciences</i> , 2011, 172, 434-457.	0.6	31
782	Molecular Systematics and Biogeography of <i>Descurainia</i> (Brassicaceae) based on Nuclear ITS and Non-Coding Chloroplast DNA. <i>Systematic Botany</i> , 2011, 36, 957-980.	0.2	13
783	Repeated Evolution of Identical Domain Architecture in Metazoan Netrin Domain-Containing Proteins. <i>Genome Biology and Evolution</i> , 2012, 4, 883-899.	1.1	23
784	Whole-Genome Duplications Spurred the Functional Diversification of the Globin Gene Superfamily in Vertebrates. <i>Molecular Biology and Evolution</i> , 2012, 29, 303-312.	3.5	88
785	Phylogenetic and Coalescent Strategies of Species Delimitation in Snubnose Darters (Percidae: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10</i>)	2.7	74
786	Phylogeny Estimation of the Radiation of Western North American Chipmunks (<i>Tamias</i>) in the Face of Introgression Using Reproductive Protein Genes. <i>Systematic Biology</i> , 2012, 61, 44.	2.7	55

#	ARTICLE	IF	CITATIONS
787	Phylogenetics and population genetics of the Eurasian parasitoid <i>Macrocentrus cingulum</i> based on mitochondrial and nuclear loci. <i>Entomologia Experimentalis Et Applicata</i> , 2012, 145, 1-14.	0.7	4
788	Molecular Relationships and Classification of Several Tufted Capuchin Lineages (<i>Cebus apella</i> , <i>Cebus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 Sequences. <i>Folia Primatologica</i> , 2012, 83, 100-125.	0.3	24
789	A re-interpretation of the Fabroniaceae, a phylogenetic perspective. <i>Bryologist</i> , 2012, 115, 109-117.	0.1	4
790	Molecular phylogeny of extant horseshoe crabs (<i>Xiphosura</i> , <i>Limulidae</i>) indicates Paleogene diversification of Asian species. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 21-26.	1.2	72
791	Phylogenetic inference rejects sporophyte based classification of the Funariaceae (Bryophyta): Rapid radiation suggests rampant homoplasy in sporophyte evolution. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 130-145.	1.2	57
792	Evolution of the thioester-containing proteins (TEPs) of the arthropoda, revealed by molecular cloning of TEP genes from a spider, <i>Hasarius adansoni</i> . <i>Developmental and Comparative Immunology</i> , 2012, 36, 483-489.	1.0	42
793	A support vector machine based test for incongruence between sets of trees in tree space. <i>BMC Bioinformatics</i> , 2012, 13, 210.	1.2	7
794	Widespread and persistent invasions of terrestrial habitats coincident with larval feeding behavior transitions during snail-killing fly evolution (Diptera: Sciomyzidae). <i>BMC Evolutionary Biology</i> , 2012, 12, 175.	3.2	13
795	The origins of the evolutionary signal used to predict protein-protein interactions. <i>BMC Evolutionary Biology</i> , 2012, 12, 238.	3.2	8
796	Barcoding, molecular taxonomy, and exploration of the diversity of shrews (Soricomorpha:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 16	1.0	16
797	Cladistic tests of monophyly and relationships of biostratigraphically significant conodonts using multielement skeletal data of <i>Lochriea homopunctatus</i> and the genus <i>Lochriea</i> . <i>Palaeontology</i> , 2012, 55, 1279-1291.	1.0	7
798	Evolution of Viral Genomes: Interplay Between Selection, Recombination, and Other Forces. <i>Methods in Molecular Biology</i> , 2012, 856, 239-272.	0.4	31
799	Molecular phylogeny of extant equids and effects of ancestral polymorphism in resolving species-level phylogenies. <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 573-581.	1.2	24
800	Multigene Phylogenetic Analyses to Delimit New Species in Fungal Plant Pathogens. <i>Methods in Molecular Biology</i> , 2012, 835, 549-569.	0.4	17
801	A <i>Rickettsiella</i> Bacterium from the Hard Tick, <i>Ixodes woodi</i> : Molecular Taxonomy Combining Multilocus Sequence Typing (MLST) with Significance Testing. <i>PLoS ONE</i> , 2012, 7, e38062.	1.1	32
802	Systematics and evolution of the needle grasses (Poaceae: Pooideae: Stipeae) based on analysis of multiple chloroplast loci, ITS, and lemma micromorphology. <i>Taxon</i> , 2012, 61, 18-44.	0.4	67
803	Mid-Miocene divergence of <i>Lonopodium</i> and <i>Cochlearia</i> and its impact on the systematics and biogeography of the tribe Cochlearieae (Brassicaceae). <i>Taxon</i> , 2012, 61, 76-92.	0.4	35
804	Plastid genome evolution in mycoheterotrophic Ericaceae. <i>Plant Molecular Biology</i> , 2012, 79, 5-20.	2.0	47

#	ARTICLE	IF	CITATIONS
805	Nimbya and Embellisia revisited, with nov. comb for Alternaria celosiae and A. perpunctulata. Mycological Progress, 2012, 11, 799-815.	0.5	57
806	Phylogenetics and biogeography of the Balkan "sand gobies"™ (Teleostei: Gobiidae): vulnerable species in need of taxonomic revision. Biological Journal of the Linnean Society, 2012, 105, 73-91.	0.7	35
807	Molecular phylogeny of the subgenus Holothuria (Selenkothuria) Deichmann, 1958 (Holothuroidea). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 11	1.0	11
808	Evolution of cave <i>Axiobregma</i> and <i>Speleobregma</i> (<i>Speleobregmatidae</i> , <i>Axonellida</i>). Zoologica Scripta, 2013, 42, 623-636.	0.7	23
810	Phylogeography of the western jumping mouse (<i>Zapus princeps</i>) detects deep and persistent allopatry with expansion. Journal of Mammalogy, 2013, 94, 1016-1029.	0.6	17
811	Higher level phylogenetic relationships within the bamboos (Poaceae: Bambusoideae) based on five plastid markers. Molecular Phylogenetics and Evolution, 2013, 67, 404-413.	1.2	148
812	Inferring the Evolutionary History of IncP-1 Plasmids Despite Incongruence among Backbone Gene Trees. Molecular Biology and Evolution, 2013, 30, 154-166.	3.5	63
813	A comprehensive molecular phylogeny for the hornbills (Aves: Bucerotidae). Molecular Phylogenetics and Evolution, 2013, 67, 468-483.	1.2	38
814	Novel and highly diverse fungal endophytes in soybean revealed by the consortium of two different techniques. Journal of Microbiology, 2013, 51, 56-69.	1.3	51
815	<i>Pikaia gracilens</i> Walcott: Stem Chordate, or Already Specialized in the Cambrian?. Journal of Experimental Zoology Part B: Molecular and Developmental Evolution, 2013, 320, 247-271.	0.6	23
816	Multilocus Sequence Analysis (MLSA) of "Rickettsiella agriotidis"™, an Intracellular Bacterial Pathogen of Agriotes Wireworms. Current Microbiology, 2013, 66, 1-9.	1.0	7
817	Diversification of the Yellow-shouldered bats, Genus <i>Sturnira</i> (Chiroptera, Phyllostomidae), in the New World tropics. Molecular Phylogenetics and Evolution, 2013, 68, 683-698.	1.2	114
818	Gymnaconitum, a new genus of Ranunculaceae endemic to the Qinghai-Tibetan Plateau. Taxon, 2013, 62, 713-722.	0.4	44
819	A Molecular Phylogeny of the Moss Genus <i>Taxithelium</i> (Pylaisiadelphaceae) Based on Plastid, Mitochondrial and Nuclear Markers. Systematic Botany, 2013, 38, 861-868.	0.2	9
820	Taxonomic adjustments in the systematics of the southern African lacertid lizards (Sauria). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182 Td	0.2	11
821	TreeFix: Statistically Informed Gene Tree Error Correction Using Species Trees. Systematic Biology, 2013, 62, 110-120.	2.7	101
822	More Problems Despite Bigger Flowers: Systematics of <i>Cuscuta tinctoria</i> Clade (subgenus <i>Grammica</i> , Convolvulaceae) with Description of Six New Species. Systematic Botany, 2013, 38, 1160-1187.	0.2	13
823	A Chloroplast Phylogeny of Agavaceae subfamily Chlorogaloideae: Implications for the Tempo of Evolution on Serpentine Soils. Systematic Botany, 2013, 38, 996-1011.	0.2	13

#	ARTICLE	IF	CITATIONS
824	A molecular phylogeny of the African plated lizards, genus <i>Gerrhosaurus</i> Wiegmann, 1828 (Squamata: Gerrhosauridae), with the description of two new genera. <i>Zootaxa</i> , 2013, 3750, 465.	0.2	19
825	Molecular phylogenetics of ponerine ants (Hymenoptera: Formicidae: Ponerinae). <i>Zootaxa</i> , 2013, 3647, 201-50.	0.2	86
826	Bayesian Analysis of Congruence of Core Genes in <i>Prochlorococcus</i> and <i>Synechococcus</i> and Implications on Horizontal Gene Transfer. <i>PLoS ONE</i> , 2014, 9, e85103.	1.1	12
827	Detecting history of species using mining of motifs in Phylogenetic Networks. , 2014, , .		2
828	Global Phylogenomic Analysis Disentangles the Complex Evolutionary History of DNA Replication in Archaea. <i>Genome Biology and Evolution</i> , 2014, 6, 192-212.	1.1	68
829	Models of nucleotide substitution. , 2014, , 1-34.		1
830	Systematics and Evolution of Inflorescence Structure in the <i>Tradescantia</i> Alliance (Commelinaceae). <i>Systematic Botany</i> , 2014, 39, 105-116.	0.2	24
831	Phylogenetics and morphological evolution of coral-dwelling barnacles (Balanomorpha: <i>Tj ETQq1 1 0.784314 rgBT /Overlock, 10 Tf 504</i>)	0.7	21
832	Paraphyly of Section <i>Stygnanthe</i> (<i>Columnea</i> , Gesneriaceae) and a Revision of the Species of Section <i>Angustiflorae</i> , a New Section Inferred from ITS and Chloroplast DNA Data. <i>Systematic Botany</i> , 2014, 39, 613-636.	0.2	9
833	Lights out: the evolution of bacterial bioluminescence in Loliginidae. <i>Hydrobiologia</i> , 2014, 725, 189-203.	1.0	15
834	Phylogeny, character evolution, and biogeography of <i>Cuscuta</i> (dodders; Convolvulaceae) inferred from coding plastid and nuclear sequences. <i>American Journal of Botany</i> , 2014, 101, 670-690.	0.8	77
835	Reassessment of the systematics of the widespread Neotropical genus <i>Cercomacra</i> (Aves: <i>Tj ETQq1 1 0.784314 rgBT /Overlock, 19</i>)	1.0	19
836	Molecular Dating, Evolutionary Rates, and the Age of the Grasses. <i>Systematic Biology</i> , 2014, 63, 153-165.	2.7	155
837	Molecular data do not provide unambiguous support for the monophyly of flatfishes (Pleuronectiformes): A reply to Betancur-R and Ort. <i>Molecular Phylogenetics and Evolution</i> , 2014, 75, 149-153.	1.2	25
838	Continental monophyly of cichlid fishes and the phylogenetic position of <i>Heterochromis multidentatus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2014, 73, 53-59.	1.2	4
839	Towards a phylogenetic approach to the composition of species complexes in the North and Central American <i>Triatoma</i> , vectors of Chagas disease. <i>Infection, Genetics and Evolution</i> , 2014, 24, 157-166.	1.0	16
840	Shell shape convergence masks biological diversity in gliding scallops: description of <i>Ylistrum</i> n. gen. (Pectinidae) from the Indo-Pacific Ocean. <i>Journal of Molluscan Studies</i> , 2014, 80, 400-411.	0.4	11
841	Alignment Errors Strongly Impact Likelihood-Based Tests for Comparing Topologies. <i>Molecular Biology and Evolution</i> , 2014, 31, 3057-3067.	3.5	23

#	ARTICLE	IF	CITATIONS
842	Latent homology and convergent regulatory evolution underlies the repeated emergence of yeasts. <i>Nature Communications</i> , 2014, 5, 4471.	5.8	133
843	Higher level molecular phylogeny of darkling beetles (<i>Coleoptera</i>): Tj ETQq1 1 0.784314 rgBT /Overlock ₁₀ Tf 50,702 Td 1.7 74	1.7	74
844	Searching for the sister to sedges (<i>Carex</i>): resolving relationships in the Cariceae-Dulichieae-Scirpeae clade (Cyperaceae). <i>Botanical Journal of the Linnean Society</i> , 2014, 176, 1-21.	0.8	26
845	Novel Information Theory-Based Measures for Quantifying Incongruence among Phylogenetic Trees. <i>Molecular Biology and Evolution</i> , 2014, 31, 1261-1271.	3.5	259
846	The Phylogenetic Relationships of the Endemic Genera of Australo-Papuan Hawks. <i>Journal of Raptor Research</i> , 2014, 48, 36-43.	0.2	10
847	Mitochondrial Phylogenomics of Early Land Plants: Mitigating the Effects of Saturation, Compositional Heterogeneity, and Codon-Usage Bias. <i>Systematic Biology</i> , 2014, 63, 862-878.	2.7	108
848	Tests for Two Trees Using Likelihood Methods. <i>Molecular Biology and Evolution</i> , 2014, 31, 1029-1039.	3.5	16
849	Molecular systematics and historical biogeography of the green lizards (<i>Lacerta</i>) in Greece: Insights from mitochondrial and nuclear DNA. <i>Molecular Phylogenetics and Evolution</i> , 2014, 76, 144-154.	1.2	37
850	Molecular phylogeny of East and Southeast Asian fossorial moles (Lipotyphla, Talpidae). <i>Journal of Mammalogy</i> , 2014, 95, 455-466.	0.6	13
851	Horizontal transfer of an adaptive chimeric photoreceptor from bryophytes to ferns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6672-6677.	3.3	146
852	Pre-Pleistocene origin of an endangered habitat: links between vernal pools and aquatic <i>Oxalis</i> in the Greater Cape Floristic Region of South Africa. <i>Journal of Biogeography</i> , 2014, 41, 1572-1582.	1.4	6
853	Ultrastructural characterization and multilocus sequence analysis (MLSA) of <i>Candidatus Rickettsiella isopodorum</i> TM , a new lineage of intracellular bacteria infecting woodlice (Crustacea): Tj ETQq1 1 0.784314 rgBT /Overlock ₁₀ Tf 50,702 Td 1.7 74	1.7	74
854	Molecular phylogeny reveals the true colours of Myeloconidaceae (Ascomycota: Ostropales). <i>Australian Systematic Botany</i> , 2014, 27, 38.	0.3	13
855	A tale of North and South America: time and mode of dispersal of the amphitropical genus <i>Munroa</i> (Poaceae, Chloridoideae). <i>Botanical Journal of the Linnean Society</i> , 2015, 179, 110-125.	0.8	13
856	Using RAxML to Infer Phylogenies. <i>Current Protocols in Bioinformatics</i> , 2015, 51, 6.14.1-6.14.14.	25.8	215
857	TAL effectors and activation of predicted host targets distinguish Asian from African strains of the rice pathogen <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> while strict conservation suggests universal importance of five TAL effectors. <i>Frontiers in Plant Science</i> , 2015, 6, 536.	1.7	105
858	Scorpion speciation in the Holy Land: Multilocus phylogeography corroborates diagnostic differences in morphology and burrowing behavior among <i>Scorpio</i> subspecies and justifies recognition as phylogenetic, ecological and biological species. <i>Molecular Phylogenetics and Evolution</i> , 2015, 91, 226-237.	1.2	18
859	Diagnostics for a troubled backbone: testing topological hypotheses of trapelioid lichenized fungi in a large-scale phylogeny of Ostropomycetidae (Lecanoromycetes). <i>Fungal Diversity</i> , 2015, 73, 239-258.	4.7	46

#	ARTICLE	IF	CITATIONS
860	Entangled evolutionary history of <i>Cuscuta pentagona</i> clade: A story involving hybridization and Darwin in the Galapagos. <i>Taxon</i> , 2015, 64, 1225-1242.	0.4	27
861	Transfer of energy pathway genes in microbial enhanced biological phosphorus removal communities. <i>BMC Genomics</i> , 2015, 16, 526.	1.2	6
862	Automation and Evaluation of the SOWH Test with SOWHAT. <i>Systematic Biology</i> , 2015, 64, 1048-1058.	2.7	40
863	Evolutionary History of <i>Blepharis</i> (Acanthaceae) and the Origin of C ₄ Photosynthesis in Section <i>Acanthodium</i> . <i>International Journal of Plant Sciences</i> , 2015, 176, 770-790.	0.6	36
864	Evolution of the complement system in protostomes revealed by de novo transcriptome analysis of six species of Arthropoda. <i>Developmental and Comparative Immunology</i> , 2015, 50, 58-67.	1.0	24
865	Phylogeny and evolution of phytophagous ladybird beetles (Coleoptera: Coccinellidae: Epilachnini), with recognition of new genera. <i>Systematic Entomology</i> , 2015, 40, 547-569.	1.7	25
866	Assignment of Homoeologs to Parental Genomes in Allopolyploids for Species Tree Inference, with an Example from <i>Fumaria</i> (Papaveraceae). <i>Systematic Biology</i> , 2015, 64, 448-471.	2.7	26
867	Inferring Horizontal Gene Transfer. <i>PLoS Computational Biology</i> , 2015, 11, e1004095.	1.5	260
868	Amino acid transporter expansions associated with the evolution of obligate endosymbiosis in sap-feeding insects (Hemiptera: Sternorrhyncha). <i>BMC Evolutionary Biology</i> , 2015, 15, 52.	3.2	22
869	Evolution of the bamboos (Bambusoideae; Poaceae): a full plastome phylogenomic analysis. <i>BMC Evolutionary Biology</i> , 2015, 15, 50.	3.2	137
870	Evidence of Statistical Inconsistency of Phylogenetic Methods in the Presence of Multiple Sequence Alignment Uncertainty. <i>Genome Biology and Evolution</i> , 2015, 7, 2102-2116.	1.1	17
871	Molecular phylogenetics and phylogeography of all the Saimiri taxa (Cebidae, Primates) inferred from mt COI and COII gene sequences. <i>Primates</i> , 2015, 56, 145-161.	0.7	13
872	Phylogenetic relationships, possible ancient hybridization, and biogeographic history of <i>Abies</i> (Pinaceae) based on data from nuclear, plastid, and mitochondrial genomes. <i>Molecular Phylogenetics and Evolution</i> , 2015, 82, 1-14.	1.2	72
873	Continuous Miocene, Pliocene and Pleistocene Influences on Mitochondrial Diversification of the Capybara (<i>Hydrochoerus hydrochoeris</i> ; Hydrochoeridae, Rodentia): Incapacity to Determine Exclusive Hypotheses on the Origins of the Amazon and Orinoco Diversity for This Species. <i>Journal of Phylogenetics & Evolutionary Biology</i> , 2016, 04, .	0.2	7
874	The First Comprehensive Phylogeny of <i>Coptis</i> (Ranunculaceae) and Its Implications for Character Evolution and Classification. <i>PLoS ONE</i> , 2016, 11, e0153127.	1.1	25
875	Support Measures, Phylogenetic Tree. , 2016, , 256-260.		0
876	Phylogenetic diversity and its conservation in the presence of phylogenetic uncertainty: a case study of cladoceran communities in urban waterbodies. <i>Biodiversity and Conservation</i> , 2016, 25, 2113-2136.	1.2	7
877	The Identification of the Closest Living Relative(s) of Tetrapods: Phylogenomic Lessons for Resolving Short Ancient Internodes. <i>Systematic Biology</i> , 2016, 65, 1057-1075.	2.7	45

#	ARTICLE	IF	CITATIONS
878	Phylogenetic Tree Comparison. , 2016, , 277-284.		0
879	An African Origin of the Eurylaimides (Passeriformes) and the Successful Diversification of the Ground-Foraging Pittas (Pittidae). <i>Molecular Biology and Evolution</i> , 2016, 34, msw250.	3.5	9
880	Phylogenetic Stability, Tree Shape, and Character Compatibility: A Case Study Using Early Tetrapods. <i>Systematic Biology</i> , 2016, 65, 737-758.	2.7	6
881	Analysis of full-length genomes of porcine teschovirus (PTV) and the effect of purifying selection on phylogenetic trees. <i>Archives of Virology</i> , 2016, 161, 1199-1208.	0.9	12
882	Comparative Genomics of Early-Diverging Mushroom-Forming Fungi Provides Insights into the Origins of Lignocellulose Decay Capabilities. <i>Molecular Biology and Evolution</i> , 2016, 33, 959-970.	3.5	213
883	The complement system of elasmobranchs revealed by liver transcriptome analysis of a hammerhead shark, <i>Sphyrna zygaena</i> . <i>Developmental and Comparative Immunology</i> , 2016, 61, 13-24.	1.0	28
884	New deep-sea species of <i>Xenoturbella</i> and the position of Xenacoelomorpha. <i>Nature</i> , 2016, 530, 94-97.	13.7	124
885	Phylogenetic relationships within the cosmopolitan buckthorn family (Rhamnaceae) support the resurrection of <i>Sarcomphalus</i> and the description of <i>Pseudoziziphus</i> gen. nov.. <i>Taxon</i> , 2016, 65, 47-64.	0.4	54
886	Histology and affinity of anaspids, and the early evolution of the vertebrate dermal skeleton. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152917.	1.2	44
887	Which molecular markers for assessing which taxonomic level? The case study of the mite family Phytoseiidae (Acari: Mesostigmata). <i>Cladistics</i> , 2017, 33, 251-267.	1.5	13
888	Unique Phylogenetic Distributions of the Ska and Dam1 Complexes Support Functional Analogy and Suggest Multiple Parallel Displacements of Ska by Dam1. <i>Genome Biology and Evolution</i> , 2017, 9, 1295-1303.	1.1	50
889	Structure-based analysis of Bacilli and plasmid dihydrofolate reductase evolution. <i>Journal of Molecular Graphics and Modelling</i> , 2017, 71, 135-153.	1.3	3
890	Statistical hybrid detection and the inference of ancestral distribution areas in Tolpis (Asteraceae). <i>Biological Journal of the Linnean Society</i> , 2017, 121, 133-149.	0.7	6
891	Testing hypotheses on suprageneric relationships and morphological evolution in the Leucobryaceae (Bryophyta). <i>Plant Systematics and Evolution</i> , 2017, 303, 1383-1397.	0.3	12
892	Nuclear and mitochondrial phylogeny of <i>Rossella</i> (Hexactinellida: Lyssacinosida, Rossellidae): a species and a species flock in the Southern Ocean. <i>Polar Biology</i> , 2017, 40, 2435-2444.	0.5	7
893	Phylogenomic analyses of Crassiclitellata support major Northern and Southern Hemisphere clades and a Pangaeian origin for earthworms. <i>BMC Evolutionary Biology</i> , 2017, 17, 123.	3.2	27
894	Recircumscription of <i>Delphinium</i> subg. <i>Delphinium</i> (Ranunculaceae) and implications for its biogeography. <i>Taxon</i> , 2017, 66, 554-566.	0.4	15
895	A molecular phylogeny of the Sematophyllaceae s.l. (Hypnales) based on plastid, mitochondrial and nuclear markers, and its taxonomic implications. <i>Taxon</i> , 2017, 66, 811-831.	0.4	25

#	ARTICLE	IF	CITATIONS
896	Robust Inference of Genetic Exchange Communities from Microbial Genomes Using TF-IDF. <i>Frontiers in Microbiology</i> , 2017, 8, 21.	1.5	14
898	Studying AMPK in an Evolutionary Context. <i>Methods in Molecular Biology</i> , 2018, 1732, 111-142.	0.4	3
899	Evolutionary relationships of two balitorids (Cypriniformes, Balitoridae) revealed by comparative mitogenomics. <i>Zoologica Scripta</i> , 2018, 47, 300-310.	0.7	9
900	Bayesian selection of misspecified models is overconfident and may cause spurious posterior probabilities for phylogenetic trees. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1854-1859.	3.3	61
901	The Interrelationships of Land Plants and the Nature of the Ancestral Embryophyte. <i>Current Biology</i> , 2018, 28, 733-745.e2.	1.8	398
902	Phylogenomics. <i>Methods in Molecular Biology</i> , 2018, 1704, 103-187.	0.4	15
903	Boreotropical range expansion and long-distance dispersal explain two amphi-Pacific tropical disjunctions in Sabiaceae. <i>Molecular Phylogenetics and Evolution</i> , 2018, 124, 181-191.	1.2	27
904	Classification of breast tissues into mass and non-mass by means of the micro-genetic algorithm, phylogenetic trees, LBP and SVM. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2018, 6, 315-330.	1.3	2
905	Phylogenetic analysis and revision of subfamily classification of Belostomatidae genera (Insecta: Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 4	1.0	19
906	Functional and evolutionary characterization of a secondary metabolite gene cluster in budding yeasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 11030-11035.	3.3	75
907	A molecular phylogeny of the Old World cypresses (Cupressus: Cupressaceae): evidence from nuclear and chloroplast DNA sequences. <i>Plant Systematics and Evolution</i> , 2018, 304, 1181-1197.	0.3	1
908	Molecular phylogeny and cryptic morphology reveal a new genus of West Indian woody bamboo (Poaceae: Bambusoideae: Bambuseae) hidden by convergent character evolution. <i>Taxon</i> , 2018, 67, 916-930.	0.4	18
909	The Role of Biomarker as a Taxonomic Material and Indicator of Characters Performance on Marine Biota. <i>Journal of Marine Science: Research & Development</i> , 2018, 08, .	0.4	0
910	Phylogeny of <i>Vibrio vulnificus</i> from the Analysis of the Core-Genome: Implications for Intra-Species Taxonomy. <i>Frontiers in Microbiology</i> , 2017, 8, 2613.	1.5	50
911	Comparative Genomics and Phylogenomic Analysis of the Genus <i>Salinivibrio</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 2104.	1.5	23
912	A brief overview of the concepts, methods and computational tools used in phylogenetic tree construction and gene prediction. <i>Meta Gene</i> , 2019, 21, 100586.	0.3	8
913	A new phylogenetic hypothesis of turtles with implications for the timing and number of evolutionary transitions to marine lifestyles in the group. <i>Palaeontology</i> , 2019, 62, 93-134.	1.0	73
914	Sponges Lack ParaHox Genes. <i>Genome Biology and Evolution</i> , 2019, 11, 1250-1257.	1.1	11

#	ARTICLE	IF	CITATIONS
915	Out of Africa? A dated molecular phylogeny of the cicada tribe Platyleurini Schmidt (Hemiptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Audinet&Serville. Systematic Entomology, 2019, 44, 842-861.	1.7	9
916	Phylogenomic incongruence, hypothesis testing, and taxonomic sampling: The monophyly of characiform fishes*. Evolution; International Journal of Organic Evolution, 2019, 73, 329-345.	1.1	78
917	Phylogenetics and Systematics in a Nutshell. , 2020, , 81-112.		4
918	The influence of a priori grouping on inference of genetic clusters: simulation study and literature review of the DAPC method. Heredity, 2020, 125, 269-280.	1.2	77
919	Early vertebrate origin of CTCFL, a CTCF paralog, revealed by proximity-guided shark genome scaffolding. Scientific Reports, 2020, 10, 14629.	1.6	5
920	Deep genetic divergence and paraphyly in cryptic species of <i>Mugil</i> fishes (Actinopterygii: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.5	20
921	Nanopore sequencing-based genome assembly and evolutionary genomics of circum-basmati rice. Genome Biology, 2020, 21, 21.	3.8	73
922	Nonbifurcating Phylogenetic Tree Inference via the Adaptive LASSO. Journal of the American Statistical Association, 2021, 116, 858-873.	1.8	1
923	Phylogenetic Analysis of SARS-CoV-2 Data Is Difficult. Molecular Biology and Evolution, 2021, 38, 1777-1791.	3.5	119
924	Phylogenetic inferences reveal deep polyphyly of Aongstroemiaceae and Dicranellaceae within the haplolepideous mosses (Dicranidae, Bryophyta). Taxon, 2021, 70, 246-262.	0.4	7
925	Mitochondrial phylogeny, diversity, and ichthyogeography of gobies (Teleostei: Gobiidae) from the oldest and deepest Caspian sub-basin and tracing source and spread pattern of an introduced Rhinogobius species at the tricontinental crossroad. Hydrobiologia, 2021, 848, 1267-1293.	1.0	15
926	Genome-based local dynamics of canine rabies virus epidemiology, transmission, and evolution in Davao City, Philippines, 2018&2019. Infection, Genetics and Evolution, 2021, 92, 104868.	1.0	3
928	Felsenstein Phylogenetic Likelihood. Journal of Molecular Evolution, 2021, 89, 134-145.	0.8	9
930	Phylogenetic Patterns, Evolutionary Trends, and the Origin of Ant"Plant Associations in Piper section Macrostachys: Burger"s Hypotheses Revisited. , 2004, , 156-178.		11
931	Phylogenetic Approaches to Molecular Epidemiology. , 2002, , 25-40.		3
933	Reinstatement of Loxogramme dictyopteris, based on phylogenetic evidence, for the New Zealand endemic fern, Anarthropteris lanceolata (Polypodiaceae, Polypodiidae). Australian Systematic Botany, 2006, 19, 309.	0.3	16
934	A molecular phylogeny of the Australian skink genera Eulamprus, Gnypetoscincus and Nangura. Australian Journal of Zoology, 2003, 51, 317.	0.6	23
935	Least and Most Powerful Phylogenetic Tests to Elucidate the Origin of the Seed Plants in the Presence of Conflicting Signals under Misspecified Models. Systematic Biology, 2003, 52, 781-793.	2.7	10

#	ARTICLE	IF	CITATIONS
937	Phylogeny reconstruction: overview. , 2006, , 73-99.		1
938	Maximum likelihood methods. , 2006, , 100-144.		3
939	Bayesian methods. , 2006, , 145-184.		1
940	Neutral and adaptive protein evolution. , 2006, , 259-292.		6
941	Probabilistic models and their impact on the accuracy of reconstructed ancestral protein sequences. , 2007, , 43-57.		6
943	Genetic diversity of North American vertebrates in protected areas. Biological Journal of the Linnean Society, 2021, 132, 388-399.	0.7	7
944	Male-Killing Wolbachia and Mitochondrial DNA: Selective Sweeps, Hybrid Introgression and Parasite Population Dynamics. Genetics, 2003, 164, 5-12.	1.2	207
947	From Gene Trees to Organismal Phylogeny in Prokaryotes:The Case of the \hat{I}^3 -Proteobacteria. PLoS Biology, 2003, 1, e19.	2.6	393
948	Likelihood-Based Inference of B Cell Clonal Families. PLoS Computational Biology, 2016, 12, e1005086.	1.5	93
949	Cryptic Diversity within the Major Trypanosomiasis Vector Glossina fuscipes Revealed by Molecular Markers. PLoS Neglected Tropical Diseases, 2011, 5, e1266.	1.3	22
950	Phylogenetic Analysis of Pelecaniformes (Aves) Based on Osteological Data: Implications for Waterbird Phylogeny and Fossil Calibration Studies. PLoS ONE, 2010, 5, e13354.	1.1	79
951	Red and Green Algal Origin of Diatom Membrane Transporters: Insights into Environmental Adaptation and Cell Evolution. PLoS ONE, 2011, 6, e29138.	1.1	44
952	Paleogenetic Analyses Reveal Unsuspected Phylogenetic Affinities between Mice and the Extinct Malpaisomys insularis, an Endemic Rodent of the Canaries. PLoS ONE, 2012, 7, e31123.	1.1	17
953	Convergent Evolution Associated with Habitat Decouples Phenotype from Phylogeny in a Clade of Lizards. PLoS ONE, 2012, 7, e51636.	1.1	35
954	PACo: A Novel Procrustes Application to Cophylogenetic Analysis. PLoS ONE, 2013, 8, e61048.	1.1	243
955	Do Photobiont Switch and Cephalodia Emancipation Act as Evolutionary Drivers in the Lichen Symbiosis? A Case Study in the Pannariaceae (Peltigerales). PLoS ONE, 2014, 9, e89876.	1.1	41
956	Phylogenomic Analyses of Echinodermata Support the Sister Groups of Asterozoa and Echinozoa. PLoS ONE, 2015, 10, e0119627.	1.1	87
957	Letter: TreeAdder: A Tool to Assist the Optimal Positioning of a New Leaf into an Existing Phylogenetic Tree. Open Bioinformatics Journal, 2007, 1, 1-2.	1.0	1

#	ARTICLE	IF	CITATIONS
958	An Analysis of the Sectional Classification of Anthurium (Araceae): Comparing Infrageneric Groupings and Their Diagnostic Morphology with a Molecular Phylogeny of the Genus. <i>Annals of the Missouri Botanical Garden</i> , 2019, 104, 69-82.	1.3	16
959	Distribution of endangered Italian gudgeon <i>Romanogobio benacensis</i> (Cypriniformes, Cyprinidae). <i>Tj ETQq1 1 0.784314 rgBT₂ Overlo</i>	0.5	0
960	Phylogeny of Paleozoic limbed vertebrates reassessed through revision and expansion of the largest published relevant data matrix. <i>PeerJ</i> , 2019, 6, e5565.	0.9	77
961	Multi-gene incongruence consistent with hybridisation in <i>Cladocopium</i> (Symbiodiniaceae), an ecologically important genus of coral reef symbionts. <i>PeerJ</i> , 2019, 7, e7178.	0.9	7
962	Models of amino acid and codon substitution. , 2006, , 40-70.		1
963	Models of nucleotide substitution. , 2006, , 3-39.		0
964	Simulating molecular evolution. , 2006, , 293-307.		7
966	Comparison of methods and tests on trees. , 2006, , 185-220.		0
967	An Evolutionary Study of the Human Papillomavirus Genomes. <i>Lecture Notes in Computer Science</i> , 2008, , 128-142.	1.0	1
968	Phylogenese. , 2009, , 146-205.		0
969	Molecular Phylogenetics: Testing Evolutionary Hypotheses. <i>Methods in Molecular Biology</i> , 2009, 502, 131-168.	0.4	2
970	Reconstructing and Interpreting Evolutionary Relationships. , 0, , 856-868.		0
971	Phylogeny reconstruction: overview. , 2014, , 70-101.		0
972	Comparison of phylogenetic methods and tests on trees. , 2014, , 153-181.		0
973	Molecular clock and estimation of species divergence times. , 2014, , 361-389.		0
974	Models of amino acid and codon substitution. , 2014, , 35-69.		0
975	Maximum likelihood methods. , 2014, , 102-152.		0
976	Bayesian theory. , 2014, , 182-213.		0

#	ARTICLE	IF	CITATIONS
977	Simulating molecular evolution. , 2014, , 418-441.		2
978	Neutral and adaptive protein evolution. , 2014, , 390-417.		0
980	Bayesian phylogenetics. , 2014, , 263-307.		0
981	Coalescent theory and species trees. , 2014, , 308-360.		0
982	Bayesian computation (MCMC). , 2014, , 214-262.		0
983	Deeper Understanding of Norovirus and Astrovirus by Analyzing Genome and Coding Sequences Using Apriori Algorithm. International Journal of Information and Education Technology, 2015, 5, 131-135.	0.9	0
989	The Location of Substitutions and Bacterial Genome Arrangements. Genome Biology and Evolution, 2021, 13, .	1.1	2
992	Mitochondrial DNA Phylogeny of Babblers (Timaliidae). Auk, 2003, 120, 35-54.	0.7	4
993	Phylogeny and Biogeography of the Amazona Ochrocephala (Aves: Psittacidae) Complex. Auk, 2004, 121, 318-332.	0.7	9
995	Using minimum bootstrap support for splits to construct confidence regions for trees. Evolutionary Bioinformatics, 2007, 2, 129-43.	0.6	1
996	Phylogenomic analysis of evolutionary relationships in Ranitomeya poison frogs (Family) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 347 Td (D 107389.	1.2	6
997	Widespread interspecific phylogenetic tree incongruence between mosquito-borne and insect-specific flaviviruses at hotspots originally identified in Zika virus. Virus Evolution, 2022, 8, veac027.	2.2	2
1007	Gene expression phylogenies and ancestral transcriptome reconstruction resolves major transitions in the origins of pregnancy. ELife, 0, 11, .	2.8	7
1016	Distance-Based Phylogenetic Placement with Statistical Support. Biology, 2022, 11, 1212.	1.3	0
1018	Making sense of the taxonomy of the most commercially important shrimps Penaeus Fabricius, 1798Âs. l. (Crustacea: Decapoda: Penaeidae), a way forward. Aquaculture, 2023, 563, 738955.	1.7	5
1019	Untying the Gordian knot of plastid phylogenomic conflict: A case from ferns. Frontiers in Plant Science, 0, 13, .	1.7	0
1020	A scalable model for simulating multi-round antibody evolution and benchmarking of clonal tree reconstruction methods. Frontiers in Immunology, 0, 13, .	2.2	3
1021	Basal Anseriformes from the Early Paleogene of North America and Europe. Diversity, 2023, 15, 233.	0.7	4

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------