# CITATION REPORT List of articles citing

Activin receptor-like kinase 1 modulates transforming growth factor-beta 1 signaling in the regulation of angiogenes

DOI: 10.1073/pnas.97.6.2626 Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 2626-31.

Source: https://exaly.com/paper-pdf/31989446/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
75 <sup>1</sup>	Book Review: God Still Speaks: The Basis of Christian Education. By Gabriel Moran. Bums and Oates, 1967, 180 pp. 25s.; 1116: A Complete Course for Religious Education at Secondary School Level. By Derek Lance. Darton, Longman and Todd, 1967. 278 pp. 12s. 6d.; Six Brave Men. By Mother M. K.	
75°	Does the genotype of HHT patients with mutations of the ENG and ACVRL1 gene correlate to different expression levels of the angiogenic factor VEGF?. <b>1998</b> , 22, 575	2
749	Signaling of transforming growth factor-beta family members through Smad proteins. <b>2000</b> , 267, 6954-67	398
748	Endoglin-deficient mice, a unique model to study hereditary hemorrhagic telangiectasia. <b>2000</b> , 10, 279-85	91
747	Characterization of the mouse Smad1 gene and its expression pattern in adult mouse tissues. <b>2000</b> , 258, 43-53	38
746	TGFbeta signaling in growth control, cancer, and heritable disorders. <b>2000</b> , 103, 295-309	2036
745	Role of transforming growth factor beta in human disease. <b>2000</b> , 342, 1350-8	2055
744	Response to hypoxia involves transforming growth factor-beta2 and Smad proteins in human endothelial cells. <b>2001</b> , 98, 3324-31	56
743	Genetic clues to the cause of primary pulmonary hypertension. <b>2001</b> , 345, 367-71	62
742	Intracellular BMP signaling regulation in vertebrates: pathway or network?. 2001, 239, 1-14	343
741	Smad7 misexpression during embryonic angiogenesis causes vascular dilation and malformations independently of vascular smooth muscle cell function. <b>2001</b> , 240, 499-516	29
740	Potential role of modifier genes influencing transforming growth factor-beta1 levels in the development of vascular defects in endoglin heterozygous mice with hereditary hemorrhagic telangiectasia. <b>2001</b> , 158, 2011-20	106
739	Regulation of transforming growth factor-beta signaling. <b>2001</b> , 4, 321-30	74
738	Key signaling pathways regulate the biological activities and accumulation of amyloid-beta. <b>2001</b> , 22, 967-73	14
737	Transforming growth factor beta signalling in vitro and in vivo: activin ligand-receptor interaction, Smad5 in vasculogenesis, and repression of target genes by the deltaEF1/ZEB-related SIP1 in the vertebrate embryo. <b>2001</b> , 180, 13-24	20
736	Studying TGF-beta superfamily signaling by knockouts and knockins. <b>2001</b> , 180, 39-46	70
735	Signals transduced by Ca(2+)/calcineurin and NFATc3/c4 pattern the developing vasculature. <b>2001</b> , 105, 863-75	355

734	Genetic aspects of pulmonary arterial hypertension. <b>2001</b> , 33, 596-603	40
733	Divergence and convergence of TGF-beta/BMP signaling. <b>2001</b> , 187, 265-76	441
732	Developmental roles of platelet-derived growth factors. <b>2001</b> , 23, 494-507	307
731	Molecular markers predictive of the capacity of expanded human articular chondrocytes to form stable cartilage in vivo. <b>2001</b> , 44, 1608-19	268
730	TGF beta is required for the formation of capillary-like structures in three-dimensional cocultures of 10T1/2 and endothelial cells. <b>2001</b> , 4, 11-20	147
729	TGF-beta signaling in mammary gland development and tumorigenesis. <b>2001</b> , 6, 67-82	73
728	Abnormal angiogenesis but intact hematopoietic potential in TGF-beta type I receptor-deficient mice. <b>2001</b> , 20, 1663-73	429
727	TGF-beta signaling in tumor suppression and cancer progression. <b>2001</b> , 29, 117-29	1931
726	TGF-beta signaling in cancera double-edged sword. <b>2001</b> , 11, S44-51	417
725	Genetics of primary pulmonary hypertension. <b>2001</b> , 12, 271-278	
725	deflectes of primary putmonary hypertension. 2001, 12, 271-276	6
724	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression. <b>2001</b> , 276, 38527-35	294
	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human	
724	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression. <b>2001</b> , 276, 38527-35	294
724 723	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression. <b>2001</b> , 276, 38527-35  Angiogenesis and hereditary hemorrhagic telangiectasia. Rendu-Osler-Weber disease. <b>2001</b> , 106, 214-9  Transforming growth factor beta1 (TGF-beta1) promotes endothelial cell survival during in vitro	294 15
724 723 722	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression. 2001, 276, 38527-35  Angiogenesis and hereditary hemorrhagic telangiectasia. Rendu-Osler-Weber disease. 2001, 106, 214-9  Transforming growth factor beta1 (TGF-beta1) promotes endothelial cell survival during in vitro angiogenesis via an autocrine mechanism implicating TGF-alpha signaling. 2001, 21, 7218-30  Lack of pericytes leads to endothelial hyperplasia and abnormal vascular morphogenesis. 2001,	294 15 174
724 723 722 721	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression. 2001, 276, 38527-35  Angiogenesis and hereditary hemorrhagic telangiectasia. Rendu-Osler-Weber disease. 2001, 106, 214-9  Transforming growth factor beta1 (TGF-beta1) promotes endothelial cell survival during in vitro angiogenesis via an autocrine mechanism implicating TGF-alpha signaling. 2001, 21, 7218-30  Lack of pericytes leads to endothelial hyperplasia and abnormal vascular morphogenesis. 2001, 153, 543-53	294 15 174
724 723 722 721 720	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression. 2001, 276, 38527-35  Angiogenesis and hereditary hemorrhagic telangiectasia. Rendu-Osler-Weber disease. 2001, 106, 214-9  Transforming growth factor beta1 (TGF-beta1) promotes endothelial cell survival during in vitro angiogenesis via an autocrine mechanism implicating TGF-alpha signaling. 2001, 21, 7218-30  Lack of pericytes leads to endothelial hyperplasia and abnormal vascular morphogenesis. 2001, 153, 543-53  Growth Factors and their Receptors in Cancer Metastasis. 2001,	294 15 174 826

716	SB-431542 is a potent and specific inhibitor of transforming growth factor-beta superfamily type I activin receptor-like kinase (ALK) receptors ALK4, ALK5, and ALK7. <b>2002</b> , 62, 65-74	1	318
715	Genetic analysis of the mammalian transforming growth factor-beta superfamily. 2002, 23, 787-823	6	34
714	Regulation of ALK-1 signaling by the nuclear receptor LXRbeta. 2002, 277, 50788-94	2	O
713	Analysis of mural cell recruitment to tumor vessels. <b>2002</b> , 105, 112-7	1	53
712	Functions of transforming growth factor-beta family type I receptors and Smad proteins in the hypertrophic maturation and osteoblastic differentiation of chondrocytes. <b>2002</b> , 277, 33545-58	1	03
711	Functional heterogeneity of bone morphogenetic protein receptor-II mutants found in patients with primary pulmonary hypertension. <b>2002</b> , 13, 3055-63	1	10
710	Developmental vasculopathies as manifestations of dysregulated histogenetic signal transduction pathways. <b>2002</b> , 15, 127-31		
709	Activin receptor-like kinase 1 is implicated in the maturation phase of angiogenesis. <b>2002</b> , 100, 4495-501	1	70
708	TIMAP, a novel CAAX box protein regulated by TGF-beta1 and expressed in endothelial cells. <b>2002</b> , 283, C327-37	4.	3
707	Inhibition of Smad5 in human hematopoietic progenitors blocks erythroid differentiation induced by BMP4. <b>2002</b> , 28, 221-33	37	7
706	The novel type I serine-threonine kinase receptor Alk8 binds TGF-beta in the presence of TGF-betaRII. <b>2002</b> , 293, 1556-65	8	
705	Targeted disruption of the Tab1 gene causes embryonic lethality and defects in cardiovascular and lung morphogenesis. <b>2002</b> , 119, 239-49	8	9
704	Id: a target of BMP signaling. <i>Science Signaling</i> , <b>2002</b> , 2002, pe40	} 1.	45
703	The genetics of cerebrovascular malformations. <b>2002</b> , 11, 279-87	7	
702	Signaling pathways in vascular development. <b>2002</b> , 18, 541-73	1	52
701	Inducible and selective transgene expression in murine vascular endothelium. 2002, 11, 99-107	2	3
700	Induction of primordial germ cells from pluripotent epiblast. <b>2002</b> , 2, 801-10	1	5
699	Integration of the TGF-beta pathway into the cellular signalling network. <b>2002</b> , 14, 977-88	1	53

## (2003-2002)

698	A set of genes activated in differentiating smooth muscle is also activated in smooth muscle from injured arteries or atherosclerotic lesions. <b>2002</b> , 3, 77-86	1
697	Gene-dosage-sensitive genetic interactions between inversus viscerum (iv), nodal, and activin type IIB receptor (ActRIIB) genes in asymmetrical patterning of the visceral organs along the left-right axis. <b>2002</b> , 224, 279-90	24
696	Targets of transcriptional regulation by two distinct type I receptors for transforming growth factor-beta in human umbilical vein endothelial cells. <b>2002</b> , 193, 299-318	183
695	Conditional knockout of the Smad1 gene. <b>2002</b> , 32, 76-9	39
694	Two major Smad pathways in TGF-beta superfamily signalling. 2002, 7, 1191-204	524
693	Endoglin (CD105) is expressed on immature blood vessels and is a marker for survival in prostate cancer. <b>2002</b> , 51, 268-75	136
692	Requirement of Bmpr1a for Mllerian duct regression during male sexual development. 2002, 32, 408-10	311
691	Molecular and functional dissection of TGF-beta1-induced cerebrovascular abnormalities in transgenic mice. <b>2002</b> , 977, 87-95	13
690	The genetics of cerebrovascular malformations. <b>2002</b> , 2, 73-81	3
689	Balancing the activation state of the endothelium via two distinct TGF-beta type I receptors. <b>2002</b> , 21, 1743-53	847
688	Endothelium-specific platelet-derived growth factor-B ablation mimics diabetic retinopathy. <b>2002</b> , 21, 4307-16	286
687	Endothelial-pericyte interactions in angiogenesis. <b>2003</b> , 314, 15-23	815
686	Role of Angiopoietins and Tie receptor tyrosine kinases in angiogenesis and lymphangiogenesis. <b>2003</b> , 314, 61-8	226
685	Controlling the angiogenic switch: a balance between two distinct TGF-b receptor signaling pathways. <b>2003</b> , 13, 301-7	259
684	Genealogy, expression, and cellular function of transforming growth factor-beta. 2003, 98, 257-65	184
683	Consequences of knocking out BMP signaling in the mouse. <b>2003</b> , 35, 43-56	296
682	Characterization of 17 novel endoglin mutations associated with hereditary hemorrhagic telangiectasia. <b>2003</b> , 21, 482-92	48
681	Bone marrow immunohistochemical studies of angiogenic cytokines and their receptors in myelofibrosis with myeloid metaplasia. <b>2003</b> , 27, 499-504	31

680	Vascular malformations: localized defects in vascular morphogenesis. 2003, 63, 340-51	80
679	Vascularization of the developing chick limb bud: role of the TGFbeta signalling pathway. <b>2003</b> , 202, 93-103	33
678	Exercise training improves ageing-induced decrease in eNOS expression of the aorta. 2003, 178, 3-10	85
677	Regulation of TGF-beta signaling and its roles in progression of tumors. <b>2003</b> , 94, 230-4	155
676	Disease-associated mutations in conserved residues of ALK-1 kinase domain. <b>2003</b> , 11, 279-87	61
675	Restoration of SMAD4 by gene therapy reverses the invasive phenotype in pancreatic adenocarcinoma cells. <b>2003</b> , 22, 6857-64	84
674	Cytostatic and apoptotic actions of TGF-beta in homeostasis and cancer. <b>2003</b> , 3, 807-21	1333
673	Growth factor signaling in lung morphogenetic centers: automaticity, stereotypy and symmetry. <b>2003</b> , 4, 5	49
672	Genetic studies of the AMH/MIS signaling pathway for Mllerian duct regression. 2003, 211, 15-9	78
671	Transcription profiling of platelet-derived growth factor-B-deficient mouse embryos identifies RGS5 as a novel marker for pericytes and vascular smooth muscle cells. <b>2003</b> , 162, 721-9	178
670	VEGFR-2-specific ligand VEGF-E induces non-edematous hyper-vascularization in mice. 2003, 301, 371-7	78
669	Bone morphogenetic protein signaling in articular chondrocyte differentiation. <b>2003</b> , 301, 617-22	33
668	Transforming growth factor beta1 overexpression in the nigrostriatal system increases the dopaminergic deficit of MPTP mice. <b>2003</b> , 23, 614-25	27
667	Transforming growth factor-beta and its role in asthma. <b>2003</b> , 16, 181-96	112
666	Activin receptor-like kinase (ALK)1 is an antagonistic mediator of lateral TGFbeta/ALK5 signaling. <b>2003</b> , 12, 817-28	561
665	ALK5 inhibition in renal disease. <b>2003</b> , 3, 204-8	26
664	Molecular pathogenesis of vascular anomalies: classification into three categories based upon clinical and biochemical characteristics. <b>2003</b> , 1, 267-81	37
663	Vascular morphogenesis: tales of two syndromes. <b>2003</b> , 12 Spec No 1, R97-112	119

662	Loss of Bmp7 and Fgf8 signaling in Hoxa13-mutant mice causes hypospadia. <b>2003</b> , 130, 3095-109	144
661	TGF-beta receptor kinase inhibitor enhances growth and integrity of embryonic stem cell-derived endothelial cells. <b>2003</b> , 163, 1303-11	147
660	Arterial endothelium-specific activin receptor-like kinase 1 expression suggests its role in arterialization and vascular remodeling. <i>Circulation Research</i> , <b>2003</b> , 93, 682-9	224
659	Myostatin signals through a transforming growth factor beta-like signaling pathway to block adipogenesis. <b>2003</b> , 23, 7230-42	448
658	Vascular endothelial growth factor serum levels are elevated in patients with hereditary hemorrhagic telangiectasia. <b>2003</b> , 110, 29-32	86
657	A mutant receptor tyrosine phosphatase, CD148, causes defects in vascular development. <b>2003</b> , 23, 1817-31	86
656	Krppel-like factor 4 (KLF4/GKLF) is a target of bone morphogenetic proteins and transforming growth factor beta 1 in the regulation of vascular smooth muscle cell phenotype. <b>2003</b> , 278, 11661-9	97
655	BMPER, a novel endothelial cell precursor-derived protein, antagonizes bone morphogenetic protein signaling and endothelial cell differentiation. <b>2003</b> , 23, 5664-79	183
654	A mouse model for hereditary hemorrhagic telangiectasia (HHT) type 2. <b>2003</b> , 12, 473-82	149
653	Cerebral vascular abnormalities in a murine model of hereditary hemorrhagic telangiectasia. <b>2003</b> , 34, 783-9	80
652	Alterations in TGF-beta1 expression in lambs with increased pulmonary blood flow and pulmonary hypertension. <b>2003</b> , 285, L209-21	63
651	Levels of phospho-Smad2/3 are sensors of the interplay between effects of TGF-beta and retinoic acid on monocytic and granulocytic differentiation of HL-60 cells. <b>2003</b> , 101, 498-507	62
650	Function of bone morphogenetic protein signaling during mouse development. 2003, 8, d855-69	63
649	Pathobiology of Human Cerebrovascular Malformations: Basic Mechanisms and Clinical Relevance. <b>2004</b> ,	54
648	Crucial role of activin a in tubulogenesis of endothelial cells induced by vascular endothelial growth factor. <b>2004</b> , 145, 3739-45	35
647	Growth differentiation factor-9 signaling is mediated by the type I receptor, activin receptor-like kinase 5. <b>2004</b> , 18, 653-65	200
646	Type IV collagen is transcriptionally regulated by Smad1 under advanced glycation end product (AGE) stimulation. <b>2004</b> , 279, 14201-6	71
645	BMP signaling mediated by ALK2 in the visceral endoderm is necessary for the generation of primordial germ cells in the mouse embryo. <b>2004</b> , 18, 1838-49	157

644	Primary pulmonary hypertension in families with hereditary haemorrhagic telangiectasia. <b>2004</b> , 23, 373-7	94
643	Hereditary vascular anomalies: new insights into their pathogenesis. <b>2004</b> , 24, 1578-90	49
642	No live individual homozygous for a novel endoglin mutation was found in a consanguineous Arab family with hereditary haemorrhagic telangiectasia. <b>2004</b> , 41, e119	18
641	Nitric oxide and other novel therapies for pulmonary hypertension. <b>2004</b> , 9, 1-8	16
640	Calcineurin initiates smooth muscle differentiation in neural crest stem cells. 2004, 165, 483-91	23
639	SB-505124 is a selective inhibitor of transforming growth factor-beta type I receptors ALK4, ALK5, and ALK7. <b>2004</b> , 65, 744-52	315
638	Hereditary hemorrhagic telangiectasia: an overview of diagnosis and management in the molecular era for clinicians. <b>2004</b> , 6, 175-91	98
637	The regulated expression of a diverse set of genes during thymocyte positive selection in vivo. <b>2004</b> , 173, 5434-44	47
636	Defective paracrine signalling by TGFbeta in yolk sac vasculature of endoglin mutant mice: a paradigm for hereditary haemorrhagic telangiectasia. <b>2004</b> , 131, 6237-47	115
635	Signaling hierarchy downstream of retinoic acid that independently regulates vascular remodeling and endothelial cell proliferation. <b>2004</b> , 18, 1345-58	90
634	Endothelium-specific ablation of PDGFB leads to pericyte loss and glomerular, cardiac and placental abnormalities. <b>2004</b> , 131, 1847-57	262
633	Abnormal angiogenesis in Foxo1 (Fkhr)-deficient mice. <b>2004</b> , 279, 34741-9	258
632	Molecular regulation of vascular smooth muscle cell differentiation in development and disease. <b>2004</b> , 84, 767-801	2444
631	Role of TGF-beta1 and JNK signaling in capillary tube patterning. <b>2004</b> , 287, C1012-22	15
630	Isolation of a regulatory region of activin receptor-like kinase 1 gene sufficient for arterial endothelium-specific expression. <i>Circulation Research</i> , <b>2004</b> , 94, e72-7	31
629	Transforming growth factor-beta1 signaling contributes to development of smooth muscle cells from embryonic stem cells. <b>2004</b> , 287, C1560-8	167
628	Manipulating angiogenesis in medicine. <b>2004</b> , 255, 538-61	160
627	Defective valves and abnormal mural cell recruitment underlie lymphatic vascular failure in lymphedema distichiasis. <b>2004</b> , 10, 974-81	458

626	Endoglin promotes endothelial cell proliferation and TGF-beta/ALK1 signal transduction. <b>2004</b> , 23, 4018-28	525
625	TGFbeta-mediated activation of Smad1 in B-cell non-HodgkinN lymphoma and effect on cell proliferation. <b>2004</b> , 18, 2015-25	32
624	Lateral signaling enhances TGF-beta response complexity. <b>2004</b> , 14, 107-11	62
623	New insights into TGF-beta-Smad signalling. <b>2004</b> , 29, 265-73	1009
622	Molecular definition of an in vitro niche for dendritic cell development. <b>2004</b> , 32, 1182-93	35
621	Vascular endothelial growth factor and other signaling pathways in developmental and pathologic angiogenesis. <b>2004</b> , 80, 7-20	26
620	Angiogenesis and signal transduction in endothelial cells. <i>Cellular and Molecular Life Sciences</i> , <b>2004</b> , 61, 2224-43	243
619	Selective inhibition of activin receptor-like kinase 5 signaling blocks profibrotic transforming growth factor beta responses in skin fibroblasts. <b>2004</b> , 50, 4008-21	96
618	Abnormal pericyte recruitment as a cause for pulmonary hypertension in Adams-Oliver syndrome. <b>2004</b> , 129A, 294-9	54
617	Molecular screening of ALK1/ACVRL1 and ENG genes in hereditary hemorrhagic telangiectasia in France. <b>2004</b> , 23, 289-99	89
616	Modelling neuroinflammatory phenotypes in vivo. <b>2004</b> , 1, 10	53
615	Understanding angiogenesis: a clue for understanding vascular malformations. 2004, 31, 365-8	7
614	The transforming growth factor-beta superfamily of receptors. <b>2004</b> , 15, 1-11	359
613	Cancer progression: is inhibin alpha from Venus or Mars?. <b>2004</b> , 15, 291-6	10
612	Tgf-beta3-induced palatal fusion is mediated by Alk-5/Smad pathway. <b>2004</b> , 266, 96-108	80
611	Ensemble Recordings Of Human Subcortical Neurons as a Source Of Motor Control Signals For a Brain-Machine Interface. <b>2004</b> , 55, 27-38	155
610	The biological "scrabble" of pulmonary arteriovenous malformations: considerations in the setting of cavopulmonary surgery. <b>2004</b> , 14, 417-37	14
609	Gene expression profiling demonstrates that TGF-beta1 signals exclusively through receptor complexes involving Alk5 and identifies targets of TGF-beta signaling. <b>2005</b> , 21, 396-403	30

608	Extracellular matrix gene expression in the developing mouse aorta. <b>2005</b> , 15, 81-128		21
607	Cell Signaling and Growth Factors in Lung Development. 791-821		
606	The ALK-5 inhibitor A-83-01 inhibits Smad signaling and epithelial-to-mesenchymal transition by transforming growth factor-beta. <b>2005</b> , 96, 791-800		218
605	The role of Smad signaling in hematopoiesis. <b>2005</b> , 24, 5676-92		134
604	Autocrine transforming growth factor-beta regulation of hematopoiesis: many outcomes that depend on the context. <b>2005</b> , 24, 5751-63		92
603	Functions of the TGFbeta superfamily in human embryonic stem cells. <b>2005</b> , 113, 773-89		55
602	FGF-1 and S100A13 possibly contribute to angiogenesis in endometriosis. <b>2005</b> , 67, 87-101		32
601	Interaction and functional interplay between endoglin and ALK-1, two components of the endothelial transforming growth factor-beta receptor complex. <b>2005</b> , 204, 574-84		172
600	High frequency of ENG and ALK1/ACVRL1 mutations in German HHT patients. <b>2005</b> , 25, 595		36
599	Isolation of arterial-specific genes by subtractive hybridization reveals molecular heterogeneity among arterial endothelial cells. <b>2005</b> , 233, 1589-604		33
598	Signalling by TGF-02005,		
597	Involvement of furin-like proprotein convertases in the arterial response to injury. <b>2005</b> , 68, 136-43		23
596	Reduced endothelial secretion and plasma levels of transforming growth factor-beta1 in patients with hereditary hemorrhagic telangiectasia type 1. <b>2005</b> , 68, 155-64		32
595	Blood outgrowth endothelial cells from Hereditary Haemorrhagic Telangiectasia patients reveal abnormalities compatible with vascular lesions. <b>2005</b> , 68, 235-48		71
594	Small molecule tgf-beta mimetics as potential neuroprotective factors. <b>2005</b> , 2, 183-6		12
593	Identification of endoglin in rat hepatic stellate cells: new insights into transforming growth factor beta receptor signaling. <b>2005</b> , 280, 3078-87		45
592	Myocardin enhances Smad3-mediated transforming growth factor-beta1 signaling in a CArG box-independent manner: Smad-binding element is an important cis element for SM22alpha transcription in vivo. <i>Circulation Research</i> , <b>2005</b> , 97, 983-91	15.7	120
591	Activin A suppresses neuroblastoma xenograft tumor growth via antimitotic and antiangiogenic mechanisms. <b>2005</b> , 65, 1877-86		63

#### (2005-2005)

590	receptor-like kinase 1 in mixed connective tissue disease patients with pulmonary arterial hypertension. <b>2005</b> , 44, 192-6		6
589	Role of transforming growth factor Beta in human cancer. <b>2005</b> , 23, 2078-93		557
588	TGF-{beta}1 activates two distinct type I receptors in neurons: implications for neuronal NF-{kappa}B signaling. <b>2005</b> , 168, 1077-86		104
587	Endothelial/pericyte interactions. <i>Circulation Research</i> , <b>2005</b> , 97, 512-23	15.7	1494
586	Endoglin null endothelial cells proliferate faster and are more responsive to transforming growth factor beta1 with higher affinity receptors and an activated Alk1 pathway. <b>2005</b> , 280, 27800-8		106
585	High-density lipoproteins induce transforming growth factor-beta2 expression in endothelial cells. <b>2005</b> , 111, 2805-11		76
584	Identification of receptors and signaling pathways for orphan bone morphogenetic protein/growth differentiation factor ligands based on genomic analyses. <b>2005</b> , 280, 32122-32		8o
583	TGFbeta signaling at the summit. <b>2005</b> , 132, 4205-10		16
582	Vascular progenitor cells: origin and mechanisms of mobilization, differentiation, integration, and vasculogenesis. <b>2005</b> , 14, 122-39		53
581	Hereditary haemorrhagic telangiectasia: current views on genetics and mechanisms of disease. <b>2006</b> , 43, 97-110		273
580	Role of pericytes in vascular morphogenesis. <b>2005</b> , 115-25		81
579	Human retroviral gag- and gag-pol-like proteins interact with the transforming growth factor-beta receptor activin receptor-like kinase 1. <b>2005</b> , 280, 8482-93		45
578	Cross-talk between bone morphogenetic protein and transforming growth factor-beta signaling is essential for exendin-4-induced insulin-positive differentiation of AR42J cells. <b>2005</b> , 280, 32209-17		34
577	Transforming growth factor-beta signal transduction in angiogenesis and vascular disorders. <b>2005</b> , 128, 585S-590S		201
576	An Oct-1 binding site mediates activation of the gata2 promoter by BMP signaling. 2005, 33, 4357-67		23
575	Mechanisms of Angiogenesis. 2005,		5
574	TGF-beta receptor function in the endothelium. <b>2005</b> , 65, 599-608		378
573	Tgf-beta superfamily and mouse craniofacial development: interplay of morphogenetic proteins and receptor signaling controls normal formation of the face. <b>2005</b> , 66, 65-133		32

572	BMP signaling and early embryonic patterning. <b>2005</b> , 16, 265-78	217
571	ALK5 and Smad4 are involved in TGF-beta1-induced pulmonary endothelial permeability. <b>2005</b> , 579, 4031-7	40
570	Alternative signaling pathways: when, where and why?. 2005, 579, 5265-74	16
569	Proteomic identification of activin receptor-like kinase-1 as a differentially expressed protein during hyaloid vascular system regression. <b>2005</b> , 579, 5481-6	7
568	Targeting TGF-beta1 increases hepatocyte growth factor (HGF/SF) levels in external auditory canal cholesteatoma (EACC) epithelial cell culture. <b>2005</b> , 130, 75-80	1
567	[Vascularization of the head and neck during development]. <b>2005</b> , 32, 147-56	1
566	Embryonic Stem Cell Protocols. <b>2006</b> ,	
565	TGF-beta signaling in embryonic stem cell-derived endothelial cells. <b>2006</b> , 330, 341-51	7
564	Pericytes and vascular stability. <b>2006</b> , 312, 623-9	386
563	Heterogeneity amongst splenic stromal cell lines which support dendritic cell hematopoiesis. <b>2006</b> , 42, 208-15	12
562	TGF-beta superfamily expression and actions in the endometrium and placenta. 2006, 132, 217-32	316
561	The contribution of transforming growth factor-beta and epidermal growth factor signalling to airway remodelling in chronic asthma. <b>2006</b> , 27, 208-29	189
560	Hereditary hemorrhagic telangiectasia is caused by the Q490X mutation of the ACVRL1 gene in a large Arab family: support of homozygous lethality. <b>2006</b> , 49, 323-30	10
559	Distinct regulation of gene expression in human endothelial cells by TGF-beta and its receptors. <b>2006</b> , 71, 12-9	58
558	A critical developmental role for tgfbr2 in myogenic cell lineages is revealed in mice expressing SM22-Cre, not SMMHC-Cre. <b>2006</b> , 41, 724-31	49
557	Vascular Development and Angiogenesis. 2006,	
556	Functional analysis of mutations in the kinase domain of the TGF-beta receptor ALK1 reveals different mechanisms for induction of hereditary hemorrhagic telangiectasia. <b>2006</b> , 107, 1951-4	27
555	Hereditary Hemorrhagic Telangiectasia (HHT) in Dentistry: A Literature Review. <b>2006</b> , 4, 139-146	1

## (2006-2006)

554	TGF-beta: its role in asthma and therapeutic potential. <b>2006</b> , 7, 547-65	91
553	Smad7 and protein phosphatase 1alpha are critical determinants in the duration of TGF-beta/ALK1 signaling in endothelial cells. <b>2006</b> , 7, 16	43
552	Xenopus Dab2 is required for embryonic angiogenesis. <b>2006</b> , 6, 63	16
551	TGF-lreceptors: Assembly, signalling, and disease relevance. <b>2006</b> , 6, 301-313	
550	Therapeutic strategies against TGF-beta signaling pathway in hepatic fibrosis. <b>2006</b> , 26, 8-22	184
549	Determination of TGFbeta1 protein level in human primary breast cancers and its relationship with survival. <b>2006</b> , 94, 239-46	68
548	Nonoverlapping expression patterns of ALK1 and ALK5 reveal distinct roles of each receptor in vascular development. <b>2006</b> , 86, 116-29	92
547	ALK1 signalling analysis identifies angiogenesis related genes and reveals disparity between TGF-beta and constitutively active receptor induced gene expression. <b>2006</b> , 6, 13	29
546	Modulation of different stress pathways after styrene and styrene-7,8-oxide exposure in HepG2 cell line and normal human hepatocytes. <b>2006</b> , 26, 317-25	7
545	Mutation study of Spanish patients with hereditary hemorrhagic telangiectasia and expression analysis of Endoglin and ALK1. <b>2006</b> , 27, 295	36
544	Distribution of ENG and ACVRL1 (ALK1) mutations in French HHT patients. <b>2006</b> , 27, 598	60
543	Tgf-Beta pathway as a potential target in neurodegeneration and AlzheimerN. 2006, 3, 191-5	68
542	Bone morphogenetic protein receptor 1A signaling is dispensable for hematopoietic development but essential for vessel and atrioventricular endocardial cushion formation. <b>2006</b> , 133, 3473-84	84
541	Involvement of the transforming growth factor beta in the pathogenesis of hereditary hemorrhagic telangiectasia. <b>2006</b> , 12, 1195-200	7
540	Endoglin structure and function: Determinants of endoglin phosphorylation by transforming growth factor-beta receptors. <b>2006</b> , 281, 25110-23	81
539	Genomic analyses facilitate identification of receptors and signalling pathways for growth differentiation factor 9 and related orphan bone morphogenetic protein/growth differentiation factor ligands. <b>2006</b> , 12, 373-83	62
538	The TGF beta activated kinase TAK1 regulates vascular development in vivo. <b>2006</b> , 133, 1529-41	111
537	Mllerian inhibiting substance regulates its receptor/SMAD signaling and causes mesenchymal transition of the coelomic epithelial cells early in Mllerian duct regression. <b>2006</b> , 133, 2359-69	58

536	Hereditary hemorrhagic telangiectasia, a vascular dysplasia affecting the TGF-beta signaling pathway. <b>2006</b> , 4, 66-78		109
535	Molecular fingerprinting and autocrine growth regulation of endothelial cells in a murine model of hepatocellular carcinoma. <b>2006</b> , 66, 198-211		77
534	New insights to vascular smooth muscle cell and pericyte differentiation of mouse embryonic stem cells in vitro. <b>2006</b> , 26, 1457-64		26
533	Man1, an inner nuclear membrane protein, regulates vascular remodeling by modulating transforming growth factor beta signaling. <b>2006</b> , 133, 3919-28		49
532	Ultrastructure of zebrafish dorsal aortic cells. <b>2006</b> , 3, 455-63		15
531	Smad Signal Transduction. <b>2006</b> ,		11
530	Essential role of endothelial Smad4 in vascular remodeling and integrity. 2007, 27, 7683-92		96
529	BMP-9 signals via ALK1 and inhibits bFGF-induced endothelial cell proliferation and VEGF-stimulated angiogenesis. <b>2007</b> , 120, 964-72		412
528	Improvement of cancer-targeting therapy, using nanocarriers for intractable solid tumors by inhibition of TGF-beta signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 3460-5	11.5	373
527	Genotype-phenotype correlations in hereditary hemorrhagic telangiectasia: data from the French-Italian HHT network. <b>2007</b> , 9, 14-22		167
526	Genomic profile of matrix and vasculature remodeling in TGF-alpha induced pulmonary fibrosis. <b>2007</b> , 37, 309-21		53
525	Increased carcinogenic potential of myeloid tumor cells induced by aberrant TGF-beta1-signaling and upregulation of cathepsin B. <b>2007</b> , 388, 639-50		10
524	The interaction of endoglin with beta-arrestin2 regulates transforming growth factor-beta-mediated ERK activation and migration in endothelial cells. <b>2007</b> , 282, 21507-17		70
523	The nuclear envelope protein MAN1 regulates TGFbeta signaling and vasculogenesis in the embryonic yolk sac. <b>2007</b> , 134, 1385-95		45
522	Coronary vessel development is dependent on the type III transforming growth factor beta receptor. <i>Circulation Research</i> , <b>2007</b> , 101, 784-91	15.7	103
521	Gene expression fingerprinting for human hereditary hemorrhagic telangiectasia. <b>2007</b> , 16, 1515-33		41
520	Compensatory signalling induced in the yolk sac vasculature by deletion of TGFbeta receptors in mice. <b>2007</b> , 120, 4269-77		94
519	Signaling by ALK5 mediates TGF-beta-induced ET-1 expression in endothelial cells: a role for migration and proliferation. <b>2007</b> , 120, 1256-66		79

518	Cx43 mediates TGF-beta signaling through competitive Smads binding to microtubules. <b>2007</b> , 18, 2264-73	84
517	Activin receptor-like kinase-2 inhibits activin signaling by blocking the binding of activin to its type II receptor. <b>2007</b> , 195, 95-103	20
516	Endoglin differentially modulates antagonistic transforming growth factor-beta1 and BMP-7 signaling. <b>2007</b> , 282, 13934-43	84
515	Genetic causes of vascular malformations. <b>2007</b> , 16 Spec No. 2, R140-9	170
514	Dosage-dependent requirement of BMP type II receptor for maintenance of vascular integrity. <b>2007</b> , 110, 1502-10	79
513	Identification of BMP9 and BMP10 as functional activators of the orphan activin receptor-like kinase 1 (ALK1) in endothelial cells. <b>2007</b> , 109, 1953-61	508
512	MCP-1 mediates TGF-beta-induced angiogenesis by stimulating vascular smooth muscle cell migration. <b>2007</b> , 109, 987-94	170
511	TGF-beta isoform signaling regulates secondary transition and mesenchymal-induced endocrine development in the embryonic mouse pancreas. <b>2007</b> , 305, 508-21	47
510	Inactivation of Smad5 in endothelial cells and smooth muscle cells demonstrates that Smad5 is required for cardiac homeostasis. <b>2007</b> , 170, 1460-72	36
509	The role of TGF-beta signaling in myocardial infarction and cardiac remodeling. 2007, 74, 184-95	676
508	Hereditary Hemorrhagic Telangiectasia: A Model to Probe the Biology of the Vascular Endothelium. 1113-11	23
507		
	Antitumor activity of ALK1 in pancreatic carcinoma cells. <b>2007</b> , 120, 1641-51	9
506	Antitumor activity of ALK1 in pancreatic carcinoma cells. 2007, 120, 1641-51  Activin receptor-like kinase 1 inhibits human microvascular endothelial cell migration: potential roles for JNK and ERK. 2007, 213, 484-9	9
506 505	Activin receptor-like kinase 1 inhibits human microvascular endothelial cell migration: potential	
	Activin receptor-like kinase 1 inhibits human microvascular endothelial cell migration: potential roles for JNK and ERK. <b>2007</b> , 213, 484-9  Modulation of the functional binding sites for TGF-beta on the type II receptor leads to suppression	60
505	Activin receptor-like kinase 1 inhibits human microvascular endothelial cell migration: potential roles for JNK and ERK. <b>2007</b> , 213, 484-9  Modulation of the functional binding sites for TGF-beta on the type II receptor leads to suppression of TGF-beta signaling. <b>2007</b> , 26, 3311-20	60
505	Activin receptor-like kinase 1 inhibits human microvascular endothelial cell migration: potential roles for JNK and ERK. 2007, 213, 484-9  Modulation of the functional binding sites for TGF-beta on the type II receptor leads to suppression of TGF-beta signaling. 2007, 26, 3311-20  Activin receptor-like kinase 1 is essential for placental vascular development in mice. 2007, 87, 670-9	60 6 15

500	Transforming growth factor-beta1-antisense modulates the expression of hepatocyte growth factor/scatter factor in keloid fibroblast cell culture. <b>2008</b> , 32, 346-52	12
499	Real time monitoring of BMP Smads transcriptional activity during mouse development. <b>2008</b> , 46, 335-46	62
498	ALK1 opposes ALK5/Smad3 signaling and expression of extracellular matrix components in human chondrocytes. <b>2008</b> , 23, 896-906	113
497	Hereditary hemorrhagic telangiectasia: evidence for regional founder effects of ACVRL1 mutations in French and Italian patients. <b>2008</b> , 16, 742-9	28
496	VE-cadherin is a critical endothelial regulator of TGF-beta signalling. <b>2008</b> , 27, 993-1004	126
495	Understanding the role of transforming growth factor-beta signalling in the heart: overview of studies using genetic mouse models. <b>2008</b> , 35, 335-41	30
494	Endoglin-mediated vascular remodeling: mechanisms underlying hereditary hemorrhagic telangiectasia. <b>2008</b> , 18, 25-32	57
493	Role of TGF-In Osteolytic Bone Metastases. <b>2008</b> , 95-123	
492	TGFbeta1 and TGFbeta3 are partially redundant effectors in brain vascular morphogenesis. <b>2008</b> , 125, 508-16	56
491	Bone Morphogenetic Protein Receptors and Actions. 2008, 1177-1196	1
490	Transgenic mouse models of angiogenesis and lymphangiogenesis. 2008, 266, 1-35	8
489	Loss of unc45a precipitates arteriovenous shunting in the aortic arches. <b>2008</b> , 318, 258-67	44
488	TGF-beta type I receptor Alk5 regulates tooth initiation and mandible patterning in a type II receptor-independent manner. <b>2008</b> , 320, 19-29	51
487	Component Hardware for Transforming Growth Factor-Bignal Transduction: TGF-Ligands, TGF-D Receptors, and Smads. <b>2008</b> , 3-21	2
486	Role of transforming growth factor-beta superfamily signaling pathways in human disease. <b>2008</b> , 1782, 197-228	473
485	Induction of an epithelial integrin alphavbeta6 in human cytomegalovirus-infected endothelial cells leads to activation of transforming growth factor-beta1 and increased collagen production. <b>2008</b> , 172, 1127-40	38
484	Pericyte isolation and use in endothelial/pericyte coculture models. 2008, 443, 315-31	51
483	BMPs promote proliferation and migration of endothelial cells via stimulation of VEGF-A/VEGFR2 and angiopoietin-1/Tie2 signalling. 2008, 143, 199-206	94

## (2008-2008)

482	Cancer-associated transforming growth factor beta type II receptor gene mutant causes activation of bone morphogenic protein-Smads and invasive phenotype. <b>2008</b> , 68, 1656-66		47
481	Smad signaling in the rat model of monocrotaline pulmonary hypertension. <b>2008</b> , 36, 311-20		26
480	Altered transforming growth factor-beta signaling in a murine model of thoracic aortic aneurysm. <b>2008</b> , 45, 457-68		32
479	Snail is required for TGFbeta-induced endothelial-mesenchymal transition of embryonic stem cell-derived endothelial cells. <b>2008</b> , 121, 3317-24		233
478	SM22alpha-targeted deletion of bone morphogenetic protein receptor 1A in mice impairs cardiac and vascular development, and influences organogenesis. <b>2008</b> , 135, 2981-91		43
477	LKB1 in endothelial cells is required for angiogenesis and TGFbeta-mediated vascular smooth muscle cell recruitment. <b>2008</b> , 135, 2331-8		32
476	Increased tissue perfusion promotes capillary dysplasia in the ALK1-deficient mouse brain following VEGF stimulation. <b>2008</b> , 295, H2250-6		39
475	Intracisternal administration of transforming growth factor-beta evokes fever through the induction of cyclooxygenase-2 in brain endothelial cells. <b>2008</b> , 294, R266-75		5
474	Caveolin-1 interacts and cooperates with the transforming growth factor-beta type I receptor ALK1 in endothelial caveolae. <b>2008</b> , 77, 791-9		54
473	Crosstalk between vascular endothelial growth factor, notch, and transforming growth factor-beta in vascular morphogenesis. <i>Circulation Research</i> , <b>2008</b> , 102, 637-52	15.7	266
472	An allelic series uncovers novel roles of the BRCT domain-containing protein PTIP in mouse embryonic vascular development. <b>2008</b> , 28, 6439-51		10
471	Cathepsin proteases have distinct roles in trophoblast function and vascular remodelling. <b>2008</b> , 135, 3311-20		30
470	Endoglin promotes transforming growth factor beta-mediated Smad 1/5/8 signaling and inhibits endothelial cell migration through its association with GIPC. <b>2008</b> , 283, 32527-33		90
469	Developmental angiogenesis of the central nervous system. <b>2008</b> , 6, 173-80		53
468	ALK5- and TGFBR2-independent role of ALK1 in the pathogenesis of hereditary hemorrhagic telangiectasia type 2. <b>2008</b> , 111, 633-42		187
467	Expression of TGF-II and its receptor genes (TR I, TR II, and TR III-betaglycan) in peripheral blood leucocytes in patients with idiopathic pulmonary arterial hypertension and EisenmengerN syndrome. 2008,		
466	Principles of Cell Signaling. 2008, 297-324		
465	Deculation of TCF 9 #04C Cinnaling by CMAP and the Polonia Time of Tim		
_ <b>ਜ</b> ੁਹ	Regulation of TGF-β Signaling by SMADs and its Roles in Tissue Fibrosis. <b>2008</b> , 3, 1-6		3

464	Remodeling retinal neovascularization by ALK1 gene transfection in vitro. <b>2008</b> , 49, 4553-60	10
463	BMP-7 as antagonist of organ fibrosis. <b>2009</b> , 14, 4992-5012	64
462	Endothelial-mural cell signaling in vascular development and angiogenesis. 2009, 29, 630-8	645
461	Casein kinase 2beta as a novel enhancer of activin-like receptor-1 signaling. <b>2009</b> , 23, 3712-21	17
460	Essential functions of the Williams-Beuren syndrome-associated TFII-I genes in embryonic development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 11.5 106, 181-6	85
459	Transforming growth factor-beta signaling in thoracic aortic aneurysm development: a paradox in pathogenesis. <b>2009</b> , 46, 119-37	127
458	Functional analysis of saxophone, the Drosophila gene encoding the BMP type I receptor ortholog of human ALK1/ACVRL1 and ACVR1/ALK2. <b>2009</b> , 183, 563-79, 1SI-8SI	20
457	The TGF-beta paradox in human cancer: an update. <b>2009</b> , 5, 259-71	160
456	Endoglin plays distinct roles in vascular smooth muscle cell recruitment and regulation of arteriovenous identity during angiogenesis. <b>2009</b> , 238, 2479-93	50
455	Cell contact interaction between adipose-derived stromal cells and allo-activated T lymphocytes. <b>2009</b> , 39, 3436-46	45
454	Molecular differentiation and specialization of vascular beds. <b>2009</b> , 12, 139-47	74
453	The role of the Angiopoietins in vascular morphogenesis. <b>2009</b> , 12, 125-37	288
452	Roles of TGFbeta and BMP during valvulo-septal endocardial cushion formation. 2009, 84, 77-87	31
451	Regulation of vascular integrity. <b>2009</b> , 87, 571-82	70
450	Mutation analysis of "Endoglin" and "Activin receptor-like kinase" genes in German patients with hereditary hemorrhagic telangiectasia and the value of rapid genotyping using an allele-specific PCR-technique. <b>2009</b> , 10, 53	13
449	Different roles of Foxo1 and Foxo3 in the control of endothelial cell morphology. <b>2009</b> , 14, 1167-81	12
448	Coronary vessel development and insight towards neovascular therapy. <b>2009</b> , 90, 262-83	37
447	TGF-beta signaling in vascular biology and dysfunction. <b>2009</b> , 19, 116-27	369

## (2010-2009)

446	Transforming growth factor-beta signaling alters substrate permeability and tight junction protein expression at the blood-brain barrier during inflammatory pain. <b>2009</b> , 29, 1084-98	105
445	Endoglin and activin receptor-like-kinase 1 are co-expressed in the distal vessels of the lung: implications for two familial vascular dysplasias, HHT and PAH. <b>2009</b> , 89, 15-25	44
444	Combination of reverse and chemical genetic screens reveals angiogenesis inhibitors and targets. <b>2009</b> , 16, 432-41	38
443	TGF-beta and BMPR-II pharmacologyimplications for pulmonary vascular diseases. <b>2009</b> , 9, 274-80	43
442	Emerging role of bone morphogenetic proteins in angiogenesis. <b>2009</b> , 20, 203-12	217
441	The RGM/DRAGON family of BMP co-receptors. <b>2009</b> , 20, 389-98	86
440	Applications of small molecule BMP inhibitors in physiology and disease. <b>2009</b> , 20, 409-18	88
439	The emerging role of TGF-beta superfamily coreceptors in cancer. <b>2009</b> , 1792, 954-73	186
438	Preclinical efficacy of cystatin C to target the oncogenic activity of transforming growth factor Beta in breast cancer. <b>2009</b> , 2, 174-83	19
437	Increase in ALK1/ALK5 ratio as a cause for elevated MMP-13 expression in osteoarthritis in humans and mice. <b>2009</b> , 182, 7937-45	205
436	Endoglin haploinsufficiency reduces radiation-induced fibrosis and telangiectasia formation in mouse kidneys. <b>2009</b> , 92, 484-91	30
435	Transforming growth factor-beta signaling and tumor angiogenesis. 2009, 14, 4848-61	93
434	Effects of VEGF on phenotypic severity in children with hereditary hemorrhagic telangiectasia. <b>2009</b> , 31, 577-82	10
433	Expression of vascular endothelial growth factor is coordinately regulated by the activin-like kinase receptors 1 and 5 in endothelial cells. <b>2009</b> , 114, 2197-206	113
432	TGF-beta inhibits vascular sprouting through TGF-beta type I receptor in the mouse embryonic aorta. <b>2009</b> , 218, 63-71	8
431	A major role of TGF-beta1 in the homing capacities of murine hematopoietic stem cell/progenitors. <b>2010</b> , 116, 1244-53	27
430	LPA4 regulates blood and lymphatic vessel formation during mouse embryogenesis. <b>2010</b> , 116, 5060-70	92
429	Transcription factor 7-like 2 (TCF7L2) regulates activin receptor-like kinase 1 (ALK1)/Smad1 pathway for development of diabetic nephropathy. <b>2010</b> , 30, 209-18	12

428	The role of Smad signaling in vascular and hematopoietic development revealed by studies using genetic mouse models. <b>2010</b> , 53, 485-9	5
427	Smad3 deficiency reduces neurogenesis in adult mice. <b>2010</b> , 41, 383-96	12
426	Conditional inactivation of TGF-Itype II receptor in smooth muscle cells and epicardium causes lethal aortic and cardiac defects. <b>2010</b> , 19, 1069-82	59
425	Signaling by members of the TGF-beta family in vascular morphogenesis and disease. <b>2010</b> , 20, 556-67	294
424	Generation of mice with a conditional and reporter allele for Tmem100. <b>2010</b> , 48, 673-8	31
423	Divergent molecular mechanisms underlying the pleiotropic functions of macrophage inhibitory cytokine-1 in cancer. <b>2010</b> , 224, 626-35	162
422	Hereditary haemorrhagic telangiectasia: pathophysiology, diagnosis and treatment. <b>2010</b> , 24, 203-19	328
421	Characterization of the human Activin-A receptor type II-like kinase 1 (ACVRL1) promoter and its regulation by Sp1. <b>2010</b> , 11, 51	24
420	Fine mapping of the hereditary haemorrhagic telangiectasia (HHT)3 locus on chromosome 5 excludes VE-Cadherin-2, Sprouty4 and other interval genes. <b>2010</b> , 2, 15	12
419	Transforming growth factor beta2 is negatively regulated by endogenous retinoic acid during early heart morphogenesis. <b>2010</b> , 52, 433-55	7
418	Angiogenesis Signaling Pathways as Targets in Cancer Therapy. <b>2010</b> , 2895-2905	2
417	Lipocalin-7 is a matricellular regulator of angiogenesis. <b>2010</b> , 5, e13905	21
416	Arteriovenous Patterning in the Vascular System. <b>2010</b> , 529-541	O
415	Interleukin-1R-associated kinase 2 is a novel modulator of the transforming growth factor beta signaling cascade. <b>2010</b> , 8, 592-603	3
414	An anteroposterior wave of vascular inhibitor downregulation signals aortae fusion along the embryonic midline axis. <b>2010</b> , 137, 3697-706	31
413	Molecular Basis of Pulmonary Disease. <b>2010</b> ,	3
412	Genetic and pharmacological targeting of activin receptor-like kinase 1 impairs tumor growth and angiogenesis. <b>2010</b> , 207, 85-100	145
411	Vascular development: genetic mechanisms and links to vascular disease. <b>2010</b> , 90, 43-72	49

## (2011-2010)

410	ALK1-Fc inhibits multiple mediators of angiogenesis and suppresses tumor growth. <b>2010</b> , 9, 379-88	119
409	TGFbeta/BMP type I receptors ALK1 and ALK2 are essential for BMP9-induced osteogenic signaling in mesenchymal stem cells. <b>2010</b> , 285, 29588-98	132
408	BMP-9 induces proliferation of multiple types of endothelial cells in vitro and in vivo. <b>2010</b> , 123, 1684-92	141
407	The physiological role of endoglin in the cardiovascular system. <b>2010</b> , 299, H959-74	142
406	Vascular Development. <b>2010</b> , 487-528	6
405	Expression of the TGF-beta1 system in human testicular pathologies. <b>2010</b> , 8, 148	23
404	Bone morphogenetic protein receptors and signal transduction. <b>2010</b> , 147, 35-51	714
403	BMP signaling in vascular development and disease. <b>2010</b> , 21, 287-98	102
402	Preeclampsia, a disease of the maternal endothelium: the role of antiangiogenic factors and implications for later cardiovascular disease. <b>2011</b> , 123, 2856-69	652
401	Hereditary hemorrhagic telangiectasia: an overview of diagnosis, management, and pathogenesis. <b>2011</b> , 13, 607-16	237
400	Antagonism of activin by activin chimeras. <b>2011</b> , 85, 105-28	4
399	Endothelial Smad4 maintains cerebrovascular integrity by activating N-cadherin through cooperation with Notch. <b>2011</b> , 20, 291-302	170
398	Pericytes: developmental, physiological, and pathological perspectives, problems, and promises. <b>2011</b> , 21, 193-215	1657
397	TGF-land restenosis revisited: a Smad link. <b>2011</b> , 167, 287-97	49
396	Bone Morphogenetic Protein functions as a context-dependent angiogenic cue in vertebrates. <b>2011</b> , 22, 1012-8	28
395	ALK1 heterozygosity delays development of late normal tissue damage in the irradiated mouse kidney. <b>2011</b> , 99, 349-55	15
394	Roles of TGF-Bignals in endothelial-mesenchymal transition during cardiac fibrosis. <b>2011</b> , 2011, 724080	80
393	Role of TGF-land the tumor microenvironment during mammary tumorigenesis. <b>2011</b> , 15, 117-32	69

392	Modulation of TGF-Bignaling by endoglin in murine hemangioblast development and primitive hematopoiesis. <b>2011</b> , 118, 88-97	36
391	ALK1 as an emerging target for antiangiogenic therapy of cancer. <b>2011</b> , 117, 6999-7006	132
390	Angiogenesis regulation by TGFIsignalling: clues from an inherited vascular disease. <i>Biochemical Society Transactions</i> , <b>2011</b> , 39, 1659-66	45
389	Lessons on the pathogenesis of aneurysm from heritable conditions. <b>2011</b> , 473, 308-16	348
388	Pluripotent stem cell differentiation into vascular cells: a novel technology with promises for vascular re(generation). <b>2011</b> , 129, 29-49	83
387	Anti-VEGF and beyond: shaping a new generation of anti-angiogenic therapies for cancer. <b>2011</b> , 16, 1052-60	30
386	Transforming growth factor-land the hallmarks of cancer. <b>2011</b> , 23, 951-62	198
385	The specificities of small molecule inhibitors of the TGFIand BMP pathways. <b>2011</b> , 23, 1831-42	203
384	Brain pericytes: emerging concepts and functional roles in brain homeostasis. <b>2011</b> , 31, 175-93	74
383	Endoglin promotes TGF-//Smad1 signaling in scleroderma fibroblasts. <b>2011</b> , 226, 3340-8	55
382	Long form of latent TGF-Ibinding protein 1 (Ltbp1L) regulates cardiac valve development. <b>2011</b> , 240, 176-87	42
381	Interaction between alk1 and blood flow in the development of arteriovenous malformations. <b>2011</b> , 138, 1573-82	148
380	Mechanisms of TGF-Einduced differentiation in human vascular smooth muscle cells. <b>2011</b> , 48, 485-94	40
379	ChIP-seq reveals cell type-specific binding patterns of BMP-specific Smads and a novel binding motif. <b>2011</b> , 39, 8712-27	157
378	Targeting activin receptor-like kinase 1 inhibits angiogenesis and tumorigenesis through a mechanism of action complementary to anti-VEGF therapies. <b>2011</b> , 71, 1362-73	98
377	eNOS uncoupling in pulmonary hypertension. <b>2011</b> , 92, 359-60	13
376	Smad3-mediated myocardin silencing: a novel mechanism governing the initiation of smooth muscle differentiation. <b>2011</b> , 286, 15050-7	39
375	Caveolin-2 is a negative regulator of anti-proliferative function and signaling of transforming growth factor-In endothelial cells. <b>2011</b> , 301, C1161-74	23

#### (2012-2012)

374	A model-based approach to predicting the human pharmacokinetics of a monoclonal antibody exhibiting target-mediated drug disposition. <b>2012</b> , 341, 702-8	65
373	Vascular anomalies: from genetics toward models for therapeutic trials. <b>2012</b> , 2,	38
372	Transforming growth factor Bignaling perturbation in the Loeys-Dietz syndrome. 2012, 19, 454-60	14
371	Bevacizumab attenuates VEGF-induced angiogenesis and vascular malformations in the adult mouse brain. <b>2012</b> , 43, 1925-30	82
370	Mouse and human strategies identify PTPN14 as a modifier of angiogenesis and hereditary haemorrhagic telangiectasia. <b>2012</b> , 3, 616	50
369	Age-dependent lethality in novel transgenic mouse models of central nervous system arteriovenous malformations. <b>2012</b> , 43, 1432-5	37
368	Role of endoglin in fibrosis and scleroderma. <b>2012</b> , 297, 295-308	23
367	Scleraxis modulates bone morphogenetic protein 4 (BMP4)-Smad1 protein-smooth muscle ⊞ctin (SMA) signal transduction in diabetic nephropathy. <b>2012</b> , 287, 20430-42	25
366	Tmem100, an ALK1 receptor signaling-dependent gene essential for arterial endothelium differentiation and vascular morphogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 12064-9	71
365	Anti-human activin receptor-like kinase 1 (ALK1) antibody attenuates bone morphogenetic protein 9 (BMP9)-induced ALK1 signaling and interferes with endothelial cell sprouting. <b>2012</b> , 287, 18551-61	78
364	Specificity and structure of a high affinity activin receptor-like kinase 1 (ALK1) signaling complex. <b>2012</b> , 287, 27313-25	123
363	Angiogenesis in neurological disorders: a review. <b>2012</b> , 34, 627-35	2
362	Towards the therapeutic use of vascular smooth muscle progenitor cells. <b>2012</b> , 95, 205-14	28
361	A critical role for endoglin in the emergence of blood during embryonic development. <b>2012</b> , 119, 5417-28	35
360	BMP9 and BMP10 are critical for postnatal retinal vascular remodeling. <b>2012</b> , 119, 6162-71	176
359	Inhibition of apelin expression by BMP signaling in endothelial cells. <b>2012</b> , 303, C1139-45	31
358	ProNGF, a cytokine induced after myocardial infarction in humans, targets pericytes to promote microvascular damage and activation. <b>2012</b> , 209, 2291-305	55
357	Mechanotransduction in embryonic vascular development. <b>2012</b> , 11, 1149-68	39

356	BMP9 induces EphrinB2 expression in endothelial cells through an Alk1-BMPRII/ActRII-ID1/ID3-dependent pathway: implications for hereditary hemorrhagic telangiectasia type II. <b>2012</b> , 15, 497-509		48
355	Shear induced collateral artery growth modulated by endoglin but not by ALK1. <b>2012</b> , 16, 2440-50		32
354	Structure of the Alk1 extracellular domain and characterization of its bone morphogenetic protein (BMP) binding properties. <b>2012</b> , 51, 6328-41		29
353	Searching for Hif1-Anteracting proteins in renal cell carcinoma. <b>2012</b> , 14, 698-708		12
352	BAMBI regulates angiogenesis and endothelial homeostasis through modulation of alternative TGFIsignaling. <b>2012</b> , 7, e39406		38
351	TGFIsignaling and cardiovascular diseases. <b>2012</b> , 8, 195-213		70
350	Selection of clinically useful angiogenesis-related biomarkers: an update. <b>2012</b> , 27, e65-81		
349	Life is a pattern: vascular assembly within the embryo. <b>2012</b> , 4, 2269-88		12
348	Dorsal-ventral patterning of the neural tube: a tale of three signals. <b>2012</b> , 72, 1471-81		116
347	BMPs are mediators in tissue crosstalk of the regenerating musculoskeletal system. <b>2012</b> , 347, 521-44		44
346	Promiscuity and specificity in BMP receptor activation. <b>2012</b> , 586, 1846-59		208
345	BMP signaling in vascular diseases. <b>2012</b> , 586, 1993-2002		201
344	Matrix-dependent perturbation of TGFIsignaling and disease. <b>2012</b> , 586, 2003-15		101
343	BMP9 is produced by hepatocytes and circulates mainly in an active mature form complexed to its prodomain. <i>Cellular and Molecular Life Sciences</i> , <b>2012</b> , 69, 313-24	10.3	117
342	Regulation of endothelial cell plasticity by TGF-□ <b>2012</b> , 347, 177-86		228
341	The multiple activities of BMPs during spinal cord development. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 70, 4293-305	10.3	31
340	Roles of the Skp2/p27 axis in the progression of chronic nephropathy. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 70, 3277-87	10.3	9
339	Co-ordinating Notch, BMP, and TGF-Bignaling during heart valve development. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 70, 2899-917	10.3	93

338	Hereditary Hemorrhagic Telangiectasia (Osler Weber Rendu Syndrome). 2013, 1-18		1
337	A functional genomic approach reveals the transcriptional role of EDD in the expression and function of angiogenesis regulator ACVRL1. <b>2013</b> , 1829, 1309-19		7
336	Context-dependent signaling defines roles of BMP9 and BMP10 in embryonic and postnatal development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 11887-92	11.5	82
335	Tumors as organs: biologically augmenting radiation therapy by inhibiting transforming growth factor lactivity in carcinomas. <b>2013</b> , 23, 242-51		30
334	Pericytes, mesenchymal stem cells and the wound healing process. <b>2013</b> , 2, 621-34		70
333	SnoN facilitates ALK1-Smad1/5 signaling during embryonic angiogenesis. <b>2013</b> , 202, 937-50		15
332	TGF-land Cardiovascular Disorders. <b>2013</b> , 297-322		1
331	Bone morphogenetic proteins signal via SMAD and mitogen-activated protein (MAP) kinase pathways at distinct times during osteoclastogenesis. <b>2013</b> , 288, 37230-40		46
330	Heparan sulfate in angiogenesis: a target for therapy. <b>2014</b> , 17, 443-62		37
329	Activin receptor-like kinase 5 inhibition reverses impairment of endothelial cell viability by endogenous islet mesenchymal stromal cells. <b>2013</b> , 31, 547-59		6
328	ALK1-Smad1/5 signaling pathway in fibrosis development: friend or foe?. <b>2013</b> , 24, 523-37		45
327	Principles of Cell Signaling. <b>2013</b> , 369-403		
326	Transforming growth factor [family members in regulation of vascular function: in the light of vascular conditional knockouts. <b>2013</b> , 319, 1264-70		50
325	Expression levels of endoglin distinctively identify hematopoietic and endothelial progeny at different stages of yolk sac hematopoiesis. <b>2013</b> , 31, 1893-901		17
324	The ALK-1/Smad1 pathway in cardiovascular physiopathology. A new target for therapy?. <b>2013</b> , 1832, 1492-510		43
323	Endothelial deletion of ADAM17 in mice results in defective remodeling of the semilunar valves and cardiac dysfunction in adults. <b>2013</b> , 130, 272-89		26
322	Endoglin regulates the activation and quiescence of endothelium by participating in canonical and non-canonical TGF-Bignaling pathways. <b>2013</b> , 126, 1392-405		37
321	Vascular injury triggers Krppel-like factor 6 mobilization and cooperation with specificity protein 1 to promote endothelial activation through upregulation of the activin receptor-like kinase 1 gene. <i>Circulation Research</i> , <b>2013</b> , 112, 113-27	15.7	42

320	Identification of bone morphogenetic protein 7 (BMP7) as an instructive factor for human epidermal Langerhans cell differentiation. <b>2013</b> , 210, 2597-610		73
319	Circulating Bmp10 acts through endothelial Alk1 to mediate flow-dependent arterial quiescence. <b>2013</b> , 140, 3403-12		67
318	Reduced mural cell coverage and impaired vessel integrity after angiogenic stimulation in the Alk1-deficient brain. <b>2013</b> , 33, 305-10		61
317	The expression of activin receptor-like kinase 1 among patients with head and neck cancer. <b>2013</b> , 148, 965-73		7
316	TGFIsignaling is required for sprouting lymphangiogenesis during lymphatic network development in the skin. <b>2013</b> , 140, 3903-14		65
315	Arteriovenous malformations and other vascular malformation syndromes. <b>2013</b> , 3, a006635		31
314	Activin receptor-like kinase 1 as a target for anti-angiogenesis therapy. <b>2013</b> , 22, 1371-83		28
313	Proteomics in aortic aneurysmwhat have we learnt so far?. <b>2013</b> , 7, 504-15		5
312	Treatment with bone morphogenetic protein 2 limits infarct size after myocardial infarction in mice. <b>2013</b> , 39, 353-60		32
311	Enhanced responses to angiogenic cues underlie the pathogenesis of hereditary hemorrhagic telangiectasia 2. <b>2013</b> , 8, e63138		25
310	SNP selection in genome-wide association studies via penalized support vector machine with MAX test. <b>2013</b> , 2013, 340678		3
309	Investigation of endoglin wild-type and missense mutant protein heterodimerisation using fluorescence microscopy based IF, BiFC and FRET analyses. <b>2014</b> , 9, e102998		16
308	Induction of transforming growth factor beta receptors following focal ischemia in the rat brain. <b>2014</b> , 9, e106544		21
307	Peritoneal Membrane Injury and Peritoneal Dialysis. <b>2014</b> , 2014, 1-10		3
306	Safety, pharmacokinetics, pharmacodynamics, and antitumor activity of dalantercept, an activin receptor-like kinase-1 ligand trap, in patients with advanced cancer. <b>2014</b> , 20, 480-9		48
305	ALK5 and ALK1 play antagonistic roles in transforming growth factor Enduced podosome formation in aortic endothelial cells. <b>2014</b> , 34, 4389-403		23
304	Heterozygous disruption of activin receptor-like kinase 1 is associated with increased renal fibrosis in a mouse model of obstructive nephropathy. <b>2014</b> , 85, 319-32		16
303	Potential roles of bone morphogenetic protein (BMP)-9 in human liver diseases. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 5199-220	6.3	37

302	Vascular development and hemodynamic force in the mouse yolk sac. <b>2014</b> , 5, 308	44
301	Cell communication in a coculture system consisting of outgrowth endothelial cells and primary osteoblasts. <b>2014</b> , 2014, 320123	34
300	Role of G protein-coupled receptor kinase 2 in tumoral angiogenesis. <b>2014</b> , 1, e969166	3
299	Diversity is in my veins: role of bone morphogenetic protein signaling during venous morphogenesis in zebrafish illustrates the heterogeneity within endothelial cells. <b>2014</b> , 34, 1838-45	11
298	Molecular pathways: can activin-like kinase pathway inhibition enhance the limited efficacy of VEGF inhibitors?. <b>2014</b> , 20, 2838-45	22
297	Vasculogenesis and Angiogenesis. <b>2014</b> , 181-196	1
296	Regulation of bone morphogenetic protein 9 (BMP9) by redox-dependent proteolysis. <b>2014</b> , 289, 31150-9	35
295	ALK1 heterozygosity increases extracellular matrix protein expression, proliferation and migration in fibroblasts. <b>2014</b> , 1843, 1111-22	19
294	Endoglin and activin receptor-like kinase 1 heterozygous mice have a distinct pulmonary and hepatic angiogenic profile and response to anti-VEGF treatment. <b>2014</b> , 17, 129-46	17
293	PF-03446962, a fully-human monoclonal antibody against transforming growth-factor [[TGF]] receptor ALK1, in pre-treated patients with urothelial cancer: an open label, single-group, phase 2 trial. <b>2014</b> , 32, 555-60	38
292	Progress in Heritable Soft Connective Tissue Diseases. <i>Advances in Experimental Medicine and Biology</i> , <b>2014</b> ,	13
291	TGF-🛮-induced expression of Id-1 is associated with tumor progression in gastric cancer. <b>2014</b> , 31, 19	13
290	Endothelial signaling and the molecular basis of arteriovenous malformation. <i>Cellular and Molecular Life Sciences</i> , <b>2013</b> , 71, 867	22
289	Both hydrogen peroxide and transforming growth factor beta 1 contribute to endothelial Nox4 mediated angiogenesis in endothelial Nox4 transgenic mouse lines. <b>2014</b> , 1842, 2489-99	39
288	Connective tissue disorders and cardiovascular complications: the indomitable role of transforming growth factor-beta signaling. <i>Advances in Experimental Medicine and Biology</i> , <b>2014</b> , 802, 107-27	33
287	An in vitro retinoblastoma human triple culture model of angiogenesis: a modulatory effect of TGF-II <b>2014</b> , 354, 181-8	25
286	High expression of S100A4 and endoglin is associated with metastatic disease in head and neck squamous cell carcinoma. <b>2014</b> , 31, 639-49	5
285	High prevalence of arterial aneurysms in hereditary hemorrhagic telangiectasia. <b>2014</b> , 176, 1414-6	6

284	Molecular Mechanisms of Angiogenesis. <b>2014</b> ,	3
283	Glucocorticoids recruit Tgfbr3 and Smad1 to shift transforming growth factor-Bignaling from the Tgfbr1/Smad2/3 axis to the Acvrl1/Smad1 axis in lung fibroblasts. <b>2014</b> , 289, 3262-75	37
282	The role of bone morphogenetic proteins in myeloma cell survival. <b>2014</b> , 25, 343-50	16
281	Expression of the TGF-EALK-1 pathway in dura and the outer membrane of chronic subdural hematomas. <b>2014</b> , 54, 357-62	7
280	Vessel wall BAMBI contributes to hemostasis and thrombus stability. <b>2014</b> , 123, 2873-81	14
279	Thyroid development in zebrafish lacking Taz. <b>2015</b> , 138 Pt 3, 268-78	15
278	The promise of recombinant BMP ligands and other approaches targeting BMPR-II in the treatment of pulmonary arterial hypertension. <b>2015</b> , 2015, 47	14
277	TGFIsignalling pathway regulates angiogenesis by endothelial cells, in an adipose-derived stromal cell/endothelial cell co-culture 3D gel model. <b>2015</b> , 48, 729-37	11
276	Sorafenib-based combined molecule targeting in treatment of hepatocellular carcinoma. <b>2015</b> , 21, 12059-70	42
275	Serum induces transcription of Hey1 and Hey2 genes by Alk1 but not Notch signaling in endothelial cells. <b>2015</b> , 10, e0120547	27
274	Functional and splicing defect analysis of 23 ACVRL1 mutations in a cohort of patients affected by Hereditary Hemorrhagic Telangiectasia. <b>2015</b> , 10, e0132111	14
273	Animal Models in Studying Cerebral Arteriovenous Malformation. <b>2015</b> , 2015, 178407	14
272	Transcriptional profiling of rat hypothalamus response to 2,3,7,8-tetrachlorodibenzo-Edioxin. <b>2015</b> , 328, 93-101	9
271	P7170: A Novel Molecule with Unique Profile of mTORC1/C2 and Activin Receptor-like Kinase 1 Inhibition Leading to Antitumor and Antiangiogenic Activity. <b>2015</b> , 14, 1095-106	9
270	Essential role for TMEM100 in vascular integrity but limited contributions to the pathogenesis of hereditary haemorrhagic telangiectasia. <b>2015</b> , 105, 353-60	19
269	Executive summary of the 11th HHT international scientific conference. <b>2015</b> , 18, 511-24	17
268	Impairment of endothelial-mesenchymal transformation during atrioventricular cushion formation in Tmem100 null embryos. <b>2015</b> , 244, 31-42	16
267	The high affinity ALK1-ligand BMP9 induces a hypertrophy-like state in chondrocytes that is antagonized by TGF1. <b>2015</b> , 23, 985-95	14

#### (2015-2015)

266	TGFIIa regulates zebrafish posterior lateral line formation via Smad5 mediated pathway. 2015, 7, 48-61	13
265	Genetic and Molecular Basis for Hereditary Hemorrhagic Telangiectasia. <b>2015</b> , 3, 35-47	3
264	VE-cadherin in vascular development: a coordinator of cell signaling and tissue morphogenesis. <b>2015</b> , 112, 325-52	34
263	Anti-angiogenic therapeutic strategies in hereditary hemorrhagic telangiectasia. <b>2015</b> , 6, 35	32
262	Phase II evaluation of dalantercept, a soluble recombinant activin receptor-like kinase 1 (ALK1) receptor fusion protein, for the treatment of recurrent or persistent endometrial cancer: an NRG Oncology/Gynecologic Oncology Group Study 0229N. <b>2015</b> , 138, 24-9	32
261	Mononuclear cells and vascular repair in HHT. <b>2015</b> , 6, 114	22
<b>2</b> 60	Emerging roles of BMP9 and BMP10 in hereditary hemorrhagic telangiectasia. <b>2014</b> , 5, 456	65
259	Pericytes as targets in hereditary hemorrhagic telangiectasia. <b>2015</b> , 6, 37	33
258	Mouse models of hereditary hemorrhagic telangiectasia: recent advances and future challenges. <b>2015</b> , 6, 25	71
257	Gene expression network analysis reveals new transcriptional regulators as novel factors in human ischemic cardiomyopathy. <b>2015</b> , 8, 14	16
256	Molecular controls of arterial morphogenesis. <i>Circulation Research</i> , <b>2015</b> , 116, 1712-24 15.7	86
255	Increased endothelial cell permeability in endoglin-deficient cells. <b>2015</b> , 29, 3678-88	19
254	BAMBI elimination enhances alternative TGF-Bignaling and glomerular dysfunction in diabetic mice. <b>2015</b> , 64, 2220-33	44
253	Aberrant TGFIsignalling Contributes to Dysregulation of Sphingolipid Metabolism in Intrauterine Growth Restriction. <b>2015</b> , 100, E986-96	27
252	Mechanisms of BMP-Receptor Interaction and Activation. <b>2015</b> , 99, 1-61	10
251	Regulation of TGF-Ireceptor hetero-oligomerization and signaling by endoglin. <b>2015</b> , 26, 3117-27	28
250	Heterozygous disruption of activin receptor-like kinase 1 is associated with increased arterial pressure in mice. <b>2015</b> , 8, 1427-39	5
249	BMP9 Induces Cord Blood-Derived Endothelial Progenitor Cell Differentiation and Ischemic Neovascularization via ALK1. <b>2015</b> , 35, 2020-31	26

248 Renal Cell Carcinoma. 2015,

247	Pre-eclampsia has an adverse impact on maternal and fetal health. <b>2015</b> , 165, 449-63	36
246	Investigation of TGFII-Induced Long Noncoding RNAs in Endothelial Cells. 2016, 2016, 2459687	12
245	ALK1 expression in oral lichen planus: a possible relation to microvessel density. <b>2016</b> , 45, 373-80	2
244	Age-dependent shifts in renal response to injury relate to altered BMP6/CTGF expression and signaling. <b>2016</b> , 311, F926-F934	10
243	PI3 kinase inhibition improves vascular malformations in mouse models of hereditary haemorrhagic telangiectasia. <b>2016,</b> 7, 13650	92
242	Pathogenesis of Brain Arteriovenous Malformations. <b>2016</b> , 56, 317-25	25
241	Mechanobiology of TGFIsignaling in the skeleton. <b>2016</b> , 52-54, 413-425	30
240	Arteriovenous malformations in hereditary haemorrhagic telangiectasia: looking beyond ALK1-NOTCH interactions. <b>2016</b> , 109, 196-203	20
239	Gene Expression Profiling Identifies Cell Proliferation and Inflammation as the Predominant Pathways Regulated by Aryl Hydrocarbon Receptor in Primary Human Fetal Lung Cells Exposed to Hyperoxia. <b>2016</b> , 152, 155-68	13
238	Rapid Activation of Bone Morphogenic Protein 9 by Receptor-mediated Displacement of Pro-domains. <b>2016</b> , 291, 3395-410	28
237	The expanding role of neuropilin: regulation of transforming growth factor-land platelet-derived growth factor signaling in the vasculature. <b>2016</b> , 23, 260-7	29
236	Expressional changes of AMH signaling system in the quail testis induced by photoperiod. <b>2016</b> , 152, 575-589	4
235	BMP-SMAD signalling output is highly regionalized in cardiovascular and lymphatic endothelial networks. <b>2016</b> , 16, 34	14
234	Defective fluid shear stress mechanotransduction mediates hereditary hemorrhagic telangiectasia. <b>2016</b> , 214, 807-16	97
233	Blood flow boosts BMP signaling to keep vessels in shape. <b>2016</b> , 214, 793-5	4
232	A phase I study of the human anti-activin receptor-like kinase 1 antibody PF-03446962 in Asian patients with advanced solid tumors. <b>2016</b> , 5, 1454-63	9
231	Inflammation and Metastasis. <b>2016</b> ,	4

## (2016-2016)

230	Transforming Growth Factor Drives Hemogenic Endothelium Programming and the Transition to Hematopoietic Stem Cells. <b>2016</b> , 38, 358-70		53
229	Expression of Genes Involved in Vascular Morphogenesis and Maturation Predicts Efficacy of Bevacizumab-Based Chemotherapy in Patients Undergoing Liver Resection. <b>2016</b> , 15, 2814-2821		6
228	LRG1 promotes angiogenesis through upregulating the TGF-II pathway in ischemic rat brain. <b>2016</b> , 14, 5535-5543		28
227	Dichotomous roles of TGF-lin human cancer. <i>Biochemical Society Transactions</i> , <b>2016</b> , 44, 1441-1454	5.1	64
226	Genome-wide RNAi screen reveals ALK1 mediates LDL uptake and transcytosis in endothelial cells. <b>2016</b> , 7, 13516		73
225	A mouse model of hereditary hemorrhagic telangiectasia generated by transmammary-delivered immunoblocking of BMP9 and BMP10. <b>2016</b> , 5, 37366		29
224	Targeting tumour vasculature by inhibiting activin receptor-like kinase (ALK)1 function. <i>Biochemical Society Transactions</i> , <b>2016</b> , 44, 1142-9	5.1	28
223	Alteration of TGF-FALK-Smad signaling in hyperoxia-induced bronchopulmonary dysplasia model of newborn rats. <b>2016</b> , 42, 354-364		6
222	Cutting Edge: ACVRL1 Signaling Augments CD8⊞ Dendritic Cell Development. <b>2016</b> , 197, 1029-34		5
221	Pulmonary Vascular Development. 34-57		3
220	Smooth Muscle Cell Differentiation: Model Systems, Regulatory Mechanisms, and Vascular Diseases. <b>2016</b> , 231, 777-87		56
220			56
240	Diseases. <b>2016</b> , 231, 777-87  Endoglin (CD105) coordinates the process of endometrial receptivity for embryo implantation.		
219	Diseases. <b>2016</b> , 231, 777-87  Endoglin (CD105) coordinates the process of endometrial receptivity for embryo implantation. <b>2016</b> , 425, 69-83		13
219	Endoglin (CD105) coordinates the process of endometrial receptivity for embryo implantation.  2016, 425, 69-83  BMP signaling in vascular biology and dysfunction. 2016, 27, 65-79  miR-342-5p Is a Notch Downstream Molecule and Regulates Multiple Angiogenic Pathways Including Notch, Vascular Endothelial Growth Factor and Transforming Growth Factor Esignaling.		13 96
219 218 217	Endoglin (CD105) coordinates the process of endometrial receptivity for embryo implantation.  2016, 425, 69-83  BMP signaling in vascular biology and dysfunction. 2016, 27, 65-79  miR-342-5p Is a Notch Downstream Molecule and Regulates Multiple Angiogenic Pathways Including Notch, Vascular Endothelial Growth Factor and Transforming Growth Factor (Signaling. 2016, 5,		13 96 41
219 218 217 216	Endoglin (CD105) coordinates the process of endometrial receptivity for embryo implantation.  2016, 425, 69-83  BMP signaling in vascular biology and dysfunction. 2016, 27, 65-79  miR-342-5p Is a Notch Downstream Molecule and Regulates Multiple Angiogenic Pathways Including Notch, Vascular Endothelial Growth Factor and Transforming Growth Factor (Bignaling. 2016, 5,  Structural insights into BMP receptors: Specificity, activation and inhibition. 2016, 27, 13-34  Pharyngeal arch artery defects and lethal malformations of the aortic arch and its branches in mice	14.8	13 96 41 134
219 218 217 216 215	Endoglin (CD105) coordinates the process of endometrial receptivity for embryo implantation.  2016, 425, 69-83  BMP signaling in vascular biology and dysfunction. 2016, 27, 65-79  miR-342-5p Is a Notch Downstream Molecule and Regulates Multiple Angiogenic Pathways Including Notch, Vascular Endothelial Growth Factor and Transforming Growth Factor [Signaling. 2016, 5,  Structural insights into BMP receptors: Specificity, activation and inhibition. 2016, 27, 13-34  Pharyngeal arch artery defects and lethal malformations of the aortic arch and its branches in mice deficient for the Hrt1/Hey1 transcription factor. 2016, 139, 65-73  Targeting BMP signalling in cardiovascular disease and anaemia. <i>Nature Reviews Cardiology</i> , 2016,	14.8	13 96 41 134

212	TGF-Bignalling in tumour associated macrophages. <b>2017</b> , 222, 75-81	43
211	TGF-Family Signaling in Embryonic and Somatic Stem-Cell Renewal and Differentiation. 2017, 9,	61
<b>2</b> 10	Conditional knockout of activin like kinase-1 (ALK-1) leads to heart failure without maladaptive remodeling. <b>2017</b> , 32, 628-636	14
209	The TGF-IFamily in the Reproductive Tract. <b>2017</b> , 9,	39
208	Smad4 deletion in blood vessel endothelial cells promotes ovarian cancer metastasis. <b>2017</b> , 50, 1693-1700	15
207	Endoglin Mediates Vascular Maturation by Promoting Vascular Smooth Muscle Cell Migration and Spreading. <b>2017</b> , 37, 1115-1126	20
206	Overexpression of CD109 in the Epidermis Differentially Regulates ALK1 Versus ALK5 Signaling and Modulates Extracellular Matrix Synthesis in the Skin. <b>2017</b> , 137, 641-649	10
205	Radial Glia Cells Control Angiogenesis in the Developing Cerebral Cortex Through TGF-II Signaling. <b>2018</b> , 55, 3660-3675	29
204	Inhibition of TRPC6 Signal Pathway Alleviates Podocyte Injury Induced by TGF-1. 2017, 41, 163-172	21
203	Cardiac fibroblast transcriptome analyses support a role for interferogenic, profibrotic, and inflammatory genes in anti-SSA/Ro-associated congenital heart block. <b>2017</b> , 313, H631-H640	11
202	Functional Expression of P-glycoprotein and Organic Anion Transporting Polypeptides at the Blood-Brain Barrier: Understanding Transport Mechanisms for Improved CNS Drug Delivery?. <b>2017</b> , 19, 931-939	46
201	Reduced expression of let-7f activates TGF-JALK5 pathway and leads to impaired ischaemia-induced neovascularization after cigarette smoke exposure. <b>2017</b> , 21, 2211-2222	20
200	Bone Morphogenetic Proteins: Systems Biology Regulators. <b>2017</b> ,	6
199	TGF-Family Signaling in the Control of Cell Proliferation and Survival. 2017, 9,	197
198	The DART Study: Results from the Dose-Escalation and Expansion Cohorts Evaluating the Combination of Dalantercept plus Axitinib in Advanced Renal Cell Carcinoma. <b>2017</b> , 23, 3557-3565	17
197	The role of endoglin in post-ischemic revascularization. <b>2017</b> , 20, 1-24	43
196	Deregulated TGF-ABMP Signaling in Vascular Malformations. <i>Circulation Research</i> , <b>2017</b> , 121, 981-999 15.7	57
195	Tacrolimus rescues the signaling and gene expression signature of endothelial ALK1 loss-of-function and improves HHT vascular pathology. <b>2017</b> , 26, 4786-4798	32

194	Role of MiR-155 Signal Pathway in Regulating Podocyte Injury Induced by TGF-1. 2017, 42, 1469-1480	9
193	ALK1 signaling in development and disease: new paradigms. <i>Cellular and Molecular Life Sciences</i> , <b>2017</b> , 74, 4539-4560	44
192	Reduced activin receptor-like kinase 1 activity promotes cardiac fibrosis in heart failure. <b>2017</b> , 31, 26-33	13
191	Endoglin and alk1 as therapeutic targets for hereditary hemorrhagic telangiectasia. <b>2017</b> , 21, 933-947	47
190	Transforming growth factor-latimulates Smad1/5 signaling in pulmonary artery smooth muscle cells and fibroblasts of the newborn mouse through ALK1. <b>2017</b> , 313, L615-L627	21
189	The pathobiology of vascular malformations: insights from human and model organism genetics. <b>2017</b> , 241, 281-293	46
188	Leucine-rich -2 glycoprotein promotes lung fibrosis by modulating TGF- signaling in fibroblasts. <b>2017</b> , 5, e13556	29
187	Pericytes: The Role of Multipotent Stem Cells in Vascular Maintenance and Regenerative Medicine.  Advances in Experimental Medicine and Biology, 2018, 1079, 69-86	16
186	????????????????????????AMH????????. <b>2017</b> , 43, 14-17	
185	Absence of transforming growth factor beta 1 in murine platelets reduces neointima formation without affecting arterial thrombosis. <b>2017</b> , 117, 1782-1797	8
184	Analysis of the Expression of Angioarchitecture-related Factors in Patients with Cerebral Arteriovenous Malformation. <b>2017</b> , 130, 2465-2472	2
183	Modulation of TGF-lactivity by latent TGF-lbinding protein 1 in human osteoarthritis fibroblast-like synoviocytes. <b>2018</b> , 17, 1893-1900	2
182	The morphological and molecular mechanisms of epithelial/endothelial-to-mesenchymal transition and its involvement in atherosclerosis. <b>2018</b> , 106, 1-8	46
181	Vascular deficiency of Smad4 causes arteriovenous malformations: a mouse model of Hereditary Hemorrhagic Telangiectasia. <b>2018</b> , 21, 363-380	52
180	Serum/glucocorticoid-regulated kinase 1 as a novel transcriptional target of bone morphogenetic protein-ALK1 receptor signaling in vascular endothelial cells. <b>2018</b> , 21, 415-423	25
179	ALK1 Loss Results in Vascular Hyperplasia in Mice and Humans Through PI3K Activation. <b>2018</b> , 38, 1216-1229	39
178	Endothelial cell biology of Endoglin in hereditary hemorrhagic telangiectasia. 2018, 25, 237-244	13
177	Activation of Activin receptor-like kinases curbs mucosal inflammation and proliferation in chronic rhinosinusitis with nasal polyps. <b>2018</b> , 8, 1561	3

176	The TGF[bathway is a key player for the endothelial-to-hematopoietic transition in the embryonic aorta. <b>2018</b> , 434, 292-303		6
175	Endothelial-mesenchymal transition in atherosclerosis. <b>2018</b> , 114, 565-577		126
174	Molecular mechanisms underlying therapeutic potential of pericytes. 2018, 25, 21		50
173	De novo AVM formation following venous sinus thrombosis and prior AVM resection in adults: report of 2 cases. <i>Journal of Neurosurgery</i> , <b>2018</b> , 128, 506-510	3.2	11
172	TGF-Bignaling in Control of Cardiovascular Function. 2018, 10,		129
171	Bone Morphogenetic Proteins in Vascular Homeostasis and Disease. 2018, 10,		77
170	Pulmonary artery hypertension in childhood: The transforming growth factor-Buperfamily-related genes. <b>2018</b> , 59, 112-119		7
169	It Takes Two: Endothelial-Perivascular Cell Cross-Talk in Vascular Development and Disease. <i>Frontiers in Cardiovascular Medicine</i> , <b>2018</b> , 5, 154	5.4	68
168	Functional Expression of Organic Anion Transporting Polypeptide 1a4 Is Regulated by Transforming Growth Factor-/Activin Receptor-like Kinase 1 Signaling at the Blood-Brain Barrier. <b>2018</b> , 94, 1321-1333		13
167	The Controversial Role of TGF-In Neovascular Age-Related Macular Degeneration Pathogenesis. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	25
166	TGF-land BMPR2 Signaling in PAH: Two Black Sheep in One Family. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	45
165	BMP9, but not BMP10, acts as a quiescence factor on tumor growth, vessel normalization and metastasis in a mouse model of breast cancer. <b>2018</b> , 37, 209		17
164	Hereditary hemorrhagic telangiectasia: diagnosis and management from the hematologistN perspective. <b>2018</b> , 103, 1433-1443		70
163	A heterodimer formed by bone morphogenetic protein 9 (BMP9) and BMP10 provides most BMP biological activity in plasma. <b>2018</b> , 293, 10963-10974		54
162	Animal Models and Prospective Therapeutic Targets for Brain Arteriovenous Malformation. <b>2018</b> , 83-1	26	
161	Unique and shared inflammatory profiles of human brain endothelia and pericytes. <b>2018</b> , 15, 138		48
160	Vascular malformations: classification, diagnosis and treatment. <b>2018</b> , 37, 127-142		46
159	Endoglin interacts with VEGFR2 to promote angiogenesis. <b>2018</b> , 32, 2934-2949		42

158	Transforming Growth Factor-Isignaling Plays a Pivotal Role in the Interplay Between Osteosarcoma Cells and Their Microenvironment. <b>2018</b> , 8, 133		61	
157	CD8+ T cells with high TGF-II expression cause lymph node fibrosis following HIV infection. <b>2018</b> , 18, 77-86		4	
156	Cell Biology and Translational Medicine, Volume 1. <i>Advances in Experimental Medicine and Biology</i> , <b>2018</b> ,	3.6	1	
155	BMP9 (Bone Morphogenetic Protein-9)/Alk1 (Activin-Like Kinase Receptor Type I) Signaling Prevents Hyperglycemia-Induced Vascular Permeability. <b>2018</b> , 38, 1821-1836		31	
154	TGF[]Friend or Foe During Recovery in Encephalopathy. <b>2019</b> , 25, 192-198		2	
153	Activin receptor-like kinase 1 is associated with immune cell infiltration and regulates CLEC14A transcription in cancer. <b>2019</b> , 22, 117-131		32	
152	Downregulation of miR-98 contributes to hypoxic pulmonary hypertension by targeting ALK1. <b>2019</b> , 20, 2167-2176		6	
151	The role of BMP6 in the proliferation and differentiation of chicken cartilage cells. <b>2019</b> , 14, e0204384		12	
150	Extracranial arteriovenous malformations: from bedside to bench. <b>2019</b> , 34, 299-306		7	
149	Recent Advances in Basic Research for Brain Arteriovenous Malformation. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	18	
148	HLA-B27 alters BMP/TGFIsignalling in , revealing putative pathogenic mechanism for spondyloarthritis. <b>2019</b> , 78, 1653-1662		13	
147	Epigallocatechin-3-gallate inhibits tumor angiogenesis: involvement of endoglin/Smad1 signaling in human umbilical vein endothelium cells. <b>2019</b> , 120, 109491		6	
146	Enhanced TGF-Isignaling Contributes to the Insulin-Induced Angiogenic Responses of Endothelial Cells. <b>2019</b> , 11, 474-491		15	
145	Venous identity requires BMP signalling through ALK3. <b>2019</b> , 10, 453		36	
144	Pericytes in Hereditary Hemorrhagic Telangiectasia. <i>Advances in Experimental Medicine and Biology</i> , <b>2019</b> , 1147, 215-246	3.6	4	
143	LRG1 Promotes Diabetic Kidney Disease Progression by Enhancing TGFInduced Angiogenesis. <b>2019</b> , 30, 546-562		53	
142	Injury-Induced Shedding of Extracellular Vesicles Depletes Endothelial Cells of Cav-1 (Caveolin-1) and Enables TGF-[[Transforming Growth Factor-]]-Dependent Pulmonary Arterial Hypertension. <b>2019</b> , 39, 1191-1202		20	
141	A phase 2, randomized trial evaluating the combination of dalantercept plus axitinib in patients with advanced clear cell renal cell carcinoma. <b>2019</b> , 125, 2400-2408		11	

140	A Phase Ib, Open-Label Study of Dalantercept, an Activin Receptor-Like Kinase 1 Ligand Trap, plus Sorafenib in Advanced Hepatocellular Carcinoma. <b>2019</b> , 24, 161-e70		9
139	Astrocytes and the TGF-II Pathway in the Healthy and Diseased Brain: a Double-Edged Sword. <b>2019</b> , 56, 4653-4679		43
138	TMEM100 expression suppresses metastasis and enhances sensitivity to chemotherapy in gastric cancer. <b>2020</b> , 401, 285-296		9
137	Hereditary Hemorrhagic Telangiectasia (Osler Weber Rendu Syndrome). <b>2020</b> , 115-140		1
136	HOX Genes Family and Cancer: A Novel Role for Homeobox B9 in the Resistance to Anti-Angiogenic Therapies. <i>Cancers</i> , <b>2020</b> , 12,	6.6	9
135	Potential Second-Hits in Hereditary Hemorrhagic Telangiectasia. <b>2020</b> , 9,		14
134	Overexpression of Activin Receptor-Like Kinase 1 in Endothelial Cells Suppresses Development of Arteriovenous Malformations in Mouse Models of Hereditary Hemorrhagic Telangiectasia. <i>Circulation Research</i> , <b>2020</b> , 127, 1122-1137	15.7	11
133	Podocyte and endothelial-specific elimination of BAMBI identifies differential transforming growth[factor-[pathways contributing to diabetic[glomerulopathy. <b>2020</b> , 98, 601-614		9
132	Differential regulation of TGFItype-I receptor expressions in TGFII-induced myofibroblast differentiation. <b>2020</b> , 98, 841-848		1
131	Structural perspective of BMP ligands and signaling. <b>2020</b> , 140, 115549		12
130	Inducers of the endothelial cell barrier identified through chemogenomic screening in genome-edited hPSC-endothelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 19854-19865	11.5	19
129	Emerging importance of molecular pathogenesis of vascular malformations in clinical practice and classifications. <b>2020</b> , 25, 364-377		10
128	MiR-199b-5p Suppresses Tumor Angiogenesis Mediated by Vascular Endothelial Cells in Breast Cancer by Targeting ALK1. <b>2019</b> , 10, 1397		23
127	Endoglin: Beyond the Endothelium. <b>2020</b> , 10,		28
126	Angiocrine FSTL1 (Follistatin-Like Protein 1) Insufficiency Leads to Atrial and Venous Wall Fibrosis via SMAD3 Activation. <b>2020</b> , 40, 958-972		3
125	TMEM100 is a key factor for specification of lymphatic endothelial progenitors. <b>2020</b> , 23, 339-355		12
124	Enhanced thrombospondin-1 causes dysfunction of vascular endothelial cells derived from Fabry disease-induced pluripotent stem cells. <b>2020</b> , 52, 102633		12
123	Genetic algorithms identify individuals with high risk of severe liver disease caused by schistosomes. <b>2020</b> , 139, 821-831		7

122	The role of mural cells in hemorrhage of brain arteriovenous malformation. <b>2021</b> , 2, 49-56		0
121	Targeting TGFIsignal transduction for cancer therapy. <b>2021</b> , 6, 8		62
120	The quiescent endothelium: signalling pathways regulating organ-specific endothelial normalcy. <i>Nature Reviews Cardiology</i> , <b>2021</b> , 18, 565-580	14.8	28
119	Molecular and Genetic Profiling for Precision Medicines in Pulmonary Arterial Hypertension. <b>2021</b> , 10,		4
118	Evolution of Matrix Gla and Bone Gla Protein Genes in Jawed Vertebrates. <b>2021</b> , 12, 620659		2
117	Pulmonary Vascular Complications in Hereditary Hemorrhagic Telangiectasia and the Underlying Pathophysiology. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
116	ALK1 regulates the internalization of endoglin and the type III TGF-I eceptor. 2021, 32, 605-621		1
115	Vascular endothelial cell specification in health and disease. <b>2021</b> , 24, 213-236		8
114	Bone Morphogenic Protein Signaling and Melanoma. <b>2021</b> , 22, 48		0
113	Use of a panel of four microRNAs in CSF as a predicted biomarker for postoperative neoangiogenesis in moyamoya disease. <b>2021</b> , 27, 908-918		1
112	Dihydroartemisinin inhibits endothelial cell migration via the TGF-11/ALK5/SMAD2 signaling pathway. <i>Experimental and Therapeutic Medicine</i> , <b>2021</b> , 22, 709	2.1	1
111	Inhibiting Endothelial Cell Function in Normal and Tumor Angiogenesis Using BMP Type I Receptor Macrocyclic Kinase Inhibitors. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
110	Different cardiovascular and pulmonary phenotypes for single- and double-knock-out mice deficient in BMP9 and BMP10. <b>2021</b> ,		7
109	Lung Pericytes in Pulmonary Vascular Physiology and Pathophysiology. <b>2021</b> , 11, 2227-2247		4
108	BMP9 and BMP10: two close vascular quiescence partners that stand out. <b>2021</b> ,		6
107	Arteriovenous Malformations-Current Understanding of the Pathogenesis with Implications for Treatment. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	5
106	Progress and prospects of mechanotransducers in shear stress-sensitive signaling pathways in association with arteriovenous malformation. <b>2021</b> , 88, 105417		1
105	Prevalence of and Factors Associated with Arterial Aneurysms in Patients with Hereditary Hemorrhagic Telangiectasia: 17-Year Retrospective Series of 418 Patients. <b>2021</b> , 32, 1661-1669		2

104	Fine-tuning ALK1 linear polyubiquitination to control angiogenesis. 2021, 31, 705-707		1
103	Translational medicine in hereditary hemorrhagic telangiectasia. 2021,		1
102	Development of the Blood-Brain Interface. 9-39		5
101	TGF-lireceptors: Assembly, signalling, and disease relevance. <b>2006</b> , 6, 301-313		3
100	Genetic Disruptions within the Murine Genome Reveal Numerous Roles of the Smad Gene Family in Development, Disease, and Cancer. <b>2006</b> , 151-176		2
99	Role of Pericytes in Angiogenesis. <b>2008</b> , 117-132		8
98	Hereditary Haemorrhagic Telangiectasia. <b>2010</b> , 167-188		1
97	BMP9, BMP10, and ALK1: An Emerging Vascular Signaling Pathway with Therapeutic Applications. <b>2014</b> , 99-119		1
96	Biology of bone morphogenetic proteins. <b>2004</b> , 45-72		6
95	Identification and characterization of human cell populations capable of forming stable hyaline cartilage in vivo. <b>2002</b> , 67-76		4
94	Pathobiology of True Arteriovenous Malformations. <b>2011</b> , 4004-4015		2
93	Tacrolimus rescues endothelial ALK1 loss-of-function signaling and improves HHT vascular pathology.		1
92	Id: A Target of BMP Signaling. <i>Science Signaling</i> , <b>2002</b> , 2002, pe40-pe40	8.8	10
91	Impaired SMAD1/5 Mechanotransduction and Cx37 (Connexin37) Expression Enable Pathological Vessel Enlargement and Shunting. <b>2020</b> , 40, e87-e104		16
90	Loss of SPARC-mediated VEGFR-1 suppression after injury reveals a novel antiangiogenic activity of VEGF-A. <b>2006</b> , 116, 422-9		69
89	Developmental and tumoral vascularization is regulated by G protein-coupled receptor kinase 2. <b>2013</b> , 123, 4714-30		50
88	Melanocyte-secreted fibromodulin promotes an angiogenic microenvironment. <b>2014</b> , 124, 425-36		45
87	Transforming growth factor Bignal transduction. 2002, 71, 731-740		44

86	Development of the Blood <b>B</b> rain Barrier. <b>2005</b> , 1-26	3
85	Lost-a-fin encodes a type I BMP receptor, Alk8, acting maternally and zygotically in dorsoventral pattern formation. <b>2001</b> , 128, 859-869	125
84	Disruption ofacvrl1increases endothelial cell number in zebrafish cranial vessels. <b>2002</b> , 129, 3009-3019	260
83	Cardiovascular ephrinB2 function is essential for embryonic angiogenesis. <b>2002</b> , 129, 1397-1410	185
82	Molecular regulation of arteriovenous endothelial cell specification. 2019, 8,	23
81	TGFII-induced Baf60c regulates both smooth muscle cell commitment and quiescence. <b>2012</b> , 7, e47629	8
80	ENDOGLIN is dispensable for vasculogenesis, but required for vascular endothelial growth factor-induced angiogenesis. <b>2014</b> , 9, e86273	47
79	Circulating angiogenic cell dysfunction in patients with hereditary hemorrhagic telangiectasia. <b>2014</b> , 9, e89927	13
78	Endothelial depletion of Acvrl1 in mice leads to arteriovenous malformations associated with reduced endoglin expression. <b>2014</b> , 9, e98646	71
77	Activin Receptor-Like Kinase Receptors ALK5 and ALK1 Are Both Required for TGFIInduced Chondrogenic Differentiation of Human Bone Marrow-Derived Mesenchymal Stem Cells. <b>2015</b> , 10, e0146124	21
76	Coicis semen protects against focal cerebral ischemia-reperfusion injury by inhibiting oxidative stress and promoting angiogenesis via the TGF/ALK1/Smad1/5 signaling pathway. <b>2020</b> , 13, 877-893	15
75	Compound genetically engineered mouse models of cancer reveal dual targeting of ALK1 and endoglin as a synergistic opportunity to impinge on angiogenic TGF-Bignaling. <b>2016</b> , 7, 84314-84325	8
74	Metformin inhibits ALK1-mediated angiogenesis via activation of AMPK. <b>2017</b> , 8, 32794-32806	23
73	Radial Glia-endothelial CellsNBidirectional Interactions Control Vascular Maturation and Astrocyte Differentiation: Impact for Blood-brain Barrier Formation. <b>2019</b> , 16, 291-300	11
72	The Local Control of the Pituitary by Activin Signaling and Modulation. 2011, 4, 90-101	13
71	Angiogenesis and vascular malformations: antiangiogenic drugs for treatment of gastrointestinal bleeding. <b>2007</b> , 13, 5979-84	53
7º	Testicular expression of the TGF-<i></i>1 system and the control of Leydig cell proliferation. <b>2013</b> , 04, 1-7	3
69	BMPs and their clinical potentials. <b>2011</b> , 44, 619-34	61

68	Skin vasculature and hair follicle cross-talking associated with stem cell activation and tissue homeostasis. <b>2019</b> , 8,	23
67	Tumor Microenvironment. <b>2021</b> , 243-316	
66	Bone Marrow-Derived Alk1 Mutant Endothelial Cells and Clonally Expanded Somatic Alk1 Mutant Endothelial Cells Contribute to the Development of Brain Arteriovenous Malformations in Mice. <b>2021</b> , 1	О
65	Molecular Biology of Vascular Remodeling. <b>2002</b> , 242-264	
64	Transcription Factors in the Control of Tumor Development and Progression by TGF-ßignaling. <b>2004</b> , 167-207	
63	Hereditary Hemorrhagic Telangiectasia.	
62	Smad Signaling in Leukemic Growth and Differentiation: Crosstalk Between Smad and Multiple Pathways Through Activation of the TGF-Type I Receptor. <b>2008</b> , 247-261	
61	TGF-ßignaling and Vascular Morphogenesis. <b>2008</b> , 507-521	
60	Endothelial Ontogeny During Embryogenesis: Role of Cytokine Signaling Pathways. <b>2009</b> , 319-328	
59	Pulmonary Hypertension Due to Capillary Hemangiomatosis. <b>2011</b> , 1297-1304	
58	Pathogenesis of Pulmonary Arterial Hypertension: Clues From Patients and Animal Models of Hereditary Hemorrhagic Telangiectasia. <b>2012</b> , 11, 128-129	
57	The Mechanism of Stem Cell Differentiation into Smooth Muscle Cells. <b>2013</b> , 1-32	
56	TGF-Lagraling in Physiological and Pathological Angiogenesis. 2013, 323-348	
55	Role of Transforming Growth Factor Beta in Angiogenesis. <b>2013</b> , 23-45	1
54	Vascular Genetical Embryology. <b>2014</b> , 1-30	
53	Development of Resistance to Targeted Therapy: Preclinical Findings and Clinical Relevance. <b>2015</b> , 319-348	
52	Molecular and Genetic Aspects of Hemangiomas and Vascular Malformations. 2015, 21-38	1
51	Vascular Genetical Embryology. <b>2015</b> , 3-26	

#### (2021-2015)

33

Journal, **2021**, 9,

Application of Hyperspectral Imaging System to Analyze Vascular Alteration for Preclinical Models. 50 Journal of the Korea Society of Computer and Information, 2015, 20, 69-76 Tumor Microenvironment. 2016, 233-303 49 A mouse model of hereditary hemorrhagic telangiectasia generated by transmammary-delivered 48 immunoblocking of BMP9 and BMP10. Role of Transforming Growth Factor Beta Family in Angiogenesis. 2017, 75-103 47 Physiological and Pathological Consequences of Vascular BMP Signaling. 2017, 367-407 46 The role of BMP6 in the proliferation and differentiation of chicken cartilage cells. 45 Angiocrine FSTL1 insufficiency leads to atrial and vein wall fibrosis via SMAD3 activation. 44 The Dual Effect of the BMP9-ALK1 Pathway in Blood Vessels: An Opportunity for Cancer Therapy 6.6 43 Improvement?. Cancers, 2021, 13, Novel experimental model of brain arteriovenous malformations using conditional Alk1 gene Ο 42 3.2 deletion in transgenic mice. Journal of Neurosurgery, 2021, 1-12 41 TGFIReceptor Signaling in Cancer and Metastasis. 2001, 187-222 Gene Expression Signatures of TGF-\( \mathbb{I}\)Smad-Induced Responses. **2006**, 335-360 40 Meeting Report: Signaling Schemes for TGF-[] Science Signaling, 2001, 2001, pe43-pe43 8.8 39 38 The Molecular Basis of Cerebrovascular Malformations. 2005, 437-450 Arteriovenous Malformation in Mice and Men. 2008, 363-374 37 Review on Hypothetical Implementing TGF-Family Members in Glaucoma Therapy. Medical 36 1.4 7 Hypothesis, Discovery, and Innovation in Ophthalmology, **2012**, 1, 57-62 Semaphorin 3A blocks the formation of pathologic choroidal neovascularization induced by 35 2.3 25 transforming growth factor beta. *Molecular Vision*, **2014**, 20, 1258-70 Inhibition of ALK2 with bicyclic pyridyllactams. Bioorganic and Medicinal Chemistry Letters, 2021, 55, 128453  $\circ$ 34

A Synopsis of Signaling Crosstalk of Pericytes and Endothelial Cells in Salivary Gland.. Dentistry

3.1

32	Connective Tissue Disorders and Cardiovascular Complications: The Indomitable Role of Transforming Growth Factor-Bignaling. <i>Advances in Experimental Medicine and Biology</i> , <b>2021</b> , 1348, 161-184	3.6	0
31	Transforming growth factor-lin myocardial disease Nature Reviews Cardiology, 2022,	14.8	11
30	The versatility and paradox of BMP signaling in endothelial cell behaviors and blood vessel function <i>Cellular and Molecular Life Sciences</i> , <b>2022</b> , 79, 77	10.3	2
29	Interfering in the ALK1 Pathway Results in Macrophage-Driven Outward Remodeling of Murine Vein Grafts <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 784980	5.4	О
28	Rethinking growth factors: the case of BMP9 during vessel maturation <i>Vascular Biology (Bristol, England)</i> , <b>2022</b> , 4, R1-R14	2.9	О
27	LRG1 Accelerates Wound Healing in Diabetic Rats by Promoting Angiogenesis via the Wnt/ECatenin Signaling Pathway <i>International Journal of Lower Extremity Wounds</i> , <b>2022</b> , 1534734622	108161	01
26	Endoglin and Activin Receptor-like Kinase 1 (Alk1) Modify Adrenomedullin Expression in an Organ-Specific Manner in Mice <i>Biology</i> , <b>2022</b> , 11,	4.9	0
25	In the spotlight: the role of TGFI ignalling in haematopoietic stem and progenitor cell emergence <i>Biochemical Society Transactions</i> , <b>2022</b> ,	5.1	O
24	TGF-IPotentiates the Cytotoxicity of Cadmium by Induction of a Metal Transporter, ZIP8, Mediated by the ALK5-Smad2/3 and ALK5-Smad3-p38 MAPK Signal Pathways in Cultured Vascular Endothelial Cells <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 23,	6.3	1
23	Cerebral Hemorrhage: Pathophysiology, Treatment, and Future Directions <i>Circulation Research</i> , <b>2022</b> , 130, 1204-1229	15.7	5
22	Table_1.docx. <b>2020</b> ,		
21	Table_2.xlsx. <b>2020</b> ,		
20	Exploring Endothelial Colony-Forming Cells to Better Understand the Pathophysiology of Disease: An Updated Review. <i>Stem Cells International</i> , <b>2022</b> , 2022, 1-14	5	O
19	Functional Alterations Involved in Increased Bleeding in Hereditary Hemorrhagic Telangiectasia Mouse Models. <i>Frontiers in Medicine</i> , <b>2022</b> , 9,	4.9	O
18	Endothelial Activin Receptor-Like Kinase 1 (ALK1) Regulates Myofibroblast Emergence and Peritubular Capillary Stability in the Early Stages of Kidney Fibrosis. <i>Frontiers in Pharmacology</i> , 13,	5.6	O
17	An in vitro study on the effect of bevacizumab on endothelial cell proliferation and VEGF concentration level in patients with hereditary hemorrhagic telangiectasia. <i>Experimental and Therapeutic Medicine</i> , <b>2022</b> , 24,	2.1	O
16	Recent advances and application of ruthenium complexes in tumor malignancy. <i>Materials Today: Proceedings</i> , <b>2022</b> ,	1.4	2
15	TGF- <b>S</b> uperfamily Signaling in the Eye: Implications for Ocular Pathologies. <b>2022</b> , 11, 2336		O

#### CITATION REPORT

14	The Provenance, Providence, and Position of Endothelial Cells in Injured Spinal Cord Vascular Pathology.	O
13	MED1 Regulates BMP/TGF-lin Endothelium: Implication for Pulmonary Hypertension. <b>2022</b> , 131, 828-841	O
12	Metformin suppresses LRG1 and TGFII/ALK1-induced angiogenesis and protects against ultrastructural changes in rat diabetic nephropathy. <b>2023</b> , 158, 114128	O
11	Brain arteriovenous malformation in hereditary hemorrhagic telangiectasia: Recent advances in cellular and molecular mechanisms. 16,	O
10	Endothelial SMAD1/5 signaling couples angiogenesis to osteogenesis during long bone growth.	O
9	Endothelial-to-mesenchymal transition: An underappreciated mediator of diabetic complications. 14,	O
8	Novel Animal Model of Limbal Stem Cell Deficiency Induced by Forcing Eye-Open at Birth. <b>2023</b> , Publish Ahead of Print,	О
7	Insights into bone morphogenetic proteins in cardiovascular diseases. 14,	O
6	Perioperative Decision-Making in Pulmonary Hypertension. <b>2023</b> , 32, 454-466	O
5	Shaping the brain vasculature in development and disease in the single-cell era. <b>2023</b> , 24, 271-298	O
4	Endothelial Cell SMAD6 Balances ACVRL1/Alk1 Function to Regulate Adherens Junctions and Hepatic Vascular Development.	O
3	Blood endothelial ALK1-BMP4 signaling axis regulates adult hair follicle stem cell activation.	O
2	The Role of TGF-B in Radiation Response. <b>2023</b> , 24, 7614	O
1	Parsimonious Effect of Pentoxifylline on Angiogenesis: A Novel Pentoxifylline-Biased Adenosine G Protein-Coupled Receptor Signaling Platform. <b>2023</b> , 12, 1199	O