

# Serine/Threonine Protein Kinases and Apoptosis

Experimental Cell Research

256, 34-41

DOI: [10.1006/excr.2000.4836](https://doi.org/10.1006/excr.2000.4836)

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Reperfusion Injury Revisited Is There a Role for Growth Factor Signaling in Limiting Lethal Reperfusion Injury?. Trends in Cardiovascular Medicine, 1999, 9, 245-249.  | 2.3  | 99        |
| 2  | The Role of Apoptosis in Regulating Hematopoiesis and Hematopoietic Stem Cells. Immunologic Research, 2000, 22, 83-94.   | 1.3  | 40        |
| 3  | Rapid Dephosphorylation of H1 Histones after Apoptosis Induction. Journal of Biological Chemistry, 2000, 275, 30478-30486.   | 1.6  | 49        |
| 4  | The Mixed Lineage Kinase DLK Is Oligomerized by Tissue Transglutaminase during Apoptosis. Journal of Biological Chemistry, 2000, 275, 32482-32490.   | 1.6  | 31        |
| 5  | The Dstpk61 locus of Drosophila produces multiple transcripts and protein isoforms, suggesting it is involved in multiple signalling pathways. Journal of Endocrinology, 2000, 167, 391-401.   | 1.2  | 9         |
| 6  | Physiological Substrates of cAMP-Dependent Protein Kinase. Chemical Reviews, 2001, 101, 2381-2412.   | 23.0 | 339       |
| 7  | Inhibition of Na,K-ATPase Activates PI3 Kinase and Inhibits Apoptosis in LLC-PK1 Cells. Biochemical and Biophysical Research Communications, 2001, 285, 46-51.   | 1.0  | 64        |
| 8  | MEK1/2 Inhibitors Promote Ara-C-Induced Apoptosis but Not Loss of $\beta$ -tubulin in HL-60 Cells. Biochemical and Biophysical Research Communications, 2001, 286, 1011-1018.  | 1.0  | 14        |
| 9  | Constitutive Hyperexpression of p21WAF1 in Human U266 Myeloma Cells Blocks the Lethal Signaling Induced by Oxidative Stress but Not by Fas. Biochemical and Biophysical Research Communications, 2001, 289, 34-38.   | 1.0  | 16        |
| 10 | Somatostatin Type V Receptor Activates c-Jun N-Terminal Kinases via G $\alpha$ 12 Family G Proteins. Biochemical and Biophysical Research Communications, 2001, 289, 1211-1217.  | 1.0  | 15        |
| 11 | Fertilization Blocks Apoptosis of Starfish Eggs by Inactivation of the MAP Kinase Pathway. Developmental Biology, 2001, 237, 18-28.  | 0.9  | 43        |
| 12 | Participation of Intracellular Ca <sup>2+</sup> /Calmodulin and Protein Kinase(s) in the Pathway of Apoptosis Induced by a Drosophila Cell Death Gene, reaper. Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications, 2001, 4, 307-312. | 1.7  | 5         |
| 13 | Increased Osteoblast Apoptosis in Apert Craniosynostosis. American Journal of Pathology, 2001, 158, 1833-1842.   | 1.9  | 77        |
| 14 | H-7 and fetal calf serum (FCS) act synergistically to increase apoptosis in the KB line of human oral carcinoma cells. Tissue and Cell, 2001, 33, 368-375.   | 1.0  | 0         |
| 15 | Possible involvement of PKC isoforms in signalling placental apoptosis in intrauterine growth retardation. Molecular and Cellular Endocrinology, 2001, 185, 119-126.   | 1.6  | 19        |
| 16 | $\alpha$ -lipoic acid protects rat cortical neurons against cell death induced by amyloid and hydrogen peroxide through the Akt signalling pathway. Neuroscience Letters, 2001, 312, 125-128.  | 1.0  | 124       |
| 17 | Crosstalk between p38, Hsp25 and Akt in spinal motor neurons after sciatic nerve injury. Molecular Brain Research, 2001, 93, 199-208.  | 2.5  | 90        |
| 18 | Modulated kinase activities in cells undergoing tumour necrosis factor-induced apoptotic cell death. FEBS Letters, 2001, 505, 68-74.   | 1.3  | 11        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Protein kinase C inhibitors as novel anticancer drugs. Expert Opinion on Investigational Drugs, 2001, 10, 2117-2140.  | 1.9  | 167       |
| 20 | Phosphopeptide Derivatization Signatures To Identify Serine and Threonine Phosphorylated Peptides by Mass Spectrometry. Analytical Chemistry, 2001, 73, 5387-5394.  | 3.2  | 73        |
| 21 | Phosphoinositide-Regulated Kinases and Phosphoinositide Phosphatases. Chemical Reviews, 2001, 101, 2365-2380.   | 23.0 | 112       |
| 22 | Increased Cytokine-Induced Cytotoxicity of Pancreatic Islet Cells from Transgenic Mice Expressing the Src-like Tyrosine Kinase GTK. Molecular Medicine, 2001, 7, 301-310.   | 1.9  | 15        |
| 23 | Human intestinal epithelial cell survival: differentiation state-specific control mechanisms. American Journal of Physiology - Cell Physiology, 2001, 280, C1540-C1554.   | 2.1  | 84        |
| 24 | Sustained hyposmotic stress induces cell death: apoptosis by defeat. American Journal of Physiology - Cell Physiology, 2001, 281, C1716-C1726.  | 2.1  | 13        |
| 25 | Bcl-2 protects lymphoma cells from apoptosis but not growth arrest promoted by cAMP and dexamethasone. American Journal of Physiology - Cell Physiology, 2001, 281, C1642-C1647.  | 2.1  | 39        |
| 26 | Sequence-Dependent Potentiation of Paclitaxel-Mediated Apoptosis in Human Leukemia Cells by Inhibitors of the Mitogen-Activated Protein Kinase/Mitogen-Activated Protein Kinase Pathway. Molecular Pharmacology, 2001, 60, 143-154.                 | 1.0  | 65        |
| 27 | Increased sensitivity to cytosine arabinoside in human leukemia by c-raf-1 antisense oligonucleotides. Anti-Cancer Drugs, 2001, 12, 325-329.  | 0.7  | 4         |
| 28 | Biochemie und Molekulargenetik 2000. Nachrichten Aus Der Chemie, 2001, 49, 321-336.   | 0.0  | 0         |
| 29 | Apoptosis in Autoimmune Diseases.. Internal Medicine, 2001, 40, 275-284.  | 0.3  | 162       |
| 30 | Tumour necrosis factor- $\alpha$ activation of protein kinase B in WEHI-164 cells is accompanied by increased phosphorylation of Ser473, but not Thr308. Biochemical Journal, 2001, 359, 119.   | 1.7  | 18        |
| 31 | Nicotine Inhibition of Apoptosis in Murine Immune Cells. Experimental Biology and Medicine, 2001, 226, 947-953.   | 1.1  | 25        |
| 32 | Molecular machinery and signaling events in apoptosis. Drug Development Research, 2001, 52, 558-570.  | 1.4  | 19        |
| 33 | Differential sensitivity to apoptosis between the human small and large intestinal mucosae: Linkage with segment-specific regulation of Bcl-2 homologs and involvement of signaling pathways*. Journal of Cellular Biochemistry, 2001, 82, 339-355. | 1.2  | 34        |
| 34 | Genetic evidence that Sil is required for the sonic hedgehog response pathway. Genesis, 2001, 31, 72-77.  | 0.8  | 51        |
| 35 | The DAP kinase family of pro-apoptotic proteins: novel players in the apoptotic game. BioEssays, 2001, 23, 352-358.   | 1.2  | 89        |
| 36 | Role of apoptosis of renal tubular cells in acute renal failure: therapeutic implications. Apoptosis: an International Journal on Programmed Cell Death, 2001, 6, 83-102.   | 2.2  | 79        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The role of apoptosis in regulating hematopoietic stem cell numbers. , 2001, 6, 239-252.  |     | 32        |
| 38 | Fas-induced apoptosis in mouse hepatocytes is dependent on C/EBP $\beta$ . Hepatology, 2001, 33, 1166-1172.   | 3.6 | 13        |
| 39 | Dlk/ZIP kinase-induced apoptosis in human medulloblastoma cells: requirement of the mitochondrial apoptosis pathway. British Journal of Cancer, 2001, 85, 1801-1808.  | 2.9 | 63        |
| 40 | Inhibition of mammary epithelial apoptosis and sustained phosphorylation of Akt/PKB in MMTV-IGF-II transgenic mice. Cell Death and Differentiation, 2001, 8, 16-29.   | 5.0 | 81        |
| 41 | Differentiation therapy of human cancer: basic science and clinical applications. , 2001, 90, 105-156.  |     | 261       |
| 42 | PTEN and myotubularin phosphoinositide phosphatases: bringing bioinformatics to the lab bench. Current Opinion in Cell Biology, 2001, 13, 172-181.  | 2.6 | 69        |
| 43 | Possible Involvement of Auxin-Induced Ethylene in an Apoptotic Cell Death during Temperature-Sensitive Lethality Expressed by Hybrid between <i>Nicotiana glutinosa</i> and <i>N. repanda</i> . Plant and Cell Physiology, 2001, 42, 923-930.   | 1.5 | 16        |
| 44 | Phosphorylation of the Protein Kinase Mutated in Peutz-Jeghers Cancer Syndrome, LKB1/STK11, at Ser431 by p90RSK and cAMP-dependent Protein Kinase, but Not Its Farnesylation at Cys433, Is Essential for LKB1 to Suppress Cell Growth. Journal of Biological Chemistry, 2001, 276, 19469-19482. | 1.6 | 234       |
| 45 | Rac1 Protects Epithelial Cells against Anoikis. Journal of Biological Chemistry, 2001, 276, 28113-28120.  | 1.6 | 77        |
| 46 | Inhibition of Anti-IgM-induced Translocation of Protein Kinase C $\beta$ 1 Inhibits ERK2 Activation and Increases Apoptosis. Journal of Biological Chemistry, 2001, 276, 24506-24510.   | 1.6 | 21        |
| 47 | Both Phosphorylation and Caspase-mediated Cleavage Contribute to Regulation of the Ste20-like Protein Kinase Mst1 during CD95/Fas-induced Apoptosis. Journal of Biological Chemistry, 2001, 276, 14909-14915.   | 1.6 | 133       |
| 48 | PECAM $\alpha$ 1 shedding during apoptosis generates a membrane $\alpha$ anchored truncated molecule with unique signaling characteristics. FASEB Journal, 2001, 15, 362-372.   | 0.2 | 128       |
| 49 | Bone Morphogenetic Protein-2 Promotes Osteoblast Apoptosis through a Smad-independent, Protein Kinase C-dependent Signaling Pathway. Journal of Biological Chemistry, 2001, 276, 29028-29036.   | 1.6 | 158       |
| 50 | Apoptosis, Part I: Biochemical assessment. Advances in Clinical Chemistry, 2001, 36, 63-107.  | 1.8 | 0         |
| 51 | Fas-independent Apoptosis Induced by UVC in p53-Mutated Human Epithelial Tumor A431 Cells through Activation of Caspase-8 and JNK/SAPK. Journal of Radiation Research, 2001, 42, 201-215.   | 0.8 | 12        |
| 52 | Protein Kinase C $\beta$ Activation Mediates Glucagon-Like Peptide-1-Induced Pancreatic $\beta$ -Cell Proliferation. Diabetes, 2001, 50, 2237-2243.   | 0.3 | 240       |
| 53 | Raf-MEK-Erk Cascade in Anoikis Is Controlled by Rac1 and Cdc42 via Akt. Molecular and Cellular Biology, 2001, 21, 6706-6717.  | 1.1 | 108       |
| 54 | Proteolytic Activation of Etk/Bmx Tyrosine Kinase by Caspases. Journal of Biological Chemistry, 2001, 276, 17672-17678.   | 1.6 | 28        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Cloning and mitochondrial localization of full-length D-AKAP2, a protein kinase A anchoring protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 3220-3225.  | 3.3 | 91        |
| 56 | Nitric oxide induces extensive apoptosis in endometrial epithelial cells in the presence of progesterone: involvement of mitogen-activated protein kinase pathways. <i>Molecular Human Reproduction</i> , 2001, 7, 755-763.                                   | 1.3 | 31        |
| 57 | Interleukin-15 Expression Is Associated with Malignant Potential in Colon Cancer Cells. <i>Pathobiology</i> , 2001, 69, 86-95.  | 1.9 | 25        |
| 58 | Microarray Analysis of Eosinophils Reveals a Number of Candidate Survival and Apoptosis Genes. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001, 25, 425-433.   | 1.4 | 69        |
| 59 | Cellular Components of the Coronary Vasculature Exhibit Differential Sensitivity to Low Temperature Insult. <i>Cell Preservation Technology</i> , 2002, 1, 269-280.   | 0.8 | 11        |
| 60 | Temporal Activation of p42/44 Mitogen-Activated Protein Kinase and c-Jun N-Terminal Kinase by Acetaldehyde in Rat Hepatocytes and Its Loss after Chronic Ethanol Exposure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 301, 908-914. | 1.3 | 49        |
| 61 | Protein Kinase A Deficiency Causes Axially Localized Neural Tube Defects in Mice. <i>Journal of Biological Chemistry</i> , 2002, 277, 19889-19896.  | 1.6 | 93        |
| 62 | Tyrosine Phosphorylation of Protein Kinase C $\delta$ Is Essential for Its Apoptotic Effect in Response to Etoposide. <i>Molecular and Cellular Biology</i> , 2002, 22, 182-195.  | 1.1 | 183       |
| 63 | Infection of Glioma Cells with Sindbis Virus Induces Selective Activation and Tyrosine Phosphorylation of Protein Kinase C $\delta$ . <i>Journal of Biological Chemistry</i> , 2002, 277, 23693-23701.  | 1.6 | 54        |
| 64 | Evidence That Inhibition of p44/42 Mitogen-activated Protein Kinase Signaling Is a Factor in Proteasome Inhibitor-mediated Apoptosis. <i>Journal of Biological Chemistry</i> , 2002, 277, 27864-27871.  | 1.6 | 100       |
| 65 | Induction of Apoptosis by Protein Kinase C $\delta$ Is Independent of Its Kinase Activity. <i>Journal of Biological Chemistry</i> , 2002, 277, 32054-32062.   | 1.6 | 45        |
| 66 | Loss of Interleukin 6 Results in Delayed Mammary Gland Involution: A Possible Role for Mitogen-Activated Protein Kinase and Not Signal Transducer and Activator of Transcription 3. <i>Molecular Endocrinology</i> , 2002, 16, 2902-2912.                     | 3.7 | 61        |
| 67 | AKT proto-oncogene overexpression is an early event during sporadic colon carcinogenesis. <i>Carcinogenesis</i> , 2002, 23, 201-205.  | 1.3 | 294       |
| 68 | Nitric Oxide Mediates the Antiapoptotic Effect of Insulin in Myocardial Ischemia-Reperfusion. <i>Circulation</i> , 2002, 105, 1497-1502.  | 1.6 | 458       |
| 69 | DYRK3 Activation, Engagement of Protein Kinase A/cAMP Response Element-binding Protein, and Modulation of Progenitor Cell Survival. <i>Journal of Biological Chemistry</i> , 2002, 277, 47052-47060.  | 1.6 | 34        |
| 70 | Multiple Members of the Mitogen-activated Protein Kinase Family Are Necessary for PED/PEA-15 Anti-apoptotic Function. <i>Journal of Biological Chemistry</i> , 2002, 277, 11013-11018.  | 1.6 | 47        |
| 71 | Peritoneal CD5+ B-1 Cells Have Signaling Properties Similar to Tolerant B Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 30707-30715.   | 1.6 | 79        |
| 72 | Presence of mitogen-activated protein kinase in retinal Muller cells and its neuroprotective effect ischemia-reperfusion injury. <i>NeuroReport</i> , 2002, 13, 2103-2107.  | 0.6 | 45        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Involvement of protein kinase C and phosphatidylinositol 3-kinase pathways in the survival of B-cell chronic lymphocytic leukemia cells. <i>Blood</i> , 2002, 99, 2969-2976.   | 0.6 | 131       |
| 74 | Erythrocyte survival is promoted by plasma and suppressed by a Bak-derived BH3 peptide that interacts with membrane-associated Bcl-XL. <i>Blood</i> , 2002, 99, 3439-3448.   | 0.6 | 32        |
| 75 | Combined treatment with the checkpoint abrogator UCN-01 and MEK1/2 inhibitors potently induces apoptosis in drug-sensitive and -resistant myeloma cells through an IL-6-independent mechanism. <i>Blood</i> , 2002, 100, 3333-3343.                | 0.6 | 96        |
| 76 | Chronic Ethanol Exposure Potentiates Lipopolysaccharide Liver Injury Despite Inhibiting Jun N-terminal Kinase and Caspase 3 Activation. <i>Journal of Biological Chemistry</i> , 2002, 277, 13037-13044.   | 1.6 | 76        |
| 77 | Tumour necrosis factor-induced activation of c-Jun N-terminal kinase is sensitive to caspase-dependent modulation while activation of mitogen-activated protein kinase (MAPK) or p38 MAPK is not. <i>Biochemical Journal</i> , 2002, 366, 145-155. | 1.7 | 22        |
| 78 | Invited Review: Interplay between molecular chaperones and signaling pathways in survival of heat shock. <i>Journal of Applied Physiology</i> , 2002, 92, 1743-1748.   | 1.2 | 157       |
| 79 | Proteasome Inhibitors Block Ras/ERK Signaling Pathway Resulting in the Downregulation of Fas Ligand Expression during Activation-Induced Cell Death in T Cells. <i>Journal of Biochemistry</i> , 2002, 131, 319-326.                               | 0.9 | 14        |
| 80 | Caspase Activation of Mammalian Sterile 20-like Kinase 3 (Mst3). <i>Journal of Biological Chemistry</i> , 2002, 277, 34367-34374.  | 1.6 | 79        |
| 81 | JNK Signaling Pathway Is Required for Efficient Wound Healing in Drosophila. <i>Developmental Biology</i> , 2002, 241, 145-156.  | 0.9 | 273       |
| 82 | Differential Regulation of the Mitogen-Activated Protein Kinases by Pathogenic and Nonpathogenic Mycobacteria. <i>Infection and Immunity</i> , 2002, 70, 3040-3052.  | 1.0 | 116       |
| 83 | Progression of dystrophic features and activation of mitogen-activated protein kinases and calcineurin by physical exercise, in hearts of mdx mice. <i>FEBS Letters</i> , 2002, 520, 18-24.  | 1.3 | 79        |
| 84 | Sustained activation of AMP-activated protein kinase induces c-Jun N-terminal kinase activation and apoptosis in liver cells. <i>FEBS Letters</i> , 2002, 526, 38-42.  | 1.3 | 182       |
| 85 | Caspase activation in etoposide-treated fibroblasts is correlated to ERK phosphorylation and both events are blocked by polyamine depletion. <i>FEBS Letters</i> , 2002, 527, 223-228.   | 1.3 | 61        |
| 86 | The role of signal transduction in cancer treatment and drug resistance. <i>European Journal of Surgical Oncology</i> , 2002, 28, 679-684.   | 0.5 | 19        |
| 87 | The PHD Domain of MEKK1 Acts as an E3 Ubiquitin Ligase and Mediates Ubiquitination and Degradation of ERK1/2. <i>Molecular Cell</i> , 2002, 9, 945-956.  | 4.5 | 294       |
| 88 | Mechanical strain and fluid movement both activate extracellular regulated kinase (ERK) in osteoblast-like cells but via different signaling pathways. <i>Bone</i> , 2002, 31, 186-194.  | 1.4 | 132       |
| 89 | Sphingosine kinase, sphingosine-1-phosphate, and apoptosis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2002, 1585, 193-201.   | 1.2 | 482       |
| 90 | Regulation of Bcl-2 family molecules and activation of caspase cascade involved in gypenosides-induced apoptosis in human hepatoma cells. <i>Cancer Letters</i> , 2002, 183, 169-178.  | 3.2 | 70        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Transforming growth factor- $\beta$ 2 induced cell death in the developing chick retina is mediated via activation of c-jun N-terminal kinase and downregulation of the anti-apoptotic protein Bcl-XL. <i>Neuroscience Letters</i> , 2002, 330, 239-242. | 1.0 | 17        |
| 92  | Stimulation of insulin secretion and associated nuclear accumulation of iPLA <sub>2</sub> in INS-1 insulinoma cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E820-E833.  | 1.8 | 34        |
| 93  | Activation of Bcl-2-Associated Death Protein and Counter-Response of Akt within Cell Populations during Seizure-Induced Neuronal Death. <i>Journal of Neuroscience</i> , 2002, 22, 8458-8465.  | 1.7 | 176       |
| 94  | Insulin-like growth factor I receptor is downregulated after alveolarization in an apoptotic fibroblast subset. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2002, 282, L457-L467.                                   | 1.3 | 14        |
| 95  | Neutral Endopeptidase/CD10 Expression during Phorbol Ester-induced Differentiation of Choriocarcinoma Cells through the Protein Kinase C- and Extracellular Signal-regulated Kinase-dependent Signalling Pathway. <i>Placenta</i> , 2002, 23, 475-482.   | 0.7 | 30        |
| 96  | Methylpyridinium (MPP+)- and nerve growth factor-induced changes in pro- and anti-apoptotic signaling pathways in SH-SY5Y neuroblastoma cells. <i>Brain Research</i> , 2002, 952, 98-110.  | 1.1 | 50        |
| 97  | Okadaic acid stimulates apoptosis through expression of Fas receptor and Fas ligand in human oral squamous carcinoma cells. <i>Oral Oncology</i> , 2002, 38, 16-22.  | 0.8 | 22        |
| 98  | Suppression of Egr-1 expression in human oral squamous carcinoma cells by okadaic acid. <i>Oral Oncology</i> , 2002, 38, 779-784.  | 0.8 | 5         |
| 99  | TNF receptor subtype signalling: Differences and cellular consequences. <i>Cellular Signalling</i> , 2002, 14, 477-492.  | 1.7 | 553       |
| 100 | TNF inhibited the apoptosis by activation of Akt serine/threonine kinase in the human head and neck squamous cell carcinoma. <i>Cellular Signalling</i> , 2002, 14, 771-778.   | 1.7 | 32        |
| 101 | NGF rescues human B lymphocytes from anti-IgM induced apoptosis by activation of PKC $\zeta$ . <i>European Journal of Immunology</i> , 2002, 32, 136-143.  | 1.6 | 39        |
| 102 | The phosphatidylinositol phosphatase PTEN is under control of costimulation and regulates proliferation in human T cells. <i>European Journal of Immunology</i> , 2002, 32, 1196-1204.   | 1.6 | 25        |
| 103 | Merosin-integrin promotion of skeletal myofiber cell survival: Differentiation state-distinct involvement of p60Fyn tyrosine kinase and p38 $\beta$ stress-activated MAP kinase. <i>Journal of Cellular Physiology</i> , 2002, 191, 69-81.               | 2.0 | 38        |
| 104 | The Roles of JNK1 and Stat3 in the Response of Head and Neck Cancer Cell Lines to Combined Treatment with All trans-retinoic Acid and 5-Fluorouracil. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 329-339.                                    | 1.7 | 44        |
| 105 | PTEN augments staurosporine-induced apoptosis in PTEN-null Ishikawa cells by downregulating PI3K/Akt signaling pathway. <i>Cell Death and Differentiation</i> , 2002, 9, 414-420.  | 5.0 | 37        |
| 106 | Regulation of p73 by c-Abl through the p38 MAP kinase pathway. <i>Oncogene</i> , 2002, 21, 974-979.  | 2.6 | 105       |
| 107 | TNF ligands and receptorsâ€¦a matter of life and death. <i>British Journal of Pharmacology</i> , 2002, 135, 855-875.   | 2.7 | 333       |
| 108 | Lovastatin is a potent inhibitor of meningioma cell proliferation: evidence for inhibition of a mitogen associated protein kinase. <i>Journal of Neuro-Oncology</i> , 2002, 56, 133-142.   | 1.4 | 59        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Oxidant-induced hepatocyte injury from menadione is regulated by ERK and AP-1 signaling. <i>Hepatology</i> , 2003, 37, 1405-1413.  | 3.6 | 118       |
| 110 | Regulation of cell apoptosis by protein kinase c delta. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2003, 8, 19-27.  | 2.2 | 380       |
| 111 | Sphingosine 1-phosphate antagonizes human neutrophil apoptosis via p38 mitogen-activated protein kinase. <i>Cellular and Molecular Life Sciences</i> , 2003, 60, 776-785.  | 2.4 | 10        |
| 112 | Suppression of the ERK1/2 signaling pathway from HCV NS5A protein expressed by herpes simplex recombinant viruses. <i>Archives of Virology</i> , 2003, 148, 237-251.   | 0.9 | 23        |
| 113 | Involvement of phosphatidylinositol 3-kinase $\hat{I}^3$ in neutrophil apoptosis. <i>Cellular Signalling</i> , 2003, 15, 225-233.  | 1.7 | 54        |
| 114 | Survival pathways regulating the apoptosis induced by tumour necrosis factor- $\hat{I}^{\pm}$ in primary cultured bovine endothelial cells. <i>Cellular Signalling</i> , 2003, 15, 539-546.                              | 1.7 | 17        |
| 115 | The Drosophila MicroRNA Mir-14 Suppresses Cell Death and Is Required for Normal Fat Metabolism. <i>Current Biology</i> , 2003, 13, 790-795.  | 1.8 | 904       |
| 116 | Modulation of mitogen-activated protein kinases by 6-nitro-7-hydroxycoumarin mediates apoptosis in renal carcinoma cells. <i>European Journal of Pharmacology</i> , 2003, 481, 159-167.                                  | 1.7 | 50        |
| 117 | Hepatitis C virus core protein activates ERK and p38 MAPK in cooperation with ethanol in transgenic mice. <i>Hepatology</i> , 2003, 38, 820-828.   | 3.6 | 95        |
| 118 | Merosin (laminin-2/4)-driven survival signaling: Complex modulations of Bcl-2 homologs. <i>Journal of Cellular Biochemistry</i> , 2003, 89, 1115-1125.   | 1.2 | 17        |
| 119 | Transforming growth factor- $\hat{I}^2$ and tumor necrosis factor- $\hat{I}^{\pm}$ cooperate to induce apoptosis in the oligodendroglial cell line OLI-neu. <i>Journal of Neuroscience Research</i> , 2003, 73, 324-333. | 1.3 | 16        |
| 120 | Role of protein kinase C in estrogen protection against apoptotic cerebellar cell death in ethanol-withdrawn rats. <i>Alcohol</i> , 2003, 31, 39-48.   | 0.8 | 15        |
| 121 | Pro-apoptotic protein kinase C $\hat{I}$ is associated with intranuclear inclusions in a transgenic model of Huntington's disease. <i>Journal of Neurochemistry</i> , 2003, 87, 395-406.                                 | 2.1 | 20        |
| 122 | Ceramide pathways modulate ethanol-induced cell death in astrocytes. <i>Journal of Neurochemistry</i> , 2003, 87, 1535-1545.   | 2.1 | 77        |
| 123 | Renal ischemia/reperfusion and ATP depletion/repletion in LLC-PK1 cells result in phosphorylation of FKHR and FKHL1. <i>Kidney International</i> , 2003, 64, 1189-1198.  | 2.6 | 75        |
| 124 | Macrophage signalling upon mycobacterial infection: the MAP kinases lead the way. <i>Cellular Microbiology</i> , 2003, 5, 133-142.   | 1.1 | 193       |
| 125 | Adenovirus-mediated PTEN treatment combined with caffeine produces a synergistic therapeutic effect in colorectal cancer cells. <i>Cancer Gene Therapy</i> , 2003, 10, 803-813.  | 2.2 | 30        |
| 126 | Activation of ERK1/2 protects melanoma cells from TRAIL-induced apoptosis by inhibiting Smac/DIABLO release from mitochondria. <i>Oncogene</i> , 2003, 22, 2869-2881.  | 2.6 | 150       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Myc pathways provoking cell suicide and cancer. <i>Oncogene</i> , 2003, 22, 9007-9021.   | 2.6 | 420       |
| 128 | Peroxynitrite-induced cytotoxicity: mechanism and opportunities for intervention. <i>Toxicology Letters</i> , 2003, 140-141, 113-124.  | 0.4 | 379       |
| 129 | PMA decreases the proliferation of retinal cells in vitro: the involvement of acetylcholine and BDNF. <i>Neurochemistry International</i> , 2003, 42, 73-80.   | 1.9 | 17        |
| 130 | Ischemia-reperfusion decreases protein tyrosine phosphorylation and p38 mitogen-activated protein kinase phosphorylation in rat lung transplants. <i>Journal of Heart and Lung Transplantation</i> , 2003, 22, 338-346.  | 0.3 | 22        |
| 132 | The isoform-specific regulation of apoptosis by protein kinase C. <i>Cellular and Molecular Life Sciences</i> , 2003, 60, 1061-1070.   | 2.4 | 177       |
| 133 | Oxidative Stress Mediates Air Pollution Particle-Induced Acute Lung Injury and Molecular Pathology. <i>Inhalation Toxicology</i> , 2003, 15, 1327-1346.  | 0.8 | 56        |
| 134 | AMP-activated protein kinase can induce apoptosis of insulin-producing MIN6 cells through stimulation of c-Jun-N-terminal kinase. <i>Journal of Molecular Endocrinology</i> , 2003, 30, 151-161.   | 1.1 | 158       |
| 135 | The Role of the Ah Receptor and p38 in Benzo[a]pyrene-7,8-dihydrodiol and Benzo[a]pyrene-7,8-dihydrodiol-9,10-epoxide-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2003, 278, 19526-19533.  | 1.6 | 73        |
| 136 | Activation of c-Jun-N-terminal kinase is crucial for the induction of a cell cycle arrest in human colon carcinoma cells caused by flurbiprofen enantiomers. <i>FASEB Journal</i> , 2003, 17, 1316-1318.   | 0.2 | 43        |
| 137 | Repression of Mitogen-Activated Protein Kinase (MAPK) Phosphatase-1 by Anthracyclines Contributes to Their Antiapoptotic Activation of p44/42-MAPK. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 307, 861-869.                             | 1.3 | 69        |
| 138 | Diabetes Can Alter the Signal Transduction Pathways in the Lens of Rats. <i>Diabetes</i> , 2003, 52, 1014-1022.  | 0.3 | 32        |
| 139 | Regulation of the Activity of p38 Mitogen-Activated Protein Kinase by Akt in Cancer and Adenoviral Protein E1A-Mediated Sensitization to Apoptosis. <i>Molecular and Cellular Biology</i> , 2003, 23, 6836-6848.   | 1.1 | 101       |
| 140 | Shiga Toxin 1 Triggers a Ribotoxic Stress Response Leading to p38 and JNK Activation and Induction of Apoptosis in Intestinal Epithelial Cells. <i>Infection and Immunity</i> , 2003, 71, 1497-1504.   | 1.0 | 176       |
| 141 | Expression of the Serum- and Glucocorticoid-inducible Protein Kinase, Sgk, Is a Cell Survival Response to Multiple Types of Environmental Stress Stimuli in Mammary Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 5871-5882.               | 1.6 | 219       |
| 142 | Induction of p38 Mitogen-Activated Protein Kinase-Mediated Apoptosis Is Involved in Outgrowth of Trophoblast Cells on Endometrial Epithelial Cells in a Model of Human Trophoblast-Endometrial Interactions. <i>Biology of Reproduction</i> , 2003, 69, 1515-1524. | 1.2 | 41        |
| 143 | Interferons and Apoptosis. <i>Journal of Interferon and Cytokine Research</i> , 2003, 23, 277-292.   | 0.5 | 72        |
| 144 | Mitogen-Activated Protein Kinases and Retinal Ischemia. , 2003, 44, 5383.  |     | 114       |
| 145 | Sequence Dependent Exposure of Mammary Carcinoma Cells to Taxotere® and the MEK1/2 Inhibitor U0126 Causes Enhanced Cell Killing In Vitro. <i>Cancer Biology and Therapy</i> , 2003, 2, 669-675.  | 1.5 | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 146 | Schizosaccharomyces pombe Cells Deficient in Triacylglycerols Synthesis Undergo Apoptosis upon Entry into the Stationary Phase. <i>Journal of Biological Chemistry</i> , 2003, 278, 47145-47155.   | 1.6 | 116       |
| 147 | Role of COX-Independent Targets of NSAIDs and Related Compounds in Cancer Prevention and Treatment. , 2003, 37, 261-283.   |     | 66        |
| 148 | Regulation of Necrosis of H9c2 Myogenic Cells upon Transient Energy Deprivation. <i>Journal of Biological Chemistry</i> , 2003, 278, 50483-50496.  | 1.6 | 64        |
| 149 | Nuclear protein kinase C isoforms and apoptosis. <i>European Journal of Histochemistry</i> , 2004, 48, 89.   | 0.6 | 15        |
| 150 | Alternagin-C, a Disintegrin-like Protein, Induces Vascular Endothelial Cell Growth Factor (VEGF) Expression and Endothelial Cell Proliferation in Vitro. <i>Journal of Biological Chemistry</i> , 2004, 279, 18247-18255.                | 1.6 | 59        |
| 151 | Pyranocoumarin (Å±)-4â€²-O-Acetyl-3â€²-O-angeloyl-cis-khellactone Induces Mitochondrial-Dependent Apoptosis in HL-60 Cells. <i>Planta Medica</i> , 2004, 70, 489-495.  | 0.7 | 25        |
| 152 | Protease-Activated Receptor-2â€™-Mediated Inhibition for Ca <sup>2+</sup> Response to Lipopolysaccharide in Guinea Pig Tracheal Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2004, 30, 886-892. | 1.4 | 13        |
| 153 | Angiotensin II (AngII) induces the expression of suppressor of cytokine signaling (SOCS)-3 in rat hypothalamus - a mechanism for desensitization of AngII signaling. <i>Journal of Endocrinology</i> , 2004, 181, 117-128.               | 1.2 | 28        |
| 154 | Human Intestinal Epithelial Cell Survival and Anoikis. <i>Journal of Biological Chemistry</i> , 2004, 279, 44113-44122.  | 1.6 | 70        |
| 155 | 12-O-Tetradecanoylphorbol-13-acetate May Both Potentiate and Decrease the Generation of Apoptosis by the Antileukemic Agent Arsenic Trioxide in Human Promonocytic Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 3877-3884. | 1.6 | 44        |
| 156 | Gonadotropin-Releasing Hormone Induces Apoptosis of Prostate Cancer Cells. <i>Cancer Research</i> , 2004, 64, 5736-5744.   | 0.4 | 68        |
| 157 | Phosphorylation of Presenilin 1 at the Caspase Recognition Site Regulates Its Proteolytic Processing and the Progression of Apoptosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 1585-1593.                                    | 1.6 | 55        |
| 158 | The Biological and Therapeutic Importance of Gastrin Gene Expression in Pancreatic Adenocarcinomas. <i>Cancer Research</i> , 2004, 64, 5624-5631.  | 0.4 | 31        |
| 159 | An Antiapoptotic Role for Gastrin and the Gastrin/CCK-2 Receptor in Barrettâ€™s Esophagus. <i>Cancer Research</i> , 2004, 64, 1915-1919.   | 0.4 | 79        |
| 160 | Heme Inhibits Human Neutrophil Apoptosis: Involvement of Phosphoinositide 3-Kinase, MAPK, and NF-Î±B. <i>Journal of Immunology</i> , 2004, 173, 2023-2030.   | 0.4 | 138       |
| 161 | Erythropoietin on a Tightrope: Balancing Neuronal and Vascular Protection between Intrinsic and Extrinsic Pathways. <i>NeuroSignals</i> , 2004, 13, 265-289.   | 0.5 | 116       |
| 162 | Cepharanthin enhances adriamycin sensitivity by synergistically accelerating apoptosis for adriamycin-resistant osteosarcoma cell lines, SaOS2-AR and SaOS2 F-AR. <i>International Journal of Oncology</i> , 2004, 25, 47.               | 1.4 | 2         |
| 163 | Okadaic Acid Induces Apoptosis through Double-Stranded RNA-Dependent Protein Kinase/Eukaryotic Initiation Factor-2Â Pathway in Human Osteoblastic MG63 Cells. <i>Journal of Biochemistry</i> , 2004, 136, 433-438.                       | 0.9 | 29        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 164 | Nerve Growth Factor Promotes the Survival of Sympathetic Neurons through the Cooperative Function of the Protein Kinase C and Phosphatidylinositol 3-Kinase Pathways. <i>Journal of Biological Chemistry</i> , 2004, 279, 27986-27993.                  | 1.6 | 40        |
| 165 | Increases in c-Jun N-Terminal Kinase/Stress-Activated Protein Kinase and p38 Activity in Monocyte-Derived Macrophages following the Uptake of <i>Legionella pneumophila</i> . <i>Infection and Immunity</i> , 2004, 72, 1512-1518.                      | 1.0 | 36        |
| 166 | A Novel Role for the Adaptor Molecule CD2-associated Protein in Transforming Growth Factor- $\beta$ -induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 37004-37012.  | 1.6 | 175       |
| 167 | p38 Mitogen-Activated Protein Kinase Inhibitor Protects the Epidermis Against the Acute Damaging Effects of Ultraviolet Irradiation by Blocking Apoptosis and Inflammatory Responses. <i>Journal of Investigative Dermatology</i> , 2004, 122, 497-502. | 0.3 | 74        |
| 168 | A p38 inhibitor allows to dissociate differentiation and apoptotic processes triggered upon LIF withdrawal in mouse embryonic stem cells. <i>Cell Death and Differentiation</i> , 2004, 11, 331-341.  | 5.0 | 58        |
| 169 | ZBP-89-induced apoptosis is p53-independent and requires JNK. <i>Cell Death and Differentiation</i> , 2004, 11, 663-673.  | 5.0 | 43        |
| 170 | P2X7 receptors stimulate AKT phosphorylation in astrocytes. <i>British Journal of Pharmacology</i> , 2004, 141, 1106-1117.  | 2.7 | 112       |
| 171 | Signal Pathway Involved in Increased Expression of Neutral Endopeptidase 24.11 by Gonadotropin Releasing Hormone in Choriocarcinoma Cells. <i>Placenta</i> , 2004, 25, 176-183.   | 0.7 | 11        |
| 172 | Okadaic acid stimulates expression of Fas receptor and Fas ligand by activation of nuclear factor kappa-B in human oral squamous carcinoma cells. <i>Oral Oncology</i> , 2004, 40, 199-206.   | 0.8 | 26        |
| 173 | Intracellular signaling mechanisms in photodynamic therapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2004, 1704, 59-86.  | 3.3 | 184       |
| 174 | Early anti-apoptosis treatment reduces myocardial infarct size after a prolonged reperfusion. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2004, 9, 553-559.   | 2.2 | 30        |
| 175 | Changes in protein tyrosine phosphorylation during mannose and senescence induced cell death in rice. <i>Plant Growth Regulation</i> , 2004, 42, 271-282.   | 1.8 | 10        |
| 176 | Nitric oxide and promotion of cardiac myocyte apoptosis. <i>Molecular and Cellular Biochemistry</i> , 2004, 263, 35-53.   | 1.4 | 21        |
| 177 | Signal transduction pathways linking polyamines to apoptosis. <i>Amino Acids</i> , 2004, 27, 359-365.   | 1.2 | 78        |
| 178 | Differential induction of TNF- $\alpha$ and NOS2 by mitogen-activated protein kinase signaling pathways during <i>Mycobacterium bovis</i> infection. <i>Journal of Infection</i> , 2004, 48, 66-73.   | 1.7 | 9         |
| 179 | Glucagon-like peptide-1 prevents beta cell glucolipototoxicity. <i>Diabetologia</i> , 2004, 47, 806-815.  | 2.9 | 300       |
| 180 | Rituximab and alemtuzumab induce a nonclassic, caspase-independent apoptotic pathway in B-lymphoid cell lines and in chronic lymphocytic leukemia cells. <i>Annals of Hematology</i> , 2004, 83, 634-45.  | 0.8 | 104       |
| 181 | Mitogen-activated protein kinases modulate H <sub>2</sub> O <sub>2</sub> -induced apoptosis in primary rat alveolar epithelial cells. <i>Journal of Cellular Biochemistry</i> , 2004, 92, 502-513.  | 1.2 | 72        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 182 | Molecular pathways involved in the anti-apoptotic effect of 1,25-dihydroxyvitamin D3 in primary human keratinocytes. <i>Journal of Cellular Biochemistry</i> , 2004, 93, 951-967.  | 1.2 | 43        |
| 183 | Synthesis of anti-tumour phosphatidylinositol analogues from glucose by the use of ring-closing olefin metathesis. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 2951.  | 1.5 | 30        |
| 185 | Structure-Based Optimization of Novel Azepane Derivatives as PKB Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 1375-1390.  | 2.9 | 107       |
| 186 | Apoptosis: The Sculptor of Development. <i>Stem Cells and Development</i> , 2004, 13, 473-483.   | 1.1 | 46        |
| 187 | New directions for protecting the heart against ischaemiaâ€“reperfusion injury: targeting the Reperfusion Injury Salvage Kinase (RISK)-pathway. <i>Cardiovascular Research</i> , 2004, 61, 448-460.  | 1.8 | 873       |
| 188 | Coordination of Repair, Checkpoint, and Cell Death Responses to DNA Damage. <i>Advances in Protein Chemistry</i> , 2004, 69, 101-135.  | 4.4 | 35        |
| 189 | Type 1 Protein Phosphatase Controls Biological Processes in Cultured Human Osteoblastic Cells. <i>Journal of Oral Biosciences</i> , 2004, 46, 270-277.   | 0.8 | 1         |
| 190 | Investigation of intracellular signalling events mediating the mechanism of action of 7-hydroxycoumarin and 6-nitro-7-hydroxycoumarin in human renal cells. <i>Cancer Letters</i> , 2004, 205, 69-79.  | 3.2 | 30        |
| 191 | Silibinin modulates UVB-induced apoptosis via mitochondrial proteins, caspases activation, and mitogen-activated protein kinase signaling in human epidermoid carcinoma A431 cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 183-189. | 1.0 | 42        |
| 192 | Dysregulation of Mitogen-Activated Protein Kinase Signaling Pathways in Simian Immunodeficiency Virus Encephalitis. <i>American Journal of Pathology</i> , 2004, 164, 355-362.   | 1.9 | 32        |
| 193 | MAP kinase signaling in diverse effects of ethanol. <i>Life Sciences</i> , 2004, 74, 2339-2364.  | 2.0 | 178       |
| 194 | <i>Gastrodia elata</i> prevents rat pheochromocytoma cells from serum-deprived apoptosis: the role of the MAPK family. <i>Life Sciences</i> , 2004, 75, 1649-1657.   | 2.0 | 36        |
| 195 | Transcriptional and Post-transcriptional Regulation of the PKC $\delta$ Gene by Etoposide in L1210 Murine Leukemia Cells: Implication of PKC $\delta$ Autoregulation. <i>Journal of Molecular Biology</i> , 2004, 340, 681-693.                                      | 2.0 | 18        |
| 196 | SAPK $\gamma$ /JNK1 and SAPK $\delta$ /JNK2 mRNA transcripts are expressed in early gestation human placenta and mouse eggs, preimplantation embryos, and trophoblast stem cells. <i>Fertility and Sterility</i> , 2004, 82, 1140-1148.                              | 0.5 | 17        |
| 197 | Apoptotic and Necrotic Mechanisms of Stress-Induced Human Lens Epithelial Cell Death. <i>Experimental Biology and Medicine</i> , 2004, 229, 1072-1080.   | 1.1 | 56        |
| 198 | Analysis of the <i>Caenorhabditis elegans</i> <i>dlk-1</i> gene expression. <i>Animal Cells and Systems</i> , 2005, 9, 107-111.  | 0.2 | 0         |
| 199 | Pepsin-Digested Bovine Lactoferrin Induces Apoptotic Cell Death With JNK/SAPK Activation in Oral Cancer Cells. <i>Journal of Pharmacological Sciences</i> , 2005, 98, 41-48.   | 1.1 | 57        |
| 200 | Association of Protein Phosphatase 1 Delta with Nucleolin in Osteoblastic Cells and Cleavage of Nucleolin in Apoptosis-induced Osteoblastic Cells. <i>Acta Histochemica Et Cytochemica</i> , 2005, 38, 1-8.  | 0.8 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 201 | Atorvastatin and Myocardial Reperfusion Injury. <i>Journal of Cardiovascular Pharmacology</i> , 2005, 45, 247-252.   | 0.8 | 70        |
| 202 | Antrodia camphorata prevents rat pheochromocytoma cells from serum deprivation-induced apoptosis. <i>FEMS Microbiology Letters</i> , 2005, 244, 213-219.   | 0.7 | 31        |
| 203 | Exogenous IL-7 induces Fas-mediated human neuronal apoptosis: potential effects during human immunodeficiency virus type 1 infection. <i>Journal of NeuroVirology</i> , 2005, 11, 319-328.   | 1.0 | 25        |
| 204 | Suppression of protein kinase Cepsilon mediates 17beta-estradiol-induced neuroprotection in an immortalized hippocampal cell line. <i>Journal of Neurochemistry</i> , 2005, 95, 745-755.   | 2.1 | 8         |
| 205 | Mechanical stretch induces podocyte hypertrophy in vitro. <i>Kidney International</i> , 2005, 67, 157-166.   | 2.6 | 86        |
| 206 | Phosphoinositide 3-kinase/Akt inhibition increases arsenic trioxide-induced apoptosis of acute promyelocytic and T-cell leukaemias. <i>British Journal of Haematology</i> , 2005, 130, 716-725.  | 1.2 | 43        |
| 207 | Thymic myoid cells protect thymocytes from apoptosis and modulate their differentiation: implication of the ERK and Akt signaling pathways. <i>Cell Death and Differentiation</i> , 2005, 12, 463-472.   | 5.0 | 23        |
| 208 | Pharmacological inhibitors of extracellular signal-regulated protein kinases attenuate the apoptotic action of cisplatin in human myeloid leukemia cells via glutathione-independent reduction in intracellular drug accumulation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005, 1743, 269-279. | 1.9 | 28        |
| 209 | Regulation of cadmium-induced apoptosis by PKC $\delta$ in U937 human promonocytic cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005, 1743, 215-222.  | 1.9 | 14        |
| 210 | Role of ERK activation in cisplatin-induced apoptosis in OK renal epithelial cells. <i>Journal of Applied Toxicology</i> , 2005, 25, 374-382.  | 1.4 | 156       |
| 211 | PTEN expression elicited by EGR-1 transcription factor in calyculin A-induced apoptotic cells. <i>Journal of Cellular Biochemistry</i> , 2005, 94, 117-125.  | 1.2 | 39        |
| 212 | Inhibition of extracellular signal regulated kinase (ERK) leads to apoptosis inducing factor (AIF) mediated apoptosis in epithelial breast cancer cells: The lack of effect of ERK in p53 mediated copper induced apoptosis. <i>Journal of Cellular Biochemistry</i> , 2005, 95, 1120-1134.                              | 1.2 | 63        |
| 213 | Akt, protein kinase C, and mitogen-activated protein kinase phosphorylation status in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2005, 27, 130-137.   | 0.9 | 13        |
| 214 | Apoptosis of murine melanoma B16-BL6 cells induced by quercetin targeting mitochondria, inhibiting expression of PKC $\alpha$ and translocating PKC $\delta$ . <i>Cancer Chemotherapy and Pharmacology</i> , 2005, 55, 251-262.  | 1.1 | 50        |
| 215 | Glutathione depletion modulates gene expression in HepG2 cells via activation of protein kinase C alpha. <i>Toxicology</i> , 2005, 216, 168-180.   | 2.0 | 4         |
| 216 | Potential role of apoptosis in development of the cystinotic phenotype. <i>Pediatric Nephrology</i> , 2005, 20, 441-446.   | 0.9 | 38        |
| 217 | Mitogen-activated protein kinases (MAPKs) mediate SIN-1/glucose deprivation-induced death in rat primary astrocytes. <i>Archives of Pharmacal Research</i> , 2005, 28, 942-947.  | 2.7 | 13        |
| 218 | Molecular targets of opiate drug abuse in neuro AIDS. <i>Neurotoxicity Research</i> , 2005, 8, 63-80.  | 1.3 | 78        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 219 | Ceramide activates a mitochondrial p38 mitogen-activated protein kinase: A potential mechanism for loss of mitochondrial transmembrane potential and apoptosis. <i>Molecular and Cellular Biochemistry</i> , 2005, 278, 39-51.   | 1.4 | 55        |
| 220 | Translocation of Ethanolamine Phosphoglyceride is Required for Initiation of Apoptotic Death in OLN-93 Oligodendroglial Cells. <i>Neurochemical Research</i> , 2005, 30, 1257-1267.  | 1.6 | 10        |
| 221 | The role of the MAPK pathway alterations in GM-CSF modulated human neutrophil apoptosis with aging. <i>Immunity and Ageing</i> , 2005, 2, 6.   | 1.8 | 71        |
| 222 | Estrogen Neuroprotection Against the Neurotoxic Effects of Ethanol Withdrawal: Potential Mechanisms. <i>Experimental Biology and Medicine</i> , 2005, 230, 8-22.   | 1.1 | 43        |
| 223 | Functional expression cloning reveals a central role for the receptor for activated protein kinase C 1 (RACK1) in T cell apoptosis. <i>Journal of Leukocyte Biology</i> , 2005, 78, 503-514.   | 1.5 | 33        |
| 224 | Activation of PI3K-Akt pathway mediates antiapoptotic effects of $\beta_2$ -adrenergic agonist in airway eosinophils. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2005, 288, L860-L867.   | 1.3 | 41        |
| 225 | Brain-Derived Neurotrophic Factor and Antidepressant Activity. <i>Current Pharmaceutical Design</i> , 2005, 11, 1495-1510.   | 0.9 | 147       |
| 226 | Incomplete Activation of Macrophage Apoptosis during Intracellular Replication of <i>Legionella pneumophila</i> . <i>Infection and Immunity</i> , 2005, 73, 5339-5349.   | 1.0 | 77        |
| 227 | Inhibition of Phosphatidylinositol 3-Kinase/Protein Kinase B Signaling Is Not Sufficient to Account for Indole-3-Carbinol-Induced Apoptosis in Some Breast and Prostate Tumor Cells. <i>Clinical Cancer Research</i> , 2005, 11, 8521-8527.  | 3.2 | 11        |
| 228 | Protein Kinase C Delta Induces Apoptosis of Vascular Smooth Muscle Cells through Induction of the Tumor Suppressor p53 by Both p38-dependent and p38-independent Mechanisms. <i>Journal of Biological Chemistry</i> , 2005, 280, 35310-35317.  | 1.6 | 57        |
| 229 | Regulation of Monocyte Apoptosis by the Protein Kinase C $\delta$ -dependent Phosphorylation of Caspase-3. <i>Journal of Biological Chemistry</i> , 2005, 280, 17371-17379.  | 1.6 | 80        |
| 230 | Pharmacologic inhibitors of PI3K/Akt potentiate the apoptotic action of the antileukemic drug arsenic trioxide via glutathione depletion and increased peroxide accumulation in myeloid leukemia cells. <i>Blood</i> , 2005, 105, 4013-4020.   | 0.6 | 91        |
| 231 | Inhibition of PI3-kinase/Akt pathway enhances dexamethasone-induced apoptosis in a human follicular lymphoma cell line. <i>Experimental Cell Research</i> , 2005, 312, 322-30.   | 1.2 | 33        |
| 232 | Myocardial postconditioning: reperfusion injury revisited. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H2-H7.  | 1.5 | 76        |
| 234 | Exercise activates the phosphatidylinositol 3-kinase pathway. <i>Molecular Brain Research</i> , 2005, 135, 181-193.  | 2.5 | 114       |
| 235 | Up-regulation of mitogen activated protein kinases in mdx skeletal muscle following chronic treadmill exercise. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2005, 1740, 326-331.   | 1.8 | 45        |
| 236 | Amiloride potentiates TRAIL-induced tumor cell apoptosis by intracellular acidification-dependent Akt inactivation. <i>Biochemical and Biophysical Research Communications</i> , 2005, 326, 752-758.   | 1.0 | 27        |
| 237 | Apoptosis of mink lung epithelial cells by co-treatment of low-dose staurosporine and transforming growth factor- $\beta$ 1 depends on the enhanced TGF- $\beta$ 2 signaling and requires the decreased phosphorylation of PKB/Akt. <i>Biochemical and Biophysical Research Communications</i> , 2005, 328, 1170-1181. | 1.0 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 238 | The long-acting glucagon-like peptide-1 analogue, liraglutide, inhibits $\beta$ -cell apoptosis in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 577-584.                                  | 1.0 | 161       |
| 239 | Activation of Mitogen-activated Protein Kinases During Human Lung Transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2005, 24, 2079-2085.  | 0.3 | 18        |
| 240 | Caspase-independent cell death by allicin in human epithelial carcinoma cells: involvement of PKA. <i>Cancer Letters</i> , 2005, 224, 123-132.  | 3.2 | 137       |
| 241 | Histamine H1 and H3 receptors in the rat thalamus and their modulation after systemic kainic acid administration. <i>Experimental Neurology</i> , 2005, 194, 43-56.   | 2.0 | 20        |
| 242 | The immunophilin ligand FK506, but not the P38 kinase inhibitor SB203580, improves function of adult rat muscle reinnervated from transplants of embryonic neurons. <i>Neuroscience</i> , 2005, 130, 619-630.               | 1.1 | 18        |
| 243 | Induction of Apoptosis by the Anthocyanidins through Regulation of Bcl-2 Gene and Activation of c-Jun N-Terminal Kinase Cascade in Hepatoma Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 1740-1749. | 2.4 | 90        |
| 244 | IL-7 as a potential therapy for HIV-1-infected individuals. <i>Expert Opinion on Biological Therapy</i> , 2005, 5, 1421-1426.   | 1.4 | 28        |
| 245 | p38 MAPK protects against TNF $\alpha$ -provoked apoptosis in LNCaP prostatic cancer cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, , .   | 2.2 | 0         |
| 246 | Inhibition of CD95-Mediated Apoptosis through $\beta$ 1 Integrin in the HSG Epithelial Cell Line. <i>Cell Communication and Adhesion</i> , 2006, 13, 223-232.   | 1.0 | 4         |
| 247 | Growth hormone releasing peptide-6 acts as a survival factor in glutamate-induced excitotoxicity. <i>Journal of Neurochemistry</i> , 2006, 99, 839-849.   | 2.1 | 28        |
| 248 | Angiotensin converting enzyme inhibitor attenuates oxidative stress-induced endothelial cell apoptosis via p38 MAP kinase inhibition. <i>Clinica Chimica Acta</i> , 2006, 364, 328-334.                                     | 0.5 | 13        |
| 249 | PKC $\delta$ modulates p21WAF1/CIP1 ability to bind to Cdk2 during TNF $\alpha$ -induced apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 1138-1147.                                      | 1.0 | 5         |
| 250 | The critical role of caspases activation in hypoxia/reoxygenation induced apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2006, 345, 1131-1137.   | 1.0 | 29        |
| 251 | Glial-derived neurotrophic factor (GDNF) prevents ethanol (EtOH) induced B92 glial cell death by both PI3K/AKT and MEK/ERK signaling pathways. <i>Brain Research Bulletin</i> , 2006, 71, 116-126.                          | 1.4 | 39        |
| 252 | Past and future approaches to ischemia-reperfusion lesion associated with liver transplantation. <i>Life Sciences</i> , 2006, 79, 1881-1894.  | 2.0 | 178       |
| 253 | Up-regulation and increased phosphorylation of protein kinase C (PKC) $\delta$ , $\eta$ and $\zeta$ in the degenerating rd1 mouse retina. <i>Molecular and Cellular Neurosciences</i> , 2006, 31, 759-773.                  | 1.0 | 30        |
| 254 | Suppression of survival kinases and activation of JNK mediate ethanol-induced cell death in the developing rat brain. <i>Neuroscience Letters</i> , 2006, 398, 113-117.   | 1.0 | 22        |
| 255 | Ischemic preconditioning negatively regulates plenty of SH3 $\alpha$ -mixed lineage kinase $\beta$ -Rac1 complex and c-Jun N-terminal kinase 3 signaling via activation of Akt. <i>Neuroscience</i> , 2006, 143, 431-444.   | 1.1 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 256 | HLA class I antibody mediated accommodation of endothelial cells via the activation of PI3K/cAMP dependent PKA pathway. <i>Transplant Immunology</i> , 2006, 15, 187-197.   | 0.6 | 56        |
| 257 | Cross resistance of melanoma to trail-induced apoptosis and chemotherapy. <i>Update on Cancer Therapeutics</i> , 2006, 1, 435-441.  | 0.9 | 1         |
| 258 | Myocardial Protection Against Ischemia-Reperfusion Injury: Novel Approaches in Maintaining Homeostatic Stability in Blood. <i>Recent Patents on Cardiovascular Drug Discovery</i> , 2006, 1, 291-305.   | 1.5 | 7         |
| 259 | Role of Phosphoinositide 3-Kinase and Extracellular Signal-Regulated Kinase Pathways in Granulocyte Macrophage-Colony-Stimulating Factor Failure to Delay Fas-Induced Neutrophil Apoptosis in Elderly Humans. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 1111-1118. | 1.7 | 48        |
| 260 | Role of PI3-kinase/Akt signalling pathway in renal function and cell proliferation after renal ischaemia/reperfusion injury in mice. <i>Nephrology</i> , 2006, 11, 207-212.   | 0.7 | 37        |
| 261 | Akt inhibits MLK3/JNK3 signaling by inactivating Rac1: a protective mechanism against ischemic brain injury. <i>Journal of Neurochemistry</i> , 2006, 98, 1886-1898.  | 2.1 | 50        |
| 262 | Trimidox Induces Apoptosis via Cytochrome c Release in NALM-6 Human B Cell Leukaemia Cells. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 44-50.  | 1.2 | 4         |
| 263 | Apoptosis and differentiation commitment: novel insights revealed by gene profiling studies in mouse embryonic stem cells. <i>Cell Death and Differentiation</i> , 2006, 13, 564-575.   | 5.0 | 52        |
| 264 | Involvement of Akt in Preconditioning-Induced Tolerance to Ischemia in PC12 Cells. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 1323-1331.  | 2.4 | 47        |
| 265 | Proline oxidase activates both intrinsic and extrinsic pathways for apoptosis: the role of ROS/superoxides, NFAT and MEK/ERK signaling. <i>Oncogene</i> , 2006, 25, 5640-5647.  | 2.6 | 157       |
| 266 | Genistein modulates prostate epithelial cell proliferation via estrogen- and extracellular signal-regulated kinase-dependent pathways. <i>Journal of Nutritional Biochemistry</i> , 2006, 17, 204-210.  | 1.9 | 42        |
| 267 | Dietary vitamin and lipid therapy rescues aberrant signaling and apoptosis and prevents hyperglycemia-induced diabetic embryopathy in rats. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 580-585.  | 0.7 | 69        |
| 268 | Anorexia Cachexia syndrome in cancer: implications of the ubiquitin proteasome pathway. <i>Supportive Care in Cancer</i> , 2006, 14, 1173-1183.   | 1.0 | 28        |
| 269 | Cyclic AMP and Cyclic GMP suppress TNF-induced hepatocyte apoptosis by inhibiting FADD up-regulation via a protein kinase A-dependent pathway. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, 11, 441-451.   | 2.2 | 19        |
| 270 | P38 MAPK protects against TNF-provoked apoptosis in LNCaP prostatic cancer cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, 11, 1969-1975.  | 2.2 | 45        |
| 271 | Impact of Opiate-HIV-1 Interactions on Neurotoxic Signaling. <i>Journal of NeuroImmune Pharmacology</i> , 2006, 1, 98-105.  | 2.1 | 52        |
| 272 | Signal transduction of MEK/ERK and PI3K/Akt activation by hypoxia/reoxygenation in renal epithelial cells. <i>European Journal of Cell Biology</i> , 2006, 85, 1189-1199.   | 1.6 | 73        |
| 273 | Radiocontrast media cause dephosphorylation of Akt and downstream signaling targets in human renal proximal tubular cells. <i>Biochemical Pharmacology</i> , 2006, 72, 1334-1342.   | 2.0 | 50        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 274 | ADAM17 activity during human neutrophil activation and apoptosis. <i>European Journal of Immunology</i> , 2006, 36, 968-976.  | 1.6 | 54        |
| 275 | Downregulation of Akt activity contributes to the growth arrest induced by FGF in chondrocytes. <i>Journal of Cellular Physiology</i> , 2006, 207, 800-808.   | 2.0 | 45        |
| 276 | MEK1/2 inhibition promotes Taxotere® lethality in mammary tumors in vivo. <i>Cancer Biology and Therapy</i> , 2006, 5, 1332-1339.   | 1.5 | 10        |
| 277 | Pregnancy-Enhanced Endothelial Nitric Oxide Synthase (eNOS) Activation in Uterine Artery Endothelial Cells Shows Altered Sensitivity to Ca <sup>2+</sup> , U0126, and Wortmannin But Not LY294002—Evidence that Pregnancy Adaptation of eNOS Activation Occurs at Multiple Levels of Cell Signaling. <i>Endocrinology</i> , 2006, 147, 2442-2457. | 1.4 | 30        |
| 278 | Matrine-Induced Apoptosis in Leukemia U937 Cells: Involvement of Caspases Activation and MAPK-Independent Pathways. <i>Planta Medica</i> , 2006, 72, 501-506.   | 0.7 | 56        |
| 279 | The yin and yang of increased $\beta_1$ -adrenergic signaling: $\beta_1$ -adrenergic genetic polymorphism and protection against acute myocardial ischemic injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H1408-H1409.   | 1.5 | 2         |
| 280 | Algal Toxins as Guidance to Identify Phosphoproteins with Key Roles in Apoptotic Cell Death. <i>Current Pharmaceutical Biotechnology</i> , 2006, 7, 209-215.  | 0.9 | 2         |
| 281 | Myocardial $\beta_1$ -adrenergic receptor polymorphisms affect functional recovery after ischemic injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H1427-H1432.  | 1.5 | 34        |
| 282 | From Mice to Macaques — Animal Models of HIV Nervous System Disease. <i>Current HIV Research</i> , 2006, 4, 293-305.  | 0.2 | 44        |
| 283 | Recruitment of BAD by the Chlamydia trachomatis Vacuole Correlates with Host-Cell Survival. <i>PLoS Pathogens</i> , 2006, 2, e45.   | 2.1 | 106       |
| 284 | Endometrial cancer cell survival and apoptosis is regulated by protein kinase C $\delta$ and $\zeta$ . <i>Endocrine-Related Cancer</i> , 2006, 13, 1251-1267.   | 1.6 | 26        |
| 286 | Ischemic Preconditioning Provides Both Acute and Delayed Protection against Renal Ischemia and Reperfusion Injury in Mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 3115-3123.  | 3.0 | 109       |
| 287 | Estradiol Protects against Ethanol-Induced Bone Loss by Inhibiting Up-Regulation of Receptor Activator of Nuclear Factor- $\kappa$ B Ligand in Osteoblasts. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 1182-1190.  | 1.3 | 56        |
| 288 | The functional genetic variant Ile646Val located in the kinase binding domain of the A-kinase anchoring protein 10 is associated with familial breast cancer. <i>Carcinogenesis</i> , 2006, 28, 423-426.  | 1.3 | 31        |
| 289 | Inhibition of the Na <sup>+</sup> /H <sup>+</sup> Exchanger Isoform-1 and the Extracellular Signal-Regulated Kinase Induces Apoptosis: a Time Course of Events. <i>Cellular Physiology and Biochemistry</i> , 2006, 18, 211-222.  | 1.1 | 15        |
| 290 | Fibroblast Growth Factor-2. <i>Basic Science for the Cardiologist</i> , 2006, , 145-166.  | 0.1 | 0         |
| 291 | The Anti-angiogenic Activity of rPAI-123 Inhibits Fibroblast Growth Factor-2 Functions. <i>Journal of Biological Chemistry</i> , 2006, 281, 33336-33344.  | 1.6 | 14        |
| 292 | Involvement of JNK-initiated p53 accumulation and phosphorylation of p53 in pseudolaric acid B induced cell death. <i>Experimental and Molecular Medicine</i> , 2006, 38, 428-434.  | 3.2 | 30        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 293 | Essential Role of Heparan Sulfate 2-O-Sulfotransferase in Chick Limb Bud Patterning and Development. <i>Journal of Biological Chemistry</i> , 2007, 282, 19589-19597.  | 1.6 | 19        |
| 294 | Modulation of Replicative Senescence of Diploid Human Cells by Nuclear ERK Signaling. <i>Journal of Biological Chemistry</i> , 2007, 282, 4136-4151.   | 1.6 | 53        |
| 295 | Glucosamine cardioprotection in perfused rat hearts associated with increased O-linked N-acetylglucosamine protein modification and altered p38 activation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H2227-H2236.           | 1.5 | 103       |
| 296 | Eupalmerin acetate, a novel anticancer agent from Caribbean gorgonian octocorals, induces apoptosis in malignant glioma cells via the c-Jun NH2-terminal kinase pathway. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 184-192.  | 1.9 | 46        |
| 297 | Acute and delayed renal protection against renal ischemia and reperfusion injury with A1 adenosine receptors. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F1847-F1857.   | 1.3 | 59        |
| 298 | Thimerosal-Induced Apoptosis in Human SCM1 Gastric Cancer Cells: Activation of p38 MAP Kinase and Caspase-3 Pathways without Involvement of [Ca <sup>2+</sup> ] <sub>i</sub> Elevation. <i>Toxicological Sciences</i> , 2007, 100, 109-117.                              | 1.4 | 28        |
| 299 | Acetyl derivative of quercetin 3-methyl ether-induced cell death in human leukemia cells is amplified by the inhibition of ERK. <i>Carcinogenesis</i> , 2007, 28, 2105-2113.   | 1.3 | 53        |
| 300 | Endothelin-1-Induced Signaling Pathways in Vascular Smooth Muscle Cells. <i>Current Vascular Pharmacology</i> , 2007, 5, 45-52.  | 0.8 | 129       |
| 301 | Enhancement of Docetaxel-Induced Cytotoxicity by Blocking Epidermal Growth Factor Receptor and Cyclooxygenase-2 Pathways in Squamous Cell Carcinoma of the Head and Neck. <i>Clinical Cancer Research</i> , 2007, 13, 3015-3023.   | 3.2 | 25        |
| 302 | Baicalein induces cancer cell death and proliferation retardation by the inhibition of CDC2 kinase and survivin associated with opposite role of p38 mitogen-activated protein kinase and AKT. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 3039-3048.                | 1.9 | 129       |
| 303 | INVOLVEMENT OF P42/44 MAPK IN THE EFFECTS OF ETHANOL ON SECRETION OF INSULIN-LIKE GROWTH FACTOR (IGF)-I AND INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN (IGFBP)-1 IN PRIMARY CULTURED RAT HEPATOCYTES. <i>International Journal of Neuroscience</i> , 2007, 117, 187-201. | 0.8 | 7         |
| 304 | Ethanol Exposure Suppresses Survival Kinases Activation in Adult Rat Testes. <i>Journal of Veterinary Medical Science</i> , 2007, 69, 21-24.   | 0.3 | 8         |
| 305 | Age-related impairment of GM-CSF-induced signalling in neutrophils: Role of SHP-1 and SOCS proteins. <i>Ageing Research Reviews</i> , 2007, 6, 81-93.  | 5.0 | 52        |
| 306 | Lysophosphatidic acid prevents apoptosis of Caco-2 colon cancer cells via activation of mitogen-activated protein kinase and phosphorylation of Bad. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007, 1770, 1194-1203.                                    | 1.1 | 31        |
| 307 | Protein tyrosine dephosphorylation during copper-induced cell death in rice roots. <i>Chemosphere</i> , 2007, 69, 55-62.   | 4.2 | 18        |
| 308 | Ligusticum chuanxiong prevents rat pheochromocytoma cells from serum deprivation-induced apoptosis through a protein kinase A-dependent pathway. <i>Journal of Ethnopharmacology</i> , 2007, 109, 428-434.   | 2.0 | 20        |
| 309 | Critical role of PTEN in the coupling between PI3K/Akt and JNK1/2 signaling in ischemic brain injury. <i>FEBS Letters</i> , 2007, 581, 495-505.  | 1.3 | 85        |
| 310 | Breast Cancer Chemosensitivity. <i>Advances in Experimental Medicine and Biology</i> , 2007, , .   | 0.8 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 311 | Role of Extracellular Signal-Regulated Kinase in Glutamate-Stimulated Apoptosis of Rat Retinal Ganglion Cells. <i>Current Eye Research</i> , 2007, 32, 233-239.  | 0.7 | 16        |
| 312 | Differential effect of FGF and PDGF on cell proliferation and migration in osteoblastic cells. <i>Growth Factors</i> , 2007, 25, 77-86.  | 0.5 | 64        |
| 313 | TNF Receptor Associated Factors (TRAFs). <i>Advances in Experimental Medicine and Biology</i> , 2007, , .  | 0.8 | 7         |
| 314 | Selective inhibition of ion transport mechanisms regulating intracellular pH reduces proliferation and induces apoptosis in cholangiocarcinoma cells. <i>Digestive and Liver Disease</i> , 2007, 39, 60-69.  | 0.4 | 53        |
| 315 | Chromatin compaction and cell death by high molecular weight FGF-2 depend on its nuclear localization, intracrine ERK activation, and engagement of mitochondria. <i>Journal of Cellular Physiology</i> , 2007, 213, 690-698.                        | 2.0 | 29        |
| 316 | Role of epidermal growth factor receptor degradation in gemcitabine-mediated cytotoxicity. <i>Oncogene</i> , 2007, 26, 3431-3439.  | 2.6 | 66        |
| 317 | SHORT WAVES-INDUCED ENHANCEMENT OF PROLIFERATION OF HUMAN CHONDROCYTES: INVOLVEMENT OF EXTRACELLULAR SIGNAL-REGULATED MAP-KINASE (ERK). <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007, 34, 581-585.                            | 0.9 | 7         |
| 318 | cAMP/protein kinase A signalling pathway protects against neuronal apoptosis and is associated with modulation of Kv2.1 in cerebellar granule cells. <i>Journal of Neurochemistry</i> , 2007, 100, 979-991.  | 2.1 | 35        |
| 319 | Molecular mechanisms of ZD1839 (Iressa)-induced apoptosis in human leukemic U937 cells. <i>Acta Pharmacologica Sinica</i> , 2007, 28, 1205-1214.   | 2.8 | 9         |
| 320 | PKC $\delta$ signaling: Mechanisms of DNA damage response and apoptosis. <i>Cellular Signalling</i> , 2007, 19, 892-901.   | 1.7 | 97        |
| 321 | Abrogation of TGF $\beta$ <sup>2</sup> signaling induces apoptosis through the modulation of MAP kinase pathways in breast cancer cells. <i>Experimental Cell Research</i> , 2007, 313, 1687-1695.   | 1.2 | 21        |
| 322 | Paroxetine-induced apoptosis in human osteosarcoma cells: Activation of p38 MAP kinase and caspase-3 pathways without involvement of [Ca <sup>2+</sup> ] <sub>i</sub> elevation. <i>Toxicology and Applied Pharmacology</i> , 2007, 218, 265-273.    | 1.3 | 52        |
| 323 | Does diabetes mellitus target motor neurons?. <i>Neurobiology of Disease</i> , 2007, 26, 301-311.  | 2.1 | 83        |
| 324 | Jaceosidin Induces Apoptosis in ras-Transformed Human Breast Epithelial Cells through Generation of Reactive Oxygen Species. <i>Annals of the New York Academy of Sciences</i> , 2007, 1095, 483-495.  | 1.8 | 43        |
| 325 | Impaired apoptosis in lymphoblasts from Alzheimer's disease patients: Cross-talk of Ca <sup>2+</sup> /calmodulin and ERK1/2 signaling pathways. <i>Cellular and Molecular Life Sciences</i> , 2007, 64, 1437-1448.                                   | 2.4 | 40        |
| 326 | Hypoxia/Reoxygenation Stimulates Proliferation Through PKC-Dependent Activation of ERK and Akt in Mouse Neural Progenitor Cells. <i>Neurochemical Research</i> , 2007, 32, 1932-1939.  | 1.6 | 52        |
| 327 | Cardioprotection induced by olprinone, a phosphodiesterase III inhibitor, involves phosphatidylinositol-3-OH kinase-Akt and a mitochondrial permeability transition pore during early reperfusion. <i>Journal of Anesthesia</i> , 2007, 21, 176-180. | 0.7 | 24        |
| 328 | Effect of hypoxia on RAW264.7 macrophages apoptosis and signaling. <i>Toxicology</i> , 2007, 235, 52-61.   | 2.0 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 329 | Roles of reactive oxygen species and MAP kinases in the primary rat hepatocytes death induced by toosendanin. <i>Toxicology</i> , 2008, 249, 62-68.   | 2.0 | 35        |
| 330 | Ginsenoside Rb1 Preconditioning Protects Against Myocardial Infarction After Regional Ischemia and Reperfusion by Activation of Phosphatidylinositol-3-kinase Signal Transduction. <i>Cardiovascular Drugs and Therapy</i> , 2008, 22, 443-452.             | 1.3 | 79        |
| 331 | Genistein induces G2/M cell cycle arrest via stable activation of ERK1/2 pathway in MDA-MB-231 breast cancer cells. <i>Cell Biology and Toxicology</i> , 2008, 24, 401-409.   | 2.4 | 64        |
| 332 | Yeast surviving factor Svf1 as a new interacting partner, regulator and in vitro substrate of protein kinase CK2. <i>Molecular and Cellular Biochemistry</i> , 2008, 312, 61-69.  | 1.4 | 7         |
| 333 | Effect of Z-360, a novel orally active CCK-2/gastrin receptor antagonist on tumor growth in human pancreatic adenocarcinoma cell lines in vivo and mode of action determinations in vitro. <i>Cancer Chemotherapy and Pharmacology</i> , 2008, 61, 883-892. | 1.1 | 31        |
| 334 | Trifolin acetate-induced cell death in human leukemia cells is dependent on caspase-6 and activates the MAPK pathway. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2008, 13, 716-728.  | 2.2 | 33        |
| 335 | Oligonucleotide Microarray Analysis of Genes Regulating Apoptosis in Chronically Ischemic and Postinfarction Myocardium. <i>Biochemical Genetics</i> , 2008, 46, 241-247.   | 0.8 | 16        |
| 336 | Lipid constituents in oligodendroglial cells alter susceptibility to H2O2-induced apoptotic cell death via ERK activation. <i>Journal of Neurochemistry</i> , 2008, 76, 910-918.  | 2.1 | 49        |
| 337 | Cytoprotective effects of phenolic acids on methylglyoxal-induced apoptosis in Neuro-2A cells. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 940-949.  | 1.5 | 80        |
| 338 | Phenolic compounds: Evidence for inhibitory effects against obesity and their underlying molecular signaling mechanisms. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 53-61.  | 1.5 | 161       |
| 339 | Effect of nitric oxide donor and gamma irradiation on MAPK signaling in murine peritoneal macrophages. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 576-587.  | 1.2 | 12        |
| 340 | Desipramine-induced apoptosis in human PC3 prostate cancer cells: Activation of JNK kinase and caspase-3 pathways and a protective role of [Ca <sup>2+</sup> ] <sub>i</sub> elevation. <i>Toxicology</i> , 2008, 250, 9-14.                                 | 2.0 | 31        |
| 341 | On the role of major vault protein in the resistance of senescent human diploid fibroblasts to apoptosis. <i>Cell Death and Differentiation</i> , 2008, 15, 1673-1680.  | 5.0 | 62        |
| 342 | Rapid actions of androgens. <i>Frontiers in Neuroendocrinology</i> , 2008, 29, 182-198.   | 2.5 | 157       |
| 343 | Inhibition of benzopyrene diol epoxide-induced apoptosis by cadmium(II) is AP-1-independent: Role of extracellular signal related kinase. <i>Chemico-Biological Interactions</i> , 2008, 172, 72-80.  | 1.7 | 13        |
| 344 | Modulatory Effects of Polyphenols on Apoptosis Induction: Relevance for Cancer Prevention. <i>International Journal of Molecular Sciences</i> , 2008, 9, 213-228.   | 1.8 | 107       |
| 345 | Melittin induces Bcl-2 and caspase-3-dependent apoptosis through downregulation of Akt phosphorylation in human leukemic U937 cells. <i>Toxicon</i> , 2008, 51, 112-120.  | 0.8 | 81        |
| 346 | Î²-Sitosterol induces G2/M arrest, endoreduplication, and apoptosis through the Bcl-2 and PI3K/Akt signaling pathways. <i>Cancer Letters</i> , 2008, 264, 181-191.  | 3.2 | 77        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 347 | Postconditioning by Volatile Anesthetics: Salvaging Ischemic Myocardium at Reperfusion by Activation of Prosurvival Signaling. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 753-765.   | 0.6 | 61        |
| 348 | Fermented <i>Antrodia cinnamomea</i> Extract Protects Rat PC12 Cells from Serum Deprivation-Induced Apoptosis: The Role of the MAPK Family. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 865-874.   | 2.4 | 29        |
| 349 | Cross-Linking of B7-H1 on EBV-Transformed B Cells Induces Apoptosis through Reactive Oxygen Species Production, JNK Signaling Activation, and fasL Expression. <i>Journal of Immunology</i> , 2008, 181, 6158-6169.  | 0.4 | 32        |
| 350 | Deletion of MyD88 markedly attenuates sepsis-induced T and B lymphocyte apoptosis but worsens survival. <i>Journal of Leukocyte Biology</i> , 2008, 83, 1009-1018.   | 1.5 | 67        |
| 351 | 17 $\beta$ -Estradiol abrogates apoptosis in murine skeletal muscle cells through estrogen receptors: role of the phosphatidylinositol 3-kinase/Akt pathway. <i>Journal of Endocrinology</i> , 2008, 196, 385-397.   | 1.2 | 96        |
| 352 | Urokinase induces survival or pro-apoptotic signals in human mesangial cells depending on the apoptotic stimulus. <i>Biochemical Journal</i> , 2008, 415, 265-273.   | 1.7 | 14        |
| 353 | Phosphatidylcholine/sphingomyelin metabolism crosstalk inside the nucleus. <i>Biochemical Journal</i> , 2008, 410, 381-389.  | 1.7 | 37        |
| 354 | Sulfaphenazole Protects Heart Against Ischemia-Induced Reperfusion Injury and Cardiac Dysfunction by Overexpression of iNOS, Leading to Enhancement of Nitric Oxide Bioavailability and Tissue Oxygenation. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 725-738. | 2.5 | 38        |
| 355 | The Ile646Val (2073A>G) Polymorphism in the Kinase-Binding Domain of A-Kinase Anchoring Protein 10 and the Risk of Colorectal Cancer. <i>Oncology</i> , 2009, 76, 199-204.   | 0.9 | 9         |
| 356 | Acute Lung Injury: Apoptosis and Signaling Mechanisms. <i>Experimental Biology and Medicine</i> , 2009, 234, 361-371.  | 1.1 | 156       |
| 357 | ABT-510 induces tumor cell apoptosis and inhibits ovarian tumor growth in an orthotopic, syngeneic model of epithelial ovarian cancer. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 64-74.  | 1.9 | 57        |
| 358 | Inhibition of benzopyrene-diol-epoxide (BPDE)-induced bax and caspase-9 by cadmium: Role of mitogen activated protein kinase. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009, 661, 41-46.   | 0.4 | 16        |
| 359 | T cells cooperate with palmitic acid in induction of beta cell apoptosis. <i>BMC Immunology</i> , 2009, 10, 29.  | 0.9 | 14        |
| 360 | Rosiglitazone synergizes anticancer activity of cisplatin and reduces its nephrotoxicity in 7, 12-dimethyl benz[a]anthracene (DMBA) induced breast cancer rats. <i>BMC Cancer</i> , 2009, 9, 107.  | 1.1 | 67        |
| 361 | The critical role of ERK in death resistance and invasiveness of hypoxia-selected glioblastoma cells. <i>BMC Cancer</i> , 2009, 9, 27.   | 1.1 | 34        |
| 362 | PKC $\delta$ confers protection against apoptosis by inhibiting the pro-apoptotic JNK activity in MCF-7 cells. <i>Experimental Cell Research</i> , 2009, 315, 2616-2623.   | 1.2 | 32        |
| 363 | Therapeutic Targets in Liver Transplantation: Angiotensin II in Nonsteatotic Grafts and Angiotensin-(1 $\rightarrow$ 7) in Steatotic Grafts. <i>American Journal of Transplantation</i> , 2009, 9, 439-451.  | 2.6 | 31        |
| 364 | P2 receptor-mediated stimulation of the PI3K/Akt pathway <i>in vivo</i> . <i>Glia</i> , 2009, 57, 1031-1045.   | 2.5 | 66        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 365 | PKC $\epsilon$ -mediated secretion of death factors in LNCaP prostate cancer cells is regulated by androgens. <i>Molecular Carcinogenesis</i> , 2009, 48, 187-195.  | 1.3 | 23        |
| 366 | Acidic preconditioning protects endothelial cells against apoptosis through p38- and Akt-dependent Bcl-xL overexpression. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 90-96.  | 2.2 | 35        |
| 367 | Multiple signal transduction pathways in okadaic acid induced apoptosis in HeLa cells. <i>Toxicology</i> , 2009, 256, 118-127.  | 2.0 | 38        |
| 368 | Silibinin Inhibits Glioma Cell Proliferation via Ca <sup>2+</sup> /ROS/MAPK-Dependent Mechanism In Vitro and Glioma Tumor Growth In Vivo. <i>Neurochemical Research</i> , 2009, 34, 1479-1490.  | 1.6 | 50        |
| 369 | DESIPRAMINE $\epsilon$ -INDUCED Ca <sup>2+</sup> -INDEPENDENT APOPTOSIS IN MG63 HUMAN OSTEOSARCOMA CELLS: DEPENDENCE ON P38 MITOGEN $\epsilon$ -ACTIVATED PROTEIN KINASE $\epsilon$ -REGULATED ACTIVATION OF CASPASE 3. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, 297-303. | 3.0 | 19        |
| 370 | 3 $\epsilon$ -Deoxyglucosone $\epsilon$ -collagen alters human dermal fibroblast migration and adhesion: Implications for impaired wound healing in patients with diabetes. <i>Wound Repair and Regeneration</i> , 2009, 17, 739-749.   | 1.5 | 41        |
| 371 | Oxysterols and mechanisms of apoptotic signaling: implications in the pathology of degenerative diseases $\epsilon$ . <i>Journal of Nutritional Biochemistry</i> , 2009, 20, 321-336.   | 1.9 | 125       |
| 372 | Design, Synthesis, and Biological Evaluation of Substituted Naphthalene Imides and Diimides as Anticancer Agent. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 7873-7877.   | 2.9 | 55        |
| 373 | Mitogen-activated protein kinase p38 $\delta$ and retinal ischemic preconditioning. <i>Experimental Eye Research</i> , 2009, 89, 782-790.   | 1.2 | 28        |
| 374 | Suppression of neuro-inflammatory signaling cascade by tocotrienol can prevent chronic alcohol-induced cognitive dysfunction in rats. <i>Behavioural Brain Research</i> , 2009, 203, 296-303.   | 1.2 | 85        |
| 375 | Anti $\epsilon$ -apoptotic role of omega $\epsilon$ -3 $\epsilon$ -fatty acids in developing brain: perinatal hypothyroid rat cerebellum as apoptotic model. <i>International Journal of Developmental Neuroscience</i> , 2009, 27, 377-383.  | 0.7 | 60        |
| 376 | Calmodulin inhibition contributes to sensitize TRAIL-induced apoptosis in human lung cancer H1299 cells. <i>Biochemistry and Cell Biology</i> , 2009, 87, 919-926.  | 0.9 | 13        |
| 377 | Inhibition of MEK sensitizes paclitaxel-induced apoptosis of human colorectal cancer cells by downregulation of GRP78. <i>Anti-Cancer Drugs</i> , 2009, 20, 601-606.  | 0.7 | 29        |
| 378 | Targeted Restoration of Down-regulated DAPK2 Tumor Suppressor Activity Induces Apoptosis in Hodgkin Lymphoma Cells. <i>Journal of Immunotherapy</i> , 2009, 32, 431-441.  | 1.2 | 38        |
| 379 | Activation of two distinct MAPK pathways governs constitutive expression of matrix metalloproteinase-1 in human pancreatic cancer cell lines. <i>International Journal of Oncology</i> , 2009, 35, 1237-45.   | 1.4 | 12        |
| 380 | Immunokinases, a Novel Class of Immunotherapeutics for Targeted Cancer Therapy. <i>Current Pharmaceutical Design</i> , 2009, 15, 2693-2699.   | 0.9 | 19        |
| 381 | Involvement of c-Jun N-terminal kinase and extracellular signal-regulated kinase 1/2 in EGF-induced angiogenesis. <i>Cell Biology International</i> , 2010, 34, 1213-1218.  | 1.4 | 13        |
| 382 | HTR1B as a risk profile maker in psychiatric disorders: a review through motivation and memory. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 5-27.  | 0.8 | 30        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 383 | Kinases and phosphatases in ischaemic preconditioning: a re-evaluation. <i>Basic Research in Cardiology</i> , 2010, 105, 495-511.  | 2.5 | 30        |
| 384 | The mRNA and protein expression of A-kinase anchor proteins 13 in human colorectal cancer. <i>Clinical and Experimental Medicine</i> , 2010, 10, 41-49.  | 1.9 | 12        |
| 385 | Bilobalide prevents apoptosis through activation of the PI3K/Akt pathway in SH-SY5Y cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2010, 15, 715-727.  | 2.2 | 55        |
| 386 | Hypothalamic SOCS-3 expression and the effect of intracerebroventricular angiotensin II injection on water intake and renal sodium handling in SHR. <i>Journal of Physiological Sciences</i> , 2010, 60, 425-433.                                    | 0.9 | 8         |
| 387 | Involvement of MAPK proteins in bystander effects induced by chemicals and ionizing radiation. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010, 686, 15-29.  | 0.4 | 33        |
| 388 | Increased placental XIAP and caspase 3 is associated with increased placental apoptosis in a baboon model of maternal nutrient reduction. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 364.e13-364.e18.                         | 0.7 | 11        |
| 389 | Cytosolic NADP <sup>+</sup> -dependent isocitrate dehydrogenase regulates cadmium-induced apoptosis. <i>Biochemical Pharmacology</i> , 2010, 79, 1072-1080.  | 2.0 | 4         |
| 390 | Looking at the blood-brain barrier: Molecular anatomy and possible investigation approaches. <i>Brain Research Reviews</i> , 2010, 64, 328-363.  | 9.1 | 484       |
| 391 | Neuroprotective effect of the endogenous neural peptide apelin in cultured mouse cortical neurons. <i>Experimental Cell Research</i> , 2010, 316, 1773-1783.   | 1.2 | 140       |
| 392 | Opposite expression of securin and $\gamma$ -H2AX regulates baicalein-induced cancer cell death. <i>Journal of Cellular Biochemistry</i> , 2010, 111, 274-283.   | 1.2 | 11        |
| 393 | Nonylphenol-induced apoptotic pathways in SCM1 human gastric cancer cells. <i>Drug Development Research</i> , 2010, 71, 139-148.   | 1.4 | 5         |
| 394 | Substrate screening of protein kinases: Detection methods and combinatorial peptide libraries. <i>Biopolymers</i> , 2010, 94, 753-762.   | 1.2 | 26        |
| 395 | The mechanism of fucoidan-induced apoptosis in leukemic cells: Involvement of ERK1/2, JNK, glutathione, and nitric oxide. <i>Molecular Carcinogenesis</i> , 2010, 49, n/a-n/a.   | 1.3 | 73        |
| 396 | LPLI inhibits apoptosis upstream of Bax translocation via a GSK-3 $\beta$ inactivation mechanism. <i>Journal of Cellular Physiology</i> , 2010, 224, 218-228.  | 2.0 | 51        |
| 397 | The identification of 8,9-dimethoxy-5-(2-aminoalkoxy-pyridin-3-yl)-benzo[c][2,7]naphthyridin-4-ylamines as potent inhibitors of 3-phosphoinositide-dependent kinase-1 (PDK-1). <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 1379-1386. | 2.6 | 19        |
| 398 | Sphinganine-1-phosphate protects kidney and liver after hepatic ischemia and reperfusion in mice through S1P1 receptor activation. <i>Laboratory Investigation</i> , 2010, 90, 1209-1224.  | 1.7 | 62        |
| 399 | Roles of Fyn in pancreatic cancer metastasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 293-301.   | 1.4 | 34        |
| 400 | The Pharmacological Effects of Morroniside and Loganin Isolated from Liuweidihuang Wan, on MC3T3-E1 Cells. <i>Molecules</i> , 2010, 15, 7403-7414.   | 1.7 | 55        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 401 | Protection against Acute Kidney Injury via A <sub>1</sub> Adenosine Receptor-Mediated Akt Activation Reduces Liver Injury after Liver Ischemia and Reperfusion in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 333, 736-747. | 1.3 | 33        |
| 402 | Caspase-9-Dependent Nuclear Translocation of Cytochrome <i>c</i> in Hypoxic Injury. <i>Pathobiology</i> , 2010, 77, 320-327.   | 1.9 | 6         |
| 403 | N-acetylcysteine attenuates glycerol-induced acute kidney injury by regulating MAPKs and Bcl-2 family proteins. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1435-1443.  | 0.4 | 84        |
| 404 | Efficient inhibition of the formation of joint adhesions by ERK2 small interfering RNAs. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 795-799.  | 1.0 | 19        |
| 405 | Involvement of YC-1 in extracellular signal-regulated kinase action in rat cremasteric muscle. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 62, 1746-1752.  | 1.2 | 2         |
| 406 | Redox Control of Protein Kinase C: Cell- and Disease-Specific Aspects. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 1051-1085.  | 2.5 | 123       |
| 407 | Cardioprotection by Noble Gases. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 143-163.   | 0.6 | 23        |
| 408 | A novel promising therapy for vein graft restenosis: Overexpressed Nogo-B induces vascular smooth muscle cell apoptosis by activation of the JNK/p38 MAPK signaling pathway. <i>Medical Hypotheses</i> , 2011, 77, 278-281.                                | 0.8 | 19        |
| 409 | Urotensin II inhibits the proliferation but not the differentiation of cardiac side population cells. <i>Peptides</i> , 2011, 32, 1035-1041.   | 1.2 | 9         |
| 410 | Ethyl Alcohol Extract of <i>Hizikia fusiforme</i> ; Induces Caspase-dependent Apoptosis in Human Leukemia U937 Cells by Generation of Reactive Oxygen Species. <i>Tropical Journal of Pharmaceutical Research</i> , 2011, 10, .                            | 0.2 | 10        |
| 411 | Motor End Plate Innervation Loss in Diabetes and the Role of Insulin. <i>Journal of Neuropathology and Experimental Neurology</i> , 2011, 70, 323-339.   | 0.9 | 29        |
| 412 | Klotho protein diminishes endothelial apoptosis and senescence via a mitogen-activated kinase pathway. <i>Geriatrics and Gerontology International</i> , 2011, 11, 510-516.  | 0.7 | 62        |
| 413 | Melatonin protects against apoptotic and autophagic cell death in C2C12 murine myoblast cells. <i>Journal of Pineal Research</i> , 2011, 50, 241-249.  | 3.4 | 35        |
| 414 | DNA damage targets PKC $\delta$ to the nuclear membrane via its C1b domain. <i>Experimental Cell Research</i> , 2011, 317, 1465-1475.  | 1.2 | 9         |
| 415 | Parathyroid hormone and the regulation of cell cycle in colon adenocarcinoma cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 1749-1757.  | 1.9 | 8         |
| 416 | MAPKs activation in head and neck squamous cell carcinomas. <i>Oncology Reviews</i> , 2011, 5, 223-231.  | 0.8 | 6         |
| 417 | MEK/ERK inhibitor U0126 enhanced salt stress-induced programmed cell death in <i>Thellungiella halophila</i> suspension-cultured cells. <i>Plant Growth Regulation</i> , 2011, 63, 207-216.  | 1.8 | 8         |
| 418 | Protective effect of ginsenoside Rb1 against myocardial ischemia/reperfusion injury in streptozotocin-induced diabetic rats. <i>Molecular Biology Reports</i> , 2011, 38, 4327-4335.   | 1.0 | 83        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 419 | The protective role of 5-hydroxymethyl-2-furfural (5-HMF) against acute hypobaric hypoxia. <i>Cell Stress and Chaperones</i> , 2011, 16, 529-537.   | 1.2 | 38        |
| 420 | Critical role of c-Jun N-terminal kinase in regulating bFGF-induced angiogenesis in vitro. <i>Journal of Biochemistry</i> , 2011, 150, 189-197.   | 0.9 | 16        |
| 421 | Heparin-Binding Epidermal Growth Factor-Like Growth Factor Downregulates Expression of Activator Protein-1 Transcription Factor after Intestinal Ischemia-Reperfusion Injury. <i>Neonatology</i> , 2011, 99, 241-246.       | 0.9 | 12        |
| 422 | Role of polyphenols in cell death control. <i>Nutritional Neuroscience</i> , 2012, 15, 134-149.   | 1.5 | 47        |
| 423 | Carvedilol Enhances Mesenchymal Stem Cell Therapy for Myocardial Infarction via Inhibition of Caspase-3 Expression. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 343, 62-71.                        | 1.3 | 29        |
| 424 | Protective effect of C5 shRNA on myocardial ischemia-reperfusion injury in rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2012, 90, 1394-1402.  | 0.7 | 4         |
| 425 | Pioglitazone attenuates myocardial ischemia-reperfusion injury via up-regulation of ERK and COX-2. <i>BioScience Trends</i> , 2012, , .   | 1.1 | 8         |
| 426 | Testosterone exerts antiapoptotic effects against H <sub>2</sub> O <sub>2</sub> in C2C12 skeletal muscle cells through the apoptotic intrinsic pathway. <i>Journal of Endocrinology</i> , 2012, 212, 371-381.               | 1.2 | 33        |
| 427 | Introduction: MMPs, ADAMs/ADAMTSs Research Products to Achieve Big Dream. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012, 12, 688-706.   | 0.9 | 16        |
| 428 | Cell death triggered by synthetic flavonoids in human leukemia cells is amplified by the inhibition of extracellular signal-regulated kinase signaling. <i>European Journal of Medicinal Chemistry</i> , 2012, 55, 284-296. | 2.6 | 12        |
| 429 | Butein inhibits the proliferation of breast cancer cells through generation of reactive oxygen species and modulation of ERK and p38 activities. <i>Molecular Medicine Reports</i> , 2012, 6, 1126-1132.                    | 1.1 | 43        |
| 430 | The effect of menadione on glutathione S-transferase A1 (GSTA1); c-Jun N-terminal kinase (JNK) complex dissociation in human colonic adenocarcinoma Caco-2 cells. <i>Toxicology Letters</i> , 2012, 214, 53-62.             | 0.4 | 22        |
| 431 | Astragalus saponins modulate cell invasiveness and angiogenesis in human gastric adenocarcinoma cells. <i>Journal of Ethnopharmacology</i> , 2012, 141, 635-641.  | 2.0 | 51        |
| 432 | ERK1/2 mediates unbalanced growth leading to senescence induced by excess thymidine in human cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 425, 897-901.  | 1.0 | 13        |
| 433 | Epidermal growth factor receptor-targeted photosensitizer selectively inhibits EGFR signaling and induces targeted phototoxicity in ovarian cancer cells. <i>Cancer Letters</i> , 2012, 321, 120-127.                       | 3.2 | 67        |
| 434 | c-Jun N-Terminal Kinase Mediated VEGFR2 Sustained Phosphorylation is Critical for VEGFA-Induced Angiogenesis In Vitro and In Vivo. <i>Cell Biochemistry and Biophysics</i> , 2012, 64, 17-27.                               | 0.9 | 18        |
| 435 | Cyclic AMP is both a pro-apoptotic and anti-apoptotic second messenger. <i>Acta Physiologica</i> , 2012, 204, 277-287.  | 1.8 | 171       |
| 436 | Role of BI-1 (TEGT)-mediated ERK1/2 activation in mitochondria-mediated apoptosis and splenomegaly in BI-1 transgenic mice. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 876-888.           | 1.9 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 437 | Cardiac fibroblast death by ischemia/reperfusion is partially inhibited by IGF-1 through both PI3K/Akt and MEK/ERK pathways. <i>Experimental and Molecular Pathology</i> , 2012, 93, 1-7.  | 0.9 | 20        |
| 438 | Novel evidence that testosterone promotes cell proliferation and differentiation via G protein-coupled receptors in the rat L6 skeletal muscle myoblast cell line. <i>Journal of Cellular Physiology</i> , 2012, 227, 98-107.        | 2.0 | 47        |
| 439 | Antitumor effects of naturally occurring oligomeric resveratrol derivatives. <i>FASEB Journal</i> , 2013, 27, 4561-4571.   | 0.2 | 7         |
| 440 | A-Kinase Anchoring Proteins 10 Expression in Relation to 2073A/G Polymorphism and Tumor Progression in Patients with Colorectal Cancer. <i>Pathology and Oncology Research</i> , 2013, 19, 521-527.                                  | 0.9 | 5         |
| 441 | Targeting Urocortin Signaling Pathways to Enhance Cardioprotection: Is It Time to Move from Bench to Bedside?. <i>Cardiovascular Drugs and Therapy</i> , 2013, 27, 451-463.  | 1.3 | 10        |
| 442 | Resveratrol abrogates alcohol-induced cognitive deficits by attenuating oxidative/nitrosative stress and inflammatory cascade in the adult rat brain. <i>Neurochemistry International</i> , 2013, 62, 861-869.                       | 1.9 | 73        |
| 443 | Inhibition of Raf-MEK-ERK and Hypoxia pathways by <i>Phyllanthus</i> prevents metastasis in human lung (A549) cancer cell line. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 271.                                   | 3.7 | 26        |
| 444 | The opposite roles of glucocorticoid and $\beta_1$ -adrenergic receptors in stress triggered apoptosis of rat Leydig cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 304, E51-E59.               | 1.8 | 20        |
| 445 | Upregulation of the expression of prodeath serine/threonine protein kinase for programmed cell death by steroid hormone 20-hydroxyecdysone. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2013, 18, 171-187. | 2.2 | 26        |
| 446 | Cyanidin reverses cisplatin-induced apoptosis in HK-2 proximal tubular cells through inhibition of ROS-mediated DNA damage and modulation of the ERK and AKT pathways. <i>Cancer Letters</i> , 2013, 333, 36-46.                     | 3.2 | 66        |
| 447 | Mechanism of maprotiline-induced apoptosis: Role of $[Ca^{2+}]_i$ , ERK, JNK and caspase-3 signaling pathways. <i>Toxicology</i> , 2013, 304, 1-12.  | 2.0 | 21        |
| 448 | A novel synthetic analog of militarin, MA-1 induces mitochondrial dependent apoptosis by ROS generation in human lung cancer cells. <i>Toxicology and Applied Pharmacology</i> , 2013, 273, 659-671.                                 | 1.3 | 22        |
| 449 | Losartan protects liver against ischaemia/reperfusion injury through PPAR $\alpha$ activation and receptor for advanced glycation end-products down-regulation. <i>British Journal of Pharmacology</i> , 2013, 169, 1404-1416.       | 2.7 | 42        |
| 450 | Restriction of Virus Infection but Not Catalytic dNTPase Activity Is Regulated by Phosphorylation of SAMHD1. <i>Journal of Virology</i> , 2013, 87, 11516-11524.   | 1.5 | 139       |
| 451 | Threonine Affects Intestinal Function, Protein Synthesis and Gene Expression of TOR in Jian Carp ( <i>Cyprinus carpio</i> var. Jian). <i>PLoS ONE</i> , 2013, 8, e69974.   | 1.1 | 58        |
| 452 | Insights into the <i>Melipona scutellaris</i> (Hymenoptera, Apidae, Meliponini) fat body transcriptome. <i>Genetics and Molecular Biology</i> , 2013, 36, 292-297.   | 0.6 | 12        |
| 453 | GW24-e1861...Urotensin II inhibited the proliferation of cardiac side population cells in mice during pressure overload by JNK-LRP6 signalling. <i>Heart</i> , 2013, 99, A72.3-A72.  | 1.2 | 0         |
| 454 | Differential Regulation of MAPK Phosphorylation in the Dorsal Hippocampus in Response to Prolonged Morphine Withdrawal-Induced Depressive-Like Symptoms in Mice. <i>PLoS ONE</i> , 2013, 8, e66111.                                  | 1.1 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 455 | Induction of Apoptosis by Fucoidan in Human Leukemia U937 Cells through Activation of p38 MAPK and Modulation of Bcl-2 Family. <i>Marine Drugs</i> , 2013, 11, 2347-2364.   | 2.2 | 70        |
| 456 | Global Consequences of Liver Ischemia/Reperfusion Injury. <i>Oxidative Medicine and Cellular Longevity</i> , 2014, 2014, 1-13.  | 1.9 | 220       |
| 457 | Urotensin II inhibited the proliferation of cardiac side population cells in mice during pressure overload by JNK $\epsilon$ -LRP 6 signalling. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 852-862.  | 1.6 | 13        |
| 458 | ZFP580, a Novel Zinc-Finger Transcription Factor, Is Involved in Cardioprotection of Intermittent High-Altitude Hypoxia against Myocardial Ischemia-Reperfusion Injury. <i>PLoS ONE</i> , 2014, 9, e94635.  | 1.1 | 20        |
| 459 | Secreted Clusterin Gene Silencing Enhances Chemosensitivity of A549 Cells to Cisplatin Through AKT and ERK1/2 Pathways <i>in Vitro</i> . <i>Cellular Physiology and Biochemistry</i> , 2014, 33, 1162-1175.   | 1.1 | 34        |
| 460 | Culture media from hypoxia conditioned endothelial cells protect human intestinal cells from hypoxia/reoxygenation injury. <i>Experimental Cell Research</i> , 2014, 322, 62-70.  | 1.2 | 20        |
| 461 | Attenuated mitochondrial NADP <sup>+</sup> -dependent isocitrate dehydrogenase activity induces apoptosis and hypertrophy of H9c2 cardiomyocytes. <i>Biochimie</i> , 2014, 99, 110-118.   | 1.3 | 14        |
| 462 | Proteomics to reveal metabolic network shifts towards lipid accumulation following nitrogen deprivation in the diatom <i>Phaeodactylum tricornutum</i> . <i>Journal of Applied Phycology</i> , 2014, 26, 73-82.   | 1.5 | 112       |
| 463 | Regulation of keratinocyte differentiation by O-GlcNAcylation. <i>Journal of Dermatological Science</i> , 2014, 75, 10-15.  | 1.0 | 13        |
| 464 | MAPK signaling correlates with the antidepressant effects of ketamine. <i>Journal of Psychiatric Research</i> , 2014, 55, 15-21.  | 1.5 | 86        |
| 465 | Verrucarin A alters cell-cycle regulatory proteins and induces apoptosis through reactive oxygen species-dependent p38MAPK activation in the human breast cancer cell line MCF-7. <i>Tumor Biology</i> , 2014, 35, 10159-10167.   | 0.8 | 15        |
| 466 | A Polysaccharide from <i>Ganoderma atrum</i> Inhibits Tumor Growth by Induction of Apoptosis and Activation of Immune Response in CT26-Bearing Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 9296-9304.   | 2.4 | 26        |
| 467 | PKC in developmental hypothyroid rat brain. <i>Neurological Sciences</i> , 2014, 35, 1161-1166.   | 0.9 | 6         |
| 468 | Differential Activation of Signaling Pathways by Low $\epsilon$ Osmolar and Iso $\epsilon$ Osmolar Radiocontrast Agents in Human Renal Tubular Cells. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 281-289.   | 1.2 | 33        |
| 469 | Apelin-13 protects the brain against ischemia/reperfusion injury through activating PI3K/Akt and ERK1/2 signaling pathways. <i>Neuroscience Letters</i> , 2014, 568, 44-49.   | 1.0 | 105       |
| 470 | Selective anticancer effects of a synthetic flavagline on human Oct4-expressing cancer stem-like cells via a p38 MAPK-dependent caspase-3-dependent pathway. <i>Biochemical Pharmacology</i> , 2014, 89, 185-196.   | 2.0 | 19        |
| 471 | Biochemical mechanisms of bornyl caffeate induced cytotoxicity in rat pheochromocytoma PC12 cells. <i>Chemico-Biological Interactions</i> , 2014, 219, 133-142.   | 1.7 | 3         |
| 472 | <i>Nardostachys chinensis</i> induces the differentiation of human promyelocytic leukemic cells through the activation of the protein kinase C-dependent extracellular signal-regulated kinase signaling pathway. <i>International Journal of Molecular Medicine</i> , 2014, 33, 573-580. | 1.8 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 473 | Antitumor activity of combination treatment with gefitinib and docetaxel in EGFR-TKI-sensitive, primary resistant and acquired resistant human non-small cell lung cancer cells. <i>Molecular Medicine Reports</i> , 2014, 9, 2417-2422.                  | 1.1 | 14        |
| 474 | Effect of secondary hyperparathyroidism serum on endothelial cells and intervention with Klotho. <i>Molecular Medicine Reports</i> , 2015, 12, 1983-1990.   | 1.1 | 7         |
| 475 | Azorella compacta methanolic extract induces apoptosis via activation of mitogen-activated protein kinase. <i>Molecular Medicine Reports</i> , 2015, 12, 6821-6828.   | 1.1 | 9         |
| 476 | Myocardial protection induced by fentanyl in pigs exposed to high-dose adrenaline. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 1098-1107.  | 0.9 | 9         |
| 477 | TNF $\alpha$ induces inflammatory stress response in microvascular endothelial cells via Akt- and P38 MAP kinase-mediated thrombospondin-1 expression. <i>Molecular and Cellular Biochemistry</i> , 2015, 406, 227-236.                                   | 1.4 | 17        |
| 478 | Transcriptome, microRNA, and degradome analyses of the gene expression of Paulownia with phytoplasma. <i>BMC Genomics</i> , 2015, 16, 896.  | 1.2 | 29        |
| 479 | Anti-leukemic effect of sodium metaarsenite (KML001) in acute myeloid leukemia with breaking-down the resistance of cytosine arabinoside. <i>International Journal of Oncology</i> , 2015, 46, 1953-1962.   | 1.4 | 4         |
| 480 | Peroxisome proliferator-activated receptor (PPAR) gamma in cardiovascular disorders and cardiovascular surgery. <i>Journal of Cardiology</i> , 2015, 66, 271-278.   | 0.8 | 47        |
| 481 | Repeated low-dose 17 $\beta$ -estradiol treatment prevents activation of apoptotic signaling both in the synaptosomal and cellular fraction in rat prefrontal cortex following cerebral ischemia. <i>Neurochemistry International</i> , 2015, 83-84, 1-8. | 1.9 | 13        |
| 482 | Identification of genes involved in color variation of bamboo culms by suppression subtractive hybridization. <i>Plant Physiology and Biochemistry</i> , 2015, 97, 156-164.   | 2.8 | 11        |
| 483 | The PKA R1A kinase anchoring proteins 10 signaling pathway and the prognosis of colorectal cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 496-503.   | 1.4 | 6         |
| 484 | Effect of crowding stress on tolerance to ischemia-reperfusion injury in young male and female hypertensive rats: molecular mechanisms. <i>Canadian Journal of Physiology and Pharmacology</i> , 2015, 93, 793-802.                                       | 0.7 | 10        |
| 485 | The Role of Soy Phytoestrogens on Genetic and Epigenetic Mechanisms of Prostate Cancer. <i>The Enzymes</i> , 2015, 37, 193-221.   | 0.7 | 7         |
| 486 | Cardiotrophin-1 decreases liver apoptosis through calpastatin induction. <i>Journal of Surgical Research</i> , 2015, 193, 119-125.  | 0.8 | 2         |
| 487 | Bryostatins I inhibits growth and proliferation of pancreatic cancer cells via suppression of NF- $\kappa$ B activation. <i>Tropical Journal of Pharmaceutical Research</i> , 2016, 15, 2071.   | 0.2 | 1         |
| 488 | Protective effect of <i>Pyropia yezoensis</i> glycoprotein on chronic ethanol consumption-induced hepatotoxicity in rats. <i>Molecular Medicine Reports</i> , 2016, 14, 4881-4886.  | 1.1 | 7         |
| 489 | SB203580 Modulates p38 MAPK Signaling and Dengue Virus-Induced Liver Injury by Reducing MAPKAPK2, HSP27, and ATF2 Phosphorylation. <i>PLoS ONE</i> , 2016, 11, e0149486.  | 1.1 | 65        |
| 490 | Mitogen-Activated Protein Kinases and Hypoxic/Ischemic Nephropathy. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 1051-1067.  | 1.1 | 44        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 491 | Tumstatin induces apoptosis and stimulates phosphorylation of p65NF- $\kappa$ B in human osteoblastic osteosarcoma Saos-2 cells. <i>Oncology Reports</i> , 2016, 35, 3403-3408.  | 1.2 | 4         |
| 492 | <i>Toxoplasma gondii</i> ROP18: potential to manipulate host cell mitochondrial apoptosis. <i>Parasitology Research</i> , 2016, 115, 2415-2422.  | 0.6 | 15        |
| 493 | SP6616 as a new Kv2.1 channel inhibitor efficiently promotes $\beta$ 2-cell survival involving both PKC/Erk1/2 and CaM/PI3K/Akt signaling pathways. <i>Cell Death and Disease</i> , 2016, 7, e2216-e2216.  | 2.7 | 27        |
| 494 | MicroRNAs are involved in cadmium tolerance in <i>Daphnia pulex</i> . <i>Aquatic Toxicology</i> , 2016, 175, 241-248.  | 1.9 | 35        |
| 495 | Transcriptional responses in <i>Ecklonia cava</i> to short-term exposure to hyperthermal stress. <i>Toxicology and Environmental Health Sciences</i> , 2016, 8, 181-188.   | 1.1 | 1         |
| 496 | The ovarian DNA damage repair response is induced prior to phosphoramidate mustard-induced follicle depletion, and ataxia telangiectasia mutated inhibition prevents PM-induced follicle depletion. <i>Toxicology and Applied Pharmacology</i> , 2016, 292, 65-74. | 1.3 | 29        |
| 497 | De novo analysis of transcriptome reveals genes associated with leaf abscission in sugarcane ( <i>Saccharum officinarum</i> L.). <i>BMC Genomics</i> , 2016, 17, 195.  | 1.2 | 51        |
| 498 | Identification and comparative analysis of piRNAs in ovary and testis of Nile tilapia ( <i>Oreochromis</i> ) Tj ETQq1 1 0.784314 rgBT /Overloc 0.5 6   |     |           |
| 499 | Preclinical Evaluation of a Novel Orally Available SRC/Raf/VEGFR2 Inhibitor, SKLB646, in the Treatment of Triple-Negative Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 366-378.   | 1.9 | 21        |
| 500 | Effect of insulin analogues on phosphatidyl inositol-3 kinase/Akt signalling in INS-1 rat pancreatic derived $\beta$ -cells. <i>Archives of Physiology and Biochemistry</i> , 2016, 122, 54-60.  | 1.0 | 4         |
| 501 | Quantitative Proteomics Reveals Membrane Protein-Mediated Hypersaline Sensitivity and Adaptation in Halophilic <i>Nocardiopsis xinjiangensis</i> . <i>Journal of Proteome Research</i> , 2016, 15, 68-85.  | 1.8 | 35        |
| 502 | Liraglutide attenuates partial warm ischemia-reperfusion injury in rat livers. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 311-319.   | 1.4 | 14        |
| 503 | Mapping out p38 $\alpha$ MAPK. <i>American Journal of Reproductive Immunology</i> , 2017, 77, e12652.  | 1.2 | 44        |
| 504 | Quantitative cardiac phosphoproteomics profiling during ischemia-reperfusion in an immature swine model. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 313, H125-H137.  | 1.5 | 9         |
| 505 | Imperatorin protects H9c2 cardiomyoblasts cells from hypoxia/reoxygenation-induced injury through activation of ERK signaling pathway. <i>Saudi Pharmaceutical Journal</i> , 2017, 25, 615-619.  | 1.2 | 4         |
| 506 | miR-940 Upregulation Suppresses Cell Proliferation and Induces Apoptosis by Targeting PKC- in Ovarian Cancer OVCAR3 Cells. <i>Oncology Research</i> , 2017, 25, 107-114.   | 0.6 | 23        |
| 507 | FAM46C is critical for the anti-proliferation and pro-apoptotic effects of norcantharidin in hepatocellular carcinoma cells. <i>Scientific Reports</i> , 2017, 7, 396.   | 1.6 | 34        |
| 508 | Presence of nano-sized chitosan-layered silicate composites protects against toxicity induced by lead ions. <i>Carbohydrate Polymers</i> , 2017, 158, 1-10.  | 5.1 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 509 | A Role for cAMP and Protein Kinase A in Experimental Necrotizing Enterocolitis. <i>American Journal of Pathology</i> , 2017, 187, 401-417.  | 1.9 | 17        |
| 510 | Roles of PKR in differentiation and apoptosis of bone-related cells. <i>Anatomical Science International</i> , 2017, 92, 313-319.   | 0.5 | 4         |
| 511 | Lemur Tyrosine Kinase-3 Suppresses Growth of Prostate Cancer Via the AKT and MAPK Signaling Pathways. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 2582-2592.  | 1.1 | 7         |
| 512 | Shikonin suppresses proliferation and induces apoptosis in human leukemia NB4 cells through modulation of MAPKs and c-Myc. <i>Molecular Medicine Reports</i> , 2017, 16, 3055-3060.   | 1.1 | 24        |
| 513 | Dual RNA-seq of <i>Lysobacter capsici</i> AZ78 and <i>Phytophthora infestans</i> interaction shows the implementation of attack strategies by the bacterium and unsuccessful oomycete defense responses. <i>Environmental Microbiology</i> , 2017, 19, 4113-4125. | 1.8 | 30        |
| 514 | Antidepressant drugs can modify cytotoxic action of temozolomide. <i>European Journal of Cancer Care</i> , 2017, 26, e12551.  | 0.7 | 10        |
| 515 | Idh2 Deficiency Exacerbates Acrolein-Induced Lung Injury through Mitochondrial Redox Environment Deterioration. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-13.  | 1.9 | 13        |
| 516 | Activation of transient receptor potential vanilloid 1 protects the heart against apoptosis in ischemia/reperfusion injury through upregulating the PI3K/Akt signaling pathway. <i>International Journal of Molecular Medicine</i> , 2018, 41, 1724-1730.         | 1.8 | 12        |
| 517 | The protein-protein interactions between Amsacta moorei entomopoxvirus (AMEV) protein kinases (PKs) and all viral proteins. <i>Virus Research</i> , 2018, 248, 31-38.   | 1.1 | 2         |
| 518 | The natural phenolic peperobtusin A induces apoptosis of lymphoma U937 cells via the Caspase dependent and p38 MAPK signaling pathways. <i>Biomedicine and Pharmacotherapy</i> , 2018, 102, 772-781.  | 2.5 | 16        |
| 519 | Toxic activity and protein identification from the parotoid gland secretion of the common toad Bufo bufo. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2018, 205, 43-52.  | 1.3 | 24        |
| 520 | Protective molecular mechanisms of clusterin against apoptosis in cardiomyocytes. <i>Heart Failure Reviews</i> , 2018, 23, 123-129.   | 1.7 | 37        |
| 521 | Cholinergic System and Oxidative Stress Changes in the Brain of a Zebrafish Model Chronically Exposed to Ethanol. <i>Neurotoxicity Research</i> , 2018, 33, 749-758.  | 1.3 | 38        |
| 522 | The impact of cytokine responses in the intra- and extracellular signaling network of a traumatic injury. <i>Cytokine</i> , 2018, 106, 136-147.   | 1.4 | 9         |
| 523 | PDGF-AB rich-trombocyte lysate supplementation from breast cancer patients increased the proliferation of breast cancer stem cells. <i>Medical Journal of Indonesia</i> , 2018, 27, 19-25.  | 0.2 | 1         |
| 524 | Indole-3-acetate induces apoptosis and stimulates phosphorylation of p65NF- $\kappa$ B in 143B and HOS osteosarcoma cells. <i>Tropical Journal of Pharmaceutical Research</i> , 2018, 17, 1279.   | 0.2 | 0         |
| 525 | Toxicogenomic responses of low level anticancer drug exposures in Daphnia magna. <i>Aquatic Toxicology</i> , 2018, 203, 40-50.  | 1.9 | 24        |
| 526 | Effects of Cigarette Smoke on TSP0-related Mitochondrial Processes. <i>Cells</i> , 2019, 8, 694.  | 1.8 | 15        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 527 | Iridium(III) Complexes Targeting Apoptotic Cell Death in Cancer Cells. <i>Molecules</i> , 2019, 24, 2739.  | 1.7  | 59        |
| 528 | Biological Rationale for Targeting MEK/ERK Pathways in Anti-Cancer Therapy and to Potentiate Tumour Responses to Radiation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2530.   | 1.8  | 47        |
| 529 | Targeting Akt by SC66 triggers GSK-3 $\beta$ mediated apoptosis in colon cancer therapy. <i>Cancer Cell International</i> , 2019, 19, 124.   | 1.8  | 25        |
| 530 | Marine toxins and nephrotoxicity: Mechanism of injury. <i>Toxicon</i> , 2019, 161, 44-49.  | 0.8  | 14        |
| 531 | Solamargine inhibits gastric cancer progression by regulating the expression of lncNEAT1_2 via the MAPK signaling pathway. <i>International Journal of Oncology</i> , 2019, 54, 1545-1554.   | 1.4  | 30        |
| 533 | Inhibition of Oncogenic Kinases: An In Vitro Validated Computational Approach Identified Potential Multi-Target Anticancer Compounds. <i>Biomolecules</i> , 2019, 9, 124.  | 1.8  | 26        |
| 534 | Intracellular Signaling Pathways Implicated in the Pathophysiology of Depression. , 2019, , 97-109.  |      | 4         |
| 535 | Protein kinase A activation by Î²-â€œLapachone is associated with apoptotic cell death in NQO1-â€œoverexpressing breast cancer cells. <i>Oncology Reports</i> , 2019, 42, 1621-1630.   | 1.2  | 4         |
| 536 | Screening of Pleural Mesothelioma Cell Lines for Kinase Activity May Identify New Mechanisms of Therapy Resistance in Patients Receiving Platin-Based Chemotherapy. <i>Journal of Oncology</i> , 2019, 2019, 1-11.                             | 0.6  | 1         |
| 538 | A Novel Naphthoquinone-Coumarin Hybrid That Inhibits BCR-ABL1-STAT5 Oncogenic Pathway and Reduces Survival in Imatinib-Resistant Chronic Myelogenous Leukemia Cells. <i>Frontiers in Pharmacology</i> , 2018, 9, 1546.                         | 1.6  | 10        |
| 539 | Heparin-binding epidermal growth factor-like growth factor (HB-EGF) protected intestinal ischemia-reperfusion injury through JNK and p38/MAPK-dependent pathway for anti-apoptosis. <i>Pediatrics and Neonatology</i> , 2019, 60, 332-336.     | 0.3  | 9         |
| 540 | Fine Mapping of the High-pH Tolerance and Growth Trait-Related Quantitative Trait Loci (QTLs) and Identification of the Candidate Genes in Pacific White Shrimp ( <i>Litopenaeus vannamei</i> ). <i>Marine Biotechnology</i> , 2020, 22, 1-18. | 1.1  | 16        |
| 541 | The Role of Brachypodium distachyon Wall-Associated Kinases (WAKs) in Cell Expansion and Stress Responses. <i>Cells</i> , 2020, 9, 2478.   | 1.8  | 18        |
| 542 | Enjoying the warming Mediterranean: Transcriptomic responses to temperature changes of a thermophilous keystone species in benthic communities. <i>Molecular Ecology</i> , 2020, 29, 3299-3315.  | 2.0  | 11        |
| 543 | Contrasting signatures of genomic divergence during sympatric speciation. <i>Nature</i> , 2020, 588, 106-111.  | 13.7 | 115       |
| 544 | Biochanin A impedes STAT3 activation by upregulating p38-â€œ MAPK phosphorylation in IL-6-stimulated macrophages. <i>Inflammation Research</i> , 2020, 69, 1143-1156.  | 1.6  | 5         |
| 545 | The O-GlcNAc Modification on Kinases. <i>ACS Chemical Biology</i> , 2020, 15, 602-617.   | 1.6  | 24        |
| 546 | Morpholine as ubiquitous pharmacophore in medicinal chemistry: Deep insight into the structure-activity relationship (SAR). <i>Bioorganic Chemistry</i> , 2020, 96, 103578.  | 2.0  | 105       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 547 | Molecular Engineering Strategies Tailoring the Apoptotic Response to a MET Therapeutic Antibody. <i>Cancers</i> , 2020, 12, 741.   | 1.7 | 3         |
| 548 | Integrated Network Pharmacology and Molecular Docking to Reveal the Mechanism of Tetrandrine in Tumor Chemoresistance. <i>Oncologie</i> , 2021, 23, 425-438.   | 0.2 | 1         |
| 549 | Cardiac Exosomes in Ischemic Heart Disease—A Narrative Review. <i>Diagnostics</i> , 2021, 11, 269.   | 1.3 | 11        |
| 550 | Genome-wide association study on metabolite accumulation in a wild barley NAM population reveals natural variation in sugar metabolism. <i>PLoS ONE</i> , 2021, 16, e0246510.  | 1.1 | 5         |
| 551 | Characterizing the putative mitogen-activated protein kinase (MAPK) and their protective role in oxidative stress tolerance and carbon assimilation in wheat under terminal heat stress. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2021, 29, e00597. | 2.1 | 14        |
| 552 | Anti-Apoptotic Effect of Apelin in Human Placenta: Studies on BeWo Cells and Villous Explants from Third-Trimester Human Pregnancy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2760.   | 1.8 | 15        |
| 553 | Small Molecules in the Treatment of Squamous Cell Carcinomas: Focus on Indirubins. <i>Cancers</i> , 2021, 13, 1770.  | 1.7 | 15        |
| 554 | The TSPO Ligands MGV-1 and 2-Cl-MGV-1 Differentially Inhibit the Cigarette Smoke-Induced Cytotoxicity to H1299 Lung Cancer Cells. <i>Biology</i> , 2021, 10, 395.  | 1.3 | 0         |
| 555 | Genomic variation of an endosymbiotic dinoflagellate ( <i>Symbiodinium fitti</i> ) among closely related coral hosts. <i>Molecular Ecology</i> , 2021, 30, 3500-3514.  | 2.0 | 21        |
| 556 | Poly (amino acids) towards sensing: Recent progress and challenges. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 140, 116279.  | 5.8 | 53        |
| 557 | Tear Film Proteome of Healthy Domestic Cats. <i>Veterinary Medicine International</i> , 2021, 2021, 1-11.  | 0.6 | 2         |
| 558 | Coral microbiome manipulation elicits metabolic and genetic restructuring to mitigate heat stress and evade mortality. <i>Science Advances</i> , 2021, 7, .  | 4.7 | 114       |
| 559 | Host-symbiont transcriptomic changes during natural bleaching and recovery in the leaf coral <i>Pavona decussata</i> . <i>Science of the Total Environment</i> , 2022, 806, 150656.  | 3.9 | 10        |
| 560 | Transcriptome analysis reveals differential gene expression associated with white spot syndrome virus resistance in the shrimp <i>Litopenaeus vannamei</i> fed on functional diets. <i>Aquaculture</i> , 2022, 547, 737434.  | 1.7 | 6         |
| 561 | The L <sup>T</sup> IR Signaling Pathway. , 2007, 597, 160-172.   |     | 26        |
| 562 | Novel Approaches for Chemosensitization of Breast Cancer Cells: The E1A Story. <i>Advances in Experimental Medicine and Biology</i> , 2007, 608, 144-169.  | 0.8 | 21        |
| 563 | Genistein induces G2/M cell cycle arrest via stable activation of ERK1/2 pathway in MDA-MB-231 breast cancer cells. , 2008, , 121-129.   |     | 2         |
| 564 | Transformation into Treatment: Novel Therapeutics that Begin within the Cell. , 2003, , 1-26.  |     | 6         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 565 | Cell Signaling: Serine/Threonine Protein Kinases and Traumatic Brain Injury. , 2001, , 163-180.   |     | 1         |
| 566 | Pre- Peri- Post-Conditioning the Ischemic Myocardium: Challenges, Confounders and Expectations. , 2015, , 541-552.  |     | 2         |
| 567 | Regulation of p73 by c-Abl through the p38 MAP kinase pathway. , 0, .   |     | 1         |
| 568 | Mutations in the <i>midway</i> Gene Disrupt a Drosophila Acyl Coenzyme A: Diacylglycerol Acyltransferase. Genetics, 2002, 160, 1511-1518.   | 1.2 | 102       |
| 569 | Transcriptome changes associated with Tomato spotted wilt virus infection in various life stages of its thrips vector, <i>Frankliniella fusca</i> (Hinds). Journal of General Virology, 2017, 98, 2156-2170.                                      | 1.3 | 40        |
| 570 | PKB/Akt. Journal of Cell Science, 2001, 114, 2903-2910.   | 1.2 | 940       |
| 571 | Adaptive concentrations of hydrogen peroxide suppress cell death by blocking the activation of SAPK/JNK pathway. Journal of Cell Science, 2001, 114, 4329-4334.   | 1.2 | 41        |
| 572 | P35-sensitive caspases, MAP kinases and Rho modulate $\beta$ -adrenergic induction of apoptosis in mollusc immune cells. Journal of Cell Science, 2002, 115, 761-768.   | 1.2 | 71        |
| 573 | Overexpressed PKC $\delta$ Downregulates the Expression of PKC $\epsilon$ in B16F10 Melanoma: Induction of Apoptosis by PKC $\delta$ via Ceramide Generation. PLoS ONE, 2014, 9, e91656.  | 1.1 | 22        |
| 574 | Novel Reporter for Faithful Monitoring of ERK2 Dynamics in Living Cells and Model Organisms. PLoS ONE, 2015, 10, e0140924.  | 1.1 | 5         |
| 575 | BH3-only sensors Bad, Noxa and Puma are Key Regulators of Tacaribe virus-induced Apoptosis. PLoS Pathogens, 2020, 16, e1008948.   | 2.1 | 12        |
| 576 | Submerged Cultured Mycelium Extracts of Higher Basidiomycetes Mushrooms Selectively Inhibit Proliferation and Induce Differentiation of K562 Human Chronic Myelogenous Leukemia Cells. International Journal of Medicinal Mushrooms, 2003, 5, 16. | 0.9 | 16        |
| 577 | CM363, a novel naphthoquinone derivative which acts as multikinase modulator and overcomes imatinib resistance in chronic myelogenous leukemia. Oncotarget, 2017, 8, 29679-29698.   | 0.8 | 10        |
| 578 | Distinctive expression patterns of hypoxia-inducible factor-1 $\alpha$ and endothelial nitric oxide synthase following hypergravity exposure. Oncotarget, 2016, 7, 33675-33688.   | 0.8 | 11        |
| 579 | A Chemical Approach to Overcome Tyrosine Kinase Inhibitors Resistance: Learning from Chronic Myeloid Leukemia. Current Medicinal Chemistry, 2019, 26, 6033-6052.  | 1.2 | 6         |
| 580 | Megakaryopoiesis: Transcriptional Insights into Megakaryocyte Maturation. Frontiers in Bioscience - Landmark, 2007, 12, 2050.   | 3.0 | 15        |
| 581 | Genetic differences in thermal tolerance among colonies of threatened coral <i>Acropora cervicornis</i> : potential for adaptation to increasing temperature. Marine Ecology - Progress Series, 2020, 646, 45-68.                                 | 0.9 | 14        |
| 582 | Effect of atrial natriuretic peptide on ischemia-reperfusion injury in a porcine total hepatic vascular exclusion model. World Journal of Gastroenterology, 2007, 13, 3487.   | 1.4 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 583 | Stimulation of p38 MAPK by hormaI preconditioning with atrial natriuretic peptide. World Journal of Gastroenterology, 2002, 8, 707.  | 1.4 | 18        |
| 584 | Cellular and Molecular Pathways of Ischemic Neuronal Death. BMB Reports, 2002, 35, 67-86.  | 1.1 | 183       |
| 585 | Anti-proliferative activity of recombinant melittin expressed in Escherichia coli toward U937 cells. African Journal of Biotechnology, 2012, 11, .   | 0.3 | 2         |
| 586 | AICAR and Trimetazidine in University of Wisconsin Solution are Effective to Increase Survival in Recipients Transplanted with Steatotic Livers. Immuno-gastroenterology, 2012, 1, 58.   | 0.4 | 3         |
| 588 | Regulation of Fas Receptor and Fas Ligand Expression and Caspase Activities in Okadaic Acid-induced Apoptosis of Human Oral Squamous Carcinoma Cells.. The Journal of the Kyushu Dental Society, 2001, 55, 243-256.                            | 0.0 | 0         |
| 589 | Update on the Regulation of Apoptosis in Prostate Cancer. , 2003, , 45-53.   |     | 0         |
| 590 | Anthracyclines and Bortezomib. , 2004, , 171-180.  |     | 0         |
| 591 | Evaluation of Cell Death and the Reduction of ERK Phosphorylation in Non-Small Cell Lung Cancer Cells after Exposure to Sodium Butyrate. Journal of Life Science, 2009, 19, 1314-1320.   | 0.2 | 1         |
| 593 | Comparative Transcriptomics ofBuzura suppressaria(Lepidoptera: Geometridae) Assembled De Novo Yield Insights Into Response AfterBuzura suppressariaNuclear Polyhedrosis Virus Infection. Journal of Economic Entomology, 2017, 110, tow298.    | 0.8 | 1         |
| 594 | The molecular functions of protein kinase C (PKC) isoforms. International Physical Medicine & Rehabilitation Journal, 2018, 3, .   | 0.1 | 2         |
| 595 | Role of Mitochondrial Oxygen and Nitrogen Reactive Species in Signaling. , 2003, , 311-332.  |     | 3         |
| 596 | Swimming under elevated hydrostatic pressure increases glycolytic activity in gas gland cells of the European eel. PLoS ONE, 2020, 15, e0239627.   | 1.1 | 5         |
| 598 | Discovery of metabolomic biomarkers for discriminating platinum-sensitive and platinum-resistant ovarian cancer by using GC-MS. European Journal of Mass Spectrometry, 2021, , 146906672110579.  | 0.5 | 3         |
| 599 | Linalool and eugenol exhibit apoptotic potential on hela and caco-2 cells through the modulation of src kinases and ADAMTS proteases while only eugenol displays anti-angiogenic features on HeLa cells. Biologia (Poland), 2022, 77, 865-877. | 0.8 | 0         |
| 600 | Cancer-Associated Fibroblasts Regulate Kinase Activity in Mesothelioma Cell Lines via Paracrine Signaling and Thereby Dictate Cell Faith and Behavior. International Journal of Molecular Sciences, 2022, 23, 3278.                            | 1.8 | 5         |
| 601 | The PI3K/Akt/mTOR axis in colorectal cancer: Oncogenic alterations, non-coding RNAs, therapeutic opportunities, and the emerging role of nanoparticles. Journal of Cellular Physiology, 2022, 237, 1720-1752.                                  | 2.0 | 27        |
| 604 | Structure and biomedical applications of bioactive polyphenols from food and fruits. Journal of Food Processing and Preservation, 2022, 46, .  | 0.9 | 2         |
| 605 | Naringenin as a potential inhibitor of human cyclin-dependent kinase 6: Molecular and structural insights into anti-cancer therapeutics. International Journal of Biological Macromolecules, 2022, 213, 944-954.                               | 3.6 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 606 | The Possible Connection of Two Dual Function Processes: The Relationship of Ferroptosis and the JNK Pathway. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11004.   | 1.8 | 2         |
| 607 | Variation of miRNA Content in Cow Raw Milk Depending on the Dairy Production System. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11681.   | 1.8 | 3         |
| 608 | Functional metabolism pathways of significantly regulated genes in <i>Nannochloropsis oceanica</i> with various nitrogen/phosphorus nutrients for CO <sub>2</sub> fixation. <i>Science of the Total Environment</i> , 2023, 883, 163318. | 3.9 | 2         |